

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

United States

All races, both sexes.....	9,585	105	73	32	60	60	114	120	192	256	376	445
Male.....	4,085	60	39	16	34	32	59	54	99	131	201	240
Female.....	5,500	45	34	16	26	28	55	66	93	125	175	205
White, both sexes.....	7,108	71	44	16	37	33	41	43	72	103	148	210
Male.....	2,986	45	20	10	21	16	24	18	40	60	86	124
Female.....	4,122	26	24	6	16	17	17	25	32	43	62	86
Black, both sexes.....	2,271	20	23	14	20	24	72	75	111	149	222	225
Male.....	1,010	11	15	6	11	15	34	35	54	71	111	114
Female.....	1,261	9	8	8	9	9	38	40	57	78	111	111
American Indian 1/, both sexes.....	42	-	1	-	1	-	-	1	2	2	2	4
Male.....	17	-	1	-	1	-	-	-	1	-	1	1
Female.....	25	-	-	-	-	-	-	1	1	2	1	3
Asian or Pacific Islander 2/, both sexes.....	164	14	5	2	2	3	1	1	7	2	4	6
Male.....	72	4	3	-	1	1	1	1	4	-	3	1
Female.....	92	10	2	2	1	2	-	-	3	2	1	5

Alabama

All races, both sexes.....	210	-	3	-	3	2	4	4	8	9	9	13
Male.....	100	-	1	-	1	2	4	2	2	7	6	7
Female.....	110	-	2	-	2	-	-	2	6	2	3	6
White, both sexes.....	118	-	-	-	2	1	1	1	1	2	2	6
Male.....	60	-	-	-	1	1	1	1	-	2	2	4
Female.....	58	-	-	-	1	-	-	-	1	-	-	2
Black, both sexes.....	89	-	3	-	-	1	3	3	7	7	7	7
Male.....	40	-	1	-	-	1	3	1	2	5	4	3
Female.....	49	-	2	-	-	-	-	2	5	2	3	4
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

Arkansas

All races, both sexes.....	136	2	-	-	-	1	2	3	4	2	8	7
Male.....	57	-	-	-	-	1	1	1	2	1	2	4
Female.....	79	2	-	-	-	-	1	2	2	1	6	3
White, both sexes.....	99	2	-	-	-	1	1	1	1	2	2	3
Male.....	39	-	-	-	-	1	-	-	-	1	1	1
Female.....	60	2	-	-	-	-	1	1	1	1	1	2
Black, both sexes.....	36	-	-	-	-	-	1	2	3	-	6	4
Male.....	17	-	-	-	-	-	1	1	2	-	1	3
Female.....	19	-	-	-	-	-	-	1	1	-	5	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	620	20	9	1	7	8	10	8	18	20	32	29
Male.....	270	12	4	1	5	4	4	5	12	11	20	11
Female.....	350	8	5	-	2	4	6	3	6	9	12	18
White, both sexes.....	459	14	5	1	7	4	7	4	9	12	17	12
Male.....	203	11	2	1	5	2	3	2	8	8	13	7
Female.....	256	3	3	-	2	2	4	2	1	4	4	5
Black, both sexes.....	107	2	1	-	-	3	3	3	7	6	14	16
Male.....	40	-	-	-	-	2	1	2	2	3	6	4
Female.....	67	2	1	-	-	1	2	1	5	3	8	12
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	53	4	3	-	-	1	-	1	2	2	1	1
Male.....	27	1	2	-	-	-	-	1	2	-	1	-
Female.....	26	3	1	-	-	1	-	-	-	2	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

New Mexico

All races, both sexes.....	46	-	-	-	2	-	-	1	-	1	3	4
Male.....	24	-	-	-	2	-	-	1	-	-	1	3
Female.....	22	-	-	-	-	-	-	-	-	1	2	1
White, both sexes.....	41	-	-	-	1	-	-	1	-	1	3	4
Male.....	21	-	-	-	1	-	-	1	-	-	1	3
Female.....	20	-	-	-	-	-	-	-	-	1	2	1
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	-	1	-	-	-	-	-	-	-
Male.....	2	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	555	5	7	6	6	4	8	8	17	22	26	29
Male.....	263	3	4	1	2	1	4	1	9	13	18	22
Female.....	292	2	3	5	4	3	4	7	8	9	8	7
White, both sexes.....	382	2	5	2	4	2	1	3	6	5	7	10
Male.....	165	1	3	1	1	-	-	-	4	3	5	7
Female.....	217	1	2	1	3	2	1	3	2	2	2	3
Black, both sexes.....	157	1	2	3	2	1	7	5	10	17	19	19
Male.....	91	1	1	-	1	-	4	1	5	10	13	15
Female.....	66	-	1	3	1	1	3	4	5	7	6	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	2	-	1	-	1	-	-	1	-	-	-
Male.....	7	1	-	-	-	1	-	-	-	-	-	-
Female.....	9	1	-	1	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

United States

All races, both sexes.....	488	477	499	567	784	1,015	1,248	1,224	948	419	83	-
Male.....	233	218	243	274	385	459	512	430	263	94	9	-
Female.....	255	259	256	293	399	556	736	794	685	325	74	-
White, both sexes.....	241	273	340	418	648	863	1,104	1,111	838	380	74	-
Male.....	118	125	168	213	320	393	465	392	236	83	9	-
Female.....	123	148	172	205	328	470	639	719	602	297	65	-
Black, both sexes.....	234	189	142	132	125	129	127	99	100	33	6	-
Male.....	108	86	65	50	61	58	41	32	23	9	-	-
Female.....	126	103	77	82	64	71	86	67	77	24	6	-
American Indian 1/, both sexes.....	7	4	6	6	1	1	2	1	1	-	-	-
Male.....	5	1	3	2	1	-	-	-	-	-	-	-
Female.....	2	3	3	4	-	1	2	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	11	11	11	10	22	15	13	9	6	3	-
Male.....	2	6	7	9	3	8	6	6	4	2	-	-
Female.....	4	5	4	2	7	14	9	7	5	4	3	-

Alabama

All races, both sexes.....	14	12	10	12	20	15	20	28	18	6	-	-
Male.....	7	3	5	5	9	9	11	13	3	3	-	-
Female.....	7	9	5	7	11	6	9	15	15	3	-	-
White, both sexes.....	5	5	8	9	14	10	17	20	9	5	-	-
Male.....	1	2	4	5	6	6	9	11	1	3	-	-
Female.....	4	3	4	4	8	4	8	9	8	2	-	-
Black, both sexes.....	9	6	2	3	6	4	3	8	9	1	-	-
Male.....	6	1	1	-	3	3	2	2	2	-	-	-
Female.....	3	5	1	3	3	1	1	6	7	1	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

Arkansas

All races, both sexes.....	8	11	6	7	12	10	16	18	14	5	-	-
Male.....	3	8	3	3	4	5	6	8	5	-	-	-
Female.....	5	3	3	4	8	5	10	10	9	5	-	-
White, both sexes.....	4	7	4	6	10	10	15	13	12	5	-	-
Male.....	1	5	1	3	4	5	5	6	5	-	-	-
Female.....	3	2	3	3	6	5	10	7	7	5	-	-
Black, both sexes.....	3	4	2	1	2	-	1	5	2	-	-	-
Male.....	1	3	2	-	-	-	1	2	-	-	-	-
Female.....	2	1	-	1	2	-	-	3	2	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	39	44	31	31	57	57	69	63	49	15	3	-
Male.....	20	18	14	8	16	24	33	28	17	3	-	-
Female.....	19	26	17	23	41	33	36	35	32	12	3	-
White, both sexes.....	25	27	22	19	44	45	62	61	45	14	3	-
Male.....	13	11	9	5	11	17	30	27	15	3	-	-
Female.....	12	16	13	14	33	28	32	34	30	11	3	-
Black, both sexes.....	12	11	5	9	7	5	1	-	2	-	-	-
Male.....	6	3	1	2	3	4	-	-	1	-	-	-
Female.....	6	8	4	7	4	1	1	-	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	6	4	3	6	7	6	2	2	1	-	-
Male.....	1	4	4	1	2	3	3	1	1	-	-	-
Female.....	-	2	-	2	4	4	3	1	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

Maine

All races, both sexes.....	1	1	-	4	4	7	7	8	10	3	1	-
Male.....	-	-	-	2	2	5	2	3	2	-	-	-
Female.....	1	1	-	2	2	2	5	5	8	3	1	-
White, both sexes.....	1	1	-	4	4	7	6	8	10	3	1	-
Male.....	-	-	-	2	2	5	2	3	2	-	-	-
Female.....	1	1	-	2	2	2	4	5	8	3	1	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	13	13	12	17	22	24	33	21	20	5	-	-
Male.....	9	5	5	8	11	11	14	7	2	2	-	-
Female.....	4	8	7	9	11	13	19	14	18	3	-	-
White, both sexes.....	2	3	3	10	15	17	21	17	14	3	-	-
Male.....	2	2	2	5	7	7	11	5	1	1	-	-
Female.....	-	1	1	5	8	10	10	12	13	2	-	-
Black, both sexes.....	11	10	9	7	7	6	11	4	6	2	-	-
Male.....	7	3	3	3	4	4	2	2	1	1	-	-
Female.....	4	7	6	4	3	2	9	2	5	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

New Hampshire

All races, both sexes.....	1	1	1	1	1	2	1	3	3	1	1	-
Male.....	-	1	1	-	-	1	-	1	1	-	-	-
Female.....	1	-	-	1	1	1	1	2	2	1	1	-
White, both sexes.....	1	1	1	1	1	2	1	3	3	1	1	-
Male.....	-	1	1	-	-	1	-	1	1	-	-	-
Female.....	1	-	-	1	1	1	1	2	2	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	18	7	29	19	34	45	57	59	51	21	3	-
Male.....	11	5	18	11	21	17	25	19	15	8	-	-
Female.....	7	2	11	8	13	28	32	40	36	13	3	-
White, both sexes.....	5	3	19	14	28	36	47	51	44	20	3	-
Male.....	2	3	13	8	17	15	21	15	13	8	-	-
Female.....	3	-	6	6	11	21	26	36	31	12	3	-
Black, both sexes.....	13	4	10	5	6	6	9	8	6	1	-	-
Male.....	9	2	5	3	4	2	4	4	2	-	-	-
Female.....	4	2	5	2	2	4	5	4	4	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	3	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	3	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

New Mexico

All races, both sexes.....	2	4	2	2	3	3	6	9	2	2	-	-
Male.....	2	2	1	1	2	1	3	3	2	-	-	-
Female.....	-	2	1	1	1	2	3	6	-	2	-	-
White, both sexes.....	1	3	2	2	3	3	6	8	2	1	-	-
Male.....	1	2	1	1	2	1	3	2	2	-	-	-
Female.....	-	1	1	1	1	2	3	6	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	31	28	37	26	40	56	68	62	48	19	2	-
Male.....	15	14	22	15	23	26	31	20	13	6	-	-
Female.....	16	14	15	11	17	30	37	42	35	13	2	-
White, both sexes.....	13	14	31	14	33	47	62	57	44	18	2	-
Male.....	7	4	18	9	17	19	29	19	12	6	-	-
Female.....	6	10	13	5	16	28	33	38	32	12	2	-
Black, both sexes.....	16	13	5	11	6	8	4	4	4	-	-	-
Male.....	8	9	4	5	5	6	1	1	1	-	-	-
Female.....	8	4	1	6	1	2	3	3	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	1	1	1	2	1	-	1	-	-
Male.....	-	1	-	1	1	1	1	-	-	-	-	-
Female.....	2	-	1	-	-	-	1	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

Oregon

All races, both sexes.....	4	5	7	6	7	15	11	16	15	8	4	-
Male.....	1	2	3	2	4	9	3	6	3	1	-	-
Female.....	3	3	4	4	3	6	8	10	12	7	4	-
White, both sexes.....	4	5	6	6	7	13	10	16	15	8	3	-
Male.....	1	2	3	2	4	9	3	6	3	1	-	-
Female.....	3	3	3	4	3	4	7	10	12	7	3	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	1	-

Pennsylvania

All races, both sexes.....	19	21	24	28	55	57	90	100	53	25	4	-
Male.....	6	8	11	13	32	30	33	30	12	4	-	-
Female.....	13	13	13	15	23	27	57	70	41	21	4	-
White, both sexes.....	12	13	15	22	47	50	82	94	49	21	4	-
Male.....	5	4	7	11	28	27	31	28	12	2	-	-
Female.....	7	9	8	11	19	23	51	66	37	19	4	-
Black, both sexes.....	7	7	9	5	8	7	7	6	4	4	-	-
Male.....	1	4	4	1	4	3	2	2	-	2	-	-
Female.....	6	3	5	4	4	4	5	4	4	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

Texas

All races, both sexes.....	29	29	40	46	53	69	83	65	60	25	4	-
Male.....	8	15	19	23	25	23	34	16	12	7	-	-
Female.....	21	14	21	23	28	46	49	49	48	18	4	-
White, both sexes.....	18	22	25	36	51	63	74	61	53	22	3	-
Male.....	6	11	12	17	24	21	31	15	10	5	-	-
Female.....	12	11	13	19	27	42	43	46	43	17	3	-
Black, both sexes.....	11	7	13	10	2	6	9	3	6	2	1	-
Male.....	2	4	6	6	1	2	3	-	2	1	-	-
Female.....	9	3	7	4	1	4	6	3	4	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	-	-	-	1	1	1	-	-
Male.....	-	-	1	-	-	-	-	1	-	1	-	-
Female.....	-	-	1	-	-	-	-	-	1	-	-	-

Utah

All races, both sexes.....	1	2	7	3	6	4	6	6	5	1	-	-
Male.....	1	-	2	3	3	1	1	4	3	1	-	-
Female.....	-	2	5	-	3	3	5	2	2	-	-	-
White, both sexes.....	1	1	6	2	6	3	6	6	5	1	-	-
Male.....	1	-	2	2	3	1	1	4	3	1	-	-
Female.....	-	1	4	-	3	2	5	2	2	-	-	-
Black, both sexes.....	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

Vermont

All races, both sexes.....	-	-	-	-	1	1	2	-	1	2	-	-
Male.....	-	-	-	-	-	1	-	-	-	1	-	-
Female.....	-	-	-	-	1	-	2	-	1	1	-	-
White, both sexes.....	-	-	-	-	1	1	2	-	1	2	-	-
Male.....	-	-	-	-	-	1	-	-	-	1	-	-
Female.....	-	-	-	-	1	-	2	-	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	18	20	13	16	26	27	23	30	17	9	4	-
Male.....	10	9	3	7	13	12	13	10	2	4	-	-
Female.....	8	11	10	9	13	15	10	20	15	5	4	-
White, both sexes.....	2	8	6	8	17	23	19	25	14	6	3	-
Male.....	1	3	1	4	9	11	9	9	2	4	-	-
Female.....	1	5	5	4	8	12	10	16	12	2	3	-
Black, both sexes.....	16	12	6	7	9	4	4	4	3	3	1	-
Male.....	9	6	2	2	4	1	4	1	-	-	-	-
Female.....	7	6	4	5	5	3	-	3	3	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Anemias (D50-D64)												
United States												
All races, both sexes.....	4,594	22	24	16	31	37	68	69	88	81	102	137
Male.....	1,832	11	14	8	15	19	33	37	46	37	54	77
Female.....	2,762	11	10	8	16	18	35	32	42	44	48	60
White, both sexes.....	3,476	9	10	4	17	15	8	16	23	17	28	46
Male.....	1,319	4	5	3	8	6	5	8	14	8	14	29
Female.....	2,157	5	5	1	9	9	3	8	9	9	14	17
Black, both sexes.....	1,037	6	12	12	13	19	60	52	62	62	72	87
Male.....	487	4	7	5	7	12	28	28	30	29	40	48
Female.....	550	2	5	7	6	7	32	24	32	33	32	39
American Indian 1/, both sexes.....	15	-	-	-	-	-	-	-	1	1	1	1
Male.....	4	-	-	-	-	-	-	-	1	-	-	-
Female.....	11	-	-	-	-	-	-	-	-	1	1	1
Asian or Pacific Islander 2/, both sexes.....	66	7	2	-	1	3	-	1	2	1	1	3
Male.....	22	3	2	-	-	1	-	1	1	-	-	-
Female.....	44	4	-	-	1	2	-	-	1	1	1	3
Alabama												
All races, both sexes.....	96	-	2	-	2	2	2	2	5	5	1	3
Male.....	48	-	1	-	-	2	2	1	2	4	1	-
Female.....	48	-	1	-	2	-	-	1	3	1	-	3
White, both sexes.....	47	-	-	-	1	1	-	-	1	-	-	1
Male.....	22	-	-	-	-	1	-	-	-	-	-	-
Female.....	25	-	-	-	1	-	-	-	1	-	-	1
Black, both sexes.....	48	-	2	-	-	1	2	2	4	5	1	2
Male.....	26	-	1	-	-	1	2	1	2	4	1	-
Female.....	22	-	1	-	-	-	-	1	2	1	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Anemias (D50-D64)												
Arkansas												
All races, both sexes.....	59	-	-	-	-	-	1	2	2	-	2	2
Male.....	25	-	-	-	-	-	1	1	1	-	1	2
Female.....	34	-	-	-	-	-	-	1	1	-	1	-
White, both sexes.....	41	-	-	-	-	-	-	1	-	-	1	-
Male.....	15	-	-	-	-	-	-	-	-	-	1	-
Female.....	26	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	18	-	-	-	-	-	1	1	2	-	1	2
Male.....	10	-	-	-	-	-	1	1	1	-	-	2
Female.....	8	-	-	-	-	-	-	-	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	240	5	5	-	1	6	4	4	8	8	8	5
Male.....	82	2	3	-	-	3	2	2	3	3	1	-
Female.....	158	3	2	-	1	3	2	2	5	5	7	5
White, both sexes.....	177	1	2	-	1	2	2	1	2	3	2	1
Male.....	61	1	1	-	-	1	1	-	2	2	1	-
Female.....	116	-	1	-	1	1	1	1	-	1	1	1
Black, both sexes.....	40	-	1	-	-	3	2	2	5	4	6	4
Male.....	12	-	-	-	-	2	1	1	-	1	-	-
Female.....	28	-	1	-	-	1	1	1	5	3	6	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	23	4	2	-	-	1	-	1	1	1	-	-
Male.....	9	1	2	-	-	-	-	1	1	-	-	-
Female.....	14	3	-	-	-	1	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Anemias (D50-D64)												
New Mexico												
All races, both sexes.....	18	-	-	-	1	-	-	-	-	1	1	1
Male.....	6	-	-	-	1	-	-	-	-	-	-	-
Female.....	12	-	-	-	-	-	-	-	-	1	1	1
White, both sexes.....	16	-	-	-	1	-	-	-	-	1	1	1
Male.....	5	-	-	-	1	-	-	-	-	-	-	-
Female.....	11	-	-	-	-	-	-	-	-	1	1	1
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	257	1	3	4	6	3	7	6	12	11	6	6
Male.....	107	1	2	1	2	1	3	1	6	7	3	5
Female.....	150	-	1	3	4	2	4	5	6	4	3	1
White, both sexes.....	183	-	2	1	4	1	1	2	2	1	1	2
Male.....	65	-	1	1	1	-	-	-	1	1	-	2
Female.....	118	-	1	-	3	1	1	2	1	-	1	-
Black, both sexes.....	68	-	1	3	2	1	6	4	9	10	5	4
Male.....	39	-	1	-	1	-	3	1	5	6	3	3
Female.....	29	-	-	3	1	1	3	3	4	4	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	-	-	-	1	-	-	1	-	-	-
Male.....	3	1	-	-	-	1	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Anemias (D50-D64)

Arkansas

All races, both sexes.....	2	3	1	2	4	5	9	9	12	3	-	-
Male.....	1	2	1	2	1	2	2	4	4	-	-	-
Female.....	1	1	-	-	3	3	7	5	8	3	-	-
White, both sexes.....	1	-	-	2	2	5	8	7	11	3	-	-
Male.....	1	-	-	2	1	2	1	3	4	-	-	-
Female.....	-	-	-	-	1	3	7	4	7	3	-	-
Black, both sexes.....	1	3	1	-	2	-	1	2	1	-	-	-
Male.....	-	2	1	-	-	-	1	1	-	-	-	-
Female.....	1	1	-	-	2	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	6	11	6	13	18	16	29	39	34	11	3	-
Male.....	1	3	3	4	8	6	11	16	10	1	-	-
Female.....	5	8	3	9	10	10	18	23	24	10	3	-
White, both sexes.....	3	7	4	9	12	15	27	39	31	10	3	-
Male.....	-	2	1	3	5	5	11	16	8	1	-	-
Female.....	3	5	3	6	7	10	16	23	23	9	3	-
Black, both sexes.....	3	3	-	2	3	1	-	-	1	-	-	-
Male.....	1	1	-	1	2	1	-	-	1	-	-	-
Female.....	2	2	-	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	2	3	-	2	-	2	1	-	-
Male.....	-	-	2	-	1	-	-	-	1	-	-	-
Female.....	-	1	-	2	2	-	2	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Anemias (D50-D64)

New Hampshire

All races, both sexes.....	1	-	-	-	-	1	-	3	2	1	1	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	2	2	1	1	-
White, both sexes.....	1	-	-	-	-	1	-	3	2	1	1	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	2	2	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	4	2	9	6	18	17	26	36	36	18	3	-
Male.....	2	1	7	3	12	11	10	11	11	7	-	-
Female.....	2	1	2	3	6	6	16	25	25	11	3	-
White, both sexes.....	2	1	6	3	15	15	20	31	33	17	3	-
Male.....	1	1	5	1	10	10	8	9	10	7	-	-
Female.....	1	-	1	2	5	5	12	22	23	10	3	-
Black, both sexes.....	2	1	3	3	3	2	5	5	3	1	-	-
Male.....	1	-	2	2	2	1	2	2	1	-	-	-
Female.....	1	1	1	1	1	1	3	3	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Anemias (D50-D64)

New Mexico

All races, both sexes.....	-	-	1	-	1	-	4	6	-	2	-	-
Male.....	-	-	-	-	-	-	2	3	-	-	-	-
Female.....	-	-	1	-	1	-	2	3	-	2	-	-
White, both sexes.....	-	-	1	-	1	-	4	5	-	1	-	-
Male.....	-	-	-	-	-	-	2	2	-	-	-	-
Female.....	-	-	1	-	1	-	2	3	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	5	11	9	8	13	21	37	39	36	12	1	-
Male.....	2	6	4	6	8	10	18	10	8	3	-	-
Female.....	3	5	5	2	5	11	19	29	28	9	1	-
White, both sexes.....	2	4	9	6	11	17	36	36	33	11	1	-
Male.....	-	1	4	4	6	6	18	9	7	3	-	-
Female.....	2	3	5	2	5	11	18	27	26	8	1	-
Black, both sexes.....	3	7	-	2	1	4	1	2	3	-	-	-
Male.....	2	5	-	2	1	4	-	1	1	-	-	-
Female.....	1	2	-	-	-	-	1	1	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	1	-	1	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Anemias (D50-D64)

Texas

All races, both sexes.....	6	10	9	14	30	37	51	41	43	20	4	-
Male.....	3	8	5	11	13	15	20	8	10	6	-	-
Female.....	3	2	4	3	17	22	31	33	33	14	4	-
White, both sexes.....	4	5	7	11	28	33	47	39	38	17	3	-
Male.....	3	5	3	8	12	13	19	8	9	4	-	-
Female.....	1	-	4	3	16	20	28	31	29	13	3	-
Black, both sexes.....	2	5	2	3	2	4	4	2	4	2	1	-
Male.....	-	3	2	3	1	2	1	-	1	1	-	-
Female.....	2	2	-	-	1	2	3	2	3	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Utah

All races, both sexes.....	-	1	3	1	3	2	3	3	3	1	-	-
Male.....	-	-	1	1	3	1	1	1	2	1	-	-
Female.....	-	1	2	-	-	1	2	2	1	-	-	-
White, both sexes.....	-	1	3	1	3	1	3	3	3	1	-	-
Male.....	-	-	1	1	3	1	1	1	2	1	-	-
Female.....	-	1	2	-	-	-	2	2	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Anemias (D50-D64)

Vermont

All races, both sexes.....	-	-	-	-	-	-	-	-	-	2	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	2	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	4	6	5	5	11	16	14	14	11	6	4	-
Male.....	1	2	2	2	4	8	10	5	1	1	-	-
Female.....	3	4	3	3	7	8	4	9	10	5	4	-
White, both sexes.....	1	1	2	2	7	12	10	11	10	3	3	-
Male.....	1	-	-	-	2	7	6	5	1	1	-	-
Female.....	-	1	2	2	5	5	4	6	9	2	3	-
Black, both sexes.....	3	5	3	3	4	4	4	2	1	3	1	-
Male.....	-	2	2	2	2	1	4	-	-	-	-	-
Female.....	3	3	1	1	2	3	-	2	1	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Nutritional anemias (D50-D53)

Arkansas

All races, both sexes.....	-	-	-	2	1	-	1	-	1	-	-	-
Male.....	-	-	-	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	1	-	-	-
White, both sexes.....	-	-	-	2	-	-	1	-	1	-	-	-
Male.....	-	-	-	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	-	-	1	-	2	4	3	3	7	1	1	-
Male.....	-	-	-	-	-	3	2	2	3	-	-	-
Female.....	-	-	1	-	2	1	1	1	4	1	1	-
White, both sexes.....	-	-	1	-	1	3	3	3	6	-	1	-
Male.....	-	-	-	-	-	2	2	2	2	-	-	-
Female.....	-	-	1	-	1	1	1	1	4	-	1	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Hemolytic anemias (D55-D59)

United States

All races, both sexes.....	822	16	17	12	13	19	58	59	64	61	71	76
Male.....	377	8	11	5	5	10	25	29	31	29	38	41
Female.....	445	8	6	7	8	9	33	30	33	32	33	35
White, both sexes.....	300	6	5	1	3	4	4	8	8	6	5	9
Male.....	116	2	3	-	-	1	2	2	4	4	2	7
Female.....	184	4	2	1	3	3	2	6	4	2	3	2
Black, both sexes.....	512	4	10	11	9	15	54	51	56	55	65	67
Male.....	256	3	6	5	5	9	23	27	27	25	36	34
Female.....	256	1	4	6	4	6	31	24	29	30	29	33
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	6	2	-	1	-	-	-	-	-	1	-
Male.....	5	3	2	-	-	-	-	-	-	-	-	-
Female.....	5	3	-	-	1	-	-	-	-	-	1	-

Alabama

All races, both sexes.....	24	-	1	-	2	1	2	2	3	2	1	3
Male.....	12	-	1	-	-	1	2	1	1	1	1	-
Female.....	12	-	-	-	2	-	-	1	2	1	-	3
White, both sexes.....	5	-	-	-	1	1	-	-	-	-	-	1
Male.....	2	-	-	-	-	1	-	-	-	-	-	-
Female.....	3	-	-	-	1	-	-	-	-	-	-	1
Black, both sexes.....	18	-	1	-	-	-	2	2	3	2	1	2
Male.....	10	-	1	-	-	-	2	1	1	1	1	-
Female.....	8	-	-	-	-	-	-	1	2	1	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Aplastic anemias (D60-D61)												
Arkansas												
All races, both sexes.....	8	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	72	1	-	-	1	4	2	1	2	3	1	1
Male.....	33	1	-	-	-	2	1	1	2	1	1	-
Female.....	39	-	-	-	1	2	1	-	-	2	-	1
White, both sexes.....	58	1	-	-	1	2	2	-	1	2	1	1
Male.....	25	1	-	-	-	1	1	-	1	1	1	-
Female.....	33	-	-	-	1	1	1	-	-	1	-	1
Black, both sexes.....	3	-	-	-	-	1	-	-	-	-	-	-
Male.....	3	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	-	-	1	-	1	1	1	-	-
Male.....	5	-	-	-	-	-	-	1	1	-	-	-
Female.....	6	-	-	-	-	1	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Aplastic anemias (D60-D61)

New Mexico

All races, both sexes.....	5	-	-	-	1	-	-	-	-	1	1	1
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	1	1	1
White, both sexes.....	5	-	-	-	1	-	-	-	-	1	1	1
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	1	1	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	64	-	2	2	4	2	-	-	2	-	1	2
Male.....	29	-	1	1	1	1	-	-	1	-	1	2
Female.....	35	-	1	1	3	1	-	-	1	-	-	-
White, both sexes.....	54	-	2	1	3	1	-	-	1	-	-	2
Male.....	22	-	1	1	1	-	-	-	1	-	-	2
Female.....	32	-	1	-	2	1	-	-	-	-	-	-
Black, both sexes.....	7	-	-	1	1	-	-	-	-	-	1	-
Male.....	5	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	1	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	1	-	-	1	-	-	-
Male.....	2	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Aplastic anemias (D60-D61)

Arkansas

All races, both sexes.....	1	-	-	-	1	2	-	2	1	1	-	-
Male.....	-	-	-	-	1	2	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	1	1	-	-
White, both sexes.....	-	-	-	-	1	2	-	1	1	1	-	-
Male.....	-	-	-	-	1	2	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	1	-	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	-	5	5	8	10	3	10	8	5	2	-	-
Male.....	-	1	3	2	6	2	5	2	3	-	-	-
Female.....	-	4	2	6	4	1	5	6	2	2	-	-
White, both sexes.....	-	4	3	7	6	3	9	8	5	2	-	-
Male.....	-	1	1	2	3	2	5	2	3	-	-	-
Female.....	-	3	2	5	3	1	4	6	2	2	-	-
Black, both sexes.....	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	1	2	-	1	-	-	-	-	-
Male.....	-	-	2	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	1	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Acute posthemorrhagic and other anemias (D62,D64)

Arkansas

All races, both sexes.....	1	-	1	-	1	3	7	7	10	2	-	-
Male.....	1	-	1	-	-	-	2	3	4	-	-	-
Female.....	-	-	-	-	1	3	5	4	6	2	-	-
White, both sexes.....	1	-	-	-	-	3	6	6	9	2	-	-
Male.....	1	-	-	-	-	-	1	2	4	-	-	-
Female.....	-	-	-	-	-	3	5	4	5	2	-	-
Black, both sexes.....	-	-	1	-	1	-	1	1	1	-	-	-
Male.....	-	-	1	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	2	4	-	4	4	6	12	24	17	8	2	-
Male.....	-	1	-	2	1	1	3	11	3	1	-	-
Female.....	2	3	-	2	3	5	9	13	14	7	2	-
White, both sexes.....	2	3	-	2	3	6	11	24	16	8	2	-
Male.....	-	1	-	1	1	1	3	11	3	1	-	-
Female.....	2	2	-	1	2	5	8	13	13	7	2	-
Black, both sexes.....	-	1	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Acute posthemorrhagic and other anemias (D62,D64)

New Hampshire

All races, both sexes.....	-	-	-	-	-	-	-	2	2	1	1	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	2	1	1	-
White, both sexes.....	-	-	-	-	-	-	-	2	2	1	1	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	2	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	3	1	6	4	14	12	22	32	28	15	3	-
Male.....	2	1	4	2	8	7	9	8	9	4	-	-
Female.....	1	-	2	2	6	5	13	24	19	11	3	-
White, both sexes.....	2	1	4	2	11	11	17	27	25	14	3	-
Male.....	1	1	3	1	6	6	7	6	8	4	-	-
Female.....	1	-	1	1	5	5	10	21	17	10	3	-
Black, both sexes.....	1	-	2	2	3	1	4	5	3	1	-	-
Male.....	1	-	1	1	2	1	2	2	1	-	-	-
Female.....	-	-	1	1	1	-	2	3	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Acute posthemorrhagic and other anemias (D62,D64)

New Mexico

All races, both sexes.....	-	-	-	-	1	-	2	5	-	1	-	-
Male.....	-	-	-	-	-	-	1	3	-	-	-	-
Female.....	-	-	-	-	1	-	1	2	-	1	-	-
White, both sexes.....	-	-	-	-	1	-	2	4	-	-	-	-
Male.....	-	-	-	-	-	-	1	2	-	-	-	-
Female.....	-	-	-	-	1	-	1	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	1	2	4	3	7	9	24	29	27	10	1	-
Male.....	1	1	3	3	4	4	14	6	5	3	-	-
Female.....	-	1	1	-	3	5	10	23	22	7	1	-
White, both sexes.....	-	1	4	2	7	6	23	27	25	9	1	-
Male.....	-	1	3	2	4	1	14	5	4	3	-	-
Female.....	-	-	1	-	3	5	9	22	21	6	1	-
Black, both sexes.....	1	1	-	1	-	3	1	1	2	-	-	-
Male.....	1	-	-	1	-	3	-	1	1	-	-	-
Female.....	-	1	-	-	-	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Acute posthemorrhagic and other anemias (D62,D64)

Texas

All races, both sexes.....	1	5	5	8	17	21	33	30	31	15	2	-
Male.....	1	5	3	6	7	5	13	8	9	3	-	-
Female.....	-	-	2	2	10	16	20	22	22	12	2	-
White, both sexes.....	1	4	4	8	15	19	31	29	28	14	2	-
Male.....	1	4	2	6	6	4	12	8	8	3	-	-
Female.....	-	-	2	2	9	15	19	21	20	11	2	-
Black, both sexes.....	-	1	1	-	2	2	2	1	3	1	-	-
Male.....	-	1	1	-	1	1	1	-	1	-	-	-
Female.....	-	-	-	-	1	1	1	1	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Utah

All races, both sexes.....	-	1	1	-	1	1	2	3	1	1	-	-
Male.....	-	-	1	-	1	-	1	1	1	1	-	-
Female.....	-	1	-	-	-	1	1	2	-	-	-	-
White, both sexes.....	-	1	1	-	1	-	2	3	1	1	-	-
Male.....	-	-	1	-	1	-	1	1	1	1	-	-
Female.....	-	1	-	-	-	-	1	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Acute posthemorrhagic and other anemias (D62,D64)

Vermont

All races, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	1	2	1	2	5	11	11	12	10	5	2	-
Male.....	-	-	1	2	1	6	8	3	1	1	-	-
Female.....	1	2	-	-	4	5	3	9	9	4	2	-
White, both sexes.....	-	1	-	-	4	9	7	9	9	2	1	-
Male.....	-	-	-	-	-	5	4	3	1	1	-	-
Female.....	-	1	-	-	4	4	3	6	8	1	1	-
Black, both sexes.....	1	1	1	2	1	2	4	2	1	3	1	-
Male.....	-	-	1	2	1	1	4	-	-	-	-	-
Female.....	1	1	-	-	-	1	-	2	1	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Coagulation defects, purpura and other hemorrhagic conditions (D65-D69)

Arkansas

All races, both sexes.....	50	-	-	-	-	1	1	-	-	1	4	3
Male.....	23	-	-	-	-	1	-	-	-	-	1	1
Female.....	27	-	-	-	-	-	1	-	-	1	3	2
White, both sexes.....	39	-	-	-	-	1	1	-	-	1	1	2
Male.....	18	-	-	-	-	1	-	-	-	-	-	1
Female.....	21	-	-	-	-	-	1	-	-	1	1	1
Black, both sexes.....	11	-	-	-	-	-	-	-	-	-	3	1
Male.....	5	-	-	-	-	-	-	-	-	-	1	-
Female.....	6	-	-	-	-	-	-	-	-	-	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	188	6	1	-	-	-	4	2	3	4	9	11
Male.....	96	3	-	-	-	-	1	1	2	2	8	6
Female.....	92	3	1	-	-	-	3	1	1	2	1	5
White, both sexes.....	155	6	1	-	-	-	4	2	2	3	6	8
Male.....	77	3	-	-	-	-	1	1	1	2	5	5
Female.....	78	3	1	-	-	-	3	1	1	1	1	3
Black, both sexes.....	13	-	-	-	-	-	-	-	1	-	2	2
Male.....	8	-	-	-	-	-	-	-	1	-	2	1
Female.....	5	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	-	-	-	-	-	-	-	-	1	1	1
Male.....	11	-	-	-	-	-	-	-	-	-	1	-
Female.....	9	-	-	-	-	-	-	-	-	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Coagulation defects, purpura and other hemorrhagic conditions (D65-D69)

Arkansas

All races, both sexes.....	4	6	5	3	5	4	3	8	2	-	-	-
Male.....	1	4	2	1	2	2	3	4	1	-	-	-
Female.....	3	2	3	2	3	2	-	4	1	-	-	-
White, both sexes.....	2	5	4	3	5	4	3	6	1	-	-	-
Male.....	-	3	1	1	2	2	3	3	1	-	-	-
Female.....	2	2	3	2	3	2	-	3	-	-	-	-
Black, both sexes.....	2	1	1	-	-	-	-	2	1	-	-	-
Male.....	1	1	1	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	14	14	8	6	20	23	30	18	12	3	-	-
Male.....	10	9	4	2	5	8	18	9	6	2	-	-
Female.....	4	5	4	4	15	15	12	9	6	1	-	-
White, both sexes.....	12	10	7	4	19	16	25	16	11	3	-	-
Male.....	8	6	3	1	5	5	15	8	6	2	-	-
Female.....	4	4	4	3	14	11	10	8	5	1	-	-
Black, both sexes.....	1	-	-	2	-	3	1	-	1	-	-	-
Male.....	1	-	-	1	-	2	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	4	1	-	1	4	4	2	-	-	-	-
Male.....	1	3	1	-	-	1	3	1	-	-	-	-
Female.....	-	1	-	-	1	3	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Coagulation defects, purpura and other hemorrhagic conditions (D65-D69)

Maine

All races, both sexes.....	-	-	-	2	3	3	3	2	1	-	-	-
Male.....	-	-	-	1	2	2	2	-	-	-	-	-
Female.....	-	-	-	1	1	1	1	2	1	-	-	-
White, both sexes.....	-	-	-	2	3	3	2	2	1	-	-	-
Male.....	-	-	-	1	2	2	2	-	-	-	-	-
Female.....	-	-	-	1	1	1	-	2	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	4	4	4	4	13	9	13	6	4	-	-	-
Male.....	4	2	2	2	6	3	6	1	-	-	-	-
Female.....	-	2	2	2	7	6	7	5	4	-	-	-
White, both sexes.....	1	1	-	4	10	6	7	5	2	-	-	-
Male.....	1	1	-	2	5	3	5	1	-	-	-	-
Female.....	-	-	-	2	5	3	2	4	2	-	-	-
Black, both sexes.....	3	3	4	-	3	2	5	1	2	-	-	-
Male.....	3	1	2	-	1	-	-	-	-	-	-	-
Female.....	-	2	2	-	2	2	5	1	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Coagulation defects, purpura and other hemorrhagic conditions (D65-D69)

New Hampshire

All races, both sexes.....	-	1	1	-	1	-	1	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
White, both sexes.....	-	1	1	-	1	-	1	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	3	3	10	9	11	21	24	17	10	1	-	-
Male.....	-	3	4	5	5	4	12	6	2	-	-	-
Female.....	3	-	6	4	6	17	12	11	8	1	-	-
White, both sexes.....	2	1	7	7	10	14	21	15	8	1	-	-
Male.....	-	1	3	4	4	3	10	5	2	-	-	-
Female.....	2	-	4	3	6	11	11	10	6	1	-	-
Black, both sexes.....	1	2	3	2	1	4	3	2	1	-	-	-
Male.....	-	2	1	1	1	1	2	1	-	-	-	-
Female.....	1	-	2	1	-	3	1	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	3	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	3	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Coagulation defects, purpura and other hemorrhagic conditions (D65-D69)

Oregon

All races, both sexes.....	3	3	1	2	1	5	1	6	2	2	-	-
Male.....	1	2	-	-	-	3	-	2	-	1	-	-
Female.....	2	1	1	2	1	2	1	4	2	1	-	-
White, both sexes.....	3	3	-	2	1	4	1	6	2	2	-	-
Male.....	1	2	-	-	-	3	-	2	-	1	-	-
Female.....	2	1	-	2	1	1	1	4	2	1	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	8	10	6	11	24	24	28	22	9	1	-	-
Male.....	2	3	5	4	15	15	9	7	2	-	-	-
Female.....	6	7	1	7	9	9	19	15	7	1	-	-
White, both sexes.....	6	7	6	7	21	20	24	21	8	1	-	-
Male.....	2	3	5	2	14	12	8	7	2	-	-	-
Female.....	4	4	1	5	7	8	16	14	6	1	-	-
Black, both sexes.....	2	2	-	3	3	4	3	1	1	-	-	-
Male.....	-	-	-	1	1	3	1	-	-	-	-	-
Female.....	2	2	-	2	2	1	2	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of blood and blood-forming organs (D70-D76)

United States

All races, both sexes.....	48	41	65	57	85	104	111	102	57	23	3	-
Male.....	28	18	31	25	45	52	50	38	15	5	-	-
Female.....	20	23	34	32	40	52	61	64	42	18	3	-
White, both sexes.....	39	32	58	49	80	93	103	97	52	23	2	-
Male.....	24	12	29	23	41	45	47	38	14	5	-	-
Female.....	15	20	29	26	39	48	56	59	38	18	2	-
Black, both sexes.....	6	5	6	7	4	8	7	5	5	-	1	-
Male.....	3	4	2	1	3	5	2	-	1	-	-	-
Female.....	3	1	4	6	1	3	5	5	4	-	1	-
American Indian 1/, both sexes.....	2	2	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	2	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	1	1	3	1	-	-	-	-	-
Male.....	-	2	-	1	1	2	1	-	-	-	-	-
Female.....	1	-	1	-	-	1	-	-	-	-	-	-

Alabama

All races, both sexes.....	2	2	1	3	4	2	-	2	1	-	-	-
Male.....	-	-	-	2	1	1	-	1	-	-	-	-
Female.....	2	2	1	1	3	1	-	1	1	-	-	-
White, both sexes.....	1	1	1	3	4	1	-	2	1	-	-	-
Male.....	-	-	-	2	1	1	-	1	-	-	-	-
Female.....	1	1	1	1	3	-	-	1	1	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Certain disorders involving the immune mechanism (D80-D89)

Arkansas

All races, both sexes.....	2	1	-	2	2	-	1	-	-	1	-	-
Male.....	1	1	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	2	1	-	1	-	-	1	-	-
White, both sexes.....	1	1	-	1	2	-	1	-	-	1	-	-
Male.....	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	1	1	-	1	-	-	1	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	14	13	14	9	8	12	2	2	-	-	-	-
Male.....	7	4	7	-	-	6	1	1	-	-	-	-
Female.....	7	9	7	9	8	6	1	1	-	-	-	-
White, both sexes.....	6	6	8	4	4	10	2	2	-	-	-	-
Male.....	3	3	5	-	-	5	1	1	-	-	-	-
Female.....	3	3	3	4	4	5	1	1	-	-	-	-
Black, both sexes.....	8	7	5	5	3	-	-	-	-	-	-	-
Male.....	4	1	1	-	-	-	-	-	-	-	-	-
Female.....	4	6	4	5	3	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	2	-	-	-	-	-	-
Male.....	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Certain disorders involving the immune mechanism (D80-D89)

New Mexico

All races, both sexes.....	-	2	1	-	1	1	-	1	-	-	-	-
Male.....	-	2	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
White, both sexes.....	-	2	1	-	1	1	-	1	-	-	-	-
Male.....	-	2	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	13	6	11	8	5	5	7	4	2	1	-	-
Male.....	7	3	8	3	4	1	2	-	-	-	-	-
Female.....	6	3	3	5	1	4	5	4	2	1	-	-
White, both sexes.....	4	3	6	2	2	3	5	3	2	1	-	-
Male.....	2	1	4	1	2	-	2	-	-	-	-	-
Female.....	2	2	2	1	-	3	3	3	2	1	-	-
Black, both sexes.....	9	3	5	5	3	2	1	1	-	-	-	-
Male.....	5	2	4	1	2	1	-	-	-	-	-	-
Female.....	4	1	1	4	1	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Arkansas

All races, both sexes.....	1,165	5	3	2	1	1	4	7	10	19	29	52
Male.....	522	3	-	2	-	1	4	4	5	11	18	26
Female.....	643	2	3	-	1	-	-	3	5	8	11	26
White, both sexes.....	927	4	3	2	1	1	4	6	8	14	19	37
Male.....	438	3	-	2	-	1	4	3	3	8	11	19
Female.....	489	1	3	-	1	-	-	3	5	6	8	18
Black, both sexes.....	237	1	-	-	-	-	-	1	2	5	10	15
Male.....	84	-	-	-	-	-	-	1	2	3	7	7
Female.....	153	1	-	-	-	-	-	-	-	2	3	8
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	9,041	22	28	13	15	30	30	51	70	105	220	319
Male.....	4,492	17	17	5	10	18	19	30	46	62	123	170
Female.....	4,549	5	11	8	5	12	11	21	24	43	97	149
White, both sexes.....	7,202	20	23	13	13	24	25	38	55	72	161	248
Male.....	3,637	15	14	5	10	15	16	23	36	43	88	136
Female.....	3,565	5	9	8	3	9	9	15	19	29	73	112
Black, both sexes.....	958	2	2	-	1	2	3	7	10	26	43	50
Male.....	419	2	1	-	-	1	1	5	6	16	24	23
Female.....	539	-	1	-	1	1	2	2	4	10	19	27
American Indian 1/, both sexes.....	81	-	-	-	-	-	-	1	-	3	2	8
Male.....	41	-	-	-	-	-	-	-	-	1	2	5
Female.....	40	-	-	-	-	-	-	1	-	2	-	3
Asian or Pacific Islander 2/, both sexes.....	800	-	3	-	1	4	2	5	5	4	14	13
Male.....	395	-	2	-	-	2	2	2	4	2	9	6
Female.....	405	-	1	-	1	2	-	3	1	2	5	7

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Colorado

All races, both sexes.....	1,030	2	-	-	1	-	5	8	9	13	26	40
Male.....	497	1	-	-	1	-	2	3	7	7	14	25
Female.....	533	1	-	-	-	-	3	5	2	6	12	15
White, both sexes.....	948	1	-	-	1	-	4	8	8	9	23	36
Male.....	460	-	-	-	1	-	2	3	6	6	13	23
Female.....	488	1	-	-	-	-	2	5	2	3	10	13
Black, both sexes.....	58	1	-	-	-	-	-	-	1	2	2	1
Male.....	30	1	-	-	-	-	-	-	1	-	1	-
Female.....	28	-	-	-	-	-	-	-	-	2	1	1
American Indian 1/, both sexes.....	12	-	-	-	-	-	-	-	-	1	1	1
Male.....	3	-	-	-	-	-	-	-	-	1	-	-
Female.....	9	-	-	-	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	12	-	-	-	-	-	1	-	-	1	-	2
Male.....	4	-	-	-	-	-	-	-	-	-	-	2
Female.....	8	-	-	-	-	-	1	-	-	1	-	-

Connecticut

All races, both sexes.....	1,003	1	1	2	3	1	2	3	4	8	24	23
Male.....	473	1	1	1	2	1	1	1	3	4	18	17
Female.....	530	-	-	1	1	-	1	2	1	4	6	6
White, both sexes.....	881	1	1	2	2	1	-	1	3	4	20	19
Male.....	418	1	1	1	1	1	-	-	2	2	14	15
Female.....	463	-	-	1	1	-	-	1	1	2	6	4
Black, both sexes.....	108	-	-	-	-	-	2	1	1	4	3	4
Male.....	48	-	-	-	-	-	1	1	1	2	3	2
Female.....	60	-	-	-	-	-	1	-	-	2	-	2
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	-	1	-
Male.....	3	-	-	-	-	-	-	-	-	-	1	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	1	-	-	1	-	-	-	-
Male.....	4	-	-	-	1	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

New Mexico

All races, both sexes.....	739	2	1	-	2	-	1	3	1	10	23	22
Male.....	331	1	1	-	1	-	1	1	1	7	16	10
Female.....	408	1	-	-	1	-	-	2	-	3	7	12
White, both sexes.....	633	2	1	-	1	-	1	3	-	8	18	18
Male.....	288	1	1	-	1	-	1	1	-	7	11	8
Female.....	345	1	-	-	-	-	-	2	-	1	7	10
Black, both sexes.....	14	-	-	-	-	-	-	-	-	1	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	10	-	-	-	-	-	-	-	-	1	-	1
American Indian 1/, both sexes.....	88	-	-	-	1	-	-	-	1	1	5	3
Male.....	36	-	-	-	-	-	-	-	1	-	5	2
Female.....	52	-	-	-	1	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	5,562	16	4	3	8	7	16	23	42	63	95	175
Male.....	2,512	8	-	2	5	5	7	11	21	34	54	98
Female.....	3,050	8	4	1	3	2	9	12	21	29	41	77
White, both sexes.....	4,309	11	3	3	7	6	10	9	26	37	68	115
Male.....	2,009	6	-	2	4	4	4	3	14	22	43	69
Female.....	2,300	5	3	1	3	2	6	6	12	15	25	46
Black, both sexes.....	1,105	5	1	-	1	-	6	13	15	24	25	53
Male.....	424	2	-	-	1	-	3	7	7	10	10	24
Female.....	681	3	1	-	-	-	3	6	8	14	15	29
American Indian 1/, both sexes.....	13	-	-	-	-	-	-	1	-	-	-	1
Male.....	6	-	-	-	-	-	-	1	-	-	-	1
Female.....	7	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	135	-	-	-	-	1	-	-	1	2	2	6
Male.....	73	-	-	-	-	1	-	-	-	2	1	4
Female.....	62	-	-	-	-	-	-	-	1	-	1	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Vermont

All races, both sexes.....	278	-	-	-	-	-	2	1	1	2	7	10
Male.....	133	-	-	-	-	-	1	1	1	2	5	7
Female.....	145	-	-	-	-	-	1	-	-	-	2	3
White, both sexes.....	277	-	-	-	-	-	2	1	1	2	7	10
Male.....	133	-	-	-	-	-	1	1	1	2	5	7
Female.....	144	-	-	-	-	-	1	-	-	-	2	3
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	2,280	6	3	3	5	7	7	11	21	27	50	74
Male.....	1,036	4	1	2	2	4	5	9	12	12	36	46
Female.....	1,244	2	2	1	3	3	2	2	9	15	14	28
White, both sexes.....	1,617	3	1	1	2	2	3	4	14	16	37	44
Male.....	761	2	-	-	1	1	2	4	10	7	27	31
Female.....	856	1	1	1	1	1	1	-	4	9	10	13
Black, both sexes.....	629	2	1	1	2	5	4	7	7	11	13	30
Male.....	260	1	1	1	1	3	3	5	2	5	9	15
Female.....	369	1	-	-	1	2	1	2	5	6	4	15
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	28	1	1	1	1	-	-	-	-	-	-	-
Male.....	14	1	-	1	-	-	-	-	-	-	-	-
Female.....	14	-	1	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Alaska

All races, both sexes.....	7	9	10	16	13	18	17	10	7	3	-	-
Male.....	5	6	6	11	8	11	10	2	2	1	-	-
Female.....	2	3	4	5	5	7	7	8	5	2	-	-
White, both sexes.....	6	9	7	12	11	16	13	7	4	1	-	-
Male.....	4	6	4	9	6	10	7	2	1	-	-	-
Female.....	2	3	3	3	5	6	6	5	3	1	-	-
Black, both sexes.....	-	-	2	1	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	3	2	2	3	3	3	2	-	-
Male.....	1	-	-	2	2	1	3	-	1	1	-	-
Female.....	-	-	-	1	-	1	-	3	2	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Arizona

All races, both sexes.....	59	104	140	146	177	205	223	151	89	38	7	1
Male.....	34	70	89	89	90	102	99	55	29	11	1	1
Female.....	25	34	51	57	87	103	124	96	60	27	6	-
White, both sexes.....	48	87	115	122	155	186	209	136	82	34	5	1
Male.....	29	62	73	76	78	97	95	53	27	10	-	1
Female.....	19	25	42	46	77	89	114	83	55	24	5	-
Black, both sexes.....	5	7	13	9	7	4	7	4	2	-	-	-
Male.....	2	3	9	6	3	2	3	-	-	-	-	-
Female.....	3	4	4	3	4	2	4	4	2	-	-	-
American Indian 1/, both sexes.....	5	10	12	14	13	11	7	11	2	3	2	-
Male.....	2	5	7	7	7	2	1	2	1	1	1	-
Female.....	3	5	5	7	6	9	6	9	1	2	1	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	2	4	-	-	3	1	-	-
Male.....	1	-	-	-	2	1	-	-	1	-	-	-
Female.....	-	-	-	1	-	3	-	-	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Arkansas

All races, both sexes.....	62	61	90	102	124	161	169	127	89	39	8	-
Male.....	33	31	40	58	65	80	78	37	19	6	1	-
Female.....	29	30	50	44	59	81	91	90	70	33	7	-
White, both sexes.....	43	43	67	81	97	124	148	113	78	31	3	-
Male.....	25	20	32	50	58	70	72	36	18	3	-	-
Female.....	18	23	35	31	39	54	76	77	60	28	3	-
Black, both sexes.....	19	18	23	21	27	37	21	13	11	8	5	-
Male.....	8	11	8	8	7	10	6	1	1	3	1	-
Female.....	11	7	15	13	20	27	15	12	10	5	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

California

All races, both sexes.....	445	602	718	790	1,061	1,363	1,378	999	549	203	28	2
Male.....	251	355	392	436	569	699	638	387	189	50	8	1
Female.....	194	247	326	354	492	664	740	612	360	153	20	1
White, both sexes.....	346	473	564	606	856	1,091	1,113	822	453	168	16	2
Male.....	192	279	317	335	474	574	539	322	154	44	5	1
Female.....	154	194	247	271	382	517	574	500	299	124	11	1
Black, both sexes.....	60	77	91	112	91	129	111	77	40	18	6	-
Male.....	31	46	39	57	36	50	41	25	12	2	1	-
Female.....	29	31	52	55	55	79	70	52	28	16	5	-
American Indian 1/, both sexes.....	7	11	7	8	10	7	12	3	1	1	-	-
Male.....	7	5	2	4	4	4	5	1	1	-	-	-
Female.....	-	6	5	4	6	3	7	2	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	32	41	56	64	104	136	142	97	55	16	6	-
Male.....	21	25	34	40	55	71	53	39	22	4	2	-
Female.....	11	16	22	24	49	65	89	58	33	12	4	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Colorado

All races, both sexes.....	55	63	70	73	109	158	156	126	77	33	6	-
Male.....	35	39	50	42	63	69	67	47	18	6	1	-
Female.....	20	24	20	31	46	89	89	79	59	27	5	-
White, both sexes.....	47	53	63	60	101	148	152	122	76	32	4	-
Male.....	29	35	46	35	59	67	64	46	18	6	1	-
Female.....	18	18	17	25	42	81	88	76	58	26	3	-
Black, both sexes.....	6	8	3	9	7	8	3	3	1	1	2	-
Male.....	5	4	3	6	4	1	3	1	-	-	-	-
Female.....	1	4	-	3	3	7	-	2	1	1	2	-
American Indian 1/, both sexes.....	2	2	1	1	1	1	-	1	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	2	1	1	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	3	3	-	1	1	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	2	2	-	1	1	-	-	-	-	-

Connecticut

All races, both sexes.....	43	48	70	80	89	139	152	152	111	35	12	-
Male.....	23	32	36	42	51	71	74	53	34	5	2	-
Female.....	20	16	34	38	38	68	78	99	77	30	10	-
White, both sexes.....	38	41	53	65	75	126	141	142	101	34	11	-
Male.....	20	28	27	36	45	67	71	52	28	5	1	-
Female.....	18	13	26	29	30	59	70	90	73	29	10	-
Black, both sexes.....	4	7	15	12	14	12	9	9	9	1	1	-
Male.....	2	4	8	5	6	3	3	1	5	-	1	-
Female.....	2	3	7	7	8	9	6	8	4	1	-	-
American Indian 1/, both sexes.....	1	-	1	1	-	-	1	1	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	2	-	1	1	-	1	-	-	-
Male.....	-	-	-	1	-	1	-	-	1	-	-	-
Female.....	-	-	1	1	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Florida

All races, both sexes.....	288	411	473	619	757	928	1,019	727	453	179	35	1
Male.....	164	240	268	355	437	469	503	301	167	43	5	1
Female.....	124	171	205	264	320	459	516	426	286	136	30	-
White, both sexes.....	215	298	353	491	624	786	882	657	417	165	27	1
Male.....	130	182	220	293	374	422	451	282	157	42	4	1
Female.....	85	116	133	198	250	364	431	375	260	123	23	-
Black, both sexes.....	72	108	114	124	129	138	129	67	34	13	8	-
Male.....	34	56	47	60	62	46	48	19	10	1	1	-
Female.....	38	52	67	64	67	92	81	48	24	12	7	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	1	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	1	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	5	6	4	4	3	7	3	1	-	-	-
Male.....	-	2	1	2	1	1	4	-	-	-	-	-
Female.....	-	3	5	2	3	2	3	3	1	-	-	-

Georgia

All races, both sexes.....	147	191	184	231	262	297	323	246	139	65	14	-
Male.....	80	111	101	119	136	121	117	76	32	7	2	-
Female.....	67	80	83	112	126	176	206	170	107	58	12	-
White, both sexes.....	78	119	123	130	167	196	225	181	95	49	11	-
Male.....	48	70	72	73	96	87	86	60	25	3	2	-
Female.....	30	49	51	57	71	109	139	121	70	46	9	-
Black, both sexes.....	67	70	57	100	91	100	96	65	43	16	3	-
Male.....	32	39	28	45	39	34	30	16	7	4	-	-
Female.....	35	31	29	55	52	66	66	49	36	12	3	-
American Indian 1/, both sexes.....	1	1	2	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	2	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	1	4	1	2	-	1	-	-	-
Male.....	-	1	1	1	1	1	1	-	-	-	-	-
Female.....	1	-	1	-	3	1	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Hawaii

All races, both sexes.....	10	18	25	18	32	51	50	38	19	12	1	-
Male.....	5	7	16	11	18	25	27	19	8	5	-	-
Female.....	5	11	9	7	14	26	23	19	11	7	1	-
White, both sexes.....	4	3	7	7	7	13	13	5	4	-	1	-
Male.....	1	-	5	4	6	8	8	3	2	-	-	-
Female.....	3	3	2	3	1	5	5	2	2	-	1	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	15	18	10	25	37	37	33	15	12	-	-
Male.....	4	7	11	6	12	16	19	16	6	5	-	-
Female.....	2	8	7	4	13	21	18	17	9	7	-	-

Idaho

All races, both sexes.....	22	23	31	36	47	64	76	69	37	14	3	-
Male.....	11	9	13	21	24	30	34	28	14	4	-	-
Female.....	11	14	18	15	23	34	42	41	23	10	3	-
White, both sexes.....	21	23	29	36	45	61	73	68	36	13	3	-
Male.....	10	9	13	21	23	28	34	28	13	4	-	-
Female.....	11	14	16	15	22	33	39	40	23	9	3	-
Black, both sexes.....	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	-	2	2	2	1	-	1	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	2	-	1	1	2	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Illinois

All races, both sexes.....	155	232	264	340	465	611	692	598	339	138	26	-
Male.....	94	131	145	186	228	277	290	198	78	25	4	-
Female.....	61	101	119	154	237	334	402	400	261	113	22	-
White, both sexes.....	108	163	186	248	361	512	571	524	302	123	24	-
Male.....	72	99	110	144	178	229	239	172	71	23	4	-
Female.....	36	64	76	104	183	283	332	352	231	100	20	-
Black, both sexes.....	42	67	72	87	99	95	105	58	35	14	2	-
Male.....	17	30	33	38	50	47	44	21	7	1	-	-
Female.....	25	37	39	49	49	48	61	37	28	13	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	2	6	5	5	4	15	16	2	1	-	-
Male.....	5	2	2	4	-	1	6	5	-	1	-	-
Female.....	-	-	4	1	5	3	9	11	2	-	-	-

Indiana

All races, both sexes.....	101	138	182	200	271	345	383	300	178	46	10	1
Male.....	59	77	113	109	135	162	144	95	35	15	-	1
Female.....	42	61	69	91	136	183	239	205	143	31	10	-
White, both sexes.....	80	118	161	167	239	303	353	265	159	43	10	-
Male.....	48	65	103	90	119	142	133	84	28	14	-	-
Female.....	32	53	58	77	120	161	220	181	131	29	10	-
Black, both sexes.....	21	20	20	33	29	42	29	35	19	3	-	1
Male.....	11	12	9	19	14	20	10	11	7	1	-	1
Female.....	10	8	11	14	15	22	19	24	12	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	3	-	1	-	-	-	-	-
Male.....	-	-	1	-	2	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Iowa

All races, both sexes.....	40	43	61	71	83	117	175	201	91	57	9	-
Male.....	23	25	31	40	47	57	92	82	25	11	1	-
Female.....	17	18	30	31	36	60	83	119	66	46	8	-
White, both sexes.....	37	41	59	65	82	115	169	197	91	57	9	-
Male.....	23	24	30	40	46	56	90	80	25	11	1	-
Female.....	14	17	29	25	36	59	79	117	66	46	8	-
Black, both sexes.....	1	1	2	4	1	1	6	4	-	-	-	-
Male.....	-	1	1	-	1	1	2	2	-	-	-	-
Female.....	1	-	1	4	-	-	4	2	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	36	62	68	74	94	129	155	136	87	29	10	-
Male.....	17	41	40	44	48	59	56	45	18	3	1	-
Female.....	19	21	28	30	46	70	99	91	69	26	9	-
White, both sexes.....	32	48	60	63	82	121	136	129	83	27	10	-
Male.....	15	32	34	38	41	57	53	43	18	2	1	-
Female.....	17	16	26	25	41	64	83	86	65	25	9	-
Black, both sexes.....	3	13	5	8	12	8	15	7	3	2	-	-
Male.....	2	8	4	4	7	2	3	2	-	1	-	-
Female.....	1	5	1	4	5	6	12	5	3	1	-	-
American Indian 1/, both sexes.....	1	1	1	1	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	2	-	-	3	-	1	-	-	-
Male.....	-	-	2	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	3	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Kentucky

All races, both sexes.....	62	108	119	146	206	237	260	222	155	43	8	-
Male.....	32	61	54	67	102	106	96	72	33	6	2	-
Female.....	30	47	65	79	104	131	164	150	122	37	6	-
White, both sexes.....	52	99	104	132	186	220	237	203	149	40	7	-
Male.....	28	56	49	60	94	98	88	67	32	6	2	-
Female.....	24	43	55	72	92	122	149	136	117	34	5	-
Black, both sexes.....	10	8	15	13	18	17	22	19	6	3	1	-
Male.....	4	4	5	6	6	8	8	5	1	-	-	-
Female.....	6	4	10	7	12	9	14	14	5	3	1	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	2	-	1	-	-	-	-	-
Male.....	-	-	-	1	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Louisiana

All races, both sexes.....	115	152	207	244	284	298	295	252	143	44	12	-
Male.....	60	74	107	120	126	124	123	81	29	15	-	-
Female.....	55	78	100	124	158	174	172	171	114	29	12	-
White, both sexes.....	56	75	100	134	172	182	193	179	89	31	4	-
Male.....	32	42	53	76	81	82	77	59	18	12	-	-
Female.....	24	33	47	58	91	100	116	120	71	19	4	-
Black, both sexes.....	58	76	103	107	111	113	101	71	52	13	8	-
Male.....	28	31	50	43	45	40	46	21	10	3	-	-
Female.....	30	45	53	64	66	73	55	50	42	10	8	-
American Indian 1/, both sexes.....	1	-	-	2	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	2	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	4	1	1	3	-	2	2	-	-	-
Male.....	-	1	4	1	-	2	-	1	1	-	-	-
Female.....	-	-	-	-	1	1	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Maine

All races, both sexes.....	26	32	40	38	77	93	85	85	59	18	4	-
Male.....	18	21	25	22	39	45	34	24	25	5	-	-
Female.....	8	11	15	16	38	48	51	61	34	13	4	-
White, both sexes.....	26	32	40	37	74	92	85	85	59	18	4	-
Male.....	18	21	25	22	38	45	34	24	25	5	-	-
Female.....	8	11	15	15	36	47	51	61	34	13	4	-
Black, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	86	111	159	191	226	289	333	268	120	54	9	-
Male.....	51	69	94	106	114	134	118	95	43	9	1	-
Female.....	35	42	65	85	112	155	215	173	77	45	8	-
White, both sexes.....	45	67	98	126	144	194	238	199	82	42	5	-
Male.....	27	42	62	77	75	102	90	74	28	7	1	-
Female.....	18	25	36	49	69	92	148	125	54	35	4	-
Black, both sexes.....	40	43	59	63	77	89	91	66	37	11	4	-
Male.....	23	26	31	27	38	32	26	20	14	2	-	-
Female.....	17	17	28	36	39	57	65	46	23	9	4	-
American Indian 1/, both sexes.....	1	-	1	-	1	1	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	1	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	2	4	5	3	2	1	1	-	-
Male.....	-	1	1	2	1	-	1	-	1	-	-	-
Female.....	-	-	-	-	3	5	2	2	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Massachusetts

All races, both sexes.....	88	106	112	163	198	296	332	297	186	71	12	-
Male.....	60	71	72	99	97	142	133	117	51	13	1	-
Female.....	28	35	40	64	101	154	199	180	135	58	11	-
White, both sexes.....	75	95	101	144	181	274	311	283	180	65	12	-
Male.....	52	65	67	90	89	134	122	111	49	12	1	-
Female.....	23	30	34	54	92	140	189	172	131	53	11	-
Black, both sexes.....	13	10	8	13	17	17	14	10	4	4	-	-
Male.....	8	6	4	8	8	5	7	4	1	-	-	-
Female.....	5	4	4	5	9	12	7	6	3	4	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	6	-	5	6	4	2	2	-	-
Male.....	-	-	1	1	-	3	4	2	1	1	-	-
Female.....	-	1	1	5	-	2	2	2	1	1	-	-

Michigan

All races, both sexes.....	164	188	242	359	402	591	548	488	285	126	26	-
Male.....	98	92	143	184	193	286	247	174	76	16	4	-
Female.....	66	96	99	175	209	305	301	314	209	110	22	-
White, both sexes.....	123	154	203	288	327	503	486	438	248	114	23	-
Male.....	74	81	121	149	159	252	226	167	61	14	4	-
Female.....	49	73	82	139	168	251	260	271	187	100	19	-
Black, both sexes.....	40	32	34	61	66	79	56	48	36	11	3	-
Male.....	24	10	19	32	30	32	18	7	15	1	-	-
Female.....	16	22	15	29	36	47	38	41	21	10	3	-
American Indian 1/, both sexes.....	1	1	2	6	8	4	3	1	1	-	-	-
Male.....	-	-	-	-	4	1	2	-	-	-	-	-
Female.....	1	1	2	6	4	3	1	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	3	4	1	5	3	1	-	1	-	-
Male.....	-	1	3	3	-	1	1	-	-	1	-	-
Female.....	-	-	-	1	1	4	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Minnesota

All races, both sexes.....	71	76	73	136	174	215	289	266	155	61	17	-
Male.....	48	49	42	91	84	101	122	98	38	14	5	-
Female.....	23	27	31	45	90	114	167	168	117	47	12	-
White, both sexes.....	57	69	68	130	164	204	277	258	152	60	17	-
Male.....	37	44	39	87	81	95	119	96	38	14	5	-
Female.....	20	25	29	43	83	109	158	162	114	46	12	-
Black, both sexes.....	5	3	3	4	3	4	6	2	1	-	-	-
Male.....	3	2	2	3	1	3	1	-	-	-	-	-
Female.....	2	1	1	1	2	1	5	2	1	-	-	-
American Indian 1/, both sexes.....	9	3	1	1	5	7	4	3	1	1	-	-
Male.....	8	2	-	-	1	3	1	1	-	-	-	-
Female.....	1	1	1	1	4	4	3	2	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	2	-	2	3	1	-	-	-
Male.....	-	1	1	1	1	-	1	1	-	-	-	-
Female.....	-	-	-	-	1	-	1	2	1	-	-	-

Mississippi

All races, both sexes.....	53	78	66	74	116	114	118	107	69	31	8	-
Male.....	24	44	33	41	62	49	42	34	12	4	1	-
Female.....	29	34	33	33	54	65	76	73	57	27	7	-
White, both sexes.....	18	34	35	38	56	64	78	73	38	20	3	-
Male.....	10	22	19	24	27	29	30	26	6	1	1	-
Female.....	8	12	16	14	29	35	48	47	32	19	2	-
Black, both sexes.....	35	41	29	34	58	49	37	34	30	11	5	-
Male.....	14	20	12	17	34	19	12	8	6	3	-	-
Female.....	21	21	17	17	24	30	25	26	24	8	5	-
American Indian 1/, both sexes.....	-	3	2	2	2	1	3	-	-	-	-	-
Male.....	-	2	2	-	1	1	-	-	-	-	-	-
Female.....	-	1	-	2	1	-	3	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Nebraska

All races, both sexes.....	24	31	31	31	50	71	98	93	61	23	2	-
Male.....	18	14	12	16	29	38	44	32	20	3	-	-
Female.....	6	17	19	15	21	33	54	61	41	20	2	-
White, both sexes.....	22	28	29	26	45	64	95	90	61	23	2	-
Male.....	17	13	12	13	26	35	43	32	20	3	-	-
Female.....	5	15	17	13	19	29	52	58	41	20	2	-
Black, both sexes.....	2	2	1	4	5	4	3	3	-	-	-	-
Male.....	1	1	-	2	3	3	1	-	-	-	-	-
Female.....	1	1	1	2	2	1	2	3	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	1	-	3	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	3	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	22	33	42	44	54	55	54	45	29	4	3	-
Male.....	15	19	29	32	37	34	28	12	9	-	-	-
Female.....	7	14	13	12	17	21	26	33	20	4	3	-
White, both sexes.....	20	29	31	41	50	49	50	39	28	4	3	-
Male.....	14	15	22	31	35	32	25	10	9	-	-	-
Female.....	6	14	9	10	15	17	25	29	19	4	3	-
Black, both sexes.....	2	4	7	-	4	3	1	6	1	-	-	-
Male.....	1	4	5	-	2	1	1	2	-	-	-	-
Female.....	1	-	2	-	2	2	-	4	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	4	3	-	2	3	-	-	-	-	-
Male.....	-	-	2	1	-	1	2	-	-	-	-	-
Female.....	-	-	2	2	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

New Hampshire

All races, both sexes.....	14	32	29	36	66	51	60	50	35	10	1	-
Male.....	9	18	16	24	38	31	18	15	10	3	-	-
Female.....	5	14	13	12	28	20	42	35	25	7	1	-
White, both sexes.....	14	32	27	36	65	50	59	50	35	10	1	-
Male.....	9	18	15	24	37	30	17	15	10	3	-	-
Female.....	5	14	12	12	28	20	42	35	25	7	1	-
Black, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	153	199	226	317	392	469	548	497	295	89	24	-
Male.....	99	111	124	167	192	212	216	199	69	14	3	-
Female.....	54	88	102	150	200	257	332	298	226	75	21	-
White, both sexes.....	107	134	161	234	298	391	478	423	270	76	20	-
Male.....	73	80	92	127	150	183	191	174	63	13	3	-
Female.....	34	54	69	107	148	208	287	249	207	63	17	-
Black, both sexes.....	43	62	58	74	83	72	63	67	23	12	4	-
Male.....	23	29	26	35	35	28	23	21	5	1	-	-
Female.....	20	33	32	39	48	44	40	46	18	11	4	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	1	1	-	-	-
Male.....	-	1	-	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	7	9	11	6	7	6	1	1	-	-
Male.....	3	1	6	5	7	1	2	3	-	-	-	-
Female.....	-	1	1	4	4	5	5	3	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

New Mexico

All races, both sexes.....	42	49	58	85	88	112	98	76	50	12	4	-
Male.....	24	16	33	37	41	42	42	36	15	5	1	-
Female.....	18	33	25	48	47	70	56	40	35	7	3	-
White, both sexes.....	35	41	47	75	75	93	89	67	45	11	3	-
Male.....	20	15	27	34	34	35	39	34	13	5	1	-
Female.....	15	26	20	41	41	58	50	33	32	6	2	-
Black, both sexes.....	2	-	-	2	3	1	1	2	1	-	-	-
Male.....	-	-	-	1	2	-	-	1	-	-	-	-
Female.....	2	-	-	1	1	1	1	1	1	-	-	-
American Indian 1/, both sexes.....	4	8	11	8	9	17	7	7	4	1	1	-
Male.....	3	1	6	2	5	6	2	1	2	-	-	-
Female.....	1	7	5	6	4	11	5	6	2	1	1	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

New York

All races, both sexes.....	221	307	405	483	626	853	833	742	452	170	18	-
Male.....	121	185	235	246	322	404	352	253	116	31	2	-
Female.....	100	122	170	237	304	449	481	489	336	139	16	-
White, both sexes.....	148	235	293	341	475	668	659	645	385	150	15	-
Male.....	91	149	176	186	255	335	291	223	101	30	1	-
Female.....	57	86	117	155	220	333	368	422	284	120	14	-
Black, both sexes.....	66	63	100	124	124	160	160	85	59	19	2	-
Male.....	27	31	50	52	50	58	53	25	12	1	1	-
Female.....	39	32	50	72	74	102	107	60	47	18	1	-
American Indian 1/, both sexes.....	1	1	1	3	3	1	-	1	-	-	-	-
Male.....	-	-	1	1	2	-	-	-	-	-	-	-
Female.....	1	1	-	2	1	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	8	11	15	24	24	14	11	8	1	1	-
Male.....	3	5	8	7	15	11	8	5	3	-	-	-
Female.....	3	3	3	8	9	13	6	6	5	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Oregon

All races, both sexes.....	86	81	111	108	135	173	231	164	96	30	10	-
Male.....	50	47	65	65	71	84	100	69	32	6	2	-
Female.....	36	34	46	43	64	89	131	95	64	24	8	-
White, both sexes.....	77	75	107	101	127	170	222	163	94	29	10	-
Male.....	45	44	63	59	69	82	98	69	31	6	2	-
Female.....	32	31	44	42	58	88	124	94	63	23	8	-
Black, both sexes.....	4	3	1	2	3	2	5	-	-	-	-	-
Male.....	3	2	1	1	-	2	1	-	-	-	-	-
Female.....	1	1	-	1	3	-	4	-	-	-	-	-
American Indian 1/, both sexes.....	3	3	3	2	1	1	1	-	-	-	-	-
Male.....	1	1	1	2	1	-	-	-	-	-	-	-
Female.....	2	2	2	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	3	4	-	3	1	2	1	-	-
Male.....	1	-	-	3	1	-	1	-	1	-	-	-
Female.....	1	-	-	-	3	-	2	1	1	1	-	-

Pennsylvania

All races, both sexes.....	197	267	320	426	554	856	842	700	405	132	38	-
Male.....	129	162	159	216	279	403	345	244	92	15	10	-
Female.....	68	105	161	210	275	453	497	456	313	117	28	-
White, both sexes.....	150	230	268	366	481	768	779	650	385	124	31	-
Male.....	104	141	128	190	256	353	325	231	89	11	8	-
Female.....	46	89	140	176	225	415	454	419	296	113	23	-
Black, both sexes.....	45	37	50	57	71	85	63	48	20	8	7	-
Male.....	23	21	29	25	22	48	20	12	3	4	2	-
Female.....	22	16	21	32	49	37	43	36	17	4	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	2	3	2	2	-	2	-	-	-	-
Male.....	2	-	2	1	1	1	-	1	-	-	-	-
Female.....	-	-	-	2	1	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

South Dakota

All races, both sexes.....	10	13	15	19	25	36	52	41	27	7	3	-
Male.....	8	8	8	7	16	17	18	20	10	2	1	-
Female.....	2	5	7	12	9	19	34	21	17	5	2	-
White, both sexes.....	8	9	10	15	23	32	48	39	26	6	3	-
Male.....	7	6	6	4	14	16	17	20	9	2	1	-
Female.....	1	3	4	11	9	16	31	19	17	4	2	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	3	5	4	2	4	4	2	1	1	-	-
Male.....	1	1	2	3	2	1	1	-	1	-	-	-
Female.....	1	2	3	1	-	3	3	2	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	139	144	206	250	297	365	371	289	159	62	11	-
Male.....	81	81	117	128	142	165	130	90	32	10	-	-
Female.....	58	63	89	122	155	200	241	199	127	52	11	-
White, both sexes.....	97	112	161	191	238	300	298	253	133	53	6	-
Male.....	53	70	93	101	114	134	116	80	27	8	-	-
Female.....	44	42	68	90	124	166	182	173	106	45	6	-
Black, both sexes.....	42	32	44	58	58	64	72	36	26	9	5	-
Male.....	28	11	23	26	28	31	14	10	5	2	-	-
Female.....	14	21	21	32	30	33	58	26	21	7	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	1	1	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Vermont

All races, both sexes.....	9	16	21	20	28	35	42	48	22	10	4	-
Male.....	9	12	15	10	14	17	15	17	6	1	-	-
Female.....	-	4	6	10	14	18	27	31	16	9	4	-
White, both sexes.....	9	15	21	20	28	35	42	48	22	10	4	-
Male.....	9	12	15	10	14	17	15	17	6	1	-	-
Female.....	-	3	6	10	14	18	27	31	16	9	4	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	118	156	183	204	290	276	345	283	141	58	12	-
Male.....	65	93	121	103	133	122	125	90	39	10	2	-
Female.....	53	63	62	101	157	154	220	193	102	48	10	-
White, both sexes.....	81	111	130	141	194	193	254	223	109	46	8	-
Male.....	48	68	89	75	93	89	95	76	32	9	2	-
Female.....	33	43	41	66	101	104	159	147	77	37	6	-
Black, both sexes.....	35	43	51	62	92	78	87	56	29	9	4	-
Male.....	16	23	31	27	39	31	28	13	5	1	-	-
Female.....	19	20	20	35	53	47	59	43	24	8	4	-
American Indian 1/, both sexes.....	1	-	-	-	1	1	-	1	-	2	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	1	-	2	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	2	1	3	4	4	3	3	1	-	-
Male.....	1	2	1	1	1	1	2	1	2	-	-	-
Female.....	-	-	1	-	2	3	2	2	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

IV. Endocrine, nutritional and metabolic diseases (E00-E88)

Wisconsin

All races, both sexes.....	86	97	105	152	191	245	296	278	166	61	13	-
Male.....	46	58	69	77	96	134	132	107	53	14	3	-
Female.....	40	39	36	75	95	111	164	171	113	47	10	-
White, both sexes.....	77	84	85	134	170	233	286	270	163	59	13	-
Male.....	43	54	55	72	91	129	125	107	53	14	3	-
Female.....	34	30	30	62	79	104	161	163	110	45	10	-
Black, both sexes.....	8	10	13	12	18	10	5	6	2	2	-	-
Male.....	2	3	8	3	3	4	4	-	-	-	-	-
Female.....	6	7	5	9	15	6	1	6	2	2	-	-
American Indian 1/, both sexes.....	1	3	6	5	2	-	2	1	-	-	-	-
Male.....	1	1	5	2	1	-	1	-	-	-	-	-
Female.....	-	2	1	3	1	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	2	3	1	1	-	-	-
Male.....	-	-	1	-	1	1	2	-	-	-	-	-
Female.....	-	-	-	1	-	1	1	1	1	-	-	-

Wyoming

All races, both sexes.....	12	11	14	16	26	27	29	27	7	6	-	-
Male.....	7	9	7	9	12	13	14	11	2	3	-	-
Female.....	5	2	7	7	14	14	15	16	5	3	-	-
White, both sexes.....	12	8	12	16	25	26	27	25	7	6	-	-
Male.....	7	7	6	9	11	13	14	11	2	3	-	-
Female.....	5	1	6	7	14	13	13	14	5	3	-	-
Black, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	3	1	-	-	1	1	2	-	-	-	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	1	1	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Endocrine diseases (E00-E34)												
Arkansas												
All races, both sexes.....	909	-	-	-	-	1	1	3	7	14	22	41
Male.....	419	-	-	-	-	1	1	1	4	9	16	21
Female.....	490	-	-	-	-	-	-	2	3	5	6	20
White, both sexes.....	716	-	-	-	-	1	1	2	5	10	14	29
Male.....	351	-	-	-	-	1	1	-	2	7	10	17
Female.....	365	-	-	-	-	-	-	2	3	3	4	12
Black, both sexes.....	192	-	-	-	-	-	-	1	2	4	8	12
Male.....	68	-	-	-	-	-	-	1	2	2	6	4
Female.....	124	-	-	-	-	-	-	-	-	2	2	8
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	7,334	-	2	2	2	10	16	21	44	72	150	235
Male.....	3,629	-	1	1	1	8	10	11	29	46	86	132
Female.....	3,705	-	1	1	1	2	6	10	15	26	64	103
White, both sexes.....	5,749	-	2	2	1	9	12	13	36	47	108	181
Male.....	2,904	-	1	1	1	7	7	8	25	32	62	105
Female.....	2,845	-	1	1	-	2	5	5	11	15	46	76
Black, both sexes.....	831	-	-	-	-	1	2	5	5	21	31	40
Male.....	359	-	-	-	-	1	1	3	2	12	16	18
Female.....	472	-	-	-	-	-	1	2	3	9	15	22
American Indian 1/, both sexes.....	71	-	-	-	-	-	-	1	-	3	2	7
Male.....	36	-	-	-	-	-	-	-	-	1	2	4
Female.....	35	-	-	-	-	-	-	1	-	2	-	3
Asian or Pacific Islander 2/, both sexes.....	683	-	-	-	1	-	2	2	3	1	9	7
Male.....	330	-	-	-	-	-	2	-	2	1	6	5
Female.....	353	-	-	-	1	-	-	2	1	-	3	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Endocrine diseases (E00-E34)												
New Mexico												
All races, both sexes.....	618	1	-	-	-	-	-	1	1	6	16	15
Male.....	280	-	-	-	-	-	-	1	1	4	13	7
Female.....	338	1	-	-	-	-	-	-	-	2	3	8
White, both sexes.....	521	1	-	-	-	-	-	1	-	5	11	12
Male.....	239	-	-	-	-	-	-	1	-	4	8	5
Female.....	282	1	-	-	-	-	-	-	-	1	3	7
Black, both sexes.....	13	-	-	-	-	-	-	-	-	1	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	10	-	-	-	-	-	-	-	-	1	-	1
American Indian 1/, both sexes.....	80	-	-	-	-	-	-	-	1	-	5	2
Male.....	35	-	-	-	-	-	-	-	1	-	5	2
Female.....	45	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	4,339	2	-	1	-	3	5	8	23	36	66	125
Male.....	2,007	1	-	-	-	2	3	2	10	21	35	77
Female.....	2,332	1	-	1	-	1	2	6	13	15	31	48
White, both sexes.....	3,261	-	-	1	-	3	1	2	14	19	47	78
Male.....	1,576	-	-	-	-	2	-	-	6	12	28	52
Female.....	1,685	-	-	1	-	1	1	2	8	7	19	26
Black, both sexes.....	946	2	-	-	-	-	4	6	8	16	18	40
Male.....	362	1	-	-	-	-	3	2	4	8	7	20
Female.....	584	1	-	-	-	-	1	4	4	8	11	20
American Indian 1/, both sexes.....	12	-	-	-	-	-	-	-	-	-	-	1
Male.....	5	-	-	-	-	-	-	-	-	-	-	1
Female.....	7	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	120	-	-	-	-	-	-	-	1	1	1	6
Male.....	64	-	-	-	-	-	-	-	-	1	-	4
Female.....	56	-	-	-	-	-	-	-	1	-	1	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Endocrine diseases (E00-E34)												
Vermont												
All races, both sexes.....	184	-	-	-	-	-	1	-	-	1	5	3
Male.....	96	-	-	-	-	-	1	-	-	1	4	3
Female.....	88	-	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	183	-	-	-	-	-	1	-	-	1	5	3
Male.....	96	-	-	-	-	-	1	-	-	1	4	3
Female.....	87	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	1,652	-	-	1	2	2	1	6	14	18	32	49
Male.....	779	-	-	1	-	1	1	5	7	8	23	33
Female.....	873	-	-	-	2	1	-	1	7	10	9	16
White, both sexes.....	1,129	-	-	-	1	-	-	2	7	9	21	26
Male.....	560	-	-	-	-	-	-	2	5	4	16	19
Female.....	569	-	-	-	1	-	-	-	2	5	5	7
Black, both sexes.....	495	-	-	1	-	2	1	4	7	9	11	23
Male.....	207	-	-	1	-	1	1	3	2	4	7	14
Female.....	288	-	-	-	-	1	-	1	5	5	4	9
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	-	-	-	1	-	-	-	-	-	-	-
Male.....	11	-	-	-	-	-	-	-	-	-	-	-
Female.....	11	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Endocrine diseases (E00-E34)

Alaska

All races, both sexes.....	7	9	9	14	12	16	12	8	1	3	-	-
Male.....	5	6	5	10	7	11	8	2	1	1	-	-
Female.....	2	3	4	4	5	5	4	6	-	2	-	-
White, both sexes.....	6	9	6	11	10	14	10	7	-	1	-	-
Male.....	4	6	3	8	5	10	6	2	-	-	-	-
Female.....	2	3	3	3	5	4	4	5	-	1	-	-
Black, both sexes.....	-	-	2	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	3	2	2	2	1	1	2	-	-
Male.....	1	-	-	2	2	1	2	-	1	1	-	-
Female.....	-	-	-	1	-	1	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	45	81	113	118	153	169	189	119	61	25	4	1
Male.....	26	56	72	70	76	91	84	43	22	8	-	1
Female.....	19	25	41	48	77	78	105	76	39	17	4	-
White, both sexes.....	35	67	89	96	132	153	178	105	55	23	4	1
Male.....	21	48	57	58	65	86	81	41	20	7	-	1
Female.....	14	19	32	38	67	67	97	64	35	16	4	-
Black, both sexes.....	4	5	12	8	7	4	6	4	2	-	-	-
Male.....	2	3	8	5	3	2	3	-	-	-	-	-
Female.....	2	2	4	3	4	2	3	4	2	-	-	-
American Indian 1/, both sexes.....	5	9	12	14	12	10	5	10	1	2	-	-
Male.....	2	5	7	7	6	2	-	2	1	1	-	-
Female.....	3	4	5	7	6	8	5	8	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	2	2	-	-	3	-	-	-
Male.....	1	-	-	-	2	1	-	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Endocrine diseases (E00-E34)

Arkansas

All races, both sexes.....	50	52	76	87	108	141	135	80	63	22	6	-
Male.....	26	27	34	47	58	72	62	22	15	3	-	-
Female.....	24	25	42	40	50	69	73	58	48	19	6	-
White, both sexes.....	35	36	57	70	83	107	119	72	56	16	3	-
Male.....	20	17	27	41	51	62	57	22	15	1	-	-
Female.....	15	19	30	29	32	45	62	50	41	15	3	-
Black, both sexes.....	15	16	19	17	25	34	16	7	7	6	3	-
Male.....	6	10	7	6	7	10	5	-	-	2	-	-
Female.....	9	6	12	11	18	24	11	7	7	4	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

California

All races, both sexes.....	356	482	610	684	902	1,174	1,163	807	427	154	19	2
Male.....	200	274	333	369	479	597	533	324	148	41	5	1
Female.....	156	208	277	315	423	577	630	483	279	113	14	1
White, both sexes.....	271	374	474	518	724	924	923	646	345	126	11	2
Male.....	149	210	266	281	396	483	444	265	120	37	3	1
Female.....	122	164	208	237	328	441	479	381	225	89	8	1
Black, both sexes.....	53	67	81	104	76	120	103	69	32	16	5	-
Male.....	29	39	35	51	31	46	39	24	10	1	1	-
Female.....	24	28	46	53	45	74	64	45	22	15	4	-
American Indian 1/, both sexes.....	7	6	6	7	10	7	11	3	1	-	-	-
Male.....	7	2	2	3	4	4	5	1	1	-	-	-
Female.....	-	4	4	4	6	3	6	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	25	35	49	55	92	123	126	89	49	12	3	-
Male.....	15	23	30	34	48	64	45	34	17	3	1	-
Female.....	10	12	19	21	44	59	81	55	32	9	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Endocrine diseases (E00-E34)

Florida

All races, both sexes.....	213	331	391	509	641	756	798	509	322	123	21	1
Male.....	126	192	221	283	358	394	412	215	125	32	3	1
Female.....	87	139	170	226	283	362	386	294	197	91	18	-
White, both sexes.....	156	232	289	395	518	633	679	450	292	113	19	1
Male.....	98	143	180	229	301	353	369	198	118	31	3	1
Female.....	58	89	109	166	217	280	310	252	174	82	16	-
Black, both sexes.....	57	94	96	110	121	120	111	56	28	9	2	-
Male.....	28	47	40	52	56	41	39	17	7	1	-	-
Female.....	29	47	56	58	65	79	72	39	21	8	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	5	6	4	2	2	7	3	1	-	-	-
Male.....	-	2	1	2	1	-	4	-	-	-	-	-
Female.....	-	3	5	2	1	2	3	3	1	-	-	-

Georgia

All races, both sexes.....	113	147	150	188	205	229	254	174	90	31	4	-
Male.....	61	85	83	103	110	98	87	54	22	3	1	-
Female.....	52	62	67	85	95	131	167	120	68	28	3	-
White, both sexes.....	57	89	95	101	128	148	177	125	65	23	2	-
Male.....	34	51	57	61	76	71	67	44	17	1	1	-
Female.....	23	38	38	40	52	77	110	81	48	22	1	-
Black, both sexes.....	54	56	51	86	76	80	75	49	24	8	2	-
Male.....	27	32	25	41	34	27	19	10	5	2	-	-
Female.....	27	24	26	45	42	53	56	39	19	6	2	-
American Indian 1/, both sexes.....	1	1	2	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	2	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	1	1	1	2	-	1	-	-	-
Male.....	-	1	1	1	-	-	1	-	-	-	-	-
Female.....	1	-	1	-	1	1	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Endocrine diseases (E00-E34)

Illinois

All races, both sexes.....	114	193	220	286	384	500	554	456	237	71	16	-
Male.....	70	111	117	158	187	220	228	150	49	13	2	-
Female.....	44	82	103	128	197	280	326	306	188	58	14	-
White, both sexes.....	76	129	154	207	287	413	459	396	205	59	15	-
Male.....	51	82	89	122	141	181	191	129	44	11	2	-
Female.....	25	47	65	85	146	232	268	267	161	48	13	-
Black, both sexes.....	33	63	61	74	92	84	83	46	30	11	1	-
Male.....	14	28	26	32	46	38	30	17	5	1	-	-
Female.....	19	35	35	42	46	46	53	29	25	10	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	5	5	5	3	11	14	2	1	-	-
Male.....	5	1	2	4	-	1	6	4	-	1	-	-
Female.....	-	-	3	1	5	2	5	10	2	-	-	-

Indiana

All races, both sexes.....	72	112	146	164	221	289	306	239	124	32	5	-
Male.....	40	63	91	90	110	136	118	76	27	10	-	-
Female.....	32	49	55	74	111	153	188	163	97	22	5	-
White, both sexes.....	54	96	127	137	190	254	280	212	110	29	5	-
Male.....	31	53	83	74	95	120	109	68	20	9	-	-
Female.....	23	43	44	63	95	134	171	144	90	20	5	-
Black, both sexes.....	18	16	19	27	29	35	25	27	14	3	-	-
Male.....	9	10	8	16	14	16	8	8	7	1	-	-
Female.....	9	6	11	11	15	19	17	19	7	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Endocrine diseases (E00-E34)

Iowa

All races, both sexes.....	30	30	50	53	72	92	132	160	60	28	1	-
Male.....	19	17	25	28	40	44	71	67	14	4	-	-
Female.....	11	13	25	25	32	48	61	93	46	24	1	-
White, both sexes.....	27	29	48	47	71	91	128	157	60	28	1	-
Male.....	19	17	24	28	39	44	69	65	14	4	-	-
Female.....	8	12	24	19	32	47	59	92	46	24	1	-
Black, both sexes.....	1	-	2	4	1	-	4	3	-	-	-	-
Male.....	-	-	1	-	1	-	2	2	-	-	-	-
Female.....	1	-	1	4	-	-	2	1	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	27	49	56	57	71	104	117	95	58	18	5	-
Male.....	11	32	32	32	37	46	42	35	13	3	1	-
Female.....	16	17	24	25	34	58	75	60	45	15	4	-
White, both sexes.....	23	37	49	48	60	96	101	88	54	17	5	-
Male.....	9	24	27	28	31	44	39	33	13	2	1	-
Female.....	14	13	22	20	29	52	62	55	41	15	4	-
Black, both sexes.....	3	11	4	7	11	8	13	7	3	1	-	-
Male.....	2	7	3	3	6	2	3	2	-	1	-	-
Female.....	1	4	1	4	5	6	10	5	3	-	-	-
American Indian 1/, both sexes.....	1	1	1	1	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	-	-	2	-	1	-	-	-
Male.....	-	-	2	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Endocrine diseases (E00-E34)

Kentucky

All races, both sexes.....	44	90	100	118	177	194	206	170	106	27	8	-
Male.....	24	48	45	58	91	87	78	61	23	4	2	-
Female.....	20	42	55	60	86	107	128	109	83	23	6	-
White, both sexes.....	36	81	88	105	158	178	185	157	101	24	7	-
Male.....	21	43	40	51	84	79	71	56	23	4	2	-
Female.....	15	38	48	54	74	99	114	101	78	20	5	-
Black, both sexes.....	8	8	12	12	18	16	20	13	5	3	1	-
Male.....	3	4	5	6	6	8	7	5	-	-	-	-
Female.....	5	4	7	6	12	8	13	8	5	3	1	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	1	-	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Louisiana

All races, both sexes.....	90	125	180	226	240	257	237	195	94	30	8	-
Male.....	46	57	93	112	106	103	101	64	18	11	-	-
Female.....	44	68	87	114	134	154	136	131	76	19	8	-
White, both sexes.....	39	57	84	121	139	154	155	134	56	20	3	-
Male.....	22	31	44	69	67	69	65	44	10	8	-	-
Female.....	17	26	40	52	72	85	90	90	46	12	3	-
Black, both sexes.....	50	68	92	102	100	101	81	59	36	10	5	-
Male.....	24	26	45	42	39	33	36	19	7	3	-	-
Female.....	26	42	47	60	61	68	45	40	29	7	5	-
American Indian 1/, both sexes.....	1	-	-	2	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	2	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	4	1	1	2	-	2	2	-	-	-
Male.....	-	-	4	1	-	1	-	1	1	-	-	-
Female.....	-	-	-	-	1	1	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Endocrine diseases (E00-E34)

Maine

All races, both sexes.....	8	22	31	30	57	78	63	54	34	12	1	-
Male.....	5	15	20	17	28	40	28	16	14	4	-	-
Female.....	3	7	11	13	29	38	35	38	20	8	1	-
White, both sexes.....	8	22	31	30	54	78	63	54	34	12	1	-
Male.....	5	15	20	17	27	40	28	16	14	4	-	-
Female.....	3	7	11	13	27	38	35	38	20	8	1	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	60	82	137	156	183	237	258	203	80	32	3	-
Male.....	35	50	83	86	95	109	91	74	27	7	-	-
Female.....	25	32	54	70	88	128	167	129	53	25	3	-
White, both sexes.....	27	51	82	99	113	162	179	148	53	25	2	-
Male.....	17	30	54	62	61	86	70	55	16	6	-	-
Female.....	10	21	28	37	52	76	109	93	37	19	2	-
Black, both sexes.....	33	31	53	55	65	70	76	53	26	7	1	-
Male.....	18	20	28	22	33	23	20	18	10	1	-	-
Female.....	15	11	25	33	32	47	56	35	16	6	1	-
American Indian 1/, both sexes.....	-	-	1	-	1	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	1	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	2	4	4	2	1	1	-	-	-
Male.....	-	-	1	2	1	-	-	-	1	-	-	-
Female.....	-	-	-	-	3	4	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Endocrine diseases (E00-E34)

Massachusetts

All races, both sexes.....	60	79	85	138	166	238	264	208	121	36	5	-
Male.....	42	52	54	85	86	112	104	85	36	7	1	-
Female.....	18	27	31	53	80	126	160	123	85	29	4	-
White, both sexes.....	48	70	76	121	150	219	246	195	116	31	5	-
Male.....	35	47	50	77	79	105	96	79	35	6	1	-
Female.....	13	23	26	44	71	114	150	116	81	25	4	-
Black, both sexes.....	12	8	7	11	16	15	12	9	4	4	-	-
Male.....	7	5	4	7	7	5	5	4	1	-	-	-
Female.....	5	3	3	4	9	10	7	5	3	4	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	6	-	4	5	4	1	1	-	-
Male.....	-	-	-	1	-	2	3	2	-	1	-	-
Female.....	-	1	1	5	-	2	2	2	1	-	-	-

Michigan

All races, both sexes.....	125	148	197	294	336	483	423	342	174	68	13	-
Male.....	75	71	116	149	162	242	196	120	42	8	1	-
Female.....	50	77	81	145	174	241	227	222	132	60	12	-
White, both sexes.....	89	116	166	234	270	411	370	303	148	60	11	-
Male.....	55	60	98	120	132	212	180	115	33	8	1	-
Female.....	34	56	68	114	138	199	190	188	115	52	10	-
Black, both sexes.....	36	30	26	50	57	65	48	37	25	8	2	-
Male.....	20	10	15	26	26	28	13	5	9	-	-	-
Female.....	16	20	11	24	31	37	35	32	16	8	2	-
American Indian 1/, both sexes.....	-	1	2	6	8	3	3	1	1	-	-	-
Male.....	-	-	-	-	4	1	2	-	-	-	-	-
Female.....	-	1	2	6	4	2	1	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	3	4	1	4	2	1	-	-	-	-
Male.....	-	1	3	3	-	1	1	-	-	-	-	-
Female.....	-	-	-	1	1	3	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Endocrine diseases (E00-E34)

Minnesota

All races, both sexes.....	56	62	60	107	149	187	235	219	120	46	11	-
Male.....	39	39	36	71	70	90	97	81	27	13	3	-
Female.....	17	23	24	36	79	97	138	138	93	33	8	-
White, both sexes.....	43	56	55	102	140	178	224	211	119	45	11	-
Male.....	29	35	33	68	67	85	94	79	27	13	3	-
Female.....	14	21	22	34	73	93	130	132	92	32	8	-
Black, both sexes.....	5	2	3	4	3	3	6	2	1	-	-	-
Male.....	3	1	2	3	1	2	1	-	-	-	-	-
Female.....	2	1	1	1	2	1	5	2	1	-	-	-
American Indian 1/, both sexes.....	8	3	1	1	4	6	3	3	-	1	-	-
Male.....	7	2	-	-	1	3	1	1	-	-	-	-
Female.....	1	1	1	1	3	3	2	2	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	2	-	2	3	-	-	-	-
Male.....	-	1	1	-	1	-	1	1	-	-	-	-
Female.....	-	-	-	-	1	-	1	2	-	-	-	-

Mississippi

All races, both sexes.....	33	68	54	63	97	100	82	73	45	12	6	-
Male.....	16	41	30	36	53	45	27	23	8	-	1	-
Female.....	17	27	24	27	44	55	55	50	37	12	5	-
White, both sexes.....	12	30	29	32	46	56	52	53	22	9	2	-
Male.....	8	20	17	22	24	26	21	19	3	-	1	-
Female.....	4	10	12	10	22	30	31	34	19	9	1	-
Black, both sexes.....	21	36	23	29	49	43	28	20	22	3	4	-
Male.....	8	19	11	14	28	18	6	4	5	-	-	-
Female.....	13	17	12	15	21	25	22	16	17	3	4	-
American Indian 1/, both sexes.....	-	2	2	2	2	1	2	-	-	-	-	-
Male.....	-	2	2	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	2	1	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Endocrine diseases (E00-E34)

Nebraska

All races, both sexes.....	14	25	24	23	38	58	79	72	51	19	1	-
Male.....	11	14	9	12	23	32	35	27	15	2	-	-
Female.....	3	11	15	11	15	26	44	45	36	17	1	-
White, both sexes.....	12	23	23	19	33	53	76	70	51	19	1	-
Male.....	10	13	9	9	20	30	34	27	15	2	-	-
Female.....	2	10	14	10	13	23	42	43	36	17	1	-
Black, both sexes.....	2	1	1	3	5	3	3	2	-	-	-	-
Male.....	1	1	-	2	3	2	1	-	-	-	-	-
Female.....	1	-	1	1	2	1	2	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	2	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	16	23	36	35	44	40	38	28	15	2	-	-
Male.....	12	14	26	27	29	27	23	10	5	-	-	-
Female.....	4	9	10	8	15	13	15	18	10	2	-	-
White, both sexes.....	14	19	28	32	40	36	35	23	14	2	-	-
Male.....	11	10	20	26	27	26	21	8	5	-	-	-
Female.....	3	9	8	6	13	10	14	15	9	2	-	-
Black, both sexes.....	2	4	4	-	4	2	1	5	1	-	-	-
Male.....	1	4	4	-	2	1	1	2	-	-	-	-
Female.....	1	-	-	-	2	1	-	3	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	4	3	-	1	2	-	-	-	-	-
Male.....	-	-	2	1	-	-	1	-	-	-	-	-
Female.....	-	-	2	2	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Endocrine diseases (E00-E34)

New Hampshire

All races, both sexes.....	9	25	24	28	52	45	41	37	26	3	1	-
Male.....	5	16	12	20	29	26	14	9	9	2	-	-
Female.....	4	9	12	8	23	19	27	28	17	1	1	-
White, both sexes.....	9	25	22	28	51	44	40	37	26	3	1	-
Male.....	5	16	11	20	28	25	13	9	9	2	-	-
Female.....	4	9	11	8	23	19	27	28	17	1	1	-
Black, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	126	159	185	256	309	380	410	375	188	53	11	-
Male.....	81	86	101	128	145	176	159	151	48	10	3	-
Female.....	45	73	84	128	164	204	251	224	140	43	8	-
White, both sexes.....	86	110	126	183	230	316	355	309	172	45	9	-
Male.....	58	63	73	92	111	152	140	129	43	9	3	-
Female.....	28	47	53	91	119	164	215	180	129	36	6	-
Black, both sexes.....	37	46	54	66	69	59	51	61	15	7	2	-
Male.....	20	21	24	32	27	23	18	19	4	1	-	-
Female.....	17	25	30	34	42	36	33	42	11	6	2	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	1	1	-	-	-
Male.....	-	1	-	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	5	7	10	5	4	4	-	1	-	-
Male.....	3	1	4	4	7	1	1	2	-	-	-	-
Female.....	-	1	1	3	3	4	3	2	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Endocrine diseases (E00-E34)

New Mexico

All races, both sexes.....	37	41	50	75	81	93	86	65	40	8	2	-
Male.....	20	16	27	31	37	35	38	33	13	3	1	-
Female.....	17	25	23	44	44	58	48	32	27	5	1	-
White, both sexes.....	30	33	39	66	68	75	78	56	36	8	2	-
Male.....	16	15	21	29	30	28	36	31	11	3	1	-
Female.....	14	18	18	37	38	47	42	25	25	5	1	-
Black, both sexes.....	2	-	-	1	3	1	1	2	1	-	-	-
Male.....	-	-	-	-	2	-	-	1	-	-	-	-
Female.....	2	-	-	1	1	1	1	1	1	-	-	-
American Indian 1/, both sexes.....	4	8	11	8	9	16	6	7	3	-	-	-
Male.....	3	1	6	2	5	6	1	1	2	-	-	-
Female.....	1	7	5	6	4	10	5	6	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

New York

All races, both sexes.....	148	236	347	421	546	713	676	565	306	103	9	-
Male.....	84	143	204	212	283	340	294	193	81	20	2	-
Female.....	64	93	143	209	263	373	382	372	225	83	7	-
White, both sexes.....	93	173	243	291	404	549	523	474	251	88	7	-
Male.....	60	110	147	158	220	282	243	167	69	19	1	-
Female.....	33	63	96	133	184	267	280	307	182	69	6	-
Black, both sexes.....	48	54	92	113	117	143	140	80	48	15	2	-
Male.....	21	28	48	46	47	49	44	22	10	1	1	-
Female.....	27	26	44	67	70	94	96	58	38	14	1	-
American Indian 1/, both sexes.....	1	1	1	3	3	1	-	1	-	-	-	-
Male.....	-	-	1	1	2	-	-	-	-	-	-	-
Female.....	1	1	-	2	1	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	8	11	14	22	20	13	10	7	-	-	-
Male.....	3	5	8	7	14	9	7	4	2	-	-	-
Female.....	3	3	3	7	8	11	6	6	5	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Endocrine diseases (E00-E34)

Oregon

All races, both sexes.....	64	67	89	87	109	147	202	129	73	19	7	-
Male.....	41	36	53	50	59	73	86	57	24	5	2	-
Female.....	23	31	36	37	50	74	116	72	49	14	5	-
White, both sexes.....	58	61	85	80	102	144	194	128	71	19	7	-
Male.....	36	33	51	44	58	71	84	57	23	5	2	-
Female.....	22	28	34	36	44	73	110	71	48	14	5	-
Black, both sexes.....	4	3	1	2	3	2	4	-	-	-	-	-
Male.....	3	2	1	1	-	2	1	-	-	-	-	-
Female.....	1	1	-	1	3	-	3	-	-	-	-	-
American Indian 1/, both sexes.....	1	3	3	2	-	1	1	-	-	-	-	-
Male.....	1	1	1	2	-	-	-	-	-	-	-	-
Female.....	-	2	2	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	3	4	-	3	1	2	-	-	-
Male.....	1	-	-	3	1	-	1	-	1	-	-	-
Female.....	-	-	-	-	3	-	2	1	1	-	-	-

Pennsylvania

All races, both sexes.....	146	211	252	356	452	700	663	532	269	78	18	-
Male.....	96	131	126	180	225	333	282	185	64	9	2	-
Female.....	50	80	126	176	227	367	381	347	205	69	16	-
White, both sexes.....	111	182	208	301	394	629	617	491	258	75	16	-
Male.....	76	115	99	157	209	292	265	174	62	8	2	-
Female.....	35	67	109	144	185	337	352	317	196	67	14	-
Black, both sexes.....	34	29	42	52	56	68	46	40	11	3	2	-
Male.....	19	16	25	22	15	39	17	10	2	1	-	-
Female.....	15	13	17	30	41	29	29	30	9	2	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	2	3	2	2	-	1	-	-	-	-
Male.....	1	-	2	1	1	1	-	1	-	-	-	-
Female.....	-	-	-	2	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Endocrine diseases (E00-E34)

South Dakota

All races, both sexes.....	10	11	11	17	20	30	40	31	19	4	3	-
Male.....	8	8	5	6	12	15	15	14	7	1	1	-
Female.....	2	3	6	11	8	15	25	17	12	3	2	-
White, both sexes.....	8	8	6	14	18	26	36	29	19	3	3	-
Male.....	7	6	3	4	10	14	14	14	7	1	1	-
Female.....	1	2	3	10	8	12	22	15	12	2	2	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	2	5	3	2	4	4	2	-	1	-	-
Male.....	1	1	2	2	2	1	1	-	-	-	-	-
Female.....	1	1	3	1	-	3	3	2	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	94	121	169	203	245	290	287	198	113	34	4	-
Male.....	57	68	95	106	120	132	99	64	25	3	-	-
Female.....	37	53	74	97	125	158	188	134	88	31	4	-
White, both sexes.....	64	93	132	155	193	233	227	170	92	30	2	-
Male.....	36	58	75	84	96	105	90	57	21	3	-	-
Female.....	28	35	57	71	97	128	137	113	71	27	2	-
Black, both sexes.....	30	28	37	47	51	56	59	28	21	4	2	-
Male.....	21	10	20	21	24	27	9	7	4	-	-	-
Female.....	9	18	17	26	27	29	50	21	17	4	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	1	1	-	-	-	-	-
Male.....	-	-	-	1	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Endocrine diseases (E00-E34)

Vermont

All races, both sexes.....	5	9	14	16	23	23	26	35	15	6	2	-
Male.....	5	7	11	10	10	13	10	16	4	1	-	-
Female.....	-	2	3	6	13	10	16	19	11	5	2	-
White, both sexes.....	5	8	14	16	23	23	26	35	15	6	2	-
Male.....	5	7	11	10	10	13	10	16	4	1	-	-
Female.....	-	1	3	6	13	10	16	19	11	5	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	90	133	145	164	240	224	239	179	77	33	3	-
Male.....	51	82	95	83	111	99	86	59	28	5	1	-
Female.....	39	51	50	81	129	125	153	120	49	28	2	-
White, both sexes.....	63	95	97	106	159	154	167	137	58	24	3	-
Male.....	40	60	65	59	80	72	60	51	22	4	1	-
Female.....	23	35	32	47	79	82	107	86	36	20	2	-
Black, both sexes.....	25	36	46	57	77	65	69	38	17	7	-	-
Male.....	10	20	29	23	30	25	24	7	5	1	-	-
Female.....	15	16	17	34	47	40	45	31	12	6	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	1	-	1	-	2	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	1	-	2	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	2	1	3	4	3	3	2	-	-	-
Male.....	1	2	1	1	1	1	2	1	1	-	-	-
Female.....	-	-	1	-	2	3	1	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Endocrine diseases (E00-E34)

Wisconsin

All races, both sexes.....	71	70	82	120	155	211	251	193	109	28	4	-
Male.....	36	39	58	56	78	116	111	75	32	9	1	-
Female.....	35	31	24	64	77	95	140	118	77	19	3	-
White, both sexes.....	63	58	63	103	135	199	241	188	107	27	4	-
Male.....	34	35	44	52	73	111	104	75	32	9	1	-
Female.....	29	23	19	51	62	88	137	113	75	18	3	-
Black, both sexes.....	7	9	12	12	17	10	5	4	1	1	-	-
Male.....	1	3	8	3	3	4	4	-	-	-	-	-
Female.....	6	6	4	9	14	6	1	4	1	1	-	-
American Indian 1/, both sexes.....	1	3	6	4	2	-	2	-	-	-	-	-
Male.....	1	1	5	1	1	-	1	-	-	-	-	-
Female.....	-	2	1	3	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	2	3	1	1	-	-	-
Male.....	-	-	1	-	1	1	2	-	-	-	-	-
Female.....	-	-	-	1	-	1	1	1	1	-	-	-

Wyoming

All races, both sexes.....	10	9	11	12	21	24	20	19	5	4	-	-
Male.....	5	7	5	8	10	12	10	9	2	2	-	-
Female.....	5	2	6	4	11	12	10	10	3	2	-	-
White, both sexes.....	10	6	9	12	20	24	18	19	5	4	-	-
Male.....	5	5	4	8	9	12	10	9	2	2	-	-
Female.....	5	1	5	4	11	12	8	10	3	2	-	-
Black, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	3	1	-	-	-	1	-	-	-	-	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Disorders of thyroid gland (E00-E07)

Arkansas

All races, both sexes.....	15	-	-	-	-	-	-	-	1	-	-	-
Male.....	4	-	-	-	-	-	-	-	1	-	-	-
Female.....	11	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	13	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	10	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	168	-	-	-	-	-	2	2	1	-	4	6
Male.....	37	-	-	-	-	-	1	1	-	-	-	1
Female.....	131	-	-	-	-	-	1	1	1	-	4	5
White, both sexes.....	151	-	-	-	-	-	2	1	-	-	4	5
Male.....	36	-	-	-	-	-	1	1	-	-	-	1
Female.....	115	-	-	-	-	-	1	-	-	-	4	4
Black, both sexes.....	8	-	-	-	-	-	-	1	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	1	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Disorders of thyroid gland (E00-E07)

Arkansas

All races, both sexes.....	-	-	-	1	-	1	3	4	1	3	1	-
Male.....	-	-	-	-	-	1	-	2	-	-	-	-
Female.....	-	-	-	1	-	-	3	2	1	3	1	-
White, both sexes.....	-	-	-	1	-	1	3	3	1	3	1	-
Male.....	-	-	-	-	-	1	-	2	-	-	-	-
Female.....	-	-	-	1	-	-	3	1	1	3	1	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	6	7	6	5	11	18	22	26	33	16	3	-
Male.....	2	4	-	3	3	5	5	5	5	1	1	-
Female.....	4	3	6	2	8	13	17	21	28	15	2	-
White, both sexes.....	6	6	5	5	9	16	19	22	32	16	3	-
Male.....	2	4	-	3	2	5	5	5	5	1	1	-
Female.....	4	2	5	2	7	11	14	17	27	15	2	-
Black, both sexes.....	-	1	1	-	-	1	-	2	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	1	-	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	1	3	2	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	3	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Disorders of thyroid gland (E00-E07)

Maine

All races, both sexes.....	-	2	-	-	-	1	1	3	1	2	-	-
Male.....	-	1	-	-	-	1	-	-	-	1	-	-
Female.....	-	1	-	-	-	-	1	3	1	1	-	-
White, both sexes.....	-	2	-	-	-	1	1	3	1	2	-	-
Male.....	-	1	-	-	-	1	-	-	-	1	-	-
Female.....	-	1	-	-	-	-	1	3	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	-	-	1	3	-	6	14	16	6	5	2	-
Male.....	-	-	-	1	-	1	1	3	2	-	-	-
Female.....	-	-	1	2	-	5	13	13	4	5	2	-
White, both sexes.....	-	-	1	3	-	5	12	13	3	4	1	-
Male.....	-	-	-	1	-	1	1	3	1	-	-	-
Female.....	-	-	1	2	-	4	11	10	2	4	1	-
Black, both sexes.....	-	-	-	-	-	-	2	3	3	1	1	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	2	3	2	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Disorders of thyroid gland (E00-E07)

New Mexico

All races, both sexes.....	1	-	1	1	-	2	3	4	4	-	-	-
Male.....	-	-	1	1	-	-	1	2	-	-	-	-
Female.....	1	-	-	-	-	2	2	2	4	-	-	-
White, both sexes.....	1	-	1	1	-	2	3	4	4	-	-	-
Male.....	-	-	1	1	-	-	1	2	-	-	-	-
Female.....	1	-	-	-	-	2	2	2	4	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	-	1	6	2	3	8	8	18	14	12	2	-
Male.....	-	-	2	-	-	1	2	5	1	1	1	-
Female.....	-	1	4	2	3	7	6	13	13	11	1	-
White, both sexes.....	-	1	6	2	2	6	8	15	13	11	2	-
Male.....	-	-	2	-	-	-	2	4	1	1	1	-
Female.....	-	1	4	2	2	6	6	11	12	10	1	-
Black, both sexes.....	-	-	-	-	1	1	-	3	-	1	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	1	-	2	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Disorders of thyroid gland (E00-E07)

South Dakota

All races, both sexes.....	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	-	-
White, both sexes.....	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	2	1	2	1	1	1	8	9	8	4	-	-
Male.....	-	1	1	-	1	-	-	-	2	-	-	-
Female.....	2	-	1	1	-	1	8	9	6	4	-	-
White, both sexes.....	2	1	1	1	1	1	5	8	8	4	-	-
Male.....	-	1	-	-	1	-	-	-	2	-	-	-
Female.....	2	-	1	1	-	1	5	8	6	4	-	-
Black, both sexes.....	-	-	1	-	-	-	2	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Diabetes mellitus (E10-E14)												
Arkansas												
All races, both sexes.....	884	-	-	-	-	1	1	3	6	14	21	41
Male.....	410	-	-	-	-	1	1	1	3	9	15	21
Female.....	474	-	-	-	-	-	-	2	3	5	6	20
White, both sexes.....	693	-	-	-	-	1	1	2	5	10	13	29
Male.....	343	-	-	-	-	1	1	-	2	7	9	17
Female.....	350	-	-	-	-	-	-	2	3	3	4	12
Black, both sexes.....	190	-	-	-	-	-	-	1	1	4	8	12
Male.....	67	-	-	-	-	-	-	1	1	2	6	4
Female.....	123	-	-	-	-	-	-	-	-	2	2	8
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	7,093	-	-	1	2	7	14	17	42	72	144	226
Male.....	3,564	-	-	-	1	6	9	10	29	46	85	130
Female.....	3,529	-	-	1	1	1	5	7	13	26	59	96
White, both sexes.....	5,535	-	-	1	1	6	10	12	35	47	102	174
Male.....	2,842	-	-	-	1	5	6	7	25	32	61	103
Female.....	2,693	-	-	1	-	1	4	5	10	15	41	71
Black, both sexes.....	820	-	-	-	-	1	2	4	5	21	31	38
Male.....	359	-	-	-	-	1	1	3	2	12	16	18
Female.....	461	-	-	-	-	-	1	1	3	9	15	20
American Indian 1/, both sexes.....	70	-	-	-	-	-	-	-	-	3	2	7
Male.....	36	-	-	-	-	-	-	-	-	1	2	4
Female.....	34	-	-	-	-	-	-	-	-	2	-	3
Asian or Pacific Islander 2/, both sexes.....	668	-	-	-	1	-	2	1	2	1	9	7
Male.....	327	-	-	-	-	-	2	-	2	1	6	5
Female.....	341	-	-	-	1	-	-	1	-	-	3	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Diabetes mellitus (E10-E14)

Vermont

All races, both sexes.....	183	-	-	-	-	-	1	-	-	1	5	3
Male.....	96	-	-	-	-	-	1	-	-	1	4	3
Female.....	87	-	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	182	-	-	-	-	-	1	-	-	1	5	3
Male.....	96	-	-	-	-	-	1	-	-	1	4	3
Female.....	86	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	1,587	-	-	1	2	2	1	6	14	18	31	47
Male.....	753	-	-	1	-	1	1	5	7	8	22	31
Female.....	834	-	-	-	2	1	-	1	7	10	9	16
White, both sexes.....	1,079	-	-	-	1	-	-	2	7	9	20	26
Male.....	543	-	-	-	-	-	-	2	5	4	15	19
Female.....	536	-	-	-	1	-	-	-	2	5	5	7
Black, both sexes.....	480	-	-	1	-	2	1	4	7	9	11	21
Male.....	198	-	-	1	-	1	1	3	2	4	7	12
Female.....	282	-	-	-	-	1	-	1	5	5	4	9
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	-	-	-	1	-	-	-	-	-	-	-
Male.....	11	-	-	-	-	-	-	-	-	-	-	-
Female.....	11	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diabetes mellitus (E10-E14)

Alaska

All races, both sexes.....	7	9	9	14	12	16	11	8	-	3	-	-
Male.....	5	6	5	10	7	11	7	2	-	1	-	-
Female.....	2	3	4	4	5	5	4	6	-	2	-	-
White, both sexes.....	6	9	6	11	10	14	9	7	-	1	-	-
Male.....	4	6	3	8	5	10	5	2	-	-	-	-
Female.....	2	3	3	3	5	4	4	5	-	1	-	-
Black, both sexes.....	-	-	2	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	3	2	2	2	1	-	2	-	-
Male.....	1	-	-	2	2	1	2	-	-	1	-	-
Female.....	-	-	-	1	-	1	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	44	81	113	117	152	167	182	115	54	22	4	1
Male.....	25	56	72	70	76	90	83	41	19	8	-	1
Female.....	19	25	41	47	76	77	99	74	35	14	4	-
White, both sexes.....	34	67	89	95	131	151	171	102	48	21	4	1
Male.....	20	48	57	58	65	85	80	39	17	7	-	1
Female.....	14	19	32	37	66	66	91	63	31	14	4	-
Black, both sexes.....	4	5	12	8	7	4	6	3	2	-	-	-
Male.....	2	3	8	5	3	2	3	-	-	-	-	-
Female.....	2	2	4	3	4	2	3	3	2	-	-	-
American Indian 1/, both sexes.....	5	9	12	14	12	10	5	10	1	1	-	-
Male.....	2	5	7	7	6	2	-	2	1	1	-	-
Female.....	3	4	5	7	6	8	5	8	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	2	2	-	-	3	-	-	-
Male.....	1	-	-	-	2	1	-	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	-	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diabetes mellitus (E10-E14)

Arkansas

All races, both sexes.....	50	51	76	86	104	140	130	74	62	19	5	-
Male.....	26	27	34	47	55	71	61	20	15	3	-	-
Female.....	24	24	42	39	49	69	69	54	47	16	5	-
White, both sexes.....	35	35	57	69	79	106	114	67	55	13	2	-
Male.....	20	17	27	41	48	61	56	20	15	1	-	-
Female.....	15	18	30	28	31	45	58	47	40	12	2	-
Black, both sexes.....	15	16	19	17	25	34	16	6	7	6	3	-
Male.....	6	10	7	6	7	10	5	-	-	2	-	-
Female.....	9	6	12	11	18	24	11	6	7	4	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

California

All races, both sexes.....	346	473	599	671	885	1,146	1,133	770	393	135	16	1
Male.....	196	269	331	362	472	589	526	315	143	40	4	1
Female.....	150	204	268	309	413	557	607	455	250	95	12	-
White, both sexes.....	261	366	465	506	710	898	899	614	312	107	8	1
Male.....	145	205	264	275	390	475	438	256	115	36	2	1
Female.....	116	161	201	231	320	423	461	358	197	71	6	-
Black, both sexes.....	53	66	80	104	75	119	102	67	31	16	5	-
Male.....	29	39	35	51	31	46	39	24	10	1	1	-
Female.....	24	27	45	53	44	73	63	43	21	15	4	-
American Indian 1/, both sexes.....	7	6	6	7	10	7	11	3	1	-	-	-
Male.....	7	2	2	3	4	4	5	1	1	-	-	-
Female.....	-	4	4	4	6	3	6	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	25	35	48	54	90	122	121	86	49	12	3	-
Male.....	15	23	30	33	47	64	44	34	17	3	1	-
Female.....	10	12	18	21	43	58	77	52	32	9	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diabetes mellitus (E10-E14)

Florida

All races, both sexes.....	209	324	381	500	629	739	771	482	299	100	14	1
Male.....	125	189	220	280	352	390	403	211	118	30	2	1
Female.....	84	135	161	220	277	349	368	271	181	70	12	-
White, both sexes.....	152	226	282	386	508	616	654	425	269	90	12	1
Male.....	97	141	180	226	297	349	361	194	111	29	2	1
Female.....	55	85	102	160	211	267	293	231	158	61	10	-
Black, both sexes.....	57	93	93	110	119	120	109	55	28	9	2	-
Male.....	28	46	39	52	54	41	38	17	7	1	-	-
Female.....	29	47	54	58	65	79	71	38	21	8	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	5	6	4	2	2	7	2	1	-	-	-
Male.....	-	2	1	2	1	-	4	-	-	-	-	-
Female.....	-	3	5	2	1	2	3	2	1	-	-	-

Georgia

All races, both sexes.....	110	140	147	183	202	223	243	163	80	28	4	-
Male.....	60	81	82	103	107	96	83	49	22	3	1	-
Female.....	50	59	65	80	95	127	160	114	58	25	3	-
White, both sexes.....	56	84	94	98	125	143	171	117	58	20	2	-
Male.....	33	49	56	61	73	69	66	41	17	1	1	-
Female.....	23	35	38	37	52	74	105	76	41	19	1	-
Black, both sexes.....	52	54	49	84	76	79	70	46	21	8	2	-
Male.....	27	30	25	41	34	27	16	8	5	2	-	-
Female.....	25	24	24	43	42	52	54	38	16	6	2	-
American Indian 1/, both sexes.....	1	1	2	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	2	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	1	1	1	2	-	1	-	-	-
Male.....	-	1	1	1	-	-	1	-	-	-	-	-
Female.....	1	-	1	-	1	1	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diabetes mellitus (E10-E14)

Illinois

All races, both sexes.....	114	190	214	281	367	479	530	425	208	61	9	-
Male.....	70	109	114	155	181	214	222	146	46	12	1	-
Female.....	44	81	100	126	186	265	308	279	162	49	8	-
White, both sexes.....	76	126	148	205	273	398	436	369	177	51	8	-
Male.....	51	80	86	121	136	176	186	127	41	10	1	-
Female.....	25	46	62	84	137	222	250	242	136	41	7	-
Black, both sexes.....	33	63	61	72	89	79	82	43	29	9	1	-
Male.....	14	28	26	31	45	37	29	15	5	1	-	-
Female.....	19	35	35	41	44	42	53	28	24	8	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	5	4	5	2	11	13	2	1	-	-
Male.....	5	1	2	3	-	1	6	4	-	1	-	-
Female.....	-	-	3	1	5	1	5	9	2	-	-	-

Indiana

All races, both sexes.....	70	107	144	160	217	277	295	220	110	28	5	-
Male.....	38	60	90	88	108	132	117	73	26	9	-	-
Female.....	32	47	54	72	109	145	178	147	84	19	5	-
White, both sexes.....	52	92	125	133	186	244	269	194	96	26	5	-
Male.....	29	51	82	72	93	118	108	65	19	8	-	-
Female.....	23	41	43	61	93	126	161	129	77	18	5	-
Black, both sexes.....	18	15	19	27	29	33	25	26	14	2	-	-
Male.....	9	9	8	16	14	14	8	8	7	1	-	-
Female.....	9	6	11	11	15	19	17	18	7	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	1	-	-	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Diabetes mellitus (E10-E14)

Iowa

All races, both sexes.....	30	28	49	53	71	90	127	156	57	28	1	-
Male.....	19	17	24	28	40	42	67	66	14	4	-	-
Female.....	11	11	25	25	31	48	60	90	43	24	1	-
White, both sexes.....	27	27	47	47	70	89	124	153	57	28	1	-
Male.....	19	17	23	28	39	42	65	64	14	4	-	-
Female.....	8	10	24	19	31	47	59	89	43	24	1	-
Black, both sexes.....	1	-	2	4	1	-	3	3	-	-	-	-
Male.....	-	-	1	-	1	-	2	2	-	-	-	-
Female.....	1	-	1	4	-	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	26	49	54	55	70	103	109	92	53	18	3	-
Male.....	11	32	31	30	37	46	39	35	13	3	1	-
Female.....	15	17	23	25	33	57	70	57	40	15	2	-
White, both sexes.....	22	37	47	46	59	95	94	86	49	17	3	-
Male.....	9	24	26	26	31	44	36	33	13	2	1	-
Female.....	13	13	21	20	28	51	58	53	36	15	2	-
Black, both sexes.....	3	11	4	7	11	8	12	6	3	1	-	-
Male.....	2	7	3	3	6	2	3	2	-	1	-	-
Female.....	1	4	1	4	5	6	9	4	3	-	-	-
American Indian 1/, both sexes.....	1	1	1	1	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	-	-	2	-	1	-	-	-
Male.....	-	-	2	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diabetes mellitus (E10-E14)

Kentucky

All races, both sexes.....	43	89	98	116	174	187	201	160	96	25	7	-
Male.....	23	47	45	57	90	87	78	61	22	4	2	-
Female.....	20	42	53	59	84	100	123	99	74	21	5	-
White, both sexes.....	35	81	87	103	155	171	180	147	92	22	6	-
Male.....	20	43	40	50	83	79	71	56	22	4	2	-
Female.....	15	38	47	53	72	92	109	91	70	18	4	-
Black, both sexes.....	8	7	11	12	18	16	20	13	4	3	1	-
Male.....	3	3	5	6	6	8	7	5	-	-	-	-
Female.....	5	4	6	6	12	8	13	8	4	3	1	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	1	-	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Louisiana

All races, both sexes.....	89	121	176	223	232	253	228	182	89	28	6	-
Male.....	46	56	92	110	104	102	99	62	17	9	-	-
Female.....	43	65	84	113	128	151	129	120	72	19	6	-
White, both sexes.....	39	54	80	119	134	151	150	122	53	18	1	-
Male.....	22	30	43	68	65	69	64	42	10	6	-	-
Female.....	17	24	37	51	69	82	86	80	43	12	1	-
Black, both sexes.....	49	67	92	101	97	100	78	58	34	10	5	-
Male.....	24	26	45	41	39	32	35	19	6	3	-	-
Female.....	25	41	47	60	58	68	43	39	28	7	5	-
American Indian 1/, both sexes.....	1	-	-	2	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	2	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	4	1	1	2	-	2	2	-	-	-
Male.....	-	-	4	1	-	1	-	1	1	-	-	-
Female.....	-	-	-	-	1	1	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diabetes mellitus (E10-E14)

Maine

All races, both sexes.....	8	20	31	30	57	75	59	51	32	10	1	-
Male.....	5	14	20	17	28	37	25	16	14	3	-	-
Female.....	3	6	11	13	29	38	34	35	18	7	1	-
White, both sexes.....	8	20	31	30	54	75	59	51	32	10	1	-
Male.....	5	14	20	17	27	37	25	16	14	3	-	-
Female.....	3	6	11	13	27	38	34	35	18	7	1	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	58	82	134	152	181	229	239	187	71	27	1	-
Male.....	33	50	83	84	94	106	88	71	24	7	-	-
Female.....	25	32	51	68	87	123	151	116	47	20	1	-
White, both sexes.....	25	51	79	95	112	155	163	135	48	21	1	-
Male.....	15	30	54	60	61	83	68	52	15	6	-	-
Female.....	10	21	25	35	51	72	95	83	33	15	1	-
Black, both sexes.....	33	31	53	55	64	70	73	50	22	6	-	-
Male.....	18	20	28	22	32	23	19	18	8	1	-	-
Female.....	15	11	25	33	32	47	54	32	14	5	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	1	-	1	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	2	4	3	2	1	1	-	-	-
Male.....	-	-	1	2	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	3	3	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diabetes mellitus (E10-E14)

Massachusetts

All races, both sexes.....	57	77	83	137	160	229	250	197	111	32	4	-
Male.....	41	51	52	85	85	107	103	79	34	7	1	-
Female.....	16	26	31	52	75	122	147	118	77	25	3	-
White, both sexes.....	45	68	74	120	144	210	232	184	106	28	4	-
Male.....	34	46	48	77	78	100	95	73	33	6	1	-
Female.....	11	22	26	43	66	110	137	111	73	22	3	-
Black, both sexes.....	12	8	7	11	16	15	12	9	4	3	-	-
Male.....	7	5	4	7	7	5	5	4	1	-	-	-
Female.....	5	3	3	4	9	10	7	5	3	3	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	6	-	4	5	4	1	1	-	-
Male.....	-	-	-	1	-	2	3	2	-	1	-	-
Female.....	-	1	1	5	-	2	2	2	1	-	-	-

Michigan

All races, both sexes.....	125	146	194	289	326	468	398	315	159	58	10	-
Male.....	75	70	115	147	162	236	193	117	39	8	1	-
Female.....	50	76	79	142	164	232	205	198	120	50	9	-
White, both sexes.....	89	116	163	230	263	397	347	277	137	52	8	-
Male.....	55	60	97	118	132	206	177	112	33	8	1	-
Female.....	34	56	66	112	131	191	170	165	104	44	7	-
Black, both sexes.....	36	28	26	50	54	64	46	36	21	6	2	-
Male.....	20	9	15	26	26	28	13	5	6	-	-	-
Female.....	16	19	11	24	28	36	33	31	15	6	2	-
American Indian 1/, both sexes.....	-	1	2	5	8	3	3	1	1	-	-	-
Male.....	-	-	-	-	4	1	2	-	-	-	-	-
Female.....	-	1	2	5	4	2	1	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	3	4	1	4	2	1	-	-	-	-
Male.....	-	1	3	3	-	1	1	-	-	-	-	-
Female.....	-	-	-	1	1	3	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diabetes mellitus (E10-E14)

Minnesota

All races, both sexes.....	54	58	59	107	146	180	225	208	104	40	10	-
Male.....	39	38	36	71	68	86	96	79	27	12	3	-
Female.....	15	20	23	36	78	94	129	129	77	28	7	-
White, both sexes.....	41	53	54	102	137	171	214	200	103	39	10	-
Male.....	29	34	33	68	65	81	93	77	27	12	3	-
Female.....	12	19	21	34	72	90	121	123	76	27	7	-
Black, both sexes.....	5	1	3	4	3	3	6	2	1	-	-	-
Male.....	3	1	2	3	1	2	1	-	-	-	-	-
Female.....	2	-	1	1	2	1	5	2	1	-	-	-
American Indian 1/, both sexes.....	8	3	1	1	4	6	3	3	-	1	-	-
Male.....	7	2	-	-	1	3	1	1	-	-	-	-
Female.....	1	1	1	1	3	3	2	2	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	2	-	2	3	-	-	-	-
Male.....	-	1	1	-	1	-	1	1	-	-	-	-
Female.....	-	-	-	-	1	-	1	2	-	-	-	-

Mississippi

All races, both sexes.....	33	68	53	62	95	95	73	72	44	12	6	-
Male.....	16	41	30	36	53	44	22	23	8	-	1	-
Female.....	17	27	23	26	42	51	51	49	36	12	5	-
White, both sexes.....	12	30	29	32	46	52	46	52	21	9	2	-
Male.....	8	20	17	22	24	26	17	19	3	-	1	-
Female.....	4	10	12	10	22	26	29	33	18	9	1	-
Black, both sexes.....	21	36	22	29	47	42	25	20	22	3	4	-
Male.....	8	19	11	14	28	17	5	4	5	-	-	-
Female.....	13	17	11	15	19	25	20	16	17	3	4	-
American Indian 1/, both sexes.....	-	2	2	1	2	1	2	-	-	-	-	-
Male.....	-	2	2	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diabetes mellitus (E10-E14)

Nebraska

All races, both sexes.....	14	24	23	23	38	57	76	69	48	17	-	-
Male.....	11	13	9	12	23	32	35	27	15	2	-	-
Female.....	3	11	14	11	15	25	41	42	33	15	-	-
White, both sexes.....	12	22	22	19	33	52	73	67	48	17	-	-
Male.....	10	12	9	9	20	30	34	27	15	2	-	-
Female.....	2	10	13	10	13	22	39	40	33	15	-	-
Black, both sexes.....	2	1	1	3	5	3	3	2	-	-	-	-
Male.....	1	1	-	2	3	2	1	-	-	-	-	-
Female.....	1	-	1	1	2	1	2	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	2	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	16	21	36	34	43	39	36	27	14	2	-	-
Male.....	12	13	26	26	28	26	23	10	5	-	-	-
Female.....	4	8	10	8	15	13	13	17	9	2	-	-
White, both sexes.....	14	17	28	31	39	35	33	22	13	2	-	-
Male.....	11	9	20	25	26	25	21	8	5	-	-	-
Female.....	3	8	8	6	13	10	12	14	8	2	-	-
Black, both sexes.....	2	4	4	-	4	2	1	5	1	-	-	-
Male.....	1	4	4	-	2	1	1	2	-	-	-	-
Female.....	1	-	-	-	2	1	-	3	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	4	3	-	1	2	-	-	-	-	-
Male.....	-	-	2	1	-	-	1	-	-	-	-	-
Female.....	-	-	2	2	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diabetes mellitus (E10-E14)

New Hampshire

All races, both sexes.....	9	24	22	28	51	44	40	36	24	3	1	-
Male.....	5	15	11	20	28	25	14	9	9	2	-	-
Female.....	4	9	11	8	23	19	26	27	15	1	1	-
White, both sexes.....	9	24	20	28	50	43	39	36	24	3	1	-
Male.....	5	15	10	20	27	24	13	9	9	2	-	-
Female.....	4	9	10	8	23	19	26	27	15	1	1	-
Black, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	124	152	179	245	301	365	389	352	172	42	10	-
Male.....	81	85	98	127	139	171	155	147	45	10	3	-
Female.....	43	67	81	118	162	194	234	205	127	32	7	-
White, both sexes.....	86	105	122	175	223	302	335	291	156	35	8	-
Male.....	58	62	70	92	105	148	136	125	40	9	3	-
Female.....	28	43	52	83	118	154	199	166	116	26	5	-
Black, both sexes.....	35	44	52	63	68	58	50	56	15	6	2	-
Male.....	20	21	24	31	27	22	18	19	4	1	-	-
Female.....	15	23	28	32	41	36	32	37	11	5	2	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	1	1	-	-	-
Male.....	-	1	-	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	5	7	10	5	4	4	-	1	-	-
Male.....	3	1	4	4	7	1	1	2	-	-	-	-
Female.....	-	1	1	3	3	4	3	2	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diabetes mellitus (E10-E14)

New Mexico

All races, both sexes.....	36	40	49	74	81	91	83	59	36	8	2	-
Male.....	20	16	26	30	37	35	37	30	13	3	1	-
Female.....	16	24	23	44	44	56	46	29	23	5	1	-
White, both sexes.....	29	32	38	65	68	73	75	50	32	8	2	-
Male.....	16	15	20	28	30	28	35	28	11	3	1	-
Female.....	13	17	18	37	38	45	40	22	21	5	1	-
Black, both sexes.....	2	-	-	1	3	1	1	2	1	-	-	-
Male.....	-	-	-	-	2	-	-	1	-	-	-	-
Female.....	2	-	-	1	1	1	1	1	1	-	-	-
American Indian 1/, both sexes.....	4	8	11	8	9	16	6	7	3	-	-	-
Male.....	3	1	6	2	5	6	1	1	2	-	-	-
Female.....	1	7	5	6	4	10	5	6	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

New York

All races, both sexes.....	146	235	338	417	540	699	664	542	290	90	7	-
Male.....	82	143	200	212	282	337	292	188	79	19	1	-
Female.....	64	92	138	205	258	362	372	354	211	71	6	-
White, both sexes.....	92	172	235	288	399	537	511	454	238	77	5	-
Male.....	59	110	143	158	219	280	241	163	68	18	-	-
Female.....	33	62	92	130	180	257	270	291	170	59	5	-
Black, both sexes.....	47	54	91	112	116	142	140	77	46	13	2	-
Male.....	20	28	48	46	47	49	44	21	9	1	1	-
Female.....	27	26	43	66	69	93	96	56	37	12	1	-
American Indian 1/, both sexes.....	1	1	1	3	3	1	-	1	-	-	-	-
Male.....	-	-	1	1	2	-	-	-	-	-	-	-
Female.....	1	1	-	2	1	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	8	11	14	22	19	13	10	6	-	-	-
Male.....	3	5	8	7	14	8	7	4	2	-	-	-
Female.....	3	3	3	7	8	11	6	6	4	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diabetes mellitus (E10-E14)

Oregon

All races, both sexes.....	64	66	88	86	109	145	195	124	65	16	6	-
Male.....	41	36	52	49	59	71	85	55	22	5	2	-
Female.....	23	30	36	37	50	74	110	69	43	11	4	-
White, both sexes.....	58	60	84	79	102	142	187	123	63	16	6	-
Male.....	36	33	50	43	58	69	83	55	21	5	2	-
Female.....	22	27	34	36	44	73	104	68	42	11	4	-
Black, both sexes.....	4	3	1	2	3	2	4	-	-	-	-	-
Male.....	3	2	1	1	-	2	1	-	-	-	-	-
Female.....	1	1	-	1	3	-	3	-	-	-	-	-
American Indian 1/, both sexes.....	1	3	3	2	-	1	1	-	-	-	-	-
Male.....	1	1	1	2	-	-	-	-	-	-	-	-
Female.....	-	2	2	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	3	4	-	3	1	2	-	-	-
Male.....	1	-	-	3	1	-	1	-	1	-	-	-
Female.....	-	-	-	-	3	-	2	1	1	-	-	-

Pennsylvania

All races, both sexes.....	139	203	248	351	436	673	635	498	241	67	12	-
Male.....	92	127	125	180	221	324	272	179	60	8	2	-
Female.....	47	76	123	171	215	349	363	319	181	59	10	-
White, both sexes.....	106	176	205	297	383	604	591	459	231	65	11	-
Male.....	74	112	99	157	205	284	255	168	58	8	2	-
Female.....	32	64	106	140	178	320	336	291	173	57	9	-
Black, both sexes.....	32	27	42	51	51	67	44	38	10	2	1	-
Male.....	17	15	25	22	15	39	17	10	2	-	-	-
Female.....	15	12	17	29	36	28	27	28	8	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	3	2	1	-	1	-	-	-	-
Male.....	1	-	1	1	1	-	-	1	-	-	-	-
Female.....	-	-	-	2	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diabetes mellitus (E10-E14)

South Dakota

All races, both sexes.....	10	11	11	16	20	30	39	28	18	4	3	-
Male.....	8	8	5	6	12	15	14	14	7	1	1	-
Female.....	2	3	6	10	8	15	25	14	11	3	2	-
White, both sexes.....	8	8	6	13	18	26	35	27	18	3	3	-
Male.....	7	6	3	4	10	14	13	14	7	1	1	-
Female.....	1	2	3	9	8	12	22	13	11	2	2	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	2	5	3	2	4	4	1	-	1	-	-
Male.....	1	1	2	2	2	1	1	-	-	-	-	-
Female.....	1	1	3	1	-	3	3	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	91	118	166	199	243	288	276	189	101	29	4	-
Male.....	56	66	94	103	118	131	99	64	23	3	-	-
Female.....	35	52	72	96	125	157	177	125	78	26	4	-
White, both sexes.....	61	90	130	151	191	232	221	162	80	25	2	-
Male.....	35	56	75	81	94	105	90	57	19	3	-	-
Female.....	26	34	55	70	97	127	131	105	61	22	2	-
Black, both sexes.....	30	28	36	47	51	55	55	27	21	4	2	-
Male.....	21	10	19	21	24	26	9	7	4	-	-	-
Female.....	9	18	17	26	27	29	46	20	17	4	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diabetes mellitus (E10-E14)

Vermont

All races, both sexes.....	5	9	14	16	23	23	26	34	15	6	2	-
Male.....	5	7	11	10	10	13	10	16	4	1	-	-
Female.....	-	2	3	6	13	10	16	18	11	5	2	-
White, both sexes.....	5	8	14	16	23	23	26	34	15	6	2	-
Male.....	5	7	11	10	10	13	10	16	4	1	-	-
Female.....	-	1	3	6	13	10	16	18	11	5	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	87	129	143	161	236	211	225	166	73	31	3	-
Male.....	50	78	93	81	109	93	84	56	27	5	1	-
Female.....	37	51	50	80	127	118	141	110	46	26	2	-
White, both sexes.....	61	93	96	103	156	143	157	124	55	23	3	-
Male.....	39	58	64	57	78	68	60	48	21	4	1	-
Female.....	22	35	32	46	78	75	97	76	34	19	2	-
Black, both sexes.....	24	34	45	57	76	63	65	38	16	6	-	-
Male.....	10	18	28	23	30	23	22	7	5	1	-	-
Female.....	14	16	17	34	46	40	43	31	11	5	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	1	-	1	-	2	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	1	-	2	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	2	1	3	4	3	3	2	-	-	-
Male.....	1	2	1	1	1	1	2	1	1	-	-	-
Female.....	-	-	1	-	2	3	1	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Disorders of pituitary gland (E22-E23)

New Mexico

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	9	-	-	-	-	-	-	-	1	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Disorders of pituitary gland (E22-E23)

Arkansas

All races, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1	1	1	1	1	4	6	-	-	1	-	-
Male.....	-	1	-	1	1	2	2	-	-	-	-	-
Female.....	1	-	1	-	-	2	4	-	-	1	-	-
White, both sexes.....	1	1	-	-	1	4	3	-	-	1	-	-
Male.....	-	1	-	-	1	2	1	-	-	-	-	-
Female.....	1	-	-	-	-	2	2	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	-	2	-	-	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Disorders of adrenal glands (E24-E27)

Arkansas

All races, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	2	-	2	3	3	3	-	6	-	-	-	-
Male.....	1	-	-	2	2	1	-	2	-	-	-	-
Female.....	1	-	2	1	1	2	-	4	-	-	-	-
White, both sexes.....	2	-	2	3	3	3	-	5	-	-	-	-
Male.....	1	-	-	2	2	1	-	2	-	-	-	-
Female.....	1	-	2	1	1	2	-	3	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see http://www.cdc.gov/nchs and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of thymus (E32)

North Carolina

Table with 13 columns (Cause of death, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 years and over, Age not stated) and rows for North Carolina: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

North Dakota

Table with 13 columns (Cause of death, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 years and over, Age not stated) and rows for North Dakota: All races, both sexes; Male; Female; White, both sexes; Male; Female; Black, both sexes; Male; Female; American Indian 1/, both sexes; Male; Female; Asian or Pacific Islander 2/, both sexes; Male; Female.

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other endocrine diseases (E15-E21,E28-E31,E34)

Arkansas

All races, both sexes.....	7	-	-	-	-	-	-	-	-	-	1	-
Male.....	5	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	7	-	-	-	-	-	-	-	-	-	1	-
Male.....	5	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	30	-	1	1	-	2	-	1	-	-	1	-
Male.....	11	-	1	1	-	2	-	-	-	-	-	-
Female.....	19	-	-	-	-	-	-	1	-	-	1	-
White, both sexes.....	28	-	1	1	-	2	-	-	-	-	1	-
Male.....	11	-	1	1	-	2	-	-	-	-	-	-
Female.....	17	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other endocrine diseases (E15-E21,E28-E31,E34)

Wisconsin

All races, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Wyoming

All races, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Nutritional diseases (E40-E68)

Arkansas

All races, both sexes.....	97	1	-	-	-	-	1	2	1	4	4	6
Male.....	34	1	-	-	-	-	1	2	-	2	2	2
Female.....	63	-	-	-	-	-	-	-	1	2	2	4
White, both sexes.....	77	1	-	-	-	-	1	2	1	3	3	6
Male.....	28	1	-	-	-	-	1	2	-	1	1	2
Female.....	49	-	-	-	-	-	-	-	1	2	2	4
Black, both sexes.....	20	-	-	-	-	-	-	-	-	1	1	-
Male.....	6	-	-	-	-	-	-	-	-	1	1	-
Female.....	14	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	569	1	1	-	-	3	5	17	18	26	54	60
Male.....	276	1	1	-	-	2	3	12	13	13	25	25
Female.....	293	-	-	-	-	1	2	5	5	13	29	35
White, both sexes.....	474	1	1	-	-	1	5	14	12	19	44	51
Male.....	229	1	1	-	-	1	3	9	8	9	19	22
Female.....	245	-	-	-	-	-	2	5	4	10	25	29
Black, both sexes.....	67	-	-	-	-	-	-	2	5	4	8	8
Male.....	35	-	-	-	-	-	-	2	4	3	5	3
Female.....	32	-	-	-	-	-	-	-	1	1	3	5
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	23	-	-	-	-	2	-	1	1	3	2	1
Male.....	10	-	-	-	-	1	-	1	1	1	1	-
Female.....	13	-	-	-	-	1	-	-	-	2	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Nutritional diseases (E40-E68)

Alaska

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	6	6	10	7	7	10	5	4	4	2	2	-
Male.....	3	3	4	3	4	4	3	3	1	1	-	-
Female.....	3	3	6	4	3	6	2	1	3	1	2	-
White, both sexes.....	5	5	10	6	6	9	4	4	3	1	1	-
Male.....	3	3	4	3	3	4	2	3	1	1	-	-
Female.....	2	2	6	3	3	5	2	1	2	-	1	-
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	1	-	1	-	1	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Nutritional diseases (E40-E68)

Arkansas

All races, both sexes.....	6	5	6	4	6	5	13	17	9	6	1	-
Male.....	3	2	2	3	2	-	4	5	2	-	1	-
Female.....	3	3	4	1	4	5	9	12	7	6	-	-
White, both sexes.....	4	4	4	2	5	2	11	15	7	6	-	-
Male.....	2	2	2	2	2	-	4	5	1	-	-	-
Female.....	2	2	2	-	3	2	7	10	6	6	-	-
Black, both sexes.....	2	1	2	2	1	3	2	2	2	-	1	-
Male.....	1	-	-	1	-	-	-	-	1	-	1	-
Female.....	1	1	2	1	1	3	2	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	40	59	42	43	38	28	37	44	30	17	6	-
Male.....	19	40	21	22	19	13	13	16	11	5	2	-
Female.....	21	19	21	21	19	15	24	28	19	12	4	-
White, both sexes.....	36	53	34	38	31	25	32	38	24	13	2	-
Male.....	18	36	18	18	16	12	12	14	8	3	1	-
Female.....	18	17	16	20	15	13	20	24	16	10	1	-
Black, both sexes.....	4	2	6	4	7	3	5	2	5	1	1	-
Male.....	1	2	3	4	3	1	1	-	2	1	-	-
Female.....	3	-	3	-	4	2	4	2	3	-	1	-
American Indian 1/, both sexes.....	-	4	-	-	-	-	-	-	-	1	-	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	2	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	-	-	-	4	1	2	3	-
Male.....	-	-	-	-	-	-	-	2	1	1	1	-
Female.....	-	-	2	1	-	-	-	2	-	1	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Nutritional diseases (E40-E68)

Florida

All races, both sexes.....	38	40	38	31	22	49	49	48	33	18	5	-
Male.....	18	23	17	17	12	16	21	17	12	3	1	-
Female.....	20	17	21	14	10	33	28	31	21	15	4	-
White, both sexes.....	28	35	25	26	19	42	45	44	31	15	3	-
Male.....	14	21	12	16	11	13	19	17	11	3	-	-
Female.....	14	14	13	10	8	29	26	27	20	12	3	-
Black, both sexes.....	10	5	13	5	3	7	4	4	2	3	2	-
Male.....	4	2	5	1	1	3	2	-	1	-	1	-
Female.....	6	3	8	4	2	4	2	4	1	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	20	27	15	17	17	27	23	28	19	14	3	-
Male.....	10	16	10	7	5	9	9	8	3	-	-	-
Female.....	10	11	5	10	12	18	14	20	16	14	3	-
White, both sexes.....	12	19	12	12	11	17	15	21	13	12	3	-
Male.....	7	13	9	5	4	6	5	5	3	-	-	-
Female.....	5	6	3	7	7	11	10	16	10	12	3	-
Black, both sexes.....	8	8	3	5	5	10	8	7	6	2	-	-
Male.....	3	3	1	2	1	3	4	3	-	-	-	-
Female.....	5	5	2	3	4	7	4	4	6	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Nutritional diseases (E40-E68)

Iowa

All races, both sexes.....	5	3	4	7	3	10	9	10	6	6	2	-
Male.....	1	2	2	5	1	3	3	3	4	2	-	-
Female.....	4	1	2	2	2	7	6	7	2	4	2	-
White, both sexes.....	5	2	4	7	3	9	8	10	6	6	2	-
Male.....	1	1	2	5	1	2	3	3	4	2	-	-
Female.....	4	1	2	2	2	7	5	7	2	4	2	-
Black, both sexes.....	-	1	-	-	-	1	1	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	6	7	8	6	8	7	13	13	13	6	1	-
Male.....	3	4	6	4	4	1	6	3	1	-	-	-
Female.....	3	3	2	2	4	6	7	10	12	6	1	-
White, both sexes.....	6	6	7	6	7	7	11	13	13	5	1	-
Male.....	3	4	5	4	3	1	6	3	1	-	-	-
Female.....	3	2	2	2	4	6	5	10	12	5	1	-
Black, both sexes.....	-	1	1	-	1	-	1	-	-	1	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Nutritional diseases (E40-E68)

Maine

All races, both sexes.....	7	3	1	6	5	3	5	9	6	2	-	-
Male.....	5	2	1	3	3	-	-	3	3	-	-	-
Female.....	2	1	-	3	2	3	5	6	3	2	-	-
White, both sexes.....	7	3	1	5	5	3	5	9	6	2	-	-
Male.....	5	2	1	3	3	-	-	3	3	-	-	-
Female.....	2	1	-	2	2	3	5	6	3	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	8	8	8	8	7	8	9	6	6	9	1	-
Male.....	3	3	3	3	2	3	3	3	-	-	-	-
Female.....	5	5	5	5	5	5	6	3	6	9	1	-
White, both sexes.....	8	4	6	7	5	7	8	4	5	5	-	-
Male.....	3	2	3	3	2	3	3	2	-	-	-	-
Female.....	5	2	3	4	3	4	5	2	5	5	-	-
Black, both sexes.....	-	4	2	1	2	1	1	2	1	3	1	-
Male.....	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	3	2	1	2	1	1	1	1	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malnutrition (E40-E46)

Alaska

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	1	1	1	4	3	8	5	4	4	2	2	-
Male.....	1	1	-	1	2	3	3	3	1	1	-	-
Female.....	-	-	1	3	1	5	2	1	3	1	2	-
White, both sexes.....	1	1	1	3	2	7	4	4	3	1	1	-
Male.....	1	1	-	1	1	3	2	3	1	1	-	-
Female.....	-	-	1	2	1	4	2	1	2	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	1	-	1	-	1	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Malnutrition (E40-E46)

Arkansas

All races, both sexes.....	1	2	1	2	2	3	10	17	9	6	1	-
Male.....	-	1	-	2	2	-	3	5	2	-	1	-
Female.....	1	1	1	-	-	3	7	12	7	6	-	-
White, both sexes.....	1	2	-	1	2	1	8	15	7	6	-	-
Male.....	-	1	-	1	2	-	3	5	1	-	-	-
Female.....	1	1	-	-	-	1	5	10	6	6	-	-
Black, both sexes.....	-	-	1	1	-	2	2	2	2	-	1	-
Male.....	-	-	-	1	-	-	-	-	1	-	1	-
Female.....	-	-	1	-	-	2	2	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1	1	2	7	15	13	28	37	27	16	5	-
Male.....	1	1	-	2	9	5	10	13	10	5	1	-
Female.....	-	-	2	5	6	8	18	24	17	11	4	-
White, both sexes.....	1	1	1	5	14	11	24	32	23	12	2	-
Male.....	1	1	-	-	8	4	9	12	8	3	1	-
Female.....	-	-	1	5	6	7	15	20	15	9	1	-
Black, both sexes.....	-	-	1	2	1	2	4	2	3	1	1	-
Male.....	-	-	-	2	1	1	1	-	1	1	-	-
Female.....	-	-	1	-	-	1	3	2	2	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	3	1	2	2	-
Male.....	-	-	-	-	-	-	-	1	1	1	-	-
Female.....	-	-	-	-	-	-	-	2	-	1	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malnutrition (E40-E46)

Florida

All races, both sexes.....	3	5	8	6	9	26	36	39	29	15	4	-
Male.....	2	4	3	4	5	9	18	15	12	2	1	-
Female.....	1	1	5	2	4	17	18	24	17	13	3	-
White, both sexes.....	3	3	5	4	9	22	32	35	27	12	2	-
Male.....	2	2	1	3	5	7	16	15	11	2	-	-
Female.....	1	1	4	1	4	15	16	20	16	10	2	-
Black, both sexes.....	-	2	3	2	-	4	4	4	2	3	2	-
Male.....	-	2	2	1	-	2	2	-	1	-	1	-
Female.....	-	-	1	1	-	2	2	4	1	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	4	7	5	6	8	20	19	27	18	12	2	-
Male.....	1	2	3	3	2	9	7	8	2	-	-	-
Female.....	3	5	2	3	6	11	12	19	16	12	2	-
White, both sexes.....	2	3	5	3	4	12	14	20	12	10	2	-
Male.....	-	-	3	2	1	6	4	5	2	-	-	-
Female.....	2	3	2	1	3	6	10	15	10	10	2	-
Black, both sexes.....	2	4	-	3	3	8	5	7	6	2	-	-
Male.....	1	2	-	1	1	3	3	3	-	-	-	-
Female.....	1	2	-	2	2	5	2	4	6	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malnutrition (E40-E46)

Iowa

All races, both sexes.....	1	-	-	3	1	5	5	9	6	5	2	-
Male.....	1	-	-	2	1	3	2	3	4	2	-	-
Female.....	-	-	-	1	-	2	3	6	2	3	2	-
White, both sexes.....	1	-	-	3	1	4	4	9	6	5	2	-
Male.....	1	-	-	2	1	2	2	3	4	2	-	-
Female.....	-	-	-	1	-	2	2	6	2	3	2	-
Black, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	1	2	1	2	5	7	11	12	10	6	1	-
Male.....	1	1	1	-	3	1	5	3	-	-	-	-
Female.....	-	1	-	2	2	6	6	9	10	6	1	-
White, both sexes.....	1	1	-	2	4	7	10	12	10	5	1	-
Male.....	1	1	-	-	2	1	5	3	-	-	-	-
Female.....	-	-	-	2	2	6	5	9	10	5	1	-
Black, both sexes.....	-	1	1	-	1	-	-	-	-	1	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malnutrition (E40-E46)

Maine

All races, both sexes.....	-	1	-	1	2	3	3	7	6	2	-	-
Male.....	-	-	-	-	1	-	-	2	3	-	-	-
Female.....	-	1	-	1	1	3	3	5	3	2	-	-
White, both sexes.....	-	1	-	-	2	3	3	7	6	2	-	-
Male.....	-	-	-	-	1	-	-	2	3	-	-	-
Female.....	-	1	-	-	1	3	3	5	3	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	1	-	1	-	1	6	5	6	5	8	1	-
Male.....	1	-	1	-	1	2	1	3	-	-	-	-
Female.....	-	-	-	-	-	4	4	3	5	8	1	-
White, both sexes.....	1	-	1	-	1	5	4	4	5	4	-	-
Male.....	1	-	1	-	1	2	1	2	-	-	-	-
Female.....	-	-	-	-	-	3	3	2	5	4	-	-
Black, both sexes.....	-	-	-	-	-	1	1	2	-	3	1	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	-	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Nutritional marasmus (E41)

Arkansas

All races, both sexes.....	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	-	-	-	-	-	-	1	1	1	1	1	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	1	1	-
White, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified malnutrition (E40,E42-E46)

Alaska

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	1	1	1	4	3	7	5	3	3	2	2	-
Male.....	1	1	-	1	2	2	3	2	1	1	-	-
Female.....	-	-	1	3	1	5	2	1	2	1	2	-
White, both sexes.....	1	1	1	3	2	6	4	3	2	1	1	-
Male.....	1	1	-	1	1	2	2	2	1	1	-	-
Female.....	-	-	1	2	1	4	2	1	1	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	1	-	1	-	1	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified malnutrition (E40,E42-E46)

Arkansas

All races, both sexes.....	1	2	1	2	2	3	8	17	9	6	1	-
Male.....	-	1	-	2	2	-	3	5	2	-	1	-
Female.....	1	1	1	-	-	3	5	12	7	6	-	-
White, both sexes.....	1	2	-	1	2	1	7	15	7	6	-	-
Male.....	-	1	-	1	2	-	3	5	1	-	-	-
Female.....	1	1	-	-	-	1	4	10	6	6	-	-
Black, both sexes.....	-	-	1	1	-	2	1	2	2	-	1	-
Male.....	-	-	-	1	-	-	-	-	1	-	1	-
Female.....	-	-	1	-	-	2	1	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1	1	2	7	15	13	27	36	26	15	4	-
Male.....	1	1	-	2	9	5	9	13	10	5	1	-
Female.....	-	-	2	5	6	8	18	23	16	10	3	-
White, both sexes.....	1	1	1	5	14	11	23	32	22	12	2	-
Male.....	1	1	-	-	8	4	8	12	8	3	1	-
Female.....	-	-	1	5	6	7	15	20	14	9	1	-
Black, both sexes.....	-	-	1	2	1	2	4	2	3	1	1	-
Male.....	-	-	-	2	1	1	1	-	1	1	-	-
Female.....	-	-	1	-	-	1	3	2	2	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	1	2	1	-
Male.....	-	-	-	-	-	-	-	1	1	1	-	-
Female.....	-	-	-	-	-	-	-	1	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified malnutrition (E40,E42-E46)

Florida

All races, both sexes.....	2	5	8	5	9	19	28	34	22	11	3	-
Male.....	1	4	3	3	5	6	17	14	10	2	1	-
Female.....	1	1	5	2	4	13	11	20	12	9	2	-
White, both sexes.....	2	3	5	3	9	17	25	30	21	9	1	-
Male.....	1	2	1	2	5	5	15	14	9	2	-	-
Female.....	1	1	4	1	4	12	10	16	12	7	1	-
Black, both sexes.....	-	2	3	2	-	2	3	4	1	2	2	-
Male.....	-	2	2	1	-	1	2	-	1	-	1	-
Female.....	-	-	1	1	-	1	1	4	-	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	4	7	5	6	8	20	19	26	15	10	2	-
Male.....	1	2	3	3	2	9	7	8	1	-	-	-
Female.....	3	5	2	3	6	11	12	18	14	10	2	-
White, both sexes.....	2	3	5	3	4	12	14	19	9	8	2	-
Male.....	-	-	3	2	1	6	4	5	1	-	-	-
Female.....	2	3	2	1	3	6	10	14	8	8	2	-
Black, both sexes.....	2	4	-	3	3	8	5	7	6	2	-	-
Male.....	1	2	-	1	1	3	3	3	-	-	-	-
Female.....	1	2	-	2	2	5	2	4	6	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified malnutrition (E40,E42-E46)

Iowa

All races, both sexes.....	1	-	-	3	1	5	5	9	5	5	2	-
Male.....	1	-	-	2	1	3	2	3	3	2	-	-
Female.....	-	-	-	1	-	2	3	6	2	3	2	-
White, both sexes.....	1	-	-	3	1	4	4	9	5	5	2	-
Male.....	1	-	-	2	1	2	2	3	3	2	-	-
Female.....	-	-	-	1	-	2	2	6	2	3	2	-
Black, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	1	1	1	2	4	7	10	12	9	6	1	-
Male.....	1	-	1	-	3	1	4	3	-	-	-	-
Female.....	-	1	-	2	1	6	6	9	9	6	1	-
White, both sexes.....	1	-	-	2	3	7	9	12	9	5	1	-
Male.....	1	-	-	-	2	1	4	3	-	-	-	-
Female.....	-	-	-	2	1	6	5	9	9	5	1	-
Black, both sexes.....	-	1	1	-	1	-	-	-	-	1	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified malnutrition (E40,E42-E46)

Maine

All races, both sexes.....	-	1	-	1	2	3	3	7	5	1	-	-
Male.....	-	-	-	-	1	-	-	2	2	-	-	-
Female.....	-	1	-	1	1	3	3	5	3	1	-	-
White, both sexes.....	-	1	-	-	2	3	3	7	5	1	-	-
Male.....	-	-	-	-	1	-	-	2	2	-	-	-
Female.....	-	1	-	-	1	3	3	5	3	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	1	-	1	-	1	6	5	6	5	8	1	-
Male.....	1	-	1	-	1	2	1	3	-	-	-	-
Female.....	-	-	-	-	-	4	4	3	5	8	1	-
White, both sexes.....	1	-	1	-	1	5	4	4	5	4	-	-
Male.....	1	-	1	-	1	2	1	2	-	-	-	-
Female.....	-	-	-	-	-	3	3	2	5	4	-	-
Black, both sexes.....	-	-	-	-	-	1	1	2	-	3	1	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	-	3	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Obesity and other hyperalimantation (E65-E68)

Arkansas

All races, both sexes.....	40	-	-	-	-	-	1	2	1	3	4	5
Male.....	17	-	-	-	-	-	1	2	-	2	2	2
Female.....	23	-	-	-	-	-	-	-	1	1	2	3
White, both sexes.....	31	-	-	-	-	-	1	2	1	2	3	5
Male.....	14	-	-	-	-	-	1	2	-	1	1	2
Female.....	17	-	-	-	-	-	-	-	1	1	2	3
Black, both sexes.....	9	-	-	-	-	-	-	-	-	1	1	-
Male.....	3	-	-	-	-	-	-	-	-	1	1	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	398	-	-	-	-	2	5	15	18	25	53	59
Male.....	205	-	-	-	-	1	3	10	13	12	25	25
Female.....	193	-	-	-	-	1	2	5	5	13	28	34
White, both sexes.....	333	-	-	-	-	1	5	12	12	19	43	50
Male.....	172	-	-	-	-	1	3	7	8	9	19	22
Female.....	161	-	-	-	-	-	2	5	4	10	24	28
Black, both sexes.....	49	-	-	-	-	-	-	2	5	4	8	8
Male.....	27	-	-	-	-	-	-	2	4	3	5	3
Female.....	22	-	-	-	-	-	-	-	1	1	3	5
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	-	-	-	1	-	1	1	2	2	1
Male.....	4	-	-	-	-	-	-	1	1	-	1	-
Female.....	8	-	-	-	-	1	-	-	-	2	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Metabolic disorders (E70-E88)

Arkansas

All races, both sexes.....	159	4	3	2	1	-	2	2	2	1	3	5
Male.....	69	2	-	2	-	-	2	1	1	-	-	3
Female.....	90	2	3	-	1	-	-	1	1	1	3	2
White, both sexes.....	134	3	3	2	1	-	2	2	2	1	2	2
Male.....	59	2	-	2	-	-	2	1	1	-	-	-
Female.....	75	1	3	-	1	-	-	1	1	1	2	2
Black, both sexes.....	25	1	-	-	-	-	-	-	-	-	1	3
Male.....	10	-	-	-	-	-	-	-	-	-	-	3
Female.....	15	1	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1,138	21	25	11	13	17	9	13	8	7	16	24
Male.....	587	16	15	4	9	8	6	7	4	3	12	13
Female.....	551	5	10	7	4	9	3	6	4	4	4	11
White, both sexes.....	979	19	20	11	12	14	8	11	7	6	9	16
Male.....	504	14	12	4	9	7	6	6	3	2	7	9
Female.....	475	5	8	7	3	7	2	5	4	4	2	7
Black, both sexes.....	60	2	2	-	1	1	1	-	-	1	4	2
Male.....	25	2	1	-	-	-	-	-	-	1	3	2
Female.....	35	-	1	-	1	1	1	-	-	-	1	-
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	94	-	3	-	-	2	-	2	1	-	3	5
Male.....	55	-	2	-	-	1	-	1	1	-	2	1
Female.....	39	-	1	-	-	1	-	1	-	-	1	4

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Metabolic disorders (E70-E88)

Colorado

All races, both sexes.....	182	2	-	-	1	-	2	4	1	2	6	5
Male.....	88	1	-	-	1	-	-	2	-	1	5	3
Female.....	94	1	-	-	-	-	2	2	1	1	1	2
White, both sexes.....	171	1	-	-	1	-	1	4	1	1	5	5
Male.....	84	-	-	-	1	-	-	2	-	1	4	3
Female.....	87	1	-	-	-	-	1	2	1	-	1	2
Black, both sexes.....	6	1	-	-	-	-	-	-	-	-	1	-
Male.....	4	1	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	1	-	-	1	-	-

Connecticut

All races, both sexes.....	236	1	1	2	3	-	-	1	1	3	2	5
Male.....	107	1	1	1	2	-	-	-	-	2	1	4
Female.....	129	-	-	1	1	-	-	1	1	1	1	1
White, both sexes.....	218	1	1	2	2	-	-	-	1	2	2	5
Male.....	96	1	1	1	1	-	-	-	-	1	1	4
Female.....	122	-	-	1	1	-	-	-	1	1	1	1
Black, both sexes.....	14	-	-	-	-	-	-	-	-	1	-	-
Male.....	9	-	-	-	-	-	-	-	-	1	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	1	-	-	1	-	-	-	-
Male.....	2	-	-	-	1	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Metabolic disorders (E70-E88)

Alaska

All races, both sexes.....	-	-	1	2	1	2	5	2	6	-	-	-
Male.....	-	-	1	1	1	-	2	-	1	-	-	-
Female.....	-	-	-	1	-	2	3	2	5	-	-	-
White, both sexes.....	-	-	1	1	1	2	3	-	4	-	-	-
Male.....	-	-	1	1	1	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	2	2	-	3	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	2	2	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Arizona

All races, both sexes.....	8	17	17	21	17	26	29	28	24	11	1	-
Male.....	5	11	13	16	10	7	12	9	6	2	1	-
Female.....	3	6	4	5	7	19	17	19	18	9	-	-
White, both sexes.....	8	15	16	20	17	24	27	27	24	10	-	-
Male.....	5	11	12	15	10	7	12	9	6	2	-	-
Female.....	3	4	4	5	7	17	15	18	18	8	-	-
Black, both sexes.....	-	1	1	1	-	-	1	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	1	1	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	1	-	-	-	-	1	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Metabolic disorders (E70-E88)

Arkansas

All races, both sexes.....	6	4	8	11	10	15	21	30	17	11	1	-
Male.....	4	2	4	8	5	8	12	10	2	3	-	-
Female.....	2	2	4	3	5	7	9	20	15	8	1	-
White, both sexes.....	4	3	6	9	9	15	18	26	15	9	-	-
Male.....	3	1	3	7	5	8	11	9	2	2	-	-
Female.....	1	2	3	2	4	7	7	17	13	7	-	-
Black, both sexes.....	2	1	2	2	1	-	3	4	2	2	1	-
Male.....	1	1	1	1	-	-	1	1	-	1	-	-
Female.....	1	-	1	1	1	-	2	3	2	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	49	61	66	63	121	161	178	148	92	32	3	-
Male.....	32	41	38	45	71	89	92	47	30	4	1	-
Female.....	17	20	28	18	50	72	86	101	62	28	2	-
White, both sexes.....	39	46	56	50	101	142	158	138	84	29	3	-
Male.....	25	33	33	36	62	79	83	43	26	4	1	-
Female.....	14	13	23	14	39	63	75	95	58	25	2	-
Black, both sexes.....	3	8	4	4	8	6	3	6	3	1	-	-
Male.....	1	5	1	2	2	3	1	1	-	-	-	-
Female.....	2	3	3	2	6	3	2	5	3	1	-	-
American Indian 1/, both sexes.....	-	1	1	1	-	-	1	-	-	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	6	5	8	12	13	16	4	5	2	-	-
Male.....	6	2	4	6	7	7	8	3	4	-	-	-
Female.....	1	4	1	2	5	6	8	1	1	2	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Metabolic disorders (E70-E88)

Colorado

All races, both sexes.....	8	9	10	13	12	19	21	30	23	12	2	-
Male.....	5	7	8	10	5	9	8	13	6	4	-	-
Female.....	3	2	2	3	7	10	13	17	17	8	2	-
White, both sexes.....	7	8	9	12	11	19	21	30	23	11	1	-
Male.....	4	7	7	10	5	9	8	13	6	4	-	-
Female.....	3	1	2	2	6	10	13	17	17	7	1	-
Black, both sexes.....	1	-	1	-	-	-	-	-	-	1	1	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	1	-
American Indian 1/, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	8	5	11	14	12	35	30	44	36	15	7	-
Male.....	6	3	6	10	7	17	15	15	14	2	-	-
Female.....	2	2	5	4	5	18	15	29	22	13	7	-
White, both sexes.....	6	4	10	12	11	30	29	43	35	15	7	-
Male.....	4	2	5	9	7	14	15	15	13	2	-	-
Female.....	2	2	5	3	4	16	14	28	22	13	7	-
Black, both sexes.....	2	1	1	2	1	4	-	1	1	-	-	-
Male.....	2	1	1	1	-	2	-	-	1	-	-	-
Female.....	-	-	-	1	1	2	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Metabolic disorders (E70-E88)

Florida

All races, both sexes.....	37	40	44	79	94	123	172	170	98	38	9	-
Male.....	20	25	30	55	67	59	70	69	30	8	1	-
Female.....	17	15	14	24	27	64	102	101	68	30	8	-
White, both sexes.....	31	31	39	70	87	111	158	163	94	37	5	-
Male.....	18	18	28	48	62	56	63	67	28	8	1	-
Female.....	13	13	11	22	25	55	95	96	66	29	4	-
Black, both sexes.....	5	9	5	9	5	11	14	7	4	1	4	-
Male.....	2	7	2	7	5	2	7	2	2	-	-	-
Female.....	3	2	3	2	-	9	7	5	2	1	4	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	14	17	19	26	40	41	46	44	30	20	7	-
Male.....	9	10	8	9	21	14	21	14	7	4	1	-
Female.....	5	7	11	17	19	27	25	30	23	16	6	-
White, both sexes.....	9	11	16	17	28	31	33	35	17	14	6	-
Male.....	7	6	6	7	16	10	14	11	5	2	1	-
Female.....	2	5	10	10	12	21	19	24	12	12	5	-
Black, both sexes.....	5	6	3	9	10	10	13	9	13	6	1	-
Male.....	2	4	2	2	4	4	7	3	2	2	-	-
Female.....	3	2	1	7	6	6	6	6	11	4	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Metabolic disorders (E70-E88)

Hawaii

All races, both sexes.....	1	1	4	2	1	8	11	7	8	4	1	-
Male.....	-	-	2	1	-	4	5	5	4	2	-	-
Female.....	1	1	2	1	1	4	6	2	4	2	1	-
White, both sexes.....	-	-	2	1	-	3	1	1	1	-	1	-
Male.....	-	-	1	-	-	2	-	1	-	-	-	-
Female.....	-	-	1	1	-	1	1	-	1	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	1	1	5	10	6	7	4	-	-
Male.....	-	-	1	1	-	2	5	4	4	2	-	-
Female.....	1	1	1	-	1	3	5	2	3	2	-	-

Idaho

All races, both sexes.....	3	-	6	2	13	11	13	12	10	4	1	-
Male.....	2	-	5	2	9	3	4	5	5	1	-	-
Female.....	1	-	1	-	4	8	9	7	5	3	1	-
White, both sexes.....	3	-	6	2	13	11	12	12	10	3	1	-
Male.....	2	-	5	2	9	3	4	5	5	1	-	-
Female.....	1	-	1	-	4	8	8	7	5	2	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Metabolic disorders (E70-E88)

Maine

All races, both sexes.....	11	7	8	2	15	12	17	22	19	4	3	-
Male.....	8	4	4	2	8	5	6	5	8	1	-	-
Female.....	3	3	4	-	7	7	11	17	11	3	3	-
White, both sexes.....	11	7	8	2	15	11	17	22	19	4	3	-
Male.....	8	4	4	2	8	5	6	5	8	1	-	-
Female.....	3	3	4	-	7	6	11	17	11	3	3	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	18	21	14	27	36	44	66	59	34	13	5	-
Male.....	13	16	8	17	17	22	24	18	16	2	1	-
Female.....	5	5	6	10	19	22	42	41	18	11	4	-
White, both sexes.....	10	12	10	20	26	25	51	47	24	12	3	-
Male.....	7	10	5	12	12	13	17	17	12	1	1	-
Female.....	3	2	5	8	14	12	34	30	12	11	2	-
Black, both sexes.....	7	8	4	7	10	18	14	11	10	1	2	-
Male.....	5	5	3	5	5	9	6	1	4	1	-	-
Female.....	2	3	1	2	5	9	8	10	6	-	2	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	1	1	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Metabolic disorders (E70-E88)

Massachusetts

All races, both sexes.....	12	15	20	16	24	46	59	75	60	31	5	-
Male.....	8	10	15	6	10	23	24	26	13	5	-	-
Female.....	4	5	5	10	14	23	35	49	47	26	5	-
White, both sexes.....	11	14	18	15	24	43	56	74	59	30	5	-
Male.....	7	10	14	6	10	22	21	26	12	5	-	-
Female.....	4	4	4	9	14	21	35	48	47	25	5	-
Black, both sexes.....	1	1	1	1	-	2	2	1	-	-	-	-
Male.....	1	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	1	1	1	-	2	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	1	-	1	1	-	-
Male.....	-	-	1	-	-	1	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Michigan

All races, both sexes.....	18	19	25	42	40	84	89	106	79	44	11	-
Male.....	11	12	18	23	23	35	36	42	25	5	2	-
Female.....	7	7	7	19	17	49	53	64	54	39	9	-
White, both sexes.....	15	18	22	34	35	73	84	98	75	41	10	-
Male.....	9	12	15	18	20	33	33	40	23	3	2	-
Female.....	6	6	7	16	15	40	51	58	52	38	8	-
Black, both sexes.....	2	1	3	8	5	10	4	8	4	2	1	-
Male.....	2	-	3	5	3	2	3	2	2	1	-	-
Female.....	-	1	-	3	2	8	1	6	2	1	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Metabolic disorders (E70-E88)

New Hampshire

All races, both sexes.....	3	6	3	5	10	6	13	11	9	5	-	-
Male.....	2	1	2	3	8	5	4	6	1	1	-	-
Female.....	1	5	1	2	2	1	9	5	8	4	-	-
White, both sexes.....	3	6	3	5	10	6	13	11	9	5	-	-
Male.....	2	1	2	3	8	5	4	6	1	1	-	-
Female.....	1	5	1	2	2	1	9	5	8	4	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	13	15	29	47	68	72	114	102	84	29	12	-
Male.....	9	10	20	31	41	29	47	40	18	4	-	-
Female.....	4	5	9	16	27	43	67	62	66	25	12	-
White, both sexes.....	12	11	25	40	53	59	101	94	77	25	10	-
Male.....	9	8	16	27	33	24	43	37	17	4	-	-
Female.....	3	3	9	13	20	35	58	57	60	21	10	-
Black, both sexes.....	1	4	2	6	14	12	11	6	6	4	2	-
Male.....	-	2	2	3	8	5	4	2	1	-	-	-
Female.....	1	2	-	3	6	7	7	4	5	4	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	1	1	2	2	1	-	-	-
Male.....	-	-	2	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	1	2	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Metabolic disorders (E70-E88)

New Mexico

All races, both sexes.....	2	3	5	8	5	14	10	9	8	2	2	-
Male.....	1	-	5	5	4	6	2	2	2	2	-	-
Female.....	1	3	-	3	1	8	8	7	6	-	2	-
White, both sexes.....	2	3	5	7	5	14	10	9	7	2	1	-
Male.....	1	-	5	4	4	6	2	2	2	2	-	-
Female.....	1	3	-	3	1	8	8	7	5	-	1	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	30	44	37	36	64	120	133	151	135	57	7	-
Male.....	15	28	22	20	36	58	48	54	32	10	-	-
Female.....	15	16	15	16	28	62	85	97	103	47	7	-
White, both sexes.....	24	37	30	29	56	101	118	145	123	52	6	-
Male.....	13	26	20	16	32	47	41	50	29	10	-	-
Female.....	11	11	10	13	24	54	77	95	94	42	6	-
Black, both sexes.....	6	7	7	7	6	15	14	5	11	4	-	-
Male.....	2	2	2	4	3	9	6	3	2	-	-	-
Female.....	4	5	5	3	3	6	8	2	9	4	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	4	1	1	1	1	1	-
Male.....	-	-	-	-	1	2	1	1	1	-	-	-
Female.....	-	-	-	-	1	2	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Metabolic disorders (E70-E88)

Oregon

All races, both sexes.....	8	4	12	16	14	22	25	27	16	9	3	-
Male.....	4	4	6	11	8	9	12	11	5	1	-	-
Female.....	4	-	6	5	6	13	13	16	11	8	3	-
White, both sexes.....	7	4	12	16	14	22	25	27	16	8	3	-
Male.....	4	4	6	11	8	9	12	11	5	1	-	-
Female.....	3	-	6	5	6	13	13	16	11	7	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Pennsylvania

All races, both sexes.....	31	41	39	49	80	115	155	147	103	38	17	-
Male.....	25	24	24	25	47	58	57	53	23	5	8	-
Female.....	6	17	15	24	33	57	98	94	80	33	9	-
White, both sexes.....	24	36	34	45	71	101	138	138	96	35	12	-
Male.....	21	21	21	23	44	49	54	51	22	2	6	-
Female.....	3	15	13	22	27	52	84	87	74	33	6	-
Black, both sexes.....	6	5	5	4	9	14	17	8	7	3	5	-
Male.....	3	3	3	2	3	9	3	2	1	3	2	-
Female.....	3	2	2	2	6	5	14	6	6	-	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Metabolic disorders (E70-E88)

Vermont

All races, both sexes.....	-	4	2	2	4	11	14	13	5	4	2	-
Male.....	-	4	2	-	3	4	4	1	1	-	-	-
Female.....	-	-	-	2	1	7	10	12	4	4	2	-
White, both sexes.....	-	4	2	2	4	11	14	13	5	4	2	-
Male.....	-	4	2	-	3	4	4	1	1	-	-	-
Female.....	-	-	-	2	1	7	10	12	4	4	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	11	16	24	31	43	38	78	76	50	16	6	-
Male.....	7	7	18	17	18	17	33	22	10	5	1	-
Female.....	4	9	6	14	25	21	45	54	40	11	5	-
White, both sexes.....	5	11	22	28	30	29	64	62	39	15	4	-
Male.....	3	6	17	14	10	13	30	19	9	5	1	-
Female.....	2	5	5	14	20	16	34	43	30	10	3	-
Black, both sexes.....	6	5	2	3	13	9	13	14	10	-	2	-
Male.....	4	1	1	3	8	4	3	3	-	-	-	-
Female.....	2	4	1	-	5	5	10	11	10	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Cystic fibrosis (E84)

Arkansas

All races, both sexes.....	6	-	1	-	-	-	2	1	1	1	-	-
Male.....	3	-	-	-	-	-	2	-	1	-	-	-
Female.....	3	-	1	-	-	-	-	1	-	1	-	-
White, both sexes.....	6	-	1	-	-	-	2	1	1	1	-	-
Male.....	3	-	-	-	-	-	2	-	1	-	-	-
Female.....	3	-	1	-	-	-	-	1	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	37	-	1	1	4	7	5	8	3	1	2	2
Male.....	15	-	-	-	2	2	3	4	1	1	1	1
Female.....	22	-	1	1	2	5	2	4	2	-	1	1
White, both sexes.....	35	-	-	1	4	7	5	7	3	1	2	2
Male.....	15	-	-	-	2	2	3	4	1	1	1	1
Female.....	20	-	-	1	2	5	2	3	2	-	1	1
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)

Arkansas

All races, both sexes.....	2	2	4	3	5	9	13	20	17	11	1	-
Male.....	1	1	1	2	1	3	8	7	2	3	-	-
Female.....	1	1	3	1	4	6	5	13	15	8	1	-
White, both sexes.....	2	2	3	2	4	9	11	16	15	9	-	-
Male.....	1	1	1	2	1	3	7	6	2	2	-	-
Female.....	1	1	2	-	3	6	4	10	13	7	-	-
Black, both sexes.....	-	-	1	1	1	-	2	4	2	2	1	-
Male.....	-	-	-	-	-	-	1	1	-	1	-	-
Female.....	-	-	1	1	1	-	1	3	2	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	7	1	7	4	15	20	29	42	29	19	2	-
Male.....	2	1	4	3	6	12	12	15	8	2	1	-
Female.....	5	-	3	1	9	8	17	27	21	17	1	-
White, both sexes.....	6	1	7	3	11	19	28	40	27	18	2	-
Male.....	2	1	4	3	5	11	12	13	8	2	1	-
Female.....	4	-	3	-	6	8	16	27	19	16	1	-
Black, both sexes.....	1	-	-	-	2	1	-	-	2	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	2	-	-	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	2	-	1	2	-	1	-	-
Male.....	-	-	-	-	1	-	-	2	-	-	-	-
Female.....	-	-	-	1	1	-	1	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)

Colorado

All races, both sexes.....	-	4	2	3	2	7	14	21	13	10	2	-
Male.....	-	3	1	3	1	2	4	9	4	4	-	-
Female.....	-	1	1	-	1	5	10	12	9	6	2	-
White, both sexes.....	-	4	2	3	2	7	14	21	13	10	1	-
Male.....	-	3	1	3	1	2	4	9	4	4	-	-
Female.....	-	1	1	-	1	5	10	12	9	6	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	2	2	3	5	-	18	22	32	28	15	7	-
Male.....	1	1	1	3	-	10	9	10	8	2	-	-
Female.....	1	1	2	2	-	8	13	22	20	13	7	-
White, both sexes.....	1	2	2	4	-	15	21	32	28	15	7	-
Male.....	-	1	-	2	-	8	9	10	8	2	-	-
Female.....	1	1	2	2	-	7	12	22	20	13	7	-
Black, both sexes.....	1	-	1	1	-	2	-	-	-	-	-	-
Male.....	1	-	1	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)

Hawaii

All races, both sexes.....	-	-	1	-	1	3	7	5	3	4	1	-
Male.....	-	-	1	-	-	1	3	3	2	2	-	-
Female.....	-	-	-	-	1	2	4	2	1	2	1	-
White, both sexes.....	-	-	-	-	-	1	1	1	-	-	1	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	2	6	4	3	4	-	-
Male.....	-	-	1	-	-	-	3	2	2	2	-	-
Female.....	-	-	-	-	1	2	3	2	1	2	-	-

Idaho

All races, both sexes.....	1	-	1	-	3	4	4	5	6	4	1	-
Male.....	1	-	1	-	2	1	2	1	4	1	-	-
Female.....	-	-	-	-	1	3	2	4	2	3	1	-
White, both sexes.....	1	-	1	-	3	4	3	5	6	3	1	-
Male.....	1	-	1	-	2	1	2	1	4	1	-	-
Female.....	-	-	-	-	1	3	1	4	2	2	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)

New Hampshire

All races, both sexes.....	1	1	-	2	2	1	5	6	6	4	-	-
Male.....	-	-	-	1	1	1	1	3	-	1	-	-
Female.....	1	1	-	1	1	-	4	3	6	3	-	-
White, both sexes.....	1	1	-	2	2	1	5	6	6	4	-	-
Male.....	-	-	-	1	1	1	1	3	-	1	-	-
Female.....	1	1	-	1	1	-	4	3	6	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	-	3	7	11	22	33	59	63	62	27	8	-
Male.....	-	1	3	5	11	10	24	21	12	4	-	-
Female.....	-	2	4	6	11	23	35	42	50	23	8	-
White, both sexes.....	-	2	7	9	17	24	54	58	55	23	7	-
Male.....	-	1	3	4	9	7	23	19	11	4	-	-
Female.....	-	1	4	5	8	17	31	39	44	19	7	-
Black, both sexes.....	-	1	-	2	5	9	3	3	6	4	1	-
Male.....	-	-	-	1	2	3	1	1	1	-	-	-
Female.....	-	1	-	1	3	6	2	2	5	4	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	2	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	2	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)

New Mexico

All races, both sexes.....	-	1	-	4	1	4	5	5	7	1	2	-
Male.....	-	-	-	3	1	2	1	1	2	1	-	-
Female.....	-	1	-	1	-	2	4	4	5	-	2	-
White, both sexes.....	-	1	-	3	1	4	5	5	6	1	1	-
Male.....	-	-	-	2	1	2	1	1	2	1	-	-
Female.....	-	1	-	1	-	2	4	4	4	-	1	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	5	11	10	8	18	46	76	94	103	48	7	-
Male.....	3	6	3	4	9	20	27	30	27	10	-	-
Female.....	2	5	7	4	9	26	49	64	76	38	7	-
White, both sexes.....	3	8	7	6	16	37	69	90	95	45	6	-
Male.....	2	5	2	3	8	13	24	28	24	10	-	-
Female.....	1	3	5	3	8	24	45	62	71	35	6	-
Black, both sexes.....	2	3	3	2	2	9	7	4	7	2	-	-
Male.....	1	1	1	1	1	7	3	2	2	-	-	-
Female.....	1	2	2	1	1	2	4	2	5	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	1	1	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)

Oregon

All races, both sexes.....	2	1	1	2	1	5	9	13	9	8	2	-
Male.....	1	1	-	2	1	1	5	7	2	1	-	-
Female.....	1	-	1	-	-	4	4	6	7	7	2	-
White, both sexes.....	2	1	1	2	1	5	9	13	9	7	2	-
Male.....	1	1	-	2	1	1	5	7	2	1	-	-
Female.....	1	-	1	-	-	4	4	6	7	6	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Pennsylvania

All races, both sexes.....	7	10	12	15	25	42	81	91	76	34	12	-
Male.....	5	3	7	5	19	17	29	27	19	5	4	-
Female.....	2	7	5	10	6	25	52	64	57	29	8	-
White, both sexes.....	5	7	7	13	20	38	71	85	71	31	9	-
Male.....	5	2	4	4	16	15	26	25	18	2	3	-
Female.....	-	5	3	9	4	23	45	60	53	29	6	-
Black, both sexes.....	2	3	5	2	5	4	10	5	5	3	3	-
Male.....	-	1	3	1	3	2	3	2	1	3	1	-
Female.....	2	2	2	1	2	2	7	3	4	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)

Vermont

All races, both sexes.....	-	-	-	-	-	5	7	4	5	2	2	-
Male.....	-	-	-	-	-	2	1	-	1	-	-	-
Female.....	-	-	-	-	-	3	6	4	4	2	2	-
White, both sexes.....	-	-	-	-	-	5	7	4	5	2	2	-
Male.....	-	-	-	-	-	2	1	-	1	-	-	-
Female.....	-	-	-	-	-	3	6	4	4	2	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	6	6	5	3	16	17	41	60	45	15	6	-
Male.....	4	3	4	1	5	5	13	15	9	4	1	-
Female.....	2	3	1	2	11	12	28	45	36	11	5	-
White, both sexes.....	2	3	4	3	12	12	28	47	34	14	4	-
Male.....	1	2	3	1	3	5	11	12	8	4	1	-
Female.....	1	1	1	2	9	7	17	35	26	10	3	-
Black, both sexes.....	4	3	1	-	4	5	12	13	10	-	2	-
Male.....	3	1	1	-	2	-	2	3	-	-	-	-
Female.....	1	2	-	-	2	5	10	10	10	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other metabolic disorders (E70-E83,E85,E88)

Arkansas

All races, both sexes.....	55	2	1	2	-	-	-	-	-	-	3	-
Male.....	32	1	-	2	-	-	-	-	-	-	-	-
Female.....	23	1	1	-	-	-	-	-	-	-	3	-
White, both sexes.....	48	2	1	2	-	-	-	-	-	-	2	-
Male.....	28	1	-	2	-	-	-	-	-	-	-	-
Female.....	20	1	1	-	-	-	-	-	-	-	2	-
Black, both sexes.....	7	-	-	-	-	-	-	-	-	-	1	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	901	15	21	10	9	8	2	2	5	5	9	19
Male.....	493	12	13	4	7	5	2	2	3	2	8	11
Female.....	408	3	8	6	2	3	-	-	2	3	1	8
White, both sexes.....	763	14	17	10	8	5	2	2	4	4	4	12
Male.....	417	11	10	4	7	4	2	2	2	1	4	7
Female.....	346	3	7	6	1	1	-	-	2	3	-	5
Black, both sexes.....	49	1	1	-	1	1	-	-	-	1	2	2
Male.....	22	1	1	-	-	-	-	-	-	1	2	2
Female.....	27	-	-	-	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	84	-	3	-	-	2	-	-	1	-	3	4
Male.....	51	-	2	-	-	1	-	-	1	-	2	1
Female.....	33	-	1	-	-	1	-	-	-	-	1	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other metabolic disorders (E70-E83,E85,E88)

Colorado

All races, both sexes.....	91	1	-	-	1	-	1	1	1	-	2	3
Male.....	50	-	-	-	1	-	-	1	-	-	2	2
Female.....	41	1	-	-	-	-	1	-	1	-	-	1
White, both sexes.....	83	1	-	-	1	-	-	1	1	-	1	3
Male.....	47	-	-	-	1	-	-	1	-	-	1	2
Female.....	36	1	-	-	-	-	-	-	1	-	-	1
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	1	-
Male.....	3	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-

Connecticut

All races, both sexes.....	94	-	-	1	2	-	-	1	1	1	1	4
Male.....	57	-	-	1	1	-	-	-	-	1	1	3
Female.....	37	-	-	-	1	-	-	1	1	-	-	1
White, both sexes.....	84	-	-	1	2	-	-	-	1	-	1	4
Male.....	52	-	-	1	1	-	-	-	-	-	1	3
Female.....	32	-	-	-	1	-	-	-	1	-	-	1
Black, both sexes.....	9	-	-	-	-	-	-	-	-	1	-	-
Male.....	5	-	-	-	-	-	-	-	-	1	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other metabolic disorders (E70-E83,E85,E88)

Alaska

All races, both sexes.....	-	-	1	2	1	1	3	-	1	-	-	-
Male.....	-	-	1	1	1	-	2	-	-	-	-	-
Female.....	-	-	-	1	-	1	1	-	1	-	-	-
White, both sexes.....	-	-	1	1	1	1	2	-	1	-	-	-
Male.....	-	-	1	1	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	1	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	5	14	12	20	13	21	20	17	9	4	-	-
Male.....	3	9	9	16	8	7	10	6	1	-	-	-
Female.....	2	5	3	4	5	14	10	11	8	4	-	-
White, both sexes.....	5	13	11	19	13	19	20	17	9	3	-	-
Male.....	3	9	8	15	8	7	10	6	1	-	-	-
Female.....	2	4	3	4	5	12	10	11	8	3	-	-
Black, both sexes.....	-	1	1	1	-	-	-	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other metabolic disorders (E70-E83,E85,E88)

Arkansas

All races, both sexes.....	4	2	4	8	5	6	8	10	-	-	-	-
Male.....	3	1	3	6	4	5	4	3	-	-	-	-
Female.....	1	1	1	2	1	1	4	7	-	-	-	-
White, both sexes.....	2	1	3	7	5	6	7	10	-	-	-	-
Male.....	2	-	2	5	4	5	4	3	-	-	-	-
Female.....	-	1	1	2	1	1	3	7	-	-	-	-
Black, both sexes.....	2	1	1	1	-	-	1	-	-	-	-	-
Male.....	1	1	1	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	41	59	58	59	106	141	149	106	63	13	1	-
Male.....	30	40	34	42	65	77	80	32	22	2	-	-
Female.....	11	19	24	17	41	64	69	74	41	11	1	-
White, both sexes.....	32	44	48	47	90	123	130	98	57	11	1	-
Male.....	23	32	29	33	57	68	71	30	18	2	-	-
Female.....	9	12	19	14	33	55	59	68	39	9	1	-
Black, both sexes.....	2	8	4	4	6	5	3	6	1	1	-	-
Male.....	1	5	1	2	2	2	1	1	-	-	-	-
Female.....	1	3	3	2	4	3	2	5	1	1	-	-
American Indian 1/, both sexes.....	-	1	1	1	-	-	1	-	-	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	6	5	7	10	13	15	2	5	1	-	-
Male.....	6	2	4	6	6	7	8	1	4	-	-	-
Female.....	1	4	1	1	4	6	7	1	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other metabolic disorders (E70-E83,E85,E88)

Florida

All races, both sexes.....	26	38	39	69	73	78	119	80	44	10	2	-
Male.....	17	25	28	49	55	38	56	32	15	1	-	-
Female.....	9	13	11	20	18	40	63	48	29	9	2	-
White, both sexes.....	22	30	36	63	68	73	109	75	43	9	1	-
Male.....	16	18	27	44	51	37	51	30	15	1	-	-
Female.....	6	12	9	19	17	36	58	45	28	8	1	-
Black, both sexes.....	4	8	3	6	4	4	10	5	1	1	1	-
Male.....	1	7	1	5	4	-	5	2	-	-	-	-
Female.....	3	1	2	1	-	4	5	3	1	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Georgia

All races, both sexes.....	6	12	14	15	24	25	16	13	5	2	1	-
Male.....	5	8	7	7	13	10	8	3	4	2	-	-
Female.....	1	4	7	8	11	15	8	10	1	-	1	-
White, both sexes.....	6	9	12	13	16	19	10	11	5	-	1	-
Male.....	5	5	5	6	10	7	4	3	4	-	-	-
Female.....	1	4	7	7	6	12	6	8	1	-	1	-
Black, both sexes.....	-	3	2	2	6	6	6	2	-	2	-	-
Male.....	-	3	2	1	2	3	4	-	-	2	-	-
Female.....	-	-	-	1	4	3	2	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other metabolic disorders (E70-E83,E85,E88)

Maine

All races, both sexes.....	9	5	7	2	11	7	9	10	3	1	-	-
Male.....	6	3	3	2	8	3	5	4	1	1	-	-
Female.....	3	2	4	-	3	4	4	6	2	-	-	-
White, both sexes.....	9	5	7	2	11	7	9	10	3	1	-	-
Male.....	6	3	3	2	8	3	5	4	1	1	-	-
Female.....	3	2	4	-	3	4	4	6	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	15	18	11	19	26	26	41	29	12	3	1	-
Male.....	11	13	6	16	13	11	12	9	6	-	-	-
Female.....	4	5	5	3	13	15	29	20	6	3	1	-
White, both sexes.....	10	12	8	15	20	16	32	20	8	3	1	-
Male.....	7	10	4	12	9	5	9	9	5	-	-	-
Female.....	3	2	4	3	11	11	23	11	3	3	1	-
Black, both sexes.....	4	5	3	4	6	9	8	8	4	-	-	-
Male.....	3	2	2	4	4	6	2	-	1	-	-	-
Female.....	1	3	1	-	2	3	6	8	3	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	1	1	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other metabolic disorders (E70-E83,E85,E88)

Massachusetts

All races, both sexes.....	8	11	14	12	16	21	29	15	7	5	-	-
Male.....	6	6	12	4	5	12	15	10	2	2	-	-
Female.....	2	5	2	8	11	9	14	5	5	3	-	-
White, both sexes.....	8	10	12	12	16	20	27	15	7	5	-	-
Male.....	6	6	11	4	5	11	13	10	2	2	-	-
Female.....	2	4	1	8	11	9	14	5	5	3	-	-
Black, both sexes.....	-	1	1	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	1	-	-	-	-	-
Male.....	-	-	1	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	15	15	18	35	30	46	37	42	20	12	-	-
Male.....	10	9	14	20	19	22	19	20	9	2	-	-
Female.....	5	6	4	15	11	24	18	22	11	10	-	-
White, both sexes.....	13	15	16	30	26	41	34	40	19	12	-	-
Male.....	9	9	12	17	16	22	18	19	9	2	-	-
Female.....	4	6	4	13	10	19	16	21	10	10	-	-
Black, both sexes.....	1	-	2	5	4	4	2	2	1	-	-	-
Male.....	1	-	2	3	3	-	1	1	-	-	-	-
Female.....	-	-	-	2	1	4	1	1	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other metabolic disorders (E70-E83,E85,E88)

New Hampshire

All races, both sexes.....	2	5	3	3	8	5	8	5	3	1	-	-
Male.....	2	1	2	2	7	4	3	3	1	-	-	-
Female.....	-	4	1	1	1	1	5	2	2	1	-	-
White, both sexes.....	2	5	3	3	8	5	8	5	3	1	-	-
Male.....	2	1	2	2	7	4	3	3	1	-	-	-
Female.....	-	4	1	1	1	1	5	2	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	13	12	22	35	46	39	55	39	22	2	4	-
Male.....	9	9	17	26	30	19	23	19	6	-	-	-
Female.....	4	3	5	9	16	20	32	20	16	2	4	-
White, both sexes.....	12	9	18	30	36	35	47	36	22	2	3	-
Male.....	9	7	13	23	24	17	20	18	6	-	-	-
Female.....	3	2	5	7	12	18	27	18	16	2	3	-
Black, both sexes.....	1	3	2	4	9	3	8	3	-	-	1	-
Male.....	-	2	2	2	6	2	3	1	-	-	-	-
Female.....	1	1	-	2	3	1	5	2	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	1	1	-	-	-	-	-	-
Male.....	-	-	2	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other metabolic disorders (E70-E83,E85,E88)

New Mexico

All races, both sexes.....	1	2	5	4	4	10	5	4	1	1	-	-
Male.....	1	-	5	2	3	4	1	1	-	1	-	-
Female.....	-	2	-	2	1	6	4	3	1	-	-	-
White, both sexes.....	1	2	5	4	4	10	5	4	1	1	-	-
Male.....	1	-	5	2	3	4	1	1	-	1	-	-
Female.....	-	2	-	2	1	6	4	3	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	23	33	27	28	46	74	57	57	32	9	-	-
Male.....	12	22	19	16	27	38	21	24	5	-	-	-
Female.....	11	11	8	12	19	36	36	33	27	9	-	-
White, both sexes.....	20	29	23	23	40	64	49	55	28	7	-	-
Male.....	11	21	18	13	24	34	17	22	5	-	-	-
Female.....	9	8	5	10	16	30	32	33	23	7	-	-
Black, both sexes.....	3	4	4	5	4	6	7	1	4	2	-	-
Male.....	1	1	1	3	2	2	3	1	-	-	-	-
Female.....	2	3	3	2	2	4	4	-	4	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	4	1	1	-	-	-	-
Male.....	-	-	-	-	1	2	1	1	-	-	-	-
Female.....	-	-	-	-	1	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

V. Mental and behavioral disorders (F01-F99)

Arkansas

All races, both sexes.....	551	-	-	-	-	-	-	3	1	5	12	7
Male.....	205	-	-	-	-	-	-	3	-	4	10	6
Female.....	346	-	-	-	-	-	-	-	1	1	2	1
White, both sexes.....	505	-	-	-	-	-	-	2	1	5	9	4
Male.....	176	-	-	-	-	-	-	2	-	4	7	3
Female.....	329	-	-	-	-	-	-	-	1	1	2	1
Black, both sexes.....	44	-	-	-	-	-	-	1	-	-	3	3
Male.....	28	-	-	-	-	-	-	1	-	-	3	3
Female.....	16	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	4,784	1	-	3	5	11	22	33	69	141	207	278
Male.....	2,172	-	-	1	1	5	18	25	54	102	138	208
Female.....	2,612	1	-	2	4	6	4	8	15	39	69	70
White, both sexes.....	4,263	1	-	3	4	10	18	26	56	119	189	248
Male.....	1,915	-	-	1	1	4	16	21	43	88	126	187
Female.....	2,348	1	-	2	3	6	2	5	13	31	63	61
Black, both sexes.....	314	-	-	-	1	1	2	3	6	15	12	25
Male.....	161	-	-	-	-	1	1	2	4	10	7	17
Female.....	153	-	-	-	1	-	1	1	2	5	5	8
American Indian 1/, both sexes.....	27	-	-	-	-	-	1	-	1	5	3	2
Male.....	16	-	-	-	-	-	1	-	1	2	2	2
Female.....	11	-	-	-	-	-	-	-	-	3	1	-
Asian or Pacific Islander 2/, both sexes.....	180	-	-	-	-	-	1	4	6	2	3	3
Male.....	80	-	-	-	-	-	-	2	6	2	3	2
Female.....	100	-	-	-	-	-	1	2	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

V. Mental and behavioral disorders (F01-F99)

Massachusetts

All races, both sexes.....	2,069	-	1	-	-	2	2	2	11	22	48	56
Male.....	665	-	-	-	-	1	-	-	6	18	38	41
Female.....	1,404	-	1	-	-	1	2	2	5	4	10	15
White, both sexes.....	1,995	-	1	-	-	2	1	2	11	22	47	51
Male.....	640	-	-	-	-	1	-	-	6	18	38	37
Female.....	1,355	-	1	-	-	1	1	2	5	4	9	14
Black, both sexes.....	67	-	-	-	-	-	1	-	-	-	1	5
Male.....	22	-	-	-	-	-	-	-	-	-	-	4
Female.....	45	-	-	-	-	-	1	-	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	2,113	-	-	-	-	4	17	28	31	55	97	118
Male.....	857	-	-	-	-	3	12	22	22	34	68	88
Female.....	1,256	-	-	-	-	1	5	6	9	21	29	30
White, both sexes.....	1,804	-	-	-	-	2	16	24	24	39	70	79
Male.....	704	-	-	-	-	1	11	21	19	26	51	59
Female.....	1,100	-	-	-	-	1	5	3	5	13	19	20
Black, both sexes.....	297	-	-	-	-	1	1	4	5	16	26	37
Male.....	146	-	-	-	-	1	1	1	2	8	16	28
Female.....	151	-	-	-	-	-	-	3	3	8	10	9
American Indian 1/, both sexes.....	8	-	-	-	-	1	-	-	1	-	1	2
Male.....	6	-	-	-	-	1	-	-	1	-	1	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

V. Mental and behavioral disorders (F01-F99)

New Mexico

All races, both sexes.....	498	-	-	1	-	1	5	2	5	18	22	26
Male.....	225	-	-	-	-	-	3	2	4	11	20	15
Female.....	273	-	-	1	-	1	2	-	1	7	2	11
White, both sexes.....	434	-	-	-	-	-	4	2	4	12	13	16
Male.....	184	-	-	-	-	-	2	2	3	7	12	8
Female.....	250	-	-	-	-	-	2	-	1	5	1	8
Black, both sexes.....	8	-	-	-	-	-	-	-	-	-	1	-
Male.....	4	-	-	-	-	-	-	-	-	-	1	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	54	-	-	1	-	1	1	-	1	6	8	10
Male.....	36	-	-	-	-	-	1	-	1	4	7	7
Female.....	18	-	-	1	-	1	-	-	-	2	1	3
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	2,986	-	-	3	4	3	12	23	20	49	83	102
Male.....	1,192	-	-	1	1	2	9	19	15	29	66	77
Female.....	1,794	-	-	2	3	1	3	4	5	20	17	25
White, both sexes.....	2,670	-	-	1	3	3	10	20	15	35	52	73
Male.....	1,003	-	-	-	1	2	7	17	11	20	45	53
Female.....	1,667	-	-	1	2	1	3	3	4	15	7	20
Black, both sexes.....	280	-	-	1	-	-	2	2	3	11	26	26
Male.....	163	-	-	-	-	-	2	2	2	7	16	21
Female.....	117	-	-	1	-	-	-	-	1	4	10	5
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	1	1	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	33	-	-	1	1	-	-	1	2	2	4	3
Male.....	24	-	-	1	-	-	-	-	2	2	4	3
Female.....	9	-	-	-	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

V. Mental and behavioral disorders (F01-F99)

Oregon

All races, both sexes.....	1,183	-	1	-	-	1	5	7	12	18	38	48
Male.....	520	-	-	-	-	-	3	5	11	11	27	36
Female.....	663	-	1	-	-	1	2	2	1	7	11	12
White, both sexes.....	1,150	-	1	-	-	-	4	6	12	17	34	48
Male.....	501	-	-	-	-	-	2	5	11	10	25	36
Female.....	649	-	1	-	-	-	2	1	1	7	9	12
Black, both sexes.....	9	-	-	-	-	-	-	-	-	-	2	-
Male.....	7	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	14	-	-	-	-	1	-	1	-	-	2	-
Male.....	7	-	-	-	-	-	-	-	-	-	1	-
Female.....	7	-	-	-	-	1	-	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	-	-	1	-	-	1	-	-
Male.....	5	-	-	-	-	-	1	-	-	1	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	3,005	-	-	-	-	6	9	5	19	20	24	43
Male.....	949	-	-	-	-	3	7	5	12	14	17	30
Female.....	2,056	-	-	-	-	3	2	-	7	6	7	13
White, both sexes.....	2,797	-	-	-	-	6	7	3	16	16	21	39
Male.....	877	-	-	-	-	3	6	3	11	11	14	27
Female.....	1,920	-	-	-	-	3	1	-	5	5	7	12
Black, both sexes.....	202	-	-	-	-	-	1	2	2	4	3	4
Male.....	71	-	-	-	-	-	-	2	1	3	3	3
Female.....	131	-	-	-	-	-	1	-	1	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	1	-	1	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	5	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

V. Mental and behavioral disorders (F01-F99)

United States

All races, both sexes.....	1,704	1,313	1,258	1,329	2,341	5,202	9,708	13,301	11,755	5,617	1,347	12
Male.....	1,308	981	863	838	1,227	2,267	3,611	3,919	2,629	894	126	9
Female.....	396	332	395	491	1,114	2,935	6,097	9,382	9,126	4,723	1,221	3
White, both sexes.....	1,312	1,054	1,014	1,128	2,037	4,621	8,811	12,367	10,946	5,181	1,194	10
Male.....	995	791	668	709	1,049	1,997	3,261	3,640	2,455	806	101	7
Female.....	317	263	346	419	988	2,624	5,550	8,727	8,491	4,375	1,093	3
Black, both sexes.....	336	227	214	172	262	510	780	792	679	376	137	2
Male.....	268	165	171	111	157	233	293	224	143	74	22	2
Female.....	68	62	43	61	105	277	487	568	536	302	115	-
American Indian 1/, both sexes.....	44	26	18	19	15	17	21	26	19	14	3	-
Male.....	34	21	14	14	9	13	8	10	2	1	-	-
Female.....	10	5	4	5	6	4	13	16	17	13	3	-
Asian or Pacific Islander 2/, both sexes.....	12	6	12	10	27	54	96	116	111	46	13	-
Male.....	11	4	10	4	12	24	49	45	29	13	3	-
Female.....	1	2	2	6	15	30	47	71	82	33	10	-

Alabama

All races, both sexes.....	20	17	19	30	52	90	168	212	165	81	21	-
Male.....	18	10	12	19	25	40	55	52	25	12	5	-
Female.....	2	7	7	11	27	50	113	160	140	69	16	-
White, both sexes.....	14	12	14	24	39	71	146	186	140	62	12	-
Male.....	12	7	9	16	21	30	46	46	22	6	1	-
Female.....	2	5	5	8	18	41	100	140	118	56	11	-
Black, both sexes.....	6	5	5	6	13	19	22	26	24	19	9	-
Male.....	6	3	3	3	4	10	9	6	3	6	4	-
Female.....	-	2	2	3	9	9	13	20	21	13	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

V. Mental and behavioral disorders (F01-F99)

Alaska

All races, both sexes.....	17	7	6	8	6	19	14	14	11	4	1	-
Male.....	14	6	4	4	3	9	6	4	-	1	-	-
Female.....	3	1	2	4	3	10	8	10	11	3	1	-
White, both sexes.....	12	5	1	4	4	15	12	12	8	3	1	-
Male.....	11	4	1	2	2	7	5	3	-	1	-	-
Female.....	1	1	-	2	2	8	7	9	8	2	1	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	2	5	4	2	3	1	2	3	1	-	-
Male.....	3	2	3	2	1	1	1	1	-	-	-	-
Female.....	2	-	2	2	1	2	-	1	3	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Arizona

All races, both sexes.....	41	40	26	30	46	118	214	285	207	126	16	3
Male.....	34	36	18	17	26	56	89	97	50	23	2	2
Female.....	7	4	8	13	20	62	125	188	157	103	14	1
White, both sexes.....	28	29	24	26	40	111	204	278	204	122	16	3
Male.....	22	26	17	14	20	51	83	94	49	22	2	2
Female.....	6	3	7	12	20	60	121	184	155	100	14	1
Black, both sexes.....	4	5	-	1	2	3	4	1	1	1	-	-
Male.....	4	4	-	1	2	1	2	1	-	-	-	-
Female.....	-	1	-	-	-	2	2	-	1	1	-	-
American Indian 1/, both sexes.....	9	6	2	3	4	2	4	3	2	3	-	-
Male.....	8	6	1	2	4	2	3	1	1	1	-	-
Female.....	1	-	1	1	-	-	1	2	1	2	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	2	3	-	-	-	-
Male.....	-	-	-	-	-	2	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

V. Mental and behavioral disorders (F01-F99)

Arkansas

All races, both sexes.....	19	9	9	12	28	52	90	114	122	60	8	-
Male.....	16	7	7	8	19	22	27	33	31	12	-	-
Female.....	3	2	2	4	9	30	63	81	91	48	8	-
White, both sexes.....	16	8	7	12	26	48	84	109	113	53	8	-
Male.....	14	6	5	8	17	21	25	30	24	10	-	-
Female.....	2	2	2	4	9	27	59	79	89	43	8	-
Black, both sexes.....	3	1	2	-	1	4	6	5	8	7	-	-
Male.....	2	1	2	-	1	1	2	3	7	2	-	-
Female.....	1	-	-	-	-	3	4	2	1	5	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	251	179	128	117	150	325	655	923	801	380	104	1
Male.....	185	131	87	76	85	149	280	336	202	74	14	1
Female.....	66	48	41	41	65	176	375	587	599	306	90	-
White, both sexes.....	212	151	103	101	132	281	591	842	744	339	92	1
Male.....	157	110	66	68	75	131	254	300	188	65	13	1
Female.....	55	41	37	33	57	150	337	542	556	274	79	-
Black, both sexes.....	32	23	17	13	13	30	36	43	18	18	6	-
Male.....	23	17	14	6	8	11	13	19	5	2	1	-
Female.....	9	6	3	7	5	19	23	24	13	16	5	-
American Indian 1/, both sexes.....	3	2	1	-	-	-	4	4	-	-	1	-
Male.....	1	2	1	-	-	-	2	2	-	-	-	-
Female.....	2	-	-	-	-	-	2	2	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	4	3	7	3	5	14	24	34	39	23	5	-
Male.....	4	2	6	2	2	7	11	15	9	7	-	-
Female.....	-	1	1	1	3	7	13	19	30	16	5	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

V. Mental and behavioral disorders (F01-F99)

Colorado

All races, both sexes.....	44	30	26	24	23	71	149	199	161	67	21	-
Male.....	32	22	17	12	17	27	46	53	46	12	5	-
Female.....	12	8	9	12	6	44	103	146	115	55	16	-
White, both sexes.....	40	29	25	22	21	69	141	195	160	65	20	-
Male.....	28	22	17	10	15	26	45	52	46	12	5	-
Female.....	12	7	8	12	6	43	96	143	114	53	15	-
Black, both sexes.....	3	1	1	1	1	1	8	3	1	2	1	-
Male.....	3	-	-	1	1	-	1	1	-	-	-	-
Female.....	-	1	1	-	-	1	7	2	1	2	1	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	1	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	23	13	10	19	28	62	118	187	175	81	14	-
Male.....	17	13	6	11	19	27	41	58	47	14	3	-
Female.....	6	-	4	8	9	35	77	129	128	67	11	-
White, both sexes.....	18	11	10	18	24	58	112	180	168	79	14	-
Male.....	14	11	6	11	16	26	37	57	45	14	3	-
Female.....	4	-	4	7	8	32	75	123	123	65	11	-
Black, both sexes.....	5	2	-	1	4	4	5	6	6	2	-	-
Male.....	3	2	-	-	3	1	3	1	2	-	-	-
Female.....	2	-	-	1	1	3	2	5	4	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

V. Mental and behavioral disorders (F01-F99)

Iowa

All races, both sexes.....	14	5	14	18	18	42	100	146	161	96	30	-
Male.....	10	4	9	12	6	25	41	50	35	14	2	-
Female.....	4	1	5	6	12	17	59	96	126	82	28	-
White, both sexes.....	12	4	13	18	17	40	99	146	160	96	29	-
Male.....	9	3	9	12	6	24	41	50	35	14	2	-
Female.....	3	1	4	6	11	16	58	96	125	82	27	-
Black, both sexes.....	2	-	1	-	1	1	1	-	1	-	1	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	1	-	1	-	1	-	1	-	1	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Kansas

All races, both sexes.....	14	12	12	19	14	43	113	141	138	78	21	-
Male.....	11	9	9	10	3	15	36	38	33	15	-	-
Female.....	3	3	3	9	11	28	77	103	105	63	21	-
White, both sexes.....	14	10	9	17	12	41	107	135	134	74	20	-
Male.....	11	7	7	9	3	15	35	38	31	14	-	-
Female.....	3	3	2	8	9	26	72	97	103	60	20	-
Black, both sexes.....	-	1	3	1	2	2	6	5	4	2	1	-
Male.....	-	1	2	-	-	-	1	-	2	1	-	-
Female.....	-	-	1	1	2	2	5	5	2	1	1	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	1	-	2	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	2	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

V. Mental and behavioral disorders (F01-F99)

Maine

All races, both sexes.....	4	10	8	7	13	19	55	81	71	34	9	-
Male.....	4	7	5	6	7	9	19	23	17	3	1	-
Female.....	-	3	3	1	6	10	36	58	54	31	8	-
White, both sexes.....	4	9	8	7	13	18	55	81	71	34	9	-
Male.....	4	7	5	6	7	9	19	23	17	3	1	-
Female.....	-	2	3	1	6	9	36	58	54	31	8	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	29	18	18	28	39	93	199	273	228	105	23	-
Male.....	26	14	12	17	21	35	81	91	54	15	1	-
Female.....	3	4	6	11	18	58	118	182	174	90	22	-
White, both sexes.....	14	12	13	21	29	72	165	239	200	94	17	-
Male.....	14	9	7	12	14	27	66	80	51	13	-	-
Female.....	-	3	6	9	15	45	99	159	149	81	17	-
Black, both sexes.....	15	6	5	7	10	19	33	33	26	11	6	-
Male.....	12	5	5	5	7	8	15	10	2	2	1	-
Female.....	3	1	-	2	3	11	18	23	24	9	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	1	1	2	-	-	-
Male.....	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	2	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

V. Mental and behavioral disorders (F01-F99)

Massachusetts

All races, both sexes.....	47	31	31	31	66	174	322	458	476	228	61	-
Male.....	39	20	17	15	37	80	118	112	89	29	5	-
Female.....	8	11	14	16	29	94	204	346	387	199	56	-
White, both sexes.....	45	31	31	31	66	161	306	444	460	223	60	-
Male.....	38	20	17	15	37	73	112	111	85	28	4	-
Female.....	7	11	14	16	29	88	194	333	375	195	56	-
Black, both sexes.....	2	-	-	-	-	12	13	14	14	4	1	-
Male.....	1	-	-	-	-	6	5	1	3	1	1	-
Female.....	1	-	-	-	-	6	8	13	11	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	3	-	2	1	-	-
Male.....	-	-	-	-	-	1	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	2	-	1	1	-	-

Michigan

All races, both sexes.....	102	55	44	39	72	158	295	454	330	161	53	-
Male.....	75	40	32	21	42	60	116	118	67	33	4	-
Female.....	27	15	12	18	30	98	179	336	263	128	49	-
White, both sexes.....	62	39	29	34	65	145	265	417	300	149	45	-
Male.....	49	30	24	18	37	54	105	109	58	28	4	-
Female.....	13	9	5	16	28	91	160	308	242	121	41	-
Black, both sexes.....	39	14	15	5	7	13	28	37	29	12	8	-
Male.....	25	8	8	3	5	6	11	9	9	5	-	-
Female.....	14	6	7	2	2	7	17	28	20	7	8	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	1	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	-	1	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

V. Mental and behavioral disorders (F01-F99)

Nebraska

All races, both sexes.....	4	3	9	13	15	34	66	80	126	51	12	-
Male.....	3	3	2	8	5	22	16	25	31	14	-	-
Female.....	1	-	7	5	10	12	50	55	95	37	12	-
White, both sexes.....	3	3	8	13	13	32	66	80	123	50	11	-
Male.....	2	3	2	8	5	21	16	25	30	13	-	-
Female.....	1	-	6	5	8	11	50	55	93	37	11	-
Black, both sexes.....	-	-	-	-	1	1	-	-	3	1	1	-
Male.....	-	-	-	-	-	-	-	-	1	1	-	-
Female.....	-	-	-	-	1	1	-	-	2	-	1	-
American Indian 1/, both sexes.....	1	-	1	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	15	15	12	14	27	70	90	148	84	37	9	1
Male.....	9	11	9	9	10	25	36	37	15	8	2	-
Female.....	6	4	3	5	17	45	54	111	69	29	7	1
White, both sexes.....	14	14	10	12	26	65	81	142	80	35	7	1
Male.....	8	10	7	8	10	22	33	34	15	8	-	-
Female.....	6	4	3	4	16	43	48	108	65	27	7	1
Black, both sexes.....	1	1	1	1	-	2	8	4	3	1	1	-
Male.....	1	1	1	-	-	1	3	1	-	-	1	-
Female.....	-	-	-	1	-	1	5	3	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	2	-	-	1	1	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	1	1	2	-	-	1	-
Male.....	-	-	1	-	-	1	-	2	-	-	1	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

V. Mental and behavioral disorders (F01-F99)

New Hampshire

All races, both sexes.....	11	7	6	2	7	17	33	41	39	32	4	-
Male.....	7	4	4	1	2	8	10	15	9	5	-	-
Female.....	4	3	2	1	5	9	23	26	30	27	4	-
White, both sexes.....	11	7	6	2	7	17	32	41	39	32	4	-
Male.....	7	4	4	1	2	8	10	15	9	5	-	-
Female.....	4	3	2	1	5	9	22	26	30	27	4	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

New Jersey

All races, both sexes.....	33	29	22	15	50	110	219	348	282	131	33	1
Male.....	26	22	13	8	24	44	87	105	62	11	6	1
Female.....	7	7	9	7	26	66	132	243	220	120	27	-
White, both sexes.....	26	19	15	12	45	96	191	317	265	128	29	-
Male.....	20	15	7	8	21	37	72	98	59	10	6	-
Female.....	6	4	8	4	24	59	119	219	206	118	23	-
Black, both sexes.....	7	10	7	3	5	13	27	25	15	2	4	1
Male.....	6	7	6	-	3	6	14	5	3	-	-	1
Female.....	1	3	1	3	2	7	13	20	12	2	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	6	1	1	-	-
Male.....	-	-	-	-	-	1	1	2	-	1	-	-
Female.....	-	-	-	-	-	-	-	4	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

V. Mental and behavioral disorders (F01-F99)

New Mexico

All races, both sexes.....	24	20	23	12	21	33	68	77	81	44	14	1
Male.....	21	16	18	9	10	20	26	30	17	2	-	1
Female.....	3	4	5	3	11	13	42	47	64	42	14	-
White, both sexes.....	17	16	20	11	19	29	64	76	78	40	12	1
Male.....	14	13	15	8	9	18	24	29	17	2	-	1
Female.....	3	3	5	3	10	11	40	47	61	38	12	-
Black, both sexes.....	2	-	1	-	-	1	1	-	1	1	-	-
Male.....	2	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	1	1	-	-
American Indian 1/, both sexes.....	5	4	2	1	2	2	2	1	2	3	2	-
Male.....	5	3	2	1	1	2	1	1	-	-	-	-
Female.....	-	1	-	-	1	-	1	-	2	3	2	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

New York

All races, both sexes.....	132	89	77	68	111	224	443	620	569	292	61	1
Male.....	102	68	55	47	62	103	187	197	122	26	4	-
Female.....	30	21	22	21	49	121	256	423	447	266	57	1
White, both sexes.....	88	55	58	59	95	203	420	598	542	283	56	1
Male.....	69	46	38	41	51	95	173	189	116	25	4	-
Female.....	19	9	20	18	44	108	247	409	426	258	52	1
Black, both sexes.....	40	34	18	7	13	19	20	18	27	8	5	-
Male.....	29	22	16	6	8	8	11	6	6	1	-	-
Female.....	11	12	2	1	5	11	9	12	21	7	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	1	2	3	2	3	3	-	1	-	-
Male.....	4	-	1	-	3	-	3	1	-	-	-	-
Female.....	-	-	-	2	-	2	-	2	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

V. Mental and behavioral disorders (F01-F99)

Ohio

All races, both sexes.....	45	32	44	63	120	306	532	728	611	301	83	-
Male.....	35	27	21	39	64	134	188	206	127	45	4	-
Female.....	10	5	23	24	56	172	344	522	484	256	79	-
White, both sexes.....	37	29	37	54	102	279	476	673	563	269	72	-
Male.....	27	25	16	32	55	121	166	190	121	41	2	-
Female.....	10	4	21	22	47	158	310	483	442	228	70	-
Black, both sexes.....	8	3	6	9	18	27	52	55	48	32	11	-
Male.....	8	2	4	7	9	13	20	16	6	4	2	-
Female.....	-	1	2	2	9	14	32	39	42	28	9	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	4	-	-	-	-	-
Male.....	-	-	1	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-

Oklahoma

All races, both sexes.....	17	15	16	10	25	69	114	154	172	65	14	-
Male.....	12	11	11	7	13	22	34	41	33	9	1	-
Female.....	5	4	5	3	12	47	80	113	139	56	13	-
White, both sexes.....	17	10	14	8	23	65	111	147	167	61	14	-
Male.....	12	9	9	5	12	20	34	40	33	9	1	-
Female.....	5	1	5	3	11	45	77	107	134	52	13	-
Black, both sexes.....	-	1	2	-	1	3	2	6	1	-	-	-
Male.....	-	-	2	-	1	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	2	2	6	1	-	-	-
American Indian 1/, both sexes.....	-	4	-	2	1	1	1	1	3	4	-	-
Male.....	-	2	-	2	-	1	-	1	-	-	-	-
Female.....	-	2	-	-	1	-	1	-	3	4	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

V. Mental and behavioral disorders (F01-F99)

Oregon

All races, both sexes.....	47	41	42	41	49	98	172	245	212	83	23	-
Male.....	36	34	31	33	26	48	63	75	63	15	3	-
Female.....	11	7	11	8	23	50	109	170	149	68	20	-
White, both sexes.....	42	39	39	39	48	97	167	242	210	82	23	-
Male.....	33	32	28	32	25	48	61	74	61	15	3	-
Female.....	9	7	11	7	23	49	106	168	149	67	20	-
Black, both sexes.....	-	2	1	-	1	-	1	2	-	-	-	-
Male.....	-	2	1	-	1	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	5	-	1	2	-	-	1	-	1	-	-	-
Male.....	3	-	1	1	-	-	-	-	1	-	-	-
Female.....	2	-	-	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	3	1	1	1	-	-
Male.....	-	-	1	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	1	2	1	-	1	-	-

Pennsylvania

All races, both sexes.....	36	32	38	53	105	271	526	755	688	321	54	-
Male.....	29	23	21	25	47	121	185	208	155	44	3	-
Female.....	7	9	17	28	58	150	341	547	533	277	51	-
White, both sexes.....	34	25	30	44	96	245	484	725	656	301	49	-
Male.....	27	18	15	21	44	113	172	202	150	37	3	-
Female.....	7	7	15	23	52	132	312	523	506	264	46	-
Black, both sexes.....	2	7	8	8	7	26	42	29	32	20	5	-
Male.....	2	5	6	4	3	8	13	6	5	7	-	-
Female.....	-	2	2	4	4	18	29	23	27	13	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	2	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	2	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

V. Mental and behavioral disorders (F01-F99)

Rhode Island

All races, both sexes.....	3	2	2	4	13	25	42	80	56	28	13	-
Male.....	3	2	2	2	6	11	13	22	8	5	2	-
Female.....	-	-	-	2	7	14	29	58	48	23	11	-
White, both sexes.....	2	2	1	4	12	24	40	78	56	27	12	-
Male.....	2	2	1	2	5	10	12	21	8	5	2	-
Female.....	-	-	-	2	7	14	28	57	48	22	10	-
Black, both sexes.....	1	-	1	-	1	1	2	2	-	1	1	-
Male.....	1	-	1	-	1	1	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	33	21	30	28	60	115	214	249	204	93	15	-
Male.....	27	12	21	19	27	49	75	63	44	13	-	-
Female.....	6	9	9	9	33	66	139	186	160	80	15	-
White, both sexes.....	13	12	23	21	48	91	160	203	163	74	10	-
Male.....	11	6	15	15	21	38	57	53	31	7	-	-
Female.....	2	6	8	6	27	53	103	150	132	67	10	-
Black, both sexes.....	20	9	7	7	11	24	54	46	41	19	5	-
Male.....	16	6	6	4	6	11	18	10	13	6	-	-
Female.....	4	3	1	3	5	13	36	36	28	13	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

V. Mental and behavioral disorders (F01-F99)

South Dakota

All races, both sexes.....	5	3	1	3	5	10	28	36	44	34	6	-
Male.....	5	2	1	3	3	6	8	14	5	5	2	-
Female.....	-	1	-	-	2	4	20	22	39	29	4	-
White, both sexes.....	2	3	1	2	3	9	27	36	43	33	6	-
Male.....	2	2	1	2	2	5	8	14	5	5	2	-
Female.....	-	1	-	-	1	4	19	22	38	28	4	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	1	2	1	1	-	1	1	-	-
Male.....	3	-	-	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	27	31	26	37	55	123	216	278	205	117	22	-
Male.....	18	23	17	20	33	53	83	78	45	18	3	-
Female.....	9	8	9	17	22	70	133	200	160	99	19	-
White, both sexes.....	23	27	23	34	47	114	203	259	192	98	16	-
Male.....	14	20	16	20	28	47	78	72	44	15	2	-
Female.....	9	7	7	14	19	67	125	187	148	83	14	-
Black, both sexes.....	4	4	3	3	8	9	13	17	13	19	6	-
Male.....	4	3	1	-	5	6	5	6	1	3	1	-
Female.....	-	1	2	3	3	3	8	11	12	16	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

V. Mental and behavioral disorders (F01-F99)

Texas

All races, both sexes.....	87	72	72	89	155	349	650	822	714	320	68	1
Male.....	65	49	46	57	84	138	228	231	152	49	7	1
Female.....	22	23	26	32	71	211	422	591	562	271	61	-
White, both sexes.....	77	56	64	77	144	307	595	757	670	296	60	1
Male.....	57	40	39	51	77	118	206	209	142	46	6	1
Female.....	20	16	25	26	67	189	389	548	528	250	54	-
Black, both sexes.....	10	14	8	11	10	41	53	60	41	24	8	-
Male.....	8	8	7	6	6	20	21	20	10	3	1	-
Female.....	2	6	1	5	4	21	32	40	31	21	7	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	3	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	3	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	1	1	1	2	2	3	-	-	-
Male.....	-	1	-	-	1	-	1	2	-	-	-	-
Female.....	-	1	-	1	-	1	1	-	3	-	-	-

Utah

All races, both sexes.....	13	9	18	13	27	59	110	128	101	53	7	-
Male.....	9	6	16	10	14	25	42	29	25	10	-	-
Female.....	4	3	2	3	13	34	68	99	76	43	7	-
White, both sexes.....	11	9	17	12	27	58	107	127	100	53	7	-
Male.....	7	6	15	9	14	25	41	28	24	10	-	-
Female.....	4	3	2	3	13	33	66	99	76	43	7	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	1	-	-	-	-	-	-	-	-
Male.....	1	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	3	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	1	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

V. Mental and behavioral disorders (F01-F99)

Vermont

All races, both sexes.....	2	4	3	4	5	12	27	34	43	23	2	-
Male.....	1	1	2	4	3	5	7	8	12	1	-	-
Female.....	1	3	1	-	2	7	20	26	31	22	2	-
White, both sexes.....	2	4	3	4	5	12	26	34	43	23	2	-
Male.....	1	1	2	4	3	5	7	8	12	1	-	-
Female.....	1	3	1	-	2	7	19	26	31	22	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	30	32	31	36	67	159	259	344	279	118	22	-
Male.....	28	25	22	19	34	75	94	98	51	21	3	-
Female.....	2	7	9	17	33	84	165	246	228	97	19	-
White, both sexes.....	18	27	23	24	55	123	211	294	233	96	18	-
Male.....	17	21	15	10	25	51	77	83	44	18	2	-
Female.....	1	6	8	14	30	72	134	211	189	78	16	-
Black, both sexes.....	11	5	8	11	12	34	45	46	43	21	4	-
Male.....	10	4	7	8	9	22	14	14	7	3	1	-
Female.....	1	1	1	3	3	12	31	32	36	18	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	1	3	3	3	1	-	-
Male.....	1	-	-	1	-	1	3	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	3	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Organic dementia (F01,F03)												
United States												
All races, both sexes.....	41	94	272	579	1,592	4,365	8,810	12,286	10,948	5,279	1,261	1
Male.....	21	52	140	305	769	1,796	3,201	3,571	2,427	828	116	-
Female.....	20	42	132	274	823	2,569	5,609	8,715	8,521	4,451	1,145	1
White, both sexes.....	32	80	231	487	1,380	3,863	7,986	11,410	10,183	4,867	1,120	1
Male.....	18	45	114	259	654	1,574	2,886	3,314	2,266	745	92	-
Female.....	14	35	117	228	726	2,289	5,100	8,096	7,917	4,122	1,028	1
Black, both sexes.....	7	13	38	79	184	441	717	745	641	355	128	-
Male.....	2	7	24	39	102	193	264	206	131	69	21	-
Female.....	5	6	14	40	82	248	453	539	510	286	107	-
American Indian 1/, both sexes.....	1	-	-	6	5	9	17	23	16	13	3	-
Male.....	-	-	-	5	3	6	5	8	2	1	-	-
Female.....	1	-	-	1	2	3	12	15	14	12	3	-
Asian or Pacific Islander 2/, both sexes.....	1	1	3	7	23	52	90	108	108	44	10	-
Male.....	1	-	2	2	10	23	46	43	28	13	3	-
Female.....	-	1	1	5	13	29	44	65	80	31	7	-
Alabama												
All races, both sexes.....	2	2	7	13	39	70	147	189	146	73	20	-
Male.....	1	1	4	6	16	27	48	43	20	10	5	-
Female.....	1	1	3	7	23	43	99	146	126	63	15	-
White, both sexes.....	2	2	4	11	29	56	130	166	123	58	12	-
Male.....	1	1	3	6	14	22	41	39	17	6	1	-
Female.....	1	1	1	5	15	34	89	127	106	52	11	-
Black, both sexes.....	-	-	3	2	10	14	17	23	22	15	8	-
Male.....	-	-	1	-	2	5	7	4	3	4	4	-
Female.....	-	-	2	2	8	9	10	19	19	11	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Organic dementia (F01,F03)

Alaska

All races, both sexes.....	1	-	-	1	2	15	13	12	11	4	1	-
Male.....	-	-	-	-	-	5	5	2	-	1	-	-
Female.....	1	-	-	1	2	10	8	10	11	3	1	-
White, both sexes.....	-	-	-	1	2	13	11	11	8	3	1	-
Male.....	-	-	-	-	-	5	4	2	-	1	-	-
Female.....	-	-	-	1	2	8	7	9	8	2	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	2	1	1	3	1	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	2	-	1	3	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Arizona

All races, both sexes.....	-	2	6	18	26	100	194	262	196	119	14	-
Male.....	-	1	4	8	15	47	77	90	49	23	2	-
Female.....	-	1	2	10	11	53	117	172	147	96	12	-
White, both sexes.....	-	2	6	16	24	93	187	255	193	115	14	-
Male.....	-	1	4	6	13	42	73	87	48	22	2	-
Female.....	-	1	2	10	11	51	114	168	145	93	12	-
Black, both sexes.....	-	-	-	-	1	3	4	1	1	1	-	-
Male.....	-	-	-	-	1	1	2	1	-	-	-	-
Female.....	-	-	-	-	-	2	2	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	2	1	2	2	3	2	3	-	-
Male.....	-	-	-	2	1	2	1	1	1	1	-	-
Female.....	-	-	-	-	-	-	1	2	1	2	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	1	3	-	-	-	-
Male.....	-	-	-	-	-	2	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Organic dementia (F01,F03)

Arkansas

All races, both sexes.....	1	-	3	5	19	45	79	107	119	59	7	-
Male.....	-	-	3	3	13	18	23	33	30	12	-	-
Female.....	1	-	-	2	6	27	56	74	89	47	7	-
White, both sexes.....	1	-	3	5	18	41	74	102	110	52	7	-
Male.....	-	-	3	3	12	17	22	30	23	10	-	-
Female.....	1	-	-	2	6	24	52	72	87	42	7	-
Black, both sexes.....	-	-	-	-	1	4	5	5	8	7	-	-
Male.....	-	-	-	-	1	1	1	3	7	2	-	-
Female.....	-	-	-	-	-	3	4	2	1	5	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	-	11	12	37	77	270	597	861	750	364	95	-
Male.....	-	6	4	21	35	115	244	306	190	71	12	-
Female.....	-	5	8	16	42	155	353	555	560	293	83	-
White, both sexes.....	-	9	10	26	68	229	538	787	696	324	85	-
Male.....	-	5	3	17	32	98	221	275	176	62	11	-
Female.....	-	4	7	9	36	131	317	512	520	262	74	-
Black, both sexes.....	-	1	1	8	5	28	33	38	17	17	6	-
Male.....	-	1	1	2	2	11	11	15	5	2	1	-
Female.....	-	-	-	6	3	17	22	23	12	15	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	4	4	-	-	1	-
Male.....	-	-	-	-	-	-	2	2	-	-	-	-
Female.....	-	-	-	-	-	-	2	2	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	3	4	13	22	32	37	23	3	-
Male.....	-	-	-	2	1	6	10	14	9	7	-	-
Female.....	-	1	1	1	3	7	12	18	28	16	3	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Organic dementia (F01,F03)

Colorado

All races, both sexes.....	1	2	3	10	9	58	134	186	150	65	21	-
Male.....	-	-	2	-	5	20	39	47	45	12	5	-
Female.....	1	2	1	10	4	38	95	139	105	53	16	-
White, both sexes.....	1	2	2	10	7	56	126	182	149	63	20	-
Male.....	-	-	2	-	3	19	38	46	45	12	5	-
Female.....	1	2	-	10	4	37	88	136	104	51	15	-
Black, both sexes.....	-	-	1	-	1	1	8	3	1	2	1	-
Male.....	-	-	-	-	1	-	1	1	-	-	-	-
Female.....	-	-	1	-	-	1	7	2	1	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	1	3	2	11	21	53	109	174	165	76	13	-
Male.....	-	3	-	5	13	21	38	49	44	11	3	-
Female.....	1	-	2	6	8	32	71	125	121	65	10	-
White, both sexes.....	-	2	2	10	18	49	103	167	158	74	13	-
Male.....	-	2	-	5	11	20	34	48	42	11	3	-
Female.....	-	-	2	5	7	29	69	119	116	63	10	-
Black, both sexes.....	1	1	-	1	3	4	5	6	6	2	-	-
Male.....	-	1	-	-	2	1	3	1	2	-	-	-
Female.....	1	-	-	1	1	3	2	5	4	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Organic dementia (F01,F03)

Iowa

All races, both sexes.....	1	-	6	4	12	32	84	114	137	85	26	-
Male.....	1	-	4	2	4	17	36	38	29	14	1	-
Female.....	-	-	2	2	8	15	48	76	108	71	25	-
White, both sexes.....	1	-	5	4	12	31	83	114	136	85	25	-
Male.....	1	-	4	2	4	16	36	38	29	14	1	-
Female.....	-	-	1	2	8	15	47	76	107	71	24	-
Black, both sexes.....	-	-	1	-	-	1	1	-	1	-	1	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	-	-	3	9	9	39	103	128	126	71	18	-
Male.....	-	-	1	3	2	13	29	35	31	14	-	-
Female.....	-	-	2	6	7	26	74	93	95	57	18	-
White, both sexes.....	-	-	2	8	8	37	97	123	122	68	17	-
Male.....	-	-	1	3	2	13	28	35	29	13	-	-
Female.....	-	-	1	5	6	24	69	88	93	55	17	-
Black, both sexes.....	-	-	1	1	1	2	6	5	4	2	1	-
Male.....	-	-	-	-	-	-	1	-	2	1	-	-
Female.....	-	-	1	1	1	2	5	5	2	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Organic dementia (F01,F03)

Maine

All races, both sexes.....	-	1	-	1	8	16	49	71	66	33	9	-
Male.....	-	1	-	-	4	8	17	21	17	3	1	-
Female.....	-	-	-	1	4	8	32	50	49	30	8	-
White, both sexes.....	-	1	-	1	8	16	49	71	66	33	9	-
Male.....	-	1	-	-	4	8	17	21	17	3	1	-
Female.....	-	-	-	1	4	8	32	50	49	30	8	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	-	2	8	19	31	85	193	262	221	102	22	-
Male.....	-	2	6	10	17	28	78	89	52	15	1	-
Female.....	-	-	2	9	14	57	115	173	169	87	21	-
White, both sexes.....	-	2	6	13	23	65	160	229	194	91	16	-
Male.....	-	2	4	6	12	21	63	78	49	13	-	-
Female.....	-	-	2	7	11	44	97	151	145	78	16	-
Black, both sexes.....	-	-	2	6	8	18	32	32	25	11	6	-
Male.....	-	-	2	4	5	7	15	10	2	2	1	-
Female.....	-	-	-	2	3	11	17	22	23	9	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	1	1	2	-	-	-
Male.....	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	2	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Organic dementia (F01,F03)

Massachusetts

All races, both sexes.....	2	5	13	16	47	141	290	408	422	206	56	-
Male.....	1	1	4	8	26	62	103	97	76	27	5	-
Female.....	1	4	9	8	21	79	187	311	346	179	51	-
White, both sexes.....	2	5	13	16	47	128	276	394	408	202	55	-
Male.....	1	1	4	8	26	55	98	96	73	26	4	-
Female.....	1	4	9	8	21	73	178	298	335	176	51	-
Black, both sexes.....	-	-	-	-	-	12	12	14	12	3	1	-
Male.....	-	-	-	-	-	6	5	1	2	1	1	-
Female.....	-	-	-	-	-	6	7	13	10	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	2	-	2	1	-	-
Male.....	-	-	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	2	-	1	1	-	-

Michigan

All races, both sexes.....	2	3	10	23	55	137	269	425	312	157	48	-
Male.....	1	1	7	8	28	46	103	113	64	33	4	-
Female.....	1	2	3	15	27	91	166	312	248	124	44	-
White, both sexes.....	2	3	6	20	52	125	239	388	286	145	42	-
Male.....	1	1	6	7	26	41	92	104	57	28	4	-
Female.....	1	2	-	13	26	84	147	284	229	117	38	-
Black, both sexes.....	-	-	4	3	3	12	28	37	25	12	6	-
Male.....	-	-	1	1	2	5	11	9	7	5	-	-
Female.....	-	-	3	2	1	7	17	28	18	7	6	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Organic dementia (F01,F03)

Nebraska

All races, both sexes.....	-	-	2	4	9	21	59	69	111	46	8	-
Male.....	-	-	-	2	2	11	15	21	28	10	-	-
Female.....	-	-	2	2	7	10	44	48	83	36	8	-
White, both sexes.....	-	-	2	4	8	20	59	69	108	45	7	-
Male.....	-	-	-	2	2	11	15	21	27	9	-	-
Female.....	-	-	2	2	6	9	44	48	81	36	7	-
Black, both sexes.....	-	-	-	-	-	1	-	-	3	1	1	-
Male.....	-	-	-	-	-	-	-	-	1	1	-	-
Female.....	-	-	-	-	-	1	-	-	2	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	1	2	1	6	25	61	87	144	81	36	8	-
Male.....	-	2	-	4	9	21	34	36	14	8	1	-
Female.....	1	-	1	2	16	40	53	108	67	28	7	-
White, both sexes.....	1	2	1	6	25	57	79	138	77	34	7	-
Male.....	-	2	-	4	9	19	32	33	14	8	-	-
Female.....	1	-	1	2	16	38	47	105	63	26	7	-
Black, both sexes.....	-	-	-	-	-	2	7	4	3	1	-	-
Male.....	-	-	-	-	-	1	2	1	-	-	-	-
Female.....	-	-	-	-	-	1	5	3	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	2	-	-	1	-
Male.....	-	-	-	-	-	1	-	2	-	-	1	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Organic dementia (F01,F03)

New Hampshire

All races, both sexes.....	-	1	-	-	6	9	27	38	38	28	4	-
Male.....	-	-	-	-	1	4	8	13	8	5	-	-
Female.....	-	1	-	-	5	5	19	25	30	23	4	-
White, both sexes.....	-	1	-	-	6	9	26	38	38	28	4	-
Male.....	-	-	-	-	1	4	8	13	8	5	-	-
Female.....	-	1	-	-	5	5	18	25	30	23	4	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

New Jersey

All races, both sexes.....	-	1	3	6	32	98	207	321	261	124	33	-
Male.....	-	-	-	2	12	37	81	93	58	11	6	-
Female.....	-	1	3	4	20	61	126	228	203	113	27	-
White, both sexes.....	-	1	3	3	30	85	180	291	246	121	29	-
Male.....	-	-	-	2	11	30	67	86	55	10	6	-
Female.....	-	1	3	1	19	55	113	205	191	111	23	-
Black, both sexes.....	-	-	-	3	2	12	26	25	13	2	4	-
Male.....	-	-	-	-	1	6	13	5	3	-	-	-
Female.....	-	-	-	3	1	6	13	20	10	2	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	5	1	1	-	-
Male.....	-	-	-	-	-	1	1	2	-	1	-	-
Female.....	-	-	-	-	-	-	-	3	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Organic dementia (F01,F03)

New Mexico

All races, both sexes.....	-	1	3	1	10	26	60	74	78	39	14	-
Male.....	-	1	2	-	2	13	23	30	16	2	-	-
Female.....	-	-	1	1	8	13	37	44	62	37	14	-
White, both sexes.....	-	1	3	1	10	23	56	73	75	36	12	-
Male.....	-	1	2	-	2	12	21	29	16	2	-	-
Female.....	-	-	1	1	8	11	35	44	59	34	12	-
Black, both sexes.....	-	-	-	-	-	1	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	2	1	2	3	2	-
Male.....	-	-	-	-	-	1	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	2	3	2	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

New York

All races, both sexes.....	1	4	9	23	68	181	398	586	538	277	57	1
Male.....	1	2	4	12	36	80	166	184	117	24	3	-
Female.....	-	2	5	11	32	101	232	402	421	253	54	1
White, both sexes.....	1	4	7	19	60	165	377	564	511	268	52	1
Male.....	1	2	3	11	31	74	153	176	111	23	3	-
Female.....	-	2	4	8	29	91	224	388	400	245	49	1
Black, both sexes.....	-	-	2	2	6	14	18	18	27	8	5	-
Male.....	-	-	1	1	3	6	10	6	6	1	-	-
Female.....	-	-	1	1	3	8	8	12	21	7	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	2	2	3	3	-	1	-	-
Male.....	-	-	-	-	2	-	3	1	-	-	-	-
Female.....	-	-	-	2	-	2	-	2	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Organic dementia (F01,F03)

Ohio

All races, both sexes.....	2	9	17	34	92	264	493	675	569	285	78	-
Male.....	2	7	7	19	43	113	172	189	114	40	3	-
Female.....	-	2	10	15	49	151	321	486	455	245	75	-
White, both sexes.....	2	7	14	30	76	241	440	624	523	253	68	-
Male.....	2	6	4	15	36	103	151	174	109	36	1	-
Female.....	-	1	10	15	40	138	289	450	414	217	67	-
Black, both sexes.....	-	2	2	4	16	23	49	51	46	32	10	-
Male.....	-	1	2	4	7	10	19	15	5	4	2	-
Female.....	-	1	-	-	9	13	30	36	41	28	8	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	4	-	-	-	-	-
Male.....	-	-	1	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-

Oklahoma

All races, both sexes.....	-	1	5	3	16	58	103	149	160	60	14	-
Male.....	-	-	4	3	8	18	30	40	30	9	1	-
Female.....	-	1	1	-	8	40	73	109	130	51	13	-
White, both sexes.....	-	-	5	2	14	55	100	142	157	57	14	-
Male.....	-	-	4	2	7	16	30	39	30	9	1	-
Female.....	-	-	1	-	7	39	70	103	127	48	13	-
Black, both sexes.....	-	1	-	-	1	2	2	6	1	-	-	-
Male.....	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	2	6	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	1	1	1	1	1	3	-	-
Male.....	-	-	-	1	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	1	3	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Organic dementia (F01,F03)

Oregon

All races, both sexes.....	-	1	4	6	27	65	152	222	193	81	21	-
Male.....	-	-	2	5	14	31	53	67	51	13	1	-
Female.....	-	1	2	1	13	34	99	155	142	68	20	-
White, both sexes.....	-	1	3	6	26	64	147	219	191	80	21	-
Male.....	-	-	1	5	13	31	51	66	49	13	1	-
Female.....	-	1	2	1	13	33	96	153	142	67	20	-
Black, both sexes.....	-	-	-	-	1	-	1	2	-	-	-	-
Male.....	-	-	-	-	1	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	1	3	1	1	1	-	-
Male.....	-	-	1	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	1	2	1	-	1	-	-

Pennsylvania

All races, both sexes.....	4	1	13	29	82	237	483	703	653	307	53	-
Male.....	3	1	4	15	37	100	167	194	147	42	3	-
Female.....	1	-	9	14	45	137	316	509	506	265	50	-
White, both sexes.....	4	1	12	24	76	213	442	675	622	288	48	-
Male.....	3	1	3	14	35	92	154	188	142	35	3	-
Female.....	1	-	9	10	41	121	288	487	480	253	45	-
Black, both sexes.....	-	-	1	4	5	24	41	27	31	19	5	-
Male.....	-	-	1	1	2	8	13	6	5	7	-	-
Female.....	-	-	-	3	3	16	28	21	26	12	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Organic dementia (F01,F03)

Rhode Island

All races, both sexes.....	-	-	2	2	10	23	37	73	55	28	13	-
Male.....	-	-	2	1	4	9	11	20	8	5	2	-
Female.....	-	-	-	1	6	14	26	53	47	23	11	-
White, both sexes.....	-	-	1	2	9	22	35	71	55	27	12	-
Male.....	-	-	1	1	3	8	10	19	8	5	2	-
Female.....	-	-	-	1	6	14	25	52	47	22	10	-
Black, both sexes.....	-	-	1	-	1	1	2	2	-	1	1	-
Male.....	-	-	1	-	1	1	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	-	2	11	15	51	101	204	229	199	91	15	-
Male.....	-	-	7	10	23	40	73	57	44	13	-	-
Female.....	-	2	4	5	28	61	131	172	155	78	15	-
White, both sexes.....	-	1	8	10	39	83	153	184	158	73	10	-
Male.....	-	-	4	7	17	33	56	48	31	7	-	-
Female.....	-	1	4	3	22	50	97	136	127	66	10	-
Black, both sexes.....	-	1	3	5	11	18	51	45	41	18	5	-
Male.....	-	-	3	3	6	7	17	9	13	6	-	-
Female.....	-	1	-	2	5	11	34	36	28	12	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Organic dementia (F01,F03)

South Dakota

All races, both sexes.....	-	-	-	2	4	7	24	33	42	33	6	-
Male.....	-	-	-	2	3	4	7	13	4	5	2	-
Female.....	-	-	-	-	1	3	17	20	38	28	4	-
White, both sexes.....	-	-	-	1	3	7	23	33	41	32	6	-
Male.....	-	-	-	1	2	4	7	13	4	5	2	-
Female.....	-	-	-	-	1	3	16	20	37	27	4	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	1	-	1	-	1	1	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	-	4	4	15	41	105	192	259	201	108	20	-
Male.....	-	3	1	6	24	42	74	71	44	15	3	-
Female.....	-	1	3	9	17	63	118	188	157	93	17	-
White, both sexes.....	-	2	4	13	35	98	179	241	189	90	14	-
Male.....	-	1	1	6	20	38	69	66	43	13	2	-
Female.....	-	1	3	7	15	60	110	175	146	77	12	-
Black, both sexes.....	-	2	-	2	6	7	13	16	12	18	6	-
Male.....	-	2	-	-	4	4	5	5	1	2	1	-
Female.....	-	-	-	2	2	3	8	11	11	16	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Organic dementia (F01,F03)

Texas

All races, both sexes.....	3	9	24	38	114	302	591	752	663	293	64	-
Male.....	2	4	10	21	59	109	201	205	138	43	7	-
Female.....	1	5	14	17	55	193	390	547	525	250	57	-
White, both sexes.....	3	7	23	33	104	264	540	694	621	269	57	-
Male.....	2	4	9	20	53	92	179	187	128	40	6	-
Female.....	1	3	14	13	51	172	361	507	493	229	51	-
Black, both sexes.....	-	2	1	5	9	37	49	53	39	24	7	-
Male.....	-	-	1	1	5	17	21	16	10	3	1	-
Female.....	-	2	-	4	4	20	28	37	29	21	6	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	3	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	3	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	2	2	3	-	-	-
Male.....	-	-	-	-	1	-	1	2	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	3	-	-	-

Utah

All races, both sexes.....	-	3	2	8	20	57	108	124	96	53	7	-
Male.....	-	2	1	6	10	24	41	28	24	10	-	-
Female.....	-	1	1	2	10	33	67	96	72	43	7	-
White, both sexes.....	-	3	2	7	20	56	105	123	95	53	7	-
Male.....	-	2	1	5	10	24	40	27	23	10	-	-
Female.....	-	1	1	2	10	32	65	96	72	43	7	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	3	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	1	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Organic dementia (F01,F03)												
Vermont												
All races, both sexes.....	-	-	-	2	2	12	25	31	40	21	2	-
Male.....	-	-	-	2	2	5	5	8	11	1	-	-
Female.....	-	-	-	-	-	7	20	23	29	20	2	-
White, both sexes.....	-	-	-	2	2	12	24	31	40	21	2	-
Male.....	-	-	-	2	2	5	5	8	11	1	-	-
Female.....	-	-	-	-	-	7	19	23	29	20	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	-	2	6	18	43	142	242	317	262	115	20	-
Male.....	-	1	3	8	20	68	85	91	47	20	3	-
Female.....	-	1	3	10	23	74	157	226	215	95	17	-
White, both sexes.....	-	2	4	12	36	112	197	271	218	93	16	-
Male.....	-	1	1	3	15	48	70	77	41	17	2	-
Female.....	-	1	3	9	21	64	127	194	177	76	14	-
Black, both sexes.....	-	-	2	6	7	29	42	42	41	21	4	-
Male.....	-	-	2	5	5	19	12	13	6	3	1	-
Female.....	-	-	-	1	2	10	30	29	35	18	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	3	3	3	1	-	-
Male.....	-	-	-	-	-	1	3	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	3	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified organic mental disorders (F04-F09)

Arkansas

All races, both sexes.....	-	-	-	1	1	2	4	2	3	1	1	-
Male.....	-	-	-	1	-	-	2	-	1	-	-	-
Female.....	-	-	-	-	1	2	2	2	2	1	1	-
White, both sexes.....	-	-	-	1	1	2	4	2	3	1	1	-
Male.....	-	-	-	1	-	-	2	-	1	-	-	-
Female.....	-	-	-	-	1	2	2	2	2	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1	1	1	1	4	4	5	13	11	-	2	-
Male.....	-	1	1	-	1	1	3	6	2	-	-	-
Female.....	1	-	-	1	3	3	2	7	9	-	2	-
White, both sexes.....	1	1	1	1	4	4	4	11	10	-	1	-
Male.....	-	1	1	-	1	1	2	5	2	-	-	-
Female.....	1	-	-	1	3	3	2	6	8	-	1	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	1	-	1	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified organic mental disorders (F04-F09)

Iowa

All races, both sexes.....	-	-	2	1	1	2	8	13	16	6	1	-
Male.....	-	-	2	1	1	2	3	5	5	-	-	-
Female.....	-	-	-	-	-	-	5	8	11	6	1	-
White, both sexes.....	-	-	2	1	1	2	8	13	16	6	1	-
Male.....	-	-	2	1	1	2	3	5	5	-	-	-
Female.....	-	-	-	-	-	-	5	8	11	6	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	-	-	-	-	3	1	5	5	11	4	3	-
Male.....	-	-	-	-	-	-	3	2	1	-	-	-
Female.....	-	-	-	-	3	1	2	3	10	4	3	-
White, both sexes.....	-	-	-	-	3	1	5	4	11	3	3	-
Male.....	-	-	-	-	-	-	3	2	1	-	-	-
Female.....	-	-	-	-	3	1	2	2	10	3	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified organic mental disorders (F04-F09)

New Hampshire

All races, both sexes.....	-	-	-	-	-	1	1	-	-	1	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	-	-	-	-	-	1	1	-	-	1	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	-	-	-	1	4	3	5	16	13	4	-	-
Male.....	-	-	-	1	4	1	2	5	2	-	-	-
Female.....	-	-	-	-	-	2	3	11	11	4	-	-
White, both sexes.....	-	-	-	1	4	2	5	15	11	4	-	-
Male.....	-	-	-	1	4	1	2	5	2	-	-	-
Female.....	-	-	-	-	-	1	3	10	9	4	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Mental and behavioral disorders due to psychoactive substance use (F10-F19)

Arkansas

All races, both sexes.....	70	-	-	-	-	-	-	3	1	5	10	7
Male.....	58	-	-	-	-	-	-	3	-	4	8	6
Female.....	12	-	-	-	-	-	-	-	1	1	2	1
White, both sexes.....	58	-	-	-	-	-	-	2	1	5	8	4
Male.....	46	-	-	-	-	-	-	2	-	4	6	3
Female.....	12	-	-	-	-	-	-	-	1	1	2	1
Black, both sexes.....	11	-	-	-	-	-	-	1	-	-	2	3
Male.....	11	-	-	-	-	-	-	1	-	-	2	3
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1,431	-	-	-	3	5	17	28	64	133	198	261
Male.....	1,065	-	-	-	1	3	15	24	51	97	136	197
Female.....	366	-	-	-	2	2	2	4	13	36	62	64
White, both sexes.....	1,236	-	-	-	2	5	14	23	52	111	180	232
Male.....	921	-	-	-	1	3	13	21	40	83	124	177
Female.....	315	-	-	-	1	2	1	2	12	28	56	55
Black, both sexes.....	146	-	-	-	1	-	1	3	5	15	12	24
Male.....	104	-	-	-	-	-	1	2	4	10	7	16
Female.....	42	-	-	-	1	-	-	1	1	5	5	8
American Indian 1/, both sexes.....	18	-	-	-	-	-	1	-	1	5	3	2
Male.....	12	-	-	-	-	-	1	-	1	2	2	2
Female.....	6	-	-	-	-	-	-	-	-	3	1	-
Asian or Pacific Islander 2/, both sexes.....	31	-	-	-	-	-	1	2	6	2	3	3
Male.....	28	-	-	-	-	-	-	1	6	2	3	2
Female.....	3	-	-	-	-	-	1	1	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Mental and behavioral disorders due to psychoactive substance use (F10-F19)

Massachusetts

All races, both sexes.....	252	-	-	-	-	1	2	1	11	22	48	53
Male.....	192	-	-	-	-	1	-	-	6	18	38	40
Female.....	60	-	-	-	-	-	2	1	5	4	10	13
White, both sexes.....	243	-	-	-	-	1	1	1	11	22	47	48
Male.....	187	-	-	-	-	1	-	-	6	18	38	36
Female.....	56	-	-	-	-	-	1	1	5	4	9	12
Black, both sexes.....	9	-	-	-	-	-	1	-	-	-	1	5
Male.....	5	-	-	-	-	-	-	-	-	-	-	4
Female.....	4	-	-	-	-	-	1	-	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	544	-	-	-	-	3	16	27	31	53	93	114
Male.....	396	-	-	-	-	2	12	22	22	32	66	86
Female.....	148	-	-	-	-	1	4	5	9	21	27	28
White, both sexes.....	380	-	-	-	-	2	15	24	24	37	67	75
Male.....	291	-	-	-	-	1	11	21	19	24	50	57
Female.....	89	-	-	-	-	1	4	3	5	13	17	18
Black, both sexes.....	155	-	-	-	-	-	1	3	5	16	25	37
Male.....	98	-	-	-	-	-	1	1	2	8	15	28
Female.....	57	-	-	-	-	-	-	2	3	8	10	9
American Indian 1/, both sexes.....	7	-	-	-	-	1	-	-	1	-	1	2
Male.....	6	-	-	-	-	1	-	-	1	-	1	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Mental and behavioral disorders due to psychoactive substance use (F10-F19)

Oregon

All races, both sexes.....	327	-	-	-	-	1	5	7	12	17	35	45
Male.....	246	-	-	-	-	-	3	5	11	10	27	35
Female.....	81	-	-	-	-	1	2	2	1	7	8	10
White, both sexes.....	312	-	-	-	-	-	4	6	12	17	32	45
Male.....	236	-	-	-	-	-	2	5	11	10	25	35
Female.....	76	-	-	-	-	-	2	1	1	7	7	10
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	1	-
Male.....	4	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	10	-	-	-	-	1	-	1	-	-	2	-
Male.....	5	-	-	-	-	-	-	-	-	-	1	-
Female.....	5	-	-	-	-	1	-	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	233	-	-	-	-	3	6	5	15	17	24	37
Male.....	165	-	-	-	-	1	6	5	10	11	17	27
Female.....	68	-	-	-	-	2	-	-	5	6	7	10
White, both sexes.....	196	-	-	-	-	3	5	3	12	14	21	33
Male.....	138	-	-	-	-	1	5	3	9	9	14	24
Female.....	58	-	-	-	-	2	-	-	3	5	7	9
Black, both sexes.....	35	-	-	-	-	-	-	2	2	3	3	4
Male.....	26	-	-	-	-	-	-	2	1	2	3	3
Female.....	9	-	-	-	-	-	-	-	1	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	1	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Mental and behavioral disorders due to use of alcohol (F10)

Arkansas

All races, both sexes.....	51	-	-	-	-	-	-	1	1	3	7	4
Male.....	44	-	-	-	-	-	-	1	-	2	7	3
Female.....	7	-	-	-	-	-	-	-	1	1	-	1
White, both sexes.....	41	-	-	-	-	-	-	-	1	3	5	3
Male.....	34	-	-	-	-	-	-	-	-	2	5	2
Female.....	7	-	-	-	-	-	-	-	1	1	-	1
Black, both sexes.....	9	-	-	-	-	-	-	1	-	-	2	1
Male.....	9	-	-	-	-	-	-	1	-	-	2	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	921	-	-	-	3	1	9	11	29	61	102	161
Male.....	693	-	-	-	1	1	8	10	25	47	74	121
Female.....	228	-	-	-	2	-	1	1	4	14	28	40
White, both sexes.....	818	-	-	-	2	1	8	9	22	54	95	147
Male.....	614	-	-	-	1	1	8	9	19	41	68	111
Female.....	204	-	-	-	1	-	-	-	3	13	27	36
Black, both sexes.....	70	-	-	-	1	-	-	2	2	5	1	10
Male.....	51	-	-	-	-	-	-	1	1	4	1	7
Female.....	19	-	-	-	1	-	-	1	1	1	-	3
American Indian 1/, both sexes.....	10	-	-	-	-	-	-	-	-	1	3	1
Male.....	7	-	-	-	-	-	-	-	-	1	2	1
Female.....	3	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	23	-	-	-	-	-	1	-	5	1	3	3
Male.....	21	-	-	-	-	-	-	-	5	1	3	2
Female.....	2	-	-	-	-	-	1	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Mental and behavioral disorders due to use of alcohol (F10)

Oregon

All races, both sexes.....	198	-	-	-	-	1	-	1	2	4	23	27
Male.....	147	-	-	-	-	-	-	1	2	2	16	20
Female.....	51	-	-	-	-	1	-	-	-	2	7	7
White, both sexes.....	189	-	-	-	-	-	-	1	2	4	20	27
Male.....	142	-	-	-	-	-	-	1	2	2	14	20
Female.....	47	-	-	-	-	-	-	-	-	2	6	7
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	8	-	-	-	-	1	-	-	-	-	2	-
Male.....	4	-	-	-	-	-	-	-	-	-	1	-
Female.....	4	-	-	-	-	1	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	164	-	-	-	-	2	2	2	9	11	17	31
Male.....	117	-	-	-	-	1	2	2	7	7	13	22
Female.....	47	-	-	-	-	1	-	-	2	4	4	9
White, both sexes.....	140	-	-	-	-	2	1	-	8	11	16	27
Male.....	101	-	-	-	-	1	1	-	7	7	12	19
Female.....	39	-	-	-	-	1	-	-	1	4	4	8
Black, both sexes.....	22	-	-	-	-	-	-	2	-	-	1	4
Male.....	15	-	-	-	-	-	-	2	-	-	1	3
Female.....	7	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	1	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Mental and behavioral disorders due to other psychoactive substance use (F11-F19)

Arkansas

All races, both sexes.....	19	-	-	-	-	-	-	2	-	2	3	3
Male.....	14	-	-	-	-	-	-	2	-	2	1	3
Female.....	5	-	-	-	-	-	-	-	-	-	2	-
White, both sexes.....	17	-	-	-	-	-	-	2	-	2	3	1
Male.....	12	-	-	-	-	-	-	2	-	2	1	1
Female.....	5	-	-	-	-	-	-	-	-	-	2	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	2
Male.....	2	-	-	-	-	-	-	-	-	-	-	2
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	510	-	-	-	-	4	8	17	35	72	96	100
Male.....	372	-	-	-	-	2	7	14	26	50	62	76
Female.....	138	-	-	-	-	2	1	3	9	22	34	24
White, both sexes.....	418	-	-	-	-	4	6	14	30	57	85	85
Male.....	307	-	-	-	-	2	5	12	21	42	56	66
Female.....	111	-	-	-	-	2	1	2	9	15	29	19
Black, both sexes.....	76	-	-	-	-	-	1	1	3	10	11	14
Male.....	53	-	-	-	-	-	1	1	3	6	6	9
Female.....	23	-	-	-	-	-	-	-	-	4	5	5
American Indian 1/, both sexes.....	8	-	-	-	-	-	1	-	1	4	-	1
Male.....	5	-	-	-	-	-	1	-	1	1	-	1
Female.....	3	-	-	-	-	-	-	-	-	3	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	-	2	1	1	-	-
Male.....	7	-	-	-	-	-	-	1	1	1	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Mental and behavioral disorders due to other psychoactive substance use (F11-F19)

Massachusetts

All races, both sexes.....	54	-	-	-	-	-	1	1	5	12	11	9
Male.....	38	-	-	-	-	-	-	-	3	11	8	8
Female.....	16	-	-	-	-	-	1	1	2	1	3	1
White, both sexes.....	52	-	-	-	-	-	1	1	5	12	11	7
Male.....	36	-	-	-	-	-	-	-	3	11	8	6
Female.....	16	-	-	-	-	-	1	1	2	1	3	1
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	2
Male.....	2	-	-	-	-	-	-	-	-	-	-	2
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	305	-	-	-	-	3	15	23	21	32	49	71
Male.....	205	-	-	-	-	2	11	19	14	19	32	52
Female.....	100	-	-	-	-	1	4	4	7	13	17	19
White, both sexes.....	180	-	-	-	-	2	14	21	14	21	26	39
Male.....	133	-	-	-	-	1	10	19	11	14	19	29
Female.....	47	-	-	-	-	1	4	2	3	7	7	10
Black, both sexes.....	119	-	-	-	-	-	1	2	5	11	22	30
Male.....	68	-	-	-	-	-	1	-	2	5	12	22
Female.....	51	-	-	-	-	-	-	2	3	6	10	8
American Indian 1/, both sexes.....	5	-	-	-	-	1	-	-	1	-	1	2
Male.....	4	-	-	-	-	1	-	-	1	-	1	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Schizophrenia, schizotypal and delusional disorders (F20-F29)

Arkansas

All races, both sexes.....	1	-	-	-	2	1	1	2	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	1	2	-	-	-	-
White, both sexes.....	-	-	-	-	2	1	1	2	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	1	2	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	2	-	4	1	1	2	3	4	-	-	-	-
Male.....	2	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	3	1	1	2	2	4	-	-	-	-
White, both sexes.....	2	-	4	-	1	2	2	4	-	-	-	-
Male.....	2	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	3	-	1	2	1	4	-	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Schizophrenia, schizotypal and delusional disorders (F20-F29)

Oregon

All races, both sexes.....	-	-	1	1	2	3	3	1	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	1	2	2	3	1	1	-	-	-
White, both sexes.....	-	-	1	1	2	3	3	1	1	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	1	2	2	3	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	-	1	-	1	3	4	2	4	1	1	-	-
Male.....	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	-	1	-	1	3	2	2	4	1	1	-	-
White, both sexes.....	-	1	-	1	2	4	2	4	1	1	-	-
Male.....	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	-	1	-	1	2	2	2	4	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified mental and behavioral disorders (F50-F69,F80-F99)

Arkansas

All races, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	95	-	-	3	1	3	1	2	2	1	3	4
Male.....	28	-	-	1	-	-	-	-	1	-	-	1
Female.....	67	-	-	2	1	3	1	2	1	1	3	3
White, both sexes.....	89	-	-	3	1	3	-	1	2	1	3	4
Male.....	28	-	-	1	-	-	-	-	1	-	-	1
Female.....	61	-	-	2	1	3	-	1	1	1	3	3
Black, both sexes.....	3	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified mental and behavioral disorders (F50-F69,F80-F99)

New Mexico

All races, both sexes.....	5	-	-	1	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	1	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	26	-	-	2	2	-	2	3	-	-	-	2
Male.....	5	-	-	-	-	-	-	-	-	-	-	-
Female.....	21	-	-	2	2	-	2	3	-	-	-	2
White, both sexes.....	22	-	-	1	1	-	2	2	-	-	-	2
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	18	-	-	1	1	-	2	2	-	-	-	2
Black, both sexes.....	2	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified mental and behavioral disorders (F50-F69,F80-F99)

Alaska

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	-	-	-	-	2	1	2	2	3	1	1	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	2	3	1	1	-
White, both sexes.....	-	-	-	-	2	1	1	2	3	1	1	-
Male.....	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	2	3	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified mental and behavioral disorders (F50-F69,F80-F99)

Arkansas

All races, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	-	3	1	2	3	8	10	16	20	6	6	-
Male.....	-	1	1	-	1	4	4	5	4	3	2	-
Female.....	-	2	-	2	2	4	6	11	16	3	4	-
White, both sexes.....	-	3	1	2	3	7	9	16	19	6	5	-
Male.....	-	1	1	-	1	4	4	5	4	3	2	-
Female.....	-	2	-	2	2	3	5	11	15	3	3	-
Black, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified mental and behavioral disorders (F50-F69,F80-F99)

Nebraska

All races, both sexes.....	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-
White, both sexes.....	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	-	1	1	-	1	1	1	1	2	-	1	-
Male.....	-	-	-	-	-	-	1	-	1	-	1	-
Female.....	-	1	1	-	1	1	-	1	1	-	-	-
White, both sexes.....	-	1	1	-	-	1	1	1	2	-	-	-
Male.....	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	1	1	-	-	1	-	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

VI. Diseases of the nervous system (G00-G98)

Arkansas

All races, both sexes.....	968	4	3	2	3	3	7	5	6	7	18	21
Male.....	414	2	2	2	2	-	5	3	4	4	10	10
Female.....	554	2	1	-	1	3	2	2	2	3	8	11
White, both sexes.....	859	3	2	1	2	2	6	4	2	6	14	15
Male.....	363	2	1	1	2	-	5	2	2	3	8	7
Female.....	496	1	1	-	-	2	1	2	-	3	6	8
Black, both sexes.....	106	1	-	1	1	1	1	1	3	1	4	6
Male.....	48	-	-	1	-	-	-	1	1	1	2	3
Female.....	58	1	-	-	1	1	1	-	2	-	2	3
American Indian 1/, both sexes.....	3	-	1	-	-	-	-	-	1	-	-	-
Male.....	3	-	1	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	10,669	40	31	31	45	45	60	44	53	70	116	142
Male.....	4,311	22	16	19	30	30	33	27	32	39	67	76
Female.....	6,358	18	15	12	15	15	27	17	21	31	49	66
White, both sexes.....	9,722	30	23	27	35	36	43	40	36	58	91	117
Male.....	3,889	17	12	18	22	26	22	25	18	33	52	64
Female.....	5,833	13	11	9	13	10	21	15	18	25	39	53
Black, both sexes.....	523	5	6	1	6	5	9	4	12	10	17	19
Male.....	211	2	3	-	5	2	7	2	9	5	9	10
Female.....	312	3	3	1	1	3	2	2	3	5	8	9
American Indian 1/, both sexes.....	26	-	-	-	-	-	-	-	-	-	-	-
Male.....	11	-	-	-	-	-	-	-	-	-	-	-
Female.....	15	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	398	5	2	3	4	4	8	-	5	2	8	6
Male.....	200	3	1	1	3	2	4	-	5	1	6	2
Female.....	198	2	1	2	1	2	4	-	-	1	2	4

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

VI. Diseases of the nervous system (G00-G98)

Nebraska

All races, both sexes.....	801	1	1	-	-	2	2	2	5	4	8	10
Male.....	306	1	-	-	-	1	2	1	3	1	7	5
Female.....	495	-	1	-	-	1	-	1	2	3	1	5
White, both sexes.....	776	1	1	-	-	2	1	2	4	4	6	9
Male.....	294	1	-	-	-	1	1	1	3	1	5	4
Female.....	482	-	1	-	-	1	-	1	1	3	1	5
Black, both sexes.....	20	-	-	-	-	-	1	-	-	-	2	-
Male.....	9	-	-	-	-	-	1	-	-	-	2	-
Female.....	11	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	1	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	588	6	1	-	-	4	3	1	1	3	6	13
Male.....	264	5	1	-	-	3	2	1	-	-	3	8
Female.....	324	1	-	-	-	1	1	-	1	3	3	5
White, both sexes.....	543	4	1	-	-	2	3	1	1	2	5	12
Male.....	242	3	1	-	-	2	2	1	-	-	2	7
Female.....	301	1	-	-	-	-	1	-	1	2	3	5
Black, both sexes.....	30	1	-	-	-	-	-	-	-	1	1	-
Male.....	14	1	-	-	-	-	-	-	-	-	1	-
Female.....	16	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	1	-	-	-	1	-	-	-	-	-	1
Male.....	7	1	-	-	-	-	-	-	-	-	-	1
Female.....	7	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

VI. Diseases of the nervous system (G00-G98)

New Hampshire

All races, both sexes.....	496	1	-	-	1	4	1	-	-	4	1	11
Male.....	210	1	-	-	1	1	1	-	-	4	1	8
Female.....	286	-	-	-	-	3	-	-	-	-	-	3
White, both sexes.....	493	1	-	-	1	4	1	-	-	3	1	11
Male.....	208	1	-	-	1	1	1	-	-	3	1	8
Female.....	285	-	-	-	-	3	-	-	-	-	-	3
Black, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	-
Male.....	2	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	2,910	9	7	5	10	3	12	11	10	20	33	54
Male.....	1,090	4	4	3	4	1	8	4	6	11	20	36
Female.....	1,820	5	3	2	6	2	4	7	4	9	13	18
White, both sexes.....	2,677	5	5	2	5	-	7	10	6	12	27	46
Male.....	991	3	2	1	4	-	5	3	3	6	17	28
Female.....	1,686	2	3	1	1	-	2	7	3	6	10	18
Black, both sexes.....	208	3	1	2	4	3	4	1	4	8	6	6
Male.....	85	1	1	1	-	1	2	1	3	5	3	6
Female.....	123	2	-	1	4	2	2	-	1	3	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	25	1	1	1	1	-	1	-	-	-	-	2
Male.....	14	-	1	1	-	-	1	-	-	-	-	2
Female.....	11	1	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

VI. Diseases of the nervous system (G00-G98)

New Mexico

All races, both sexes.....	678	2	2	1	1	2	2	1	5	3	7	4
Male.....	296	1	2	-	-	1	1	1	3	2	4	2
Female.....	382	1	-	1	1	1	1	-	2	1	3	2
White, both sexes.....	636	1	2	1	-	2	2	1	5	2	4	4
Male.....	280	1	2	-	-	1	1	1	3	2	2	2
Female.....	356	-	-	1	-	1	1	-	2	-	2	2
Black, both sexes.....	7	-	-	-	-	-	-	-	-	-	1	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	34	1	-	-	1	-	-	-	-	1	2	-
Male.....	12	-	-	-	-	-	-	-	-	-	2	-
Female.....	22	1	-	-	1	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	3,926	23	11	11	10	25	23	24	17	41	71	82
Male.....	1,597	16	7	5	6	18	14	17	12	24	36	47
Female.....	2,329	7	4	6	4	7	9	7	5	17	35	35
White, both sexes.....	3,562	14	7	6	8	18	15	19	12	28	58	62
Male.....	1,428	10	4	3	6	14	10	14	7	14	31	35
Female.....	2,134	4	3	3	2	4	5	5	5	14	27	27
Black, both sexes.....	308	8	3	4	2	6	6	4	5	12	13	15
Male.....	140	6	3	1	-	4	3	2	5	9	5	10
Female.....	168	2	-	3	2	2	3	2	-	3	8	5
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	53	1	1	1	-	1	2	1	-	1	-	5
Male.....	27	-	-	1	-	-	1	1	-	1	-	2
Female.....	26	1	1	-	-	1	1	-	-	-	-	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

VI. Diseases of the nervous system (G00-G98)

United States

All races, both sexes.....	2,095	2,558	3,113	4,194	7,586	14,394	21,665	23,421	16,576	6,397	1,056	1
Male.....	1,134	1,337	1,609	2,138	3,848	6,775	8,964	7,891	4,077	1,037	113	1
Female.....	961	1,221	1,504	2,056	3,738	7,619	12,701	15,530	12,499	5,360	943	-
White, both sexes.....	1,705	2,191	2,686	3,681	6,865	13,258	20,269	22,015	15,620	6,004	943	1
Male.....	932	1,161	1,383	1,884	3,521	6,297	8,409	7,447	3,838	955	101	1
Female.....	773	1,030	1,303	1,797	3,344	6,961	11,860	14,568	11,782	5,049	842	-
Black, both sexes.....	349	324	364	443	594	937	1,163	1,149	814	334	100	-
Male.....	177	153	192	219	273	395	440	340	188	58	9	-
Female.....	172	171	172	224	321	542	723	809	626	276	91	-
American Indian 1/, both sexes.....	16	7	17	19	28	36	54	47	29	7	3	-
Male.....	11	2	10	8	13	12	21	16	4	-	-	-
Female.....	5	5	7	11	15	24	33	31	25	7	3	-
Asian or Pacific Islander 2/, both sexes.....	25	36	46	51	99	163	179	210	113	52	10	-
Male.....	14	21	24	27	41	71	94	88	47	24	3	-
Female.....	11	15	22	24	58	92	85	122	66	28	7	-

Alabama

All races, both sexes.....	31	45	67	89	163	309	387	419	256	108	14	-
Male.....	19	21	33	41	68	148	144	124	45	20	1	-
Female.....	12	24	34	48	95	161	243	295	211	88	13	-
White, both sexes.....	27	34	52	66	139	267	342	363	213	83	7	-
Male.....	17	16	24	33	60	133	127	109	35	16	1	-
Female.....	10	18	28	33	79	134	215	254	178	67	6	-
Black, both sexes.....	4	11	15	22	23	42	44	56	42	25	7	-
Male.....	2	5	9	7	8	15	16	15	10	4	-	-
Female.....	2	6	6	15	15	27	28	41	32	21	7	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	1	-	1	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

VI. Diseases of the nervous system (G00-G98)

Alaska

All races, both sexes.....	5	2	6	3	12	19	21	18	10	3	1	-
Male.....	3	-	5	2	7	6	9	2	2	1	-	-
Female.....	2	2	1	1	5	13	12	16	8	2	1	-
White, both sexes.....	4	2	4	2	5	17	20	17	8	2	1	-
Male.....	3	-	3	1	3	5	8	2	1	-	-	-
Female.....	1	2	1	1	2	12	12	15	7	2	1	-
Black, both sexes.....	1	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	1	4	2	-	1	2	-	-	-
Male.....	-	-	2	1	3	1	-	-	1	-	-	-
Female.....	-	-	-	-	1	1	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	1	-	-	1	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	32	50	51	87	165	339	548	574	420	167	27	-
Male.....	15	25	26	42	89	159	228	201	109	32	3	-
Female.....	17	25	25	45	76	180	320	373	311	135	24	-
White, both sexes.....	29	50	49	79	156	322	539	559	413	162	26	-
Male.....	12	25	25	41	85	150	223	196	106	32	3	-
Female.....	17	25	24	38	71	172	316	363	307	130	23	-
Black, both sexes.....	1	-	1	5	2	10	4	11	4	5	-	-
Male.....	1	-	1	1	1	7	3	5	2	-	-	-
Female.....	-	-	-	4	1	3	1	6	2	5	-	-
American Indian 1/, both sexes.....	1	-	1	2	6	4	4	3	1	-	1	-
Male.....	1	-	-	-	3	2	1	-	1	-	-	-
Female.....	-	-	1	2	3	2	3	3	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	1	3	1	1	2	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	1	3	-	1	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

VI. Diseases of the nervous system (G00-G98)

Arkansas

All races, both sexes.....	19	26	32	41	58	125	205	182	151	43	7	-
Male.....	9	14	16	24	39	66	95	67	35	5	-	-
Female.....	10	12	16	17	19	59	110	115	116	38	7	-
White, both sexes.....	16	24	26	35	50	114	184	168	143	38	4	-
Male.....	7	12	12	19	33	62	86	62	33	4	-	-
Female.....	9	12	14	16	17	52	98	106	110	34	4	-
Black, both sexes.....	3	2	6	5	8	11	21	14	8	5	3	-
Male.....	2	2	4	4	6	4	9	5	2	1	-	-
Female.....	1	-	2	1	2	7	12	9	6	4	3	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	196	218	220	350	635	1,288	2,237	2,334	1,712	690	112	-
Male.....	100	113	122	191	334	638	954	873	461	119	15	-
Female.....	96	105	98	159	301	650	1,283	1,461	1,251	571	97	-
White, both sexes.....	170	193	199	311	575	1,162	2,059	2,158	1,600	657	102	-
Male.....	89	95	109	167	309	584	869	813	422	110	13	-
Female.....	81	98	90	144	266	578	1,190	1,345	1,178	547	89	-
Black, both sexes.....	17	14	8	14	30	63	102	96	63	17	5	-
Male.....	7	9	3	9	14	25	42	29	18	1	-	-
Female.....	10	5	5	5	16	38	60	67	45	16	5	-
American Indian 1/, both sexes.....	-	1	2	2	3	2	5	5	4	2	-	-
Male.....	-	-	2	2	1	1	2	2	1	-	-	-
Female.....	-	1	-	-	2	1	3	3	3	2	-	-
Asian or Pacific Islander 2/, both sexes.....	9	10	11	23	27	61	71	75	45	14	5	-
Male.....	4	9	8	13	10	28	41	29	20	8	2	-
Female.....	5	1	3	10	17	33	30	46	25	6	3	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

VI. Diseases of the nervous system (G00-G98)

Colorado

All races, both sexes.....	40	46	49	72	122	213	300	363	242	95	15	-
Male.....	24	26	23	27	54	95	131	115	69	15	3	-
Female.....	16	20	26	45	68	118	169	248	173	80	12	-
White, both sexes.....	33	45	47	70	115	206	297	356	240	94	15	-
Male.....	20	26	21	27	53	91	130	115	68	15	3	-
Female.....	13	19	26	43	62	115	167	241	172	79	12	-
Black, both sexes.....	5	1	1	1	5	6	2	5	2	1	-	-
Male.....	3	-	1	-	1	4	1	-	1	-	-	-
Female.....	2	1	-	1	4	2	1	5	1	1	-	-
American Indian 1/, both sexes.....	1	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	1	1	1	2	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	1	2	-	-	-	-

Connecticut

All races, both sexes.....	24	30	31	37	70	154	218	275	171	78	17	-
Male.....	20	19	19	21	40	75	93	92	42	10	2	-
Female.....	4	11	12	16	30	79	125	183	129	68	15	-
White, both sexes.....	21	25	28	33	67	147	213	272	168	77	17	-
Male.....	18	16	17	20	38	72	89	91	41	10	2	-
Female.....	3	9	11	13	29	75	124	181	127	67	15	-
Black, both sexes.....	3	5	3	4	3	5	5	3	3	1	-	-
Male.....	2	3	2	1	2	2	4	1	1	-	-	-
Female.....	1	2	1	3	1	3	1	2	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

VI. Diseases of the nervous system (G00-G98)

Delaware

All races, both sexes.....	4	8	14	9	16	46	54	53	37	14	1	-
Male.....	2	4	8	2	10	18	22	20	4	3	-	-
Female.....	2	4	6	7	6	28	32	33	33	11	1	-
White, both sexes.....	4	6	10	8	13	42	48	47	35	11	1	-
Male.....	2	3	6	1	8	16	21	18	4	3	-	-
Female.....	2	3	4	7	5	26	27	29	31	8	1	-
Black, both sexes.....	-	2	4	1	3	4	6	5	2	3	-	-
Male.....	-	1	2	1	2	2	1	1	-	-	-	-
Female.....	-	1	2	-	1	2	5	4	2	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	6	5	7	8	10	16	34	25	28	14	5	-
Male.....	4	4	4	5	5	6	11	10	9	3	-	-
Female.....	2	1	3	3	5	10	23	15	19	11	5	-
White, both sexes.....	1	2	2	1	2	2	14	11	12	3	1	-
Male.....	1	1	2	1	1	1	5	5	5	1	-	-
Female.....	-	1	-	-	1	1	9	6	7	2	1	-
Black, both sexes.....	5	3	5	7	8	13	20	14	16	11	4	-
Male.....	3	3	2	4	4	5	6	5	4	2	-	-
Female.....	2	-	3	3	4	8	14	9	12	9	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

VI. Diseases of the nervous system (G00-G98)

Florida

All races, both sexes.....	92	129	177	267	540	1,046	1,547	1,762	1,182	493	72	-
Male.....	48	60	101	139	285	516	668	673	365	105	5	-
Female.....	44	69	76	128	255	530	879	1,089	817	388	67	-
White, both sexes.....	78	114	154	231	490	982	1,476	1,684	1,139	473	65	-
Male.....	41	54	83	121	258	487	638	651	355	102	5	-
Female.....	37	60	71	110	232	495	838	1,033	784	371	60	-
Black, both sexes.....	14	13	20	36	46	61	68	75	42	19	7	-
Male.....	7	5	16	18	25	28	28	22	10	3	-	-
Female.....	7	8	4	18	21	33	40	53	32	16	7	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	2	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	3	-	4	3	1	2	1	1	-	-
Male.....	-	1	2	-	2	1	1	-	-	-	-	-
Female.....	-	1	1	-	2	2	-	2	1	1	-	-

Georgia

All races, both sexes.....	61	91	100	114	228	350	519	528	383	131	15	-
Male.....	31	45	45	49	127	139	180	126	95	16	3	-
Female.....	30	46	55	65	101	211	339	402	288	115	12	-
White, both sexes.....	34	55	69	91	190	302	448	467	332	109	11	-
Male.....	20	30	32	38	112	122	160	112	82	14	3	-
Female.....	14	25	37	53	78	180	288	355	250	95	8	-
Black, both sexes.....	26	36	28	22	37	47	71	59	50	21	4	-
Male.....	11	15	11	11	14	17	20	13	13	1	-	-
Female.....	15	21	17	11	23	30	51	46	37	20	4	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	3	-	1	-	-	2	1	1	-	-
Male.....	-	-	2	-	1	-	-	1	-	1	-	-
Female.....	1	-	1	-	-	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

VI. Diseases of the nervous system (G00-G98)

Hawaii

All races, both sexes.....	7	8	10	11	22	60	73	79	45	26	7	-
Male.....	3	5	5	6	13	30	38	38	20	12	1	-
Female.....	4	3	5	5	9	30	35	41	25	14	6	-
White, both sexes.....	2	3	4	3	6	11	24	20	15	3	1	-
Male.....	1	2	3	2	3	8	11	9	6	1	-	-
Female.....	1	1	1	1	3	3	13	11	9	2	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	1	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	5	5	6	8	16	49	48	59	30	23	5	-
Male.....	2	3	2	4	10	22	26	29	14	11	1	-
Female.....	3	2	4	4	6	27	22	30	16	12	4	-

Idaho

All races, both sexes.....	8	18	17	22	26	71	127	132	112	29	3	-
Male.....	6	11	5	13	13	36	52	36	31	2	1	-
Female.....	2	7	12	9	13	35	75	96	81	27	2	-
White, both sexes.....	8	18	15	22	25	71	126	132	111	28	3	-
Male.....	6	11	5	13	12	36	51	36	30	2	1	-
Female.....	2	7	10	9	13	35	75	96	81	26	2	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	2	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	1	1	-	-
Male.....	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

VI. Diseases of the nervous system (G00-G98)

Illinois

All races, both sexes.....	96	104	121	173	276	591	876	994	759	258	47	-
Male.....	55	48	67	79	148	265	322	323	163	40	3	-
Female.....	41	56	54	94	128	326	554	671	596	218	44	-
White, both sexes.....	71	91	94	138	233	524	799	932	709	248	42	-
Male.....	44	42	49	64	128	236	301	308	152	38	3	-
Female.....	27	49	45	74	105	288	498	624	557	210	39	-
Black, both sexes.....	25	11	25	35	37	65	74	57	46	9	5	-
Male.....	11	5	16	15	17	27	18	13	9	2	-	-
Female.....	14	6	9	20	20	38	56	44	37	7	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	2	-	6	2	3	4	3	1	-	-
Male.....	-	1	2	-	3	2	3	2	2	-	-	-
Female.....	-	1	-	-	3	-	-	2	1	1	-	-

Indiana

All races, both sexes.....	68	59	84	113	213	368	546	540	371	151	30	-
Male.....	33	36	42	63	111	186	220	187	89	20	7	-
Female.....	35	23	42	50	102	182	326	353	282	131	23	-
White, both sexes.....	63	54	78	105	196	344	534	514	349	147	26	-
Male.....	30	32	41	60	103	174	216	173	81	20	7	-
Female.....	33	22	37	45	93	170	318	341	268	127	19	-
Black, both sexes.....	5	5	5	7	14	23	12	25	21	4	4	-
Male.....	3	4	1	3	6	12	4	13	8	-	-	-
Female.....	2	1	4	4	8	11	8	12	13	4	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	3	1	-	1	-	-	-	-
Male.....	-	-	-	-	2	-	-	1	-	-	-	-
Female.....	-	-	1	1	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

VI. Diseases of the nervous system (G00-G98)

Iowa

All races, both sexes.....	24	29	38	44	96	176	260	345	249	114	17	-
Male.....	12	18	15	23	53	89	118	114	67	20	-	-
Female.....	12	11	23	21	43	87	142	231	182	94	17	-
White, both sexes.....	24	27	38	44	95	174	256	343	249	113	17	-
Male.....	12	18	15	23	53	88	116	114	67	20	-	-
Female.....	12	9	23	21	42	86	140	229	182	93	17	-
Black, both sexes.....	-	1	-	-	1	1	4	2	-	1	-	-
Male.....	-	-	-	-	-	1	2	-	-	-	-	-
Female.....	-	1	-	-	1	-	2	2	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	24	19	39	51	96	172	247	319	226	80	17	-
Male.....	13	12	23	22	39	79	101	117	55	14	1	-
Female.....	11	7	16	29	57	93	146	202	171	66	16	-
White, both sexes.....	22	17	37	47	91	163	239	309	221	79	15	-
Male.....	12	10	22	20	38	74	96	112	55	14	1	-
Female.....	10	7	15	27	53	89	143	197	166	65	14	-
Black, both sexes.....	1	1	2	4	5	8	6	9	4	1	2	-
Male.....	1	1	1	2	1	5	4	5	-	-	-	-
Female.....	-	-	1	2	4	3	2	4	4	1	2	-
American Indian 1/, both sexes.....	1	1	-	-	-	1	2	1	-	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	1	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

VI. Diseases of the nervous system (G00-G98)

Kentucky

All races, both sexes.....	31	50	67	71	121	234	361	363	268	85	21	-
Male.....	17	27	35	35	58	103	133	110	66	14	2	-
Female.....	14	23	32	36	63	131	228	253	202	71	19	-
White, both sexes.....	29	43	60	67	120	226	349	355	260	82	18	-
Male.....	15	23	34	32	57	101	129	108	64	13	2	-
Female.....	14	20	26	35	63	125	220	247	196	69	16	-
Black, both sexes.....	2	7	7	4	1	8	12	8	8	3	3	-
Male.....	2	4	1	3	1	2	4	2	2	1	-	-
Female.....	-	3	6	1	-	6	8	6	6	2	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	35	55	45	87	143	294	393	377	252	85	18	-
Male.....	21	36	24	55	67	121	171	112	66	16	1	-
Female.....	14	19	21	32	76	173	222	265	186	69	17	-
White, both sexes.....	19	43	36	68	113	250	323	317	209	66	15	-
Male.....	11	28	18	43	55	101	138	97	57	12	1	-
Female.....	8	15	18	25	58	149	185	220	152	54	14	-
Black, both sexes.....	16	12	9	19	27	43	70	59	43	19	3	-
Male.....	10	8	6	12	11	20	33	15	9	4	-	-
Female.....	6	4	3	7	16	23	37	44	34	15	3	-
American Indian 1/, both sexes.....	-	-	-	-	2	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

VI. Diseases of the nervous system (G00-G98)

Maine

All races, both sexes.....	11	13	17	26	44	102	134	144	127	57	8	-
Male.....	4	8	10	13	18	45	53	63	27	10	3	-
Female.....	7	5	7	13	26	57	81	81	100	47	5	-
White, both sexes.....	10	13	17	26	43	100	130	142	127	57	8	-
Male.....	4	8	10	13	17	45	52	63	27	10	3	-
Female.....	6	5	7	13	26	55	78	79	100	47	5	-
Black, both sexes.....	-	-	-	-	1	1	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	3	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	3	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	49	45	59	82	137	244	353	349	199	80	17	-
Male.....	29	18	39	45	61	121	152	109	50	13	1	-
Female.....	20	27	20	37	76	123	201	240	149	67	16	-
White, both sexes.....	28	28	47	63	114	211	299	311	177	65	15	-
Male.....	19	13	33	35	55	111	138	103	45	8	-	-
Female.....	9	15	14	28	59	100	161	208	132	57	15	-
Black, both sexes.....	21	17	11	18	20	32	51	35	20	13	2	-
Male.....	10	5	6	9	6	10	11	6	4	5	1	-
Female.....	11	12	5	9	14	22	40	29	16	8	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	3	1	3	3	2	1	-	-
Male.....	-	-	-	1	-	-	3	-	1	-	-	-
Female.....	-	-	1	-	3	1	-	3	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

VI. Diseases of the nervous system (G00-G98)

Massachusetts

All races, both sexes.....	51	60	73	83	196	336	492	629	454	190	26	-
Male.....	26	37	34	39	113	141	211	221	89	23	1	-
Female.....	25	23	39	44	83	195	281	408	365	167	25	-
White, both sexes.....	48	58	65	79	188	328	475	615	446	188	26	-
Male.....	25	37	31	39	110	136	199	215	88	23	1	-
Female.....	23	21	34	40	78	192	276	400	358	165	25	-
Black, both sexes.....	3	2	5	3	6	7	13	10	6	2	-	-
Male.....	1	-	2	-	2	5	9	5	-	-	-	-
Female.....	2	2	3	3	4	2	4	5	6	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	3	1	2	1	2	4	2	-	-	-
Male.....	-	-	1	-	1	-	2	1	1	-	-	-
Female.....	-	-	2	1	1	1	-	3	1	-	-	-

Michigan

All races, both sexes.....	111	101	120	154	294	530	777	796	552	235	38	-
Male.....	57	50	60	71	134	230	329	256	140	40	8	-
Female.....	54	51	60	83	160	300	448	540	412	195	30	-
White, both sexes.....	94	83	101	140	263	485	741	748	526	223	36	-
Male.....	47	37	49	64	118	209	314	237	134	36	8	-
Female.....	47	46	52	76	145	276	427	511	392	187	28	-
Black, both sexes.....	16	18	18	13	30	41	34	47	25	11	2	-
Male.....	9	13	11	6	16	19	14	18	6	4	-	-
Female.....	7	5	7	7	14	22	20	29	19	7	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	2	1	1	-	1	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	1	1	2	1	-	1	-	-	-
Male.....	1	-	-	1	-	1	1	-	-	-	-	-
Female.....	-	-	1	-	1	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

VI. Diseases of the nervous system (G00-G98)

Nebraska

All races, both sexes.....	17	21	23	31	60	101	147	166	140	52	8	-
Male.....	8	9	11	16	25	49	56	64	42	5	-	-
Female.....	9	12	12	15	35	52	91	102	98	47	8	-
White, both sexes.....	16	19	19	31	58	98	145	162	138	52	8	-
Male.....	8	7	9	16	24	47	56	63	42	5	-	-
Female.....	8	12	10	15	34	51	89	99	96	47	8	-
Black, both sexes.....	1	1	4	-	2	2	2	4	1	-	-	-
Male.....	-	1	2	-	1	1	-	1	-	-	-	-
Female.....	1	-	2	-	1	1	2	3	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	12	23	28	30	52	90	121	112	56	25	1	-
Male.....	5	16	16	16	28	41	59	37	16	6	1	-
Female.....	7	7	12	14	24	49	62	75	40	19	-	-
White, both sexes.....	11	20	24	27	51	81	115	107	51	25	-	-
Male.....	5	14	12	16	27	38	56	35	15	6	-	-
Female.....	6	6	12	11	24	43	59	72	36	19	-	-
Black, both sexes.....	1	1	3	2	1	5	6	2	5	-	1	-
Male.....	-	1	3	-	1	2	3	-	1	-	1	-
Female.....	1	-	-	2	-	3	3	2	4	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	1	-	4	-	3	-	-	-	-
Male.....	-	1	1	-	-	1	-	2	-	-	-	-
Female.....	-	1	-	1	-	3	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

VI. Diseases of the nervous system (G00-G98)

New Hampshire

All races, both sexes.....	9	9	21	20	28	60	97	103	90	34	2	-
Male.....	4	6	10	7	16	36	46	39	25	4	-	-
Female.....	5	3	11	13	12	24	51	64	65	30	2	-
White, both sexes.....	9	9	21	19	28	60	96	103	90	34	2	-
Male.....	4	6	10	7	16	36	45	39	25	4	-	-
Female.....	5	3	11	12	12	24	51	64	65	30	2	-
Black, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	41	57	85	111	175	399	551	684	438	162	33	-
Male.....	20	33	48	60	90	184	218	222	89	22	3	-
Female.....	21	24	37	51	85	215	333	462	349	140	30	-
White, both sexes.....	33	45	70	91	158	376	526	653	414	156	30	-
Male.....	16	28	43	47	80	176	204	212	89	21	3	-
Female.....	17	17	27	44	78	200	322	441	325	135	27	-
Black, both sexes.....	8	12	12	19	17	21	21	24	23	6	3	-
Male.....	4	5	4	12	10	7	12	6	-	1	-	-
Female.....	4	7	8	7	7	14	9	18	23	5	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	3	1	-	2	4	7	1	-	-	-
Male.....	-	-	1	1	-	1	2	4	-	-	-	-
Female.....	-	-	2	-	-	1	2	3	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

VI. Diseases of the nervous system (G00-G98)

New Mexico

All races, both sexes.....	8	18	18	32	53	94	153	136	97	36	3	-
Male.....	3	7	13	22	35	48	69	45	26	10	1	-
Female.....	5	11	5	10	18	46	84	91	71	26	2	-
White, both sexes.....	7	16	15	32	50	90	149	126	88	36	3	-
Male.....	2	6	12	22	33	47	66	42	24	10	1	-
Female.....	5	10	3	10	17	43	83	84	64	26	2	-
Black, both sexes.....	-	-	-	-	1	-	1	1	3	-	-	-
Male.....	-	-	-	-	1	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	2	-	-	-
American Indian 1/, both sexes.....	1	1	3	-	2	4	3	9	6	-	-	-
Male.....	1	-	1	-	1	1	3	2	1	-	-	-
Female.....	-	1	2	-	1	3	-	7	5	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	98	127	133	157	275	487	691	743	587	235	55	-
Male.....	57	66	78	84	137	235	302	240	157	34	5	-
Female.....	41	61	55	73	138	252	389	503	430	201	50	-
White, both sexes.....	74	105	114	142	249	454	641	703	560	221	52	-
Male.....	41	57	69	76	126	221	283	221	149	32	5	-
Female.....	33	48	45	66	123	233	358	482	411	189	47	-
Black, both sexes.....	23	20	14	14	22	27	44	27	23	13	3	-
Male.....	15	9	5	7	9	10	17	11	7	2	-	-
Female.....	8	11	9	7	13	17	27	16	16	11	3	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	2	-	-	-	-
Male.....	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	4	1	4	6	6	11	4	1	-	-
Male.....	1	-	3	1	2	4	2	7	1	-	-	-
Female.....	-	2	1	-	2	2	4	4	3	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

VI. Diseases of the nervous system (G00-G98)

Ohio

All races, both sexes.....	110	124	159	204	364	733	1,015	1,066	713	269	34	-
Male.....	59	66	75	92	183	344	410	358	144	39	2	-
Female.....	51	58	84	112	181	389	605	708	569	230	32	-
White, both sexes.....	91	110	143	187	343	679	956	1,007	678	251	31	-
Male.....	50	62	65	83	173	316	388	338	133	39	2	-
Female.....	41	48	78	104	170	363	568	669	545	212	29	-
Black, both sexes.....	19	14	15	17	20	53	57	59	34	17	3	-
Male.....	9	4	9	9	9	27	21	20	11	-	-	-
Female.....	10	10	6	8	11	26	36	39	23	17	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	1	2	-	1	1	-	-
Male.....	-	-	1	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	1	-	-

Oklahoma

All races, both sexes.....	30	31	50	62	102	189	307	275	194	59	7	-
Male.....	11	12	20	32	46	98	137	100	52	15	-	-
Female.....	19	19	30	30	56	91	170	175	142	44	7	-
White, both sexes.....	29	28	43	57	95	181	285	258	181	56	5	-
Male.....	11	12	16	29	43	95	128	93	51	13	-	-
Female.....	18	16	27	28	52	86	157	165	130	43	5	-
Black, both sexes.....	1	2	5	4	4	6	12	9	7	3	2	-
Male.....	-	-	3	3	2	2	6	1	1	2	-	-
Female.....	1	2	2	1	2	4	6	8	6	1	2	-
American Indian 1/, both sexes.....	-	1	2	1	3	2	10	8	5	-	-	-
Male.....	-	-	1	-	1	1	3	6	-	-	-	-
Female.....	-	1	1	1	2	1	7	2	5	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

VI. Diseases of the nervous system (G00-G98)

Oregon

All races, both sexes.....	38	47	56	69	107	232	387	443	308	112	17	-
Male.....	20	16	23	38	60	113	170	138	76	24	2	-
Female.....	18	31	33	31	47	119	217	305	232	88	15	-
White, both sexes.....	36	44	56	66	105	228	377	435	304	109	17	-
Male.....	19	16	23	36	59	112	169	138	76	22	2	-
Female.....	17	28	33	30	46	116	208	297	228	87	15	-
Black, both sexes.....	-	-	-	-	1	2	4	3	2	2	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	1	2	4	3	2	1	-	-
American Indian 1/, both sexes.....	2	1	-	2	-	-	3	3	-	-	-	-
Male.....	1	-	-	1	-	-	1	-	-	-	-	-
Female.....	1	1	-	1	-	-	2	3	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	1	1	2	3	2	2	1	-	-
Male.....	-	-	-	1	1	1	-	-	-	1	-	-
Female.....	-	2	-	-	-	1	3	2	2	-	-	-

Pennsylvania

All races, both sexes.....	84	126	150	206	358	761	1,139	1,195	803	330	55	-
Male.....	52	64	77	98	203	367	486	415	182	40	3	-
Female.....	32	62	73	108	155	394	653	780	621	290	52	-
White, both sexes.....	71	108	130	180	329	727	1,096	1,148	771	321	47	-
Male.....	44	57	68	85	189	353	466	400	173	37	3	-
Female.....	27	51	62	95	140	374	630	748	598	284	44	-
Black, both sexes.....	12	18	19	24	26	33	40	43	31	9	8	-
Male.....	8	7	9	12	13	14	19	13	9	3	-	-
Female.....	4	11	10	12	13	19	21	30	22	6	8	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	1	3	1	3	4	1	-	-	-
Male.....	-	-	-	1	1	-	1	2	-	-	-	-
Female.....	1	-	1	-	2	1	2	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

VI. Diseases of the nervous system (G00-G98)

Rhode Island

All races, both sexes.....	12	8	8	19	31	54	95	131	83	29	2	-
Male.....	7	1	4	9	15	28	46	45	15	2	1	-
Female.....	5	7	4	10	16	26	49	86	68	27	1	-
White, both sexes.....	12	8	8	19	31	53	93	128	82	27	2	-
Male.....	7	1	4	9	15	28	44	45	15	2	1	-
Female.....	5	7	4	10	16	25	49	83	67	25	1	-
Black, both sexes.....	-	-	-	-	-	1	2	2	1	2	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	2	1	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

South Carolina

All races, both sexes.....	32	36	59	71	110	238	350	374	219	94	17	-
Male.....	17	25	32	39	54	98	148	110	41	16	3	-
Female.....	15	11	27	32	56	140	202	264	178	78	14	-
White, both sexes.....	21	23	45	52	88	200	304	330	181	82	13	-
Male.....	15	16	24	27	42	80	130	98	35	12	1	-
Female.....	6	7	21	25	46	120	174	232	146	70	12	-
Black, both sexes.....	11	12	14	19	21	38	46	44	38	12	4	-
Male.....	2	8	8	12	12	18	18	12	6	4	2	-
Female.....	9	4	6	7	9	20	28	32	32	8	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

VI. Diseases of the nervous system (G00-G98)

South Dakota

All races, both sexes.....	9	11	7	18	18	54	54	56	53	28	5	-
Male.....	6	8	1	8	8	22	19	20	14	3	1	-
Female.....	3	3	6	10	10	32	35	36	39	25	4	-
White, both sexes.....	8	11	7	18	17	51	53	56	52	28	5	-
Male.....	5	8	1	8	7	22	19	20	14	3	1	-
Female.....	3	3	6	10	10	29	34	36	38	25	4	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	2	1	-	1	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	59	60	60	117	185	327	471	516	326	109	16	1
Male.....	29	28	32	61	90	156	179	146	59	14	-	1
Female.....	30	32	28	56	95	171	292	370	267	95	16	-
White, both sexes.....	47	47	53	98	171	300	444	477	296	95	12	1
Male.....	25	25	28	53	86	145	171	134	54	13	-	1
Female.....	22	22	25	45	85	155	273	343	242	82	12	-
Black, both sexes.....	11	13	7	18	12	26	26	38	30	14	4	-
Male.....	3	3	4	7	4	10	8	12	5	1	-	-
Female.....	8	10	3	11	8	16	18	26	25	13	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	2	1	1	1	-	-	-	-
Male.....	1	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

VI. Diseases of the nervous system (G00-G98)

Texas

All races, both sexes.....	133	177	202	254	532	943	1,370	1,414	1,014	391	50	-
Male.....	72	81	113	146	257	431	585	478	252	64	5	-
Female.....	61	96	89	108	275	512	785	936	762	327	45	-
White, both sexes.....	103	153	168	233	503	871	1,288	1,314	953	359	45	-
Male.....	56	75	93	138	244	403	555	446	236	59	4	-
Female.....	47	78	75	95	259	468	733	868	717	300	41	-
Black, both sexes.....	30	20	33	20	27	65	75	92	58	31	5	-
Male.....	16	4	20	8	13	24	27	30	13	5	1	-
Female.....	14	16	13	12	14	41	48	62	45	26	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	4	1	1	2	6	6	8	3	1	-	-
Male.....	-	2	-	-	-	3	2	2	3	-	-	-
Female.....	-	2	1	1	2	3	4	6	-	1	-	-

Utah

All races, both sexes.....	20	26	21	29	69	101	156	140	81	25	2	-
Male.....	13	19	8	9	35	49	80	59	30	5	-	-
Female.....	7	7	13	20	34	52	76	81	51	20	2	-
White, both sexes.....	19	26	21	29	67	101	156	136	81	25	2	-
Male.....	12	19	8	9	35	49	80	58	30	5	-	-
Female.....	7	7	13	20	32	52	76	78	51	20	2	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	4	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

VI. Diseases of the nervous system (G00-G98)

Vermont

All races, both sexes.....	5	11	9	16	14	36	59	63	48	17	4	-
Male.....	-	5	4	5	8	22	21	24	12	4	1	-
Female.....	5	6	5	11	6	14	38	39	36	13	3	-
White, both sexes.....	5	11	9	16	14	36	59	63	48	17	4	-
Male.....	-	5	4	5	8	22	21	24	12	4	1	-
Female.....	5	6	5	11	6	14	38	39	36	13	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	43	74	87	112	184	328	523	560	351	123	23	-
Male.....	20	43	37	63	99	162	194	166	82	21	3	-
Female.....	23	31	50	49	85	166	329	394	269	102	20	-
White, both sexes.....	30	59	69	88	150	285	467	506	312	109	19	-
Male.....	16	34	29	49	82	139	171	147	72	19	1	-
Female.....	14	25	40	39	68	146	296	359	240	90	18	-
Black, both sexes.....	12	15	17	22	31	39	52	53	38	14	4	-
Male.....	4	9	8	12	15	21	22	18	10	2	2	-
Female.....	8	6	9	10	16	18	30	35	28	12	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	2	3	4	4	1	1	-	-	-
Male.....	-	-	-	2	2	2	1	1	-	-	-	-
Female.....	1	-	1	-	1	2	3	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

VI. Diseases of the nervous system (G00-G98)

Wisconsin

All races, both sexes.....	35	58	73	87	156	289	432	535	428	165	34	-
Male.....	19	22	47	37	79	148	190	191	102	21	3	-
Female.....	16	36	26	50	77	141	242	344	326	144	31	-
White, both sexes.....	32	55	70	83	148	281	421	526	419	164	34	-
Male.....	16	20	44	36	77	144	186	187	100	21	3	-
Female.....	16	35	26	47	71	137	235	339	319	143	31	-
Black, both sexes.....	2	3	3	3	7	8	6	7	8	1	-	-
Male.....	2	2	3	1	2	4	2	3	2	-	-	-
Female.....	-	1	-	2	5	4	4	4	6	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	4	2	-	-	-	-
Male.....	1	-	-	-	-	-	2	1	-	-	-	-
Female.....	-	-	-	-	1	-	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	1	-	-	-

Wyoming

All races, both sexes.....	7	4	10	15	14	27	38	46	46	12	3	-
Male.....	2	3	4	6	8	10	17	12	14	2	-	-
Female.....	5	1	6	9	6	17	21	34	32	10	3	-
White, both sexes.....	7	4	9	13	14	27	36	45	46	12	3	-
Male.....	2	3	3	6	8	10	17	12	14	2	-	-
Female.....	5	1	6	7	6	17	19	33	32	10	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	2	-	-	1	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	2	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Meningitis (G00,G03)

Arkansas

All races, both sexes.....	2	1	-	3	1	-	-	-	-	-	-	-
Male.....	-	-	-	3	1	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	1	-	2	-	-	-	-	-	-	-	-
Male.....	-	-	-	2	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	5	10	6	3	4	6	2	4	2	-	-	-
Male.....	2	9	2	1	2	3	1	1	-	-	-	-
Female.....	3	1	4	2	2	3	1	3	2	-	-	-
White, both sexes.....	4	7	4	3	4	4	-	4	1	-	-	-
Male.....	2	6	1	1	2	2	-	1	-	-	-	-
Female.....	2	1	3	2	2	2	-	3	1	-	-	-
Black, both sexes.....	1	3	2	-	-	1	1	-	1	-	-	-
Male.....	-	3	1	-	-	-	1	-	-	-	-	-
Female.....	1	-	1	-	-	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Meningitis (G00,G03)

Maine

All races, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	1	2	-	-	1	1	-	1	1	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	1	-	1	1	-	-	-
White, both sexes.....	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	1	-	-	-
Black, both sexes.....	1	2	-	-	-	-	-	1	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other inflammatory diseases of central nervous system (G04-G09)

Arkansas

All races, both sexes.....	7	-	-	-	-	-	1	-	1	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	1	-	1	-	1	-
White, both sexes.....	5	-	-	-	-	-	1	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	1	-	-	-	1	-
Black, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	73	2	-	1	1	1	2	2	2	2	4	5
Male.....	44	1	-	1	1	-	1	1	1	1	2	2
Female.....	29	1	-	-	-	1	1	1	1	1	2	3
White, both sexes.....	55	2	-	1	1	-	1	1	1	1	2	3
Male.....	36	1	-	1	1	-	-	1	-	1	1	1
Female.....	19	1	-	-	-	-	1	-	1	-	1	2
Black, both sexes.....	9	-	-	-	-	-	1	1	1	1	-	1
Male.....	4	-	-	-	-	-	1	-	1	-	-	-
Female.....	5	-	-	-	-	-	-	1	-	1	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	1	-	-	-	-	2	1
Male.....	3	-	-	-	-	-	-	-	-	-	1	1
Female.....	5	-	-	-	-	1	-	-	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other inflammatory diseases of central nervous system (G04-G09)

Arkansas

All races, both sexes.....	1	-	-	1	-	-	1	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	1	-	-	-
White, both sexes.....	-	-	-	1	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	1	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	15	6	1	11	3	7	5	2	1	-	-	-
Male.....	10	4	-	8	2	3	3	2	1	-	-	-
Female.....	5	2	1	3	1	4	2	-	-	-	-	-
White, both sexes.....	12	5	1	10	3	5	4	2	-	-	-	-
Male.....	9	3	-	7	2	3	3	2	-	-	-	-
Female.....	3	2	1	3	1	2	1	-	-	-	-	-
Black, both sexes.....	2	1	-	-	-	-	-	-	1	-	-	-
Male.....	-	1	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	2	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Parkinson's disease (G20-G21)

Alaska

All races, both sexes.....	-	-	-	1	1	5	6	5	1	-	-	-
Male.....	-	-	-	1	1	2	2	2	1	-	-	-
Female.....	-	-	-	-	-	3	4	3	-	-	-	-
White, both sexes.....	-	-	-	-	-	4	6	4	1	-	-	-
Male.....	-	-	-	-	-	1	2	2	1	-	-	-
Female.....	-	-	-	-	-	3	4	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	1	1	-	1	-	-	-	-
Male.....	-	-	-	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	1	2	4	15	39	87	114	88	46	10	1	-
Male.....	1	1	2	8	25	54	68	50	20	2	-	-
Female.....	-	1	2	7	14	33	46	38	26	8	1	-
White, both sexes.....	1	2	4	13	35	82	112	87	45	10	1	-
Male.....	1	1	2	8	23	51	66	49	19	2	-	-
Female.....	-	1	2	5	12	31	46	38	26	8	1	-
Black, both sexes.....	-	-	-	1	-	2	-	1	-	-	-	-
Male.....	-	-	-	-	-	2	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	4	2	1	-	1	-	-	-
Male.....	-	-	-	-	2	1	1	-	1	-	-	-
Female.....	-	-	-	1	2	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Parkinson's disease (G20-G21)

Arkansas

All races, both sexes.....	1	2	3	6	12	32	46	30	16	2	-	-
Male.....	-	-	2	5	8	18	28	16	3	-	-	-
Female.....	1	2	1	1	4	14	18	14	13	2	-	-
White, both sexes.....	1	2	3	5	10	31	42	29	16	2	-	-
Male.....	-	-	2	4	6	17	26	15	3	-	-	-
Female.....	1	2	1	1	4	14	16	14	13	2	-	-
Black, both sexes.....	-	-	-	1	2	1	4	1	-	-	-	-
Male.....	-	-	-	1	2	1	2	1	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	8	15	29	72	155	350	532	403	179	54	2	-
Male.....	5	7	19	46	114	217	300	229	84	22	1	-
Female.....	3	8	10	26	41	133	232	174	95	32	1	-
White, both sexes.....	7	15	27	62	146	318	491	368	167	50	1	-
Male.....	4	7	18	41	108	197	279	206	78	22	-	-
Female.....	3	8	9	21	38	121	212	162	89	28	1	-
Black, both sexes.....	-	-	1	2	3	10	13	8	5	1	-	-
Male.....	-	-	-	2	3	4	4	7	3	-	-	-
Female.....	-	-	1	-	-	6	9	1	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	2	-	-	1	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	8	5	22	26	27	7	2	1	-
Male.....	1	-	1	3	2	16	16	16	3	-	1	-
Female.....	-	-	-	5	3	6	10	11	4	2	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Parkinson's disease (G20-G21)

Colorado

All races, both sexes.....	1	1	-	12	20	58	74	75	31	6	1	-
Male.....	1	1	-	8	14	37	44	36	21	3	1	-
Female.....	-	-	-	4	6	21	30	39	10	3	-	-
White, both sexes.....	1	1	-	12	20	57	73	75	31	6	1	-
Male.....	1	1	-	8	14	36	43	36	21	3	1	-
Female.....	-	-	-	4	6	21	30	39	10	3	-	-
Black, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut

All races, both sexes.....	1	-	5	5	17	42	67	60	21	7	-	-
Male.....	1	-	4	4	11	26	37	24	7	-	-	-
Female.....	-	-	1	1	6	16	30	36	14	7	-	-
White, both sexes.....	1	-	5	5	16	40	67	59	21	7	-	-
Male.....	1	-	4	4	10	25	37	23	7	-	-	-
Female.....	-	-	1	1	6	15	30	36	14	7	-	-
Black, both sexes.....	-	-	-	-	1	1	-	1	-	-	-	-
Male.....	-	-	-	-	1	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Parkinson's disease (G20-G21)

Delaware

All races, both sexes.....	-	-	-	2	2	7	14	13	1	1	-	-
Male.....	-	-	-	1	2	6	8	7	-	-	-	-
Female.....	-	-	-	1	-	1	6	6	1	1	-	-
White, both sexes.....	-	-	-	2	2	7	13	12	1	1	-	-
Male.....	-	-	-	1	2	6	8	6	-	-	-	-
Female.....	-	-	-	1	-	1	5	6	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	1	-	-	1	1	4	5	8	4	-	-	-
Male.....	1	-	-	1	1	2	4	4	3	-	-	-
Female.....	-	-	-	-	-	2	1	4	1	-	-	-
White, both sexes.....	-	-	-	-	1	1	4	5	3	-	-	-
Male.....	-	-	-	-	1	1	3	3	2	-	-	-
Female.....	-	-	-	-	-	-	1	2	1	-	-	-
Black, both sexes.....	1	-	-	1	-	2	1	3	1	-	-	-
Male.....	1	-	-	1	-	1	1	1	1	-	-	-
Female.....	-	-	-	-	-	1	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Parkinson's disease (G20-G21)

Maine

All races, both sexes.....	-	-	3	3	7	17	31	23	10	4	-	-
Male.....	-	-	2	1	3	13	19	13	3	-	-	-
Female.....	-	-	1	2	4	4	12	10	7	4	-	-
White, both sexes.....	-	-	3	3	7	17	28	23	10	4	-	-
Male.....	-	-	2	1	3	13	18	13	3	-	-	-
Female.....	-	-	1	2	4	4	10	10	7	4	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	-	1	8	13	26	75	95	70	32	3	-	-
Male.....	-	-	6	10	15	44	58	37	19	1	-	-
Female.....	-	1	2	3	11	31	37	33	13	2	-	-
White, both sexes.....	-	1	7	12	22	70	83	66	30	3	-	-
Male.....	-	-	5	9	14	43	55	37	19	1	-	-
Female.....	-	1	2	3	8	27	28	29	11	2	-	-
Black, both sexes.....	-	-	1	-	4	5	12	3	2	-	-	-
Male.....	-	-	1	-	1	1	3	-	-	-	-	-
Female.....	-	-	-	-	3	4	9	3	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Parkinson's disease (G20-G21)

New Hampshire

All races, both sexes.....	-	1	3	3	3	13	26	25	8	1	-	-
Male.....	-	-	2	2	2	9	16	10	5	-	-	-
Female.....	1	1	1	1	1	4	10	15	3	1	-	-
White, both sexes.....	-	1	3	3	3	13	26	25	8	1	-	-
Male.....	-	-	2	2	2	9	16	10	5	-	-	-
Female.....	1	1	1	1	1	4	10	15	3	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	1	3	5	15	48	111	150	135	44	13	-	-
Male.....	-	-	3	10	30	66	79	73	16	5	-	-
Female.....	1	3	2	5	18	45	71	62	28	8	-	-
White, both sexes.....	1	1	5	14	46	105	145	129	42	12	-	-
Male.....	-	-	3	9	29	64	76	71	16	5	-	-
Female.....	1	1	2	5	17	41	69	58	26	7	-	-
Black, both sexes.....	-	2	-	-	2	6	2	4	2	1	-	-
Male.....	-	-	-	-	1	2	2	1	-	-	-	-
Female.....	-	2	-	-	1	4	-	3	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	3	2	-	-	-	-
Male.....	-	-	-	1	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Parkinson's disease (G20-G21)

New Mexico

All races, both sexes.....	-	1	2	5	12	34	52	32	9	5	-	-
Male.....	-	-	2	4	7	25	34	12	4	2	-	-
Female.....	-	1	-	1	5	9	18	20	5	3	-	-
White, both sexes.....	-	1	1	5	11	33	50	29	9	5	-	-
Male.....	-	-	1	4	7	25	33	10	4	2	-	-
Female.....	-	1	-	1	4	8	17	19	5	3	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	1	1	3	-	-	-	-
Male.....	-	-	1	-	-	-	1	2	-	-	-	-
Female.....	-	-	-	-	1	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	1	5	2	15	76	149	205	167	99	12	1	-
Male.....	-	4	2	10	49	108	125	86	44	1	1	-
Female.....	1	1	-	5	27	41	80	81	55	11	-	-
White, both sexes.....	1	3	2	14	74	141	195	159	95	11	1	-
Male.....	-	2	2	10	48	101	118	78	42	1	1	-
Female.....	1	1	-	4	26	40	77	81	53	10	-	-
Black, both sexes.....	-	2	-	1	1	6	8	3	3	1	-	-
Male.....	-	2	-	-	-	5	5	3	2	-	-	-
Female.....	-	-	-	1	1	1	3	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	2	2	4	1	-	-	-
Male.....	-	-	-	-	1	2	2	4	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Parkinson's disease (G20-G21)

Texas

All races, both sexes.....	5	4	18	48	112	239	309	240	110	23	2	-
Male.....	3	2	13	34	66	150	189	110	46	7	1	-
Female.....	2	2	5	14	46	89	120	130	64	16	1	-
White, both sexes.....	5	4	16	46	108	226	299	225	107	22	1	-
Male.....	3	2	12	34	63	143	182	105	44	6	1	-
Female.....	2	2	4	12	45	83	117	120	63	16	-	-
Black, both sexes.....	-	-	2	2	4	9	9	12	2	1	1	-
Male.....	-	-	1	-	3	4	6	4	1	1	-	-
Female.....	-	-	1	2	1	5	3	8	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	3	-	3	1	-	-	-
Male.....	-	-	-	-	-	2	-	1	1	-	-	-
Female.....	-	-	-	-	-	1	-	2	-	-	-	-

Utah

All races, both sexes.....	-	2	4	6	23	34	50	42	21	2	-	-
Male.....	-	2	3	-	16	21	28	23	10	-	-	-
Female.....	-	-	1	6	7	13	22	19	11	2	-	-
White, both sexes.....	-	2	4	6	23	34	50	40	21	2	-	-
Male.....	-	2	3	-	16	21	28	22	10	-	-	-
Female.....	-	-	1	6	7	13	22	18	11	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Parkinson's disease (G20-G21)

Vermont

All races, both sexes.....	-	1	1	2	2	8	13	15	6	3	-	-
Male.....	-	1	-	1	2	6	5	12	2	3	-	-
Female.....	-	-	1	1	-	2	8	3	4	-	-	-
White, both sexes.....	-	1	1	2	2	8	13	15	6	3	-	-
Male.....	-	1	-	1	2	6	5	12	2	3	-	-
Female.....	-	-	1	1	-	2	8	3	4	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	-	5	4	9	46	79	116	92	45	10	1	-
Male.....	-	3	2	6	37	49	54	45	15	5	1	-
Female.....	-	2	2	3	9	30	62	47	30	5	-	-
White, both sexes.....	-	5	1	8	39	73	108	85	44	10	-	-
Male.....	-	3	-	5	31	45	49	40	15	5	-	-
Female.....	-	2	1	3	8	28	59	45	29	5	-	-
Black, both sexes.....	-	-	3	-	5	4	6	6	1	-	1	-
Male.....	-	-	2	-	4	3	4	4	-	-	1	-
Female.....	-	-	1	-	1	1	2	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	2	2	2	1	-	-	-	-
Male.....	-	-	-	1	2	1	1	1	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Alzheimer's disease (G30)												
United States												
All races, both sexes.....	57	152	402	979	2,857	7,348	13,809	17,368	13,774	5,704	975	-
Male.....	25	76	167	456	1,228	2,855	4,751	4,916	2,933	824	91	-
Female.....	32	76	235	523	1,629	4,493	9,058	12,452	10,841	4,880	884	-
White, both sexes.....	55	142	376	861	2,591	6,745	12,880	16,313	12,967	5,351	873	-
Male.....	24	72	152	405	1,117	2,637	4,431	4,643	2,755	757	81	-
Female.....	31	70	224	456	1,474	4,108	8,449	11,670	10,212	4,594	792	-
Black, both sexes.....	2	8	21	100	228	537	819	903	701	307	90	-
Male.....	1	3	14	45	99	204	279	234	149	50	8	-
Female.....	1	5	7	55	129	333	540	669	552	257	82	-
American Indian 1/, both sexes.....	-	1	-	6	9	15	26	34	22	6	3	-
Male.....	-	-	-	1	3	1	8	7	2	-	-	-
Female.....	-	1	-	5	6	14	18	27	20	6	3	-
Asian or Pacific Islander 2/, both sexes.....	-	1	5	12	29	51	84	118	84	40	9	-
Male.....	-	1	1	5	9	13	33	32	27	17	2	-
Female.....	-	-	4	7	20	38	51	86	57	23	7	-
Alabama												
All races, both sexes.....	1	3	11	19	77	188	293	340	225	98	13	-
Male.....	-	1	5	5	26	79	98	89	37	17	1	-
Female.....	1	2	6	14	51	109	195	251	188	81	12	-
White, both sexes.....	1	2	9	11	65	159	257	293	186	74	7	-
Male.....	-	1	4	3	24	70	86	77	28	13	1	-
Female.....	1	1	5	8	41	89	171	216	158	61	6	-
Black, both sexes.....	-	1	2	8	11	29	35	47	38	24	6	-
Male.....	-	-	1	2	2	9	11	12	9	4	-	-
Female.....	-	1	1	6	9	20	24	35	29	20	6	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Alzheimer's disease (G30)

Alaska

All races, both sexes.....	-	-	1	1	4	10	15	13	9	2	1	-
Male.....	-	-	1	-	-	3	7	-	1	-	-	-
Female.....	-	-	-	1	4	7	8	13	8	2	1	-
White, both sexes.....	-	-	1	1	1	9	14	13	7	2	1	-
Male.....	-	-	1	-	-	3	6	-	-	-	-	-
Female.....	-	-	-	1	1	6	8	13	7	2	1	-
Black, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	1	-	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	1	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	2	2	9	25	81	196	389	458	362	154	24	-
Male.....	1	1	4	14	37	75	140	143	87	29	2	-
Female.....	1	1	5	11	44	121	249	315	275	125	22	-
White, both sexes.....	2	2	9	23	79	186	382	446	357	149	23	-
Male.....	1	1	4	14	36	71	137	139	85	29	2	-
Female.....	1	1	5	9	43	115	245	307	272	120	21	-
Black, both sexes.....	-	-	-	1	2	7	4	10	4	5	-	-
Male.....	-	-	-	-	1	4	3	4	2	-	-	-
Female.....	-	-	-	1	1	3	1	6	2	5	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	1	3	1	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	3	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	2	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Alzheimer's disease (G30)

Arkansas

All races, both sexes.....	1	3	4	12	26	64	132	136	126	40	7	-
Male.....	1	1	3	6	17	32	53	45	29	5	-	-
Female.....	-	2	1	6	9	32	79	91	97	35	7	-
White, both sexes.....	1	3	4	10	25	59	117	124	118	35	4	-
Male.....	1	1	3	5	17	30	47	41	27	4	-	-
Female.....	-	2	1	5	8	29	70	83	91	31	4	-
Black, both sexes.....	-	-	-	2	1	5	15	12	8	5	3	-
Male.....	-	-	-	1	-	2	6	4	2	1	-	-
Female.....	-	-	-	1	1	3	9	8	6	4	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	11	10	33	82	268	697	1,467	1,824	1,462	619	108	-
Male.....	5	4	17	43	110	304	536	591	353	92	14	-
Female.....	6	6	16	39	158	393	931	1,233	1,109	527	94	-
White, both sexes.....	11	8	31	73	240	630	1,362	1,689	1,375	590	99	-
Male.....	5	3	16	36	102	280	493	556	326	83	13	-
Female.....	6	5	15	37	138	350	869	1,133	1,049	507	86	-
Black, both sexes.....	-	-	-	2	15	43	74	84	50	16	5	-
Male.....	-	-	-	2	6	16	28	21	14	1	-	-
Female.....	-	-	-	-	9	27	46	63	36	15	5	-
American Indian 1/, both sexes.....	-	1	-	1	1	2	1	5	3	1	-	-
Male.....	-	-	-	1	-	1	-	2	-	-	-	-
Female.....	-	1	-	-	1	1	1	3	3	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	6	12	22	30	46	34	12	4	-
Male.....	-	1	1	4	2	7	15	12	13	8	1	-
Female.....	-	-	1	2	10	15	15	34	21	4	3	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Alzheimer's disease (G30)

Florida

All races, both sexes.....	2	7	23	52	197	533	939	1,221	883	402	57	-
Male.....	1	3	12	24	89	227	331	388	234	73	3	-
Female.....	1	4	11	28	108	306	608	833	649	329	54	-
White, both sexes.....	1	6	21	42	182	496	890	1,169	853	385	51	-
Male.....	-	2	10	18	81	212	310	376	228	71	3	-
Female.....	1	4	11	24	101	284	580	793	625	314	48	-
Black, both sexes.....	1	1	2	10	14	35	48	51	29	17	6	-
Male.....	1	1	2	6	7	15	20	12	6	2	-	-
Female.....	-	-	-	4	7	20	28	39	23	15	6	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	2	-	-	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	1	-	-	-

Georgia

All races, both sexes.....	1	3	11	30	100	210	375	425	336	122	15	-
Male.....	-	1	-	13	48	67	104	86	71	13	3	-
Female.....	1	2	11	17	52	143	271	339	265	109	12	-
White, both sexes.....	1	3	10	27	82	179	319	371	290	101	11	-
Male.....	-	1	-	13	43	58	90	74	62	12	3	-
Female.....	1	2	10	14	39	121	229	297	228	89	8	-
Black, both sexes.....	-	-	1	3	17	30	56	52	45	21	4	-
Male.....	-	-	-	-	4	9	14	11	9	1	-	-
Female.....	-	-	1	3	13	21	42	41	36	20	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	2	1	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Alzheimer's disease (G30)

Hawaii

All races, both sexes.....	-	-	2	2	8	18	31	44	31	18	7	-
Male.....	-	-	1	-	6	8	11	17	10	7	1	-
Female.....	-	-	1	2	2	10	20	27	21	11	6	-
White, both sexes.....	-	-	1	-	3	6	9	16	11	2	1	-
Male.....	-	-	1	-	2	4	1	7	4	1	-	-
Female.....	-	-	-	-	1	2	8	9	7	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	2	5	12	22	28	20	16	5	-
Male.....	-	-	-	-	4	4	10	10	6	6	1	-
Female.....	-	-	1	2	1	8	12	18	14	10	4	-

Idaho

All races, both sexes.....	-	-	3	8	11	32	77	93	102	27	2	-
Male.....	-	-	-	5	3	16	27	22	27	2	-	-
Female.....	-	-	3	3	8	16	50	71	75	25	2	-
White, both sexes.....	-	-	3	8	11	32	77	93	101	26	2	-
Male.....	-	-	-	5	3	16	27	22	26	2	-	-
Female.....	-	-	3	3	8	16	50	71	75	24	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Alzheimer's disease (G30)

Illinois

All races, both sexes.....	4	7	20	33	94	315	548	717	611	229	45	-
Male.....	1	2	12	14	46	102	154	193	112	31	2	-
Female.....	3	5	8	19	48	213	394	524	499	198	43	-
White, both sexes.....	3	6	19	24	76	275	492	670	571	219	40	-
Male.....	1	2	11	10	41	87	145	184	104	29	2	-
Female.....	2	4	8	14	35	188	347	486	467	190	38	-
Black, both sexes.....	1	1	1	9	16	40	56	44	38	9	5	-
Male.....	-	-	1	4	5	15	9	8	8	2	-	-
Female.....	1	1	-	5	11	25	47	36	30	7	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	-	2	1	1	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	2	-	-	1	1	1	-	-

Indiana

All races, both sexes.....	-	1	8	20	82	191	335	401	314	134	28	-
Male.....	-	1	2	12	37	82	118	124	63	14	6	-
Female.....	-	-	6	8	45	109	217	277	251	120	22	-
White, both sexes.....	-	1	7	17	78	175	328	381	297	131	24	-
Male.....	-	1	2	12	35	74	115	113	58	14	6	-
Female.....	-	-	5	5	43	101	213	268	239	117	18	-
Black, both sexes.....	-	-	-	2	3	15	7	20	16	3	4	-
Male.....	-	-	-	-	2	8	3	11	5	-	-	-
Female.....	-	-	-	2	1	7	4	9	11	3	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	1	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Alzheimer's disease (G30)

Kentucky

All races, both sexes.....	-	2	8	19	34	128	260	290	235	76	20	-
Male.....	-	-	2	6	11	47	84	68	52	10	2	-
Female.....	-	2	6	13	23	81	176	222	183	66	18	-
White, both sexes.....	-	2	7	19	34	126	253	283	228	73	17	-
Male.....	-	-	2	6	11	47	82	67	50	9	2	-
Female.....	-	2	5	13	23	79	171	216	178	64	15	-
Black, both sexes.....	-	-	1	-	-	2	7	7	7	3	3	-
Male.....	-	-	-	-	-	-	2	1	2	1	-	-
Female.....	-	-	1	-	-	2	5	6	5	2	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	1	6	8	24	61	188	282	309	213	75	17	-
Male.....	-	4	2	15	24	71	100	84	52	15	1	-
Female.....	1	2	6	9	37	117	182	225	161	60	16	-
White, both sexes.....	1	6	7	21	50	161	231	262	175	59	14	-
Male.....	-	4	1	13	21	58	80	74	44	11	1	-
Female.....	1	2	6	8	29	103	151	188	131	48	13	-
Black, both sexes.....	-	-	1	3	10	27	51	46	38	16	3	-
Male.....	-	-	1	2	3	13	20	10	8	4	-	-
Female.....	-	-	-	1	7	14	31	36	30	12	3	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Alzheimer's disease (G30)

Maine

All races, both sexes.....	-	4	3	5	20	65	86	111	111	53	8	-
Male.....	-	3	2	3	6	25	28	44	23	10	3	-
Female.....	-	1	1	2	14	40	58	67	88	43	5	-
White, both sexes.....	-	4	3	5	19	63	85	109	111	53	8	-
Male.....	-	3	2	3	5	25	28	44	23	10	3	-
Female.....	-	1	1	2	14	38	57	65	88	43	5	-
Black, both sexes.....	-	-	-	-	1	1	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	-	5	8	16	42	105	200	244	155	74	15	-
Male.....	-	1	4	7	13	47	68	55	29	11	1	-
Female.....	-	4	4	9	29	58	132	189	126	63	14	-
White, both sexes.....	-	5	8	14	37	87	165	212	138	59	13	-
Male.....	-	1	4	6	11	42	58	50	24	6	-	-
Female.....	-	4	4	8	26	45	107	162	114	53	13	-
Black, both sexes.....	-	-	-	2	5	17	32	30	15	13	2	-
Male.....	-	-	-	1	2	5	7	5	4	5	1	-
Female.....	-	-	-	1	3	12	25	25	11	8	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	3	2	2	1	-	-
Male.....	-	-	-	-	-	-	3	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	2	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Alzheimer's disease (G30)

Massachusetts

All races, both sexes.....	3	7	10	15	63	171	307	445	385	176	26	-
Male.....	2	3	2	4	34	59	121	127	66	20	1	-
Female.....	1	4	8	11	29	112	186	318	319	156	25	-
White, both sexes.....	3	7	7	14	62	169	299	436	380	175	26	-
Male.....	2	3	1	4	34	58	117	125	66	20	1	-
Female.....	1	4	6	10	28	111	182	311	314	155	25	-
Black, both sexes.....	-	-	2	1	1	2	7	6	4	1	-	-
Male.....	-	-	1	-	-	1	4	1	-	-	-	-
Female.....	-	-	1	1	1	1	3	5	4	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	3	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	-	-	-	2	1	-	-	-

Michigan

All races, both sexes.....	7	10	9	38	104	262	465	551	446	206	33	-
Male.....	3	5	5	17	45	91	163	127	97	31	5	-
Female.....	4	5	4	21	59	171	302	424	349	175	28	-
White, both sexes.....	7	10	9	34	95	244	444	520	422	197	32	-
Male.....	3	5	5	15	39	83	154	118	91	28	5	-
Female.....	4	5	4	19	56	161	290	402	331	169	27	-
Black, both sexes.....	-	-	-	4	9	17	20	31	23	8	1	-
Male.....	-	-	-	2	6	8	9	9	6	3	-	-
Female.....	-	-	-	2	3	9	11	22	17	5	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Alzheimer's disease (G30)

Nebraska

All races, both sexes.....	2	2	2	11	22	46	85	112	125	47	7	-
Male.....	1	1	-	6	7	16	24	32	36	4	-	-
Female.....	1	1	2	5	15	30	61	80	89	43	7	-
White, both sexes.....	2	2	2	11	22	45	84	110	124	47	7	-
Male.....	1	1	-	6	7	15	24	32	36	4	-	-
Female.....	1	1	2	5	15	30	60	78	88	43	7	-
Black, both sexes.....	-	-	-	-	-	-	1	2	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	-	1	6	9	15	45	80	81	47	24	1	-
Male.....	-	1	6	3	5	18	32	22	13	6	1	-
Female.....	-	-	-	6	10	27	48	59	34	18	-	-
White, both sexes.....	-	1	5	7	14	41	75	79	42	24	-	-
Male.....	-	1	5	3	4	16	29	22	12	6	-	-
Female.....	-	-	-	4	10	25	46	57	30	18	-	-
Black, both sexes.....	-	-	1	2	1	3	5	1	5	-	1	-
Male.....	-	-	1	-	1	3	-	-	1	-	1	-
Female.....	-	-	-	2	-	2	2	1	4	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Alzheimer's disease (G30)

New Hampshire

All races, both sexes.....	-	-	5	6	13	26	59	66	77	32	2	-
Male.....	-	-	2	2	6	13	25	23	18	3	-	-
Female.....	-	-	3	4	7	13	34	43	59	29	2	-
White, both sexes.....	-	-	5	6	13	26	58	66	77	32	2	-
Male.....	-	-	2	2	6	13	24	23	18	3	-	-
Female.....	-	-	3	4	7	13	34	43	59	29	2	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	1	1	5	22	56	188	317	498	370	145	33	-
Male.....	-	1	2	10	23	74	103	129	67	17	3	-
Female.....	1	-	3	12	33	114	214	369	303	128	30	-
White, both sexes.....	1	1	5	22	50	176	302	479	349	140	30	-
Male.....	-	1	2	10	20	69	95	124	67	16	3	-
Female.....	1	-	3	12	30	107	207	355	282	124	27	-
Black, both sexes.....	-	-	-	-	6	12	14	15	20	5	3	-
Male.....	-	-	-	-	3	5	7	3	-	1	-	-
Female.....	-	-	-	-	3	7	7	12	20	4	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	4	1	-	-	-
Male.....	-	-	-	-	-	-	1	2	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Alzheimer's disease (G30)

New Mexico

All races, both sexes.....	-	-	2	10	19	41	84	93	79	29	3	-
Male.....	-	-	1	7	15	11	31	27	18	6	1	-
Female.....	-	-	1	3	4	30	53	66	61	23	2	-
White, both sexes.....	-	-	2	10	17	39	83	86	70	29	3	-
Male.....	-	-	1	7	13	11	30	26	16	6	1	-
Female.....	-	-	1	3	4	28	53	60	54	23	2	-
Black, both sexes.....	-	-	-	-	1	-	-	1	3	-	-	-
Male.....	-	-	-	-	1	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	2	1	6	6	-	-	-
Male.....	-	-	-	-	1	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	2	-	6	5	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	-	7	15	24	71	173	368	492	450	215	50	-
Male.....	-	2	5	12	31	61	134	124	99	29	3	-
Female.....	-	5	10	12	40	112	234	368	351	186	47	-
White, both sexes.....	-	6	15	24	65	161	341	468	428	202	47	-
Male.....	-	2	5	12	27	58	126	116	94	27	3	-
Female.....	-	4	10	12	38	103	215	352	334	175	44	-
Black, both sexes.....	-	1	-	-	6	11	23	18	19	12	3	-
Male.....	-	-	-	-	4	3	8	6	4	2	-	-
Female.....	-	1	-	-	2	8	15	12	15	10	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	4	5	3	1	-	-
Male.....	-	-	-	-	-	-	-	2	1	-	-	-
Female.....	-	-	-	-	-	1	4	3	2	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Alzheimer's disease (G30)

Ohio

All races, both sexes.....	2	4	13	47	138	378	650	800	598	241	30	-
Male.....	1	3	3	21	53	145	203	218	97	29	-	-
Female.....	1	1	10	26	85	233	447	582	501	212	30	-
White, both sexes.....	2	3	13	40	133	348	603	748	567	223	28	-
Male.....	1	3	3	18	50	133	188	202	87	29	-	-
Female.....	1	-	10	22	83	215	415	546	480	194	28	-
Black, both sexes.....	-	1	-	7	5	30	46	52	30	17	2	-
Male.....	-	-	-	3	3	12	15	16	10	-	-	-
Female.....	-	1	-	4	2	18	31	36	20	17	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	1	-	-

Oklahoma

All races, both sexes.....	-	3	7	22	46	96	199	199	162	54	6	-
Male.....	-	1	-	8	20	41	69	55	39	13	-	-
Female.....	-	2	7	14	26	55	130	144	123	41	6	-
White, both sexes.....	-	3	7	20	43	92	183	187	152	51	4	-
Male.....	-	1	-	8	18	40	61	52	39	11	-	-
Female.....	-	2	7	12	25	52	122	135	113	40	4	-
Black, both sexes.....	-	-	-	1	2	3	9	8	6	3	2	-
Male.....	-	-	-	-	2	1	6	1	-	2	-	-
Female.....	-	-	-	1	-	2	3	7	6	1	2	-
American Indian 1/, both sexes.....	-	-	-	1	1	1	7	4	3	-	-	-
Male.....	-	-	-	-	-	-	2	2	-	-	-	-
Female.....	-	-	-	1	1	1	5	2	3	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Alzheimer's disease (G30)

Oregon

All races, both sexes.....	1	1	5	18	41	121	246	355	254	98	16	-
Male.....	-	1	3	9	20	52	95	100	49	20	1	-
Female.....	1	-	2	9	21	69	151	255	205	78	15	-
White, both sexes.....	1	1	5	18	40	118	240	347	250	95	16	-
Male.....	-	1	3	9	20	52	95	100	49	18	1	-
Female.....	1	-	2	9	20	66	145	247	201	77	15	-
Black, both sexes.....	-	-	-	-	1	2	2	3	2	2	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	1	2	3	3	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	3	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	3	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	3	2	2	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	1	3	2	2	-	-	-

Pennsylvania

All races, both sexes.....	2	6	13	34	100	324	646	855	635	286	50	-
Male.....	-	2	9	15	43	120	226	243	116	32	3	-
Female.....	2	4	4	19	57	204	420	612	519	254	47	-
White, both sexes.....	2	6	12	31	95	310	622	825	610	279	45	-
Male.....	-	2	8	13	41	115	217	235	109	30	3	-
Female.....	2	4	4	18	54	195	405	590	501	249	42	-
Black, both sexes.....	-	-	1	3	5	14	23	29	24	7	5	-
Male.....	-	-	1	2	2	5	9	8	7	2	-	-
Female.....	-	-	-	1	3	9	14	21	17	5	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Alzheimer's disease (G30)

South Dakota

All races, both sexes.....	2	-	-	2	10	23	22	40	45	25	5	-
Male.....	1	-	-	1	4	10	5	11	8	1	1	-
Female.....	1	-	-	1	6	13	17	29	37	24	4	-
White, both sexes.....	2	-	-	2	10	23	22	40	44	25	5	-
Male.....	1	-	-	1	4	10	5	11	8	1	1	-
Female.....	1	-	-	1	6	13	17	29	36	24	4	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	2	2	9	29	74	180	342	420	290	100	16	-
Male.....	-	2	3	17	30	64	114	101	44	9	-	-
Female.....	2	-	6	12	44	116	228	319	246	91	16	-
White, both sexes.....	2	2	9	26	67	164	321	386	263	87	12	-
Male.....	-	2	3	15	27	60	107	92	41	9	-	-
Female.....	2	-	6	11	40	104	214	294	222	78	12	-
Black, both sexes.....	-	-	-	3	7	16	20	33	27	13	4	-
Male.....	-	-	-	2	3	4	7	9	3	-	-	-
Female.....	-	-	-	1	4	12	13	24	24	13	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Alzheimer's disease (G30)

Texas

All races, both sexes.....	2	13	23	59	211	514	897	1,057	847	344	44	-
Male.....	1	5	11	32	92	185	316	310	183	53	4	-
Female.....	1	8	12	27	119	329	581	747	664	291	40	-
White, both sexes.....	2	12	20	55	201	471	835	982	793	316	40	-
Male.....	1	4	8	32	88	173	297	288	171	49	3	-
Female.....	1	8	12	23	113	298	538	694	622	267	37	-
Black, both sexes.....	-	1	3	4	9	42	57	70	52	27	4	-
Male.....	-	1	3	-	4	12	18	21	10	4	1	-
Female.....	-	-	-	4	5	30	39	49	42	23	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	5	5	2	1	-	-
Male.....	-	-	-	-	-	-	1	1	2	-	-	-
Female.....	-	-	-	-	1	1	4	4	-	1	-	-

Utah

All races, both sexes.....	1	-	3	10	22	44	87	84	57	22	2	-
Male.....	1	-	1	4	9	15	38	27	17	5	-	-
Female.....	-	-	2	6	13	29	49	57	40	17	2	-
White, both sexes.....	1	-	3	10	22	44	87	82	57	22	2	-
Male.....	1	-	1	4	9	15	38	27	17	5	-	-
Female.....	-	-	2	6	13	29	49	55	40	17	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Alzheimer's disease (G30)

Vermont

All races, both sexes.....	-	-	1	6	6	15	38	46	41	14	4	-
Male.....	-	-	-	-	1	7	12	12	10	1	1	-
Female.....	-	-	1	6	5	8	26	34	31	13	3	-
White, both sexes.....	-	-	1	6	6	15	38	46	41	14	4	-
Male.....	-	-	-	-	1	7	12	12	10	1	1	-
Female.....	-	-	1	6	5	8	26	34	31	13	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	-	4	12	27	62	176	340	428	287	107	22	-
Male.....	-	2	4	12	25	75	112	105	62	16	2	-
Female.....	-	2	8	15	37	101	228	323	225	91	20	-
White, both sexes.....	-	4	12	25	51	150	299	387	251	93	19	-
Male.....	-	2	4	11	20	63	97	93	53	14	1	-
Female.....	-	2	8	14	31	87	202	294	198	79	18	-
Black, both sexes.....	-	-	-	2	11	25	39	41	35	14	3	-
Male.....	-	-	-	1	5	12	15	12	9	2	1	-
Female.....	-	-	-	1	6	13	24	29	26	12	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	2	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	2	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Alzheimer's disease (G30)

Wisconsin

All races, both sexes.....	-	5	14	16	52	128	263	386	364	153	30	-
Male.....	-	2	7	4	27	53	99	111	77	18	3	-
Female.....	-	3	7	12	25	75	164	275	287	135	27	-
White, both sexes.....	-	5	14	15	49	123	255	379	357	152	30	-
Male.....	-	2	7	3	26	51	96	108	76	18	3	-
Female.....	-	3	7	12	23	72	159	271	281	134	27	-
Black, both sexes.....	-	-	-	1	3	5	5	6	6	1	-	-
Male.....	-	-	-	1	1	2	2	3	1	-	-	-
Female.....	-	-	-	-	2	3	3	3	5	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	2	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	-	-	-

Wyoming

All races, both sexes.....	-	-	1	4	5	14	27	37	39	12	3	-
Male.....	-	-	-	2	1	3	12	9	10	2	-	-
Female.....	-	-	1	2	4	11	15	28	29	10	3	-
White, both sexes.....	-	-	1	4	5	14	25	36	39	12	3	-
Male.....	-	-	-	2	1	3	12	9	10	2	-	-
Female.....	-	-	1	2	4	11	13	27	29	10	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Epilepsy (G40-G41)												
Arkansas												
All races, both sexes.....	18	-	1	1	-	-	-	-	1	1	3	1
Male.....	10	-	-	1	-	-	-	-	-	-	2	1
Female.....	8	-	1	-	-	-	-	-	1	1	1	-
White, both sexes.....	11	-	1	-	-	-	-	-	-	1	2	1
Male.....	5	-	-	-	-	-	-	-	-	-	1	1
Female.....	6	-	1	-	-	-	-	-	-	1	1	-
Black, both sexes.....	7	-	-	1	-	-	-	-	1	-	1	-
Male.....	5	-	-	1	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	183	1	2	1	8	3	14	11	16	14	29	20
Male.....	105	1	1	1	6	3	8	8	9	8	18	9
Female.....	78	-	1	-	2	-	6	3	7	6	11	11
White, both sexes.....	136	1	-	1	7	3	11	10	9	13	23	13
Male.....	77	1	-	1	6	3	6	7	3	8	14	6
Female.....	59	-	-	-	1	-	5	3	6	5	9	7
Black, both sexes.....	37	-	-	-	1	-	2	1	4	1	5	7
Male.....	22	-	-	-	-	-	2	1	3	-	3	3
Female.....	15	-	-	-	1	-	-	-	1	1	2	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	2	-	-	-	1	-	3	-	1	-
Male.....	6	-	1	-	-	-	-	-	3	-	1	-
Female.....	4	-	1	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Epilepsy (G40-G41)												
Arkansas												
All races, both sexes.....	1	2	2	-	3	1	1	-	-	-	-	-
Male.....	-	2	1	-	1	1	1	-	-	-	-	-
Female.....	1	-	1	-	2	-	-	-	-	-	-	-
White, both sexes.....	1	1	1	-	1	1	1	-	-	-	-	-
Male.....	-	1	-	-	-	1	1	-	-	-	-	-
Female.....	1	-	1	-	1	-	-	-	-	-	-	-
Black, both sexes.....	-	1	1	-	2	-	-	-	-	-	-	-
Male.....	-	1	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	20	9	9	5	7	4	6	1	2	1	-	-
Male.....	10	5	4	2	2	2	6	1	1	-	-	-
Female.....	10	4	5	3	5	2	-	-	1	1	-	-
White, both sexes.....	18	5	5	3	4	2	4	1	2	1	-	-
Male.....	9	3	3	-	-	1	4	1	1	-	-	-
Female.....	9	2	2	3	4	1	-	-	1	1	-	-
Black, both sexes.....	2	4	4	2	2	1	1	-	-	-	-	-
Male.....	1	2	1	2	2	1	1	-	-	-	-	-
Female.....	1	2	3	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Epilepsy (G40-G41)

New Mexico

All races, both sexes.....	1	-	1	-	1	-	2	-	-	-	-	-
Male.....	1	-	1	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	1	-	1	-	1	-	1	-	-	-	-	-
Male.....	1	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	8	3	5	4	4	4	7	2	3	1	-	-
Male.....	3	1	2	2	2	2	2	2	-	-	-	-
Female.....	5	2	3	2	2	2	5	-	3	1	-	-
White, both sexes.....	6	2	4	3	2	3	5	2	3	1	-	-
Male.....	1	1	2	2	2	1	1	2	-	-	-	-
Female.....	5	1	2	1	-	2	4	-	3	1	-	-
Black, both sexes.....	2	1	1	1	1	1	2	-	-	-	-	-
Male.....	2	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	1	1	1	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Infantile cerebral palsy (G80)												
Arkansas												
All races, both sexes.....	16	-	-	-	1	2	1	2	1	2	1	2
Male.....	10	-	-	-	-	-	1	1	1	2	1	1
Female.....	6	-	-	-	1	2	-	1	-	-	-	1
White, both sexes.....	9	-	-	-	-	1	1	1	-	1	-	1
Male.....	6	-	-	-	-	-	1	-	-	1	-	1
Female.....	3	-	-	-	-	1	-	1	-	-	-	-
Black, both sexes.....	7	-	-	-	1	1	-	1	1	1	1	1
Male.....	4	-	-	-	-	-	-	1	1	1	1	-
Female.....	3	-	-	-	1	1	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	159	-	12	20	20	17	19	14	12	8	8	9
Male.....	81	-	8	13	10	8	9	6	6	3	5	5
Female.....	78	-	4	7	10	9	10	8	6	5	3	4
White, both sexes.....	132	-	10	18	17	12	13	12	11	6	7	7
Male.....	69	-	7	13	8	7	5	5	6	2	4	4
Female.....	63	-	3	5	9	5	8	7	5	4	3	3
Black, both sexes.....	20	-	2	1	2	3	5	2	1	2	-	1
Male.....	9	-	1	-	2	-	3	1	-	1	-	1
Female.....	11	-	1	1	-	3	2	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	1	1	2	1	-	-	-	1	1
Male.....	3	-	-	-	-	1	1	-	-	-	1	-
Female.....	4	-	-	1	1	1	-	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Infantile cerebral palsy (G80)

New Hampshire

All races, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	3	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	32	1	1	-	3	1	6	3	1	1	2	2
Male.....	17	-	1	-	1	-	4	1	1	1	-	1
Female.....	15	1	-	-	2	1	2	2	-	-	2	1
White, both sexes.....	20	1	1	-	1	-	3	2	-	-	2	1
Male.....	9	-	1	-	1	-	2	-	-	-	-	-
Female.....	11	1	-	-	-	-	1	2	-	-	2	1
Black, both sexes.....	10	-	-	-	1	1	2	1	1	1	-	1
Male.....	7	-	-	-	-	-	1	1	1	1	-	1
Female.....	3	-	-	-	1	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

Arkansas

All races, both sexes.....	194	3	2	1	2	1	5	3	3	3	9	16
Male.....	111	2	2	1	2	-	4	2	3	2	5	8
Female.....	83	1	-	-	-	1	1	1	-	1	4	8
White, both sexes.....	166	2	1	1	2	1	4	3	2	3	8	11
Male.....	95	2	1	1	2	-	4	2	2	2	5	5
Female.....	71	-	-	-	-	1	-	1	-	1	3	6
Black, both sexes.....	25	1	-	-	-	-	1	-	-	-	1	5
Male.....	13	-	-	-	-	-	-	-	-	-	-	3
Female.....	12	1	-	-	-	-	1	-	-	-	1	2
American Indian 1/, both sexes.....	3	-	1	-	-	-	-	-	1	-	-	-
Male.....	3	-	1	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1,487	29	15	9	14	24	22	15	18	28	50	70
Male.....	811	18	6	4	11	19	13	10	11	19	31	40
Female.....	676	11	9	5	3	5	9	5	7	9	19	30
White, both sexes.....	1,304	19	12	7	8	21	15	15	13	23	41	62
Male.....	704	13	5	3	5	16	9	10	7	16	27	36
Female.....	600	6	7	4	3	5	6	5	6	7	14	26
Black, both sexes.....	81	5	3	-	3	2	1	-	4	3	6	5
Male.....	41	2	1	-	3	2	1	-	3	2	2	3
Female.....	40	3	2	-	-	-	-	-	1	1	4	2
American Indian 1/, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	96	5	-	2	3	1	6	-	1	2	3	3
Male.....	62	3	-	1	3	1	3	-	1	1	2	1
Female.....	34	2	-	1	-	-	3	-	-	1	1	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

Nebraska

All races, both sexes.....	140	1	-	-	-	-	1	-	2	4	4	8
Male.....	73	1	-	-	-	-	1	-	1	1	4	5
Female.....	67	-	-	-	-	-	-	-	1	3	-	3
White, both sexes.....	127	1	-	-	-	-	1	-	2	4	2	7
Male.....	65	1	-	-	-	-	1	-	1	1	2	4
Female.....	62	-	-	-	-	-	-	-	1	3	-	3
Black, both sexes.....	12	-	-	-	-	-	-	-	-	-	2	-
Male.....	7	-	-	-	-	-	-	-	-	-	2	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	158	6	1	-	-	2	2	1	1	3	6	8
Male.....	93	5	1	-	-	1	2	1	-	-	3	7
Female.....	65	1	-	-	-	1	-	-	1	3	3	1
White, both sexes.....	138	4	1	-	-	1	2	1	1	2	5	7
Male.....	83	3	1	-	-	1	2	1	-	-	2	6
Female.....	55	1	-	-	-	-	-	-	1	2	3	1
Black, both sexes.....	9	1	-	-	-	-	-	-	-	1	1	-
Male.....	5	1	-	-	-	-	-	-	-	-	1	-
Female.....	4	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	1	-	-	-	1	-	-	-	-	-	1
Male.....	5	1	-	-	-	-	-	-	-	-	-	1
Female.....	6	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

New Mexico

All races, both sexes.....	122	-	1	1	-	2	1	1	2	3	3	1
Male.....	68	-	1	-	-	1	-	1	2	2	1	-
Female.....	54	-	-	1	-	1	1	-	-	1	2	1
White, both sexes.....	115	-	1	1	-	2	1	1	2	2	1	1
Male.....	64	-	1	-	-	1	-	1	2	2	-	-
Female.....	51	-	-	1	-	1	1	-	-	-	1	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	-	1	1	-
Male.....	3	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	917	15	8	3	4	14	10	11	9	21	42	44
Male.....	474	9	5	2	3	11	6	8	7	14	21	32
Female.....	443	6	3	1	1	3	4	3	2	7	21	12
White, both sexes.....	783	8	4	1	3	12	8	10	7	18	36	35
Male.....	408	5	2	1	3	10	6	7	5	11	19	26
Female.....	375	3	2	-	-	2	2	3	2	7	17	9
Black, both sexes.....	109	6	3	1	1	1	1	1	2	2	6	6
Male.....	53	4	3	-	-	1	-	1	2	2	2	5
Female.....	56	2	-	1	1	-	1	-	-	-	4	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	24	1	1	1	-	1	1	-	-	1	-	3
Male.....	12	-	-	1	-	-	-	-	-	1	-	1
Female.....	12	1	1	-	-	1	1	-	-	-	-	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

Alaska

All races, both sexes.....	4	1	5	1	7	4	-	-	-	1	-	-
Male.....	3	-	4	1	6	1	-	-	-	1	-	-
Female.....	1	1	1	-	1	3	-	-	-	-	-	-
White, both sexes.....	3	1	3	1	4	4	-	-	-	-	-	-
Male.....	3	-	2	1	3	1	-	-	-	-	-	-
Female.....	-	1	1	-	1	3	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	-	2	-	-	-	-	-	-	-
Male.....	-	-	2	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	15	23	30	40	36	41	37	21	10	1	1	-
Male.....	6	13	16	17	21	22	17	7	2	1	-	-
Female.....	9	10	14	23	15	19	20	14	8	-	1	-
White, both sexes.....	14	23	28	37	33	39	37	20	9	1	1	-
Male.....	5	13	15	16	20	20	17	7	2	1	-	-
Female.....	9	10	13	21	13	19	20	13	7	-	1	-
Black, both sexes.....	-	-	1	2	-	1	-	-	-	-	-	-
Male.....	-	-	1	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	2	1	-	1	-	-	-	-
Male.....	1	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

Arkansas

All races, both sexes.....	12	12	20	19	14	26	25	12	5	1	-	-
Male.....	7	7	10	10	11	14	13	5	3	-	-	-
Female.....	5	5	10	9	3	12	12	7	2	1	-	-
White, both sexes.....	11	11	16	17	12	21	23	11	5	1	-	-
Male.....	6	6	7	8	9	13	12	5	3	-	-	-
Female.....	5	5	9	9	3	8	11	6	2	1	-	-
Black, both sexes.....	1	1	4	1	2	5	2	1	-	-	-	-
Male.....	1	1	3	1	2	1	1	-	-	-	-	-
Female.....	-	-	1	-	-	4	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	86	110	119	148	171	187	204	91	60	15	2	-
Male.....	54	67	67	78	89	96	104	48	22	4	-	-
Female.....	32	43	52	70	82	91	100	43	38	11	2	-
White, both sexes.....	76	100	108	132	153	169	178	86	49	15	2	-
Male.....	49	58	58	69	81	89	86	46	17	4	-	-
Female.....	27	42	50	63	72	80	92	40	32	11	2	-
Black, both sexes.....	6	1	1	7	8	5	12	3	6	-	-	-
Male.....	3	1	1	3	2	3	8	1	-	-	-	-
Female.....	3	-	-	4	6	2	4	2	6	-	-	-
American Indian 1/, both sexes.....	-	-	2	-	1	-	2	-	1	-	-	-
Male.....	-	-	2	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	9	8	9	9	13	12	2	4	-	-	-
Male.....	2	8	6	6	6	4	9	1	4	-	-	-
Female.....	2	1	2	3	3	9	3	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

Iowa

All races, both sexes.....	6	20	18	18	30	35	29	19	11	6	-	-
Male.....	3	12	9	11	16	21	16	8	6	3	-	-
Female.....	3	8	9	7	14	14	13	11	5	3	-	-
White, both sexes.....	6	18	18	18	30	35	29	19	11	6	-	-
Male.....	3	12	9	11	16	21	16	8	6	3	-	-
Female.....	3	6	9	7	14	14	13	11	5	3	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	16	6	20	24	30	37	28	30	16	5	-	-
Male.....	10	4	13	11	14	14	15	11	3	2	-	-
Female.....	6	2	7	13	16	23	13	19	13	3	-	-
White, both sexes.....	15	5	20	22	27	33	28	28	15	5	-	-
Male.....	9	3	13	10	13	12	15	9	3	2	-	-
Female.....	6	2	7	12	14	21	13	19	12	3	-	-
Black, both sexes.....	1	-	-	2	3	3	-	2	-	-	-	-
Male.....	1	-	-	1	1	2	-	2	-	-	-	-
Female.....	-	-	-	1	2	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

Maine

All races, both sexes.....	6	4	9	13	15	17	14	7	6	-	-	-
Male.....	2	3	6	8	9	6	6	5	1	-	-	-
Female.....	4	1	3	5	6	11	8	2	5	-	-	-
White, both sexes.....	5	4	9	13	15	17	14	7	6	-	-	-
Male.....	2	3	6	8	9	6	6	5	1	-	-	-
Female.....	3	1	3	5	6	11	8	2	5	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	35	26	33	40	53	57	51	31	10	1	2	-
Male.....	22	12	25	20	28	27	22	16	2	-	-	-
Female.....	13	14	8	20	25	30	29	15	8	1	2	-
White, both sexes.....	20	16	24	28	41	48	45	30	7	1	2	-
Male.....	14	8	20	15	25	23	21	15	2	-	-	-
Female.....	6	8	4	13	16	25	24	15	5	1	2	-
Black, both sexes.....	15	10	8	12	10	9	6	1	3	-	-	-
Male.....	8	4	5	5	3	4	1	1	-	-	-	-
Female.....	7	6	3	7	7	5	5	-	3	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

Massachusetts

All races, both sexes.....	40	42	42	43	74	72	59	61	22	4	-	-
Male.....	23	29	22	24	38	35	28	28	5	1	-	-
Female.....	17	13	20	19	36	37	31	33	17	3	-	-
White, both sexes.....	37	41	38	42	70	69	53	58	20	3	-	-
Male.....	22	29	21	24	36	33	23	26	4	1	-	-
Female.....	15	12	17	18	34	36	30	32	16	2	-	-
Black, both sexes.....	3	1	3	1	3	3	4	2	1	1	-	-
Male.....	1	-	1	-	1	2	3	2	-	-	-	-
Female.....	2	1	2	1	2	1	1	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	1	-	1	1	1	-	-	-
Male.....	-	-	-	-	1	-	1	-	1	-	-	-
Female.....	-	-	1	-	-	-	-	1	-	-	-	-

Michigan

All races, both sexes.....	60	49	71	73	118	110	92	59	27	7	3	-
Male.....	40	33	37	40	50	45	42	26	10	1	1	-
Female.....	20	16	34	33	68	65	50	33	17	6	2	-
White, both sexes.....	49	39	58	67	102	98	83	54	27	5	2	-
Male.....	32	25	30	35	44	39	38	23	10	1	1	-
Female.....	17	14	28	32	58	59	45	31	17	4	1	-
Black, both sexes.....	10	10	12	5	15	10	8	5	-	2	1	-
Male.....	7	8	7	4	6	5	3	3	-	-	-	-
Female.....	3	2	5	1	9	5	5	2	-	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	1	1	2	1	-	-	-	-	-
Male.....	1	-	-	1	-	1	1	-	-	-	-	-
Female.....	-	-	1	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

Nebraska

All races, both sexes.....	10	13	15	8	22	22	15	12	2	1	-	-
Male.....	5	6	9	5	9	13	6	4	2	1	-	-
Female.....	5	7	6	3	13	9	9	8	-	-	-	-
White, both sexes.....	9	12	11	8	20	21	15	11	2	1	-	-
Male.....	5	5	7	5	8	12	6	4	2	1	-	-
Female.....	4	7	4	3	12	9	9	7	-	-	-	-
Black, both sexes.....	1	1	4	-	2	1	-	1	-	-	-	-
Male.....	-	1	2	-	1	1	-	-	-	-	-	-
Female.....	1	-	2	-	1	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	7	18	15	15	19	22	15	13	4	-	-	-
Male.....	2	11	8	10	13	12	10	7	-	-	-	-
Female.....	5	7	7	5	6	10	5	6	4	-	-	-
White, both sexes.....	6	15	13	14	19	17	15	11	4	-	-	-
Male.....	2	9	6	10	13	11	10	6	-	-	-	-
Female.....	4	6	7	4	6	6	5	5	4	-	-	-
Black, both sexes.....	1	1	1	-	-	2	-	1	-	-	-	-
Male.....	-	1	1	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	1	-	3	-	1	-	-	-	-
Male.....	-	1	1	-	-	-	-	1	-	-	-	-
Female.....	-	1	-	1	-	3	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

New Hampshire

All races, both sexes.....	7	6	8	10	9	19	10	7	4	-	-	-
Male.....	3	4	4	3	8	13	4	4	2	-	-	-
Female.....	4	2	4	7	1	6	6	3	2	-	-	-
White, both sexes.....	7	6	8	10	9	19	10	7	4	-	-	-
Male.....	3	4	4	3	8	13	4	4	2	-	-	-
Female.....	4	2	4	7	1	6	6	3	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	22	33	59	56	61	84	72	45	19	3	-	-
Male.....	11	21	34	31	34	37	33	19	6	-	-	-
Female.....	11	12	25	25	27	47	39	26	13	3	-	-
White, both sexes.....	17	26	46	40	55	80	68	39	18	3	-	-
Male.....	9	17	29	21	30	36	31	16	6	-	-	-
Female.....	8	9	17	19	25	44	37	23	12	3	-	-
Black, both sexes.....	5	7	10	16	6	2	4	5	1	-	-	-
Male.....	2	4	4	10	4	-	2	2	-	-	-	-
Female.....	3	3	6	6	2	2	2	3	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	3	-	-	2	-	1	-	-	-	-
Male.....	-	-	1	-	-	1	-	1	-	-	-	-
Female.....	-	-	2	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

New Mexico

All races, both sexes.....	6	10	11	12	18	18	12	10	8	2	-	-
Male.....	2	3	8	9	12	11	3	6	4	2	-	-
Female.....	4	7	3	3	6	7	9	4	4	-	-	-
White, both sexes.....	5	9	10	12	18	17	12	10	8	2	-	-
Male.....	1	2	8	9	12	10	3	6	4	2	-	-
Female.....	4	7	2	3	6	7	9	4	4	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	59	76	75	90	105	133	86	73	30	6	3	-
Male.....	38	43	48	46	47	57	35	24	13	4	1	-
Female.....	21	33	27	44	58	76	51	49	17	2	2	-
White, both sexes.....	43	64	60	80	90	124	76	65	30	6	3	-
Male.....	29	38	41	39	41	54	32	21	13	4	1	-
Female.....	14	26	19	41	49	70	44	44	17	2	2	-
Black, both sexes.....	15	10	10	9	13	6	10	6	-	-	-	-
Male.....	8	5	3	6	5	1	3	2	-	-	-	-
Female.....	7	5	7	3	8	5	7	4	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	4	1	2	3	-	2	-	-	-	-
Male.....	1	-	3	1	1	2	-	1	-	-	-	-
Female.....	-	2	1	-	1	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

Oregon

All races, both sexes.....	21	29	34	33	31	44	42	23	15	2	-	-
Male.....	13	12	12	17	17	24	25	10	5	2	-	-
Female.....	8	17	22	16	14	20	17	13	10	-	-	-
White, both sexes.....	19	29	34	31	30	43	41	23	15	2	-	-
Male.....	12	12	12	16	16	23	25	10	5	2	-	-
Female.....	7	17	22	15	14	20	16	13	10	-	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	1	-	-	-	-	-	-
Male.....	-	-	-	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	54	75	97	103	137	177	175	110	44	14	2	-
Male.....	37	39	48	49	79	92	86	47	18	3	-	-
Female.....	17	36	49	54	58	85	89	63	26	11	2	-
White, both sexes.....	46	62	83	88	120	167	163	98	43	14	1	-
Male.....	33	33	42	43	72	88	81	43	18	3	-	-
Female.....	13	29	41	45	48	79	82	55	25	11	1	-
Black, both sexes.....	7	13	13	14	14	9	11	9	1	-	1	-
Male.....	4	6	6	6	6	4	5	2	-	-	-	-
Female.....	3	7	7	8	8	5	6	7	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	3	1	1	3	-	-	-	-
Male.....	-	-	-	-	1	-	-	2	-	-	-	-
Female.....	1	-	1	-	2	1	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

Rhode Island

All races, both sexes.....	7	2	4	11	10	11	13	7	3	1	1	-
Male.....	5	-	2	6	7	8	8	3	1	-	1	-
Female.....	2	2	2	5	3	3	5	4	2	1	-	-
White, both sexes.....	7	2	4	11	10	11	12	7	3	1	1	-
Male.....	5	-	2	6	7	8	7	3	1	-	1	-
Female.....	2	2	2	5	3	3	5	4	2	1	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	23	27	38	38	35	47	27	22	6	2	-	-
Male.....	13	20	23	21	18	18	17	9	4	1	-	-
Female.....	10	7	15	17	17	29	10	13	2	1	-	-
White, both sexes.....	16	15	29	28	27	36	20	18	5	1	-	-
Male.....	12	12	19	14	14	14	13	9	3	-	-	-
Female.....	4	3	10	14	13	22	7	9	2	1	-	-
Black, both sexes.....	7	11	9	10	7	11	7	4	1	1	-	-
Male.....	1	7	4	7	4	4	4	-	1	1	-	-
Female.....	6	4	5	3	3	7	3	4	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

South Dakota

All races, both sexes.....	2	6	5	9	4	15	8	7	1	1	-	-
Male.....	1	5	1	4	2	7	3	5	-	-	-	-
Female.....	1	1	4	5	2	8	5	2	1	1	-	-
White, both sexes.....	2	6	5	9	3	12	8	7	1	1	-	-
Male.....	1	5	1	4	1	7	3	5	-	-	-	-
Female.....	1	1	4	5	2	5	5	2	1	1	-	-
Black, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	2	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	29	35	28	55	59	55	47	26	7	1	-	-
Male.....	15	17	17	28	30	34	24	9	1	1	-	-
Female.....	14	18	11	27	29	21	23	17	6	-	-	-
White, both sexes.....	22	27	25	45	53	50	45	24	7	1	-	-
Male.....	14	15	15	23	29	31	24	9	1	1	-	-
Female.....	8	12	10	22	24	19	21	15	6	-	-	-
Black, both sexes.....	6	8	3	9	4	5	2	2	-	-	-	-
Male.....	-	2	2	4	1	3	-	-	-	-	-	-
Female.....	6	6	1	5	3	2	2	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	2	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	2	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

Vermont

All races, both sexes.....	1	7	4	7	3	8	7	1	-	-	-	-
Male.....	-	4	3	4	2	6	4	-	-	-	-	-
Female.....	1	3	1	3	1	2	3	1	-	-	-	-
White, both sexes.....	1	7	4	7	3	8	7	1	-	-	-	-
Male.....	-	4	3	4	2	6	4	-	-	-	-	-
Female.....	1	3	1	3	1	2	3	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	27	49	56	61	66	62	59	37	14	5	-	-
Male.....	15	31	25	41	32	33	25	15	5	-	-	-
Female.....	12	18	31	20	34	29	34	22	9	5	-	-
White, both sexes.....	20	40	44	43	52	55	53	31	12	5	-	-
Male.....	13	25	19	30	27	27	22	13	4	-	-	-
Female.....	7	15	25	13	25	28	31	18	8	5	-	-
Black, both sexes.....	6	9	11	17	13	6	6	6	2	-	-	-
Male.....	2	6	6	10	5	5	3	2	1	-	-	-
Female.....	4	3	5	7	8	1	3	4	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	1	1	1	-	-	-	-	-	-
Male.....	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	1	-	1	-	1	-	-	-	-	-	-	-

