

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Postmenopausal osteoporosis (M81.0)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Unspecified renal failure (N19)															
All ages.....	17,673	8,507	9,166	14,783	7,152	7,631	2,638	1,226	1,412	91	49	42	161	80	81
Under 1 year.....	135	77	58	89	54	35	45	22	23	1	1	-	-	-	-
1-4 years.....	4	1	3	3	1	2	1	-	1	-	-	-	-	-	-
5-9 years.....	5	2	3	5	2	3	-	-	-	-	-	-	-	-	-
10-14 years.....	4	3	1	4	3	1	-	-	-	-	-	-	-	-	-
15-19 years.....	9	6	3	6	5	1	3	1	2	-	-	-	-	-	-
20-24 years.....	18	10	8	9	5	4	8	5	3	1	-	1	-	-	-
25-29 years.....	32	18	14	21	14	7	10	4	6	-	-	-	1	-	1
30-34 years.....	60	34	26	34	18	16	26	16	10	-	-	-	-	-	-
35-39 years.....	91	45	46	52	25	27	37	20	17	1	-	1	1	-	1
40-44 years.....	167	102	65	103	69	34	60	29	31	3	3	-	1	1	-
45-49 years.....	260	155	105	169	105	64	78	42	36	8	3	5	5	5	-
50-54 years.....	380	232	148	233	141	92	137	86	51	3	3	-	7	2	5
55-59 years.....	536	319	217	374	214	160	155	100	55	3	2	1	4	3	1
60-64 years.....	755	420	335	545	301	244	195	112	83	7	4	3	8	3	5
65-69 years.....	1,061	576	485	787	436	351	253	132	121	7	3	4	14	5	9
70-74 years.....	1,648	881	767	1,318	713	605	297	154	143	9	3	6	24	11	13
75-79 years.....	2,544	1,296	1,248	2,179	1,147	1,032	320	129	191	13	9	4	32	11	21
80-84 years.....	3,297	1,668	1,629	2,911	1,494	1,417	355	155	200	10	6	4	21	13	8
85-89 years.....	3,350	1,474	1,876	3,009	1,359	1,650	314	99	215	13	8	5	14	8	6
90-94 years.....	2,281	883	1,398	2,030	784	1,246	222	83	139	10	3	7	19	13	6
95-99 years.....	857	256	601	753	222	531	95	28	67	2	1	1	7	5	2
100 years & over.	177	47	130	148	39	109	26	8	18	-	-	-	3	-	3
Age not stated...	2	2	-	1	1	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female		
										Male	Female				
Hyperplasia of prostate (N40)															
All ages.....	477	477	...	438	438	...	32	32	...	2	2	...	5	5	...
Under 1 year.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
60-64 years.....	10	10	...	8	8	...	2	2	...	-	-	...	-	-	...
65-69 years.....	15	15	...	10	10	...	4	4	...	-	-	...	1	1	...
70-74 years.....	35	35	...	34	34	...	1	1	...	-	-	...	-	-	...
75-79 years.....	58	58	...	52	52	...	6	6	...	-	-	...	-	-	...
80-84 years.....	107	107	...	98	98	...	5	5	...	-	-	...	4	4	...
85-89 years.....	112	112	...	105	105	...	7	7	...	-	-	...	-	-	...
90-94 years.....	96	96	...	92	92	...	3	3	...	1	1	...	-	-	...
95-99 years.....	38	38	...	36	36	...	1	1	...	1	1	...	-	-	...
100 years & over.	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Inflammatory diseases of prostate (N41)															
All ages.....	28	28	...	22	22	...	4	4	...	-	-	...	2	2	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	3	3	...	2	2	...	-	-	...	-	-	...	1	1	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	4	4	...	4	4	...	-	-	...	-	-	...	-	-	...
70-74 years.....	3	3	...	2	2	...	-	-	...	-	-	...	1	1	...
75-79 years.....	4	4	...	3	3	...	1	1	...	-	-	...	-	-	...
80-84 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
85-89 years.....	9	9	...	7	7	...	2	2	...	-	-	...	-	-	...
90-94 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Acute prostatitis (N41.0)															
All ages.....	5	5	...	4	4	...	1	1	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
80-84 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
85-89 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Chronic prostatitis (N41.1)															
All ages.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Abscess of prostate (N41.2)															
All ages.....	4	4	...	3	3	...	-	-	...	-	-	...	1	1	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
70-74 years.....	1	1	...	-	-	...	-	-	...	-	-	...	1	1	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Prostatocystitis (N41.3)															
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Inflammatory disease of prostate, unspecified (N41.9)															
All ages.....	16	16	...	13	13	...	2	2	...	-	-	...	1	1	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	1	1	...	-	-	...	-	-	...	-	-	...	1	1	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
70-74 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
75-79 years.....	3	3	...	2	2	...	1	1	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	6	6	...	5	5	...	1	1	...	-	-	...	-	-	...
90-94 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Other disorders of prostate (N42)															
All ages.....	45	45	...	38	38	...	6	6	...	1	1	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	4	4	...	1	1	...	2	2	...	1	1	...	-	-	...
60-64 years.....	2	2	...	-	-	...	2	2	...	-	-	...	-	-	...
65-69 years.....	6	6	...	6	6	...	-	-	...	-	-	...	-	-	...
70-74 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
75-79 years.....	8	8	...	7	7	...	1	1	...	-	-	...	-	-	...
80-84 years.....	7	7	...	7	7	...	-	-	...	-	-	...	-	-	...
85-89 years.....	8	8	...	7	7	...	1	1	...	-	-	...	-	-	...
90-94 years.....	4	4	...	4	4	...	-	-	...	-	-	...	-	-	...
95-99 years.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Congestion and hemorrhage of prostate (N42.1)															
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other specified disorders of prostate (N42.8)															
All ages.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Disorder of prostate, unspecified (N42.9)															
All ages.....	42	42	...	35	35	...	6	6	...	1	1	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	4	4	...	1	1	...	2	2	...	1	1	...	-	-	...
60-64 years.....	2	2	...	-	-	...	2	2	...	-	-	...	-	-	...
65-69 years.....	5	5	...	5	5	...	-	-	...	-	-	...	-	-	...
70-74 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
75-79 years.....	8	8	...	7	7	...	1	1	...	-	-	...	-	-	...
80-84 years.....	7	7	...	7	7	...	-	-	...	-	-	...	-	-	...
85-89 years.....	7	7	...	6	6	...	1	1	...	-	-	...	-	-	...
90-94 years.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
95-99 years.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Orchitis and epididymitis (N45)															
All ages.....	7	7	...	5	5	...	2	2	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	2	2	...	-	-	...	2	2	...	-	-	...	-	-	...
80-84 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Orchitis, epididymitis, and epididymo-orchitis without abscess (N45.9)															
All ages.....	7	7	...	5	5	...	2	2	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	2	2	...	-	-	...	2	2	...	-	-	...	-	-	...
80-84 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Other disorders of penis (N48)															
All ages.....	14	14	...	12	12	...	2	2	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
60-64 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
65-69 years.....	4	4	...	3	3	...	1	1	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
90-94 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other inflammatory disorders of penis (N48.2)															
All ages.....	11	11	...	9	9	...	2	2	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
60-64 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
65-69 years.....	4	4	...	3	3	...	1	1	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
90-94 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/			
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
		Male	Female		Male	Female		Male	Female		Male	Female
Other specified disorders of penis (N48.8)												
All ages.....	2	2	...	2	2	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	1	1	...	1	1	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	1	1	...	1	1	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/			
	Both sexes	Male	Both sexes	Male	Both sexes	Male	Both sexes	Male	Both sexes	Male	Female	
		Female		Female		Female		Female		Female		Female
Disorder of penis, unspecified (N48.9)												
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	1	1	...	1	1	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Inflammatory disorders of male genital organs, not elsewhere classified (N49)															
All ages.....	35	35	...	25	25	...	10	10	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
40-44 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
45-49 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
50-54 years.....	5	5	...	1	1	...	4	4	...	-	-	...	-	-	...
55-59 years.....	5	5	...	4	4	...	1	1	...	-	-	...	-	-	...
60-64 years.....	4	4	...	3	3	...	1	1	...	-	-	...	-	-	...
65-69 years.....	5	5	...	4	4	...	1	1	...	-	-	...	-	-	...
70-74 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
75-79 years.....	4	4	...	3	3	...	1	1	...	-	-	...	-	-	...
80-84 years.....	4	4	...	3	3	...	1	1	...	-	-	...	-	-	...
85-89 years.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
90-94 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Inflammatory disorders of scrotum (N49.2)															
All ages.....	19	19	...	12	12	...	7	7	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
50-54 years.....	3	3	...	1	1	...	2	2	...	-	-	...	-	-	...
55-59 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
60-64 years.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
65-69 years.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
70-74 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
75-79 years.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
80-84 years.....	2	2	...	1	1	...	1	1	...	-	-	...	-	-	...
85-89 years.....	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Inflammatory disorders of other specified male genital organs (N49.8)															
All ages.....	15	15	...	12	12	...	3	3	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	2	2	...	-	-	...	2	2	...	-	-	...	-	-	...
55-59 years.....	3	3	...	2	2	...	1	1	...	-	-	...	-	-	...
60-64 years.....	2	2	...	2	2	...	2	2	...	-	-	...	-	-	...
65-69 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
80-84 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female		
										Male	Female				
Inflammatory disorder of unspecified male genital organ (N49.9)															
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female		
										Male	Female				
Other disorders of male genital organs (N50)															
All ages.....	4	4	...	4	4	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
75-79 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Vascular disorders of male genital organs (N50.1)															
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female	Both sexes	Male	Female
										Male	Female					
Other specified disorders of male genital organs (N50.8)																
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...	
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
70-74 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...	
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Disorder of male genital organs, unspecified (N50.9)															
All ages.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female	Both sexes	Male	Female
										Male	Female					
Salpingitis and oophoritis (N70)																
All ages.....	21	...	21	14	...	14	7	...	7	-	...	-	-	...	-	
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
10-14 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-	
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	
35-39 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-	
40-44 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-	
45-49 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-	
50-54 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-	
55-59 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-	
60-64 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	
75-79 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-	
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Acute salpingitis and oophoritis (N70.0)															
All ages.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female	Both sexes	Male	Female
										Male	Female					
Salpingitis and oophoritis, unspecified (N70.9)																
All ages.....	18	...	18	13	...	13	5	...	5	-	...	-	-	...	-	
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
10-14 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-	
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	
35-39 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-	
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-	
45-49 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-	
50-54 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-	
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
60-64 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	
75-79 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-	
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/							
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female				
Inflammatory disease of uterus, except cervix (N71)																
All ages.....	13	...	13	8	...	8	3	...	3	2	...	2	-	...	-	-
Under 1 year.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years.....	2	...	2	-	...	-	1	...	1	1	...	1	-	...	-	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
35-39 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
65-69 years.....	1	...	1	-	...	-	-	...	-	1	...	1	-	...	-	-
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
85-89 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
95-99 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female	Both sexes	
										Male	Female			Male	Female
Acute inflammatory disease of uterus (N71.0)															
All ages.....	3	...	3	1	...	1	1	...	1	1	...	1	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	-	...	-	1	...	1	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Inflammatory disease of uterus, unspecified (N71.9)															
All ages.....	10	...	10	7	...	7	2	...	2	1	...	1	-	...	-
Under 1 year.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	1	...	1	-	...	-	-	...	-	1	...	1	-	...	-
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/							
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female				
Inflammatory disease of cervix uteri (N72)																
All ages.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Other female pelvic inflammatory diseases (N73)															
All ages.....	81	...	81	69	...	69	10	...	10	-	...	-	2	...	2
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
40-44 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
45-49 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
50-54 years.....	5	...	5	3	...	3	2	...	2	-	...	-	-	...	-
55-59 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
60-64 years.....	5	...	5	4	...	4	1	...	1	-	...	-	-	...	-
65-69 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
70-74 years.....	6	...	6	4	...	4	2	...	2	-	...	-	-	...	-
75-79 years.....	15	...	15	14	...	14	-	...	-	-	...	-	1	...	1
80-84 years.....	11	...	11	9	...	9	1	...	1	-	...	-	1	...	1
85-89 years.....	15	...	15	14	...	14	1	...	1	-	...	-	-	...	-
90-94 years.....	7	...	7	7	...	7	-	...	-	-	...	-	-	...	-
95-99 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Chronic parametritis and pelvic cellulitis (N73.1)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Female pelvic inflammatory disease, unspecified (N73.9)															
All ages.....	80	...	80	68	...	68	10	...	10	-	...	-	2	...	2
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
40-44 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
45-49 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
50-54 years.....	4	...	4	2	...	2	2	...	2	-	...	-	-	...	-
55-59 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
60-64 years.....	5	...	5	4	...	4	1	...	1	-	...	-	-	...	-
65-69 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
70-74 years.....	6	...	6	4	...	4	2	...	2	-	...	-	-	...	-
75-79 years.....	15	...	15	14	...	14	-	...	-	-	...	-	1	...	1
80-84 years.....	11	...	11	9	...	9	1	...	1	-	...	-	1	...	1
85-89 years.....	15	...	15	14	...	14	1	...	1	-	...	-	-	...	-
90-94 years.....	7	...	7	7	...	7	-	...	-	-	...	-	-	...	-
95-99 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other inflammation of vagina and vulva (N76)															
All ages.....	7	...	7	7	...	7	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/				
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
Acute vaginitis (N76.0)																
All ages.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
95-99 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/				
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
Acute vulvitis (N76.2)																
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
100 years & over.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other specified inflammation of vagina and vulva (N76.8)															
All ages.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes				
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female			
Endometriosis (N80)																
All ages.....	11	...	11	8	...	8	3	...	3	-	...	-	-	...	-	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
30-34 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-	-
35-39 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-	-
40-44 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-	-
45-49 years.....	1	...	1	1	...	1	-	...	1	-	...	-	-	...	-	-
50-54 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Endometriosis of uterus (N80.0)															
All ages.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Endometriosis of ovary (N80.1)															
All ages.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Endometriosis, unspecified (N80.9)															
All ages.....	7	...	7	5	...	5	2	...	2	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	1	...	1	-	...	1	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes				
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female			
Female genital prolapse (N81)																
All ages.....	21	...	21	21	...	21	-	...	-	-	...	-	-	...	-	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
35-39 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
55-59 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
70-74 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	-
75-79 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-	-
80-84 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-	-
85-89 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	-
90-94 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-	-
95-99 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Cystocele (N81.1)															
All ages.....	12	...	12	12	...	12	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
80-84 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Male	Female	
Uterovaginal prolapse, unspecified (N81.4)															
All ages.....	5	...	5	5	...	5	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/				
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
Rectocele (N81.6)																
All ages.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other female genital prolapse (N81.8)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female	Both sexes	Male	Female
										Male	Female					
Fistulae involving female genital tract (N82)																
All ages.....	75	...	75	71	...	71	4	...	4	-	...	-	-	...	-	
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
55-59 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	
60-64 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	
65-69 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-	
70-74 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-	
75-79 years.....	15	...	15	14	...	14	1	...	1	-	...	-	-	...	-	
80-84 years.....	20	...	20	20	...	20	-	...	-	-	...	-	-	...	-	
85-89 years.....	19	...	19	19	...	19	-	...	-	-	...	-	-	...	-	
90-94 years.....	11	...	11	10	...	10	1	...	1	-	...	-	-	...	-	
95-99 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female		
										Male	Female				
Vesicovaginal fistula (N82.0)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Fistula of vagina to large intestine (N82.3)															
All ages.....	61	...	61	58	...	58	3	...	3	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	1	...	1	1	...	1	-	...	1	-	...	-	-	...	-
65-69 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
70-74 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
75-79 years.....	11	...	11	11	...	11	-	...	-	-	...	-	-	...	-
80-84 years.....	17	...	17	17	...	17	-	...	-	-	...	-	-	...	-
85-89 years.....	18	...	18	18	...	18	-	...	-	-	...	-	-	...	-
90-94 years.....	9	...	9	8	...	8	1	...	1	-	...	-	-	...	-
95-99 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female	
										Male	Female			
Other female intestinal-genital tract fistulae (N82.4)														
All ages.....	10	...	10	9	...	9	1	...	1	-	...	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
55-59 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
75-79 years.....	4	...	4	3	...	3	1	...	1	-	...	-	...	-
80-84 years.....	2	...	2	2	...	2	-	...	-	-	...	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Female genital tract fistula, unspecified (N82.9)															
All ages.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Noninflammatory disorders of ovary, fallopian tube, and broad ligament (N83)															
All ages.....	63	...	63	53	...	53	10	...	10	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years.....	5	...	5	3	...	3	2	...	2	-	...	-	-	...	-
45-49 years.....	5	...	5	4	...	4	1	...	1	-	...	-	-	...	-
50-54 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
55-59 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
60-64 years.....	4	...	4	1	...	1	3	...	3	-	...	-	-	...	-
65-69 years.....	5	...	5	5	...	5	-	...	-	-	...	-	-	...	-
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
75-79 years.....	6	...	6	6	...	6	-	...	-	-	...	-	-	...	-
80-84 years.....	5	...	5	5	...	5	-	...	-	-	...	-	-	...	-
85-89 years.....	10	...	10	10	...	10	-	...	-	-	...	-	-	...	-
90-94 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
95-99 years.....	8	...	8	8	...	8	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Corpus luteum cyst (N83.1)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	...	-	
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
45-49 years.....	1	...	1	-	...	-	1	...	1	-	...	-	...	-	
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	...	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female	
Other and unspecified ovarian cysts (N83.2)														
All ages.....	12	...	12	11	...	11	1	...	1	-	...	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-
25-29 years.....	1	...	1	-	...	-	1	...	1	-	...	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-
45-49 years.....	3	...	3	3	...	3	-	...	3	-	...	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
55-59 years.....	2	...	2	2	...	2	-	...	-	-	...	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
75-79 years.....	2	...	2	2	...	2	-	...	-	-	...	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female	
Torsion of ovary, ovarian pedicle, and fallopian tube (N83.5)														
All ages.....	2	...	2	-	...	-	2	...	2	-	...	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
50-54 years.....	1	...	1	-	...	-	1	...	1	-	...	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female	Both sexes	Male	Female
										Male	Female					
Other noninflammatory disorders of ovary, fallopian tube, and broad ligament (N83.8)																
All ages.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-	
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
25-29 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-	
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-	
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Noninflammatory disorder of ovary, fallopian tube, and broad ligament, unspecified (N83.9)															
All ages.....	45	...	45	41	...	41	4	...	4	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
45-49 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
50-54 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	4	...	4	1	...	1	3	...	3	-	...	-	-	...	-
65-69 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
75-79 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
80-84 years.....	5	...	5	5	...	5	-	...	-	-	...	-	-	...	-
85-89 years.....	10	...	10	10	...	10	-	...	-	-	...	-	-	...	-
90-94 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
95-99 years.....	8	...	8	8	...	8	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Polyp of female genital tract (N84)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Polyp of corpus uteri (N84.0)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female	
Other noninflammatory disorders of uterus, except cervix (N85)														
All ages.....	17	...	17	11	...	11	6	...	6	-	...	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-
45-49 years.....	2	...	2	1	...	1	1	...	1	-	...	-	...	-
50-54 years.....	2	...	2	2	...	2	-	...	-	-	...	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
60-64 years.....	2	...	2	1	...	1	1	...	1	-	...	-	...	-
65-69 years.....	1	...	1	-	...	-	1	...	1	-	...	-	...	-
70-74 years.....	2	...	2	1	...	1	1	...	1	-	...	-	...	-
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Hypertrophy of uterus (N85.2)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Hematometra (N85.7)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female	
Other specified noninflammatory disorders of uterus (N85.8)														
All ages.....	6	...	6	3	...	3	3	...	3	-	...	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
50-54 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
65-69 years.....	1	...	1	-	...	-	1	...	1	-	...	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Noninflammatory disorder of uterus, unspecified (N85.9)															
All ages.....	9	...	9	7	...	7	2	...	2	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female	Both sexes	Male	Female
										Male	Female					
Other noninflammatory disorders of cervix uteri (N88)																
All ages.....	12	...	12	10	...	10	1	...	1	-	...	-	1	...	1	
Under 1 year.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-	
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
50-54 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1	
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	
85-89 years.....	5	...	5	5	...	5	-	...	-	-	...	-	-	...	-	
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
95-99 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Stricture and stenosis of cervix uteri (N88.2)															
All ages.....	8	...	8	8	...	8	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Incompetence of cervix uteri (N88.3)															
All ages.....	2	...	2	1	...	1	1	...	1	-	...	-	...	-	
Under 1 year.....	2	...	2	1	...	1	1	...	1	-	...	-	...	-	
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	...	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other specified noninflammatory disorders of cervix uteri (N88.8)															
All ages.....	2	...	2	1	...	1	-	...	-	-	...	-	1	...	1
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other noninflammatory disorders of vagina (N89)															
All ages.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Noninflammatory disorder of vagina, unspecified (N89.9)															
All ages.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		Male	Female		Male	Female		Male	Female		Male	Female			
Excessive, frequent, and irregular menstruation (N92)															
All ages.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Excessive and frequent menstruation with regular cycle (N92.0)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Excessive and frequent menstruation with irregular cycle (N92.1)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Other abnormal uterine and vaginal bleeding (N93)															
All ages.....	26	...	26	25	...	25	1	...	1	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
75-79 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
80-84 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
85-89 years.....	5	...	5	5	...	5	-	...	-	-	...	-	-	...	-
90-94 years.....	7	...	7	6	...	6	1	...	1	-	...	-	-	...	-
95-99 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
100 years & over.	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Abnormal uterine and vaginal bleeding, unspecified (N93.9)															
All ages.....	26	...	26	25	...	25	1	...	1	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
75-79 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
80-84 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
85-89 years.....	5	...	5	5	...	5	-	...	-	-	...	-	-	...	-
90-94 years.....	7	...	7	6	...	6	1	...	1	-	...	-	-	...	-
95-99 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
100 years & over.	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Pain and other conditions associated with female genital organs and menstrual cycle (N94)															
All ages.....	13	...	13	10	...	10	3	...	3	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
65-69 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
75-79 years.....	1	...	1	1	...	1	-	...	1	-	...	-	-	...	-
80-84 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Other specified conditions associated with female genital organs and menstrual cycle (N94.8)															
All ages.....	10	...	10	8	...	8	2	...	2	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
65-69 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
80-84 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Unspecified condition associated with female genital organs and menstrual cycle (N94.9)															
All ages.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Menopausal and other perimenopausal disorders (N95)															
All ages.....	6	...	6	6	...	6	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Postmenopausal bleeding (N95.0)															
All ages.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Menopausal and female climacteric states (N95.1)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Postmenopausal atrophic vaginitis (N95.2)															
All ages.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Under 1 year.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female	Both sexes	Male	Female
										Male	Female					
Ectopic pregnancy (000)																
All ages.....	23	...	23	12	...	12	11	...	11	-	...	-	-	...	-	
Under 1 year.....	
1-4 years.....	
5-9 years.....	
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
15-19 years.....	4	...	4	-	...	-	4	...	4	-	...	-	-	...	-	
20-24 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-	
25-29 years.....	5	...	5	5	...	5	-	...	-	-	...	-	-	...	-	
30-34 years.....	6	...	6	2	...	2	4	...	4	-	...	-	-	...	-	
35-39 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-	
40-44 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-	
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes				
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female			
Tubal pregnancy (000.1)																
All ages.....	7	...	7	5	...	5	2	...	2	-	...	-	-	...	-	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
25-29 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	-
30-34 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes				
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female			
Ectopic pregnancy, unspecified (000.9)																
All ages.....	15	...	15	7	...	7	8	...	8	-	...	-	-	...	-	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years.....	4	...	4	-	...	-	4	...	4	-	...	-	-	...	-	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
25-29 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-	-
30-34 years.....	4	...	4	1	...	1	3	...	3	-	...	-	-	...	-	-
35-39 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Other abnormal products of conception (002)															
All ages.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes				
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female			
Missed abortion (002.1)																
All ages.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-	-
25-29 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Spontaneous abortion (003)															
All ages.....	6	...	6	2	...	2	1	...	1	1	...	1	2	...	2
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
30-34 years.....	3	...	3	2	...	2	-	...	-	-	...	-	1	...	1
35-39 years.....	2	...	2	-	...	-	1	...	1	1	...	1	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Complete or unspecified, complicated by genital tract and pelvic infection (O03.5)															
All ages.....	1	...	1	-	...	-	-	...	-	1	...	1	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	-	...	-	1	...	1	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Complete or unspecified, complicated by delayed or excessive hemorrhage (003.6)															
All ages.....	2	...	2	1	...	1	-	...	-	-	...	-	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	2	...	2	1	...	1	-	...	-	-	...	-	1	...	1
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/							
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female				
Complete or unspecified, with other and unspecified complications (003.8)																
All ages.....	2	...	2	-	...	-	1	...	1	-	...	-	1	...	1	
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
25-29 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1	
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Complete or unspecified, without complication (003.9)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Medical abortion (004)															
All ages.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Incomplete, complicated by genital tract and pelvic infection (O04.0)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Complete or unspecified, complicated by genital tract and pelvic infection (O04.5)															
All ages.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Unspecified abortion (006)															
All ages.....	4	...	4	-	...	-	3	...	3	-	...	-	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	2	...	2	-	...	-	1	...	1	-	...	-	1	...	1
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
45-49 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Complete or unspecified, complicated by genital tract and pelvic infection (O06.5)															
All ages.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
45-49 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
		Male	Female		Male	Female		Male	Female		Male	Female			
Complete or unspecified, complicated by delayed or excessive hemorrhage (006.6)															
All ages.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Complete or unspecified, with other and unspecified complications (006.8)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Failed attempted abortion (007)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Other and unspecified failed attempted abortion, complicated by genital tract and pelvic infection (007.5)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Preexisting hypertension complicating pregnancy, childbirth, and the puerperium (O10)															
All ages.....	8	...	8	3	...	3	5	...	5	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
45-49 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Preexisting hypertensive heart disease complicating pregnancy, childbirth, and the puerperium (O10.1)															
All ages.....	6	...	6	1	...	1	5	...	5	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
45-49 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female			
Preexisting hypertensive heart and renal disease complicating pregnancy, childbirth, and the puerperium (O10.3)															
All ages.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Preexisting hypertensive disorder with superimposed proteinuria (O11)															
All ages.....	1	...	1	-	...	-	-	...	-	1	...	1	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	-	...	-	1	...	1	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Gestational [pregnancy-induced] edema and proteinuria without hypertension (O12)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes				
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female			
Gestational edema (O12.0)																
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Gestational [pregnancy-induced] hypertension without significant proteinuria (O13)															
All ages.....	2	...	2	-	...	-	1	...	1	-	...	-	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Gestational [pregnancy-induced] hypertension with significant proteinuria (O14)															
All ages.....	30	...	30	18	...	18	10	...	10	-	...	-	2	...	2
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	8	...	8	5	...	5	3	...	3	-	...	-	-	...	-
25-29 years.....	5	...	5	4	...	4	-	...	-	-	...	-	1	...	1
30-34 years.....	9	...	9	4	...	4	5	...	5	-	...	-	-	...	-
35-39 years.....	6	...	6	4	...	4	2	...	2	-	...	-	-	...	-
40-44 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
45-49 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female	Both sexes	
										Male	Female			Male	Female
Severe preeclampsia (O14.1)															
All ages.....	13	...	13	8	...	8	4	...	4	-	...	-	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
25-29 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
30-34 years.....	4	...	4	2	...	2	2	...	2	-	...	-	-	...	-
35-39 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
45-49 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Preeclampsia, unspecified (O14.9)															
All ages.....	17	...	17	10	...	10	6	...	6	-	...	-	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	5	...	5	3	...	3	2	...	2	-	...	-	-	...	-
25-29 years.....	3	...	3	2	...	2	-	...	-	-	...	-	1	...	1
30-34 years.....	5	...	5	2	...	2	3	...	3	-	...	-	-	...	-
35-39 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female			
Eclampsia (O15)															
All ages.....	24	...	24	11	...	11	12	...	12	1	...	1	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
25-29 years.....	7	...	7	4	...	4	3	...	3	-	...	-	-	...	-
30-34 years.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
35-39 years.....	7	...	7	3	...	3	4	...	4	-	...	-	-	...	-
40-44 years.....	4	...	4	2	...	2	1	...	1	1	...	1	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female		
										Male	Female				
Eclampsia in pregnancy (O15.0)															
All ages.....	4	...	4	1	...	1	3	...	3	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Eclampsia in the puerperium (O15.2)															
All ages.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Eclampsia, unspecified as to time period (O15.9)															
All ages.....	18	...	18	9	...	9	8	...	8	1	...	1	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	1	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	6	...	6	4	...	4	2	...	2	-	...	-	-	...	-
30-34 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
35-39 years.....	5	...	5	3	...	3	2	...	2	-	...	-	-	...	-
40-44 years.....	3	...	3	1	...	1	1	...	1	1	...	1	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Unspecified maternal hypertension (O16)															
All ages.....	11	...	11	4	...	4	6	...	6	-	...	-	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	1	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	4	...	4	-	...	-	3	...	3	-	...	-	1	...	1
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Venous complications in pregnancy (O22)															
All ages.....	12	...	12	5	...	5	7	...	7	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	4	...	4	1	...	1	3	...	3	-	...	-	-	...	-
35-39 years.....	5	...	5	1	...	1	4	...	4	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Deep phlebothrombosis in pregnancy (O22.3)															
All ages.....	8	...	8	3	...	3	5	...	5	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	3	...	3	-	...	-	3	...	3	-	...	-	-	...	-
35-39 years.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Cerebral venous thrombosis in pregnancy (O22.5)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female		
										Male	Female				
Venous complication in pregnancy, unspecified (O22.9)															
All ages.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	1	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Infections of genitourinary tract in pregnancy (O23)															
All ages.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Unspecified infection of urinary tract in pregnancy (O23.4)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Infections of the genital tract in pregnancy (O23.5)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Diabetes mellitus in pregnancy (O24)															
All ages.....	7	...	7	5	...	5	1	...	1	-	...	-	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Preexisting diabetes mellitus, unspecified (O24.3)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/							
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female				
		Male	Female		Male	Female		Male	Female		Male	Female				
Diabetes mellitus arising in pregnancy (O24.4)																
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Diabetes mellitus in pregnancy, unspecified (O24.9)															
All ages.....	5	...	5	3	...	3	1	...	1	-	...	-	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Maternal care for other conditions predominantly related to pregnancy (O26)															
All ages.....	45	...	45	24	...	24	18	...	18	-	...	-	3	...	3
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years.....	10	...	10	5	...	5	4	...	4	-	...	-	1	...	1
25-29 years.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
30-34 years.....	8	...	8	4	...	4	4	...	4	-	...	-	-	...	-
35-39 years.....	8	...	8	5	...	5	2	...	2	-	...	-	1	...	1
40-44 years.....	8	...	8	4	...	4	3	...	3	-	...	-	1	...	1
45-49 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
50-54 years.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Maternal hypotension syndrome (O26.5)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Liver disorders in pregnancy, childbirth, and the puerperium (O26.6)															
All ages.....	6	...	6	3	...	3	3	...	3	-	...	-	...	-	
Under 1 year.....	
1-4 years.....	
5-9 years.....	
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-	
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	...	-	
40-44 years.....	3	...	3	1	...	1	2	...	2	-	...	-	...	-	
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
50-54 years.....	1	...	1	1	...	1	-	...	-	-	...	-	...	-	
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	...	-	
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	...	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Other specified pregnancy-related conditions (O26.8)															
All ages.....	37	...	37	19	...	19	15	...	15	-	...	-	3	...	3
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years.....	9	...	9	4	...	4	4	...	4	-	...	-	1	...	1
25-29 years.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
30-34 years.....	8	...	8	4	...	4	4	...	4	-	...	-	-	...	-
35-39 years.....	6	...	6	4	...	4	1	...	1	-	...	-	1	...	1
40-44 years.....	4	...	4	2	...	2	1	...	1	-	...	-	1	...	1
45-49 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
50-54 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Pregnancy-related condition, unspecified (O26.9)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Complications of anesthesia during pregnancy (O29)															
All ages.....	5	...	5	4	...	4	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Cardiac complications of anesthesia during pregnancy (O29.1)															
All ages.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Central nervous system complications of anesthesia during pregnancy (O29.2)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/				
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
Multiple gestation (O30)																
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	
Under 1 year.....	
1-4 years.....	
5-9 years.....	
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/				
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
Triplet pregnancy (O30.1)																
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Maternal care for other known or suspected fetal problems (O36)															
All ages.....	6	...	6	3	...	3	2	...	2	-	...	-	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	3	...	3	1	...	1	1	...	1	-	...	-	1	...	1
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Maternal care for intrauterine death (O36.4)															
All ages.....	6	...	6	3	...	3	2	...	2	-	...	-	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	3	...	3	1	...	1	1	...	1	-	...	-	1	...	1
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Polyhydramnios (O40)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other disorders of amniotic fluid and membranes (O41)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Infection of amniotic sac and membranes (O41.1)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Premature rupture of membranes (O42)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/				
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
Premature rupture of membranes, unspecified (O42.9)																
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	
Under 1 year.....	
1-4 years.....	
5-9 years.....	
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Premature separation of placenta [abruptio placentae] (O45)															
All ages.....	6	...	6	1	...	1	4	...	4	1	...	1	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	-	...	-	1	...	1	-	...	-
40-44 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/							
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female				
Premature separation of placenta, unspecified (O45.9)																
All ages.....	6	...	6	1	...	1	4	...	4	1	...	1	-	...	-	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-	-
25-29 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
35-39 years.....	1	...	1	-	...	-	-	...	-	1	...	1	-	...	-	-
40-44 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female	Both sexes	Male	Female
										Male	Female					
Antepartum hemorrhage, not elsewhere classified (O46)																
All ages.....	12	...	12	10	...	10	2	...	2	-	...	-	-	...	-	
Under 1 year.....	
1-4 years.....	
5-9 years.....	
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
20-24 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-	
25-29 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-	
30-34 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-	
35-39 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-	
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Antepartum hemorrhage with coagulation defect (O46.0)															
All ages.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Other antepartum hemorrhage (O46.8)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female			
Antepartum hemorrhage, unspecified (O46.9)															
All ages.....	7	...	7	6	...	6	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female		
										Male	Female				
Preterm delivery (O60)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Abnormality of forces of labor (O62)															
All ages.....	6	...	6	4	...	4	1	...	1	-	...	-	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	2	...	2	1	...	1	-	...	-	-	...	-	1	...	1
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Secondary uterine inertia (O62.1)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Other uterine inertia (O62.2)															
All ages.....	4	...	4	2	...	2	1	...	1	-	...	-	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	2	...	2	1	...	1	-	...	-	-	...	-	1	...	1
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes				
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female			
Precipitate labor (O62.3)																
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	
Under 1 year.....	
1-4 years.....	
5-9 years.....	
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Labor and delivery complicated by intrapartum hemorrhage, not elsewhere classified (067)															
All ages.....	6	...	6	4	...	4	1	...	1	-	...	-	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	2	...	2	1	...	1	-	...	-	-	...	-	1	...	1
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Intrapartum hemorrhage with coagulation defect (067.0)															
All ages.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Male	Female	
Other intrapartum hemorrhage (O67.8)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/							
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female				
Intrapartum hemorrhage, unspecified (O67.9)																
All ages.....	3	...	3	1	...	1	1	...	1	-	...	-	1	...	1	
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
25-29 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1	
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female		
										Male	Female				
Other obstetric trauma (O71)															
All ages.....	5	...	5	2	...	2	3	...	3	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female		
										Male	Female				
Rupture of uterus before onset of labor (O71.0)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Rupture of uterus during labor (O71.1)															
All ages.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female	Both sexes	Male	Female
										Male	Female					
Other obstetric injury to pelvic organs (O71.5)																
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-	
Under 1 year.....	
1-4 years.....	
5-9 years.....	
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-	
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Obstetric damage to pelvic joints and ligaments (O71.6)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Postpartum hemorrhage (O72)															
All ages.....	23	...	23	13	...	13	9	...	9	-	...	-	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	2	...	2	1	...	1	-	...	-	-	...	-	1	...	1
25-29 years.....	4	...	4	2	...	2	2	...	2	-	...	-	-	...	-
30-34 years.....	6	...	6	3	...	3	3	...	3	-	...	-	-	...	-
35-39 years.....	6	...	6	4	...	4	2	...	2	-	...	-	-	...	-
40-44 years.....	4	...	4	2	...	2	2	...	2	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Third-stage hemorrhage (O72.0)															
All ages.....	5	...	5	3	...	3	2	...	2	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female	Both sexes	Male	Female
										Male	Female					
Other immediate postpartum hemorrhage (O72.1)																
All ages.....	14	...	14	8	...	8	5	...	5	-	...	-	1	...	1	
Under 1 year.....	
1-4 years.....	
5-9 years.....	
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
15-19 years.....	1	...	1	1	...	1	-	...	1	-	...	-	-	...	-	
20-24 years.....	2	...	2	1	...	1	-	...	-	-	...	-	1	...	1	
25-29 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-	
30-34 years.....	5	...	5	3	...	3	2	...	2	-	...	-	-	...	-	
35-39 years.....	4	...	4	2	...	2	2	...	2	-	...	-	-	...	-	
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Delayed and secondary postpartum hemorrhage (072.2)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female		
										Male	Female				
Postpartum coagulation defects (072.3)															
All ages.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Complications of anesthesia during labor and delivery (074)															
All ages.....	4	...	4	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Cardiac complications of anesthesia during labor and delivery (O74.2)															
All ages.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
35-39 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other complications of anesthesia during labor and delivery (074.8)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Other complications of labor and delivery, not elsewhere classified (O75)															
All ages.....	29	...	29	16	...	16	12	...	12	-	...	-	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	1	-	...	-	-	...	-
20-24 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
25-29 years.....	7	...	7	2	...	2	5	...	5	-	...	-	-	...	-
30-34 years.....	9	...	9	5	...	5	3	...	3	-	...	-	1	...	1
35-39 years.....	5	...	5	2	...	2	3	...	3	-	...	-	-	...	-
40-44 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	1	...	1	-	...	1	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/							
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female				
Shock during or following labor and delivery (O75.1)																
All ages.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Other infection during labor (O75.3)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Other complications of obstetric surgery and procedures (075.4)															
All ages.....	15	...	15	9	...	9	6	...	6	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
30-34 years.....	6	...	6	3	...	3	3	...	3	-	...	-	-	...	-
35-39 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Vaginal delivery following previous cesarean section (075.7)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other specified complications of labor and delivery (O75.8)															
All ages.....	3	...	3	-	...	-	3	...	3	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	3	...	3	-	...	-	3	...	3	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Complication of labor and delivery, unspecified (075.9)															
All ages.....	7	...	7	4	...	4	2	...	2	-	...	-	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
30-34 years.....	2	...	2	1	...	1	-	...	-	-	...	-	1	...	1
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
40-44 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Puerperal sepsis (085)															
All ages.....	6	...	6	2	...	2	2	...	2	1	...	1	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	-	...	-	-	...	-	1	...	1
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	2	...	2	1	...	1	-	...	1	1	...	1	-	...	-
35-39 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	1	...	1	-	...	1	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Venous complications in the puerperium (O87)															
All ages.....	4	...	4	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Venous complication in the puerperium, unspecified (087.9)															
All ages.....	4	...	4	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Obstetric embolism (O88)															
All ages.....	49	...	49	26	...	26	18	...	18	1	...	1	4	...	4
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	4	...	4	2	...	2	2	...	2	-	...	-	-	...	-
20-24 years.....	6	...	6	4	...	4	2	...	2	-	...	-	-	...	-
25-29 years.....	10	...	10	5	...	5	5	...	5	-	...	-	-	...	-
30-34 years.....	12	...	12	6	...	6	3	...	3	-	...	-	3	...	3
35-39 years.....	11	...	11	6	...	6	3	...	3	1	...	1	1	...	1
40-44 years.....	6	...	6	3	...	3	3	...	3	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female	Both sexes	Male	Female
										Male	Female					
Amniotic fluid embolism (O88.1)																
All ages.....	34	...	34	14	...	14	16	...	16	-	...	-	4	...	4	
Under 1 year.....	
1-4 years.....	
5-9 years.....	
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
15-19 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-	
20-24 years.....	4	...	4	2	...	2	2	...	2	-	...	-	-	...	-	
25-29 years.....	6	...	6	1	...	1	5	...	5	-	...	-	-	...	-	
30-34 years.....	10	...	10	4	...	4	3	...	3	-	...	-	3	...	3	
35-39 years.....	8	...	8	4	...	4	3	...	3	-	...	-	1	...	1	
40-44 years.....	4	...	4	2	...	2	2	...	2	-	...	-	-	...	-	
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Obstetric blood-clot embolism (O88.2)															
All ages.....	15	...	15	12	...	12	2	...	2	1	...	1	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
25-29 years.....	4	...	4	4	...	4	-	...	-	-	...	-	-	...	-
30-34 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
35-39 years.....	3	...	3	2	...	2	-	...	-	1	...	1	-	...	-
40-44 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Complications of the puerperium, not elsewhere classified (O90)															
All ages.....	29	...	29	17	...	17	12	...	12	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
20-24 years.....	4	...	4	2	...	2	2	...	2	-	...	-	-	...	-
25-29 years.....	9	...	9	5	...	5	4	...	4	-	...	-	-	...	-
30-34 years.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
35-39 years.....	6	...	6	4	...	4	2	...	2	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Cardiomyopathy in the puerperium (O90.3)															
All ages.....	29	...	29	17	...	17	12	...	12	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
20-24 years.....	4	...	4	2	...	2	2	...	2	-	...	-	-	...	-
25-29 years.....	9	...	9	5	...	5	4	...	4	-	...	-	-	...	-
30-34 years.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
35-39 years.....	6	...	6	4	...	4	2	...	2	-	...	-	-	...	-
40-44 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Obstetric death of unspecified cause (O95)															
All ages.....	22	...	22	17	...	17	4	...	4	-	...	-	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	3	...	3	2	...	2	1	...	1	-	...	-	-	...	-
25-29 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-
30-34 years.....	5	...	5	5	...	5	-	...	-	-	...	-	-	...	-
35-39 years.....	3	...	3	1	...	1	1	...	1	-	...	-	1	...	1
40-44 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-
45-49 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
50-54 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Death from any obstetric cause occurring more than 42 days but less than 1 year after delivery (O96)															
All ages.....	46	...	46	34	...	34	9	...	9	1	...	1	2	...	2
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
20-24 years.....	10	...	10	9	...	9	1	...	1	-	...	-	-	...	-
25-29 years.....	16	...	16	13	...	13	3	...	3	-	...	-	-	...	-
30-34 years.....	11	...	11	4	...	4	5	...	5	-	...	-	2	...	2
35-39 years.....	4	...	4	3	...	3	-	...	-	1	...	1	-	...	-
40-44 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Death from sequelae of direct obstetric causes (O97)															
All ages.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Maternal infectious and parasitic diseases classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium (O98)															
All ages.....	5	...	5	1	...	1	4	...	4	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
45-49 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other maternal infectious and parasitic diseases complicating pregnancy, childbirth, and the puerperium (098.8)															
All ages.....	5	...	5	1	...	1	4	...	4	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	3	...	3	1	...	1	2	...	2	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
45-49 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium (099)															
All ages.....	90	...	90	64	...	64	22	...	22	1	...	1	3	...	3
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	4	...	4	1	...	1	3	...	3	-	...	-	-	...	-
20-24 years.....	13	...	13	8	...	8	5	...	5	-	...	-	-	...	-
25-29 years.....	18	...	18	12	...	12	4	...	4	1	...	1	1	...	1
30-34 years.....	18	...	18	14	...	14	4	...	4	-	...	-	-	...	-
35-39 years.....	19	...	19	12	...	12	5	...	5	-	...	-	2	...	2
40-44 years.....	9	...	9	8	...	8	1	...	1	-	...	-	-	...	-
45-49 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
50-54 years.....	6	...	6	6	...	6	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Anemia complicating pregnancy, childbirth, and the puerperium (O99.0)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
													Both sexes	Male	Female
Endocrine, nutritional, and metabolic diseases complicating pregnancy, childbirth, and the puerperium (099.2)															
All ages.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	1	...	1	-	...	-	1	...	1	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes		Male	Female		
										Male	Female				
Mental disorders and diseases of the nervous system complicating pregnancy, childbirth, and the puerperium (099.3)															
All ages.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Diseases of the circulatory system complicating pregnancy, childbirth, and the puerperium (O99.4)															
All ages.....	33	...	33	23	...	23	10	...	10	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years.....	4	...	4	1	...	1	3	...	3	-	...	-	-	...	-
25-29 years.....	6	...	6	4	...	4	2	...	2	-	...	-	-	...	-
30-34 years.....	8	...	8	7	...	7	1	...	1	-	...	-	-	...	-
35-39 years.....	8	...	8	6	...	6	2	...	2	-	...	-	-	...	-
40-44 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-
45-49 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Diseases of the respiratory system complicating pregnancy, childbirth, and the puerperium (099.5)															
All ages.....	9	...	9	5	...	5	2	...	2	1	...	1	1	...	1
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	2	...	2	-	...	-	2	...	2	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	1	...	1	-	...	-	-	...	-	1	...	1	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	2	...	2	1	...	1	-	...	-	-	...	-	1	...	1
40-44 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Diseases of the digestive system complicating pregnancy, childbirth, and the puerperium (099.6)															
All ages.....	5	...	5	4	...	4	1	...	1	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
25-29 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
30-34 years.....	2	...	2	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes			Asian or Pacific Islander 2/ Both sexes		
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Other specified diseases and conditions complicating pregnancy, childbirth, and the puerperium (O99.8)															
All ages.....	39	...	39	30	...	30	7	...	7	-	...	-	2	...	2
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	4	...	4	3	...	3	1	...	1	-	...	-	-	...	-
25-29 years.....	9	...	9	6	...	6	2	...	2	-	...	-	1	...	1
30-34 years.....	7	...	7	5	...	5	2	...	2	-	...	-	-	...	-
35-39 years.....	8	...	8	5	...	5	2	...	2	-	...	-	1	...	1
40-44 years.....	3	...	3	3	...	3	-	...	-	-	...	-	-	...	-
45-49 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
50-54 years.....	6	...	6	6	...	6	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Congenital malformations of uterus and cervix (Q51)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Congenital malformation of uterus and cervix, unspecified (Q51.9)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes				
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female			
Turner's syndrome (Q96)																
All ages.....	8	...	8	8	...	8	-	...	-	-	...	-	-	...	-	-
Under 1 year.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
35-39 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
55-59 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-	-
60-64 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Turner's syndrome, unspecified (Q96.9)															
All ages.....	8	...	8	8	...	8	-	...	-	-	...	-	-	...	-
Under 1 year.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
1-4 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
35-39 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....	2	...	2	2	...	2	-	...	-	-	...	-	-	...	-
60-64 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
65-69 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
80-84 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 years & over.	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes			
		Male	Female		Male	Female		Male	Female	Male	Female	Male	Female		
Other sex chromosome abnormalities, male phenotype, not elsewhere classified (Q98)															
All ages.....	9	9	...	8	8	...	1	1	...	-	-	...	-	-	...
Under 1 year.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
65-69 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
70-74 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
75-79 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Klinefelter's syndrome karyotype 47, XXY (Q98.0)															
All ages.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Klinefelter's syndrome, unspecified (Q98.4)															
All ages.....	7	7	...	7	7	...	-	-	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
65-69 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
70-74 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
75-79 years.....	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Male with sex chromosome mosaicism (Q98.7)															
All ages.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
Under 1 year.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years.....	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
25-29 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years.....	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 years & over.	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Age not stated...	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

