



TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Shigellosis and amebiasis (A03,A06)									
All races, both sexes	12	-	-	-	-	-	1	1	1
Male	5	-	-	-	-	-	1	-	1
Female	7	-	-	-	-	-	-	1	-
White, both sexes	10	-	-	-	-	-	-	1	1
Male	4	-	-	-	-	-	-	-	1
Female	6	-	-	-	-	-	-	1	-
Black, both sexes	1	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-
Certain other intestinal infections (A04,A07-A09)									
All races, both sexes	1,328	13	10	-	1	3	19	29	70
Male	524	10	6	-	-	3	10	16	39
Female	804	3	4	-	1	-	9	13	31
White, both sexes	1,224	8	7	-	1	2	11	22	62
Male	478	6	5	-	-	2	7	12	34
Female	746	2	2	-	1	-	4	10	28
Black, both sexes	84	4	2	-	-	1	6	7	6
Male	37	3	1	-	-	1	2	4	4
Female	47	1	1	-	-	-	4	3	2
American Indian 1/, both sexes	6	-	-	-	-	-	2	-	2
Male	3	-	-	-	-	-	1	-	1
Female	3	-	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes	14	1	1	-	-	-	-	-	-
Male	6	1	-	-	-	-	-	-	-
Female	8	-	1	-	-	-	-	-	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Tuberculosis (A16-A19)									
All races, both sexes	776	1	6	1	11	20	42	91	81
Male	468	-	1	-	7	14	28	76	59
Female	308	1	5	1	4	6	14	15	22
White, both sexes	439	-	4	1	6	11	13	44	33
Male	253	-	-	-	4	7	11	34	24
Female	186	-	4	1	2	4	2	10	9
Black, both sexes	244	-	2	-	2	7	25	42	34
Male	161	-	1	-	1	5	14	37	26
Female	83	-	1	-	1	2	11	5	8
American Indian 1/, both sexes	20	1	-	-	-	-	-	2	6
Male	12	-	-	-	-	-	-	2	4
Female	8	1	-	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes	73	-	-	-	3	2	4	3	8
Male	42	-	-	-	2	2	3	3	5
Female	31	-	-	-	1	-	1	-	3
Respiratory tuberculosis (A16)									
All races, both sexes	615	-	3	-	7	11	35	72	60
Male	393	-	1	-	4	8	26	64	50
Female	222	-	2	-	3	3	9	8	10
White, both sexes	351	-	1	-	4	5	11	35	26
Male	216	-	-	-	3	4	11	30	20
Female	135	-	1	-	1	1	-	5	6
Black, both sexes	192	-	2	-	1	6	20	32	22
Male	134	-	1	-	-	4	12	29	22
Female	58	-	1	-	1	2	8	3	-
American Indian 1/, both sexes	12	-	-	-	-	-	-	2	5
Male	8	-	-	-	-	-	-	2	4
Female	4	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	60	-	-	-	2	-	4	3	7
Male	35	-	-	-	1	-	3	3	4
Female	25	-	-	-	1	-	1	-	3



TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Scarlet fever and erysipelas (A38,A46)									
All races, both sexes	2	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-
White, both sexes	2	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-
Black, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Meningococcal infection (A39)									
All races, both sexes	211	22	19	18	56	15	13	29	9
Male	106	14	12	7	35	6	9	11	2
Female	105	8	7	11	21	9	4	18	7
White, both sexes	161	19	14	10	45	10	7	19	8
Male	75	11	8	4	28	2	5	5	2
Female	86	8	6	6	17	8	2	14	6
Black, both sexes	44	3	5	8	7	4	6	9	1
Male	27	3	4	3	5	3	4	5	-
Female	17	-	1	5	2	1	2	4	1
American Indian 1/, both sexes	1	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	-	-	-	3	1	-	1	-
Male	4	-	-	-	2	1	-	1	-
Female	1	-	-	-	1	-	-	-	-





TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Measles (B05)									
All races, both sexes	1	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-
White, both sexes	1	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-
Black, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Viral hepatitis (B15-B19)									
All races, both sexes	5,357	6	1	2	18	79	779	1,894	904
Male	3,381	2	1	1	11	46	540	1,425	577
Female	1,976	4	-	1	7	33	239	469	327
White, both sexes	4,216	3	-	2	8	51	625	1,462	665
Male	2,686	1	-	1	6	30	439	1,123	432
Female	1,530	2	-	1	2	21	186	339	233
Black, both sexes	793	3	-	-	10	21	118	336	143
Male	501	1	-	-	5	11	78	241	88
Female	292	2	-	-	5	10	40	95	55
American Indian 1/, both sexes	63	-	-	-	-	4	15	25	10
Male	33	-	-	-	-	2	8	16	5
Female	30	-	-	-	-	2	7	9	5
Asian or Pacific Islander 2/, both sexes	285	-	1	-	-	3	21	71	86
Male	161	-	1	-	-	3	15	45	52
Female	124	-	-	-	-	-	6	26	34





TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)									
All races, both sexes	5,532	167	71	67	96	141	350	585	707
Male	2,861	94	41	35	54	75	220	358	383
Female	2,671	73	30	32	42	66	130	227	324
White, both sexes	4,550	101	50	52	71	84	242	444	560
Male	2,334	59	27	25	41	48	153	274	311
Female	2,216	42	23	27	30	36	89	170	249
Black, both sexes	826	61	14	10	22	50	95	127	119
Male	432	31	10	5	10	22	58	76	62
Female	394	30	4	5	12	28	37	51	57
American Indian 1/, both sexes	34	2	2	-	-	1	5	5	12
Male	13	1	-	-	-	-	2	5	3
Female	21	1	2	-	-	1	3	-	9
Asian or Pacific Islander 2/, both sexes	122	3	5	5	3	6	8	9	16
Male	82	3	4	5	3	5	7	3	7
Female	40	-	1	-	-	1	1	6	9
Malignant neoplasms (C00-C97)									
All races, both sexes	553,091	92	420	1,014	1,713	3,916	16,520	48,034	89,005
Male	286,082	50	233	569	1,022	1,854	7,344	24,215	48,427
Female	267,009	42	187	445	691	2,062	9,176	23,819	40,578
White, both sexes	480,011	75	330	818	1,333	3,072	12,764	38,478	74,759
Male	247,403	42	190	456	798	1,500	5,739	19,353	40,457
Female	232,608	33	140	362	535	1,572	7,025	19,125	34,302
Black, both sexes	61,945	11	70	150	301	649	3,108	8,147	12,119
Male	32,817	4	34	87	179	262	1,309	4,192	6,829
Female	29,128	7	36	63	122	387	1,799	3,955	5,290
American Indian 1/, both sexes	1,914	2	3	8	13	26	105	220	417
Male	997	2	2	4	7	13	49	116	226
Female	917	-	1	4	6	13	56	104	191
Asian or Pacific Islander 2/, both sexes	9,221	4	17	38	66	169	543	1,189	1,710
Male	4,865	2	7	22	38	79	247	554	915
Female	4,356	2	10	16	28	90	296	635	795



TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Malignant neoplasm of stomach (C16)									
All races, both sexes	12,645	-	-	1	14	124	484	1,097	1,804
Male	7,328	-	-	-	6	69	284	703	1,228
Female	5,317	-	-	1	8	55	200	394	576
White, both sexes	9,723	-	-	1	9	78	318	777	1,352
Male	5,688	-	-	-	3	45	181	503	936
Female	4,035	-	-	1	6	33	137	274	416
Black, both sexes	2,176	-	-	-	4	36	118	240	338
Male	1,218	-	-	-	2	20	78	155	225
Female	958	-	-	-	2	16	40	85	113
American Indian 1/, both sexes	73	-	-	-	-	-	4	5	16
Male	41	-	-	-	-	-	3	4	9
Female	32	-	-	-	-	-	1	1	7
Asian or Pacific Islander 2/, both sexes	673	-	-	-	1	10	44	75	98
Male	381	-	-	-	1	4	22	41	58
Female	292	-	-	-	-	6	22	34	40
Malignant neoplasms of colon, rectum and anus (C18-C21)									
All races, both sexes	57,477	-	-	3	40	272	1,369	4,237	7,940
Male	28,462	-	-	2	24	153	759	2,359	4,608
Female	29,015	-	-	1	16	119	610	1,878	3,332
White, both sexes	49,488	-	-	3	31	201	1,015	3,300	6,489
Male	24,517	-	-	2	16	119	567	1,874	3,788
Female	24,971	-	-	1	15	82	448	1,426	2,701
Black, both sexes	6,867	-	-	-	6	54	293	823	1,225
Male	3,326	-	-	-	5	26	161	431	681
Female	3,541	-	-	-	1	28	132	392	544
American Indian 1/, both sexes	194	-	-	-	-	3	13	18	42
Male	110	-	-	-	-	1	8	9	30
Female	84	-	-	-	-	2	5	9	12
Asian or Pacific Islander 2/, both sexes	928	-	-	-	3	14	48	96	184
Male	509	-	-	-	3	7	23	45	109
Female	419	-	-	-	-	7	25	51	75

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Malignant neoplasms of liver and intrahepatic bile ducts (C22)									
All races, both sexes	12,916	2	23	20	30	86	429	1,686	2,256
Male	8,176	1	14	8	20	59	297	1,324	1,607
Female	4,740	1	9	12	10	27	132	362	649
White, both sexes	10,304	1	17	13	20	44	261	1,164	1,680
Male	6,447	1	11	7	13	27	179	901	1,183
Female	3,857	-	6	6	7	17	82	263	497
Black, both sexes	1,598	1	2	2	6	21	102	365	344
Male	1,061	-	1	-	5	15	66	290	256
Female	537	1	1	2	1	6	36	75	88
American Indian 1/, both sexes	98	-	-	1	-	2	4	20	23
Male	65	-	-	1	-	1	4	17	15
Female	33	-	-	-	-	1	-	3	8
Asian or Pacific Islander 2/, both sexes	916	-	4	4	4	19	62	137	209
Male	603	-	2	-	2	16	48	116	153
Female	313	-	2	4	2	3	14	21	56
Malignant neoplasm of pancreas (C25)									
All races, both sexes	29,332	2	1	1	5	55	548	2,362	4,708
Male	14,238	1	1	-	3	33	324	1,486	2,749
Female	15,094	1	-	1	2	22	224	876	1,959
White, both sexes	25,301	2	1	1	4	45	429	1,927	3,925
Male	12,392	1	1	-	3	27	258	1,224	2,317
Female	12,909	1	-	1	1	18	171	703	1,608
Black, both sexes	3,419	-	-	-	1	9	97	382	672
Male	1,561	-	-	-	-	5	54	231	373
Female	1,858	-	-	-	1	4	43	151	299
American Indian 1/, both sexes	91	-	-	-	-	-	8	9	25
Male	46	-	-	-	-	-	5	5	16
Female	45	-	-	-	-	-	3	4	9
Asian or Pacific Islander 2/, both sexes	521	-	-	-	-	1	14	44	86
Male	239	-	-	-	-	1	7	26	43
Female	282	-	-	-	-	-	7	18	43

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Malignant neoplasm of larynx (C32)									
All races, both sexes	3,861	-	-	2	1	4	64	426	873
Male	3,041	-	-	-	-	2	49	340	726
Female	820	-	-	2	1	2	15	86	147
White, both sexes	3,096	-	-	2	1	4	49	299	643
Male	2,426	-	-	-	-	2	35	237	530
Female	670	-	-	2	1	2	14	62	113
Black, both sexes	719	-	-	-	-	-	15	123	219
Male	578	-	-	-	-	-	14	100	187
Female	141	-	-	-	-	-	1	23	32
American Indian 1/, both sexes	16	-	-	-	-	-	-	1	6
Male	11	-	-	-	-	-	-	1	4
Female	5	-	-	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes	30	-	-	-	-	-	-	3	5
Male	26	-	-	-	-	-	-	2	5
Female	4	-	-	-	-	-	-	1	-
Malignant neoplasms of trachea, bronchus and lung (C33-C34)									
All races, both sexes	155,521	2	2	1	22	197	2,756	11,915	29,721
Male	90,469	2	1	-	14	102	1,542	7,123	17,937
Female	65,052	-	1	1	8	95	1,214	4,792	11,784
White, both sexes	136,912	1	2	1	14	155	2,093	9,537	25,487
Male	78,747	1	1	-	10	82	1,136	5,594	15,179
Female	58,165	-	1	1	4	73	957	3,943	10,308
Black, both sexes	16,066	1	-	-	5	32	584	2,132	3,726
Male	10,153	1	-	-	2	15	362	1,384	2,437
Female	5,913	-	-	-	3	17	222	748	1,289
American Indian 1/, both sexes	480	-	-	-	-	1	11	45	126
Male	270	-	-	-	-	1	5	24	76
Female	210	-	-	-	-	-	6	21	50
Asian or Pacific Islander 2/, both sexes	2,063	-	-	-	3	9	68	201	382
Male	1,299	-	-	-	2	4	39	121	245
Female	764	-	-	-	1	5	29	80	137

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Malignant melanoma of skin (C43)									
All races, both sexes	7,420	-	-	1	41	186	626	1,199	1,303
Male	4,592	-	-	1	21	110	355	769	866
Female	2,828	-	-	-	20	76	271	430	437
White, both sexes	7,245	-	-	1	40	180	606	1,179	1,273
Male	4,514	-	-	1	21	108	345	760	851
Female	2,731	-	-	-	19	72	261	419	422
Black, both sexes	135	-	-	-	1	3	15	13	20
Male	60	-	-	-	-	2	9	6	11
Female	75	-	-	-	1	1	6	7	9
American Indian 1/, both sexes	8	-	-	-	-	-	-	2	3
Male	5	-	-	-	-	-	-	1	2
Female	3	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes	32	-	-	-	-	3	5	5	7
Male	13	-	-	-	-	-	1	2	2
Female	19	-	-	-	-	3	4	3	5
Malignant neoplasm of breast (C50)									
All races, both sexes	42,300	-	-	-	11	467	2,841	6,385	7,573
Male	428	-	-	-	-	3	19	46	85
Female	41,872	-	-	-	11	464	2,822	6,339	7,488
White, both sexes	36,127	-	-	-	5	325	2,097	5,000	6,282
Male	360	-	-	-	-	1	11	37	67
Female	35,767	-	-	-	5	324	2,086	4,963	6,215
Black, both sexes	5,424	-	-	-	5	123	645	1,178	1,110
Male	63	-	-	-	-	2	8	8	16
Female	5,361	-	-	-	5	121	637	1,170	1,094
American Indian 1/, both sexes	131	-	-	-	-	2	16	25	39
Male	1	-	-	-	-	-	-	-	1
Female	130	-	-	-	-	2	16	25	38
Asian or Pacific Islander 2/, both sexes	618	-	-	-	1	17	83	182	142
Male	4	-	-	-	-	-	-	1	1
Female	614	-	-	-	1	17	83	181	141

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Malignant neoplasm of cervix uteri (C53)									
All races, both sexes	4,200	-	-	1	17	230	694	915	748
Female	4,200	-	-	1	17	230	694	915	748
White, both sexes	3,158	-	-	-	13	174	511	686	557
Female	3,158	-	-	-	13	174	511	686	557
Black, both sexes	869	-	-	1	4	51	150	180	153
Female	869	-	-	1	4	51	150	180	153
American Indian 1/, both sexes	30	-	-	-	-	2	7	9	5
Female	30	-	-	-	-	2	7	9	5
Asian or Pacific Islander 2/, both sexes	143	-	-	-	-	3	26	40	33
Female	143	-	-	-	-	3	26	40	33
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)									
All races, both sexes	6,586	-	-	-	3	27	138	507	1,122
Female	6,586	-	-	-	3	27	138	507	1,122
White, both sexes	5,397	-	-	-	1	20	106	420	890
Female	5,397	-	-	-	1	20	106	420	890
Black, both sexes	1,061	-	-	-	1	6	22	68	202
Female	1,061	-	-	-	1	6	22	68	202
American Indian 1/, both sexes	19	-	-	-	-	-	1	1	2
Female	19	-	-	-	-	-	1	1	2
Asian or Pacific Islander 2/, both sexes	109	-	-	-	1	1	9	18	28
Female	109	-	-	-	1	1	9	18	28





TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Malignant neoplasms of kidney and renal pelvis (C64-C65)									
All races, both sexes	11,736	2	15	29	20	42	334	1,239	2,195
Male	7,249	1	8	15	10	26	228	880	1,530
Female	4,487	1	7	14	10	16	106	359	665
White, both sexes	10,480	-	10	19	13	31	270	1,066	1,934
Male	6,475	-	5	9	7	17	192	761	1,353
Female	4,005	-	5	10	6	14	78	305	581
Black, both sexes	1,044	1	5	8	6	10	52	145	214
Male	632	-	3	4	2	8	27	96	143
Female	412	1	2	4	4	2	25	49	71
American Indian 1/, both sexes	64	1	-	1	1	1	5	12	10
Male	43	1	-	1	1	1	4	8	8
Female	21	-	-	-	-	-	1	4	2
Asian or Pacific Islander 2/, both sexes	148	-	-	1	-	-	7	16	37
Male	99	-	-	1	-	-	5	15	26
Female	49	-	-	-	-	-	2	1	11
Malignant neoplasm of bladder (C67)									
All races, both sexes	12,002	-	-	1	3	10	111	440	1,223
Male	8,163	-	-	-	3	2	62	322	916
Female	3,839	-	-	1	-	8	49	118	307
White, both sexes	11,036	-	-	1	2	9	99	391	1,109
Male	7,620	-	-	-	2	2	57	291	843
Female	3,416	-	-	1	-	7	42	100	266
Black, both sexes	852	-	-	-	1	-	10	44	100
Male	466	-	-	-	1	-	4	27	63
Female	386	-	-	-	-	-	6	17	37
American Indian 1/, both sexes	16	-	-	-	-	-	1	1	2
Male	11	-	-	-	-	-	1	-	2
Female	5	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	98	-	-	-	-	1	1	4	12
Male	66	-	-	-	-	-	-	4	8
Female	32	-	-	-	-	1	1	-	4

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)									
All races, both sexes	12,655	20	104	316	225	406	1,096	1,924	2,337
Male	7,011	10	58	176	132	264	704	1,148	1,379
Female	5,644	10	46	140	93	142	392	776	958
White, both sexes	11,672	16	82	255	183	360	969	1,771	2,161
Male	6,486	9	46	141	109	227	630	1,058	1,284
Female	5,186	7	36	114	74	133	339	713	877
Black, both sexes	772	2	18	52	35	36	91	122	139
Male	414	1	10	31	21	28	54	73	77
Female	358	1	8	21	14	8	37	49	62
American Indian 1/, both sexes	41	-	2	4	2	1	11	5	3
Male	20	-	1	2	1	-	5	2	1
Female	21	-	1	2	1	1	6	3	2
Asian or Pacific Islander 2/, both sexes	170	2	2	5	5	9	25	26	34
Male	91	-	1	2	1	9	15	15	17
Female	79	2	1	3	4	-	10	11	17
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)									
All races, both sexes	56,518	39	146	372	718	918	1,853	4,025	7,284
Male	29,888	21	76	223	455	539	1,075	2,399	4,205
Female	26,630	18	70	149	263	379	778	1,626	3,079
White, both sexes	50,394	36	121	306	549	707	1,485	3,297	6,255
Male	26,766	19	64	180	351	420	890	1,977	3,639
Female	23,628	17	57	126	198	287	595	1,320	2,616
Black, both sexes	5,071	1	20	43	132	160	306	623	875
Male	2,558	-	9	26	80	91	153	351	485
Female	2,513	1	11	17	52	69	153	272	390
American Indian 1/, both sexes	199	1	1	2	5	9	9	20	34
Male	101	1	1	-	3	6	4	14	17
Female	98	-	-	2	2	3	5	6	17
Asian or Pacific Islander 2/, both sexes	854	1	4	21	32	42	53	85	120
Male	463	1	2	17	21	22	28	57	64
Female	391	-	2	4	11	20	25	28	56

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Hodgkin's disease (C81)									
All races, both sexes	1,287	-	-	8	73	145	151	161	158
Male	686	-	-	4	35	79	82	99	87
Female	601	-	-	4	38	66	69	62	71
White, both sexes	1,156	-	-	5	57	130	127	141	138
Male	616	-	-	2	30	70	70	87	74
Female	540	-	-	3	27	60	57	54	64
Black, both sexes	110	-	-	2	14	13	24	17	17
Male	57	-	-	1	5	8	12	9	11
Female	53	-	-	1	9	5	12	8	6
American Indian 1/, both sexes	5	-	-	-	-	-	-	-	1
Male	4	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes	16	-	-	1	2	2	-	3	2
Male	9	-	-	1	-	1	-	3	2
Female	7	-	-	-	2	1	-	-	-
Non-Hodgkin's lymphoma (C82-C85)									
All races, both sexes	22,729	1	7	47	180	293	751	1,745	3,170
Male	11,812	-	5	28	126	172	482	1,112	1,849
Female	10,917	1	2	19	54	121	269	633	1,321
White, both sexes	20,892	-	4	40	131	218	610	1,482	2,854
Male	10,838	-	4	24	96	131	401	944	1,658
Female	10,054	-	-	16	35	87	209	538	1,196
Black, both sexes	1,369	1	2	5	35	56	121	210	257
Male	728	-	-	3	19	31	71	135	158
Female	641	1	2	2	16	25	50	75	99
American Indian 1/, both sexes	83	-	-	-	1	4	4	12	10
Male	41	-	-	-	1	3	1	8	5
Female	42	-	-	-	-	1	3	4	5
Asian or Pacific Islander 2/, both sexes	385	-	1	2	13	15	16	41	49
Male	205	-	1	1	10	7	9	25	28
Female	180	-	-	1	3	8	7	16	21

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Leukemia (C91-C95)									
All races, both sexes	21,339	38	137	315	464	473	801	1,411	2,414
Male	11,777	21	69	190	293	283	423	791	1,452
Female	9,562	17	68	125	171	190	378	620	962
White, both sexes	19,191	36	115	259	361	355	648	1,169	2,088
Male	10,617	19	58	153	225	216	353	658	1,267
Female	8,574	17	57	106	136	139	295	511	821
Black, both sexes	1,742	-	18	36	82	88	117	204	261
Male	929	-	9	22	55	50	53	107	151
Female	813	-	9	14	27	38	64	97	110
American Indian 1/, both sexes	72	1	1	2	4	5	4	4	15
Male	38	1	1	-	2	3	2	3	7
Female	34	-	-	2	2	2	2	1	8
Asian or Pacific Islander 2/, both sexes	334	1	3	18	17	25	32	34	50
Male	193	1	1	15	11	14	15	23	27
Female	141	-	2	3	6	11	17	11	23
Multiple myeloma and immunoproliferative neoplasms (C88,C90)									
All races, both sexes	11,063	-	-	1	-	7	146	700	1,530
Male	5,553	-	-	-	-	5	85	391	808
Female	5,510	-	-	1	-	2	61	309	722
White, both sexes	9,066	-	-	1	-	4	97	499	1,164
Male	4,644	-	-	-	-	3	64	284	632
Female	4,422	-	-	1	-	1	33	215	532
Black, both sexes	1,841	-	-	-	-	3	44	190	339
Male	837	-	-	-	-	2	17	98	164
Female	1,004	-	-	-	-	1	27	92	175
American Indian 1/, both sexes	38	-	-	-	-	-	1	4	8
Male	17	-	-	-	-	-	1	3	5
Female	21	-	-	-	-	-	-	1	3
Asian or Pacific Islander 2/, both sexes	118	-	-	-	-	-	4	7	19
Male	55	-	-	-	-	-	3	6	7
Female	63	-	-	-	-	-	1	1	12

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)									
All races, both sexes	100	-	2	1	1	-	4	8	12
Male	60	-	2	1	1	-	3	6	9
Female	40	-	-	-	-	-	1	2	3
White, both sexes	89	-	2	1	-	-	3	6	11
Male	51	-	2	1	-	-	2	4	8
Female	38	-	-	-	-	-	1	2	3
Black, both sexes	9	-	-	-	1	-	-	2	1
Male	7	-	-	-	1	-	-	2	1
Female	2	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

All races, both sexes	63,060	24	129	260	511	701	2,090	5,307	9,293
Male	31,728	13	75	140	319	432	1,141	2,959	5,223
Female	31,332	11	54	120	192	269	949	2,348	4,070
White, both sexes	55,066	19	97	212	410	581	1,596	4,206	7,794
Male	27,697	11	62	114	254	371	875	2,365	4,351
Female	27,369	8	35	98	156	210	721	1,841	3,443
Black, both sexes	6,696	4	25	41	85	88	434	935	1,267
Male	3,378	1	11	24	56	46	231	513	742
Female	3,318	3	14	17	29	42	203	422	525
American Indian 1/, both sexes	250	-	-	-	4	5	8	30	47
Male	118	-	-	-	2	3	4	18	25
Female	132	-	-	-	2	2	4	12	22
Asian or Pacific Islander 2/, both sexes	1,048	1	7	7	12	27	52	136	185
Male	535	1	2	2	7	12	31	63	105
Female	513	-	5	5	5	15	21	73	80

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)									
All races, both sexes	13,546	60	53	99	95	165	368	690	1,224
Male	6,559	32	33	49	62	82	188	385	657
Female	6,987	28	20	50	33	83	180	305	567
White, both sexes	12,171	48	44	76	73	129	292	558	1,058
Male	5,900	25	25	39	48	70	147	319	564
Female	6,271	23	19	37	25	59	145	239	494
Black, both sexes	1,136	9	9	19	16	33	63	114	135
Male	520	4	8	8	9	11	32	55	76
Female	616	5	1	11	7	22	31	59	59
American Indian 1/, both sexes	45	-	-	1	4	2	4	2	6
Male	20	-	-	1	3	1	1	-	3
Female	25	-	-	-	1	1	3	2	3
Asian or Pacific Islander 2/, both sexes	194	3	-	3	2	1	9	16	25
Male	119	3	-	1	2	-	8	11	14
Female	75	-	-	2	-	1	1	5	11
Anemias (D50-D64)									
All races, both sexes	4,494	10	35	52	85	153	190	227	260
Male	1,669	6	16	29	39	70	78	108	130
Female	2,825	4	19	23	46	83	112	119	130
White, both sexes	3,450	4	15	21	21	29	43	94	169
Male	1,235	2	8	12	8	15	21	43	87
Female	2,215	2	7	9	13	14	22	51	82
Black, both sexes	967	5	19	31	62	124	141	128	83
Male	395	4	8	17	30	55	55	64	37
Female	572	1	11	14	32	69	86	64	46
American Indian 1/, both sexes	20	-	-	-	-	-	2	1	1
Male	9	-	-	-	-	-	1	-	1
Female	11	-	-	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes	57	1	1	-	2	-	4	4	7
Male	30	-	-	-	1	-	1	1	5
Female	27	1	1	-	1	-	3	3	2

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Diabetes mellitus (E10-E14)									
All races, both sexes	69,301	4	6	26	162	623	1,926	4,954	9,186
Male	31,602	4	2	13	94	376	1,151	2,821	4,943
Female	37,699	-	4	13	68	247	775	2,133	4,243
White, both sexes	55,561	3	6	17	105	420	1,419	3,514	6,879
Male	26,009	3	2	9	64	267	866	2,077	3,823
Female	29,552	-	4	8	41	153	553	1,437	3,056
Black, both sexes	12,021	1	-	9	55	189	462	1,279	2,015
Male	4,771	1	-	4	28	99	254	654	962
Female	7,250	-	-	5	27	90	208	625	1,053
American Indian 1/, both sexes	616	-	-	-	2	7	23	78	134
Male	275	-	-	-	2	6	16	41	68
Female	341	-	-	-	-	1	7	37	66
Asian or Pacific Islander 2/, both sexes	1,103	-	-	-	-	7	22	83	158
Male	547	-	-	-	-	4	15	49	90
Female	556	-	-	-	-	3	7	34	68
Nutritional deficiencies (E40-E64)									
All races, both sexes	4,242	14	2	5	10	18	56	99	173
Male	1,412	10	2	2	2	9	16	46	97
Female	2,830	4	-	3	8	9	40	53	76
White, both sexes	3,627	8	1	2	8	9	40	73	130
Male	1,175	6	1	2	2	4	11	33	65
Female	2,452	2	-	-	6	5	29	40	65
Black, both sexes	540	5	1	3	2	8	16	24	41
Male	215	3	1	-	-	5	5	13	30
Female	325	2	-	3	2	3	11	11	11
American Indian 1/, both sexes	31	1	-	-	-	-	-	1	-
Male	8	1	-	-	-	-	-	-	-
Female	23	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	44	-	-	-	-	1	-	1	2
Male	14	-	-	-	-	-	-	-	2
Female	30	-	-	-	-	1	-	1	-







TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Alzheimer's disease (G30)									
All races, both sexes	49,558	-	-	-	-	2	6	64	491
Male	14,438	-	-	-	-	1	4	34	210
Female	35,120	-	-	-	-	1	2	30	281
White, both sexes	46,460	-	-	-	-	2	6	55	450
Male	13,524	-	-	-	-	1	4	29	193
Female	32,936	-	-	-	-	1	2	26	257
Black, both sexes	2,728	-	-	-	-	-	-	5	30
Male	776	-	-	-	-	-	-	3	16
Female	1,952	-	-	-	-	-	-	2	14
American Indian 1/, both sexes	95	-	-	-	-	-	-	-	3
Male	26	-	-	-	-	-	-	-	-
Female	69	-	-	-	-	-	-	-	3
Asian or Pacific Islander 2/, both sexes	275	-	-	-	-	-	-	4	8
Male	112	-	-	-	-	-	-	2	1
Female	163	-	-	-	-	-	-	2	7
Major cardiovascular diseases (I00-I78)									
All races, both sexes	936,923	636	234	362	1,309	3,792	16,624	43,583	77,482
Male	435,912	341	128	206	783	2,378	11,110	30,535	51,423
Female	501,011	295	106	156	526	1,414	5,514	13,048	26,059
White, both sexes	816,219	434	161	242	858	2,505	11,679	32,222	60,871
Male	379,095	233	96	146	528	1,645	8,189	23,533	41,460
Female	437,124	201	65	96	330	860	3,490	8,689	19,411
Black, both sexes	104,280	171	63	96	399	1,171	4,456	10,206	14,665
Male	47,980	91	27	48	219	657	2,590	6,213	8,687
Female	56,300	80	36	48	180	514	1,866	3,993	5,978
American Indian 1/, both sexes	3,198	7	2	7	12	30	150	309	498
Male	1,670	3	1	3	8	16	96	208	307
Female	1,528	4	1	4	4	14	54	101	191
Asian or Pacific Islander 2/, both sexes	13,226	24	8	17	40	86	339	846	1,448
Male	7,167	14	4	9	28	60	235	581	969
Female	6,059	10	4	8	12	26	104	265	479

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Diseases of heart (I00-I09,I11,I13,I20-I51)									
All races, both sexes	710,760	493	181	271	1,031	2,958	13,181	35,480	63,399
Male	344,807	260	107	163	638	1,922	9,286	25,927	43,285
Female	365,953	233	74	108	393	1,036	3,895	9,553	20,114
White, both sexes	621,719	343	126	177	656	1,937	9,532	26,991	50,581
Male	301,551	182	80	111	413	1,316	7,020	20,480	35,422
Female	320,168	161	46	66	243	621	2,512	6,511	15,159
Black, both sexes	77,523	122	49	76	333	937	3,305	7,680	11,385
Male	36,740	62	24	42	193	547	2,009	4,837	6,882
Female	40,783	60	25	34	140	390	1,296	2,843	4,503
American Indian 1/, both sexes	2,417	7	1	5	11	24	122	249	394
Male	1,341	3	-	3	8	16	83	179	252
Female	1,076	4	1	2	3	8	39	70	142
Asian or Pacific Islander 2/, both sexes	9,101	21	5	13	31	60	222	560	1,039
Male	5,175	13	3	7	24	43	174	431	729
Female	3,926	8	2	6	7	17	48	129	310

## Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)

All races, both sexes	3,582	6	2	4	17	33	141	252	420
Male	1,072	5	2	3	11	12	61	104	166
Female	2,510	1	-	1	6	21	80	148	254
White, both sexes	3,229	5	2	4	10	25	96	197	350
Male	965	4	2	3	6	10	46	87	147
Female	2,264	1	-	1	4	15	50	110	203
Black, both sexes	265	1	-	-	7	8	35	43	50
Male	79	1	-	-	5	2	12	13	14
Female	186	-	-	-	2	6	23	30	36
American Indian 1/, both sexes	18	-	-	-	-	-	2	1	6
Male	3	-	-	-	-	-	-	-	1
Female	15	-	-	-	-	-	2	1	5
Asian or Pacific Islander 2/, both sexes	70	-	-	-	-	-	8	11	14
Male	25	-	-	-	-	-	3	4	4
Female	45	-	-	-	-	-	5	7	10

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Hypertensive heart disease (I11)									
All races, both sexes	23,761	-	1	2	32	213	981	2,104	2,672
Male	9,876	-	-	1	24	139	643	1,436	1,684
Female	13,885	-	1	1	8	74	338	668	988
White, both sexes	17,425	-	-	2	15	95	542	1,168	1,588
Male	6,927	-	-	1	12	69	385	863	1,049
Female	10,498	-	-	1	3	26	157	305	539
Black, both sexes	5,886	-	1	-	17	114	424	895	1,031
Male	2,722	-	-	-	12	66	248	543	599
Female	3,164	-	1	-	5	48	176	352	432
American Indian 1/, both sexes	59	-	-	-	-	-	-	11	11
Male	32	-	-	-	-	-	-	8	5
Female	27	-	-	-	-	-	-	3	6
Asian or Pacific Islander 2/, both sexes	391	-	-	-	-	4	15	30	42
Male	195	-	-	-	-	4	10	22	31
Female	196	-	-	-	-	-	5	8	11
Hypertensive heart and renal disease (I13)									
All races, both sexes	2,785	-	-	1	6	28	83	147	208
Male	1,163	-	-	-	4	18	49	87	108
Female	1,622	-	-	1	2	10	34	60	100
White, both sexes	1,904	-	-	-	1	8	37	54	90
Male	775	-	-	-	1	6	22	31	46
Female	1,129	-	-	-	-	2	15	23	44
Black, both sexes	809	-	-	1	5	19	46	91	113
Male	356	-	-	-	3	12	27	55	58
Female	453	-	-	1	2	7	19	36	55
American Indian 1/, both sexes	9	-	-	-	-	-	-	1	1
Male	3	-	-	-	-	-	-	-	1
Female	6	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	63	-	-	-	-	1	-	1	4
Male	29	-	-	-	-	-	-	1	3
Female	34	-	-	-	-	1	-	-	1

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Ischemic heart diseases (I20-I25)									
All races, both sexes	515,204	30	10	16	123	935	7,519	24,890	47,737
Male	260,574	17	7	9	81	704	5,787	19,149	33,795
Female	254,630	13	3	7	42	231	1,732	5,741	13,942
White, both sexes	455,400	23	10	13	92	676	5,851	19,835	38,955
Male	230,951	14	7	7	61	529	4,662	15,753	28,221
Female	224,449	9	3	6	31	147	1,189	4,082	10,734
Black, both sexes	51,265	4	-	2	24	232	1,473	4,469	7,685
Male	24,625	2	-	2	14	152	963	2,924	4,788
Female	26,640	2	-	-	10	80	510	1,545	2,897
American Indian 1/, both sexes	1,740	1	-	-	4	11	73	176	302
Male	1,008	-	-	-	3	9	56	134	201
Female	732	1	-	-	1	2	17	42	101
Asian or Pacific Islander 2/, both sexes	6,799	2	-	1	3	16	122	410	795
Male	3,990	1	-	-	3	14	106	338	585
Female	2,809	1	-	1	-	2	16	72	210
Acute myocardial infarction (I21-I22)									
All races, both sexes	192,898	20	1	6	52	375	3,132	10,877	21,013
Male	100,306	10	1	4	30	269	2,387	8,265	14,638
Female	92,592	10	-	2	22	106	745	2,612	6,375
White, both sexes	170,584	16	1	4	39	272	2,496	8,900	17,659
Male	89,383	9	1	2	24	205	1,969	7,003	12,586
Female	81,201	7	-	2	15	67	527	1,897	5,073
Black, both sexes	19,112	2	-	2	11	94	569	1,737	2,935
Male	9,045	1	-	2	5	56	362	1,075	1,748
Female	10,067	1	-	-	6	38	207	662	1,187
American Indian 1/, both sexes	656	1	-	-	1	5	30	72	113
Male	384	-	-	-	-	4	23	55	73
Female	272	1	-	-	1	1	7	17	40
Asian or Pacific Islander 2/, both sexes	2,546	1	-	-	1	4	37	168	306
Male	1,494	-	-	-	1	4	33	132	231
Female	1,052	1	-	-	-	-	4	36	75

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/ 2	UNDER 1 YEAR 2/ 3	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Other acute ischemic heart diseases (I24)									
All races, both sexes	3,363	1	1	-	8	16	92	282	484
Male	1,749	1	1	-	6	13	71	217	341
Female	1,614	-	-	-	2	3	21	65	143
White, both sexes	2,839	1	1	-	6	12	68	214	367
Male	1,453	1	1	-	4	9	54	168	266
Female	1,386	-	-	-	2	3	14	46	101
Black, both sexes	456	-	-	-	1	4	22	63	103
Male	258	-	-	-	1	4	16	46	67
Female	198	-	-	-	-	-	6	17	36
American Indian 1/, both sexes	43	-	-	-	1	-	2	5	9
Male	26	-	-	-	1	-	1	3	5
Female	17	-	-	-	-	-	1	2	4
Asian or Pacific Islander 2/, both sexes	25	-	-	-	-	-	-	-	5
Male	12	-	-	-	-	-	-	-	3
Female	13	-	-	-	-	-	-	-	2
Other forms of chronic ischemic heart disease (I20,I25)									
All races, both sexes	318,943	9	8	10	63	544	4,295	13,731	26,240
Male	158,519	6	5	5	45	422	3,329	10,667	18,816
Female	160,424	3	3	5	18	122	966	3,064	7,424
White, both sexes	281,977	6	8	9	47	392	3,287	10,721	20,929
Male	140,115	4	5	5	33	315	2,639	8,582	15,369
Female	141,862	2	3	4	14	77	648	2,139	5,560
Black, both sexes	31,697	2	-	-	12	134	882	2,669	4,647
Male	15,322	1	-	-	8	92	585	1,803	2,973
Female	16,375	1	-	-	4	42	297	866	1,674
American Indian 1/, both sexes	1,041	-	-	-	2	6	41	99	180
Male	598	-	-	-	2	5	32	76	123
Female	443	-	-	-	-	1	9	23	57
Asian or Pacific Islander 2/, both sexes	4,228	1	-	1	2	12	85	242	484
Male	2,484	1	-	-	2	10	73	206	351
Female	1,744	-	-	1	-	2	12	36	133

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Atherosclerotic cardiovascular disease, so described (I25.0)									
All races, both sexes	69,554	1	-	1	15	144	1,376	4,980	8,242
Male	35,896	-	-	1	12	115	1,099	3,977	6,125
Female	33,658	1	-	-	3	29	277	1,003	2,117
White, both sexes	57,794	-	-	1	13	102	1,034	3,732	6,113
Male	29,467	-	-	1	10	83	852	3,067	4,660
Female	28,327	-	-	-	3	19	182	665	1,453
Black, both sexes	10,418	1	-	-	1	36	295	1,140	1,911
Male	5,615	-	-	-	1	26	210	821	1,308
Female	4,803	1	-	-	-	10	85	319	603
American Indian 1/, both sexes	266	-	-	-	1	4	12	33	52
Male	159	-	-	-	1	4	8	25	39
Female	107	-	-	-	-	-	4	8	13
Asian or Pacific Islander 2/, both sexes	1,076	-	-	-	-	2	35	75	166
Male	655	-	-	-	-	2	29	64	118
Female	421	-	-	-	-	-	6	11	48
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)									
All races, both sexes	249,389	8	8	9	48	400	2,919	8,751	17,998
Male	122,623	6	5	4	33	307	2,230	6,690	12,691
Female	126,766	2	3	5	15	93	689	2,061	5,307
White, both sexes	224,183	6	8	8	34	290	2,253	6,989	14,816
Male	110,648	4	5	4	23	232	1,787	5,515	10,709
Female	113,535	2	3	4	11	58	466	1,474	4,107
Black, both sexes	21,279	1	-	-	11	98	587	1,529	2,736
Male	9,707	1	-	-	7	66	375	982	1,665
Female	11,572	-	-	-	4	32	212	547	1,071
American Indian 1/, both sexes	775	-	-	-	1	2	29	66	128
Male	439	-	-	-	1	1	24	51	84
Female	336	-	-	-	-	1	5	15	44
Asian or Pacific Islander 2/, both sexes	3,152	1	-	1	2	10	50	167	318
Male	1,829	1	-	-	2	8	44	142	233
Female	1,323	-	-	1	-	2	6	25	85



TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Other heart diseases (I26-I51)									
All races, both sexes	165,428	457	168	248	853	1,749	4,457	8,087	12,362
Male	72,122	238	98	150	518	1,049	2,746	5,151	7,532
Female	93,306	219	70	98	335	700	1,711	2,936	4,830
White, both sexes	143,761	315	114	158	538	1,133	3,006	5,737	9,598
Male	61,933	164	71	100	333	702	1,905	3,746	5,959
Female	81,828	151	43	58	205	431	1,101	1,991	3,639
Black, both sexes	19,298	117	48	73	280	564	1,327	2,182	2,506
Male	8,958	59	24	40	159	315	759	1,302	1,423
Female	10,340	58	24	33	121	249	568	880	1,083
American Indian 1/, both sexes	591	6	1	5	7	13	47	60	74
Male	295	3	-	3	5	7	27	37	44
Female	296	3	1	2	2	6	20	23	30
Asian or Pacific Islander 2/, both sexes	1,778	19	5	12	28	39	77	108	184
Male	936	12	3	7	21	25	55	66	106
Female	842	7	2	5	7	14	22	42	78
Acute and subacute endocarditis (I33)									
All races, both sexes	1,172	3	1	3	13	40	116	186	165
Male	665	2	-	1	7	24	73	120	96
Female	507	1	1	2	6	16	43	66	69
White, both sexes	927	1	1	2	6	27	80	122	122
Male	536	1	-	-	3	19	50	83	76
Female	391	-	1	2	3	8	30	39	46
Black, both sexes	214	2	-	-	6	11	31	57	39
Male	111	1	-	-	4	3	21	35	18
Female	103	1	-	-	2	8	10	22	21
American Indian 1/, both sexes	13	-	-	-	-	-	3	5	2
Male	7	-	-	-	-	-	2	2	1
Female	6	-	-	-	-	-	1	3	1
Asian or Pacific Islander 2/, both sexes	18	-	-	1	1	2	2	2	2
Male	11	-	-	1	-	2	-	-	1
Female	7	-	-	-	1	-	2	2	1

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Diseases of pericardium and acute myocarditis (I30-I31,I40)									
All races, both sexes	767	20	24	20	38	53	86	85	89
Male	404	10	13	9	21	29	58	46	52
Female	363	10	11	11	17	24	28	39	37
White, both sexes	590	11	15	10	25	34	58	59	72
Male	309	6	11	5	13	18	39	32	45
Female	281	5	4	5	12	16	19	27	27
Black, both sexes	142	7	8	8	8	16	24	21	15
Male	72	4	2	3	3	10	16	10	6
Female	70	3	6	5	5	6	8	11	9
American Indian 1/, both sexes	6	1	-	-	1	-	-	1	-
Male	4	-	-	-	1	-	-	1	-
Female	2	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	29	1	1	2	4	3	4	4	2
Male	19	-	-	1	4	1	3	3	1
Female	10	1	1	1	-	2	1	1	1
Heart failure (I50)									
All races, both sexes	55,704	31	9	21	34	63	262	811	2,211
Male	21,175	22	7	9	20	36	159	496	1,264
Female	34,529	9	2	12	14	27	103	315	947
White, both sexes	50,142	19	5	16	17	38	164	558	1,715
Male	18,949	14	5	7	10	22	109	351	1,007
Female	31,193	5	-	9	7	16	55	207	708
Black, both sexes	4,965	12	4	4	13	24	94	241	455
Male	1,951	8	2	2	8	13	47	138	233
Female	3,014	4	2	2	5	11	47	103	222
American Indian 1/, both sexes	175	-	-	-	1	-	1	7	14
Male	79	-	-	-	1	-	1	4	6
Female	96	-	-	-	-	-	-	3	8
Asian or Pacific Islander 2/, both sexes	422	-	-	1	3	1	3	5	27
Male	196	-	-	-	1	1	2	3	18
Female	226	-	-	1	2	-	1	2	9

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/ YEAR 2/ YEARS	UNDER 1 YEAR 2/ YEARS	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)									
All races, both sexes	107,785	403	134	204	768	1,593	3,993	7,005	9,897
Male	49,878	204	78	131	470	960	2,456	4,489	6,120
Female	57,907	199	56	73	298	633	1,537	2,516	3,777
White, both sexes	92,102	284	93	130	490	1,034	2,704	4,998	7,689
Male	42,139	143	55	88	307	643	1,707	3,280	4,831
Female	49,963	141	38	42	183	391	997	1,718	2,858
Black, both sexes	13,977	96	36	61	253	513	1,178	1,863	1,997
Male	6,824	46	20	35	144	289	675	1,119	1,166
Female	7,153	50	16	26	109	224	503	744	831
American Indian 1/, both sexes	397	5	1	5	5	13	43	47	58
Male	205	3	-	3	3	7	24	30	37
Female	192	2	1	2	2	6	19	17	21
Asian or Pacific Islander 2/, both sexes	1,309	18	4	8	20	33	68	97	153
Male	710	12	3	5	16	21	50	60	86
Female	599	6	1	3	4	12	18	37	67
Essential (primary) hypertension and hypertensive renal disease (I10,I12)									
All races, both sexes	18,073	1	1	4	17	70	348	878	1,440
Male	6,895	1	-	3	4	39	216	555	818
Female	11,178	-	1	1	13	31	132	323	622
White, both sexes	13,775	1	1	3	7	32	158	438	851
Male	5,120	1	-	3	3	22	109	301	503
Female	8,655	-	1	-	4	10	49	137	348
Black, both sexes	3,887	-	-	1	10	35	179	409	559
Male	1,592	-	-	-	1	16	100	233	303
Female	2,295	-	-	1	9	19	79	176	256
American Indian 1/, both sexes	73	-	-	-	-	1	3	5	14
Male	24	-	-	-	-	-	2	3	5
Female	49	-	-	-	-	1	1	2	9
Asian or Pacific Islander 2/, both sexes	338	-	-	-	-	2	8	26	16
Male	159	-	-	-	-	1	5	18	7
Female	179	-	-	-	-	1	3	8	9



TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Other diseases of circulatory system (I71-I78)									
All races, both sexes	26,036	16	5	11	59	154	448	1,038	2,236
Male	14,084	6	2	7	33	103	276	699	1,530
Female	11,952	10	3	4	26	51	172	339	706
White, both sexes	22,963	13	4	7	44	111	308	756	1,834
Male	12,611	4	2	6	26	77	190	528	1,290
Female	10,352	9	2	1	18	34	118	228	544
Black, both sexes	2,595	3	-	4	13	36	124	234	351
Male	1,207	2	-	1	6	22	77	146	201
Female	1,388	1	-	3	7	14	47	88	150
American Indian 1/, both sexes	87	-	-	-	-	-	3	8	8
Male	37	-	-	-	-	-	-	4	5
Female	50	-	-	-	-	-	3	4	3
Asian or Pacific Islander 2/, both sexes	391	-	1	-	2	7	13	40	43
Male	229	-	-	-	1	4	9	21	34
Female	162	-	1	-	1	3	4	19	9
Aortic aneurysm and dissection (I71)									
All races, both sexes	15,810	-	-	5	36	107	303	662	1,493
Male	9,661	-	-	3	23	78	219	492	1,111
Female	6,149	-	-	2	13	29	84	170	382
White, both sexes	14,210	-	-	2	26	77	204	496	1,257
Male	8,797	-	-	2	18	56	149	384	956
Female	5,413	-	-	-	8	21	55	112	301
Black, both sexes	1,277	-	-	3	9	25	90	137	200
Male	671	-	-	1	5	19	64	91	125
Female	606	-	-	2	4	6	26	46	75
American Indian 1/, both sexes	41	-	-	-	-	-	-	1	3
Male	21	-	-	-	-	-	-	1	1
Female	20	-	-	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes	282	-	-	-	1	5	9	28	33
Male	172	-	-	-	-	3	6	16	29
Female	110	-	-	-	1	2	3	12	4

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Other diseases of arteries, arterioles and capillaries (I72-I78)									
All races, both sexes	10,226	16	5	6	23	47	145	376	743
Male	4,423	6	2	4	10	25	57	207	419
Female	5,803	10	3	2	13	22	88	169	324
White, both sexes	8,753	13	4	5	18	34	104	260	577
Male	3,814	4	2	4	8	21	41	144	334
Female	4,939	9	2	1	10	13	63	116	243
Black, both sexes	1,318	3	-	1	4	11	34	97	151
Male	536	2	-	-	1	3	13	55	76
Female	782	1	-	1	3	8	21	42	75
American Indian 1/, both sexes	46	-	-	-	-	-	3	7	5
Male	16	-	-	-	-	-	-	3	4
Female	30	-	-	-	-	-	3	4	1
Asian or Pacific Islander 2/, both sexes	109	-	1	-	1	2	4	12	10
Male	57	-	-	-	1	1	3	5	5
Female	52	-	1	-	-	1	1	7	5
Other disorders of circulatory system (I80-I99)									
All races, both sexes	4,603	27	4	12	37	133	319	515	516
Male	1,981	16	2	6	16	57	190	295	264
Female	2,622	11	2	6	21	76	129	220	252
White, both sexes	3,787	20	3	9	22	82	230	392	397
Male	1,618	13	1	5	9	34	141	228	201
Female	2,169	7	2	4	13	48	89	164	196
Black, both sexes	761	5	1	3	14	49	87	118	109
Male	335	2	1	1	7	22	48	66	56
Female	426	3	-	2	7	27	39	52	53
American Indian 1/, both sexes	18	-	-	-	1	1	-	2	2
Male	8	-	-	-	-	1	-	-	1
Female	10	-	-	-	1	-	-	2	1
Asian or Pacific Islander 2/, both sexes	37	2	-	-	-	1	2	3	8
Male	20	1	-	-	-	-	1	1	6
Female	17	1	-	-	-	1	1	2	2



TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Pneumonia (J12-J18)									
All races, both sexes	63,548	280	93	76	176	351	1,046	1,726	2,786
Male	27,994	158	50	43	96	199	616	1,041	1,636
Female	35,554	122	43	33	80	152	430	685	1,150
White, both sexes	56,252	165	60	61	126	250	749	1,257	2,171
Male	24,385	93	26	35	74	135	445	740	1,261
Female	31,867	72	34	26	52	115	304	517	910
Black, both sexes	5,909	101	29	10	43	92	254	418	532
Male	2,880	56	21	6	20	58	149	267	324
Female	3,029	45	8	4	23	34	105	151	208
American Indian 1/, both sexes	285	6	-	2	2	5	28	21	24
Male	148	2	-	-	1	3	18	16	16
Female	137	4	-	2	1	2	10	5	8
Asian or Pacific Islander 2/, both sexes	1,102	8	4	3	5	4	15	30	59
Male	581	7	3	2	1	3	4	18	35
Female	521	1	1	1	4	1	11	12	24
Other acute lower respiratory infections (J20-J22)									
All races, both sexes	425	43	11	7	5	8	12	12	10
Male	160	25	4	3	4	6	7	4	3
Female	265	18	7	4	1	2	5	8	7
White, both sexes	372	25	8	3	5	5	8	9	10
Male	134	12	4	2	4	4	6	4	3
Female	238	13	4	1	1	1	2	5	7
Black, both sexes	46	14	3	3	-	2	4	3	-
Male	22	10	-	1	-	2	1	-	-
Female	24	4	3	2	-	-	3	3	-
American Indian 1/, both sexes	2	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	3	-	1	-	1	-	-	-
Male	3	3	-	-	-	-	-	-	-
Female	2	-	-	1	-	1	-	-	-





TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Chronic lower respiratory diseases (J40-J47)									
All races, both sexes	122,009	36	51	139	190	296	930	3,251	10,739
Male	60,004	23	28	80	120	165	437	1,661	5,564
Female	62,005	13	23	59	70	131	493	1,590	5,175
White, both sexes	112,840	23	28	63	103	166	624	2,584	9,532
Male	54,816	16	13	33	65	84	292	1,321	4,893
Female	58,024	7	15	30	38	82	332	1,263	4,639
Black, both sexes	7,607	11	21	70	81	116	275	599	1,073
Male	4,238	6	14	43	51	72	130	294	595
Female	3,369	5	7	27	30	44	145	305	478
American Indian 1/, both sexes	429	1	2	-	3	4	10	17	71
Male	228	1	1	-	3	3	4	12	41
Female	201	-	1	-	-	1	6	5	30
Asian or Pacific Islander 2/, both sexes	1,133	1	-	6	3	10	21	51	63
Male	722	-	-	4	1	6	11	34	35
Female	411	1	-	2	2	4	10	17	28
Bronchitis, chronic and unspecified (J40-J42)									
All races, both sexes	1,167	18	14	5	5	8	20	38	67
Male	503	9	7	3	4	7	14	16	32
Female	664	9	7	2	1	1	6	22	35
White, both sexes	1,073	9	7	4	4	6	14	32	61
Male	458	5	3	2	3	5	8	15	28
Female	615	4	4	2	1	1	6	17	33
Black, both sexes	80	7	6	1	1	1	6	6	4
Male	35	3	3	1	1	1	6	1	3
Female	45	4	3	-	-	-	-	5	1
American Indian 1/, both sexes	2	1	1	-	-	-	-	-	-
Male	2	1	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	12	1	-	-	-	1	-	-	2
Male	8	-	-	-	-	1	-	-	1
Female	4	1	-	-	-	-	-	-	1

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Emphysema (J43)									
All races, both sexes	16,700	3	2	-	5	11	82	474	1,807
Male	8,671	3	-	-	5	5	46	280	943
Female	8,029	-	2	-	-	6	36	194	864
White, both sexes	15,607	3	-	-	2	10	63	383	1,645
Male	7,985	3	-	-	2	4	34	218	847
Female	7,622	-	-	-	-	6	29	165	798
Black, both sexes	901	-	1	-	3	1	17	85	147
Male	559	-	-	-	3	1	11	56	88
Female	342	-	1	-	-	-	6	29	59
American Indian 1/, both sexes	59	-	1	-	-	-	1	2	11
Male	29	-	-	-	-	-	1	2	5
Female	30	-	1	-	-	-	-	-	6
Asian or Pacific Islander 2/, both sexes	133	-	-	-	-	-	1	4	4
Male	98	-	-	-	-	-	-	4	3
Female	35	-	-	-	-	-	1	-	1
Asthma (J45-J46)									
All races, both sexes	4,487	8	32	129	167	249	458	614	540
Male	1,632	6	20	74	102	142	196	238	200
Female	2,855	2	12	55	65	107	262	376	340
White, both sexes	3,144	5	18	54	89	132	256	360	347
Male	1,057	3	9	28	55	70	105	150	119
Female	2,087	2	9	26	34	62	151	210	228
Black, both sexes	1,158	3	14	69	74	104	179	228	168
Male	481	3	11	42	44	64	79	74	67
Female	677	-	3	27	30	40	100	154	101
American Indian 1/, both sexes	31	-	-	-	2	4	7	1	7
Male	14	-	-	-	2	3	2	-	3
Female	17	-	-	-	-	1	5	1	4
Asian or Pacific Islander 2/, both sexes	154	-	-	6	2	9	16	25	18
Male	80	-	-	4	1	5	10	14	11
Female	74	-	-	2	1	4	6	11	7



TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Pneumonitis due to solids and liquids (J69)									
All races, both sexes	16,636	10	11	13	37	62	181	366	598
Male	8,390	4	5	9	23	35	115	225	354
Female	8,246	6	6	4	14	27	66	141	244
White, both sexes	14,869	8	9	12	27	46	142	281	485
Male	7,488	4	4	8	18	22	93	171	291
Female	7,381	4	5	4	9	24	49	110	194
Black, both sexes	1,521	1	2	1	9	15	38	80	102
Male	765	-	1	1	4	12	21	53	55
Female	756	1	1	-	5	3	17	27	47
American Indian 1/, both sexes	49	-	-	-	-	1	-	3	7
Male	27	-	-	-	-	1	-	-	4
Female	22	-	-	-	-	-	-	3	3
Asian or Pacific Islander 2/, both sexes	197	1	-	-	1	-	1	2	4
Male	110	-	-	-	1	-	1	1	4
Female	87	1	-	-	-	-	-	1	-
Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)									
All races, both sexes	25,535	273	87	74	131	253	615	1,332	2,411
Male	12,391	154	45	38	73	127	335	712	1,324
Female	13,144	119	42	36	58	126	280	620	1,087
White, both sexes	22,664	166	63	53	86	182	443	1,009	2,017
Male	10,979	100	30	28	46	93	241	540	1,118
Female	11,685	66	33	25	40	89	202	469	899
Black, both sexes	2,361	103	21	18	40	59	153	288	327
Male	1,135	51	14	10	23	30	85	153	166
Female	1,226	52	7	8	17	29	68	135	161
American Indian 1/, both sexes	157	1	2	1	1	7	8	17	24
Male	73	-	1	-	1	2	5	10	14
Female	84	1	1	1	-	5	3	7	10
Asian or Pacific Islander 2/, both sexes	353	3	1	2	4	5	11	18	43
Male	204	3	-	-	3	2	4	9	26
Female	149	-	1	2	1	3	7	9	17



TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Hernia (K40-K46)									
All races, both sexes	1,522	46	4	3	5	5	31	84	113
Male	586	28	3	3	3	1	13	45	49
Female	936	18	1	-	2	4	18	39	64
White, both sexes	1,354	36	2	3	3	4	22	67	99
Male	520	23	2	3	1	1	10	34	43
Female	834	13	-	-	2	3	12	33	56
Black, both sexes	145	7	2	-	2	1	8	13	13
Male	54	3	1	-	2	-	2	9	5
Female	91	4	1	-	-	1	6	4	8
American Indian 1/, both sexes	11	2	-	-	-	-	1	2	1
Male	5	1	-	-	-	-	1	1	1
Female	6	1	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	12	1	-	-	-	-	-	2	-
Male	7	1	-	-	-	-	-	1	-
Female	5	-	-	-	-	-	-	1	-
Chronic liver disease and cirrhosis (K70,K73-K74)									
All races, both sexes	26,552	3	3	3	36	415	3,371	6,654	5,774
Male	17,214	3	1	2	19	280	2,314	4,975	4,005
Female	9,338	-	2	1	17	135	1,057	1,679	1,769
White, both sexes	22,982	-	3	2	21	312	2,745	5,515	4,948
Male	15,002	-	1	1	11	224	1,921	4,205	3,475
Female	7,980	-	2	1	10	88	824	1,310	1,473
Black, both sexes	2,737	2	-	1	12	57	451	937	633
Male	1,730	2	-	1	6	27	284	639	414
Female	1,007	-	-	-	6	30	167	298	219
American Indian 1/, both sexes	534	-	-	-	2	39	137	147	123
Male	298	-	-	-	1	23	78	91	71
Female	236	-	-	-	1	16	59	56	52
Asian or Pacific Islander 2/, both sexes	299	1	-	-	1	7	38	55	70
Male	184	1	-	-	1	6	31	40	45
Female	115	-	-	-	-	1	7	15	25

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Alcoholic liver disease (K70)									
All races, both sexes	12,109	-	-	-	8	279	2,226	3,888	2,969
Male	8,985	-	-	-	5	202	1,533	2,968	2,216
Female	3,124	-	-	-	3	77	693	920	753
White, both sexes	10,272	-	-	-	6	218	1,810	3,246	2,533
Male	7,770	-	-	-	4	168	1,264	2,538	1,930
Female	2,502	-	-	-	2	50	546	708	603
Black, both sexes	1,380	-	-	-	-	34	287	508	325
Male	918	-	-	-	-	17	187	341	211
Female	462	-	-	-	-	17	100	167	114
American Indian 1/, both sexes	339	-	-	-	1	25	99	102	79
Male	205	-	-	-	-	15	56	63	51
Female	134	-	-	-	1	10	43	39	28
Asian or Pacific Islander 2/, both sexes	118	-	-	-	1	2	30	32	32
Male	92	-	-	-	1	2	26	26	24
Female	26	-	-	-	-	-	4	6	8
Other chronic liver disease and cirrhosis (K73-K74)									
All races, both sexes	14,443	3	3	3	28	136	1,145	2,766	2,805
Male	8,229	3	1	2	14	78	781	2,007	1,789
Female	6,214	-	2	1	14	58	364	759	1,016
White, both sexes	12,710	-	3	2	15	94	935	2,269	2,415
Male	7,232	-	1	1	7	56	657	1,667	1,545
Female	5,478	-	2	1	8	38	278	602	870
Black, both sexes	1,357	2	-	1	12	23	164	429	308
Male	812	2	-	1	6	10	97	298	203
Female	545	-	-	-	6	13	67	131	105
American Indian 1/, both sexes	195	-	-	-	1	14	38	45	44
Male	93	-	-	-	1	8	22	28	20
Female	102	-	-	-	-	6	16	17	24
Asian or Pacific Islander 2/, both sexes	181	1	-	-	-	5	8	23	38
Male	92	1	-	-	-	4	5	14	21
Female	89	-	-	-	-	1	3	9	17



TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Cholelithiasis and other disorders of gallbladder (K80-K82)									
All races, both sexes	2,810	-	-	2	9	19	53	109	189
Male	1,244	-	-	1	4	7	27	53	110
Female	1,566	-	-	1	5	12	26	56	79
White, both sexes	2,457	-	-	1	7	10	38	75	151
Male	1,111	-	-	1	3	5	22	39	92
Female	1,346	-	-	-	4	5	16	36	59
Black, both sexes	280	-	-	1	2	8	14	28	29
Male	96	-	-	-	1	2	4	11	14
Female	184	-	-	1	1	6	10	17	15
American Indian 1/, both sexes	20	-	-	-	-	1	-	2	2
Male	7	-	-	-	-	-	-	1	1
Female	13	-	-	-	-	1	-	1	1
Asian or Pacific Islander 2/, both sexes	53	-	-	-	-	-	1	4	7
Male	30	-	-	-	-	-	1	2	3
Female	23	-	-	-	-	-	-	2	4
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)									
All races, both sexes	37,251	162	14	25	88	244	740	1,651	3,100
Male	17,811	103	7	17	43	129	429	982	1,651
Female	19,440	59	7	8	45	115	311	669	1,449
White, both sexes	29,598	87	8	20	63	136	412	936	2,009
Male	14,385	58	5	14	33	73	243	558	1,106
Female	15,213	29	3	6	30	63	169	378	903
Black, both sexes	6,911	71	5	4	24	100	306	669	991
Male	3,074	42	2	2	10	50	175	398	489
Female	3,837	29	3	2	14	50	131	271	502
American Indian 1/, both sexes	215	1	-	-	-	3	12	22	39
Male	98	-	-	-	-	2	7	11	21
Female	117	1	-	-	-	1	5	11	18
Asian or Pacific Islander 2/, both sexes	527	3	1	1	1	5	10	24	61
Male	254	3	-	1	-	4	4	15	35
Female	273	-	1	-	1	1	6	9	26

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/ YEAR 2/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)									
All races, both sexes	177	8	3	2	1	4	3	16	10
Male	91	3	2	2	1	3	1	11	8
Female	86	5	1	-	-	1	2	5	2
White, both sexes	141	6	1	1	1	3	1	6	10
Male	72	3	1	1	1	2	1	5	8
Female	69	3	-	-	-	1	-	1	2
Black, both sexes	30	2	2	-	-	1	2	10	-
Male	13	-	1	-	-	1	-	6	-
Female	17	2	1	-	-	-	2	4	-
American Indian 1/, both sexes	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	-	-	1	-	-	-	-	-
Male	5	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03, N05-N07,N26)									
All races, both sexes	556	1	-	4	9	17	34	39	59
Male	284	-	-	1	2	11	20	27	31
Female	272	1	-	3	7	6	14	12	28
White, both sexes	439	-	-	3	7	11	20	26	43
Male	226	-	-	1	1	7	12	18	23
Female	213	-	-	2	6	4	8	8	20
Black, both sexes	90	1	-	1	2	4	10	12	12
Male	44	-	-	-	1	2	5	8	7
Female	46	1	-	1	1	2	5	4	5
American Indian 1/, both sexes	8	-	-	-	-	1	2	1	1
Male	6	-	-	-	-	1	2	1	1
Female	2	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	19	-	-	-	-	1	2	-	3
Male	8	-	-	-	-	1	1	-	-
Female	11	-	-	-	-	-	1	-	3





TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Inflammatory diseases of female pelvic organs (N70-N76)									
All races, both sexes	120	2	-	1	2	6	15	9	8
Female	120	2	-	1	2	6	15	9	8
White, both sexes	94	1	-	-	2	4	7	7	6
Female	94	1	-	-	2	4	7	7	6
Black, both sexes	23	1	-	1	-	1	7	2	2
Female	23	1	-	1	-	1	7	2	2
American Indian 1/, both sexes	2	-	-	-	-	1	-	-	-
Female	2	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	1	-	-
Pregnancy, childbirth and the puerperium (000-099)									
All races, both sexes	404	...	...	-	95	182	121	6	...
Female	404	...	...	-	95	182	121	6	...
White, both sexes	243	...	...	-	55	108	77	3	...
Female	243	...	...	-	55	108	77	3	...
Black, both sexes	142	...	...	-	36	65	38	3	...
Female	142	...	...	-	36	65	38	3	...
American Indian 1/, both sexes	6	...	...	-	2	4	-	-	...
Female	6	...	...	-	2	4	-	-	...
Asian or Pacific Islander 2/, both sexes	13	...	...	-	2	5	6	-	...
Female	13	...	...	-	2	5	6	-	...

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Pregnancy with abortive outcome (000-007)									
All races, both sexes	37	...	...	-	6	17	14	-	...
Female	37	...	...	-	6	17	14	-	...
White, both sexes	18	...	...	-	1	8	9	-	...
Female	18	...	...	-	1	8	9	-	...
Black, both sexes	19	...	...	-	5	9	5	-	...
Female	19	...	...	-	5	9	5	-	...
American Indian 1/, both sexes	-	...	...	-	-	-	-	-	...
Female	-	...	...	-	-	-	-	-	...
Asian or Pacific Islander 2/, both sexes	-	...	...	-	-	-	-	-	...
Female	-	...	...	-	-	-	-	-	...
Other complications of pregnancy, childbirth and the puerperium (010-099)									
All races, both sexes	367	...	...	-	89	165	107	6	...
Female	367	...	...	-	89	165	107	6	...
White, both sexes	225	...	...	-	54	100	68	3	...
Female	225	...	...	-	54	100	68	3	...
Black, both sexes	123	...	...	-	31	56	33	3	...
Female	123	...	...	-	31	56	33	3	...
American Indian 1/, both sexes	6	...	...	-	2	4	-	-	...
Female	6	...	...	-	2	4	-	-	...
Asian or Pacific Islander 2/, both sexes	13	...	...	-	2	5	6	-	...
Female	13	...	...	-	2	5	6	-	...

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Certain conditions originating in the perinatal period (P00-P96)									
All races, both sexes	14,069	13,918	79	41	15	7	4	2	2
Male	7,968	7,872	52	23	11	6	2	2	-
Female	6,101	6,046	27	18	4	1	2	-	2
White, both sexes	8,532	8,431	46	30	13	3	4	2	2
Male	4,828	4,762	30	20	10	2	2	2	-
Female	3,704	3,669	16	10	3	1	2	-	2
Black, both sexes	5,021	4,979	27	10	1	4	-	-	-
Male	2,844	2,818	18	3	1	4	-	-	-
Female	2,177	2,161	9	7	-	-	-	-	-
American Indian 1/, both sexes	124	121	2	-	1	-	-	-	-
Male	72	71	1	-	-	-	-	-	-
Female	52	50	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	392	387	4	1	-	-	-	-	-
Male	224	221	3	-	-	-	-	-	-
Female	168	166	1	1	-	-	-	-	-

Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

All races, both sexes	10,578	5,743	495	399	441	477	569	612	569
Male	5,517	3,028	259	207	268	279	316	347	264
Female	5,061	2,715	236	192	173	198	253	265	305
White, both sexes	8,396	4,371	347	292	332	391	459	539	496
Male	4,368	2,316	180	147	201	229	259	300	237
Female	4,028	2,055	167	145	131	162	200	239	259
Black, both sexes	1,790	1,102	126	91	91	77	93	67	59
Male	944	567	70	52	58	46	51	41	18
Female	846	535	56	39	33	31	42	26	41
American Indian 1/, both sexes	95	68	4	3	3	-	4	1	5
Male	56	42	1	2	2	-	1	1	4
Female	39	26	3	1	1	-	3	-	1
Asian or Pacific Islander 2/, both sexes	297	202	18	13	15	9	13	5	9
Male	149	103	8	6	7	4	5	5	5
Female	148	99	10	7	8	5	8	-	4

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)									
All races, both sexes	31,876	3,639	248	177	868	1,554	2,987	3,142	2,253
Male	15,863	2,156	137	99	581	1,060	1,994	2,123	1,429
Female	16,013	1,483	111	78	287	494	993	1,019	824
White, both sexes	26,285	2,294	182	120	656	1,185	2,395	2,451	1,783
Male	12,827	1,363	106	68	458	830	1,649	1,673	1,125
Female	13,458	931	76	52	198	355	746	778	658
Black, both sexes	5,004	1,212	57	46	186	316	528	623	424
Male	2,693	710	29	28	108	198	293	403	275
Female	2,311	502	28	18	78	118	235	220	149
American Indian 1/, both sexes	209	61	3	1	9	17	21	26	19
Male	127	42	1	-	6	7	14	21	13
Female	82	19	2	1	3	10	7	5	6
Asian or Pacific Islander 2/, both sexes	378	72	6	10	17	36	43	42	27
Male	216	41	1	3	9	25	38	26	16
Female	162	31	5	7	8	11	5	16	11

All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)

All races, both sexes	178,378	1,105	609	879	1,764	3,097	8,113	13,326	15,156
Male	72,227	629	338	474	1,057	1,811	4,801	7,911	8,236
Female	106,151	476	271	405	707	1,286	3,312	5,415	6,920
White, both sexes	154,181	740	422	652	1,325	2,197	5,916	10,098	12,182
Male	61,390	409	238	369	822	1,354	3,618	6,158	6,641
Female	92,791	331	184	283	503	843	2,298	3,940	5,541
Black, both sexes	21,272	305	148	189	383	816	1,969	2,930	2,625
Male	9,455	187	78	87	204	404	1,047	1,586	1,420
Female	11,817	118	70	102	179	412	922	1,344	1,205
American Indian 1/, both sexes	945	17	17	7	16	46	132	151	134
Male	471	8	7	5	11	37	84	82	61
Female	474	9	10	2	5	9	48	69	73
Asian or Pacific Islander 2/, both sexes	1,980	43	22	31	40	38	96	147	215
Male	911	25	15	13	20	16	52	85	114
Female	1,069	18	7	18	20	22	44	62	101



TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Accidents (unintentional injuries) (V01-X59,Y85-Y86)									
All races, both sexes	97,900	881	1,826	2,979	14,113	11,769	15,413	12,278	7,505
Male	63,817	501	1,098	1,861	10,460	9,059	11,444	9,063	5,133
Female	34,083	380	728	1,118	3,653	2,710	3,969	3,215	2,372
White, both sexes	82,592	569	1,335	2,219	11,823	9,519	12,663	9,901	6,275
Male	53,329	331	808	1,378	8,770	7,369	9,462	7,322	4,242
Female	29,263	238	527	841	3,053	2,150	3,201	2,579	2,033
Black, both sexes	12,277	274	405	631	1,695	1,770	2,287	1,988	997
Male	8,531	149	239	414	1,261	1,340	1,678	1,475	750
Female	3,746	125	166	217	434	430	609	513	247
American Indian 1/, both sexes	1,353	20	39	70	299	239	256	197	94
Male	900	11	25	37	202	172	166	150	56
Female	453	9	14	33	97	67	90	47	38
Asian or Pacific Islander 2/, both sexes	1,678	18	47	59	296	241	207	192	139
Male	1,057	10	26	32	227	178	138	116	85
Female	621	8	21	27	69	63	69	76	54
Transport accidents (V01-V99,Y85)									
All races, both sexes	46,749	174	691	1,922	11,028	7,400	7,661	5,965	3,883
Male	32,166	94	391	1,138	7,890	5,570	5,560	4,260	2,617
Female	14,583	80	300	784	3,138	1,830	2,101	1,705	1,266
White, both sexes	39,088	121	513	1,519	9,279	5,890	6,318	4,924	3,319
Male	26,815	68	290	896	6,632	4,441	4,589	3,543	2,213
Female	12,273	53	223	623	2,647	1,449	1,729	1,381	1,106
Black, both sexes	5,839	40	141	317	1,283	1,169	1,069	818	424
Male	4,199	21	79	197	928	890	804	579	321
Female	1,640	19	62	120	355	279	265	239	103
American Indian 1/, both sexes	829	7	16	46	241	167	146	96	50
Male	537	2	10	23	162	117	92	70	25
Female	292	5	6	23	79	50	54	26	25
Asian or Pacific Islander 2/, both sexes	993	6	21	40	225	174	128	127	90
Male	615	3	12	22	168	122	75	68	58
Female	378	3	9	18	57	52	53	59	32

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)									
All races, both sexes	43,354	168	651	1,772	10,560	6,884	6,927	5,361	3,506
Male	29,451	90	368	1,043	7,516	5,135	4,940	3,780	2,306
Female	13,903	78	283	729	3,044	1,749	1,987	1,581	1,200
White, both sexes	36,160	115	484	1,389	8,881	5,448	5,690	4,410	2,984
Male	24,470	64	275	815	6,317	4,067	4,057	3,131	1,937
Female	11,690	51	209	574	2,564	1,381	1,633	1,279	1,047
Black, both sexes	5,499	40	134	302	1,234	1,111	987	757	394
Male	3,922	21	74	185	886	842	735	530	295
Female	1,577	19	60	117	348	269	252	227	99
American Indian 1/, both sexes	779	7	14	44	231	163	135	82	47
Male	500	2	9	23	154	114	83	58	23
Female	279	5	5	21	77	49	52	24	24
Asian or Pacific Islander 2/, both sexes	916	6	19	37	214	162	115	112	81
Male	559	3	10	20	159	112	65	61	51
Female	357	3	9	17	55	50	50	51	30

Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)

All races, both sexes	1,492	2	31	98	243	212	317	234	122
Male	1,125	2	17	61	194	171	258	166	98
Female	367	-	14	37	49	41	59	68	24
White, both sexes	1,221	2	21	83	203	171	250	186	101
Male	924	2	10	52	161	139	206	132	82
Female	297	-	11	31	42	32	44	54	19
Black, both sexes	206	-	7	11	32	32	54	35	15
Male	158	-	5	8	26	25	43	27	12
Female	48	-	2	3	6	7	11	8	3
American Indian 1/, both sexes	28	-	1	2	5	3	8	6	2
Male	19	-	-	-	5	3	6	4	1
Female	9	-	1	2	-	-	2	2	1
Asian or Pacific Islander 2/, both sexes	37	-	2	2	3	6	5	7	4
Male	24	-	2	1	2	4	3	3	3
Female	13	-	-	1	1	2	2	4	1

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)									
All races, both sexes	1,903	4	9	52	225	304	417	370	255
Male	1,590	2	6	34	180	264	362	314	213
Female	313	2	3	18	45	40	55	56	42
White, both sexes	1,707	4	8	47	195	271	378	328	234
Male	1,421	2	5	29	154	235	326	280	194
Female	286	2	3	18	41	36	52	48	40
Black, both sexes	134	-	-	4	17	26	28	26	15
Male	119	-	-	4	16	23	26	22	14
Female	15	-	-	-	1	3	2	4	1
American Indian 1/, both sexes	22	-	1	-	5	1	3	8	1
Male	18	-	1	-	3	-	3	8	1
Female	4	-	-	-	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes	40	-	-	1	8	6	8	8	5
Male	32	-	-	1	7	6	7	4	4
Female	8	-	-	-	1	-	1	4	1
Nontransport accidents (W00-X59,Y86)									
All races, both sexes	51,151	707	1,135	1,057	3,085	4,369	7,752	6,313	3,622
Male	31,651	407	707	723	2,570	3,489	5,884	4,803	2,516
Female	19,500	300	428	334	515	880	1,868	1,510	1,106
White, both sexes	43,504	448	822	700	2,544	3,629	6,345	4,977	2,956
Male	26,514	263	518	482	2,138	2,928	4,873	3,779	2,029
Female	16,990	185	304	218	406	701	1,472	1,198	927
Black, both sexes	6,438	234	264	314	412	601	1,218	1,170	573
Male	4,332	128	160	217	333	450	874	896	429
Female	2,106	106	104	97	79	151	344	274	144
American Indian 1/, both sexes	524	13	23	24	58	72	110	101	44
Male	363	9	15	14	40	55	74	80	31
Female	161	4	8	10	18	17	36	21	13
Asian or Pacific Islander 2/, both sexes	685	12	26	19	71	67	79	65	49
Male	442	7	14	10	59	56	63	48	27
Female	243	5	12	9	12	11	16	17	22

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Falls (W00-W19)									
All races, both sexes	13,322	8	36	37	237	303	608	871	949
Male	7,122	6	23	30	203	272	496	690	680
Female	6,200	2	13	7	34	31	112	181	269
White, both sexes	12,252	5	23	30	217	265	504	729	802
Male	6,449	3	13	25	187	239	416	579	574
Female	5,803	2	10	5	30	26	88	150	228
Black, both sexes	760	2	13	7	13	23	74	114	116
Male	485	2	10	5	11	19	57	91	89
Female	275	-	3	2	2	4	17	23	27
American Indian 1/, both sexes	81	1	-	-	1	9	13	16	12
Male	57	1	-	-	1	8	10	11	7
Female	24	-	-	-	-	1	3	5	5
Asian or Pacific Islander 2/, both sexes	229	-	-	-	6	6	17	12	19
Male	131	-	-	-	4	6	13	9	10
Female	98	-	-	-	2	-	4	3	9
Accidental discharge of firearms (W32-W34)									
All races, both sexes	776	1	18	67	202	131	153	78	50
Male	671	-	11	62	183	109	125	69	44
Female	105	1	7	5	19	22	28	9	6
White, both sexes	611	1	11	52	141	94	128	67	47
Male	530	-	6	48	129	75	107	61	41
Female	81	1	5	4	12	19	21	6	6
Black, both sexes	137	-	5	12	52	32	19	10	3
Male	117	-	3	12	46	29	14	7	3
Female	20	-	2	-	6	3	5	3	-
American Indian 1/, both sexes	14	-	2	2	6	1	1	1	-
Male	12	-	2	2	5	1	-	1	-
Female	2	-	-	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes	14	-	-	1	3	4	5	-	-
Male	12	-	-	-	3	4	4	-	-
Female	2	-	-	1	-	-	1	-	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Accidental drowning and submersion (W65-W74)									
All races, both sexes	3,482	75	493	375	646	419	480	354	217
Male	2,735	43	316	267	583	364	406	299	179
Female	747	32	177	108	63	55	74	55	38
White, both sexes	2,683	47	415	218	460	322	385	277	187
Male	2,105	28	268	151	413	284	323	232	159
Female	578	19	147	67	47	38	62	45	28
Black, both sexes	593	26	56	136	134	58	79	52	17
Male	478	14	35	102	126	52	69	45	13
Female	115	12	21	34	8	6	10	7	4
American Indian 1/, both sexes	79	2	10	11	18	14	7	11	4
Male	61	1	6	8	15	9	7	9	4
Female	18	1	4	3	3	5	-	2	-
Asian or Pacific Islander 2/, both sexes	127	-	12	10	34	25	9	14	9
Male	91	-	7	6	29	19	7	13	3
Female	36	-	5	4	5	6	2	1	6
Accidental exposure to smoke, fire and flames (X00-X09)									
All races, both sexes	3,377	37	290	266	192	241	402	439	369
Male	2,025	20	174	145	121	157	268	303	241
Female	1,352	17	116	121	71	84	134	136	128
White, both sexes	2,376	23	160	158	141	169	291	330	260
Male	1,435	11	98	85	90	113	195	228	169
Female	941	12	62	73	51	56	96	102	91
Black, both sexes	930	14	121	101	44	65	99	100	102
Male	551	9	71	57	27	39	65	69	69
Female	379	5	50	44	17	26	34	31	33
American Indian 1/, both sexes	37	-	5	4	4	7	7	2	5
Male	23	-	3	2	3	5	4	2	2
Female	14	-	2	2	1	2	3	-	3
Asian or Pacific Islander 2/, both sexes	34	-	4	3	3	-	5	7	2
Male	16	-	2	1	1	-	4	4	1
Female	18	-	2	2	2	-	1	3	1

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Accidental poisoning and exposure to noxious substances (X40-X49)									
All races, both sexes	12,757	14	32	45	1,160	2,380	4,663	3,061	688
Male	9,138	11	21	27	920	1,820	3,384	2,223	401
Female	3,619	3	11	18	240	560	1,279	838	287
White, both sexes	10,508	10	19	30	1,050	2,031	3,842	2,358	543
Male	7,558	8	11	18	852	1,568	2,828	1,701	292
Female	2,950	2	8	12	198	463	1,014	657	251
Black, both sexes	2,028	4	12	9	79	303	746	655	135
Male	1,433	3	9	7	50	216	507	487	104
Female	595	1	3	2	29	87	239	168	31
American Indian 1/, both sexes	137	-	-	4	18	30	49	31	3
Male	84	-	-	-	7	24	27	24	2
Female	53	-	-	4	11	6	22	7	1
Asian or Pacific Islander 2/, both sexes	84	-	1	2	13	16	26	17	7
Male	63	-	1	2	11	12	22	11	3
Female	21	-	-	-	2	4	4	6	4
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)									
All races, both sexes	17,437	572	266	267	648	895	1,446	1,510	1,349
Male	9,960	327	162	192	560	767	1,205	1,219	971
Female	7,477	245	104	75	88	128	241	291	378
White, both sexes	15,074	362	194	212	535	748	1,195	1,216	1,117
Male	8,437	213	122	155	467	649	1,004	978	794
Female	6,637	149	72	57	68	99	191	238	323
Black, both sexes	1,990	188	57	49	90	120	201	239	200
Male	1,268	100	32	34	73	95	162	197	151
Female	722	88	25	15	17	25	39	42	49
American Indian 1/, both sexes	176	10	6	3	11	11	33	40	20
Male	126	7	4	2	9	8	26	33	16
Female	50	3	2	1	2	3	7	7	4
Asian or Pacific Islander 2/, both sexes	197	12	9	3	12	16	17	15	12
Male	129	7	4	1	11	15	13	11	10
Female	68	5	5	2	1	1	4	4	2

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Intentional self-harm (suicide) (X60-X84,Y87.0)									
All races, both sexes	29,350	...	...	307	3,994	4,792	6,562	5,437	2,945
Male	23,618	...	...	244	3,424	3,938	5,114	4,149	2,265
Female	5,732	...	...	63	570	854	1,448	1,288	680
White, both sexes	26,475	...	...	254	3,315	4,084	5,942	5,035	2,775
Male	21,293	...	...	200	2,853	3,363	4,620	3,834	2,133
Female	5,182	...	...	54	462	721	1,322	1,201	642
Black, both sexes	1,962	...	...	40	480	476	438	275	103
Male	1,636	...	...	35	415	402	356	219	82
Female	326	...	...	5	65	74	82	56	21
American Indian 1/, both sexes	297	...	...	7	89	78	67	31	16
Male	237	...	...	6	71	59	53	24	15
Female	60	...	...	1	18	19	14	7	1
Asian or Pacific Islander 2/, both sexes	616	...	...	6	110	154	115	96	51
Male	452	...	...	3	85	114	85	72	35
Female	164	...	...	3	25	40	30	24	16

## Intentional self-harm (suicide) by discharge of firearms (X72-X74)

All races, both sexes	16,586	...	...	110	2,267	2,453	3,191	2,858	1,833
Male	14,454	...	...	90	2,043	2,123	2,657	2,409	1,568
Female	2,132	...	...	20	224	330	534	449	265
White, both sexes	15,174	...	...	103	1,878	2,098	2,933	2,680	1,732
Male	13,214	...	...	86	1,693	1,815	2,431	2,261	1,479
Female	1,960	...	...	17	185	283	502	419	253
Black, both sexes	1,090	...	...	4	308	272	194	138	72
Male	965	...	...	4	281	240	169	114	62
Female	125	...	...	-	27	32	25	24	10
American Indian 1/, both sexes	133	...	...	1	43	27	25	18	11
Male	109	...	...	-	37	20	20	13	11
Female	24	...	...	1	6	7	5	5	-
Asian or Pacific Islander 2/, both sexes	189	...	...	2	38	56	39	22	18
Male	166	...	...	-	32	48	37	21	16
Female	23	...	...	2	6	8	2	1	2

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71,X75-X84,Y87.0)									
All races, both sexes	12,764	...	...	197	1,727	2,339	3,371	2,579	1,112
Male	9,164	...	...	154	1,381	1,815	2,457	1,740	697
Female	3,600	...	...	43	346	524	914	839	415
White, both sexes	11,301	...	...	151	1,437	1,986	3,009	2,355	1,043
Male	8,079	...	...	114	1,160	1,548	2,189	1,573	654
Female	3,222	...	...	37	277	438	820	782	389
Black, both sexes	872	...	...	36	172	204	244	137	31
Male	671	...	...	31	134	162	187	105	20
Female	201	...	...	5	38	42	57	32	11
American Indian 1/, both sexes	164	...	...	6	46	51	42	13	5
Male	128	...	...	6	34	39	33	11	4
Female	36	...	...	-	12	12	9	2	1
Asian or Pacific Islander 2/, both sexes	427	...	...	4	72	98	76	74	33
Male	286	...	...	3	53	66	48	51	19
Female	141	...	...	1	19	32	28	23	14
Assault (homicide) (X85-Y09,Y87.1)									
All races, both sexes	16,765	349	356	371	4,939	4,164	3,219	1,755	738
Male	12,820	203	198	227	4,203	3,361	2,319	1,284	537
Female	3,945	146	158	144	736	803	900	471	201
White, both sexes	8,339	197	199	240	1,981	1,814	1,725	1,048	497
Male	5,925	125	114	148	1,583	1,356	1,202	718	350
Female	2,414	72	85	92	398	458	523	330	147
Black, both sexes	7,867	140	145	124	2,819	2,224	1,376	628	204
Male	6,482	73	75	72	2,501	1,911	1,040	508	160
Female	1,385	67	70	52	318	313	336	120	44
American Indian 1/, both sexes	203	5	8	1	51	59	46	18	6
Male	159	3	6	1	46	46	32	14	4
Female	44	2	2	-	5	13	14	4	2
Asian or Pacific Islander 2/, both sexes	356	7	4	6	88	67	72	61	31
Male	254	2	3	6	73	48	45	44	23
Female	102	5	1	-	15	19	27	17	8



TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/ YEAR 2/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Assault (homicide) by discharge of firearms (X93-X95)									
All races, both sexes	10,801	12	28	187	3,963	3,074	1,906	959	367
Male	9,006	9	17	138	3,548	2,650	1,487	730	266
Female	1,795	3	11	49	415	424	419	229	101
White, both sexes	4,806	5	17	114	1,434	1,192	985	567	260
Male	3,686	2	9	81	1,224	955	724	406	177
Female	1,120	3	8	33	210	237	261	161	83
Black, both sexes	5,699	7	8	69	2,434	1,812	863	354	85
Male	5,084	7	5	53	2,243	1,637	723	296	69
Female	615	-	3	16	191	175	140	58	16
American Indian 1/, both sexes	86	-	2	-	32	27	17	4	2
Male	70	-	2	-	29	22	11	3	2
Female	16	-	-	-	3	5	6	1	-
Asian or Pacific Islander 2/, both sexes	210	-	1	4	63	43	41	34	20
Male	166	-	1	4	52	36	29	25	18
Female	44	-	-	-	11	7	12	9	2

Assault (homicide) by other and unspecified means and their sequelae (X85-X92,X96-Y09,Y87.1)

All races, both sexes	5,964	337	328	184	976	1,090	1,313	796	371
Male	3,814	194	181	89	655	711	832	554	271
Female	2,150	143	147	95	321	379	481	242	100
White, both sexes	3,533	192	182	126	547	622	740	481	237
Male	2,239	123	105	67	359	401	478	312	173
Female	1,294	69	77	59	188	221	262	169	64
Black, both sexes	2,168	133	137	55	385	412	513	274	119
Male	1,398	66	70	19	258	274	317	212	91
Female	770	67	67	36	127	138	196	62	28
American Indian 1/, both sexes	117	5	6	1	19	32	29	14	4
Male	89	3	4	1	17	24	21	11	2
Female	28	2	2	-	2	8	8	3	2
Asian or Pacific Islander 2/, both sexes	146	7	3	2	25	24	31	27	11
Male	88	2	2	2	21	12	16	19	5
Female	58	5	1	-	4	12	15	8	6

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Legal intervention (Y35,Y89.0)									
All races, both sexes	359	-	-	3	73	110	101	55	10
Male	348	-	-	3	71	108	96	54	9
Female	11	-	-	-	2	2	5	1	1
White, both sexes	237	-	-	1	44	72	63	43	9
Male	231	-	-	1	42	70	62	43	8
Female	6	-	-	-	2	2	1	-	1
Black, both sexes	111	-	-	2	28	33	35	11	-
Male	108	-	-	2	28	33	33	10	-
Female	3	-	-	-	-	-	2	1	-
American Indian 1/, both sexes	4	-	-	-	1	1	1	1	-
Male	3	-	-	-	1	1	-	1	-
Female	1	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	7	-	-	-	-	4	2	-	1
Male	6	-	-	-	-	4	1	-	1
Female	1	-	-	-	-	-	1	-	-
Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)									
All races, both sexes	3,819	65	39	60	370	679	1,286	841	228
Male	2,635	27	26	50	285	489	885	570	152
Female	1,184	38	13	10	85	190	401	271	76
White, both sexes	3,053	41	27	38	302	553	1,031	672	177
Male	2,078	18	17	32	228	392	710	446	112
Female	975	23	10	6	74	161	321	226	65
Black, both sexes	668	15	11	21	52	105	234	156	43
Male	488	3	8	17	47	80	162	115	33
Female	180	12	3	4	5	25	72	41	10
American Indian 1/, both sexes	46	4	1	1	5	9	12	7	6
Male	36	3	1	1	3	8	9	5	6
Female	10	1	-	-	2	1	3	2	-
Asian or Pacific Islander 2/, both sexes	52	5	-	-	11	12	9	6	2
Male	33	3	-	-	7	9	4	4	1
Female	19	2	-	-	4	3	5	2	1

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Discharge of firearms, undetermined intent (Y22-Y24)									
All races, both sexes	230	-	-	10	71	52	39	23	15
Male	190	-	-	9	62	43	30	18	11
Female	40	-	-	1	9	9	9	5	4
White, both sexes	167	-	-	5	48	34	31	20	11
Male	137	-	-	5	42	28	25	15	7
Female	30	-	-	-	6	6	6	5	4
Black, both sexes	54	-	-	5	20	15	7	2	3
Male	47	-	-	4	19	12	5	2	3
Female	7	-	-	1	1	3	2	-	-
American Indian 1/, both sexes	4	-	-	-	2	1	-	-	1
Male	3	-	-	-	1	1	-	-	1
Female	1	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	-	-	-	1	2	1	1	-
Male	3	-	-	-	-	2	-	1	-
Female	2	-	-	-	1	-	1	-	-
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)									
All races, both sexes	3,589	65	39	50	299	627	1,247	818	213
Male	2,445	27	26	41	223	446	855	552	141
Female	1,144	38	13	9	76	181	392	266	72
White, both sexes	2,886	41	27	33	254	519	1,000	652	166
Male	1,941	18	17	27	186	364	685	431	105
Female	945	23	10	6	68	155	315	221	61
Black, both sexes	614	15	11	16	32	90	227	154	40
Male	441	3	8	13	28	68	157	113	30
Female	173	12	3	3	4	22	70	41	10
American Indian 1/, both sexes	42	4	1	1	3	8	12	7	5
Male	33	3	1	1	2	7	9	5	5
Female	9	1	-	-	1	1	3	2	-
Asian or Pacific Islander 2/, both sexes	47	5	-	-	10	10	8	5	2
Male	30	3	-	-	7	7	4	3	1
Female	17	2	-	-	3	3	4	2	1

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS
Operations of war and their sequelae (Y36,Y89.1)									
All races, both sexes	16	-	-	-	-	-	-	2	1
Male	16	-	-	-	-	-	-	2	1
Female	-	-	-	-	-	-	-	-	-
White, both sexes	15	-	-	-	-	-	-	1	1
Male	15	-	-	-	-	-	-	1	1
Female	-	-	-	-	-	-	-	-	-
Black, both sexes	1	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Complications of medical and surgical care (Y40-Y84,Y88)									
All races, both sexes	3,059	19	22	31	32	85	149	295	376
Male	1,430	12	11	15	16	47	76	143	181
Female	1,629	7	11	16	16	38	73	152	195
White, both sexes	2,520	14	12	23	24	60	115	231	285
Male	1,210	11	8	11	13	33	64	115	144
Female	1,310	3	4	12	11	27	51	116	141
Black, both sexes	487	5	8	5	7	23	31	58	86
Male	193	1	2	2	2	13	12	25	34
Female	294	4	6	3	5	10	19	33	52
American Indian 1/, both sexes	14	-	-	1	-	-	1	1	-
Male	5	-	-	-	-	-	-	1	-
Female	9	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	38	-	2	2	1	2	2	5	5
Male	22	-	1	2	1	1	-	2	3
Female	16	-	1	-	-	1	2	3	2

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
All Causes				
All races, both sexes	441,209	700,445	658,171	356
Male	247,408	340,219	214,742	289
Female	193,801	360,226	443,429	67
White, both sexes	376,986	627,729	602,761	275
Male	213,379	306,370	196,409	231
Female	163,607	321,359	406,352	44
Black, both sexes	55,195	61,444	47,038	72
Male	29,071	28,026	14,560	50
Female	26,124	33,418	32,478	22
American Indian 1/, both sexes	2,141	2,062	1,382	3
Male	1,113	989	501	3
Female	1,028	1,073	881	-
Asian or Pacific Islander 2/, both sexes	6,887	9,210	6,990	6
Male	3,845	4,834	3,272	5
Female	3,042	4,376	3,718	1
Salmonella infections (A01-A02)				
All races, both sexes	7	5	3	-
Male	5	1	1	-
Female	2	4	2	-
White, both sexes	6	5	3	-
Male	5	1	1	-
Female	1	4	2	-
Black, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-
Male	-	-	-	-
Female	1	-	-	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Shigellosis and amebiasis (A03,A06)				
All races, both sexes	1	7	1	-
Male	-	3	-	-
Female	1	4	1	-
White, both sexes	-	7	1	-
Male	-	3	-	-
Female	-	4	1	-
Black, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-
Male	-	-	-	-
Female	1	-	-	-
Certain other intestinal infections (A04,A07-A09)				
All races, both sexes	222	462	499	-
Male	105	195	140	-
Female	117	267	359	-
White, both sexes	202	441	468	-
Male	96	184	132	-
Female	106	257	336	-
Black, both sexes	15	17	26	-
Male	6	9	7	-
Female	9	8	19	-
American Indian 1/, both sexes	1	-	1	-
Male	1	-	-	-
Female	-	-	1	-
Asian or Pacific Islander 2/, both sexes	4	4	4	-
Male	2	2	1	-
Female	2	2	3	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Tuberculosis (A16-A19)				
All races, both sexes	155	252	115	1
Male	87	139	56	1
Female	68	113	59	-
White, both sexes	87	155	85	-
Male	53	78	42	-
Female	34	77	43	-
Black, both sexes	52	60	19	1
Male	28	40	8	1
Female	24	20	11	-
American Indian 1/, both sexes	5	5	1	-
Male	3	3	-	-
Female	2	2	1	-
Asian or Pacific Islander 2/, both sexes	11	32	10	-
Male	3	18	6	-
Female	8	14	4	-
Respiratory tuberculosis (A16)				
All races, both sexes	119	209	98	1
Male	73	116	50	1
Female	46	93	48	-
White, both sexes	66	131	72	-
Male	43	67	38	-
Female	23	64	34	-
Black, both sexes	43	48	17	1
Male	26	32	7	-
Female	17	16	10	-
American Indian 1/, both sexes	2	3	-	-
Male	1	1	-	-
Female	1	2	-	-
Asian or Pacific Islander 2/, both sexes	8	27	9	-
Male	3	16	5	-
Female	5	11	4	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other tuberculosis (A17-A19)				
All races, both sexes	36	43	17	-
Male	14	23	6	-
Female	22	20	11	-
White, both sexes	21	24	13	-
Male	10	11	4	-
Female	11	13	9	-
Black, both sexes	9	12	2	-
Male	2	8	1	-
Female	7	4	1	-
American Indian 1/, both sexes	3	2	1	-
Male	2	2	-	-
Female	1	-	1	-
Asian or Pacific Islander 2/, both sexes	3	5	1	-
Male	-	2	1	-
Female	3	3	-	-
Whooping cough (A37)				
All races, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
White, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Black, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-



TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Scarlet fever and erysipelas (A38,A46)				
All races, both sexes	-	1	-	-
Male	-	1	-	-
Female	-	-	-	-
White, both sexes	-	1	-	-
Male	-	1	-	-
Female	-	-	-	-
Black, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Meningococcal infection (A39)				
All races, both sexes	8	15	7	-
Male	2	7	1	-
Female	6	8	6	-
White, both sexes	7	15	7	-
Male	2	7	1	-
Female	5	8	6	-
Black, both sexes	1	-	-	-
Male	-	-	-	-
Female	1	-	-	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Septicemia (A40-A41)				
All races, both sexes	5,704	9,938	9,144	1
Male	2,867	4,482	2,736	1
Female	2,837	5,456	6,408	-
White, both sexes	4,418	8,223	7,790	1
Male	2,264	3,737	2,326	1
Female	2,154	4,486	5,464	-
Black, both sexes	1,189	1,590	1,255	-
Male	555	684	371	-
Female	634	906	884	-
American Indian 1/, both sexes	33	34	22	-
Male	15	14	5	-
Female	18	20	17	-
Asian or Pacific Islander 2/, both sexes	64	91	77	-
Male	33	47	34	-
Female	31	44	43	-
Syphilis (A50-A53)				
All races, both sexes	7	13	10	-
Male	2	7	5	-
Female	5	6	5	-
White, both sexes	3	7	8	-
Male	-	2	3	-
Female	3	5	5	-
Black, both sexes	4	6	2	-
Male	2	5	2	-
Female	2	1	-	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Acute poliomyelitis (A80)				
All races, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
White, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Black, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Arthropod-borne viral encephalitis (A83-A84,A85.2)				
All races, both sexes	-	1	-	-
Male	-	1	-	-
Female	-	-	-	-
White, both sexes	-	1	-	-
Male	-	1	-	-
Female	-	-	-	-
Black, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Measles (B05)				
All races, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
White, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Black, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Viral hepatitis (B15-B19)				
All races, both sexes	845	660	168	1
Male	396	311	70	1
Female	449	349	98	-
White, both sexes	678	572	149	1
Male	317	273	63	1
Female	361	299	86	-
Black, both sexes	94	57	11	-
Male	48	25	4	-
Female	46	32	7	-
American Indian 1/, both sexes	5	3	1	-
Male	1	1	-	-
Female	4	2	1	-
Asian or Pacific Islander 2/, both sexes	68	28	7	-
Male	30	12	3	-
Female	38	16	4	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease (B20-B24)				
All races, both sexes	397	85	9	1
Male	313	65	2	1
Female	84	20	7	-
White, both sexes	166	40	3	1
Male	140	33	-	1
Female	26	7	3	-
Black, both sexes	224	44	6	-
Male	168	31	2	-
Female	56	13	4	-
American Indian 1/, both sexes	3	1	-	-
Male	3	1	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	-	-	-
Male	2	-	-	-
Female	2	-	-	-
Malaria (B50-B54)				
All races, both sexes	-	1	-	-
Male	-	1	-	-
Female	-	-	-	-
White, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Black, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	1	-	-
Male	-	1	-	-
Female	-	-	-	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

65-74 YEARS      75-84 YEARS      85 YEARS AND OVER      AGE NOT STATED

Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)

All races, both sexes	1,074	1,375	899	-
Male	597	665	339	-
Female	477	710	560	-
White, both sexes	913	1,226	807	-
Male	511	587	298	-
Female	402	639	509	-
Black, both sexes	129	122	77	-
Male	70	60	28	-
Female	59	62	49	-
American Indian 1/, both sexes	3	3	1	-
Male	-	1	1	-
Female	3	2	-	-
Asian or Pacific Islander 2/, both sexes	29	24	14	-
Male	16	17	12	-
Female	13	7	2	-

Malignant neoplasms (C00-C97)

All races, both sexes	150,131	165,099	77,136	11
Male	83,191	85,907	33,260	10
Female	66,940	79,192	43,876	1
White, both sexes	130,570	148,126	69,679	7
Male	72,284	76,714	29,863	7
Female	58,286	71,412	39,816	-
Black, both sexes	16,636	14,361	6,390	3
Male	9,321	7,767	2,831	2
Female	7,315	6,594	3,559	1
American Indian 1/, both sexes	539	412	169	-
Male	291	213	74	-
Female	248	199	95	-
Asian or Pacific Islander 2/, both sexes	2,386	2,200	898	1
Male	1,295	1,213	492	1
Female	1,091	987	406	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------------	-------------------

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

All races, both sexes	1,959	1,626	824	-
Male	1,326	939	332	-
Female	633	687	492	-
White, both sexes	1,644	1,461	756	-
Male	1,096	827	306	-
Female	548	634	450	-
Black, both sexes	256	138	49	-
Male	193	95	16	-
Female	63	43	33	-
American Indian 1/, both sexes	17	3	3	-
Male	12	2	1	-
Female	5	1	2	-
Asian or Pacific Islander 2/, both sexes	42	24	16	-
Male	25	15	9	-
Female	17	9	7	-

Malignant neoplasm of esophagus (C15)

All races, both sexes	3,671	3,163	1,100	-
Male	2,831	2,233	586	-
Female	840	930	514	-
White, both sexes	3,146	2,817	1,020	-
Male	2,466	2,016	547	-
Female	680	801	473	-
Black, both sexes	466	309	71	-
Male	321	193	33	-
Female	145	116	38	-
American Indian 1/, both sexes	13	9	2	-
Male	12	6	1	-
Female	1	3	1	-
Asian or Pacific Islander 2/, both sexes	46	28	7	-
Male	32	18	5	-
Female	14	10	2	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of stomach (C16)				
All races, both sexes	3,054	3,833	2,234	-
Male	1,966	2,144	928	-
Female	1,088	1,689	1,306	-
White, both sexes	2,336	3,036	1,816	-
Male	1,534	1,722	764	-
Female	802	1,314	1,052	-
Black, both sexes	529	586	325	-
Male	319	301	118	-
Female	210	285	207	-
American Indian 1/, both sexes	25	15	8	-
Male	13	8	4	-
Female	12	7	4	-
Asian or Pacific Islander 2/, both sexes	164	196	85	-
Male	100	113	42	-
Female	64	83	43	-
Malignant neoplasms of colon, rectum and anus (C18-C21)				
All races, both sexes	14,101	18,053	11,462	-
Male	7,924	8,760	3,873	-
Female	6,177	9,293	7,589	-
White, both sexes	12,085	16,032	10,332	-
Male	6,861	7,817	3,473	-
Female	5,224	8,215	6,859	-
Black, both sexes	1,732	1,743	991	-
Male	899	796	327	-
Female	833	947	664	-
American Indian 1/, both sexes	51	43	24	-
Male	30	22	10	-
Female	21	21	14	-
Asian or Pacific Islander 2/, both sexes	233	235	115	-
Male	134	125	63	-
Female	99	110	52	-



TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX65-74      75-84      85 YEARS      AGE NOT  
YEARS      YEARS      AND OVER      STATED

## Malignant neoplasms of liver and intrahepatic bile ducts (C22)

All races, both sexes	3,439	3,558	1,387	-
Male	2,246	2,052	548	-
Female	1,193	1,506	839	-
White, both sexes	2,784	3,093	1,227	-
Male	1,833	1,814	478	-
Female	951	1,279	749	-
Black, both sexes	391	263	101	-
Male	255	131	42	-
Female	136	132	59	-
American Indian 1/, both sexes	21	17	10	-
Male	16	8	3	-
Female	5	9	7	-
Asian or Pacific Islander 2/, both sexes	243	185	49	-
Male	142	99	25	-
Female	101	86	24	-

## Malignant neoplasm of pancreas (C25)

All races, both sexes	8,103	9,459	4,087	1
Male	4,189	4,189	1,262	1
Female	3,914	5,270	2,825	-
White, both sexes	6,944	8,389	3,633	1
Male	3,658	3,767	1,135	1
Female	3,286	4,622	2,498	-
Black, both sexes	978	897	383	-
Male	450	353	95	-
Female	528	544	288	-
American Indian 1/, both sexes	24	18	7	-
Male	12	6	2	-
Female	12	12	5	-
Asian or Pacific Islander 2/, both sexes	157	155	64	-
Male	69	63	30	-
Female	88	92	34	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of larynx (C32)				
All races, both sexes	1,219	996	276	-
Male	945	765	214	-
Female	274	231	62	-
White, both sexes	987	859	252	-
Male	763	664	195	-
Female	224	195	57	-
Black, both sexes	211	129	22	-
Male	166	94	17	-
Female	45	35	5	-
American Indian 1/, both sexes	8	1	-	-
Male	5	1	-	-
Female	3	-	-	-
Asian or Pacific Islander 2/, both sexes	13	7	2	-
Male	11	6	2	-
Female	2	1	-	-
Malignant neoplasms of trachea, bronchus and lung (C33-C34)				
All races, both sexes	52,258	45,836	12,806	5
Male	31,382	25,966	6,395	5
Female	20,876	19,870	6,411	-
White, both sexes	46,208	41,726	11,685	3
Male	27,534	23,415	5,792	3
Female	18,674	18,311	5,893	-
Black, both sexes	5,226	3,438	921	1
Male	3,341	2,122	488	1
Female	1,885	1,316	433	-
American Indian 1/, both sexes	165	106	26	-
Male	83	68	13	-
Female	82	38	13	-
Asian or Pacific Islander 2/, both sexes	659	566	174	1
Male	424	361	102	1
Female	235	205	72	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant melanoma of skin (C43)				
All races, both sexes	1,637	1,624	803	-
Male	1,067	1,013	390	-
Female	570	611	413	-
White, both sexes	1,598	1,588	780	-
Male	1,047	996	385	-
Female	551	592	395	-
Black, both sexes	30	32	21	-
Male	14	15	3	-
Female	16	17	18	-
American Indian 1/, both sexes	1	2	-	-
Male	1	1	-	-
Female	-	1	-	-
Asian or Pacific Islander 2/, both sexes	8	2	2	-
Male	5	1	2	-
Female	3	1	-	-
Malignant neoplasm of breast (C50)				
All races, both sexes	9,024	9,750	6,249	-
Male	115	109	51	-
Female	8,909	9,641	6,198	-
White, both sexes	7,925	8,842	5,651	-
Male	103	98	43	-
Female	7,822	8,744	5,608	-
Black, both sexes	969	830	564	-
Male	11	10	8	-
Female	958	820	556	-
American Indian 1/, both sexes	23	20	6	-
Male	-	-	-	-
Female	23	20	6	-
Asian or Pacific Islander 2/, both sexes	107	58	28	-
Male	1	1	-	-
Female	106	57	28	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------------	-------------------

Malignant neoplasm of cervix uteri (C53)

All races, both sexes	686	599	310	-
Female	686	599	310	-
White, both sexes	498	478	241	-
Female	498	478	241	-
Black, both sexes	158	109	63	-
Female	158	109	63	-
American Indian 1/, both sexes	3	2	2	-
Female	3	2	2	-
Asian or Pacific Islander 2/, both sexes	27	10	4	-
Female	27	10	4	-

Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)

All races, both sexes	1,781	1,958	1,049	1
Female	1,781	1,958	1,049	1
White, both sexes	1,373	1,651	936	-
Female	1,373	1,651	936	-
Black, both sexes	375	280	106	1
Female	375	280	106	1
American Indian 1/, both sexes	8	6	1	-
Female	8	6	1	-
Asian or Pacific Islander 2/, both sexes	25	21	6	-
Female	25	21	6	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of ovary (C56)				
All races, both sexes	3,601	4,098	1,736	-
Female	3,601	4,098	1,736	-
White, both sexes	3,241	3,814	1,611	-
Female	3,241	3,814	1,611	-
Black, both sexes	299	244	110	-
Female	299	244	110	-
American Indian 1/, both sexes	5	9	2	-
Female	5	9	2	-
Asian or Pacific Islander 2/, both sexes	56	31	13	-
Female	56	31	13	-
Malignant neoplasm of prostate (C61)				
All races, both sexes	6,808	13,071	8,873	-
Male	6,808	13,071	8,873	-
White, both sexes	5,231	10,804	7,622	-
Male	5,231	10,804	7,622	-
Black, both sexes	1,491	2,107	1,140	-
Male	1,491	2,107	1,140	-
American Indian 1/, both sexes	30	33	19	-
Male	30	33	19	-
Asian or Pacific Islander 2/, both sexes	56	127	92	-
Male	56	127	92	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------------	-------------------

Malignant neoplasms of kidney and renal pelvis (C64-C65)

All races, both sexes	3,146	3,282	1,432	-
Male	2,010	1,865	676	-
Female	1,136	1,417	756	-
White, both sexes	2,813	3,001	1,323	-
Male	1,795	1,709	627	-
Female	1,018	1,292	696	-
Black, both sexes	273	235	95	-
Male	180	126	43	-
Female	93	109	52	-
American Indian 1/, both sexes	19	10	4	-
Male	11	7	1	-
Female	8	3	3	-
Asian or Pacific Islander 2/, both sexes	41	36	10	-
Male	24	23	5	-
Female	17	13	5	-

Malignant neoplasm of bladder (C67)

All races, both sexes	2,855	4,407	2,952	-
Male	2,094	3,054	1,710	-
Female	761	1,353	1,242	-
White, both sexes	2,605	4,056	2,764	-
Male	1,949	2,861	1,615	-
Female	656	1,195	1,149	-
Black, both sexes	220	318	159	-
Male	120	174	77	-
Female	100	144	82	-
American Indian 1/, both sexes	3	7	2	-
Male	3	3	2	-
Female	-	4	-	-
Asian or Pacific Islander 2/, both sexes	27	26	27	-
Male	22	16	16	-
Female	5	10	11	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX65-74 75-84 85 YEARS AGE NOT  
YEARS YEARS AND OVER STATED

## Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

All races, both sexes	3,032	2,478	717	-
Male	1,678	1,187	275	-
Female	1,354	1,291	442	-
White, both sexes	2,864	2,340	671	-
Male	1,593	1,128	261	-
Female	1,271	1,212	410	-
Black, both sexes	134	109	34	-
Male	67	43	9	-
Female	67	66	25	-
American Indian 1/, both sexes	4	8	1	-
Male	2	5	1	-
Female	2	3	-	-
Asian or Pacific Islander 2/, both sexes	30	21	11	-
Male	16	11	4	-
Female	14	10	7	-

## Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

All races, both sexes	14,041	18,448	8,674	-
Male	8,038	9,399	3,458	-
Female	6,003	9,049	5,216	-
White, both sexes	12,558	17,073	8,007	-
Male	7,249	8,760	3,217	-
Female	5,309	8,313	4,790	-
Black, both sexes	1,241	1,109	561	-
Male	656	512	195	-
Female	585	597	366	-
American Indian 1/, both sexes	46	48	24	-
Male	26	21	8	-
Female	20	27	16	-
Asian or Pacific Islander 2/, both sexes	196	218	82	-
Male	107	106	38	-
Female	89	112	44	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Hodgkin's disease (C81)				
All races, both sexes	232	255	104	-
Male	134	121	45	-
Female	98	134	59	-
White, both sexes	211	248	99	-
Male	122	118	43	-
Female	89	130	56	-
Black, both sexes	15	5	3	-
Male	7	3	1	-
Female	8	2	2	-
American Indian 1/, both sexes	4	-	-	-
Male	4	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	2	2	-
Male	1	-	1	-
Female	1	2	1	-
Non-Hodgkin's lymphoma (C82-C85)				
All races, both sexes	5,598	7,535	3,402	-
Male	3,105	3,634	1,299	-
Female	2,493	3,901	2,103	-
White, both sexes	5,161	7,157	3,235	-
Male	2,875	3,465	1,240	-
Female	2,286	3,692	1,995	-
Black, both sexes	320	246	116	-
Male	170	103	38	-
Female	150	143	78	-
American Indian 1/, both sexes	21	26	5	-
Male	8	14	1	-
Female	13	12	4	-
Asian or Pacific Islander 2/, both sexes	96	106	46	-
Male	52	52	20	-
Female	44	54	26	-



TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Leukemia (C91-C95)				
All races, both sexes	5,010	6,733	3,543	-
Male	3,090	3,695	1,470	-
Female	1,920	3,038	2,073	-
White, both sexes	4,560	6,298	3,302	-
Male	2,827	3,471	1,370	-
Female	1,733	2,827	1,932	-
Black, both sexes	375	350	211	-
Male	216	181	85	-
Female	159	169	126	-
American Indian 1/, both sexes	16	10	10	-
Male	11	4	4	-
Female	5	6	6	-
Asian or Pacific Islander 2/, both sexes	59	75	20	-
Male	36	39	11	-
Female	23	36	9	-
Multiple myeloma and immunoproliferative neoplasms (C88,C90)				
All races, both sexes	3,179	3,896	1,604	-
Male	1,697	1,932	635	-
Female	1,482	1,964	969	-
White, both sexes	2,605	3,344	1,352	-
Male	1,414	1,690	557	-
Female	1,191	1,654	795	-
Black, both sexes	531	505	229	-
Male	263	224	69	-
Female	268	281	160	-
American Indian 1/, both sexes	4	12	9	-
Male	2	3	3	-
Female	2	9	6	-
Asian or Pacific Islander 2/, both sexes	39	35	14	-
Male	18	15	6	-
Female	21	20	8	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX65-74      75-84      85 YEARS      AGE NOT  
YEARS      YEARS      AND OVER      STATED

Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)

All races, both sexes	22	29	21	-
Male	12	17	9	-
Female	10	12	12	-
White, both sexes	21	26	19	-
Male	11	16	7	-
Female	10	10	12	-
Black, both sexes	-	3	2	-
Male	-	1	2	-
Female	-	2	-	-
American Indian 1/, both sexes	1	-	-	-
Male	1	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

All races, both sexes	15,716	18,860	10,165	4
Male	8,572	9,161	3,689	4
Female	7,144	9,699	6,476	-
White, both sexes	13,730	17,066	9,352	3
Male	7,572	8,316	3,403	3
Female	6,158	8,750	5,949	-
Black, both sexes	1,657	1,485	674	1
Male	838	695	220	1
Female	819	790	454	-
American Indian 1/, both sexes	73	55	28	-
Male	35	22	9	-
Female	38	33	19	-
Asian or Pacific Islander 2/, both sexes	256	254	111	-
Male	127	128	57	-
Female	129	126	54	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX65-74      75-84      85 YEARS      AGE NOT  
YEARS      YEARS      AND OVER      STATED

In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)

All races, both sexes	2,546	4,645	3,600	1
Male	1,415	2,319	1,336	1
Female	1,131	2,326	2,264	-
White, both sexes	2,239	4,302	3,352	-
Male	1,247	2,168	1,248	-
Female	992	2,134	2,104	-
Black, both sexes	248	284	205	1
Male	131	119	66	1
Female	117	165	139	-
American Indian 1/, both sexes	10	7	9	-
Male	6	3	2	-
Female	4	4	7	-
Asian or Pacific Islander 2/, both sexes	49	52	34	-
Male	31	29	20	-
Female	18	23	14	-

Anemias (D50-D64)

All races, both sexes	515	1,171	1,796	-
Male	236	465	492	-
Female	279	706	1,304	-
White, both sexes	410	1,031	1,613	-
Male	199	407	433	-
Female	211	624	1,180	-
Black, both sexes	89	122	163	-
Male	31	46	48	-
Female	58	76	115	-
American Indian 1/, both sexes	4	8	4	-
Male	1	6	-	-
Female	3	2	4	-
Asian or Pacific Islander 2/, both sexes	12	10	16	-
Male	5	6	11	-
Female	7	4	5	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Diabetes mellitus (E10-E14)				
All races, both sexes	16,674	22,184	13,556	-
Male	8,226	9,738	4,234	-
Female	8,448	12,446	9,322	-
White, both sexes	13,075	18,478	11,645	-
Male	6,739	8,419	3,740	-
Female	6,336	10,059	7,905	-
Black, both sexes	3,118	3,215	1,678	-
Male	1,264	1,113	392	-
Female	1,854	2,102	1,286	-
American Indian 1/, both sexes	186	133	53	-
Male	70	50	22	-
Female	116	83	31	-
Asian or Pacific Islander 2/, both sexes	295	358	180	-
Male	153	156	80	-
Female	142	202	100	-
Nutritional deficiencies (E40-E64)				
All races, both sexes	460	1,285	2,120	-
Male	221	471	536	-
Female	239	814	1,584	-
White, both sexes	370	1,112	1,874	-
Male	172	404	475	-
Female	198	708	1,399	-
Black, both sexes	78	148	214	-
Male	44	59	55	-
Female	34	89	159	-
American Indian 1/, both sexes	6	8	15	-
Male	2	3	2	-
Female	4	5	13	-
Asian or Pacific Islander 2/, both sexes	6	17	17	-
Male	3	5	4	-
Female	3	12	13	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malnutrition (E40-E46)				
All races, both sexes	423	1,199	1,964	-
Male	207	434	499	-
Female	216	765	1,465	-
White, both sexes	335	1,039	1,733	-
Male	159	371	440	-
Female	176	668	1,293	-
Black, both sexes	77	137	204	-
Male	43	57	53	-
Female	34	80	151	-
American Indian 1/, both sexes	5	7	12	-
Male	2	2	2	-
Female	3	5	10	-
Asian or Pacific Islander 2/, both sexes	6	16	15	-
Male	3	4	4	-
Female	3	12	11	-
Other nutritional deficiencies (E50-E64)				
All races, both sexes	37	86	156	-
Male	14	37	37	-
Female	23	49	119	-
White, both sexes	35	73	141	-
Male	13	33	35	-
Female	22	40	106	-
Black, both sexes	1	11	10	-
Male	1	2	2	-
Female	-	9	8	-
American Indian 1/, both sexes	1	1	3	-
Male	-	1	-	-
Female	1	-	3	-
Asian or Pacific Islander 2/, both sexes	-	1	2	-
Male	-	1	-	-
Female	-	-	2	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Meningitis (G00,G03)				
All races, both sexes	108	123	50	-
Male	60	62	19	-
Female	48	61	31	-
White, both sexes	79	104	40	-
Male	48	52	14	-
Female	31	52	26	-
Black, both sexes	27	13	9	-
Male	11	7	5	-
Female	16	6	4	-
American Indian 1/, both sexes	-	3	-	-
Male	-	1	-	-
Female	-	2	-	-
Asian or Pacific Islander 2/, both sexes	2	3	1	-
Male	1	2	-	-
Female	1	1	1	-
Parkinson's disease (G20-G21)				
All races, both sexes	2,108	7,652	5,590	1
Male	1,338	4,530	2,728	1
Female	770	3,122	2,862	-
White, both sexes	1,982	7,306	5,354	1
Male	1,262	4,307	2,609	1
Female	720	2,999	2,745	-
Black, both sexes	94	251	165	-
Male	60	158	75	-
Female	34	93	90	-
American Indian 1/, both sexes	9	20	13	-
Male	4	12	8	-
Female	5	8	5	-
Asian or Pacific Islander 2/, both sexes	23	75	58	-
Male	12	53	36	-
Female	11	22	22	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Alzheimer's disease (G30)				
All races, both sexes	3,431	17,253	28,309	2
Male	1,554	6,228	6,406	1
Female	1,877	11,025	21,903	1
White, both sexes	3,139	16,124	26,683	1
Male	1,432	5,854	6,010	1
Female	1,707	10,270	20,673	-
Black, both sexes	261	1,008	1,423	1
Male	113	322	322	-
Female	148	686	1,101	1
American Indian 1/, both sexes	14	39	39	-
Male	4	13	9	-
Female	10	26	30	-
Asian or Pacific Islander 2/, both sexes	17	82	164	-
Male	5	39	65	-
Female	12	43	99	-
Major cardiovascular diseases (I00-I78)				
All races, both sexes	156,187	296,202	340,450	62
Male	92,510	142,797	103,658	43
Female	63,677	153,405	236,792	19
White, both sexes	131,092	263,970	312,140	45
Male	79,359	128,696	95,176	34
Female	51,733	135,274	216,964	11
Black, both sexes	21,779	27,221	24,036	17
Male	11,208	11,565	6,666	9
Female	10,571	15,656	17,370	8
American Indian 1/, both sexes	718	824	641	-
Male	424	396	208	-
Female	294	428	433	-
Asian or Pacific Islander 2/, both sexes	2,598	4,187	3,633	-
Male	1,519	2,140	1,608	-
Female	1,079	2,047	2,025	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

## CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

OF DISEASES, RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Diseases of heart (I00-I09,I11,I13,I20-I51)				
All races, both sexes	122,405	220,060	251,242	59
Male	74,589	109,693	78,896	41
Female	47,816	110,367	172,346	18
White, both sexes	103,449	196,833	231,050	44
Male	64,464	99,295	72,735	33
Female	38,985	97,538	158,315	11
Black, both sexes	16,590	19,802	17,229	15
Male	8,672	8,579	4,885	8
Female	7,918	11,223	12,344	7
American Indian 1/, both sexes	548	597	459	-
Male	336	306	155	-
Female	212	291	304	-
Asian or Pacific Islander 2/, both sexes	1,818	2,828	2,504	-
Male	1,117	1,513	1,121	-
Female	701	1,315	1,383	-
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)				
All races, both sexes	819	1,176	712	-
Male	237	321	150	-
Female	582	855	562	-
White, both sexes	734	1,129	677	-
Male	210	309	141	-
Female	524	820	536	-
Black, both sexes	58	36	27	-
Male	16	8	8	-
Female	42	28	19	-
American Indian 1/, both sexes	4	3	2	-
Male	1	1	-	-
Female	3	2	2	-
Asian or Pacific Islander 2/, both sexes	23	8	6	-
Male	10	3	1	-
Female	13	5	5	-



TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Hypertensive heart disease (I11)				
All races, both sexes	3,605	5,962	8,186	3
Male	1,971	2,269	1,707	2
Female	1,634	3,693	6,479	1
White, both sexes	2,411	4,626	6,977	1
Male	1,365	1,748	1,434	1
Female	1,046	2,878	5,543	-
Black, both sexes	1,106	1,209	1,087	2
Male	556	460	237	1
Female	550	749	850	1
American Indian 1/, both sexes	11	16	10	-
Male	8	8	3	-
Female	3	8	7	-
Asian or Pacific Islander 2/, both sexes	77	111	112	-
Male	42	53	33	-
Female	35	58	79	-
Hypertensive heart and renal disease (I13)				
All races, both sexes	417	863	1,032	-
Male	206	350	341	-
Female	211	513	691	-
White, both sexes	245	624	845	-
Male	126	273	270	-
Female	119	351	575	-
Black, both sexes	164	209	161	-
Male	77	69	55	-
Female	87	140	106	-
American Indian 1/, both sexes	1	2	4	-
Male	-	1	1	-
Female	1	1	3	-
Asian or Pacific Islander 2/, both sexes	7	28	22	-
Male	3	7	15	-
Female	4	21	7	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Ischemic heart diseases (I20-I25)				
All races, both sexes	92,885	163,692	177,319	48
Male	58,554	84,747	57,690	34
Female	34,331	78,945	119,629	14
White, both sexes	79,442	147,075	163,392	36
Male	51,202	77,100	53,368	27
Female	28,240	69,975	110,024	9
Black, both sexes	11,619	13,966	11,779	12
Male	6,205	6,199	3,369	7
Female	5,414	7,767	8,410	5
American Indian 1/, both sexes	414	438	321	-
Male	257	231	117	-
Female	157	207	204	-
Asian or Pacific Islander 2/, both sexes	1,410	2,213	1,827	-
Male	890	1,217	836	-
Female	520	996	991	-
Acute myocardial infarction (I21-I22)				
All races, both sexes	38,459	62,210	56,745	8
Male	23,823	31,631	19,243	5
Female	14,636	30,579	37,502	3
White, both sexes	33,285	55,966	51,939	7
Male	21,089	28,832	17,659	4
Female	12,196	27,134	34,280	3
Black, both sexes	4,447	5,236	4,078	1
Male	2,295	2,270	1,230	1
Female	2,152	2,966	2,848	-
American Indian 1/, both sexes	163	166	105	-
Male	101	87	41	-
Female	62	79	64	-
Asian or Pacific Islander 2/, both sexes	564	842	623	-
Male	338	442	313	-
Female	226	400	310	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other acute ischemic heart diseases (I24)				
All races, both sexes	644	906	928	1
Male	398	446	254	1
Female	246	460	674	-
White, both sexes	530	790	850	-
Male	325	392	233	-
Female	205	398	617	-
Black, both sexes	93	99	70	1
Male	59	46	18	1
Female	34	53	52	-
American Indian 1/, both sexes	15	8	3	-
Male	10	4	2	-
Female	5	4	1	-
Asian or Pacific Islander 2/, both sexes	6	9	5	-
Male	4	4	1	-
Female	2	5	4	-
Other forms of chronic ischemic heart disease (I20,I25)				
All races, both sexes	53,782	100,576	119,646	39
Male	34,333	52,670	38,193	28
Female	19,449	47,906	81,453	11
White, both sexes	45,627	90,319	110,603	29
Male	29,788	47,876	35,476	23
Female	15,839	42,443	75,127	6
Black, both sexes	7,079	8,631	7,631	10
Male	3,851	3,883	2,121	5
Female	3,228	4,748	5,510	5
American Indian 1/, both sexes	236	264	213	-
Male	146	140	74	-
Female	90	124	139	-
Asian or Pacific Islander 2/, both sexes	840	1,362	1,199	-
Male	548	771	522	-
Female	292	591	677	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

65-74 75-84 85 YEARS AGE NOT  
YEARS YEARS AND OVER STATED

Atherosclerotic cardiovascular disease, so described (I25.0)

All races, both sexes	12,567	19,545	22,664	19
Male	8,069	9,725	6,758	15
Female	4,498	9,820	15,906	4
White, both sexes	9,858	16,609	20,319	13
Male	6,447	8,286	6,049	12
Female	3,411	8,323	14,270	1
Black, both sexes	2,408	2,553	2,067	6
Male	1,417	1,221	608	3
Female	991	1,332	1,459	3
American Indian 1/, both sexes	55	58	51	-
Male	33	33	16	-
Female	22	25	35	-
Asian or Pacific Islander 2/, both sexes	246	325	227	-
Male	172	185	85	-
Female	74	140	142	-

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

All races, both sexes	41,215	81,031	96,982	20
Male	26,264	42,945	31,435	13
Female	14,951	38,086	65,547	7
White, both sexes	35,769	73,710	90,284	16
Male	23,341	39,590	29,427	11
Female	12,428	34,120	60,857	5
Black, both sexes	4,671	6,078	5,564	4
Male	2,434	2,662	1,513	2
Female	2,237	3,416	4,051	2
American Indian 1/, both sexes	181	206	162	-
Male	113	107	58	-
Female	68	99	104	-
Asian or Pacific Islander 2/, both sexes	594	1,037	972	-
Male	376	586	437	-
Female	218	451	535	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other heart diseases (I26-I51)				
All races, both sexes	24,679	48,367	63,993	8
Male	13,621	22,006	19,008	5
Female	11,058	26,361	44,985	3
White, both sexes	20,617	43,379	59,159	7
Male	11,561	19,865	17,522	5
Female	9,056	23,514	41,637	2
Black, both sexes	3,643	4,382	4,175	1
Male	1,818	1,843	1,216	-
Female	1,825	2,539	2,959	1
American Indian 1/, both sexes	118	138	122	-
Male	70	65	34	-
Female	48	73	88	-
Asian or Pacific Islander 2/, both sexes	301	468	537	-
Male	172	233	236	-
Female	129	235	301	-
Acute and subacute endocarditis (I33)				
All races, both sexes	224	302	119	-
Male	122	169	51	-
Female	102	133	68	-
White, both sexes	191	270	105	-
Male	104	153	47	-
Female	87	117	58	-
Black, both sexes	31	26	11	-
Male	16	11	2	-
Female	15	15	9	-
American Indian 1/, both sexes	-	2	1	-
Male	-	2	-	-
Female	-	-	1	-
Asian or Pacific Islander 2/, both sexes	2	4	2	-
Male	2	3	2	-
Female	-	1	-	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX65-74      75-84      85 YEARS      AGE NOT  
YEARS      YEARS      AND OVER      STATED

## Diseases of pericardium and acute myocarditis (I30-I31,I40)

All races, both sexes	131	145	76	-
Male	67	73	26	-
Female	64	72	50	-
White, both sexes	108	130	68	-
Male	52	65	23	-
Female	56	65	45	-
Black, both sexes	18	10	7	-
Male	11	5	2	-
Female	7	5	5	-
American Indian 1/, both sexes	1	2	-	-
Male	1	1	-	-
Female	-	1	-	-
Asian or Pacific Islander 2/, both sexes	4	3	1	-
Male	3	2	1	-
Female	1	1	-	-

## Heart failure (I50)

All races, both sexes	6,403	16,820	29,035	4
Male	3,414	7,498	8,248	2
Female	2,989	9,322	20,787	2
White, both sexes	5,384	15,216	27,006	4
Male	2,941	6,831	7,650	2
Female	2,443	8,385	19,356	2
Black, both sexes	917	1,416	1,785	-
Male	423	573	504	-
Female	494	843	1,281	-
American Indian 1/, both sexes	42	58	52	-
Male	23	29	15	-
Female	19	29	37	-
Asian or Pacific Islander 2/, both sexes	60	130	192	-
Male	27	65	79	-
Female	33	65	113	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX65-74 75-84 85 YEARS AGE NOT  
YEARS YEARS AND OVER STATED

## All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)

All races, both sexes	17,921	31,100	34,763	4
Male	10,018	14,266	10,683	3
Female	7,903	16,834	24,080	1
White, both sexes	14,934	27,763	31,980	3
Male	8,464	12,816	9,802	3
Female	6,470	14,947	22,178	-
Black, both sexes	2,677	2,930	2,372	1
Male	1,368	1,254	708	-
Female	1,309	1,676	1,664	1
American Indian 1/, both sexes	75	76	69	-
Male	46	33	19	-
Female	29	43	50	-
Asian or Pacific Islander 2/, both sexes	235	331	342	-
Male	140	163	154	-
Female	95	168	188	-

## Essential (primary) hypertension and hypertensive renal disease (I10,I12)

All races, both sexes	2,784	5,623	6,907	-
Male	1,308	2,204	1,747	-
Female	1,476	3,419	5,160	-
White, both sexes	1,906	4,498	5,880	-
Male	926	1,783	1,469	-
Female	980	2,715	4,411	-
Black, both sexes	806	982	906	-
Male	345	360	234	-
Female	461	622	672	-
American Indian 1/, both sexes	13	16	21	-
Male	3	5	6	-
Female	10	11	15	-
Asian or Pacific Islander 2/, both sexes	59	127	100	-
Male	34	56	38	-
Female	25	71	62	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Cerebrovascular diseases (I60-I69)				
All races, both sexes	23,649	57,020	67,376	2
Male	12,042	23,946	18,212	1
Female	11,607	33,074	49,164	1
White, both sexes	19,224	50,367	61,462	1
Male	9,828	21,210	16,526	1
Female	9,396	29,157	44,936	-
Black, both sexes	3,689	5,399	4,891	1
Male	1,835	2,177	1,265	-
Female	1,854	3,222	3,626	1
American Indian 1/, both sexes	108	178	129	-
Male	65	69	39	-
Female	43	109	90	-
Asian or Pacific Islander 2/, both sexes	628	1,076	894	-
Male	314	490	382	-
Female	314	586	512	-
Atherosclerosis (I70)				
All races, both sexes	1,423	4,277	8,005	-
Male	800	1,935	2,166	-
Female	623	2,342	5,839	-
White, both sexes	1,246	3,910	7,491	-
Male	713	1,783	2,011	-
Female	533	2,127	5,480	-
Black, both sexes	148	323	442	-
Male	75	133	128	-
Female	73	190	314	-
American Indian 1/, both sexes	16	13	17	-
Male	6	6	4	-
Female	10	7	13	-
Asian or Pacific Islander 2/, both sexes	13	31	55	-
Male	6	13	23	-
Female	7	18	32	-



TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other diseases of circulatory system (I71-I78)				
All races, both sexes	5,926	9,222	6,920	1
Male	3,771	5,019	2,637	1
Female	2,155	4,203	4,283	-
White, both sexes	5,267	8,362	6,257	-
Male	3,428	4,625	2,435	-
Female	1,839	3,737	3,822	-
Black, both sexes	546	715	568	1
Male	281	316	154	1
Female	265	399	414	-
American Indian 1/, both sexes	33	20	15	-
Male	14	10	4	-
Female	19	10	11	-
Asian or Pacific Islander 2/, both sexes	80	125	80	-
Male	48	68	44	-
Female	32	57	36	-
Aortic aneurysm and dissection (I71)				
All races, both sexes	4,012	5,835	3,357	-
Male	2,730	3,443	1,562	-
Female	1,282	2,392	1,795	-
White, both sexes	3,651	5,398	3,099	-
Male	2,533	3,227	1,472	-
Female	1,118	2,171	1,627	-
Black, both sexes	281	333	199	-
Male	151	155	60	-
Female	130	178	139	-
American Indian 1/, both sexes	21	12	4	-
Male	11	7	1	-
Female	10	5	3	-
Asian or Pacific Islander 2/, both sexes	59	92	55	-
Male	35	54	29	-
Female	24	38	26	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other diseases of arteries, arterioles and capillaries (I72-I78)				
All races, both sexes	1,914	3,387	3,563	1
Male	1,041	1,576	1,075	1
Female	873	1,811	2,488	-
White, both sexes	1,616	2,964	3,158	-
Male	895	1,398	963	-
Female	721	1,566	2,195	-
Black, both sexes	265	382	369	1
Male	130	161	94	1
Female	135	221	275	-
American Indian 1/, both sexes	12	8	11	-
Male	3	3	3	-
Female	9	5	8	-
Asian or Pacific Islander 2/, both sexes	21	33	25	-
Male	13	14	15	-
Female	8	19	10	-
Other disorders of circulatory system (I80-I99)				
All races, both sexes	795	1,161	1,084	-
Male	390	472	273	-
Female	405	689	811	-
White, both sexes	637	1,017	978	-
Male	323	419	244	-
Female	314	598	734	-
Black, both sexes	147	132	96	-
Male	62	44	26	-
Female	85	88	70	-
American Indian 1/, both sexes	7	4	1	-
Male	3	3	-	-
Female	4	1	1	-
Asian or Pacific Islander 2/, both sexes	4	8	9	-
Male	2	6	3	-
Female	2	2	6	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Influenza and pneumonia (J10-J18)				
All races, both sexes	7,189	19,821	31,547	3
Male	4,013	9,751	10,945	2
Female	3,176	10,070	20,602	1
White, both sexes	5,969	17,811	29,101	1
Male	3,314	8,742	10,045	1
Female	2,655	9,069	19,056	-
Black, both sexes	997	1,569	1,921	2
Male	571	773	655	1
Female	426	796	1,266	1
American Indian 1/, both sexes	45	71	84	-
Male	29	33	31	-
Female	16	38	53	-
Asian or Pacific Islander 2/, both sexes	178	370	441	-
Male	99	203	214	-
Female	79	167	227	-
Influenza (J10-J11)				
All races, both sexes	199	492	855	-
Male	106	196	254	-
Female	93	296	601	-
White, both sexes	180	469	820	-
Male	99	187	240	-
Female	81	282	580	-
Black, both sexes	16	13	30	-
Male	5	5	11	-
Female	11	8	19	-
American Indian 1/, both sexes	-	1	2	-
Male	-	-	1	-
Female	-	1	1	-
Asian or Pacific Islander 2/, both sexes	3	9	3	-
Male	2	4	2	-
Female	1	5	1	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Pneumonia (J12-J18)				
All races, both sexes	6,990	19,329	30,692	3
Male	3,907	9,555	10,691	2
Female	3,083	9,774	20,001	1
White, both sexes	5,789	17,342	28,281	1
Male	3,215	8,555	9,805	1
Female	2,574	8,787	18,476	-
Black, both sexes	981	1,556	1,891	2
Male	566	768	644	1
Female	415	788	1,247	1
American Indian 1/, both sexes	45	70	82	-
Male	29	33	30	-
Female	16	37	52	-
Asian or Pacific Islander 2/, both sexes	175	361	438	-
Male	97	199	212	-
Female	78	162	226	-
Other acute lower respiratory infections (J20-J22)				
All races, both sexes	43	82	192	-
Male	22	35	47	-
Female	21	47	145	-
White, both sexes	41	77	181	-
Male	20	33	42	-
Female	21	44	139	-
Black, both sexes	2	5	10	-
Male	2	2	4	-
Female	-	3	6	-
American Indian 1/, both sexes	-	-	1	-
Male	-	-	1	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Acute bronchitis and bronchiolitis (J20-J21)				
All races, both sexes	31	53	111	-
Male	14	27	29	-
Female	17	26	82	-
White, both sexes	29	49	105	-
Male	12	26	27	-
Female	17	23	78	-
Black, both sexes	2	4	6	-
Male	2	1	2	-
Female	-	3	4	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Unspecified acute lower respiratory infection (J22)				
All races, both sexes	12	29	81	-
Male	8	8	18	-
Female	4	21	63	-
White, both sexes	12	28	76	-
Male	8	7	15	-
Female	4	21	61	-
Black, both sexes	-	1	4	-
Male	-	1	2	-
Female	-	-	2	-
American Indian 1/, both sexes	-	-	1	-
Male	-	-	1	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Chronic lower respiratory diseases (J40-J47)				
All races, both sexes	31,157	47,722	27,496	2
Male	16,210	23,838	11,876	2
Female	14,947	23,884	15,620	-
White, both sexes	28,765	45,025	25,926	1
Male	14,786	22,254	11,058	1
Female	13,979	22,771	14,868	-
Black, both sexes	2,014	2,152	1,195	-
Male	1,209	1,223	601	-
Female	805	929	594	-
American Indian 1/, both sexes	124	126	71	-
Male	50	77	36	-
Female	74	49	35	-
Asian or Pacific Islander 2/, both sexes	254	419	304	1
Male	165	284	181	1
Female	89	135	123	-
Bronchitis, chronic and unspecified (J40-J42)				
All races, both sexes	158	333	501	-
Male	79	174	158	-
Female	79	159	343	-
White, both sexes	140	310	486	-
Male	71	165	153	-
Female	69	145	333	-
Black, both sexes	16	20	12	-
Male	6	7	3	-
Female	10	13	9	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	3	3	-
Male	2	2	2	-
Female	-	1	1	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Emphysema (J43)				
All races, both sexes	5,120	6,511	2,685	-
Male	2,738	3,373	1,278	-
Female	2,382	3,138	1,407	-
White, both sexes	4,783	6,193	2,525	-
Male	2,519	3,188	1,170	-
Female	2,264	3,005	1,355	-
Black, both sexes	281	247	119	-
Male	187	137	76	-
Female	94	110	43	-
American Indian 1/, both sexes	19	18	7	-
Male	6	9	6	-
Female	13	9	1	-
Asian or Pacific Islander 2/, both sexes	37	53	34	-
Male	26	39	26	-
Female	11	14	8	-
Asthma (J45-J46)				
All races, both sexes	734	849	707	-
Male	253	243	158	-
Female	481	606	549	-
White, both sexes	547	726	610	-
Male	185	207	126	-
Female	362	519	484	-
Black, both sexes	153	95	71	-
Male	54	21	22	-
Female	99	74	49	-
American Indian 1/, both sexes	6	2	2	-
Male	1	2	1	-
Female	5	-	1	-
Asian or Pacific Islander 2/, both sexes	28	26	24	-
Male	13	13	9	-
Female	15	13	15	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other chronic lower respiratory diseases (J44,J47)				
All races, both sexes	25,145	40,029	23,603	2
Male	13,140	20,048	10,282	2
Female	12,005	19,981	13,321	-
White, both sexes	23,295	37,796	22,305	1
Male	12,011	18,694	9,609	1
Female	11,284	19,102	12,696	-
Black, both sexes	1,564	1,790	993	-
Male	962	1,058	500	-
Female	602	732	493	-
American Indian 1/, both sexes	99	106	62	-
Male	43	66	29	-
Female	56	40	33	-
Asian or Pacific Islander 2/, both sexes	187	337	243	1
Male	124	230	144	1
Female	63	107	99	-
Pneumoconioses and chemical effects (J60-J66,J68)				
All races, both sexes	281	484	317	-
Male	265	467	306	-
Female	16	17	11	-
White, both sexes	266	456	304	-
Male	250	441	293	-
Female	16	15	11	-
Black, both sexes	15	23	11	-
Male	15	21	11	-
Female	-	2	-	-
American Indian 1/, both sexes	-	-	1	-
Male	-	-	1	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	5	1	-
Male	-	5	1	-
Female	-	-	-	-



TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Pneumonitis due to solids and liquids (J69)				
All races, both sexes	1,899	5,505	7,954	-
Male	1,195	3,038	3,387	-
Female	704	2,467	4,567	-
White, both sexes	1,580	4,948	7,331	-
Male	982	2,746	3,149	-
Female	598	2,202	4,182	-
Black, both sexes	290	472	511	-
Male	190	246	182	-
Female	100	226	329	-
American Indian 1/, both sexes	9	14	15	-
Male	7	8	7	-
Female	2	6	8	-
Asian or Pacific Islander 2/, both sexes	20	71	97	-
Male	16	38	49	-
Female	4	33	48	-
Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)				
All races, both sexes	5,448	8,900	6,008	3
Male	2,961	4,415	2,205	2
Female	2,487	4,485	3,803	1
White, both sexes	4,836	8,208	5,600	1
Male	2,650	4,088	2,044	1
Female	2,186	4,120	3,556	-
Black, both sexes	504	532	314	2
Male	246	241	115	1
Female	258	291	199	1
American Indian 1/, both sexes	39	37	20	-
Male	15	16	9	-
Female	24	21	11	-
Asian or Pacific Islander 2/, both sexes	69	123	74	-
Male	50	70	37	-
Female	19	53	37	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Peptic ulcer (K25-K28)				
All races, both sexes	748	1,415	1,509	-
Male	442	667	499	-
Female	306	748	1,010	-
White, both sexes	647	1,286	1,392	-
Male	380	598	451	-
Female	267	688	941	-
Black, both sexes	80	92	85	-
Male	48	46	27	-
Female	32	46	58	-
American Indian 1/, both sexes	5	3	1	-
Male	3	2	-	-
Female	2	1	1	-
Asian or Pacific Islander 2/, both sexes	16	34	31	-
Male	11	21	21	-
Female	5	13	10	-
Diseases of appendix (K35-K38)				
All races, both sexes	71	121	68	-
Male	40	60	24	-
Female	31	61	44	-
White, both sexes	54	100	65	-
Male	31	51	22	-
Female	23	49	43	-
Black, both sexes	16	16	3	-
Male	9	6	2	-
Female	7	10	1	-
American Indian 1/, both sexes	-	1	-	-
Male	-	-	-	-
Female	-	1	-	-
Asian or Pacific Islander 2/, both sexes	1	4	-	-
Male	-	3	-	-
Female	1	1	-	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Hernia (K40-K46)				
All races, both sexes	210	466	555	-
Male	92	195	154	-
Female	118	271	401	-
White, both sexes	185	421	512	-
Male	82	180	141	-
Female	103	241	371	-
Black, both sexes	21	38	40	-
Male	9	12	11	-
Female	12	26	29	-
American Indian 1/, both sexes	3	2	-	-
Male	1	-	-	-
Female	2	2	-	-
Asian or Pacific Islander 2/, both sexes	1	5	3	-
Male	-	3	2	-
Female	1	2	1	-
Chronic liver disease and cirrhosis (K70,K73-K74)				
All races, both sexes	5,482	3,829	979	3
Male	3,317	1,874	421	3
Female	2,165	1,955	558	-
White, both sexes	4,925	3,591	918	2
Male	3,006	1,762	394	2
Female	1,919	1,829	524	-
Black, both sexes	434	165	44	1
Male	258	81	17	1
Female	176	84	27	-
American Indian 1/, both sexes	59	25	2	-
Male	21	12	1	-
Female	38	13	1	-
Asian or Pacific Islander 2/, both sexes	64	48	15	-
Male	32	19	9	-
Female	32	29	6	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Alcoholic liver disease (K70)				
All races, both sexes	1,891	751	95	2
Male	1,433	561	65	2
Female	458	190	30	-
White, both sexes	1,689	681	88	1
Male	1,288	517	60	1
Female	401	164	28	-
Black, both sexes	170	50	5	1
Male	124	33	4	1
Female	46	17	1	-
American Indian 1/, both sexes	23	10	-	-
Male	14	6	-	-
Female	9	4	-	-
Asian or Pacific Islander 2/, both sexes	9	10	2	-
Male	7	5	1	-
Female	2	5	1	-
Other chronic liver disease and cirrhosis (K73-K74)				
All races, both sexes	3,591	3,078	884	1
Male	1,884	1,313	356	1
Female	1,707	1,765	528	-
White, both sexes	3,236	2,910	830	1
Male	1,718	1,245	334	1
Female	1,518	1,665	496	-
Black, both sexes	264	115	39	-
Male	134	48	13	-
Female	130	67	26	-
American Indian 1/, both sexes	36	15	2	-
Male	7	6	1	-
Female	29	9	1	-
Asian or Pacific Islander 2/, both sexes	55	38	13	-
Male	25	14	8	-
Female	30	24	5	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Cholelithiasis and other disorders of gallbladder (K80-K82)				
All races, both sexes	450	926	1,053	-
Male	242	461	339	-
Female	208	465	714	-
White, both sexes	366	827	982	-
Male	206	423	320	-
Female	160	404	662	-
Black, both sexes	65	76	57	-
Male	25	27	12	-
Female	40	49	45	-
American Indian 1/, both sexes	2	8	5	-
Male	1	3	1	-
Female	1	5	4	-
Asian or Pacific Islander 2/, both sexes	17	15	9	-
Male	10	8	6	-
Female	7	7	3	-
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)				
All races, both sexes	6,990	12,458	11,777	2
Male	3,564	6,213	4,671	2
Female	3,426	6,245	7,106	-
White, both sexes	5,144	10,470	10,311	2
Male	2,769	5,353	4,171	2
Female	2,375	5,117	6,140	-
Black, both sexes	1,653	1,789	1,299	-
Male	716	765	425	-
Female	937	1,024	874	-
American Indian 1/, both sexes	65	46	27	-
Male	28	16	13	-
Female	37	30	14	-
Asian or Pacific Islander 2/, both sexes	128	153	140	-
Male	51	79	62	-
Female	77	74	78	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

65-74 75-84 85 YEARS AGE NOT  
YEARS YEARS AND OVER STATED

Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)

All races, both sexes	29	52	49	-
Male	12	26	22	-
Female	17	26	27	-
White, both sexes	22	46	44	-
Male	9	23	18	-
Female	13	23	26	-
Black, both sexes	6	5	2	-
Male	2	2	1	-
Female	4	3	1	-
American Indian 1/, both sexes	-	-	1	-
Male	-	-	1	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	1	2	-
Male	1	1	2	-
Female	-	-	-	-

Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03, N05-N07,N26)

All races, both sexes	103	172	118	-
Male	54	83	55	-
Female	49	89	63	-
White, both sexes	85	150	94	-
Male	45	75	44	-
Female	40	75	50	-
Black, both sexes	14	19	15	-
Male	8	6	7	-
Female	6	13	8	-
American Indian 1/, both sexes	1	1	1	-
Male	-	1	-	-
Female	1	-	1	-
Asian or Pacific Islander 2/, both sexes	3	2	8	-
Male	1	1	4	-
Female	2	1	4	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Renal failure (N17-N19)				
All races, both sexes	6,848	12,223	11,603	2
Male	3,492	6,102	4,591	2
Female	3,356	6,121	7,012	-
White, both sexes	5,028	10,265	10,168	2
Male	2,709	5,253	4,106	2
Female	2,319	5,012	6,062	-
Black, both sexes	1,632	1,764	1,280	-
Male	706	757	417	-
Female	926	1,007	863	-
American Indian 1/, both sexes	64	45	25	-
Male	28	15	12	-
Female	36	30	13	-
Asian or Pacific Islander 2/, both sexes	124	149	130	-
Male	49	77	56	-
Female	75	72	74	-
Other disorders of kidney (N25,N27)				
All races, both sexes	10	11	7	-
Male	6	2	3	-
Female	4	9	4	-
White, both sexes	9	9	5	-
Male	6	2	3	-
Female	3	7	2	-
Black, both sexes	1	1	2	-
Male	-	-	-	-
Female	1	1	2	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	1	-	-
Male	-	-	-	-
Female	-	1	-	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Infections of kidney (N10-N12,N13.6,N15.1)				
All races, both sexes	104	248	320	-
Male	26	74	69	-
Female	78	174	251	-
White, both sexes	82	210	291	-
Male	17	65	65	-
Female	65	145	226	-
Black, both sexes	19	28	25	-
Male	8	7	4	-
Female	11	21	21	-
American Indian 1/, both sexes	1	1	2	-
Male	-	-	-	-
Female	1	1	2	-
Asian or Pacific Islander 2/, both sexes	2	9	2	-
Male	1	2	-	-
Female	1	7	2	-
Hyperplasia of prostate (N40)				
All races, both sexes	38	159	222	1
Male	38	159	222	1
White, both sexes	35	145	201	-
Male	35	145	201	-
Black, both sexes	2	14	15	1
Male	2	14	15	1
American Indian 1/, both sexes	1	-	1	-
Male	1	-	1	-
Asian or Pacific Islander 2/, both sexes	-	-	5	-
Male	-	-	5	-



TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Inflammatory diseases of female pelvic organs (N70-N76)				
All races, both sexes	21	29	27	-
Female	21	29	27	-
White, both sexes	17	26	24	-
Female	17	26	24	-
Black, both sexes	4	3	2	-
Female	4	3	2	-
American Indian 1/, both sexes	-	-	1	-
Female	-	-	1	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Female	-	-	-	-
Pregnancy, childbirth and the puerperium (000-099)				
All races, both sexes	...	...	...	-
Female	...	...	...	-
White, both sexes	...	...	...	-
Female	...	...	...	-
Black, both sexes	...	...	...	-
Female	...	...	...	-
American Indian 1/, both sexes	...	...	...	-
Female	...	...	...	-
Asian or Pacific Islander 2/, both sexes	...	...	...	-
Female	...	...	...	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

65-74 YEARS      75-84 YEARS      85 YEARS AND OVER      AGE NOT STATED

Pregnancy with abortive outcome (000-007)

All races, both sexes	...	...	...	-
Female	...	...	...	-
White, both sexes	...	...	...	-
Female	...	...	...	-
Black, both sexes	...	...	...	-
Female	...	...	...	-
American Indian 1/, both sexes	...	...	...	-
Female	...	...	...	-
Asian or Pacific Islander 2/, both sexes	...	...	...	-
Female	...	...	...	-

Other complications of pregnancy, childbirth and the puerperium (010-099)

All races, both sexes	...	...	...	-
Female	...	...	...	-
White, both sexes	...	...	...	-
Female	...	...	...	-
Black, both sexes	...	...	...	-
Female	...	...	...	-
American Indian 1/, both sexes	...	...	...	-
Female	...	...	...	-
Asian or Pacific Islander 2/, both sexes	...	...	...	-
Female	...	...	...	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------------	-------------------

Certain conditions originating in the perinatal period (P00-P96)

All races, both sexes	-	-	-	1
Male	-	-	-	-
Female	-	-	-	1
White, both sexes	-	-	-	1
Male	-	-	-	-
Female	-	-	-	1
Black, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-

Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

All races, both sexes	464	488	320	1
Male	222	197	130	-
Female	242	291	190	1
White, both sexes	410	457	301	1
Male	188	188	123	-
Female	222	269	178	1
Black, both sexes	43	25	16	-
Male	26	9	6	-
Female	17	16	10	-
American Indian 1/, both sexes	5	2	-	-
Male	3	-	-	-
Female	2	2	-	-
Asian or Pacific Islander 2/, both sexes	6	4	3	-
Male	5	-	1	-
Female	1	4	2	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

65-74 YEARS      75-84 YEARS      85 YEARS AND OVER      AGE NOT STATED

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

All races, both sexes	3,040	5,029	8,824	115
Male	1,708	2,244	2,242	90
Female	1,332	2,785	6,582	25
White, both sexes	2,518	4,474	8,144	83
Male	1,408	2,010	2,071	66
Female	1,110	2,464	6,073	17
Black, both sexes	479	509	596	28
Male	273	215	140	21
Female	206	294	456	7
American Indian 1/, both sexes	11	13	27	1
Male	7	6	9	1
Female	4	7	18	-
Asian or Pacific Islander 2/, both sexes	32	33	57	3
Male	20	13	22	2
Female	12	20	35	1

All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)

All races, both sexes	25,007	48,019	61,292	11
Male	12,321	19,102	15,536	11
Female	12,686	28,917	45,756	-
White, both sexes	21,360	43,077	56,204	8
Male	10,533	17,107	14,133	8
Female	10,827	25,970	42,071	-
Black, both sexes	3,176	4,288	4,440	3
Male	1,561	1,729	1,149	3
Female	1,615	2,559	3,291	-
American Indian 1/, both sexes	148	152	125	-
Male	71	60	45	-
Female	77	92	80	-
Asian or Pacific Islander 2/, both sexes	323	502	523	-
Male	156	206	209	-
Female	167	296	314	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------------	-------------------

## Accidents (unintentional injuries) (V01-X59,Y85-Y86)

All races, both sexes	7,698	11,758	11,595	85
Male	4,639	6,063	4,413	83
Female	3,059	5,695	7,182	2
White, both sexes	6,617	10,740	10,852	79
Male	3,977	5,493	4,100	77
Female	2,640	5,247	6,752	2
Black, both sexes	868	778	579	5
Male	543	438	239	5
Female	325	340	340	-
American Indian 1/, both sexes	63	51	24	1
Male	36	32	12	1
Female	27	19	12	-
Asian or Pacific Islander 2/, both sexes	150	189	140	-
Male	83	100	62	-
Female	67	89	78	-

## Transport accidents (V01-V99,Y85)

All races, both sexes	3,315	3,342	1,335	33
Male	2,021	1,858	734	33
Female	1,294	1,484	601	-
White, both sexes	2,878	3,060	1,236	31
Male	1,744	1,685	683	31
Female	1,134	1,375	553	-
Black, both sexes	325	183	69	1
Male	220	120	39	1
Female	105	63	30	-
American Indian 1/, both sexes	34	19	6	1
Male	19	13	3	1
Female	15	6	3	-
Asian or Pacific Islander 2/, both sexes	78	80	24	-
Male	38	40	9	-
Female	40	40	15	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

65-74 YEARS      75-84 YEARS      85 YEARS AND OVER      AGE NOT STATED

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

All races, both sexes	3,038	3,173	1,288	26
Male	1,802	1,739	706	26
Female	1,236	1,434	582	-
White, both sexes	2,636	2,906	1,193	24
Male	1,552	1,575	656	24
Female	1,084	1,331	537	-
Black, both sexes	301	173	65	1
Male	201	114	38	1
Female	100	59	27	-
American Indian 1/, both sexes	31	18	6	1
Male	18	12	3	1
Female	13	6	3	-
Asian or Pacific Islander 2/, both sexes	70	76	24	-
Male	31	38	9	-
Female	39	38	15	-

Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)

All races, both sexes	100	91	35	7
Male	75	57	19	7
Female	25	34	16	-
White, both sexes	85	80	32	7
Male	62	52	19	7
Female	23	28	13	-
Black, both sexes	10	7	3	-
Male	9	3	-	-
Female	1	4	3	-
American Indian 1/, both sexes	1	-	-	-
Male	-	-	-	-
Female	1	-	-	-
Asian or Pacific Islander 2/, both sexes	4	4	-	-
Male	4	2	-	-
Female	-	2	-	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------------	-------------------

Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)

All races, both sexes	177	78	12	-
Male	144	62	9	-
Female	33	16	3	-
White, both sexes	157	74	11	-
Male	130	58	8	-
Female	27	16	3	-
Black, both sexes	14	3	1	-
Male	10	3	1	-
Female	4	-	-	-
American Indian 1/, both sexes	2	1	-	-
Male	1	1	-	-
Female	1	-	-	-
Asian or Pacific Islander 2/, both sexes	4	-	-	-
Male	3	-	-	-
Female	1	-	-	-

Nontransport accidents (W00-X59,Y86)

All races, both sexes	4,383	8,416	10,260	52
Male	2,618	4,205	3,679	50
Female	1,765	4,211	6,581	2
White, both sexes	3,739	7,680	9,616	48
Male	2,233	3,808	3,417	46
Female	1,506	3,872	6,199	2
Black, both sexes	543	595	510	4
Male	323	318	200	4
Female	220	277	310	-
American Indian 1/, both sexes	29	32	18	-
Male	17	19	9	-
Female	12	13	9	-
Asian or Pacific Islander 2/, both sexes	72	109	116	-
Male	45	60	53	-
Female	27	49	63	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTER- NATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Falls (W00-W19)				
All races, both sexes	1,660	3,841	4,772	-
Male	991	1,947	1,784	-
Female	669	1,894	2,988	-
White, both sexes	1,480	3,627	4,570	-
Male	889	1,830	1,694	-
Female	591	1,797	2,876	-
Black, both sexes	137	137	124	-
Male	78	70	53	-
Female	59	67	71	-
American Indian 1/, both sexes	6	12	11	-
Male	2	10	7	-
Female	4	2	4	-
Asian or Pacific Islander 2/, both sexes	37	65	67	-
Male	22	37	30	-
Female	15	28	37	-
Accidental discharge of firearms (W32-W34)				
All races, both sexes	41	24	11	-
Male	34	23	11	-
Female	7	1	-	-
White, both sexes	37	22	11	-
Male	31	21	11	-
Female	6	1	-	-
Black, both sexes	3	1	-	-
Male	2	1	-	-
Female	1	-	-	-
American Indian 1/, both sexes	1	-	-	-
Male	1	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	1	-	-
Male	-	1	-	-
Female	-	-	-	-



TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX65-74  
YEARS      75-84  
YEARS      85 YEARS  
AND OVER      AGE NOT  
STATED

## Accidental drowning and submersion (W65-W74)

All races, both sexes	179	156	64	24
Male	133	88	34	23
Female	46	68	30	1
White, both sexes	156	137	56	23
Male	114	81	30	22
Female	42	56	26	1
Black, both sexes	15	12	7	1
Male	13	4	4	1
Female	2	8	3	-
American Indian 1/, both sexes	2	-	-	-
Male	2	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	6	7	1	-
Male	4	3	-	-
Female	2	4	1	-

## Accidental exposure to smoke, fire and flames (X00-X09)

All races, both sexes	401	472	263	5
Male	232	244	115	5
Female	169	228	148	-
White, both sexes	297	345	197	5
Male	169	181	91	5
Female	128	164	106	-
Black, both sexes	98	121	65	-
Male	60	61	24	-
Female	38	60	41	-
American Indian 1/, both sexes	2	1	-	-
Male	1	1	-	-
Female	1	-	-	-
Asian or Pacific Islander 2/, both sexes	4	5	1	-
Male	2	1	-	-
Female	2	4	1	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX65-74 75-84 85 YEARS AGE NOT  
YEARS YEARS AND OVER STATED

## Accidental poisoning and exposure to noxious substances (X40-X49)

All races, both sexes	278	245	184	7
Male	147	102	76	6
Female	131	143	108	1
White, both sexes	233	229	157	6
Male	115	95	65	5
Female	118	134	92	1
Black, both sexes	43	15	26	1
Male	31	7	11	1
Female	12	8	15	-
American Indian 1/, both sexes	1	-	1	-
Male	-	-	-	-
Female	1	-	1	-
Asian or Pacific Islander 2/, both sexes	1	1	-	-
Male	1	-	-	-
Female	-	1	-	-

## Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)

All races, both sexes	1,824	3,678	4,966	16
Male	1,081	1,801	1,659	16
Female	743	1,877	3,307	-
White, both sexes	1,536	3,320	4,625	14
Male	915	1,600	1,526	14
Female	621	1,720	3,099	-
Black, both sexes	247	309	288	2
Male	139	175	108	2
Female	108	134	180	-
American Indian 1/, both sexes	17	19	6	-
Male	11	8	2	-
Female	6	11	4	-
Asian or Pacific Islander 2/, both sexes	24	30	47	-
Male	16	18	23	-
Female	8	12	24	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX65-74 75-84 85 YEARS AGE NOT  
YEARS YEARS AND OVER STATED

## Intentional self-harm (suicide) (X60-X84,Y87.0)

All races, both sexes	2,292	2,181	833	7
Male	1,888	1,884	705	7
Female	404	297	128	-
White, both sexes	2,168	2,090	806	6
Male	1,784	1,817	683	6
Female	384	273	123	-
Black, both sexes	85	53	12	-
Male	76	40	11	-
Female	9	13	1	-
American Indian 1/, both sexes	8	1	-	-
Male	8	1	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	31	37	15	1
Male	20	26	11	1
Female	11	11	4	-

## Intentional self-harm (suicide) by discharge of firearms (X72-X74)

All races, both sexes	1,700	1,611	558	5
Male	1,528	1,505	526	5
Female	172	106	32	-
White, both sexes	1,626	1,573	547	4
Male	1,457	1,473	515	4
Female	169	100	32	-
Black, both sexes	62	32	8	-
Male	60	27	8	-
Female	2	5	-	-
American Indian 1/, both sexes	7	1	-	-
Male	7	1	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	5	3	1
Male	4	4	3	1
Female	1	1	-	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

65-74 75-84 85 YEARS AGE NOT  
YEARS YEARS AND OVER STATED

Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71,X75-X84,Y87.0)

All races, both sexes	592	570	275	2
Male	360	379	179	2
Female	232	191	96	-
White, both sexes	542	517	259	2
Male	327	344	168	2
Female	215	173	91	-
Black, both sexes	23	21	4	-
Male	16	13	3	-
Female	7	8	1	-
American Indian 1/, both sexes	1	-	-	-
Male	1	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	26	32	12	-
Male	16	22	8	-
Female	10	10	4	-

Assault (homicide) (X85-Y09,Y87.1)

All races, both sexes	443	301	100	30
Male	279	154	40	15
Female	164	147	60	15
White, both sexes	303	227	83	25
Male	176	109	31	13
Female	127	118	52	12
Black, both sexes	125	64	14	4
Male	95	39	7	1
Female	30	25	7	3
American Indian 1/, both sexes	4	2	2	1
Male	3	1	2	1
Female	1	1	-	-
Asian or Pacific Islander 2/, both sexes	11	8	1	-
Male	5	5	-	-
Female	6	3	1	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------------	-------------------

Assault (homicide) by discharge of firearms (X93-X95)

All races, both sexes	184	81	28	12
Male	108	37	9	7
Female	76	44	19	5
White, both sexes	134	64	24	10
Male	70	25	8	5
Female	64	39	16	5
Black, both sexes	45	17	4	1
Male	37	12	1	1
Female	8	5	3	-
American Indian 1/, both sexes	1	-	-	1
Male	-	-	-	1
Female	1	-	-	-
Asian or Pacific Islander 2/, both sexes	4	-	-	-
Male	1	-	-	-
Female	3	-	-	-

Assault (homicide) by other and unspecified means and their sequelae (X85-X92,X96-Y09,Y87.1)

All races, both sexes	259	220	72	18
Male	171	117	31	8
Female	88	103	41	10
White, both sexes	169	163	59	15
Male	106	84	23	8
Female	63	79	36	7
Black, both sexes	80	47	10	3
Male	58	27	6	-
Female	22	20	4	3
American Indian 1/, both sexes	3	2	2	-
Male	3	1	2	-
Female	-	1	-	-
Asian or Pacific Islander 2/, both sexes	7	8	1	-
Male	4	5	-	-
Female	3	3	1	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX65-74  
YEARS      75-84  
YEARS      85 YEARS  
AND OVER      AGE NOT  
STATED

## Legal intervention (Y35,Y89.0)

All races, both sexes	5	1	1	-
Male	5	1	1	-
Female	-	-	-	-
White, both sexes	3	1	1	-
Male	3	1	1	-
Female	-	-	-	-
Black, both sexes	2	-	-	-
Male	2	-	-	-
Female	-	-	-	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-

## Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)

All races, both sexes	104	79	57	11
Male	70	49	21	11
Female	34	30	36	-
White, both sexes	84	72	48	8
Male	53	45	17	8
Female	31	27	31	-
Black, both sexes	15	6	7	3
Male	13	4	3	3
Female	2	2	4	-
American Indian 1/, both sexes	1	-	-	-
Male	-	-	-	-
Female	1	-	-	-
Asian or Pacific Islander 2/, both sexes	4	1	2	-
Male	4	-	1	-
Female	-	1	1	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

65-74 75-84 85 YEARS AGE NOT  
YEARS YEARS AND OVER STATED

Discharge of firearms, undetermined intent (Y22-Y24)

All races, both sexes	11	6	2	1
Male	9	5	2	1
Female	2	1	-	-
White, both sexes	9	6	2	1
Male	7	5	2	1
Female	2	1	-	-
Black, both sexes	2	-	-	-
Male	2	-	-	-
Female	-	-	-	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-

Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)

All races, both sexes	93	73	55	10
Male	61	44	19	10
Female	32	29	36	-
White, both sexes	75	66	46	7
Male	46	40	15	7
Female	29	26	31	-
Black, both sexes	13	6	7	3
Male	11	4	3	3
Female	2	2	4	-
American Indian 1/, both sexes	1	-	-	-
Male	-	-	-	-
Female	1	-	-	-
Asian or Pacific Islander 2/, both sexes	4	1	2	-
Male	4	-	1	-
Female	-	1	1	-

TABLE 250A. DEATHS FROM 113 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON  
THE TENTH REVISION, INTER-  
NATIONAL CLASSIFICATION  
OF DISEASES, 1992),  
RACE, AND SEX

65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
----------------	----------------	----------------------	-------------------

Operations of war and their sequelae (Y36,Y89.1)

All races, both sexes	3	9	1	-
Male	3	9	1	-
Female	-	-	-	-
White, both sexes	3	9	1	-
Male	3	9	1	-
Female	-	-	-	-
Black, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
American Indian 1/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-
Male	-	-	-	-
Female	-	-	-	-

Complications of medical and surgical care (Y40-Y84,Y88)

All races, both sexes	647	825	578	-
Male	331	402	196	-
Female	316	423	382	-
White, both sexes	535	718	503	-
Male	273	363	175	-
Female	262	355	328	-
Black, both sexes	101	96	67	-
Male	52	34	16	-
Female	49	62	51	-
American Indian 1/, both sexes	5	3	3	-
Male	1	2	1	-
Female	4	1	2	-
Asian or Pacific Islander 2/, both sexes	6	8	5	-
Male	5	3	4	-
Female	1	5	1	-

- QUANTITY ZERO.

... CATEGORY NOT APPLICABLE.

1/ INCLUDES ALEUTS AND ESKIMOS.

2/ INCLUDES CHINESE, FILIPINO, HAWAIIAN, JAPANESE, AND OTHER ASIAN OR PACIFIC ISLANDER.

SOURCE: CDC/NCHS, NATIONAL VITAL STATISTICS SYSTEM, MORTALITY.