

**2022-2023 National Survey of Family Growth (NSFG)  
List of Restricted-Use Analytic Variables for Male Respondent File**

Most of these variables are included on the NSFG Public-Use File in some form – e.g., with fewer categories, with some values top- or bottom-coded, with year only, or with new variables to summarize information from several variables. Those measures were taken to minimize the risk of inadvertent disclosure, but the full detail of these analytic variables would be accessible through the NCHS Research Data Center. The variables beginning with "IN" are available on the Public-Use Files with the same variable name, minus the "IN."

Variable Name	Section	Variable Label	Variable Type
INRSCRRACE	screeener	SC-6 R's race as reported in screener	raw
CMBIRTH	A	Century month (CM) date for R's date of birth (DOB)	computed
HISPGRP_1-5	A	AC-2 Hispanic subgroup - (up to 5 mentions)	raw
RRACE_01-14	A	AC-3 Race of respondent - (up to 14 mentions)	raw
RACEBEST	A	AC-4 Race that best describes respondent (for those who reported > 1 race)	raw
USUALRES[x]	A	AD-2 Whether this household is this member's usual residence (up to 15 HH members reported)	raw
SEX[x]	A	AD-3 Sex of each household member (up to 15 HH members reported)	raw
AGE[x]	A	AD-4 Age of each household member (up to 15 HH members reported)	raw
RELAR[x]	A	AD-5 Relationship of each household member to R (up to 15 HH members reported)	raw
INROSCNT	A	Number of persons in the household, as reported in main interview	computed
INHHKIDS18	A	Total number of children < 19 in HH with RELAR = codes 3 to 10 (FC A-15)	computed
INNONBIOKIDS	A	Number of children in HH < 19 yrs with RELAR = codes 4 to 10 (FC A-15)	computed
RELSPCH[x]	A	AD-9 Relationship of each child in household to R's spouse or cohabiting partner	raw
EARNHS_M	A	AE-7 Month high school diploma obtained	raw
CMHSGRAD	A	CM date for high school graduation	computed
MYSCHOL_M	A	AE-3 month last attended elem/jun/high school	raw
CMLSTSCH	A	Century month of last elem/jun/high school attendance	computed
EARNBA_M	A	AE-12 Month R received Bachelor's degree	raw
CMBAGRAD	A	CM date when R received Bachelor's degree	computed
BOTHBIOL	A	Whether R lives with both biological parents	computed
BOTHADOP	A	Whether R lives with both adoptive parents	computed
INWTHPARNW	A	Respondent's current living situation with parents	computed
INLVSIT14F	A	AF-3 Parental figures at age 14 - female	raw
INLVSIT14M	A	AF-4 Parental figures at age 14 - male	raw
INWOMRASDU	A	AF-5 Mother or mother-figure who mostly raised R	raw
INMANRASDU	A	AF-11 Father or father-figure who mostly raised R	raw
INMNYFSTER	A	AF-11 Number of foster care settings R lived in (top-coded)	raw
INDURFSTER	A	AF-12 Total time spent in foster care	raw
INAGEFSTER	A	AF-13 Age last left foster care	raw
INNUMCOH1	A	AG-4 Number of women R has lived with-excl wives-R ever married	raw
INNUMCOH2	A	AG-6 Number of women R has lived with-R never marr & ever cohab	raw
INNUMCOHAB	A	Number of female cohabiting partners (excluding wives) (FC A-40)	computed
MARRDATE	C	CA-2y Month of marriage to current spouse	raw
CMCURMAR	C	CM date of current marriage	computed
INHISAGEM	C	CA-3 R's age when married - current spouse	raw
STRTSPCP_M	C	CA-5m Month began living together w/ current S/P	raw
CMCURCOH	C	CM date when R began living with current spouse or cohabiting partner	computed
INCMSTRTSP	C	CM date when current union began (began living or got married)	computed

**2022-2023 National Survey of Family Growth (NSFG)  
List of Restricted-Use Analytic Variables for Male Respondent File**

Most of these variables are included on the NSFG Public-Use File in some form – e.g., with fewer categories, with some values top- or bottom-coded, with year only, or with new variables to summarize information from several variables. Those measures were taken to minimize the risk of inadvertent disclosure, but the full detail of these analytic variables would be accessible through the NCHS Research Data Center. The variables beginning with "IN" are available on the Public-Use Files with the same variable name, minus the "IN."

Variable Name	Section	Variable Label	Variable Type
INCSPAGE	C	CB-1 Current age of R's spouse/partner	raw
CSPHISP	C	CB-2 Hispanic origin - Current S/P	raw
CSPRACE1-5	C	CB-4 Race of current S/P (up to 5 mentions)	raw
MARDATEN_M_1	D	DA-1m Month of marriage to former wife (most recent partner)	raw
CMMARP_1	D	CM date of marriage to former wife (most recent partner)	computed
STRTLIVE_M_1	D	DA-4m Month began cohabiting with former wife (most recent partner)	raw
STRTLIVE_Y_1	D	DA-4y Year began cohabiting with former wife (most recent partner)	raw
CMCOHP_1	D	CM began cohab with former W/P (most recent partner)	computed
INCMUNIONP_1	D	CM date union (marriage or coresidence) began with former wife/female partner (most recent partner) (computed in FC D-8)	computed
ENDMARR_M_1	D	DA-8m Month marriage ended with former wife (most recent partner)	raw
CMENDM_1	D	CM date marriage ended w/ former wife (most recent partner)	computed
STOPLIVE_M_1	D	DA-9m Month stopped living with former wife/partner (most recent partner)	raw
CMSTOPP_1	D	CM date R stopped living with former wife/partner (most recent partner)	computed
MARDATEN_M_2	D	DA-1m Month of marriage to former wife (2nd most recent partner in last 12 mos)	raw
CMMARP_2	D	CM date of marriage to former wife (2nd most recent partner in last 12 mos)	computed
STRTLIVE_M_2	D	DA-4m Month began cohabiting with former wife (2nd most recent partner in last 12 mos)	raw
STRTLIVE_Y_2	D	DA-4y Year began cohabiting with former wife (2nd most recent partner in last 12 mos)	raw
CMCOHP_2	D	CM date R began cohabiting with former wife partner (2nd most recent partner in last 12 mos)	computed
INCMUNIONP_2	D	CM date union (marriage or coresidence) began with former wife/female partner (2nd most recent partner in last 12 mos) (computed in FC D-8)	computed
ENDMARR_M_2	D	DA-8m Month marriage ended with former wife (2nd most recent partner in last 12 mos)	raw
CMENDM_2	D	CM date marriage ended w/ former wife (2nd most recent partner in last 12 mos)	computed
STOPLIVE_M_2	D	DA-9m Month stopped living with former wife/partner (2nd most recent partner in last 12 mos)	raw
CMSTOPP_2	D	CM date R stopped living with former wife/partner (2nd most recent partner in last 12 mos)	computed
MARDATEN_M_3	D	DA-1m Month of marriage to former wife (3rd most recent partner in last 12 mos)	raw
CMMARP_3	D	CM date of marriage to former wife (3rd most recent partner in last 12 mos)	computed
STRTLIVE_M_3	D	DA-4m Month began cohabiting with former wife (3rd most recent partner in last 12 mos)	raw
STRTLIVE_Y_3	D	DA-4y Year began cohabiting with former wife (3rd most recent partner in last 12 mos)	raw
CMCOHP_3	D	CM date R began cohabiting with former wife partner (3rd most recent partner in last 12 mos)	computed
INCMUNIONP_3	D	CM date union (marriage or coresidence) began with former wife/female partner (3rd most recent partner in last 12 mos) (computed in FC D-8)	computed
ENDMARR_M_3	D	DA-8m Month marriage ended with former wife (3rd most recent partner in last 12 mos)	raw
CMENDM_3	D	CM date marriage ended w/ former wife (3rd most recent partner in last 12 mos)	computed
STOPLIVE_M_3	D	DA-9m Month stopped living with former wife/partner (3rd most recent partner in last 12 mos)	raw
CMSTOPP_3	D	CM date R stopped living with former wife/partner (3rd most recent partner in last 12 mos)	computed
PXPAGE	D	DC-6 Age of partner at last sex with R (most recent partner)	raw
PXRELAGE	D	DC-7 P older/younger/same age as R at last sex (most recent partner)	raw

**2022-2023 National Survey of Family Growth (NSFG)  
List of Restricted-Use Analytic Variables for Male Respondent File**

Most of these variables are included on the NSFG Public-Use File in some form – e.g., with fewer categories, with some values top- or bottom-coded, with year only, or with new variables to summarize information from several variables. Those measures were taken to minimize the risk of inadvertent disclosure, but the full detail of these analytic variables would be accessible through the NCHS Research Data Center. The variables beginning with "IN" are available on the Public-Use Files with the same variable name, minus the "IN."

Variable Name	Section	Variable Label	Variable Type
PXRELYRS	D	DC-8 # of years age diff btwn R & P at last sex (most recent partner)	raw
PXPAGE2	D	DC-6 Age of 2nd-to-last partner at last sex with R	raw
PXRELAGE2	D	DC-7 2nd-to-last P older/younger/same age as R at last sex	raw
PXRELYRS2	D	DC-8 # of years age diff btwn R & 2nd-to-last P at last sex	raw
PXPAGE3	D	DC-6 Age of 3rd-to-last partner at last sex with R	raw
PXRELAGE3	D	DC-7 3rd-to-last P older/younger/same age as R at last sex	raw
PXRELYRS3	D	DC-8 # of years age diff btwn R & 3rd-to-last P at last sex	raw
PXHISP	D	DC-10 Is R's most recent partner of Hispanic origin	raw
PXRACE1-5	D	DC-11 Race of R's most recent partner (up to 5 mentions)	raw
PXHISP2	D	DC-10 Is R's 2nd-to-last partner of Hispanic origin	raw
PXRACE6-10	D	DC-11 Race of R's 2nd-to-last partner (up to 5 mentions)	raw
PXHISP3	D	DC-10 Is R's 3rd-to-last partner of Hispanic origin	raw
PXRACE11-15	D	DC-1 Race of R's 3rd-to-last partner (up to 5 mentions)	raw
INFORMCOHAB	E	Number of Former Female Cohabiting Partners (computed in FC E-1)	computed
FW1MARBEG_M	E	EB-2y Month of Marriage - 1st Former Wife	raw
CMMARW1	E	CM Date of Marriage - 1st Former Wife	computed
STRTLIVE_M_W1	E	EB-5m Month Began Cohabiting (Premar) - 1st Former Wife	raw
STRTLIVE_Y_W1	E	EB-5y Year Began Cohabiting (Premar) - 1st Former Wife	raw
CMCOHW1	E	CM Date for Start of Premarital Cohabitation - 1st Former Wife	computed
INCMUNIONW1	E	CM Date When Coresidence (Union) Began - 1st Former Wife	computed
FW1MAREND_M	E	EB-9 Month Marriage Ended-1st Former Wife	raw
CMFMEND_W1	E	CM Date when marriage ended - 1st Former Wife	computed
STOPLIVE_M_W1	E	EB-10m Month Last Lived Together - 1st Former Wife	raw
CMSTOPW_1	E	CM Date When Stopped Living with 1st Former Wife	computed
FWPHISP_W1	E	EB-11 Hispanic Origin - 1st Former Wife	raw
FWPRACE_W1_1-5	E	EB-12 Race of 1st Former Wife (up to 5 mentions)	raw
STRTLIVE_M_FC1	E	EB-5 Month Began Cohabiting - 1st Cohab Partner	raw
CMCOHFC	E	CM Date Began Living with 1st Female Former Cohabiting Partner	computed
STOPLIVE_M_FC1	E	EB-12 Month Last Lived Together - 1st Cohab partner	raw
CMSTOPFC	E	CM Date When Stopped Living with 1st Female Former Cohabiting Partner	computed
FWPHISP_FC1	E	EB-11 Hispanic Origin - 1st Female Former Cohabiting Partner	raw
FWPRACE_FC1_1-5	E	EB-12 Race of 1st Female Former Cohabiting Partner (up to 5 mentions)	raw
FPFIRST_M	E	EC-1m Month of first sexual intercourse	raw
FPFIRST_Y	E	EC-1y Year of first sexual intercourse	raw
CMFSTSEX	E	CM for Date of First Sexual Intercourse	computed
FSTSEXAGE	E	Age at first sexual intercourse (based on CMFSTSEX and RFSXAGEGP)	computed
FPAGE	E	EC-2 R Age at first sexual intercourse	raw
RFSXAGEGP	E	EC-3--Rs estimated age at first sexual intercourse (if age unknown)	raw

**2022-2023 National Survey of Family Growth (NSFG)  
List of Restricted-Use Analytic Variables for Male Respondent File**

Most of these variables are included on the NSFG Public-Use File in some form – e.g., with fewer categories, with some values top- or bottom-coded, with year only, or with new variables to summarize information from several variables. Those measures were taken to minimize the risk of inadvertent disclosure, but the full detail of these analytic variables would be accessible through the NCHS Research Data Center. The variables beginning with "IN" are available on the Public-Use Files with the same variable name, minus the "IN."

Variable Name	Section	Variable Label	Variable Type
FPPAGE	E	EC-5 1st partner's age at R's first sexual intercourse	raw
FPRELAGE	E	EC-6 Was 1st partner older/younger/same age than R at 1st sex	raw
INBCMOMAGE_01-10	F	FA-6a How old was bio mom when this child was born - 1st -10th child	raw
BCDOB_M_01-10	F	FA-8a Month bio child was born - 1st - 10th child	raw
CMCHDOB_01-10	F	CM date when R's biological child was born - 1st -10th child	computed
MULTBIRT_02-10	F	FA-9 Verifying if this bio child was part of a multiple birth -2nd - 10th child	raw
INOTPRGN	F	FC-3 Number of pregnancies that did not end in live birth	raw
INOTPREGS	F	Total number of pregs R fathered that did not result in live birth (computed in FC F-22)	computed
INTOTPREGS_R	F	FC-5 corrected number times R made someone pregnant	computed
INTOTPREGS_CON	F	Total number of pregnancies - after confirmation (computed in FC F-24)	computed
INCRALL	G	Total number of coresidential children (computed in FC G-0)	computed
INCRALLU5	G	Total number of coresidential children under age 5 (computed in FC G-0)	computed
INCRALL518	G	Total number of coresidential children ages 5-18 (computed in FC G-0)	computed
INCRMALU5	G	Total number of coresidential male children under age 5 (computed in FC G-0)	computed
INCRMAL518	G	Total number of coresidential male children ages 5-18 (computed in FC G-0)	computed
INCRFEMU5	G	Total number of coresidential female children under age 5 (computed in FC G-0)	computed
INCRFEM518	G	Total number of coresidential female children ages 5-18 (Computed in FC G-0)	computed
INCOVERHOW01-03	I	IA-4 Type of current health care coverage (up to 3 mentions)	raw
INAGECANCER	I	IC-7a Age when R was first told he had cancer	raw
INHPVSHOT1	I	ID-13 Age when R received first HPV vaccine shot	raw
STRUS_M	J	JA-4m month R came to US to stay	raw
STRUS_Y	J	JA-4y year R came to US to stay	raw
CMSTRUS	J	CM date when non-US-born R came to US to stay	computed
RELRSD_1-8	J	JB-1 Religion in which respondent was raised (up to 8 mentions)	raw
RELNOW	J	JB-4 Current religious affiliation	raw
INMILSVC	J	JC-1 Ever on active duty in Armed Forces, Reserves, or National Guard?	raw
RWEIGHT	K	KA-3 R's weight in pounds	raw
INCHES	K	R's height (converted to inches)	computed in post-processing
BMI	K	Body Mass Index	computed in post-processing
INAGESMK	K	KC-2 Age That R First Began Smoking Regularly	raw
COC12	K	KC-7 Last 12 mos: how often used cocaine	raw
CRACK12	K	KC-8 Last 12 mos: how often used crack	raw
CRYSTMTH12	K	KC-9 Last 12 mos: how often used Crystal or meth	raw
INJECT12	K	KC-10 Last 12 mos: how often injected non-prescription drugs	raw
OPIOID12	K	KC-11 Last 12 mos: how often taken a prescription pain med w/o a prescription	raw
INAGEVAGR	K	KE-2b R's age at first vaginal intercourse with female partner	raw

**2022-2023 National Survey of Family Growth (NSFG)  
List of Restricted-Use Analytic Variables for Male Respondent File**

Most of these variables are included on the NSFG Public-Use File in some form – e.g., with fewer categories, with some values top- or bottom-coded, with year only, or with new variables to summarize information from several variables. Those measures were taken to minimize the risk of inadvertent disclosure, but the full detail of these analytic variables would be accessible through the NCHS Research Data Center. The variables beginning with "IN" are available on the Public-Use Files with the same variable name, minus the "IN."

Variable Name	Section	Variable Label	Variable Type
WANTSEX1	K	KF-1 How much R wanted his first vaginal intercourse to happen	raw
HOWOLD	K	KF-1b R's Age at First Vaginal Intercourse	raw
EVRFORCD	K	KF-2 R Ever Forced by Female to Have Vaginal Intercourse	raw
AGEFORC1	K	KF-3 Rs age at first forced vaginal sex by female	raw
GIVNDRG2	K	KF-4a How forced: given alcohol/drug by female	raw
SHEBIGOL	K	KF-4b How forced: she was bigger than you	raw
ENDRELA2	K	KF-4c How forced: she said relationship would end if no sex	raw
WRDPRES2	K	KF-4d How forced: pressured by her words but not threats of harm	raw
THRTPHY2	K	KF-4e How forced: she threatened with physical hurt/injury	raw
PHYSHRT2	K	KF-4f How forced: she physically hurt/injured	raw
HELDDWN2	K	KF-4g How forced: she physically held down	raw
INOPPLIFENUM	K	Number of opposite-sex partners in lifetime for all types of sex (computed in FC K-9d)	computed
INOPPYEARNUM	K	Number of opposite-sex partners in last 12 months for all types of sex (computed in FC K-9f)	computed
INVAGNUM12	K	KG-2YRa Number of female vaginal sex partners last 12 months	raw
INORALNUM12	K	KG-2YRb Number of female oral sex partners last 12 months	raw
INANALNUM12	K	KG-2YRc Number of female anal sex partners last 12 months	raw
CURRPAGE_1	K	KG-3a Age of R's 1st Current Partner at Last Sex	raw
RELAGE_1	K	KG-3b Is 1st Current Partner Older/Younger/Same Age	raw
HOWMUCH_1	K	KG-3c Age Difference between 1st Current Partner & R	raw
CURRPAGE_2	K	KG-3a Age of R's 2nd Current Partner at Last Sex	raw
RELAGE_2	K	KG-3b Is 2nd Current Partner Older/Younger/Same Age	raw
HOWMUCH_2	K	KG-3c Age Difference between 2nd Current Partner & R	raw
CURRPAGE_3	K	KG-3a Age of R's 3rd Current Partner at Last Sex	raw
RELAGE_3	K	KG-3b Is 3rd Current Partner Older/Younger/Same Age	raw
HOWMUCH_3	K	KG-3c Age Difference between 3rd Current Partner & R	raw
INNONMONOG	K	KG-5 # of female partners from past 12 mos who were having sex with other people around the same time	raw
HIVFEM12	K	KG-9 Last 12 mos: R had sex with an HIV-positive female	raw
MALPRTHISP	K	KH-6 Hispanic origin of Rs most recent male sexual partner	raw
MALPRTRACE_1-5	K	KH-7 Race of R's most recent male sexual partner (up to 5 mentions)	raw
EVRFORC2	K	KI-1 R Ever Been Forced by a Male to Have Sex	raw
AGEFORC2	K	KI-2 Rs Age at First Forced Sex by a Male	raw
GIVNDRG3	K	KI-3a How forced: he gave R alcohol/drugs	raw
HEBIGOLD	K	KI-3b How forced: He Was Bigger Than R	raw
ENDRELA3	K	KI-3c How forced: He told R Relationship Would End if No Sex	raw
WRDPRES3	K	KI-3d How forced: He Pressured by Words, But Not Threat of Harm	raw
THRTPHY3	K	KI-3e How forced: He Threatened With Physical Hurt/Injury	raw
PHYSHRT3	K	KI-3f How forced: He Physically Hurt/Injured R	raw

**2022-2023 National Survey of Family Growth (NSFG)  
List of Restricted-Use Analytic Variables for Male Respondent File**

Most of these variables are included on the NSFG Public-Use File in some form – e.g., with fewer categories, with some values top- or bottom-coded, with year only, or with new variables to summarize information from several variables. Those measures were taken to minimize the risk of inadvertent disclosure, but the full detail of these analytic variables would be accessible through the NCHS Research Data Center. The variables beginning with "IN" are available on the Public-Use Files with the same variable name, minus the "IN."

Variable Name	Section	Variable Label	Variable Type
HELDDWN3	K	KI-3g How forced: He Physically Held R Down	raw
INSAMLIFENUM	K	Number of same-sex partners in lifetime (computed in FC K-14d)	computed
INSAMYEARNUM	K	Number of same-sex partners in last 12 months (computed in FC K-14f)	computed
INSAMORAL12	K	KJ-2YRa Number of male (same-sex) partners in last year for oral sex	raw
INRECEPANAL12	K	KJ-2YRb Number of male (same-sex) partners in last year for receptive anal sex	raw
ININSERANAL12	K	KJ-2YRc Number of male (same-sex) partners in last year for insertive anal sex	raw
INSAMESEX1	K	KJ-3 R s age at first sexual experience with same-sex (male) partner	raw
INMSMNONMON	K	KJ-4 Number of non-monogamous male (same-sex) partners in last 12 months	raw
HIVMAL12	K	KJ-8 Last 12 mos: R had sex with an HIV-positive male	raw
EVRIJECT	K	KK-14 Ever (in life) shot up or injected non-prescription drugs	raw
EVRSARE	K	JH-12 Ever (in life) shared an IV needle	raw
INSEXABUSE	K	JH-15 How often someone made R do sexual things she did not want to (before age 18)	raw
SUIDEATION	K	KK-28 Last 12 mos: Seriously considered attempting suicide	raw
INHIEDUC	R	Highest level of education	recode
RACE	R	Race of respondent	recode
NUMRACE	R	Intermediate variable for multiple race reporting (used for HISPRACE2)	intermediate
INNUMKDHH	R	Number of children under 18 living in the household	recode
INNUMFMHH	R	Number of family members living in the household	recode
INCSPBBHH	R	Number of R's and his current wife/partner's biological children (18 or younger)	recode
INCSPSBHH	R	Number of R's nonbiological children (18 or younger) who are the biological children of his current wife/partner	recode
INCSPOKDHH	R	Number of all other children (18 or younger) living in the household with R and his current wife/partner	recode
INPARAGE14	R	Parental living situation at age 14	recode
INEDUCMOM	R	Education of Repondent's mother	recode
INLSEXDATE	R	CM date of last or most recent sexual intercourse	recode
INLSEXRAGE	R	R's age at last or most recent sexual intercourse	recode
INPARTS1YR	R	Number of opposite-sex sexual partners in last 12 months	recode
INLIFPRTNR	R	Number of opposite-sex partners in lifetime	recode
INVR1STSX	R	CM Date of First Sexual Intercourse with a Female	recode
INVR1STAG	R	R's age at first sexual intercourse	recode
INMARDAT01	R	CM date of R's 1st marriage to a woman	recode
INFMAR1AGE	R	Age at 1st marriage to a woman	computed in post-processing
INMARDIS01	R	CM date of dissolution of R's 1st marriage to a woman	recode
INMAR1DISS	R	Months between 1st marriage to a woman and dissolution of that marriage (or date of interview)	recode
INCOHAB1	R	CM date of 1st cohabitation with a woman (including premarital cohabitation)	recode
INCOH1DUR	R	Duration (in months) of R's first cohabitation (if premarital) with a woman	recode

**2022-2023 National Survey of Family Growth (NSFG)  
List of Restricted-Use Analytic Variables for Male Respondent File**

Most of these variables are included on the NSFG Public-Use File in some form – e.g., with fewer categories, with some values top- or bottom-coded, with year only, or with new variables to summarize information from several variables. Those measures were taken to minimize the risk of inadvertent disclosure, but the full detail of these analytic variables would be accessible through the NCHS Research Data Center. The variables beginning with "IN" are available on the Public-Use Files with the same variable name, minus the "IN."

<b>Variable Name</b>	<b>Section</b>	<b>Variable Label</b>	<b>Variable Type</b>
INSEXMAR	R	Months between 1st intercourse with a woman and 1st marriage to a woman (or date of interview)	recode
INSEXUNION	R	Months between 1st intercourse with a woman and 1st coresidential union with a woman (or date of interview)	recode
INDATBABY1	R	CM date when R had his first biological child	recode
INCOMPREG	R	Number of completed pregnancies R has fathered	recode
INPOVERTY	R	Family income as percentage of federal poverty threshold	recode