

**2022-2023 National Survey of Family Growth (NSFG)
List of Restricted-Use Analytic Variables for Female Respondent File**

Most of these variables are included on the NSFG Public-Use File in some form – e.g., with fewer categories, with some values top- or bottom-coded, as year only, or with new variables to summarize information from several variables. Those measures were taken to minimize the risk of inadvertent disclosure, but the full detail of these analytic variables would be accessible through the NCHS Research Data Center. The variables beginning with "IN" are available on the Public-Use Files with the same variable name, minus the "IN."

| Variable Name | Section | Variable Label | Variable Type |
|---------------|-----------|---|---------------|
| INRSCRRACE | screeener | SC-6 R's race as reported in screener | raw |
| CMBIRTH | A | Century month (CM) date for R's date of birth | computed |
| HISPGRP_1-5 | A | AC-2 Hispanic subgroup - (up to 5 mentions) | raw |
| RRACE_01-14 | A | AC-3 Race of respondent - (up to 14 mentions) | raw |
| RACEBEST | A | AC-4 Race that best describes respondent (for those who reported > 1 race) | raw |
| USUALRES[x] | A | AD-2 Whether this household is this member's usual residence [up to 15 HH members reported] | raw |
| SEX[x] | A | AD-3 Sex of each household member [up to 15 HH members reported] | raw |
| AGE[x] | A | AD-4 Age of each household member [up to 15 HH members reported] | raw |
| RELAR[x] | A | AD-5 Relationship of each household member to R [up to 15 HH members reported] | raw |
| INROSCNT | A | Number of persons in the household, as reported in main interview | computed |
| INNUMCHILD | A | Number of children in HH < 13 yrs with RELAR = codes 3 to 8 | computed |
| INHHKIDS18 | A | Number of children in HH < 19 yrs with RELAR = codes 3 to 10 | computed |
| INNONBIOKIDS | A | Number of children in HH < 19 yrs with RELAR = codes 4 to 10 | computed |
| RELSPCH[x] | A | AD-9 Relationship of each child in household to R's spouse or cohabiting partner | raw |
| EARNHS_M | A | AF-7 Month high school diploma obtained | raw |
| CMHSGRAD | A | CM date for high school graduation | computed |
| MYSCHOL_M | A | AF-3 month last attended elem/jun/high school | raw |
| CMLSTSCH | A | Century month of last elem/jun/high school attendance | computed |
| EARNBA_M | A | AF-12 Month R received Bachelor's degree | raw |
| CMBAGRAD | A | CM date when R received Bachelor's degree | computed |
| BOTHBIOL | A | Whether R lives with both biological parents | computed |
| BOTHADOP | A | Whether R lives with both adoptive parents | computed |
| INWTHPARNW | A | Respondent's current living situation with parents | computed |
| INLVSIT14F | A | AG-3 Parental figures at age 14 - female | raw |
| INLVSIT14M | A | AG-4 Parental figures at age 14 - male | raw |
| INWOMRASDU | A | AG-5 Mother or mother-figure who mostly raised R | raw |
| INMANRASDU | A | AG-11 Father or father-figure who mostly raised R | raw |
| INMNYFSTER | A | AG-11 Number of foster care settings R lived in | raw |
| INDURFSTER | A | AG-12 Total time spent in foster care | raw |
| INAGEFSTER | A | AG-13 Age last left foster care | raw |
| INMENARCHE | B | BA-1 Age at first menstrual period | raw |
| CMFSTPRG | B | CM date of R's first completed pregnancy | computed |
| INNBKIDLIV | B | BD-3 Number of these other nonbio children currently living with R | raw |
| FMARRDATE_M | C | CA-2m Month of marriage to current wife | raw |
| CMCURFMAR | C | Century month of current marriage to a woman | computed |
| STRTCFSP_M | C | CA-5m Month began living together w/ current wife or female cohabiting partner | raw |
| CMCURFCOH | C | CM date when R began living with current wife or female cohabiting partner | computed |
| INCMSTRTFWP | C | CM when current union (marriage or coresidence) began with current wife/female cohabiting partner (computed in FC C-2f) | computed |

**2022-2023 National Survey of Family Growth (NSFG)
List of Restricted-Use Analytic Variables for Female Respondent File**

Most of these variables are included on the NSFG Public-Use File in some form – e.g., with fewer categories, with some values top- or bottom-coded, as year only, or with new variables to summarize information from several variables. Those measures were taken to minimize the risk of inadvertent disclosure, but the full detail of these analytic variables would be accessible through the NCHS Research Data Center. The variables beginning with "IN" are available on the Public-Use Files with the same variable name, minus the "IN."

| Variable Name | Section | Variable Label | Variable Type |
|---|---------|--|---------------|
| CFSPHISP | C | CA-9 Is current wife/female cohab partner of Hispanic origin | raw |
| CFSPRACE_1-5 | C | CA-10 Race of current wife/female cohab partner - (up to 5 mentions) | raw |
| CFSPBORN | C | CA-12 Born outside U.S. - current wife/female cohab partner | raw |
| WHMARHX_M_1-6 | C | Cb-3m Month of marriage (1st-6th husbands) | raw |
| CMMARRHX_1-6 | C | CM for Date When R Married This Husband (1st-6th husbands) | computed |
| AGEMARHX_1-6 | C | CB-4 R's Age at Marriage-1st Husband | raw |
| INHXAGEMAR_1-6 | C | CB-5 Husband's Age at Marriage (1st-6th husbands) | raw |
| STRTOGHX_M_1-6 | C | Cb-7m Month Began Premarital Cohabitation (1st-6th husbands) | raw |
| CMPMCOHX_1-6 | C | CM Date When R Began Living (premaritally) with this husband (1st-6th husbands) | computed |
| HISPHX_1-6 | C | CB-9 Hispanic Origin of Husband (1st-6th husbands) | raw |
| RACEHX_1_1-5; RACEHX_2_1-5; RACEHX_3_1-5; RACEHX_4_1-5; RACEHX_5_1-5; RACEHX_6_1-5 | C | CB-10 Race of Husband (up to 5 mentions for 1st-6th husbands) | raw |
| ENDMARRX_M_1-6 | C | CB-18m Month Marriage Ended (1st-6th husbands) | raw |
| CMMARENDX_1-6 | C | CM for Date When Marriage Ended (1st-6th husbands) | computed |
| WNSTPHX_M_1-6 | C | CB-19m Month Stopped Living Together (1st-6th husbands) | raw |
| CMSTPHSBX_1-6 | C | CM for Date R Stopped Living with This Husband (1st-6th husbands) | computed |
| INCMARRCH | C | CM for Date of Marriage to Current Husband | computed |
| WNSTRTCP_M | C | CC-2m Month Began Cohabitation - Current Male Partner | raw |
| CMSTRTCP | C | CM for date when R began cohabiting w/ current male partner | computed |
| CPHISP | C | CC-7 Hispanic Origin-Current Male Cohabiting Partner | raw |
| CPRACE_1-5 | C | CC-8 Race of Current Male Cohabiting Partner - (up to 5 mentions) | raw |
| INPREVCOHB | C | Number of former male cohabiting partners | computed |
| STRTOH1_M | C | CD-4m Month Began Cohabitation - 1st Male Former Cohab Partner | raw |
| CMCOH1ST | C | CD-4m Month Began Cohabitation - 1st Male Former Cohab Partner | raw |
| STPTOGC1_M | C | CD-12m Month Stopped Cohabitation - 1st Male Former Cohab Partner | raw |
| CMSTPCOH1 | C | CM when R stopped cohabiting with 1st male former cohab partner | computed |
| WNFSTSEX_M | C | CE-3m Month of First Sexual Intercourse | raw |
| WNFSTSEX_Y | C | CE-3y Year of First Sexual Intercourse | raw |
| CMFSTSEX | C | CM for Date of First Sexual Intercourse | raw |
| FSEXAGE | C | Age at first vaginal intercourse with a male (FC C-46a) | computed |
| INGRFSTSX | C | CE-8 Grade R Was in at First Sexual Intercourse (original value, not bottom-coded) | raw |
| FPAGE | C | CG-4 1st Partners Age at Rs 1st Sex | raw |
| FPRELAGE | C | CG-4b Was 1st Sexual Partner Older/Younger/Same Age as R | raw |
| FPRELYRS | C | CG-4c How Many Years Older/Younger Than R Was 1st Sex Partner | raw |
| FPHISP | C | CG-7c Hispanic subgroup of 1st sexual partner | raw |

**2022-2023 National Survey of Family Growth (NSFG)
List of Restricted-Use Analytic Variables for Female Respondent File**

Most of these variables are included on the NSFG Public-Use File in some form – e.g., with fewer categories, with some values top- or bottom-coded, as year only, or with new variables to summarize information from several variables. Those measures were taken to minimize the risk of inadvertent disclosure, but the full detail of these analytic variables would be accessible through the NCHS Research Data Center. The variables beginning with "IN" are available on the Public-Use Files with the same variable name, minus the "IN."

| Variable Name | Section | Variable Label | Variable Type |
|-----------------|---------|--|---------------|
| FPRACE1-5 | C | CG-7d Race of 1st sexual partner ever (up to 5 mentions) | raw |
| WNSEXAFM_M | C | CG-10m Month of 1st Sex After Menarche | raw |
| WNSEXAFM_Y | C | CG-10y Year of 1st Sex After Menarche | raw |
| CMSEXAFM | C | CM for Date of 1st Sex After Menarche | raw |
| AGESXAFM | C | CG-11 Age at 1st Sex After Menarche | raw |
| INPTSB4MAR | C | CH-2 # of Male Sex Partners Prior to 1st Marriage | raw |
| P1YHISP | C | CI-14 Hispanic subgroup of most recent partner | raw |
| P1YRACE1-5 | C | CI-15 Race of most recent partner (up to 5 mentions) | raw |
| P1YHISP2 | C | CI-14 Hispanic subgroup of 2nd-to-last partner | raw |
| P1YRACE6-10 | C | CI-15 Race of 2nd-to-last partner (up to 5 mentions) | raw |
| P1YRACEB2 | C | CI-16 Race that best describes 2nd-to-last partner (for those who reported > 1 race) | raw |
| P1YHISP3 | C | CI-14 Hispanic subgroup of 3rd-to-last partner | raw |
| P1YRACE11-15 | C | CI-15 Race of 3rd-to-last partner (up to 5 mentions) | raw |
| TUBSDATE_M | D | DA-1m Month of R's tubal sterilization | raw |
| CMTUBAL | D | CM date when R had tubal sterilization | computed |
| HYSTDATE_M | D | DA-2m Month of R's hysterectomy | raw |
| CMHYST | D | CM date when R had hysterectomy | computed |
| CMOPER1 | D | CM Date for R's first (or only) sterilizing operation | computed |
| VASDATE_M | D | DB-2m Month of vasectomy for R's current H/P | computed |
| CMVASEC | D | Century month of vasectomy | computed |
| DATRSTB_M | D | DC-2m Month of R's tubal sterilization reversal | raw |
| CMLIGREV | D | CM Date of R's Reversal of Tubal Sterilization | computed |
| DATRVVEX_M | D | DC-4m Month of current H/Ps vasectomy reversal | raw |
| CMVASREV | D | CM Date For R's Current H/P's Vasectomy Reversal | computed |
| INAGEFPAP | F | FC-4 Age at 1st Pap test | raw |
| INAGEFPEL | F | FD-4 Age at 1st pelvic exam | raw |
| INAGEFHPV | F | FE-6 Age of 1st HPV test | raw |
| INMISCNUM | H | HB-3 Number of Miscarriages at First Visit for Miscarriage Services | raw |
| INPIDTX | H | HC-4 Number of Times R was Treated For PID | raw |
| INAGECANCER | H | HC-7a Age when R was first told she had cancer | raw |
| INMAMMOGN | H | HD-8a Number of mammograms R has had | raw |
| INAGEMAMMR | H | HD-18b Age when R first had a mammogram | raw |
| INHVPVSHOT1 | H | HF-2 Age when R received first HPV vaccine shot | raw |
| INCOVERHOW01-04 | I | IA-5 Type of health care coverage (up to 4 mentions) | raw |
| STRUS_M | I | IB_5m month R came to US to stay | raw |
| STRUS_Y | I | IB_5y year R came to US to stay | raw |
| CMSTRUS | I | CM date when non-US-born R came to US to stay | computed |
| RELRSDD_1-9 | I | IC-1 In what religion was R raised? (up to 9 mentions) | raw |
| RELNOW | I | IC-4 What religion is R now? | raw |

**2022-2023 National Survey of Family Growth (NSFG)
List of Restricted-Use Analytic Variables for Female Respondent File**

Most of these variables are included on the NSFG Public-Use File in some form – e.g., with fewer categories, with some values top- or bottom-coded, as year only, or with new variables to summarize information from several variables. Those measures were taken to minimize the risk of inadvertent disclosure, but the full detail of these analytic variables would be accessible through the NCHS Research Data Center. The variables beginning with "IN" are available on the Public-Use Files with the same variable name, minus the "IN."

| Variable Name | Section | Variable Label | Variable Type |
|---------------|---------|---|-----------------------------|
| INMILSVC | I | ID-1 Ever on active duty in Armed Forces, Reserves, or National Guard? | raw |
| RWEIGHT | J | JA-3 Rs Weight | raw |
| INCHES | J | R's height (converted to inches) | computed in post-processing |
| BMI | J | Body Mass Index | computed in post-processing |
| INAGESMK | J | JC-2 Age That R First Began Smoking Regularly | raw |
| COC12 | J | JC-7 Last 12 mos: how often used cocaine | raw |
| CRACK12 | J | JC-8 Last 12 mos: how often used crack | raw |
| CRYSTMTH12 | J | JC-9 Last 12 mos: how often used Crystal or meth | raw |
| INJECT12 | J | JC-10 Last 12 mos: how often injected non-prescription drugs | raw |
| OPIOID12 | J | JC-11 Last 12 mos: how often taken a prescription pain med w/o a prescription | raw |
| IMAGEVAGR | J | JD-2 R's age at first vaginal intercourse with male partner | raw |
| AGEVAGM | J | JD-3 Partners age at first vaginal intercourse | raw |
| WANTSEX1 | J | JE-1 How much R wanted her first vaginal intercourse to happen | raw |
| VOLSEX1 | J | JE-2 R's First Vaginal Intercourse Voluntary or Not Voluntary | raw |
| HOWOLD | J | JE-3 R's Age at this first vaginal intercourse | raw |
| GIVNDRUG | J | JE_4A How forced: given alcohol/drug by male | raw |
| HEBIGOLD | J | JE_4B How forced: he was bigger than you | raw |
| ENDRELAT | J | JE_4C How forced: he said relationship would end if no sex | raw |
| WORDPRES | J | JE-4D How forced: pressured by his words but not threats of harm | raw |
| THRTPHYS | J | JE-4E How forced: he threatened with physical hurt/injury | raw |
| PHYSHURT | J | JE-4F How forced: he physically hurt/injured | raw |
| HELDDOWN | J | JE-4G How forced: he physically held down | raw |
| EVRFORCD | J | JE-5 R Ever forced by male to have vaginal intercourse | raw |
| AGEFORC1 | J | JE-6 R's age when first forced by male to have vaginal intercourse | raw |
| GIVNDRG2 | J | JE_7A How forced: given alcohol/drug by male | raw |
| HEBIGOL2 | J | JE_7B How forced: he was bigger than you | raw |
| ENDRELA2 | J | JE_7C How forced: he said relationship would end if no sex | raw |
| WRDPRES2 | J | JE-7D How forced: pressured by his words but not threats of harm | raw |
| THRTPHY2 | J | JE-7E How forced: he threatened with physical hurt/injury | raw |
| PHYSHRT2 | J | JE-7F How forced: he physically hurt/injured | raw |
| HELDDWN2 | J | JE-7G How forced: he physically held down | raw |
| INOPPLIFENUM | J | Number of opposite-sex partners in lifetime for all types of sex (computed in FC J-14d) | computed |
| INOPPYEARNUM | J | Number of opposite-sex partners in last 12 months for all types of sex (computed in FC J-14f) | computed |
| INVAGNUM12 | J | JF-2YRA Number of male vaginal sex partners last 12 months | raw |
| INORALNUM12 | J | JF-2YRB Number of male oral sex partners last 12 months | raw |
| INANALNUM12 | J | JF-2YRC Number of male anal sex partners last 12 months | raw |
| CURRPAGE_1 | J | JF-2e Age of R's 1st Current Partner at Last Sex | raw |

**2022-2023 National Survey of Family Growth (NSFG)
List of Restricted-Use Analytic Variables for Female Respondent File**

Most of these variables are included on the NSFG Public-Use File in some form – e.g., with fewer categories, with some values top- or bottom-coded, as year only, or with new variables to summarize information from several variables. Those measures were taken to minimize the risk of inadvertent disclosure, but the full detail of these analytic variables would be accessible through the NCHS Research Data Center. The variables beginning with "IN" are available on the Public-Use Files with the same variable name, minus the "IN."

| Variable Name | Section | Variable Label | Variable Type |
|---------------|---------|--|---------------|
| RELAGE_1 | J | JF-2f Is 1st Current Partner Older/Younger/Same Age | raw |
| HOWMUCH_1 | J | JF-2g Age Difference between 1st Current Partner & R | raw |
| CURRPAGE_2 | J | JF-2e Age of R's 2nd Current Partner at Last Sex | raw |
| RELAGE_2 | J | JF-2f Is 2nd Current Partner Older/Younger/Same Age | raw |
| HOWMUCH_2 | J | JF-2g Age Difference between 2nd Current Partner & R | raw |
| CURRPAGE_3 | J | JF-2e Age of R's 3rd Current Partner at Last Sex | raw |
| RELAGE_3 | J | JF-2f Is 3rd Current Partner Older/Younger/Same Age | raw |
| HOWMUCH_3 | J | JF-2g Age Difference between 3rd Current Partner & R | raw |
| INNONMONOG | J | JF-5 # of male partners from past 12 mos who were having sex with other people around the same time | raw |
| HIVMAL12 | | JF-9 Last 12 mos: R had sex with an HIV-positive male | raw |
| INSAMLIFENUM | J | Number of same-sex partners in lifetime (computed in FC J-19d) | computed |
| INSAMYEARNUM | J | Number of same-sex partners in last 12 months (computed in FC J-19f) | computed |
| INSAMESEX1 | J | JG-4 R's age at first sexual experience with same-sex (female) partner | raw |
| EVRIJECT | J | JH-11 Ever (in life) shot up or injected non-prescription drugs | raw |
| EVRSARE | J | JH-12 Ever (in life) shared an IV needle | raw |
| INSEXABUSE | J | JH-15 How often someone made R do sexual things she did not want to (before age 18) | raw |
| SUIDEATION | J | JH-25 Last 12 mos: seriously considered attempting suicide | raw |
| LHCPARTS_1-6 | J | JI-16 Which parts of survey R used calendar (up to 6 mentions) | raw |
| LHCWHYNOT_1-5 | J | JI-17 Reasons why R did not use calendar (up to 5 mentions) | raw |
| LHCMUCH | J | JI-18 how much R looked at calendar | raw |
| LHCEASE | J | JI-19 Rs experience with calendar | raw |
| LHCFEEL | J | JI-20 usefulness of calendar | raw |
| LHCALTER | J | JI-21 calendar lead to changing of answers | raw |
| RACE | R | Race of respondent | recode |
| NUMRACE | R | Intermediate variable for multiple race reporting (used for HISPRACE2) | intermediate |
| INNUMKDHH | R | Number of children under 18 living in the household | recode |
| INNUMFMHH | R | Number of family members living in the household | recode |
| INCSPBBHH | R | Number of R's and her current husband/partner's biological children (18 or younger) | recode |
| INCSPBSSH | R | Number of R's biological children (18 or younger) who are not the biological children of her current husband/partner | recode |
| INCSPOKDHH | R | Number of all other children (18 or younger) living in the household with R and her current husband/partner (RECODE) | recode |
| INHIEDUC | R | Highest level of education | recode |
| INPARAGE14 | R | Parental living situation at age 14 | recode |
| INEDUCMOM | R | Mother's (or mother figure's) education | recode |
| INDATEND1-16 | R | CM date when pregnancy ended - 1st-16h | recode |
| INDATCON1-16 | R | CM date when pregnancy began - 1st-16th | recode |
| INDATBABY1 | R | CM date when R had her first live birth | recode |
| INMARDAT01-02 | R | CM date of R's marriage (up to 2 marriages) | recode |

**2022-2023 National Survey of Family Growth (NSFG)
List of Restricted-Use Analytic Variables for Female Respondent File**

Most of these variables are included on the NSFG Public-Use File in some form – e.g., with fewer categories, with some values top- or bottom-coded, as year only, or with new variables to summarize information from several variables. Those measures were taken to minimize the risk of inadvertent disclosure, but the full detail of these analytic variables would be accessible through the NCHS Research Data Center. The variables beginning with "IN" are available on the Public-Use Files with the same variable name, minus the "IN."

| Variable Name | Section | Variable Label | Variable Type |
|---------------|---------|--|---------------|
| INMARDIS01-02 | R | CM date of dissolution of marriage to a man (up to 2 marriages) | recode |
| INFMAR1AGE | R | Age at 1st marriage to a man | recode |
| INAGEDISS1 | R | Age at dissolution of 1st marriage to a man | recode |
| INAGEDD1 | R | Age at divorce or death: 1st marriage to a man | recode |
| INMAR1DISS | R | Months between 1st marriage to a man and dissolution of that marriage (or date of interview) | recode |
| INMAR1BIR1 | R | Months between 1st marriage to a man and 1st birth (or date of interview) | recode |
| INMAR1CON1 | R | Months between 1st marriage to a man and 1st pregnancy conception (or date of interview) | recode |
| INCON1MAR1 | R | Months between 1st pregnancy conception and 1st marriage to a man (or date of interview) | recode |
| INCOHAB1 | R | CM date of first cohabitation (including premarital cohabitation) to a man | recode |
| INCOH1DUR | R | Duration (in months) of R's first cohabitation to a man | recode |
| INVR1STSX | R | CM date of first intercourse (even if before menarche) | recode |
| INVR1STAG | R | Age at first intercourse (even if before menarche) | recode |
| INSEXMAR | R | Months between 1st intercourse and 1st marriage to a man (or date of interview) | recode |
| INSEXUNION | R | Months between 1st intercourse and 1st coresidential union with a man (or date of interview) | recode |
| INLSEXDATE | R | CM date of last or most recent sexual intercourse | recode |
| INLSEXRAGE | R | R's age at last or most recent sexual intercourse | recode |
| INPARTS1YR | R | Number of opposite-sex sexual partners in last 12 months | recode |
| INLIFPRTNR | R | Number of opposite-sex sexual partners in lifetime | recode |
| INCMSTRTHP | R | CM date R began living with her current husband or cohabiting partner | recode |
| INPOVERTY | R | Family income as percentage of federal poverty threshold | recode |