[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All causes												
All ages	2,416,425	1,183,421	1,233,004	2,079,691	1,011,218	1,068,473	336,734	172,203	164,531	287,709	145,908	141,801
Under 1 year	27,568	15,477	12,091	17,955	10,099	7,856	9,613	5,378	4,235	8,498	4,764	3,734
1-4 years	5,107	2,899	2,208	3,670	2,094	1,576	1,437	805	632	1,181	672	509
5-9 years	3,093	1,727	1,366	2,250	1,232	1,018	843	495	348	700	409	291
10-14 years	4,002	2,441	1,561	2,920	1,782	1,138	1,082	659	423	887	551	336
15-19 years	13,555	9,766	3,789	10,235	7,264	2,971	3,320	2,502	818	2,710	2,080	630
20-24 years	18,697	14,197	4,500	13,513	10,265	3,248	5,184	3,932	1,252	4,437	3,399	1,038
25-29 years	18,211	13,006	5,205	12,988	9,381	3,607	5,223	3,625	1,598	4,467	3,117	1,350
30-34 years	23,472	15,751	7,721	17,006	11,597	5,409	6,466	4,154	2,312	5,561	3,556	2,005
35-39 years	36,895	23,727	13,168	27,238	17,880	9,358	9,657	5,847	3,810	8,385	5,022	3,363
40-44 years	54,779	34,437	20,342	40,899	26,363	14,536	13,880	8,074	5,806	12,302	7,113	5,189
45-49 years	73,684	46,567	27,117	55,634	35,774	19,860	18,050	10,793	7,257	15,867	9,495	6,372
50-54 years	94,381	58,281	36,100	73,065	45,629	27,436	21,316	12,652	8,664	18,651	11,099	7,552
55-59 years	109,523	65,801	43,722	87,807	53,120	34,687	21,716	12,681	9,035	18,852	10,984	7,868
60-64 years	134,616	79,157	55,459	110,046	65,233	44,813	24,570	13,924	10,646	21,124	11,921	9,203
65-69 years	178,232	102,110	76,122	148,608	86,088	62,520	29,624	16,022	13,602	25,367	13,763	11,604
70-74 years	252,728	139,471	113,257	218,520	121,705	96,815	34,208	17,766	16,442	29,012	15,012	14,000
75-79 years	333,677	171,311	162,366	295,048	152,517	142,531	38,629	18,794	19,835	32,590	15,616	16,974
80-84 years	368,252	169,431	198,821	332,704	153,761	178,943	35,548	15,670	19,878	29,643	12,779	16,864
85-89 years	339,775	130,405	209,370	311,165	119,811	191,354	28,610	10,594	18,016	23,803	8,389	15,414
90-94 years	221,314	65,527	155,787	203,570	60,027	143,543	17,744	5,500	12,244	14,999	4,292	10,707
95-99 years	85,954	18,732	67,222	78,462	16,916	61,546	7,492	1,816	5,676	6,466	1,428	5,038
100 yrs & over	18,488	2,869	15,619	16,068	2,425	13,643	2,420	444	1,976	2,119	380	1,739
Not stated	422	331	91	320	255	65	102	76	26	88	67	21
Typhoid and paratyphoid fevers (A01)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Typhoid fever (A01.0)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other salmonella infections (A02)												
All ages	40	21	19	32	18	14	8	3	5	5	1	4
Under 1 year	2	-	2	1	-	1	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	4	3	1	2	2	-	2	1	1	-	-	-
70-74 years	3	3	-	2	2	-	1	1	-	1	1	-
75-79 years	5	3	2	5	3	2	-	-	-	-	-	-
80-84 years	9	4	5	7	4	3	2	-	2	2	-	2
85-89 years	6	1	5	6	1	5	-	-	-	-	-	-
90-94 years	2	-	2	1	-	1	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Salmonella gastroenteritis (A02.0)												
All ages	13	4	9	12	4	8	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	6	1	5	6	1	5	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Salmonella septicemia (A02.1)												
All ages	21	14	7	16	11	5	5	3	2	2	1	1
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	4	3	1	2	2	-	2	1	1	-	-	-
70-74 years	3	3	-	2	2	-	1	1	-	1	1	-
75-79 years	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years	4	2	2	3	2	1	1	-	1	1	-	1
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Localized salmonella infections (A02.2)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Salmonella infection, unspecified (A02.9)												
All ages	5	3	2	4	3	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	3	1	2	2	1	1	1	-	1	1	-	1
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Shigellosis (A03)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Shigellosis, unspecified (A03.9)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other bacterial intestinal infections (A04)												
All ages	1,400	513	887	1,296	468	828	104	45	59	88	35	53
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	4	3	1	4	3	1	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years	7	3	4	6	2	4	1	1	-	1	1	-
45-49 years	8	4	4	5	2	3	3	2	1	3	2	1
50-54 years	27	10	17	26	9	17	1	1	-	1	1	-
55-59 years	24	11	13	20	9	11	4	2	2	4	2	2
60-64 years	50	20	30	39	18	21	11	2	9	9	2	7
65-69 years	69	30	39	56	25	31	13	5	8	12	4	8
70-74 years	153	72	81	144	66	78	9	6	3	9	6	3
75-79 years	217	96	121	202	88	114	15	8	7	11	4	7
80-84 years	309	114	195	286	103	183	23	11	12	19	8	11
85-89 years	272	83	189	264	79	185	8	4	4	6	2	4
90-94 years	178	47	131	169	46	123	9	1	8	7	1	6
95-99 years	65	14	51	60	12	48	5	2	3	4	2	2
100 yrs & over	7	-	7	7	-	7	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other intestinal Escherichia coli infections (A04.4)												
All ages	6	1	5	6	1	5	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Campylobacter enteritis (A04.5)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Enterocolitis due to Clostridium difficile (A04.7)												
All ages	1,332	487	845	1,233	444	789	99	43	56	84	34	50
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	3	3	-	3	3	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years	6	3	3	5	2	3	1	1	-	1	1	-
45-49 years	8	4	4	5	2	3	3	2	1	3	2	1
50-54 years	26	10	16	25	9	16	1	1	-	1	1	-
55-59 years	22	9	13	19	8	11	3	1	2	3	1	2
60-64 years	48	19	29	38	17	21	10	2	8	8	2	6
65-69 years	67	29	38	56	25	31	11	4	7	11	4	7
70-74 years	144	68	76	135	62	73	9	6	3	9	6	3
75-79 years	209	92	117	194	84	110	15	8	7	11	4	7
80-84 years	294	111	183	272	100	172	22	11	11	18	8	10
85-89 years	257	77	180	249	73	176	8	4	4	6	2	4
90-94 years	169	43	126	160	42	118	9	1	8	7	1	6
95-99 years	64	14	50	59	12	47	5	2	3	4	2	2
100 yrs & over	7	-	7	7	-	7	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified bacterial intestinal infections (A04.8)												
All ages	54	20	34	51	19	32	3	1	2	3	1	2
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years	8	3	5	8	3	5	-	-	-	-	-	-
75-79 years	7	4	3	7	4	3	-	-	-	-	-	-
80-84 years	12	3	9	11	3	8	1	-	1	1	-	1
85-89 years	14	6	8	14	6	8	-	-	-	-	-	-
90-94 years	5	2	3	5	2	3	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Bacterial intestinal infection, unspecified (A04.9)												
All ages	7	4	3	5	3	2	2	1	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	1	1	-	-	-	-	1	1	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other bacterial food-borne intoxications (A05)												
All ages	6	4	2	4	3	1	2	1	1	2	1	1
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Botulism (A05.1)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Food-borne Clostridium perfringens [Clostridium welchii] intoxication (A05.2)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Food-borne Vibrio parahemolyticus intoxication (A05.3)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Bacterial food-borne intoxication, unspecified (A05.9)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Amebiasis (A06)												
All ages	5	4	1	5	4	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute amebic dysentery (A06.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chronic intestinal amebiasis (A06.1)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Amebic liver abscess (A06.4)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Amebic infection of other sites (A06.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Amebiasis, unspecified (A06.9)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other protozoal intestinal diseases (A07)												
All ages	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Isosporiasis (A07.3)												
All ages	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Viral and other specified intestinal infections (A08)												
All ages	79	36	43	68	29	39	11	7	4	8	6	2
Under 1 year	6	5	1	4	3	1	2	2	-	1	1	-
1-4 years	13	8	5	10	6	4	3	2	1	3	2	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	1	1	1	-	1	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	3	1	2	2	-	2	1	1	-	1	1	-
75-79 years	10	4	6	10	4	6	-	-	-	-	-	-
80-84 years	10	4	6	9	4	5	1	-	1	-	-	-
85-89 years	10	7	3	9	6	3	1	1	-	1	1	-
90-94 years	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years	9	-	9	7	-	7	2	-	2	1	-	1
100 yrs & over	3	-	3	3	-	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Rotaviral enteritis (A08.0)												
All ages	6	3	3	6	3	3	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	4	3	1	4	3	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Viral intestinal infection, unspecified (A08.4)												
All ages	73	33	40	62	26	36	11	7	4	8	6	2
Under 1 year	5	5	-	3	3	-	2	2	-	1	1	-
1-4 years	9	5	4	6	3	3	3	2	1	3	2	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	1	1	1	-	1	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	3	1	2	2	-	2	1	1	-	1	1	-
75-79 years	10	4	6	10	4	6	-	-	-	-	-	-
80-84 years	10	4	6	9	4	5	1	-	1	-	-	-
85-89 years	10	7	3	9	6	3	1	1	-	1	1	-
90-94 years	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years	9	-	9	7	-	7	2	-	2	1	-	1
100 yrs & over	3	-	3	3	-	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Diarrhea and gastroenteritis of infectious origin (A09)												
All ages	56	21	35	52	20	32	4	1	3	4	1	3
Under 1 year	2	1	1	-	-	-	2	1	1	2	1	1
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	3	-	3	2	-	2	1	-	1	1	-	1
55-59 years	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	6	3	3	5	3	2	1	-	1	1	-	1
75-79 years	10	7	3	10	7	3	-	-	-	-	-	-
80-84 years	10	2	8	10	2	8	-	-	-	-	-	-
85-89 years	11	3	8	11	3	8	-	-	-	-	-	-
90-94 years	6	1	5	6	1	5	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis, not confirmed bacteriologically or histologically (A16)												
All ages	600	371	229	368	221	147	232	150	82	160	106	54
Under 1 year	2	-	2	1	-	1	1	-	1	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	3	-	2	2	-	1	1	-	-	-	-
20-24 years	4	2	2	2	1	1	2	1	1	1	-	1
25-29 years	8	5	3	5	4	1	3	1	2	3	1	2
30-34 years	9	5	4	2	1	1	7	4	3	4	2	2
35-39 years	14	9	5	4	3	1	10	6	4	8	5	3
40-44 years	14	9	5	10	7	3	4	2	2	4	2	2
45-49 years	27	20	7	14	9	5	13	11	2	12	10	2
50-54 years	34	29	5	16	14	2	18	15	3	17	15	2
55-59 years	51	41	10	30	26	4	21	15	6	18	14	4
60-64 years	45	37	8	27	22	5	18	15	3	13	10	3
65-69 years	47	31	16	29	18	11	18	13	5	15	10	5
70-74 years	68	45	23	40	24	16	28	21	7	17	13	4
75-79 years	82	46	36	59	34	25	23	12	11	13	6	7
80-84 years	84	38	46	55	25	30	29	13	16	15	6	9
85-89 years	71	29	42	46	17	29	25	12	13	10	5	5
90-94 years	28	17	11	19	10	9	9	7	2	8	6	2
95-99 years	7	4	3	5	3	2	2	1	1	2	1	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER - BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Tuberculosis of lung, without mention of bacteriological or histological confirmation (A16.2)												
All ages	338	211	127	199	121	78	139	90	49	86	56	30
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	3	-	2	2	-	1	1	-	-	-	-
20-24 years	2	1	1	1	1	-	1	-	1	1	-	1
25-29 years	6	4	2	3	3	-	3	1	2	3	1	2
30-34 years	6	4	2	1	1	-	5	3	2	3	1	2
35-39 years	8	4	4	1	1	-	7	3	4	6	3	3
40-44 years	9	4	5	7	4	3	2	-	2	2	-	2
45-49 years	19	13	6	11	6	5	8	7	1	7	6	1
50-54 years	15	11	4	6	5	1	9	6	3	8	6	2
55-59 years	30	24	6	16	13	3	14	11	3	12	10	2
60-64 years	26	25	1	16	15	1	10	10	-	6	6	-
65-69 years	28	19	9	18	12	6	10	7	3	7	4	3
70-74 years	43	29	14	23	14	9	20	15	5	10	8	2
75-79 years	48	23	25	35	17	18	13	6	7	6	3	3
80-84 years	44	20	24	25	11	14	19	9	10	8	3	5
85-89 years	34	20	14	20	12	8	14	8	6	4	2	2
90-94 years	12	6	6	9	3	6	3	3	-	3	3	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-
Tuberculous pleurisy, without mention of bacteriological or histological confirmation (A16.5)												
All ages	12	10	2	7	5	2	5	5	-	4	4	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	2	2	-	-	-	-	2	2	-	2	2	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	3	3	-	2	2	-	1	1	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	1	-	-	-	-	1	1	-	1	1	-
95-99 years	1	1	-	-	-	-	1	1	-	1	1	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Primary respiratory tuberculosis without mention of bacteriological or histological confirmation (A16.7)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other respiratory tuberculosis, without mention of bacteriological or histological confirmation (A16.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Respiratory tuberculosis unspecified, without mention of bacteriological or histological confirmation (A16.9)															
All ages	248	148	100	160	93	67	88	55	33	70	46	24			
Under 1 year	1	-	1	-	-	-	1	-	1	-	-	-			
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years	2	1	1	1	-	1	1	1	-	-	-	-			
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-			
30-34 years	3	1	2	1	-	1	2	1	1	1	1	-			
35-39 years	6	5	1	3	2	1	3	3	-	2	2	-			
40-44 years	5	5	-	3	3	-	2	2	-	2	2	-			
45-49 years	8	7	1	3	3	-	5	4	1	5	4	1			
50-54 years	19	18	1	10	9	1	9	9	-	9	9	-			
55-59 years	20	16	4	13	12	1	7	4	3	6	4	2			
60-64 years	17	10	7	11	7	4	6	3	3	5	2	3			
65-69 years	19	12	7	11	6	5	8	6	2	8	6	2			
70-74 years	23	14	9	15	8	7	8	6	2	7	5	2			
75-79 years	31	20	11	22	15	7	9	5	4	7	3	4			
80-84 years	37	16	21	27	12	15	10	4	6	7	3	4			
85-89 years	36	9	27	25	5	20	11	4	7	6	3	3			
90-94 years	15	10	5	10	7	3	5	3	2	4	2	2			
95-99 years	4	3	1	3	3	-	1	-	1	1	-	1			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			
Tuberculosis of nervous system (A17)															
All ages	26	12	14	10	4	6	16	8	8	11	6	5			
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-			
30-34 years	3	1	2	-	-	-	3	1	2	2	1	1			
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-			
45-49 years	2	-	2	-	-	-	2	-	2	1	-	1			
50-54 years	5	3	2	3	1	2	2	2	-	2	2	-			
55-59 years	2	1	1	-	-	-	2	1	1	1	-	1			
60-64 years	2	1	1	-	-	-	2	1	1	2	1	1			
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-			
70-74 years	2	1	1	-	-	-	2	1	1	1	-	1			
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-			
80-84 years	3	1	2	1	-	1	2	1	1	1	1	-			
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-			
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Tuberculous meningitis (A17.0)												
All ages	23	11	12	9	4	5	14	7	7	10	6	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	3	1	2	-	-	-	3	1	2	2	1	1
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	-	-	-
50-54 years	4	3	1	2	1	1	2	2	-	2	2	-
55-59 years	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years	2	1	1	-	-	-	2	1	1	2	1	1
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	2	1	1	-	-	-	2	1	1	1	-	1
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years	3	1	2	1	-	1	2	1	1	1	1	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis of nervous system (A17.8)												
All ages	3	1	2	1	-	1	2	1	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Tuberculosis of other organs (A18)												
All ages	80	38	42	61	29	32	19	9	10	16	7	9
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	4	3	1	3	2	1	1	1	-	1	1	-
45-49 years	3	2	1	2	1	1	1	1	-	-	-	-
50-54 years	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years	9	5	4	5	3	2	4	2	2	4	2	2
60-64 years	5	-	5	5	-	5	-	-	-	-	-	-
65-69 years	11	7	4	9	6	3	2	1	1	2	1	1
70-74 years	16	9	7	10	5	5	6	4	2	5	3	2
75-79 years	6	2	4	5	2	3	1	-	1	-	-	-
80-84 years	9	3	6	7	3	4	2	-	2	2	-	2
85-89 years	10	4	6	9	4	5	1	-	1	1	-	1
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of bones and joints (A18.0)												
All ages	65	30	35	52	23	29	13	7	6	11	6	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	3	-	2	2	-	1	1	-	1	1	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years	7	5	2	5	3	2	2	2	-	2	2	-
60-64 years	5	-	5	5	-	5	-	-	-	-	-	-
65-69 years	9	6	3	8	5	3	1	1	-	1	1	-
70-74 years	15	8	7	10	5	5	5	3	2	4	2	2
75-79 years	5	1	4	4	1	3	1	-	1	-	-	-
80-84 years	5	1	4	4	1	3	1	-	1	1	-	1
85-89 years	9	4	5	8	4	4	1	-	1	1	-	1
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Tuberculosis of genitourinary system (A18.1)												
All ages	5	3	2	4	2	2	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous peripheral lymphadenopathy (A18.2)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Tuberculosis of intestines, peritoneum, and mesenteric glands (A18.3)												
All ages	2	-	2	-	-	-	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other specified organs (A18.8)												
All ages	7	4	3	4	3	1	3	1	2	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	4	2	2	3	2	1	1	-	1	1	-	1
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Miliary tuberculosis (A19)												
All ages	58	32	26	30	17	13	28	15	13	16	8	8
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	2	1	2	2	-	1	-	1	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	-	-	-
30-34 years	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years	4	3	1	3	2	1	1	1	-	1	1	-
40-44 years	3	2	1	1	1	-	2	1	1	2	1	1
45-49 years	5	5	-	4	4	-	1	1	-	1	1	-
50-54 years	5	3	2	-	-	-	5	3	2	4	2	2
55-59 years	1	-	1	-	-	-	1	-	1	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	6	3	3	2	-	2	4	3	1	2	1	1
75-79 years	11	4	7	6	1	5	5	3	2	3	1	2
80-84 years	8	5	3	4	3	1	4	2	2	1	-	1
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other miliary tuberculosis (A19.8)												
All ages	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Miliary tuberculosis, unspecified (A19.9)												
All ages	55	29	26	27	14	13	28	15	13	16	8	8
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	2	1	2	2	-	1	-	1	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	-	-	-
30-34 years	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years	4	3	1	3	2	1	1	1	-	1	1	-
40-44 years	3	2	1	1	1	-	2	1	1	2	1	1
45-49 years	4	4	-	3	3	-	1	1	-	1	1	-
50-54 years	5	3	2	-	-	-	5	3	2	4	2	2
55-59 years	1	-	1	-	-	-	1	-	1	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	6	3	3	2	-	2	4	3	1	2	1	1
75-79 years	11	4	7	6	1	5	5	3	2	3	1	2
80-84 years	7	4	3	3	2	1	4	2	2	1	-	1
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Erysipeloid (A26)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Erysipelothrix septicemia (A26.7)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other zoonotic bacterial diseases, not elsewhere classified (A28)												
All ages	22	12	10	16	8	8	6	4	2	5	4	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	3	2	1	1	-	1	2	2	-	2	2	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	5	3	2	3	2	1	2	1	1	2	1	1
80-84 years	2	1	1	1	1	-	1	-	1	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pasteurellosis (A28.0)												
All ages	12	6	6	11	5	6	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	1	1	1	-	1	1	1	-	1	1	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified zoonotic bacterial diseases, not elsewhere classified (A28.8)												
All ages	10	6	4	5	3	2	5	3	2	4	3	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	3	2	1	1	1	-	2	1	1	2	1	1
80-84 years	1	-	1	-	-	-	1	-	1	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Infection due to other mycobacteria (A31)												
All ages	219	102	117	185	82	103	34	20	14	25	16	9
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	1	1	-	-	-	2	1	1	2	1	1
25-29 years	4	3	1	2	2	-	2	1	1	2	1	1
30-34 years	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years	5	4	1	3	3	-	2	1	1	2	1	1
45-49 years	8	4	4	8	4	4	-	-	-	-	-	-
50-54 years	17	13	4	12	9	3	5	4	1	4	3	1
55-59 years	3	2	1	2	1	1	1	1	-	1	1	-
60-64 years	12	8	4	10	6	4	2	2	-	2	2	-
65-69 years	20	13	7	18	11	7	2	2	-	1	1	-
70-74 years	27	12	15	20	8	12	7	4	3	5	3	2
75-79 years	37	14	23	32	13	19	5	1	4	3	1	2
80-84 years	43	17	26	42	16	26	1	1	-	1	1	-
85-89 years	19	3	16	19	3	16	-	-	-	-	-	-
90-94 years	13	4	9	11	3	8	2	1	1	-	-	-
95-99 years	4	-	4	3	-	3	1	-	1	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary mycobacterial infection (A31.0)												
All ages	178	79	99	148	62	86	30	17	13	23	14	9
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	1	1	-	-	-	2	1	1	2	1	1
25-29 years	4	3	1	2	2	-	2	1	1	2	1	1
30-34 years	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years	4	3	1	2	2	-	2	1	1	2	1	1
45-49 years	6	2	4	6	2	4	-	-	-	-	-	-
50-54 years	15	12	3	10	8	2	5	4	1	4	3	1
55-59 years	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years	9	6	3	8	5	3	1	1	-	1	1	-
65-69 years	15	10	5	14	9	5	1	1	-	1	1	-
70-74 years	24	9	15	18	6	12	6	3	3	4	2	2
75-79 years	30	10	20	25	9	16	5	1	4	3	1	2
80-84 years	35	13	22	34	12	22	1	1	-	1	1	-
85-89 years	17	3	14	17	3	14	-	-	-	-	-	-
90-94 years	9	2	7	7	1	6	2	1	1	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other mycobacterial infections (A31.8)												
All ages	2	1	1	1	1	-	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	-	-	-	1	-	1	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mycobacterial infection, unspecified (A31.9)												
All ages	39	22	17	36	19	17	3	3	-	2	2	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	3	2	1	2	1	1	1	1	-	1	1	-
65-69 years	5	3	2	4	2	2	1	1	-	-	-	-
70-74 years	3	3	-	2	2	-	1	1	-	1	1	-
75-79 years	7	4	3	7	4	3	-	-	-	-	-	-
80-84 years	8	4	4	8	4	4	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	4	2	2	4	2	2	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Listeriosis (A32)												
All ages	33	17	16	32	16	16	1	1	-	1	1	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	2	1	1	1	-	1	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	6	3	3	6	3	3	-	-	-	-	-	-
75-79 years	7	2	5	7	2	5	-	-	-	-	-	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Listerial meningitis and meningoencephalitis (A32.1)												
All ages	17	9	8	17	9	8	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Listerial septicemia (A32.7)												
All ages	11	5	6	10	4	6	1	1	-	1	1	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other forms of listeriosis (A32.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Listeriosis, unspecified (A32.9)												
All ages	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other tetanus (A35)												
All ages	5	2	3	4	2	2	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Whooping cough (A37)												
All ages	17	7	10	16	7	9	1	-	1	1	-	1
Under 1 year	16	6	10	15	6	9	1	-	1	1	-	1
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough due to Bordetella pertussis (A37.0)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Whooping cough, unspecified (A37.9)												
All ages	15	6	9	14	6	8	1	-	1	1	-	1
Under 1 year	14	5	9	13	5	8	1	-	1	1	-	1
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever (A38)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Meningococcal infection (A39)												
All ages	199	94	105	158	72	86	41	22	19	36	18	18
Under 1 year	16	6	10	14	5	9	2	1	1	2	1	1
1-4 years	19	9	10	14	7	7	5	2	3	4	1	3
5-9 years	12	6	6	8	4	4	4	2	2	4	2	2
10-14 years	14	9	5	12	8	4	2	1	1	2	1	1
15-19 years	43	20	23	31	15	16	12	5	7	10	4	6
20-24 years	12	7	5	9	5	4	3	2	1	3	2	1
25-29 years	6	4	2	5	3	2	1	1	-	-	-	-
30-34 years	4	2	2	2	1	1	2	1	1	2	1	1
35-39 years	8	3	5	6	1	5	2	2	-	1	1	-
40-44 years	5	3	2	5	3	2	-	-	-	-	-	-
45-49 years	9	6	3	8	5	3	1	1	-	1	1	-
50-54 years	4	2	2	4	2	2	-	-	-	-	-	-
55-59 years	11	5	6	10	4	6	1	1	-	1	1	-
60-64 years	4	2	2	1	1	-	3	1	2	3	1	2
65-69 years	7	2	5	6	2	4	1	-	1	1	-	1
70-74 years	8	3	5	8	3	5	-	-	-	-	-	-
75-79 years	7	2	5	6	1	5	1	1	-	1	1	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	6	1	5	5	-	5	1	1	-	1	1	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis (A39.0)												
All ages	61	28	33	50	23	27	11	5	6	9	3	6
Under 1 year	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years	4	3	1	3	2	1	1	1	-	-	-	-
5-9 years	5	2	3	4	2	2	1	-	1	1	-	1
10-14 years	4	3	1	4	3	1	-	-	-	-	-	-
15-19 years	12	5	7	9	4	5	3	1	2	3	1	2
20-24 years	6	4	2	5	3	2	1	1	-	1	1	-
25-29 years	2	2	-	1	1	-	1	1	-	-	-	-
30-34 years	2	-	2	1	-	1	1	-	1	1	-	1
35-39 years	2	1	1	1	-	1	1	1	-	1	1	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years	2	-	2	-	-	-	2	-	2	2	-	2
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Waterhouse-Friderichsen syndrome (A39.1)												
All ages	24	15	9	18	10	8	6	5	1	6	5	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	1	1	1	-	1	1	1	-	1	1	-
5-9 years	2	2	-	-	-	-	2	2	-	2	2	-
10-14 years	4	3	1	2	2	-	2	1	1	2	1	1
15-19 years	5	2	3	5	2	3	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	-	-	-	1	1	-	1	1	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute meningococcemia (A39.2)												
All ages	4	1	3	2	1	1	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	1	1	-	1	-	1	1	-	1
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Meningococcemia, unspecified (A39.4)												
All ages	108	49	59	86	37	49	22	12	10	19	10	9
Under 1 year	14	6	8	12	5	7	2	1	1	2	1	1
1-4 years	12	5	7	10	5	5	2	-	2	2	-	2
5-9 years	4	1	3	3	1	2	1	-	1	1	-	1
10-14 years	6	3	3	6	3	3	-	-	-	-	-	-
15-19 years	24	12	12	16	8	8	8	4	4	6	3	3
20-24 years	6	3	3	4	2	2	2	1	1	2	1	1
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	4	2	2	3	1	2	1	1	-	-	-	-
40-44 years	4	2	2	4	2	2	-	-	-	-	-	-
45-49 years	4	2	2	3	1	2	1	1	-	1	1	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	7	3	4	6	2	4	1	1	-	1	1	-
60-64 years	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years	4	1	3	3	1	2	1	-	1	1	-	1
70-74 years	5	2	3	5	2	3	-	-	-	-	-	-
75-79 years	4	2	2	3	1	2	1	1	-	1	1	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other meningococcal infections (A39.8)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Streptococcal septicemia (A40)												
All ages	623	300	323	488	246	242	135	54	81	112	46	66
Under 1 year	44	23	21	21	12	9	23	11	12	20	9	11
1-4 years	17	10	7	13	8	5	4	2	2	3	2	1
5-9 years	4	3	1	2	1	1	2	2	-	-	-	-
10-14 years	8	4	4	4	2	2	4	2	2	3	1	2
15-19 years	4	2	2	4	2	2	-	-	-	-	-	-
20-24 years	2	1	1	1	1	-	1	-	1	-	-	-
25-29 years	10	4	6	4	2	2	6	2	4	4	2	2
30-34 years	7	3	4	6	2	4	1	1	-	1	1	-
35-39 years	17	12	5	14	9	5	3	3	-	2	2	-
40-44 years	33	15	18	18	10	8	15	5	10	11	4	7
45-49 years	32	14	18	24	10	14	8	4	4	7	4	3
50-54 years	34	18	16	28	17	11	6	1	5	5	1	4
55-59 years	31	14	17	25	11	14	6	3	3	6	3	3
60-64 years	33	19	14	28	17	11	5	2	3	4	2	2
65-69 years	52	18	34	43	15	28	9	3	6	7	2	5
70-74 years	66	29	37	56	26	30	10	3	7	9	3	6
75-79 years	77	40	37	70	37	33	7	3	4	6	3	3
80-84 years	72	38	34	61	33	28	11	5	6	10	5	5
85-89 years	46	16	30	39	16	23	7	-	7	7	-	7
90-94 years	27	14	13	21	12	9	6	2	4	6	2	4
95-99 years	7	3	4	6	3	3	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia due to streptococcus, group A (A40.0)												
All ages	32	13	19	27	11	16	5	2	3	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	3	2	1	1	1	-	2	1	1	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	3	1	2	3	1	2	-	-	-	-	-	-
50-54 years	5	-	5	5	-	5	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	5	4	1	5	4	1	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Septicemia due to streptococcus, group B (A40.1)												
All ages	33	15	18	20	9	11	13	6	7	13	6	7
Under 1 year	21	10	11	10	5	5	11	5	6	11	5	6
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	3	-	3	2	-	2	1	-	1	1	-	1
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia due to streptococcus, group D (A40.2)												
All ages	184	93	91	145	75	70	39	18	21	35	16	19
Under 1 year	8	4	4	5	2	3	3	2	1	2	1	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	1	1	1	-	1	1	1	-	1	1	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	3	2	1	2	1	1	1	1	-	1	1	-
40-44 years	3	-	3	3	-	3	-	-	-	-	-	-
45-49 years	5	1	4	5	1	4	-	-	-	-	-	-
50-54 years	6	2	4	3	2	1	3	-	3	2	-	2
55-59 years	8	3	5	5	2	3	3	1	2	3	1	2
60-64 years	8	2	6	7	2	5	1	-	1	1	-	1
65-69 years	23	9	14	18	7	11	5	2	3	4	1	3
70-74 years	29	14	15	23	12	11	6	2	4	6	2	4
75-79 years	41	27	14	36	24	12	5	3	2	4	3	1
80-84 years	24	12	12	18	8	10	6	4	2	6	4	2
85-89 years	14	8	6	12	8	4	2	-	2	2	-	2
90-94 years	7	5	2	4	3	1	3	2	1	3	2	1
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Septicemia due to Streptococcus pneumoniae (A40.3)												
All ages	210	99	111	164	84	80	46	15	31	40	14	26
Under 1 year	10	6	4	4	3	1	6	3	3	6	3	3
1-4 years	9	3	6	8	3	5	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	3	1	2	1	1	-	2	-	2	2	-	2
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	4	2	2	1	1	-	3	1	2	3	1	2
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	8	5	3	8	5	3	-	-	-	-	-	-
40-44 years	19	8	11	8	6	2	11	2	9	7	1	6
45-49 years	23	11	12	15	7	8	8	4	4	7	4	3
50-54 years	11	8	3	8	7	1	3	1	2	3	1	2
55-59 years	9	5	4	9	5	4	-	-	-	-	-	-
60-64 years	15	10	5	12	8	4	3	2	1	3	2	1
65-69 years	13	6	7	11	5	6	2	1	1	1	1	-
70-74 years	17	7	10	16	6	10	1	1	-	1	1	-
75-79 years	16	7	9	16	7	9	-	-	-	-	-	-
80-84 years	21	9	12	20	9	11	1	-	1	1	-	1
85-89 years	17	4	13	13	4	9	4	-	4	4	-	4
90-94 years	11	6	5	10	6	4	1	-	1	1	-	1
95-99 years	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other streptococcal septicemia (A40.8)												
All ages	23	10	13	19	8	11	4	2	2	1	-	1
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	1	-	-	-	-	1	1	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years	2	2	-	1	1	-	1	1	-	-	-	-
40-44 years	2	1	1	1	1	-	1	-	1	1	-	1
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	2	-	2	1	-	1	1	-	1	-	-	-
75-79 years	5	-	5	5	-	5	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Streptococcal septicemia, unspecified (A40.9)												
All ages	141	70	71	113	59	54	28	11	17	21	8	13
Under 1 year	4	2	2	1	1	-	3	1	2	1	-	1
1-4 years	3	3	-	2	2	-	1	1	-	1	1	-
5-9 years	3	2	1	2	1	1	1	1	-	-	-	-
10-14 years	5	3	2	3	1	2	2	2	-	1	1	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	3	1	2	2	1	1	1	-	1	-	-	-
30-34 years	3	1	2	2	-	2	1	1	-	1	1	-
35-39 years	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years	9	6	3	6	3	3	3	3	-	3	3	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	10	6	4	10	6	4	-	-	-	-	-	-
55-59 years	10	4	6	8	3	5	2	1	1	2	1	1
60-64 years	8	6	2	7	6	1	1	-	1	-	-	-
65-69 years	13	3	10	11	3	8	2	-	2	2	-	2
70-74 years	12	5	7	10	5	5	2	-	2	2	-	2
75-79 years	13	6	7	11	6	5	2	-	2	2	-	2
80-84 years	17	11	6	14	10	4	3	1	2	2	1	1
85-89 years	13	3	10	12	3	9	1	-	1	1	-	1
90-94 years	8	3	5	6	3	3	2	-	2	2	-	2
95-99 years	2	1	1	1	1	-	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other septicemia (A41)												
All ages	31,615	14,007	17,608	25,318	11,125	14,193	6,297	2,882	3,415	5,768	2,589	3,179
Under 1 year	268	151	117	150	88	62	118	63	55	106	58	48
1-4 years	91	50	41	67	38	29	24	12	12	19	10	9
5-9 years	25	14	11	23	13	10	2	1	1	2	1	1
10-14 years	32	18	14	25	16	9	7	2	5	5	1	4
15-19 years	53	29	24	33	20	13	20	9	11	19	9	10
20-24 years	74	43	31	44	23	21	30	20	10	22	16	6
25-29 years	86	46	40	57	31	26	29	15	14	24	11	13
30-34 years	178	86	92	102	50	52	76	36	40	69	32	37
35-39 years	292	158	134	177	106	71	115	52	63	107	49	58
40-44 years	487	266	221	322	184	138	165	82	83	149	73	76
45-49 years	805	425	380	523	276	247	282	149	133	254	129	125
50-54 years	1,106	586	520	737	392	345	369	194	175	334	175	159
55-59 years	1,361	714	647	955	491	464	406	223	183	379	210	169
60-64 years	1,686	859	827	1,232	641	591	454	218	236	425	202	223
65-69 years	2,357	1,209	1,148	1,787	922	865	570	287	283	525	259	266
70-74 years	3,523	1,788	1,735	2,791	1,415	1,376	732	373	359	657	327	330
75-79 years	4,923	2,362	2,561	4,053	1,958	2,095	870	404	466	795	365	430
80-84 years	5,279	2,322	2,957	4,524	2,001	2,523	755	321	434	703	290	413
85-89 years	4,810	1,772	3,038	4,140	1,525	2,615	670	247	423	623	225	398
90-94 years	2,974	855	2,119	2,575	725	1,850	399	130	269	360	109	251
95-99 years	1,013	222	791	855	190	665	158	32	126	148	27	121
100 yrs & over	192	32	160	146	20	126	46	12	34	43	11	32
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Septicemia due to Staphylococcus aureus (A41.0)												
All ages	790	400	390	669	346	323	121	54	67	105	48	57
Under 1 year	6	3	3	5	3	2	1	-	1	1	-	1
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	2	1	1	1	1	-	1	-	1	1	-	1
20-24 years	3	3	-	3	3	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	5	1	4	3	1	2	2	-	2	1	-	1
35-39 years	10	8	2	7	7	-	3	1	2	3	1	2
40-44 years	11	3	8	8	3	5	3	-	3	2	-	2
45-49 years	21	11	10	12	8	4	9	3	6	9	3	6
50-54 years	31	21	10	20	12	8	11	9	2	9	7	2
55-59 years	21	14	7	18	11	7	3	3	-	3	3	-
60-64 years	46	26	20	39	22	17	7	4	3	7	4	3
65-69 years	63	36	27	53	31	22	10	5	5	9	5	4
70-74 years	107	59	48	88	49	39	19	10	9	16	9	7
75-79 years	128	63	65	111	56	55	17	7	10	14	6	8
80-84 years	138	69	69	130	66	64	8	3	5	7	3	4
85-89 years	112	59	53	95	52	43	17	7	10	13	5	8
90-94 years	71	22	49	64	20	44	7	2	5	7	2	5
95-99 years	12	1	11	10	1	9	2	-	2	2	-	2
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia due to other specified staphylococcus (A41.1)												
All ages	30	15	15	23	12	11	7	3	4	5	1	4
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	-	-	-
55-59 years	3	2	1	1	1	-	2	1	1	1	-	1
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	4	1	3	3	1	2	1	-	1	1	-	1
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	4	2	2	3	2	1	1	-	1	1	-	1
80-84 years	6	3	3	6	3	3	-	-	-	-	-	-
85-89 years	3	-	3	2	-	2	1	-	1	1	-	1
90-94 years	3	1	2	2	-	2	1	1	-	1	1	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Septicemia due to unspecified staphylococcus (A41.2)												
All ages	760	393	367	634	331	303	126	62	64	114	53	61
Under 1 year	5	4	1	2	2	-	3	2	1	2	1	1
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	2	-	1	1	-	1	1	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	6	2	4	3	1	2	3	1	2	2	1	1
35-39 years	10	3	7	8	2	6	2	1	1	2	1	1
40-44 years	11	7	4	7	6	1	4	1	3	4	1	3
45-49 years	23	15	8	16	10	6	7	5	2	6	4	2
50-54 years	32	14	18	22	11	11	10	3	7	10	3	7
55-59 years	42	22	20	32	19	13	10	3	7	10	3	7
60-64 years	49	25	24	38	18	20	11	7	4	11	7	4
65-69 years	46	27	19	35	20	15	11	7	4	11	7	4
70-74 years	87	47	40	72	40	32	15	7	8	13	5	8
75-79 years	146	75	71	131	69	62	15	6	9	14	6	8
80-84 years	132	70	62	117	64	53	15	6	9	14	5	9
85-89 years	87	46	41	78	40	38	9	6	3	7	5	2
90-94 years	61	26	35	53	21	32	8	5	3	6	3	3
95-99 years	16	5	11	15	5	10	1	-	1	1	-	1
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia due to Hemophilus influenzae (A41.3)												
All ages	8	1	7	6	1	5	2	-	2	2	-	2
Under 1 year	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Septicemia due to anaerobes (A41.4)												
All ages	59	28	31	53	25	28	6	3	3	5	2	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	4	2	2	3	2	1	1	-	1	1	-	1
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	13	8	5	12	7	5	1	1	-	1	1	-
75-79 years	12	6	6	9	4	5	3	2	1	2	1	1
80-84 years	12	6	6	12	6	6	-	-	-	-	-	-
85-89 years	8	3	5	8	3	5	-	-	-	-	-	-
90-94 years	4	1	3	3	1	2	1	-	1	1	-	1
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia due to other Gram-negative organisms (A41.5)												
All ages	741	367	374	581	279	302	160	88	72	144	79	65
Under 1 year	33	23	10	26	17	9	7	6	1	6	5	1
1-4 years	3	1	2	3	1	2	-	-	-	-	-	-
5-9 years	2	2	-	1	1	-	1	1	-	1	1	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	3	1	2	-	-	-	3	1	2	2	1	1
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	9	5	4	2	2	-	7	3	4	7	3	4
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	19	12	7	13	8	5	6	4	2	6	4	2
45-49 years	21	10	11	15	9	6	6	1	5	5	1	4
50-54 years	37	25	12	21	13	8	16	12	4	14	10	4
55-59 years	36	18	18	27	13	14	9	5	4	8	5	3
60-64 years	46	21	25	38	17	21	8	4	4	8	4	4
65-69 years	54	32	22	43	24	19	11	8	3	11	8	3
70-74 years	85	43	42	67	32	35	18	11	7	16	9	7
75-79 years	127	63	64	104	49	55	23	14	9	20	12	8
80-84 years	105	38	67	81	29	52	24	9	15	22	7	15
85-89 years	91	48	43	78	44	34	13	4	9	10	4	6
90-94 years	55	19	36	48	15	33	7	4	3	7	4	3
95-99 years	10	3	7	10	3	7	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified septicemia (A41.8)												
All ages	150	74	76	113	54	59	37	20	17	34	17	17
Under 1 year	4	1	3	2	-	2	2	1	1	2	1	1
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	-	2	1	-	1	1	-	1	1	-	1
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	3	1	2	1	-	1	2	1	1	1	-	1
45-49 years	9	4	5	8	3	5	1	1	-	1	1	-
50-54 years	7	2	5	6	2	4	1	-	1	1	-	1
55-59 years	10	7	3	6	4	2	4	3	1	4	3	1
60-64 years	7	3	4	5	2	3	2	1	1	2	1	1
65-69 years	15	10	5	10	8	2	5	2	3	5	2	3
70-74 years	18	9	9	17	8	9	1	1	-	1	1	-
75-79 years	15	9	6	8	4	4	7	5	2	5	3	2
80-84 years	21	8	13	18	7	11	3	1	2	3	1	2
85-89 years	19	13	6	17	12	5	2	1	1	2	1	1
90-94 years	14	5	9	12	4	8	2	1	1	2	1	1
95-99 years	3	1	2	1	-	1	2	1	1	2	1	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia, unspecified (A41.9)												
All ages	29,077	12,729	16,348	23,239	10,077	13,162	5,838	2,652	3,186	5,359	2,389	2,970
Under 1 year	218	119	99	114	65	49	104	54	50	94	51	43
1-4 years	84	47	37	61	36	25	23	11	12	18	9	9
5-9 years	22	12	10	22	12	10	-	-	-	-	-	-
10-14 years	29	16	13	23	15	8	6	1	5	5	1	4
15-19 years	49	26	23	30	17	13	19	9	10	18	9	9
20-24 years	67	38	29	41	20	21	26	18	8	19	14	5
25-29 years	83	45	38	55	30	25	28	15	13	23	11	12
30-34 years	158	78	80	94	46	48	64	32	32	59	28	31
35-39 years	270	146	124	162	97	65	108	49	59	100	46	54
40-44 years	442	243	199	292	167	125	150	76	74	136	68	68
45-49 years	728	384	344	470	245	225	258	139	119	232	120	112
50-54 years	998	523	475	668	354	314	330	169	161	300	155	145
55-59 years	1,248	651	597	870	443	427	378	208	170	353	196	157
60-64 years	1,531	780	751	1,106	578	528	425	202	223	396	186	210
65-69 years	2,172	1,101	1,071	1,640	836	804	532	265	267	488	237	251
70-74 years	3,212	1,621	1,591	2,534	1,278	1,256	678	343	335	610	302	308
75-79 years	4,491	2,144	2,347	3,687	1,774	1,913	804	370	434	739	337	402
80-84 years	4,865	2,128	2,737	4,160	1,826	2,334	705	302	403	657	274	383
85-89 years	4,488	1,602	2,886	3,860	1,373	2,487	628	229	399	590	210	380
90-94 years	2,765	781	1,984	2,392	664	1,728	373	117	256	336	98	238
95-99 years	970	212	758	817	181	636	153	31	122	143	26	117
100 yrs & over	187	32	155	141	20	121	46	12	34	43	11	32
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Actinomycosis (A42)												
All ages	9	6	3	7	5	2	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	2	2	-	1	1	-	1	1	-	1	1	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary actinomycosis (A42.0)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Actinomycotic septicemia (A42.7)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other forms of actinomycosis (A42.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Actinomycosis, unspecified (A42.9)												
All ages	4	1	3	2	-	2	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	-	-	-	1	1	-	1	1	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nocardiosis (A43)												
All ages	55	27	28	47	23	24	8	4	4	7	4	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	2	-	-	-	-	2	2	-	2	2	-
50-54 years	3	-	3	2	-	2	1	-	1	1	-	1
55-59 years	5	3	2	1	1	-	4	2	2	3	2	1
60-64 years	3	-	3	3	-	3	-	-	-	-	-	-
65-69 years	11	4	7	11	4	7	-	-	-	-	-	-
70-74 years	8	3	5	8	3	5	-	-	-	-	-	-
75-79 years	8	4	4	8	4	4	-	-	-	-	-	-
80-84 years	8	8	-	8	8	-	-	-	-	-	-	-
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pulmonary nocardiosis (A43.0)												
All ages	38	17	21	33	15	18	5	2	3	4	2	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	3	1	2	-	-	-	3	1	2	2	1	1
60-64 years	3	-	3	3	-	3	-	-	-	-	-	-
65-69 years	8	3	5	8	3	5	-	-	-	-	-	-
70-74 years	7	2	5	7	2	5	-	-	-	-	-	-
75-79 years	5	2	3	5	2	3	-	-	-	-	-	-
80-84 years	6	6	-	6	6	-	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other forms of nocardiosis (A43.8)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Nocardiosis, unspecified (A43.9)												
All ages	14	9	5	11	7	4	3	2	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	2	-	2	1	-	1	1	-	1	1	-	1
55-59 years	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas (A46)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other bacterial diseases, not elsewhere classified (A48)												
All ages	185	98	87	155	83	72	30	15	15	27	14	13
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	5	2	3	3	1	2	2	1	1	1	1	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	3	-	3	2	-	2	1	-	1	1	-	1
30-34 years	10	5	5	7	3	4	3	2	1	3	2	1
35-39 years	10	4	6	9	4	5	1	-	1	1	-	1
40-44 years	10	2	8	9	2	7	1	-	1	1	-	1
45-49 years	12	8	4	9	7	2	3	1	2	2	1	1
50-54 years	20	14	6	16	11	5	4	3	1	4	3	1
55-59 years	17	10	7	13	7	6	4	3	1	4	3	1
60-64 years	14	10	4	11	9	2	3	1	2	3	1	2
65-69 years	17	9	8	15	9	6	2	-	2	2	-	2
70-74 years	20	10	10	20	10	10	-	-	-	-	-	-
75-79 years	19	12	7	15	9	6	4	3	1	3	2	1
80-84 years	9	3	6	8	3	5	1	-	1	1	-	1
85-89 years	12	5	7	12	5	7	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Gas gangrene (A48.0)												
All ages	23	12	11	20	10	10	3	2	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years	7	4	3	7	4	3	-	-	-	-	-	-
75-79 years	2	2	-	1	1	-	1	1	-	1	1	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Legionnaires' disease (A48.1)												
All ages	70	39	31	61	36	25	9	3	6	8	3	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	2	1	1	1	-	1	1	1	-	1	1	-
35-39 years	2	-	2	1	-	1	1	-	1	1	-	1
40-44 years	4	-	4	4	-	4	-	-	-	-	-	-
45-49 years	4	2	2	2	2	-	2	-	2	1	-	1
50-54 years	11	9	2	10	8	2	1	1	-	1	1	-
55-59 years	8	3	5	6	2	4	2	1	1	2	1	1
60-64 years	4	4	-	4	4	-	-	-	-	-	-	-
65-69 years	9	7	2	8	7	1	1	-	1	1	-	1
70-74 years	7	4	3	7	4	3	-	-	-	-	-	-
75-79 years	9	5	4	9	5	4	-	-	-	-	-	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Toxic shock syndrome (A48.3)												
All ages	75	36	39	59	27	32	16	9	7	14	8	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	5	2	3	3	1	2	2	1	1	1	1	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	2	-	2	2	-	2	-	-	-	-	-	-
30-34 years	8	4	4	6	3	3	2	1	1	2	1	1
35-39 years	7	4	3	7	4	3	-	-	-	-	-	-
40-44 years	4	1	3	4	1	3	-	-	-	-	-	-
45-49 years	7	5	2	7	5	2	-	-	-	-	-	-
50-54 years	6	3	3	4	1	3	2	2	-	2	2	-
55-59 years	7	6	1	6	5	1	1	1	-	1	1	-
60-64 years	8	4	4	5	3	2	3	1	2	3	1	2
65-69 years	5	1	4	4	1	3	1	-	1	1	-	1
70-74 years	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years	6	3	3	3	1	2	3	2	1	2	1	1
80-84 years	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified bacterial diseases (A48.8)												
All ages	17	11	6	15	10	5	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	1	1	1	1	-	1	-	1	1	-	1
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Bacterial infection of unspecified site (A49)												
All ages	898	447	451	730	376	354	168	71	97	144	63	81
Under 1 year	14	8	6	11	7	4	3	1	2	3	1	2
1-4 years	3	1	2	1	-	1	2	1	1	2	1	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	4	4	-	4	4	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	4	3	1	2	2	-	2	1	1	2	1	1
35-39 years	10	7	3	8	5	3	2	2	-	2	2	-
40-44 years	9	5	4	4	2	2	5	3	2	4	3	1
45-49 years	24	17	7	21	15	6	3	2	1	3	2	1
50-54 years	30	14	16	17	10	7	13	4	9	12	4	8
55-59 years	38	26	12	26	21	5	12	5	7	12	5	7
60-64 years	58	33	25	41	24	17	17	9	8	14	7	7
65-69 years	60	36	24	40	24	16	20	12	8	16	11	5
70-74 years	81	43	38	64	36	28	17	7	10	15	6	9
75-79 years	138	75	63	117	69	48	21	6	15	18	5	13
80-84 years	154	73	81	134	65	69	20	8	12	15	6	9
85-89 years	133	54	79	119	48	71	14	6	8	12	5	7
90-94 years	94	37	57	83	34	49	11	3	8	9	3	6
95-99 years	37	9	28	33	8	25	4	1	3	3	1	2
100 yrs & over	3	-	3	2	-	2	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Staphylococcal infection, unspecified (A49.0)												
All ages	300	168	132	255	151	104	45	17	28	39	15	24
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	4	4	-	3	3	-	1	1	-	1	1	-
40-44 years	2	1	1	1	1	-	1	-	1	-	-	-
45-49 years	7	6	1	6	6	-	1	-	1	1	-	1
50-54 years	7	3	4	5	2	3	2	1	1	2	1	1
55-59 years	13	10	3	9	8	1	4	2	2	4	2	2
60-64 years	17	12	5	15	11	4	2	1	1	2	1	1
65-69 years	18	10	8	10	6	4	8	4	4	6	3	3
70-74 years	34	20	14	29	19	10	5	1	4	5	1	4
75-79 years	62	35	27	53	34	19	9	1	8	9	1	8
80-84 years	61	30	31	56	27	29	5	3	2	4	2	2
85-89 years	34	14	20	31	12	19	3	2	1	3	2	1
90-94 years	30	18	12	27	17	10	3	1	2	2	1	1
95-99 years	9	3	6	8	3	5	1	-	1	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal infection, unspecified (A49.1)												
All ages	59	35	24	51	30	21	8	5	3	5	3	2
Under 1 year	5	4	1	3	3	-	2	1	1	2	1	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	4	3	1	3	2	1	1	1	-	1	1	-
40-44 years	2	1	1	1	-	1	1	1	-	1	1	-
45-49 years	5	3	2	5	3	2	-	-	-	-	-	-
50-54 years	5	2	3	5	2	3	-	-	-	-	-	-
55-59 years	4	3	1	4	3	1	-	-	-	-	-	-
60-64 years	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	2	-	1	1	-	1	1	-	-	-	-
75-79 years	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years	7	2	5	5	1	4	2	1	1	-	-	-
85-89 years	11	6	5	11	6	5	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hemophilus influenzae infection, unspecified (A49.2)												
All ages	11	5	6	8	3	5	3	2	1	3	2	1
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	2	-	2	1	-	1	1	-	1	1	-	1
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	-	-	-	1	1	-	1	1	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mycoplasma infection, unspecified (A49.3)												
All ages	3	-	3	1	-	1	2	-	2	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	-	-	-
75-79 years	1	-	1	-	-	-	1	-	1	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other bacterial infections of unspecified site (A49.8)												
All ages	137	60	77	108	51	57	29	9	20	25	9	16
Under 1 year	3	1	2	2	1	1	1	-	1	1	-	1
1-4 years	2	-	2	1	-	1	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	4	3	1	4	3	1	-	-	-	-	-	-
50-54 years	5	2	3	2	1	1	3	1	2	3	1	2
55-59 years	6	1	5	3	1	2	3	-	3	3	-	3
60-64 years	10	6	4	6	3	3	4	3	1	4	3	1
65-69 years	15	9	6	11	7	4	4	2	2	2	2	-
70-74 years	7	3	4	6	3	3	1	-	1	1	-	1
75-79 years	19	10	9	17	9	8	2	1	1	2	1	1
80-84 years	21	10	11	18	10	8	3	-	3	2	-	2
85-89 years	13	6	7	12	5	7	1	1	-	1	1	-
90-94 years	19	5	14	15	5	10	4	-	4	3	-	3
95-99 years	10	1	9	9	1	8	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Bacterial infection, unspecified (A49.9)												
All ages	388	179	209	307	141	166	81	38	43	72	34	38
Under 1 year	4	1	3	4	1	3	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years	3	1	2	1	-	1	2	1	1	2	1	1
45-49 years	8	5	3	6	3	3	2	2	-	2	2	-
50-54 years	13	7	6	5	5	-	8	2	6	7	2	5
55-59 years	15	12	3	10	9	1	5	3	2	5	3	2
60-64 years	27	12	15	16	7	9	11	5	6	8	3	5
65-69 years	26	17	9	18	11	7	8	6	2	8	6	2
70-74 years	36	18	18	27	13	14	9	5	4	9	5	4
75-79 years	51	27	24	42	23	19	9	4	5	7	3	4
80-84 years	63	31	32	54	27	27	9	4	5	8	4	4
85-89 years	74	28	46	64	25	39	10	3	7	8	2	6
90-94 years	43	13	30	40	12	28	3	1	2	3	1	2
95-99 years	17	5	12	15	4	11	2	1	1	2	1	1
100 yrs & over	3	-	3	2	-	2	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital syphilis (A50)												
All ages	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Late congenital neurosyphilis [juvenile neurosyphilis] (A50.4)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital syphilis, unspecified (A50.9)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Early syphilis (A51)												
All ages	1	1	-	-	-	-	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Secondary syphilis of skin and mucous membranes (A51.3)												
All ages	1	1	-	-	-	-	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Late syphilis (A52)												
All ages	25	13	12	17	8	9	8	5	3	8	5	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	-	-	-	2	2	-	2	2	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	3	1	2	1	-	1	2	1	1	2	1	1
70-74 years	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years	7	2	5	5	1	4	2	1	1	2	1	1
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cardiovascular syphilis (A52.0)												
All ages	3	2	1	1	1	-	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Symptomatic neurosyphilis (A52.1)												
All ages	8	1	7	8	1	7	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Neurosyphilis, unspecified (A52.3)												
All ages	11	8	3	6	5	1	5	3	2	5	3	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	3	1	2	1	-	1	2	1	1	2	1	1
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other symptomatic late syphilis (A52.7)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Late syphilis, unspecified (A52.9)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified syphilis (A53)												
All ages	7	3	4	2	-	2	5	3	2	5	3	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	2	-	-	-	-	2	2	-	2	2	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	2	1	1	1	-	1	1	1	-	1	1	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	2	-	2	-	-	-	2	-	2	2	-	2
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Latent syphilis, unspecified as early or late (A53.0)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	-	-	-	1	1	-	1	1	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis, unspecified (A53.9)												
All ages	6	2	4	2	-	2	4	2	2	4	2	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	2	-	-	-	-	2	2	-	2	2	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	2	-	2	-	-	-	2	-	2	2	-	2
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Gonococcal infection (A54)												
All ages	7	2	5	5	1	4	2	1	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	-	-	-	1	-	1	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other gonococcal infections (A54.8)												
All ages	6	2	4	4	1	3	2	1	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	-	-	-	1	-	1	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Gonococcal infection, unspecified (A54.9)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified sexually transmitted disease (A64)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	1	-	-	-	-	1	1	-	1	1	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other spirochetal infections (A69)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Lyme disease (A69.2)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Spotted fever [tick-borne rickettsioses] (A77)												
All ages	6	4	2	4	3	1	2	1	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Spotted fever due to Rickettsia rickettsii (A77.0)												
All ages	6	4	2	4	3	1	2	1	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other rickettsioses (A79)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified rickettsioses (A79.8)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Rickettsiosis, unspecified (A79.9)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Atypical virus infections of central nervous system (A81)												
All ages	238	107	131	227	102	125	11	5	6	6	4	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	6	4	2	5	3	2	1	1	-	1	1	-
40-44 years	4	2	2	4	2	2	-	-	-	-	-	-
45-49 years	5	3	2	5	3	2	-	-	-	-	-	-
50-54 years	21	6	15	18	6	12	3	-	3	1	-	1
55-59 years	15	7	8	15	7	8	-	-	-	-	-	-
60-64 years	44	24	20	43	23	20	1	1	-	1	1	-
65-69 years	46	17	29	44	16	28	2	1	1	1	1	-
70-74 years	38	13	25	37	12	25	1	1	-	-	-	-
75-79 years	28	16	12	26	16	10	2	-	2	1	-	1
80-84 years	18	8	10	18	8	10	-	-	-	-	-	-
85-89 years	7	3	4	7	3	4	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Creutzfeldt-Jakob disease (A81.0)												
All ages	220	94	126	211	91	120	9	3	6	4	2	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	3	1	2	3	1	2	-	-	-	-	-	-
45-49 years	5	3	2	5	3	2	-	-	-	-	-	-
50-54 years	17	3	14	14	3	11	3	-	3	1	-	1
55-59 years	14	7	7	14	7	7	-	-	-	-	-	-
60-64 years	42	22	20	41	21	20	1	1	-	1	1	-
65-69 years	45	17	28	43	16	27	2	1	1	1	1	-
70-74 years	38	13	25	37	12	25	1	1	-	-	-	-
75-79 years	27	15	12	25	15	10	2	-	2	1	-	1
80-84 years	18	8	10	18	8	10	-	-	-	-	-	-
85-89 years	7	3	4	7	3	4	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Subacute sclerosing panencephalitis (A81.1)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Progressive multifocal leukoencephalopathy (A81.2)												
All ages	16	11	5	14	9	5	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	4	3	1	3	2	1	1	1	-	1	1	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mosquito-borne viral encephalitis (A83)												
All ages	8	5	3	5	4	1	3	1	2	2	-	2
Under 1 year	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	4	3	1	3	3	-	1	-	1	1	-	1
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	1	-	-	-	-	1	1	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Japanese encephalitis (A83.0)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Eastern equine encephalitis (A83.2)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
St. Louis encephalitis (A83.3)												
All ages	2	2	-	1	1	-	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	-	-	-	1	1	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Australian encephalitis (A83.4)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other mosquito-borne viral encephalitis (A83.8)												
All ages	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mosquito-borne viral encephalitis, unspecified (A83.9)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other viral encephalitis, not elsewhere classified (A85)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Arthropod-borne viral encephalitis, unspecified (A85.2)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified viral encephalitis (A85.8)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified viral encephalitis (A86)												
All ages	95	56	39	84	51	33	11	5	6	9	4	5
Under 1 year	3	3	-	3	3	-	-	-	-	-	-	-
1-4 years	3	1	2	2	1	1	1	-	1	1	-	1
5-9 years	3	3	-	2	2	-	1	1	-	1	1	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	7	4	3	3	1	2	4	3	1	3	2	1
20-24 years	3	2	1	2	2	-	1	-	1	1	-	1
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	3	-	3	2	-	2	1	-	1	-	-	-
40-44 years	3	3	-	3	3	-	-	-	-	-	-	-
45-49 years	4	1	3	3	1	2	1	-	1	1	-	1
50-54 years	4	4	-	4	4	-	-	-	-	-	-	-
55-59 years	6	2	4	5	1	4	1	1	-	1	1	-
60-64 years	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years	10	6	4	10	6	4	-	-	-	-	-	-
70-74 years	9	5	4	8	5	3	1	-	1	1	-	1
75-79 years	9	4	5	9	4	5	-	-	-	-	-	-
80-84 years	10	4	6	10	4	6	-	-	-	-	-	-
85-89 years	8	6	2	8	6	2	-	-	-	-	-	-
90-94 years	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Viral meningitis (A87)												
All ages	35	18	17	28	15	13	7	3	4	6	3	3
Under 1 year	3	1	2	2	-	2	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	2	1	3	2	1	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	-	-	-	2	1	1	1	1	-
40-44 years	3	2	1	2	2	-	1	-	1	1	-	1
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	6	3	3	4	2	2	2	1	1	2	1	1
75-79 years	3	-	3	2	-	2	1	-	1	1	-	1
80-84 years	4	3	1	4	3	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Lymphocytic choriomeningitis (A87.2)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Viral meningitis, unspecified (A87.9)												
All ages	33	17	16	26	14	12	7	3	4	6	3	3
Under 1 year	3	1	2	2	-	2	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	-	-	-	2	1	1	1	1	-
40-44 years	3	2	1	2	2	-	1	-	1	1	-	1
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	6	3	3	4	2	2	2	1	1	2	1	1
75-79 years	3	-	3	2	-	2	1	-	1	1	-	1
80-84 years	4	3	1	4	3	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified viral infection of central nervous system (A89)												
All ages	10	4	6	8	4	4	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	-	2	1	-	1	1	-	1	1	-	1
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Dengue fever [classical dengue] (A90)												
All ages	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other arthropod-borne viral fevers, not elsewhere classified (A93)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified arthropod-borne viral fevers (A93.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Herpes-viral [herpes simplex] infections (B00)												
All ages	183	89	94	158	75	83	25	14	11	22	11	11
Under 1 year	24	12	12	16	6	10	8	6	2	8	6	2
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	3	2	1	2	1	1	1	1	-	1	1	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	2	-	2	1	-	1	1	-	1	1	-	1
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	3	1	2	2	1	1	1	-	1	1	-	1
35-39 years	4	2	2	4	2	2	-	-	-	-	-	-
40-44 years	2	-	2	-	-	-	2	-	2	2	-	2
45-49 years	5	3	2	4	3	1	1	-	1	1	-	1
50-54 years	5	3	2	4	3	1	1	-	1	1	-	1
55-59 years	5	3	2	5	3	2	-	-	-	-	-	-
60-64 years	17	8	9	16	8	8	1	-	1	1	-	1
65-69 years	16	9	7	16	9	7	-	-	-	-	-	-
70-74 years	24	15	9	20	13	7	4	2	2	4	2	2
75-79 years	25	9	16	23	7	16	2	2	-	-	-	-
80-84 years	23	11	12	20	8	12	3	3	-	2	2	-
85-89 years	11	6	5	11	6	5	-	-	-	-	-	-
90-94 years	9	3	6	9	3	6	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Herpes-viral gingivostomatitis and pharyngotonsillitis (B00.2)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Herpes-viral meningitis (B00.3)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Herpes-viral encephalitis (B00.4)												
All ages	103	52	51	91	45	46	12	7	5	9	4	5
Under 1 year	3	1	2	2	1	1	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	3	2	1	2	1	1	1	1	-	1	1	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years	4	3	1	4	3	1	-	-	-	-	-	-
60-64 years	13	7	6	12	7	5	1	-	1	1	-	1
65-69 years	11	6	5	11	6	5	-	-	-	-	-	-
70-74 years	17	9	8	14	7	7	3	2	1	3	2	1
75-79 years	17	7	10	15	5	10	2	2	-	-	-	-
80-84 years	15	7	8	13	5	8	2	2	-	1	1	-
85-89 years	6	3	3	6	3	3	-	-	-	-	-	-
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disseminated herpes-viral disease (B00.7)												
All ages	15	8	7	11	6	5	4	2	2	4	2	2
Under 1 year	5	2	3	3	1	2	2	1	1	2	1	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	2	1	1	1	-	1	1	1	-	1	1	-
85-89 years	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other forms of herpes-viral infection (B00.8)												
All ages	16	6	10	14	6	8	2	-	2	2	-	2
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	2	1	1	1	1	-	1	-	1	1	-	1
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Herpes-viral infection, unspecified (B00.9)												
All ages	44	20	24	37	15	22	7	5	2	7	5	2
Under 1 year	15	9	6	10	4	6	5	5	-	5	5	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years	6	2	4	6	2	4	-	-	-	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Varicella [chickenpox] (B01)												
All ages	26	11	15	23	10	13	3	1	2	1	-	1
Under 1 year	1	-	1	-	-	-	1	-	1	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	3	2	1	2	1	1	1	1	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	5	3	2	4	3	1	1	-	1	1	-	1
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	4	-	4	4	-	4	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Varicella encephalitis (B01.1)												
All ages	4	1	3	3	1	2	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	-	2	1	-	1	1	-	1	1	-	1
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Varicella pneumonia (B01.2)												
All ages	10	4	6	10	4	6	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Varicella with other complications (B01.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Varicella without complications (B01.9)												
All ages	11	5	6	9	4	5	2	1	1	-	-	-
Under 1 year	1	-	1	-	-	-	1	-	1	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	2	2	-	1	1	-	1	1	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Zoster [herpes zoster] (B02)												
All ages	123	38	85	117	35	82	6	3	3	2	1	1
Under 1 year	1	1	-	-	-	-	1	1	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	5	3	2	4	3	1	1	-	1	1	-	1
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	10	5	5	9	4	5	1	1	-	-	-	-
75-79 years	11	3	8	10	3	7	1	-	1	-	-	-
80-84 years	18	5	13	18	5	13	-	-	-	-	-	-
85-89 years	23	6	17	23	6	17	-	-	-	-	-	-
90-94 years	28	5	23	27	5	22	1	-	1	-	-	-
95-99 years	17	5	12	17	5	12	-	-	-	-	-	-
100 yrs & over	4	-	4	4	-	4	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Zoster encephalitis (B02.0)												
All ages	13	4	9	13	4	9	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Zoster with other nervous system involvement (B02.2)												
All ages	16	5	11	14	4	10	2	1	1	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	2	1	1	1	1	-	1	-	1	-	-	-
80-84 years	5	1	4	5	1	4	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Zoster ocular disease (B02.3)												
All ages	7	3	4	6	3	3	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	3	1	2	2	1	1	1	-	1	-	-	-
95-99 years	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disseminated zoster (B02.7)												
All ages	18	6	12	17	5	12	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	-	-	-
75-79 years	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	4	-	4	4	-	4	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Zoster with other complications (B02.8)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Zoster without complication (B02.9)												
All ages	66	19	47	64	18	46	2	1	1	1	-	1
Under 1 year	1	1	-	-	-	-	1	1	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	-	2	1	-	1	1	-	1	1	-	1
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	5	3	2	5	3	2	-	-	-	-	-	-
75-79 years	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years	7	-	7	7	-	7	-	-	-	-	-	-
85-89 years	16	6	10	16	6	10	-	-	-	-	-	-
90-94 years	17	1	16	17	1	16	-	-	-	-	-	-
95-99 years	9	4	5	9	4	5	-	-	-	-	-	-
100 yrs & over	3	-	3	3	-	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Measles (B05)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Measles complicated by encephalitis (B05.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Rubella [German measles] (B06)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Rubella with neurological complications (B06.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Rubella with other complications (B06.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Viral warts (B07)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other viral infections characterized by skin and mucous membrane lesions, not elsewhere classified (B08)												
All ages	3	1	2	2	1	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Enteroviral vesicular stomatitis with exanthem (B08.4)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified viral infections characterized by skin and mucous membrane lesions (B08.8)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified viral infection characterized by skin and mucous membrane lesions (B09)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute hepatitis A (B15)												
All ages	83	44	39	71	37	34	12	7	5	8	4	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	-	2	1	-	1	1	-	1	1	-	1
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	1	2	1	-	1	2	1	1	1	1	-
40-44 years	10	6	4	9	6	3	1	-	1	1	-	1
45-49 years	11	11	-	9	9	-	2	2	-	1	1	-
50-54 years	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years	9	5	4	9	5	4	-	-	-	-	-	-
60-64 years	7	2	5	5	1	4	2	1	1	1	-	1
65-69 years	5	3	2	5	3	2	-	-	-	-	-	-
70-74 years	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years	7	3	4	6	2	4	1	1	-	-	-	-
80-84 years	9	3	6	9	3	6	-	-	-	-	-	-
85-89 years	8	4	4	7	4	3	1	-	1	1	-	1
90-94 years	1	1	-	-	-	-	1	1	-	1	1	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis A with hepatic coma (B15.0)												
All ages	5	3	2	5	3	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hepatitis A without hepatic coma (B15.9)												
All ages	78	41	37	66	34	32	12	7	5	8	4	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	-	2	1	-	1	1	-	1	1	-	1
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	1	2	1	-	1	2	1	1	1	1	-
40-44 years	10	6	4	9	6	3	1	-	1	1	-	1
45-49 years	9	9	-	7	7	-	2	2	-	1	1	-
50-54 years	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years	9	5	4	9	5	4	-	-	-	-	-	-
60-64 years	7	2	5	5	1	4	2	1	1	1	-	1
65-69 years	4	2	2	4	2	2	-	-	-	-	-	-
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	6	3	3	5	2	3	1	1	-	-	-	-
80-84 years	9	3	6	9	3	6	-	-	-	-	-	-
85-89 years	8	4	4	7	4	3	1	-	1	1	-	1
90-94 years	1	1	-	-	-	-	1	1	-	1	1	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute hepatitis B (B16)												
All ages	671	472	199	454	334	120	217	138	79	118	75	43
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	5	3	2	3	1	2	2	2	-	2	2	-
25-29 years	8	2	6	4	1	3	4	1	3	4	1	3
30-34 years	10	7	3	7	4	3	3	3	-	1	1	-
35-39 years	24	16	8	16	12	4	8	4	4	6	2	4
40-44 years	66	47	19	46	36	10	20	11	9	15	9	6
45-49 years	103	87	16	64	55	9	39	32	7	25	18	7
50-54 years	110	91	19	76	63	13	34	28	6	17	14	3
55-59 years	75	62	13	44	39	5	31	23	8	15	12	3
60-64 years	74	46	28	48	32	16	26	14	12	13	8	5
65-69 years	58	41	17	41	33	8	17	8	9	4	1	3
70-74 years	64	32	32	48	26	22	16	6	10	5	3	2
75-79 years	39	22	17	27	18	9	12	4	8	7	3	4
80-84 years	17	11	6	15	10	5	2	1	1	1	-	1
85-89 years	10	1	9	9	1	8	1	-	1	1	-	1
90-94 years	6	2	4	5	2	3	1	-	1	1	-	1
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute hepatitis B with delta-agent (coinfection) without hepatic coma (B16.1)												
All ages	-	-	-	-	-	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute hepatitis B without delta-agent with hepatic coma (B16.2)												
All ages	37	26	11	23	20	3	14	6	8	9	6	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	1	1	-	1	-	1	-	-	-
45-49 years	5	5	-	3	3	-	2	2	-	2	2	-
50-54 years	8	5	3	5	4	1	3	1	2	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	4	3	1	3	3	-	1	-	1	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	4	3	1	3	3	-	1	-	1	1	-	1
75-79 years	7	4	3	4	3	1	3	1	2	2	1	1
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	2	-	2	1	-	1	1	-	1	1	-	1
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute hepatitis B without delta-agent and without hepatic coma (B16.9)												
All ages	634	446	188	431	314	117	203	132	71	109	69	40
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	5	3	2	3	1	2	2	2	-	2	2	-
25-29 years	7	1	6	4	1	3	3	-	3	3	-	3
30-34 years	10	7	3	7	4	3	3	3	-	1	1	-
35-39 years	24	16	8	16	12	4	8	4	4	6	2	4
40-44 years	64	46	18	45	35	10	19	11	8	15	9	6
45-49 years	98	82	16	61	52	9	37	30	7	23	16	7
50-54 years	102	86	16	71	59	12	31	27	4	16	13	3
55-59 years	75	62	13	44	39	5	31	23	8	15	12	3
60-64 years	70	43	27	45	29	16	25	14	11	13	8	5
65-69 years	57	40	17	40	32	8	17	8	9	4	1	3
70-74 years	60	29	31	45	23	22	15	6	9	4	3	1
75-79 years	32	18	14	23	15	8	9	3	6	5	2	3
80-84 years	16	10	6	14	9	5	2	1	1	1	-	1
85-89 years	8	1	7	8	1	7	-	-	-	-	-	-
90-94 years	6	2	4	5	2	3	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other acute viral hepatitis (B17)												
All ages	4,108	2,585	1,523	3,338	2,164	1,174	770	421	349	625	359	266
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	5	3	2	4	3	1	1	-	1	1	-	1
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	6	2	4	5	2	3	1	-	1	1	-	1
30-34 years	41	24	17	30	18	12	11	6	5	7	4	3
35-39 years	152	96	56	130	81	49	22	15	7	16	10	6
40-44 years	463	330	133	377	271	106	86	59	27	71	51	20
45-49 years	868	636	232	721	541	180	147	95	52	129	86	43
50-54 years	747	574	173	576	460	116	171	114	57	154	102	52
55-59 years	422	288	134	330	231	99	92	57	35	78	50	28
60-64 years	292	158	134	235	132	103	57	26	31	47	22	25
65-69 years	284	130	154	223	108	115	61	22	39	38	15	23
70-74 years	292	126	166	242	113	129	50	13	37	30	8	22
75-79 years	259	100	159	231	95	136	28	5	23	22	4	18
80-84 years	167	77	90	142	72	70	25	5	20	18	4	14
85-89 years	79	29	50	67	28	39	12	1	11	9	-	9
90-94 years	26	9	17	22	8	14	4	1	3	2	1	1
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	1	1	-	1	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute hepatitis C (B17.1)												
All ages	4,104	2,581	1,523	3,335	2,161	1,174	769	420	349	624	358	266
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	5	3	2	4	3	1	1	-	1	1	-	1
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	6	2	4	5	2	3	1	-	1	1	-	1
30-34 years	41	24	17	30	18	12	11	6	5	7	4	3
35-39 years	151	95	56	129	80	49	22	15	7	16	10	6
40-44 years	463	330	133	377	271	106	86	59	27	71	51	20
45-49 years	868	636	232	721	541	180	147	95	52	129	86	43
50-54 years	746	573	173	576	460	116	170	113	57	153	101	52
55-59 years	422	288	134	330	231	99	92	57	35	78	50	28
60-64 years	292	158	134	235	132	103	57	26	31	47	22	25
65-69 years	283	129	154	222	107	115	61	22	39	38	15	23
70-74 years	292	126	166	242	113	129	50	13	37	30	8	22
75-79 years	259	100	159	231	95	136	28	5	23	22	4	18
80-84 years	167	77	90	142	72	70	25	5	20	18	4	14
85-89 years	79	29	50	67	28	39	12	1	11	9	-	9
90-94 years	26	9	17	22	8	14	4	1	3	2	1	1
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	1	1	-	1	1	-
Other specified acute viral hepatitis (B17.8)												
All ages	4	4	-	3	3	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Chronic viral hepatitis (B18)												
All ages	611	369	242	505	310	195	106	59	47	62	37	25
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years	18	16	2	16	15	1	2	1	1	2	1	1
40-44 years	50	33	17	45	29	16	5	4	1	4	3	1
45-49 years	102	84	18	90	74	16	12	10	2	10	8	2
50-54 years	85	59	26	66	44	22	19	15	4	16	12	4
55-59 years	68	43	25	56	38	18	12	5	7	9	2	7
60-64 years	48	26	22	40	22	18	8	4	4	3	3	-
65-69 years	55	30	25	41	23	18	14	7	7	4	2	2
70-74 years	57	25	32	40	18	22	17	7	10	8	4	4
75-79 years	59	27	32	50	25	25	9	2	7	6	2	4
80-84 years	39	14	25	33	11	22	6	3	3	-	-	-
85-89 years	19	6	13	18	6	12	1	-	1	-	-	-
90-94 years	6	1	5	5	-	5	1	1	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chronic viral hepatitis B with delta-agent (B18.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Chronic viral hepatitis B without delta-agent (B18.1)												
All ages	97	69	28	67	47	20	30	22	8	13	9	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	9	8	1	7	6	1	2	2	-	1	1	-
45-49 years	10	9	1	8	7	1	2	2	-	1	1	-
50-54 years	12	11	1	7	7	-	5	4	1	3	2	1
55-59 years	8	6	2	4	3	1	4	3	1	1	-	1
60-64 years	8	5	3	5	3	2	3	2	1	2	2	-
65-69 years	10	8	2	7	6	1	3	2	1	-	-	-
70-74 years	10	3	7	7	1	6	3	2	1	2	1	1
75-79 years	12	7	5	8	5	3	4	2	2	3	2	1
80-84 years	11	8	3	7	5	2	4	3	1	-	-	-
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chronic viral hepatitis C (B18.2)												
All ages	505	296	209	431	260	171	74	36	38	49	28	21
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years	16	14	2	14	13	1	2	1	1	2	1	1
40-44 years	37	24	13	34	22	12	3	2	1	3	2	1
45-49 years	91	74	17	81	66	15	10	8	2	9	7	2
50-54 years	72	47	25	59	37	22	13	10	3	13	10	3
55-59 years	59	37	22	51	35	16	8	2	6	8	2	6
60-64 years	40	21	19	35	19	16	5	2	3	1	1	-
65-69 years	45	22	23	34	17	17	11	5	6	4	2	2
70-74 years	47	22	25	33	17	16	14	5	9	6	3	3
75-79 years	46	19	27	41	19	22	5	-	5	3	-	3
80-84 years	27	6	21	26	6	20	1	-	1	-	-	-
85-89 years	16	5	11	15	5	10	1	-	1	-	-	-
90-94 years	5	1	4	4	-	4	1	1	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other chronic viral hepatitis (B18.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chronic viral hepatitis, unspecified (B18.9)												
All ages	7	2	5	5	1	4	2	1	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	-	3	3	-	3	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	-	-	-	1	-	1	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified viral hepatitis (B19)												
All ages	112	69	43	83	55	28	29	14	15	18	9	9
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	2	1	2	1	1	1	1	-	-	-	-
20-24 years	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years	4	2	2	3	2	1	1	-	1	1	-	1
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	5	4	1	3	3	-	2	1	1	2	1	1
40-44 years	6	4	2	3	3	-	3	1	2	3	1	2
45-49 years	17	15	2	14	12	2	3	3	-	2	2	-
50-54 years	13	10	3	12	10	2	1	-	1	1	-	1
55-59 years	12	8	4	8	6	2	4	2	2	1	1	-
60-64 years	7	5	2	3	2	1	4	3	1	3	3	-
65-69 years	5	3	2	4	3	1	1	-	1	1	-	1
70-74 years	12	5	7	7	3	4	5	2	3	3	1	2
75-79 years	11	4	7	8	3	5	3	1	2	-	-	-
80-84 years	6	2	4	6	2	4	-	-	-	-	-	-
85-89 years	4	2	2	3	2	1	1	-	1	1	-	1
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified viral hepatitis with coma (B19.0)												
All ages	6	6	-	5	5	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified viral hepatitis without coma (B19.9)												
All ages	106	63	43	78	50	28	28	13	15	17	8	9
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	2	1	2	1	1	1	1	-	-	-	-
20-24 years	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years	4	2	2	3	2	1	1	-	1	1	-	1
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	4	3	1	2	2	-	2	1	1	2	1	1
40-44 years	6	4	2	3	3	-	3	1	2	3	1	2
45-49 years	15	13	2	13	11	2	2	2	-	1	1	-
50-54 years	12	9	3	11	9	2	1	-	1	1	-	1
55-59 years	12	8	4	8	6	2	4	2	2	1	1	-
60-64 years	6	4	2	2	1	1	4	3	1	3	3	-
65-69 years	5	3	2	4	3	1	1	-	1	1	-	1
70-74 years	12	5	7	7	3	4	5	2	3	3	1	2
75-79 years	10	3	7	7	2	5	3	1	2	-	-	-
80-84 years	6	2	4	6	2	4	-	-	-	-	-	-
85-89 years	4	2	2	3	2	1	1	-	1	1	-	1
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Human immunodeficiency virus [HIV] disease resulting in infectious and parasitic diseases (B20)												
All ages	5,553	4,106	1,447	2,525	2,051	474	3,028	2,055	973	2,963	2,001	962
Under 1 year	6	4	2	2	1	1	4	3	1	4	3	1
1-4 years	9	5	4	3	-	3	6	5	1	6	5	1
5-9 years	6	4	2	3	2	1	3	2	1	3	2	1
10-14 years	7	2	5	1	-	1	6	2	4	6	2	4
15-19 years	19	10	9	4	2	2	15	8	7	15	8	7
20-24 years	78	44	34	25	16	9	53	28	25	53	28	25
25-29 years	245	150	95	93	70	23	152	80	72	149	77	72
30-34 years	602	410	192	260	201	59	342	209	133	333	200	133
35-39 years	1,070	788	282	524	415	109	546	373	173	532	361	171
40-44 years	1,214	908	306	572	473	99	642	435	207	630	425	205
45-49 years	1,020	777	243	467	392	75	553	385	168	547	381	166
50-54 years	629	503	126	267	231	36	362	272	90	351	261	90
55-59 years	314	253	61	160	135	25	154	118	36	152	117	35
60-64 years	170	124	46	71	53	18	99	71	28	95	68	27
65-69 years	82	55	27	32	23	9	50	32	18	48	32	16
70-74 years	52	42	10	24	22	2	28	20	8	27	20	7
75-79 years	21	19	2	13	11	2	8	8	-	8	8	-
80-84 years	6	6	-	3	3	-	3	3	-	2	2	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	1	1	-	1	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
HIV disease resulting in mycobacterial infection (B20.0)												
All ages	194	145	49	68	62	6	126	83	43	126	83	43
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	3	-	3	1	-	1	2	-	2	2	-	2
25-29 years	13	7	6	3	2	1	10	5	5	10	5	5
30-34 years	46	32	14	16	14	2	30	18	12	30	18	12
35-39 years	44	34	10	17	16	1	27	18	9	27	18	9
40-44 years	35	33	2	16	16	-	19	17	2	19	17	2
45-49 years	23	16	7	4	4	-	19	12	7	19	12	7
50-54 years	17	13	4	6	6	-	11	7	4	11	7	4
55-59 years	8	6	2	2	2	-	6	4	2	6	4	2
60-64 years	3	2	1	2	1	1	1	1	-	1	1	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
HIV disease resulting in other bacterial infections (B20.1)												
All ages	1,089	763	326	399	313	86	690	450	240	682	445	237
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	2	-	2	1	-	1	1	-	1	1	-	1
5-9 years	4	3	1	2	2	-	2	1	1	2	1	1
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	6	3	3	2	1	1	4	2	2	4	2	2
20-24 years	15	9	6	7	5	2	8	4	4	8	4	4
25-29 years	39	20	19	10	8	2	29	12	17	29	12	17
30-34 years	92	58	34	27	19	8	65	39	26	65	39	26
35-39 years	176	120	56	75	53	22	101	67	34	97	64	33
40-44 years	248	174	74	89	70	19	159	104	55	159	104	55
45-49 years	185	137	48	72	62	10	113	75	38	113	75	38
50-54 years	149	111	38	51	43	8	98	68	30	97	67	30
55-59 years	78	65	13	29	24	5	49	41	8	48	41	7
60-64 years	49	32	17	16	11	5	33	21	12	32	20	12
65-69 years	19	12	7	7	6	1	12	6	6	12	6	6
70-74 years	14	9	5	4	4	-	10	5	5	9	5	4
75-79 years	9	8	1	5	4	1	4	4	-	4	4	-
80-84 years	1	1	-	-	-	-	1	1	-	1	1	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
HIV disease resulting in cytomegaloviral disease (B20.2)												
All ages	44	33	11	23	18	5	21	15	6	20	14	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	5	1	4	3	1	2	2	-	2	2	-	2
35-39 years	12	11	1	5	5	-	7	6	1	6	5	1
40-44 years	16	14	2	10	9	1	6	5	1	6	5	1
45-49 years	6	4	2	1	1	-	5	3	2	5	3	2
50-54 years	2	1	1	1	-	1	1	1	-	1	1	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
HIV disease resulting in other viral infections (B20.3)												
All ages	760	602	158	474	386	88	286	216	70	279	211	68
Under 1 year	2	1	1	-	-	-	2	1	1	2	1	1
1-4 years	2	2	-	-	-	-	2	2	-	2	2	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	4	1	3	2	-	2	2	1	1	2	1	1
25-29 years	15	9	6	7	4	3	8	5	3	7	4	3
30-34 years	48	35	13	29	23	6	19	12	7	18	11	7
35-39 years	122	97	25	80	66	14	42	31	11	42	31	11
40-44 years	180	143	37	119	98	21	61	45	16	59	44	15
45-49 years	187	150	37	119	97	22	68	53	15	67	53	14
50-54 years	116	98	18	68	60	8	48	38	10	47	37	10
55-59 years	49	39	10	29	24	5	20	15	5	20	15	5
60-64 years	21	17	4	14	10	4	7	7	-	6	6	-
65-69 years	9	7	2	4	2	2	5	5	-	5	5	-
70-74 years	3	3	-	2	2	-	1	1	-	1	1	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
HIV disease resulting in candidiasis (B20.4)												
All ages	17	14	3	11	10	1	6	4	2	6	4	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	3	2	1	2	2	-	1	-	1	1	-	1
30-34 years	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	5	4	1	4	3	1	1	1	-	1	1	-
50-54 years	3	3	-	2	2	-	1	1	-	1	1	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
HIV disease resulting in other mycoses (B20.5)												
All ages	294	220	74	116	97	19	178	123	55	175	120	55
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	3	2	1	-	-	-	3	2	1	3	2	1
20-24 years	7	4	3	3	2	1	4	2	2	4	2	2
25-29 years	19	13	6	6	6	-	13	7	6	13	7	6
30-34 years	48	33	15	18	15	3	30	18	12	30	18	12
35-39 years	58	43	15	22	18	4	36	25	11	35	24	11
40-44 years	59	44	15	18	15	3	41	29	12	40	28	12
45-49 years	49	41	8	25	22	3	24	19	5	24	19	5
50-54 years	25	19	6	12	10	2	13	9	4	13	9	4
55-59 years	11	9	2	4	3	1	7	6	1	7	6	1
60-64 years	7	6	1	4	3	1	3	3	-	2	2	-
65-69 years	5	4	1	3	3	-	2	1	1	2	1	1
70-74 years	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
HIV disease resulting in Pneumocystis carinii pneumonia (B20.6)												
All ages	553	419	134	281	232	49	272	187	85	260	176	84
Under 1 year	2	2	-	-	-	-	2	2	-	2	2	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	2	1	1	-	-	-	2	1	1	2	1	1
20-24 years	7	3	4	2	1	1	5	2	3	5	2	3
25-29 years	30	19	11	13	7	6	17	12	5	16	11	5
30-34 years	64	44	20	31	26	5	33	18	15	32	17	15
35-39 years	118	91	27	76	60	16	42	31	11	42	31	11
40-44 years	114	86	28	52	45	7	62	41	21	58	37	21
45-49 years	94	78	16	49	45	4	45	33	12	43	31	12
50-54 years	58	48	10	27	24	3	31	24	7	28	21	7
55-59 years	25	21	4	11	10	1	14	11	3	14	11	3
60-64 years	17	12	5	10	8	2	7	4	3	7	4	3
65-69 years	12	8	4	5	3	2	7	5	2	6	5	1
70-74 years	7	5	2	4	3	1	3	2	1	3	2	1
75-79 years	1	1	-	-	-	-	1	1	-	1	1	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
HIV disease resulting in multiple infections (B20.7)												
All ages	1,298	934	364	568	448	120	730	486	244	715	471	244
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	2	2	-	-	-	-	2	2	-	2	2	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	1	1	-	-	-	2	1	1	2	1	1
15-19 years	5	4	1	1	1	-	4	3	1	4	3	1
20-24 years	15	8	7	5	4	1	10	4	6	10	4	6
25-29 years	77	48	29	29	25	4	48	23	25	48	23	25
30-34 years	157	108	49	70	53	17	87	55	32	81	49	32
35-39 years	273	199	74	118	93	25	155	106	49	152	103	49
40-44 years	289	203	86	136	104	32	153	99	54	152	98	54
45-49 years	227	166	61	96	76	20	131	90	41	130	89	41
50-54 years	136	108	28	55	46	9	81	62	19	78	59	19
55-59 years	64	50	14	38	30	8	26	20	6	25	19	6
60-64 years	28	21	7	9	7	2	19	14	5	19	14	5
65-69 years	13	6	7	5	3	2	8	3	5	8	3	5
70-74 years	6	6	-	2	2	-	4	4	-	4	4	-
75-79 years	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
HIV disease resulting in other infectious and parasitic diseases (B20.8)												
All ages	1,293	966	327	579	479	100	714	487	227	695	473	222
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	1	1	1	-	1	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	1	1	-	-	-	2	1	1	2	1	1
15-19 years	2	-	2	1	-	1	1	-	1	1	-	1
20-24 years	26	18	8	5	4	1	21	14	7	21	14	7
25-29 years	47	30	17	21	14	7	26	16	10	25	15	10
30-34 years	137	95	42	63	47	16	74	48	26	73	47	26
35-39 years	264	190	74	128	101	27	136	89	47	131	85	46
40-44 years	269	207	62	131	115	16	138	92	46	134	89	45
45-49 years	243	180	63	96	81	15	147	99	48	145	98	47
50-54 years	122	102	20	45	40	5	77	62	15	74	59	15
55-59 years	77	61	16	46	41	5	31	20	11	31	20	11
60-64 years	45	34	11	16	13	3	29	21	8	28	21	7
65-69 years	22	17	5	6	5	1	16	12	4	15	12	3
70-74 years	20	17	3	12	11	1	8	6	2	8	6	2
75-79 years	8	7	1	5	4	1	3	3	-	3	3	-
80-84 years	5	5	-	3	3	-	2	2	-	1	1	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	1	1	-	1	1	-
HIV disease resulting in unspecified infectious or parasitic disease (B20.9)												
All ages	11	10	1	6	6	-	5	4	1	5	4	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	3	3	-	2	2	-	1	1	-	1	1	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	3	3	-	1	1	-	2	2	-	2	2	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Human immunodeficiency virus [HIV] disease resulting in malignant neoplasms (B21)												
All ages	962	797	165	540	480	60	422	317	105	413	309	104
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	-	-	-	2	1	1	2	1	1
20-24 years	5	1	4	2	-	2	3	1	2	3	1	2
25-29 years	33	20	13	14	9	5	19	11	8	17	10	7
30-34 years	94	74	20	48	38	10	46	36	10	45	35	10
35-39 years	164	146	18	103	99	4	61	47	14	61	47	14
40-44 years	226	193	33	130	118	12	96	75	21	92	71	21
45-49 years	159	127	32	91	80	11	68	47	21	67	46	21
50-54 years	113	98	15	69	63	6	44	35	9	44	35	9
55-59 years	80	65	15	40	35	5	40	30	10	39	29	10
60-64 years	49	43	6	25	22	3	24	21	3	24	21	3
65-69 years	21	16	5	10	8	2	11	8	3	11	8	3
70-74 years	11	8	3	6	6	-	5	2	3	5	2	3
75-79 years	5	5	-	2	2	-	3	3	-	3	3	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
HIV disease resulting in Kaposi's sarcoma (B21.0)												
All ages	103	99	4	61	60	1	42	39	3	40	37	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	8	8	-	3	3	-	5	5	-	5	5	-
30-34 years	24	23	1	9	9	-	15	14	1	14	13	1
35-39 years	26	25	1	19	19	-	7	6	1	7	6	1
40-44 years	23	23	-	16	16	-	7	7	-	6	6	-
45-49 years	11	10	1	5	5	-	6	5	1	6	5	1
50-54 years	6	5	1	5	4	1	1	1	-	1	1	-
55-59 years	3	3	-	2	2	-	1	1	-	1	1	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
HIV disease resulting in Burkitt's lymphoma (B21.1)												
All ages	28	26	2	18	17	1	10	9	1	9	8	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	9	8	1	6	5	1	3	3	-	3	3	-
35-39 years	4	4	-	3	3	-	1	1	-	1	1	-
40-44 years	6	6	-	3	3	-	3	3	-	2	2	-
45-49 years	3	3	-	2	2	-	1	1	-	1	1	-
50-54 years	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years	2	1	1	1	1	-	1	-	1	1	-	1
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
HIV disease resulting in other types of non-Hodgkin's lymphoma (B21.2)												
All ages	422	351	71	268	232	36	154	119	35	151	117	34
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	5	1	4	2	-	2	3	1	2	3	1	2
25-29 years	15	6	9	7	4	3	8	2	6	7	2	5
30-34 years	40	28	12	25	18	7	15	10	5	15	10	5
35-39 years	95	82	13	51	49	2	44	33	11	44	33	11
40-44 years	108	97	11	68	61	7	40	36	4	39	35	4
45-49 years	71	59	12	49	41	8	22	18	4	22	18	4
50-54 years	44	43	1	35	34	1	9	9	-	9	9	-
55-59 years	26	22	4	18	15	3	8	7	1	7	6	1
60-64 years	9	7	2	7	5	2	2	2	-	2	2	-
65-69 years	6	4	2	4	3	1	2	1	1	2	1	1
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
HIV disease resulting in other malignant neoplasms of lymphoid, hematopoietic, and related tissue (B21.3)												
All ages	60	51	9	38	36	2	22	15	7	21	14	7
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	3	2	1	-	-	-	3	2	1	2	1	1
30-34 years	9	8	1	4	4	-	5	4	1	5	4	1
35-39 years	9	7	2	8	6	2	1	1	-	1	1	-
40-44 years	15	13	2	10	10	-	5	3	2	5	3	2
45-49 years	12	10	2	7	7	-	5	3	2	5	3	2
50-54 years	5	5	-	4	4	-	1	1	-	1	1	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	2	1	1	1	1	-	1	-	1	1	-	1
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
HIV disease resulting in multiple malignant neoplasms (B21.7)												
All ages	39	33	6	26	26	-	13	7	6	13	7	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	10	10	-	8	8	-	2	2	-	2	2	-
40-44 years	12	9	3	7	7	-	5	2	3	5	2	3
45-49 years	5	4	1	3	3	-	2	1	1	2	1	1
50-54 years	3	2	1	2	2	-	1	-	1	1	-	1
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	2	1	1	1	1	-	1	-	1	1	-	1
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
HIV disease resulting in other malignant neoplasms (B21.8)												
All ages	259	196	63	107	89	18	152	107	45	150	105	45
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	3	1	2	3	1	2	-	-	-	-	-	-
30-34 years	9	5	4	3	1	2	6	4	2	6	4	2
35-39 years	17	15	2	11	11	-	6	4	2	6	4	2
40-44 years	52	39	13	22	18	4	30	21	9	29	20	9
45-49 years	46	33	13	21	19	2	25	14	11	24	13	11
50-54 years	45	33	12	17	13	4	28	20	8	28	20	8
55-59 years	43	33	10	14	12	2	29	21	8	29	21	8
60-64 years	28	25	3	13	12	1	15	13	2	15	13	2
65-69 years	9	6	3	2	1	1	7	5	2	7	5	2
70-74 years	4	3	1	1	1	-	3	2	1	3	2	1
75-79 years	3	3	-	-	-	-	3	3	-	3	3	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
HIV disease resulting in unspecified malignant neoplasm (B21.9)												
All ages	51	41	10	22	20	2	29	21	8	29	21	8
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	1	1	-	-	-	2	1	1	2	1	1
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years	10	6	4	4	3	1	6	3	3	6	3	3
45-49 years	11	8	3	4	3	1	7	5	2	7	5	2
50-54 years	8	8	-	5	5	-	3	3	-	3	3	-
55-59 years	3	3	-	2	2	-	1	1	-	1	1	-
60-64 years	10	9	1	3	3	-	7	6	1	7	6	1
65-69 years	2	2	-	-	-	-	2	2	-	2	2	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Human immunodeficiency virus [HIV] disease resulting in other specified diseases (B22)												
All ages	1,418	1,111	307	684	602	82	734	509	225	715	494	221
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	5	3	2	2	1	1	3	2	1	3	2	1
10-14 years	4	1	3	-	-	-	4	1	3	4	1	3
15-19 years	3	1	2	1	-	1	2	1	1	2	1	1
20-24 years	14	8	6	2	2	-	12	6	6	12	6	6
25-29 years	58	42	16	22	19	3	36	23	13	35	22	13
30-34 years	164	121	43	78	66	12	86	55	31	85	54	31
35-39 years	298	242	56	154	138	16	144	104	40	139	100	39
40-44 years	274	213	61	126	109	17	148	104	44	145	102	43
45-49 years	230	189	41	118	106	12	112	83	29	108	80	28
50-54 years	148	122	26	76	70	6	72	52	20	71	51	20
55-59 years	92	78	14	52	48	4	40	30	10	40	30	10
60-64 years	61	43	18	26	20	6	35	23	12	33	21	12
65-69 years	39	26	13	17	13	4	22	13	9	20	12	8
70-74 years	12	9	3	3	3	-	9	6	3	9	6	3
75-79 years	9	8	1	6	6	-	3	2	1	3	2	1
80-84 years	5	3	2	-	-	-	5	3	2	5	3	2
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
HIV disease resulting in encephalopathy (B22.0)												
All ages	161	119	42	66	56	10	95	63	32	94	62	32
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	3	2	1	1	-	1	2	2	-	2	2	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	1	1	-	-	-	2	1	1	2	1	1
25-29 years	6	4	2	3	2	1	3	2	1	3	2	1
30-34 years	21	13	8	11	6	5	10	7	3	9	6	3
35-39 years	30	27	3	15	15	-	15	12	3	15	12	3
40-44 years	35	24	11	15	14	1	20	10	10	20	10	10
45-49 years	21	18	3	9	8	1	12	10	2	12	10	2
50-54 years	10	9	1	4	4	-	6	5	1	6	5	1
55-59 years	12	9	3	5	5	-	7	4	3	7	4	3
60-64 years	8	5	3	1	1	-	7	4	3	7	4	3
65-69 years	9	6	3	2	1	1	7	5	2	7	5	2
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	1	1	-	-	-	-	1	1	-	1	1	-
80-84 years	2	-	2	-	-	-	2	-	2	2	-	2
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
HIV disease resulting in wasting syndrome (B22.2)												
All ages	228	168	60	101	87	14	127	81	46	125	81	44
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	4	2	2	-	-	-	4	2	2	4	2	2
25-29 years	10	6	4	4	4	-	6	2	4	6	2	4
30-34 years	29	20	9	13	11	2	16	9	7	16	9	7
35-39 years	42	33	9	22	20	2	20	13	7	19	13	6
40-44 years	40	34	6	16	14	2	24	20	4	24	20	4
45-49 years	34	24	10	14	12	2	20	12	8	20	12	8
50-54 years	22	20	2	10	9	1	12	11	1	12	11	1
55-59 years	14	9	5	8	6	2	6	3	3	6	3	3
60-64 years	13	7	6	6	4	2	7	3	4	7	3	4
65-69 years	9	4	5	4	3	1	5	1	4	4	1	3
70-74 years	3	2	1	-	-	-	3	2	1	3	2	1
75-79 years	5	4	1	3	3	-	2	1	1	2	1	1
80-84 years	2	2	-	-	-	-	2	2	-	2	2	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
HIV disease resulting in multiple diseases classified elsewhere (B22.7)												
All ages	1,029	824	205	517	459	58	512	365	147	496	351	145
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	4	1	3	-	-	-	4	1	3	4	1	3
15-19 years	3	1	2	1	-	1	2	1	1	2	1	1
20-24 years	8	5	3	2	2	-	6	3	3	6	3	3
25-29 years	42	32	10	15	13	2	27	19	8	26	18	8
30-34 years	114	88	26	54	49	5	60	39	21	60	39	21
35-39 years	226	182	44	117	103	14	109	79	30	105	75	30
40-44 years	199	155	44	95	81	14	104	74	30	101	72	29
45-49 years	175	147	28	95	86	9	80	61	19	76	58	18
50-54 years	116	93	23	62	57	5	54	36	18	53	35	18
55-59 years	66	60	6	39	37	2	27	23	4	27	23	4
60-64 years	40	31	9	19	15	4	21	16	5	19	14	5
65-69 years	21	16	5	11	9	2	10	7	3	9	6	3
70-74 years	8	7	1	3	3	-	5	4	1	5	4	1
75-79 years	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years	1	1	-	-	-	-	1	1	-	1	1	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Human immunodeficiency virus [HIV] disease resulting in other conditions (B23)												
All ages	3,471	2,486	985	1,311	1,042	269	2,160	1,444	716	2,118	1,414	704
Under 1 year	2	2	-	-	-	-	2	2	-	2	2	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	5	4	1	2	2	-	3	2	1	2	1	1
10-14 years	8	7	1	2	1	1	6	6	-	6	6	-
15-19 years	7	3	4	1	-	1	6	3	3	5	3	2
20-24 years	53	18	35	17	10	7	36	8	28	36	8	28
25-29 years	143	76	67	32	17	15	111	59	52	109	59	50
30-34 years	339	234	105	122	92	30	217	142	75	211	136	75
35-39 years	655	469	186	272	215	57	383	254	129	374	247	127
40-44 years	756	516	240	296	234	62	460	282	178	452	278	174
45-49 years	621	457	164	232	183	49	389	274	115	383	269	114
50-54 years	410	323	87	147	127	20	263	196	67	259	193	66
55-59 years	203	169	34	90	76	14	113	93	20	111	91	20
60-64 years	141	107	34	50	45	5	91	62	29	89	61	28
65-69 years	62	50	12	24	21	3	38	29	9	38	29	9
70-74 years	31	26	5	12	11	1	19	15	4	18	14	4
75-79 years	21	13	8	6	4	2	15	9	6	15	9	6
80-84 years	8	8	-	3	3	-	5	5	-	5	5	-
85-89 years	3	2	1	2	1	1	1	1	-	1	1	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	1	1	-	1	1	-
HIV disease resulting in (persistent) generalized lymphadenopathy (B23.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
HIV disease resulting in hematological and immunological abnormalities, not elsewhere classified (B23.2)												
All ages	277	204	73	107	86	21	170	118	52	169	117	52
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	6	4	2	2	2	-	4	2	2	4	2	2
25-29 years	17	12	5	5	4	1	12	8	4	12	8	4
30-34 years	27	17	10	10	8	2	17	9	8	17	9	8
35-39 years	55	40	15	23	17	6	32	23	9	32	23	9
40-44 years	61	41	20	25	20	5	36	21	15	36	21	15
45-49 years	47	38	9	16	15	1	31	23	8	30	22	8
50-54 years	28	25	3	13	10	3	15	15	-	15	15	-
55-59 years	7	5	2	3	1	2	4	4	-	4	4	-
60-64 years	15	8	7	4	3	1	11	5	6	11	5	6
65-69 years	9	9	-	3	3	-	6	6	-	6	6	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	1	1	-	-	-	-	1	1	-	1	1	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
HIV disease resulting in other specified conditions (B23.8)												
All ages	3,193	2,281	912	1,203	955	248	1,990	1,326	664	1,949	1,297	652
Under 1 year	2	2	-	-	-	-	2	2	-	2	2	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	4	3	1	1	1	-	3	2	1	2	1	1
10-14 years	7	6	1	2	1	1	5	5	-	5	5	-
15-19 years	7	3	4	1	-	1	6	3	3	5	3	2
20-24 years	47	14	33	15	8	7	32	6	26	32	6	26
25-29 years	126	64	62	27	13	14	99	51	48	97	51	46
30-34 years	312	217	95	112	84	28	200	133	67	194	127	67
35-39 years	600	429	171	249	198	51	351	231	120	342	224	118
40-44 years	694	474	220	270	213	57	424	261	163	416	257	159
45-49 years	574	419	155	216	168	48	358	251	107	353	247	106
50-54 years	382	298	84	134	117	17	248	181	67	244	178	66
55-59 years	196	164	32	87	75	12	109	89	20	107	87	20
60-64 years	126	99	27	46	42	4	80	57	23	78	56	22
65-69 years	53	41	12	21	18	3	32	23	9	32	23	9
70-74 years	29	24	5	10	9	1	19	15	4	18	14	4
75-79 years	20	12	8	6	4	2	14	8	6	14	8	6
80-84 years	8	8	-	3	3	-	5	5	-	5	5	-
85-89 years	3	2	1	2	1	1	1	1	-	1	1	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	1	1	-	1	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified human immunodeficiency virus [HIV] disease (B24)												
All ages	2,771	2,090	681	1,111	960	151	1,660	1,130	530	1,635	1,110	525
Under 1 year	2	1	1	1	1	-	1	-	1	1	-	1
1-4 years	2	1	1	-	-	-	2	1	1	2	1	1
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	2	2	-	1	1	-	1	1	-	1	1	-
15-19 years	11	6	5	-	-	-	11	6	5	10	5	5
20-24 years	33	13	20	8	5	3	25	8	17	25	8	17
25-29 years	105	66	39	30	21	9	75	45	30	74	44	30
30-34 years	318	228	90	115	95	20	203	133	70	200	130	70
35-39 years	554	397	157	222	192	30	332	205	127	326	200	126
40-44 years	656	488	168	282	245	37	374	243	131	368	240	128
45-49 years	481	392	89	189	163	26	292	229	63	288	225	63
50-54 years	309	253	56	136	125	11	173	128	45	172	127	45
55-59 years	132	108	24	64	56	8	68	52	16	68	52	16
60-64 years	75	61	14	22	17	5	53	44	9	52	43	9
65-69 years	54	40	14	19	17	2	35	23	12	34	23	11
70-74 years	20	20	-	16	16	-	4	4	-	4	4	-
75-79 years	12	10	2	4	4	-	8	6	2	8	6	2
80-84 years	1	1	-	-	-	-	1	1	-	1	1	-
85-89 years	1	1	-	-	-	-	1	1	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	2	2	-	2	2	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cytomegaloviral disease (B25)												
All ages	96	51	45	85	44	41	11	7	4	9	5	4
Under 1 year	7	3	4	4	1	3	3	2	1	3	2	1
1-4 years	3	2	1	3	2	1	-	-	-	-	-	-
5-9 years	3	-	3	3	-	3	-	-	-	-	-	-
10-14 years	4	1	3	2	1	1	2	-	2	2	-	2
15-19 years	3	2	1	3	2	1	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	6	5	1	6	5	1	-	-	-	-	-	-
35-39 years	4	-	4	3	-	3	1	-	1	1	-	1
40-44 years	6	6	-	5	5	-	1	1	-	1	1	-
45-49 years	5	3	2	5	3	2	-	-	-	-	-	-
50-54 years	7	5	2	5	3	2	2	2	-	1	1	-
55-59 years	8	4	4	8	4	4	-	-	-	-	-	-
60-64 years	7	6	1	6	5	1	1	1	-	-	-	-
65-69 years	11	4	7	11	4	7	-	-	-	-	-	-
70-74 years	8	6	2	8	6	2	-	-	-	-	-	-
75-79 years	6	2	4	6	2	4	-	-	-	-	-	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cytomegaloviral pneumonitis (B25.0)												
All ages	36	22	14	33	20	13	3	2	1	3	2	1
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years	3	-	3	2	-	2	1	-	1	1	-	1
40-44 years	3	3	-	2	2	-	1	1	-	1	1	-
45-49 years	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	4	2	2	4	2	2	-	-	-	-	-	-
60-64 years	4	4	-	4	4	-	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cytomegaloviral hepatitis (B25.1)												
All ages	5	2	3	5	2	3	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other cytomegaloviral diseases (B25.8)												
All ages	16	6	10	15	6	9	1	-	1	1	-	1
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	4	1	3	4	1	3	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cytomegaloviral disease, unspecified (B25.9)												
All ages	39	21	18	32	16	16	7	5	2	5	3	2
Under 1 year	3	1	2	1	-	1	2	1	1	2	1	1
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	2	-	2	1	-	1	1	-	1	1	-	1
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	5	4	1	3	2	1	2	2	-	1	1	-
55-59 years	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years	1	1	-	-	-	-	1	1	-	-	-	-
65-69 years	4	2	2	4	2	2	-	-	-	-	-	-
70-74 years	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Infectious mononucleosis (B27)												
All ages	16	8	8	13	6	7	3	2	1	2	1	1
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	4	2	2	3	1	2	1	1	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	5	3	2	4	2	2	1	1	-	1	1	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Gamma-herpes-viral mononucleosis (B27.0)												
All ages	11	6	5	9	4	5	2	2	-	1	1	-
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	4	2	2	3	1	2	1	1	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	2	1	2	1	1	1	1	-	1	1	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Infectious mononucleosis, unspecified (B27.9)												
All ages	5	2	3	4	2	2	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Viral conjunctivitis (B30)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other viral conjunctivitis (B30.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other viral diseases, not elsewhere classified (B33)												
All ages	65	37	28	48	27	21	17	10	7	16	9	7
Under 1 year	6	3	3	3	1	2	3	2	1	3	2	1
1-4 years	3	2	1	2	1	1	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	4	3	1	3	2	1	1	1	-	1	1	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	6	2	4	3	1	2	3	1	2	2	-	2
40-44 years	4	3	1	3	3	-	1	-	1	1	-	1
45-49 years	5	2	3	3	1	2	2	1	1	2	1	1
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	4	1	3	3	1	2	1	-	1	1	-	1
60-64 years	8	5	3	6	3	3	2	2	-	2	2	-
65-69 years	6	4	2	5	3	2	1	1	-	1	1	-
70-74 years	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years	4	3	1	3	3	-	1	-	1	1	-	1
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Viral carditis (B33.2)												
All ages	51	32	19	41	24	17	10	8	2	9	7	2
Under 1 year	6	3	3	3	1	2	3	2	1	3	2	1
1-4 years	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	3	2	1	2	1	1	1	1	-	1	1	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	3	2	1	2	1	1	1	1	-	-	-	-
40-44 years	3	3	-	3	3	-	-	-	-	-	-	-
45-49 years	4	2	2	3	1	2	1	1	-	1	1	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years	7	5	2	5	3	2	2	2	-	2	2	-
65-69 years	5	3	2	5	3	2	-	-	-	-	-	-
70-74 years	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years	2	1	1	1	1	-	1	-	1	1	-	1
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Retrovirus infections, not elsewhere classified (B33.3)												
All ages	9	2	7	3	1	2	6	1	5	6	1	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	-	3	1	-	1	2	-	2	2	-	2
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified viral diseases (B33.8)												
All ages	5	3	2	4	2	2	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Viral infection of unspecified site (B34)												
All ages	268	123	145	207	96	111	61	27	34	47	21	26
Under 1 year	62	33	29	38	23	15	24	10	14	20	9	11
1-4 years	39	24	15	27	17	10	12	7	5	9	6	3
5-9 years	12	3	9	10	3	7	2	-	2	2	-	2
10-14 years	4	2	2	2	1	1	2	1	1	1	-	1
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	4	2	2	4	2	2	-	-	-	-	-	-
25-29 years	4	1	3	2	1	1	2	-	2	2	-	2
30-34 years	3	1	2	2	-	2	1	1	-	-	-	-
35-39 years	8	5	3	5	3	2	3	2	1	3	2	1
40-44 years	11	6	5	8	4	4	3	2	1	2	2	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	10	6	4	7	4	3	3	2	1	3	2	1
55-59 years	7	4	3	7	4	3	-	-	-	-	-	-
60-64 years	4	-	4	2	-	2	2	-	2	1	-	1
65-69 years	7	4	3	7	4	3	-	-	-	-	-	-
70-74 years	6	4	2	5	4	1	1	-	1	1	-	1
75-79 years	11	4	7	10	4	6	1	-	1	-	-	-
80-84 years	15	6	9	14	5	9	1	1	-	-	-	-
85-89 years	20	11	9	19	10	9	1	1	-	-	-	-
90-94 years	22	5	17	20	5	15	2	-	2	2	-	2
95-99 years	13	1	12	13	1	12	-	-	-	-	-	-
100 yrs & over	4	-	4	4	-	4	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Adenovirus infection, unspecified (B34.0)												
All ages	12	9	3	11	8	3	1	1	-	1	1	-
Under 1 year	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years	5	4	1	5	4	1	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Enterovirus infection, unspecified (B34.1)												
All ages	5	3	2	5	3	2	-	-	-	-	-	-
Under 1 year	5	3	2	5	3	2	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other viral infections of unspecified site (B34.8)												
All ages	48	24	24	32	15	17	16	9	7	11	6	5
Under 1 year	24	13	11	15	9	6	9	4	5	7	3	4
1-4 years	13	8	5	8	5	3	5	3	2	4	3	1
5-9 years	4	-	4	4	-	4	-	-	-	-	-	-
10-14 years	2	1	1	1	-	1	1	1	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	-	-	-	1	1	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Viral infection, unspecified (B34.9)												
All ages	203	87	116	159	70	89	44	17	27	35	14	21
Under 1 year	31	15	16	17	10	7	14	5	9	12	5	7
1-4 years	21	12	9	14	8	6	7	4	3	5	3	2
5-9 years	7	2	5	5	2	3	2	-	2	2	-	2
10-14 years	2	1	1	1	1	-	1	-	1	1	-	1
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	3	2	1	3	2	1	-	-	-	-	-	-
25-29 years	4	1	3	2	1	1	2	-	2	2	-	2
30-34 years	2	1	1	1	-	1	1	1	-	-	-	-
35-39 years	8	5	3	5	3	2	3	2	1	3	2	1
40-44 years	11	6	5	8	4	4	3	2	1	2	2	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	8	5	3	5	3	2	3	2	1	3	2	1
55-59 years	6	4	2	6	4	2	-	-	-	-	-	-
60-64 years	4	-	4	2	-	2	2	-	2	1	-	1
65-69 years	6	3	3	6	3	3	-	-	-	-	-	-
70-74 years	6	4	2	5	4	1	1	-	1	1	-	1
75-79 years	11	4	7	10	4	6	1	-	1	-	-	-
80-84 years	14	5	9	14	5	9	-	-	-	-	-	-
85-89 years	18	10	8	17	9	8	1	1	-	-	-	-
90-94 years	22	5	17	20	5	15	2	-	2	2	-	2
95-99 years	13	1	12	13	1	12	-	-	-	-	-	-
100 yrs & over	4	-	4	4	-	4	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Candidiasis (B37)												
All ages	319	142	177	236	105	131	83	37	46	70	29	41
Under 1 year	21	9	12	13	4	9	8	5	3	7	4	3
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	1	1	-	-	-	2	1	1	2	1	1
15-19 years	3	2	1	1	-	1	2	2	-	1	1	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	2	1	1	1	1	-	1	-	1	1	-	1
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	4	3	1	3	2	1	1	1	-	-	-	-
40-44 years	11	3	8	8	3	5	3	-	3	2	-	2
45-49 years	11	8	3	8	6	2	3	2	1	3	2	1
50-54 years	16	6	10	14	5	9	2	1	1	2	1	1
55-59 years	12	8	4	8	5	3	4	3	1	3	2	1
60-64 years	15	7	8	12	6	6	3	1	2	3	1	2
65-69 years	31	10	21	24	7	17	7	3	4	6	3	3
70-74 years	29	11	18	22	8	14	7	3	4	5	2	3
75-79 years	57	32	25	44	26	18	13	6	7	11	5	6
80-84 years	43	24	19	33	19	14	10	5	5	8	4	4
85-89 years	41	13	28	29	10	19	12	3	9	11	2	9
90-94 years	14	3	11	13	2	11	1	1	-	1	1	-
95-99 years	5	1	4	2	1	1	3	-	3	3	-	3
100 yrs & over	1	-	1	-	-	-	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Candidal stomatitis (B37.0)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pulmonary candidiasis (B37.1)												
All ages	19	12	7	15	9	6	4	3	1	3	2	1
Under 1 year	2	1	1	1	-	1	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	2	-	-	-	-	2	2	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	4	2	2	3	2	1	1	-	1	1	-	1
80-84 years	4	3	1	4	3	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Candidiasis of other urogenital sites (B37.4)												
All ages	10	6	4	6	5	1	4	1	3	4	1	3
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years	2	1	1	1	1	-	1	-	1	1	-	1
85-89 years	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Candidal meningitis (B37.5)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Candidal endocarditis (B37.6)												
All ages	8	5	3	7	5	2	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Candidal septicemia (B37.7)												
All ages	225	97	128	164	70	94	61	27	34	51	21	30
Under 1 year	15	6	9	9	3	6	6	3	3	5	2	3
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	1	1	-	-	-	2	1	1	2	1	1
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	1	1	1	1	-	1	-	1	1	-	1
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	4	3	1	3	2	1	1	1	-	-	-	-
40-44 years	8	2	6	5	2	3	3	-	3	2	-	2
45-49 years	5	3	2	2	1	1	3	2	1	3	2	1
50-54 years	14	6	8	12	5	7	2	1	1	2	1	1
55-59 years	9	7	2	5	4	1	4	3	1	3	2	1
60-64 years	11	6	5	8	5	3	3	1	2	3	1	2
65-69 years	24	6	18	19	4	15	5	2	3	4	2	2
70-74 years	24	9	15	18	7	11	6	2	4	4	1	3
75-79 years	40	21	19	33	18	15	7	3	4	6	2	4
80-84 years	29	16	13	21	11	10	8	5	3	6	4	2
85-89 years	28	8	20	20	6	14	8	2	6	8	2	6
90-94 years	7	2	5	6	1	5	1	1	-	1	1	-
95-99 years	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Candidiasis of other sites (B37.8)												
All ages	31	11	20	26	8	18	5	3	2	5	3	2
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	3	1	2	1	-	1	2	1	1	2	1	1
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	6	5	1	4	3	1	2	2	-	2	2	-
80-84 years	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years	3	1	2	2	1	1	1	-	1	1	-	1
90-94 years	5	-	5	5	-	5	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Candidiasis, unspecified (B37.9)												
All ages	23	10	13	15	7	8	8	3	5	6	2	4
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	1	2	3	1	2	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	4	2	2	1	1	-	3	1	2	2	1	1
80-84 years	4	3	1	3	3	-	1	-	1	1	-	1
85-89 years	6	3	3	5	2	3	1	1	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over	1	-	1	-	-	-	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Coccidioidomycosis (B38)												
All ages	58	40	18	43	29	14	15	11	4	10	9	1
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	1	1	-	1	-	1	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	3	2	1	2	2	-	1	-	1	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	3	3	-	1	1	-	2	2	-	2	2	-
45-49 years	4	4	-	3	3	-	1	1	-	1	1	-
50-54 years	4	2	2	4	2	2	-	-	-	-	-	-
55-59 years	6	5	1	4	3	1	2	2	-	1	1	-
60-64 years	6	4	2	5	3	2	1	1	-	1	1	-
65-69 years	5	4	1	3	3	-	2	1	1	1	1	-
70-74 years	10	6	4	8	4	4	2	2	-	1	1	-
75-79 years	6	4	2	5	4	1	1	-	1	1	-	1
80-84 years	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute pulmonary coccidioidomycosis (B38.0)												
All ages	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	3	3	-	2	2	-	1	1	-	1	1	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary coccidioidomycosis, unspecified (B38.2)												
All ages	18	11	7	15	10	5	3	1	2	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	3	2	1	2	1	1	1	1	-	1	1	-
65-69 years	1	-	1	-	-	-	1	-	1	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Coccidioidomycosis meningitis (B38.4)												
All ages	10	8	2	6	5	1	4	3	1	2	2	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	2	-	1	1	-	1	1	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disseminated coccidioidomycosis (B38.7)												
All ages	11	8	3	8	5	3	3	3	-	3	3	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other forms of coccidioidomycosis (B38.8)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Coccidioidomycosis, unspecified (B38.9)												
All ages	15	10	5	12	7	5	3	3	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	3	3	-	2	2	-	1	1	-	1	1	-
70-74 years	3	2	1	2	1	1	1	1	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Histoplasmosis (B39)												
All ages	24	17	7	16	11	5	8	6	2	8	6	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	4	3	1	1	1	-	3	2	1	3	2	1
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	-	-	-	1	1	-	1	1	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary histoplasmosis capsulati, unspecified (B39.2)												
All ages	6	5	1	3	3	-	3	2	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Histoplasmosis, unspecified (B39.9)												
All ages	18	12	6	13	8	5	5	4	1	5	4	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	3	3	-	1	1	-	2	2	-	2	2	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	-	-	-	1	1	-	1	1	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Blastomycosis (B40)												
All ages	34	18	16	21	11	10	13	7	6	8	4	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	2	2	-	1	1	-	1	1	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	4	2	2	3	1	2	1	1	-	1	1	-
35-39 years	2	2	-	1	1	-	1	1	-	-	-	-
40-44 years	2	1	1	1	-	1	1	1	-	1	1	-
45-49 years	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years	7	5	2	5	4	1	2	1	1	2	1	1
55-59 years	2	1	1	1	1	-	1	-	1	1	-	1
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	-	2	-	-	-	2	-	2	1	-	1
70-74 years	2	-	2	1	-	1	1	-	1	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	3	1	2	2	-	2	1	1	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pulmonary blastomycosis, unspecified (B40.2)												
All ages	10	5	5	8	4	4	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disseminated blastomycosis (B40.7)												
All ages	8	4	4	6	2	4	2	2	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	3	2	1	2	1	1	1	1	-	1	1	-
35-39 years	1	1	-	-	-	-	1	1	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Blastomycosis, unspecified (B40.9)												
All ages	16	9	7	7	5	2	9	4	5	5	2	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	2	2	-	1	1	-	1	1	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	4	3	1	2	2	-	2	1	1	2	1	1
55-59 years	2	1	1	1	1	-	1	-	1	1	-	1
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	-	2	-	-	-	2	-	2	1	-	1
70-74 years	1	-	1	-	-	-	1	-	1	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	-	-	-	1	1	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Sporotrichosis (B42)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disseminated sporotrichosis (B42.7)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chromomycosis and pheomycotic abscess (B43)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pheomycotic brain abscess (B43.1)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Aspergillosis (B44)												
All ages	192	110	82	154	86	68	38	24	14	31	20	11
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	2	-	2	2	-	2	-	-	-	-	-	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	3	1	2	3	1	2	-	-	-	-	-	-
20-24 years	3	2	1	2	1	1	1	1	-	1	1	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years	9	4	5	7	3	4	2	1	1	2	1	1
40-44 years	7	4	3	6	3	3	1	1	-	1	1	-
45-49 years	16	10	6	11	7	4	5	3	2	3	2	1
50-54 years	14	10	4	9	6	3	5	4	1	4	3	1
55-59 years	17	9	8	14	9	5	3	-	3	3	-	3
60-64 years	28	17	11	20	11	9	8	6	2	8	6	2
65-69 years	24	16	8	17	11	6	7	5	2	6	5	1
70-74 years	21	11	10	18	9	9	3	2	1	2	1	1
75-79 years	24	15	9	23	15	8	1	-	1	-	-	-
80-84 years	8	5	3	8	5	3	-	-	-	-	-	-
85-89 years	8	4	4	7	3	4	1	1	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Invasive pulmonary aspergillosis (B44.0)												
All ages	9	5	4	7	4	3	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	1	1	1	1	-	1	-	1	1	-	1
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	3	2	1	2	1	1	1	1	-	1	1	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other pulmonary aspergillosis (B44.1)												
All ages	102	62	40	81	49	32	21	13	8	19	12	7
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	4	3	1	3	2	1	1	1	-	1	1	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	9	6	3	5	3	2	4	3	1	2	2	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	11	6	5	8	6	2	3	-	3	3	-	3
60-64 years	20	11	9	13	6	7	7	5	2	7	5	2
65-69 years	9	7	2	5	4	1	4	3	1	4	3	1
70-74 years	10	7	3	9	7	2	1	-	1	1	-	1
75-79 years	20	12	8	20	12	8	-	-	-	-	-	-
80-84 years	5	2	3	5	2	3	-	-	-	-	-	-
85-89 years	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disseminated aspergillosis (B44.7)												
All ages	8	2	6	8	2	6	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other forms of aspergillosis (B44.8)												
All ages	8	4	4	7	3	4	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	-	-	-	1	1	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Aspergillosis, unspecified (B44.9)												
All ages	65	37	28	51	28	23	14	9	5	10	7	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	2	-	2	2	-	2	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	4	1	3	3	1	2	1	-	1	1	-	1
40-44 years	4	2	2	3	1	2	1	1	-	1	1	-
45-49 years	3	2	1	2	2	-	1	-	1	1	-	1
50-54 years	9	7	2	5	3	2	4	4	-	3	3	-
55-59 years	6	3	3	6	3	3	-	-	-	-	-	-
60-64 years	6	5	1	5	4	1	1	1	-	1	1	-
65-69 years	10	7	3	7	5	2	3	2	1	2	2	-
70-74 years	7	2	5	6	1	5	1	1	-	-	-	-
75-79 years	4	3	1	3	3	-	1	-	1	-	-	-
80-84 years	3	3	-	3	3	-	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cryptococcosis (B45)												
All ages	126	87	39	95	67	28	31	20	11	28	18	10
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	8	5	3	4	2	2	4	3	1	4	3	1
35-39 years	10	7	3	4	3	1	6	4	2	6	4	2
40-44 years	9	8	1	6	6	-	3	2	1	2	2	-
45-49 years	16	14	2	11	11	-	5	3	2	5	3	2
50-54 years	8	4	4	5	2	3	3	2	1	3	2	1
55-59 years	10	8	2	7	6	1	3	2	1	3	2	1
60-64 years	7	6	1	5	5	-	2	1	1	1	-	1
65-69 years	10	7	3	8	5	3	2	2	-	2	2	-
70-74 years	12	7	5	12	7	5	-	-	-	-	-	-
75-79 years	18	13	5	17	12	5	1	1	-	-	-	-
80-84 years	7	3	4	6	3	3	1	-	1	1	-	1
85-89 years	5	2	3	4	2	2	1	-	1	1	-	1
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pulmonary cryptococcosis (B45.0)												
All ages	6	4	2	4	4	-	2	-	2	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral cryptococcosis (B45.1)												
All ages	82	60	22	61	44	17	21	16	5	20	15	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	7	4	3	4	2	2	3	2	1	3	2	1
35-39 years	9	6	3	4	3	1	5	3	2	5	3	2
40-44 years	6	6	-	4	4	-	2	2	-	2	2	-
45-49 years	11	10	1	8	8	-	3	2	1	3	2	1
50-54 years	7	3	4	4	1	3	3	2	1	3	2	1
55-59 years	5	5	-	3	3	-	2	2	-	2	2	-
60-64 years	4	4	-	4	4	-	-	-	-	-	-	-
65-69 years	5	5	-	3	3	-	2	2	-	2	2	-
70-74 years	6	2	4	6	2	4	-	-	-	-	-	-
75-79 years	13	9	4	12	8	4	1	1	-	-	-	-
80-84 years	5	3	2	5	3	2	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disseminated cryptococcosis (B45.7)												
All ages	17	12	5	14	10	4	3	2	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	3	1	2	2	1	1	1	-	1	1	-	1
60-64 years	1	1	-	-	-	-	1	1	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other forms of cryptococcosis (B45.8)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cryptococcosis, unspecified (B45.9)												
All ages	19	10	9	14	8	6	5	2	3	5	2	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	3	2	1	1	1	-	2	1	1	2	1	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	2	-	2	1	-	1	1	-	1	1	-	1
85-89 years	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Zygomycosis (B46)												
All ages	22	13	9	19	12	7	3	1	2	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	4	2	2	2	1	1	2	1	1	2	1	1
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years	5	3	2	4	3	1	1	-	1	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pulmonary mucormycosis (B46.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Rhinocerebral mucormycosis (B46.1)												
All ages	5	3	2	3	2	1	2	1	1	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disseminated mucormycosis (B46.4)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mucormycosis, unspecified (B46.5)												
All ages	14	8	6	13	8	5	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Mycetoma (B47)												
All ages	4	3	1	3	2	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	1	-	1	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mycetoma, unspecified (B47.9)												
All ages	4	3	1	3	2	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	1	-	1	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other mycoses, not elsewhere classified (B48)												
All ages	4	1	3	4	1	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Opportunistic mycoses (B48.7)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified mycoses (B48.8)												
All ages	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified mycosis (B49)												
All ages	359	181	178	269	132	137	90	49	41	77	43	34
Under 1 year	35	19	16	17	8	9	18	11	7	16	11	5
1-4 years	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	3	1	2	2	-	2	1	1	-	1	1	-
15-19 years	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	4	-	4	4	-	4	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years	12	8	4	9	5	4	3	3	-	3	3	-
45-49 years	14	7	7	12	6	6	2	1	1	2	1	1
50-54 years	11	6	5	8	5	3	3	1	2	3	1	2
55-59 years	23	10	13	18	7	11	5	3	2	4	2	2
60-64 years	28	11	17	19	8	11	9	3	6	7	3	4
65-69 years	40	24	16	31	18	13	9	6	3	7	5	2
70-74 years	42	19	23	27	12	15	15	7	8	15	7	8
75-79 years	57	30	27	47	22	25	10	8	2	7	5	2
80-84 years	37	20	17	30	19	11	7	1	6	5	1	4
85-89 years	30	16	14	26	14	12	4	2	2	3	1	2
90-94 years	14	6	8	12	5	7	2	1	1	2	1	1
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Plasmodium falciparum malaria (B50)												
All ages	5	2	3	3	1	2	2	1	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	1	1	-	-	-	2	1	1	1	-	1
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Plasmodium falciparum malaria with cerebral complications (B50.0)												
All ages	3	1	2	1	-	1	2	1	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	1	1	-	-	-	2	1	1	1	-	1
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Plasmodium falciparum malaria, unspecified (B50.9)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified malaria (B54)												
All ages	4	3	1	2	1	1	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Chagas' disease (B57)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chagas' disease (chronic) with heart involvement (B57.2)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Toxoplasmosis (B58)												
All ages	16	8	8	6	4	2	10	4	6	10	4	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	5	3	2	1	1	-	4	2	2	4	2	2
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	1	1	-	-	-	2	1	1	2	1	1
55-59 years	2	-	2	1	-	1	1	-	1	1	-	1
60-64 years	2	1	1	1	1	-	1	-	1	1	-	1
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Toxoplasma meningoencephalitis (B58.2)												
All ages	11	5	6	3	2	1	8	3	5	8	3	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	5	3	2	1	1	-	4	2	2	4	2	2
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	1	1	-	-	-	2	1	1	2	1	1
55-59 years	2	-	2	1	-	1	1	-	1	1	-	1
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pulmonary toxoplasmosis (B58.3)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Toxoplasmosis with other organ involvement (B58.8)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Toxoplasmosis, unspecified (B58.9)												
All ages	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pneumocystosis (B59)												
All ages	245	139	106	181	105	76	64	34	30	57	30	27
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	6	4	2	3	1	2	3	3	-	3	3	-
25-29 years	12	7	5	6	5	1	6	2	4	6	2	4
30-34 years	16	8	8	9	6	3	7	2	5	6	1	5
35-39 years	23	12	11	14	9	5	9	3	6	7	2	5
40-44 years	15	13	2	10	9	1	5	4	1	4	3	1
45-49 years	24	15	9	12	8	4	12	7	5	12	7	5
50-54 years	18	11	7	13	7	6	5	4	1	5	4	1
55-59 years	23	13	10	18	10	8	5	3	2	4	3	1
60-64 years	24	15	9	16	11	5	8	4	4	7	3	4
65-69 years	30	16	14	26	14	12	4	2	2	3	2	1
70-74 years	25	11	14	25	11	14	-	-	-	-	-	-
75-79 years	12	4	8	12	4	8	-	-	-	-	-	-
80-84 years	10	6	4	10	6	4	-	-	-	-	-	-
85-89 years	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other protozoal diseases, not elsewhere classified (B60)												
All ages	4	3	1	3	3	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	2	1	1	1	1	-	1	-	1	1	-	1
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Babesiosis (B60.0)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Negleriasis (B60.2)												
All ages	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	2	1	1	1	1	-	1	-	1	1	-	1
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Echinococcosis (B67)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Echinococcosis, other and unspecified (B67.9)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cysticercosis (B69)												
All ages	11	9	2	10	8	2	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	3	3	-	3	3	-	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cysticercosis of central nervous system (B69.0)												
All ages	8	7	1	7	6	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	3	3	-	3	3	-	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cysticercosis, unspecified (B69.9)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hookworm diseases (B76)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hookworm disease, unspecified (B76.9)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Strongyloidiasis (B78)												
All ages	10	7	3	9	6	3	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	3	3	-	2	2	-	1	1	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal strongyloidiasis (B78.0)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disseminated strongyloidiasis (B78.7)												
All ages	5	3	2	4	2	2	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	3	3	-	2	2	-	1	1	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Strongyloidiasis, unspecified (B78.9)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified intestinal parasitism (B82)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal parasitism, unspecified (B82.9)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other infestations (B88)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified infestations (B88.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sequelae of tuberculosis (B90)												
All ages	111	47	64	84	38	46	27	9	18	10	5	5
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	3	2	1	2	1	1	1	1	-	1	1	-
50-54 years	2	-	2	1	-	1	1	-	1	-	-	-
55-59 years	6	3	3	4	2	2	2	1	1	1	1	-
60-64 years	4	2	2	2	1	1	2	1	1	1	1	-
65-69 years	6	1	5	4	1	3	2	-	2	-	-	-
70-74 years	16	6	10	13	6	7	3	-	3	1	-	1
75-79 years	18	9	9	13	6	7	5	3	2	3	1	2
80-84 years	24	12	12	21	11	10	3	1	2	-	-	-
85-89 years	23	8	15	19	8	11	4	-	4	1	-	1
90-94 years	5	2	3	3	1	2	2	1	1	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Sequelae of tuberculosis of bones and joints (B90.2)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sequelae of respiratory and unspecified tuberculosis (B90.9)												
All ages	108	45	63	81	36	45	27	9	18	10	5	5
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	3	2	1	2	1	1	1	1	-	1	1	-
50-54 years	1	-	1	-	-	-	1	-	1	-	-	-
55-59 years	5	2	3	3	1	2	2	1	1	1	1	-
60-64 years	4	2	2	2	1	1	2	1	1	1	1	-
65-69 years	6	1	5	4	1	3	2	-	2	-	-	-
70-74 years	16	6	10	13	6	7	3	-	3	1	-	1
75-79 years	18	9	9	13	6	7	5	3	2	3	1	2
80-84 years	23	11	12	20	10	10	3	1	2	-	-	-
85-89 years	23	8	15	19	8	11	4	-	4	1	-	1
90-94 years	5	2	3	3	1	2	2	1	1	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Sequelae of poliomyelitis (B91)												
All ages	338	163	175	325	153	172	13	10	3	7	5	2
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	1	-	1	1	1	-	-	-	-
45-49 years	4	3	1	3	2	1	1	1	-	1	1	-
50-54 years	17	6	11	16	5	11	1	1	-	-	-	-
55-59 years	19	10	9	16	8	8	3	2	1	2	1	1
60-64 years	35	17	18	34	16	18	1	1	-	1	1	-
65-69 years	40	18	22	38	16	22	2	2	-	-	-	-
70-74 years	56	29	27	55	28	27	1	1	-	1	1	-
75-79 years	63	37	26	62	36	26	1	1	-	1	1	-
80-84 years	47	19	28	46	19	27	1	-	1	1	-	1
85-89 years	36	14	22	36	14	22	-	-	-	-	-	-
90-94 years	17	9	8	17	9	8	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sequelae of leprosy (B92)												
All ages	1	1	-	-	-	-	1	1	-	-	-	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	-	-	-	1	1	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Sequelae of other and unspecified infectious and parasitic diseases (B94)												
All ages	1,109	618	491	921	516	405	188	102	86	143	77	66
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	2	2	-	1	1	-	1	1	-	1	1	-
5-9 years	3	2	1	2	1	1	1	1	-	1	1	-
10-14 years	3	2	1	3	2	1	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	-	-	-
20-24 years	4	2	2	4	2	2	-	-	-	-	-	-
25-29 years	8	6	2	6	5	1	2	1	1	1	1	-
30-34 years	14	7	7	8	5	3	6	2	4	5	1	4
35-39 years	40	27	13	31	22	9	9	5	4	8	5	3
40-44 years	73	52	21	56	39	17	17	13	4	15	12	3
45-49 years	123	91	32	101	75	26	22	16	6	17	13	4
50-54 years	122	86	36	96	68	28	26	18	8	18	13	5
55-59 years	93	66	27	71	52	19	22	14	8	16	9	7
60-64 years	79	40	39	63	31	32	16	9	7	8	5	3
65-69 years	116	56	60	97	50	47	19	6	13	14	4	10
70-74 years	111	47	64	95	42	53	16	5	11	15	5	10
75-79 years	100	41	59	92	38	54	8	3	5	4	-	4
80-84 years	101	53	48	91	48	43	10	5	5	8	4	4
85-89 years	63	20	43	57	18	39	6	2	4	6	2	4
90-94 years	41	16	25	38	15	23	3	1	2	3	1	2
95-99 years	9	2	7	8	2	6	1	-	1	1	-	1
100 yrs & over	3	-	3	1	-	1	2	-	2	2	-	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sequelae of viral encephalitis (B94.1)												
All ages	12	4	8	9	3	6	3	1	2	2	1	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	-	-	-
20-24 years	3	2	1	3	2	1	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	-	2	1	-	1	1	-	1	1	-	1
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Sequelae of viral hepatitis (B94.2)												
All ages	520	348	172	423	282	141	97	66	31	62	44	18
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	6	5	1	4	3	1	2	2	-	1	1	-
35-39 years	25	18	7	21	16	5	4	2	2	3	2	1
40-44 years	55	43	12	47	36	11	8	7	1	6	6	-
45-49 years	109	84	25	92	72	20	17	12	5	13	10	3
50-54 years	96	73	23	78	59	19	18	14	4	11	9	2
55-59 years	52	38	14	40	29	11	12	9	3	7	5	2
60-64 years	37	19	18	27	13	14	10	6	4	3	2	1
65-69 years	49	24	25	35	18	17	14	6	8	9	4	5
70-74 years	36	16	20	30	13	17	6	3	3	6	3	3
75-79 years	30	14	16	26	11	15	4	3	1	1	-	1
80-84 years	17	11	6	16	10	6	1	1	-	1	1	-
85-89 years	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sequelae of other specified infectious and parasitic diseases (B94.8)												
All ages	575	265	310	488	231	257	87	34	53	78	31	47
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	3	2	1	2	1	1	1	1	-	1	1	-
10-14 years	3	2	1	3	2	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	6	4	2	5	4	1	1	-	1	-	-	-
30-34 years	8	2	6	4	2	2	4	-	4	4	-	4
35-39 years	14	9	5	9	6	3	5	3	2	5	3	2
40-44 years	18	9	9	9	3	6	9	6	3	9	6	3
45-49 years	13	7	6	8	3	5	5	4	1	4	3	1
50-54 years	25	13	12	17	9	8	8	4	4	7	4	3
55-59 years	41	28	13	31	23	8	10	5	5	9	4	5
60-64 years	42	21	21	36	18	18	6	3	3	5	3	2
65-69 years	67	32	35	62	32	30	5	-	5	5	-	5
70-74 years	75	31	44	65	29	36	10	2	8	9	2	7
75-79 years	69	27	42	65	27	38	4	-	4	3	-	3
80-84 years	81	41	40	74	38	36	7	3	4	5	2	3
85-89 years	58	19	39	52	17	35	6	2	4	6	2	4
90-94 years	38	15	23	35	14	21	3	1	2	3	1	2
95-99 years	9	2	7	8	2	6	1	-	1	1	-	1
100 yrs & over	3	-	3	1	-	1	2	-	2	2	-	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Sequelae of unspecified infectious or parasitic disease (B94.9)												
All ages	2	1	1	1	-	1	1	1	-	1	1	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	1	-	-	-	-	1	1	-	1	1	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other and unspecified infectious diseases (B99)												
All ages	98	45	53	78	36	42	20	9	11	18	8	10
Under 1 year	5	3	2	4	3	1	1	-	1	1	-	1
1-4 years	2	1	1	1	-	1	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	1	1	-	-	-	2	1	1	2	1	1
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	4	3	1	3	2	1	1	1	-	1	1	-
50-54 years	2	1	1	1	1	-	1	-	1	1	-	1
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	7	5	2	6	5	1	1	-	1	1	-	1
65-69 years	6	3	3	4	3	1	2	-	2	1	-	1
70-74 years	11	5	6	8	4	4	3	1	2	3	1	2
75-79 years	11	5	6	10	4	6	1	1	-	1	1	-
80-84 years	18	9	9	14	7	7	4	2	2	3	1	2
85-89 years	17	5	12	16	5	11	1	-	1	1	-	1
90-94 years	5	1	4	5	1	4	-	-	-	-	-	-
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of lip (C00)												
All ages	77	60	17	75	59	16	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years	4	4	-	4	4	-	-	-	-	-	-	-
50-54 years	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years	7	7	-	7	7	-	-	-	-	-	-	-
60-64 years	5	5	-	4	4	-	1	1	-	1	1	-
65-69 years	6	4	2	6	4	2	-	-	-	-	-	-
70-74 years	8	6	2	8	6	2	-	-	-	-	-	-
75-79 years	10	8	2	10	8	2	-	-	-	-	-	-
80-84 years	8	5	3	7	5	2	1	-	1	1	-	1
85-89 years	12	8	4	12	8	4	-	-	-	-	-	-
90-94 years	5	5	-	5	5	-	-	-	-	-	-	-
95-99 years	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
External upper lip (C00.0)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
External lower lip (C00.1)												
All ages	7	5	2	7	5	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Lip, unspecified, inner aspect (C00.5)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Lip, unspecified (C00.9)												
All ages	68	55	13	67	54	13	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	7	7	-	7	7	-	-	-	-	-	-	-
60-64 years	5	5	-	4	4	-	1	1	-	1	1	-
65-69 years	6	4	2	6	4	2	-	-	-	-	-	-
70-74 years	7	6	1	7	6	1	-	-	-	-	-	-
75-79 years	8	6	2	8	6	2	-	-	-	-	-	-
80-84 years	7	5	2	7	5	2	-	-	-	-	-	-
85-89 years	10	7	3	10	7	3	-	-	-	-	-	-
90-94 years	5	5	-	5	5	-	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasm of base of tongue (C01)												
All ages	154	116	38	129	96	33	25	20	5	21	16	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	-	-	-
35-39 years	3	2	1	1	-	1	2	2	-	1	1	-
40-44 years	11	10	1	8	8	-	3	2	1	2	1	1
45-49 years	10	5	5	9	4	5	1	1	-	1	1	-
50-54 years	20	19	1	16	16	-	4	3	1	4	3	1
55-59 years	22	15	7	17	11	6	5	4	1	5	4	1
60-64 years	19	17	2	14	13	1	5	4	1	5	4	1
65-69 years	15	12	3	14	11	3	1	1	-	1	1	-
70-74 years	24	18	6	22	17	5	2	1	1	2	1	1
75-79 years	12	6	6	12	6	6	-	-	-	-	-	-
80-84 years	8	6	2	7	5	2	1	1	-	-	-	-
85-89 years	7	4	3	7	4	3	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of other and unspecified parts of tongue (C02)												
All ages	1,664	1,075	589	1,440	918	522	224	157	67	178	134	44
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	-	-	-
15-19 years	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years	2	2	-	1	1	-	1	1	-	-	-	-
25-29 years	10	5	5	9	5	4	1	-	1	-	-	-
30-34 years	16	9	7	15	9	6	1	-	1	-	-	-
35-39 years	25	17	8	17	11	6	8	6	2	6	4	2
40-44 years	40	24	16	29	17	12	11	7	4	8	5	3
45-49 years	100	73	27	76	53	23	24	20	4	23	19	4
50-54 years	153	120	33	129	101	28	24	19	5	21	18	3
55-59 years	200	162	38	173	138	35	27	24	3	23	22	1
60-64 years	185	144	41	153	118	35	32	26	6	27	23	4
65-69 years	179	125	54	146	106	40	33	19	14	23	14	9
70-74 years	201	139	62	181	124	57	20	15	5	16	13	3
75-79 years	219	118	101	202	109	93	17	9	8	14	8	6
80-84 years	172	88	84	157	79	78	15	9	6	10	6	4
85-89 years	109	36	73	105	35	70	4	1	3	3	1	2
90-94 years	43	12	31	38	11	27	5	1	4	4	1	3
95-99 years	6	1	5	6	1	5	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Dorsal surface of tongue (C02.0)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Border of tongue (C02.1)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Ventral surface of tongue (C02.2)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Anterior two-thirds of tongue, part unspecified (C02.3)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Lingual tonsil (C02.4)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Tongue, unspecified (C02.9)												
All ages	1,656	1,073	583	1,432	916	516	224	157	67	178	134	44
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	-	-	-
15-19 years	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years	2	2	-	1	1	-	1	1	-	-	-	-
25-29 years	10	5	5	9	5	4	1	-	1	-	-	-
30-34 years	16	9	7	15	9	6	1	-	1	-	-	-
35-39 years	25	17	8	17	11	6	8	6	2	6	4	2
40-44 years	40	24	16	29	17	12	11	7	4	8	5	3
45-49 years	100	73	27	76	53	23	24	20	4	23	19	4
50-54 years	152	120	32	128	101	27	24	19	5	21	18	3
55-59 years	199	162	37	172	138	34	27	24	3	23	22	1
60-64 years	185	144	41	153	118	35	32	26	6	27	23	4
65-69 years	178	125	53	145	106	39	33	19	14	23	14	9
70-74 years	201	139	62	181	124	57	20	15	5	16	13	3
75-79 years	217	117	100	200	108	92	17	9	8	14	8	6
80-84 years	169	87	82	154	78	76	15	9	6	10	6	4
85-89 years	109	36	73	105	35	70	4	1	3	3	1	2
90-94 years	43	12	31	38	11	27	5	1	4	4	1	3
95-99 years	6	1	5	6	1	5	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasm of gum (C03)												
All ages	70	32	38	54	24	30	16	8	8	14	6	8
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	2	1	1	1	1	-	1	-	1	1	-	1
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	4	2	2	3	1	2	1	1	-	-	-	-
20-24 years	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	4	1	3	3	1	2	1	-	1	1	-	1
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	3	2	1	2	2	-	1	-	1	1	-	1
65-69 years	3	2	1	2	1	1	1	1	-	1	1	-
70-74 years	9	4	5	6	3	3	3	1	2	3	1	2
75-79 years	13	5	8	9	4	5	4	1	3	3	-	3
80-84 years	9	4	5	8	3	5	1	1	-	1	1	-
85-89 years	8	2	6	7	1	6	1	1	-	1	1	-
90-94 years	5	3	2	4	2	2	1	1	-	1	1	-
95-99 years	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Upper gum (C03.0)												
All ages	28	15	13	18	10	8	10	5	5	10	5	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	2	1	1	1	1	-	1	-	1	1	-	1
65-69 years	2	2	-	1	1	-	1	1	-	1	1	-
70-74 years	4	2	2	2	1	1	2	1	1	2	1	1
75-79 years	8	3	5	5	3	2	3	-	3	3	-	3
80-84 years	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years	2	1	1	1	-	1	1	1	-	1	1	-
90-94 years	2	1	1	1	-	1	1	1	-	1	1	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Lower gum (C03.1)												
All ages	10	3	7	10	3	7	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Gum, unspecified (C03.9)												
All ages	32	14	18	26	11	15	6	3	3	4	1	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	2	1	1	1	1	-	1	-	1	1	-	1
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	4	2	2	3	1	2	1	1	-	-	-	-
20-24 years	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	3	-	3	2	-	2	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	5	2	3	4	2	2	1	-	1	1	-	1
75-79 years	4	1	3	3	-	3	1	1	-	-	-	-
80-84 years	5	4	1	4	3	1	1	1	-	1	1	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasm of floor of mouth (C04)												
All ages	135	84	51	113	68	45	22	16	6	20	14	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	-	3	3	-	3	-	-	-	-	-	-
45-49 years	7	5	2	4	4	-	3	1	2	3	1	2
50-54 years	11	10	1	8	7	1	3	3	-	3	3	-
55-59 years	13	10	3	7	5	2	6	5	1	5	4	1
60-64 years	18	14	4	17	13	4	1	1	-	-	-	-
65-69 years	23	15	8	19	14	5	4	1	3	4	1	3
70-74 years	25	15	10	22	12	10	3	3	-	3	3	-
75-79 years	11	6	5	9	4	5	2	2	-	2	2	-
80-84 years	16	6	10	16	6	10	-	-	-	-	-	-
85-89 years	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Floor of mouth, unspecified (C04.9)												
All ages	135	84	51	113	68	45	22	16	6	20	14	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	-	3	3	-	3	-	-	-	-	-	-
45-49 years	7	5	2	4	4	-	3	1	2	3	1	2
50-54 years	11	10	1	8	7	1	3	3	-	3	3	-
55-59 years	13	10	3	7	5	2	6	5	1	5	4	1
60-64 years	18	14	4	17	13	4	1	1	-	-	-	-
65-69 years	23	15	8	19	14	5	4	1	3	4	1	3
70-74 years	25	15	10	22	12	10	3	3	-	3	3	-
75-79 years	11	6	5	9	4	5	2	2	-	2	2	-
80-84 years	16	6	10	16	6	10	-	-	-	-	-	-
85-89 years	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasm of palate (C05)												
All ages	204	114	90	169	89	80	35	25	10	29	23	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	4	4	-	4	4	-	-	-	-	-	-	-
45-49 years	8	5	3	6	3	3	2	2	-	2	2	-
50-54 years	11	7	4	7	4	3	4	3	1	4	3	1
55-59 years	14	10	4	10	6	4	4	4	-	4	4	-
60-64 years	32	25	7	24	19	5	8	6	2	5	5	-
65-69 years	27	14	13	18	9	9	9	5	4	8	5	3
70-74 years	28	18	10	26	16	10	2	2	-	2	2	-
75-79 years	37	16	21	36	15	21	1	1	-	1	1	-
80-84 years	20	8	12	20	8	12	-	-	-	-	-	-
85-89 years	11	5	6	8	3	5	3	2	1	1	1	-
90-94 years	9	2	7	7	2	5	2	-	2	2	-	2
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hard palate (C05.0)												
All ages	36	17	19	31	14	17	5	3	2	5	3	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	3	2	1	2	1	1	1	1	-	1	1	-
65-69 years	2	1	1	1	1	-	1	-	1	1	-	1
70-74 years	6	5	1	6	5	1	-	-	-	-	-	-
75-79 years	7	3	4	6	2	4	1	1	-	1	1	-
80-84 years	10	4	6	10	4	6	-	-	-	-	-	-
85-89 years	2	2	-	1	1	-	1	1	-	1	1	-
90-94 years	4	-	4	3	-	3	1	-	1	1	-	1
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Soft palate (C05.1)												
All ages	71	45	26	60	35	25	11	10	1	10	9	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	3	-	3	3	-	-	-	-	-	-	-
45-49 years	4	3	1	2	1	1	2	2	-	2	2	-
50-54 years	7	5	2	5	4	1	2	1	1	2	1	1
55-59 years	7	5	2	5	3	2	2	2	-	2	2	-
60-64 years	13	11	2	12	10	2	1	1	-	-	-	-
65-69 years	9	5	4	7	3	4	2	2	-	2	2	-
70-74 years	10	4	6	8	2	6	2	2	-	2	2	-
75-79 years	10	7	3	10	7	3	-	-	-	-	-	-
80-84 years	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Uvula (C05.2)												
All ages	11	7	4	9	6	3	2	1	1	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	1	-	1	1	1	-	1	1	-
60-64 years	2	1	1	1	1	-	1	-	1	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Palate, unspecified (C05.9)												
All ages	86	45	41	69	34	35	17	11	6	13	10	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	4	2	2	2	-	2	2	2	-	2	2	-
55-59 years	5	4	1	4	3	1	1	1	-	1	1	-
60-64 years	14	11	3	9	7	2	5	4	1	4	4	-
65-69 years	15	7	8	9	4	5	6	3	3	5	3	2
70-74 years	11	9	2	11	9	2	-	-	-	-	-	-
75-79 years	18	5	13	18	5	13	-	-	-	-	-	-
80-84 years	5	2	3	5	2	3	-	-	-	-	-	-
85-89 years	6	2	4	4	1	3	2	1	1	-	-	-
90-94 years	4	2	2	3	2	1	1	-	1	1	-	1
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of other and unspecified parts of mouth (C06)												
All ages	905	507	398	800	439	361	105	68	37	93	60	33
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	7	3	4	3	1	2	4	2	2	3	1	2
40-44 years	13	8	5	9	7	2	4	1	3	2	-	2
45-49 years	27	19	8	17	11	6	10	8	2	9	7	2
50-54 years	54	40	14	47	35	12	7	5	2	6	4	2
55-59 years	75	64	11	58	49	9	17	15	2	17	15	2
60-64 years	79	65	14	68	55	13	11	10	1	11	10	1
65-69 years	101	67	34	89	63	26	12	4	8	11	4	7
70-74 years	127	75	52	116	66	50	11	9	2	9	7	2
75-79 years	125	63	62	117	57	60	8	6	2	7	6	1
80-84 years	124	55	69	115	50	65	9	5	4	7	3	4
85-89 years	87	28	59	80	26	54	7	2	5	6	2	4
90-94 years	64	13	51	61	13	48	3	-	3	3	-	3
95-99 years	18	4	14	17	4	13	1	-	1	1	-	1
100 yrs & over	3	2	1	3	2	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cheek mucosa (C06.0)												
All ages	40	17	23	38	16	22	2	1	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	-	2	1	-	1	1	-	1	1	-	1
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	5	4	1	5	4	1	-	-	-	-	-	-
80-84 years	8	4	4	7	3	4	1	1	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	9	1	8	9	1	8	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Retromolar area (C06.2)												
All ages	25	19	6	24	18	6	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	3	3	-	2	2	-	1	1	-	1	1	-
65-69 years	6	5	1	6	5	1	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	5	3	2	5	3	2	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Overlapping lesion of other and unspecified parts of mouth (C06.8)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mouth, unspecified (C06.9)												
All ages	837	470	367	735	404	331	102	66	36	91	59	32
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	7	3	4	3	1	2	4	2	2	3	1	2
40-44 years	11	8	3	8	7	1	3	1	2	1	-	1
45-49 years	26	18	8	16	10	6	10	8	2	9	7	2
50-54 years	50	37	13	43	32	11	7	5	2	6	4	2
55-59 years	69	58	11	52	43	9	17	15	2	17	15	2
60-64 years	73	61	12	63	52	11	10	9	1	10	9	1
65-69 years	92	60	32	80	56	24	12	4	8	11	4	7
70-74 years	121	73	48	110	64	46	11	9	2	9	7	2
75-79 years	118	57	61	110	51	59	8	6	2	7	6	1
80-84 years	110	48	62	102	44	58	8	4	4	7	3	4
85-89 years	85	28	57	78	26	52	7	2	5	6	2	4
90-94 years	54	12	42	51	12	39	3	-	3	3	-	3
95-99 years	17	4	13	16	4	12	1	-	1	1	-	1
100 yrs & over	3	2	1	3	2	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasm of parotid gland (C07)												
All ages	516	322	194	474	299	175	42	23	19	35	20	15
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	5	1	4	4	1	3	1	-	1	1	-	1
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	3	1	2	2	1	1	1	-	1	-	-	-
35-39 years	4	3	1	4	3	1	-	-	-	-	-	-
40-44 years	6	4	2	5	4	1	1	-	1	1	-	1
45-49 years	17	14	3	16	13	3	1	1	-	1	1	-
50-54 years	24	16	8	21	14	7	3	2	1	3	2	1
55-59 years	45	27	18	40	26	14	5	1	4	5	1	4
60-64 years	39	27	12	35	24	11	4	3	1	4	3	1
65-69 years	53	40	13	48	36	12	5	4	1	5	4	1
70-74 years	55	31	24	47	27	20	8	4	4	6	3	3
75-79 years	81	55	26	75	50	25	6	5	1	5	4	1
80-84 years	76	49	27	75	48	27	1	1	-	1	1	-
85-89 years	60	33	27	56	32	24	4	1	3	1	-	1
90-94 years	34	18	16	32	17	15	2	1	1	2	1	1
95-99 years	14	3	11	14	3	11	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of other and unspecified major salivary glands (C08)												
All ages	169	97	72	151	89	62	18	8	10	15	5	10
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	4	2	2	3	1	2	1	1	-	1	1	-
35-39 years	8	5	3	5	4	1	3	1	2	2	-	2
40-44 years	2	1	1	1	1	-	1	-	1	1	-	1
45-49 years	14	6	8	12	6	6	2	-	2	2	-	2
50-54 years	13	11	2	11	9	2	2	2	-	2	2	-
55-59 years	15	9	6	13	7	6	2	2	-	-	-	-
60-64 years	12	9	3	11	8	3	1	1	-	1	1	-
65-69 years	19	10	9	18	9	9	1	1	-	1	1	-
70-74 years	22	16	6	21	16	5	1	-	1	1	-	1
75-79 years	25	13	12	23	13	10	2	-	2	2	-	2
80-84 years	21	10	11	20	10	10	1	-	1	1	-	1
85-89 years	8	5	3	8	5	3	-	-	-	-	-	-
90-94 years	5	-	5	4	-	4	1	-	1	1	-	1
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Submandibular gland (C08.0)												
All ages	26	15	11	24	14	10	2	1	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	4	2	2	3	1	2	1	1	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	5	3	2	5	3	2	-	-	-	-	-	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Overlapping lesion of major salivary glands (C08.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Major salivary gland, unspecified (C08.9)												
All ages	142	81	61	126	74	52	16	7	9	14	5	9
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	4	2	2	3	1	2	1	1	-	1	1	-
35-39 years	6	3	3	3	2	1	3	1	2	2	-	2
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	12	4	8	10	4	6	2	-	2	2	-	2
50-54 years	12	11	1	10	9	1	2	2	-	2	2	-
55-59 years	11	7	4	10	6	4	1	1	-	-	-	-
60-64 years	10	8	2	9	7	2	1	1	-	1	1	-
65-69 years	16	8	8	15	7	8	1	1	-	1	1	-
70-74 years	20	15	5	19	15	4	1	-	1	1	-	1
75-79 years	20	10	10	18	10	8	2	-	2	2	-	2
80-84 years	17	8	9	16	8	8	1	-	1	1	-	1
85-89 years	7	4	3	7	4	3	-	-	-	-	-	-
90-94 years	5	-	5	4	-	4	1	-	1	1	-	1
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of tonsil (C09)												
All ages	612	460	152	494	365	129	118	95	23	109	87	22
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	5	3	2	4	2	2	1	1	-	1	1	-
40-44 years	24	21	3	16	14	2	8	7	1	8	7	1
45-49 years	45	41	4	34	31	3	11	10	1	11	10	1
50-54 years	74	63	11	64	55	9	10	8	2	7	5	2
55-59 years	98	80	18	74	62	12	24	18	6	21	16	5
60-64 years	72	56	16	53	38	15	19	18	1	19	18	1
65-69 years	73	54	19	53	41	12	20	13	7	19	12	7
70-74 years	92	66	26	74	51	23	18	15	3	17	14	3
75-79 years	66	39	27	60	35	25	6	4	2	6	4	2
80-84 years	38	22	16	38	22	16	-	-	-	-	-	-
85-89 years	16	12	4	15	11	4	1	1	-	-	-	-
90-94 years	6	2	4	6	2	4	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Tonsillar fossa (C09.0)												
All ages	18	14	4	14	10	4	4	4	-	3	3	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	3	3	-	1	1	-	2	2	-	1	1	-
60-64 years	4	4	-	2	2	-	2	2	-	2	2	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Tonsillar pillar (anterior) (posterior) (C09.1)												
All ages	8	8	-	6	6	-	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	3	3	-	2	2	-	1	1	-	1	1	-
70-74 years	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Tonsil, unspecified (C09.9)												
All ages	586	438	148	474	349	125	112	89	23	104	82	22
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	5	3	2	4	2	2	1	1	-	1	1	-
40-44 years	23	20	3	15	13	2	8	7	1	8	7	1
45-49 years	45	41	4	34	31	3	11	10	1	11	10	1
50-54 years	71	60	11	61	52	9	10	8	2	7	5	2
55-59 years	95	77	18	73	61	12	22	16	6	20	15	5
60-64 years	68	52	16	51	36	15	17	16	1	17	16	1
65-69 years	67	49	18	48	37	11	19	12	7	18	11	7
70-74 years	88	63	25	71	49	22	17	14	3	16	13	3
75-79 years	62	37	25	56	33	23	6	4	2	6	4	2
80-84 years	37	21	16	37	21	16	-	-	-	-	-	-
85-89 years	16	12	4	15	11	4	1	1	-	-	-	-
90-94 years	6	2	4	6	2	4	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of oropharynx (C10)												
All ages	593	404	189	463	305	158	130	99	31	121	90	31
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	3	-	1	1	-	2	2	-	2	2	-
40-44 years	10	8	2	7	5	2	3	3	-	3	3	-
45-49 years	35	29	6	20	17	3	15	12	3	13	10	3
50-54 years	69	57	12	47	41	6	22	16	6	22	16	6
55-59 years	75	61	14	51	40	11	24	21	3	23	20	3
60-64 years	64	45	19	50	35	15	14	10	4	12	8	4
65-69 years	87	58	29	69	45	24	18	13	5	16	11	5
70-74 years	74	55	19	62	46	16	12	9	3	12	9	3
75-79 years	83	48	35	70	39	31	13	9	4	11	7	4
80-84 years	51	24	27	47	22	25	4	2	2	4	2	2
85-89 years	24	10	14	22	9	13	2	1	1	2	1	1
90-94 years	13	4	9	13	4	9	-	-	-	-	-	-
95-99 years	4	1	3	4	1	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	1	1	-	1	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Vallecula (C10.0)												
All ages	4	2	2	4	2	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Branchial cleft (C10.4)												
All ages	2	1	1	1	-	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Overlapping lesion of oropharynx (C10.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Oropharynx, unspecified (C10.9)												
All ages	586	400	186	457	302	155	129	98	31	120	89	31
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	3	-	1	1	-	2	2	-	2	2	-
40-44 years	10	8	2	7	5	2	3	3	-	3	3	-
45-49 years	32	27	5	18	16	2	14	11	3	12	9	3
50-54 years	68	56	12	46	40	6	22	16	6	22	16	6
55-59 years	74	60	14	50	39	11	24	21	3	23	20	3
60-64 years	64	45	19	50	35	15	14	10	4	12	8	4
65-69 years	87	58	29	69	45	24	18	13	5	16	11	5
70-74 years	73	55	18	61	46	15	12	9	3	12	9	3
75-79 years	82	48	34	69	39	30	13	9	4	11	7	4
80-84 years	51	24	27	47	22	25	4	2	2	4	2	2
85-89 years	24	10	14	22	9	13	2	1	1	2	1	1
90-94 years	13	4	9	13	4	9	-	-	-	-	-	-
95-99 years	4	1	3	4	1	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	1	1	-	1	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasm of nasopharynx (C11)												
All ages	621	415	206	414	269	145	207	146	61	82	55	27
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	1	2	1	-	1	2	1	1	1	1	-
20-24 years	7	5	2	5	3	2	2	2	-	1	1	-
25-29 years	7	5	2	3	3	-	4	2	2	2	1	1
30-34 years	7	5	2	1	-	1	6	5	1	1	1	-
35-39 years	26	17	9	12	10	2	14	7	7	5	2	3
40-44 years	32	25	7	14	10	4	18	15	3	7	4	3
45-49 years	56	35	21	29	19	10	27	16	11	8	4	4
50-54 years	62	42	20	33	22	11	29	20	9	12	8	4
55-59 years	65	50	15	44	33	11	21	17	4	13	10	3
60-64 years	89	65	24	63	48	15	26	17	9	7	4	3
65-69 years	62	50	12	42	32	10	20	18	2	8	7	1
70-74 years	56	38	18	43	28	15	13	10	3	6	4	2
75-79 years	64	38	26	51	29	22	13	9	4	4	3	1
80-84 years	44	25	19	37	21	16	7	4	3	3	2	1
85-89 years	28	9	19	23	6	17	5	3	2	4	3	1
90-94 years	12	5	7	12	5	7	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Posterior wall of nasopharynx (C11.1)												
All ages	11	5	6	9	3	6	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	2	1	1	1	-	1	1	1	-	1	1	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	3	2	1	2	1	1	1	1	-	1	1	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Nasopharynx, unspecified (C11.9)												
All ages	610	410	200	405	266	139	205	144	61	80	53	27
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	1	2	1	-	1	2	1	1	1	1	-
20-24 years	7	5	2	5	3	2	2	2	-	1	1	-
25-29 years	7	5	2	3	3	-	4	2	2	2	1	1
30-34 years	7	5	2	1	-	1	6	5	1	1	1	-
35-39 years	26	17	9	12	10	2	14	7	7	5	2	3
40-44 years	32	25	7	14	10	4	18	15	3	7	4	3
45-49 years	55	35	20	28	19	9	27	16	11	8	4	4
50-54 years	60	41	19	32	22	10	28	19	9	11	7	4
55-59 years	64	50	14	43	33	10	21	17	4	13	10	3
60-64 years	86	63	23	61	47	14	25	16	9	6	3	3
65-69 years	62	50	12	42	32	10	20	18	2	8	7	1
70-74 years	55	37	18	42	27	15	13	10	3	6	4	2
75-79 years	62	37	25	49	28	21	13	9	4	4	3	1
80-84 years	43	25	18	36	21	15	7	4	3	3	2	1
85-89 years	28	9	19	23	6	17	5	3	2	4	3	1
90-94 years	12	5	7	12	5	7	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of pyriform sinus (C12)												
All ages	129	99	30	108	82	26	21	17	4	18	14	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	3	1	2	2	1	1	1	-	1	1	-	1
45-49 years	6	4	2	4	3	1	2	1	1	2	1	1
50-54 years	7	6	1	4	3	1	3	3	-	2	2	-
55-59 years	18	15	3	11	9	2	7	6	1	6	5	1
60-64 years	18	14	4	16	12	4	2	2	-	2	2	-
65-69 years	28	23	5	27	22	5	1	1	-	1	1	-
70-74 years	16	10	6	13	8	5	3	2	1	3	2	1
75-79 years	15	12	3	14	11	3	1	1	-	1	1	-
80-84 years	8	6	2	8	6	2	-	-	-	-	-	-
85-89 years	7	5	2	7	5	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasm of hypopharynx (C13)												
All ages	219	158	61	173	123	50	46	35	11	37	27	10
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	1	-	1	1	1	-	1	1	-
40-44 years	5	4	1	1	1	-	4	3	1	3	2	1
45-49 years	11	10	1	7	7	-	4	3	1	3	2	1
50-54 years	12	9	3	6	4	2	6	5	1	6	5	1
55-59 years	24	19	5	19	15	4	5	4	1	4	3	1
60-64 years	33	27	6	28	23	5	5	4	1	3	2	1
65-69 years	34	27	7	23	18	5	11	9	2	10	8	2
70-74 years	37	25	12	35	24	11	2	1	1	1	1	-
75-79 years	25	17	8	21	15	6	4	2	2	3	1	2
80-84 years	20	11	9	18	9	9	2	2	-	1	1	-
85-89 years	9	6	3	7	5	2	2	1	1	2	1	1
90-94 years	5	2	3	5	2	3	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Postcricoid region (C13.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Aryepiglottic fold, hypopharyngeal aspect (C13.1)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hypopharynx, unspecified (C13.9)												
All ages	216	155	61	170	120	50	46	35	11	37	27	10
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	1	-	1	1	1	-	1	1	-
40-44 years	5	4	1	1	1	-	4	3	1	3	2	1
45-49 years	11	10	1	7	7	-	4	3	1	3	2	1
50-54 years	12	9	3	6	4	2	6	5	1	6	5	1
55-59 years	24	19	5	19	15	4	5	4	1	4	3	1
60-64 years	33	27	6	28	23	5	5	4	1	3	2	1
65-69 years	33	26	7	22	17	5	11	9	2	10	8	2
70-74 years	37	25	12	35	24	11	2	1	1	1	1	-
75-79 years	24	16	8	20	14	6	4	2	2	3	1	2
80-84 years	20	11	9	18	9	9	2	2	-	1	1	-
85-89 years	8	5	3	6	4	2	2	1	1	2	1	1
90-94 years	5	2	3	5	2	3	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasm of other and ill-defined sites in the lip, oral cavity, and pharynx (C14)												
All ages	1,634	1,213	421	1,312	958	354	322	255	67	291	230	61
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	3	2	1	1	1	-	2	1	1	1	1	-
35-39 years	8	5	3	5	3	2	3	2	1	3	2	1
40-44 years	33	28	5	20	18	2	13	10	3	12	10	2
45-49 years	83	74	9	55	51	4	28	23	5	27	22	5
50-54 years	134	116	18	99	84	15	35	32	3	32	29	3
55-59 years	189	157	32	140	117	23	49	40	9	46	37	9
60-64 years	211	170	41	159	125	34	52	45	7	48	41	7
65-69 years	183	130	53	146	98	48	37	32	5	34	30	4
70-74 years	245	180	65	205	150	55	40	30	10	36	27	9
75-79 years	218	154	64	191	134	57	27	20	7	23	17	6
80-84 years	168	108	60	147	97	50	21	11	10	20	10	10
85-89 years	111	67	44	101	61	40	10	6	4	5	2	3
90-94 years	37	17	20	33	14	19	4	3	1	3	2	1
95-99 years	9	4	5	9	4	5	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pharynx, unspecified (C14.0)												
All ages	1,632	1,212	420	1,310	957	353	322	255	67	291	230	61
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	3	2	1	1	1	-	2	1	1	1	1	-
35-39 years	8	5	3	5	3	2	3	2	1	3	2	1
40-44 years	33	28	5	20	18	2	13	10	3	12	10	2
45-49 years	83	74	9	55	51	4	28	23	5	27	22	5
50-54 years	134	116	18	99	84	15	35	32	3	32	29	3
55-59 years	189	157	32	140	117	23	49	40	9	46	37	9
60-64 years	211	170	41	159	125	34	52	45	7	48	41	7
65-69 years	183	130	53	146	98	48	37	32	5	34	30	4
70-74 years	245	180	65	205	150	55	40	30	10	36	27	9
75-79 years	218	154	64	191	134	57	27	20	7	23	17	6
80-84 years	168	108	60	147	97	50	21	11	10	20	10	10
85-89 years	109	66	43	99	60	39	10	6	4	5	2	3
90-94 years	37	17	20	33	14	19	4	3	1	3	2	1
95-99 years	9	4	5	9	4	5	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Waldeyer's ring (C14.2)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Overlapping lesion of lip, oral cavity, and pharynx (C14.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasm of esophagus (C15)												
All ages	12,530	9,607	2,923	10,624	8,205	2,419	1,906	1,402	504	1,688	1,231	457
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	4	4	-	4	4	-	-	-	-	-	-	-
25-29 years	9	8	1	7	6	1	2	2	-	2	2	-
30-34 years	20	18	2	17	15	2	3	3	-	1	1	-
35-39 years	68	52	16	59	45	14	9	7	2	9	7	2
40-44 years	241	203	38	191	164	27	50	39	11	46	35	11
45-49 years	492	417	75	389	338	51	103	79	24	92	69	23
50-54 years	916	787	129	718	624	94	198	163	35	172	141	31
55-59 years	1,114	940	174	860	741	119	254	199	55	225	176	49
60-64 years	1,440	1,197	243	1,168	985	183	272	212	60	245	191	54
65-69 years	1,765	1,436	329	1,455	1,200	255	310	236	74	274	204	70
70-74 years	2,014	1,553	461	1,714	1,350	364	300	203	97	266	178	88
75-79 years	1,941	1,423	518	1,741	1,290	451	200	133	67	177	119	58
80-84 years	1,366	942	424	1,251	867	384	115	75	40	102	67	35
85-89 years	757	452	305	700	420	280	57	32	25	51	27	24
90-94 years	317	153	164	287	135	152	30	18	12	23	13	10
95-99 years	56	18	38	53	17	36	3	1	2	3	1	2
100 yrs & over	7	2	5	7	2	5	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-
Cervical part of esophagus (C15.0)												
All ages	5	4	1	3	3	-	2	1	1	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Thoracic part of esophagus (C15.1)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal part of esophagus (C15.2)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Upper third of esophagus (C15.3)												
All ages	4	3	1	2	1	1	2	2	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Lower third of esophagus (C15.5)												
All ages	85	70	15	79	65	14	6	5	1	5	4	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	4	4	-	4	4	-	-	-	-	-	-	-
60-64 years	16	14	2	15	13	2	1	1	-	1	1	-
65-69 years	7	6	1	7	6	1	-	-	-	-	-	-
70-74 years	19	16	3	15	13	2	4	3	1	4	3	1
75-79 years	12	11	1	12	11	1	-	-	-	-	-	-
80-84 years	7	5	2	7	5	2	-	-	-	-	-	-
85-89 years	10	7	3	10	7	3	-	-	-	-	-	-
90-94 years	5	2	3	4	1	3	1	1	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Esophagus, unspecified (C15.9)												
All ages	12,434	9,528	2,906	10,539	8,135	2,404	1,895	1,393	502	1,681	1,225	456
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	4	4	-	4	4	-	-	-	-	-	-	-
25-29 years	9	8	1	7	6	1	2	2	-	2	2	-
30-34 years	20	18	2	17	15	2	3	3	-	1	1	-
35-39 years	68	52	16	59	45	14	9	7	2	9	7	2
40-44 years	239	201	38	190	163	27	49	38	11	46	35	11
45-49 years	490	415	75	387	336	51	103	79	24	92	69	23
50-54 years	913	784	129	716	622	94	197	162	35	171	140	31
55-59 years	1,110	936	174	856	737	119	254	199	55	225	176	49
60-64 years	1,423	1,183	240	1,153	972	181	270	211	59	244	190	54
65-69 years	1,757	1,429	328	1,448	1,194	254	309	235	74	274	204	70
70-74 years	1,994	1,536	458	1,699	1,337	362	295	199	96	261	174	87
75-79 years	1,927	1,410	517	1,727	1,277	450	200	133	67	177	119	58
80-84 years	1,356	935	421	1,241	860	381	115	75	40	102	67	35
85-89 years	746	444	302	689	412	277	57	32	25	51	27	24
90-94 years	312	151	161	283	134	149	29	17	12	23	13	10
95-99 years	56	18	38	53	17	36	3	1	2	3	1	2
100 yrs & over	7	2	5	7	2	5	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-
Malignant neoplasm of stomach (C16)												
All ages	12,319	7,191	5,128	9,501	5,568	3,933	2,818	1,623	1,195	2,067	1,186	881
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	5	4	1	2	2	-	3	2	1	1	1	-
20-24 years	15	5	10	8	2	6	7	3	4	4	1	3
25-29 years	33	20	13	25	14	11	8	6	2	4	3	1
30-34 years	89	51	38	59	34	25	30	17	13	21	11	10
35-39 years	178	98	80	112	67	45	66	31	35	49	25	24
40-44 years	286	155	131	198	109	89	88	46	42	72	38	34
45-49 years	452	288	164	321	207	114	131	81	50	90	57	33
50-54 years	675	443	232	473	312	161	202	131	71	150	106	44
55-59 years	751	514	237	565	385	180	186	129	57	130	88	42
60-64 years	1,020	724	296	750	536	214	270	188	82	198	135	63
65-69 years	1,308	858	450	964	627	337	344	231	113	251	172	79
70-74 years	1,713	1,070	643	1,350	850	500	363	220	143	258	161	97
75-79 years	2,004	1,194	810	1,595	973	622	409	221	188	294	163	131
80-84 years	1,789	954	835	1,441	771	670	348	183	165	258	133	125
85-89 years	1,216	550	666	1,008	463	545	208	87	121	161	59	102
90-94 years	620	222	398	503	183	320	117	39	78	94	25	69
95-99 years	149	36	113	116	30	86	33	6	27	27	6	21
100 yrs & over	16	5	11	11	3	8	5	2	3	5	2	3
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cardia (C16.0)												
All ages	740	596	144	691	561	130	49	35	14	36	26	10
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	4	4	-	4	4	-	-	-	-	-	-	-
35-39 years	7	7	-	6	6	-	1	1	-	1	1	-
40-44 years	24	17	7	24	17	7	-	-	-	-	-	-
45-49 years	40	31	9	38	30	8	2	1	1	2	1	1
50-54 years	54	51	3	51	49	2	3	2	1	2	1	1
55-59 years	75	63	12	72	62	10	3	1	2	2	-	2
60-64 years	84	74	10	76	67	9	8	7	1	6	5	1
65-69 years	97	77	20	88	72	16	9	5	4	3	3	-
70-74 years	119	102	17	108	91	17	11	11	-	10	10	-
75-79 years	100	81	19	95	76	19	5	5	-	4	4	-
80-84 years	84	61	23	80	59	21	4	2	2	3	1	2
85-89 years	39	22	17	37	22	15	2	-	2	2	-	2
90-94 years	10	6	4	9	6	3	1	-	1	1	-	1
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Fundus of stomach (C16.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pyloric antrum (C16.3)												
All ages	12	8	4	9	6	3	3	2	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	3	3	-	2	2	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	-	-	-	1	1	-	1	1	-
80-84 years	2	1	1	1	1	-	1	-	1	1	-	1
85-89 years	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pylorus (C16.4)												
All ages	6	1	5	3	-	3	3	1	2	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	-	2	1	-	1	1	-	1	-	-	-
75-79 years	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years	1	1	-	-	-	-	1	1	-	1	1	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Lesser curvature of stomach, unspecified (C16.5)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Overlapping lesion of stomach (C16.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Stomach, unspecified (C16.9)												
All ages	11,558	6,584	4,974	8,795	4,999	3,796	2,763	1,585	1,178	2,026	1,157	869
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	5	4	1	2	2	-	3	2	1	1	1	-
20-24 years	15	5	10	8	2	6	7	3	4	4	1	3
25-29 years	33	20	13	25	14	11	8	6	2	4	3	1
30-34 years	85	47	38	55	30	25	30	17	13	21	11	10
35-39 years	171	91	80	106	61	45	65	30	35	48	24	24
40-44 years	262	138	124	174	92	82	88	46	42	72	38	34
45-49 years	412	257	155	283	177	106	129	80	49	88	56	32
50-54 years	621	392	229	422	263	159	199	129	70	148	105	43
55-59 years	676	451	225	493	323	170	183	128	55	128	88	40
60-64 years	936	650	286	674	469	205	262	181	81	192	130	62
65-69 years	1,208	778	430	874	553	321	334	225	109	247	168	79
70-74 years	1,592	968	624	1,241	759	482	351	209	142	248	151	97
75-79 years	1,901	1,112	789	1,499	897	602	402	215	187	288	158	130
80-84 years	1,701	890	811	1,359	710	649	342	180	162	253	131	122
85-89 years	1,173	526	647	967	439	528	206	87	119	159	59	100
90-94 years	607	214	393	491	175	316	116	39	77	93	25	68
95-99 years	144	36	108	111	30	81	33	6	27	27	6	21
100 yrs & over	16	5	11	11	3	8	5	2	3	5	2	3
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of small intestine (C17)												
All ages	1,082	568	514	883	462	421	199	106	93	174	89	85
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	2	2	-	-	-	-	2	2	-	2	2	-
30-34 years	9	5	4	4	2	2	5	3	2	5	3	2
35-39 years	24	16	8	14	9	5	10	7	3	9	6	3
40-44 years	25	13	12	20	11	9	5	2	3	5	2	3
45-49 years	50	28	22	37	18	19	13	10	3	13	10	3
50-54 years	65	42	23	46	33	13	19	9	10	16	7	9
55-59 years	75	38	37	55	28	27	20	10	10	16	9	7
60-64 years	116	67	49	91	53	38	25	14	11	23	12	11
65-69 years	99	59	40	80	47	33	19	12	7	17	10	7
70-74 years	165	96	69	141	85	56	24	11	13	20	7	13
75-79 years	178	84	94	157	73	84	21	11	10	17	9	8
80-84 years	132	64	68	116	58	58	16	6	10	13	5	8
85-89 years	94	38	56	80	31	49	14	7	7	13	6	7
90-94 years	43	13	30	37	11	26	6	2	4	5	1	4
95-99 years	4	2	2	4	2	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Duodenum (C17.0)												
All ages	515	287	228	420	233	187	95	54	41	81	45	36
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	2	1	1	-	-	-	2	1	1	2	1	1
35-39 years	8	5	3	5	3	2	3	2	1	2	1	1
40-44 years	8	5	3	7	4	3	1	1	-	1	1	-
45-49 years	16	8	8	12	5	7	4	3	1	4	3	1
50-54 years	25	16	9	17	12	5	8	4	4	6	3	3
55-59 years	27	20	7	19	15	4	8	5	3	6	5	1
60-64 years	50	36	14	40	30	10	10	6	4	9	5	4
65-69 years	39	23	16	28	17	11	11	6	5	11	6	5
70-74 years	82	56	26	72	50	22	10	6	4	6	2	4
75-79 years	97	49	48	85	40	45	12	9	3	10	8	2
80-84 years	78	38	40	65	32	33	13	6	7	11	5	6
85-89 years	58	21	37	51	18	33	7	3	4	7	3	4
90-94 years	20	6	14	15	5	10	5	1	4	5	1	4
95-99 years	4	2	2	4	2	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Jejunum (C17.1)												
All ages	42	20	22	31	14	17	11	6	5	10	5	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	1	1	1	-	1	1	1	-	1	1	-
35-39 years	3	1	2	1	-	1	2	1	1	2	1	1
40-44 years	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years	4	2	2	3	2	1	1	-	1	1	-	1
50-54 years	3	2	1	2	1	1	1	1	-	1	1	-
55-59 years	5	1	4	4	1	3	1	-	1	1	-	1
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	4	2	2	4	2	2	-	-	-	-	-	-
70-74 years	6	2	4	4	2	2	2	-	2	2	-	2
75-79 years	3	1	2	2	-	2	1	1	-	-	-	-
80-84 years	5	3	2	5	3	2	-	-	-	-	-	-
85-89 years	3	2	1	2	1	1	1	1	-	1	1	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Ileum (C17.2)												
All ages	28	14	14	25	11	14	3	3	-	3	3	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	4	1	3	3	-	3	1	1	-	1	1	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	8	5	3	7	4	3	1	1	-	1	1	-
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years	5	2	3	5	2	3	-	-	-	-	-	-
85-89 years	1	1	-	-	-	-	1	1	-	1	1	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Meckel's diverticulum (C17.3)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Overlapping lesion of small intestine (C17.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Small intestine, unspecified (C17.9)												
All ages	494	244	250	404	201	203	90	43	47	80	36	44
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	5	3	2	3	2	1	2	1	1	2	1	1
35-39 years	13	10	3	8	6	2	5	4	1	5	4	1
40-44 years	15	6	9	12	6	6	3	-	3	3	-	3
45-49 years	30	18	12	22	11	11	8	7	1	8	7	1
50-54 years	36	23	13	26	19	7	10	4	6	9	3	6
55-59 years	39	16	23	29	12	17	10	4	6	8	3	5
60-64 years	63	30	33	48	22	26	15	8	7	14	7	7
65-69 years	53	33	20	45	27	18	8	6	2	6	4	2
70-74 years	69	33	36	58	29	29	11	4	7	11	4	7
75-79 years	74	32	42	66	31	35	8	1	7	7	1	6
80-84 years	43	20	23	40	20	20	3	-	3	2	-	2
85-89 years	32	14	18	27	12	15	5	2	3	4	1	3
90-94 years	21	5	16	20	4	16	1	1	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasm of colon (C18)												
All ages	47,860	23,302	24,558	40,860	20,026	20,834	7,000	3,276	3,724	5,985	2,761	3,224
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	11	6	5	7	5	2	4	1	3	2	1	1
20-24 years	28	13	15	22	8	14	6	5	1	5	5	-
25-29 years	57	25	32	40	18	22	17	7	10	12	5	7
30-34 years	175	94	81	131	74	57	44	20	24	34	16	18
35-39 years	380	210	170	287	166	121	93	44	49	78	37	41
40-44 years	709	363	346	527	273	254	182	90	92	157	80	77
45-49 years	1,331	730	601	991	549	442	340	181	159	290	154	136
50-54 years	2,168	1,166	1,002	1,686	931	755	482	235	247	411	203	208
55-59 years	2,901	1,680	1,221	2,314	1,375	939	587	305	282	514	266	248
60-64 years	3,602	2,035	1,567	2,938	1,696	1,242	664	339	325	573	281	292
65-69 years	4,994	2,843	2,151	4,124	2,393	1,731	870	450	420	742	385	357
70-74 years	6,640	3,602	3,038	5,707	3,156	2,551	933	446	487	787	371	416
75-79 years	7,717	3,862	3,855	6,681	3,387	3,294	1,036	475	561	892	398	494
80-84 years	7,388	3,338	4,050	6,589	2,990	3,599	799	348	451	674	288	386
85-89 years	5,756	2,183	3,573	5,227	1,976	3,251	529	207	322	445	170	275
90-94 years	3,025	914	2,111	2,736	825	1,911	289	89	200	260	75	185
95-99 years	869	207	662	765	178	587	104	29	75	90	22	68
100 yrs & over	109	31	78	88	26	62	21	5	16	19	4	15
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cecum (C18.0)												
All ages	397	161	236	345	133	212	52	28	24	46	24	22
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	3	2	1	2	1	1	1	1	-	1	1	-
45-49 years	10	7	3	9	7	2	1	-	1	1	-	1
50-54 years	16	7	9	12	3	9	4	4	-	4	4	-
55-59 years	13	9	4	10	7	3	3	2	1	3	2	1
60-64 years	25	8	17	18	5	13	7	3	4	5	1	4
65-69 years	26	15	11	22	13	9	4	2	2	4	2	2
70-74 years	38	16	22	33	14	19	5	2	3	5	2	3
75-79 years	67	30	37	58	27	31	9	3	6	8	3	5
80-84 years	67	28	39	60	24	36	7	4	3	6	3	3
85-89 years	63	21	42	58	17	41	5	4	1	4	3	1
90-94 years	50	12	38	44	9	35	6	3	3	5	3	2
95-99 years	12	4	8	12	4	8	-	-	-	-	-	-
100 yrs & over	3	-	3	3	-	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Appendix (C18.1)												
All ages	262	106	156	226	91	135	36	15	21	25	10	15
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	6	3	3	6	3	3	-	-	-	-	-	-
35-39 years	11	2	9	7	2	5	4	-	4	2	-	2
40-44 years	12	5	7	11	4	7	1	1	-	1	1	-
45-49 years	33	13	20	29	11	18	4	2	2	4	2	2
50-54 years	36	11	25	28	7	21	8	4	4	4	3	1
55-59 years	36	15	21	35	14	21	1	1	-	-	-	-
60-64 years	32	11	21	26	10	16	6	1	5	5	1	4
65-69 years	28	19	9	23	16	7	5	3	2	4	2	2
70-74 years	23	5	18	23	5	18	-	-	-	-	-	-
75-79 years	23	14	9	20	12	8	3	2	1	1	-	1
80-84 years	13	6	7	11	6	5	2	-	2	2	-	2
85-89 years	8	1	7	6	-	6	2	1	1	2	1	1
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Ascending colon (C18.2)												
All ages	466	229	237	388	197	191	78	32	46	48	19	29
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	6	4	2	4	3	1	2	1	1	2	1	1
45-49 years	11	5	6	7	3	4	4	2	2	2	1	1
50-54 years	15	5	10	13	5	8	2	-	2	1	-	1
55-59 years	25	13	12	16	9	7	9	4	5	6	2	4
60-64 years	34	21	13	20	12	8	14	9	5	10	7	3
65-69 years	42	22	20	35	20	15	7	2	5	4	2	2
70-74 years	65	32	33	57	29	28	8	3	5	4	2	2
75-79 years	82	42	40	68	37	31	14	5	9	8	1	7
80-84 years	80	42	38	74	41	33	6	1	5	3	1	2
85-89 years	64	27	37	57	24	33	7	3	4	5	2	3
90-94 years	31	13	18	30	12	18	1	1	-	-	-	-
95-99 years	8	2	6	6	1	5	2	1	1	1	-	1
100 yrs & over	1	-	1	-	-	-	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hepatic flexure (C18.3)												
All ages	6	1	5	5	1	4	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	1	-	1	-	-	-	1	-	1	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Transverse colon (C18.4)												
All ages	75	31	44	68	26	42	7	5	2	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	4	1	3	4	1	3	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	3	2	1	2	1	1	1	1	-	1	1	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	5	2	3	4	2	2	1	-	1	1	-	1
65-69 years	4	1	3	4	1	3	-	-	-	-	-	-
70-74 years	6	3	3	4	1	3	2	2	-	-	-	-
75-79 years	9	5	4	7	4	3	2	1	1	-	-	-
80-84 years	13	6	7	13	6	7	-	-	-	-	-	-
85-89 years	15	4	11	14	3	11	1	1	-	1	1	-
90-94 years	8	5	3	8	5	3	-	-	-	-	-	-
95-99 years	5	1	4	5	1	4	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Splenic flexure (C18.5)												
All ages	12	5	7	12	5	7	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Descending colon (C18.6)												
All ages	87	52	35	70	46	24	17	6	11	10	4	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	10	9	1	8	7	1	2	2	-	2	2	-
55-59 years	4	2	2	4	2	2	-	-	-	-	-	-
60-64 years	7	3	4	7	3	4	-	-	-	-	-	-
65-69 years	10	8	2	8	8	-	2	-	2	1	-	1
70-74 years	11	5	6	5	3	2	6	2	4	3	1	2
75-79 years	13	9	4	9	8	1	4	1	3	2	-	2
80-84 years	11	5	6	10	5	5	1	-	1	-	-	-
85-89 years	13	7	6	13	7	6	-	-	-	-	-	-
90-94 years	4	2	2	2	1	1	2	1	1	2	1	1
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sigmoid colon (C18.7)												
All ages	516	262	254	450	227	223	66	35	31	37	18	19
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	1	1	1	1	-	1	-	1	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	-	2	1	-	1	1	-	1	1	-	1
40-44 years	7	2	5	6	2	4	1	-	1	-	-	-
45-49 years	12	8	4	9	7	2	3	1	2	2	1	1
50-54 years	24	9	15	19	9	10	5	-	5	2	-	2
55-59 years	35	19	16	28	14	14	7	5	2	5	3	2
60-64 years	42	21	21	34	17	17	8	4	4	4	2	2
65-69 years	54	36	18	50	32	18	4	4	-	2	2	-
70-74 years	65	37	28	61	36	25	4	1	3	3	1	2
75-79 years	88	53	35	79	48	31	9	5	4	5	2	3
80-84 years	74	37	37	63	28	35	11	9	2	5	4	1
85-89 years	66	26	40	58	20	38	8	6	2	4	3	1
90-94 years	32	9	23	29	9	20	3	-	3	3	-	3
95-99 years	12	3	9	11	3	8	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Overlapping lesion of colon (C18.8)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Colon, unspecified (C18.9)												
All ages	46,038	22,454	23,584	39,296	19,300	19,996	6,742	3,154	3,588	5,815	2,683	3,132
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	10	5	5	6	4	2	4	1	3	2	1	1
20-24 years	27	12	15	21	7	14	6	5	1	5	5	-
25-29 years	55	24	31	39	17	22	16	7	9	12	5	7
30-34 years	166	90	76	122	70	52	44	20	24	34	16	18
35-39 years	363	206	157	276	162	114	87	44	43	74	37	37
40-44 years	676	348	328	499	261	238	177	87	90	153	77	76
45-49 years	1,263	696	567	935	520	415	328	176	152	281	150	131
50-54 years	2,064	1,123	941	1,604	899	705	460	224	236	397	193	204
55-59 years	2,786	1,621	1,165	2,219	1,328	891	567	293	274	500	259	241
60-64 years	3,457	1,969	1,488	2,829	1,647	1,182	628	322	306	548	270	278
65-69 years	4,828	2,741	2,087	3,981	2,303	1,678	847	438	409	726	376	350
70-74 years	6,428	3,501	2,927	5,520	3,065	2,455	908	436	472	772	365	407
75-79 years	7,430	3,707	3,723	6,436	3,249	3,187	994	458	536	868	392	476
80-84 years	7,126	3,214	3,912	6,354	2,880	3,474	772	334	438	658	280	378
85-89 years	5,525	2,096	3,429	5,019	1,904	3,115	506	192	314	429	160	269
90-94 years	2,898	873	2,025	2,621	789	1,832	277	84	193	250	71	179
95-99 years	831	197	634	730	169	561	101	28	73	88	22	66
100 yrs & over	105	31	74	85	26	59	20	5	15	18	4	14
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of rectosigmoid junction (C19)												
All ages	2,118	1,137	981	1,835	988	847	283	149	134	224	111	113
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	2	-	-	-	-	2	2	-	1	1	-
25-29 years	6	3	3	6	3	3	-	-	-	-	-	-
30-34 years	7	2	5	5	-	5	2	2	-	2	2	-
35-39 years	29	19	10	22	13	9	7	6	1	4	4	-
40-44 years	51	26	25	41	22	19	10	4	6	7	2	5
45-49 years	87	49	38	72	40	32	15	9	6	11	6	5
50-54 years	144	78	66	117	64	53	27	14	13	20	10	10
55-59 years	186	119	67	154	97	57	32	22	10	25	17	8
60-64 years	184	117	67	164	103	61	20	14	6	16	12	4
65-69 years	266	158	108	228	139	89	38	19	19	33	17	16
70-74 years	280	159	121	241	137	104	39	22	17	28	15	13
75-79 years	309	170	139	269	151	118	40	19	21	35	16	19
80-84 years	266	123	143	241	116	125	25	7	18	20	4	16
85-89 years	186	73	113	173	69	104	13	4	9	11	2	9
90-94 years	88	32	56	78	28	50	10	4	6	8	2	6
95-99 years	24	7	17	22	6	16	2	1	1	2	1	1
100 yrs & over	3	-	3	2	-	2	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasm of rectum (C20)												
All ages	6,398	3,601	2,797	5,591	3,157	2,434	807	444	363	653	361	292
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	5	3	2	5	3	2	-	-	-	-	-	-
25-29 years	18	10	8	14	7	7	4	3	1	1	1	-
30-34 years	32	21	11	24	16	8	8	5	3	6	5	1
35-39 years	78	52	26	59	40	19	19	12	7	15	10	5
40-44 years	142	90	52	116	67	49	26	23	3	20	19	1
45-49 years	294	174	120	232	144	88	62	30	32	52	26	26
50-54 years	439	281	158	366	243	123	73	38	35	55	29	26
55-59 years	474	296	178	395	245	150	79	51	28	67	42	25
60-64 years	546	368	178	467	318	149	79	50	29	61	39	22
65-69 years	686	457	229	607	399	208	79	58	21	62	45	17
70-74 years	816	508	308	718	449	269	98	59	39	77	49	28
75-79 years	898	513	385	820	476	344	78	37	41	64	33	31
80-84 years	834	411	423	743	371	372	91	40	51	79	34	45
85-89 years	638	256	382	579	235	344	59	21	38	51	16	35
90-94 years	351	120	231	315	107	208	36	13	23	28	9	19
95-99 years	130	36	94	117	33	84	13	3	10	12	3	9
100 yrs & over	17	5	12	14	4	10	3	1	2	3	1	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of anus and anal canal (C21)												
All ages	511	185	326	462	164	298	49	21	28	43	18	25
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	4	2	2	3	1	2	1	1	-	1	1	-
35-39 years	18	9	9	16	7	9	2	2	-	2	2	-
40-44 years	26	12	14	23	11	12	3	1	2	3	1	2
45-49 years	32	14	18	29	13	16	3	1	2	3	1	2
50-54 years	53	20	33	42	16	26	11	4	7	9	2	7
55-59 years	49	21	28	43	18	25	6	3	3	5	3	2
60-64 years	42	16	26	40	15	25	2	1	1	1	1	-
65-69 years	51	21	30	45	18	27	6	3	3	5	2	3
70-74 years	58	25	33	56	24	32	2	1	1	2	1	1
75-79 years	64	23	41	61	22	39	3	1	2	3	1	2
80-84 years	51	11	40	45	9	36	6	2	4	6	2	4
85-89 years	38	8	30	36	8	28	2	-	2	2	-	2
90-94 years	18	2	16	17	2	15	1	-	1	-	-	-
95-99 years	5	1	4	4	-	4	1	1	-	1	1	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Anus, unspecified (C21.0)												
All ages	401	146	255	364	132	232	37	14	23	31	11	20
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	3	2	1	2	1	1	1	1	-	1	1	-
35-39 years	12	6	6	11	5	6	1	1	-	1	1	-
40-44 years	20	9	11	18	9	9	2	-	2	2	-	2
45-49 years	28	11	17	25	10	15	3	1	2	3	1	2
50-54 years	43	17	26	34	14	20	9	3	6	7	1	6
55-59 years	42	19	23	38	16	22	4	3	1	3	3	-
60-64 years	30	9	21	29	9	20	1	-	1	-	-	-
65-69 years	38	20	18	33	17	16	5	3	2	4	2	2
70-74 years	46	20	26	45	20	25	1	-	1	1	-	1
75-79 years	53	19	34	50	18	32	3	1	2	3	1	2
80-84 years	39	7	32	36	7	29	3	-	3	3	-	3
85-89 years	27	4	23	25	4	21	2	-	2	2	-	2
90-94 years	14	2	12	13	2	11	1	-	1	-	-	-
95-99 years	5	1	4	4	-	4	1	1	-	1	1	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Anal canal (C21.1)												
All ages	43	18	25	37	14	23	6	4	2	6	4	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	4	2	2	3	1	2	1	1	-	1	1	-
40-44 years	4	1	3	3	-	3	1	1	-	1	1	-
45-49 years	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	3	1	2	2	1	1	1	-	1	1	-	1
60-64 years	7	5	2	7	5	2	-	-	-	-	-	-
65-69 years	5	-	5	4	-	4	1	-	1	1	-	1
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years	4	2	2	2	-	2	2	2	-	2	2	-
85-89 years	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cloacogenic zone (C21.2)												
All ages	22	4	18	22	4	18	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	3	-	3	3	-	3	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years	4	-	4	4	-	4	-	-	-	-	-	-
70-74 years	5	2	3	5	2	3	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	4	-	4	4	-	4	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Overlapping lesion of rectum, anus, and anal canal (C21.8)												
All ages	45	17	28	39	14	25	6	3	3	6	3	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	5	2	3	3	1	2	2	1	1	2	1	1
55-59 years	3	-	3	2	-	2	1	-	1	1	-	1
60-64 years	2	1	1	1	-	1	1	1	-	1	1	-
65-69 years	4	1	3	4	1	3	-	-	-	-	-	-
70-74 years	4	2	2	3	1	2	1	1	-	1	1	-
75-79 years	6	3	3	6	3	3	-	-	-	-	-	-
80-84 years	4	2	2	3	2	1	1	-	1	1	-	1
85-89 years	7	2	5	7	2	5	-	-	-	-	-	-
90-94 years	4	-	4	4	-	4	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasm of liver and intrahepatic bile ducts (C22)												
All ages	13,351	8,483	4,868	10,697	6,774	3,923	2,654	1,709	945	1,670	1,048	622
Under 1 year	5	3	2	5	3	2	-	-	-	-	-	-
1-4 years	18	7	11	14	5	9	4	2	2	3	2	1
5-9 years	7	4	3	2	1	1	5	3	2	3	2	1
10-14 years	8	3	5	6	3	3	2	-	2	2	-	2
15-19 years	14	6	8	10	5	5	4	1	3	2	-	2
20-24 years	15	9	6	12	7	5	3	2	1	2	1	1
25-29 years	29	16	13	19	9	10	10	7	3	6	4	2
30-34 years	46	27	19	29	15	14	17	12	5	9	6	3
35-39 years	137	100	37	82	56	26	55	44	11	30	23	7
40-44 years	264	202	62	155	119	36	109	83	26	66	48	18
45-49 years	795	618	177	549	427	122	246	191	55	175	133	42
50-54 years	1,073	872	201	764	617	147	309	255	54	214	172	42
55-59 years	1,063	780	283	772	561	211	291	219	72	215	162	53
60-64 years	1,288	911	377	1,000	719	281	288	192	96	160	105	55
65-69 years	1,556	1,036	520	1,239	851	388	317	185	132	185	110	75
70-74 years	1,884	1,188	696	1,566	1,009	557	318	179	139	178	97	81
75-79 years	2,003	1,200	803	1,729	1,037	692	274	163	111	155	85	70
80-84 years	1,646	847	799	1,415	746	669	231	101	130	151	61	90
85-89 years	1,009	481	528	896	426	470	113	55	58	71	31	40
90-94 years	386	140	246	344	129	215	42	11	31	32	6	26
95-99 years	97	31	66	82	27	55	15	4	11	10	-	10
100 yrs & over	8	2	6	7	2	5	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Liver cell carcinoma (C22.0)												
All ages	5,443	4,078	1,365	4,135	3,115	1,020	1,308	963	345	763	566	197
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	5	2	3	1	-	1	4	2	2	2	1	1
10-14 years	5	3	2	5	3	2	-	-	-	-	-	-
15-19 years	10	4	6	7	3	4	3	1	2	1	-	1
20-24 years	6	5	1	4	3	1	2	2	-	1	1	-
25-29 years	16	10	6	10	5	5	6	5	1	3	3	-
30-34 years	24	15	9	14	7	7	10	8	2	5	4	1
35-39 years	71	57	14	32	23	9	39	34	5	18	16	2
40-44 years	128	108	20	68	57	11	60	51	9	34	28	6
45-49 years	448	385	63	301	263	38	147	122	25	96	80	16
50-54 years	571	503	68	395	345	50	176	158	18	121	108	13
55-59 years	499	422	77	342	296	46	157	126	31	115	94	21
60-64 years	604	478	126	459	373	86	145	105	40	78	57	21
65-69 years	695	519	176	528	410	118	167	109	58	87	58	29
70-74 years	759	541	218	605	450	155	154	91	63	73	41	32
75-79 years	745	506	239	628	433	195	117	73	44	57	31	26
80-84 years	524	320	204	441	274	167	83	46	37	50	27	23
85-89 years	252	164	88	223	139	84	29	25	4	17	15	2
90-94 years	69	32	37	62	28	34	7	4	3	5	2	3
95-99 years	11	4	7	9	3	6	2	1	1	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Intrahepatic bile duct carcinoma (C22.1)												
All ages	2,862	1,408	1,454	2,473	1,217	1,256	389	191	198	233	110	123
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	9	5	4	7	4	3	2	1	1	1	-	1
30-34 years	6	4	2	4	3	1	2	1	1	1	1	-
35-39 years	28	16	12	24	15	9	4	1	3	3	-	3
40-44 years	49	29	20	38	24	14	11	5	6	5	2	3
45-49 years	88	41	47	67	34	33	21	7	14	16	5	11
50-54 years	147	86	61	120	72	48	27	14	13	16	8	8
55-59 years	189	91	98	153	72	81	36	19	17	25	14	11
60-64 years	260	143	117	218	116	102	42	27	15	25	17	8
65-69 years	332	176	156	285	153	132	47	23	24	30	16	14
70-74 years	421	221	200	367	191	176	54	30	24	26	14	12
75-79 years	473	242	231	426	214	212	47	28	19	24	16	8
80-84 years	423	198	225	369	178	191	54	20	34	35	10	25
85-89 years	287	106	181	258	96	162	29	10	19	17	6	11
90-94 years	110	36	74	103	34	69	7	2	5	6	1	5
95-99 years	37	12	25	31	9	22	6	3	3	3	-	3
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hepatoblastoma (C22.2)												
All ages	26	12	14	20	9	11	6	3	3	5	3	2
Under 1 year	3	1	2	3	1	2	-	-	-	-	-	-
1-4 years	17	7	10	13	5	8	4	2	2	3	2	1
5-9 years	2	2	-	1	1	-	1	1	-	1	1	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Angiosarcoma of liver (C22.3)												
All ages	23	15	8	19	12	7	4	3	1	3	2	1
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	3	2	1	1	-	1	2	2	-	2	2	-
50-54 years	2	2	-	1	1	-	1	1	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years	3	1	2	2	1	1	1	-	1	1	-	1
70-74 years	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other sarcomas of liver (C22.4)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified carcinomas of liver (C22.7)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Liver, unspecified (C22.9)												
All ages	4,995	2,970	2,025	4,048	2,421	1,627	947	549	398	666	367	299
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	-	2	1	-	1	1	-	1	1	-	1
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	8	4	4	7	4	3	1	-	1	1	-	1
25-29 years	4	1	3	2	-	2	2	1	1	2	1	1
30-34 years	16	8	8	11	5	6	5	3	2	3	1	2
35-39 years	38	27	11	26	18	8	12	9	3	9	7	2
40-44 years	87	65	22	49	38	11	38	27	11	27	18	9
45-49 years	256	190	66	180	130	50	76	60	16	61	46	15
50-54 years	352	281	71	247	199	48	105	82	23	77	56	21
55-59 years	373	265	108	275	191	84	98	74	24	75	54	21
60-64 years	419	287	132	318	227	91	101	60	41	57	31	26
65-69 years	526	340	186	424	287	137	102	53	49	67	36	31
70-74 years	700	425	275	590	367	223	110	58	52	79	42	37
75-79 years	783	451	332	673	389	284	110	62	48	74	38	36
80-84 years	697	327	370	603	292	311	94	35	59	66	24	42
85-89 years	469	210	259	414	190	224	55	20	35	37	10	27
90-94 years	207	72	135	179	67	112	28	5	23	21	3	18
95-99 years	49	15	34	42	15	27	7	-	7	7	-	7
100 yrs & over	7	1	6	6	1	5	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasm of gallbladder (C23)												
All ages	1,971	567	1,404	1,688	486	1,202	283	81	202	208	55	153
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	-	2	1	-	1	1	-	1	1	-	1
35-39 years	10	3	7	6	2	4	4	1	3	3	1	2
40-44 years	38	7	31	28	5	23	10	2	8	6	1	5
45-49 years	57	13	44	45	11	34	12	2	10	10	2	8
50-54 years	84	20	64	69	17	52	15	3	12	13	2	11
55-59 years	108	40	68	91	34	57	17	6	11	10	5	5
60-64 years	164	46	118	135	39	96	29	7	22	22	4	18
65-69 years	213	58	155	171	46	125	42	12	30	31	9	22
70-74 years	299	95	204	257	81	176	42	14	28	30	11	19
75-79 years	365	125	240	320	107	213	45	18	27	31	11	20
80-84 years	316	96	220	288	88	200	28	8	20	23	7	16
85-89 years	203	49	154	178	43	135	25	6	19	20	2	18
90-94 years	84	10	74	76	8	68	8	2	6	4	-	4
95-99 years	26	5	21	21	5	16	5	-	5	4	-	4
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of other and unspecified parts of biliary tract (C24)												
All ages	1,630	765	865	1,452	687	765	178	78	100	119	49	70
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years	11	6	5	10	6	4	1	-	1	-	-	-
40-44 years	15	10	5	13	10	3	2	-	2	2	-	2
45-49 years	40	21	19	35	19	16	5	2	3	3	1	2
50-54 years	65	43	22	54	35	19	11	8	3	6	3	3
55-59 years	89	44	45	76	39	37	13	5	8	10	5	5
60-64 years	93	46	47	78	39	39	15	7	8	11	3	8
65-69 years	143	67	76	117	61	56	26	6	20	17	5	12
70-74 years	226	112	114	201	102	99	25	10	15	18	8	10
75-79 years	253	122	131	229	112	117	24	10	14	13	6	7
80-84 years	309	151	158	282	136	146	27	15	12	16	7	9
85-89 years	215	86	129	199	79	120	16	7	9	15	7	8
90-94 years	128	46	82	117	38	79	11	8	3	7	4	3
95-99 years	31	9	22	30	9	21	1	-	1	1	-	1
100 yrs & over	7	-	7	6	-	6	1	-	1	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Extrahepatic bile duct (C24.0)												
All ages	761	382	379	684	344	340	77	38	39	49	24	25
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	6	2	4	5	2	3	1	-	1	-	-	-
40-44 years	8	6	2	7	6	1	1	-	1	1	-	1
45-49 years	15	7	8	13	7	6	2	-	2	1	-	1
50-54 years	32	24	8	28	20	8	4	4	-	1	1	-
55-59 years	34	19	15	28	16	12	6	3	3	5	3	2
60-64 years	49	29	20	41	24	17	8	5	3	6	3	3
65-69 years	73	38	35	59	34	25	14	4	10	10	4	6
70-74 years	105	53	52	97	49	48	8	4	4	6	4	2
75-79 years	118	59	59	105	52	53	13	7	6	5	3	2
80-84 years	139	72	67	130	67	63	9	5	4	6	2	4
85-89 years	107	47	60	99	44	55	8	3	5	7	3	4
90-94 years	57	21	36	54	18	36	3	3	-	1	1	-
95-99 years	12	3	9	12	3	9	-	-	-	-	-	-
100 yrs & over	3	-	3	3	-	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Ampulla of Vater (C24.1)												
All ages	201	107	94	177	95	82	24	12	12	16	9	7
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	4	2	2	4	2	2	-	-	-	-	-	-
50-54 years	10	5	5	8	3	5	2	2	-	1	1	-
55-59 years	15	11	4	14	11	3	1	-	1	1	-	1
60-64 years	11	3	8	11	3	8	-	-	-	-	-	-
65-69 years	21	10	11	16	10	6	5	-	5	3	-	3
70-74 years	22	15	7	21	15	6	1	-	1	1	-	1
75-79 years	31	14	17	28	12	16	3	2	1	2	2	-
80-84 years	39	26	13	33	23	10	6	3	3	3	2	1
85-89 years	27	11	16	23	8	15	4	3	1	4	3	1
90-94 years	17	9	8	15	7	8	2	2	-	1	1	-
95-99 years	4	1	3	4	1	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Overlapping lesion of biliary tract (C24.8)												
All ages	2	-	2	1	-	1	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	-	-	-	1	-	1	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Biliary tract, unspecified (C24.9)												
All ages	666	276	390	590	248	342	76	28	48	54	16	38
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	5	4	1	5	4	1	-	-	-	-	-	-
40-44 years	7	4	3	6	4	2	1	-	1	1	-	1
45-49 years	21	12	9	18	10	8	3	2	1	2	1	1
50-54 years	23	14	9	18	12	6	5	2	3	4	1	3
55-59 years	40	14	26	34	12	22	6	2	4	4	2	2
60-64 years	33	14	19	26	12	14	7	2	5	5	-	5
65-69 years	48	19	29	42	17	25	6	2	4	4	1	3
70-74 years	98	44	54	82	38	44	16	6	10	11	4	7
75-79 years	104	49	55	96	48	48	8	1	7	6	1	5
80-84 years	131	53	78	119	46	73	12	7	5	7	3	4
85-89 years	81	28	53	77	27	50	4	1	3	4	1	3
90-94 years	54	16	38	48	13	35	6	3	3	5	2	3
95-99 years	15	5	10	14	5	9	1	-	1	1	-	1
100 yrs & over	4	-	4	3	-	3	1	-	1	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasm of pancreas (C25)												
All ages	29,803	14,467	15,336	25,769	12,641	13,128	4,034	1,826	2,208	3,394	1,523	1,871
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	11	5	6	7	4	3	4	1	3	4	1	3
30-34 years	44	25	19	35	21	14	9	4	5	6	3	3
35-39 years	167	99	68	134	77	57	33	22	11	26	16	10
40-44 years	407	222	185	327	182	145	80	40	40	64	31	33
45-49 years	833	503	330	652	403	249	181	100	81	157	90	67
50-54 years	1,577	964	613	1,293	801	492	284	163	121	244	140	104
55-59 years	2,111	1,269	842	1,753	1,081	672	358	188	170	294	155	139
60-64 years	2,757	1,605	1,152	2,354	1,385	969	403	220	183	353	188	165
65-69 years	3,525	1,921	1,604	2,989	1,647	1,342	536	274	262	449	236	213
70-74 years	4,633	2,294	2,339	3,998	2,008	1,990	635	286	349	526	234	292
75-79 years	4,987	2,360	2,627	4,398	2,118	2,280	589	242	347	489	205	284
80-84 years	4,335	1,831	2,504	3,876	1,657	2,219	459	174	285	387	136	251
85-89 years	2,861	984	1,877	2,581	907	1,674	280	77	203	233	60	173
90-94 years	1,214	310	904	1,072	281	791	142	29	113	124	22	102
95-99 years	293	64	229	261	60	201	32	4	28	29	4	25
100 yrs & over	42	7	35	33	5	28	9	2	7	9	2	7
Not stated	1	1	-	1	1	-	-	-	-	-	-	-
Head of pancreas (C25.0)												
All ages	182	82	100	156	72	84	26	10	16	22	8	14
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	2	1	1	-	-	-	2	1	1	2	1	1
55-59 years	10	7	3	9	6	3	1	1	-	1	1	-
60-64 years	12	7	5	7	5	2	5	2	3	4	1	3
65-69 years	12	4	8	10	3	7	2	1	1	2	1	1
70-74 years	17	11	6	16	11	5	1	-	1	1	-	1
75-79 years	36	18	18	32	16	16	4	2	2	3	2	1
80-84 years	41	21	20	38	21	17	3	-	3	3	-	3
85-89 years	23	9	14	22	8	14	1	1	-	1	1	-
90-94 years	22	3	19	15	1	14	7	2	5	5	1	4
95-99 years	4	-	4	4	-	4	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Body of pancreas (C25.1)												
All ages	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Tail of pancreas (C25.2)												
All ages	17	13	4	15	13	2	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	5	4	1	4	4	-	1	-	1	1	-	1
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	5	3	2	4	3	1	1	-	1	1	-	1
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pancreatic duct (C25.3)												
All ages	21	11	10	18	10	8	3	1	2	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	5	3	2	4	3	1	1	-	1	1	-	1
80-84 years	3	-	3	2	-	2	1	-	1	1	-	1
85-89 years	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Endocrine pancreas (C25.4)												
All ages	123	62	61	112	56	56	11	6	5	8	5	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years	4	2	2	4	2	2	-	-	-	-	-	-
40-44 years	5	2	3	5	2	3	-	-	-	-	-	-
45-49 years	5	-	5	5	-	5	-	-	-	-	-	-
50-54 years	18	10	8	17	10	7	1	-	1	-	-	-
55-59 years	9	2	7	9	2	7	-	-	-	-	-	-
60-64 years	20	12	8	18	11	7	2	1	1	2	1	1
65-69 years	15	9	6	12	7	5	3	2	1	3	2	1
70-74 years	22	16	6	18	14	4	4	2	2	2	1	1
75-79 years	11	3	8	11	3	8	-	-	-	-	-	-
80-84 years	7	3	4	7	3	4	-	-	-	-	-	-
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other parts of pancreas (C25.7)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pancreas, unspecified (C25.9)												
All ages	29,456	14,297	15,159	25,465	12,488	12,977	3,991	1,809	2,182	3,358	1,509	1,849
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	10	4	6	7	4	3	3	-	3	3	-	3
30-34 years	41	23	18	32	19	13	9	4	5	6	3	3
35-39 years	163	97	66	130	75	55	33	22	11	26	16	10
40-44 years	402	220	182	322	180	142	80	40	40	64	31	33
45-49 years	825	501	324	645	402	243	180	99	81	156	89	67
50-54 years	1,554	950	604	1,273	788	485	281	162	119	242	139	103
55-59 years	2,092	1,260	832	1,735	1,073	662	357	187	170	293	154	139
60-64 years	2,718	1,581	1,137	2,323	1,364	959	395	217	178	346	186	160
65-69 years	3,494	1,905	1,589	2,963	1,634	1,329	531	271	260	444	233	211
70-74 years	4,591	2,266	2,325	3,961	1,982	1,979	630	284	346	523	233	290
75-79 years	4,929	2,333	2,596	4,347	2,093	2,254	582	240	342	483	203	280
80-84 years	4,281	1,805	2,476	3,826	1,631	2,195	455	174	281	383	136	247
85-89 years	2,830	971	1,859	2,551	895	1,656	279	76	203	232	59	173
90-94 years	1,190	306	884	1,055	279	776	135	27	108	119	21	98
95-99 years	289	64	225	257	60	197	32	4	28	29	4	25
100 yrs & over	41	7	34	32	5	27	9	2	7	9	2	7
Not stated	1	1	-	1	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasm of other and ill-defined digestive organs (C26)												
All ages	1,409	686	723	1,203	590	613	206	96	110	169	79	90
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	8	4	4	6	3	3	2	1	1	1	-	1
40-44 years	18	10	8	14	9	5	4	1	3	2	-	2
45-49 years	32	22	10	22	15	7	10	7	3	7	4	3
50-54 years	51	35	16	38	28	10	13	7	6	12	7	5
55-59 years	75	50	25	60	42	18	15	8	7	13	7	6
60-64 years	105	67	38	80	51	29	25	16	9	20	12	8
65-69 years	125	63	62	104	53	51	21	10	11	15	9	6
70-74 years	194	106	88	168	92	76	26	14	12	23	13	10
75-79 years	236	124	112	210	112	98	26	12	14	19	8	11
80-84 years	220	86	134	190	78	112	30	8	22	25	7	18
85-89 years	178	73	105	159	66	93	19	7	12	18	7	11
90-94 years	125	37	88	114	32	82	11	5	6	10	5	5
95-99 years	32	6	26	29	6	23	3	-	3	3	-	3
100 yrs & over	7	-	7	6	-	6	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal tract, part unspecified (C26.0)												
All ages	432	189	243	391	171	220	41	18	23	34	14	20
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	6	5	1	6	5	1	-	-	-	-	-	-
45-49 years	5	3	2	4	2	2	1	1	-	-	-	-
50-54 years	11	8	3	8	6	2	3	2	1	2	2	-
55-59 years	21	10	11	17	9	8	4	1	3	4	1	3
60-64 years	30	17	13	27	15	12	3	2	1	2	1	1
65-69 years	37	19	18	31	15	16	6	4	2	5	3	2
70-74 years	69	34	35	64	31	33	5	3	2	5	3	2
75-79 years	84	41	43	77	39	38	7	2	5	5	1	4
80-84 years	68	22	46	62	21	41	6	1	5	6	1	5
85-89 years	51	21	30	46	19	27	5	2	3	4	2	2
90-94 years	40	7	33	39	7	32	1	-	1	1	-	1
95-99 years	8	1	7	8	1	7	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Spleen (C26.1)												
All ages	17	8	9	15	8	7	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	3	1	2	2	1	1	1	-	1	1	-	1
60-64 years	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	2	-	2	1	-	1	1	-	1	1	-	1
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Overlapping lesion of digestive system (C26.8)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Ill-defined sites within the digestive system (C26.9)												
All ages	958	487	471	795	409	386	163	78	85	133	65	68
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	7	4	3	5	3	2	2	1	1	1	-	1
40-44 years	12	5	7	8	4	4	4	1	3	2	-	2
45-49 years	26	19	7	17	13	4	9	6	3	7	4	3
50-54 years	39	26	13	29	21	8	10	5	5	10	5	5
55-59 years	51	39	12	41	32	9	10	7	3	8	6	2
60-64 years	72	48	24	50	34	16	22	14	8	18	11	7
65-69 years	87	43	44	72	37	35	15	6	9	10	6	4
70-74 years	124	72	52	103	61	42	21	11	10	18	10	8
75-79 years	149	82	67	131	72	59	18	10	8	13	7	6
80-84 years	151	64	87	127	57	70	24	7	17	19	6	13
85-89 years	124	49	75	110	44	66	14	5	9	14	5	9
90-94 years	83	29	54	73	24	49	10	5	5	9	5	4
95-99 years	24	5	19	21	5	16	3	-	3	3	-	3
100 yrs & over	7	-	7	6	-	6	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of nasal cavity and middle ear (C30)												
All ages	58	32	26	53	30	23	5	2	3	4	2	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	1	1	-	1	-	1	1	-	1
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	4	2	2	4	2	2	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	6	5	1	6	5	1	-	-	-	-	-	-
60-64 years	5	5	-	4	4	-	1	1	-	1	1	-
65-69 years	5	5	-	5	5	-	-	-	-	-	-	-
70-74 years	5	4	1	4	3	1	1	1	-	1	1	-
75-79 years	9	1	8	7	1	6	2	-	2	1	-	1
80-84 years	6	3	3	6	3	3	-	-	-	-	-	-
85-89 years	8	2	6	8	2	6	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Nasal cavity (C30.0)												
All ages	45	28	17	41	27	14	4	1	3	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	1	1	-	1	-	1	1	-	1
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	4	2	2	4	2	2	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	5	4	1	5	4	1	-	-	-	-	-	-
60-64 years	4	4	-	4	4	-	-	-	-	-	-	-
65-69 years	4	4	-	4	4	-	-	-	-	-	-	-
70-74 years	4	4	-	3	3	-	1	1	-	1	1	-
75-79 years	8	1	7	6	1	5	2	-	2	1	-	1
80-84 years	4	3	1	4	3	1	-	-	-	-	-	-
85-89 years	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Middle ear (C30.1)												
All ages	13	4	9	12	3	9	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasm of accessory sinuses (C31)												
All ages	427	230	197	367	194	173	60	36	24	46	29	17
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	8	5	3	5	4	1	3	1	2	2	1	1
40-44 years	19	11	8	13	8	5	6	3	3	5	2	3
45-49 years	27	20	7	22	17	5	5	3	2	3	2	1
50-54 years	29	22	7	24	18	6	5	4	1	4	3	1
55-59 years	37	25	12	31	19	12	6	6	-	5	5	-
60-64 years	38	23	15	32	19	13	6	4	2	6	4	2
65-69 years	36	18	18	29	12	17	7	6	1	7	6	1
70-74 years	45	26	19	38	23	15	7	3	4	5	3	2
75-79 years	54	26	28	48	23	25	6	3	3	3	1	2
80-84 years	64	33	31	60	32	28	4	1	3	3	1	2
85-89 years	35	10	25	32	9	23	3	1	2	1	-	1
90-94 years	24	8	16	23	7	16	1	1	-	1	1	-
95-99 years	3	2	1	3	2	1	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Maxillary sinus (C31.0)												
All ages	178	91	87	155	76	79	23	15	8	18	12	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	8	5	3	6	4	2	2	1	1	2	1	1
45-49 years	11	8	3	7	5	2	4	3	1	3	2	1
50-54 years	13	11	2	10	8	2	3	3	-	2	2	-
55-59 years	16	10	6	11	5	6	5	5	-	4	4	-
60-64 years	12	7	5	11	6	5	1	1	-	1	1	-
65-69 years	15	7	8	14	6	8	1	1	-	1	1	-
70-74 years	21	14	7	19	14	5	2	-	2	2	-	2
75-79 years	24	10	14	22	9	13	2	1	1	1	1	-
80-84 years	25	7	18	23	7	16	2	-	2	1	-	1
85-89 years	15	5	10	14	5	9	1	-	1	1	-	1
90-94 years	12	4	8	12	4	8	-	-	-	-	-	-
95-99 years	2	2	-	2	2	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Ethmoidal sinus (C31.1)												
All ages	26	14	12	22	12	10	4	2	2	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	4	2	2	3	2	1	1	-	1	-	-	-
50-54 years	2	1	1	1	1	-	1	-	1	1	-	1
55-59 years	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	5	2	3	5	2	3	-	-	-	-	-	-
75-79 years	2	2	-	1	1	-	1	1	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Frontal sinus (C31.2)												
All ages	7	5	2	7	5	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sphenoidal sinus (C31.3)												
All ages	8	4	4	7	3	4	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	1	1	1	-	1	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Accessory sinus, unspecified (C31.9)												
All ages	208	116	92	176	98	78	32	18	14	25	15	10
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	5	3	2	3	3	-	2	-	2	1	-	1
40-44 years	10	5	5	6	3	3	4	2	2	3	1	2
45-49 years	12	10	2	12	10	2	-	-	-	-	-	-
50-54 years	14	10	4	13	9	4	1	1	-	1	1	-
55-59 years	16	11	5	15	10	5	1	1	-	1	1	-
60-64 years	23	14	9	18	11	7	5	3	2	5	3	2
65-69 years	19	10	9	14	6	8	5	4	1	5	4	1
70-74 years	19	10	9	14	7	7	5	3	2	3	3	-
75-79 years	24	12	12	21	11	10	3	1	2	2	-	2
80-84 years	35	22	13	33	21	12	2	1	1	2	1	1
85-89 years	19	5	14	17	4	13	2	1	1	-	-	-
90-94 years	7	3	4	6	2	4	1	1	-	1	1	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasm of larynx (C32)												
All ages	3,797	3,018	779	3,049	2,417	632	748	601	147	678	541	137
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	18	12	6	11	10	1	7	2	5	7	2	5
40-44 years	68	54	14	50	40	10	18	14	4	17	13	4
45-49 years	149	123	26	98	79	19	51	44	7	48	41	7
50-54 years	270	223	47	190	155	35	80	68	12	77	65	12
55-59 years	414	339	75	308	251	57	106	88	18	101	83	18
60-64 years	499	398	101	392	316	76	107	82	25	99	78	21
65-69 years	531	417	114	432	339	93	99	78	21	88	69	19
70-74 years	639	502	137	522	412	110	117	90	27	103	78	25
75-79 years	553	442	111	465	366	99	88	76	12	77	66	11
80-84 years	357	268	89	315	232	83	42	36	6	34	28	6
85-89 years	208	171	37	183	152	31	25	19	6	20	15	5
90-94 years	74	58	16	68	55	13	6	3	3	6	3	3
95-99 years	13	8	5	11	7	4	2	1	1	1	-	1
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Glottis (C32.0)												
All ages	81	69	12	69	58	11	12	11	1	12	11	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	8	8	-	6	6	-	2	2	-	2	2	-
55-59 years	3	3	-	2	2	-	1	1	-	1	1	-
60-64 years	6	5	1	6	5	1	-	-	-	-	-	-
65-69 years	14	12	2	11	9	2	3	3	-	3	3	-
70-74 years	10	6	4	8	5	3	2	1	1	2	1	1
75-79 years	14	12	2	12	10	2	2	2	-	2	2	-
80-84 years	11	11	-	10	10	-	1	1	-	1	1	-
85-89 years	13	10	3	12	9	3	1	1	-	1	1	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Supraglottis (C32.1)												
All ages	175	125	50	146	103	43	29	22	7	28	21	7
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	5	2	3	4	1	3	1	1	-	1	1	-
45-49 years	9	8	1	5	4	1	4	4	-	4	4	-
50-54 years	9	7	2	6	4	2	3	3	-	3	3	-
55-59 years	29	18	11	23	15	8	6	3	3	6	3	3
60-64 years	28	22	6	24	19	5	4	3	1	4	3	1
65-69 years	24	17	7	21	14	7	3	3	-	3	3	-
70-74 years	27	20	7	23	17	6	4	3	1	4	3	1
75-79 years	23	15	8	21	14	7	2	1	1	2	1	1
80-84 years	12	7	5	10	6	4	2	1	1	1	-	1
85-89 years	6	6	-	6	6	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	2	2	-	2	2	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Subglottis (C32.2)												
All ages	7	5	2	7	5	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Laryngeal cartilage (C32.3)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Larynx, unspecified (C32.9)												
All ages	3,531	2,817	714	2,824	2,249	575	707	568	139	638	509	129
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	18	12	6	11	10	1	7	2	5	7	2	5
40-44 years	63	52	11	46	39	7	17	13	4	16	12	4
45-49 years	138	113	25	91	73	18	47	40	7	44	37	7
50-54 years	252	207	45	177	144	33	75	63	12	72	60	12
55-59 years	382	318	64	283	234	49	99	84	15	94	79	15
60-64 years	464	370	94	361	291	70	103	79	24	95	75	20
65-69 years	491	387	104	398	315	83	93	72	21	82	63	19
70-74 years	600	474	126	489	388	101	111	86	25	97	74	23
75-79 years	514	414	100	430	341	89	84	73	11	73	63	10
80-84 years	332	249	83	293	215	78	39	34	5	32	27	5
85-89 years	189	155	34	165	137	28	24	18	6	19	14	5
90-94 years	73	57	16	67	54	13	6	3	3	6	3	3
95-99 years	11	6	5	9	5	4	2	1	1	1	-	1
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasm of trachea (C33)												
All ages	85	59	26	67	46	21	18	13	5	15	12	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	-	-	-
45-49 years	7	5	2	5	4	1	2	1	1	1	1	-
50-54 years	3	3	-	-	-	-	3	3	-	3	3	-
55-59 years	9	8	1	6	5	1	3	3	-	3	3	-
60-64 years	9	6	3	9	6	3	-	-	-	-	-	-
65-69 years	13	10	3	11	8	3	2	2	-	2	2	-
70-74 years	12	8	4	11	8	3	1	-	1	1	-	1
75-79 years	16	12	4	11	8	3	5	4	1	4	3	1
80-84 years	7	2	5	6	2	4	1	-	1	1	-	1
85-89 years	5	3	2	5	3	2	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of bronchus and lung (C34)												
All ages	155,973	90,367	65,606	137,207	78,619	58,588	18,766	11,748	7,018	16,004	10,119	5,885
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	5	4	1	4	3	1	1	1	-	1	1	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	6	2	4	5	2	3	1	-	1	1	-	1
20-24 years	14	10	4	11	8	3	3	2	1	2	1	1
25-29 years	36	17	19	29	15	14	7	2	5	3	1	2
30-34 years	121	60	61	101	50	51	20	10	10	13	6	7
35-39 years	639	314	325	521	252	269	118	62	56	103	54	49
40-44 years	2,155	1,189	966	1,692	912	780	463	277	186	416	247	169
45-49 years	4,248	2,482	1,766	3,323	1,903	1,420	925	579	346	803	514	289
50-54 years	7,783	4,700	3,083	6,346	3,753	2,593	1,437	947	490	1,272	851	421
55-59 years	12,586	7,515	5,071	10,663	6,256	4,407	1,923	1,259	664	1,689	1,110	579
60-64 years	17,173	10,344	6,829	14,828	8,828	6,000	2,345	1,516	829	2,034	1,321	713
65-69 years	22,837	13,788	9,049	19,904	11,909	7,995	2,933	1,879	1,054	2,532	1,646	886
70-74 years	28,363	16,893	11,470	25,333	14,984	10,349	3,030	1,909	1,121	2,582	1,642	940
75-79 years	27,707	15,956	11,751	25,014	14,282	10,732	2,693	1,674	1,019	2,271	1,417	854
80-84 years	18,970	10,436	8,534	17,266	9,419	7,847	1,704	1,017	687	1,366	822	544
85-89 years	9,618	5,023	4,595	8,807	4,559	4,248	811	464	347	643	377	266
90-94 years	3,063	1,370	1,693	2,798	1,247	1,551	265	123	142	199	89	110
95-99 years	586	236	350	513	214	299	73	22	51	61	15	46
100 yrs & over	57	23	34	45	20	25	12	3	9	11	3	8
Not stated	4	4	-	2	2	-	2	2	-	2	2	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Main bronchus (C34.0)												
All ages	37	25	12	34	23	11	3	2	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	5	5	-	4	4	-	1	1	-	1	1	-
55-59 years	4	3	1	4	3	1	-	-	-	-	-	-
60-64 years	6	5	1	6	5	1	-	-	-	-	-	-
65-69 years	3	2	1	2	2	-	1	-	1	1	-	1
70-74 years	8	6	2	7	5	2	1	1	-	1	1	-
75-79 years	5	2	3	5	2	3	-	-	-	-	-	-
80-84 years	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Upper lobe, bronchus or lung (C34.1)												
All ages	764	454	310	689	399	290	75	55	20	53	40	13
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years	11	5	6	9	4	5	2	1	1	1	-	1
45-49 years	14	13	1	10	9	1	4	4	-	4	4	-
50-54 years	39	22	17	36	19	17	3	3	-	3	3	-
55-59 years	48	32	16	40	24	16	8	8	-	6	6	-
60-64 years	81	51	30	68	41	27	13	10	3	9	7	2
65-69 years	106	64	42	97	60	37	9	4	5	7	4	3
70-74 years	150	89	61	133	81	52	17	8	9	12	6	6
75-79 years	150	81	69	139	71	68	11	10	1	7	6	1
80-84 years	94	59	35	92	57	35	2	2	-	2	2	-
85-89 years	43	24	19	38	20	18	5	4	1	1	1	-
90-94 years	19	10	9	18	9	9	1	1	-	1	1	-
95-99 years	5	3	2	5	3	2	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Middle lobe, bronchus or lung (C34.2)												
All ages	46	26	20	43	25	18	3	1	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years	4	2	2	3	2	1	1	-	1	1	-	1
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	11	6	5	11	6	5	-	-	-	-	-	-
75-79 years	10	8	2	9	7	2	1	1	-	-	-	-
80-84 years	5	3	2	5	3	2	-	-	-	-	-	-
85-89 years	6	3	3	6	3	3	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Lower lobe, bronchus or lung (C34.3)												
All ages	297	171	126	269	149	120	28	22	6	23	17	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	4	1	3	4	1	3	-	-	-	-	-	-
45-49 years	4	3	1	3	2	1	1	1	-	-	-	-
50-54 years	8	7	1	7	6	1	1	1	-	1	1	-
55-59 years	16	9	7	12	6	6	4	3	1	4	3	1
60-64 years	31	18	13	29	17	12	2	1	1	2	1	1
65-69 years	36	16	20	33	13	20	3	3	-	2	2	-
70-74 years	52	30	22	49	27	22	3	3	-	2	2	-
75-79 years	67	41	26	59	36	23	8	5	3	7	4	3
80-84 years	46	24	22	43	22	21	3	2	1	3	2	1
85-89 years	24	15	9	22	13	9	2	2	-	2	2	-
90-94 years	7	6	1	6	5	1	1	1	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Overlapping lesion of bronchus and lung (C34.8)												
All ages	5	2	3	5	2	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Bronchus or lung, unspecified (C34.9)												
All ages	154,824	89,689	65,135	136,167	78,021	58,146	18,657	11,668	6,989	15,923	10,060	5,863
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	5	4	1	4	3	1	1	1	-	1	1	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	6	2	4	5	2	3	1	-	1	1	-	1
20-24 years	14	10	4	11	8	3	3	2	1	2	1	1
25-29 years	36	17	19	29	15	14	7	2	5	3	1	2
30-34 years	121	60	61	101	50	51	20	10	10	13	6	7
35-39 years	636	313	323	518	251	267	118	62	56	103	54	49
40-44 years	2,139	1,182	957	1,678	906	772	461	276	185	415	247	168
45-49 years	4,230	2,466	1,764	3,310	1,892	1,418	920	574	346	799	510	289
50-54 years	7,728	4,665	3,063	6,296	3,723	2,573	1,432	942	490	1,267	846	421
55-59 years	12,517	7,471	5,046	10,607	6,223	4,384	1,910	1,248	662	1,678	1,101	577
60-64 years	17,051	10,268	6,783	14,722	8,763	5,959	2,329	1,505	824	2,022	1,313	709
65-69 years	22,688	13,704	8,984	19,768	11,832	7,936	2,920	1,872	1,048	2,522	1,640	882
70-74 years	28,141	16,761	11,380	25,132	14,864	10,268	3,009	1,897	1,112	2,567	1,633	934
75-79 years	27,473	15,823	11,650	24,800	14,165	10,635	2,673	1,658	1,015	2,257	1,407	850
80-84 years	18,820	10,349	8,471	17,121	9,336	7,785	1,699	1,013	686	1,361	818	543
85-89 years	9,544	4,981	4,563	8,740	4,523	4,217	804	458	346	640	374	266
90-94 years	3,036	1,354	1,682	2,773	1,233	1,540	263	121	142	198	88	110
95-99 years	579	233	346	506	211	295	73	22	51	61	15	46
100 yrs & over	54	21	33	42	18	24	12	3	9	11	3	8
Not stated	4	4	-	2	2	-	2	2	-	2	2	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasm of thymus (C37)												
All ages	195	117	78	152	96	56	43	21	22	34	15	19
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	2	1	1	1	1	-	1	-	1	1	-	1
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	5	1	4	2	-	2	3	1	2	2	-	2
40-44 years	17	9	8	14	8	6	3	1	2	3	1	2
45-49 years	21	11	10	18	10	8	3	1	2	2	-	2
50-54 years	23	13	10	17	10	7	6	3	3	2	-	2
55-59 years	23	20	3	15	15	-	8	5	3	8	5	3
60-64 years	16	7	9	15	7	8	1	-	1	1	-	1
65-69 years	27	18	9	21	13	8	6	5	1	4	4	-
70-74 years	22	15	7	18	12	6	4	3	1	4	3	1
75-79 years	12	4	8	9	3	6	3	1	2	3	1	2
80-84 years	15	8	7	10	7	3	5	1	4	4	1	3
85-89 years	5	5	-	5	5	-	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of heart, mediastinum, and pleura (C38)												
All ages	289	147	142	257	127	130	32	20	12	22	12	10
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	3	2	1	2	1	1	1	1	-	1	1	-
15-19 years	2	2	-	1	1	-	1	1	-	-	-	-
20-24 years	5	4	1	5	4	1	-	-	-	-	-	-
25-29 years	5	2	3	5	2	3	-	-	-	-	-	-
30-34 years	9	4	5	9	4	5	-	-	-	-	-	-
35-39 years	12	9	3	9	7	2	3	2	1	2	1	1
40-44 years	9	5	4	7	3	4	2	2	-	1	1	-
45-49 years	18	10	8	13	9	4	5	1	4	4	1	3
50-54 years	18	9	9	17	9	8	1	-	1	1	-	1
55-59 years	21	14	7	19	12	7	2	2	-	2	2	-
60-64 years	13	5	8	11	4	7	2	1	1	1	-	1
65-69 years	27	14	13	24	11	13	3	3	-	3	3	-
70-74 years	33	17	16	29	14	15	4	3	1	3	2	1
75-79 years	44	19	25	40	18	22	4	1	3	2	-	2
80-84 years	30	15	15	30	15	15	-	-	-	-	-	-
85-89 years	21	10	11	19	8	11	2	2	-	1	1	-
90-94 years	13	4	9	11	3	8	2	1	1	1	-	1
95-99 years	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Heart (C38.0)												
All ages	75	27	48	69	24	45	6	3	3	5	2	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years	2	-	2	2	-	2	-	-	-	-	-	-
30-34 years	3	1	2	3	1	2	-	-	-	-	-	-
35-39 years	5	4	1	4	3	1	1	1	-	1	1	-
40-44 years	5	2	3	4	1	3	1	1	-	1	1	-
45-49 years	7	4	3	6	4	2	1	-	1	1	-	1
50-54 years	4	-	4	3	-	3	1	-	1	1	-	1
55-59 years	8	4	4	8	4	4	-	-	-	-	-	-
60-64 years	4	1	3	3	-	3	1	1	-	-	-	-
65-69 years	6	4	2	6	4	2	-	-	-	-	-	-
70-74 years	9	3	6	9	3	6	-	-	-	-	-	-
75-79 years	6	1	5	6	1	5	-	-	-	-	-	-
80-84 years	6	1	5	6	1	5	-	-	-	-	-	-
85-89 years	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years	2	-	2	1	-	1	1	-	1	1	-	1
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Anterior mediastinum (C38.1)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Posterior mediastinum (C38.2)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mediastinum, part unspecified (C38.3)												
All ages	127	72	55	112	63	49	15	9	6	10	4	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	2	2	-	1	1	-	1	1	-	-	-	-
20-24 years	3	3	-	3	3	-	-	-	-	-	-	-
25-29 years	3	2	1	3	2	1	-	-	-	-	-	-
30-34 years	6	3	3	6	3	3	-	-	-	-	-	-
35-39 years	7	5	2	5	4	1	2	1	1	1	-	1
40-44 years	3	3	-	2	2	-	1	1	-	-	-	-
45-49 years	8	6	2	6	5	1	2	1	1	2	1	1
50-54 years	12	8	4	12	8	4	-	-	-	-	-	-
55-59 years	10	8	2	8	6	2	2	2	-	2	2	-
60-64 years	5	2	3	4	2	2	1	-	1	1	-	1
65-69 years	13	5	8	12	4	8	1	1	-	1	1	-
70-74 years	15	7	8	13	6	7	2	1	1	1	-	1
75-79 years	18	7	11	16	7	9	2	-	2	2	-	2
80-84 years	9	4	5	9	4	5	-	-	-	-	-	-
85-89 years	9	4	5	8	3	5	1	1	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pleura (C38.4)												
All ages	84	45	39	74	38	36	10	7	3	6	5	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	3	-	3	1	-	1	2	-	2	1	-	1
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years	4	2	2	4	2	2	-	-	-	-	-	-
65-69 years	8	5	3	6	3	3	2	2	-	2	2	-
70-74 years	9	7	2	7	5	2	2	2	-	2	2	-
75-79 years	20	11	9	18	10	8	2	1	1	-	-	-
80-84 years	15	10	5	15	10	5	-	-	-	-	-	-
85-89 years	7	4	3	6	3	3	1	1	-	1	1	-
90-94 years	9	3	6	8	2	6	1	1	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of other and ill-defined sites in the respiratory system and intrathoracic organs (C39)												
All ages	52	34	18	41	26	15	11	8	3	9	7	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	3	-	3	1	-	1	2	-	2	2	-	2
50-54 years	4	4	-	2	2	-	2	2	-	2	2	-
55-59 years	8	7	1	8	7	1	-	-	-	-	-	-
60-64 years	3	2	1	2	1	1	1	1	-	1	1	-
65-69 years	12	9	3	10	7	3	2	2	-	2	2	-
70-74 years	6	3	3	6	3	3	-	-	-	-	-	-
75-79 years	11	5	6	10	4	6	1	1	-	-	-	-
80-84 years	3	3	-	1	1	-	2	2	-	2	2	-
85-89 years	2	1	1	1	1	-	1	-	1	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Upper respiratory tract, part unspecified (C39.0)												
All ages	4	3	1	3	2	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Ill-defined sites within the respiratory system (C39.9)												
All ages	48	31	17	38	24	14	10	7	3	8	6	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	3	-	3	1	-	1	2	-	2	2	-	2
50-54 years	4	4	-	2	2	-	2	2	-	2	2	-
55-59 years	8	7	1	8	7	1	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	11	8	3	9	6	3	2	2	-	2	2	-
70-74 years	6	3	3	6	3	3	-	-	-	-	-	-
75-79 years	9	4	5	8	3	5	1	1	-	-	-	-
80-84 years	3	3	-	1	1	-	2	2	-	2	2	-
85-89 years	2	1	1	1	1	-	1	-	1	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasm of bone and articular cartilage of limbs (C40)												
All ages	94	44	50	85	39	46	9	5	4	8	4	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	3	2	1	2	1	1	1	1	-	1	1	-
10-14 years	4	-	4	4	-	4	-	-	-	-	-	-
15-19 years	12	5	7	11	4	7	1	1	-	1	1	-
20-24 years	11	8	3	10	8	2	1	-	1	1	-	1
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	3	1	2	2	1	1	1	-	1	1	-	1
50-54 years	5	2	3	5	2	3	-	-	-	-	-	-
55-59 years	4	1	3	3	1	2	1	-	1	1	-	1
60-64 years	4	1	3	4	1	3	-	-	-	-	-	-
65-69 years	4	1	3	3	1	2	1	-	1	1	-	1
70-74 years	8	6	2	8	6	2	-	-	-	-	-	-
75-79 years	10	5	5	8	3	5	2	2	-	1	1	-
80-84 years	8	5	3	8	5	3	-	-	-	-	-	-
85-89 years	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years	8	2	6	8	2	6	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Scapula and long bones of upper limb (C40.0)												
All ages	24	15	9	23	14	9	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	2	1	1	1	-	1	1	1	-	1	1	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	4	3	1	4	3	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Short bones of upper limb (C40.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Long bones of lower limb (C40.2)												
All ages	65	26	39	57	22	35	8	4	4	7	3	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	2	1	1	1	-	1	1	1	-	1	1	-
10-14 years	3	-	3	3	-	3	-	-	-	-	-	-
15-19 years	10	4	6	10	4	6	-	-	-	-	-	-
20-24 years	9	6	3	8	6	2	1	-	1	1	-	1
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years	4	2	2	4	2	2	-	-	-	-	-	-
55-59 years	3	-	3	2	-	2	1	-	1	1	-	1
60-64 years	4	1	3	4	1	3	-	-	-	-	-	-
65-69 years	3	-	3	2	-	2	1	-	1	1	-	1
70-74 years	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years	7	3	4	5	1	4	2	2	-	1	1	-
80-84 years	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years	5	1	4	5	1	4	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Short bones of lower limb (C40.3)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Bone and articular cartilage of limb, unspecified (C40.9)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasm of bone and articular cartilage of other and unspecified sites (C41)												
All ages	1,204	673	531	1,033	583	450	171	90	81	139	71	68
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years	11	6	5	10	5	5	1	1	-	1	1	-
10-14 years	68	39	29	53	30	23	15	9	6	11	7	4
15-19 years	89	60	29	77	53	24	12	7	5	9	4	5
20-24 years	83	61	22	70	51	19	13	10	3	12	10	2
25-29 years	51	29	22	46	25	21	5	4	1	4	3	1
30-34 years	40	19	21	31	15	16	9	4	5	7	3	4
35-39 years	44	24	20	33	21	12	11	3	8	9	2	7
40-44 years	49	32	17	42	29	13	7	3	4	5	1	4
45-49 years	50	36	14	41	29	12	9	7	2	7	5	2
50-54 years	49	30	19	41	24	17	8	6	2	7	5	2
55-59 years	66	33	33	55	27	28	11	6	5	9	4	5
60-64 years	61	37	24	50	33	17	11	4	7	11	4	7
65-69 years	79	48	31	61	39	22	18	9	9	12	7	5
70-74 years	104	59	45	89	54	35	15	5	10	13	5	8
75-79 years	115	64	51	107	59	48	8	5	3	6	4	2
80-84 years	105	51	54	98	49	49	7	2	5	6	1	5
85-89 years	92	34	58	85	30	55	7	4	3	7	4	3
90-94 years	32	6	26	30	6	24	2	-	2	2	-	2
95-99 years	13	3	10	11	2	9	2	1	1	1	1	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Bones of skull and face (C41.0)												
All ages	54	25	29	44	21	23	10	4	6	9	4	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	2	-	2	2	-	2	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	1	2	-	-	-	3	1	2	2	1	1
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	3	2	1	2	1	1	1	1	-	1	1	-
55-59 years	4	2	2	3	1	2	1	1	-	1	1	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	4	3	1	3	3	-	1	-	1	1	-	1
70-74 years	8	5	3	7	5	2	1	-	1	1	-	1
75-79 years	6	3	3	5	3	2	1	-	1	1	-	1
80-84 years	11	5	6	10	5	5	1	-	1	1	-	1
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Mandible (C41.1)												
All ages	107	59	48	90	48	42	17	11	6	15	10	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	6	6	-	4	4	-	2	2	-	2	2	-
50-54 years	11	10	1	8	8	-	3	2	1	2	1	1
55-59 years	6	4	2	3	3	-	3	1	2	3	1	2
60-64 years	6	4	2	5	3	2	1	1	-	1	1	-
65-69 years	11	8	3	9	6	3	2	2	-	2	2	-
70-74 years	14	10	4	10	8	2	4	2	2	3	2	1
75-79 years	8	3	5	8	3	5	-	-	-	-	-	-
80-84 years	13	5	8	13	5	8	-	-	-	-	-	-
85-89 years	16	3	13	16	3	13	-	-	-	-	-	-
90-94 years	7	1	6	6	1	5	1	-	1	1	-	1
95-99 years	4	2	2	3	1	2	1	1	-	1	1	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Vertebral column (C41.2)												
All ages	91	47	44	83	43	40	8	4	4	4	1	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	4	2	2	4	2	2	-	-	-	-	-	-
30-34 years	2	-	2	1	-	1	1	-	1	-	-	-
35-39 years	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years	4	1	3	3	1	2	1	-	1	1	-	1
45-49 years	7	7	-	6	6	-	1	1	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	13	6	7	13	6	7	-	-	-	-	-	-
60-64 years	6	2	4	5	2	3	1	-	1	1	-	1
65-69 years	7	6	1	4	3	1	3	3	-	1	1	-
70-74 years	8	3	5	7	3	4	1	-	1	1	-	1
75-79 years	9	4	5	9	4	5	-	-	-	-	-	-
80-84 years	11	6	5	11	6	5	-	-	-	-	-	-
85-89 years	9	4	5	9	4	5	-	-	-	-	-	-
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Ribs, sternum, and clavicle (C41.3)												
All ages	15	8	7	14	7	7	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic bones, sacrum, and coccyx (C41.4)												
All ages	65	24	41	62	24	38	3	-	3	3	-	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	-	2	2	-	2	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	3	3	-	3	3	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	-	3	2	-	2	1	-	1	1	-	1
45-49 years	4	3	1	4	3	1	-	-	-	-	-	-
50-54 years	4	2	2	4	2	2	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	3	1	2	2	1	1	1	-	1	1	-	1
65-69 years	6	3	3	6	3	3	-	-	-	-	-	-
70-74 years	8	2	6	8	2	6	-	-	-	-	-	-
75-79 years	12	6	6	12	6	6	-	-	-	-	-	-
80-84 years	6	-	6	5	-	5	1	-	1	1	-	1
85-89 years	8	3	5	8	3	5	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Bone and articular cartilage, unspecified (C41.9)												
All ages	872	510	362	740	440	300	132	70	62	107	55	52
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years	10	5	5	9	4	5	1	1	-	1	1	-
10-14 years	65	39	26	50	30	20	15	9	6	11	7	4
15-19 years	87	59	28	75	52	23	12	7	5	9	4	5
20-24 years	78	57	21	66	48	18	12	9	3	11	9	2
25-29 years	42	24	18	37	20	17	5	4	1	4	3	1
30-34 years	36	19	17	28	15	13	8	4	4	7	3	4
35-39 years	36	20	16	29	19	10	7	1	6	6	-	6
40-44 years	40	29	11	35	26	9	5	3	2	3	1	2
45-49 years	33	20	13	27	16	11	6	4	2	5	3	2
50-54 years	28	14	14	24	11	13	4	3	1	4	3	1
55-59 years	41	20	21	34	16	18	7	4	3	5	2	3
60-64 years	43	28	15	35	25	10	8	3	5	8	3	5
65-69 years	51	28	23	39	24	15	12	4	8	8	4	4
70-74 years	62	37	25	53	34	19	9	3	6	8	3	5
75-79 years	79	47	32	72	42	30	7	5	2	5	4	1
80-84 years	61	33	28	56	31	25	5	2	3	4	1	3
85-89 years	54	24	30	47	20	27	7	4	3	7	4	3
90-94 years	16	4	12	15	4	11	1	-	1	1	-	1
95-99 years	8	1	7	7	1	6	1	-	1	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant melanoma of skin (C43)												
All ages	7,542	4,763	2,779	7,403	4,702	2,701	139	61	78	104	37	67
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	11	9	2	10	8	2	1	1	-	1	1	-
20-24 years	30	15	15	30	15	15	-	-	-	-	-	-
25-29 years	72	40	32	70	38	32	2	2	-	1	1	-
30-34 years	114	63	51	114	63	51	-	-	-	-	-	-
35-39 years	213	130	83	211	129	82	2	1	1	2	1	1
40-44 years	409	250	159	404	247	157	5	3	2	5	3	2
45-49 years	536	331	205	529	328	201	7	3	4	3	2	1
50-54 years	672	425	247	663	421	242	9	4	5	6	1	5
55-59 years	653	430	223	647	427	220	6	3	3	5	3	2
60-64 years	680	463	217	665	456	209	15	7	8	8	1	7
65-69 years	746	524	222	724	513	211	22	11	11	18	9	9
70-74 years	943	632	311	920	622	298	23	10	13	19	8	11
75-79 years	919	600	319	903	592	311	16	8	8	9	2	7
80-84 years	759	463	296	742	458	284	17	5	12	16	4	12
85-89 years	489	256	233	481	253	228	8	3	5	5	1	4
90-94 years	213	99	114	209	99	110	4	-	4	4	-	4
95-99 years	72	31	41	71	31	40	1	-	1	1	-	1
100 yrs & over	11	2	9	10	2	8	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant melanoma of lip (C43.0)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant melanoma of eyelid, including canthus (C43.1)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant melanoma of ear and external auricular canal (C43.2)												
All ages	28	20	8	27	19	8	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	5	3	2	5	3	2	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years	5	5	-	5	5	-	-	-	-	-	-	-
80-84 years	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years	4	4	-	3	3	-	1	1	-	1	1	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant melanoma of other and unspecified parts of face (C43.3)												
All ages	69	43	26	69	43	26	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	4	3	1	4	3	1	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	4	2	2	4	2	2	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	6	5	1	6	5	1	-	-	-	-	-	-
70-74 years	9	4	5	9	4	5	-	-	-	-	-	-
75-79 years	13	9	4	13	9	4	-	-	-	-	-	-
80-84 years	13	8	5	13	8	5	-	-	-	-	-	-
85-89 years	6	4	2	6	4	2	-	-	-	-	-	-
90-94 years	5	3	2	5	3	2	-	-	-	-	-	-
95-99 years	4	2	2	4	2	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant melanoma of scalp and neck (C43.4)												
All ages	106	78	28	106	78	28	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	5	2	3	5	2	3	-	-	-	-	-	-
40-44 years	9	5	4	9	5	4	-	-	-	-	-	-
45-49 years	5	3	2	5	3	2	-	-	-	-	-	-
50-54 years	6	6	-	6	6	-	-	-	-	-	-	-
55-59 years	10	10	-	10	10	-	-	-	-	-	-	-
60-64 years	7	6	1	7	6	1	-	-	-	-	-	-
65-69 years	9	8	1	9	8	1	-	-	-	-	-	-
70-74 years	12	8	4	12	8	4	-	-	-	-	-	-
75-79 years	13	9	4	13	9	4	-	-	-	-	-	-
80-84 years	13	12	1	13	12	1	-	-	-	-	-	-
85-89 years	11	7	4	11	7	4	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant melanoma of trunk (C43.5)												
All ages	233	165	68	231	164	67	2	1	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	4	2	2	4	2	2	-	-	-	-	-	-
35-39 years	9	8	1	9	8	1	-	-	-	-	-	-
40-44 years	14	10	4	14	10	4	-	-	-	-	-	-
45-49 years	24	17	7	24	17	7	-	-	-	-	-	-
50-54 years	24	16	8	23	16	7	1	-	1	1	-	1
55-59 years	23	14	9	23	14	9	-	-	-	-	-	-
60-64 years	26	21	5	25	20	5	1	1	-	-	-	-
65-69 years	15	12	3	15	12	3	-	-	-	-	-	-
70-74 years	25	18	7	25	18	7	-	-	-	-	-	-
75-79 years	34	22	12	34	22	12	-	-	-	-	-	-
80-84 years	21	18	3	21	18	3	-	-	-	-	-	-
85-89 years	12	7	5	12	7	5	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant melanoma of upper limb, including shoulder (C43.6)												
All ages	123	84	39	123	84	39	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years	5	2	3	5	2	3	-	-	-	-	-	-
45-49 years	13	10	3	13	10	3	-	-	-	-	-	-
50-54 years	9	7	2	9	7	2	-	-	-	-	-	-
55-59 years	11	7	4	11	7	4	-	-	-	-	-	-
60-64 years	7	7	-	7	7	-	-	-	-	-	-	-
65-69 years	10	5	5	10	5	5	-	-	-	-	-	-
70-74 years	15	11	4	15	11	4	-	-	-	-	-	-
75-79 years	22	15	7	22	15	7	-	-	-	-	-	-
80-84 years	14	10	4	14	10	4	-	-	-	-	-	-
85-89 years	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years	5	3	2	5	3	2	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant melanoma of lower limb, including hip (C43.7)												
All ages	128	48	80	115	45	70	13	3	10	12	3	9
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	6	3	3	3	2	1	3	1	2	2	1	1
50-54 years	13	5	8	13	5	8	-	-	-	-	-	-
55-59 years	11	7	4	10	6	4	1	1	-	1	1	-
60-64 years	10	4	6	9	4	5	1	-	1	1	-	1
65-69 years	15	5	10	14	4	10	1	1	-	1	1	-
70-74 years	11	4	7	10	4	6	1	-	1	1	-	1
75-79 years	16	4	12	14	4	10	2	-	2	2	-	2
80-84 years	13	7	6	12	7	5	1	-	1	1	-	1
85-89 years	15	3	12	14	3	11	1	-	1	1	-	1
90-94 years	5	1	4	4	1	3	1	-	1	1	-	1
95-99 years	5	-	5	5	-	5	-	-	-	-	-	-
100 yrs & over	1	-	1	-	-	-	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Overlapping malignant melanoma of skin (C43.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant melanoma of skin, unspecified (C43.9)												
All ages	6,848	4,321	2,527	6,725	4,265	2,460	123	56	67	90	33	57
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	11	9	2	10	8	2	1	1	-	1	1	-
20-24 years	29	15	14	29	15	14	-	-	-	-	-	-
25-29 years	68	37	31	66	35	31	2	2	-	1	1	-
30-34 years	103	57	46	103	57	46	-	-	-	-	-	-
35-39 years	195	117	78	193	116	77	2	1	1	2	1	1
40-44 years	379	232	147	374	229	145	5	3	2	5	3	2
45-49 years	483	295	188	479	293	186	4	2	2	1	1	-
50-54 years	615	389	226	607	385	222	8	4	4	5	1	4
55-59 years	594	390	204	589	388	201	5	2	3	4	2	2
60-64 years	622	419	203	609	413	196	13	6	7	7	1	6
65-69 years	688	488	200	667	478	189	21	10	11	17	8	9
70-74 years	868	584	284	846	574	272	22	10	12	18	8	10
75-79 years	814	534	280	800	526	274	14	8	6	7	2	5
80-84 years	680	406	274	664	401	263	16	5	11	15	4	11
85-89 years	436	229	207	430	227	203	6	2	4	3	-	3
90-94 years	195	91	104	192	91	101	3	-	3	3	-	3
95-99 years	59	27	32	58	27	31	1	-	1	1	-	1
100 yrs & over	9	2	7	9	2	7	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other malignant neoplasms of skin (C44)												
All ages	2,450	1,658	792	2,268	1,520	748	182	138	44	153	117	36
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	4	2	2	3	2	1	1	-	1	-	-	-
25-29 years	5	5	-	4	4	-	1	1	-	-	-	-
30-34 years	4	3	1	2	2	-	2	1	1	1	1	-
35-39 years	14	10	4	13	9	4	1	1	-	1	1	-
40-44 years	33	23	10	28	18	10	5	5	-	5	5	-
45-49 years	69	56	13	56	43	13	13	13	-	12	12	-
50-54 years	134	111	23	113	92	21	21	19	2	19	17	2
55-59 years	179	141	38	160	124	36	19	17	2	17	15	2
60-64 years	213	166	47	182	143	39	31	23	8	26	19	7
65-69 years	227	165	62	205	144	61	22	21	1	19	18	1
70-74 years	303	231	72	281	214	67	22	17	5	19	15	4
75-79 years	354	230	124	339	222	117	15	8	7	13	7	6
80-84 years	322	202	120	311	198	113	11	4	7	6	2	4
85-89 years	315	182	133	308	178	130	7	4	3	6	3	3
90-94 years	177	92	85	170	88	82	7	4	3	5	2	3
95-99 years	80	35	45	77	35	42	3	-	3	3	-	3
100 yrs & over	17	4	13	16	4	12	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Skin of lip (C44.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK	
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE
Skin of eyelid, including canthus (C44.1)														
All ages	5	3	2	5	3	2	-	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin of ear and external auricular canal (C44.2)														
All ages	102	78	24	97	75	22	5	3	2	4	2	2		
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	1	2	3	1	2	-	-	-	-	-	-	-	-
45-49 years	3	1	2	3	1	2	-	-	-	-	-	-	-	-
50-54 years	7	6	1	5	5	-	2	1	1	2	1	1		
55-59 years	2	-	2	2	-	2	-	-	-	-	-	-	-	-
60-64 years	4	4	-	4	4	-	-	-	-	-	-	-	-	-
65-69 years	7	5	2	7	5	2	-	-	-	-	-	-	-	-
70-74 years	15	12	3	15	12	3	-	-	-	-	-	-	-	-
75-79 years	9	8	1	9	8	1	-	-	-	-	-	-	-	-
80-84 years	20	17	3	19	16	3	1	1	-	1	1	-		
85-89 years	15	11	4	15	11	4	-	-	-	-	-	-	-	-
90-94 years	13	10	3	11	9	2	2	1	1	1	-	1		
95-99 years	3	2	1	3	2	1	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Skin of other and unspecified parts of face (C44.3)												
All ages	208	105	103	202	102	100	6	3	3	4	3	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	7	4	3	6	3	3	1	1	-	1	1	-
60-64 years	9	9	-	9	9	-	-	-	-	-	-	-
65-69 years	12	8	4	11	7	4	1	1	-	1	1	-
70-74 years	22	14	8	21	13	8	1	1	-	1	1	-
75-79 years	38	19	19	36	19	17	2	-	2	1	-	1
80-84 years	34	19	15	33	19	14	1	-	1	-	-	-
85-89 years	37	12	25	37	12	25	-	-	-	-	-	-
90-94 years	22	7	15	22	7	15	-	-	-	-	-	-
95-99 years	16	5	11	16	5	11	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Skin of scalp and neck (C44.4)												
All ages	1,081	807	274	952	696	256	129	111	18	112	96	16
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	6	5	1	5	4	1	1	1	-	1	1	-
40-44 years	15	12	3	10	7	3	5	5	-	5	5	-
45-49 years	43	36	7	31	24	7	12	12	-	11	11	-
50-54 years	93	77	16	75	60	15	18	17	1	16	15	1
55-59 years	116	99	17	100	84	16	16	15	1	14	13	1
60-64 years	131	102	29	108	85	23	23	17	6	19	14	5
65-69 years	130	103	27	110	84	26	20	19	1	17	16	1
70-74 years	134	107	27	120	95	25	14	12	2	12	10	2
75-79 years	148	97	51	138	90	48	10	7	3	10	7	3
80-84 years	104	69	35	99	66	33	5	3	2	2	1	1
85-89 years	93	65	28	91	63	28	2	2	-	2	2	-
90-94 years	43	22	21	40	21	19	3	1	2	3	1	2
95-99 years	15	8	7	15	8	7	-	-	-	-	-	-
100 yrs & over	6	2	4	6	2	4	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Skin of trunk (C44.5)												
All ages	54	26	28	48	23	25	6	3	3	4	3	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	6	5	1	6	5	1	-	-	-	-	-	-
60-64 years	5	4	1	4	3	1	1	1	-	1	1	-
65-69 years	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years	7	4	3	5	3	2	2	1	1	1	1	-
75-79 years	10	6	4	9	6	3	1	-	1	1	-	1
80-84 years	8	2	6	8	2	6	-	-	-	-	-	-
85-89 years	7	2	5	7	2	5	-	-	-	-	-	-
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Skin of upper limb, including shoulder (C44.6)												
All ages	54	34	20	52	34	18	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	3	2	1	2	2	-	1	-	1	1	-	1
60-64 years	5	4	1	4	4	-	1	-	1	1	-	1
65-69 years	4	2	2	4	2	2	-	-	-	-	-	-
70-74 years	9	8	1	9	8	1	-	-	-	-	-	-
75-79 years	5	4	1	5	4	1	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	14	8	6	14	8	6	-	-	-	-	-	-
90-94 years	5	2	3	5	2	3	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Skin of lower limb, including hip (C44.7)												
All ages	55	23	32	49	22	27	6	1	5	6	1	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	7	5	2	7	5	2	-	-	-	-	-	-
60-64 years	5	3	2	5	3	2	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	5	3	2	3	2	1	2	1	1	2	1	1
75-79 years	13	5	8	12	5	7	1	-	1	1	-	1
80-84 years	7	2	5	6	2	4	1	-	1	1	-	1
85-89 years	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years	8	4	4	8	4	4	-	-	-	-	-	-
95-99 years	5	-	5	3	-	3	2	-	2	2	-	2
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of skin, unspecified (C44.9)												
All ages	890	581	309	862	564	298	28	17	11	21	12	9
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	3	3	-	2	2	-	1	1	-	-	-	-
30-34 years	2	1	1	1	1	-	1	-	1	-	-	-
35-39 years	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years	12	9	3	12	9	3	-	-	-	-	-	-
45-49 years	18	15	3	17	14	3	1	1	-	1	1	-
50-54 years	31	26	5	30	25	5	1	1	-	1	1	-
55-59 years	38	26	12	37	25	12	1	1	-	1	1	-
60-64 years	54	40	14	48	35	13	6	5	1	5	4	1
65-69 years	70	46	24	69	45	24	1	1	-	1	1	-
70-74 years	110	83	27	107	81	26	3	2	1	3	2	1
75-79 years	130	90	40	129	89	40	1	1	-	-	-	-
80-84 years	145	91	54	142	91	51	3	-	3	2	-	2
85-89 years	143	82	61	138	80	58	5	2	3	4	1	3
90-94 years	83	46	37	81	44	37	2	2	-	1	1	-
95-99 years	39	20	19	38	20	18	1	-	1	1	-	1
100 yrs & over	8	1	7	7	1	6	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Mesothelioma (C45)												
All ages	2,371	1,907	464	2,281	1,835	446	90	72	18	65	52	13
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	3	2	1	2	1	1	1	1	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	6	5	1	4	3	1	2	2	-	1	1	-
35-39 years	13	7	6	11	6	5	2	1	1	1	1	-
40-44 years	20	9	11	19	8	11	1	1	-	1	1	-
45-49 years	47	34	13	40	29	11	7	5	2	5	3	2
50-54 years	93	69	24	84	64	20	9	5	4	8	5	3
55-59 years	128	102	26	119	94	25	9	8	1	6	5	1
60-64 years	212	170	42	207	165	42	5	5	-	5	5	-
65-69 years	294	249	45	284	242	42	10	7	3	7	5	2
70-74 years	421	354	67	408	344	64	13	10	3	11	9	2
75-79 years	536	432	104	524	421	103	12	11	1	8	7	1
80-84 years	353	284	69	340	273	67	13	11	2	8	6	2
85-89 years	187	147	40	182	143	39	5	4	1	3	3	-
90-94 years	51	39	12	50	38	12	1	1	-	1	1	-
95-99 years	3	2	1	3	2	1	-	-	-	-	-	-
100 yrs & over	2	1	1	2	1	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mesothelioma of pleura (C45.0)												
All ages	242	193	49	234	186	48	8	7	1	5	4	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	3	2	1	2	1	1	1	1	-	1	1	-
50-54 years	6	3	3	5	3	2	1	-	1	1	-	1
55-59 years	14	13	1	14	13	1	-	-	-	-	-	-
60-64 years	27	21	6	26	20	6	1	1	-	1	1	-
65-69 years	31	26	5	29	24	5	2	2	-	1	1	-
70-74 years	35	29	6	34	28	6	1	1	-	1	1	-
75-79 years	60	50	10	59	49	10	1	1	-	-	-	-
80-84 years	38	29	9	38	29	9	-	-	-	-	-	-
85-89 years	20	16	4	19	15	4	1	1	-	-	-	-
90-94 years	5	3	2	5	3	2	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Mesothelioma of peritoneum (C45.1)												
All ages	75	48	27	71	44	27	4	4	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	3	2	1	2	1	1	1	1	-	1	1	-
35-39 years	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	4	2	2	4	2	2	-	-	-	-	-	-
50-54 years	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years	8	5	3	7	4	3	1	1	-	-	-	-
60-64 years	11	6	5	11	6	5	-	-	-	-	-	-
65-69 years	12	9	3	12	9	3	-	-	-	-	-	-
70-74 years	13	10	3	13	10	3	-	-	-	-	-	-
75-79 years	8	4	4	8	4	4	-	-	-	-	-	-
80-84 years	6	4	2	6	4	2	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mesothelioma of pericardium (C45.2)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Mesothelioma of other sites (C45.7)												
All ages	348	277	71	341	270	71	7	7	-	7	7	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years	5	4	1	5	4	1	-	-	-	-	-	-
50-54 years	11	11	-	10	10	-	1	1	-	1	1	-
55-59 years	13	12	1	12	11	1	1	1	-	1	1	-
60-64 years	31	23	8	30	22	8	1	1	-	1	1	-
65-69 years	40	38	2	39	37	2	1	1	-	1	1	-
70-74 years	62	53	9	62	53	9	-	-	-	-	-	-
75-79 years	90	66	24	89	65	24	1	1	-	1	1	-
80-84 years	47	33	14	45	31	14	2	2	-	2	2	-
85-89 years	37	27	10	37	27	10	-	-	-	-	-	-
90-94 years	6	6	-	6	6	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mesothelioma, unspecified (C45.9)												
All ages	1,703	1,387	316	1,632	1,333	299	71	54	17	51	39	12
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	-	-	-
35-39 years	10	5	5	9	5	4	1	-	1	-	-	-
40-44 years	16	7	9	15	6	9	1	1	-	1	1	-
45-49 years	35	26	9	29	22	7	6	4	2	4	2	2
50-54 years	72	52	20	65	48	17	7	4	3	6	4	2
55-59 years	92	71	21	85	65	20	7	6	1	5	4	1
60-64 years	142	120	22	139	117	22	3	3	-	3	3	-
65-69 years	211	176	35	204	172	32	7	4	3	5	3	2
70-74 years	311	262	49	299	253	46	12	9	3	10	8	2
75-79 years	377	311	66	367	302	65	10	9	1	7	6	1
80-84 years	262	218	44	251	209	42	11	9	2	6	4	2
85-89 years	129	104	25	125	101	24	4	3	1	3	3	-
90-94 years	39	30	9	38	29	9	1	1	-	1	1	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	2	1	1	2	1	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Kaposi's sarcoma (C46)												
All ages	40	29	11	33	22	11	7	7	-	6	6	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	3	3	-	1	1	-	2	2	-	1	1	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	4	4	-	2	2	-	2	2	-	2	2	-
50-54 years	3	3	-	2	2	-	1	1	-	1	1	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	6	4	2	6	4	2	-	-	-	-	-	-
85-89 years	9	7	2	9	7	2	-	-	-	-	-	-
90-94 years	7	2	5	7	2	5	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Kaposi's sarcoma of other sites (C46.7)												
All ages	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Kaposi's sarcoma, unspecified (C46.9)												
All ages	38	27	11	32	21	11	6	6	-	5	5	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	3	3	-	1	1	-	2	2	-	1	1	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	3	3	-	2	2	-	1	1	-	1	1	-
50-54 years	3	3	-	2	2	-	1	1	-	1	1	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	6	4	2	6	4	2	-	-	-	-	-	-
85-89 years	9	7	2	9	7	2	-	-	-	-	-	-
90-94 years	7	2	5	7	2	5	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of peripheral nerves and autonomic nervous system (C47)												
All ages	94	50	44	74	39	35	20	11	9	16	9	7
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years	3	1	2	2	1	1	1	-	1	1	-	1
10-14 years	2	2	-	1	1	-	1	1	-	-	-	-
15-19 years	7	4	3	5	3	2	2	1	1	2	1	1
20-24 years	5	4	1	4	3	1	1	1	-	1	1	-
25-29 years	10	4	6	9	4	5	1	-	1	-	-	-
30-34 years	5	2	3	3	-	3	2	2	-	1	1	-
35-39 years	7	5	2	4	2	2	3	3	-	3	3	-
40-44 years	9	7	2	8	6	2	1	1	-	1	1	-
45-49 years	10	6	4	8	5	3	2	1	1	2	1	1
50-54 years	8	4	4	6	4	2	2	-	2	1	-	1
55-59 years	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years	6	3	3	5	3	2	1	-	1	1	-	1
65-69 years	4	2	2	4	2	2	-	-	-	-	-	-
70-74 years	6	2	4	3	1	2	3	1	2	3	1	2
75-79 years	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Peripheral nerves of head, face, and neck (C47.0)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Peripheral nerves of upper limb, including shoulder (C47.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Peripheral nerves of lower limb, including hip (C47.2)												
All ages	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Peripheral nerves of thorax (C47.3)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Peripheral nerves of abdomen (C47.4)												
All ages	1	1	-	-	-	-	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Peripheral nerves of pelvis (C47.5)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Peripheral nerves of trunk, unspecified (C47.6)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Peripheral nerves and autonomic nervous system, unspecified (C47.9)												
All ages	83	44	39	65	35	30	18	9	9	15	8	7
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	3	1	2	2	1	1	1	-	1	1	-	1
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	6	3	3	4	2	2	2	1	1	2	1	1
20-24 years	5	4	1	4	3	1	1	1	-	1	1	-
25-29 years	9	4	5	8	4	4	1	-	1	-	-	-
30-34 years	3	1	2	2	-	2	1	1	-	-	-	-
35-39 years	6	4	2	3	1	2	3	3	-	3	3	-
40-44 years	8	7	1	7	6	1	1	1	-	1	1	-
45-49 years	10	6	4	8	5	3	2	1	1	2	1	1
50-54 years	7	4	3	5	4	1	2	-	2	1	-	1
55-59 years	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years	6	3	3	5	3	2	1	-	1	1	-	1
65-69 years	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years	6	2	4	3	1	2	3	1	2	3	1	2
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasm of retroperitoneum and peritoneum (C48)												
All ages	763	154	609	693	139	554	70	15	55	51	10	41
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	-	-	-	1	-	1	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	4	2	2	4	2	2	-	-	-	-	-	-
20-24 years	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	4	2	2	1	-	1	3	2	1	2	1	1
35-39 years	6	2	4	6	2	4	-	-	-	-	-	-
40-44 years	20	5	15	18	5	13	2	-	2	1	-	1
45-49 years	21	7	14	18	5	13	3	2	1	2	1	1
50-54 years	40	9	31	31	8	23	9	1	8	8	1	7
55-59 years	50	14	36	45	12	33	5	2	3	4	2	2
60-64 years	81	13	68	72	12	60	9	1	8	7	1	6
65-69 years	119	23	96	110	20	90	9	3	6	8	3	5
70-74 years	115	24	91	105	22	83	10	2	8	8	1	7
75-79 years	126	16	110	115	14	101	11	2	9	5	-	5
80-84 years	101	28	73	97	28	69	4	-	4	3	-	3
85-89 years	51	4	47	48	4	44	3	-	3	2	-	2
90-94 years	18	4	14	17	4	13	1	-	1	1	-	1
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Retroperitoneum (C48.0)												
All ages	220	102	118	193	92	101	27	10	17	19	7	12
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	-	-	-	1	-	1	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	1	1	-	-	-	2	1	1	2	1	1
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	9	2	7	8	2	6	1	-	1	1	-	1
45-49 years	7	5	2	6	4	2	1	1	-	-	-	-
50-54 years	16	6	10	10	5	5	6	1	5	6	1	5
55-59 years	15	10	5	14	9	5	1	1	-	1	1	-
60-64 years	19	8	11	15	7	8	4	1	3	2	1	1
65-69 years	31	16	15	28	14	14	3	2	1	3	2	1
70-74 years	31	17	14	29	15	14	2	2	-	1	1	-
75-79 years	35	12	23	31	11	20	4	1	3	1	-	1
80-84 years	29	18	11	28	18	10	1	-	1	1	-	1
85-89 years	13	3	10	13	3	10	-	-	-	-	-	-
90-94 years	8	2	6	7	2	5	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Specified parts of peritoneum (C48.1)												
All ages	23	9	14	20	8	12	3	1	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	4	2	2	3	2	1	1	-	1	1	-	1
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	3	2	1	2	1	1	1	1	-	-	-	-
80-84 years	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Peritoneum, unspecified (C48.2)												
All ages	520	43	477	480	39	441	40	4	36	30	3	27
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	1	2	3	1	2	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	2	1	1	1	-	1	1	1	-	-	-	-
35-39 years	5	1	4	5	1	4	-	-	-	-	-	-
40-44 years	9	2	7	8	2	6	1	-	1	-	-	-
45-49 years	14	2	12	12	1	11	2	1	1	2	1	1
50-54 years	23	3	20	21	3	18	2	-	2	1	-	1
55-59 years	34	4	30	30	3	27	4	1	3	3	1	2
60-64 years	58	3	55	54	3	51	4	-	4	4	-	4
65-69 years	87	6	81	81	5	76	6	1	5	5	1	4
70-74 years	82	6	76	74	6	68	8	-	8	7	-	7
75-79 years	88	2	86	82	2	80	6	-	6	4	-	4
80-84 years	68	8	60	65	8	57	3	-	3	2	-	2
85-89 years	35	1	34	32	1	31	3	-	3	2	-	2
90-94 years	8	2	6	8	2	6	-	-	-	-	-	-
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasm of other connective and soft tissue (C49)												
All ages	3,477	1,757	1,720	2,994	1,526	1,468	483	231	252	394	188	206
Under 1 year	5	4	1	4	4	-	1	-	1	1	-	1
1-4 years	16	14	2	12	10	2	4	4	-	4	4	-
5-9 years	23	12	11	17	9	8	6	3	3	5	2	3
10-14 years	33	16	17	27	13	14	6	3	3	5	2	3
15-19 years	54	32	22	43	22	21	11	10	1	10	9	1
20-24 years	57	39	18	45	28	17	12	11	1	11	10	1
25-29 years	66	37	29	50	27	23	16	10	6	14	8	6
30-34 years	99	63	36	82	54	28	17	9	8	14	8	6
35-39 years	106	54	52	94	49	45	12	5	7	9	5	4
40-44 years	162	87	75	118	66	52	44	21	23	33	18	15
45-49 years	199	100	99	155	80	75	44	20	24	31	11	20
50-54 years	279	147	132	233	126	107	46	21	25	41	20	21
55-59 years	294	127	167	244	107	137	50	20	30	45	20	25
60-64 years	287	147	140	251	130	121	36	17	19	25	10	15
65-69 years	317	168	149	283	153	130	34	15	19	27	12	15
70-74 years	384	213	171	344	197	147	40	16	24	34	13	21
75-79 years	422	201	221	375	180	195	47	21	26	37	16	21
80-84 years	348	165	183	325	154	171	23	11	12	19	9	10
85-89 years	216	94	122	191	83	108	25	11	14	22	9	13
90-94 years	86	29	57	80	28	52	6	1	5	5	1	4
95-99 years	21	7	14	19	6	13	2	1	1	1	-	1
100 yrs & over	3	1	2	2	-	2	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Connective and soft tissue of head, face, and neck (C49.0)												
All ages	94	64	30	83	58	25	11	6	5	6	3	3
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	1	1	-	1	-	1	-	-	-
45-49 years	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years	3	1	2	2	1	1	1	-	1	1	-	1
55-59 years	6	3	3	5	2	3	1	1	-	1	1	-
60-64 years	5	4	1	4	3	1	1	1	-	-	-	-
65-69 years	6	4	2	5	4	1	1	-	1	1	-	1
70-74 years	17	16	1	15	14	1	2	2	-	1	1	-
75-79 years	13	7	6	11	6	5	2	1	1	1	-	1
80-84 years	14	11	3	14	11	3	-	-	-	-	-	-
85-89 years	15	9	6	14	9	5	1	-	1	-	-	-
90-94 years	3	3	-	3	3	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Connective and soft tissue of upper limb, including shoulder (C49.1)												
All ages	53	27	26	44	20	24	9	7	2	9	7	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	3	3	-	-	-	-	3	3	-	3	3	-
50-54 years	4	1	3	3	1	2	1	-	1	1	-	1
55-59 years	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years	3	2	1	2	1	1	1	1	-	1	1	-
65-69 years	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years	2	1	1	1	-	1	1	1	-	1	1	-
75-79 years	7	4	3	6	3	3	1	1	-	1	1	-
80-84 years	9	6	3	9	6	3	-	-	-	-	-	-
85-89 years	9	3	6	9	3	6	-	-	-	-	-	-
90-94 years	4	1	3	3	1	2	1	-	1	1	-	1
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Connective and soft tissue of lower limb, including hip (C49.2)												
All ages	211	111	100	178	94	84	33	17	16	30	17	13
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	3	1	2	3	1	2	-	-	-	-	-	-
25-29 years	9	5	4	9	5	4	-	-	-	-	-	-
30-34 years	5	4	1	5	4	1	-	-	-	-	-	-
35-39 years	8	3	5	7	2	5	1	1	-	1	1	-
40-44 years	9	6	3	6	4	2	3	2	1	3	2	1
45-49 years	8	7	1	6	5	1	2	2	-	2	2	-
50-54 years	14	11	3	12	9	3	2	2	-	2	2	-
55-59 years	17	11	6	13	9	4	4	2	2	4	2	2
60-64 years	14	7	7	11	5	6	3	2	1	2	2	-
65-69 years	12	7	5	11	7	4	1	-	1	1	-	1
70-74 years	25	14	11	21	13	8	4	1	3	3	1	2
75-79 years	25	11	14	20	9	11	5	2	3	5	2	3
80-84 years	28	13	15	24	10	14	4	3	1	3	3	-
85-89 years	20	7	13	17	7	10	3	-	3	3	-	3
90-94 years	10	-	10	9	-	9	1	-	1	1	-	1
95-99 years	3	3	-	3	3	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Connective and soft tissue of thorax (C49.3)												
All ages	68	41	27	62	37	25	6	4	2	5	4	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	2	2	-	1	1	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	3	-	2	2	-	1	1	-	1	1	-
45-49 years	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years	5	4	1	4	3	1	1	1	-	1	1	-
55-59 years	10	4	6	7	3	4	3	1	2	2	1	1
60-64 years	4	4	-	4	4	-	-	-	-	-	-	-
65-69 years	7	3	4	7	3	4	-	-	-	-	-	-
70-74 years	9	5	4	9	5	4	-	-	-	-	-	-
75-79 years	4	4	-	4	4	-	-	-	-	-	-	-
80-84 years	12	8	4	12	8	4	-	-	-	-	-	-
85-89 years	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Connective and soft tissue of abdomen (C49.4)												
All ages	188	83	105	167	69	98	21	14	7	19	12	7
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	1	1	1	-	1	1	1	-	1	1	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	4	1	3	4	1	3	-	-	-	-	-	-
45-49 years	7	5	2	6	5	1	1	-	1	1	-	1
50-54 years	13	7	6	12	6	6	1	1	-	1	1	-
55-59 years	13	6	7	11	5	6	2	1	1	2	1	1
60-64 years	16	7	9	14	5	9	2	2	-	1	1	-
65-69 years	23	12	11	21	10	11	2	2	-	2	2	-
70-74 years	29	16	13	24	12	12	5	4	1	5	4	1
75-79 years	34	9	25	30	8	22	4	1	3	3	-	3
80-84 years	20	9	11	19	9	10	1	-	1	1	-	1
85-89 years	16	8	8	14	6	8	2	2	-	2	2	-
90-94 years	7	1	6	7	1	6	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Connective and soft tissue of pelvis (C49.5)												
All ages	126	52	74	111	49	62	15	3	12	15	3	12
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	3	3	-	2	2	-	1	1	-	1	1	-
25-29 years	2	1	1	1	1	-	1	-	1	1	-	1
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	4	1	3	2	-	2	2	1	1	2	1	1
45-49 years	5	2	3	3	2	1	2	-	2	2	-	2
50-54 years	8	5	3	7	5	2	1	-	1	1	-	1
55-59 years	10	3	7	10	3	7	-	-	-	-	-	-
60-64 years	8	5	3	8	5	3	-	-	-	-	-	-
65-69 years	14	3	11	11	3	8	3	-	3	3	-	3
70-74 years	15	8	7	15	8	7	-	-	-	-	-	-
75-79 years	20	6	14	18	6	12	2	-	2	2	-	2
80-84 years	20	8	12	20	8	12	-	-	-	-	-	-
85-89 years	9	2	7	7	2	5	2	-	2	2	-	2
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Connective and soft tissue of trunk, unspecified (C49.6)												
All ages	10	5	5	8	4	4	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Overlapping lesion of connective and soft tissue (C49.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Connective and soft tissue, unspecified (C49.9)												
All ages	2,726	1,373	1,353	2,340	1,194	1,146	386	179	207	308	141	167
Under 1 year	4	3	1	3	3	-	1	-	1	1	-	1
1-4 years	15	13	2	12	10	2	3	3	-	3	3	-
5-9 years	23	12	11	17	9	8	6	3	3	5	2	3
10-14 years	28	13	15	23	10	13	5	3	2	4	2	2
15-19 years	49	30	19	40	22	18	9	8	1	8	7	1
20-24 years	48	34	14	37	24	13	11	10	1	10	9	1
25-29 years	50	27	23	37	19	18	13	8	5	11	6	5
30-34 years	86	53	33	69	44	25	17	9	8	14	8	6
35-39 years	94	50	44	83	46	37	11	4	7	8	4	4
40-44 years	140	75	65	103	58	45	37	17	20	27	14	13
45-49 years	169	80	89	133	65	68	36	15	21	23	6	17
50-54 years	230	118	112	191	101	90	39	17	22	34	16	18
55-59 years	234	97	137	195	83	112	39	14	25	35	14	21
60-64 years	236	117	119	207	106	101	29	11	18	21	6	15
65-69 years	252	138	114	225	125	100	27	13	14	20	10	10
70-74 years	287	153	134	259	145	114	28	8	20	24	6	18
75-79 years	318	159	159	285	143	142	33	16	17	25	13	12
80-84 years	245	110	135	227	102	125	18	8	10	15	6	9
85-89 years	142	63	79	125	54	71	17	9	8	15	7	8
90-94 years	59	23	36	55	22	33	4	1	3	3	1	2
95-99 years	14	4	10	12	3	9	2	1	1	1	-	1
100 yrs & over	3	1	2	2	-	2	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasm of breast (C50)												
All ages	41,809	415	41,394	35,422	344	35,078	6,387	71	6,316	5,571	65	5,506
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	8	-	8	4	-	4	4	-	4	4	-	4
25-29 years	88	-	88	58	-	58	30	-	30	30	-	30
30-34 years	375	2	373	248	1	247	127	1	126	112	1	111
35-39 years	960	5	955	697	4	693	263	1	262	221	-	221
40-44 years	1,863	9	1,854	1,372	4	1,368	491	5	486	424	5	419
45-49 years	2,790	13	2,777	2,135	10	2,125	655	3	652	556	3	553
50-54 years	3,803	33	3,770	3,008	24	2,984	795	9	786	665	9	656
55-59 years	3,843	32	3,811	3,137	27	3,110	706	5	701	602	4	598
60-64 years	3,789	40	3,749	3,170	34	3,136	619	6	613	529	6	523
65-69 years	3,972	54	3,918	3,362	46	3,316	610	8	602	537	7	530
70-74 years	4,743	66	4,677	4,150	55	4,095	593	11	582	523	10	513
75-79 years	5,130	69	5,061	4,604	59	4,545	526	10	516	481	9	472
80-84 years	4,533	46	4,487	4,103	41	4,062	430	5	425	391	5	386
85-89 years	3,330	31	3,299	3,021	26	2,995	309	5	304	275	4	271
90-94 years	1,848	9	1,839	1,699	9	1,690	149	-	149	142	-	142
95-99 years	644	6	638	585	4	581	59	2	57	59	2	57
100 yrs & over	89	-	89	69	-	69	20	-	20	19	-	19
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nipple and areola (C50.0)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Upper-inner quadrant of breast (C50.2)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Upper-outer quadrant of breast (C50.4)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Breast, unspecified (C50.9)												
All ages	41,804	414	41,390	35,417	343	35,074	6,387	71	6,316	5,571	65	5,506
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	8	-	8	4	-	4	4	-	4	4	-	4
25-29 years	88	-	88	58	-	58	30	-	30	30	-	30
30-34 years	375	2	373	248	1	247	127	1	126	112	1	111
35-39 years	960	5	955	697	4	693	263	1	262	221	-	221
40-44 years	1,863	9	1,854	1,372	4	1,368	491	5	486	424	5	419
45-49 years	2,790	13	2,777	2,135	10	2,125	655	3	652	556	3	553
50-54 years	3,803	33	3,770	3,008	24	2,984	795	9	786	665	9	656
55-59 years	3,843	32	3,811	3,137	27	3,110	706	5	701	602	4	598
60-64 years	3,789	40	3,749	3,170	34	3,136	619	6	613	529	6	523
65-69 years	3,971	54	3,917	3,361	46	3,315	610	8	602	537	7	530
70-74 years	4,743	66	4,677	4,150	55	4,095	593	11	582	523	10	513
75-79 years	5,127	68	5,059	4,601	58	4,543	526	10	516	481	9	472
80-84 years	4,533	46	4,487	4,103	41	4,062	430	5	425	391	5	386
85-89 years	3,329	31	3,298	3,020	26	2,994	309	5	304	275	4	271
90-94 years	1,848	9	1,839	1,699	9	1,690	149	-	149	142	-	142
95-99 years	644	6	638	585	4	581	59	2	57	59	2	57
100 yrs & over	89	-	89	69	-	69	20	-	20	19	-	19
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of vulva (C51)												
All ages	765	...	765	696	...	696	69	...	69	65	...	65
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	2	...	2	2	...	2	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	5	...	5	5	...	5	-	...	-	-	...	-
40-44 years	16	...	16	12	...	12	4	...	4	4	...	4
45-49 years	18	...	18	12	...	12	6	...	6	5	...	5
50-54 years	29	...	29	25	...	25	4	...	4	4	...	4
55-59 years	27	...	27	19	...	19	8	...	8	7	...	7
60-64 years	32	...	32	28	...	28	4	...	4	4	...	4
65-69 years	43	...	43	42	...	42	1	...	1	1	...	1
70-74 years	87	...	87	77	...	77	10	...	10	10	...	10
75-79 years	131	...	131	118	...	118	13	...	13	13	...	13
80-84 years	144	...	144	138	...	138	6	...	6	6	...	6
85-89 years	124	...	124	118	...	118	6	...	6	5	...	5
90-94 years	73	...	73	69	...	69	4	...	4	3	...	3
95-99 years	31	...	31	29	...	29	2	...	2	2	...	2
100 yrs & over	3	...	3	2	...	2	1	...	1	1	...	1
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Labium majus (C51.0)												
All ages	13	...	13	10	...	10	3	...	3	3	...	3
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years	2	...	2	-	...	-	2	...	2	2	...	2
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	2	...	2	2	...	2	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years	2	...	2	1	...	1	1	...	1	1	...	1
85-89 years	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years	3	...	3	3	...	3	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Vulva, unspecified (C51.9)												
All ages	752	...	752	686	...	686	66	...	66	62	...	62
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	2	...	2	2	...	2	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	5	...	5	5	...	5	-	...	-	-	...	-
40-44 years	15	...	15	11	...	11	4	...	4	4	...	4
45-49 years	18	...	18	12	...	12	6	...	6	5	...	5
50-54 years	28	...	28	24	...	24	4	...	4	4	...	4
55-59 years	25	...	25	19	...	19	6	...	6	5	...	5
60-64 years	32	...	32	28	...	28	4	...	4	4	...	4
65-69 years	41	...	41	40	...	40	1	...	1	1	...	1
70-74 years	87	...	87	77	...	77	10	...	10	10	...	10
75-79 years	130	...	130	117	...	117	13	...	13	13	...	13
80-84 years	142	...	142	137	...	137	5	...	5	5	...	5
85-89 years	123	...	123	117	...	117	6	...	6	5	...	5
90-94 years	70	...	70	66	...	66	4	...	4	3	...	3
95-99 years	31	...	31	29	...	29	2	...	2	2	...	2
100 yrs & over	3	...	3	2	...	2	1	...	1	1	...	1
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasm of vagina (C52)												
All ages	382	...	382	309	...	309	73	...	73	61	...	61
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	2	...	2	1	...	1	1	...	1	1	...	1
35-39 years	3	...	3	3	...	3	-	...	-	-	...	-
40-44 years	11	...	11	7	...	7	4	...	4	4	...	4
45-49 years	16	...	16	13	...	13	3	...	3	3	...	3
50-54 years	24	...	24	18	...	18	6	...	6	5	...	5
55-59 years	19	...	19	17	...	17	2	...	2	-	...	-
60-64 years	26	...	26	14	...	14	12	...	12	11	...	11
65-69 years	41	...	41	31	...	31	10	...	10	9	...	9
70-74 years	39	...	39	33	...	33	6	...	6	5	...	5
75-79 years	54	...	54	46	...	46	8	...	8	7	...	7
80-84 years	58	...	58	51	...	51	7	...	7	6	...	6
85-89 years	49	...	49	45	...	45	4	...	4	3	...	3
90-94 years	32	...	32	24	...	24	8	...	8	6	...	6
95-99 years	7	...	7	6	...	6	1	...	1	-	...	-
100 yrs & over	1	...	1	-	...	-	1	...	1	1	...	1
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Malignant neoplasm of cervix uteri (C53)												
All ages	4,092	...	4,092	3,136	...	3,136	956	...	956	787	...	787
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	1	...	1	-	...	-	1	...	1	1	...	1
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	12	...	12	11	...	11	1	...	1	1	...	1
25-29 years	51	...	51	40	...	40	11	...	11	11	...	11
30-34 years	158	...	158	122	...	122	36	...	36	31	...	31
35-39 years	291	...	291	226	...	226	65	...	65	54	...	54
40-44 years	420	...	420	325	...	325	95	...	95	85	...	85
45-49 years	475	...	475	371	...	371	104	...	104	80	...	80
50-54 years	478	...	478	363	...	363	115	...	115	89	...	89
55-59 years	371	...	371	283	...	283	88	...	88	65	...	65
60-64 years	352	...	352	272	...	272	80	...	80	66	...	66
65-69 years	279	...	279	195	...	195	84	...	84	73	...	73
70-74 years	306	...	306	235	...	235	71	...	71	57	...	57
75-79 years	298	...	298	227	...	227	71	...	71	56	...	56
80-84 years	285	...	285	219	...	219	66	...	66	56	...	56
85-89 years	193	...	193	150	...	150	43	...	43	39	...	39
90-94 years	90	...	90	69	...	69	21	...	21	19	...	19
95-99 years	30	...	30	26	...	26	4	...	4	4	...	4
100 yrs & over	2	...	2	2	...	2	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Endocervix (C53.0)												
All ages	26	...	26	23	...	23	3	...	3	3	...	3
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years	3	...	3	3	...	3	-	...	-	-	...	-
50-54 years	3	...	3	3	...	3	-	...	-	-	...	-
55-59 years	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years	6	...	6	5	...	5	1	...	1	1	...	1
75-79 years	5	...	5	4	...	4	1	...	1	1	...	1
80-84 years	2	...	2	2	...	2	-	...	-	-	...	-
85-89 years	2	...	2	1	...	1	1	...	1	1	...	1
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Overlapping lesion of cervix uteri (C53.8)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cervix uteri, unspecified (C53.9)												
All ages	4,065	...	4,065	3,112	...	3,112	953	...	953	784	...	784
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	1	...	1	-	...	-	1	...	1	1	...	1
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	12	...	12	11	...	11	1	...	1	1	...	1
25-29 years	51	...	51	40	...	40	11	...	11	11	...	11
30-34 years	157	...	157	121	...	121	36	...	36	31	...	31
35-39 years	290	...	290	225	...	225	65	...	65	54	...	54
40-44 years	419	...	419	324	...	324	95	...	95	85	...	85
45-49 years	472	...	472	368	...	368	104	...	104	80	...	80
50-54 years	474	...	474	359	...	359	115	...	115	89	...	89
55-59 years	370	...	370	282	...	282	88	...	88	65	...	65
60-64 years	352	...	352	272	...	272	80	...	80	66	...	66
65-69 years	278	...	278	194	...	194	84	...	84	73	...	73
70-74 years	300	...	300	230	...	230	70	...	70	56	...	56
75-79 years	293	...	293	223	...	223	70	...	70	55	...	55
80-84 years	283	...	283	217	...	217	66	...	66	56	...	56
85-89 years	191	...	191	149	...	149	42	...	42	38	...	38
90-94 years	90	...	90	69	...	69	21	...	21	19	...	19
95-99 years	30	...	30	26	...	26	4	...	4	4	...	4
100 yrs & over	2	...	2	2	...	2	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Malignant neoplasm of corpus uteri (C54)												
All ages	3,185	...	3,185	2,700	...	2,700	485	...	485	431	...	431
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	5	...	5	1	...	1	4	...	4	3	...	3
30-34 years	12	...	12	9	...	9	3	...	3	1	...	1
35-39 years	13	...	13	10	...	10	3	...	3	1	...	1
40-44 years	28	...	28	24	...	24	4	...	4	4	...	4
45-49 years	75	...	75	66	...	66	9	...	9	8	...	8
50-54 years	148	...	148	123	...	123	25	...	25	19	...	19
55-59 years	217	...	217	187	...	187	30	...	30	22	...	22
60-64 years	314	...	314	246	...	246	68	...	68	55	...	55
65-69 years	414	...	414	318	...	318	96	...	96	88	...	88
70-74 years	519	...	519	438	...	438	81	...	81	77	...	77
75-79 years	531	...	531	459	...	459	72	...	72	68	...	68
80-84 years	438	...	438	389	...	389	49	...	49	46	...	46
85-89 years	290	...	290	264	...	264	26	...	26	25	...	25
90-94 years	130	...	130	121	...	121	9	...	9	9	...	9
95-99 years	49	...	49	44	...	44	5	...	5	4	...	4
100 yrs & over	2	...	2	1	...	1	1	...	1	1	...	1
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Endometrium (C54.1)												
All ages	3,143	...	3,143	2,665	...	2,665	478	...	478	426	...	426
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	5	...	5	1	...	1	4	...	4	3	...	3
30-34 years	11	...	11	8	...	8	3	...	3	1	...	1
35-39 years	13	...	13	10	...	10	3	...	3	1	...	1
40-44 years	28	...	28	24	...	24	4	...	4	4	...	4
45-49 years	75	...	75	66	...	66	9	...	9	8	...	8
50-54 years	146	...	146	122	...	122	24	...	24	18	...	18
55-59 years	212	...	212	184	...	184	28	...	28	21	...	21
60-64 years	313	...	313	245	...	245	68	...	68	55	...	55
65-69 years	406	...	406	311	...	311	95	...	95	88	...	88
70-74 years	512	...	512	432	...	432	80	...	80	76	...	76
75-79 years	525	...	525	453	...	453	72	...	72	68	...	68
80-84 years	432	...	432	384	...	384	48	...	48	45	...	45
85-89 years	286	...	286	260	...	260	26	...	26	25	...	25
90-94 years	128	...	128	120	...	120	8	...	8	8	...	8
95-99 years	49	...	49	44	...	44	5	...	5	4	...	4
100 yrs & over	2	...	2	1	...	1	1	...	1	1	...	1
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Myometrium (C54.2)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Corpus uteri, unspecified (C54.9)												
All ages	41	...	41	34	...	34	7	...	7	5	...	5
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	2	...	2	1	...	1	1	...	1	1	...	1
55-59 years	5	...	5	3	...	3	2	...	2	1	...	1
60-64 years	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years	8	...	8	7	...	7	1	...	1	-	...	-
70-74 years	7	...	7	6	...	6	1	...	1	1	...	1
75-79 years	6	...	6	6	...	6	-	...	-	-	...	-
80-84 years	5	...	5	4	...	4	1	...	1	1	...	1
85-89 years	4	...	4	4	...	4	-	...	-	-	...	-
90-94 years	2	...	2	1	...	1	1	...	1	1	...	1
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Malignant neoplasm of uterus, part unspecified (C55)												
All ages	3,599	...	3,599	2,906	...	2,906	693	...	693	616	...	616
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	5	...	5	2	...	2	3	...	3	3	...	3
30-34 years	16	...	16	14	...	14	2	...	2	2	...	2
35-39 years	34	...	34	23	...	23	11	...	11	7	...	7
40-44 years	64	...	64	50	...	50	14	...	14	10	...	10
45-49 years	117	...	117	84	...	84	33	...	33	26	...	26
50-54 years	226	...	226	173	...	173	53	...	53	40	...	40
55-59 years	240	...	240	193	...	193	47	...	47	43	...	43
60-64 years	334	...	334	246	...	246	88	...	88	75	...	75
65-69 years	371	...	371	277	...	277	94	...	94	86	...	86
70-74 years	480	...	480	371	...	371	109	...	109	103	...	103
75-79 years	544	...	544	452	...	452	92	...	92	85	...	85
80-84 years	550	...	550	476	...	476	74	...	74	69	...	69
85-89 years	372	...	372	337	...	337	35	...	35	30	...	30
90-94 years	182	...	182	154	...	154	28	...	28	27	...	27
95-99 years	55	...	55	48	...	48	7	...	7	7	...	7
100 yrs & over	8	...	8	6	...	6	2	...	2	2	...	2
Not stated	1	...	1	-	...	-	1	...	1	1	...	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasm of ovary (C56)												
All ages	14,414	...	14,414	12,950	...	12,950	1,464	...	1,464	1,153	...	1,153
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	2	...	2	1	...	1	1	...	1	1	...	1
15-19 years	5	...	5	3	...	3	2	...	2	1	...	1
20-24 years	16	...	16	11	...	11	5	...	5	3	...	3
25-29 years	37	...	37	32	...	32	5	...	5	5	...	5
30-34 years	65	...	65	49	...	49	16	...	16	10	...	10
35-39 years	152	...	152	120	...	120	32	...	32	25	...	25
40-44 years	320	...	320	270	...	270	50	...	50	41	...	41
45-49 years	610	...	610	536	...	536	74	...	74	48	...	48
50-54 years	1,016	...	1,016	890	...	890	126	...	126	88	...	88
55-59 years	1,171	...	1,171	1,030	...	1,030	141	...	141	112	...	112
60-64 years	1,441	...	1,441	1,254	...	1,254	187	...	187	141	...	141
65-69 years	1,682	...	1,682	1,486	...	1,486	196	...	196	151	...	151
70-74 years	1,984	...	1,984	1,803	...	1,803	181	...	181	154	...	154
75-79 years	2,246	...	2,246	2,062	...	2,062	184	...	184	151	...	151
80-84 years	1,924	...	1,924	1,794	...	1,794	130	...	130	103	...	103
85-89 years	1,181	...	1,181	1,088	...	1,088	93	...	93	80	...	80
90-94 years	451	...	451	426	...	426	25	...	25	24	...	24
95-99 years	96	...	96	85	...	85	11	...	11	10	...	10
100 yrs & over	15	...	15	10	...	10	5	...	5	5	...	5
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Malignant neoplasm of other and unspecified female genital organs (C57)												
All ages	386	...	386	345	...	345	41	...	41	33	...	33
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	2	...	2	1	...	1	1	...	1	1	...	1
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	2	...	2	2	...	2	-	...	-	-	...	-
40-44 years	4	...	4	3	...	3	1	...	1	1	...	1
45-49 years	13	...	13	10	...	10	3	...	3	3	...	3
50-54 years	25	...	25	21	...	21	4	...	4	3	...	3
55-59 years	38	...	38	33	...	33	5	...	5	5	...	5
60-64 years	34	...	34	28	...	28	6	...	6	3	...	3
65-69 years	39	...	39	34	...	34	5	...	5	5	...	5
70-74 years	61	...	61	57	...	57	4	...	4	3	...	3
75-79 years	67	...	67	60	...	60	7	...	7	6	...	6
80-84 years	46	...	46	44	...	44	2	...	2	1	...	1
85-89 years	28	...	28	25	...	25	3	...	3	2	...	2
90-94 years	20	...	20	20	...	20	-	...	-	-	...	-
95-99 years	6	...	6	6	...	6	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Fallopian tube (C57.0)												
All ages	172	...	172	160	...	160	12	...	12	8	...	8
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years	7	...	7	5	...	5	2	...	2	2	...	2
50-54 years	16	...	16	14	...	14	2	...	2	2	...	2
55-59 years	19	...	19	16	...	16	3	...	3	3	...	3
60-64 years	16	...	16	14	...	14	2	...	2	-	...	-
65-69 years	21	...	21	21	...	21	-	...	-	-	...	-
70-74 years	36	...	36	36	...	36	-	...	-	-	...	-
75-79 years	25	...	25	24	...	24	1	...	1	1	...	1
80-84 years	18	...	18	17	...	17	1	...	1	-	...	-
85-89 years	8	...	8	7	...	7	1	...	1	-	...	-
90-94 years	4	...	4	4	...	4	-	...	-	-	...	-
95-99 years	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Uterine adnexa, unspecified (C57.4)												
All ages	5	...	5	4	...	4	1	...	1	1	...	1
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years	2	...	2	1	...	1	1	...	1	1	...	1
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified female genital organs (C57.7)												
All ages	18	...	18	14	...	14	4	...	4	4	...	4
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	2	...	2	2	...	2	-	...	-	-	...	-
60-64 years	2	...	2	1	...	1	1	...	1	1	...	1
65-69 years	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years	4	...	4	2	...	2	2	...	2	2	...	2
80-84 years	4	...	4	3	...	3	1	...	1	1	...	1
85-89 years	2	...	2	2	...	2	-	...	-	-	...	-
90-94 years	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Overlapping lesion of female genital organs (C57.8)												
All ages	4	...	4	3	...	3	1	...	1	1	...	1
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	2	...	2	2	...	2	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	1	...	1	-	...	-	1	...	1	1	...	1
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Female genital organ, unspecified (C57.9)												
All ages	187	...	187	164	...	164	23	...	23	19	...	19
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	2	...	2	2	...	2	-	...	-	-	...	-
40-44 years	3	...	3	2	...	2	1	...	1	1	...	1
45-49 years	4	...	4	3	...	3	1	...	1	1	...	1
50-54 years	9	...	9	7	...	7	2	...	2	1	...	1
55-59 years	17	...	17	15	...	15	2	...	2	2	...	2
60-64 years	15	...	15	12	...	12	3	...	3	2	...	2
65-69 years	14	...	14	11	...	11	3	...	3	3	...	3
70-74 years	24	...	24	20	...	20	4	...	4	3	...	3
75-79 years	38	...	38	34	...	34	4	...	4	3	...	3
80-84 years	24	...	24	24	...	24	-	...	-	-	...	-
85-89 years	16	...	16	14	...	14	2	...	2	2	...	2
90-94 years	15	...	15	15	...	15	-	...	-	-	...	-
95-99 years	4	...	4	4	...	4	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Malignant neoplasm of placenta (C58)												
All ages	16	...	16	8	...	8	8	...	8	6	...	6
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	2	...	2	-	...	-	2	...	2	2	...	2
25-29 years	2	...	2	2	...	2	-	...	-	-	...	-
30-34 years	3	...	3	-	...	-	3	...	3	2	...	2
35-39 years	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years	2	...	2	2	...	2	-	...	-	-	...	-
45-49 years	2	...	2	1	...	1	1	...	1	-	...	-
50-54 years	2	...	2	1	...	1	1	...	1	1	...	1
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	1	...	1	-	...	-	1	...	1	1	...	1
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasm of penis (C60)												
All ages	205	205	...	174	174	...	31	31	...	25	25	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	1	1	...	1	1	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	6	6	...	5	5	...	1	1	...	1	1	...
40-44 years	4	4	...	4	4	...	-	-	...	-	-	...
45-49 years	12	12	...	9	9	...	3	3	...	3	3	...
50-54 years	18	18	...	12	12	...	6	6	...	5	5	...
55-59 years	18	18	...	15	15	...	3	3	...	2	2	...
60-64 years	21	21	...	18	18	...	3	3	...	2	2	...
65-69 years	25	25	...	19	19	...	6	6	...	4	4	...
70-74 years	28	28	...	25	25	...	3	3	...	3	3	...
75-79 years	21	21	...	20	20	...	1	1	...	1	1	...
80-84 years	22	22	...	19	19	...	3	3	...	3	3	...
85-89 years	18	18	...	18	18	...	-	-	...	-	-	...
90-94 years	9	9	...	7	7	...	2	2	...	1	1	...
95-99 years	2	2	...	2	2	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...
Body of penis (C60.2)												
All ages	2	2	...	2	2	...	-	-	...	-	-	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years	1	1	...	1	1	...	-	-	...	-	-	...
55-59 years	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years	1	1	...	1	1	...	-	-	...	-	-	...
75-79 years	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Penis, unspecified (C60.9)												
All ages	203	203	...	172	172	...	31	31	...	25	25	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	1	1	...	1	1	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	6	6	...	5	5	...	1	1	...	1	1	...
40-44 years	4	4	...	4	4	...	-	-	...	-	-	...
45-49 years	12	12	...	9	9	...	3	3	...	3	3	...
50-54 years	17	17	...	11	11	...	6	6	...	5	5	...
55-59 years	18	18	...	15	15	...	3	3	...	2	2	...
60-64 years	21	21	...	18	18	...	3	3	...	2	2	...
65-69 years	25	25	...	19	19	...	6	6	...	4	4	...
70-74 years	27	27	...	24	24	...	3	3	...	3	3	...
75-79 years	21	21	...	20	20	...	1	1	...	1	1	...
80-84 years	22	22	...	19	19	...	3	3	...	3	3	...
85-89 years	18	18	...	18	18	...	-	-	...	-	-	...
90-94 years	9	9	...	7	7	...	2	2	...	1	1	...
95-99 years	2	2	...	2	2	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...
Malignant neoplasm of prostate (C61)												
All ages	30,719	30,719	...	25,066	25,066	...	5,653	5,653	...	5,265	5,265	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	1	1	...	1	1	...	-	-	...	-	-	...
25-29 years	1	1	...	-	-	...	1	1	...	1	1	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	3	3	...	3	3	...	-	-	...	-	-	...
40-44 years	27	27	...	16	16	...	11	11	...	11	11	...
45-49 years	99	99	...	70	70	...	29	29	...	28	28	...
50-54 years	313	313	...	215	215	...	98	98	...	96	96	...
55-59 years	647	647	...	474	474	...	173	173	...	167	167	...
60-64 years	1,260	1,260	...	922	922	...	338	338	...	320	320	...
65-69 years	2,379	2,379	...	1,820	1,820	...	559	559	...	532	532	...
70-74 years	4,164	4,164	...	3,267	3,267	...	897	897	...	852	852	...
75-79 years	6,119	6,119	...	4,994	4,994	...	1,125	1,125	...	1,041	1,041	...
80-84 years	6,857	6,857	...	5,736	5,736	...	1,121	1,121	...	1,035	1,035	...
85-89 years	5,500	5,500	...	4,729	4,729	...	771	771	...	704	704	...
90-94 years	2,575	2,575	...	2,195	2,195	...	380	380	...	343	343	...
95-99 years	689	689	...	557	557	...	132	132	...	118	118	...
100 yrs & over	85	85	...	67	67	...	18	18	...	17	17	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasm of testis (C62)												
All ages	335	335	...	303	303	...	32	32	...	22	22	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	8	8	...	6	6	...	2	2	...	1	1	...
20-24 years	27	27	...	25	25	...	2	2	...	1	1	...
25-29 years	42	42	...	39	39	...	3	3	...	2	2	...
30-34 years	38	38	...	34	34	...	4	4	...	2	2	...
35-39 years	39	39	...	36	36	...	3	3	...	3	3	...
40-44 years	51	51	...	51	51	...	-	-	...	-	-	...
45-49 years	42	42	...	36	36	...	6	6	...	3	3	...
50-54 years	23	23	...	21	21	...	2	2	...	1	1	...
55-59 years	14	14	...	12	12	...	2	2	...	2	2	...
60-64 years	8	8	...	6	6	...	2	2	...	1	1	...
65-69 years	10	10	...	8	8	...	2	2	...	2	2	...
70-74 years	13	13	...	11	11	...	2	2	...	2	2	...
75-79 years	11	11	...	9	9	...	2	2	...	2	2	...
80-84 years	5	5	...	5	5	...	-	-	...	-	-	...
85-89 years	2	2	...	2	2	...	-	-	...	-	-	...
90-94 years	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years	2	2	...	2	2	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...
Testis, unspecified (C62.9)												
All ages	335	335	...	303	303	...	32	32	...	22	22	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	8	8	...	6	6	...	2	2	...	1	1	...
20-24 years	27	27	...	25	25	...	2	2	...	1	1	...
25-29 years	42	42	...	39	39	...	3	3	...	2	2	...
30-34 years	38	38	...	34	34	...	4	4	...	2	2	...
35-39 years	39	39	...	36	36	...	3	3	...	3	3	...
40-44 years	51	51	...	51	51	...	-	-	...	-	-	...
45-49 years	42	42	...	36	36	...	6	6	...	3	3	...
50-54 years	23	23	...	21	21	...	2	2	...	1	1	...
55-59 years	14	14	...	12	12	...	2	2	...	2	2	...
60-64 years	8	8	...	6	6	...	2	2	...	1	1	...
65-69 years	10	10	...	8	8	...	2	2	...	2	2	...
70-74 years	13	13	...	11	11	...	2	2	...	2	2	...
75-79 years	11	11	...	9	9	...	2	2	...	2	2	...
80-84 years	5	5	...	5	5	...	-	-	...	-	-	...
85-89 years	2	2	...	2	2	...	-	-	...	-	-	...
90-94 years	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years	2	2	...	2	2	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasm of other and unspecified male genital organs (C63)												
All ages	41	41	...	34	34	...	7	7	...	6	6	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	1	1	...	1	1	...	-	-	...	-	-	...
30-34 years	1	1	...	-	-	...	1	1	...	1	1	...
35-39 years	2	2	...	2	2	...	-	-	...	-	-	...
40-44 years	2	2	...	2	2	...	-	-	...	-	-	...
45-49 years	2	2	...	1	1	...	1	1	...	1	1	...
50-54 years	1	1	...	1	1	...	-	-	...	-	-	...
55-59 years	1	1	...	1	1	...	-	-	...	-	-	...
60-64 years	2	2	...	1	1	...	1	1	...	1	1	...
65-69 years	2	2	...	2	2	...	-	-	...	-	-	...
70-74 years	3	3	...	3	3	...	-	-	...	-	-	...
75-79 years	10	10	...	7	7	...	3	3	...	2	2	...
80-84 years	7	7	...	6	6	...	1	1	...	1	1	...
85-89 years	5	5	...	5	5	...	-	-	...	-	-	...
90-94 years	2	2	...	2	2	...	-	-	...	-	-	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...
Spermatic cord (C63.1)												
All ages	6	6	...	6	6	...	-	-	...	-	-	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	1	1	...	1	1	...	-	-	...	-	-	...
40-44 years	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years	1	1	...	1	1	...	-	-	...	-	-	...
70-74 years	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years	2	2	...	2	2	...	-	-	...	-	-	...
80-84 years	1	1	...	1	1	...	-	-	...	-	-	...
85-89 years	1	1	...	1	1	...	-	-	...	-	-	...
90-94 years	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Scrotum (C63.2)												
All ages	11	11	...	9	9	...	2	2	...	1	1	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years	2	2	...	2	2	...	-	-	...	-	-	...
45-49 years	1	1	...	-	-	...	1	1	...	1	1	...
50-54 years	1	1	...	1	1	...	-	-	...	-	-	...
55-59 years	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years	1	1	...	1	1	...	-	-	...	-	-	...
65-69 years	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years	1	1	...	1	1	...	-	-	...	-	-	...
75-79 years	3	3	...	2	2	...	1	1	...	-	-	...
80-84 years	1	1	...	1	1	...	-	-	...	-	-	...
85-89 years	1	1	...	1	1	...	-	-	...	-	-	...
90-94 years	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...
Other specified male genital organs (C63.7)												
All ages	2	2	...	1	1	...	1	1	...	1	1	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	1	1	...	-	-	...	1	1	...	1	1	...
35-39 years	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years	1	1	...	1	1	...	-	-	...	-	-	...
85-89 years	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Male genital organ, unspecified (C63.9)												
All ages	22	22	...	18	18	...	4	4	...	4	4	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	1	1	...	1	1	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	1	1	...	1	1	...	-	-	...	-	-	...
40-44 years	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years	1	1	...	1	1	...	-	-	...	-	-	...
50-54 years	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years	1	1	...	1	1	...	-	-	...	-	-	...
60-64 years	1	1	...	-	-	...	1	1	...	1	1	...
65-69 years	1	1	...	1	1	...	-	-	...	-	-	...
70-74 years	2	2	...	2	2	...	-	-	...	-	-	...
75-79 years	5	5	...	3	3	...	2	2	...	2	2	...
80-84 years	4	4	...	3	3	...	1	1	...	1	1	...
85-89 years	3	3	...	3	3	...	-	-	...	-	-	...
90-94 years	2	2	...	2	2	...	-	-	...	-	-	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...
Malignant neoplasm of kidney, except renal pelvis (C64)												
All ages	11,889	7,406	4,483	10,541	6,583	3,958	1,348	823	525	1,106	673	433
Under 1 year	1	1	-	-	-	-	1	1	-	-	-	-
1-4 years	22	10	12	16	6	10	6	4	2	4	2	2
5-9 years	30	7	23	21	4	17	9	3	6	9	3	6
10-14 years	5	2	3	2	1	1	3	1	2	3	1	2
15-19 years	8	7	1	2	1	1	6	6	-	5	5	-
20-24 years	12	9	3	6	4	2	6	5	1	5	5	-
25-29 years	19	11	8	10	7	3	9	4	5	9	4	5
30-34 years	33	16	17	21	9	12	12	7	5	10	6	4
35-39 years	72	56	16	50	40	10	22	16	6	20	14	6
40-44 years	281	179	102	220	148	72	61	31	30	51	25	26
45-49 years	492	350	142	420	309	111	72	41	31	62	38	24
50-54 years	807	580	227	681	489	192	126	91	35	101	72	29
55-59 years	993	713	280	866	631	235	127	82	45	104	67	37
60-64 years	1,304	902	402	1,134	776	358	170	126	44	136	101	35
65-69 years	1,363	901	462	1,228	814	414	135	87	48	108	67	41
70-74 years	1,790	1,146	644	1,613	1,041	572	177	105	72	143	87	56
75-79 years	1,775	1,034	741	1,606	930	676	169	104	65	137	84	53
80-84 years	1,475	801	674	1,352	739	613	123	62	61	102	51	51
85-89 years	935	496	439	862	463	399	73	33	40	63	30	33
90-94 years	386	162	224	350	149	201	36	13	23	29	10	19
95-99 years	81	23	58	76	22	54	5	1	4	5	1	4
100 yrs & over	5	-	5	5	-	5	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasm of renal pelvis (C65)												
All ages	189	118	71	179	112	67	10	6	4	7	5	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years	3	3	-	3	3	-	-	-	-	-	-	-
45-49 years	6	5	1	4	3	1	2	2	-	2	2	-
50-54 years	6	6	-	6	6	-	-	-	-	-	-	-
55-59 years	13	9	4	12	9	3	1	-	1	1	-	1
60-64 years	18	10	8	18	10	8	-	-	-	-	-	-
65-69 years	32	27	5	31	27	4	1	-	1	-	-	-
70-74 years	36	19	17	36	19	17	-	-	-	-	-	-
75-79 years	35	18	17	33	17	16	2	1	1	1	-	1
80-84 years	21	13	8	19	11	8	2	2	-	2	2	-
85-89 years	12	4	8	11	4	7	1	-	1	-	-	-
90-94 years	4	2	2	4	2	2	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of ureter (C66)												
All ages	294	165	129	277	158	119	17	7	10	11	3	8
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years	5	4	1	5	4	1	-	-	-	-	-	-
50-54 years	15	5	10	13	4	9	2	1	1	1	-	1
55-59 years	10	4	6	10	4	6	-	-	-	-	-	-
60-64 years	20	13	7	17	11	6	3	2	1	1	-	1
65-69 years	28	14	14	26	13	13	2	1	1	1	1	-
70-74 years	53	29	24	47	28	19	6	1	5	4	-	4
75-79 years	55	39	16	53	38	15	2	1	1	2	1	1
80-84 years	54	27	27	53	27	26	1	-	1	1	-	1
85-89 years	36	20	16	35	19	16	1	1	-	1	1	-
90-94 years	14	9	5	14	9	5	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasm of bladder (C67)												
All ages	12,225	8,343	3,882	11,180	7,780	3,400	1,045	563	482	877	447	430
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	6	1	5	6	1	5	-	-	-	-	-	-
30-34 years	9	7	2	8	7	1	1	-	1	1	-	1
35-39 years	35	14	21	30	13	17	5	1	4	4	1	3
40-44 years	93	56	37	74	44	30	19	12	7	19	12	7
45-49 years	161	118	43	133	103	30	28	15	13	21	10	11
50-54 years	314	233	81	274	205	69	40	28	12	35	26	9
55-59 years	484	359	125	426	323	103	58	36	22	48	27	21
60-64 years	781	597	184	694	546	148	87	51	36	77	45	32
65-69 years	1,147	859	288	1,039	798	241	108	61	47	93	50	43
70-74 years	1,667	1,229	438	1,534	1,148	386	133	81	52	105	61	44
75-79 years	2,179	1,554	625	2,012	1,462	550	167	92	75	143	74	69
80-84 years	2,309	1,562	747	2,126	1,467	659	183	95	88	152	72	80
85-89 years	1,865	1,129	736	1,743	1,069	674	122	60	62	97	44	53
90-94 years	864	482	382	792	455	337	72	27	45	62	21	41
95-99 years	265	123	142	247	121	126	18	2	16	17	2	15
100 yrs & over	42	17	25	38	15	23	4	2	2	3	2	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Trigone of bladder (C67.0)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Dome of bladder (C67.1)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Bladder neck (C67.5)												
All ages	4	1	3	4	1	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Ureteric orifice (C67.6)												
All ages	1	-	1	-	-	-	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	-	-	-	1	-	1	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Urachus (C67.7)												
All ages	14	8	6	14	8	6	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Bladder, unspecified (C67.9)												
All ages	12,203	8,332	3,871	11,159	7,769	3,390	1,044	563	481	877	447	430
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	5	1	4	5	1	4	-	-	-	-	-	-
30-34 years	9	7	2	8	7	1	1	-	1	1	-	1
35-39 years	33	14	19	28	13	15	5	1	4	4	1	3
40-44 years	92	56	36	73	44	29	19	12	7	19	12	7
45-49 years	159	116	43	131	101	30	28	15	13	21	10	11
50-54 years	311	231	80	271	203	68	40	28	12	35	26	9
55-59 years	483	359	124	425	323	102	58	36	22	48	27	21
60-64 years	780	596	184	693	545	148	87	51	36	77	45	32
65-69 years	1,145	858	287	1,037	797	240	108	61	47	93	50	43
70-74 years	1,664	1,226	438	1,531	1,145	386	133	81	52	105	61	44
75-79 years	2,177	1,552	625	2,010	1,460	550	167	92	75	143	74	69
80-84 years	2,306	1,562	744	2,124	1,467	657	182	95	87	152	72	80
85-89 years	1,865	1,129	736	1,743	1,069	674	122	60	62	97	44	53
90-94 years	863	482	381	791	455	336	72	27	45	62	21	41
95-99 years	265	123	142	247	121	126	18	2	16	17	2	15
100 yrs & over	42	17	25	38	15	23	4	2	2	3	2	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of other and unspecified urinary organs (C68)												
All ages	313	173	140	266	153	113	47	20	27	44	18	26
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	4	3	1	4	3	1	-	-	-	-	-	-
45-49 years	6	3	3	5	3	2	1	-	1	1	-	1
50-54 years	10	8	2	8	7	1	2	1	1	2	1	1
55-59 years	14	5	9	9	4	5	5	1	4	5	1	4
60-64 years	19	9	10	12	6	6	7	3	4	7	3	4
65-69 years	35	26	9	29	22	7	6	4	2	6	4	2
70-74 years	41	23	18	36	22	14	5	1	4	4	1	3
75-79 years	57	29	28	50	24	26	7	5	2	7	5	2
80-84 years	61	36	25	54	33	21	7	3	4	6	2	4
85-89 years	33	19	14	30	17	13	3	2	1	2	1	1
90-94 years	24	10	14	21	10	11	3	-	3	3	-	3
95-99 years	8	2	6	8	2	6	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Urethra (C68.0)												
All ages	132	57	75	101	49	52	31	8	23	29	7	22
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years	4	1	3	3	1	2	1	-	1	1	-	1
50-54 years	7	5	2	5	4	1	2	1	1	2	1	1
55-59 years	13	5	8	8	4	4	5	1	4	5	1	4
60-64 years	10	4	6	5	2	3	5	2	3	5	2	3
65-69 years	14	9	5	10	7	3	4	2	2	4	2	2
70-74 years	22	8	14	17	7	10	5	1	4	4	1	3
75-79 years	18	10	8	18	10	8	-	-	-	-	-	-
80-84 years	26	10	16	21	9	12	5	1	4	4	-	4
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	10	2	8	7	2	5	3	-	3	3	-	3
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Paraurethral glands (C68.1)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Urinary organ, unspecified (C68.9)												
All ages	180	116	64	164	104	60	16	12	4	15	11	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	9	5	4	7	4	3	2	1	1	2	1	1
65-69 years	21	17	4	19	15	4	2	2	-	2	2	-
70-74 years	19	15	4	19	15	4	-	-	-	-	-	-
75-79 years	39	19	20	32	14	18	7	5	2	7	5	2
80-84 years	35	26	9	33	24	9	2	2	-	2	2	-
85-89 years	31	18	13	28	16	12	3	2	1	2	1	1
90-94 years	13	8	5	13	8	5	-	-	-	-	-	-
95-99 years	6	2	4	6	2	4	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of eye and adnexa (C69)												
All ages	226	116	110	212	112	100	14	4	10	8	4	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	8	6	2	5	5	-	3	1	2	3	1	2
5-9 years	5	2	3	1	1	-	4	1	3	1	1	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	1	2	2	-	2	1	1	-	1	1	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	3	1	2	3	1	2	-	-	-	-	-	-
30-34 years	3	-	3	1	-	1	2	-	2	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	6	3	3	6	3	3	-	-	-	-	-	-
45-49 years	10	7	3	10	7	3	-	-	-	-	-	-
50-54 years	15	11	4	15	11	4	-	-	-	-	-	-
55-59 years	12	7	5	12	7	5	-	-	-	-	-	-
60-64 years	18	10	8	17	10	7	1	-	1	1	-	1
65-69 years	24	14	10	24	14	10	-	-	-	-	-	-
70-74 years	26	14	12	26	14	12	-	-	-	-	-	-
75-79 years	32	15	17	29	14	15	3	1	2	2	1	1
80-84 years	32	16	16	32	16	16	-	-	-	-	-	-
85-89 years	12	4	8	12	4	8	-	-	-	-	-	-
90-94 years	12	3	9	12	3	9	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Retina (C69.2)												
All ages	28	14	14	20	12	8	8	2	6	5	2	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	8	6	2	5	5	-	3	1	2	3	1	2
5-9 years	5	2	3	1	1	-	4	1	3	1	1	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Choroid (C69.3)												
All ages	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Ciliary body (C69.4)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Lacrimal gland and duct (C69.5)												
All ages	6	-	6	6	-	6	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Orbit (C69.6)												
All ages	38	24	14	36	24	12	2	-	2	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	7	5	2	7	5	2	-	-	-	-	-	-
70-74 years	8	6	2	8	6	2	-	-	-	-	-	-
75-79 years	9	5	4	8	5	3	1	-	1	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Eye, unspecified (C69.9)												
All ages	147	74	73	143	72	71	4	2	2	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	1	-	1	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	-	2	1	-	1	1	-	1	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	5	2	3	5	2	3	-	-	-	-	-	-
45-49 years	9	6	3	9	6	3	-	-	-	-	-	-
50-54 years	12	8	4	12	8	4	-	-	-	-	-	-
55-59 years	10	6	4	10	6	4	-	-	-	-	-	-
60-64 years	16	9	7	16	9	7	-	-	-	-	-	-
65-69 years	15	8	7	15	8	7	-	-	-	-	-	-
70-74 years	16	8	8	16	8	8	-	-	-	-	-	-
75-79 years	19	9	10	17	8	9	2	1	1	2	1	1
80-84 years	22	11	11	22	11	11	-	-	-	-	-	-
85-89 years	8	2	6	8	2	6	-	-	-	-	-	-
90-94 years	7	3	4	7	3	4	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasm of meninges (C70)												
All ages	129	67	62	117	60	57	12	7	5	8	4	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	5	3	2	4	2	2	1	1	-	1	1	-
50-54 years	8	4	4	6	3	3	2	1	1	1	1	-
55-59 years	10	7	3	9	6	3	1	1	-	-	-	-
60-64 years	16	10	6	13	8	5	3	2	1	2	1	1
65-69 years	15	9	6	14	9	5	1	-	1	1	-	1
70-74 years	21	9	12	21	9	12	-	-	-	-	-	-
75-79 years	20	8	12	19	8	11	1	-	1	1	-	1
80-84 years	13	6	7	11	5	6	2	1	1	1	-	1
85-89 years	9	4	5	9	4	5	-	-	-	-	-	-
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral meninges (C70.0)												
All ages	15	5	10	13	3	10	2	2	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	3	-	3	3	-	3	-	-	-	-	-	-
75-79 years	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years	3	2	1	2	1	1	1	1	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Spinal meninges (C70.1)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Meninges, unspecified (C70.9)												
All ages	113	62	51	103	57	46	10	5	5	7	3	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	5	3	2	4	2	2	1	1	-	1	1	-
50-54 years	8	4	4	6	3	3	2	1	1	1	1	-
55-59 years	10	7	3	9	6	3	1	1	-	-	-	-
60-64 years	15	9	6	12	7	5	3	2	1	2	1	1
65-69 years	15	9	6	14	9	5	1	-	1	1	-	1
70-74 years	17	9	8	17	9	8	-	-	-	-	-	-
75-79 years	16	7	9	15	7	8	1	-	1	1	-	1
80-84 years	10	4	6	9	4	5	1	-	1	1	-	1
85-89 years	7	4	3	7	4	3	-	-	-	-	-	-
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasm of brain (C71)												
All ages	12,372	6,889	5,483	11,422	6,385	5,037	950	504	446	726	373	353
Under 1 year	15	8	7	11	6	5	4	2	2	1	-	1
1-4 years	94	50	44	78	44	34	16	6	10	10	3	7
5-9 years	166	80	86	140	65	75	26	15	11	19	12	7
10-14 years	128	63	65	98	46	52	30	17	13	25	13	12
15-19 years	99	60	39	84	52	32	15	8	7	11	5	6
20-24 years	117	63	54	92	50	42	25	13	12	17	10	7
25-29 years	132	87	45	118	80	38	14	7	7	8	4	4
30-34 years	277	170	107	251	155	96	26	15	11	19	9	10
35-39 years	395	243	152	371	230	141	24	13	11	17	8	9
40-44 years	623	388	235	564	353	211	59	35	24	43	24	19
45-49 years	819	494	325	743	456	287	76	38	38	63	33	30
50-54 years	1,103	663	440	1,016	612	404	87	51	36	67	39	28
55-59 years	1,157	721	436	1,058	665	393	99	56	43	75	43	32
60-64 years	1,267	722	545	1,178	668	510	89	54	35	69	43	26
65-69 years	1,331	749	582	1,228	703	525	103	46	57	82	36	46
70-74 years	1,437	808	629	1,346	765	581	91	43	48	70	34	36
75-79 years	1,472	762	710	1,400	719	681	72	43	29	53	27	26
80-84 years	1,037	502	535	986	480	506	51	22	29	39	15	24
85-89 years	515	198	317	487	186	301	28	12	16	24	8	16
90-94 years	153	47	106	144	42	102	9	5	4	8	4	4
95-99 years	31	9	22	26	7	19	5	2	3	5	2	3
100 yrs & over	4	2	2	3	1	2	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrum, except lobes and ventricles (C71.0)												
All ages	215	116	99	198	107	91	17	9	8	12	5	7
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	-	-	-	1	-	1	-	-	-
5-9 years	5	2	3	4	2	2	1	-	1	1	-	1
10-14 years	9	6	3	5	3	2	4	3	1	3	2	1
15-19 years	5	3	2	4	2	2	1	1	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	7	5	2	7	5	2	-	-	-	-	-	-
35-39 years	8	4	4	7	3	4	1	1	-	-	-	-
40-44 years	7	4	3	6	3	3	1	1	-	1	1	-
45-49 years	11	5	6	8	4	4	3	1	2	3	1	2
50-54 years	15	9	6	15	9	6	-	-	-	-	-	-
55-59 years	23	11	12	23	11	12	-	-	-	-	-	-
60-64 years	29	17	12	28	17	11	1	-	1	1	-	1
65-69 years	14	7	7	12	7	5	2	-	2	2	-	2
70-74 years	16	12	4	15	11	4	1	1	-	-	-	-
75-79 years	25	13	12	25	13	12	-	-	-	-	-	-
80-84 years	19	6	13	18	5	13	1	1	-	1	1	-
85-89 years	13	6	7	13	6	7	-	-	-	-	-	-
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Frontal lobe (C71.1)												
All ages	102	50	52	97	48	49	5	2	3	5	2	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	4	4	-	4	4	-	-	-	-	-	-	-
35-39 years	5	2	3	5	2	3	-	-	-	-	-	-
40-44 years	5	2	3	4	1	3	1	1	-	1	1	-
45-49 years	7	2	5	6	2	4	1	-	1	1	-	1
50-54 years	12	5	7	11	5	6	1	-	1	1	-	1
55-59 years	9	6	3	9	6	3	-	-	-	-	-	-
60-64 years	10	6	4	9	6	3	1	-	1	1	-	1
65-69 years	11	6	5	11	6	5	-	-	-	-	-	-
70-74 years	9	5	4	9	5	4	-	-	-	-	-	-
75-79 years	10	4	6	10	4	6	-	-	-	-	-	-
80-84 years	10	4	6	10	4	6	-	-	-	-	-	-
85-89 years	5	1	4	5	1	4	-	-	-	-	-	-
90-94 years	3	3	-	2	2	-	1	1	-	1	1	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Temporal lobe (C71.2)												
All ages	101	70	31	93	63	30	8	7	1	5	5	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	6	4	2	4	3	1	2	1	1	-	-	-
45-49 years	15	12	3	13	10	3	2	2	-	2	2	-
50-54 years	7	6	1	7	6	1	-	-	-	-	-	-
55-59 years	12	6	6	11	5	6	1	1	-	1	1	-
60-64 years	13	12	1	12	11	1	1	1	-	1	1	-
65-69 years	14	9	5	14	9	5	-	-	-	-	-	-
70-74 years	5	3	2	5	3	2	-	-	-	-	-	-
75-79 years	11	7	4	10	6	4	1	1	-	1	1	-
80-84 years	6	4	2	5	3	2	1	1	-	-	-	-
85-89 years	8	4	4	8	4	4	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Parietal lobe (C71.3)												
All ages	65	32	33	65	32	33	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	5	2	3	5	2	3	-	-	-	-	-	-
50-54 years	4	2	2	4	2	2	-	-	-	-	-	-
55-59 years	8	4	4	8	4	4	-	-	-	-	-	-
60-64 years	6	2	4	6	2	4	-	-	-	-	-	-
65-69 years	5	3	2	5	3	2	-	-	-	-	-	-
70-74 years	11	9	2	11	9	2	-	-	-	-	-	-
75-79 years	11	3	8	11	3	8	-	-	-	-	-	-
80-84 years	6	2	4	6	2	4	-	-	-	-	-	-
85-89 years	7	5	2	7	5	2	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Occipital lobe (C71.4)												
All ages	16	6	10	15	6	9	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	1	1	-	1	-	1	1	-	1
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cerebral ventricle (C71.5)												
All ages	12	10	2	10	8	2	2	2	-	2	2	-
Under 1 year	3	1	2	3	1	2	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cerebellum (C71.6)												
All ages	188	117	71	169	103	66	19	14	5	11	8	3
Under 1 year	4	2	2	3	1	2	1	1	-	-	-	-
1-4 years	24	14	10	24	14	10	-	-	-	-	-	-
5-9 years	25	15	10	21	13	8	4	2	2	2	2	-
10-14 years	21	15	6	16	11	5	5	4	1	4	3	1
15-19 years	16	11	5	13	9	4	3	2	1	2	1	1
20-24 years	10	7	3	9	6	3	1	1	-	-	-	-
25-29 years	11	8	3	11	8	3	-	-	-	-	-	-
30-34 years	12	7	5	12	7	5	-	-	-	-	-	-
35-39 years	12	8	4	11	7	4	1	1	-	1	1	-
40-44 years	12	10	2	10	8	2	2	2	-	-	-	-
45-49 years	6	3	3	6	3	3	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years	6	4	2	4	3	1	2	1	1	2	1	1
65-69 years	5	2	3	5	2	3	-	-	-	-	-	-
70-74 years	7	3	4	7	3	4	-	-	-	-	-	-
75-79 years	5	3	2	5	3	2	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Brain stem (C71.7)												
All ages	219	101	118	186	81	105	33	20	13	25	14	11
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	14	5	9	9	2	7	5	3	2	3	1	2
5-9 years	61	28	33	50	20	30	11	8	3	8	6	2
10-14 years	29	13	16	24	10	14	5	3	2	4	2	2
15-19 years	10	7	3	10	7	3	-	-	-	-	-	-
20-24 years	11	4	7	8	1	7	3	3	-	3	3	-
25-29 years	5	3	2	5	3	2	-	-	-	-	-	-
30-34 years	7	2	5	5	2	3	2	-	2	2	-	2
35-39 years	10	5	5	9	5	4	1	-	1	1	-	1
40-44 years	8	4	4	7	4	3	1	-	1	1	-	1
45-49 years	11	7	4	10	7	3	1	-	1	1	-	1
50-54 years	8	3	5	8	3	5	-	-	-	-	-	-
55-59 years	5	2	3	5	2	3	-	-	-	-	-	-
60-64 years	10	6	4	9	6	3	1	-	1	-	-	-
65-69 years	10	7	3	8	5	3	2	2	-	1	1	-
70-74 years	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years	5	2	3	5	2	3	-	-	-	-	-	-
80-84 years	8	1	7	8	1	7	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	1	1	-	-	-	-	1	1	-	1	1	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Overlapping lesion of brain (C71.8)												
All ages	48	25	23	47	24	23	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years	6	2	4	5	1	4	1	1	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	5	2	3	5	2	3	-	-	-	-	-	-
65-69 years	6	3	3	6	3	3	-	-	-	-	-	-
70-74 years	8	7	1	8	7	1	-	-	-	-	-	-
75-79 years	7	2	5	7	2	5	-	-	-	-	-	-
80-84 years	4	3	1	4	3	1	-	-	-	-	-	-
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Brain, unspecified (C71.9)												
All ages	11,406	6,362	5,044	10,542	5,913	4,629	864	449	415	665	337	328
Under 1 year	8	5	3	5	4	1	3	1	2	1	-	1
1-4 years	54	30	24	44	27	17	10	3	7	7	2	5
5-9 years	75	35	40	65	30	35	10	5	5	8	4	4
10-14 years	68	29	39	52	22	30	16	7	9	14	6	8
15-19 years	64	36	28	54	32	22	10	4	6	8	3	5
20-24 years	93	49	44	73	41	32	20	8	12	13	6	7
25-29 years	113	73	40	99	66	33	14	7	7	8	4	4
30-34 years	245	151	94	221	136	85	24	15	9	17	9	8
35-39 years	355	220	135	334	209	125	21	11	10	15	7	8
40-44 years	584	364	220	532	334	198	52	30	22	40	22	18
45-49 years	760	460	300	691	425	266	69	35	34	56	30	26
50-54 years	1,050	635	415	965	585	380	85	50	35	66	39	27
55-59 years	1,093	688	405	996	633	363	97	55	42	73	42	31
60-64 years	1,185	671	514	1,102	619	483	83	52	31	64	41	23
65-69 years	1,265	712	553	1,166	668	498	99	44	55	79	35	44
70-74 years	1,376	768	608	1,286	726	560	90	42	48	70	34	36
75-79 years	1,396	727	669	1,325	685	640	71	42	29	52	26	26
80-84 years	978	477	501	929	457	472	49	20	29	38	14	24
85-89 years	472	180	292	444	168	276	28	12	16	24	8	16
90-94 years	139	43	96	131	39	92	8	4	4	7	3	4
95-99 years	29	7	22	25	6	19	4	1	3	4	1	3
100 yrs & over	4	2	2	3	1	2	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of spinal cord, cranial nerves, and other parts of central nervous system (C72)												
All ages	108	59	49	99	53	46	9	6	3	7	5	2
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	5	2	3	5	2	3	-	-	-	-	-	-
5-9 years	4	1	3	4	1	3	-	-	-	-	-	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	5	3	2	4	2	2	1	1	-	1	1	-
20-24 years	3	3	-	3	3	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	3	2	1	2	1	1	1	1	-	-	-	-
35-39 years	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years	4	3	1	2	2	-	2	1	1	2	1	1
45-49 years	6	3	3	6	3	3	-	-	-	-	-	-
50-54 years	10	6	4	8	5	3	2	1	1	1	1	-
55-59 years	7	6	1	6	5	1	1	1	-	1	1	-
60-64 years	7	4	3	6	3	3	1	1	-	1	1	-
65-69 years	8	5	3	8	5	3	-	-	-	-	-	-
70-74 years	11	9	2	11	9	2	-	-	-	-	-	-
75-79 years	14	7	7	14	7	7	-	-	-	-	-	-
80-84 years	10	3	7	10	3	7	-	-	-	-	-	-
85-89 years	4	-	4	4	-	4	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Spinal cord (C72.0)												
All ages	40	24	16	38	22	16	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	3	1	2	3	1	2	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years	5	3	2	4	2	2	1	1	-	1	1	-
55-59 years	4	3	1	4	3	1	-	-	-	-	-	-
60-64 years	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years	5	3	2	5	3	2	-	-	-	-	-	-
75-79 years	5	3	2	5	3	2	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Optic nerve (C72.3)												
All ages	9	3	6	9	3	6	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	3	1	2	3	1	2	-	-	-	-	-	-
5-9 years	2	-	2	2	-	2	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acoustic nerve (C72.4)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Central nervous system, unspecified (C72.9)												
All ages	58	31	27	51	27	24	7	4	3	5	3	2
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	4	3	1	2	2	-	2	1	1	2	1	1
45-49 years	3	1	2	3	1	2	-	-	-	-	-	-
50-54 years	5	3	2	4	3	1	1	-	1	-	-	-
55-59 years	3	3	-	2	2	-	1	1	-	1	1	-
60-64 years	5	2	3	5	2	3	-	-	-	-	-	-
65-69 years	5	4	1	5	4	1	-	-	-	-	-	-
70-74 years	5	5	-	5	5	-	-	-	-	-	-	-
75-79 years	8	4	4	8	4	4	-	-	-	-	-	-
80-84 years	7	1	6	7	1	6	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasm of thyroid gland (C73)												
All ages	1,354	568	786	1,175	510	665	179	58	121	131	43	88
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	4	1	3	3	-	3	1	1	-	1	1	-
30-34 years	9	5	4	6	2	4	3	3	-	2	2	-
35-39 years	11	3	8	7	2	5	4	1	3	4	1	3
40-44 years	25	14	11	21	13	8	4	1	3	3	1	2
45-49 years	44	21	23	37	20	17	7	1	6	5	1	4
50-54 years	79	44	35	65	39	26	14	5	9	12	4	8
55-59 years	90	49	41	75	42	33	15	7	8	8	4	4
60-64 years	130	69	61	106	57	49	24	12	12	19	8	11
65-69 years	145	75	70	122	67	55	23	8	15	18	6	12
70-74 years	199	92	107	183	89	94	16	3	13	12	3	9
75-79 years	224	78	146	198	72	126	26	6	20	18	4	14
80-84 years	194	72	122	169	66	103	25	6	19	19	5	14
85-89 years	138	33	105	126	31	95	12	2	10	7	2	5
90-94 years	48	9	39	44	8	36	4	1	3	2	-	2
95-99 years	12	2	10	11	1	10	1	1	-	1	1	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of adrenal gland (C74)												
All ages	547	268	279	478	235	243	69	33	36	55	26	29
Under 1 year	6	2	4	5	1	4	1	1	-	-	-	-
1-4 years	67	39	28	59	32	27	8	7	1	7	6	1
5-9 years	53	32	21	42	25	17	11	7	4	9	6	3
10-14 years	25	14	11	17	9	8	8	5	3	5	3	2
15-19 years	11	3	8	8	2	6	3	1	2	3	1	2
20-24 years	6	3	3	5	3	2	1	-	1	-	-	-
25-29 years	14	5	9	12	3	9	2	2	-	2	2	-
30-34 years	6	3	3	4	2	2	2	1	1	2	1	1
35-39 years	14	9	5	11	8	3	3	1	2	3	1	2
40-44 years	22	10	12	21	9	12	1	1	-	1	1	-
45-49 years	35	18	17	30	18	12	5	-	5	5	-	5
50-54 years	35	14	21	29	12	17	6	2	4	6	2	4
55-59 years	31	12	19	26	10	16	5	2	3	4	2	2
60-64 years	44	22	22	42	21	21	2	1	1	1	-	1
65-69 years	42	25	17	42	25	17	-	-	-	-	-	-
70-74 years	48	21	27	46	21	25	2	-	2	-	-	-
75-79 years	34	16	18	30	15	15	4	1	3	2	-	2
80-84 years	32	11	21	28	10	18	4	1	3	4	1	3
85-89 years	18	7	11	17	7	10	1	-	1	1	-	1
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cortex of adrenal gland (C74.0)												
All ages	78	35	43	74	33	41	4	2	2	4	2	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	3	1	2	3	1	2	-	-	-	-	-	-
15-19 years	4	-	4	4	-	4	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	6	2	4	5	1	4	1	1	-	1	1	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	5	-	5	5	-	5	-	-	-	-	-	-
45-49 years	8	6	2	8	6	2	-	-	-	-	-	-
50-54 years	8	2	6	7	2	5	1	-	1	1	-	1
55-59 years	8	5	3	6	4	2	2	1	1	2	1	1
60-64 years	10	5	5	10	5	5	-	-	-	-	-	-
65-69 years	9	6	3	9	6	3	-	-	-	-	-	-
70-74 years	7	3	4	7	3	4	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Medulla of adrenal gland (C74.1)												
All ages	39	19	20	30	15	15	9	4	5	9	4	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	2	1	1	-	-	-	2	1	1	2	1	1
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	5	5	-	4	4	-	1	1	-	1	1	-
45-49 years	7	3	4	5	3	2	2	-	2	2	-	2
50-54 years	7	3	4	5	2	3	2	1	1	2	1	1
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Adrenal gland, unspecified (C74.9)												
All ages	430	214	216	374	187	187	56	27	29	42	20	22
Under 1 year	6	2	4	5	1	4	1	1	-	-	-	-
1-4 years	66	38	28	58	31	27	8	7	1	7	6	1
5-9 years	52	31	21	41	24	17	11	7	4	9	6	3
10-14 years	22	13	9	14	8	6	8	5	3	5	3	2
15-19 years	6	3	3	4	2	2	2	1	1	2	1	1
20-24 years	4	3	1	3	3	-	1	-	1	-	-	-
25-29 years	7	2	5	7	2	5	-	-	-	-	-	-
30-34 years	3	1	2	3	1	2	-	-	-	-	-	-
35-39 years	10	6	4	7	5	2	3	1	2	3	1	2
40-44 years	12	5	7	12	5	7	-	-	-	-	-	-
45-49 years	20	9	11	17	9	8	3	-	3	3	-	3
50-54 years	20	9	11	17	8	9	3	1	2	3	1	2
55-59 years	22	7	15	19	6	13	3	1	2	2	1	1
60-64 years	31	16	15	29	15	14	2	1	1	1	-	1
65-69 years	30	18	12	30	18	12	-	-	-	-	-	-
70-74 years	39	18	21	37	18	19	2	-	2	-	-	-
75-79 years	32	15	17	28	14	14	4	1	3	2	-	2
80-84 years	28	11	17	24	10	14	4	1	3	4	1	3
85-89 years	16	5	11	15	5	10	1	-	1	1	-	1
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of other endocrine glands and related structures (C75)												
All ages	203	111	92	177	96	81	26	15	11	19	11	8
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	5	3	2	4	2	2	1	1	-	1	1	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	2	-	2	2	-	2	-	-	-	-	-	-
15-19 years	3	2	1	3	2	1	-	-	-	-	-	-
20-24 years	7	5	2	6	4	2	1	1	-	1	1	-
25-29 years	5	4	1	4	3	1	1	1	-	1	1	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	9	7	2	6	4	2	3	3	-	2	2	-
40-44 years	7	5	2	6	4	2	1	1	-	-	-	-
45-49 years	21	12	9	17	10	7	4	2	2	3	1	2
50-54 years	9	5	4	8	5	3	1	-	1	1	-	1
55-59 years	18	10	8	15	9	6	3	1	2	2	1	1
60-64 years	14	5	9	13	4	9	1	1	-	1	1	-
65-69 years	23	12	11	23	12	11	-	-	-	-	-	-
70-74 years	26	15	11	25	15	10	1	-	1	-	-	-
75-79 years	21	11	10	19	11	8	2	-	2	2	-	2
80-84 years	14	7	7	12	6	6	2	1	1	2	1	1
85-89 years	10	3	7	7	2	5	3	1	2	1	-	1
90-94 years	4	2	2	4	2	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	1	-	-	-	-	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Parathyroid gland (C75.0)												
All ages	13	7	6	12	6	6	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	-	-	-	1	1	-	1	1	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pituitary gland (C75.1)												
All ages	31	17	14	25	13	12	6	4	2	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	3	3	-	1	1	-	2	2	-	1	1	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	4	2	2	4	2	2	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	5	5	-	5	5	-	-	-	-	-	-	-
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	4	2	2	1	1	-	3	1	2	1	-	1
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	1	-	-	-	-	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Craniopharyngeal duct (C75.2)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pineal gland (C75.3)												
All ages	28	16	12	25	13	12	3	3	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	5	3	2	4	2	2	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	-	2	2	-	2	-	-	-	-	-	-
15-19 years	3	2	1	3	2	1	-	-	-	-	-	-
20-24 years	6	4	2	6	4	2	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	2	2	-	1	1	-	1	1	-	-	-	-
45-49 years	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Aortic body and other paraganglia (C75.5)												
All ages	21	11	10	18	10	8	3	1	2	3	1	2
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	3	2	1	2	2	-	1	-	1	1	-	1
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pluriglandular involvement, unspecified (C75.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Endocrine gland, unspecified (C75.9)												
All ages	108	59	49	95	53	42	13	6	7	10	5	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	12	9	3	9	7	2	3	2	1	2	1	1
50-54 years	7	3	4	6	3	3	1	-	1	1	-	1
55-59 years	10	7	3	8	6	2	2	1	1	1	1	-
60-64 years	10	4	6	9	3	6	1	1	-	1	1	-
65-69 years	15	8	7	15	8	7	-	-	-	-	-	-
70-74 years	15	8	7	14	8	6	1	-	1	-	-	-
75-79 years	16	8	8	14	8	6	2	-	2	2	-	2
80-84 years	8	4	4	7	4	3	1	-	1	1	-	1
85-89 years	6	1	5	6	1	5	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of other and ill-defined sites (C76)												
All ages	3,595	2,043	1,552	3,026	1,684	1,342	569	359	210	508	315	193
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	4	3	1	3	3	-	1	-	1	1	-	1
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	10	7	3	7	5	2	3	2	1	3	2	1
30-34 years	11	8	3	8	6	2	3	2	1	1	-	1
35-39 years	38	22	16	24	15	9	14	7	7	13	6	7
40-44 years	91	64	27	67	50	17	24	14	10	20	11	9
45-49 years	144	93	51	92	61	31	52	32	20	50	31	19
50-54 years	265	207	58	197	152	45	68	55	13	64	51	13
55-59 years	297	203	94	241	160	81	56	43	13	51	38	13
60-64 years	331	232	99	265	178	87	66	54	12	62	51	11
65-69 years	396	261	135	320	212	108	76	49	27	69	46	23
70-74 years	458	296	162	383	247	136	75	49	26	63	39	24
75-79 years	487	255	232	441	232	209	46	23	23	39	19	20
80-84 years	420	190	230	379	172	207	41	18	23	35	14	21
85-89 years	349	120	229	328	113	215	21	7	14	17	5	12
90-94 years	195	57	138	182	55	127	13	2	11	12	1	11
95-99 years	81	16	65	73	14	59	8	2	6	7	1	6
100 yrs & over	11	3	8	9	3	6	2	-	2	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Head, face, and neck (C76.0)												
All ages	2,180	1,561	619	1,797	1,267	530	383	294	89	347	264	83
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	6	3	3	5	3	2	1	-	1	1	-	1
30-34 years	3	3	-	2	2	-	1	1	-	-	-	-
35-39 years	19	12	7	13	8	5	6	4	2	6	4	2
40-44 years	70	55	15	50	42	8	20	13	7	18	11	7
45-49 years	117	82	35	75	54	21	42	28	14	40	27	13
50-54 years	214	186	28	154	134	20	60	52	8	57	49	8
55-59 years	223	171	52	174	133	41	49	38	11	45	34	11
60-64 years	241	191	50	191	147	44	50	44	6	47	41	6
65-69 years	282	215	67	227	173	54	55	42	13	49	39	10
70-74 years	303	233	70	254	193	61	49	40	9	42	33	9
75-79 years	280	185	95	251	166	85	29	19	10	24	16	8
80-84 years	195	116	79	184	108	76	11	8	3	10	7	3
85-89 years	133	70	63	127	67	60	6	3	3	5	2	3
90-94 years	74	30	44	71	29	42	3	1	2	3	1	2
95-99 years	13	5	8	12	4	8	1	1	-	-	-	-
100 yrs & over	3	1	2	3	1	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Thorax (C76.1)												
All ages	105	58	47	94	52	42	11	6	5	11	6	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	6	4	2	6	4	2	-	-	-	-	-	-
60-64 years	10	8	2	9	8	1	1	-	1	1	-	1
65-69 years	8	5	3	8	5	3	-	-	-	-	-	-
70-74 years	16	7	9	11	6	5	5	1	4	5	1	4
75-79 years	12	8	4	11	7	4	1	1	-	1	1	-
80-84 years	23	14	9	20	11	9	3	3	-	3	3	-
85-89 years	10	3	7	10	3	7	-	-	-	-	-	-
90-94 years	9	3	6	9	3	6	-	-	-	-	-	-
95-99 years	4	1	3	4	1	3	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Abdomen (C76.2)												
All ages	904	299	605	791	255	536	113	44	69	95	33	62
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	3	3	-	2	2	-	1	1	-	1	1	-
30-34 years	3	2	1	2	1	1	1	1	-	-	-	-
35-39 years	12	6	6	8	6	2	4	-	4	4	-	4
40-44 years	13	7	6	11	6	5	2	1	1	1	-	1
45-49 years	18	9	9	14	7	7	4	2	2	4	2	2
50-54 years	31	12	19	28	11	17	3	1	2	3	1	2
55-59 years	42	16	26	37	12	25	5	4	1	5	4	1
60-64 years	56	25	31	43	16	27	13	9	4	12	9	3
65-69 years	76	31	45	63	26	37	13	5	8	12	5	7
70-74 years	103	41	62	90	35	55	13	6	7	9	3	6
75-79 years	138	44	94	126	41	85	12	3	9	10	2	8
80-84 years	140	46	94	121	40	81	19	6	13	15	3	12
85-89 years	143	33	110	133	30	103	10	3	7	8	2	6
90-94 years	76	16	60	70	15	55	6	1	5	5	-	5
95-99 years	42	5	37	37	4	33	5	1	4	5	1	4
100 yrs & over	5	-	5	3	-	3	2	-	2	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pelvis (C76.3)												
All ages	247	45	202	203	36	167	44	9	35	41	8	33
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	3	1	2	2	1	1	1	-	1	1	-	1
35-39 years	3	1	2	2	-	2	1	1	-	1	1	-
40-44 years	5	-	5	3	-	3	2	-	2	1	-	1
45-49 years	6	1	5	3	-	3	3	1	2	3	1	2
50-54 years	13	5	8	9	3	6	4	2	2	3	1	2
55-59 years	17	5	12	16	5	11	1	-	1	1	-	1
60-64 years	12	3	9	10	2	8	2	1	1	2	1	1
65-69 years	16	2	14	10	2	8	6	-	6	6	-	6
70-74 years	18	6	12	12	4	8	6	2	4	6	2	4
75-79 years	30	6	24	27	6	21	3	-	3	3	-	3
80-84 years	45	4	41	38	3	35	7	1	6	7	1	6
85-89 years	41	4	37	36	3	33	5	1	4	4	1	3
90-94 years	21	2	19	20	2	18	1	-	1	1	-	1
95-99 years	13	1	12	11	1	10	2	-	2	2	-	2
100 yrs & over	2	2	-	2	2	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Upper limb (C76.4)												
All ages	12	8	4	10	7	3	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Lower limb (C76.5)												
All ages	35	17	18	31	16	15	4	1	3	4	1	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	4	2	2	3	2	1	1	-	1	1	-	1
55-59 years	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years	3	-	3	3	-	3	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	4	4	-	4	4	-	-	-	-	-	-	-
80-84 years	5	3	2	5	3	2	-	-	-	-	-	-
85-89 years	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years	3	1	2	2	1	1	1	-	1	1	-	1
95-99 years	4	1	3	4	1	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other ill-defined sites (C76.7)												
All ages	112	55	57	100	51	49	12	4	8	8	2	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	3	2	1	1	1	-	2	1	1	1	-	1
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	4	4	-	3	3	-	1	1	-	-	-	-
60-64 years	8	4	4	8	4	4	-	-	-	-	-	-
65-69 years	12	8	4	10	6	4	2	2	-	2	2	-
70-74 years	15	6	9	13	6	7	2	-	2	1	-	1
75-79 years	21	6	15	20	6	14	1	-	1	1	-	1
80-84 years	11	7	4	10	7	3	1	-	1	-	-	-
85-89 years	18	9	9	18	9	9	-	-	-	-	-	-
90-94 years	11	4	7	9	4	5	2	-	2	2	-	2
95-99 years	4	2	2	4	2	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Secondary and unspecified malignant neoplasm of lymph nodes (C77)												
All ages	41	20	21	37	17	20	4	3	1	4	3	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	6	2	4	6	2	4	-	-	-	-	-	-
75-79 years	9	5	4	7	4	3	2	1	1	2	1	1
80-84 years	9	5	4	9	5	4	-	-	-	-	-	-
85-89 years	6	2	4	6	2	4	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Lymph nodes of head, face, and neck (C77.0)												
All ages	8	5	3	7	4	3	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Intrathoracic lymph nodes (C77.1)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Intra-abdominal lymph nodes (C77.2)												
All ages	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Axillary and upper limb lymph nodes (C77.3)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Inguinal and lower limb lymph nodes (C77.4)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Lymph nodes of multiple regions (C77.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Lymph node, unspecified (C77.9)												
All ages	25	11	14	23	9	14	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	5	1	4	5	1	4	-	-	-	-	-	-
75-79 years	3	2	1	2	1	1	1	1	-	1	1	-
80-84 years	7	3	4	7	3	4	-	-	-	-	-	-
85-89 years	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Secondary malignant neoplasm of respiratory and digestive organs (C78)												
All ages	3,291	1,549	1,742	2,787	1,297	1,490	504	252	252	389	189	200
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	7	3	4	5	2	3	2	1	1	2	1	1
30-34 years	10	5	5	8	4	4	2	1	1	2	1	1
35-39 years	11	8	3	8	5	3	3	3	-	1	1	-
40-44 years	34	21	13	24	13	11	10	8	2	6	5	1
45-49 years	89	54	35	64	37	27	25	17	8	20	14	6
50-54 years	160	93	67	119	67	52	41	26	15	31	21	10
55-59 years	193	122	71	150	92	58	43	30	13	30	22	8
60-64 years	237	136	101	199	119	80	38	17	21	29	10	19
65-69 years	292	155	137	230	121	109	62	34	28	41	22	19
70-74 years	472	234	238	408	208	200	64	26	38	49	21	28
75-79 years	569	281	288	504	255	249	65	26	39	56	21	35
80-84 years	556	225	331	476	189	287	80	36	44	65	28	37
85-89 years	410	146	264	368	128	240	42	18	24	33	15	18
90-94 years	195	55	140	174	48	126	21	7	14	18	5	13
95-99 years	49	11	38	43	9	34	6	2	4	6	2	4
100 yrs & over	6	-	6	6	-	6	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Secondary malignant neoplasm of lung (C78.0)												
All ages	237	105	132	210	93	117	27	12	15	23	11	12
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	2	1	2	1	1	1	1	-	1	1	-
45-49 years	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years	12	5	7	9	5	4	3	-	3	3	-	3
55-59 years	10	6	4	9	5	4	1	1	-	1	1	-
60-64 years	17	8	9	15	7	8	2	1	1	2	1	1
65-69 years	17	9	8	15	9	6	2	-	2	1	-	1
70-74 years	30	16	14	26	12	14	4	4	-	4	4	-
75-79 years	40	17	23	34	14	20	6	3	3	4	2	2
80-84 years	49	22	27	44	20	24	5	2	3	4	2	2
85-89 years	34	15	19	34	15	19	-	-	-	-	-	-
90-94 years	15	5	10	12	5	7	3	-	3	3	-	3
95-99 years	6	-	6	6	-	6	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Secondary malignant neoplasm of mediastinum (C78.1)												
All ages	25	16	9	24	15	9	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years	6	4	2	6	4	2	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	4	3	1	4	3	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Secondary malignant neoplasm of pleura (C78.2)												
All ages	145	56	89	126	47	79	19	9	10	18	9	9
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	3	3	-	2	2	-	1	1	-	1	1	-
60-64 years	5	3	2	5	3	2	-	-	-	-	-	-
65-69 years	12	6	6	10	5	5	2	1	1	2	1	1
70-74 years	13	3	10	9	2	7	4	1	3	4	1	3
75-79 years	18	9	9	14	7	7	4	2	2	4	2	2
80-84 years	26	11	15	24	10	14	2	1	1	2	1	1
85-89 years	30	8	22	27	7	20	3	1	2	2	1	1
90-94 years	26	8	18	24	7	17	2	1	1	2	1	1
95-99 years	4	2	2	4	2	2	-	-	-	-	-	-
100 yrs & over	4	-	4	4	-	4	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Secondary malignant neoplasm of other and unspecified respiratory organs (C78.3)												
All ages	5	2	3	4	2	2	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Secondary malignant neoplasm of small intestine (C78.4)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Secondary malignant neoplasm of large intestine and rectum (C78.5)												
All ages	10	4	6	9	4	5	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Secondary malignant neoplasm of retroperitoneum and peritoneum (C78.6)												
All ages	347	97	250	313	86	227	34	11	23	25	9	16
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	3	1	2	2	-	2	1	1	-	1	1	-
30-34 years	3	1	2	2	1	1	1	-	1	1	-	1
35-39 years	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years	9	3	6	8	3	5	1	-	1	1	-	1
45-49 years	18	7	11	17	7	10	1	-	1	1	-	1
50-54 years	18	8	10	17	8	9	1	-	1	-	-	-
55-59 years	26	9	17	23	9	14	3	-	3	1	-	1
60-64 years	25	8	17	24	7	17	1	1	-	1	1	-
65-69 years	38	8	30	31	6	25	7	2	5	6	2	4
70-74 years	51	11	40	49	10	39	2	1	1	1	1	-
75-79 years	60	21	39	54	18	36	6	3	3	4	2	2
80-84 years	45	12	33	39	11	28	6	1	5	5	1	4
85-89 years	37	5	32	34	4	30	3	1	2	3	1	2
90-94 years	8	1	7	7	-	7	1	1	-	-	-	-
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Secondary malignant neoplasm of liver (C78.7)												
All ages	2,499	1,254	1,245	2,080	1,037	1,043	419	217	202	318	157	161
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	3	1	2	2	1	1	1	-	1	1	-	1
30-34 years	5	3	2	4	2	2	1	1	-	1	1	-
35-39 years	8	6	2	5	3	2	3	3	-	1	1	-
40-44 years	20	14	6	13	8	5	7	6	1	3	3	-
45-49 years	67	45	22	44	29	15	23	16	7	18	13	5
50-54 years	123	76	47	87	51	36	36	25	11	27	20	7
55-59 years	148	99	49	111	71	40	37	28	9	26	20	6
60-64 years	189	116	73	154	101	53	35	15	20	26	8	18
65-69 years	219	129	90	168	98	70	51	31	20	32	19	13
70-74 years	370	200	170	316	180	136	54	20	34	40	15	25
75-79 years	439	226	213	391	208	183	48	18	30	43	15	28
80-84 years	427	177	250	360	145	215	67	32	35	54	24	30
85-89 years	299	113	186	264	98	166	35	15	20	27	12	15
90-94 years	145	40	105	130	35	95	15	5	10	13	4	9
95-99 years	35	9	26	29	7	22	6	2	4	6	2	4
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Secondary malignant neoplasm of other and unspecified digestive organs (C78.8)												
All ages	22	15	7	20	13	7	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years	4	4	-	4	4	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years	4	-	4	4	-	4	-	-	-	-	-	-
85-89 years	2	1	1	1	-	1	1	1	-	1	1	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Secondary malignant neoplasm of other sites (C79)												
All ages	2,545	1,300	1,245	2,242	1,145	1,097	303	155	148	247	125	122
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years	4	1	3	4	1	3	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	4	4	-	3	3	-	1	1	-	-	-	-
20-24 years	4	2	2	3	2	1	1	-	1	1	-	1
25-29 years	6	5	1	4	3	1	2	2	-	1	1	-
30-34 years	9	4	5	9	4	5	-	-	-	-	-	-
35-39 years	28	12	16	22	11	11	6	1	5	4	1	3
40-44 years	52	39	13	38	29	9	14	10	4	10	7	3
45-49 years	88	55	33	75	49	26	13	6	7	13	6	7
50-54 years	162	92	70	132	73	59	30	19	11	28	18	10
55-59 years	199	119	80	170	102	68	29	17	12	25	14	11
60-64 years	213	125	88	181	107	74	32	18	14	27	16	11
65-69 years	276	168	108	240	147	93	36	21	15	34	20	14
70-74 years	335	186	149	292	159	133	43	27	16	32	20	12
75-79 years	370	169	201	338	156	182	32	13	19	25	10	15
80-84 years	371	163	208	340	150	190	31	13	18	18	7	11
85-89 years	259	114	145	241	109	132	18	5	13	15	3	12
90-94 years	127	30	97	115	28	87	12	2	10	12	2	10
95-99 years	32	9	23	29	9	20	3	-	3	2	-	2
100 yrs & over	3	-	3	3	-	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Secondary malignant neoplasm of kidney and renal pelvis (C79.0)												
All ages	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Secondary malignant neoplasm of bladder and other and unspecified urinary organs (C79.1)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Secondary malignant neoplasm of skin (C79.2)												
All ages	63	42	21	61	41	20	2	1	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	11	6	5	10	5	5	1	1	-	-	-	-
55-59 years	6	5	1	6	5	1	-	-	-	-	-	-
60-64 years	6	4	2	6	4	2	-	-	-	-	-	-
65-69 years	9	6	3	9	6	3	-	-	-	-	-	-
70-74 years	9	5	4	9	5	4	-	-	-	-	-	-
75-79 years	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years	7	5	2	7	5	2	-	-	-	-	-	-
85-89 years	5	3	2	4	3	1	1	-	1	1	-	1
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Secondary malignant neoplasm of brain and cerebral meninges (C79.3)												
All ages	852	396	456	766	359	407	86	37	49	66	28	38
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years	3	1	2	3	1	2	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	4	1	3	4	1	3	-	-	-	-	-	-
35-39 years	11	3	8	8	3	5	3	-	3	1	-	1
40-44 years	12	9	3	7	6	1	5	3	2	4	2	2
45-49 years	30	13	17	27	13	14	3	-	3	3	-	3
50-54 years	49	21	28	42	18	24	7	3	4	7	3	4
55-59 years	46	17	29	40	15	25	6	2	4	5	1	4
60-64 years	73	37	36	64	33	31	9	4	5	8	3	5
65-69 years	99	55	44	88	50	38	11	5	6	11	5	6
70-74 years	109	54	55	98	48	50	11	6	5	7	5	2
75-79 years	133	57	76	123	53	70	10	4	6	6	3	3
80-84 years	136	65	71	126	59	67	10	6	4	5	3	2
85-89 years	93	45	48	84	42	42	9	3	6	7	2	5
90-94 years	43	11	32	41	10	31	2	1	1	2	1	1
95-99 years	6	2	4	6	2	4	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Secondary malignant neoplasm of other and unspecified parts of nervous system (C79.4)												
All ages	15	7	8	15	7	8	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Secondary malignant neoplasm of bone and bone marrow (C79.5)												
All ages	417	201	216	379	188	191	38	13	25	36	13	23
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	3	2	1	2	1	1	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years	11	7	4	10	7	3	1	-	1	1	-	1
45-49 years	6	3	3	5	3	2	1	-	1	1	-	1
50-54 years	15	10	5	14	9	5	1	1	-	1	1	-
55-59 years	19	9	10	17	9	8	2	-	2	2	-	2
60-64 years	29	16	13	25	14	11	4	2	2	4	2	2
65-69 years	41	25	16	37	23	14	4	2	2	4	2	2
70-74 years	58	31	27	53	28	25	5	3	2	5	3	2
75-79 years	70	38	32	65	36	29	5	2	3	5	2	3
80-84 years	71	29	42	65	28	37	6	1	5	4	1	3
85-89 years	49	19	30	47	19	28	2	-	2	2	-	2
90-94 years	30	5	25	26	4	22	4	1	3	4	1	3
95-99 years	8	2	6	7	2	5	1	-	1	1	-	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Secondary malignant neoplasm of ovary (C79.6)												
All ages	5	...	5	5	...	5	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Secondary malignant neoplasm of adrenal gland (C79.7)												
All ages	8	3	5	8	3	5	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Secondary malignant neoplasm of other specified sites (C79.8)												
All ages	1,181	649	532	1,005	545	460	176	104	72	143	84	59
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	-	-	-
20-24 years	2	-	2	1	-	1	1	-	1	1	-	1
25-29 years	2	2	-	1	1	-	1	1	-	-	-	-
30-34 years	3	1	2	3	1	2	-	-	-	-	-	-
35-39 years	13	7	6	11	6	5	2	1	1	2	1	1
40-44 years	27	21	6	19	14	5	8	7	1	5	5	-
45-49 years	50	37	13	41	31	10	9	6	3	9	6	3
50-54 years	86	55	31	65	41	24	21	14	7	20	14	6
55-59 years	126	87	39	105	72	33	21	15	6	18	13	5
60-64 years	103	67	36	84	55	29	19	12	7	15	11	4
65-69 years	123	80	43	102	66	36	21	14	7	19	13	6
70-74 years	153	93	60	126	75	51	27	18	9	20	12	8
75-79 years	161	72	89	144	65	79	17	7	10	14	5	9
80-84 years	153	62	91	138	56	82	15	6	9	9	3	6
85-89 years	109	46	63	103	44	59	6	2	4	5	1	4
90-94 years	48	13	35	43	13	30	5	-	5	5	-	5
95-99 years	18	5	13	16	5	11	2	-	2	1	-	1
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm without specification of site (C80)												
All ages	26,101	12,797	13,304	22,549	10,995	11,554	3,552	1,802	1,750	3,002	1,516	1,486
Under 1 year	3	-	3	3	-	3	-	-	-	-	-	-
1-4 years	6	3	3	5	2	3	1	1	-	1	1	-
5-9 years	3	2	1	3	2	1	-	-	-	-	-	-
10-14 years	11	6	5	8	4	4	3	2	1	2	1	1
15-19 years	27	17	10	17	11	6	10	6	4	10	6	4
20-24 years	42	27	15	32	22	10	10	5	5	8	5	3
25-29 years	62	34	28	48	28	20	14	6	8	13	6	7
30-34 years	115	69	46	88	54	34	27	15	12	23	11	12
35-39 years	235	113	122	177	83	94	58	30	28	47	23	24
40-44 years	517	255	262	398	189	209	119	66	53	96	51	45
45-49 years	867	476	391	681	373	308	186	103	83	163	88	75
50-54 years	1,315	739	576	1,055	583	472	260	156	104	217	133	84
55-59 years	1,906	1,052	854	1,551	846	705	355	206	149	301	173	128
60-64 years	2,305	1,314	991	1,913	1,086	827	392	228	164	329	191	138
65-69 years	2,853	1,508	1,345	2,425	1,283	1,142	428	225	203	370	196	174
70-74 years	3,782	2,015	1,767	3,272	1,761	1,511	510	254	256	428	219	209
75-79 years	4,202	2,066	2,136	3,744	1,843	1,901	458	223	235	375	184	191
80-84 years	3,702	1,636	2,066	3,334	1,478	1,856	368	158	210	309	123	186
85-89 years	2,609	983	1,626	2,394	909	1,485	215	74	141	185	64	121
90-94 years	1,187	387	800	1,088	350	738	99	37	62	90	34	56
95-99 years	310	83	227	277	77	200	33	6	27	29	6	23
100 yrs & over	42	12	30	36	11	25	6	1	5	6	1	5
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hodgkin's disease (C81)												
All ages	1,323	725	598	1,170	644	526	153	81	72	137	73	64
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	5	2	3	4	2	2	1	-	1	1	-	1
15-19 years	25	15	10	21	13	8	4	2	2	4	2	2
20-24 years	53	28	25	41	25	16	12	3	9	11	2	9
25-29 years	76	39	37	56	27	29	20	12	8	19	12	7
30-34 years	91	51	40	69	42	27	22	9	13	21	9	12
35-39 years	81	50	31	69	41	28	12	9	3	11	8	3
40-44 years	80	51	29	69	44	25	11	7	4	10	7	3
45-49 years	91	54	37	77	46	31	14	8	6	12	7	5
50-54 years	91	56	35	84	51	33	7	5	2	5	4	1
55-59 years	61	40	21	52	35	17	9	5	4	9	5	4
60-64 years	82	45	37	72	39	33	10	6	4	9	5	4
65-69 years	103	65	38	99	63	36	4	2	2	4	2	2
70-74 years	108	64	44	101	61	40	7	3	4	7	3	4
75-79 years	151	75	76	138	70	68	13	5	8	9	3	6
80-84 years	127	55	72	122	52	70	5	3	2	3	2	1
85-89 years	66	26	40	64	24	40	2	2	-	2	2	-
90-94 years	24	7	17	24	7	17	-	-	-	-	-	-
95-99 years	7	1	6	7	1	6	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nodular sclerosis (C81.1)												
All ages	22	16	6	19	14	5	3	2	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	4	4	-	4	4	-	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Mixed cellularity (C81.2)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Lymphocytic depletion (C81.3)												
All ages	4	2	2	3	2	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hodgkin's disease, unspecified (C81.9)												
All ages	1,294	706	588	1,145	627	518	149	79	70	133	71	62
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	5	2	3	4	2	2	1	-	1	1	-	1
15-19 years	24	15	9	21	13	8	3	2	1	3	2	1
20-24 years	52	27	25	40	24	16	12	3	9	11	2	9
25-29 years	75	38	37	56	27	29	19	11	8	18	11	7
30-34 years	90	51	39	68	42	26	22	9	13	21	9	12
35-39 years	80	49	31	69	41	28	11	8	3	10	7	3
40-44 years	79	51	28	69	44	25	10	7	3	9	7	2
45-49 years	89	53	36	75	45	30	14	8	6	12	7	5
50-54 years	88	54	34	81	49	32	7	5	2	5	4	1
55-59 years	60	39	21	51	34	17	9	5	4	9	5	4
60-64 years	81	44	37	71	38	33	10	6	4	9	5	4
65-69 years	99	61	38	95	59	36	4	2	2	4	2	2
70-74 years	106	62	44	99	59	40	7	3	4	7	3	4
75-79 years	148	72	76	135	67	68	13	5	8	9	3	6
80-84 years	125	54	71	120	51	69	5	3	2	3	2	1
85-89 years	63	25	38	61	23	38	2	2	-	2	2	-
90-94 years	23	7	16	23	7	16	-	-	-	-	-	-
95-99 years	6	1	5	6	1	5	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Follicular [nodular] non-Hodgkin's lymphoma (C82)												
All ages	182	91	91	167	85	82	15	6	9	15	6	9
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	-	2	1	-	1	1	-	1	1	-	1
40-44 years	7	4	3	7	4	3	-	-	-	-	-	-
45-49 years	9	7	2	8	6	2	1	1	-	1	1	-
50-54 years	13	5	8	13	5	8	-	-	-	-	-	-
55-59 years	13	9	4	12	9	3	1	-	1	1	-	1
60-64 years	12	9	3	10	7	3	2	2	-	2	2	-
65-69 years	20	8	12	15	6	9	5	2	3	5	2	3
70-74 years	29	15	14	26	15	11	3	-	3	3	-	3
75-79 years	28	12	16	27	12	15	1	-	1	1	-	1
80-84 years	24	14	10	23	13	10	1	1	-	1	1	-
85-89 years	20	7	13	20	7	13	-	-	-	-	-	-
90-94 years	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Small cleaved cell, follicular (C82.0)												
All ages	24	12	12	23	12	11	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	4	2	2	3	2	1	1	-	1	1	-	1
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mixed small cleaved and large cell, follicular (C82.1)												
All ages	15	7	8	14	6	8	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	1	1	1	-	1	1	1	-	1	1	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	5	2	3	5	2	3	-	-	-	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Large cell, follicular (C82.2)												
All ages	15	8	7	13	8	5	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	3	1	2	2	1	1	1	-	1	1	-	1
70-74 years	4	2	2	3	2	1	1	-	1	1	-	1
75-79 years	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other types of follicular non-Hodgkin's lymphoma (C82.7)												
All ages	6	4	2	6	4	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Follicular non-Hodgkin's lymphoma, unspecified (C82.9)												
All ages	122	60	62	111	55	56	11	5	6	11	5	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	-	2	1	-	1	1	-	1	1	-	1
40-44 years	3	3	-	3	3	-	-	-	-	-	-	-
45-49 years	6	4	2	5	3	2	1	1	-	1	1	-
50-54 years	10	3	7	10	3	7	-	-	-	-	-	-
55-59 years	8	6	2	8	6	2	-	-	-	-	-	-
60-64 years	10	8	2	8	6	2	2	2	-	2	2	-
65-69 years	13	6	7	10	5	5	3	1	2	3	1	2
70-74 years	20	10	10	18	10	8	2	-	2	2	-	2
75-79 years	16	4	12	15	4	11	1	-	1	1	-	1
80-84 years	17	10	7	16	9	7	1	1	-	1	1	-
85-89 years	14	5	9	14	5	9	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Diffuse non-Hodgkin's lymphoma (C83)												
All ages	2,446	1,432	1,014	2,251	1,316	935	195	116	79	143	89	54
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	4	2	2	4	2	2	-	-	-	-	-	-
10-14 years	8	6	2	6	4	2	2	2	-	2	2	-
15-19 years	15	11	4	14	11	3	1	-	1	1	-	1
20-24 years	18	10	8	13	9	4	5	1	4	2	-	2
25-29 years	18	11	7	17	11	6	1	-	1	1	-	1
30-34 years	26	21	5	25	21	4	1	-	1	1	-	1
35-39 years	45	37	8	35	27	8	10	10	-	9	9	-
40-44 years	59	47	12	51	43	8	8	4	4	5	2	3
45-49 years	78	56	22	64	45	19	14	11	3	10	9	1
50-54 years	117	81	36	105	70	35	12	11	1	12	11	1
55-59 years	162	107	55	151	101	50	11	6	5	9	6	3
60-64 years	214	136	78	197	123	74	17	13	4	14	10	4
65-69 years	254	166	88	234	156	78	20	10	10	10	6	4
70-74 years	342	203	139	317	191	126	25	12	13	18	8	10
75-79 years	407	225	182	378	207	171	29	18	11	19	11	8
80-84 years	354	173	181	333	163	170	21	10	11	15	8	7
85-89 years	235	104	131	221	98	123	14	6	8	12	5	7
90-94 years	73	31	42	69	29	40	4	2	2	3	2	1
95-99 years	13	4	9	13	4	9	-	-	-	-	-	-
100 yrs & over	3	-	3	3	-	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Small cell (diffuse) (C83.0)												
All ages	228	137	91	210	127	83	18	10	8	15	8	7
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	6	5	1	5	4	1	1	1	-	1	1	-
55-59 years	9	6	3	8	5	3	1	1	-	1	1	-
60-64 years	20	12	8	19	11	8	1	1	-	1	1	-
65-69 years	24	18	6	22	17	5	2	1	1	1	-	1
70-74 years	28	18	10	26	18	8	2	-	2	2	-	2
75-79 years	46	26	20	42	24	18	4	2	2	3	1	2
80-84 years	36	18	18	33	17	16	3	1	2	2	1	1
85-89 years	36	21	15	34	20	14	2	1	1	2	1	1
90-94 years	16	9	7	15	8	7	1	1	-	1	1	-
95-99 years	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Small cleaved cell (diffuse) (C83.1)												
All ages	434	303	131	412	287	125	22	16	6	13	10	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	12	11	1	10	10	-	2	1	1	-	-	-
45-49 years	11	8	3	10	7	3	1	1	-	1	1	-
50-54 years	31	27	4	29	25	4	2	2	-	2	2	-
55-59 years	46	39	7	45	38	7	1	1	-	1	1	-
60-64 years	38	28	10	37	27	10	1	1	-	1	1	-
65-69 years	54	41	13	48	37	11	6	4	2	3	2	1
70-74 years	70	46	24	67	44	23	3	2	1	1	1	-
75-79 years	71	49	22	68	47	21	3	2	1	1	-	1
80-84 years	53	35	18	51	34	17	2	1	1	2	1	1
85-89 years	36	15	21	35	14	21	1	1	-	1	1	-
90-94 years	9	2	7	9	2	7	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Mixed small and large cell (diffuse) (C83.2)												
All ages	22	12	10	21	12	9	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years	7	4	3	7	4	3	-	-	-	-	-	-
75-79 years	4	2	2	3	2	1	1	-	1	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Large cell (diffuse) (C83.3)												
All ages	1,376	725	651	1,259	659	600	117	66	51	84	50	34
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	2	2	-	-	-	-	2	2	-	2	2	-
15-19 years	7	5	2	7	5	2	-	-	-	-	-	-
20-24 years	9	4	5	5	3	2	4	1	3	1	-	1
25-29 years	7	2	5	6	2	4	1	-	1	1	-	1
30-34 years	14	13	1	14	13	1	-	-	-	-	-	-
35-39 years	27	22	5	21	16	5	6	6	-	6	6	-
40-44 years	20	14	6	16	12	4	4	2	2	3	1	2
45-49 years	39	28	11	31	21	10	8	7	1	7	6	1
50-54 years	51	30	21	46	26	20	5	4	1	5	4	1
55-59 years	82	47	35	75	44	31	7	3	4	6	3	3
60-64 years	120	74	46	109	65	44	11	9	2	8	6	2
65-69 years	135	76	59	127	74	53	8	2	6	2	1	1
70-74 years	195	109	86	177	100	77	18	9	9	13	6	7
75-79 years	245	124	121	227	112	115	18	12	6	13	9	4
80-84 years	231	104	127	216	97	119	15	7	8	10	5	5
85-89 years	138	52	86	130	50	80	8	2	6	6	1	5
90-94 years	42	17	25	40	17	23	2	-	2	1	-	1
95-99 years	8	2	6	8	2	6	-	-	-	-	-	-
100 yrs & over	3	-	3	3	-	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Immunoblastic (diffuse) (C83.4)												
All ages	44	33	11	41	31	10	3	2	1	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	-	2	1	-	1	1	-	1	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	5	3	2	5	3	2	-	-	-	-	-	-
60-64 years	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years	8	7	1	6	5	1	2	2	-	2	2	-
70-74 years	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years	7	5	2	7	5	2	-	-	-	-	-	-
80-84 years	7	4	3	7	4	3	-	-	-	-	-	-
85-89 years	3	3	-	3	3	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Lymphoblastic (diffuse) (C83.5)												
All ages	72	46	26	65	43	22	7	3	4	7	3	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	3	1	2	2	1	1	1	-	1	1	-	1
20-24 years	6	5	1	6	5	1	-	-	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	3	1	2	3	1	2	-	-	-	-	-	-
35-39 years	5	4	1	5	4	1	-	-	-	-	-	-
40-44 years	7	5	2	5	4	1	2	1	1	2	1	1
45-49 years	4	1	3	4	1	3	-	-	-	-	-	-
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	6	3	3	6	3	3	-	-	-	-	-	-
65-69 years	8	6	2	8	6	2	-	-	-	-	-	-
70-74 years	10	6	4	8	5	3	2	1	1	2	1	1
75-79 years	4	2	2	3	2	1	1	-	1	1	-	1
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	1	1	-	-	-	-	1	1	-	1	1	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Undifferentiated (diffuse) (C83.6)												
All ages	6	3	3	6	3	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Burkitt's tumor (C83.7)												
All ages	165	116	49	146	101	45	19	15	4	15	13	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years	4	2	2	4	2	2	-	-	-	-	-	-
15-19 years	5	5	-	5	5	-	-	-	-	-	-	-
20-24 years	3	1	2	2	1	1	1	-	1	1	-	1
25-29 years	8	6	2	8	6	2	-	-	-	-	-	-
30-34 years	7	6	1	6	6	-	1	-	1	1	-	1
35-39 years	10	8	2	7	5	2	3	3	-	2	2	-
40-44 years	15	12	3	15	12	3	-	-	-	-	-	-
45-49 years	18	15	3	14	12	2	4	3	1	2	2	-
50-54 years	18	12	6	14	8	6	4	4	-	4	4	-
55-59 years	12	5	7	10	4	6	2	1	1	1	1	-
60-64 years	15	10	5	14	9	5	1	1	-	1	1	-
65-69 years	11	10	1	10	9	1	1	1	-	1	1	-
70-74 years	10	7	3	10	7	3	-	-	-	-	-	-
75-79 years	10	6	4	10	6	4	-	-	-	-	-	-
80-84 years	10	5	5	9	4	5	1	1	-	1	1	-
85-89 years	6	4	2	5	3	2	1	1	-	1	1	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other types of diffuse non-Hodgkin's lymphoma (C83.8)												
All ages	63	35	28	59	34	25	4	1	3	4	1	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years	4	3	1	4	3	1	-	-	-	-	-	-
60-64 years	8	3	5	6	3	3	2	-	2	2	-	2
65-69 years	9	4	5	8	4	4	1	-	1	1	-	1
70-74 years	12	6	6	12	6	6	-	-	-	-	-	-
75-79 years	7	5	2	7	5	2	-	-	-	-	-	-
80-84 years	10	5	5	10	5	5	-	-	-	-	-	-
85-89 years	4	3	1	3	2	1	1	1	-	1	1	-
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Diffuse non-Hodgkin's lymphoma, unspecified (C83.9)												
All ages	36	22	14	32	19	13	4	3	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years	11	6	5	9	4	5	2	2	-	1	1	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	7	5	2	6	5	1	1	-	1	1	-	1
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Peripheral and cutaneous T-cell lymphomas (C84)												
All ages	742	440	302	587	349	238	155	91	64	123	68	55
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	8	6	2	7	5	2	1	1	-	1	1	-
20-24 years	5	4	1	3	2	1	2	2	-	1	1	-
25-29 years	12	6	6	7	4	3	5	2	3	5	2	3
30-34 years	13	8	5	6	3	3	7	5	2	6	4	2
35-39 years	22	12	10	16	9	7	6	3	3	5	3	2
40-44 years	33	22	11	19	12	7	14	10	4	12	8	4
45-49 years	33	18	15	18	13	5	15	5	10	13	3	10
50-54 years	44	30	14	35	22	13	9	8	1	9	8	1
55-59 years	61	42	19	41	30	11	20	12	8	15	8	7
60-64 years	63	38	25	47	30	17	16	8	8	11	5	6
65-69 years	75	42	33	56	29	27	19	13	6	14	10	4
70-74 years	98	63	35	86	55	31	12	8	4	9	5	4
75-79 years	98	56	42	87	51	36	11	5	6	7	4	3
80-84 years	100	58	42	91	53	38	9	5	4	7	3	4
85-89 years	50	26	24	43	23	20	7	3	4	6	2	4
90-94 years	21	5	16	19	4	15	2	1	1	2	1	1
95-99 years	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mycosis fungoides (C84.0)												
All ages	102	60	42	78	46	32	24	14	10	21	12	9
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	4	-	4	1	-	1	3	-	3	3	-	3
50-54 years	5	3	2	4	2	2	1	1	-	1	1	-
55-59 years	6	4	2	4	3	1	2	1	1	2	1	1
60-64 years	7	4	3	5	3	2	2	1	1	1	1	-
65-69 years	9	7	2	5	4	1	4	3	1	4	3	1
70-74 years	14	9	5	11	6	5	3	3	-	2	2	-
75-79 years	17	11	6	14	9	5	3	2	1	3	2	1
80-84 years	17	12	5	14	10	4	3	2	1	2	1	1
85-89 years	14	10	4	13	9	4	1	1	-	1	1	-
90-94 years	7	-	7	6	-	6	1	-	1	1	-	1
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sezary's disease (C84.1)												
All ages	20	11	9	17	10	7	3	1	2	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	3	1	2	2	1	1	1	-	1	1	-	1
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years	5	2	3	5	2	3	-	-	-	-	-	-
85-89 years	2	-	2	1	-	1	1	-	1	1	-	1
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Lymphoepithelioid lymphoma (C84.3)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Peripheral T-cell lymphoma (C84.4)												
All ages	46	22	24	40	19	21	6	3	3	4	1	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	2	-	2	1	-	1	1	-	1	1	-	1
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years	5	4	1	3	3	-	2	1	1	1	-	1
60-64 years	3	3	-	2	2	-	1	1	-	-	-	-
65-69 years	7	3	4	6	2	4	1	1	-	1	1	-
70-74 years	5	2	3	4	2	2	1	-	1	1	-	1
75-79 years	8	4	4	8	4	4	-	-	-	-	-	-
80-84 years	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified T-cell lymphomas (C84.5)												
All ages	573	346	227	451	273	178	122	73	49	95	54	41
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	8	6	2	7	5	2	1	1	-	1	1	-
20-24 years	4	3	1	2	1	1	2	2	-	1	1	-
25-29 years	12	6	6	7	4	3	5	2	3	5	2	3
30-34 years	12	8	4	6	3	3	6	5	1	5	4	1
35-39 years	20	11	9	14	8	6	6	3	3	5	3	2
40-44 years	31	22	9	18	12	6	13	10	3	11	8	3
45-49 years	26	16	10	14	11	3	12	5	7	10	3	7
50-54 years	34	24	10	26	17	9	8	7	1	8	7	1
55-59 years	49	33	16	33	23	10	16	10	6	12	7	5
60-64 years	50	30	20	38	24	14	12	6	6	9	4	5
65-69 years	58	31	27	44	22	22	14	9	5	9	6	3
70-74 years	77	50	27	70	46	24	7	4	3	5	2	3
75-79 years	69	39	30	61	36	25	8	3	5	4	2	2
80-84 years	74	42	32	68	39	29	6	3	3	5	2	3
85-89 years	33	16	17	28	14	14	5	2	3	4	1	3
90-94 years	12	5	7	11	4	7	1	1	-	1	1	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other and unspecified types of non-Hodgkin's lymphoma (C85)												
All ages	18,935	9,747	9,188	17,330	8,892	8,438	1,605	855	750	1,215	641	574
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	5	4	1	4	3	1	1	1	-	1	1	-
10-14 years	18	14	4	15	11	4	3	3	-	2	2	-
15-19 years	38	26	12	23	15	8	15	11	4	14	10	4
20-24 years	64	37	27	49	26	23	15	11	4	13	10	3
25-29 years	99	55	44	66	37	29	33	18	15	23	13	10
30-34 years	130	78	52	100	64	36	30	14	16	27	14	13
35-39 years	232	146	86	182	113	69	50	33	17	44	30	14
40-44 years	356	232	124	290	188	102	66	44	22	53	36	17
45-49 years	591	369	222	494	313	181	97	56	41	81	45	36
50-54 years	847	547	300	724	473	251	123	74	49	98	61	37
55-59 years	1,131	659	472	984	570	414	147	89	58	114	64	50
60-64 years	1,442	825	617	1,290	739	551	152	86	66	110	59	51
65-69 years	1,844	1,070	774	1,662	975	687	182	95	87	148	79	69
70-74 years	2,696	1,458	1,238	2,507	1,354	1,153	189	104	85	144	81	63
75-79 years	3,243	1,580	1,663	3,062	1,496	1,566	181	84	97	121	51	70
80-84 years	3,115	1,440	1,675	2,951	1,370	1,581	164	70	94	117	47	70
85-89 years	2,087	883	1,204	1,983	837	1,146	104	46	58	65	28	37
90-94 years	806	268	538	763	255	508	43	13	30	31	8	23
95-99 years	169	50	119	161	47	114	8	3	5	7	2	5
100 yrs & over	21	5	16	19	5	14	2	-	2	2	-	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Lymphosarcoma (C85.0)												
All ages	25	14	11	22	13	9	3	1	2	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	4	1	3	4	1	3	-	-	-	-	-	-
70-74 years	7	5	2	6	4	2	1	1	-	-	-	-
75-79 years	2	1	1	1	1	-	1	-	1	-	-	-
80-84 years	6	4	2	5	4	1	1	-	1	1	-	1
85-89 years	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
B-cell lymphoma, unspecified (C85.1)												
All ages	763	393	370	679	347	332	84	46	38	64	34	30
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	6	3	3	5	2	3	1	1	-	1	1	-
20-24 years	2	1	1	1	-	1	1	1	-	1	1	-
25-29 years	10	8	2	8	6	2	2	2	-	1	1	-
30-34 years	6	3	3	2	1	1	4	2	2	4	2	2
35-39 years	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years	8	6	2	5	4	1	3	2	1	2	2	-
45-49 years	15	9	6	10	4	6	5	5	-	4	4	-
50-54 years	38	27	11	29	19	10	9	8	1	9	8	1
55-59 years	45	28	17	37	24	13	8	4	4	8	4	4
60-64 years	59	39	20	49	33	16	10	6	4	7	3	4
65-69 years	75	40	35	65	36	29	10	4	6	7	3	4
70-74 years	103	52	51	96	49	47	7	3	4	4	2	2
75-79 years	124	67	57	116	62	54	8	5	3	5	2	3
80-84 years	123	53	70	117	53	64	6	-	6	5	-	5
85-89 years	90	36	54	84	34	50	6	2	4	2	-	2
90-94 years	45	15	30	44	15	29	1	-	1	1	-	1
95-99 years	8	2	6	6	2	4	2	-	2	2	-	2
100 yrs & over	2	1	1	2	1	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified types of non-Hodgkin's lymphoma (C85.7)												
All ages	11	8	3	11	8	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Non-Hodgkin's lymphoma, unspecified type (C85.9)												
All ages	18,136	9,332	8,804	16,618	8,524	8,094	1,518	808	710	1,150	607	543
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	5	4	1	4	3	1	1	1	-	1	1	-
10-14 years	17	13	4	15	11	4	2	2	-	1	1	-
15-19 years	32	23	9	18	13	5	14	10	4	13	9	4
20-24 years	62	36	26	48	26	22	14	10	4	12	9	3
25-29 years	89	47	42	58	31	27	31	16	15	22	12	10
30-34 years	124	75	49	98	63	35	26	12	14	23	12	11
35-39 years	227	144	83	177	111	66	50	33	17	44	30	14
40-44 years	346	224	122	283	182	101	63	42	21	51	34	17
45-49 years	575	359	216	483	308	175	92	51	41	77	41	36
50-54 years	809	520	289	695	454	241	114	66	48	89	53	36
55-59 years	1,086	631	455	947	546	401	139	85	54	106	60	46
60-64 years	1,379	783	596	1,237	703	534	142	80	62	103	56	47
65-69 years	1,764	1,028	736	1,592	937	655	172	91	81	141	76	65
70-74 years	2,586	1,401	1,185	2,405	1,301	1,104	181	100	81	140	79	61
75-79 years	3,115	1,510	1,605	2,943	1,431	1,512	172	79	93	116	49	67
80-84 years	2,985	1,382	1,603	2,828	1,312	1,516	157	70	87	111	47	64
85-89 years	1,993	846	1,147	1,895	802	1,093	98	44	54	63	28	35
90-94 years	761	253	508	719	240	479	42	13	29	30	8	22
95-99 years	161	48	113	155	45	110	6	3	3	5	2	3
100 yrs & over	19	4	15	17	4	13	2	-	2	2	-	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant immunoproliferative diseases (C88)												
All ages	377	200	177	355	189	166	22	11	11	17	7	10
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	2	2	-	1	1	-	1	1	-	-	-	-
45-49 years	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years	6	4	2	6	4	2	-	-	-	-	-	-
55-59 years	17	10	7	16	9	7	1	1	-	-	-	-
60-64 years	23	14	9	18	12	6	5	2	3	5	2	3
65-69 years	40	27	13	36	25	11	4	2	2	3	2	1
70-74 years	51	26	25	48	24	24	3	2	1	1	-	1
75-79 years	63	35	28	61	35	26	2	-	2	2	-	2
80-84 years	81	43	38	80	42	38	1	1	-	1	1	-
85-89 years	57	25	32	56	25	31	1	-	1	1	-	1
90-94 years	27	11	16	25	10	15	2	1	1	2	1	1
95-99 years	5	1	4	5	1	4	-	-	-	-	-	-
100 yrs & over	1	1	-	-	-	-	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Waldenstrom's macroglobulinemia (C88.0)												
All ages	371	199	172	351	188	163	20	11	9	15	7	8
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	2	2	-	1	1	-	1	1	-	-	-	-
45-49 years	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years	5	4	1	5	4	1	-	-	-	-	-	-
55-59 years	17	10	7	16	9	7	1	1	-	-	-	-
60-64 years	22	14	8	17	12	5	5	2	3	5	2	3
65-69 years	39	27	12	36	25	11	3	2	1	2	2	-
70-74 years	51	26	25	48	24	24	3	2	1	1	-	1
75-79 years	61	34	27	60	34	26	1	-	1	1	-	1
80-84 years	80	43	37	79	42	37	1	1	-	1	1	-
85-89 years	57	25	32	56	25	31	1	-	1	1	-	1
90-94 years	27	11	16	25	10	15	2	1	1	2	1	1
95-99 years	5	1	4	5	1	4	-	-	-	-	-	-
100 yrs & over	1	1	-	-	-	-	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Gamma heavy chain disease (C88.2)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Immunoproliferative small intestinal disease (C88.3)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant immunoproliferative disease, unspecified (C88.9)												
All ages	4	-	4	3	-	3	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Multiple myeloma and malignant plasma cell neoplasms (C90)												
All ages	10,795	5,524	5,271	8,813	4,576	4,237	1,982	948	1,034	1,800	857	943
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	7	4	3	3	3	-	4	1	3	4	1	3
35-39 years	38	22	16	29	15	14	9	7	2	9	7	2
40-44 years	116	73	43	69	51	18	47	22	25	44	21	23
45-49 years	239	150	89	170	109	61	69	41	28	64	39	25
50-54 years	424	248	176	314	190	124	110	58	52	96	49	47
55-59 years	704	400	304	520	298	222	184	102	82	167	93	74
60-64 years	927	521	406	693	397	296	234	124	110	212	113	99
65-69 years	1,292	714	578	1,025	579	446	267	135	132	236	117	119
70-74 years	1,798	958	840	1,489	809	680	309	149	160	283	134	149
75-79 years	2,038	1,054	984	1,734	918	816	304	136	168	274	123	151
80-84 years	1,704	794	910	1,458	689	769	246	105	141	225	99	126
85-89 years	1,066	421	645	922	372	550	144	49	95	134	43	91
90-94 years	373	141	232	329	125	204	44	16	28	42	15	27
95-99 years	66	22	44	55	19	36	11	3	8	10	3	7
100 yrs & over	2	2	-	2	2	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Multiple myeloma (C90.0)												
All ages	10,633	5,437	5,196	8,678	4,504	4,174	1,955	933	1,022	1,773	842	931
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	6	4	2	3	3	-	3	1	2	3	1	2
35-39 years	33	19	14	25	13	12	8	6	2	8	6	2
40-44 years	106	68	38	63	48	15	43	20	23	40	19	21
45-49 years	231	146	85	166	108	58	65	38	27	60	36	24
50-54 years	416	244	172	308	187	121	108	57	51	94	48	46
55-59 years	683	386	297	501	285	216	182	101	81	165	92	73
60-64 years	920	519	401	688	397	291	232	122	110	210	111	99
65-69 years	1,280	706	574	1,017	574	443	263	132	131	232	114	118
70-74 years	1,774	944	830	1,467	796	671	307	148	159	281	133	148
75-79 years	2,019	1,043	976	1,716	908	808	303	135	168	273	122	151
80-84 years	1,683	785	898	1,439	680	759	244	105	139	223	99	124
85-89 years	1,048	411	637	906	362	544	142	49	93	132	43	89
90-94 years	365	138	227	321	122	199	44	16	28	42	15	27
95-99 years	66	22	44	55	19	36	11	3	8	10	3	7
100 yrs & over	2	2	-	2	2	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Plasma cell leukemia (C90.1)												
All ages	81	44	37	63	33	30	18	11	7	18	11	7
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	5	3	2	4	2	2	1	1	-	1	1	-
40-44 years	8	4	4	5	3	2	3	1	2	3	1	2
45-49 years	5	3	2	3	1	2	2	2	-	2	2	-
50-54 years	5	2	3	5	2	3	-	-	-	-	-	-
55-59 years	10	6	4	10	6	4	-	-	-	-	-	-
60-64 years	6	2	4	4	-	4	2	2	-	2	2	-
65-69 years	7	5	2	3	2	1	4	3	1	4	3	1
70-74 years	11	6	5	9	5	4	2	1	1	2	1	1
75-79 years	7	6	1	6	5	1	1	1	-	1	1	-
80-84 years	10	4	6	8	4	4	2	-	2	2	-	2
85-89 years	5	3	2	5	3	2	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Plasmacytoma, extramedullary (C90.2)												
All ages	81	43	38	72	39	33	9	4	5	9	4	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	1	-	1	1	1	-	1	1	-
45-49 years	3	1	2	1	-	1	2	1	1	2	1	1
50-54 years	3	2	1	1	1	-	2	1	1	2	1	1
55-59 years	11	8	3	9	7	2	2	1	1	2	1	1
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	5	3	2	5	3	2	-	-	-	-	-	-
70-74 years	13	8	5	13	8	5	-	-	-	-	-	-
75-79 years	12	5	7	12	5	7	-	-	-	-	-	-
80-84 years	11	5	6	11	5	6	-	-	-	-	-	-
85-89 years	13	7	6	11	7	4	2	-	2	2	-	2
90-94 years	7	3	4	7	3	4	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Lymphoid leukemia (C91)												
All ages	6,234	3,554	2,680	5,608	3,207	2,401	626	347	279	540	299	241
Under 1 year	5	3	2	5	3	2	-	-	-	-	-	-
1-4 years	42	21	21	36	18	18	6	3	3	4	3	1
5-9 years	85	45	40	67	36	31	18	9	9	12	4	8
10-14 years	81	53	28	62	38	24	19	15	4	16	13	3
15-19 years	105	74	31	88	62	26	17	12	5	13	9	4
20-24 years	106	72	34	91	64	27	15	8	7	11	4	7
25-29 years	69	37	32	53	30	23	16	7	9	10	5	5
30-34 years	78	48	30	66	40	26	12	8	4	7	5	2
35-39 years	78	50	28	62	40	22	16	10	6	10	6	4
40-44 years	88	51	37	74	43	31	14	8	6	7	3	4
45-49 years	126	75	51	101	63	38	25	12	13	21	10	11
50-54 years	195	128	67	156	107	49	39	21	18	35	20	15
55-59 years	263	179	84	226	158	68	37	21	16	34	20	14
60-64 years	370	258	112	320	223	97	50	35	15	45	32	13
65-69 years	514	356	158	437	308	129	77	48	29	69	44	25
70-74 years	761	476	285	695	441	254	66	35	31	59	32	27
75-79 years	956	564	392	873	523	350	83	41	42	75	36	39
80-84 years	938	495	443	887	467	420	51	28	23	50	28	22
85-89 years	790	356	434	754	340	414	36	16	20	33	15	18
90-94 years	429	154	275	408	147	261	21	7	14	21	7	14
95-99 years	125	46	79	117	43	74	8	3	5	8	3	5
100 yrs & over	30	13	17	30	13	17	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute lymphoblastic leukemia (C91.0)												
All ages	1,433	789	644	1,237	685	552	196	104	92	136	71	65
Under 1 year	5	3	2	5	3	2	-	-	-	-	-	-
1-4 years	41	21	20	35	18	17	6	3	3	4	3	1
5-9 years	84	44	40	66	35	31	18	9	9	12	4	8
10-14 years	78	51	27	59	36	23	19	15	4	16	13	3
15-19 years	105	74	31	88	62	26	17	12	5	13	9	4
20-24 years	104	72	32	91	64	27	13	8	5	9	4	5
25-29 years	68	37	31	53	30	23	15	7	8	10	5	5
30-34 years	71	43	28	60	36	24	11	7	4	7	5	2
35-39 years	64	42	22	53	34	19	11	8	3	5	4	1
40-44 years	73	39	34	62	33	29	11	6	5	4	1	3
45-49 years	69	35	34	58	31	27	11	4	7	8	3	5
50-54 years	88	48	40	73	42	31	15	6	9	14	6	8
55-59 years	67	38	29	58	32	26	9	6	3	8	5	3
60-64 years	90	50	40	81	46	35	9	4	5	5	2	3
65-69 years	71	32	39	63	30	33	8	2	6	6	2	4
70-74 years	110	54	56	104	52	52	6	2	4	3	1	2
75-79 years	80	33	47	72	31	41	8	2	6	5	1	4
80-84 years	82	42	40	78	40	38	4	2	2	3	2	1
85-89 years	46	15	31	43	15	28	3	-	3	2	-	2
90-94 years	27	12	15	25	11	14	2	1	1	2	1	1
95-99 years	9	4	5	9	4	5	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Chronic lymphocytic leukemia (C91.1)												
All ages	4,386	2,519	1,867	4,000	2,299	1,701	386	220	166	365	207	158
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	1	-	1	-	-	-	1	-	1	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	-	-	-
35-39 years	7	3	4	5	3	2	2	-	2	2	-	2
40-44 years	12	10	2	9	8	1	3	2	1	3	2	1
45-49 years	45	30	15	35	25	10	10	5	5	10	5	5
50-54 years	99	74	25	79	62	17	20	12	8	18	11	7
55-59 years	174	130	44	151	117	34	23	13	10	22	13	9
60-64 years	259	192	67	220	163	57	39	29	10	38	28	10
65-69 years	422	308	114	355	263	92	67	45	22	61	41	20
70-74 years	601	394	207	547	361	186	54	33	21	51	31	20
75-79 years	792	476	316	723	439	284	69	37	32	64	33	31
80-84 years	778	408	370	736	387	349	42	21	21	42	21	21
85-89 years	678	308	370	649	294	355	29	14	15	28	14	14
90-94 years	379	135	244	361	129	232	18	6	12	18	6	12
95-99 years	109	38	71	102	36	66	7	2	5	7	2	5
100 yrs & over	28	12	16	28	12	16	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Prolymphocytic leukemia (C91.3)												
All ages	95	65	30	86	60	26	9	5	4	7	4	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	4	4	-	2	2	-	2	2	-	1	1	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	8	4	4	7	3	4	1	1	-	1	1	-
60-64 years	10	10	-	9	9	-	1	1	-	1	1	-
65-69 years	4	2	2	4	2	2	-	-	-	-	-	-
70-74 years	11	8	3	9	8	1	2	-	2	1	-	1
75-79 years	27	19	8	24	18	6	3	1	2	3	1	2
80-84 years	14	7	7	14	7	7	-	-	-	-	-	-
85-89 years	10	5	5	10	5	5	-	-	-	-	-	-
90-94 years	3	3	-	3	3	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hairy-cell leukemia (C91.4)												
All ages	108	76	32	103	72	31	5	4	1	4	3	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	2	-	2	1	-	1	1	-	1	1	-	1
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	5	4	1	5	4	1	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	5	3	2	5	3	2	-	-	-	-	-	-
60-64 years	5	3	2	5	3	2	-	-	-	-	-	-
65-69 years	5	4	1	5	4	1	-	-	-	-	-	-
70-74 years	15	10	5	15	10	5	-	-	-	-	-	-
75-79 years	10	9	1	10	9	1	-	-	-	-	-	-
80-84 years	27	20	7	24	17	7	3	3	-	3	3	-
85-89 years	22	16	6	21	15	6	1	1	-	-	-	-
90-94 years	6	1	5	6	1	5	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Adult T-cell leukemia (C91.5)												
All ages	38	18	20	27	14	13	11	4	7	9	4	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	3	2	1	3	2	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	4	3	1	4	3	1	-	-	-	-	-	-
35-39 years	2	2	-	-	-	-	2	2	-	2	2	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	-	-	-	2	1	1	2	1	1
50-54 years	1	-	1	-	-	-	1	-	1	-	-	-
55-59 years	4	2	2	2	1	1	2	1	1	1	1	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	3	1	2	2	1	1	1	-	1	1	-	1
70-74 years	6	-	6	4	-	4	2	-	2	2	-	2
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other lymphoid leukemia (C91.7)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Lymphoid leukemia, unspecified (C91.9)												
All ages	172	86	86	153	76	77	19	10	9	19	10	9
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	4	3	1	1	-	1	3	3	-	3	3	-
55-59 years	5	2	3	3	2	1	2	-	2	2	-	2
60-64 years	4	2	2	3	1	2	1	1	-	1	1	-
65-69 years	8	8	-	7	7	-	1	1	-	1	1	-
70-74 years	18	10	8	16	10	6	2	-	2	2	-	2
75-79 years	45	25	20	42	24	18	3	1	2	3	1	2
80-84 years	34	16	18	32	14	18	2	2	-	2	2	-
85-89 years	30	11	19	27	10	17	3	1	2	3	1	2
90-94 years	13	3	10	12	3	9	1	-	1	1	-	1
95-99 years	6	3	3	5	2	3	1	1	-	1	1	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Myeloid leukemia (C92)												
All ages	9,938	5,423	4,515	8,901	4,881	4,020	1,037	542	495	785	404	381
Under 1 year	8	3	5	6	2	4	2	1	1	1	1	-
1-4 years	77	39	38	65	31	34	12	8	4	8	5	3
5-9 years	37	23	14	26	16	10	11	7	4	9	5	4
10-14 years	50	23	27	36	13	23	14	10	4	10	8	2
15-19 years	79	40	39	67	36	31	12	4	8	10	4	6
20-24 years	104	54	50	81	40	41	23	14	9	16	9	7
25-29 years	114	68	46	88	50	38	26	18	8	16	10	6
30-34 years	156	88	68	127	72	55	29	16	13	24	15	9
35-39 years	212	112	100	170	87	83	42	25	17	35	20	15
40-44 years	275	143	132	223	115	108	52	28	24	45	23	22
45-49 years	387	201	186	329	173	156	58	28	30	40	16	24
50-54 years	502	254	248	419	215	204	83	39	44	56	29	27
55-59 years	603	337	266	520	293	227	83	44	39	60	34	26
60-64 years	772	475	297	694	430	264	78	45	33	51	31	20
65-69 years	1,022	591	431	908	527	381	114	64	50	96	55	41
70-74 years	1,471	862	609	1,350	793	557	121	69	52	95	53	42
75-79 years	1,651	913	738	1,523	849	674	128	64	64	99	45	54
80-84 years	1,312	714	598	1,234	679	555	78	35	43	58	24	34
85-89 years	779	366	413	733	352	381	46	14	32	36	10	26
90-94 years	264	102	162	244	93	151	20	9	11	16	7	9
95-99 years	58	15	43	53	15	38	5	-	5	4	-	4
100 yrs & over	5	-	5	5	-	5	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute myeloid leukemia (C92.0)												
All ages	7,400	4,015	3,385	6,656	3,634	3,022	744	381	363	556	286	270
Under 1 year	7	2	5	5	1	4	2	1	1	1	1	-
1-4 years	69	34	35	59	28	31	10	6	4	7	4	3
5-9 years	28	15	13	20	11	9	8	4	4	7	3	4
10-14 years	42	19	23	29	10	19	13	9	4	9	7	2
15-19 years	65	34	31	55	30	25	10	4	6	8	4	4
20-24 years	80	40	40	69	34	35	11	6	5	7	4	3
25-29 years	79	45	34	62	33	29	17	12	5	12	8	4
30-34 years	106	54	52	88	45	43	18	9	9	16	9	7
35-39 years	142	67	75	116	53	63	26	14	12	22	11	11
40-44 years	196	102	94	163	84	79	33	18	15	27	13	14
45-49 years	267	130	137	233	117	116	34	13	21	24	8	16
50-54 years	380	188	192	318	158	160	62	30	32	43	24	19
55-59 years	444	248	196	387	220	167	57	28	29	41	23	18
60-64 years	585	365	220	528	330	198	57	35	22	35	23	12
65-69 years	788	454	334	703	407	296	85	47	38	70	40	30
70-74 years	1,129	648	481	1,032	595	437	97	53	44	76	40	36
75-79 years	1,254	695	559	1,154	646	508	100	49	51	77	35	42
80-84 years	984	539	445	923	510	413	61	29	32	42	18	24
85-89 years	549	261	288	523	254	269	26	7	19	19	5	14
90-94 years	175	67	108	161	60	101	14	7	7	11	6	5
95-99 years	28	8	20	25	8	17	3	-	3	2	-	2
100 yrs & over	3	-	3	3	-	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Chronic myeloid leukemia (C92.1)												
All ages	1,649	900	749	1,426	777	649	223	123	100	169	89	80
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	4	1	3	4	1	3	-	-	-	-	-	-
5-9 years	5	5	-	3	3	-	2	2	-	1	1	-
10-14 years	3	1	2	3	1	2	-	-	-	-	-	-
15-19 years	6	3	3	5	3	2	1	-	1	1	-	1
20-24 years	17	12	5	7	4	3	10	8	2	7	5	2
25-29 years	26	19	7	17	13	4	9	6	3	4	2	2
30-34 years	36	27	9	28	22	6	8	5	3	5	4	1
35-39 years	59	39	20	45	29	16	14	10	4	11	8	3
40-44 years	66	34	32	48	24	24	18	10	8	17	10	7
45-49 years	97	59	38	76	46	30	21	13	8	14	7	7
50-54 years	95	52	43	78	45	33	17	7	10	10	4	6
55-59 years	113	61	52	94	49	45	19	12	7	14	9	5
60-64 years	131	77	54	114	68	46	17	9	8	12	7	5
65-69 years	137	75	62	117	66	51	20	9	11	18	8	10
70-74 years	209	129	80	190	117	73	19	12	7	15	10	5
75-79 years	234	128	106	215	118	97	19	10	9	14	6	8
80-84 years	183	94	89	172	90	82	11	4	7	10	4	6
85-89 years	150	58	92	137	53	84	13	5	8	11	3	8
90-94 years	55	20	35	51	19	32	4	1	3	4	1	3
95-99 years	20	5	15	19	5	14	1	-	1	1	-	1
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Subacute myeloid leukemia (C92.2)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Myeloid sarcoma (C92.3)												
All ages	18	9	9	16	8	8	2	1	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	5	2	3	5	2	3	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute promyelocytic leukemia (C92.4)												
All ages	142	60	82	125	52	73	17	8	9	13	4	9
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	4	2	2	4	2	2	-	-	-	-	-	-
20-24 years	6	1	5	4	1	3	2	-	2	2	-	2
25-29 years	6	2	4	6	2	4	-	-	-	-	-	-
30-34 years	7	2	5	4	-	4	3	2	1	3	2	1
35-39 years	6	1	5	5	1	4	1	-	1	1	-	1
40-44 years	9	3	6	8	3	5	1	-	1	1	-	1
45-49 years	11	5	6	10	4	6	1	1	-	-	-	-
50-54 years	13	7	6	10	6	4	3	1	2	2	-	2
55-59 years	10	4	6	8	3	5	2	1	1	1	-	1
60-64 years	9	1	8	8	1	7	1	-	1	1	-	1
65-69 years	14	7	7	13	6	7	1	1	-	1	1	-
70-74 years	12	7	5	12	7	5	-	-	-	-	-	-
75-79 years	14	8	6	13	7	6	1	1	-	1	1	-
80-84 years	10	6	4	10	6	4	-	-	-	-	-	-
85-89 years	5	1	4	5	1	4	-	-	-	-	-	-
90-94 years	3	1	2	2	-	2	1	1	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute myelomonocytic leukemia (C92.5)												
All ages	171	103	68	160	96	64	11	7	4	10	6	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	3	3	-	2	2	-	1	1	-	1	1	-
5-9 years	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years	2	-	2	2	-	2	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	4	3	1	4	3	1	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	5	3	2	5	3	2	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	6	5	1	4	3	1	2	2	-	1	1	-
60-64 years	11	8	3	10	8	2	1	-	1	1	-	1
65-69 years	19	10	9	16	8	8	3	2	1	3	2	1
70-74 years	30	20	10	30	20	10	-	-	-	-	-	-
75-79 years	32	19	13	30	17	13	2	2	-	2	2	-
80-84 years	31	18	13	31	18	13	-	-	-	-	-	-
85-89 years	10	6	4	9	6	3	1	-	1	1	-	1
90-94 years	6	1	5	6	1	5	-	-	-	-	-	-
95-99 years	4	1	3	3	1	2	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other myeloid leukemia (C92.7)												
All ages	332	213	119	312	198	114	20	15	5	17	12	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years	9	5	4	8	4	4	1	1	-	1	1	-
55-59 years	15	11	4	13	10	3	2	1	1	2	1	1
60-64 years	17	12	5	16	11	5	1	1	-	1	1	-
65-69 years	38	29	9	35	26	9	3	3	-	2	2	-
70-74 years	62	43	19	59	40	19	3	3	-	2	2	-
75-79 years	68	38	30	65	36	29	3	2	1	2	1	1
80-84 years	57	32	25	54	30	24	3	2	1	3	2	1
85-89 years	38	25	13	36	24	12	2	1	1	2	1	1
90-94 years	15	10	5	14	10	4	1	-	1	1	-	1
95-99 years	5	1	4	5	1	4	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Myeloid leukemia, unspecified (C92.9)												
All ages	224	122	102	204	115	89	20	7	13	19	7	12
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	1	1	-	1	-	1	1	-	1
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years	3	-	3	3	-	3	-	-	-	-	-	-
55-59 years	14	8	6	13	8	5	1	-	1	1	-	1
60-64 years	16	10	6	15	10	5	1	-	1	1	-	1
65-69 years	26	16	10	24	14	10	2	2	-	2	2	-
70-74 years	29	15	14	27	14	13	2	1	1	2	1	1
75-79 years	43	22	21	40	22	18	3	-	3	3	-	3
80-84 years	45	24	21	42	24	18	3	-	3	3	-	3
85-89 years	24	14	10	20	13	7	4	1	3	3	1	2
90-94 years	10	3	7	10	3	7	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Monocytic leukemia (C93)												
All ages	152	79	73	143	76	67	9	3	6	9	3	6
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	2	-	2	1	-	1	1	-	1	1	-	1
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	2	1	1	-	-	-	2	1	1	2	1	1
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	3	1	2	2	1	1	1	-	1	1	-	1
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years	4	2	2	4	2	2	-	-	-	-	-	-
60-64 years	11	7	4	10	7	3	1	-	1	1	-	1
65-69 years	12	6	6	12	6	6	-	-	-	-	-	-
70-74 years	18	11	7	18	11	7	-	-	-	-	-	-
75-79 years	29	16	13	28	16	12	1	-	1	1	-	1
80-84 years	28	12	16	27	11	16	1	1	-	1	1	-
85-89 years	22	13	9	22	13	9	-	-	-	-	-	-
90-94 years	9	3	6	8	3	5	1	-	1	1	-	1
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute monocytic leukemia (C93.0)												
All ages	119	62	57	111	60	51	8	2	6	8	2	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	2	-	2	1	-	1	1	-	1	1	-	1
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	2	1	1	-	-	-	2	1	1	2	1	1
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years	10	6	4	9	6	3	1	-	1	1	-	1
65-69 years	10	5	5	10	5	5	-	-	-	-	-	-
70-74 years	13	9	4	13	9	4	-	-	-	-	-	-
75-79 years	21	10	11	20	10	10	1	-	1	1	-	1
80-84 years	20	9	11	20	9	11	-	-	-	-	-	-
85-89 years	19	11	8	19	11	8	-	-	-	-	-	-
90-94 years	8	2	6	7	2	5	1	-	1	1	-	1
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chronic monocytic leukemia (C93.1)												
All ages	18	11	7	18	11	7	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	4	4	-	4	4	-	-	-	-	-	-	-
80-84 years	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Monocytic leukemia, unspecified (C93.9)												
All ages	15	6	9	14	5	9	1	1	-	1	1	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years	4	2	2	3	1	2	1	1	-	1	1	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other leukemias of specified cell type (C94)												
All ages	99	51	48	80	45	35	19	6	13	18	6	12
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	3	2	1	3	2	1	-	-	-	-	-	-
20-24 years	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years	4	3	1	3	3	-	1	-	1	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	2	1	1	1	-	2	1	1	2	1	1
45-49 years	5	1	4	3	1	2	2	-	2	2	-	2
50-54 years	4	2	2	2	1	1	2	1	1	2	1	1
55-59 years	8	4	4	7	3	4	1	1	-	1	1	-
60-64 years	2	2	-	-	-	-	2	2	-	2	2	-
65-69 years	15	9	6	14	9	5	1	-	1	1	-	1
70-74 years	14	2	12	10	2	8	4	-	4	4	-	4
75-79 years	16	8	8	14	8	6	2	-	2	2	-	2
80-84 years	14	9	5	14	9	5	-	-	-	-	-	-
85-89 years	4	1	3	3	1	2	1	-	1	1	-	1
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute erythremia and erythroleukemia (C94.0)												
All ages	23	13	10	20	13	7	3	-	3	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	2	-	2	1	-	1	1	-	1	1	-	1
75-79 years	8	4	4	7	4	3	1	-	1	1	-	1
80-84 years	6	5	1	6	5	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chronic erythremia (C94.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute megakaryoblastic leukemia (C94.2)												
All ages	13	7	6	11	7	4	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	3	1	2	2	1	1	1	-	1	1	-	1
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute panmyelosis (C94.4)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute myelofibrosis (C94.5)												
All ages	11	8	3	10	7	3	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	3	2	1	2	1	1	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified leukemias (C94.7)												
All ages	49	21	28	36	16	20	13	5	8	13	5	8
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	3	2	1	3	2	1	-	-	-	-	-	-
20-24 years	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	-	-	-	2	1	1	2	1	1
45-49 years	3	-	3	2	-	2	1	-	1	1	-	1
50-54 years	2	1	1	-	-	-	2	1	1	2	1	1
55-59 years	4	2	2	4	2	2	-	-	-	-	-	-
60-64 years	2	2	-	-	-	-	2	2	-	2	2	-
65-69 years	8	5	3	7	5	2	1	-	1	1	-	1
70-74 years	8	-	8	6	-	6	2	-	2	2	-	2
75-79 years	4	1	3	3	1	2	1	-	1	1	-	1
80-84 years	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years	3	-	3	2	-	2	1	-	1	1	-	1
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Leukemia of unspecified cell type (C95)												
All ages	5,028	2,743	2,285	4,507	2,463	2,044	521	280	241	413	216	197
Under 1 year	11	4	7	8	2	6	3	2	1	3	2	1
1-4 years	35	20	15	32	18	14	3	2	1	2	1	1
5-9 years	29	18	11	20	12	8	9	6	3	6	4	2
10-14 years	37	21	16	30	14	16	7	7	-	5	5	-
15-19 years	36	17	19	28	14	14	8	3	5	5	3	2
20-24 years	40	26	14	30	20	10	10	6	4	6	4	2
25-29 years	42	26	16	27	20	7	15	6	9	10	5	5
30-34 years	47	29	18	36	24	12	11	5	6	7	3	4
35-39 years	55	33	22	46	27	19	9	6	3	8	6	2
40-44 years	66	39	27	50	27	23	16	12	4	12	9	3
45-49 years	109	68	41	96	61	35	13	7	6	11	6	5
50-54 years	141	81	60	116	67	49	25	14	11	19	11	8
55-59 years	195	110	85	171	99	72	24	11	13	17	8	9
60-64 years	307	178	129	258	152	106	49	26	23	38	19	19
65-69 years	400	254	146	348	220	128	52	34	18	41	28	13
70-74 years	659	395	264	594	364	230	65	31	34	50	23	27
75-79 years	889	522	367	817	483	334	72	39	33	61	30	31
80-84 years	863	446	417	806	413	393	57	33	24	46	23	23
85-89 years	661	305	356	620	286	334	41	19	22	39	18	21
90-94 years	306	121	185	286	115	171	20	6	14	17	4	13
95-99 years	86	27	59	76	22	54	10	5	5	9	4	5
100 yrs & over	14	3	11	12	3	9	2	-	2	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute leukemia of unspecified cell type (C95.0)												
All ages	2,337	1,298	1,039	2,140	1,192	948	197	106	91	155	83	72
Under 1 year	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years	13	6	7	12	6	6	1	-	1	1	-	1
5-9 years	9	5	4	8	4	4	1	1	-	1	1	-
10-14 years	11	7	4	8	4	4	3	3	-	2	2	-
15-19 years	9	5	4	7	4	3	2	1	1	2	1	1
20-24 years	26	17	9	20	14	6	6	3	3	4	3	1
25-29 years	21	13	8	14	11	3	7	2	5	5	1	4
30-34 years	23	14	9	20	13	7	3	1	2	1	-	1
35-39 years	31	18	13	28	16	12	3	2	1	3	2	1
40-44 years	34	18	16	27	13	14	7	5	2	5	4	1
45-49 years	56	33	23	52	31	21	4	2	2	4	2	2
50-54 years	69	43	26	57	35	22	12	8	4	9	6	3
55-59 years	98	56	42	88	53	35	10	3	7	7	2	5
60-64 years	158	89	69	135	76	59	23	13	10	18	11	7
65-69 years	204	131	73	185	119	66	19	12	7	16	10	6
70-74 years	329	191	138	307	180	127	22	11	11	15	8	7
75-79 years	440	256	184	410	243	167	30	13	17	25	9	16
80-84 years	388	209	179	369	195	174	19	14	5	14	10	4
85-89 years	270	131	139	253	122	131	17	9	8	16	8	8
90-94 years	114	47	67	110	46	64	4	1	3	4	1	3
95-99 years	28	8	20	25	6	19	3	2	1	3	2	1
100 yrs & over	4	1	3	3	1	2	1	-	1	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Chronic leukemia of unspecified cell type (C95.1)												
All ages	194	115	79	177	104	73	17	11	6	14	8	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	-	-	-
45-49 years	5	4	1	5	4	1	-	-	-	-	-	-
50-54 years	6	3	3	4	1	3	2	2	-	1	1	-
55-59 years	6	4	2	6	4	2	-	-	-	-	-	-
60-64 years	6	5	1	4	4	-	2	1	1	2	1	1
65-69 years	12	11	1	9	8	1	3	3	-	3	3	-
70-74 years	26	18	8	24	16	8	2	2	-	1	1	-
75-79 years	25	21	4	25	21	4	-	-	-	-	-	-
80-84 years	36	17	19	34	17	17	2	-	2	2	-	2
85-89 years	44	21	23	42	20	22	2	1	1	2	1	1
90-94 years	20	7	13	19	7	12	1	-	1	1	-	1
95-99 years	4	2	2	3	2	1	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Subacute leukemia of unspecified cell type (C95.2)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other leukemia of unspecified cell type (C95.7)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia, unspecified (C95.9)												
All ages	2,493	1,328	1,165	2,186	1,165	1,021	307	163	144	244	125	119
Under 1 year	9	4	5	6	2	4	3	2	1	3	2	1
1-4 years	22	14	8	20	12	8	2	2	-	1	1	-
5-9 years	20	13	7	12	8	4	8	5	3	5	3	2
10-14 years	26	14	12	22	10	12	4	4	-	3	3	-
15-19 years	26	11	15	21	10	11	5	1	4	2	1	1
20-24 years	14	9	5	10	6	4	4	3	1	2	1	1
25-29 years	21	13	8	13	9	4	8	4	4	5	4	1
30-34 years	23	15	8	15	11	4	8	4	4	6	3	3
35-39 years	23	15	8	17	11	6	6	4	2	5	4	1
40-44 years	31	20	11	23	14	9	8	6	2	7	5	2
45-49 years	48	31	17	39	26	13	9	5	4	7	4	3
50-54 years	66	35	31	55	31	24	11	4	7	9	4	5
55-59 years	91	50	41	77	42	35	14	8	6	10	6	4
60-64 years	143	84	59	119	72	47	24	12	12	18	7	11
65-69 years	184	112	72	154	93	61	30	19	11	22	15	7
70-74 years	304	186	118	263	168	95	41	18	23	34	14	20
75-79 years	423	244	179	381	218	163	42	26	16	36	21	15
80-84 years	438	220	218	402	201	201	36	19	17	30	13	17
85-89 years	347	153	194	325	144	181	22	9	13	21	9	12
90-94 years	171	67	104	156	62	94	15	5	10	12	3	9
95-99 years	53	16	37	47	13	34	6	3	3	5	2	3
100 yrs & over	10	2	8	9	2	7	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other and unspecified malignant neoplasms of lymphoid, hematopoietic, and related tissue (C96)															
All ages	90	51	39	77	44	33	13	7	6	12	7	5			
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-			
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-			
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-			
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-			
40-44 years	3	2	1	3	2	1	-	-	-	-	-	-			
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-			
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-			
55-59 years	2	1	1	-	-	-	2	1	1	2	1	1			
60-64 years	6	4	2	5	4	1	1	-	1	1	-	1			
65-69 years	11	8	3	10	7	3	1	1	-	1	1	-			
70-74 years	12	10	2	11	10	1	1	-	1	1	-	1			
75-79 years	11	5	6	9	4	5	2	1	1	1	1	-			
80-84 years	17	9	8	14	8	6	3	1	2	3	1	2			
85-89 years	11	4	7	10	3	7	1	1	-	1	1	-			
90-94 years	8	2	6	8	2	6	-	-	-	-	-	-			
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			
Malignant histiocytosis (C96.1)															
All ages	6	3	3	5	2	3	1	1	-	1	1	-			
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-			
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-			
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-			
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-			
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-			
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-			
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant mast cell tumor (C96.2)												
All ages	5	3	2	4	2	2	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	1	-	-	-	-	1	1	-	1	1	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified malignant neoplasms of lymphoid, hematopoietic, and related tissue (C96.7)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neoplasms of lymphoid, hematopoietic, and related tissue, unspecified (C96.9)												
All ages	78	45	33	67	40	27	11	5	6	10	5	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	2	1	1	-	-	-	2	1	1	2	1	1
60-64 years	6	4	2	5	4	1	1	-	1	1	-	1
65-69 years	9	7	2	8	6	2	1	1	-	1	1	-
70-74 years	12	10	2	11	10	1	1	-	1	1	-	1
75-79 years	9	5	4	7	4	3	2	1	1	1	1	-
80-84 years	16	8	8	14	8	6	2	-	2	2	-	2
85-89 years	10	4	6	9	3	6	1	1	-	1	1	-
90-94 years	7	2	5	7	2	5	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of independent (primary) multiple sites (C97)												
All ages	4,462	2,554	1,908	3,858	2,192	1,666	604	362	242	546	336	210
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	6	2	4	5	2	3	1	-	1	-	-	-
5-9 years	7	3	4	6	2	4	1	1	-	1	1	-
10-14 years	8	5	3	5	4	1	3	1	2	3	1	2
15-19 years	9	7	2	8	6	2	1	1	-	-	-	-
20-24 years	7	4	3	5	4	1	2	-	2	1	-	1
25-29 years	7	1	6	3	-	3	4	1	3	3	1	2
30-34 years	12	5	7	10	5	5	2	-	2	2	-	2
35-39 years	38	13	25	33	12	21	5	1	4	5	1	4
40-44 years	49	21	28	40	20	20	9	1	8	6	1	5
45-49 years	117	60	57	88	47	41	29	13	16	27	13	14
50-54 years	180	109	71	137	81	56	43	28	15	37	23	14
55-59 years	222	117	105	175	93	82	47	24	23	36	20	16
60-64 years	291	157	134	233	118	115	58	39	19	56	38	18
65-69 years	399	239	160	339	199	140	60	40	20	59	39	20
70-74 years	602	341	261	505	286	219	97	55	42	87	50	37
75-79 years	817	496	321	723	432	291	94	64	30	90	63	27
80-84 years	731	450	281	656	406	250	75	44	31	68	40	28
85-89 years	600	349	251	554	319	235	46	30	16	38	26	12
90-94 years	274	134	140	254	119	135	20	15	5	20	15	5
95-99 years	78	38	40	72	35	37	6	3	3	6	3	3
100 yrs & over	8	3	5	7	2	5	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Carcinoma in situ of oral cavity, esophagus, and stomach (D00)												
All ages	3	1	2	2	1	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Lip, oral cavity, and pharynx (D00.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Esophagus (D00.1)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Stomach (D00.2)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Carcinoma in situ of other and unspecified digestive organs (D01)												
All ages	4	2	2	3	2	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Colon (D01.0)												
All ages	3	1	2	2	1	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified digestive organs (D01.7)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma in situ of middle ear and respiratory system (D02)												
All ages	3	3	-	1	1	-	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Bronchus and lung (D02.2)												
All ages	3	3	-	1	1	-	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Melanoma in situ (D03)												
All ages	6	4	2	6	4	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Melanoma in situ of ear and external auricular canal (D03.2)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Melanoma in situ of other and unspecified parts of face (D03.3)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Melanoma in situ of trunk (D03.5)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Melanoma in situ of lower limb, including hip (D03.7)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Melanoma in situ of other sites (D03.8)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma in situ of skin (D04)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Skin, unspecified (D04.9)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma in situ of breast (D05)												
All ages	6	1	5	5	1	4	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	2	-	2	1	-	1	1	-	1	1	-	1
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Intraductal carcinoma in situ (D05.1)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma in situ of breast, unspecified (D05.9)												
All ages	3	-	3	2	-	2	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Carcinoma in situ of cervix uteri (D06)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Cervix, unspecified (D06.9)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Carcinoma in situ of other and unspecified genital organs (D07)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Endometrium (D07.0)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Carcinoma in situ of other and unspecified sites (D09)												
All ages	6	5	1	6	5	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Bladder (D09.0)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Carcinoma in situ, unspecified (D09.9)												
All ages	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasm of mouth and pharynx (D10)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Tongue (D10.1)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasm of major salivary glands (D11)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Major salivary gland, unspecified (D11.9)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasm of colon, rectum, anus, and anal canal (D12)												
All ages	75	37	38	62	31	31	13	6	7	12	6	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	3	2	1	2	1	1	1	1	-	1	1	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	3	3	-	2	2	-	1	1	-	1	1	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	6	2	4	4	1	3	2	1	1	2	1	1
70-74 years	7	3	4	6	2	4	1	1	-	1	1	-
75-79 years	10	5	5	9	5	4	1	-	1	1	-	1
80-84 years	12	6	6	10	4	6	2	2	-	2	2	-
85-89 years	13	7	6	11	7	4	2	-	2	1	-	1
90-94 years	7	4	3	6	4	2	1	-	1	1	-	1
95-99 years	7	2	5	5	2	3	2	-	2	2	-	2
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cecum (D12.0)												
All ages	3	-	3	2	-	2	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Ascending colon (D12.2)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Colon, unspecified (D12.6)												
All ages	65	33	32	54	28	26	11	5	6	10	5	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	2	1	2	1	1	1	1	-	1	1	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	5	2	3	3	1	2	2	1	1	2	1	1
70-74 years	7	3	4	6	2	4	1	1	-	1	1	-
75-79 years	10	5	5	9	5	4	1	-	1	1	-	1
80-84 years	9	5	4	7	3	4	2	2	-	2	2	-
85-89 years	11	6	5	10	6	4	1	-	1	-	-	-
90-94 years	6	3	3	5	3	2	1	-	1	1	-	1
95-99 years	6	2	4	4	2	2	2	-	2	2	-	2
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Rectosigmoid junction (D12.7)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Rectum (D12.8)												
All ages	5	2	3	5	2	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasm of other and ill-defined parts of digestive system (D13)												
All ages	65	26	39	56	22	34	9	4	5	5	2	3
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	3	1	2	1	-	1	2	1	1	1	-	1
60-64 years	6	2	4	4	1	3	2	1	1	-	-	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	6	2	4	6	2	4	-	-	-	-	-	-
75-79 years	11	5	6	9	5	4	2	-	2	1	-	1
80-84 years	12	5	7	11	5	6	1	-	1	1	-	1
85-89 years	15	6	9	14	5	9	1	1	-	1	1	-
90-94 years	5	2	3	5	2	3	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Esophagus (D13.0)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Stomach (D13.1)												
All ages	17	9	8	16	8	8	1	1	-	1	1	-
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	5	4	1	5	4	1	-	-	-	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Duodenum (D13.2)												
All ages	4	2	2	3	1	2	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified parts of small intestine (D13.3)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Liver (D13.4)												
All ages	10	2	8	9	2	7	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	2	-	2	1	-	1	1	-	1	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Extrahepatic bile ducts (D13.5)												
All ages	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pancreas (D13.6)												
All ages	5	1	4	3	1	2	2	-	2	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	-	2	1	-	1	1	-	1	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Endocrine pancreas (D13.7)												
All ages	22	7	15	18	5	13	4	2	2	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	2	-	2	1	-	1	1	-	1	1	-	1
60-64 years	1	1	-	-	-	-	1	1	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	7	2	5	6	2	4	1	-	1	1	-	1
85-89 years	6	3	3	5	2	3	1	1	-	1	1	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Benign neoplasm of middle ear and respiratory system (D14)												
All ages	13	7	6	8	4	4	5	3	2	4	2	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	-	2	1	-	1	1	-	1	1	-	1
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	1	1	1	-	1	1	1	-	1	1	-
55-59 years	1	1	-	-	-	-	1	1	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Middle ear, nasal cavity, and accessory sinuses (D14.0)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Larynx (D14.1)												
All ages	3	1	2	1	-	1	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Trachea (D14.2)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Bronchus and lung (D14.3)												
All ages	6	4	2	4	3	1	2	1	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory system, unspecified (D14.4)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Benign neoplasm of other and unspecified intrathoracic organs (D15)												
All ages	95	39	56	80	32	48	15	7	8	13	7	6
Under 1 year	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years	3	-	3	2	-	2	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	2	1	1	1	-	1	1	1	-	1	1	-
30-34 years	3	1	2	2	-	2	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	6	4	2	6	4	2	-	-	-	-	-	-
45-49 years	3	1	2	2	1	1	1	-	1	-	-	-
50-54 years	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years	6	2	4	4	2	2	2	-	2	2	-	2
60-64 years	7	5	2	7	5	2	-	-	-	-	-	-
65-69 years	9	4	5	6	2	4	3	2	1	3	2	1
70-74 years	8	3	5	8	3	5	-	-	-	-	-	-
75-79 years	10	5	5	8	4	4	2	1	1	2	1	1
80-84 years	10	3	7	9	3	6	1	-	1	1	-	1
85-89 years	10	2	8	8	1	7	2	1	1	1	1	-
90-94 years	7	2	5	6	1	5	1	1	-	1	1	-
95-99 years	4	2	2	4	2	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Thymus (D15.0)												
All ages	39	23	16	32	19	13	7	4	3	5	4	1
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	1	1	1	1	-	1	-	1	-	-	-
50-54 years	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years	6	4	2	4	2	2	2	2	-	2	2	-
70-74 years	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years	4	4	-	3	3	-	1	1	-	1	1	-
80-84 years	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years	5	1	4	4	1	3	1	-	1	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	2	2	-	2	2	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Heart (D15.1)												
All ages	54	15	39	47	13	34	7	2	5	7	2	5
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	3	-	3	2	-	2	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	5	3	2	5	3	2	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	5	2	3	4	2	2	1	-	1	1	-	1
60-64 years	4	2	2	4	2	2	-	-	-	-	-	-
65-69 years	3	-	3	2	-	2	1	-	1	1	-	1
70-74 years	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years	5	1	4	4	1	3	1	-	1	1	-	1
80-84 years	6	2	4	5	2	3	1	-	1	1	-	1
85-89 years	5	1	4	4	-	4	1	1	-	1	1	-
90-94 years	5	1	4	4	-	4	1	1	-	1	1	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mediastinum (D15.2)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified intrathoracic organs (D15.7)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasm of bone and articular cartilage (D16)												
All ages	15	7	8	14	6	8	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	3	-	3	3	-	3	-	-	-	-	-	-
70-74 years	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Long bones of lower limb (D16.2)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Bones of skull and face (D16.4)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Lower jaw bone (D16.5)												
All ages	6	2	4	5	1	4	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Vertebral column (D16.6)												
All ages	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pelvic bones, sacrum, and coccyx (D16.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Bone and articular cartilage, unspecified (D16.9)												
All ages	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Benign lipomatous neoplasm (D17)												
All ages	11	3	8	10	3	7	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Benign lipomatous neoplasm of intra-abdominal organs (D17.5)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Benign lipomatous neoplasm of other sites (D17.7)												
All ages	8	3	5	7	3	4	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Benign lipomatous neoplasm, unspecified (D17.9)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hemangioma and lymphangioma, any site (D18)												
All ages	87	53	34	73	45	28	14	8	6	10	6	4
Under 1 year	8	4	4	7	4	3	1	-	1	1	-	1
1-4 years	5	4	1	5	4	1	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	3	1	2	2	1	1	1	-	1	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	8	6	2	6	5	1	2	1	1	2	1	1
55-59 years	5	-	5	5	-	5	-	-	-	-	-	-
60-64 years	9	8	1	7	6	1	2	2	-	2	2	-
65-69 years	6	3	3	4	2	2	2	1	1	1	-	1
70-74 years	7	5	2	6	4	2	1	1	-	1	1	-
75-79 years	7	4	3	7	4	3	-	-	-	-	-	-
80-84 years	11	8	3	8	6	2	3	2	1	1	1	-
85-89 years	8	3	5	7	2	5	1	1	-	1	1	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hemangioma, any site (D18.0)												
All ages	44	26	18	35	22	13	9	4	5	6	3	3
Under 1 year	2	1	1	1	1	-	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	-	2	1	-	1	1	-	1	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	7	5	2	5	4	1	2	1	1	2	1	1
55-59 years	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years	6	5	1	5	4	1	1	1	-	1	1	-
65-69 years	6	3	3	4	2	2	2	1	1	1	-	1
70-74 years	3	2	1	2	1	1	1	1	-	1	1	-
75-79 years	6	4	2	6	4	2	-	-	-	-	-	-
80-84 years	3	1	2	2	1	1	1	-	1	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Lymphangioma, any site (D18.1)												
All ages	43	27	16	38	23	15	5	4	1	4	3	1
Under 1 year	6	3	3	6	3	3	-	-	-	-	-	-
1-4 years	5	4	1	5	4	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	3	-	3	3	-	3	-	-	-	-	-	-
60-64 years	3	3	-	2	2	-	1	1	-	1	1	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	8	7	1	6	5	1	2	2	-	1	1	-
85-89 years	7	3	4	6	2	4	1	1	-	1	1	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasm of soft tissue of retroperitoneum and peritoneum (D20)												
All ages	3	-	3	2	-	2	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Retroperitoneum (D20.0)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Peritoneum (D20.1)												
All ages	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other benign neoplasms of connective and other soft tissue (D21)												
All ages	18	10	8	13	7	6	5	3	2	5	3	2
Under 1 year	2	2	-	-	-	-	2	2	-	2	2	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	1	2	2	-	2	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Connective and other soft tissue of head, face, and neck (D21.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Connective and other soft tissue of thorax (D21.3)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Connective and other soft tissue, unspecified (D21.9)												
All ages	16	9	7	11	6	5	5	3	2	5	3	2
Under 1 year	2	2	-	-	-	-	2	2	-	2	2	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	1	2	2	-	2	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Melanocytic nevi (D22)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Melanocytic nevi, unspecified (D22.9)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other benign neoplasms of skin (D23)												
All ages	23	17	6	20	15	5	3	2	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years	4	2	2	4	2	2	-	-	-	-	-	-
60-64 years	3	3	-	2	2	-	1	1	-	1	1	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	4	3	1	4	3	1	-	-	-	-	-	-
80-84 years	5	3	2	4	3	1	1	-	1	1	-	1
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Skin of lip (D23.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Skin of scalp and neck (D23.4)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Skin of trunk (D23.5)												
All ages	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Skin, unspecified (D23.9)												
All ages	18	12	6	15	10	5	3	2	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years	3	3	-	2	2	-	1	1	-	1	1	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	4	2	2	3	2	1	1	-	1	1	-	1
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Leiomyoma of uterus (D25)												
All ages	28	...	28	13	...	13	15	...	15	15	...	15
Under 1 year	1	...	1	-	...	-	1	...	1	1	...	1
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	5	...	5	4	...	4	1	...	1	1	...	1
40-44 years	2	...	2	-	...	-	2	...	2	2	...	2
45-49 years	6	...	6	3	...	3	3	...	3	3	...	3
50-54 years	2	...	2	1	...	1	1	...	1	1	...	1
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	1	...	1	-	...	-	1	...	1	1	...	1
65-69 years	1	...	1	-	...	-	1	...	1	1	...	1
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	3	...	3	2	...	2	1	...	1	1	...	1
80-84 years	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	2	...	2	1	...	1	1	...	1	1	...	1
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	2	...	2	-	...	-	2	...	2	2	...	2
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Leiomyoma of uterus, unspecified (D25.9)												
All ages	28	...	28	13	...	13	15	...	15	15	...	15
Under 1 year	1	...	1	-	...	-	1	...	1	1	...	1
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	5	...	5	4	...	4	1	...	1	1	...	1
40-44 years	2	...	2	-	...	-	2	...	2	2	...	2
45-49 years	6	...	6	3	...	3	3	...	3	3	...	3
50-54 years	2	...	2	1	...	1	1	...	1	1	...	1
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	1	...	1	-	...	-	1	...	1	1	...	1
65-69 years	1	...	1	-	...	-	1	...	1	1	...	1
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	3	...	3	2	...	2	1	...	1	1	...	1
80-84 years	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	2	...	2	1	...	1	1	...	1	1	...	1
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	2	...	2	-	...	-	2	...	2	2	...	2
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Other benign neoplasms of uterus (D26)												
All ages	5	...	5	4	...	4	1	...	1	1	...	1
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	2	...	2	2	...	2	-	...	-	-	...	-
50-54 years	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Corpus uteri (D26.1)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Uterus, unspecified (D26.9)												
All ages	4	...	4	3	...	3	1	...	1	1	...	1
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Benign neoplasm of ovary (D27)												
All ages	18	...	18	17	...	17	1	...	1	1	...	1
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	1	...	1	1	...	1	-	...	-	-	...	-
15-19 years	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years	2	...	2	2	...	2	-	...	-	-	...	-
70-74 years	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	2	...	2	2	...	2	-	...	-	-	...	-
85-89 years	2	...	2	2	...	2	-	...	-	-	...	-
90-94 years	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years	2	...	2	1	...	1	1	...	1	1	...	1
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Benign neoplasm of male genital organs (D29)												
All ages	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	1	1	...	1	1	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Testis (D29.2)												
All ages	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	1	1	...	1	1	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...
Benign neoplasm of urinary organs (D30)												
All ages	6	4	2	5	3	2	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	2	2	-	1	1	-	1	1	-	1	1	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Kidney (D30.0)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Bladder (D30.3)												
All ages	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	-	-	-	1	1	-	1	1	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Benign neoplasm of eye and adnexa (D31)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Ciliary body (D31.4)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Orbit, unspecified (D31.6)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasm of meninges (D32)												
All ages	778	271	507	625	219	406	153	52	101	130	44	86
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	1	1	1	-	1	1	1	-	1	1	-
30-34 years	7	3	4	7	3	4	-	-	-	-	-	-
35-39 years	6	3	3	4	2	2	2	1	1	2	1	1
40-44 years	8	4	4	8	4	4	-	-	-	-	-	-
45-49 years	17	6	11	10	3	7	7	3	4	5	2	3
50-54 years	23	8	15	19	8	11	4	-	4	4	-	4
55-59 years	40	20	20	23	10	13	17	10	7	14	8	6
60-64 years	41	18	23	24	11	13	17	7	10	15	6	9
65-69 years	56	22	34	40	19	21	16	3	13	15	3	12
70-74 years	93	34	59	78	29	49	15	5	10	11	5	6
75-79 years	120	47	73	104	44	60	16	3	13	13	2	11
80-84 years	136	44	92	116	36	80	20	8	12	17	7	10
85-89 years	132	41	91	112	35	77	20	6	14	16	4	12
90-94 years	76	16	60	64	13	51	12	3	9	11	3	8
95-99 years	17	4	13	11	2	9	6	2	4	6	2	4
100 yrs & over	4	-	4	4	-	4	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cerebral meninges (D32.0)												
All ages	206	64	142	165	51	114	41	13	28	37	12	25
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	6	1	5	3	1	2	3	-	3	2	-	2
50-54 years	5	3	2	4	3	1	1	-	1	1	-	1
55-59 years	8	5	3	5	3	2	3	2	1	2	1	1
60-64 years	7	3	4	2	1	1	5	2	3	5	2	3
65-69 years	14	8	6	9	6	3	5	2	3	5	2	3
70-74 years	28	9	19	23	7	16	5	2	3	4	2	2
75-79 years	32	11	21	29	11	18	3	-	3	3	-	3
80-84 years	35	9	26	30	6	24	5	3	2	5	3	2
85-89 years	37	7	30	30	6	24	7	1	6	6	1	5
90-94 years	25	5	20	24	5	19	1	-	1	1	-	1
95-99 years	5	2	3	3	1	2	2	1	1	2	1	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Spinal meninges (D32.1)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Meninges, unspecified (D32.9)												
All ages	569	206	363	457	167	290	112	39	73	93	32	61
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	1	1	1	-	1	1	1	-	1	1	-
30-34 years	6	3	3	6	3	3	-	-	-	-	-	-
35-39 years	4	2	2	3	1	2	1	1	-	1	1	-
40-44 years	7	4	3	7	4	3	-	-	-	-	-	-
45-49 years	11	5	6	7	2	5	4	3	1	3	2	1
50-54 years	18	5	13	15	5	10	3	-	3	3	-	3
55-59 years	32	15	17	18	7	11	14	8	6	12	7	5
60-64 years	34	15	19	22	10	12	12	5	7	10	4	6
65-69 years	41	13	28	30	12	18	11	1	10	10	1	9
70-74 years	65	25	40	55	22	33	10	3	7	7	3	4
75-79 years	88	36	52	75	33	42	13	3	10	10	2	8
80-84 years	100	35	65	85	30	55	15	5	10	12	4	8
85-89 years	94	34	60	81	29	52	13	5	8	10	3	7
90-94 years	51	11	40	40	8	32	11	3	8	10	3	7
95-99 years	12	2	10	8	1	7	4	1	3	4	1	3
100 yrs & over	4	-	4	4	-	4	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasm of brain and other parts of central nervous system (D33)												
All ages	140	61	79	118	49	69	22	12	10	15	9	6
Under 1 year	1	-	1	-	-	-	1	-	1	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	2	-	1	1	-	1	1	-	-	-	-
25-29 years	4	1	3	4	1	3	-	-	-	-	-	-
30-34 years	3	1	2	1	-	1	2	1	1	1	1	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	5	2	3	3	1	2	2	1	1	-	-	-
45-49 years	3	1	2	3	1	2	-	-	-	-	-	-
50-54 years	10	4	6	7	3	4	3	1	2	2	1	1
55-59 years	6	2	4	6	2	4	-	-	-	-	-	-
60-64 years	11	4	7	10	3	7	1	1	-	1	1	-
65-69 years	18	13	5	14	10	4	4	3	1	4	3	1
70-74 years	10	4	6	9	3	6	1	1	-	-	-	-
75-79 years	16	9	7	13	7	6	3	2	1	3	2	1
80-84 years	17	8	9	16	8	8	1	-	1	1	-	1
85-89 years	25	7	18	23	6	17	2	1	1	2	1	1
90-94 years	5	2	3	4	2	2	1	-	1	1	-	1
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Brain, supratentorial (D33.0)												
All ages	10	3	7	10	3	7	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Brain, infratentorial (D33.1)												
All ages	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Brain, unspecified (D33.2)												
All ages	81	35	46	64	24	40	17	11	6	12	8	4
Under 1 year	1	-	1	-	-	-	1	-	1	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	2	-	1	1	-	1	1	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	3	1	2	1	-	1	2	1	1	1	1	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	6	2	4	4	1	3	2	1	1	2	1	1
55-59 years	5	2	3	5	2	3	-	-	-	-	-	-
60-64 years	7	2	5	6	1	5	1	1	-	1	1	-
65-69 years	11	8	3	8	6	2	3	2	1	3	2	1
70-74 years	5	2	3	4	1	3	1	1	-	-	-	-
75-79 years	9	5	4	7	3	4	2	2	-	2	2	-
80-84 years	8	3	5	7	3	4	1	-	1	1	-	1
85-89 years	15	4	11	13	3	10	2	1	1	2	1	1
90-94 years	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cranial nerves (D33.3)												
All ages	43	22	21	39	21	18	4	1	3	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	1	2	2	1	1	1	-	1	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	3	1	2	2	1	1	1	-	1	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years	5	4	1	4	3	1	1	1	-	1	1	-
70-74 years	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years	7	4	3	6	4	2	1	-	1	1	-	1
80-84 years	7	5	2	7	5	2	-	-	-	-	-	-
85-89 years	7	2	5	7	2	5	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Spinal cord (D33.4)												
All ages	3	1	2	2	1	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasm of thyroid gland (D34)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Benign neoplasm of other and unspecified endocrine glands (D35)												
All ages	125	75	50	97	57	40	28	18	10	27	18	9
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	4	3	1	3	2	1	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	4	3	1	4	3	1	-	-	-	-	-	-
35-39 years	6	3	3	3	1	2	3	2	1	2	2	-
40-44 years	6	2	4	4	2	2	2	-	2	2	-	2
45-49 years	6	3	3	3	2	1	3	1	2	3	1	2
50-54 years	8	5	3	6	4	2	2	1	1	2	1	1
55-59 years	10	8	2	8	6	2	2	2	-	2	2	-
60-64 years	13	8	5	8	4	4	5	4	1	5	4	1
65-69 years	12	8	4	10	7	3	2	1	1	2	1	1
70-74 years	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years	18	9	9	17	8	9	1	1	-	1	1	-
80-84 years	17	13	4	12	9	3	5	4	1	5	4	1
85-89 years	15	7	8	13	6	7	2	1	1	2	1	1
90-94 years	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Adrenal gland (D35.0)												
All ages	36	23	13	28	20	8	8	3	5	8	3	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	3	-	3	1	-	1	2	-	2	2	-	2
45-49 years	3	2	1	1	1	-	2	1	1	2	1	1
50-54 years	5	3	2	3	2	1	2	1	1	2	1	1
55-59 years	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years	6	3	3	5	3	2	1	-	1	1	-	1
65-69 years	4	3	1	4	3	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	4	3	1	4	3	1	-	-	-	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Parathyroid gland (D35.1)												
All ages	5	3	2	5	3	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pituitary gland (D35.2)												
All ages	83	49	34	63	34	29	20	15	5	19	15	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	5	2	3	3	1	2	2	1	1	1	1	-
40-44 years	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years	3	1	2	2	1	1	1	-	1	1	-	1
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years	7	6	1	5	4	1	2	2	-	2	2	-
60-64 years	7	5	2	3	1	2	4	4	-	4	4	-
65-69 years	8	5	3	6	4	2	2	1	1	2	1	1
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	13	6	7	12	5	7	1	1	-	1	1	-
80-84 years	13	10	3	8	6	2	5	4	1	5	4	1
85-89 years	13	6	7	11	5	6	2	1	1	2	1	1
90-94 years	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Craniopharyngeal duct (D35.3)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasm of other and unspecified sites (D36)												
All ages	38	22	16	35	19	16	3	3	-	3	3	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	2	2	-	-	-	-	2	2	-	2	2	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	5	3	2	5	3	2	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years	8	6	2	8	6	2	-	-	-	-	-	-
80-84 years	5	3	2	5	3	2	-	-	-	-	-	-
85-89 years	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Peripheral nerves and autonomic nervous system (D36.1)												
All ages	14	8	6	12	6	6	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	2	-	-	-	-	2	2	-	2	2	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified sites (D36.7)												
All ages	7	4	3	6	3	3	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Benign neoplasm of unspecified site (D36.9)												
All ages	17	10	7	17	10	7	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years	3	3	-	3	3	-	-	-	-	-	-	-
85-89 years	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Neoplasm of uncertain or unknown behavior of oral cavity and digestive organs (D37)												
All ages	694	309	385	584	260	324	110	49	61	90	42	48
Under 1 year	2	-	2	1	-	1	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	3	3	-	2	2	-	1	1	-	1	1	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	6	6	-	6	6	-	-	-	-	-	-	-
40-44 years	12	7	5	8	4	4	4	3	1	4	3	1
45-49 years	16	12	4	13	10	3	3	2	1	2	1	1
50-54 years	24	19	5	21	16	5	3	3	-	3	3	-
55-59 years	31	14	17	24	12	12	7	2	5	6	2	4
60-64 years	37	21	16	26	14	12	11	7	4	10	6	4
65-69 years	55	28	27	41	19	22	14	9	5	12	7	5
70-74 years	76	39	37	63	33	30	13	6	7	10	6	4
75-79 years	93	50	43	76	43	33	17	7	10	14	7	7
80-84 years	107	46	61	99	43	56	8	3	5	5	1	4
85-89 years	123	38	85	108	35	73	15	3	12	11	2	9
90-94 years	78	17	61	70	14	56	8	3	5	7	3	4
95-99 years	27	7	20	22	7	15	5	-	5	4	-	4
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Lip, oral cavity, and pharynx (D37.0)												
All ages	56	30	26	47	26	21	9	4	5	9	4	5
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	4	1	3	4	1	3	-	-	-	-	-	-
60-64 years	4	4	-	2	2	-	2	2	-	2	2	-
65-69 years	3	2	1	2	1	1	1	1	-	1	1	-
70-74 years	6	3	3	6	3	3	-	-	-	-	-	-
75-79 years	8	5	3	6	4	2	2	1	1	2	1	1
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	15	8	7	14	8	6	1	-	1	1	-	1
90-94 years	3	1	2	2	1	1	1	-	1	1	-	1
95-99 years	6	2	4	5	2	3	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Stomach (D37.1)												
All ages	69	35	34	58	27	31	11	8	3	11	8	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years	4	3	1	2	2	-	2	1	1	2	1	1
60-64 years	5	2	3	4	2	2	1	-	1	1	-	1
65-69 years	4	2	2	2	1	1	2	1	1	2	1	1
70-74 years	8	5	3	6	3	3	2	2	-	2	2	-
75-79 years	12	10	2	9	7	2	3	3	-	3	3	-
80-84 years	6	2	4	6	2	4	-	-	-	-	-	-
85-89 years	9	3	6	9	3	6	-	-	-	-	-	-
90-94 years	8	1	7	7	-	7	1	1	-	1	1	-
95-99 years	4	-	4	4	-	4	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Small intestine (D37.2)												
All ages	29	17	12	25	15	10	4	2	2	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years	5	2	3	4	1	3	1	1	-	1	1	-
70-74 years	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years	5	3	2	4	3	1	1	-	1	-	-	-
80-84 years	4	3	1	4	3	1	-	-	-	-	-	-
85-89 years	4	1	3	3	1	2	1	-	1	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Appendix (D37.3)												
All ages	9	8	1	9	8	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Colon (D37.4)												
All ages	83	27	56	74	23	51	9	4	5	6	4	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	-	2	1	-	1	1	-	1	1	-	1
60-64 years	5	4	1	4	3	1	1	1	-	1	1	-
65-69 years	9	6	3	8	5	3	1	1	-	1	1	-
70-74 years	8	2	6	6	1	5	2	1	1	1	1	-
75-79 years	10	5	5	10	5	5	-	-	-	-	-	-
80-84 years	13	5	8	12	5	7	1	-	1	1	-	1
85-89 years	15	1	14	15	1	14	-	-	-	-	-	-
90-94 years	14	3	11	12	2	10	2	1	1	1	1	-
95-99 years	4	-	4	3	-	3	1	-	1	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Rectum (D37.5)												
All ages	28	13	15	26	11	15	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	4	3	1	3	2	1	1	1	-	1	1	-
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years	6	3	3	6	3	3	-	-	-	-	-	-
85-89 years	5	1	4	5	1	4	-	-	-	-	-	-
90-94 years	5	1	4	5	1	4	-	-	-	-	-	-
95-99 years	2	2	-	2	2	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Liver, gallbladder, and bile ducts (D37.6)												
All ages	191	92	99	158	76	82	33	16	17	24	11	13
Under 1 year	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	4	2	2	3	1	2	1	1	-	1	1	-
45-49 years	7	6	1	6	5	1	1	1	-	1	1	-
50-54 years	8	6	2	7	5	2	1	1	-	1	1	-
55-59 years	12	5	7	9	4	5	3	1	2	2	1	1
60-64 years	11	3	8	7	2	5	4	1	3	3	-	3
65-69 years	16	11	5	14	9	5	2	2	-	1	1	-
70-74 years	24	13	11	21	13	8	3	-	3	1	-	1
75-79 years	23	13	10	16	10	6	7	3	4	7	3	4
80-84 years	30	12	18	26	9	17	4	3	1	2	1	1
85-89 years	32	12	20	29	11	18	3	1	2	1	-	1
90-94 years	16	4	12	15	3	12	1	1	-	1	1	-
95-99 years	4	2	2	3	2	1	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other digestive organs (D37.7)												
All ages	181	66	115	149	58	91	32	8	24	29	7	22
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	6	3	3	5	3	2	1	-	1	1	-	1
50-54 years	5	4	1	4	3	1	1	1	-	1	1	-
55-59 years	7	4	3	6	4	2	1	-	1	1	-	1
60-64 years	6	4	2	4	2	2	2	2	-	2	2	-
65-69 years	14	5	9	8	2	6	6	3	3	5	2	3
70-74 years	15	6	9	11	5	6	4	1	3	4	1	3
75-79 years	26	11	15	23	11	12	3	-	3	2	-	2
80-84 years	34	12	22	31	12	19	3	-	3	2	-	2
85-89 years	32	9	23	26	8	18	6	1	5	6	1	5
90-94 years	25	4	21	22	4	18	3	-	3	3	-	3
95-99 years	7	1	6	5	1	4	2	-	2	2	-	2
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Digestive organ, unspecified (D37.9)												
All ages	48	21	27	38	16	22	10	5	5	7	4	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	3	-	2	2	-	1	1	-	1	1	-
45-49 years	1	1	-	-	-	-	1	1	-	-	-	-
50-54 years	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years	4	-	4	3	-	3	1	-	1	1	-	1
70-74 years	6	3	3	5	2	3	1	1	-	1	1	-
75-79 years	4	-	4	3	-	3	1	-	1	-	-	-
80-84 years	8	5	3	8	5	3	-	-	-	-	-	-
85-89 years	10	2	8	6	1	5	4	1	3	3	1	2
90-94 years	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Neoplasm of uncertain or unknown behavior of middle ear and respiratory and intrathoracic organs (D38)												
All ages	568	285	283	518	254	264	50	31	19	46	29	17
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	3	2	1	2	1	1	1	1	-	1	1	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	3	3	-	3	3	-	-	-	-	-	-	-
45-49 years	12	7	5	12	7	5	-	-	-	-	-	-
50-54 years	14	8	6	10	7	3	4	1	3	4	1	3
55-59 years	17	12	5	16	11	5	1	1	-	1	1	-
60-64 years	27	18	9	26	18	8	1	-	1	1	-	1
65-69 years	31	17	14	28	17	11	3	-	3	2	-	2
70-74 years	56	33	23	50	29	21	6	4	2	6	4	2
75-79 years	107	51	56	96	44	52	11	7	4	10	7	3
80-84 years	121	61	60	107	49	58	14	12	2	12	10	2
85-89 years	91	39	52	88	37	51	3	2	1	3	2	1
90-94 years	60	24	36	55	22	33	5	2	3	5	2	3
95-99 years	20	6	14	19	5	14	1	1	-	1	1	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Larynx (D38.0)												
All ages	19	12	7	18	12	6	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	3	1	2	3	1	2	-	-	-	-	-	-
50-54 years	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Trachea, bronchus, and lung (D38.1)												
All ages	500	249	251	453	220	233	47	29	18	43	27	16
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	3	3	-	3	3	-	-	-	-	-	-	-
45-49 years	7	6	1	7	6	1	-	-	-	-	-	-
50-54 years	12	7	5	9	6	3	3	1	2	3	1	2
55-59 years	14	9	5	13	8	5	1	1	-	1	1	-
60-64 years	25	16	9	24	16	8	1	-	1	1	-	1
65-69 years	27	14	13	24	14	10	3	-	3	2	-	2
70-74 years	48	27	21	42	23	19	6	4	2	6	4	2
75-79 years	98	49	49	87	42	45	11	7	4	10	7	3
80-84 years	107	54	53	94	43	51	13	11	2	11	9	2
85-89 years	81	34	47	78	32	46	3	2	1	3	2	1
90-94 years	55	22	33	50	20	30	5	2	3	5	2	3
95-99 years	19	6	13	18	5	13	1	1	-	1	1	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pleura (D38.2)												
All ages	5	5	-	5	5	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mediastinum (D38.3)												
All ages	38	18	20	36	16	20	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	2	-	1	1	-	1	1	-	1	1	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years	6	1	5	6	1	5	-	-	-	-	-	-
80-84 years	6	3	3	5	2	3	1	1	-	1	1	-
85-89 years	7	2	5	7	2	5	-	-	-	-	-	-
90-94 years	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other respiratory organs (D38.5)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory organ, unspecified (D38.6)												
All ages	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Neoplasm of uncertain or unknown behavior of female genital organs (D39)												
All ages	75	...	75	61	...	61	14	...	14	14	...	14
Under 1 year	1	...	1	-	...	-	1	...	1	1	...	1
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	6	...	6	4	...	4	2	...	2	2	...	2
40-44 years	2	...	2	1	...	1	1	...	1	1	...	1
45-49 years	3	...	3	2	...	2	1	...	1	1	...	1
50-54 years	4	...	4	4	...	4	-	...	-	-	...	-
55-59 years	3	...	3	-	...	-	3	...	3	3	...	3
60-64 years	4	...	4	4	...	4	-	...	-	-	...	-
65-69 years	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years	10	...	10	6	...	6	4	...	4	4	...	4
75-79 years	7	...	7	6	...	6	1	...	1	1	...	1
80-84 years	9	...	9	9	...	9	-	...	-	-	...	-
85-89 years	10	...	10	9	...	9	1	...	1	1	...	1
90-94 years	6	...	6	6	...	6	-	...	-	-	...	-
95-99 years	6	...	6	6	...	6	-	...	-	-	...	-
100 yrs & over	2	...	2	2	...	2	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Uterus (D39.0)												
All ages	16	...	16	8	...	8	8	...	8	8	...	8
Under 1 year	1	...	1	-	...	-	1	...	1	1	...	1
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	3	...	3	1	...	1	2	...	2	2	...	2
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	3	...	3	2	...	2	1	...	1	1	...	1
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	2	...	2	-	...	-	2	...	2	2	...	2
60-64 years	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	2	...	2	-	...	-	2	...	2	2	...	2
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	2	...	2	2	...	2	-	...	-	-	...	-
85-89 years	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Ovary (D39.1)												
All ages	47	...	47	43	...	43	4	...	4	4	...	4
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	3	...	3	3	...	3	-	...	-	-	...	-
40-44 years	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	2	...	2	2	...	2	-	...	-	-	...	-
55-59 years	1	...	1	-	...	-	1	...	1	1	...	1
60-64 years	3	...	3	3	...	3	-	...	-	-	...	-
65-69 years	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years	7	...	7	6	...	6	1	...	1	1	...	1
75-79 years	6	...	6	5	...	5	1	...	1	1	...	1
80-84 years	6	...	6	6	...	6	-	...	-	-	...	-
85-89 years	9	...	9	8	...	8	1	...	1	1	...	1
90-94 years	3	...	3	3	...	3	-	...	-	-	...	-
95-99 years	2	...	2	2	...	2	-	...	-	-	...	-
100 yrs & over	2	...	2	2	...	2	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Placenta (D39.2)												
All ages	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other female genital organs (D39.7)												
All ages	6	...	6	5	...	5	1	...	1	1	...	1
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	1	...	1	-	...	-	1	...	1	1	...	1
75-79 years	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Female genital organ, unspecified (D39.9)												
All ages	4	...	4	4	...	4	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	2	...	2	2	...	2	-	...	-	-	...	-
95-99 years	2	...	2	2	...	2	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Neoplasm of uncertain or unknown behavior of male genital organs (D40)												
All ages	14	14	...	12	12	...	2	2	...	2	2	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	1	1	...	1	1	...	-	-	...	-	-	...
40-44 years	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years	2	2	...	2	2	...	-	-	...	-	-	...
65-69 years	2	2	...	1	1	...	1	1	...	1	1	...
70-74 years	1	1	...	1	1	...	-	-	...	-	-	...
75-79 years	2	2	...	2	2	...	-	-	...	-	-	...
80-84 years	3	3	...	3	3	...	-	-	...	-	-	...
85-89 years	1	1	...	1	1	...	-	-	...	-	-	...
90-94 years	2	2	...	1	1	...	1	1	...	1	1	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...
Prostate (D40.0)												
All ages	12	12	...	10	10	...	2	2	...	2	2	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years	2	2	...	2	2	...	-	-	...	-	-	...
65-69 years	2	2	...	1	1	...	1	1	...	1	1	...
70-74 years	1	1	...	1	1	...	-	-	...	-	-	...
75-79 years	2	2	...	2	2	...	-	-	...	-	-	...
80-84 years	2	2	...	2	2	...	-	-	...	-	-	...
85-89 years	1	1	...	1	1	...	-	-	...	-	-	...
90-94 years	2	2	...	1	1	...	1	1	...	1	1	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Testis (D40.1)												
All ages	2	2	...	2	2	...	-	-	...	-	-	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	1	1	...	1	1	...	-	-	...	-	-	...
40-44 years	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years	1	1	...	1	1	...	-	-	...	-	-	...
85-89 years	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...
Neoplasm of uncertain or unknown behavior of urinary organs (D41)												
All ages	161	71	90	146	64	82	15	7	8	14	6	8
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	3	1	2	3	1	2	-	-	-	-	-	-
50-54 years	3	-	3	3	-	3	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	6	4	2	4	3	1	2	1	1	2	1	1
65-69 years	7	5	2	6	4	2	1	1	-	1	1	-
70-74 years	13	8	5	11	8	3	2	-	2	2	-	2
75-79 years	11	7	4	11	7	4	-	-	-	-	-	-
80-84 years	28	13	15	25	11	14	3	2	1	3	2	1
85-89 years	39	15	24	36	14	22	3	1	2	3	1	2
90-94 years	31	13	18	29	12	17	2	1	1	2	1	1
95-99 years	17	3	14	16	3	13	1	-	1	1	-	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Kidney (D41.0)												
All ages	62	27	35	55	23	32	7	4	3	6	3	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	3	2	1	2	1	1	1	1	-	1	1	-
70-74 years	6	3	3	5	3	2	1	-	1	1	-	1
75-79 years	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years	16	6	10	14	4	10	2	2	-	2	2	-
85-89 years	14	6	8	13	6	7	1	-	1	1	-	1
90-94 years	6	3	3	6	3	3	-	-	-	-	-	-
95-99 years	6	1	5	5	1	4	1	-	1	1	-	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Renal pelvis (D41.1)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Ureter (D41.2)												
All ages	4	2	2	3	1	2	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Bladder (D41.4)												
All ages	90	40	50	83	38	45	7	2	5	7	2	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	1	1	1	1	-	1	-	1	1	-	1
65-69 years	4	3	1	4	3	1	-	-	-	-	-	-
70-74 years	7	5	2	6	5	1	1	-	1	1	-	1
75-79 years	7	5	2	7	5	2	-	-	-	-	-	-
80-84 years	11	6	5	10	6	4	1	-	1	1	-	1
85-89 years	23	8	15	21	7	14	2	1	1	2	1	1
90-94 years	24	10	14	22	9	13	2	1	1	2	1	1
95-99 years	9	2	7	9	2	7	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Urinary organ, unspecified (D41.9)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Neoplasm of uncertain or unknown behavior of meninges (D42)												
All ages	6	2	4	6	2	4	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cerebral meninges (D42.0)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Spinal meninges (D42.1)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Meninges, unspecified (D42.9)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Neoplasm of uncertain or unknown behavior of brain and central nervous system (D43)												
All ages	2,988	1,394	1,594	2,640	1,240	1,400	348	154	194	290	128	162
Under 1 year	13	8	5	9	6	3	4	2	2	3	1	2
1-4 years	40	20	20	33	15	18	7	5	2	3	3	-
5-9 years	35	16	19	24	10	14	11	6	5	10	5	5
10-14 years	35	17	18	25	13	12	10	4	6	9	3	6
15-19 years	20	8	12	14	5	9	6	3	3	5	3	2
20-24 years	22	13	9	16	10	6	6	3	3	4	3	1
25-29 years	24	11	13	24	11	13	-	-	-	-	-	-
30-34 years	41	21	20	33	17	16	8	4	4	6	4	2
35-39 years	77	38	39	61	30	31	16	8	8	13	7	6
40-44 years	95	57	38	75	49	26	20	8	12	16	7	9
45-49 years	122	74	48	107	65	42	15	9	6	11	6	5
50-54 years	160	87	73	140	80	60	20	7	13	18	6	12
55-59 years	185	100	85	164	89	75	21	11	10	18	9	9
60-64 years	207	108	99	186	99	87	21	9	12	20	8	12
65-69 years	250	136	114	220	121	99	30	15	15	24	13	11
70-74 years	351	170	181	314	157	157	37	13	24	33	13	20
75-79 years	399	175	224	370	161	209	29	14	15	24	12	12
80-84 years	403	172	231	367	157	210	36	15	21	33	14	19
85-89 years	322	109	213	292	97	195	30	12	18	23	8	15
90-94 years	143	44	99	127	40	87	16	4	12	13	2	11
95-99 years	39	8	31	35	7	28	4	1	3	3	-	3
100 yrs & over	5	2	3	4	1	3	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Brain, supratentorial (D43.0)												
All ages	155	70	85	141	65	76	14	5	9	13	5	8
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	2	-	2	1	-	1	1	-	1	1	-	1
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	6	3	3	5	3	2	1	-	1	1	-	1
45-49 years	6	3	3	4	2	2	2	1	1	1	1	-
50-54 years	9	4	5	8	4	4	1	-	1	1	-	1
55-59 years	8	5	3	8	5	3	-	-	-	-	-	-
60-64 years	10	4	6	9	3	6	1	1	-	1	1	-
65-69 years	10	5	5	8	5	3	2	-	2	2	-	2
70-74 years	20	10	10	19	9	10	1	1	-	1	1	-
75-79 years	24	12	12	23	11	12	1	1	-	1	1	-
80-84 years	19	9	10	18	9	9	1	-	1	1	-	1
85-89 years	20	8	12	20	8	12	-	-	-	-	-	-
90-94 years	12	3	9	11	3	8	1	-	1	1	-	1
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Brain, infratentorial (D43.1)												
All ages	115	62	53	98	56	42	17	6	11	15	4	11
Under 1 year	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years	10	3	7	8	3	5	2	-	2	2	-	2
10-14 years	3	1	2	2	1	1	1	-	1	1	-	1
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	3	3	-	3	3	-	-	-	-	-	-	-
25-29 years	2	-	2	2	-	2	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	5	4	1	4	4	-	1	-	1	1	-	1
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	4	3	1	3	2	1	1	1	-	1	1	-
55-59 years	9	5	4	8	4	4	1	1	-	1	1	-
60-64 years	14	8	6	11	7	4	3	1	2	3	1	2
65-69 years	11	8	3	9	7	2	2	1	1	1	-	1
70-74 years	11	7	4	10	7	3	1	-	1	1	-	1
75-79 years	10	3	7	9	3	6	1	-	1	1	-	1
80-84 years	7	5	2	6	4	2	1	1	-	1	1	-
85-89 years	13	4	9	11	3	8	2	1	1	1	-	1
90-94 years	4	2	2	4	2	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Brain, unspecified (D43.2)												
All ages	2,666	1,237	1,429	2,353	1,097	1,256	313	140	173	260	117	143
Under 1 year	11	6	5	7	4	3	4	2	2	3	1	2
1-4 years	35	19	16	28	14	14	7	5	2	3	3	-
5-9 years	23	13	10	15	7	8	8	6	2	7	5	2
10-14 years	30	16	14	22	12	10	8	4	4	7	3	4
15-19 years	18	7	11	14	5	9	4	2	2	3	2	1
20-24 years	18	9	9	12	6	6	6	3	3	4	3	1
25-29 years	20	10	10	20	10	10	-	-	-	-	-	-
30-34 years	39	19	20	31	15	16	8	4	4	6	4	2
35-39 years	71	36	35	55	28	27	16	8	8	13	7	6
40-44 years	82	48	34	64	40	24	18	8	10	14	7	7
45-49 years	113	69	44	100	61	39	13	8	5	10	5	5
50-54 years	144	78	66	126	72	54	18	6	12	16	5	11
55-59 years	165	88	77	145	78	67	20	10	10	17	8	9
60-64 years	182	95	87	165	88	77	17	7	10	16	6	10
65-69 years	225	119	106	200	106	94	25	13	12	20	12	8
70-74 years	318	153	165	283	141	142	35	12	23	31	12	19
75-79 years	358	155	203	332	142	190	26	13	13	22	11	11
80-84 years	369	155	214	336	142	194	33	13	20	30	12	18
85-89 years	281	95	186	254	85	169	27	10	17	22	8	14
90-94 years	124	37	87	109	33	76	15	4	11	12	2	10
95-99 years	36	8	28	32	7	25	4	1	3	3	-	3
100 yrs & over	4	2	2	3	1	2	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cranial nerves (D43.3)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Spinal cord (D43.4)												
All ages	22	14	8	19	12	7	3	2	1	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	5	4	1	4	4	-	1	-	1	-	-	-
80-84 years	4	3	1	3	2	1	1	1	-	1	1	-
85-89 years	2	1	1	1	-	1	1	1	-	-	-	-
90-94 years	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Central nervous system, unspecified (D43.9)												
All ages	29	11	18	28	10	18	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	-	2	2	-	2	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	4	4	-	3	3	-	1	1	-	1	1	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	4	-	4	4	-	4	-	-	-	-	-	-
85-89 years	6	1	5	6	1	5	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Neoplasm of uncertain or unknown behavior of endocrine glands (D44)												
All ages	192	91	101	158	72	86	34	19	15	27	16	11
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years	2	2	-	1	1	-	1	1	-	1	1	-
15-19 years	5	3	2	2	-	2	3	3	-	2	2	-
20-24 years	3	-	3	1	-	1	2	-	2	1	-	1
25-29 years	5	4	1	5	4	1	-	-	-	-	-	-
30-34 years	2	1	1	1	-	1	1	1	-	1	1	-
35-39 years	5	3	2	4	2	2	1	1	-	1	1	-
40-44 years	9	4	5	8	4	4	1	-	1	-	-	-
45-49 years	14	9	5	12	7	5	2	2	-	1	1	-
50-54 years	11	5	6	9	4	5	2	1	1	2	1	1
55-59 years	18	5	13	15	4	11	3	1	2	2	-	2
60-64 years	11	9	2	10	8	2	1	1	-	1	1	-
65-69 years	12	5	7	12	5	7	-	-	-	-	-	-
70-74 years	26	15	11	21	12	9	5	3	2	4	3	1
75-79 years	22	9	13	20	8	12	2	1	1	2	1	1
80-84 years	22	8	14	17	6	11	5	2	3	5	2	3
85-89 years	15	6	9	11	4	7	4	2	2	3	2	1
90-94 years	6	1	5	6	1	5	-	-	-	-	-	-
95-99 years	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Thyroid gland (D44.0)												
All ages	6	1	5	6	1	5	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Adrenal gland (D44.1)												
All ages	11	4	7	10	4	6	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pituitary gland (D44.3)												
All ages	92	44	48	72	34	38	20	10	10	16	8	8
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	4	2	2	4	2	2	-	-	-	-	-	-
45-49 years	4	2	2	3	1	2	1	1	-	-	-	-
50-54 years	2	-	2	1	-	1	1	-	1	1	-	1
55-59 years	8	2	6	5	1	4	3	1	2	2	-	2
60-64 years	7	6	1	6	5	1	1	1	-	1	1	-
65-69 years	6	3	3	6	3	3	-	-	-	-	-	-
70-74 years	15	8	7	11	6	5	4	2	2	3	2	1
75-79 years	14	8	6	12	7	5	2	1	1	2	1	1
80-84 years	14	5	9	9	3	6	5	2	3	5	2	3
85-89 years	11	6	5	8	4	4	3	2	1	2	2	-
90-94 years	5	1	4	5	1	4	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Craniopharyngeal duct (D44.4)												
All ages	55	29	26	44	21	23	11	8	3	8	7	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	5	3	2	2	-	2	3	3	-	2	2	-
20-24 years	3	-	3	1	-	1	2	-	2	1	-	1
25-29 years	4	3	1	4	3	1	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	4	3	1	3	2	1	1	1	-	1	1	-
40-44 years	2	-	2	1	-	1	1	-	1	-	-	-
45-49 years	5	4	1	4	3	1	1	1	-	1	1	-
50-54 years	5	4	1	4	3	1	1	1	-	1	1	-
55-59 years	6	2	4	6	2	4	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	5	1	4	5	1	4	-	-	-	-	-	-
70-74 years	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years	4	-	4	4	-	4	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pineal gland (D44.5)												
All ages	7	4	3	6	4	2	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Carotid body (D44.6)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Aortic body and other paraganglia (D44.7)												
All ages	11	3	8	11	3	8	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pluriglandular involvement (D44.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Endocrine gland, unspecified (D44.9)												
All ages	6	4	2	5	3	2	1	1	-	1	1	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Polycythemia vera (D45)												
All ages	344	149	195	329	143	186	15	6	9	11	5	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years	4	2	2	4	2	2	-	-	-	-	-	-
45-49 years	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years	5	5	-	4	4	-	1	1	-	1	1	-
55-59 years	16	6	10	13	6	7	3	-	3	1	-	1
60-64 years	17	9	8	16	9	7	1	-	1	1	-	1
65-69 years	36	14	22	34	13	21	2	1	1	2	1	1
70-74 years	38	18	20	37	17	20	1	1	-	1	1	-
75-79 years	52	26	26	52	26	26	-	-	-	-	-	-
80-84 years	70	32	38	68	31	37	2	1	1	2	1	1
85-89 years	51	23	28	49	21	28	2	2	-	1	1	-
90-94 years	39	7	32	36	7	29	3	-	3	2	-	2
95-99 years	8	1	7	8	1	7	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Myelodysplastic syndromes (D46)												
All ages	4,764	2,679	2,085	4,430	2,519	1,911	334	160	174	253	113	140
Under 1 year	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	4	2	2	3	2	1	1	-	1	1	-	1
10-14 years	6	1	5	5	-	5	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	1	1	1	1	-	1	-	1	1	-	1
25-29 years	4	2	2	2	1	1	2	1	1	1	-	1
30-34 years	9	5	4	6	4	2	3	1	2	2	1	1
35-39 years	16	10	6	14	10	4	2	-	2	1	-	1
40-44 years	29	12	17	23	8	15	6	4	2	5	4	1
45-49 years	38	25	13	33	22	11	5	3	2	2	1	1
50-54 years	72	38	34	66	37	29	6	1	5	5	1	4
55-59 years	122	64	58	116	61	55	6	3	3	6	3	3
60-64 years	178	112	66	159	98	61	19	14	5	13	10	3
65-69 years	321	212	109	304	202	102	17	10	7	14	9	5
70-74 years	586	381	205	534	356	178	52	25	27	38	19	19
75-79 years	879	555	324	820	521	299	59	34	25	43	20	23
80-84 years	1,012	567	445	958	542	416	54	25	29	44	19	25
85-89 years	873	435	438	816	406	410	57	29	28	40	18	22
90-94 years	460	200	260	434	193	241	26	7	19	22	5	17
95-99 years	130	52	78	118	50	68	12	2	10	10	2	8
100 yrs & over	20	2	18	15	2	13	5	-	5	4	-	4
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Refractory anemia with sideroblasts (D46.1)												
All ages	4	2	2	3	1	2	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	-	-	-	1	1	-	1	1	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Refractory anemia with excess of blasts (D46.2)												
All ages	18	10	8	17	10	7	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	5	3	2	5	3	2	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	-	-	-
75-79 years	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Refractory anemia with excess of blasts with transformation (D46.3)												
All ages	7	3	4	7	3	4	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Refractory anemia, unspecified (D46.4)												
All ages	218	115	103	206	111	95	12	4	8	9	2	7
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	9	4	5	8	4	4	1	-	1	1	-	1
55-59 years	6	5	1	6	5	1	-	-	-	-	-	-
60-64 years	8	6	2	8	6	2	-	-	-	-	-	-
65-69 years	16	15	1	15	14	1	1	1	-	-	-	-
70-74 years	24	11	13	23	11	12	1	-	1	-	-	-
75-79 years	36	20	16	35	19	16	1	1	-	-	-	-
80-84 years	51	25	26	48	24	24	3	1	2	3	1	2
85-89 years	39	19	20	37	19	18	2	-	2	2	-	2
90-94 years	17	7	10	16	7	9	1	-	1	1	-	1
95-99 years	8	1	7	8	1	7	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other myelodysplastic syndromes (D46.7)												
All ages	13	3	10	12	2	10	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Myelodysplastic syndrome, unspecified (D46.9)												
All ages	4,504	2,546	1,958	4,185	2,392	1,793	319	154	165	242	109	133
Under 1 year	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	4	2	2	3	2	1	1	-	1	1	-	1
10-14 years	5	1	4	4	-	4	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	1	1	1	1	-	1	-	1	1	-	1
25-29 years	4	2	2	2	1	1	2	1	1	1	-	1
30-34 years	9	5	4	6	4	2	3	1	2	2	1	1
35-39 years	15	10	5	14	10	4	1	-	1	-	-	-
40-44 years	26	10	16	21	7	14	5	3	2	4	3	1
45-49 years	37	25	12	32	22	10	5	3	2	2	1	1
50-54 years	61	33	28	56	32	24	5	1	4	4	1	3
55-59 years	110	55	55	104	52	52	6	3	3	6	3	3
60-64 years	166	102	64	147	88	59	19	14	5	13	10	3
65-69 years	302	195	107	287	187	100	15	8	7	13	8	5
70-74 years	559	370	189	509	345	164	50	25	25	38	19	19
75-79 years	837	533	304	779	500	279	58	33	25	43	20	23
80-84 years	953	539	414	902	515	387	51	24	27	41	18	23
85-89 years	827	415	412	772	386	386	55	29	26	38	18	20
90-94 years	442	192	250	418	186	232	24	6	18	20	4	16
95-99 years	122	51	71	110	49	61	12	2	10	10	2	8
100 yrs & over	20	2	18	15	2	13	5	-	5	4	-	4
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other neoplasms of uncertain or unknown behavior of lymphoid, hematopoietic, and related tissue (D47)												
All ages	1,665	857	808	1,540	789	751	125	68	57	102	56	46
Under 1 year	3	2	1	3	2	1	-	-	-	-	-	-
1-4 years	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years	3	2	1	3	2	1	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	5	2	3	5	2	3	-	-	-	-	-	-
40-44 years	9	6	3	6	5	1	3	1	2	3	1	2
45-49 years	19	9	10	15	6	9	4	3	1	4	3	1
50-54 years	18	7	11	12	4	8	6	3	3	5	2	3
55-59 years	40	22	18	37	20	17	3	2	1	3	2	1
60-64 years	83	48	35	71	42	29	12	6	6	9	5	4
65-69 years	116	61	55	108	57	51	8	4	4	8	4	4
70-74 years	211	124	87	196	115	81	15	9	6	12	7	5
75-79 years	331	197	134	307	182	125	24	15	9	20	12	8
80-84 years	363	173	190	339	162	177	24	11	13	19	9	10
85-89 years	268	121	147	257	115	142	11	6	5	6	4	2
90-94 years	143	60	83	133	55	78	10	5	5	8	4	4
95-99 years	38	13	25	35	11	24	3	2	1	3	2	1
100 yrs & over	8	6	2	6	5	1	2	1	1	2	1	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chronic myeloproliferative disease (D47.1)												
All ages	1,483	769	714	1,376	712	664	107	57	50	88	46	42
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	4	1	3	4	1	3	-	-	-	-	-	-
40-44 years	5	4	1	4	4	-	1	-	1	1	-	1
45-49 years	18	9	9	14	6	8	4	3	1	4	3	1
50-54 years	16	7	9	10	4	6	6	3	3	5	2	3
55-59 years	37	21	16	34	19	15	3	2	1	3	2	1
60-64 years	79	46	33	68	40	28	11	6	5	8	5	3
65-69 years	104	55	49	97	51	46	7	4	3	7	4	3
70-74 years	194	117	77	182	109	73	12	8	4	10	6	4
75-79 years	304	180	124	283	167	116	21	13	8	18	10	8
80-84 years	323	154	169	302	145	157	21	9	12	17	7	10
85-89 years	226	102	124	218	99	119	8	3	5	4	2	2
90-94 years	128	55	73	118	50	68	10	5	5	8	4	4
95-99 years	34	11	23	32	10	22	2	1	1	2	1	1
100 yrs & over	7	5	2	6	5	1	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Monoclonal gammopathy (D47.2)												
All ages	58	30	28	51	24	27	7	6	1	6	6	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	3	-	3	3	-	3	-	-	-	-	-	-
70-74 years	4	3	1	3	2	1	1	1	-	1	1	-
75-79 years	4	3	1	4	3	1	-	-	-	-	-	-
80-84 years	17	7	10	14	5	9	3	2	1	2	2	-
85-89 years	16	10	6	14	8	6	2	2	-	2	2	-
90-94 years	10	4	6	10	4	6	-	-	-	-	-	-
95-99 years	3	2	1	2	1	1	1	1	-	1	1	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Essential (hemorrhagic) thrombocythemia (D47.3)												
All ages	10	4	6	10	4	6	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	6	2	4	6	2	4	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified neoplasms of uncertain or unknown behavior of lymphoid, hematopoietic, and related tissue (D47.7)												
All ages	7	2	5	7	2	5	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Neoplasm of uncertain or unknown behavior of lymphoid, hematopoietic, and related tissue, unspecified (D47.9)												
All ages	107	52	55	96	47	49	11	5	6	8	4	4
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	3	1	2	1	-	1	2	1	1	2	1	1
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	3	1	2	2	1	1	1	-	1	1	-	1
65-69 years	8	5	3	7	5	2	1	-	1	1	-	1
70-74 years	11	4	7	9	4	5	2	-	2	1	-	1
75-79 years	22	13	9	19	11	8	3	2	1	2	2	-
80-84 years	19	12	7	19	12	7	-	-	-	-	-	-
85-89 years	19	6	13	18	5	13	1	1	-	-	-	-
90-94 years	5	1	4	5	1	4	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	1	1	-	-	-	-	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Neoplasm of uncertain or unknown behavior of other and unspecified sites (D48)												
All ages	620	229	391	549	201	348	71	28	43	54	22	32
Under 1 year	14	5	9	12	4	8	2	1	1	1	1	-
1-4 years	4	3	1	4	3	1	-	-	-	-	-	-
5-9 years	6	3	3	5	3	2	1	-	1	1	-	1
10-14 years	3	3	-	3	3	-	-	-	-	-	-	-
15-19 years	6	4	2	3	3	-	3	1	2	3	1	2
20-24 years	13	8	5	11	6	5	2	2	-	1	1	-
25-29 years	9	7	2	8	6	2	1	1	-	1	1	-
30-34 years	10	4	6	8	3	5	2	1	1	-	-	-
35-39 years	11	6	5	9	5	4	2	1	1	1	-	1
40-44 years	10	6	4	9	5	4	1	1	-	1	1	-
45-49 years	25	15	10	23	14	9	2	1	1	2	1	1
50-54 years	32	16	16	27	13	14	5	3	2	3	2	1
55-59 years	34	12	22	28	10	18	6	2	4	5	2	3
60-64 years	28	11	17	25	11	14	3	-	3	2	-	2
65-69 years	45	24	21	36	20	16	9	4	5	8	4	4
70-74 years	55	23	32	42	17	25	13	6	7	11	5	6
75-79 years	68	28	40	62	25	37	6	3	3	5	3	2
80-84 years	81	27	54	75	27	48	6	-	6	4	-	4
85-89 years	77	16	61	74	15	59	3	1	2	2	-	2
90-94 years	55	5	50	52	5	47	3	-	3	2	-	2
95-99 years	29	3	26	28	3	25	1	-	1	1	-	1
100 yrs & over	5	-	5	5	-	5	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Bone and articular cartilage (D48.0)												
All ages	38	18	20	34	16	18	4	2	2	2	1	1
Under 1 year	7	2	5	7	2	5	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	1	1	-	-	-	2	1	1	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	2	1	1	1	-	1	1	1	-	1	1	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	5	3	2	5	3	2	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years	4	3	1	4	3	1	-	-	-	-	-	-
85-89 years	5	1	4	5	1	4	-	-	-	-	-	-
90-94 years	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Connective and other soft tissue (D48.1)												
All ages	54	27	27	47	23	24	7	4	3	4	2	2
Under 1 year	1	-	1	-	-	-	1	-	1	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	3	2	1	2	1	1	1	1	-	-	-	-
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	4	2	2	4	2	2	-	-	-	-	-	-
40-44 years	3	2	1	2	1	1	1	1	-	1	1	-
45-49 years	8	4	4	8	4	4	-	-	-	-	-	-
50-54 years	8	5	3	6	3	3	2	2	-	1	1	-
55-59 years	6	2	4	6	2	4	-	-	-	-	-	-
60-64 years	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years	4	2	2	3	2	1	1	-	1	1	-	1
70-74 years	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Peripheral nerves and autonomic nervous system (D48.2)												
All ages	5	4	1	4	3	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Retroperitoneum (D48.3)												
All ages	10	3	7	9	3	6	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	4	-	4	3	-	3	1	-	1	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Peritoneum (D48.4)												
All ages	12	3	9	11	2	9	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	3	-	3	3	-	3	-	-	-	-	-	-
70-74 years	3	1	2	2	-	2	1	1	-	1	1	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Skin (D48.5)												
All ages	4	-	4	3	-	3	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Breast (D48.6)												
All ages	23	-	23	20	-	20	3	-	3	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	4	-	4	3	-	3	1	-	1	-	-	-
55-59 years	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	4	-	4	4	-	4	-	-	-	-	-	-
80-84 years	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years	4	-	4	4	-	4	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified sites (D48.7)												
All ages	264	83	181	233	73	160	31	10	21	27	8	19
Under 1 year	4	2	2	3	1	2	1	1	-	1	1	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	-	-	-	2	1	1	2	1	1
20-24 years	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years	2	2	-	1	1	-	1	1	-	1	1	-
30-34 years	3	1	2	3	1	2	-	-	-	-	-	-
35-39 years	3	2	1	2	2	-	1	-	1	1	-	1
40-44 years	4	2	2	4	2	2	-	-	-	-	-	-
45-49 years	5	3	2	5	3	2	-	-	-	-	-	-
50-54 years	7	2	5	6	2	4	1	-	1	1	-	1
55-59 years	9	4	5	7	4	3	2	-	2	1	-	1
60-64 years	10	4	6	8	4	4	2	-	2	2	-	2
65-69 years	17	11	6	12	8	4	5	3	2	5	3	2
70-74 years	22	7	15	16	6	10	6	1	5	5	-	5
75-79 years	30	12	18	27	10	17	3	2	1	3	2	1
80-84 years	44	13	31	41	13	28	3	-	3	2	-	2
85-89 years	39	9	30	37	8	29	2	1	1	1	-	1
90-94 years	31	2	29	30	2	28	1	-	1	1	-	1
95-99 years	23	3	20	22	3	19	1	-	1	1	-	1
100 yrs & over	5	-	5	5	-	5	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Neoplasms of uncertain or unknown behavior, unspecified (D48.9)												
All ages	210	91	119	188	81	107	22	10	12	17	9	8
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years	4	1	3	3	1	2	1	-	1	1	-	1
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years	7	4	3	6	3	3	1	1	-	1	1	-
25-29 years	5	4	1	5	4	1	-	-	-	-	-	-
30-34 years	4	2	2	4	2	2	-	-	-	-	-	-
35-39 years	3	1	2	2	-	2	1	1	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	8	5	3	8	5	3	-	-	-	-	-	-
50-54 years	11	7	4	10	6	4	1	1	-	1	1	-
55-59 years	12	3	9	9	2	7	3	1	2	3	1	2
60-64 years	11	5	6	10	5	5	1	-	1	-	-	-
65-69 years	15	8	7	13	7	6	2	1	1	1	1	-
70-74 years	25	13	12	19	9	10	6	4	2	5	4	1
75-79 years	23	13	10	21	12	9	2	1	1	2	1	1
80-84 years	24	8	16	22	8	14	2	-	2	1	-	1
85-89 years	26	6	20	25	6	19	1	-	1	1	-	1
90-94 years	18	3	15	17	3	14	1	-	1	1	-	1
95-99 years	4	-	4	4	-	4	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Iron deficiency anemia (D50)												
All ages	130	46	84	117	42	75	13	4	9	11	3	8
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	-	3	1	-	1	2	-	2	2	-	2
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years	2	1	1	-	-	-	2	1	1	2	1	1
65-69 years	5	5	-	3	3	-	2	2	-	1	1	-
70-74 years	6	2	4	6	2	4	-	-	-	-	-	-
75-79 years	21	8	13	19	8	11	2	-	2	2	-	2
80-84 years	23	12	11	22	12	10	1	-	1	1	-	1
85-89 years	28	9	19	25	9	16	3	-	3	2	-	2
90-94 years	21	5	16	21	5	16	-	-	-	-	-	-
95-99 years	11	1	10	11	1	10	-	-	-	-	-	-
100 yrs & over	7	-	7	7	-	7	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Iron deficiency anemia secondary to blood loss (chronic) (D50.0)												
All ages	69	27	42	61	26	35	8	1	7	8	1	7
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	-	3	1	-	1	2	-	2	2	-	2
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	2	1	1	-	-	-	2	1	1	2	1	1
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	13	6	7	11	6	5	2	-	2	2	-	2
80-84 years	12	8	4	11	8	3	1	-	1	1	-	1
85-89 years	13	3	10	12	3	9	1	-	1	1	-	1
90-94 years	12	4	8	12	4	8	-	-	-	-	-	-
95-99 years	5	1	4	5	1	4	-	-	-	-	-	-
100 yrs & over	3	-	3	3	-	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other iron deficiency anemias (D50.8)												
All ages	10	4	6	10	4	6	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Iron deficiency anemia, unspecified (D50.9)												
All ages	51	15	36	46	12	34	5	3	2	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	3	3	-	1	1	-	2	2	-	1	1	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	6	1	5	6	1	5	-	-	-	-	-	-
80-84 years	10	4	6	10	4	6	-	-	-	-	-	-
85-89 years	13	4	9	11	4	7	2	-	2	1	-	1
90-94 years	8	1	7	8	1	7	-	-	-	-	-	-
95-99 years	5	-	5	5	-	5	-	-	-	-	-	-
100 yrs & over	3	-	3	3	-	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Vitamin B-12 deficiency anemia (D51)												
All ages	73	27	46	67	25	42	6	2	4	5	2	3
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years	7	3	4	7	3	4	-	-	-	-	-	-
80-84 years	11	7	4	9	5	4	2	2	-	2	2	-
85-89 years	13	7	6	12	7	5	1	-	1	1	-	1
90-94 years	14	1	13	14	1	13	-	-	-	-	-	-
95-99 years	16	3	13	14	3	11	2	-	2	1	-	1
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Vitamin B-12 deficiency anemia due to intrinsic factor deficiency (D51.0)												
All ages	73	27	46	67	25	42	6	2	4	5	2	3
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years	7	3	4	7	3	4	-	-	-	-	-	-
80-84 years	11	7	4	9	5	4	2	2	-	2	2	-
85-89 years	13	7	6	12	7	5	1	-	1	1	-	1
90-94 years	14	1	13	14	1	13	-	-	-	-	-	-
95-99 years	16	3	13	14	3	11	2	-	2	1	-	1
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Folate deficiency anemia (D52)												
All ages	8	6	2	5	4	1	3	2	1	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	-	-	-	1	-	1	-	-	-
85-89 years	3	2	1	2	1	1	1	1	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Folate deficiency anemia, unspecified (D52.9)												
All ages	8	6	2	5	4	1	3	2	1	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	-	-	-	1	-	1	-	-	-
85-89 years	3	2	1	2	1	1	1	1	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other nutritional anemias (D53)												
All ages	71	20	51	57	14	43	14	6	8	14	6	8
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	2	1	1	1	1	-	1	-	1	1	-	1
60-64 years	2	-	2	1	-	1	1	-	1	1	-	1
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	6	2	4	5	1	4	1	1	-	1	1	-
75-79 years	8	3	5	4	-	4	4	3	1	4	3	1
80-84 years	8	1	7	7	-	7	1	1	-	1	1	-
85-89 years	18	5	13	13	4	9	5	1	4	5	1	4
90-94 years	15	3	12	15	3	12	-	-	-	-	-	-
95-99 years	6	1	5	6	1	5	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Protein deficiency anemia (D53.0)												
All ages	22	7	15	15	5	10	7	2	5	7	2	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	2	1	1	1	1	-	1	-	1	1	-	1
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	4	2	2	2	-	2	2	2	-	2	2	-
80-84 years	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years	7	2	5	4	2	2	3	-	3	3	-	3
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other megaloblastic anemias, not elsewhere classified (D53.1)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified nutritional anemias (D53.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Nutritional anemia, unspecified (D53.9)												
All ages	45	11	34	38	7	31	7	4	3	7	4	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	-	2	1	-	1	1	-	1	1	-	1
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	4	1	3	3	-	3	1	1	-	1	1	-
75-79 years	4	1	3	2	-	2	2	1	1	2	1	1
80-84 years	5	1	4	4	-	4	1	1	-	1	1	-
85-89 years	9	3	6	7	2	5	2	1	1	2	1	1
90-94 years	14	2	12	14	2	12	-	-	-	-	-	-
95-99 years	4	-	4	4	-	4	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Anemia due to enzyme disorders (D55)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Anemia due to glucose-6-phosphate dehydrogenase [G6PD] deficiency (D55.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Thalassemia (D56)												
All ages	21	5	16	8	2	6	13	3	10	7	1	6
Under 1 year	5	3	2	1	1	-	4	2	2	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	1	1	-	-	-	2	1	1	2	1	1
25-29 years	2	-	2	-	-	-	2	-	2	2	-	2
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	4	-	4	3	-	3	1	-	1	1	-	1
90-94 years	2	-	2	1	-	1	1	-	1	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Alpha thalassemia (D56.0)												
All ages	4	2	2	-	-	-	4	2	2	-	-	-
Under 1 year	4	2	2	-	-	-	4	2	2	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Beta thalassemia (D56.1)												
All ages	7	2	5	2	1	1	5	1	4	4	1	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	1	1	-	-	-	2	1	1	2	1	1
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Thalassemia trait (D56.3)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other thalassemias (D56.8)												
All ages	2	-	2	-	-	-	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Thalassemia, unspecified (D56.9)												
All ages	7	1	6	5	1	4	2	-	2	1	-	1
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	3	-	3	2	-	2	1	-	1	1	-	1
90-94 years	2	-	2	1	-	1	1	-	1	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Sickle-cell disorders (D57)												
All ages	475	245	230	19	11	8	456	234	222	456	234	222
Under 1 year	2	1	1	-	-	-	2	1	1	2	1	1
1-4 years	9	6	3	1	-	1	8	6	2	8	6	2
5-9 years	9	3	6	-	-	-	9	3	6	9	3	6
10-14 years	10	3	7	-	-	-	10	3	7	10	3	7
15-19 years	22	16	6	1	1	-	21	15	6	21	15	6
20-24 years	38	22	16	2	1	1	36	21	15	36	21	15
25-29 years	43	27	16	2	2	-	41	25	16	41	25	16
30-34 years	68	42	26	9	5	4	59	37	22	59	37	22
35-39 years	54	26	28	2	1	1	52	25	27	52	25	27
40-44 years	74	29	45	-	-	-	74	29	45	74	29	45
45-49 years	60	34	26	-	-	-	60	34	26	60	34	26
50-54 years	36	17	19	-	-	-	36	17	19	36	17	19
55-59 years	24	10	14	-	-	-	24	10	14	24	10	14
60-64 years	7	2	5	-	-	-	7	2	5	7	2	5
65-69 years	6	2	4	-	-	-	6	2	4	6	2	4
70-74 years	7	3	4	-	-	-	7	3	4	7	3	4
75-79 years	3	1	2	1	-	1	2	1	1	2	1	1
80-84 years	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	2	1	1	1	1	-	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sickle-cell anemia with crisis (D57.0)												
All ages	93	48	45	1	1	-	92	47	45	92	47	45
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	2	-	-	-	-	2	2	-	2	2	-
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	6	4	2	-	-	-	6	4	2	6	4	2
20-24 years	14	7	7	-	-	-	14	7	7	14	7	7
25-29 years	9	6	3	-	-	-	9	6	3	9	6	3
30-34 years	6	5	1	1	1	-	5	4	1	5	4	1
35-39 years	13	7	6	-	-	-	13	7	6	13	7	6
40-44 years	19	5	14	-	-	-	19	5	14	19	5	14
45-49 years	9	5	4	-	-	-	9	5	4	9	5	4
50-54 years	7	3	4	-	-	-	7	3	4	7	3	4
55-59 years	4	2	2	-	-	-	4	2	2	4	2	2
60-64 years	2	-	2	-	-	-	2	-	2	2	-	2
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Sickle-cell anemia without crisis (D57.1)												
All ages	378	195	183	18	10	8	360	185	175	360	185	175
Under 1 year	2	1	1	-	-	-	2	1	1	2	1	1
1-4 years	7	4	3	1	-	1	6	4	2	6	4	2
5-9 years	8	2	6	-	-	-	8	2	6	8	2	6
10-14 years	9	3	6	-	-	-	9	3	6	9	3	6
15-19 years	16	12	4	1	1	-	15	11	4	15	11	4
20-24 years	24	15	9	2	1	1	22	14	8	22	14	8
25-29 years	33	20	13	2	2	-	31	18	13	31	18	13
30-34 years	62	37	25	8	4	4	54	33	21	54	33	21
35-39 years	41	19	22	2	1	1	39	18	21	39	18	21
40-44 years	55	24	31	-	-	-	55	24	31	55	24	31
45-49 years	51	29	22	-	-	-	51	29	22	51	29	22
50-54 years	28	14	14	-	-	-	28	14	14	28	14	14
55-59 years	19	7	12	-	-	-	19	7	12	19	7	12
60-64 years	5	2	3	-	-	-	5	2	3	5	2	3
65-69 years	6	2	4	-	-	-	6	2	4	6	2	4
70-74 years	6	2	4	-	-	-	6	2	4	6	2	4
75-79 years	3	1	2	1	-	1	2	1	1	2	1	1
80-84 years	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	2	1	1	1	1	-	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Double heterozygous sickling disorders (D57.2)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Sickle-cell trait (D57.3)												
All ages	3	1	2	-	-	-	3	1	2	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other hereditary hemolytic anemias (D58)												
All ages	147	62	85	124	53	71	23	9	14	18	9	9
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	2	1	1	1	1	-	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	-	-	-	2	2	-	2	2	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	2	-	2	1	-	1	1	-	1	-	-	-
45-49 years	4	2	2	1	1	-	3	1	2	3	1	2
50-54 years	8	2	6	5	1	4	3	1	2	3	1	2
55-59 years	8	5	3	6	4	2	2	1	1	2	1	1
60-64 years	7	2	5	6	1	5	1	1	-	1	1	-
65-69 years	9	4	5	8	3	5	1	1	-	1	1	-
70-74 years	6	2	4	5	2	3	1	-	1	1	-	1
75-79 years	24	10	14	23	10	13	1	-	1	-	-	-
80-84 years	29	16	13	27	15	12	2	1	1	1	1	-
85-89 years	20	9	11	19	9	10	1	-	1	1	-	1
90-94 years	16	4	12	15	4	11	1	-	1	-	-	-
95-99 years	4	-	4	3	-	3	1	-	1	-	-	-
100 yrs & over	2	1	1	1	-	1	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hereditary spherocytosis (D58.0)												
All ages	6	3	3	5	3	2	1	-	1	1	-	1
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other hemoglobinopathies (D58.2)												
All ages	4	1	3	1	-	1	3	1	2	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified hereditary hemolytic anemias (D58.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hereditary hemolytic anemia, unspecified (D58.9)												
All ages	136	58	78	117	50	67	19	8	11	14	8	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	2	-	2	1	-	1	1	-	1	-	-	-
45-49 years	3	2	1	1	1	-	2	1	1	2	1	1
50-54 years	7	2	5	4	1	3	3	1	2	3	1	2
55-59 years	8	5	3	6	4	2	2	1	1	2	1	1
60-64 years	6	2	4	5	1	4	1	1	-	1	1	-
65-69 years	9	4	5	8	3	5	1	1	-	1	1	-
70-74 years	6	2	4	5	2	3	1	-	1	1	-	1
75-79 years	23	10	13	22	10	12	1	-	1	-	-	-
80-84 years	28	16	12	26	15	11	2	1	1	1	1	-
85-89 years	19	8	11	18	8	10	1	-	1	1	-	1
90-94 years	15	3	12	14	3	11	1	-	1	-	-	-
95-99 years	4	-	4	3	-	3	1	-	1	-	-	-
100 yrs & over	2	1	1	1	-	1	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acquired hemolytic anemia (D59)												
All ages	209	87	122	179	73	106	30	14	16	25	12	13
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	5	3	2	5	3	2	-	-	-	-	-	-
5-9 years	3	1	2	2	-	2	1	1	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	5	2	3	3	2	1	2	-	2	1	-	1
20-24 years	3	2	1	2	2	-	1	-	1	1	-	1
25-29 years	5	2	3	5	2	3	-	-	-	-	-	-
30-34 years	6	4	2	3	1	2	3	3	-	2	2	-
35-39 years	4	1	3	1	-	1	3	1	2	2	1	1
40-44 years	10	4	6	5	1	4	5	3	2	5	3	2
45-49 years	6	2	4	4	2	2	2	-	2	2	-	2
50-54 years	9	6	3	7	4	3	2	2	-	2	2	-
55-59 years	6	1	5	5	1	4	1	-	1	1	-	1
60-64 years	12	8	4	10	6	4	2	2	-	2	2	-
65-69 years	12	4	8	12	4	8	-	-	-	-	-	-
70-74 years	19	10	9	17	9	8	2	1	1	2	1	1
75-79 years	25	12	13	23	12	11	2	-	2	2	-	2
80-84 years	32	11	21	29	11	18	3	-	3	2	-	2
85-89 years	29	7	22	29	7	22	-	-	-	-	-	-
90-94 years	13	5	8	12	4	8	1	1	-	1	1	-
95-99 years	4	1	3	4	1	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other autoimmune hemolytic anemias (D59.1)												
All ages	130	55	75	115	49	66	15	6	9	12	5	7
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	5	3	2	3	1	2	2	2	-	1	1	-
35-39 years	1	-	1	-	-	-	1	-	1	-	-	-
40-44 years	4	2	2	3	1	2	1	1	-	1	1	-
45-49 years	4	1	3	3	1	2	1	-	1	1	-	1
50-54 years	4	3	1	3	2	1	1	1	-	1	1	-
55-59 years	3	1	2	2	1	1	1	-	1	1	-	1
60-64 years	5	4	1	5	4	1	-	-	-	-	-	-
65-69 years	7	2	5	7	2	5	-	-	-	-	-	-
70-74 years	15	7	8	13	6	7	2	1	1	2	1	1
75-79 years	17	12	5	16	12	4	1	-	1	1	-	1
80-84 years	25	9	16	22	9	13	3	-	3	2	-	2
85-89 years	21	5	16	21	5	16	-	-	-	-	-	-
90-94 years	13	5	8	12	4	8	1	1	-	1	1	-
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hemolytic-uremic syndrome (D59.3)												
All ages	35	15	20	29	11	18	6	4	2	4	3	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	5	3	2	5	3	2	-	-	-	-	-	-
5-9 years	3	1	2	2	-	2	1	1	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	1	2	2	1	1	1	-	1	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	3	1	2	1	-	1	2	1	1	2	1	1
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	4	-	4	4	-	4	-	-	-	-	-	-
80-84 years	5	2	3	5	2	3	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other nonautoimmune hemolytic anemias (D59.4)												
All ages	8	2	6	7	1	6	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Paroxysmal nocturnal hemoglobinuria [Marchiafava-Micheli] (D59.5)												
All ages	22	11	11	15	8	7	7	3	4	7	3	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	4	2	2	4	2	2	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	-	2	1	-	1	1	-	1	1	-	1
40-44 years	3	1	2	1	-	1	2	1	1	2	1	1
45-49 years	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years	3	3	-	2	2	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	4	2	2	3	1	2	1	1	-	1	1	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acquired hemolytic anemia, unspecified (D59.9)												
All ages	14	4	10	13	4	9	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	2	-	2	1	-	1	1	-	1	1	-	1
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acquired pure red cell aplasia [erythroblastopenia] (D60)												
All ages	13	8	5	13	8	5	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	4	3	1	4	3	1	-	-	-	-	-	-
85-89 years	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acquired pure red cell aplasia, unspecified (D60.9)												
All ages	13	8	5	13	8	5	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	4	3	1	4	3	1	-	-	-	-	-	-
85-89 years	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other aplastic anemias (D61)												
All ages	1,083	454	629	945	392	553	138	62	76	106	54	52
Under 1 year	5	5	-	2	2	-	3	3	-	3	3	-
1-4 years	6	2	4	4	1	3	2	1	1	2	1	1
5-9 years	12	7	5	8	5	3	4	2	2	4	2	2
10-14 years	16	10	6	14	9	5	2	1	1	2	1	1
15-19 years	19	7	12	12	4	8	7	3	4	5	3	2
20-24 years	13	7	6	10	6	4	3	1	2	3	1	2
25-29 years	10	9	1	4	4	-	6	5	1	6	5	1
30-34 years	15	6	9	10	4	6	5	2	3	4	2	2
35-39 years	10	7	3	6	4	2	4	3	1	2	1	1
40-44 years	23	8	15	19	6	13	4	2	2	3	2	1
45-49 years	26	9	17	22	7	15	4	2	2	2	2	-
50-54 years	41	22	19	34	18	16	7	4	3	6	4	2
55-59 years	44	18	26	36	13	23	8	5	3	5	4	1
60-64 years	57	28	29	48	23	25	9	5	4	7	5	2
65-69 years	57	28	29	46	25	21	11	3	8	8	2	6
70-74 years	106	41	65	89	30	59	17	11	6	13	9	4
75-79 years	154	70	84	143	66	77	11	4	7	9	4	5
80-84 years	176	72	104	162	68	94	14	4	10	12	2	10
85-89 years	152	61	91	141	60	81	11	1	10	6	1	5
90-94 years	100	30	70	96	30	66	4	-	4	2	-	2
95-99 years	34	6	28	32	6	26	2	-	2	2	-	2
100 yrs & over	7	1	6	7	1	6	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Constitutional aplastic anemia (D61.0)												
All ages	26	15	11	17	8	9	9	7	2	9	7	2
Under 1 year	2	2	-	-	-	-	2	2	-	2	2	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	5	4	1	2	2	-	3	2	1	3	2	1
10-14 years	7	6	1	6	5	1	1	1	-	1	1	-
15-19 years	4	1	3	2	-	2	2	1	1	2	1	1
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic aplastic anemia (D61.3)												
All ages	14	5	9	10	2	8	4	3	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	-	2	1	-	1	1	-	1	1	-	1
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	3	1	2	2	-	2	1	1	-	1	1	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Aplastic anemia, unspecified (D61.9)												
All ages	1,043	434	609	918	382	536	125	52	73	94	45	49
Under 1 year	3	3	-	2	2	-	1	1	-	1	1	-
1-4 years	5	1	4	3	-	3	2	1	1	2	1	1
5-9 years	6	3	3	5	3	2	1	-	1	1	-	1
10-14 years	9	4	5	8	4	4	1	-	1	1	-	1
15-19 years	15	6	9	10	4	6	5	2	3	3	2	1
20-24 years	11	6	5	8	5	3	3	1	2	3	1	2
25-29 years	8	7	1	4	4	-	4	3	1	4	3	1
30-34 years	13	6	7	8	4	4	5	2	3	4	2	2
35-39 years	9	6	3	6	4	2	3	2	1	2	1	1
40-44 years	22	8	14	18	6	12	4	2	2	3	2	1
45-49 years	24	9	15	20	7	13	4	2	2	2	2	-
50-54 years	41	22	19	34	18	16	7	4	3	6	4	2
55-59 years	43	18	25	35	13	22	8	5	3	5	4	1
60-64 years	56	28	28	47	23	24	9	5	4	7	5	2
65-69 years	55	28	27	45	25	20	10	3	7	7	2	5
70-74 years	105	40	65	88	29	59	17	11	6	13	9	4
75-79 years	154	70	84	143	66	77	11	4	7	9	4	5
80-84 years	173	71	102	160	68	92	13	3	10	11	1	10
85-89 years	150	61	89	139	60	79	11	1	10	6	1	5
90-94 years	100	30	70	96	30	66	4	-	4	2	-	2
95-99 years	34	6	28	32	6	26	2	-	2	2	-	2
100 yrs & over	7	1	6	7	1	6	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute posthemorrhagic anemia (D62)												
All ages	6	-	6	6	-	6	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other anemias (D64)												
All ages	2,390	813	1,577	2,002	678	1,324	388	135	253	358	124	234
Under 1 year	2	-	2	1	-	1	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	2	1	1	-	-	-	2	1	1	1	1	-
15-19 years	2	1	1	1	1	-	1	-	1	1	-	1
20-24 years	4	1	3	2	1	1	2	-	2	2	-	2
25-29 years	5	2	3	4	1	3	1	1	-	1	1	-
30-34 years	4	1	3	2	1	1	2	-	2	2	-	2
35-39 years	11	7	4	4	3	1	7	4	3	6	3	3
40-44 years	18	7	11	10	4	6	8	3	5	7	2	5
45-49 years	15	10	5	4	2	2	11	8	3	11	8	3
50-54 years	24	9	15	13	3	10	11	6	5	11	6	5
55-59 years	32	16	16	20	11	9	12	5	7	11	5	6
60-64 years	41	17	24	32	14	18	9	3	6	9	3	6
65-69 years	88	43	45	69	34	35	19	9	10	19	9	10
70-74 years	149	80	69	119	64	55	30	16	14	30	16	14
75-79 years	282	113	169	225	94	131	57	19	38	53	18	35
80-84 years	415	154	261	352	134	218	63	20	43	59	19	40
85-89 years	534	174	360	477	160	317	57	14	43	50	13	37
90-94 years	474	126	348	422	109	313	52	17	35	46	12	34
95-99 years	218	39	179	195	33	162	23	6	17	21	6	15
100 yrs & over	69	11	58	49	8	41	20	3	17	17	2	15
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other sideroblastic anemias (D64.3)												
All ages	59	27	32	56	25	31	3	2	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years	14	5	9	14	5	9	-	-	-	-	-	-
85-89 years	17	8	9	17	8	9	-	-	-	-	-	-
90-94 years	10	4	6	9	3	6	1	1	-	1	1	-
95-99 years	4	1	3	3	1	2	1	-	1	1	-	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified anemias (D64.8)												
All ages	48	20	28	43	19	24	5	1	4	5	1	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	5	3	2	5	3	2	-	-	-	-	-	-
70-74 years	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years	4	-	4	4	-	4	-	-	-	-	-	-
80-84 years	14	8	6	13	8	5	1	-	1	1	-	1
85-89 years	8	3	5	7	3	4	1	-	1	1	-	1
90-94 years	4	-	4	4	-	4	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Anemia, unspecified (D64.9)												
All ages	2,283	766	1,517	1,903	634	1,269	380	132	248	350	121	229
Under 1 year	2	-	2	1	-	1	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	1	1	-	-	-	2	1	1	1	1	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	4	1	3	2	1	1	2	-	2	2	-	2
25-29 years	5	2	3	4	1	3	1	1	-	1	1	-
30-34 years	3	1	2	1	1	-	2	-	2	2	-	2
35-39 years	11	7	4	4	3	1	7	4	3	6	3	3
40-44 years	16	6	10	10	4	6	6	2	4	5	1	4
45-49 years	15	10	5	4	2	2	11	8	3	11	8	3
50-54 years	22	8	14	11	2	9	11	6	5	11	6	5
55-59 years	28	13	15	17	9	8	11	4	7	10	4	6
60-64 years	39	16	23	30	13	17	9	3	6	9	3	6
65-69 years	83	40	43	64	31	33	19	9	10	19	9	10
70-74 years	142	75	67	112	59	53	30	16	14	30	16	14
75-79 years	274	111	163	217	92	125	57	19	38	53	18	35
80-84 years	387	141	246	325	121	204	62	20	42	58	19	39
85-89 years	509	163	346	453	149	304	56	14	42	49	13	36
90-94 years	460	122	338	409	106	303	51	16	35	45	11	34
95-99 years	212	37	175	190	31	159	22	6	16	20	6	14
100 yrs & over	68	11	57	48	8	40	20	3	17	17	2	15
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disseminated intravascular coagulation [defibrination syndrome] (D65)												
All ages	595	236	359	455	185	270	140	51	89	127	44	83
Under 1 year	11	7	4	7	4	3	4	3	1	4	3	1
1-4 years	4	4	-	4	4	-	-	-	-	-	-	-
5-9 years	3	1	2	3	1	2	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	5	4	1	3	3	-	2	1	1	2	1	1
20-24 years	3	2	1	2	1	1	1	1	-	1	1	-
25-29 years	4	1	3	4	1	3	-	-	-	-	-	-
30-34 years	16	5	11	7	3	4	9	2	7	8	2	6
35-39 years	14	6	8	8	3	5	6	3	3	5	3	2
40-44 years	25	9	16	18	8	10	7	1	6	6	1	5
45-49 years	37	14	23	23	9	14	14	5	9	13	4	9
50-54 years	33	13	20	25	11	14	8	2	6	8	2	6
55-59 years	28	11	17	25	9	16	3	2	1	3	2	1
60-64 years	47	22	25	33	17	16	14	5	9	13	4	9
65-69 years	64	29	35	49	21	28	15	8	7	14	8	6
70-74 years	60	21	39	51	18	33	9	3	6	9	3	6
75-79 years	86	30	56	68	22	46	18	8	10	15	5	10
80-84 years	71	33	38	58	30	28	13	3	10	11	2	9
85-89 years	57	21	36	46	18	28	11	3	8	10	2	8
90-94 years	19	3	16	17	2	15	2	1	1	2	1	1
95-99 years	6	-	6	2	-	2	4	-	4	3	-	3
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hereditary factor VIII deficiency (D66)												
All ages	87	56	31	65	43	22	22	13	9	20	11	9
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	3	3	-	1	1	-	2	2	-	2	2	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years	5	5	-	3	3	-	2	2	-	2	2	-
40-44 years	3	3	-	2	2	-	1	1	-	1	1	-
45-49 years	8	8	-	5	5	-	3	3	-	2	2	-
50-54 years	4	3	1	2	2	-	2	1	1	2	1	1
55-59 years	4	3	1	3	3	-	1	-	1	1	-	1
60-64 years	2	2	-	-	-	-	2	2	-	1	1	-
65-69 years	2	1	1	1	1	-	1	-	1	1	-	1
70-74 years	10	6	4	7	5	2	3	1	2	3	1	2
75-79 years	10	6	4	9	6	3	1	-	1	1	-	1
80-84 years	14	6	8	11	5	6	3	1	2	3	1	2
85-89 years	14	4	10	13	4	9	1	-	1	1	-	1
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hereditary factor IX deficiency (D67)												
All ages	4	3	1	3	2	1	1	1	-	-	-	-
Under 1 year	1	1	-	-	-	-	1	1	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other coagulation defects (D68)												
All ages	1,043	458	585	865	376	489	178	82	96	154	68	86
Under 1 year	11	3	8	9	2	7	2	1	1	2	1	1
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	3	3	-	2	2	-	1	1	-	1	1	-
15-19 years	4	1	3	1	-	1	3	1	2	2	-	2
20-24 years	5	-	5	2	-	2	3	-	3	3	-	3
25-29 years	11	5	6	6	5	1	5	-	5	4	-	4
30-34 years	19	4	15	12	2	10	7	2	5	5	2	3
35-39 years	22	11	11	16	10	6	6	1	5	6	1	5
40-44 years	50	29	21	35	22	13	15	7	8	15	7	8
45-49 years	62	34	28	37	18	19	25	16	9	23	14	9
50-54 years	66	37	29	45	25	20	21	12	9	20	11	9
55-59 years	74	34	40	59	25	34	15	9	6	13	7	6
60-64 years	66	39	27	55	34	21	11	5	6	8	3	5
65-69 years	87	37	50	77	33	44	10	4	6	7	2	5
70-74 years	105	47	58	94	41	53	11	6	5	9	4	5
75-79 years	139	55	84	124	49	75	15	6	9	12	6	6
80-84 years	170	71	99	152	62	90	18	9	9	15	8	7
85-89 years	89	33	56	81	31	50	8	2	6	7	1	6
90-94 years	41	14	27	40	14	26	1	-	1	1	-	1
95-99 years	12	1	11	11	1	10	1	-	1	1	-	1
100 yrs & over	5	-	5	5	-	5	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Von Willebrand's disease (D68.0)												
All ages	10	4	6	10	4	6	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hereditary factor XI deficiency (D68.1)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hereditary deficiency of other clotting factors (D68.2)												
All ages	52	25	27	50	24	26	2	1	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	3	1	2	3	1	2	-	-	-	-	-	-
35-39 years	4	3	1	4	3	1	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	3	1	2	2	1	1	1	-	1	1	-	1
50-54 years	4	1	3	4	1	3	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	4	1	3	3	-	3	1	1	-	-	-	-
75-79 years	8	2	6	8	2	6	-	-	-	-	-	-
80-84 years	8	3	5	8	3	5	-	-	-	-	-	-
85-89 years	5	3	2	5	3	2	-	-	-	-	-	-
90-94 years	3	3	-	3	3	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disorder due to circulating anticoagulants (D68.3)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acquired coagulation factor deficiency (D68.4)												
All ages	11	5	6	9	4	5	2	1	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	-	-	-	1	1	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	-	2	1	-	1	1	-	1	1	-	1
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified coagulation defects (D68.8)												
All ages	84	31	53	71	28	43	13	3	10	10	2	8
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	-	2	1	-	1	1	-	1	1	-	1
20-24 years	2	-	2	1	-	1	1	-	1	1	-	1
25-29 years	4	1	3	1	1	-	3	-	3	2	-	2
30-34 years	6	1	5	4	-	4	2	1	1	1	1	-
35-39 years	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years	11	5	6	9	5	4	2	-	2	2	-	2
45-49 years	3	-	3	3	-	3	-	-	-	-	-	-
50-54 years	9	4	5	8	4	4	1	-	1	1	-	1
55-59 years	7	4	3	7	4	3	-	-	-	-	-	-
60-64 years	9	5	4	8	5	3	1	-	1	1	-	1
65-69 years	10	3	7	9	2	7	1	1	-	-	-	-
70-74 years	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years	10	3	7	9	2	7	1	1	-	1	1	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Coagulation defect, unspecified (D68.9)												
All ages	881	392	489	720	315	405	161	77	84	142	66	76
Under 1 year	10	3	7	8	2	6	2	1	1	2	1	1
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	3	3	-	2	2	-	1	1	-	1	1	-
15-19 years	2	1	1	-	-	-	2	1	1	1	-	1
20-24 years	2	-	2	-	-	-	2	-	2	2	-	2
25-29 years	7	4	3	5	4	1	2	-	2	2	-	2
30-34 years	10	2	8	5	1	4	5	1	4	4	1	3
35-39 years	15	7	8	9	6	3	6	1	5	6	1	5
40-44 years	36	22	14	23	15	8	13	7	6	13	7	6
45-49 years	56	33	23	32	17	15	24	16	8	22	14	8
50-54 years	51	30	21	31	18	13	20	12	8	19	11	8
55-59 years	64	28	36	49	19	30	15	9	6	13	7	6
60-64 years	54	31	23	45	27	18	9	4	5	7	3	4
65-69 years	71	30	41	62	27	35	9	3	6	7	2	5
70-74 years	95	42	53	85	37	48	10	5	5	9	4	5
75-79 years	116	50	66	103	45	58	13	5	8	10	5	5
80-84 years	157	66	91	139	57	82	18	9	9	15	8	7
85-89 years	79	28	51	71	26	45	8	2	6	7	1	6
90-94 years	37	11	26	36	11	25	1	-	1	1	-	1
95-99 years	11	1	10	10	1	9	1	-	1	1	-	1
100 yrs & over	4	-	4	4	-	4	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Purpura and other hemorrhagic conditions (D69)												
All ages	903	400	503	769	340	429	134	60	74	109	45	64
Under 1 year	11	8	3	7	6	1	4	2	2	3	1	2
1-4 years	5	3	2	3	1	2	2	2	-	1	1	-
5-9 years	3	2	1	3	2	1	-	-	-	-	-	-
10-14 years	2	1	1	1	1	-	1	-	1	1	-	1
15-19 years	3	1	2	3	1	2	-	-	-	-	-	-
20-24 years	5	2	3	2	1	1	3	1	2	2	1	1
25-29 years	8	5	3	6	3	3	2	2	-	2	2	-
30-34 years	13	3	10	7	1	6	6	2	4	6	2	4
35-39 years	15	7	8	7	3	4	8	4	4	8	4	4
40-44 years	26	7	19	18	4	14	8	3	5	8	3	5
45-49 years	22	7	15	14	5	9	8	2	6	8	2	6
50-54 years	24	10	14	16	6	10	8	4	4	6	3	3
55-59 years	45	20	25	37	19	18	8	1	7	5	1	4
60-64 years	50	20	30	38	14	24	12	6	6	10	5	5
65-69 years	62	34	28	55	30	25	7	4	3	6	3	3
70-74 years	100	54	46	86	45	41	14	9	5	10	6	4
75-79 years	131	56	75	119	50	69	12	6	6	9	5	4
80-84 years	137	76	61	125	71	54	12	5	7	9	3	6
85-89 years	120	53	67	109	47	62	11	6	5	8	3	5
90-94 years	82	22	60	78	21	57	4	1	3	3	-	3
95-99 years	35	9	26	32	9	23	3	-	3	3	-	3
100 yrs & over	4	-	4	3	-	3	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Allergic purpura (D69.0)												
All ages	7	7	-	7	7	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Qualitative platelet defects (D69.1)												
All ages	3	2	1	2	1	1	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	1	1	1	-	1	1	1	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other nonthrombocytopenic purpura (D69.2)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic thrombocytopenic purpura (D69.3)												
All ages	313	127	186	265	107	158	48	20	28	40	14	26
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	2	-	-	-	-	2	2	-	1	1	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	3	1	2	3	1	2	-	-	-	-	-	-
20-24 years	3	1	2	2	1	1	1	-	1	-	-	-
25-29 years	4	2	2	3	1	2	1	1	-	1	1	-
30-34 years	7	2	5	2	-	2	5	2	3	5	2	3
35-39 years	7	4	3	3	2	1	4	2	2	4	2	2
40-44 years	8	1	7	4	1	3	4	-	4	4	-	4
45-49 years	10	2	8	8	1	7	2	1	1	2	1	1
50-54 years	12	6	6	8	4	4	4	2	2	3	1	2
55-59 years	12	6	6	10	6	4	2	-	2	2	-	2
60-64 years	12	4	8	11	4	7	1	-	1	1	-	1
65-69 years	20	9	11	19	8	11	1	1	-	1	1	-
70-74 years	27	11	16	22	7	15	5	4	1	3	2	1
75-79 years	56	25	31	52	24	28	4	1	3	3	1	2
80-84 years	39	20	19	34	17	17	5	3	2	4	2	2
85-89 years	49	22	27	45	21	24	4	1	3	3	-	3
90-94 years	27	6	21	26	6	20	1	-	1	1	-	1
95-99 years	12	2	10	11	2	9	1	-	1	1	-	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other primary thrombocytopenia (D69.4)												
All ages	54	19	35	44	16	28	10	3	7	8	3	5
Under 1 year	2	1	1	1	1	-	1	-	1	1	-	1
1-4 years	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years	5	1	4	4	-	4	1	1	-	1	1	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	5	-	5	2	-	2	3	-	3	1	-	1
60-64 years	8	2	6	6	2	4	2	-	2	2	-	2
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	5	3	2	4	2	2	1	1	-	1	1	-
75-79 years	4	3	1	4	3	1	-	-	-	-	-	-
80-84 years	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years	6	-	6	6	-	6	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Secondary thrombocytopenia (D69.5)												
All ages	14	4	10	14	4	10	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Thrombocytopenia, unspecified (D69.6)												
All ages	484	225	259	413	190	223	71	35	36	58	27	31
Under 1 year	6	5	1	3	3	-	3	2	1	2	1	1
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	2	1	1	1	-	1	1	1	-	1	1	-
30-34 years	6	1	5	5	1	4	1	-	1	1	-	1
35-39 years	5	2	3	1	-	1	4	2	2	4	2	2
40-44 years	11	4	7	8	2	6	3	2	1	3	2	1
45-49 years	10	4	6	5	3	2	5	1	4	5	1	4
50-54 years	11	3	8	8	2	6	3	1	2	2	1	1
55-59 years	25	13	12	24	13	11	1	-	1	1	-	1
60-64 years	27	13	14	18	7	11	9	6	3	7	5	2
65-69 years	38	23	15	32	20	12	6	3	3	5	2	3
70-74 years	58	33	25	50	29	21	8	4	4	6	3	3
75-79 years	64	26	38	56	21	35	8	5	3	6	4	2
80-84 years	88	49	39	81	47	34	7	2	5	5	1	4
85-89 years	60	25	35	54	21	33	6	4	2	5	3	2
90-94 years	43	14	29	41	13	28	2	1	1	1	-	1
95-99 years	23	7	16	21	7	14	2	-	2	2	-	2
100 yrs & over	3	-	3	2	-	2	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified hemorrhagic conditions (D69.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hemorrhagic condition, unspecified (D69.9)												
All ages	26	15	11	22	14	8	4	1	3	3	1	2
Under 1 year	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	-	-	-	2	1	1	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years	3	3	-	3	3	-	-	-	-	-	-	-
85-89 years	4	4	-	4	4	-	-	-	-	-	-	-
90-94 years	5	1	4	4	1	3	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Agranulocytosis (D70)												
All ages	351	157	194	304	137	167	47	20	27	32	14	18
Under 1 year	5	2	3	5	2	3	-	-	-	-	-	-
1-4 years	3	1	2	1	-	1	2	1	1	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	2	-	2	1	-	1	1	-	1	1	-	1
35-39 years	4	3	1	2	2	-	2	1	1	1	-	1
40-44 years	7	3	4	4	2	2	3	1	2	2	1	1
45-49 years	7	5	2	5	4	1	2	1	1	2	1	1
50-54 years	25	14	11	20	10	10	5	4	1	4	4	-
55-59 years	20	9	11	18	8	10	2	1	1	1	-	1
60-64 years	35	19	16	30	17	13	5	2	3	4	2	2
65-69 years	31	16	15	26	13	13	5	3	2	3	2	1
70-74 years	42	17	25	40	17	23	2	-	2	2	-	2
75-79 years	63	28	35	58	26	32	5	2	3	3	1	2
80-84 years	43	18	25	36	15	21	7	3	4	5	2	3
85-89 years	41	14	27	39	13	26	2	1	1	1	-	1
90-94 years	14	5	9	11	5	6	3	-	3	2	-	2
95-99 years	3	1	2	2	1	1	1	-	1	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Functional disorders of polymorphonuclear neutrophils (D71)												
All ages	11	8	3	9	7	2	2	1	1	1	1	-
Under 1 year	3	2	1	3	2	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	-	1	-	-	-	1	-	1	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of white blood cells (D72)												
All ages	82	33	49	75	32	43	7	1	6	6	1	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	3	1	2	2	1	1	1	-	1	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	2	-	2	1	-	1	1	-	1	1	-	1
65-69 years	9	3	6	7	2	5	2	1	1	2	1	1
70-74 years	5	3	2	4	3	1	1	-	1	1	-	1
75-79 years	13	7	6	13	7	6	-	-	-	-	-	-
80-84 years	18	5	13	18	5	13	-	-	-	-	-	-
85-89 years	14	6	8	14	6	8	-	-	-	-	-	-
90-94 years	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years	4	1	3	3	1	2	1	-	1	1	-	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Genetic anomalies of leukocytes (D72.0)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Eosinophilia (D72.1)												
All ages	15	10	5	13	9	4	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	3	2	1	2	1	1	1	1	-	1	1	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified disorders of white blood cells (D72.8)												
All ages	65	23	42	60	23	37	5	-	5	4	-	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	-	2	1	-	1	1	-	1	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	-	2	1	-	1	1	-	1	1	-	1
65-69 years	6	1	5	5	1	4	1	-	1	1	-	1
70-74 years	4	2	2	3	2	1	1	-	1	1	-	1
75-79 years	9	5	4	9	5	4	-	-	-	-	-	-
80-84 years	17	5	12	17	5	12	-	-	-	-	-	-
85-89 years	14	6	8	14	6	8	-	-	-	-	-	-
90-94 years	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years	4	1	3	3	1	2	1	-	1	1	-	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of spleen (D73)												
All ages	169	98	71	152	87	65	17	11	6	15	9	6
Under 1 year	3	2	1	2	1	1	1	1	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years	11	6	5	10	6	4	1	-	1	1	-	1
45-49 years	9	7	2	8	7	1	1	-	1	1	-	1
50-54 years	9	7	2	6	4	2	3	3	-	3	3	-
55-59 years	9	4	5	8	3	5	1	1	-	1	1	-
60-64 years	12	8	4	11	7	4	1	1	-	1	1	-
65-69 years	13	10	3	9	8	1	4	2	2	4	2	2
70-74 years	17	9	8	16	9	7	1	-	1	1	-	1
75-79 years	34	24	10	33	24	9	1	-	1	1	-	1
80-84 years	21	10	11	19	8	11	2	2	-	2	2	-
85-89 years	14	4	10	13	3	10	1	1	-	-	-	-
90-94 years	9	3	6	9	3	6	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hypersplenism (D73.1)												
All ages	71	39	32	64	35	29	7	4	3	6	3	3
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years	5	2	3	4	1	3	1	1	-	1	1	-
60-64 years	8	5	3	7	4	3	1	1	-	1	1	-
65-69 years	5	3	2	4	3	1	1	-	1	1	-	1
70-74 years	6	1	5	5	1	4	1	-	1	1	-	1
75-79 years	19	14	5	18	14	4	1	-	1	1	-	1
80-84 years	13	6	7	12	5	7	1	1	-	1	1	-
85-89 years	7	3	4	6	2	4	1	1	-	-	-	-
90-94 years	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chronic congestive splenomegaly (D73.2)												
All ages	4	4	-	3	3	-	1	1	-	-	-	-
Under 1 year	1	1	-	-	-	-	1	1	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Abscess of spleen (D73.3)												
All ages	18	8	10	16	7	9	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	1	1	-	1	-	1	1	-	1
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Infarction of spleen (D73.5)												
All ages	34	22	12	32	20	12	2	2	-	2	2	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years	6	5	1	6	5	1	-	-	-	-	-	-
80-84 years	6	2	4	5	1	4	1	1	-	1	1	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other diseases of spleen (D73.8)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disease of spleen, unspecified (D73.9)												
All ages	39	24	15	34	21	13	5	3	2	5	3	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	6	3	3	6	3	3	-	-	-	-	-	-
45-49 years	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years	5	5	-	4	4	-	1	1	-	1	1	-
55-59 years	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	4	3	1	1	1	-	3	2	1	3	2	1
70-74 years	6	4	2	6	4	2	-	-	-	-	-	-
75-79 years	7	5	2	7	5	2	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Methemoglobinemia (D74)												
All ages	2	1	1	1	1	-	1	-	1	-	-	-
Under 1 year	1	-	1	-	-	-	1	-	1	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Methemoglobinemia, unspecified (D74.9)												
All ages	2	1	1	1	1	-	1	-	1	-	-	-
Under 1 year	1	-	1	-	-	-	1	-	1	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other diseases of blood and blood-forming organs (D75)												
All ages	164	55	109	142	48	94	22	7	15	19	6	13
Under 1 year	5	1	4	4	-	4	1	1	-	1	1	-
1-4 years	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years	3	-	3	3	-	3	-	-	-	-	-	-
40-44 years	4	1	3	3	1	2	1	-	1	1	-	1
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	9	3	6	7	3	4	2	-	2	2	-	2
55-59 years	5	3	2	4	3	1	1	-	1	1	-	1
60-64 years	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years	15	6	9	11	4	7	4	2	2	3	2	1
70-74 years	11	3	8	8	1	7	3	2	1	1	1	-
75-79 years	19	7	12	17	6	11	2	1	1	2	1	1
80-84 years	19	9	10	18	9	9	1	-	1	1	-	1
85-89 years	34	9	25	31	8	23	3	1	2	3	1	2
90-94 years	18	3	15	16	3	13	2	-	2	2	-	2
95-99 years	6	1	5	5	1	4	1	-	1	1	-	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Secondary polycythemia (D75.1)												
All ages	2	1	1	1	-	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Essential thrombocytosis (D75.2)												
All ages	44	6	38	37	6	31	7	-	7	6	-	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	-	2	1	-	1	1	-	1	1	-	1
55-59 years	2	-	2	1	-	1	1	-	1	1	-	1
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	4	-	4	3	-	3	1	-	1	1	-	1
70-74 years	3	-	3	2	-	2	1	-	1	-	-	-
75-79 years	5	3	2	5	3	2	-	-	-	-	-	-
80-84 years	5	1	4	5	1	4	-	-	-	-	-	-
85-89 years	11	1	10	10	1	9	1	-	1	1	-	1
90-94 years	4	-	4	3	-	3	1	-	1	1	-	1
95-99 years	5	1	4	4	1	3	1	-	1	1	-	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases of blood and blood-forming organs (D75.8)												
All ages	63	21	42	56	17	39	7	4	3	6	3	3
Under 1 year	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	6	4	2	5	3	2	1	1	-	1	1	-
70-74 years	5	2	3	3	-	3	2	2	-	1	1	-
75-79 years	11	3	8	10	3	7	1	-	1	1	-	1
80-84 years	9	4	5	8	4	4	1	-	1	1	-	1
85-89 years	16	5	11	15	4	11	1	1	-	1	1	-
90-94 years	7	1	6	7	1	6	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disease of blood and blood-forming organs, unspecified (D75.9)												
All ages	55	27	28	48	25	23	7	2	5	6	2	4
Under 1 year	3	1	2	2	-	2	1	1	-	1	1	-
1-4 years	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years	3	1	2	3	1	2	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	6	3	3	5	3	2	1	-	1	1	-	1
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	4	1	3	3	1	2	1	-	1	-	-	-
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	3	1	2	2	-	2	1	1	-	1	1	-
80-84 years	5	4	1	5	4	1	-	-	-	-	-	-
85-89 years	6	3	3	5	3	2	1	-	1	1	-	1
90-94 years	7	2	5	6	2	4	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Certain diseases involving lymphoreticular tissue and reticulohistiocytic system (D76)												
All ages	67	33	34	50	24	26	17	9	8	8	3	5
Under 1 year	8	4	4	5	3	2	3	1	2	1	-	1
1-4 years	18	11	7	14	8	6	4	3	1	2	1	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	1	2	2	1	1	1	-	1	1	-	1
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	3	2	1	-	-	-	3	2	1	-	-	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	3	2	1	2	1	1	1	1	-	1	1	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	7	5	2	4	3	1	3	2	1	2	1	1
60-64 years	5	2	3	4	2	2	1	-	1	-	-	-
65-69 years	4	-	4	3	-	3	1	-	1	1	-	1
70-74 years	3	-	3	3	-	3	-	-	-	-	-	-
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Langerhans' cell histiocytosis, not elsewhere classified (D76.0)												
All ages	23	11	12	21	10	11	2	1	1	2	1	1
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	7	4	3	7	4	3	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	2	1	1	1	-	1	1	1	-	1	1	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	3	1	2	2	1	1	1	-	1	1	-	1
60-64 years	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hemophagocytic lymphohistiocytosis (D76.1)												
All ages	11	6	5	4	2	2	7	4	3	2	-	2
Under 1 year	4	1	3	1	-	1	3	1	2	1	-	1
1-4 years	5	4	1	2	2	-	3	2	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hemophagocytic syndrome, infection-associated (D76.2)												
All ages	4	3	1	3	2	1	1	1	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other histiocytosis syndromes (D76.3)												
All ages	29	13	16	22	10	12	7	3	4	4	2	2
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	5	2	3	4	1	3	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	1	1	-	1	-	1	1	-	1
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	2	1	1	-	-	-	2	1	1	-	-	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	3	3	-	2	2	-	1	1	-	1	1	-
60-64 years	3	2	1	2	2	-	1	-	1	-	-	-
65-69 years	3	-	3	2	-	2	1	-	1	1	-	1
70-74 years	3	-	3	3	-	3	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Immunodeficiency with predominantly antibody defects (D80)												
All ages	42	22	20	36	19	17	6	3	3	6	3	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	2	1	1	-	-	-	2	1	1	2	1	1
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years	3	3	-	2	2	-	1	1	-	1	1	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	5	3	2	5	3	2	-	-	-	-	-	-
55-59 years	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years	5	2	3	5	2	3	-	-	-	-	-	-
65-69 years	4	3	1	4	3	1	-	-	-	-	-	-
70-74 years	2	1	1	1	1	-	1	-	1	1	-	1
75-79 years	4	2	2	3	1	2	1	1	-	1	1	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hereditary hypogammaglobulinemia (D80.0)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Nonfamilial hypogammaglobulinemia (D80.1)												
All ages	25	12	13	21	10	11	4	2	2	4	2	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	4	2	2	4	2	2	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	2	1	1	1	1	-	1	-	1	1	-	1
75-79 years	4	2	2	3	1	2	1	1	-	1	1	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Selective deficiency of immunoglobulin A [IgA] (D80.2)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Selective deficiency of immunoglobulin G [IgG] subclasses (D80.3)												
All ages	4	-	4	4	-	4	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Selective deficiency of immunoglobulin M [IgM] (D80.4)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other immunodeficiencies with predominantly antibody defects (D80.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Immunodeficiency with predominantly antibody defects, unspecified (D80.9)												
All ages	7	5	2	5	4	1	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Combined immunodeficiencies (D81)												
All ages	14	9	5	10	8	2	4	1	3	3	1	2
Under 1 year	7	5	2	5	4	1	2	1	1	2	1	1
1-4 years	4	4	-	4	4	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Severe combined immunodeficiency [SCID] with low or normal B-cell numbers (D81.2)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Adenosine deaminase [ADA] deficiency (D81.3)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other combined immunodeficiencies (D81.8)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Combined immunodeficiency, unspecified (D81.9)												
All ages	10	6	4	6	5	1	4	1	3	3	1	2
Under 1 year	5	3	2	3	2	1	2	1	1	2	1	1
1-4 years	3	3	-	3	3	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Immunodeficiency associated with other major defects (D82)												
All ages	18	11	7	15	9	6	3	2	1	3	2	1
Under 1 year	10	5	5	8	4	4	2	1	1	2	1	1
1-4 years	3	3	-	3	3	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Wiskott-Aldrich syndrome (D82.0)												
All ages	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Di George's syndrome (D82.1)												
All ages	11	6	5	9	5	4	2	1	1	2	1	1
Under 1 year	10	5	5	8	4	4	2	1	1	2	1	1
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Immunodeficiency following hereditary defective response to Epstein-Barr virus (D82.3)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hyperimmunoglobulin E [IgE] syndrome (D82.4)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Common variable immunodeficiency (D83)												
All ages	6	2	4	5	2	3	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	-	1	-	-	-	1	-	1	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Common variable immunodeficiency, unspecified (D83.9)												
All ages	6	2	4	5	2	3	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	-	1	-	-	-	1	-	1	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other immunodeficiencies (D84)												
All ages	458	276	182	292	167	125	166	109	57	157	106	51
Under 1 year	13	7	6	11	6	5	2	1	1	1	-	1
1-4 years	9	6	3	8	6	2	1	-	1	-	-	-
5-9 years	3	2	1	2	2	-	1	-	1	-	-	-
10-14 years	5	5	-	4	4	-	1	1	-	1	1	-
15-19 years	5	3	2	3	2	1	2	1	1	2	1	1
20-24 years	4	2	2	3	1	2	1	1	-	1	1	-
25-29 years	5	3	2	4	3	1	1	-	1	1	-	1
30-34 years	36	29	7	19	17	2	17	12	5	17	12	5
35-39 years	51	35	16	20	15	5	31	20	11	31	20	11
40-44 years	52	33	19	20	14	6	32	19	13	30	18	12
45-49 years	55	41	14	27	20	7	28	21	7	28	21	7
50-54 years	38	30	8	17	13	4	21	17	4	21	17	4
55-59 years	17	9	8	12	7	5	5	2	3	4	2	2
60-64 years	32	19	13	23	12	11	9	7	2	8	6	2
65-69 years	22	8	14	16	6	10	6	2	4	5	2	3
70-74 years	26	12	14	24	11	13	2	1	1	1	1	-
75-79 years	23	10	13	19	8	11	4	2	2	4	2	2
80-84 years	28	11	17	27	10	17	1	1	-	1	1	-
85-89 years	17	5	12	17	5	12	-	-	-	-	-	-
90-94 years	11	5	6	10	4	6	1	1	-	1	1	-
95-99 years	4	1	3	4	1	3	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Lymphocyte function antigen- 1 [LFA-1] defect (D84.0)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Defects in the complement system (D84.1)												
All ages	27	15	12	26	15	11	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	4	1	3	4	1	3	-	-	-	-	-	-
70-74 years	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years	3	-	3	2	-	2	1	-	1	1	-	1
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified immunodeficiencies (D84.8)												
All ages	6	4	2	5	3	2	1	1	-	1	1	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Immunodeficiency, unspecified (D84.9)												
All ages	423	256	167	259	148	111	164	108	56	155	105	50
Under 1 year	12	6	6	10	5	5	2	1	1	1	-	1
1-4 years	7	4	3	6	4	2	1	-	1	-	-	-
5-9 years	3	2	1	2	2	-	1	-	1	-	-	-
10-14 years	4	4	-	3	3	-	1	1	-	1	1	-
15-19 years	5	3	2	3	2	1	2	1	1	2	1	1
20-24 years	4	2	2	3	1	2	1	1	-	1	1	-
25-29 years	4	2	2	3	2	1	1	-	1	1	-	1
30-34 years	34	27	7	17	15	2	17	12	5	17	12	5
35-39 years	48	32	16	18	13	5	30	19	11	30	19	11
40-44 years	51	32	19	19	13	6	32	19	13	30	18	12
45-49 years	54	40	14	26	19	7	28	21	7	28	21	7
50-54 years	36	29	7	15	12	3	21	17	4	21	17	4
55-59 years	16	9	7	11	7	4	5	2	3	4	2	2
60-64 years	32	19	13	23	12	11	9	7	2	8	6	2
65-69 years	18	7	11	12	5	7	6	2	4	5	2	3
70-74 years	22	10	12	20	9	11	2	1	1	1	1	-
75-79 years	19	10	9	16	8	8	3	2	1	3	2	1
80-84 years	25	9	16	24	8	16	1	1	-	1	1	-
85-89 years	15	5	10	15	5	10	-	-	-	-	-	-
90-94 years	9	4	5	8	3	5	1	1	-	1	1	-
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Sarcoidosis (D86)												
All ages	831	277	554	315	111	204	516	166	350	510	163	347
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	6	5	1	1	1	-	5	4	1	5	4	1
25-29 years	5	3	2	1	1	-	4	2	2	4	2	2
30-34 years	28	17	11	6	4	2	22	13	9	22	13	9
35-39 years	53	28	25	9	6	3	44	22	22	44	22	22
40-44 years	93	38	55	9	5	4	84	33	51	84	33	51
45-49 years	122	31	91	25	9	16	97	22	75	96	21	75
50-54 years	102	30	72	27	12	15	75	18	57	75	18	57
55-59 years	98	32	66	33	11	22	65	21	44	63	19	44
60-64 years	79	24	55	41	14	27	38	10	28	37	10	27
65-69 years	68	19	49	36	12	24	32	7	25	31	7	24
70-74 years	70	14	56	39	7	32	31	7	24	31	7	24
75-79 years	57	19	38	45	13	32	12	6	6	12	6	6
80-84 years	30	10	20	24	9	15	6	1	5	5	1	4
85-89 years	16	6	10	15	6	9	1	-	1	1	-	1
90-94 years	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sarcoidosis of lung (D86.0)												
All ages	121	41	80	44	17	27	77	24	53	74	23	51
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	6	1	5	-	-	-	6	1	5	6	1	5
40-44 years	15	9	6	-	-	-	15	9	6	15	9	6
45-49 years	24	5	19	7	1	6	17	4	13	16	3	13
50-54 years	17	4	13	4	1	3	13	3	10	13	3	10
55-59 years	7	4	3	5	3	2	2	1	1	2	1	1
60-64 years	9	1	8	2	-	2	7	1	6	7	1	6
65-69 years	16	5	11	9	4	5	7	1	6	6	1	5
70-74 years	7	3	4	3	1	2	4	2	2	4	2	2
75-79 years	5	3	2	3	2	1	2	1	1	2	1	1
80-84 years	8	3	5	5	3	2	3	-	3	2	-	2
85-89 years	5	1	4	5	1	4	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Sarcoidosis of lung with sarcoidosis of lymph nodes (D86.2)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sarcoidosis of other and combined sites (D86.8)												
All ages	68	36	32	23	12	11	45	24	21	45	24	21
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	3	2	1	-	-	-	3	2	1	3	2	1
35-39 years	11	9	2	3	2	1	8	7	1	8	7	1
40-44 years	9	6	3	2	2	-	7	4	3	7	4	3
45-49 years	11	5	6	3	2	1	8	3	5	8	3	5
50-54 years	13	5	8	5	3	2	8	2	6	8	2	6
55-59 years	2	1	1	1	-	1	1	1	-	1	1	-
60-64 years	3	1	2	2	-	2	1	1	-	1	1	-
65-69 years	3	1	2	1	1	-	2	-	2	2	-	2
70-74 years	5	2	3	2	-	2	3	2	1	3	2	1
75-79 years	6	2	4	3	1	2	3	1	2	3	1	2
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Sarcoidosis, unspecified (D86.9)												
All ages	641	200	441	248	82	166	393	118	275	390	116	274
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	5	4	1	1	1	-	4	3	1	4	3	1
25-29 years	5	3	2	1	1	-	4	2	2	4	2	2
30-34 years	23	13	10	5	3	2	18	10	8	18	10	8
35-39 years	36	18	18	6	4	2	30	14	16	30	14	16
40-44 years	69	23	46	7	3	4	62	20	42	62	20	42
45-49 years	87	21	66	15	6	9	72	15	57	72	15	57
50-54 years	72	21	51	18	8	10	54	13	41	54	13	41
55-59 years	89	27	62	27	8	19	62	19	43	60	17	43
60-64 years	66	22	44	37	14	23	29	8	21	28	8	20
65-69 years	49	13	36	26	7	19	23	6	17	23	6	17
70-74 years	58	9	49	34	6	28	24	3	21	24	3	21
75-79 years	46	14	32	39	10	29	7	4	3	7	4	3
80-84 years	22	7	15	19	6	13	3	1	2	3	1	2
85-89 years	11	5	6	10	5	5	1	-	1	1	-	1
90-94 years	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other disorders involving the immune mechanism, not elsewhere classified (D89)												
All ages	61	29	32	50	24	26	11	5	6	9	4	5
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	2	1	2	2	-	1	-	1	1	-	1
40-44 years	3	1	2	3	1	2	-	-	-	-	-	-
45-49 years	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years	8	6	2	7	5	2	1	1	-	1	1	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	8	2	6	7	2	5	1	-	1	1	-	1
70-74 years	8	3	5	7	3	4	1	-	1	1	-	1
75-79 years	6	2	4	5	2	3	1	-	1	-	-	-
80-84 years	7	2	5	5	1	4	2	1	1	1	-	1
85-89 years	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years	4	1	3	3	1	2	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Polyclonal hypergammaglobulinemia (D89.0)												
All ages	7	1	6	6	1	5	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	2	-	2	1	-	1	1	-	1	1	-	1
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cryoglobulinemia (D89.1)												
All ages	32	13	19	28	12	16	4	1	3	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years	6	4	2	5	3	2	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	5	1	4	4	1	3	1	-	1	1	-	1
70-74 years	5	1	4	4	1	3	1	-	1	1	-	1
75-79 years	3	1	2	2	1	1	1	-	1	-	-	-
80-84 years	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hypergammaglobulinemia, unspecified (D89.2)												
All ages	9	6	3	7	5	2	2	1	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	1	1	-	-	-	-	1	1	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	2	1	1	1	1	-	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified disorders involving the immune mechanism, not elsewhere classified (D89.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorder involving the immune mechanism, unspecified (D89.9)												
All ages	12	8	4	8	5	3	4	3	1	4	3	1
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other hypothyroidism (E03)												
All ages	1,540	330	1,210	1,403	295	1,108	137	35	102	115	32	83
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	4	2	2	3	1	2	1	1	-	1	1	-
40-44 years	3	1	2	1	-	1	2	1	1	2	1	1
45-49 years	16	6	10	11	4	7	5	2	3	5	2	3
50-54 years	26	10	16	19	9	10	7	1	6	6	1	5
55-59 years	24	5	19	22	4	18	2	1	1	2	1	1
60-64 years	34	10	24	27	9	18	7	1	6	6	1	5
65-69 years	44	12	32	36	10	26	8	2	6	7	1	6
70-74 years	84	22	62	73	20	53	11	2	9	10	2	8
75-79 years	175	54	121	156	46	110	19	8	11	15	7	8
80-84 years	244	42	202	215	36	179	29	6	23	21	6	15
85-89 years	378	75	303	354	71	283	24	4	20	22	4	18
90-94 years	329	56	273	318	54	264	11	2	9	10	2	8
95-99 years	146	28	118	139	25	114	7	3	4	5	2	3
100 yrs & over	28	4	24	25	4	21	3	-	3	2	-	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital hypothyroidism without goiter (E03.1)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Myxedema coma (E03.5)												
All ages	15	5	10	10	3	7	5	2	3	4	2	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	-	-	-	1	-	1	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	3	1	2	2	1	1	1	-	1	1	-	1
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years	3	1	2	2	-	2	1	1	-	1	1	-
85-89 years	5	2	3	3	1	2	2	1	1	2	1	1
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hypothyroidism, unspecified (E03.9)												
All ages	1,522	324	1,198	1,390	291	1,099	132	33	99	111	30	81
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	4	2	2	3	1	2	1	1	-	1	1	-
40-44 years	3	1	2	1	-	1	2	1	1	2	1	1
45-49 years	16	6	10	11	4	7	5	2	3	5	2	3
50-54 years	25	10	15	19	9	10	6	1	5	6	1	5
55-59 years	23	5	18	21	4	17	2	1	1	2	1	1
60-64 years	34	10	24	27	9	18	7	1	6	6	1	5
65-69 years	43	11	32	35	9	26	8	2	6	7	1	6
70-74 years	80	21	59	70	19	51	10	2	8	9	2	7
75-79 years	172	53	119	153	45	108	19	8	11	15	7	8
80-84 years	241	41	200	213	36	177	28	5	23	20	5	15
85-89 years	373	73	300	351	70	281	22	3	19	20	3	17
90-94 years	329	56	273	318	54	264	11	2	9	10	2	8
95-99 years	146	28	118	139	25	114	7	3	4	5	2	3
100 yrs & over	28	4	24	25	4	21	3	-	3	2	-	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other nontoxic goiter (E04)												
All ages	44	11	33	29	7	22	15	4	11	14	3	11
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	4	2	2	1	-	1	3	2	1	3	2	1
75-79 years	7	3	4	5	2	3	2	1	1	1	-	1
80-84 years	6	2	4	4	1	3	2	1	1	2	1	1
85-89 years	11	2	9	5	2	3	6	-	6	6	-	6
90-94 years	9	1	8	7	1	6	2	-	2	2	-	2
95-99 years	4	-	4	4	-	4	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nontoxic single thyroid nodule (E04.1)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Nontoxic multinodular goiter (E04.2)												
All ages	6	1	5	4	1	3	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	1	1	1	1	-	1	-	1	1	-	1
80-84 years	2	-	2	1	-	1	1	-	1	1	-	1
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nontoxic goiter, unspecified (E04.9)												
All ages	37	10	27	24	6	18	13	4	9	12	3	9
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	4	2	2	1	-	1	3	2	1	3	2	1
75-79 years	5	2	3	4	1	3	1	1	-	-	-	-
80-84 years	3	2	1	2	1	1	1	1	-	1	1	-
85-89 years	11	2	9	5	2	3	6	-	6	6	-	6
90-94 years	8	1	7	6	1	5	2	-	2	2	-	2
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Thyrotoxicosis [hyperthyroidism] (E05)												
All ages	281	74	207	210	57	153	71	17	54	62	17	45
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	-	3	1	-	1	2	-	2	2	-	2
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	3	1	2	2	1	1	1	-	1	1	-	1
30-34 years	10	3	7	4	1	3	6	2	4	5	2	3
35-39 years	13	6	7	8	3	5	5	3	2	4	3	1
40-44 years	15	4	11	5	2	3	10	2	8	9	2	7
45-49 years	6	2	4	4	1	3	2	1	1	1	1	-
50-54 years	11	3	8	7	3	4	4	-	4	4	-	4
55-59 years	9	5	4	7	5	2	2	-	2	2	-	2
60-64 years	10	5	5	5	3	2	5	2	3	4	2	2
65-69 years	12	4	8	10	4	6	2	-	2	1	-	1
70-74 years	7	5	2	5	4	1	2	1	1	2	1	1
75-79 years	35	13	22	29	10	19	6	3	3	6	3	3
80-84 years	42	7	35	34	7	27	8	-	8	7	-	7
85-89 years	58	7	51	49	5	44	9	2	7	9	2	7
90-94 years	33	7	26	29	6	23	4	1	3	3	1	2
95-99 years	13	1	12	10	1	9	3	-	3	2	-	2
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Thyrotoxicosis with diffuse goiter (E05.0)												
All ages	47	14	33	36	9	27	11	5	6	11	5	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	-	2	1	-	1	1	-	1	1	-	1
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	-	2	1	-	1	1	-	1	1	-	1
35-39 years	4	3	1	1	1	-	3	2	1	3	2	1
40-44 years	5	3	2	2	1	1	3	2	1	3	2	1
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	2	1	1	1	-	1	1	1	-	1	1	-
75-79 years	6	2	4	6	2	4	-	-	-	-	-	-
80-84 years	4	-	4	4	-	4	-	-	-	-	-	-
85-89 years	8	-	8	7	-	7	1	-	1	1	-	1
90-94 years	6	2	4	6	2	4	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Thyrotoxicosis with toxic multinodular goiter (E05.2)												
All ages	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Thyroid crisis or storm (E05.5)												
All ages	12	4	8	7	4	3	5	-	5	4	-	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	-	2	1	-	1	1	-	1	1	-	1
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years	1	-	1	-	-	-	1	-	1	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	-	2	1	-	1	1	-	1	1	-	1
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Thyrotoxicosis, unspecified (E05.9)												
All ages	219	56	163	164	44	120	55	12	43	47	12	35
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	8	3	5	3	1	2	5	2	3	4	2	2
35-39 years	9	3	6	7	2	5	2	1	1	1	1	-
40-44 years	8	1	7	2	1	1	6	-	6	5	-	5
45-49 years	5	1	4	3	-	3	2	1	1	1	1	-
50-54 years	9	2	7	6	2	4	3	-	3	3	-	3
55-59 years	7	5	2	6	5	1	1	-	1	1	-	1
60-64 years	7	3	4	3	1	2	4	2	2	4	2	2
65-69 years	10	4	6	8	4	4	2	-	2	1	-	1
70-74 years	3	2	1	2	2	-	1	-	1	1	-	1
75-79 years	29	11	18	23	8	15	6	3	3	6	3	3
80-84 years	36	7	29	29	7	22	7	-	7	6	-	6
85-89 years	49	7	42	41	5	36	8	2	6	8	2	6
90-94 years	24	5	19	20	4	16	4	1	3	3	1	2
95-99 years	12	1	11	9	1	8	3	-	3	2	-	2
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Thyroiditis (E06)												
All ages	16	5	11	16	5	11	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Autoimmune thyroiditis (E06.3)												
All ages	11	3	8	11	3	8	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic thyroiditis (E06.5)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Thyroiditis, unspecified (E06.9)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of thyroid (E07)												
All ages	37	7	30	31	6	25	6	1	5	6	1	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	3	1	2	2	1	1	1	-	1	1	-	1
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	3	-	3	3	-	3	-	-	-	-	-	-
75-79 years	9	-	9	8	-	8	1	-	1	1	-	1
80-84 years	5	2	3	3	1	2	2	1	1	2	1	1
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	4	1	3	2	1	1	2	-	2	2	-	2
95-99 years	5	-	5	5	-	5	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorder of thyroid, unspecified (E07.9)												
All ages	37	7	30	31	6	25	6	1	5	6	1	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	3	1	2	2	1	1	1	-	1	1	-	1
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	3	-	3	3	-	3	-	-	-	-	-	-
75-79 years	9	-	9	8	-	8	1	-	1	1	-	1
80-84 years	5	2	3	3	1	2	2	1	1	2	1	1
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	4	1	3	2	1	1	2	-	2	2	-	2
95-99 years	5	-	5	5	-	5	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Insulin-dependent diabetes mellitus (E10)												
All ages	7,119	3,221	3,898	5,879	2,715	3,164	1,240	506	734	1,139	460	679
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	3	-	3	1	-	1	2	-	2	2	-	2
10-14 years	5	4	1	4	4	-	1	-	1	1	-	1
15-19 years	10	6	4	6	4	2	4	2	2	4	2	2
20-24 years	27	13	14	20	11	9	7	2	5	6	1	5
25-29 years	66	28	38	45	19	26	21	9	12	21	9	12
30-34 years	104	58	46	79	39	40	25	19	6	25	19	6
35-39 years	162	93	69	131	78	53	31	15	16	28	14	14
40-44 years	251	157	94	222	140	82	29	17	12	28	17	11
45-49 years	353	195	158	286	161	125	67	34	33	59	31	28
50-54 years	440	247	193	348	195	153	92	52	40	83	45	38
55-59 years	467	247	220	361	199	162	106	48	58	100	45	55
60-64 years	538	289	249	429	238	191	109	51	58	98	45	53
65-69 years	673	330	343	532	268	264	141	62	79	123	54	69
70-74 years	908	420	488	740	353	387	168	67	101	152	60	92
75-79 years	1,084	444	640	923	388	535	161	56	105	148	54	94
80-84 years	959	383	576	835	338	497	124	45	79	114	39	75
85-89 years	669	222	447	580	206	374	89	16	73	86	14	72
90-94 years	306	72	234	259	62	197	47	10	37	46	10	36
95-99 years	81	11	70	71	11	60	10	-	10	9	-	9
100 yrs & over	12	2	10	6	1	5	6	1	5	6	1	5
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
With coma (E10.0)												
All ages	44	17	27	38	15	23	6	2	4	5	1	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	-	2	2	-	2	-	-	-	-	-	-
30-34 years	3	1	2	3	1	2	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	5	2	3	4	2	2	1	-	1	1	-	1
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	4	3	1	3	2	1	1	1	-	-	-	-
65-69 years	3	2	1	1	1	-	2	1	1	2	1	1
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	5	1	4	4	1	3	1	-	1	1	-	1
85-89 years	6	-	6	5	-	5	1	-	1	1	-	1
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
With ketoacidosis (E10.1)												
All ages	197	100	97	158	77	81	39	23	16	38	23	15
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	3	-	3	1	-	1	2	-	2	2	-	2
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	7	5	2	4	3	1	3	2	1	3	2	1
20-24 years	15	5	10	11	4	7	4	1	3	4	1	3
25-29 years	12	6	6	10	5	5	2	1	1	2	1	1
30-34 years	16	11	5	13	9	4	3	2	1	3	2	1
35-39 years	13	6	7	10	4	6	3	2	1	3	2	1
40-44 years	20	14	6	18	12	6	2	2	-	2	2	-
45-49 years	25	17	8	23	15	8	2	2	-	2	2	-
50-54 years	17	9	8	14	7	7	3	2	1	3	2	1
55-59 years	14	7	7	10	4	6	4	3	1	4	3	1
60-64 years	11	4	7	9	2	7	2	2	-	2	2	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	8	3	5	6	3	3	2	-	2	2	-	2
75-79 years	7	2	5	6	1	5	1	1	-	1	1	-
80-84 years	12	6	6	9	4	5	3	2	1	2	2	-
85-89 years	6	1	5	4	1	3	2	-	2	2	-	2
90-94 years	6	2	4	5	1	4	1	1	-	1	1	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
With renal complications (E10.2)												
All ages	188	79	109	159	69	90	29	10	19	27	9	18
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	6	3	3	3	1	2	3	2	1	3	2	1
30-34 years	5	2	3	3	1	2	2	1	1	2	1	1
35-39 years	7	3	4	6	3	3	1	-	1	1	-	1
40-44 years	9	3	6	9	3	6	-	-	-	-	-	-
45-49 years	16	11	5	12	8	4	4	3	1	4	3	1
50-54 years	19	10	9	13	7	6	6	3	3	5	2	3
55-59 years	13	6	7	11	6	5	2	-	2	2	-	2
60-64 years	17	11	6	15	10	5	2	1	1	2	1	1
65-69 years	15	5	10	13	5	8	2	-	2	2	-	2
70-74 years	16	5	11	16	5	11	-	-	-	-	-	-
75-79 years	27	8	19	25	8	17	2	-	2	1	-	1
80-84 years	21	6	15	21	6	15	-	-	-	-	-	-
85-89 years	10	5	5	8	5	3	2	-	2	2	-	2
90-94 years	6	1	5	4	1	3	2	-	2	2	-	2
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
With ophthalmic complications (E10.3)												
All ages	6	1	5	4	-	4	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	-	2	1	-	1	1	-	1	1	-	1
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
With neurological complications (E10.4)												
All ages	69	34	35	64	34	30	5	-	5	5	-	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	4	1	3	4	1	3	-	-	-	-	-	-
40-44 years	5	3	2	5	3	2	-	-	-	-	-	-
45-49 years	5	4	1	5	4	1	-	-	-	-	-	-
50-54 years	6	3	3	6	3	3	-	-	-	-	-	-
55-59 years	6	4	2	6	4	2	-	-	-	-	-	-
60-64 years	2	1	1	1	1	-	1	-	1	1	-	1
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	8	4	4	8	4	4	-	-	-	-	-	-
75-79 years	9	4	5	9	4	5	-	-	-	-	-	-
80-84 years	8	4	4	8	4	4	-	-	-	-	-	-
85-89 years	7	1	6	4	1	3	3	-	3	3	-	3
90-94 years	2	1	1	1	1	-	1	-	1	1	-	1
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
With peripheral circulatory complications (E10.5)												
All ages	849	407	442	670	324	346	179	83	96	173	78	95
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	8	4	4	7	4	3	1	-	1	1	-	1
35-39 years	8	4	4	5	2	3	3	2	1	3	2	1
40-44 years	24	13	11	16	8	8	8	5	3	8	5	3
45-49 years	32	14	18	30	13	17	2	1	1	1	1	-
50-54 years	49	30	19	40	23	17	9	7	2	9	7	2
55-59 years	52	31	21	37	24	13	15	7	8	15	7	8
60-64 years	64	41	23	47	30	17	17	11	6	16	10	6
65-69 years	96	49	47	74	39	35	22	10	12	21	9	12
70-74 years	116	57	59	86	44	42	30	13	17	30	13	17
75-79 years	139	59	80	117	51	66	22	8	14	22	8	14
80-84 years	120	58	62	96	46	50	24	12	12	22	10	12
85-89 years	86	30	56	71	26	45	15	4	11	14	3	11
90-94 years	44	15	29	36	12	24	8	3	5	8	3	5
95-99 years	9	1	8	7	1	6	2	-	2	2	-	2
100 yrs & over	1	-	1	-	-	-	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
With other specified complications (E10.6)												
All ages	37	17	20	31	17	14	6	-	6	6	-	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	3	1	2	2	1	1	1	-	1	1	-	1
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	8	5	3	7	5	2	1	-	1	1	-	1
75-79 years	6	1	5	5	1	4	1	-	1	1	-	1
80-84 years	6	1	5	4	1	3	2	-	2	2	-	2
85-89 years	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
With multiple complications (E10.7)												
All ages	150	68	82	122	57	65	28	11	17	26	9	17
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	8	3	5	6	3	3	2	-	2	2	-	2
40-44 years	9	4	5	8	4	4	1	-	1	1	-	1
45-49 years	8	3	5	6	2	4	2	1	1	1	-	1
50-54 years	18	11	7	14	8	6	4	3	1	4	3	1
55-59 years	17	8	9	16	8	8	1	-	1	1	-	1
60-64 years	12	7	5	12	7	5	-	-	-	-	-	-
65-69 years	18	6	12	14	5	9	4	1	3	4	1	3
70-74 years	19	9	10	12	8	4	7	1	6	7	1	6
75-79 years	17	6	11	13	2	11	4	4	-	3	3	-
80-84 years	10	6	4	9	6	3	1	-	1	1	-	1
85-89 years	9	2	7	8	2	6	1	-	1	1	-	1
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
With unspecified complications (E10.8)												
All ages	3	1	2	1	1	-	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Without complications (E10.9)												
All ages	5,576	2,497	3,079	4,632	2,121	2,511	944	376	568	855	339	516
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	5	4	1	4	4	-	1	-	1	1	-	1
15-19 years	3	1	2	2	1	1	1	-	1	1	-	1
20-24 years	11	8	3	9	7	2	2	1	1	1	-	1
25-29 years	42	17	25	26	11	15	16	6	10	16	6	10
30-34 years	67	37	30	49	22	27	18	15	3	18	15	3
35-39 years	118	73	45	97	62	35	21	11	10	18	10	8
40-44 years	178	117	61	161	107	54	17	10	7	16	10	6
45-49 years	264	145	119	207	118	89	57	27	30	51	25	26
50-54 years	326	181	145	256	144	112	70	37	33	62	31	31
55-59 years	360	188	172	277	150	127	83	38	45	77	35	42
60-64 years	423	221	202	339	185	154	84	36	48	75	32	43
65-69 years	533	262	271	423	213	210	110	49	61	93	42	51
70-74 years	730	337	393	602	284	318	128	53	75	112	46	66
75-79 years	876	363	513	745	320	425	131	43	88	120	42	78
80-84 years	775	301	474	683	270	413	92	31	61	85	27	58
85-89 years	542	181	361	477	169	308	65	12	53	63	11	52
90-94 years	245	52	193	210	46	164	35	6	29	34	6	28
95-99 years	67	7	60	59	7	52	8	-	8	7	-	7
100 yrs & over	11	2	9	6	1	5	5	1	4	5	1	4
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Noninsulin-dependent diabetes mellitus (E11)												
All ages	12,832	5,608	7,224	10,900	4,834	6,066	1,932	774	1,158	1,611	624	987
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	4	3	1	-	-	-	4	3	1	4	3	1
30-34 years	5	2	3	1	-	1	4	2	2	4	2	2
35-39 years	26	16	10	16	10	6	10	6	4	9	5	4
40-44 years	79	46	33	59	36	23	20	10	10	19	9	10
45-49 years	182	106	76	133	85	48	49	21	28	38	15	23
50-54 years	388	211	177	286	163	123	102	48	54	86	37	49
55-59 years	548	302	246	416	237	179	132	65	67	111	54	57
60-64 years	791	443	348	629	358	271	162	85	77	133	69	64
65-69 years	1,190	597	593	958	499	459	232	98	134	192	79	113
70-74 years	1,690	851	839	1,425	738	687	265	113	152	224	97	127
75-79 years	2,239	1,000	1,239	1,893	874	1,019	346	126	220	296	102	194
80-84 years	2,338	939	1,399	2,091	836	1,255	247	103	144	202	84	118
85-89 years	1,939	715	1,224	1,736	663	1,073	203	52	151	161	33	128
90-94 years	1,024	298	726	925	269	656	99	29	70	81	25	56
95-99 years	344	66	278	300	56	244	44	10	34	39	7	32
100 yrs & over	44	13	31	32	10	22	12	3	9	11	3	8
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
With coma (E11.0)												
All ages	75	28	47	60	25	35	15	3	12	15	3	12
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	2	1	1	1	1	-	1	-	1	1	-	1
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	8	5	3	7	4	3	1	1	-	1	1	-
75-79 years	12	4	8	10	2	8	2	2	-	2	2	-
80-84 years	19	6	13	17	6	11	2	-	2	2	-	2
85-89 years	17	7	10	13	7	6	4	-	4	4	-	4
90-94 years	7	1	6	3	1	2	4	-	4	4	-	4
95-99 years	5	-	5	4	-	4	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
With ketoacidosis (E11.1)												
All ages	107	44	63	80	32	48	27	12	15	24	11	13
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	4	3	1	4	3	1	-	-	-	-	-	-
45-49 years	6	5	1	4	3	1	2	2	-	1	1	-
50-54 years	5	2	3	3	2	1	2	-	2	2	-	2
55-59 years	4	2	2	1	1	-	3	1	2	3	1	2
60-64 years	10	4	6	6	2	4	4	2	2	4	2	2
65-69 years	6	1	5	5	1	4	1	-	1	1	-	1
70-74 years	11	5	6	9	4	5	2	1	1	2	1	1
75-79 years	15	4	11	12	4	8	3	-	3	2	-	2
80-84 years	13	4	9	12	4	8	1	-	1	-	-	-
85-89 years	20	9	11	15	6	9	5	3	2	5	3	2
90-94 years	7	3	4	6	2	4	1	1	-	1	1	-
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
With renal complications (E11.2)												
All ages	316	158	158	275	137	138	41	21	20	25	13	12
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	2	1	1	1	-	1	1	1	-	1	1	-
45-49 years	5	3	2	5	3	2	-	-	-	-	-	-
50-54 years	20	10	10	15	7	8	5	3	2	4	2	2
55-59 years	25	11	14	19	7	12	6	4	2	2	2	-
60-64 years	26	14	12	23	11	12	3	3	-	2	2	-
65-69 years	44	15	29	39	15	24	5	-	5	2	-	2
70-74 years	41	24	17	32	20	12	9	4	5	6	2	4
75-79 years	57	34	23	54	31	23	3	3	-	2	2	-
80-84 years	50	25	25	47	23	24	3	2	1	2	2	-
85-89 years	26	11	15	24	11	13	2	-	2	1	-	1
90-94 years	15	8	7	12	7	5	3	1	2	2	-	2
95-99 years	4	2	2	4	2	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
With ophthalmic complications (E11.3)												
All ages	15	6	9	14	5	9	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	3	1	2	2	-	2	1	1	-	1	1	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
With neurological complications (E11.4)												
All ages	84	42	42	71	36	35	13	6	7	10	4	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	4	2	2	4	2	2	-	-	-	-	-	-
55-59 years	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years	9	6	3	7	5	2	2	1	1	2	1	1
70-74 years	17	7	10	14	5	9	3	2	1	3	2	1
75-79 years	17	6	11	15	6	9	2	-	2	2	-	2
80-84 years	13	10	3	12	9	3	1	1	-	-	-	-
85-89 years	13	5	8	8	3	5	5	2	3	3	1	2
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
With peripheral circulatory complications (E11.5)												
All ages	1,453	630	823	1,181	533	648	272	97	175	241	82	159
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	6	4	2	6	4	2	-	-	-	-	-	-
45-49 years	16	8	8	11	6	5	5	2	3	5	2	3
50-54 years	45	16	29	29	11	18	16	5	11	15	4	11
55-59 years	57	23	34	43	16	27	14	7	7	12	6	6
60-64 years	77	38	39	59	33	26	18	5	13	13	3	10
65-69 years	150	60	90	113	52	61	37	8	29	33	6	27
70-74 years	189	95	94	158	83	75	31	12	19	28	12	16
75-79 years	279	135	144	221	113	108	58	22	36	54	19	35
80-84 years	262	126	136	223	103	120	39	23	16	36	21	15
85-89 years	227	89	138	192	80	112	35	9	26	27	6	21
90-94 years	102	28	74	90	24	66	12	4	8	11	3	8
95-99 years	33	6	27	29	6	23	4	-	4	4	-	4
100 yrs & over	9	2	7	6	2	4	3	-	3	3	-	3
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
With other specified complications (E11.6)												
All ages	49	19	30	40	13	27	9	6	3	8	5	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	2	2	-	-	-	-	2	2	-	2	2	-
60-64 years	4	1	3	3	1	2	1	-	1	1	-	1
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	4	2	2	2	-	2	2	2	-	1	1	-
75-79 years	9	1	8	7	1	6	2	-	2	2	-	2
80-84 years	15	7	8	14	6	8	1	1	-	1	1	-
85-89 years	5	2	3	4	1	3	1	1	-	1	1	-
90-94 years	5	1	4	5	1	4	-	-	-	-	-	-
95-99 years	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
With multiple complications (E11.7)												
All ages	166	83	83	137	68	69	29	15	14	20	12	8
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	4	3	1	3	2	1	1	1	-	-	-	-
50-54 years	9	3	6	7	2	5	2	1	1	1	1	-
55-59 years	12	8	4	8	6	2	4	2	2	2	2	-
60-64 years	17	9	8	14	7	7	3	2	1	3	2	1
65-69 years	18	8	10	17	8	9	1	-	1	-	-	-
70-74 years	35	18	17	26	13	13	9	5	4	7	4	3
75-79 years	25	18	7	21	15	6	4	3	1	4	3	1
80-84 years	26	10	16	25	10	15	1	-	1	-	-	-
85-89 years	10	4	6	8	3	5	2	1	1	1	-	1
90-94 years	5	1	4	4	1	3	1	-	1	1	-	1
95-99 years	4	1	3	4	1	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
With unspecified complications (E11.8)												
All ages	2	1	1	1	-	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Without complications (E11.9)												
All ages	10,565	4,597	5,968	9,041	3,985	5,056	1,524	612	912	1,266	492	774
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	3	2	1	-	-	-	3	2	1	3	2	1
30-34 years	4	2	2	1	-	1	3	2	1	3	2	1
35-39 years	22	14	8	14	9	5	8	5	3	7	4	3
40-44 years	66	37	29	47	28	19	19	9	10	18	8	10
45-49 years	147	84	63	106	68	38	41	16	25	32	12	20
50-54 years	301	175	126	225	136	89	76	39	37	63	30	33
55-59 years	444	254	190	342	206	136	102	48	54	89	40	49
60-64 years	650	374	276	518	302	216	132	72	60	109	59	50
65-69 years	959	503	456	773	414	359	186	89	97	154	72	82
70-74 years	1,381	694	687	1,173	608	565	208	86	122	176	74	102
75-79 years	1,823	798	1,025	1,551	702	849	272	96	176	228	76	152
80-84 years	1,937	750	1,187	1,738	674	1,064	199	76	123	161	60	101
85-89 years	1,620	588	1,032	1,471	552	919	149	36	113	119	22	97
90-94 years	881	255	626	803	232	571	78	23	55	62	21	41
95-99 years	292	56	236	253	46	207	39	10	29	34	7	27
100 yrs & over	35	11	24	26	8	18	9	3	6	8	3	5
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malnutrition-related diabetes mellitus (E12)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Without complications (E12.9)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diabetes mellitus (E13)												
All ages	8	3	5	5	2	3	3	1	2	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	-	-	-	2	1	1	2	1	1
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
With renal complications (E13.2)												
All ages	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
With other specified complications (E13.6)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Without complications (E13.9)												
All ages	5	2	3	4	2	2	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified diabetes mellitus (E14)												
All ages	51,411	24,008	27,403	40,394	19,365	21,029	11,017	4,643	6,374	9,552	3,964	5,588
Under 1 year	2	1	1	1	-	1	1	1	-	1	1	-
1-4 years	5	2	3	5	2	3	-	-	-	-	-	-
5-9 years	4	2	2	2	1	1	2	1	1	2	1	1
10-14 years	27	17	10	14	10	4	13	7	6	10	5	5
15-19 years	38	21	17	21	14	7	17	7	10	14	6	8
20-24 years	75	45	30	35	21	14	40	24	16	35	21	14
25-29 years	145	83	62	79	44	35	66	39	27	61	37	24
30-34 years	271	167	104	179	110	69	92	57	35	87	53	34
35-39 years	547	327	220	364	214	150	183	113	70	166	101	65
40-44 years	893	542	351	607	398	209	286	144	142	261	132	129
45-49 years	1,526	933	593	1,054	652	402	472	281	191	419	246	173
50-54 years	2,452	1,462	990	1,734	1,070	664	718	392	326	638	339	299
55-59 years	3,171	1,812	1,359	2,289	1,365	924	882	447	435	775	390	385
60-64 years	4,053	2,147	1,906	2,969	1,634	1,335	1,084	513	571	935	439	496
65-69 years	5,332	2,807	2,525	4,011	2,219	1,792	1,321	588	733	1,145	505	640
70-74 years	6,936	3,431	3,505	5,417	2,839	2,578	1,519	592	927	1,309	501	808
75-79 years	8,223	3,800	4,423	6,672	3,190	3,482	1,551	610	941	1,313	507	806
80-84 years	7,958	3,350	4,608	6,652	2,892	3,760	1,306	458	848	1,095	376	719
85-89 years	5,758	2,029	3,729	4,908	1,796	3,112	850	233	617	741	193	548
90-94 years	2,929	818	2,111	2,501	715	1,786	428	103	325	382	86	296
95-99 years	925	192	733	774	162	612	151	30	121	131	22	109
100 yrs & over	140	19	121	105	16	89	35	3	32	32	3	29
Not stated	1	1	-	1	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
With coma (E14.0)												
All ages	495	214	281	371	158	213	124	56	68	108	48	60
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	3	1	2	2	1	1	1	-	1	1	-	1
25-29 years	6	5	1	3	2	1	3	3	-	2	2	-
30-34 years	6	6	-	5	5	-	1	1	-	1	1	-
35-39 years	17	12	5	11	8	3	6	4	2	5	3	2
40-44 years	15	13	2	11	10	1	4	3	1	3	2	1
45-49 years	29	18	11	19	12	7	10	6	4	8	5	3
50-54 years	22	12	10	12	6	6	10	6	4	10	6	4
55-59 years	25	14	11	18	11	7	7	3	4	7	3	4
60-64 years	22	12	10	19	12	7	3	-	3	3	-	3
65-69 years	29	15	14	19	8	11	10	7	3	9	6	3
70-74 years	43	18	25	31	16	15	12	2	10	9	2	7
75-79 years	62	23	39	43	16	27	19	7	12	16	7	9
80-84 years	75	29	46	60	24	36	15	5	10	12	3	9
85-89 years	66	22	44	53	17	36	13	5	8	13	5	8
90-94 years	50	8	42	42	6	36	8	2	6	7	1	6
95-99 years	20	3	17	20	3	17	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
With ketoacidosis (E14.1)												
All ages	1,567	806	761	1,068	529	539	499	277	222	463	253	210
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	20	13	7	9	6	3	11	7	4	9	5	4
15-19 years	26	12	14	13	7	6	13	5	8	12	5	7
20-24 years	38	25	13	15	10	5	23	15	8	21	13	8
25-29 years	47	27	20	27	14	13	20	13	7	20	13	7
30-34 years	70	42	28	46	27	19	24	15	9	23	14	9
35-39 years	122	73	49	84	46	38	38	27	11	33	23	10
40-44 years	142	93	49	84	57	27	58	36	22	54	35	19
45-49 years	146	100	46	96	65	31	50	35	15	48	33	15
50-54 years	160	95	65	105	58	47	55	37	18	53	36	17
55-59 years	101	59	42	65	40	25	36	19	17	35	18	17
60-64 years	102	53	49	68	35	33	34	18	16	30	15	15
65-69 years	100	48	52	71	34	37	29	14	15	27	13	14
70-74 years	107	49	58	79	39	40	28	10	18	26	8	18
75-79 years	125	49	76	92	34	58	33	15	18	31	14	17
80-84 years	103	33	70	87	29	58	16	4	12	15	3	12
85-89 years	86	20	66	69	15	54	17	5	12	15	4	11
90-94 years	39	10	29	31	9	22	8	1	7	8	1	7
95-99 years	28	2	26	22	1	21	6	1	5	3	-	3
100 yrs & over	2	1	1	2	1	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
With renal complications (E14.2)												
All ages	1,183	541	642	933	443	490	250	98	152	196	76	120
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years	4	-	4	2	-	2	2	-	2	1	-	1
30-34 years	7	5	2	5	3	2	2	2	-	2	2	-
35-39 years	17	9	8	14	9	5	3	-	3	3	-	3
40-44 years	25	13	12	20	11	9	5	2	3	5	2	3
45-49 years	50	31	19	40	28	12	10	3	7	7	2	5
50-54 years	58	25	33	43	16	27	15	9	6	11	6	5
55-59 years	78	48	30	57	37	20	21	11	10	16	10	6
60-64 years	105	46	59	68	32	36	37	14	23	28	11	17
65-69 years	166	84	82	129	67	62	37	17	20	31	13	18
70-74 years	178	89	89	135	68	67	43	21	22	33	14	19
75-79 years	180	81	99	152	70	82	28	11	17	22	10	12
80-84 years	171	59	112	141	53	88	30	6	24	24	5	19
85-89 years	106	36	70	95	34	61	11	2	9	8	1	7
90-94 years	27	12	15	24	12	12	3	-	3	3	-	3
95-99 years	8	2	6	6	2	4	2	-	2	2	-	2
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
With ophthalmic complications (E14.3)												
All ages	27	10	17	19	9	10	8	1	7	5	1	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years	2	1	1	1	1	-	1	-	1	1	-	1
70-74 years	6	2	4	3	2	1	3	-	3	2	-	2
75-79 years	3	-	3	2	-	2	1	-	1	-	-	-
80-84 years	2	1	1	1	-	1	1	1	-	1	1	-
85-89 years	4	1	3	2	1	1	2	-	2	1	-	1
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
With neurological complications (E14.4)												
All ages	260	129	131	221	113	108	39	16	23	31	12	19
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	3	-	3	1	-	1	2	-	2	2	-	2
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years	5	5	-	5	5	-	-	-	-	-	-	-
45-49 years	10	4	6	8	3	5	2	1	1	1	-	1
50-54 years	22	11	11	17	9	8	5	2	3	4	1	3
55-59 years	23	13	10	19	11	8	4	2	2	3	2	1
60-64 years	17	9	8	15	8	7	2	1	1	1	-	1
65-69 years	28	13	15	23	12	11	5	1	4	4	1	3
70-74 years	33	14	19	27	11	16	6	3	3	6	3	3
75-79 years	38	25	13	31	20	11	7	5	2	6	4	2
80-84 years	41	19	22	36	18	18	5	1	4	4	1	3
85-89 years	22	8	14	22	8	14	-	-	-	-	-	-
90-94 years	10	3	7	9	3	6	1	-	1	-	-	-
95-99 years	4	2	2	4	2	2	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
With peripheral circulatory complications (E14.5)												
All ages	5,545	2,688	2,857	4,180	2,146	2,034	1,365	542	823	1,227	484	743
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	1	1	1	-	1	1	1	-	1	1	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	8	7	1	5	5	-	3	2	1	3	2	1
35-39 years	22	12	10	13	6	7	9	6	3	7	5	2
40-44 years	53	34	19	34	26	8	19	8	11	17	8	9
45-49 years	142	88	54	94	58	36	48	30	18	45	28	17
50-54 years	200	112	88	138	78	60	62	34	28	56	31	25
55-59 years	307	164	143	209	125	84	98	39	59	89	35	54
60-64 years	415	213	202	299	157	142	116	56	60	104	53	51
65-69 years	589	308	281	428	237	191	161	71	90	140	59	81
70-74 years	828	417	411	609	326	283	219	91	128	194	78	116
75-79 years	993	518	475	762	425	337	231	93	138	210	84	126
80-84 years	883	431	452	710	368	342	173	63	110	149	55	94
85-89 years	671	261	410	542	224	318	129	37	92	121	34	87
90-94 years	316	96	220	253	89	164	63	7	56	61	7	54
95-99 years	95	22	73	72	19	53	23	3	20	22	3	19
100 yrs & over	20	3	17	10	2	8	10	1	9	8	1	7
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
With other specified complications (E14.6)												
All ages	219	83	136	173	65	108	46	18	28	40	15	25
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	3	2	1	1	-	1	2	2	-	2	2	-
35-39 years	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	6	3	3	2	1	1	4	2	2	3	1	2
50-54 years	8	3	5	8	3	5	-	-	-	-	-	-
55-59 years	16	9	7	10	6	4	6	3	3	5	2	3
60-64 years	10	6	4	7	5	2	3	1	2	3	1	2
65-69 years	15	4	11	12	3	9	3	1	2	3	1	2
70-74 years	25	12	13	21	10	11	4	2	2	3	1	2
75-79 years	25	8	17	18	6	12	7	2	5	6	2	4
80-84 years	49	17	32	45	16	29	4	1	3	2	1	1
85-89 years	37	10	27	28	6	22	9	4	5	9	4	5
90-94 years	12	5	7	10	5	5	2	-	2	2	-	2
95-99 years	6	1	5	4	1	3	2	-	2	2	-	2
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
With multiple complications (E14.7)												
All ages	487	241	246	373	183	190	114	58	56	101	53	48
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	1	1	1	-	1	1	1	-	1	1	-
25-29 years	5	4	1	1	1	-	4	3	1	4	3	1
30-34 years	5	3	2	3	2	1	2	1	1	1	1	-
35-39 years	7	4	3	4	2	2	3	2	1	3	2	1
40-44 years	12	8	4	8	6	2	4	2	2	3	1	2
45-49 years	13	7	6	10	6	4	3	1	2	3	1	2
50-54 years	25	13	12	20	10	10	5	3	2	5	3	2
55-59 years	47	24	23	37	18	19	10	6	4	8	5	3
60-64 years	41	17	24	31	13	18	10	4	6	8	4	4
65-69 years	65	39	26	47	27	20	18	12	6	16	11	5
70-74 years	62	32	30	52	27	25	10	5	5	10	5	5
75-79 years	84	37	47	67	31	36	17	6	11	15	6	9
80-84 years	60	29	31	45	21	24	15	8	7	12	6	6
85-89 years	39	16	23	32	14	18	7	2	5	7	2	5
90-94 years	14	6	8	10	4	6	4	2	2	4	2	2
95-99 years	5	-	5	4	-	4	1	-	1	1	-	1
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
With unspecified complications (E14.8)												
All ages	97	47	50	72	38	34	25	9	16	25	9	16
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	3	2	1	3	2	1	-	-	-	-	-	-
30-34 years	3	2	1	2	1	1	1	1	-	1	1	-
35-39 years	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	6	3	3	3	1	2	3	2	1	3	2	1
50-54 years	11	7	4	11	7	4	-	-	-	-	-	-
55-59 years	6	5	1	6	5	1	-	-	-	-	-	-
60-64 years	7	4	3	5	3	2	2	1	1	2	1	1
65-69 years	6	2	4	4	2	2	2	-	2	2	-	2
70-74 years	6	3	3	4	3	1	2	-	2	2	-	2
75-79 years	11	6	5	6	4	2	5	2	3	5	2	3
80-84 years	16	6	10	11	4	7	5	2	3	5	2	3
85-89 years	10	2	8	7	1	6	3	1	2	3	1	2
90-94 years	5	1	4	4	1	3	1	-	1	1	-	1
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Without complications (E14.9)												
All ages	41,531	19,249	22,282	32,984	15,681	17,303	8,547	3,568	4,979	7,356	3,013	4,343
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	3	1	2	3	1	2	-	-	-	-	-	-
5-9 years	2	-	2	1	-	1	1	-	1	1	-	1
10-14 years	6	4	2	5	4	1	1	-	1	1	-	1
15-19 years	11	8	3	7	6	1	4	2	2	2	1	1
20-24 years	27	16	11	14	9	5	13	7	6	10	6	4
25-29 years	76	44	32	41	24	17	35	20	15	32	19	13
30-34 years	168	100	68	111	67	44	57	33	24	54	30	24
35-39 years	352	209	143	228	135	93	124	74	50	115	68	47
40-44 years	636	372	264	440	279	161	196	93	103	179	84	95
45-49 years	1,124	679	445	782	478	304	342	201	141	301	174	127
50-54 years	1,945	1,183	762	1,379	882	497	566	301	265	499	256	243
55-59 years	2,567	1,476	1,091	1,867	1,112	755	700	364	336	612	315	297
60-64 years	3,332	1,787	1,545	2,455	1,369	1,086	877	418	459	756	354	402
65-69 years	4,332	2,293	2,039	3,277	1,828	1,449	1,055	465	590	912	401	511
70-74 years	5,648	2,795	2,853	4,456	2,337	2,119	1,192	458	734	1,024	390	634
75-79 years	6,702	3,053	3,649	5,499	2,584	2,915	1,203	469	734	1,002	378	624
80-84 years	6,558	2,726	3,832	5,516	2,359	3,157	1,042	367	675	871	299	572
85-89 years	4,717	1,653	3,064	4,058	1,476	2,582	659	177	482	564	142	422
90-94 years	2,454	676	1,778	2,116	585	1,531	338	91	247	296	75	221
95-99 years	757	160	597	640	134	506	117	26	91	101	19	82
100 yrs & over	112	13	99	87	11	76	25	2	23	24	2	22
Not stated	1	1	-	1	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Nondiabetic hypoglycemic coma (E15)												
All ages	17	9	8	14	8	6	3	1	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	3	2	1	2	1	1	1	1	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of pancreatic internal secretion (E16)												
All ages	216	95	121	151	60	91	65	35	30	59	31	28
Under 1 year	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	4	2	2	4	2	2	-	-	-	-	-	-
25-29 years	3	1	2	2	-	2	1	1	-	1	1	-
30-34 years	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years	7	4	3	5	2	3	2	2	-	1	1	-
40-44 years	12	6	6	9	4	5	3	2	1	3	2	1
45-49 years	8	6	2	4	3	1	4	3	1	4	3	1
50-54 years	5	2	3	4	1	3	1	1	-	1	1	-
55-59 years	13	6	7	8	4	4	5	2	3	5	2	3
60-64 years	16	8	8	13	6	7	3	2	1	2	1	1
65-69 years	15	9	6	9	5	4	6	4	2	6	4	2
70-74 years	24	14	10	12	6	6	12	8	4	11	7	4
75-79 years	34	17	17	22	10	12	12	7	5	11	6	5
80-84 years	27	4	23	21	4	17	6	-	6	5	-	5
85-89 years	21	7	14	16	6	10	5	1	4	4	1	3
90-94 years	13	4	9	11	4	7	2	-	2	2	-	2
95-99 years	8	5	3	5	3	2	3	2	1	3	2	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Drug-induced hypoglycemia without coma (E16.0)												
All ages	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other hypoglycemia (E16.1)												
All ages	4	1	3	2	-	2	2	1	1	2	1	1
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hypoglycemia, unspecified (E16.2)												
All ages	198	86	112	137	54	83	61	32	29	55	28	27
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	4	2	2	4	2	2	-	-	-	-	-	-
25-29 years	3	1	2	2	-	2	1	1	-	1	1	-
30-34 years	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years	6	3	3	5	2	3	1	1	-	-	-	-
40-44 years	9	4	5	6	2	4	3	2	1	3	2	1
45-49 years	7	5	2	3	2	1	4	3	1	4	3	1
50-54 years	4	1	3	3	-	3	1	1	-	1	1	-
55-59 years	12	5	7	7	3	4	5	2	3	5	2	3
60-64 years	14	8	6	12	6	6	2	2	-	1	1	-
65-69 years	14	9	5	8	5	3	6	4	2	6	4	2
70-74 years	22	12	10	12	6	6	10	6	4	9	5	4
75-79 years	34	17	17	22	10	12	12	7	5	11	6	5
80-84 years	26	3	23	20	3	17	6	-	6	5	-	5
85-89 years	20	7	13	15	6	9	5	1	4	4	1	3
90-94 years	11	4	7	9	4	5	2	-	2	2	-	2
95-99 years	8	5	3	5	3	2	3	2	1	3	2	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified disorders of pancreatic internal secretion (E16.8)												
All ages	10	5	5	8	3	5	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hypoparathyroidism (E20)												
All ages	14	4	10	12	3	9	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	4	1	3	3	-	3	1	1	-	1	1	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hypoparathyroidism, unspecified (E20.9)												
All ages	14	4	10	12	3	9	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	4	1	3	3	-	3	1	1	-	1	1	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hyperparathyroidism and other disorders of parathyroid gland (E21)												
All ages	100	26	74	86	20	66	14	6	8	13	6	7
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years	7	1	6	6	1	5	1	-	1	1	-	1
55-59 years	3	3	-	1	1	-	2	2	-	2	2	-
60-64 years	5	-	5	4	-	4	1	-	1	1	-	1
65-69 years	3	2	1	1	-	1	2	2	-	2	2	-
70-74 years	6	4	2	4	3	1	2	1	1	1	1	-
75-79 years	9	1	8	8	1	7	1	-	1	1	-	1
80-84 years	13	4	9	12	4	8	1	-	1	1	-	1
85-89 years	24	4	20	22	4	18	2	-	2	2	-	2
90-94 years	22	5	17	21	5	16	1	-	1	1	-	1
95-99 years	5	-	5	5	-	5	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Primary hyperparathyroidism (E21.0)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Secondary hyperparathyroidism, not elsewhere classified (E21.1)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other hyperparathyroidism (E21.2)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hyperparathyroidism, unspecified (E21.3)												
All ages	89	20	69	77	16	61	12	4	8	11	4	7
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	4	-	4	3	-	3	1	-	1	1	-	1
55-59 years	2	2	-	-	-	-	2	2	-	2	2	-
60-64 years	3	-	3	2	-	2	1	-	1	1	-	1
65-69 years	2	1	1	1	-	1	1	1	-	1	1	-
70-74 years	6	4	2	4	3	1	2	1	1	1	1	-
75-79 years	9	1	8	8	1	7	1	-	1	1	-	1
80-84 years	12	4	8	11	4	7	1	-	1	1	-	1
85-89 years	23	3	20	21	3	18	2	-	2	2	-	2
90-94 years	22	5	17	21	5	16	1	-	1	1	-	1
95-99 years	5	-	5	5	-	5	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified disorders of parathyroid gland (E21.4)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorder of parathyroid gland, unspecified (E21.5)												
All ages	7	5	2	6	4	2	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hyperfunction of pituitary gland (E22)												
All ages	79	27	52	74	25	49	5	2	3	5	2	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	3	3	-	2	2	-	1	1	-	1	1	-
50-54 years	4	2	2	4	2	2	-	-	-	-	-	-
55-59 years	3	2	1	2	1	1	1	1	-	1	1	-
60-64 years	5	2	3	3	2	1	2	-	2	2	-	2
65-69 years	3	1	2	2	1	1	1	-	1	1	-	1
70-74 years	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years	14	6	8	14	6	8	-	-	-	-	-	-
80-84 years	14	5	9	14	5	9	-	-	-	-	-	-
85-89 years	16	1	15	16	1	15	-	-	-	-	-	-
90-94 years	7	2	5	7	2	5	-	-	-	-	-	-
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acromegaly and pituitary gigantism (E22.0)												
All ages	17	9	8	12	7	5	5	2	3	5	2	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	3	3	-	2	2	-	1	1	-	1	1	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years	3	1	2	1	1	-	2	-	2	2	-	2
65-69 years	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Syndrome of inappropriate secretion of antidiuretic hormone (E22.2)												
All ages	62	18	44	62	18	44	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years	12	5	7	12	5	7	-	-	-	-	-	-
80-84 years	12	5	7	12	5	7	-	-	-	-	-	-
85-89 years	15	1	14	15	1	14	-	-	-	-	-	-
90-94 years	7	2	5	7	2	5	-	-	-	-	-	-
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hypofunction and other disorders of the pituitary gland (E23)												
All ages	141	72	69	119	58	61	22	14	8	17	12	5
Under 1 year	6	5	1	4	3	1	2	2	-	1	1	-
1-4 years	7	3	4	4	2	2	3	1	2	2	1	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	4	2	2	4	2	2	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years	10	4	6	7	2	5	3	2	1	3	2	1
45-49 years	8	2	6	7	2	5	1	-	1	-	-	-
50-54 years	9	5	4	6	3	3	3	2	1	1	1	-
55-59 years	8	5	3	6	4	2	2	1	1	2	1	1
60-64 years	12	8	4	12	8	4	-	-	-	-	-	-
65-69 years	6	4	2	5	3	2	1	1	-	1	1	-
70-74 years	12	8	4	12	8	4	-	-	-	-	-	-
75-79 years	15	6	9	13	4	9	2	2	-	2	2	-
80-84 years	19	8	11	18	7	11	1	1	-	1	1	-
85-89 years	10	3	7	9	3	6	1	-	1	1	-	1
90-94 years	5	3	2	4	2	2	1	1	-	1	1	-
95-99 years	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hypopituitarism (E23.0)												
All ages	83	41	42	71	35	36	12	6	6	10	6	4
Under 1 year	3	2	1	3	2	1	-	-	-	-	-	-
1-4 years	4	1	3	1	-	1	3	1	2	2	1	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years	8	2	6	7	2	5	1	-	1	1	-	1
45-49 years	3	1	2	2	1	1	1	-	1	-	-	-
50-54 years	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years	5	4	1	3	3	-	2	1	1	2	1	1
60-64 years	8	6	2	8	6	2	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	7	4	3	7	4	3	-	-	-	-	-	-
75-79 years	11	4	7	9	2	7	2	2	-	2	2	-
80-84 years	13	6	7	12	5	7	1	1	-	1	1	-
85-89 years	5	2	3	4	2	2	1	-	1	1	-	1
90-94 years	5	3	2	4	2	2	1	1	-	1	1	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Diabetes insipidus (E23.2)												
All ages	43	22	21	35	15	20	8	7	1	5	5	-
Under 1 year	3	3	-	1	1	-	2	2	-	1	1	-
1-4 years	3	2	1	3	2	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	4	-	4	4	-	4	-	-	-	-	-	-
50-54 years	6	4	2	3	2	1	3	2	1	1	1	-
55-59 years	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years	3	2	1	2	1	1	1	1	-	1	1	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years	6	2	4	6	2	4	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hypothalamic dysfunction, not elsewhere classified (E23.3)												
All ages	5	3	2	3	2	1	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other disorders of pituitary gland (E23.6)												
All ages	6	4	2	6	4	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorder of pituitary gland, unspecified (E23.7)												
All ages	4	2	2	4	2	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cushing's syndrome (E24)												
All ages	22	4	18	21	3	18	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	2	1	1	1	-	1	1	1	-	1	1	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	6	1	5	6	1	5	-	-	-	-	-	-
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years	4	-	4	4	-	4	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Drug-induced Cushing's syndrome (E24.2)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other Cushing's syndrome (E24.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cushing's syndrome, unspecified (E24.9)												
All ages	19	4	15	18	3	15	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	6	1	5	6	1	5	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Adrenogenital disorders (E25)												
All ages	5	2	3	3	2	1	2	-	2	1	-	1
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	1	-	1	-	-	-	1	-	1	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	1	1	-	1	-	1	1	-	1
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital adrenogenital disorders associated with enzyme deficiency (E25.0)												
All ages	5	2	3	3	2	1	2	-	2	1	-	1
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	1	-	1	-	-	-	1	-	1	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	1	1	-	1	-	1	1	-	1
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hyperaldosteronism (E26)												
All ages	8	5	3	8	5	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Primary hyperaldosteronism (E26.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other hyperaldosteronism (E26.8)												
All ages	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hyperaldosteronism, unspecified (E26.9)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other disorders of adrenal gland (E27)												
All ages	303	145	158	267	127	140	36	18	18	33	16	17
Under 1 year	4	3	1	3	2	1	1	1	-	1	1	-
1-4 years	2	2	-	1	1	-	1	1	-	1	1	-
5-9 years	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	3	2	1	3	2	1	-	-	-	-	-	-
25-29 years	4	1	3	3	1	2	1	-	1	1	-	1
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	7	5	2	4	2	2	3	3	-	3	3	-
40-44 years	10	6	4	8	5	3	2	1	1	2	1	1
45-49 years	7	3	4	5	3	2	2	-	2	2	-	2
50-54 years	15	12	3	12	9	3	3	3	-	3	3	-
55-59 years	10	3	7	9	3	6	1	-	1	1	-	1
60-64 years	13	7	6	8	6	2	5	1	4	4	1	3
65-69 years	15	11	4	14	10	4	1	1	-	1	1	-
70-74 years	35	15	20	34	15	19	1	-	1	1	-	1
75-79 years	49	19	30	44	16	28	5	3	2	4	2	2
80-84 years	46	24	22	42	22	20	4	2	2	4	2	2
85-89 years	42	20	22	40	19	21	2	1	1	2	1	1
90-94 years	28	7	21	26	6	20	2	1	1	1	-	1
95-99 years	4	-	4	2	-	2	2	-	2	2	-	2
100 yrs & over	3	-	3	3	-	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Primary adrenocortical insufficiency (E27.1)												
All ages	106	45	61	93	38	55	13	7	6	13	7	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	3	2	1	3	2	1	-	-	-	-	-	-
25-29 years	3	1	2	2	1	1	1	-	1	1	-	1
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	4	3	1	3	2	1	1	1	-	1	1	-
40-44 years	6	3	3	6	3	3	-	-	-	-	-	-
45-49 years	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years	4	4	-	1	1	-	3	3	-	3	3	-
55-59 years	5	2	3	5	2	3	-	-	-	-	-	-
60-64 years	4	-	4	2	-	2	2	-	2	2	-	2
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	14	3	11	14	3	11	-	-	-	-	-	-
75-79 years	12	5	7	11	4	7	1	1	-	1	1	-
80-84 years	14	9	5	11	7	4	3	2	1	3	2	1
85-89 years	14	3	11	14	3	11	-	-	-	-	-	-
90-94 years	11	2	9	10	2	8	1	-	1	1	-	1
95-99 years	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Addisonian crisis (E27.2)												
All ages	7	4	3	5	2	3	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	1	1	1	-	1	1	1	-	1	1	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Drug-induced adrenocortical insufficiency (E27.3)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other and unspecified adrenocortical insufficiency (E27.4)												
All ages	171	84	87	153	76	77	18	8	10	15	6	9
Under 1 year	4	3	1	3	2	1	1	1	-	1	1	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	2	1	1	-	1	2	2	-	2	2	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	4	1	3	2	1	1	2	-	2	2	-	2
50-54 years	11	8	3	11	8	3	-	-	-	-	-	-
55-59 years	5	1	4	4	1	3	1	-	1	1	-	1
60-64 years	7	5	2	4	4	-	3	1	2	2	1	1
65-69 years	10	8	2	10	8	2	-	-	-	-	-	-
70-74 years	18	9	9	17	9	8	1	-	1	1	-	1
75-79 years	31	12	19	28	10	18	3	2	1	2	1	1
80-84 years	29	13	16	28	13	15	1	-	1	1	-	1
85-89 years	25	15	10	24	15	9	1	-	1	1	-	1
90-94 years	17	5	12	16	4	12	1	1	-	-	-	-
95-99 years	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified disorders of adrenal gland (E27.8)												
All ages	5	4	1	5	4	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorder of adrenal gland, unspecified (E27.9)												
All ages	13	7	6	10	6	4	3	1	2	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	4	1	3	3	1	2	1	-	1	1	-	1
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	3	2	1	2	1	1	1	1	-	1	1	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian dysfunction (E28)												
All ages	3	...	3	3	...	3	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	2	...	2	2	...	2	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Primary ovarian failure (E28.3)												
All ages	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Other ovarian dysfunction (E28.8)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Testicular dysfunction (E29)												
All ages	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years	1	1	...	1	1	...	-	-	...	-	-	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...
Testicular hypofunction (E29.1)												
All ages	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years	1	1	...	1	1	...	-	-	...	-	-	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Polyglandular dysfunction (E31)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Autoimmune polyglandular failure (E31.0)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other polyglandular dysfunction (E31.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus (E32)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Persistent hyperplasia of thymus (E32.0)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of thymus (E32.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disease of thymus, unspecified (E32.9)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other endocrine disorders (E34)												
All ages	75	38	37	64	31	33	11	7	4	10	6	4
Under 1 year	26	16	10	21	12	9	5	4	1	5	4	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	4	1	3	3	1	2	1	-	1	1	-	1
55-59 years	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years	7	3	4	6	3	3	1	-	1	1	-	1
65-69 years	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years	7	4	3	4	1	3	3	3	-	2	2	-
75-79 years	7	4	3	7	4	3	-	-	-	-	-	-
80-84 years	8	4	4	7	4	3	1	-	1	1	-	1
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Carcinoid syndrome (E34.0)												
All ages	41	18	23	35	15	20	6	3	3	5	2	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	3	1	2	2	1	1	1	-	1	1	-	1
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	7	3	4	6	3	3	1	-	1	1	-	1
65-69 years	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years	6	4	2	3	1	2	3	3	-	2	2	-
75-79 years	6	3	3	6	3	3	-	-	-	-	-	-
80-84 years	7	3	4	6	3	3	1	-	1	1	-	1
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Short stature, not elsewhere classified (E34.3)												
All ages	28	16	12	23	12	11	5	4	1	5	4	1
Under 1 year	26	16	10	21	12	9	5	4	1	5	4	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified endocrine disorders (E34.8)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Endocrine disorder, unspecified (E34.9)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Kwashiorkor (E40)												
All ages	4	1	3	4	1	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional marasmus (E41)												
All ages	195	68	127	167	56	111	28	12	16	21	8	13
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	-	-	-	2	1	1	2	1	1
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	4	2	2	3	1	2	1	1	-	1	1	-
55-59 years	3	1	2	2	-	2	1	1	-	1	1	-
60-64 years	5	4	1	2	2	-	3	2	1	2	1	1
65-69 years	6	2	4	4	2	2	2	-	2	1	-	1
70-74 years	10	3	7	8	2	6	2	1	1	1	1	-
75-79 years	18	9	9	18	9	9	-	-	-	-	-	-
80-84 years	33	15	18	27	13	14	6	2	4	5	1	4
85-89 years	44	16	28	38	13	25	6	3	3	4	2	2
90-94 years	38	11	27	35	10	25	3	1	2	2	-	2
95-99 years	26	2	24	24	2	22	2	-	2	2	-	2
100 yrs & over	3	-	3	3	-	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Marasmic kwashiorkor (E42)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified severe protein-energy malnutrition (E43)												
All ages	341	118	223	270	86	184	71	32	39	59	27	32
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	7	3	4	5	2	3	2	1	1	2	1	1
40-44 years	4	2	2	2	-	2	2	2	-	2	2	-
45-49 years	13	4	9	11	2	9	2	2	-	1	1	-
50-54 years	13	4	9	8	3	5	5	1	4	5	1	4
55-59 years	11	7	4	9	5	4	2	2	-	2	2	-
60-64 years	12	6	6	11	5	6	1	1	-	1	1	-
65-69 years	16	6	10	12	4	8	4	2	2	4	2	2
70-74 years	31	6	25	28	6	22	3	-	3	3	-	3
75-79 years	48	21	27	38	14	24	10	7	3	10	7	3
80-84 years	64	26	38	47	18	29	17	8	9	10	4	6
85-89 years	64	19	45	55	15	40	9	4	5	7	4	3
90-94 years	41	11	30	32	9	23	9	2	7	8	2	6
95-99 years	12	1	11	7	1	6	5	-	5	4	-	4
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Protein-energy malnutrition of moderate and mild degree (E44)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Moderate protein-energy malnutrition (E44.0)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Retarded development following protein-energy malnutrition (E45)												
All ages	99	24	75	93	21	72	6	3	3	4	2	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	8	1	7	7	1	6	1	-	1	-	-	-
80-84 years	22	4	18	20	3	17	2	1	1	1	-	1
85-89 years	25	7	18	23	5	18	2	2	-	2	2	-
90-94 years	23	8	15	23	8	15	-	-	-	-	-	-
95-99 years	12	-	12	12	-	12	-	-	-	-	-	-
100 yrs & over	4	-	4	3	-	3	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified protein-energy malnutrition (E46)												
All ages	2,812	935	1,877	2,402	766	1,636	410	169	241	357	151	206
Under 1 year	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	2	-	1	1	-	1	1	-	1	1	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	6	4	2	4	4	-	2	-	2	2	-	2
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	8	2	6	4	1	3	4	1	3	4	1	3
35-39 years	6	3	3	5	2	3	1	1	-	1	1	-
40-44 years	19	9	10	12	5	7	7	4	3	7	4	3
45-49 years	27	17	10	17	8	9	10	9	1	9	8	1
50-54 years	40	19	21	26	9	17	14	10	4	12	9	3
55-59 years	48	25	23	34	17	17	14	8	6	12	7	5
60-64 years	67	32	35	55	23	32	12	9	3	9	7	2
65-69 years	100	48	52	76	33	43	24	15	9	21	14	7
70-74 years	180	88	92	150	70	80	30	18	12	26	17	9
75-79 years	330	125	205	273	106	167	57	19	38	48	17	31
80-84 years	498	198	300	425	170	255	73	28	45	66	25	41
85-89 years	623	178	445	563	162	401	60	16	44	54	16	38
90-94 years	539	133	406	474	111	363	65	22	43	56	18	38
95-99 years	252	47	205	223	41	182	29	6	23	22	4	18
100 yrs & over	62	2	60	56	1	55	6	1	5	6	1	5
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Thiamin deficiency (E51)												
All ages	13	9	4	10	7	3	3	2	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	-	2	1	-	1	1	-	1	1	-	1
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	3	2	1	2	1	1	1	1	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Wernicke's encephalopathy (E51.2)												
All ages	13	9	4	10	7	3	3	2	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	-	2	1	-	1	1	-	1	1	-	1
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	3	2	1	2	1	1	1	1	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Deficiency of other B group vitamins (E53)												
All ages	26	8	18	23	7	16	3	1	2	3	1	2
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years	9	3	6	7	2	5	2	1	1	2	1	1
85-89 years	3	1	2	2	1	1	1	-	1	1	-	1
90-94 years	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Deficiency of other specified B group vitamins (E53.8)												
All ages	25	7	18	22	6	16	3	1	2	3	1	2
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years	9	3	6	7	2	5	2	1	1	2	1	1
85-89 years	3	1	2	2	1	1	1	-	1	1	-	1
90-94 years	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Vitamin B deficiency, unspecified (E53.9)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Ascorbic acid deficiency (E54)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Vitamin D deficiency (E55)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Rickets, active (E55.0)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other vitamin deficiencies (E56)												
All ages	6	2	4	6	2	4	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Deficiency of vitamin K (E56.1)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Deficiency of other vitamins (E56.8)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Vitamin deficiency, unspecified (E56.9)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Deficiency of other nutrient elements (E61)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Iron deficiency (E61.1)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Molybdenum deficiency (E61.5)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other nutritional deficiencies (E63)												
All ages	134	39	95	120	33	87	14	6	8	13	6	7
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	4	3	1	3	2	1	1	1	-	1	1	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	3	3	-	2	2	-	1	1	-	1	1	-
65-69 years	2	2	-	1	1	-	1	1	-	1	1	-
70-74 years	9	5	4	8	4	4	1	1	-	1	1	-
75-79 years	17	6	11	13	6	7	4	-	4	3	-	3
80-84 years	24	5	19	22	5	17	2	-	2	2	-	2
85-89 years	26	4	22	24	4	20	2	-	2	2	-	2
90-94 years	24	4	20	23	3	20	1	1	-	1	1	-
95-99 years	15	4	11	14	3	11	1	1	-	1	1	-
100 yrs & over	7	-	7	7	-	7	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified nutritional deficiencies (E63.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiency, unspecified (E63.9)												
All ages	133	39	94	119	33	86	14	6	8	13	6	7
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	4	3	1	3	2	1	1	1	-	1	1	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	3	3	-	2	2	-	1	1	-	1	1	-
65-69 years	2	2	-	1	1	-	1	1	-	1	1	-
70-74 years	9	5	4	8	4	4	1	1	-	1	1	-
75-79 years	16	6	10	12	6	6	4	-	4	3	-	3
80-84 years	24	5	19	22	5	17	2	-	2	2	-	2
85-89 years	26	4	22	24	4	20	2	-	2	2	-	2
90-94 years	24	4	20	23	3	20	1	1	-	1	1	-
95-99 years	15	4	11	14	3	11	1	1	-	1	1	-
100 yrs & over	7	-	7	7	-	7	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sequelae of malnutrition and other nutritional deficiencies (E64)												
All ages	66	26	40	49	18	31	17	8	9	16	8	8
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	3	2	1	1	-	1	2	2	-	2	2	-
55-59 years	2	2	-	-	-	-	2	2	-	2	2	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	1	1	-	1	1	-	1	1	-
70-74 years	9	5	4	7	4	3	2	1	1	2	1	1
75-79 years	9	6	3	7	5	2	2	1	1	1	1	-
80-84 years	9	2	7	7	2	5	2	-	2	2	-	2
85-89 years	11	2	9	9	2	7	2	-	2	2	-	2
90-94 years	13	3	10	11	3	8	2	-	2	2	-	2
95-99 years	4	-	4	3	-	3	1	-	1	1	-	1
100 yrs & over	2	1	1	2	1	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Sequelae of protein-energy malnutrition (E64.0)												
All ages	60	24	36	43	16	27	17	8	9	16	8	8
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	3	2	1	1	-	1	2	2	-	2	2	-
55-59 years	2	2	-	-	-	-	2	2	-	2	2	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	1	1	-	1	1	-	1	1	-
70-74 years	8	5	3	6	4	2	2	1	1	2	1	1
75-79 years	8	6	2	6	5	1	2	1	1	1	1	-
80-84 years	8	1	7	6	1	5	2	-	2	2	-	2
85-89 years	10	1	9	8	1	7	2	-	2	2	-	2
90-94 years	12	3	9	10	3	7	2	-	2	2	-	2
95-99 years	4	-	4	3	-	3	1	-	1	1	-	1
100 yrs & over	2	1	1	2	1	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sequelae of rickets (E64.3)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Sequelae of unspecified nutritional deficiency (E64.9)												
All ages	4	1	3	4	1	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Obesity (E66)												
All ages	3,139	1,389	1,750	2,438	1,130	1,308	701	259	442	657	233	424
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	11	6	5	4	2	2	7	4	3	7	4	3
20-24 years	50	20	30	27	11	16	23	9	14	22	8	14
25-29 years	79	51	28	55	36	19	24	15	9	20	11	9
30-34 years	143	78	65	94	55	39	49	23	26	43	21	22
35-39 years	247	126	121	166	88	78	81	38	43	77	36	41
40-44 years	286	157	129	209	121	88	77	36	41	72	33	39
45-49 years	389	196	193	288	157	131	101	39	62	93	34	59
50-54 years	456	209	247	361	178	183	95	31	64	89	27	62
55-59 years	378	162	216	319	147	172	59	15	44	59	15	44
60-64 years	304	132	172	250	111	139	54	21	33	51	20	31
65-69 years	237	85	152	199	76	123	38	9	29	35	7	28
70-74 years	234	94	140	185	81	104	49	13	36	46	11	35
75-79 years	165	40	125	138	36	102	27	4	23	27	4	23
80-84 years	88	24	64	78	22	56	10	2	8	10	2	8
85-89 years	53	7	46	49	7	42	4	-	4	3	-	3
90-94 years	12	1	11	10	1	9	2	-	2	2	-	2
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Obesity due to excess calories (E66.0)												
All ages	32	12	20	26	12	14	6	-	6	6	-	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	3	-	3	3	-	3	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	2	1	1	1	1	-	1	-	1	1	-	1
45-49 years	3	1	2	1	1	-	2	-	2	2	-	2
50-54 years	5	3	2	5	3	2	-	-	-	-	-	-
55-59 years	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years	4	1	3	3	1	2	1	-	1	1	-	1
65-69 years	3	-	3	2	-	2	1	-	1	1	-	1
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	4	1	3	3	1	2	1	-	1	1	-	1
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Extreme obesity with alveolar hypoventilation (E66.2)												
All ages	103	37	66	92	34	58	11	3	8	11	3	8
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	8	4	4	6	3	3	2	1	1	2	1	1
40-44 years	9	3	6	9	3	6	-	-	-	-	-	-
45-49 years	9	5	4	9	5	4	-	-	-	-	-	-
50-54 years	8	1	7	7	1	6	1	-	1	1	-	1
55-59 years	12	4	8	10	4	6	2	-	2	2	-	2
60-64 years	14	6	8	14	6	8	-	-	-	-	-	-
65-69 years	8	2	6	7	1	6	1	1	-	1	1	-
70-74 years	9	4	5	7	4	3	2	-	2	2	-	2
75-79 years	7	1	6	7	1	6	-	-	-	-	-	-
80-84 years	9	3	6	7	2	5	2	1	1	2	1	1
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other obesity (E66.8)												
All ages	1,841	845	996	1,410	677	733	431	168	263	401	150	251
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	7	3	4	2	-	2	5	3	2	5	3	2
20-24 years	34	13	21	19	9	10	15	4	11	15	4	11
25-29 years	57	38	19	41	28	13	16	10	6	12	6	6
30-34 years	102	54	48	64	36	28	38	18	20	32	16	16
35-39 years	155	80	75	106	59	47	49	21	28	47	20	27
40-44 years	182	105	77	130	78	52	52	27	25	49	24	25
45-49 years	257	132	125	192	101	91	65	31	34	60	28	32
50-54 years	286	143	143	221	120	101	65	23	42	59	19	40
55-59 years	233	88	145	196	81	115	37	7	30	37	7	30
60-64 years	173	77	96	137	61	76	36	16	20	34	16	18
65-69 years	123	43	80	106	40	66	17	3	14	16	2	14
70-74 years	108	40	68	88	36	52	20	4	16	20	4	16
75-79 years	61	9	52	51	9	42	10	-	10	10	-	10
80-84 years	35	13	22	31	12	19	4	1	3	4	1	3
85-89 years	21	6	15	20	6	14	1	-	1	-	-	-
90-94 years	6	1	5	5	1	4	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Obesity, unspecified (E66.9)												
All ages	1,163	495	668	910	407	503	253	88	165	239	80	159
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	2	1	1	1	-	2	1	1	2	1	1
20-24 years	14	7	7	6	2	4	8	5	3	7	4	3
25-29 years	20	11	9	12	6	6	8	5	3	8	5	3
30-34 years	37	23	14	26	18	8	11	5	6	11	5	6
35-39 years	82	40	42	52	24	28	30	16	14	28	15	13
40-44 years	93	48	45	69	39	30	24	9	15	22	9	13
45-49 years	120	58	62	86	50	36	34	8	26	31	6	25
50-54 years	157	62	95	128	54	74	29	8	21	29	8	21
55-59 years	130	69	61	110	61	49	20	8	12	20	8	12
60-64 years	113	48	65	96	43	53	17	5	12	16	4	12
65-69 years	103	40	63	84	35	49	19	5	14	17	4	13
70-74 years	115	49	66	88	40	48	27	9	18	24	7	17
75-79 years	93	29	64	77	25	52	16	4	12	16	4	12
80-84 years	44	8	36	40	8	32	4	-	4	4	-	4
85-89 years	30	-	30	27	-	27	3	-	3	3	-	3
90-94 years	5	-	5	4	-	4	1	-	1	1	-	1
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of aromatic amino-acid metabolism (E70)												
All ages	7	2	5	6	2	4	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other hyperphenylalaninemias (E70.1)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of tyrosine metabolism (E70.2)												
All ages	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Albinism (E70.3)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of branched-chain amino-acid metabolism and fatty-acid metabolism (E71)												
All ages	42	32	10	33	26	7	9	6	3	6	3	3
Under 1 year	9	6	3	6	3	3	3	3	-	-	-	-
1-4 years	4	1	3	3	1	2	1	-	1	1	-	1
5-9 years	8	7	1	7	6	1	1	1	-	1	1	-
10-14 years	4	2	2	3	2	1	1	-	1	1	-	1
15-19 years	6	6	-	4	4	-	2	2	-	2	2	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Maple-syrup-urine disease (E71.0)												
All ages	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of branched-chain amino-acid metabolism (E71.1)												
All ages	5	2	3	3	-	3	2	2	-	1	1	-
Under 1 year	2	1	1	1	-	1	1	1	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorders of fatty-acid metabolism (E71.3)												
All ages	34	28	6	28	25	3	6	3	3	4	1	3
Under 1 year	7	5	2	5	3	2	2	2	-	-	-	-
1-4 years	3	1	2	2	1	1	1	-	1	1	-	1
5-9 years	6	6	-	5	5	-	1	1	-	1	1	-
10-14 years	3	2	1	2	2	-	1	-	1	1	-	1
15-19 years	4	4	-	4	4	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of amino-acid metabolism (E72)												
All ages	65	36	29	56	31	25	9	5	4	8	4	4
Under 1 year	19	12	7	19	12	7	-	-	-	-	-	-
1-4 years	5	3	2	2	-	2	3	3	-	2	2	-
5-9 years	7	2	5	5	2	3	2	-	2	2	-	2
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	5	2	3	5	2	3	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	4	4	-	2	2	-	2	2	-	2	2	-
50-54 years	4	2	2	4	2	2	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorders of amino-acid transport (E72.0)												
All ages	11	9	2	10	8	2	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of sulphur-bearing amino-acid metabolism (E72.1)												
All ages	7	2	5	6	1	5	1	1	-	-	-	-
Under 1 year	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorders of urea cycle metabolism (E72.2)												
All ages	27	16	11	24	15	9	3	1	2	3	1	2
Under 1 year	9	8	1	9	8	1	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of lysine and hydroxylysine metabolism (E72.3)												
All ages	5	-	5	5	-	5	-	-	-	-	-	-
Under 1 year	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorders of ornithine metabolism (E72.4)												
All ages	5	4	1	2	2	-	3	2	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	2	-	-	-	-	2	2	-	2	2	-
5-9 years	2	1	1	1	1	-	1	-	1	1	-	1
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of glycine metabolism (E72.5)												
All ages	10	5	5	9	5	4	1	-	1	1	-	1
Under 1 year	6	4	2	6	4	2	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	2	1	1	1	1	-	1	-	1	1	-	1
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Lactose intolerance (E73)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital lactase deficiency (E73.0)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other disorders of carbohydrate metabolism (E74)												
All ages	54	21	33	42	17	25	12	4	8	11	4	7
Under 1 year	17	6	11	9	3	6	8	3	5	8	3	5
1-4 years	9	5	4	7	5	2	2	-	2	1	-	1
5-9 years	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years	2	-	2	2	-	2	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Glycogen storage disease (E74.0)												
All ages	25	9	16	16	7	9	9	2	7	8	2	6
Under 1 year	11	3	8	4	1	3	7	2	5	7	2	5
1-4 years	7	3	4	5	3	2	2	-	2	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorders of fructose metabolism (E74.1)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of galactose metabolism (E74.2)												
All ages	3	1	2	2	-	2	1	1	-	1	1	-
Under 1 year	3	1	2	2	-	2	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other disorders of intestinal carbohydrate absorption (E74.3)												
All ages	8	2	6	7	1	6	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of pyruvate metabolism and gluconeogenesis (E74.4)												
All ages	5	3	2	5	3	2	-	-	-	-	-	-
Under 1 year	3	2	1	3	2	1	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified disorders of carbohydrate metabolism (E74.8)															
All ages	11	5	6	10	5	5	1	-	1	1	-	1			
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-			
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-			
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-			
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1			
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-			
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-			
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-			
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-			
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-			
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-			
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			
Disorder of carbohydrate metabolism, unspecified (E74.9)															
All ages	1	1	-	1	1	-	-	-	-	-	-	-			
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-			
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-			
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-			
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorders of sphingolipid metabolism and other lipid storage disorders (E75)												
All ages	198	100	98	174	91	83	24	9	15	13	6	7
Under 1 year	13	6	7	8	5	3	5	1	4	4	1	3
1-4 years	53	27	26	45	23	22	8	4	4	5	3	2
5-9 years	33	14	19	29	12	17	4	2	2	2	1	1
10-14 years	19	7	12	18	6	12	1	1	-	-	-	-
15-19 years	9	4	5	6	4	2	3	-	3	-	-	-
20-24 years	8	6	2	7	6	1	1	-	1	1	-	1
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years	5	3	2	5	3	2	-	-	-	-	-	-
40-44 years	9	6	3	9	6	3	-	-	-	-	-	-
45-49 years	12	10	2	11	9	2	1	1	-	1	1	-
50-54 years	7	5	2	7	5	2	-	-	-	-	-	-
55-59 years	4	2	2	4	2	2	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	3	2	1	2	2	-	1	-	1	-	-	-
80-84 years	5	-	5	5	-	5	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	4	1	3	4	1	3	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
GM2 gangliosidosis (E75.0)												
All ages	26	15	11	25	14	11	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	21	11	10	20	10	10	1	1	-	1	1	-
5-9 years	3	2	1	3	2	1	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other gangliosidosis (E75.1)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other sphingolipidosis (E75.2)												
All ages	110	60	50	93	54	39	17	6	11	9	3	6
Under 1 year	12	5	7	8	5	3	4	-	4	3	-	3
1-4 years	26	12	14	20	10	10	6	2	4	3	1	2
5-9 years	14	6	8	10	4	6	4	2	2	2	1	1
10-14 years	13	5	8	12	4	8	1	1	-	-	-	-
15-19 years	4	2	2	3	2	1	1	-	1	-	-	-
20-24 years	4	4	-	4	4	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	5	3	2	5	3	2	-	-	-	-	-	-
40-44 years	8	5	3	8	5	3	-	-	-	-	-	-
45-49 years	8	8	-	7	7	-	1	1	-	1	1	-
50-54 years	7	5	2	7	5	2	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Neuronal ceroid lipofuscinosis (E75.4)												
All ages	43	15	28	40	15	25	3	-	3	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	3	2	1	3	2	1	-	-	-	-	-	-
5-9 years	16	6	10	16	6	10	-	-	-	-	-	-
10-14 years	5	1	4	5	1	4	-	-	-	-	-	-
15-19 years	5	2	3	3	2	1	2	-	2	-	-	-
20-24 years	4	2	2	3	2	1	1	-	1	1	-	1
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other lipid storage disorders (E75.5)												
All ages	2	2	-	-	-	-	2	2	-	2	2	-
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Lipid storage disorder, unspecified (E75.6)												
All ages	14	6	8	13	6	7	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	1	1	1	1	-	1	-	1	-	-	-
80-84 years	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of glycosaminoglycan metabolism (E76)												
All ages	71	49	22	62	42	20	9	7	2	7	6	1
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	7	4	3	6	3	3	1	1	-	1	1	-
5-9 years	8	4	4	7	4	3	1	-	1	-	-	-
10-14 years	15	13	2	11	9	2	4	4	-	3	3	-
15-19 years	20	15	5	17	13	4	3	2	1	3	2	1
20-24 years	4	-	4	4	-	4	-	-	-	-	-	-
25-29 years	4	3	1	4	3	1	-	-	-	-	-	-
30-34 years	3	1	2	3	1	2	-	-	-	-	-	-
35-39 years	6	5	1	6	5	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Mucopolysaccharidosis, type I (E76.0)												
All ages	17	9	8	16	9	7	1	-	1	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	5	2	3	5	2	3	-	-	-	-	-	-
5-9 years	6	2	4	5	2	3	1	-	1	-	-	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mucopolysaccharidosis, type II (E76.1)												
All ages	19	19	-	14	14	-	5	5	-	5	5	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	7	7	-	5	5	-	2	2	-	2	2	-
15-19 years	4	4	-	2	2	-	2	2	-	2	2	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	4	4	-	4	4	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other mucopolysaccharidoses (E76.2)												
All ages	23	13	10	21	11	10	2	2	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	3	2	1	1	-	1	2	2	-	1	1	-
15-19 years	11	8	3	11	8	3	-	-	-	-	-	-
20-24 years	3	-	3	3	-	3	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mucopolysaccharidosis, unspecified (E76.3)												
All ages	11	7	4	10	7	3	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	3	3	-	3	3	-	-	-	-	-	-	-
15-19 years	4	2	2	3	2	1	1	-	1	1	-	1
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorder of glucosaminoglycan metabolism, unspecified (E76.9)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of glycoprotein metabolism (E77)												
All ages	35	12	23	31	10	21	4	2	2	3	1	2
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	4	3	1	4	3	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	3	1	2	2	1	1	1	-	1	1	-	1
80-84 years	7	3	4	6	2	4	1	1	-	1	1	-
85-89 years	7	2	5	7	2	5	-	-	-	-	-	-
90-94 years	4	1	3	3	-	3	1	1	-	-	-	-
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	2	1	1	1	1	-	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Defects in posttranslational modification of lysosomal enzymes (E77.0)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Defects in glycoprotein degradation (E77.1)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other disorders of glycoprotein metabolism (E77.8)												
All ages	30	9	21	26	7	19	4	2	2	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	3	1	2	2	1	1	1	-	1	1	-	1
80-84 years	7	3	4	6	2	4	1	1	-	1	1	-
85-89 years	7	2	5	7	2	5	-	-	-	-	-	-
90-94 years	4	1	3	3	-	3	1	1	-	-	-	-
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	2	1	1	1	1	-	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorder of glycoprotein metabolism, unspecified (E77.9)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorders of lipoprotein metabolism and other lipidemias (E78)												
All ages	4,719	2,640	2,079	4,273	2,403	1,870	446	237	209	351	178	173
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	3	-	2	2	-	1	1	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	5	3	2	5	3	2	-	-	-	-	-	-
30-34 years	9	7	2	8	6	2	1	1	-	-	-	-
35-39 years	23	20	3	20	17	3	3	3	-	-	-	-
40-44 years	52	45	7	47	41	6	5	4	1	3	2	1
45-49 years	121	102	19	102	86	16	19	16	3	14	11	3
50-54 years	224	166	58	198	148	50	26	18	8	23	15	8
55-59 years	310	226	84	275	203	72	35	23	12	26	16	10
60-64 years	357	275	82	321	248	73	36	27	9	26	19	7
65-69 years	487	325	162	419	285	134	68	40	28	53	32	21
70-74 years	662	408	254	614	381	233	48	27	21	39	21	18
75-79 years	793	429	364	729	401	328	64	28	36	55	24	31
80-84 years	737	332	405	682	312	370	55	20	35	47	18	29
85-89 years	583	214	369	533	196	337	50	18	32	37	14	23
90-94 years	281	77	204	250	66	184	31	11	20	24	6	18
95-99 years	54	6	48	52	6	46	2	-	2	2	-	2
100 yrs & over	15	-	15	13	-	13	2	-	2	2	-	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pure hypercholesterolemia (E78.0)												
All ages	1,571	864	707	1,410	777	633	161	87	74	123	67	56
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	7	6	1	6	5	1	1	1	-	-	-	-
40-44 years	19	19	-	17	17	-	2	2	-	2	2	-
45-49 years	39	34	5	30	27	3	9	7	2	9	7	2
50-54 years	71	52	19	65	47	18	6	5	1	5	4	1
55-59 years	105	82	23	92	72	20	13	10	3	8	6	2
60-64 years	126	99	27	108	86	22	18	13	5	13	9	4
65-69 years	165	111	54	142	98	44	23	13	10	18	12	6
70-74 years	220	121	99	202	112	90	18	9	9	13	6	7
75-79 years	262	143	119	244	134	110	18	9	9	15	7	8
80-84 years	215	90	125	197	85	112	18	5	13	15	4	11
85-89 years	217	79	138	194	70	124	23	9	14	16	8	8
90-94 years	97	25	72	87	21	66	10	4	6	7	2	5
95-99 years	16	-	16	15	-	15	1	-	1	1	-	1
100 yrs & over	8	-	8	7	-	7	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pure hyperglyceridemia (E78.1)												
All ages	44	28	16	37	23	14	7	5	2	4	2	2
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	2	-	1	1	-	1	1	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	4	2	2	4	2	2	-	-	-	-	-	-
30-34 years	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years	8	7	1	7	6	1	1	1	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	4	3	1	2	1	1	2	2	-	1	1	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	5	2	3	4	2	2	1	-	1	1	-	1
65-69 years	3	2	1	1	1	-	2	1	1	2	1	1
70-74 years	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mixed hyperlipidemia (E78.2)												
All ages	11	2	9	9	2	7	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	-	2	1	-	1	1	-	1	1	-	1
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	-	2	1	-	1	1	-	1	1	-	1
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hyperchylomicronemia (E78.3)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other hyperlipidemia (E78.4)												
All ages	8	5	3	7	5	2	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	1	1	1	1	-	1	-	1	1	-	1
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hyperlipidemia, unspecified (E78.5)												
All ages	2,969	1,683	1,286	2,700	1,541	1,159	269	142	127	216	107	109
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	4	4	-	3	3	-	1	1	-	-	-	-
35-39 years	12	11	1	10	9	1	2	2	-	-	-	-
40-44 years	25	19	6	23	18	5	2	1	1	1	-	1
45-49 years	74	62	12	64	53	11	10	9	1	5	4	1
50-54 years	145	108	37	127	97	30	18	11	7	17	10	7
55-59 years	196	137	59	175	125	50	21	12	9	17	9	8
60-64 years	216	169	47	199	155	44	17	14	3	12	10	2
65-69 years	303	204	99	262	179	83	41	25	16	32	19	13
70-74 years	424	275	149	395	258	137	29	17	12	25	14	11
75-79 years	503	272	231	459	253	206	44	19	25	38	17	21
80-84 years	499	231	268	463	216	247	36	15	21	31	14	17
85-89 years	354	133	221	328	124	204	26	9	17	20	6	14
90-94 years	169	52	117	149	45	104	20	7	13	16	4	12
95-99 years	37	5	32	36	5	31	1	-	1	1	-	1
100 yrs & over	7	-	7	6	-	6	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Lipoprotein deficiency (E78.6)												
All ages	6	2	4	5	2	3	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	-	2	1	-	1	1	-	1	1	-	1
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other disorders of lipoprotein metabolism (E78.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorder of lipoprotein metabolism, unspecified (E78.9)												
All ages	108	56	52	103	53	50	5	3	2	4	2	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years	4	4	-	3	3	-	1	1	-	1	1	-
60-64 years	9	5	4	9	5	4	-	-	-	-	-	-
65-69 years	13	8	5	12	7	5	1	1	-	-	-	-
70-74 years	11	8	3	10	7	3	1	1	-	1	1	-
75-79 years	20	12	8	20	12	8	-	-	-	-	-	-
80-84 years	21	11	10	20	11	9	1	-	1	1	-	1
85-89 years	8	1	7	8	1	7	-	-	-	-	-	-
90-94 years	13	-	13	12	-	12	1	-	1	1	-	1
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorders of purine and pyrimidine metabolism (E79)												
All ages	5	5	-	4	4	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hyperuricemia without signs of inflammatory arthritis and tophaceous disease (E79.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Lesch-Nyhan syndrome (E79.1)												
All ages	4	4	-	3	3	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of porphyrin and bilirubin metabolism (E80)												
All ages	12	4	8	10	4	6	2	-	2	2	-	2
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hereditary erythropoietic porphyria (E80.0)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Porphyria cutanea tarda (E80.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other porphyria (E80.2)												
All ages	10	3	7	8	3	5	2	-	2	2	-	2
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of mineral metabolism (E83)												
All ages	488	241	247	417	213	204	71	28	43	57	22	35
Under 1 year	14	9	5	11	7	4	3	2	1	2	1	1
1-4 years	10	10	-	9	9	-	1	1	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	4	2	2	4	2	2	-	-	-	-	-	-
15-19 years	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years	5	3	2	5	3	2	-	-	-	-	-	-
25-29 years	7	3	4	4	3	1	3	-	3	2	-	2
30-34 years	7	1	6	3	-	3	4	1	3	4	1	3
35-39 years	8	4	4	4	1	3	4	3	1	4	3	1
40-44 years	12	5	7	11	5	6	1	-	1	1	-	1
45-49 years	15	9	6	8	6	2	7	3	4	6	3	3
50-54 years	27	15	12	20	13	7	7	2	5	7	2	5
55-59 years	26	15	11	21	11	10	5	4	1	2	2	-
60-64 years	29	17	12	23	14	9	6	3	3	5	2	3
65-69 years	44	32	12	40	29	11	4	3	1	4	3	1
70-74 years	59	35	24	52	32	20	7	3	4	6	2	4
75-79 years	61	31	30	52	29	23	9	2	7	6	2	4
80-84 years	58	21	37	53	20	33	5	1	4	5	1	4
85-89 years	61	21	40	57	21	36	4	-	4	3	-	3
90-94 years	28	7	21	27	7	20	1	-	1	-	-	-
95-99 years	9	-	9	9	-	9	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorders of copper metabolism (E83.0)												
All ages	36	25	11	34	25	9	2	-	2	1	-	1
Under 1 year	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years	8	8	-	8	8	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	3	2	1	3	2	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	2	-	2	1	-	1	1	-	1	1	-	1
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	4	1	3	4	1	3	-	-	-	-	-	-
45-49 years	3	2	1	2	2	-	1	-	1	-	-	-
50-54 years	4	2	2	4	2	2	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of iron metabolism (E83.1)												
All ages	220	133	87	191	120	71	29	13	16	20	8	12
Under 1 year	9	6	3	6	4	2	3	2	1	2	1	1
1-4 years	1	1	-	-	-	-	1	1	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	3	1	2	3	1	2	-	-	-	-	-	-
25-29 years	3	-	3	-	-	-	3	-	3	2	-	2
30-34 years	3	-	3	1	-	1	2	-	2	2	-	2
35-39 years	5	3	2	2	1	1	3	2	1	3	2	1
40-44 years	5	4	1	4	4	-	1	-	1	1	-	1
45-49 years	8	7	1	4	4	-	4	3	1	4	3	1
50-54 years	12	8	4	10	8	2	2	-	2	2	-	2
55-59 years	16	11	5	15	10	5	1	1	-	-	-	-
60-64 years	17	14	3	15	12	3	2	2	-	1	1	-
65-69 years	31	24	7	30	23	7	1	1	-	1	1	-
70-74 years	36	23	13	33	22	11	3	1	2	2	-	2
75-79 years	34	18	16	32	18	14	2	-	2	-	-	-
80-84 years	13	4	9	13	4	9	-	-	-	-	-	-
85-89 years	18	8	10	17	8	9	1	-	1	-	-	-
90-94 years	5	1	4	5	1	4	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorders of phosphorus metabolism (E83.3)												
All ages	8	2	6	7	2	5	1	-	1	1	-	1
Under 1 year	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of magnesium metabolism (E83.4)												
All ages	11	4	7	9	3	6	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorders of calcium metabolism (E83.5)												
All ages	213	77	136	176	63	113	37	14	23	33	13	20
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	2	1	1	1	-	1	1	1	-	1	1	-
35-39 years	3	1	2	2	-	2	1	1	-	1	1	-
40-44 years	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years	4	-	4	2	-	2	2	-	2	2	-	2
50-54 years	10	5	5	6	3	3	4	2	2	4	2	2
55-59 years	8	3	5	5	1	4	3	2	1	1	1	-
60-64 years	9	2	7	5	1	4	4	1	3	4	1	3
65-69 years	12	7	5	9	5	4	3	2	1	3	2	1
70-74 years	19	11	8	16	9	7	3	2	1	3	2	1
75-79 years	25	12	13	18	10	8	7	2	5	6	2	4
80-84 years	43	16	27	38	15	23	5	1	4	5	1	4
85-89 years	41	12	29	38	12	26	3	-	3	3	-	3
90-94 years	23	6	17	22	6	16	1	-	1	-	-	-
95-99 years	8	-	8	8	-	8	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (E84)												
All ages	482	237	245	464	226	238	18	11	7	9	4	5
Under 1 year	6	4	2	6	4	2	-	-	-	-	-	-
1-4 years	7	2	5	7	2	5	-	-	-	-	-	-
5-9 years	8	2	6	7	1	6	1	1	-	-	-	-
10-14 years	31	15	16	28	14	14	3	1	2	3	1	2
15-19 years	76	32	44	73	29	44	3	3	-	-	-	-
20-24 years	94	40	54	93	39	54	1	1	-	1	1	-
25-29 years	75	36	39	70	33	37	5	3	2	3	1	2
30-34 years	51	30	21	50	29	21	1	1	-	1	1	-
35-39 years	43	27	16	42	27	15	1	-	1	1	-	1
40-44 years	30	21	9	29	20	9	1	1	-	-	-	-
45-49 years	29	17	12	29	17	12	-	-	-	-	-	-
50-54 years	11	3	8	10	3	7	1	-	1	-	-	-
55-59 years	4	2	2	4	2	2	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years	2	1	1	1	1	-	1	-	1	-	-	-
75-79 years	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years	5	3	2	5	3	2	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cystic fibrosis with pulmonary manifestations (E84.0)												
All ages	190	91	99	184	87	97	6	4	2	2	1	1
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	2	-	2	2	-	2	-	-	-	-	-	-
5-9 years	6	1	5	5	-	5	1	1	-	-	-	-
10-14 years	13	6	7	13	6	7	-	-	-	-	-	-
15-19 years	34	15	19	33	14	19	1	1	-	-	-	-
20-24 years	32	11	21	31	10	21	1	1	-	1	1	-
25-29 years	29	16	13	27	15	12	2	1	1	1	-	1
30-34 years	17	9	8	17	9	8	-	-	-	-	-	-
35-39 years	15	10	5	15	10	5	-	-	-	-	-	-
40-44 years	13	10	3	13	10	3	-	-	-	-	-	-
45-49 years	8	4	4	8	4	4	-	-	-	-	-	-
50-54 years	6	2	4	6	2	4	-	-	-	-	-	-
55-59 years	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	2	1	1	1	1	-	1	-	1	-	-	-
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis with intestinal manifestations (E84.1)												
All ages	12	8	4	11	7	4	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	4	1	3	4	1	3	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cystic fibrosis with other manifestations (E84.8)												
All ages	19	9	10	17	7	10	2	2	-	1	1	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	4	2	2	4	2	2	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	-	-	-
30-34 years	3	1	2	2	-	2	1	1	-	1	1	-
35-39 years	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis, unspecified (E84.9)												
All ages	261	129	132	252	125	127	9	4	5	5	1	4
Under 1 year	3	2	1	3	2	1	-	-	-	-	-	-
1-4 years	4	1	3	4	1	3	-	-	-	-	-	-
5-9 years	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years	17	9	8	14	8	6	3	1	2	3	1	2
15-19 years	39	15	24	37	13	24	2	2	-	-	-	-
20-24 years	54	26	28	54	26	28	-	-	-	-	-	-
25-29 years	44	18	26	43	18	25	1	-	1	1	-	1
30-34 years	30	19	11	30	19	11	-	-	-	-	-	-
35-39 years	23	15	8	22	15	7	1	-	1	1	-	1
40-44 years	15	10	5	14	9	5	1	1	-	-	-	-
45-49 years	18	11	7	18	11	7	-	-	-	-	-	-
50-54 years	5	1	4	4	1	3	1	-	1	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Amyloidosis (E85)												
All ages	938	550	388	796	456	340	142	94	48	126	83	43
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	5	3	2	4	3	1	1	-	1	-	-	-
40-44 years	26	17	9	21	14	7	5	3	2	4	2	2
45-49 years	29	16	13	22	11	11	7	5	2	7	5	2
50-54 years	58	38	20	51	33	18	7	5	2	6	4	2
55-59 years	79	40	39	66	32	34	13	8	5	13	8	5
60-64 years	78	50	28	60	35	25	18	15	3	16	13	3
65-69 years	120	89	31	101	73	28	19	16	3	17	14	3
70-74 years	165	92	73	145	80	65	20	12	8	19	12	7
75-79 years	160	95	65	140	79	61	20	16	4	18	14	4
80-84 years	120	65	55	106	59	47	14	6	8	10	4	6
85-89 years	66	33	33	54	27	27	12	6	6	10	5	5
90-94 years	22	8	14	18	7	11	4	1	3	4	1	3
95-99 years	5	1	4	4	1	3	1	-	1	1	-	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonneuropathic heredofamilial amyloidosis (E85.0)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Neuropathic heredofamilial amyloidosis (E85.1)												
All ages	7	4	3	7	4	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Heredofamilial amyloidosis, unspecified (E85.2)												
All ages	7	6	1	7	6	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Secondary systemic amyloidosis (E85.3)												
All ages	91	56	35	74	45	29	17	11	6	14	9	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	4	4	-	3	3	-	1	1	-	1	1	-
45-49 years	3	1	2	3	1	2	-	-	-	-	-	-
50-54 years	7	4	3	7	4	3	-	-	-	-	-	-
55-59 years	12	5	7	10	5	5	2	-	2	2	-	2
60-64 years	10	6	4	7	4	3	3	2	1	3	2	1
65-69 years	10	9	1	7	6	1	3	3	-	3	3	-
70-74 years	15	7	8	14	6	8	1	1	-	1	1	-
75-79 years	18	16	2	14	12	2	4	4	-	2	2	-
80-84 years	10	3	7	7	3	4	3	-	3	2	-	2
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Organ-limited amyloidosis (E85.4)												
All ages	415	248	167	346	202	144	69	46	23	63	44	19
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	2	1	2	2	-	1	-	1	-	-	-
40-44 years	10	5	5	8	5	3	2	-	2	2	-	2
45-49 years	9	5	4	5	2	3	4	3	1	4	3	1
50-54 years	22	13	9	18	11	7	4	2	2	4	2	2
55-59 years	25	16	9	23	14	9	2	2	-	2	2	-
60-64 years	29	19	10	22	12	10	7	7	-	6	6	-
65-69 years	45	35	10	38	29	9	7	6	1	7	6	1
70-74 years	79	48	31	65	39	26	14	9	5	13	9	4
75-79 years	67	43	24	59	35	24	8	8	-	8	8	-
80-84 years	69	38	31	62	35	27	7	3	4	6	3	3
85-89 years	37	17	20	27	12	15	10	5	5	8	4	4
90-94 years	12	5	7	10	4	6	2	1	1	2	1	1
95-99 years	5	1	4	4	1	3	1	-	1	1	-	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other amyloidosis (E85.8)												
All ages	12	6	6	12	6	6	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	4	3	1	4	3	1	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Amyloidosis, unspecified (E85.9)												
All ages	405	230	175	349	193	156	56	37	19	49	30	19
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	8	5	3	6	3	3	2	2	-	1	1	-
45-49 years	16	9	7	13	7	6	3	2	1	3	2	1
50-54 years	27	19	8	24	16	8	3	3	-	2	2	-
55-59 years	39	18	21	30	12	18	9	6	3	9	6	3
60-64 years	37	24	13	29	18	11	8	6	2	7	5	2
65-69 years	63	43	20	54	36	18	9	7	2	7	5	2
70-74 years	69	36	33	64	34	30	5	2	3	5	2	3
75-79 years	70	32	38	62	28	34	8	4	4	8	4	4
80-84 years	39	24	15	35	21	14	4	3	1	2	1	1
85-89 years	23	14	9	21	13	8	2	1	1	2	1	1
90-94 years	10	3	7	8	3	5	2	-	2	2	-	2
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Volume depletion (E86)												
All ages	4,503	1,356	3,147	3,957	1,168	2,789	546	188	358	495	163	332
Under 1 year	23	11	12	11	5	6	12	6	6	10	4	6
1-4 years	12	7	5	11	7	4	1	-	1	1	-	1
5-9 years	3	2	1	2	1	1	1	1	-	1	1	-
10-14 years	2	1	1	1	-	1	1	1	-	1	1	-
15-19 years	2	1	1	1	1	-	1	-	1	1	-	1
20-24 years	2	2	-	-	-	-	2	2	-	2	2	-
25-29 years	4	2	2	2	1	1	2	1	1	1	-	1
30-34 years	5	2	3	4	1	3	1	1	-	1	1	-
35-39 years	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years	17	8	9	13	7	6	4	1	3	3	-	3
45-49 years	21	10	11	14	5	9	7	5	2	6	4	2
50-54 years	28	12	16	23	8	15	5	4	1	5	4	1
55-59 years	20	11	9	14	7	7	6	4	2	5	3	2
60-64 years	53	30	23	41	20	21	12	10	2	12	10	2
65-69 years	84	46	38	66	38	28	18	8	10	16	7	9
70-74 years	212	91	121	172	72	100	40	19	21	38	18	20
75-79 years	407	187	220	344	160	184	63	27	36	59	25	34
80-84 years	739	244	495	644	207	437	95	37	58	85	35	50
85-89 years	1,117	343	774	1,019	318	701	98	25	73	85	19	66
90-94 years	1,019	231	788	913	207	706	106	24	82	97	19	78
95-99 years	565	96	469	515	87	428	50	9	41	46	7	39
100 yrs & over	165	18	147	144	15	129	21	3	18	20	3	17
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of fluid, electrolyte, and acid-base balance (E87)												
All ages	3,290	1,230	2,060	2,710	976	1,734	580	254	326	532	234	298
Under 1 year	67	35	32	43	21	22	24	14	10	23	13	10
1-4 years	18	7	11	14	5	9	4	2	2	2	-	2
5-9 years	6	3	3	3	2	1	3	1	2	3	1	2
10-14 years	4	1	3	2	-	2	2	1	1	2	1	1
15-19 years	3	2	1	2	1	1	1	1	-	1	1	-
20-24 years	9	5	4	6	3	3	3	2	1	3	2	1
25-29 years	13	5	8	10	3	7	3	2	1	3	2	1
30-34 years	18	9	9	15	9	6	3	-	3	2	-	2
35-39 years	36	19	17	27	14	13	9	5	4	8	5	3
40-44 years	50	24	26	36	14	22	14	10	4	12	9	3
45-49 years	73	44	29	43	28	15	30	16	14	28	14	14
50-54 years	86	45	41	57	31	26	29	14	15	28	13	15
55-59 years	93	42	51	68	30	38	25	12	13	21	11	10
60-64 years	133	76	57	96	55	41	37	21	16	35	19	16
65-69 years	168	79	89	129	63	66	39	16	23	35	16	19
70-74 years	279	121	158	224	91	133	55	30	25	52	29	23
75-79 years	411	187	224	348	157	191	63	30	33	60	27	33
80-84 years	552	220	332	472	184	288	80	36	44	73	33	40
85-89 years	616	173	443	538	152	386	78	21	57	67	18	49
90-94 years	426	90	336	374	77	297	52	13	39	51	13	38
95-99 years	197	39	158	178	34	144	19	5	14	16	5	11
100 yrs & over	32	4	28	25	2	23	7	2	5	7	2	5
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hyperosmolality and hypernatremia (E87.0)												
All ages	556	215	341	486	187	299	70	28	42	65	25	40
Under 1 year	3	2	1	2	2	-	1	-	1	1	-	1
1-4 years	4	2	2	3	1	2	1	1	-	-	-	-
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	3	1	2	2	1	1	1	-	1	1	-	1
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years	6	3	3	6	3	3	-	-	-	-	-	-
50-54 years	4	3	1	3	3	-	1	-	1	1	-	1
55-59 years	6	2	4	6	2	4	-	-	-	-	-	-
60-64 years	10	7	3	10	7	3	-	-	-	-	-	-
65-69 years	16	8	8	11	4	7	5	4	1	5	4	1
70-74 years	34	16	18	27	11	16	7	5	2	7	5	2
75-79 years	68	37	31	57	34	23	11	3	8	10	2	8
80-84 years	101	44	57	91	41	50	10	3	7	10	3	7
85-89 years	132	52	80	118	45	73	14	7	7	12	6	6
90-94 years	96	21	75	85	20	65	11	1	10	10	1	9
95-99 years	58	12	46	55	11	44	3	1	2	3	1	2
100 yrs & over	6	1	5	4	-	4	2	1	1	2	1	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hypo-osmolality and hyponatremia (E87.1)												
All ages	271	85	186	246	75	171	25	10	15	23	10	13
Under 1 year	2	1	1	-	-	-	2	1	1	2	1	1
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	4	1	3	3	1	2	1	-	1	-	-	-
45-49 years	10	9	1	9	8	1	1	1	-	1	1	-
50-54 years	10	5	5	9	4	5	1	1	-	1	1	-
55-59 years	4	3	1	4	3	1	-	-	-	-	-	-
60-64 years	6	4	2	6	4	2	-	-	-	-	-	-
65-69 years	9	2	7	6	1	5	3	1	2	3	1	2
70-74 years	23	9	14	21	7	14	2	2	-	2	2	-
75-79 years	28	13	15	28	13	15	-	-	-	-	-	-
80-84 years	52	19	33	49	17	32	3	2	1	3	2	1
85-89 years	56	10	46	50	8	42	6	2	4	6	2	4
90-94 years	42	6	36	38	6	32	4	-	4	4	-	4
95-99 years	18	1	17	17	1	16	1	-	1	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acidosis (E87.2)												
All ages	999	412	587	764	311	453	235	101	134	211	90	121
Under 1 year	30	15	15	17	6	11	13	9	4	12	8	4
1-4 years	11	5	6	8	4	4	3	1	2	2	-	2
5-9 years	3	3	-	2	2	-	1	1	-	1	1	-
10-14 years	2	-	2	1	-	1	1	-	1	1	-	1
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years	5	3	2	3	1	2	2	2	-	2	2	-
30-34 years	7	3	4	6	3	3	1	-	1	1	-	1
35-39 years	16	12	4	11	9	2	5	3	2	5	3	2
40-44 years	22	10	12	15	5	10	7	5	2	7	5	2
45-49 years	27	18	9	13	10	3	14	8	6	13	7	6
50-54 years	45	23	22	28	14	14	17	9	8	16	8	8
55-59 years	39	16	23	32	14	18	7	2	5	6	2	4
60-64 years	69	38	31	50	27	23	19	11	8	18	10	8
65-69 years	72	32	40	59	29	30	13	3	10	10	3	7
70-74 years	108	51	57	83	38	45	25	13	12	24	12	12
75-79 years	144	57	87	112	46	66	32	11	21	31	10	21
80-84 years	142	57	85	118	46	72	24	11	13	17	8	9
85-89 years	140	36	104	113	31	82	27	5	22	21	4	17
90-94 years	87	26	61	67	20	47	20	6	14	20	6	14
95-99 years	23	4	19	20	4	16	3	-	3	3	-	3
100 yrs & over	4	-	4	4	-	4	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Alkalosis (E87.3)												
All ages	7	-	7	6	-	6	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Mixed disorder of acid-base balance (E87.4)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hyperkalemia (E87.5)												
All ages	412	171	241	306	121	185	106	50	56	101	47	54
Under 1 year	25	13	12	18	9	9	7	4	3	7	4	3
1-4 years	2	-	2	2	-	2	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	4	4	-	4	4	-	-	-	-	-	-	-
35-39 years	7	3	4	4	1	3	3	2	1	3	2	1
40-44 years	7	3	4	4	1	3	3	2	1	2	1	1
45-49 years	12	6	6	5	2	3	7	4	3	6	3	3
50-54 years	12	4	8	8	4	4	4	-	4	4	-	4
55-59 years	18	11	7	10	6	4	8	5	3	7	4	3
60-64 years	17	12	5	10	7	3	7	5	2	7	5	2
65-69 years	31	16	15	24	12	12	7	4	3	7	4	3
70-74 years	46	15	31	38	13	25	8	2	6	6	2	4
75-79 years	62	36	26	52	29	23	10	7	3	10	7	3
80-84 years	57	20	37	40	13	27	17	7	10	17	7	10
85-89 years	59	19	40	48	14	34	11	5	6	11	5	6
90-94 years	36	7	29	28	4	24	8	3	5	8	3	5
95-99 years	14	2	12	9	2	7	5	-	5	5	-	5
100 yrs & over	3	-	3	2	-	2	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hypokalemia (E87.6)												
All ages	119	51	68	96	40	56	23	11	12	20	10	10
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	3	1	2	3	1	2	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	6	3	3	6	3	3	-	-	-	-	-	-
40-44 years	6	2	4	5	1	4	1	1	-	1	1	-
45-49 years	7	3	4	3	2	1	4	1	3	4	1	3
50-54 years	5	5	-	2	2	-	3	3	-	3	3	-
55-59 years	6	1	5	4	1	3	2	-	2	1	-	1
60-64 years	8	6	2	6	5	1	2	1	1	1	-	1
65-69 years	9	5	4	7	4	3	2	1	1	2	1	1
70-74 years	10	5	5	8	5	3	2	-	2	2	-	2
75-79 years	11	4	7	10	3	7	1	1	-	1	1	-
80-84 years	11	4	7	8	2	6	3	2	1	3	2	1
85-89 years	17	6	11	16	6	10	1	-	1	1	-	1
90-94 years	12	4	8	12	4	8	-	-	-	-	-	-
95-99 years	6	1	5	5	1	4	1	-	1	-	-	-
100 yrs & over	1	1	-	-	-	-	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Fluid overload (E87.7)												
All ages	68	29	39	46	16	30	22	13	9	22	13	9
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	-	2	1	-	1	1	-	1	1	-	1
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	5	3	2	4	2	2	1	1	-	1	1	-
60-64 years	6	2	4	3	-	3	3	2	1	3	2	1
65-69 years	8	5	3	4	3	1	4	2	2	4	2	2
70-74 years	12	5	7	7	2	5	5	3	2	5	3	2
75-79 years	8	4	4	6	2	4	2	2	-	2	2	-
80-84 years	16	5	11	12	4	8	4	1	3	4	1	3
85-89 years	4	2	2	3	1	2	1	1	-	1	1	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other disorders of electrolyte and fluid balance, not elsewhere classified (E87.8)												
All ages	857	267	590	759	226	533	98	41	57	90	39	51
Under 1 year	6	4	2	5	4	1	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	2	1	1	1	-	1	1	1	-	1	1	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years	6	1	5	5	1	4	1	-	1	-	-	-
40-44 years	8	6	2	7	5	2	1	1	-	1	1	-
45-49 years	9	4	5	6	3	3	3	1	2	3	1	2
50-54 years	9	4	5	6	3	3	3	1	2	3	1	2
55-59 years	15	6	9	8	2	6	7	4	3	6	4	2
60-64 years	17	7	10	11	5	6	6	2	4	6	2	4
65-69 years	23	11	12	18	10	8	5	1	4	4	1	3
70-74 years	45	20	25	39	15	24	6	5	1	6	5	1
75-79 years	88	36	52	81	30	51	7	6	1	6	5	1
80-84 years	170	71	99	151	61	90	19	10	9	19	10	9
85-89 years	207	48	159	189	47	142	18	1	17	15	-	15
90-94 years	153	26	127	144	23	121	9	3	6	9	3	6
95-99 years	78	19	59	72	15	57	6	4	2	5	4	1
100 yrs & over	15	2	13	12	2	10	3	-	3	3	-	3
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other metabolic disorders (E88)												
All ages	787	353	434	692	309	383	95	44	51	80	35	45
Under 1 year	70	43	27	57	32	25	13	11	2	10	8	2
1-4 years	31	14	17	24	12	12	7	2	5	3	1	2
5-9 years	6	3	3	6	3	3	-	-	-	-	-	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	10	3	7	9	2	7	1	1	-	1	1	-
40-44 years	21	8	13	20	8	12	1	-	1	1	-	1
45-49 years	35	16	19	29	14	15	6	2	4	5	2	3
50-54 years	39	20	19	36	18	18	3	2	1	3	2	1
55-59 years	36	17	19	31	12	19	5	5	-	4	4	-
60-64 years	38	14	24	28	11	17	10	3	7	10	3	7
65-69 years	48	28	20	45	26	19	3	2	1	3	2	1
70-74 years	57	29	28	53	26	27	4	3	1	4	3	1
75-79 years	110	61	49	100	55	45	10	6	4	8	4	4
80-84 years	97	38	59	86	34	52	11	4	7	9	2	7
85-89 years	106	43	63	95	42	53	11	1	10	9	1	8
90-94 years	53	13	40	47	11	36	6	2	4	6	2	4
95-99 years	20	2	18	18	2	16	2	-	2	2	-	2
100 yrs & over	4	-	4	2	-	2	2	-	2	2	-	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorders of plasma-protein metabolism, not elsewhere classified (E88.0)												
All ages	259	97	162	241	87	154	18	10	8	17	10	7
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	5	2	3	4	1	3	1	1	-	1	1	-
40-44 years	15	6	9	15	6	9	-	-	-	-	-	-
45-49 years	21	12	9	19	11	8	2	1	1	1	1	-
50-54 years	24	12	12	22	11	11	2	1	1	2	1	1
55-59 years	23	10	13	22	9	13	1	1	-	1	1	-
60-64 years	17	9	8	15	7	8	2	2	-	2	2	-
65-69 years	20	9	11	20	9	11	-	-	-	-	-	-
70-74 years	14	5	9	14	5	9	-	-	-	-	-	-
75-79 years	33	13	20	32	12	20	1	1	-	1	1	-
80-84 years	28	7	21	26	7	19	2	-	2	2	-	2
85-89 years	30	6	24	25	5	20	5	1	4	5	1	4
90-94 years	17	5	12	15	3	12	2	2	-	2	2	-
95-99 years	8	-	8	8	-	8	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified metabolic disorders (E88.8)												
All ages	24	9	15	18	6	12	6	3	3	5	2	3
Under 1 year	8	4	4	7	3	4	1	1	-	1	1	-
1-4 years	3	2	1	2	1	1	1	1	-	-	-	-
5-9 years	2	-	2	2	-	2	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Metabolic disorder, unspecified (E88.9)												
All ages	504	247	257	433	216	217	71	31	40	58	23	35
Under 1 year	61	39	22	49	29	20	12	10	2	9	7	2
1-4 years	26	11	15	20	10	10	6	1	5	3	1	2
5-9 years	4	3	1	4	3	1	-	-	-	-	-	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	5	1	4	5	1	4	-	-	-	-	-	-
40-44 years	6	2	4	5	2	3	1	-	1	1	-	1
45-49 years	12	4	8	9	3	6	3	1	2	3	1	2
50-54 years	14	7	7	14	7	7	-	-	-	-	-	-
55-59 years	12	6	6	8	2	6	4	4	-	3	3	-
60-64 years	20	5	15	13	4	9	7	1	6	7	1	6
65-69 years	28	19	9	25	17	8	3	2	1	3	2	1
70-74 years	40	23	17	36	20	16	4	3	1	4	3	1
75-79 years	77	48	29	68	43	25	9	5	4	7	3	4
80-84 years	69	31	38	60	27	33	9	4	5	7	2	5
85-89 years	75	37	38	69	37	32	6	-	6	4	-	4
90-94 years	35	8	27	32	8	24	3	-	3	3	-	3
95-99 years	12	2	10	10	2	8	2	-	2	2	-	2
100 yrs & over	4	-	4	2	-	2	2	-	2	2	-	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Vascular dementia (F01)												
All ages	224	74	150	198	63	135	26	11	15	26	11	15
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	6	2	4	4	1	3	2	1	1	2	1	1
70-74 years	9	6	3	5	3	2	4	3	1	4	3	1
75-79 years	31	16	15	26	12	14	5	4	1	5	4	1
80-84 years	49	20	29	44	19	25	5	1	4	5	1	4
85-89 years	55	14	41	49	13	36	6	1	5	6	1	5
90-94 years	49	12	37	47	11	36	2	1	1	2	1	1
95-99 years	17	2	15	15	2	13	2	-	2	2	-	2
100 yrs & over	5	1	4	5	1	4	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Multi-infarct dementia (F01.1)												
All ages	16	6	10	16	6	10	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	6	3	3	6	3	3	-	-	-	-	-	-
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mixed cortical and subcortical vascular dementia (F01.3)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other vascular dementia (F01.8)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Vascular dementia, unspecified (F01.9)												
All ages	205	68	137	179	57	122	26	11	15	26	11	15
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	6	2	4	4	1	3	2	1	1	2	1	1
70-74 years	8	6	2	4	3	1	4	3	1	4	3	1
75-79 years	30	15	15	25	11	14	5	4	1	5	4	1
80-84 years	41	17	24	36	16	20	5	1	4	5	1	4
85-89 years	52	14	38	46	13	33	6	1	5	6	1	5
90-94 years	45	11	34	43	10	33	2	1	1	2	1	1
95-99 years	16	1	15	14	1	13	2	-	2	2	-	2
100 yrs & over	5	1	4	5	1	4	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified dementia (F03)												
All ages	37,103	10,852	26,251	34,171	9,899	24,272	2,932	953	1,979	2,563	811	1,752
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	9	6	3	8	5	3	1	1	-	1	1	-
45-49 years	16	13	3	12	9	3	4	4	-	3	3	-
50-54 years	31	16	15	26	11	15	5	5	-	5	5	-
55-59 years	81	36	45	67	29	38	14	7	7	14	7	7
60-64 years	197	107	90	169	89	80	28	18	10	25	15	10
65-69 years	520	271	249	440	226	214	80	45	35	74	43	31
70-74 years	1,384	676	708	1,204	584	620	180	92	88	167	84	83
75-79 years	3,648	1,504	2,144	3,287	1,359	1,928	361	145	216	326	131	195
80-84 years	6,943	2,504	4,439	6,394	2,295	4,099	549	209	340	485	187	298
85-89 years	10,011	2,985	7,026	9,298	2,771	6,527	713	214	499	613	171	442
90-94 years	8,973	1,948	7,025	8,369	1,808	6,561	604	140	464	504	107	397
95-99 years	4,366	698	3,668	4,076	639	3,437	290	59	231	256	47	209
100 yrs & over	923	87	836	820	73	747	103	14	89	90	10	80
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Delirium, not induced by alcohol and other psychoactive substances (F05)												
All ages	164	94	70	146	82	64	18	12	6	14	10	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	4	4	-	3	3	-	1	1	-	1	1	-
30-34 years	7	6	1	5	4	1	2	2	-	2	2	-
35-39 years	4	4	-	3	3	-	1	1	-	1	1	-
40-44 years	6	6	-	3	3	-	3	3	-	3	3	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years	8	5	3	8	5	3	-	-	-	-	-	-
70-74 years	10	8	2	9	7	2	1	1	-	-	-	-
75-79 years	14	7	7	12	7	5	2	-	2	1	-	1
80-84 years	31	13	18	31	13	18	-	-	-	-	-	-
85-89 years	34	22	12	30	20	10	4	2	2	3	2	1
90-94 years	25	9	16	24	8	16	1	1	-	-	-	-
95-99 years	8	2	6	7	2	5	1	-	1	1	-	1
100 yrs & over	3	-	3	2	-	2	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other delirium (F05.8)												
All ages	10	8	2	7	5	2	3	3	-	3	3	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	2	1	1	1	-	1	1	1	-	1	1	-
35-39 years	3	3	-	2	2	-	1	1	-	1	1	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Delirium, unspecified (F05.9)												
All ages	154	86	68	139	77	62	15	9	6	11	7	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	2	2	-	1	1	-	1	1	-	1	1	-
30-34 years	5	5	-	4	4	-	1	1	-	1	1	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	5	5	-	3	3	-	2	2	-	2	2	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years	8	5	3	8	5	3	-	-	-	-	-	-
70-74 years	10	8	2	9	7	2	1	1	-	-	-	-
75-79 years	14	7	7	12	7	5	2	-	2	1	-	1
80-84 years	30	13	17	30	13	17	-	-	-	-	-	-
85-89 years	34	22	12	30	20	10	4	2	2	3	2	1
90-94 years	25	9	16	24	8	16	1	1	-	-	-	-
95-99 years	8	2	6	7	2	5	1	-	1	1	-	1
100 yrs & over	3	-	3	2	-	2	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other mental disorders due to brain damage and dysfunction and to physical disease (F06)												
All ages	1,971	593	1,378	1,807	533	1,274	164	60	104	153	55	98
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	-	-	-
35-39 years	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years	6	5	1	5	4	1	1	1	-	1	1	-
45-49 years	6	2	4	3	1	2	3	1	2	3	1	2
50-54 years	7	4	3	4	1	3	3	3	-	3	3	-
55-59 years	14	10	4	12	9	3	2	1	1	2	1	1
60-64 years	19	11	8	16	9	7	3	2	1	3	2	1
65-69 years	40	25	15	31	21	10	9	4	5	9	4	5
70-74 years	88	41	47	78	37	41	10	4	6	10	4	6
75-79 years	203	84	119	180	73	107	23	11	12	23	11	12
80-84 years	364	131	233	335	120	215	29	11	18	27	10	17
85-89 years	492	129	363	450	118	332	42	11	31	38	10	28
90-94 years	445	108	337	427	103	324	18	5	13	16	5	11
95-99 years	238	35	203	222	31	191	16	4	12	14	2	12
100 yrs & over	44	4	40	40	3	37	4	1	3	4	1	3
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Organic delusional [schizophrenia-like] disorder (F06.2)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Organic mood [affective] disorders (F06.3)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mild cognitive disorder (F06.7)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified mental disorders due to brain damage and dysfunction and to physical disease (F06.8)												
All ages	3	1	2	2	-	2	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified mental disorder due to brain damage and dysfunction and to physical disease (F06.9)												
All ages	1,965	590	1,375	1,802	531	1,271	163	59	104	153	55	98
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years	6	5	1	5	4	1	1	1	-	1	1	-
45-49 years	6	2	4	3	1	2	3	1	2	3	1	2
50-54 years	7	4	3	4	1	3	3	3	-	3	3	-
55-59 years	14	10	4	12	9	3	2	1	1	2	1	1
60-64 years	19	11	8	16	9	7	3	2	1	3	2	1
65-69 years	39	25	14	30	21	9	9	4	5	9	4	5
70-74 years	88	41	47	78	37	41	10	4	6	10	4	6
75-79 years	203	84	119	180	73	107	23	11	12	23	11	12
80-84 years	363	130	233	334	119	215	29	11	18	27	10	17
85-89 years	491	129	362	449	118	331	42	11	31	38	10	28
90-94 years	443	107	336	425	102	323	18	5	13	16	5	11
95-99 years	238	35	203	222	31	191	16	4	12	14	2	12
100 yrs & over	44	4	40	40	3	37	4	1	3	4	1	3
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Personality and behavioral disorders due to brain disease, damage, and dysfunction (F07)												
All ages	7	6	1	7	6	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Organic personality disorder (F07.0)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Postconcussional syndrome (F07.2)												
All ages	5	4	1	5	4	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified organic or symptomatic mental disorder (F09)												
All ages	11	4	7	8	3	5	3	1	2	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	6	2	4	6	2	4	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	2	-	2	-	-	-	2	-	2	2	-	2
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Mental and behavioral disorders due to use of alcohol (F10)												
All ages	6,627	5,171	1,456	5,260	4,084	1,176	1,367	1,087	280	1,129	913	216
Under 1 year	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	-	2	2	-	2	-	-	-	-	-	-
15-19 years	29	21	8	22	16	6	7	5	2	5	3	2
20-24 years	45	43	2	34	32	2	11	11	-	9	9	-
25-29 years	91	70	21	71	56	15	20	14	6	8	8	-
30-34 years	208	155	53	161	121	40	47	34	13	24	18	6
35-39 years	479	363	116	390	292	98	89	71	18	61	50	11
40-44 years	843	639	204	654	498	156	189	141	48	150	113	37
45-49 years	1,120	878	242	891	700	191	229	178	51	194	153	41
50-54 years	1,028	827	201	790	643	147	238	184	54	207	161	46
55-59 years	780	619	161	599	467	132	181	152	29	156	132	24
60-64 years	654	531	123	519	418	101	135	113	22	123	106	17
65-69 years	483	387	96	380	298	82	103	89	14	89	77	12
70-74 years	356	284	72	301	237	64	55	47	8	47	40	7
75-79 years	247	177	70	215	152	63	32	25	7	30	25	5
80-84 years	155	104	51	140	94	46	15	10	5	14	9	5
85-89 years	61	39	22	51	32	19	10	7	3	7	4	3
90-94 years	25	17	8	23	15	8	2	2	-	1	1	-
95-99 years	7	4	3	7	4	3	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	11	10	1	8	7	1	3	3	-	3	3	-
Acute intoxication (F10.0)												
All ages	633	477	156	528	400	128	105	77	28	75	57	18
Under 1 year	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	-	2	2	-	2	-	-	-	-	-	-
15-19 years	22	15	7	18	13	5	4	2	2	4	2	2
20-24 years	25	23	2	19	17	2	6	6	-	5	5	-
25-29 years	40	30	10	36	27	9	4	3	1	1	1	-
30-34 years	47	37	10	42	35	7	5	2	3	1	1	-
35-39 years	95	70	25	83	61	22	12	9	3	6	5	1
40-44 years	123	86	37	99	73	26	24	13	11	18	10	8
45-49 years	118	96	22	98	77	21	20	19	1	15	14	1
50-54 years	70	52	18	57	42	15	13	10	3	13	10	3
55-59 years	25	21	4	19	16	3	6	5	1	3	3	-
60-64 years	24	18	6	21	16	5	3	2	1	3	2	1
65-69 years	13	9	4	10	6	4	3	3	-	2	2	-
70-74 years	13	9	4	10	7	3	3	2	1	2	1	1
75-79 years	7	3	4	6	3	3	1	-	1	1	-	1
80-84 years	4	4	-	4	4	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	2	1	3	2	1	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Harmful use (F10.1)												
All ages	1,718	1,347	371	1,316	1,030	286	402	317	85	351	277	74
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	8	8	-	5	5	-	3	3	-	3	3	-
25-29 years	15	11	4	12	9	3	3	2	1	2	2	-
30-34 years	51	36	15	34	23	11	17	13	4	14	10	4
35-39 years	117	90	27	91	71	20	26	19	7	22	16	6
40-44 years	217	163	54	164	124	40	53	39	14	46	33	13
45-49 years	299	229	70	233	182	51	66	47	19	60	43	17
50-54 years	281	230	51	193	160	33	88	70	18	76	61	15
55-59 years	205	161	44	155	120	35	50	41	9	46	38	8
60-64 years	162	132	30	121	96	25	41	36	5	38	34	4
65-69 years	143	118	25	110	88	22	33	30	3	26	23	3
70-74 years	106	91	15	96	82	14	10	9	1	8	7	1
75-79 years	51	33	18	46	29	17	5	4	1	4	4	-
80-84 years	39	28	11	36	27	9	3	1	2	3	1	2
85-89 years	14	9	5	10	6	4	4	3	1	3	2	1
90-94 years	6	5	1	6	5	1	-	-	-	-	-	-
95-99 years	3	2	1	3	2	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Dependence syndrome (F10.2)												
All ages	3,529	2,779	750	2,808	2,196	612	721	583	138	594	492	102
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	2	-	-	-	-	2	2	-	1	1	-
20-24 years	8	8	-	8	8	-	-	-	-	-	-	-
25-29 years	28	23	5	15	14	1	13	9	4	5	5	-
30-34 years	93	70	23	72	54	18	21	16	5	7	5	2
35-39 years	231	176	55	192	142	50	39	34	5	25	23	2
40-44 years	433	334	99	337	256	81	96	78	18	74	61	13
45-49 years	613	481	132	493	384	109	120	97	23	102	85	17
50-54 years	608	486	122	482	391	91	126	95	31	108	82	26
55-59 years	466	374	92	365	290	75	101	84	17	89	75	14
60-64 years	397	323	74	321	261	60	76	62	14	68	57	11
65-69 years	255	199	56	198	152	46	57	47	10	53	45	8
70-74 years	179	144	35	145	115	30	34	29	5	31	27	4
75-79 years	125	94	31	105	78	27	20	16	4	19	16	3
80-84 years	56	38	18	47	30	17	9	8	1	8	7	1
85-89 years	18	14	4	15	12	3	3	2	1	1	-	1
90-94 years	9	5	4	8	4	4	1	1	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	7	7	-	4	4	-	3	3	-	3	3	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Withdrawal state (F10.3)												
All ages	83	68	15	62	51	11	21	17	4	18	15	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years	6	4	2	3	2	1	3	2	1	2	2	-
40-44 years	7	6	1	6	5	1	1	1	-	1	1	-
45-49 years	14	10	4	8	7	1	6	3	3	6	3	3
50-54 years	14	13	1	11	10	1	3	3	-	3	3	-
55-59 years	12	10	2	10	8	2	2	2	-	2	2	-
60-64 years	9	7	2	7	5	2	2	2	-	2	2	-
65-69 years	4	3	1	3	2	1	1	1	-	1	1	-
70-74 years	5	5	-	4	4	-	1	1	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	6	6	-	6	6	-	-	-	-	-	-	-
85-89 years	1	1	-	-	-	-	1	1	-	1	1	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Withdrawal state with delirium (F10.4)												
All ages	81	66	15	69	56	13	12	10	2	12	10	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	5	4	1	4	4	-	1	-	1	1	-	1
40-44 years	11	9	2	9	7	2	2	2	-	2	2	-
45-49 years	13	11	2	11	9	2	2	2	-	2	2	-
50-54 years	7	5	2	6	5	1	1	-	1	1	-	1
55-59 years	5	5	-	3	3	-	2	2	-	2	2	-
60-64 years	10	9	1	8	7	1	2	2	-	2	2	-
65-69 years	13	11	2	12	10	2	1	1	-	1	1	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	8	4	4	8	4	4	-	-	-	-	-	-
80-84 years	3	3	-	3	3	-	-	-	-	-	-	-
85-89 years	2	1	1	1	-	1	1	1	-	1	1	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Psychotic disorder (F10.5)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Amnesic syndrome (F10.6)												
All ages	27	19	8	25	17	8	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years	5	5	-	4	4	-	1	1	-	1	1	-
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	9	6	3	9	6	3	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	1	-	-	-	-	1	1	-	1	1	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Residual and late-onset psychotic disorder (F10.7)												
All ages	161	110	51	145	99	46	16	11	5	16	11	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	10	9	1	8	7	1	2	2	-	2	2	-
60-64 years	16	13	3	13	11	2	3	2	1	3	2	1
65-69 years	14	12	2	14	12	2	-	-	-	-	-	-
70-74 years	22	16	6	19	13	6	3	3	-	3	3	-
75-79 years	31	22	9	27	19	8	4	3	1	4	3	1
80-84 years	37	20	17	34	19	15	3	1	2	3	1	2
85-89 years	19	11	8	18	11	7	1	-	1	1	-	1
90-94 years	8	5	3	8	5	3	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified mental and behavioral disorder (F10.9)												
All ages	393	303	90	305	233	72	88	70	18	61	49	12
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	4	3	1	3	2	1	1	1	-	-	-	-
20-24 years	3	3	-	2	2	-	1	1	-	1	1	-
25-29 years	6	4	2	6	4	2	-	-	-	-	-	-
30-34 years	14	11	3	10	8	2	4	3	1	2	2	-
35-39 years	25	19	6	17	12	5	8	7	1	5	4	1
40-44 years	51	40	11	38	32	6	13	8	5	9	6	3
45-49 years	62	50	12	47	40	7	15	10	5	9	6	3
50-54 years	46	40	6	39	34	5	7	6	1	6	5	1
55-59 years	54	37	17	36	21	15	18	16	2	12	10	2
60-64 years	33	27	6	25	20	5	8	7	1	7	7	-
65-69 years	36	30	6	29	24	5	7	6	1	5	4	1
70-74 years	27	17	10	23	14	9	4	3	1	3	2	1
75-79 years	13	12	1	11	10	1	2	2	-	2	2	-
80-84 years	9	4	5	9	4	5	-	-	-	-	-	-
85-89 years	6	3	3	6	3	3	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Mental and behavioral disorders due to use of opioids (F11)												
All ages	211	170	41	162	135	27	49	35	14	44	30	14
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	8	7	1	8	7	1	-	-	-	-	-	-
20-24 years	13	12	1	11	10	1	2	2	-	1	1	-
25-29 years	15	11	4	14	10	4	1	1	-	1	1	-
30-34 years	20	17	3	18	17	1	2	-	2	2	-	2
35-39 years	31	22	9	24	19	5	7	3	4	7	3	4
40-44 years	43	37	6	30	27	3	13	10	3	11	8	3
45-49 years	43	35	8	34	27	7	9	8	1	7	6	1
50-54 years	26	22	4	15	12	3	11	10	1	11	10	1
55-59 years	8	6	2	7	6	1	1	-	1	1	-	1
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	1	-	-	-	-	1	1	-	1	1	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute intoxication (F11.0)												
All ages	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Harmful use (F11.1)												
All ages	120	96	24	88	74	14	32	22	10	31	21	10
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years	10	9	1	9	8	1	1	1	-	1	1	-
25-29 years	9	7	2	8	6	2	1	1	-	1	1	-
30-34 years	14	11	3	12	11	1	2	-	2	2	-	2
35-39 years	15	10	5	10	8	2	5	2	3	5	2	3
40-44 years	22	19	3	14	12	2	8	7	1	7	6	1
45-49 years	23	17	6	18	13	5	5	4	1	5	4	1
50-54 years	17	15	2	9	8	1	8	7	1	8	7	1
55-59 years	5	5	-	5	5	-	-	-	-	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Dependence syndrome (F11.2)												
All ages	48	41	7	39	34	5	9	7	2	7	5	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	4	3	1	4	3	1	-	-	-	-	-	-
30-34 years	4	4	-	4	4	-	-	-	-	-	-	-
35-39 years	8	7	1	8	7	1	-	-	-	-	-	-
40-44 years	13	11	2	9	8	1	4	3	1	3	2	1
45-49 years	10	9	1	7	6	1	3	3	-	2	2	-
50-54 years	4	3	1	3	2	1	1	1	-	1	1	-
55-59 years	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Withdrawal state (F11.3)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified mental and behavioral disorder (F11.9)												
All ages	39	29	10	32	24	8	7	5	2	5	3	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	2	2	-	1	1	-	1	1	-	-	-	-
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	8	5	3	6	4	2	2	1	1	2	1	1
40-44 years	8	7	1	7	7	-	1	-	1	1	-	1
45-49 years	9	8	1	8	7	1	1	1	-	-	-	-
50-54 years	4	3	1	3	2	1	1	1	-	1	1	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	1	-	-	-	-	1	1	-	1	1	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Mental and behavioral disorders due to use of cannabinoids (F12)												
All ages	3	3	-	1	1	-	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	2	-	1	1	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Dependence syndrome (F12.2)												
All ages	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	2	-	1	1	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified mental and behavioral disorder (F12.9)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mental and behavioral disorders due to use of sedatives or hypnotics (F13)												
All ages	5	3	2	5	3	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Harmful use (F13.1)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Dependence syndrome (F13.2)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified mental and behavioral disorder (F13.9)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mental and behavioral disorders due to use of cocaine (F14)												
All ages	401	279	122	187	137	50	214	142	72	211	140	71
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	3	-	2	2	-	1	1	-	1	1	-
20-24 years	10	7	3	10	7	3	-	-	-	-	-	-
25-29 years	23	14	9	14	9	5	9	5	4	8	4	4
30-34 years	45	35	10	27	22	5	18	13	5	17	12	5
35-39 years	68	46	22	33	24	9	35	22	13	35	22	13
40-44 years	100	68	32	46	32	14	54	36	18	54	36	18
45-49 years	88	53	35	29	19	10	59	34	25	58	34	24
50-54 years	40	33	7	14	12	2	26	21	5	26	21	5
55-59 years	14	12	2	6	6	-	8	6	2	8	6	2
60-64 years	4	4	-	2	2	-	2	2	-	2	2	-
65-69 years	3	2	1	1	-	1	2	2	-	2	2	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute intoxication (F14.0)												
All ages	11	11	-	5	5	-	6	6	-	6	6	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	2	2	-	-	-	-	2	2	-	2	2	-
35-39 years	5	5	-	4	4	-	1	1	-	1	1	-
40-44 years	3	3	-	1	1	-	2	2	-	2	2	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Harmful use (F14.1)												
All ages	241	164	77	110	79	31	131	85	46	130	84	46
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	6	4	2	6	4	2	-	-	-	-	-	-
25-29 years	12	5	7	7	4	3	5	1	4	5	1	4
30-34 years	31	23	8	16	13	3	15	10	5	14	9	5
35-39 years	33	23	10	16	13	3	17	10	7	17	10	7
40-44 years	69	44	25	30	18	12	39	26	13	39	26	13
45-49 years	50	29	21	18	11	7	32	18	14	32	18	14
50-54 years	25	22	3	11	10	1	14	12	2	14	12	2
55-59 years	10	9	1	4	4	-	6	5	1	6	5	1
60-64 years	3	3	-	2	2	-	1	1	-	1	1	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Dependence syndrome (F14.2)												
All ages	35	27	8	21	16	5	14	11	3	13	11	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	3	3	-	3	3	-	-	-	-	-	-	-
25-29 years	3	3	-	3	3	-	-	-	-	-	-	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	7	6	1	3	2	1	4	4	-	4	4	-
40-44 years	6	5	1	4	4	-	2	1	1	2	1	1
45-49 years	7	3	4	3	1	2	4	2	2	3	2	1
50-54 years	3	3	-	-	-	-	3	3	-	3	3	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Withdrawal state (F14.3)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Psychotic disorder (F14.5)												
All ages	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified mental and behavioral disorder (F14.9)												
All ages	111	74	37	50	36	14	61	38	23	60	37	23
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	7	5	2	4	2	2	3	3	-	2	2	-
30-34 years	8	7	1	8	7	1	-	-	-	-	-	-
35-39 years	23	12	11	10	5	5	13	7	6	13	7	6
40-44 years	21	15	6	11	9	2	10	6	4	10	6	4
45-49 years	31	21	10	8	7	1	23	14	9	23	14	9
50-54 years	12	8	4	3	2	1	9	6	3	9	6	3
55-59 years	4	3	1	2	2	-	2	1	1	2	1	1
60-64 years	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Mental and behavioral disorders due to use of other stimulants, including caffeine (F15)												
All ages	35	22	13	31	18	13	4	4	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	3	2	1	2	1	1	1	1	-	-	-	-
25-29 years	6	4	2	4	2	2	2	2	-	1	1	-
30-34 years	5	3	2	5	3	2	-	-	-	-	-	-
35-39 years	5	4	1	5	4	1	-	-	-	-	-	-
40-44 years	5	1	4	5	1	4	-	-	-	-	-	-
45-49 years	7	4	3	6	3	3	1	1	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute intoxication (F15.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Harmful use (F15.1)												
All ages	14	8	6	12	6	6	2	2	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	3	2	1	1	-	1	2	2	-	1	1	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	4	1	3	4	1	3	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Dependence syndrome (F15.2)												
All ages	6	4	2	6	4	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified mental and behavioral disorder (F15.9)												
All ages	14	9	5	12	7	5	2	2	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	2	-	1	1	-	1	1	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	5	1	4	5	1	4	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mental and behavioral disorders due to use of hallucinogens (F16)												
All ages	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Harmful use (F16.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Withdrawal state (F16.3)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Mental and behavioral disorders due to use of tobacco (F17)												
All ages	529	284	245	489	261	228	40	23	17	33	19	14
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	2	-	2	2	-	2	-	-	-	-	-	-
30-34 years	3	-	3	2	-	2	1	-	1	1	-	1
35-39 years	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years	6	5	1	5	5	-	1	-	1	1	-	1
45-49 years	17	13	4	15	13	2	2	-	2	2	-	2
50-54 years	27	18	9	21	14	7	6	4	2	5	4	1
55-59 years	50	31	19	47	29	18	3	2	1	3	2	1
60-64 years	50	27	23	47	25	22	3	2	1	3	2	1
65-69 years	53	33	20	50	31	19	3	2	1	1	1	-
70-74 years	82	44	38	77	41	36	5	3	2	5	3	2
75-79 years	93	40	53	85	35	50	8	5	3	7	5	2
80-84 years	69	36	33	64	33	31	5	3	2	3	1	2
85-89 years	55	27	28	54	26	28	1	1	-	1	1	-
90-94 years	14	6	8	13	6	7	1	-	1	1	-	1
95-99 years	3	1	2	2	-	2	1	1	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute intoxication (F17.0)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Harmful use (F17.1)												
All ages	135	70	65	124	63	61	11	7	4	10	7	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years	8	6	2	6	4	2	2	2	-	2	2	-
55-59 years	14	7	7	12	5	7	2	2	-	2	2	-
60-64 years	13	9	4	12	8	4	1	1	-	1	1	-
65-69 years	14	7	7	13	7	6	1	-	1	-	-	-
70-74 years	23	13	10	22	12	10	1	1	-	1	1	-
75-79 years	26	10	16	24	9	15	2	1	1	2	1	1
80-84 years	18	7	11	17	7	10	1	-	1	1	-	1
85-89 years	12	8	4	12	8	4	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Dependence syndrome (F17.2)												
All ages	36	15	21	32	14	18	4	1	3	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	4	3	1	2	2	-	2	1	1	1	1	-
55-59 years	4	2	2	4	2	2	-	-	-	-	-	-
60-64 years	8	4	4	7	4	3	1	-	1	1	-	1
65-69 years	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years	3	-	3	2	-	2	1	-	1	-	-	-
80-84 years	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified mental and behavioral disorder (F17.9)												
All ages	356	197	159	331	182	149	25	15	10	21	11	10
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	4	3	1	3	3	-	1	-	1	1	-	1
45-49 years	14	12	2	13	12	1	1	-	1	1	-	1
50-54 years	15	9	6	13	8	5	2	1	1	2	1	1
55-59 years	31	21	10	30	21	9	1	-	1	1	-	1
60-64 years	29	14	15	28	13	15	1	1	-	1	1	-
65-69 years	36	25	11	34	23	11	2	2	-	1	1	-
70-74 years	54	29	25	50	27	23	4	2	2	4	2	2
75-79 years	64	30	34	59	26	33	5	4	1	5	4	1
80-84 years	47	27	20	43	24	19	4	3	1	2	1	1
85-89 years	40	19	21	39	18	21	1	1	-	1	1	-
90-94 years	13	5	8	12	5	7	1	-	1	1	-	1
95-99 years	3	1	2	2	-	2	1	1	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mental and behavioral disorders due to use of volatile solvents (F18)												
All ages	9	7	2	7	6	1	2	1	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	-	-	-
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute intoxication (F18.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Harmful use (F18.1)												
All ages	5	3	2	4	3	1	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Dependence syndrome (F18.2)												
All ages	3	3	-	2	2	-	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mental and behavioral disorders due to multiple-drug use and use of other psychoactive substances (F19)												
All ages	1,265	902	363	941	676	265	324	226	98	306	213	93
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	17	13	4	16	12	4	1	1	-	1	1	-
20-24 years	53	40	13	47	34	13	6	6	-	6	6	-
25-29 years	87	72	15	75	62	13	12	10	2	12	10	2
30-34 years	123	88	35	108	78	30	15	10	5	14	9	5
35-39 years	173	107	66	140	89	51	33	18	15	31	17	14
40-44 years	264	175	89	201	141	60	63	34	29	59	32	27
45-49 years	269	200	69	169	125	44	100	75	25	96	71	25
50-54 years	169	131	38	115	93	22	54	38	16	52	37	15
55-59 years	53	41	12	30	22	8	23	19	4	19	15	4
60-64 years	27	23	4	14	11	3	13	12	1	13	12	1
65-69 years	6	5	1	5	4	1	1	1	-	1	1	-
70-74 years	7	4	3	5	2	3	2	2	-	2	2	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	7	-	7	7	-	7	-	-	-	-	-	-
85-89 years	5	1	4	4	1	3	1	-	1	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute intoxication (F19.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Harmful use (F19.1)												
All ages	931	678	253	658	491	167	273	187	86	262	179	83
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	14	11	3	13	10	3	1	1	-	1	1	-
20-24 years	39	32	7	33	26	7	6	6	-	6	6	-
25-29 years	57	49	8	47	41	6	10	8	2	10	8	2
30-34 years	93	69	24	81	62	19	12	7	5	12	7	5
35-39 years	117	68	49	92	56	36	25	12	13	24	12	12
40-44 years	210	141	69	153	110	43	57	31	26	53	29	24
45-49 years	202	154	48	117	90	27	85	64	21	83	62	21
50-54 years	130	100	30	85	69	16	45	31	14	45	31	14
55-59 years	40	31	9	19	14	5	21	17	4	17	13	4
60-64 years	20	17	3	11	9	2	9	8	1	9	8	1
65-69 years	3	3	-	2	2	-	1	1	-	1	1	-
70-74 years	4	2	2	3	1	2	1	1	-	1	1	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Dependence syndrome (F19.2)												
All ages	227	154	73	199	131	68	28	23	5	24	20	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	2	1	3	2	1	-	-	-	-	-	-
20-24 years	12	6	6	12	6	6	-	-	-	-	-	-
25-29 years	24	19	5	22	17	5	2	2	-	2	2	-
30-34 years	23	14	9	21	12	9	2	2	-	1	1	-
35-39 years	40	29	11	36	25	11	4	4	-	3	3	-
40-44 years	34	22	12	31	20	11	3	2	1	3	2	1
45-49 years	40	28	12	32	22	10	8	6	2	7	5	2
50-54 years	27	21	6	22	18	4	5	3	2	4	3	1
55-59 years	9	8	1	7	6	1	2	2	-	2	2	-
60-64 years	4	4	-	2	2	-	2	2	-	2	2	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	4	-	4	4	-	4	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Withdrawal state (F19.3)												
All ages	6	3	3	5	2	3	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Psychotic disorder (F19.5)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other mental and behavioral disorders (F19.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified mental and behavioral disorder (F19.9)												
All ages	98	66	32	77	51	26	21	15	6	18	13	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	6	4	2	6	4	2	-	-	-	-	-	-
30-34 years	7	5	2	6	4	2	1	1	-	1	1	-
35-39 years	16	10	6	12	8	4	4	2	2	4	2	2
40-44 years	19	12	7	16	11	5	3	1	2	3	1	2
45-49 years	23	17	6	17	12	5	6	5	1	5	4	1
50-54 years	10	8	2	7	5	2	3	3	-	2	2	-
55-59 years	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years	3	2	1	1	-	1	2	2	-	2	2	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years	1	-	1	-	-	-	1	-	1	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-
Schizophrenia (F20)												
All ages	377	159	218	331	134	197	46	25	21	42	24	18
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	4	4	-	3	3	-	1	1	-	1	1	-
35-39 years	12	9	3	8	6	2	4	3	1	4	3	1
40-44 years	14	10	4	11	8	3	3	2	1	2	1	1
45-49 years	20	12	8	15	10	5	5	2	3	4	2	2
50-54 years	14	10	4	9	7	2	5	3	2	4	3	1
55-59 years	15	8	7	10	4	6	5	4	1	5	4	1
60-64 years	22	9	13	19	8	11	3	1	2	3	1	2
65-69 years	29	21	8	23	18	5	6	3	3	6	3	3
70-74 years	30	17	13	27	16	11	3	1	2	3	1	2
75-79 years	63	24	39	57	21	36	6	3	3	6	3	3
80-84 years	58	19	39	56	18	38	2	1	1	1	1	-
85-89 years	45	13	32	42	12	30	3	1	2	3	1	2
90-94 years	35	2	33	35	2	33	-	-	-	-	-	-
95-99 years	14	1	13	14	1	13	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Paranoid schizophrenia (F20.0)												
All ages	42	23	19	34	16	18	8	7	1	7	6	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	4	3	1	4	3	1	-	-	-	-	-	-
40-44 years	2	2	-	1	1	-	1	1	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	2	-	-	-	-	2	2	-	2	2	-
60-64 years	5	3	2	4	2	2	1	1	-	1	1	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	6	5	1	4	3	1	2	2	-	2	2	-
80-84 years	8	5	3	7	4	3	1	1	-	1	1	-
85-89 years	4	1	3	3	1	2	1	-	1	1	-	1
90-94 years	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years	5	-	5	5	-	5	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Catatonic schizophrenia (F20.2)												
All ages	22	7	15	20	7	13	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	4	2	2	3	2	1	1	-	1	1	-	1
50-54 years	2	1	1	1	1	-	1	-	1	1	-	1
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	3	-	3	3	-	3	-	-	-	-	-	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	4	-	4	4	-	4	-	-	-	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Postschizophrenic depression (F20.4)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Residual schizophrenia (F20.5)												
All ages	37	23	14	30	17	13	7	6	1	7	6	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	3	3	-	2	2	-	1	1	-	1	1	-
45-49 years	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years	3	3	-	1	1	-	2	2	-	2	2	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	7	5	2	5	4	1	2	1	1	2	1	1
70-74 years	4	4	-	4	4	-	-	-	-	-	-	-
75-79 years	4	2	2	3	1	2	1	1	-	1	1	-
80-84 years	9	1	8	9	1	8	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Simple schizophrenia (F20.6)												
All ages	24	4	20	24	4	20	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years	5	-	5	5	-	5	-	-	-	-	-	-
85-89 years	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years	8	-	8	8	-	8	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Schizophrenia, unspecified (F20.9)												
All ages	251	102	149	222	90	132	29	12	17	26	12	14
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	4	4	-	3	3	-	1	1	-	1	1	-
35-39 years	7	5	2	3	2	1	4	3	1	4	3	1
40-44 years	9	5	4	8	5	3	1	-	1	1	-	1
45-49 years	13	7	6	10	6	4	3	1	2	2	1	1
50-54 years	9	6	3	7	5	2	2	1	1	1	1	-
55-59 years	12	5	7	9	3	6	3	2	1	3	2	1
60-64 years	14	6	8	12	6	6	2	-	2	2	-	2
65-69 years	19	14	5	15	12	3	4	2	2	4	2	2
70-74 years	22	12	10	19	11	8	3	1	2	3	1	2
75-79 years	44	16	28	41	16	25	3	-	3	3	-	3
80-84 years	33	11	22	32	11	21	1	-	1	-	-	-
85-89 years	34	9	25	32	8	24	2	1	1	2	1	1
90-94 years	22	2	20	22	2	20	-	-	-	-	-	-
95-99 years	7	-	7	7	-	7	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Persistent delusional disorders (F22)												
All ages	12	5	7	10	4	6	2	1	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	2	-	2	1	-	1	1	-	1	1	-	1
80-84 years	2	2	-	1	1	-	1	1	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Delusional disorder (F22.0)												
All ages	12	5	7	10	4	6	2	1	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	2	-	2	1	-	1	1	-	1	1	-	1
80-84 years	2	2	-	1	1	-	1	1	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute and transient psychotic disorders (F23)												
All ages	5	4	1	3	3	-	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	2	-	1	1	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute and transient psychotic disorder, unspecified (F23.9)												
All ages	5	4	1	3	3	-	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	2	-	1	1	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Schizoaffective disorders (F25)												
All ages	15	3	12	12	3	9	3	-	3	3	-	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	5	-	5	5	-	5	-	-	-	-	-	-
80-84 years	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Schizoaffective disorder, unspecified (F25.9)												
All ages	15	3	12	12	3	9	3	-	3	3	-	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	5	-	5	5	-	5	-	-	-	-	-	-
80-84 years	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified nonorganic psychosis (F29)												
All ages	47	16	31	41	14	27	6	2	4	6	2	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	3	-	3	3	-	3	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	4	3	1	4	3	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	-	2	1	-	1	1	-	1	1	-	1
70-74 years	3	3	-	2	2	-	1	1	-	1	1	-
75-79 years	8	2	6	8	2	6	-	-	-	-	-	-
80-84 years	6	1	5	5	1	4	1	-	1	1	-	1
85-89 years	7	1	6	6	1	5	1	-	1	1	-	1
90-94 years	5	1	4	5	1	4	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	1	-	1	-	-	-	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Manic episode (F30)												
All ages	7	4	3	4	1	3	3	3	-	3	3	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Mania without psychotic symptoms (F30.1)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Manic episode, unspecified (F30.9)												
All ages	4	3	1	1	-	1	3	3	-	3	3	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Bipolar affective disorder (F31)												
All ages	79	33	46	77	32	45	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	5	4	1	5	4	1	-	-	-	-	-	-
45-49 years	6	5	1	5	4	1	1	1	-	1	1	-
50-54 years	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years	4	2	2	4	2	2	-	-	-	-	-	-
65-69 years	9	3	6	9	3	6	-	-	-	-	-	-
70-74 years	8	4	4	7	4	3	1	-	1	1	-	1
75-79 years	13	4	9	13	4	9	-	-	-	-	-	-
80-84 years	11	3	8	11	3	8	-	-	-	-	-	-
85-89 years	10	1	9	10	1	9	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Bipolar affective disorder, current episode manic without psychotic symptoms (F31.1)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other bipolar affective disorders (F31.8)												
All ages	5	3	2	5	3	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Bipolar affective disorder, unspecified (F31.9)												
All ages	73	30	43	71	29	42	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	5	4	1	5	4	1	-	-	-	-	-	-
45-49 years	4	4	-	3	3	-	1	1	-	1	1	-
50-54 years	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years	9	3	6	9	3	6	-	-	-	-	-	-
70-74 years	8	4	4	7	4	3	1	-	1	1	-	1
75-79 years	13	4	9	13	4	9	-	-	-	-	-	-
80-84 years	10	2	8	10	2	8	-	-	-	-	-	-
85-89 years	8	1	7	8	1	7	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Depressive episode (F32)												
All ages	773	248	525	727	229	498	46	19	27	35	16	19
Under 1 year	3	2	1	1	1	-	2	1	1	2	1	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	-	-	-
30-34 years	3	1	2	3	1	2	-	-	-	-	-	-
35-39 years	6	5	1	6	5	1	-	-	-	-	-	-
40-44 years	16	6	10	14	5	9	2	1	1	2	1	1
45-49 years	7	6	1	4	4	-	3	2	1	2	2	-
50-54 years	7	6	1	5	4	1	2	2	-	2	2	-
55-59 years	10	7	3	8	6	2	2	1	1	2	1	1
60-64 years	10	7	3	9	7	2	1	-	1	1	-	1
65-69 years	24	12	12	23	11	12	1	1	-	1	1	-
70-74 years	42	18	24	40	17	23	2	1	1	2	1	1
75-79 years	91	33	58	87	32	55	4	1	3	3	1	2
80-84 years	147	42	105	141	40	101	6	2	4	4	2	2
85-89 years	205	55	150	194	53	141	11	2	9	8	2	6
90-94 years	136	28	108	132	27	105	4	1	3	3	-	3
95-99 years	45	14	31	42	12	30	3	2	1	1	1	-
100 yrs & over	17	3	14	15	2	13	2	1	1	2	1	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mild depressive episode (F32.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Severe depressive episode without psychotic symptoms (F32.2)												
All ages	76	19	57	71	18	53	5	1	4	4	1	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	1	1	1	1	-	1	-	1	1	-	1
65-69 years	3	-	3	3	-	3	-	-	-	-	-	-
70-74 years	6	3	3	5	2	3	1	1	-	1	1	-
75-79 years	16	4	12	16	4	12	-	-	-	-	-	-
80-84 years	17	6	11	16	6	10	1	-	1	1	-	1
85-89 years	17	4	13	16	4	12	1	-	1	-	-	-
90-94 years	11	1	10	10	1	9	1	-	1	1	-	1
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Severe depressive episode with psychotic symptoms (F32.3)												
All ages	10	3	7	10	3	7	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other depressive episodes (F32.8)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Depressive episode, unspecified (F32.9)												
All ages	684	224	460	643	206	437	41	18	23	31	15	16
Under 1 year	3	2	1	1	1	-	2	1	1	2	1	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	-	-	-
30-34 years	3	1	2	3	1	2	-	-	-	-	-	-
35-39 years	6	5	1	6	5	1	-	-	-	-	-	-
40-44 years	14	6	8	12	5	7	2	1	1	2	1	1
45-49 years	7	6	1	4	4	-	3	2	1	2	2	-
50-54 years	7	6	1	5	4	1	2	2	-	2	2	-
55-59 years	10	7	3	8	6	2	2	1	1	2	1	1
60-64 years	8	6	2	8	6	2	-	-	-	-	-	-
65-69 years	20	11	9	19	10	9	1	1	-	1	1	-
70-74 years	36	15	21	35	15	20	1	-	1	1	-	1
75-79 years	73	28	45	69	27	42	4	1	3	3	1	2
80-84 years	128	35	93	123	33	90	5	2	3	3	2	1
85-89 years	183	50	133	173	48	125	10	2	8	8	2	6
90-94 years	123	27	96	120	26	94	3	1	2	2	-	2
95-99 years	43	14	29	40	12	28	3	2	1	1	1	-
100 yrs & over	17	3	14	15	2	13	2	1	1	2	1	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Recurrent depressive disorder (F33)												
All ages	10	5	5	10	5	5	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Recurrent depressive disorder, current episode severe without psychotic symptoms (F33.2)												
All ages	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Recurrent depressive disorder, unspecified (F33.9)												
All ages	7	5	2	7	5	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Persistent mood [affective] disorders (F34)												
All ages	8	3	5	8	3	5	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cyclothymia (F34.0)												
All ages	7	3	4	7	3	4	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other persistent mood [affective] disorders (F34.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other mood [affective] disorders (F38)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified mood [affective] disorders (F38.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified mood [affective] disorder (F39)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other anxiety disorders (F41)												
All ages	31	7	24	30	7	23	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	2	-	2	1	-	1	1	-	1	1	-	1
70-74 years	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years	8	3	5	8	3	5	-	-	-	-	-	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	4	-	4	4	-	4	-	-	-	-	-	-
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Panic disorder [episodic paroxysmal anxiety] (F41.0)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Generalized anxiety disorder (F41.1)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Mixed anxiety and depressive disorder (F41.2)												
All ages	8	2	6	7	2	5	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Anxiety disorder, unspecified (F41.9)												
All ages	20	4	16	20	4	16	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	6	2	4	6	2	4	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Obsessive-compulsive disorder (F42)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Predominantly obsessional thoughts or ruminations (F42.0)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Obsessive-compulsive disorder, unspecified (F42.9)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Reaction to severe stress, and adjustment disorders (F43)												
All ages	29	22	7	27	20	7	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	4	4	-	4	4	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	4	3	1	4	3	1	-	-	-	-	-	-
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	6	4	2	6	4	2	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Posttraumatic stress disorder (F43.1)												
All ages	7	7	-	7	7	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Adjustment disorders (F43.2)												
All ages	8	5	3	8	5	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Reaction to severe stress, unspecified (F43.9)												
All ages	14	10	4	12	8	4	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Dissociative [conversion] disorders (F44)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other dissociative [conversion] disorders (F44.8)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Somatoform disorders (F45)												
All ages	9	5	4	5	2	3	4	3	1	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	1	1	1	-	1	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	2	2	-	1	1	-	1	1	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	3	1	2	1	-	1	2	1	1	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hypochondriacal disorder (F45.2)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Somatoform autonomic dysfunction (F45.3)												
All ages	5	3	2	3	1	2	2	2	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	1	1	1	-	1	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other somatoform disorders (F45.8)												
All ages	3	1	2	1	-	1	2	1	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	3	1	2	1	-	1	2	1	1	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other neurotic disorders (F48)												
All ages	6	3	3	4	2	2	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	1	-	-	-	-	1	1	-	1	1	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Neurasthenia (F48.0)												
All ages	2	1	1	1	-	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	1	-	-	-	-	1	1	-	1	1	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified neurotic disorders (F48.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Neurotic disorder, unspecified (F48.9)												
All ages	3	1	2	2	1	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Eating disorders (F50)												
All ages	221	45	176	211	41	170	10	4	6	6	3	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	5	-	5	5	-	5	-	-	-	-	-	-
25-29 years	6	1	5	5	1	4	1	-	1	-	-	-
30-34 years	4	2	2	3	1	2	1	1	-	-	-	-
35-39 years	6	-	6	6	-	6	-	-	-	-	-	-
40-44 years	6	-	6	5	-	5	1	-	1	1	-	1
45-49 years	3	-	3	2	-	2	1	-	1	1	-	1
50-54 years	6	1	5	6	1	5	-	-	-	-	-	-
55-59 years	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years	4	1	3	4	1	3	-	-	-	-	-	-
70-74 years	7	2	5	5	1	4	2	1	1	1	1	-
75-79 years	17	5	12	17	5	12	-	-	-	-	-	-
80-84 years	25	7	18	25	7	18	-	-	-	-	-	-
85-89 years	30	9	21	29	8	21	1	1	-	1	1	-
90-94 years	49	6	43	48	6	42	1	-	1	-	-	-
95-99 years	35	7	28	34	7	27	1	-	1	1	-	1
100 yrs & over	14	4	10	13	3	10	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Anorexia nervosa (F50.0)												
All ages	40	3	37	39	3	36	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	3	-	3	3	-	3	-	-	-	-	-	-
25-29 years	4	1	3	4	1	3	-	-	-	-	-	-
30-34 years	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years	5	-	5	5	-	5	-	-	-	-	-	-
40-44 years	6	-	6	5	-	5	1	-	1	1	-	1
45-49 years	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years	3	-	3	3	-	3	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Bulimia nervosa (F50.2)												
All ages	5	1	4	4	1	3	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other eating disorders (F50.8)												
All ages	170	41	129	163	37	126	7	4	3	4	3	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years	5	2	3	3	1	2	2	1	1	1	1	-
75-79 years	14	4	10	14	4	10	-	-	-	-	-	-
80-84 years	23	6	17	23	6	17	-	-	-	-	-	-
85-89 years	28	9	19	27	8	19	1	1	-	1	1	-
90-94 years	47	6	41	46	6	40	1	-	1	-	-	-
95-99 years	34	7	27	33	7	26	1	-	1	1	-	1
100 yrs & over	14	4	10	13	3	10	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Eating disorder, unspecified (F50.9)												
All ages	6	-	6	5	-	5	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sexual dysfunction, not caused by organic disorder or disease (F52)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Sexual aversion and lack of sexual enjoyment (F52.1)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Psychological and behavioral factors associated with disorders or diseases classified elsewhere (F54)												
All ages	120	59	61	104	51	53	16	8	8	15	7	8
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	-	2	1	-	1	1	-	1	1	-	1
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	4	3	1	3	3	-	1	-	1	1	-	1
55-59 years	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years	4	3	1	3	2	1	1	1	-	1	1	-
65-69 years	6	3	3	6	3	3	-	-	-	-	-	-
70-74 years	10	6	4	10	6	4	-	-	-	-	-	-
75-79 years	19	11	8	16	10	6	3	1	2	2	-	2
80-84 years	22	11	11	17	8	9	5	3	2	5	3	2
85-89 years	25	12	13	24	12	12	1	-	1	1	-	1
90-94 years	13	4	9	11	3	8	2	1	1	2	1	1
95-99 years	10	2	8	10	2	8	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Abuse of non-dependence-producing substances (F55)												
All ages	16	8	8	13	6	7	3	2	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	4	2	2	3	1	2	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Specific personality disorders (F60)												
All ages	2	1	1	1	-	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Emotionally unstable personality disorder (F60.3)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Personality disorder, unspecified (F60.9)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Moderate mental retardation (F71)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Severe mental retardation (F72)												
All ages	56	29	27	47	23	24	9	6	3	9	6	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	4	1	3	3	1	2	1	-	1	1	-	1
20-24 years	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	4	2	2	4	2	2	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	8	5	3	7	4	3	1	1	-	1	1	-
50-54 years	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years	5	2	3	4	1	3	1	1	-	1	1	-
60-64 years	2	1	1	1	-	1	1	1	-	1	1	-
65-69 years	6	2	4	4	1	3	2	1	1	2	1	1
70-74 years	5	3	2	4	3	1	1	-	1	1	-	1
75-79 years	4	3	1	3	2	1	1	1	-	1	1	-
80-84 years	5	2	3	5	2	3	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Profound mental retardation (F73)												
All ages	51	22	29	44	16	28	7	6	1	7	6	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	3	3	-	2	2	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	1	1	1	-	1	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years	3	1	2	3	1	2	-	-	-	-	-	-
30-34 years	4	3	1	3	2	1	1	1	-	1	1	-
35-39 years	6	2	4	4	1	3	2	1	1	2	1	1
40-44 years	4	2	2	3	1	2	1	1	-	1	1	-
45-49 years	4	1	3	3	-	3	1	1	-	1	1	-
50-54 years	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years	5	2	3	5	2	3	-	-	-	-	-	-
60-64 years	6	2	4	6	2	4	-	-	-	-	-	-
65-69 years	4	1	3	4	1	3	-	-	-	-	-	-
70-74 years	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other mental retardation (F78)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified mental retardation (F79)												
All ages	314	172	142	267	147	120	47	25	22	41	22	19
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	-	2	1	-	1	1	-	1	1	-	1
5-9 years	5	2	3	4	2	2	1	-	1	1	-	1
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	6	2	4	3	1	2	3	1	2	3	1	2
20-24 years	7	4	3	4	3	1	3	1	2	3	1	2
25-29 years	10	6	4	9	5	4	1	1	-	-	-	-
30-34 years	17	9	8	13	7	6	4	2	2	2	1	1
35-39 years	18	11	7	15	10	5	3	1	2	3	1	2
40-44 years	25	13	12	18	10	8	7	3	4	7	3	4
45-49 years	24	15	9	20	12	8	4	3	1	3	3	-
50-54 years	36	19	17	31	16	15	5	3	2	5	3	2
55-59 years	29	13	16	24	9	15	5	4	1	5	4	1
60-64 years	26	21	5	25	20	5	1	1	-	1	1	-
65-69 years	22	13	9	19	11	8	3	2	1	3	2	1
70-74 years	24	11	13	22	10	12	2	1	1	2	1	1
75-79 years	22	13	9	19	11	8	3	2	1	1	1	-
80-84 years	20	13	7	20	13	7	-	-	-	-	-	-
85-89 years	14	5	9	13	5	8	1	-	1	1	-	1
90-94 years	5	1	4	5	1	4	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Specific developmental disorders of speech and language (F80)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Receptive language disorder (F80.2)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Specific developmental disorder of motor function (F82)												
All ages	7	6	1	5	4	1	2	2	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	2	-	1	1	-	1	1	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pervasive developmental disorders (F84)												
All ages	27	12	15	23	11	12	4	1	3	3	1	2
Under 1 year	1	-	1	-	-	-	1	-	1	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	5	1	4	5	1	4	-	-	-	-	-	-
15-19 years	5	1	4	4	1	3	1	-	1	1	-	1
20-24 years	3	2	1	2	2	-	1	-	1	1	-	1
25-29 years	3	1	2	3	1	2	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Childhood autism (F84.0)												
All ages	11	10	1	10	9	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Rett's syndrome (F84.2)												
All ages	12	-	12	10	-	10	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	4	-	4	4	-	4	-	-	-	-	-	-
15-19 years	4	-	4	3	-	3	1	-	1	1	-	1
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other childhood disintegrative disorder (F84.3)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Asperger's syndrome (F84.5)												
All ages	3	1	2	2	1	1	1	-	1	-	-	-
Under 1 year	1	-	1	-	-	-	1	-	1	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified disorder of psychological development (F89)												
All ages	5	1	4	4	1	3	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Tic disorders (F95)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Combined vocal and multiple motor tic disorder [de la Tourette] (F95.2)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mental disorder, not otherwise specified (F99)												
All ages	4	2	2	2	1	1	2	1	1	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Bacterial meningitis, not elsewhere classified (G00)												
All ages	390	202	188	289	144	145	101	58	43	90	53	37
Under 1 year	54	24	30	33	14	19	21	10	11	19	9	10
1-4 years	14	10	4	12	9	3	2	1	1	1	1	-
5-9 years	8	4	4	8	4	4	-	-	-	-	-	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	10	7	3	7	4	3	3	3	-	3	3	-
20-24 years	9	4	5	5	2	3	4	2	2	4	2	2
25-29 years	8	6	2	5	4	1	3	2	1	3	2	1
30-34 years	18	9	9	13	6	7	5	3	2	4	2	2
35-39 years	16	12	4	8	6	2	8	6	2	7	6	1
40-44 years	21	8	13	13	5	8	8	3	5	8	3	5
45-49 years	29	20	9	24	17	7	5	3	2	5	3	2
50-54 years	32	19	13	20	11	9	12	8	4	11	7	4
55-59 years	31	14	17	22	10	12	9	4	5	8	4	4
60-64 years	28	13	15	24	11	13	4	2	2	3	1	2
65-69 years	23	12	11	16	8	8	7	4	3	6	4	2
70-74 years	27	14	13	25	13	12	2	1	1	2	1	1
75-79 years	17	9	8	16	8	8	1	1	-	-	-	-
80-84 years	20	5	15	19	5	14	1	-	1	-	-	-
85-89 years	16	9	7	12	5	7	4	4	-	4	4	-
90-94 years	5	2	3	4	1	3	1	1	-	1	1	-
95-99 years	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hemophilus meningitis (G00.0)												
All ages	7	5	2	4	2	2	3	3	-	2	2	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	-	-	-	1	1	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pneumococcal meningitis (G00.1)												
All ages	107	57	50	80	44	36	27	13	14	23	13	10
Under 1 year	8	4	4	5	4	1	3	-	3	2	-	2
1-4 years	7	4	3	7	4	3	-	-	-	-	-	-
5-9 years	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	2	1	1	1	-	1	1	1	-	1	1	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	2	1	1	1	1	-	1	-	1	1	-	1
30-34 years	6	3	3	5	2	3	1	1	-	1	1	-
35-39 years	5	3	2	1	1	-	4	2	2	3	2	1
40-44 years	4	3	1	2	2	-	2	1	1	2	1	1
45-49 years	11	7	4	10	7	3	1	-	1	1	-	1
50-54 years	7	4	3	4	2	2	3	2	1	3	2	1
55-59 years	8	2	6	6	2	4	2	-	2	2	-	2
60-64 years	6	4	2	6	4	2	-	-	-	-	-	-
65-69 years	6	3	3	3	1	2	3	2	1	2	2	-
70-74 years	9	5	4	9	5	4	-	-	-	-	-	-
75-79 years	4	3	1	4	3	1	-	-	-	-	-	-
80-84 years	8	3	5	7	3	4	1	-	1	-	-	-
85-89 years	7	3	4	4	-	4	3	3	-	3	3	-
90-94 years	2	1	1	1	-	1	1	1	-	1	1	-
95-99 years	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal meningitis (G00.2)												
All ages	71	37	34	49	22	27	22	15	7	21	14	7
Under 1 year	23	10	13	12	4	8	11	6	5	11	6	5
1-4 years	4	4	-	3	3	-	1	1	-	1	1	-
5-9 years	3	1	2	3	1	2	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	2	1	1	1	-	1	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	3	3	-	2	2	-	1	1	-	1	1	-
40-44 years	3	1	2	3	1	2	-	-	-	-	-	-
45-49 years	4	3	1	3	2	1	1	1	-	1	1	-
50-54 years	6	4	2	3	2	1	3	2	1	2	1	1
55-59 years	6	4	2	4	2	2	2	2	-	2	2	-
60-64 years	5	3	2	3	2	1	2	1	1	2	1	1
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Staphylococcal meningitis (G00.3)												
All ages	21	8	13	18	6	12	3	2	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years	3	2	1	1	-	1	2	2	-	2	2	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years	3	3	-	3	3	-	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other bacterial meningitis (G00.8)												
All ages	22	16	6	15	13	2	7	3	4	6	2	4
Under 1 year	8	5	3	6	4	2	2	1	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	2	1	1	1	1	-	1	-	1	1	-	1
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	-	2	-	-	-	2	-	2	2	-	2
70-74 years	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Bacterial meningitis, unspecified (G00.9)												
All ages	162	79	83	123	57	66	39	22	17	35	20	15
Under 1 year	14	5	9	9	2	7	5	3	2	5	3	2
1-4 years	2	1	1	1	1	-	1	-	1	-	-	-
5-9 years	3	1	2	3	1	2	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	5	4	1	4	3	1	1	1	-	1	1	-
20-24 years	5	2	3	3	1	2	2	1	1	2	1	1
25-29 years	4	3	1	2	1	1	2	2	-	2	2	-
30-34 years	9	5	4	6	3	3	3	2	1	2	1	1
35-39 years	6	5	1	4	3	1	2	2	-	2	2	-
40-44 years	11	2	9	6	1	5	5	1	4	5	1	4
45-49 years	14	10	4	11	8	3	3	2	1	3	2	1
50-54 years	19	11	8	13	7	6	6	4	2	6	4	2
55-59 years	14	7	7	9	5	4	5	2	3	4	2	2
60-64 years	14	5	9	13	5	8	1	-	1	1	-	1
65-69 years	10	6	4	10	6	4	-	-	-	-	-	-
70-74 years	11	5	6	10	5	5	1	-	1	1	-	1
75-79 years	8	3	5	7	2	5	1	1	-	-	-	-
80-84 years	8	2	6	8	2	6	-	-	-	-	-	-
85-89 years	4	2	2	3	1	2	1	1	-	1	1	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis due to other and unspecified causes (G03)												
All ages	337	192	145	237	131	106	100	61	39	85	52	33
Under 1 year	24	15	9	14	8	6	10	7	3	10	7	3
1-4 years	12	6	6	7	4	3	5	2	3	4	1	3
5-9 years	7	5	2	2	1	1	5	4	1	4	3	1
10-14 years	7	5	2	6	4	2	1	1	-	-	-	-
15-19 years	9	5	4	7	3	4	2	2	-	1	1	-
20-24 years	12	7	5	7	4	3	5	3	2	3	2	1
25-29 years	5	5	-	3	3	-	2	2	-	2	2	-
30-34 years	10	5	5	8	5	3	2	-	2	2	-	2
35-39 years	15	11	4	7	4	3	8	7	1	6	6	-
40-44 years	17	11	6	12	9	3	5	2	3	5	2	3
45-49 years	26	10	16	13	3	10	13	7	6	13	7	6
50-54 years	18	11	7	15	10	5	3	1	2	2	1	1
55-59 years	27	16	11	18	11	7	9	5	4	8	4	4
60-64 years	27	18	9	20	13	7	7	5	2	6	5	1
65-69 years	23	12	11	19	9	10	4	3	1	3	2	1
70-74 years	21	13	8	18	11	7	3	2	1	3	2	1
75-79 years	29	17	12	24	13	11	5	4	1	5	4	1
80-84 years	30	16	14	23	13	10	7	3	4	6	2	4
85-89 years	9	2	7	8	2	6	1	-	1	-	-	-
90-94 years	7	1	6	5	1	4	2	-	2	1	-	1
95-99 years	2	1	1	1	-	1	1	1	-	1	1	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Nonpyogenic meningitis (G03.0)												
All ages	10	7	3	7	6	1	3	1	2	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chronic meningitis (G03.1)												
All ages	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Meningitis due to other specified causes (G03.8)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis, unspecified (G03.9)												
All ages	323	182	141	228	124	104	95	58	37	81	49	32
Under 1 year	22	13	9	14	8	6	8	5	3	8	5	3
1-4 years	11	6	5	7	4	3	4	2	2	3	1	2
5-9 years	7	5	2	2	1	1	5	4	1	4	3	1
10-14 years	7	5	2	6	4	2	1	1	-	-	-	-
15-19 years	9	5	4	7	3	4	2	2	-	1	1	-
20-24 years	12	7	5	7	4	3	5	3	2	3	2	1
25-29 years	5	5	-	3	3	-	2	2	-	2	2	-
30-34 years	9	5	4	7	5	2	2	-	2	2	-	2
35-39 years	15	11	4	7	4	3	8	7	1	6	6	-
40-44 years	17	11	6	12	9	3	5	2	3	5	2	3
45-49 years	26	10	16	13	3	10	13	7	6	13	7	6
50-54 years	17	10	7	14	9	5	3	1	2	2	1	1
55-59 years	27	16	11	18	11	7	9	5	4	8	4	4
60-64 years	26	17	9	20	13	7	6	4	2	5	4	1
65-69 years	22	12	10	18	9	9	4	3	1	3	2	1
70-74 years	20	12	8	17	10	7	3	2	1	3	2	1
75-79 years	26	14	12	21	10	11	5	4	1	5	4	1
80-84 years	28	14	14	21	11	10	7	3	4	6	2	4
85-89 years	9	2	7	8	2	6	1	-	1	-	-	-
90-94 years	6	1	5	5	1	4	1	-	1	1	-	1
95-99 years	2	1	1	1	-	1	1	1	-	1	1	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Encephalitis, myelitis, and encephalomyelitis (G04)												
All ages	307	144	163	242	119	123	65	25	40	56	23	33
Under 1 year	7	5	2	6	5	1	1	-	1	1	-	1
1-4 years	11	7	4	7	6	1	4	1	3	3	1	2
5-9 years	5	1	4	4	1	3	1	-	1	1	-	1
10-14 years	6	3	3	5	3	2	1	-	1	1	-	1
15-19 years	9	5	4	7	5	2	2	-	2	1	-	1
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	11	5	6	7	3	4	4	2	2	3	1	2
30-34 years	14	4	10	9	2	7	5	2	3	4	2	2
35-39 years	8	3	5	5	3	2	3	-	3	3	-	3
40-44 years	11	6	5	7	2	5	4	4	-	4	4	-
45-49 years	21	9	12	14	6	8	7	3	4	4	3	1
50-54 years	13	6	7	10	5	5	3	1	2	3	1	2
55-59 years	20	11	9	19	11	8	1	-	1	1	-	1
60-64 years	17	10	7	11	8	3	6	2	4	6	2	4
65-69 years	22	11	11	17	9	8	5	2	3	5	2	3
70-74 years	47	20	27	39	16	23	8	4	4	6	3	3
75-79 years	32	14	18	28	11	17	4	3	1	4	3	1
80-84 years	24	9	15	20	9	11	4	-	4	4	-	4
85-89 years	21	12	9	21	12	9	-	-	-	-	-	-
90-94 years	4	2	2	3	1	2	1	1	-	1	1	-
95-99 years	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute disseminated encephalitis (G04.0)												
All ages	8	1	7	8	1	7	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Tropical spastic paraplegia (G04.1)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Bacterial meningoencephalitis and meningomyelitis, not elsewhere classified (G04.2)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other encephalitis, myelitis, and encephalomyelitis (G04.8)												
All ages	13	5	8	11	5	6	2	-	2	1	-	1
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	1	-	1	-	-	-	1	-	1	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	2	-	2	1	-	1	1	-	1	1	-	1
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, myelitis, and encephalomyelitis, unspecified (G04.9)												
All ages	283	137	146	221	112	109	62	25	37	54	23	31
Under 1 year	6	4	2	5	4	1	1	-	1	1	-	1
1-4 years	9	7	2	6	6	-	3	1	2	3	1	2
5-9 years	4	1	3	3	1	2	1	-	1	1	-	1
10-14 years	6	3	3	5	3	2	1	-	1	1	-	1
15-19 years	8	4	4	6	4	2	2	-	2	1	-	1
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	11	5	6	7	3	4	4	2	2	3	1	2
30-34 years	13	3	10	8	1	7	5	2	3	4	2	2
35-39 years	8	3	5	5	3	2	3	-	3	3	-	3
40-44 years	10	6	4	6	2	4	4	4	-	4	4	-
45-49 years	21	9	12	14	6	8	7	3	4	4	3	1
50-54 years	12	6	6	9	5	4	3	1	2	3	1	2
55-59 years	15	9	6	14	9	5	1	-	1	1	-	1
60-64 years	16	10	6	10	8	2	6	2	4	6	2	4
65-69 years	20	11	9	16	9	7	4	2	2	4	2	2
70-74 years	46	20	26	38	16	22	8	4	4	6	3	3
75-79 years	29	13	16	25	10	15	4	3	1	4	3	1
80-84 years	22	9	13	19	9	10	3	-	3	3	-	3
85-89 years	19	11	8	19	11	8	-	-	-	-	-	-
90-94 years	4	2	2	3	1	2	1	1	-	1	1	-
95-99 years	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Intracranial and intraspinal abscess and granuloma (G06)												
All ages	202	113	89	164	91	73	38	22	16	33	19	14
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	3	3	-	1	1	-	2	2	-	2	2	-
20-24 years	5	3	2	4	2	2	1	1	-	1	1	-
25-29 years	2	-	2	-	-	-	2	-	2	2	-	2
30-34 years	7	3	4	4	2	2	3	1	2	3	1	2
35-39 years	4	2	2	3	1	2	1	1	-	1	1	-
40-44 years	11	6	5	10	5	5	1	1	-	1	1	-
45-49 years	17	12	5	12	9	3	5	3	2	4	2	2
50-54 years	16	11	5	13	8	5	3	3	-	2	2	-
55-59 years	16	8	8	15	7	8	1	1	-	1	1	-
60-64 years	23	10	13	20	9	11	3	1	2	3	1	2
65-69 years	20	12	8	16	10	6	4	2	2	4	2	2
70-74 years	19	10	9	14	9	5	5	1	4	4	1	3
75-79 years	22	12	10	20	10	10	2	2	-	1	1	-
80-84 years	24	14	10	22	13	9	2	1	1	1	1	-
85-89 years	8	5	3	7	4	3	1	1	-	1	1	-
90-94 years	4	1	3	3	1	2	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Intracranial abscess and granuloma (G06.0)												
All ages	117	72	45	94	58	36	23	14	9	19	12	7
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	4	2	2	4	2	2	-	-	-	-	-	-
25-29 years	2	-	2	-	-	-	2	-	2	2	-	2
30-34 years	7	3	4	4	2	2	3	1	2	3	1	2
35-39 years	4	2	2	3	1	2	1	1	-	1	1	-
40-44 years	10	6	4	9	5	4	1	1	-	1	1	-
45-49 years	16	11	5	12	9	3	4	2	2	4	2	2
50-54 years	9	7	2	6	4	2	3	3	-	2	2	-
55-59 years	8	5	3	8	5	3	-	-	-	-	-	-
60-64 years	9	4	5	9	4	5	-	-	-	-	-	-
65-69 years	11	9	2	9	7	2	2	2	-	2	2	-
70-74 years	10	6	4	8	5	3	2	1	1	1	1	-
75-79 years	11	8	3	9	6	3	2	2	-	1	1	-
80-84 years	7	4	3	5	3	2	2	1	1	1	1	-
85-89 years	5	4	1	5	4	1	-	-	-	-	-	-
90-94 years	3	-	3	2	-	2	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Intraspinal abscess and granuloma (G06.1)												
All ages	14	6	8	11	5	6	3	1	2	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years	5	3	2	2	2	-	3	1	2	3	1	2
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Extradural and subdural abscess, unspecified (G06.2)												
All ages	71	35	36	59	28	31	12	7	5	11	6	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	2	2	-	-	-	-	2	2	-	2	2	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	-	-	-
50-54 years	7	4	3	7	4	3	-	-	-	-	-	-
55-59 years	5	2	3	4	1	3	1	1	-	1	1	-
60-64 years	9	3	6	9	3	6	-	-	-	-	-	-
65-69 years	8	3	5	6	3	3	2	-	2	2	-	2
70-74 years	6	2	4	3	2	1	3	-	3	3	-	3
75-79 years	9	4	5	9	4	5	-	-	-	-	-	-
80-84 years	17	10	7	17	10	7	-	-	-	-	-	-
85-89 years	3	1	2	2	-	2	1	1	-	1	1	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Intracranial and intraspinal phlebitis and thrombophlebitis (G08)												
All ages	22	4	18	16	3	13	6	1	5	5	1	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	3	-	3	3	-	3	-	-	-	-	-	-
25-29 years	4	-	4	2	-	2	2	-	2	2	-	2
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	3	-	3	3	-	3	-	-	-	-	-	-
55-59 years	4	1	3	3	1	2	1	-	1	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	1	1	1	-	1	1	1	-	1	1	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Sequelae of inflammatory diseases of central nervous system (G09)												
All ages	87	48	39	64	37	27	23	11	12	22	10	12
Under 1 year	2	1	1	1	-	1	1	1	-	1	1	-
1-4 years	3	2	1	2	1	1	1	1	-	1	1	-
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	2	2	-	1	1	-	1	1	-	1	1	-
15-19 years	3	-	3	1	-	1	2	-	2	2	-	2
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	5	1	4	3	-	3	2	1	1	2	1	1
30-34 years	2	-	2	1	-	1	1	-	1	1	-	1
35-39 years	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years	10	6	4	7	6	1	3	-	3	3	-	3
45-49 years	7	4	3	6	4	2	1	-	1	1	-	1
50-54 years	8	6	2	6	5	1	2	1	1	2	1	1
55-59 years	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years	3	2	1	2	1	1	1	1	-	1	1	-
65-69 years	7	5	2	5	4	1	2	1	1	2	1	1
70-74 years	4	2	2	3	1	2	1	1	-	1	1	-
75-79 years	12	6	6	9	5	4	3	1	2	3	1	2
80-84 years	7	2	5	6	1	5	1	1	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Huntington's disease (G10)												
All ages	693	312	381	652	295	357	41	17	24	38	16	22
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	3	2	1	3	2	1	-	-	-	-	-	-
20-24 years	4	1	3	4	1	3	-	-	-	-	-	-
25-29 years	3	3	-	2	2	-	1	1	-	1	1	-
30-34 years	14	3	11	12	3	9	2	-	2	2	-	2
35-39 years	37	22	15	33	19	14	4	3	1	4	3	1
40-44 years	67	32	35	58	29	29	9	3	6	8	3	5
45-49 years	71	32	39	70	31	39	1	1	-	1	1	-
50-54 years	76	38	38	67	34	33	9	4	5	9	4	5
55-59 years	79	27	52	74	24	50	5	3	2	4	2	2
60-64 years	74	34	40	72	33	39	2	1	1	2	1	1
65-69 years	65	33	32	64	32	32	1	1	-	1	1	-
70-74 years	75	37	38	72	37	35	3	-	3	3	-	3
75-79 years	60	26	34	59	26	33	1	-	1	-	-	-
80-84 years	46	16	30	43	16	27	3	-	3	3	-	3
85-89 years	12	3	9	12	3	9	-	-	-	-	-	-
90-94 years	4	2	2	4	2	2	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hereditary ataxia (G11)												
All ages	156	73	83	134	64	70	22	9	13	20	9	11
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	2	-	2	1	-	1	1	-	1	1	-	1
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	3	2	1	2	1	1	1	1	-	1	1	-
20-24 years	9	2	7	6	1	5	3	1	2	3	1	2
25-29 years	7	3	4	6	2	4	1	1	-	1	1	-
30-34 years	10	3	7	8	2	6	2	1	1	2	1	1
35-39 years	10	10	-	8	8	-	2	2	-	2	2	-
40-44 years	11	5	6	7	4	3	4	1	3	4	1	3
45-49 years	9	4	5	6	3	3	3	1	2	3	1	2
50-54 years	12	5	7	12	5	7	-	-	-	-	-	-
55-59 years	6	3	3	6	3	3	-	-	-	-	-	-
60-64 years	8	2	6	6	2	4	2	-	2	1	-	1
65-69 years	15	10	5	15	10	5	-	-	-	-	-	-
70-74 years	16	6	10	16	6	10	-	-	-	-	-	-
75-79 years	12	5	7	11	5	6	1	-	1	-	-	-
80-84 years	9	6	3	8	5	3	1	1	-	1	1	-
85-89 years	6	3	3	6	3	3	-	-	-	-	-	-
90-94 years	6	2	4	6	2	4	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Early-onset cerebellar ataxia (G11.1)												
All ages	84	37	47	71	30	41	13	7	6	13	7	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	9	2	7	6	1	5	3	1	2	3	1	2
25-29 years	6	2	4	5	1	4	1	1	-	1	1	-
30-34 years	7	2	5	6	1	5	1	1	-	1	1	-
35-39 years	9	9	-	7	7	-	2	2	-	2	2	-
40-44 years	7	4	3	5	3	2	2	1	1	2	1	1
45-49 years	7	4	3	5	3	2	2	1	1	2	1	1
50-54 years	7	3	4	7	3	4	-	-	-	-	-	-
55-59 years	5	2	3	5	2	3	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	7	5	2	7	5	2	-	-	-	-	-	-
70-74 years	7	1	6	7	1	6	-	-	-	-	-	-
75-79 years	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Late-onset cerebellar ataxia (G11.2)												
All ages	3	2	1	2	2	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cerebellar ataxia with defective DNA repair (G11.3)												
All ages	6	3	3	4	2	2	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	2	-	2	1	-	1	1	-	1	1	-	1
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hereditary spastic paraplegia (G11.4)												
All ages	5	2	3	5	2	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other hereditary ataxias (G11.8)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hereditary ataxia, unspecified (G11.9)												
All ages	56	28	28	50	27	23	6	1	5	4	1	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	3	-	3	1	-	1	2	-	2	2	-	2
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	5	2	3	5	2	3	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	7	1	6	5	1	4	2	-	2	1	-	1
65-69 years	7	5	2	7	5	2	-	-	-	-	-	-
70-74 years	9	5	4	9	5	4	-	-	-	-	-	-
75-79 years	4	3	1	3	3	-	1	-	1	-	-	-
80-84 years	7	4	3	6	3	3	1	1	-	1	1	-
85-89 years	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years	5	2	3	5	2	3	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Spinal muscular atrophy and related syndromes (G12)												
All ages	5,547	3,016	2,531	5,169	2,810	2,359	378	206	172	300	162	138
Under 1 year	90	50	40	78	44	34	12	6	6	10	6	4
1-4 years	22	8	14	16	6	10	6	2	4	6	2	4
5-9 years	3	-	3	2	-	2	1	-	1	1	-	1
10-14 years	4	2	2	4	2	2	-	-	-	-	-	-
15-19 years	9	6	3	9	6	3	-	-	-	-	-	-
20-24 years	6	5	1	5	4	1	1	1	-	-	-	-
25-29 years	7	5	2	5	3	2	2	2	-	2	2	-
30-34 years	16	12	4	12	10	2	4	2	2	4	2	2
35-39 years	65	55	10	62	52	10	3	3	-	3	3	-
40-44 years	127	96	31	109	82	27	18	14	4	18	14	4
45-49 years	201	127	74	172	111	61	29	16	13	24	14	10
50-54 years	324	196	128	293	179	114	31	17	14	26	15	11
55-59 years	402	219	183	369	201	168	33	18	15	27	14	13
60-64 years	558	305	253	509	281	228	49	24	25	38	19	19
65-69 years	782	435	347	731	405	326	51	30	21	37	19	18
70-74 years	957	510	447	910	486	424	47	24	23	40	19	21
75-79 years	996	507	489	941	478	463	55	29	26	38	20	18
80-84 years	638	317	321	617	304	313	21	13	8	14	9	5
85-89 years	255	120	135	245	118	127	10	2	8	8	2	6
90-94 years	71	32	39	67	29	38	4	3	1	3	2	1
95-99 years	13	8	5	12	8	4	1	-	1	1	-	1
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Infantile spinal muscular atrophy, type I [Werdnig-Hoffman] (G12.0)												
All ages	36	17	19	31	14	17	5	3	2	3	2	1
Under 1 year	21	10	11	18	8	10	3	2	1	2	2	-
1-4 years	7	2	5	6	2	4	1	-	1	1	-	1
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	2	-	1	1	-	1	1	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other inherited spinal muscular atrophy (G12.1)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Motor neuron disease (G12.2)												
All ages	5,398	2,935	2,463	5,042	2,738	2,304	356	197	159	281	154	127
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	1	2	3	1	2	-	-	-	-	-	-
20-24 years	3	2	1	3	2	1	-	-	-	-	-	-
25-29 years	6	5	1	4	3	1	2	2	-	2	2	-
30-34 years	13	10	3	10	8	2	3	2	1	3	2	1
35-39 years	65	55	10	62	52	10	3	3	-	3	3	-
40-44 years	126	96	30	108	82	26	18	14	4	18	14	4
45-49 years	200	127	73	171	111	60	29	16	13	24	14	10
50-54 years	322	195	127	291	178	113	31	17	14	26	15	11
55-59 years	401	219	182	368	201	167	33	18	15	27	14	13
60-64 years	557	304	253	508	280	228	49	24	25	38	19	19
65-69 years	781	434	347	730	404	326	51	30	21	37	19	18
70-74 years	954	507	447	907	483	424	47	24	23	40	19	21
75-79 years	993	504	489	938	475	463	55	29	26	38	20	18
80-84 years	634	315	319	614	302	312	20	13	7	13	9	4
85-89 years	255	120	135	245	118	127	10	2	8	8	2	6
90-94 years	71	32	39	67	29	38	4	3	1	3	2	1
95-99 years	13	8	5	12	8	4	1	-	1	1	-	1
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other spinal muscular atrophies and related syndromes (G12.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Spinal muscular atrophy, unspecified (G12.9)												
All ages	110	62	48	93	56	37	17	6	11	16	6	10
Under 1 year	69	40	29	60	36	24	9	4	5	8	4	4
1-4 years	15	6	9	10	4	6	5	2	3	5	2	3
5-9 years	2	-	2	1	-	1	1	-	1	1	-	1
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	6	5	1	6	5	1	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	3	2	1	2	2	-	1	-	1	1	-	1
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Parkinson's disease (G20)												
All ages	16,466	9,361	7,105	15,686	8,943	6,743	780	418	362	546	290	256
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	10	8	2	8	7	1	2	1	1	2	1	1
45-49 years	13	8	5	10	7	3	3	1	2	3	1	2
50-54 years	29	23	6	27	21	6	2	2	-	2	2	-
55-59 years	98	68	30	88	61	27	10	7	3	5	4	1
60-64 years	199	144	55	178	134	44	21	10	11	15	9	6
65-69 years	552	361	191	511	338	173	41	23	18	25	15	10
70-74 years	1,588	1,029	559	1,493	969	524	95	60	35	66	44	22
75-79 years	3,436	2,100	1,336	3,279	2,015	1,264	157	85	72	108	55	53
80-84 years	4,658	2,716	1,942	4,464	2,605	1,859	194	111	83	129	72	57
85-89 years	3,768	2,004	1,764	3,612	1,928	1,684	156	76	80	115	54	61
90-94 years	1,646	756	890	1,576	722	854	70	34	36	54	29	25
95-99 years	424	134	290	401	127	274	23	7	16	18	4	14
100 yrs & over	43	10	33	37	9	28	6	1	5	4	-	4
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Secondary parkinsonism (G21)												
All ages	78	44	34	71	39	32	7	5	2	5	4	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	1	-	1	1	1	-	1	1	-
40-44 years	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	5	3	2	5	3	2	-	-	-	-	-	-
75-79 years	10	4	6	9	4	5	1	-	1	1	-	1
80-84 years	21	17	4	20	17	3	1	-	1	-	-	-
85-89 years	18	8	10	16	6	10	2	2	-	1	1	-
90-94 years	9	3	6	9	3	6	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant neuroleptic syndrome (G21.0)												
All ages	11	6	5	8	3	5	3	3	-	3	3	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	1	-	1	1	1	-	1	1	-
40-44 years	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other drug-induced secondary parkinsonism (G21.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other secondary parkinsonism (G21.8)												
All ages	36	19	17	33	18	15	3	1	2	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	6	2	4	5	2	3	1	-	1	1	-	1
80-84 years	9	8	1	8	8	-	1	-	1	-	-	-
85-89 years	7	3	4	6	2	4	1	1	-	-	-	-
90-94 years	7	3	4	7	3	4	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Secondary parkinsonism, unspecified (G21.9)												
All ages	30	18	12	29	17	12	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years	10	8	2	10	8	2	-	-	-	-	-	-
85-89 years	11	5	6	10	4	6	1	1	-	1	1	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other degenerative diseases of basal ganglia (G23)												
All ages	160	58	102	140	52	88	20	6	14	17	5	12
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	2	1	1	1	1	-	1	-	1	1	-	1
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years	2	1	1	1	-	1	1	1	-	-	-	-
45-49 years	6	4	2	3	2	1	3	2	1	3	2	1
50-54 years	9	1	8	8	1	7	1	-	1	1	-	1
55-59 years	12	9	3	11	8	3	1	1	-	1	1	-
60-64 years	16	5	11	13	4	9	3	1	2	3	1	2
65-69 years	15	4	11	13	4	9	2	-	2	2	-	2
70-74 years	31	13	18	28	12	16	3	1	2	3	1	2
75-79 years	28	4	24	24	4	20	4	-	4	3	-	3
80-84 years	18	9	9	18	9	9	-	-	-	-	-	-
85-89 years	7	1	6	6	1	5	1	-	1	-	-	-
90-94 years	6	4	2	6	4	2	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hallervorden-Spatz disease (G23.0)												
All ages	6	2	4	5	2	3	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	2	1	1	1	1	-	1	-	1	1	-	1
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Progressive supranuclear ophthalmoplegia [Steele-Richardson-Olszewski] (G23.1)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Striatonigral degeneration (G23.2)												
All ages	18	5	13	17	4	13	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	5	-	5	5	-	5	-	-	-	-	-	-
80-84 years	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified degenerative diseases of basal ganglia (G23.8)												
All ages	109	46	63	94	42	52	15	4	11	12	3	9
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	-	-	-
45-49 years	6	4	2	3	2	1	3	2	1	3	2	1
50-54 years	6	1	5	5	1	4	1	-	1	1	-	1
55-59 years	11	8	3	11	8	3	-	-	-	-	-	-
60-64 years	12	4	8	10	3	7	2	1	1	2	1	1
65-69 years	11	4	7	9	4	5	2	-	2	2	-	2
70-74 years	22	9	13	21	9	12	1	-	1	1	-	1
75-79 years	17	4	13	13	4	9	4	-	4	3	-	3
80-84 years	12	6	6	12	6	6	-	-	-	-	-	-
85-89 years	5	1	4	4	1	3	1	-	1	-	-	-
90-94 years	3	3	-	3	3	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Degenerative disease of basal ganglia, unspecified (G23.9)												
All ages	25	5	20	22	4	18	3	1	2	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	3	1	2	2	1	1	1	-	1	1	-	1
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	7	3	4	5	2	3	2	1	1	2	1	1
75-79 years	6	-	6	6	-	6	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Dystonia (G24)												
All ages	48	14	34	41	12	29	7	2	5	4	-	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years	2	-	2	1	-	1	1	-	1	1	-	1
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	1	1	-	-	-	-	1	1	-	-	-	-
40-44 years	2	-	2	1	-	1	1	-	1	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	5	-	5	5	-	5	-	-	-	-	-	-
75-79 years	8	3	5	6	2	4	2	1	1	1	-	1
80-84 years	6	2	4	6	2	4	-	-	-	-	-	-
85-89 years	6	2	4	6	2	4	-	-	-	-	-	-
90-94 years	4	-	4	4	-	4	-	-	-	-	-	-
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic familial dystonia (G24.1)												
All ages	5	4	1	4	3	1	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	2	-	1	1	-	1	1	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Idiopathic orofacial dystonia (G24.4)												
All ages	25	4	21	24	4	20	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	3	-	3	3	-	3	-	-	-	-	-	-
75-79 years	4	-	4	4	-	4	-	-	-	-	-	-
80-84 years	5	1	4	5	1	4	-	-	-	-	-	-
85-89 years	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other dystonia (G24.8)												
All ages	2	1	1	-	-	-	2	1	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Dystonia, unspecified (G24.9)												
All ages	16	5	11	13	5	8	3	-	3	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	2	1	1	1	1	-	1	-	1	1	-	1
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other extrapyramidal and movement disorders (G25)												
All ages	71	30	41	63	24	39	8	6	2	7	5	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	3	1	2	3	1	2	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	4	3	1	2	1	1	2	2	-	2	2	-
55-59 years	3	1	2	1	-	1	2	1	1	2	1	1
60-64 years	6	1	5	6	1	5	-	-	-	-	-	-
65-69 years	4	1	3	4	1	3	-	-	-	-	-	-
70-74 years	10	5	5	8	3	5	2	2	-	1	1	-
75-79 years	6	2	4	6	2	4	-	-	-	-	-	-
80-84 years	11	4	7	9	3	6	2	1	1	2	1	1
85-89 years	9	4	5	9	4	5	-	-	-	-	-	-
90-94 years	7	5	2	7	5	2	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Essential tremor (G25.0)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified forms of tremor (G25.2)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Myoclonus (G25.3)												
All ages	7	3	4	6	2	4	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	2	1	1	1	-	1	1	1	-	1	1	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other chorea (G25.5)												
All ages	22	10	12	18	6	12	4	4	-	3	3	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	3	3	-	1	1	-	2	2	-	2	2	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	3	2	1	1	-	1	2	2	-	1	1	-
75-79 years	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified extrapyramidal and movement disorders (G25.8)												
All ages	16	6	10	14	5	9	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	3	1	2	1	-	1	2	1	1	2	1	1
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Extrapyramidal and movement disorder, unspecified (G25.9)												
All ages	22	10	12	21	10	11	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	5	1	4	5	1	4	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	5	2	3	4	2	2	1	-	1	1	-	1
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Alzheimer's disease (G30)												
All ages	53,852	15,762	38,090	50,348	14,714	35,634	3,504	1,048	2,456	3,114	910	2,204
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	17	11	6	13	9	4	4	2	2	3	1	2
50-54 years	56	27	29	54	25	29	2	2	-	2	2	-
55-59 years	165	61	104	158	56	102	7	5	2	6	5	1
60-64 years	364	167	197	341	154	187	23	13	10	21	13	8
65-69 years	858	397	461	767	353	414	91	44	47	81	39	42
70-74 years	2,564	1,075	1,489	2,369	996	1,373	195	79	116	173	72	101
75-79 years	6,568	2,616	3,952	6,032	2,423	3,609	536	193	343	500	182	318
80-84 years	11,974	4,179	7,795	11,194	3,904	7,290	780	275	505	678	231	447
85-89 years	14,843	4,225	10,618	13,961	3,968	9,993	882	257	625	784	219	565
90-94 years	11,168	2,312	8,856	10,565	2,178	8,387	603	134	469	525	110	415
95-99 years	4,474	608	3,866	4,182	576	3,606	292	32	260	261	25	236
100 yrs & over	796	79	717	707	67	640	89	12	77	80	11	69
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Alzheimer's disease with early onset (G30.0)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Alzheimer's disease with late onset (G30.1)												
All ages	1,919	485	1,434	1,806	456	1,350	113	29	84	98	25	73
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	6	3	3	6	3	3	-	-	-	-	-	-
65-69 years	15	9	6	14	9	5	1	-	1	1	-	1
70-74 years	72	28	44	66	26	40	6	2	4	3	1	2
75-79 years	193	84	109	177	75	102	16	9	7	16	9	7
80-84 years	394	109	285	368	105	263	26	4	22	25	4	21
85-89 years	526	134	392	499	127	372	27	7	20	25	6	19
90-94 years	445	87	358	423	82	341	22	5	17	15	3	12
95-99 years	216	29	187	203	27	176	13	2	11	12	2	10
100 yrs & over	48	1	47	46	1	45	2	-	2	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other Alzheimer's disease (G30.8)												
All ages	10	3	7	10	3	7	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years	6	1	5	6	1	5	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Alzheimer's disease, unspecified (G30.9)												
All ages	51,920	15,273	36,647	48,529	14,254	34,275	3,391	1,019	2,372	3,016	885	2,131
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	17	11	6	13	9	4	4	2	2	3	1	2
50-54 years	53	26	27	51	24	27	2	2	-	2	2	-
55-59 years	162	60	102	155	55	100	7	5	2	6	5	1
60-64 years	358	164	194	335	151	184	23	13	10	21	13	8
65-69 years	842	388	454	752	344	408	90	44	46	80	39	41
70-74 years	2,491	1,047	1,444	2,302	970	1,332	189	77	112	170	71	99
75-79 years	6,375	2,532	3,843	5,855	2,348	3,507	520	184	336	484	173	311
80-84 years	11,580	4,070	7,510	10,826	3,799	7,027	754	271	483	653	227	426
85-89 years	14,314	4,089	10,225	13,459	3,839	9,620	855	250	605	759	213	546
90-94 years	10,717	2,224	8,493	10,136	2,095	8,041	581	129	452	510	107	403
95-99 years	4,258	579	3,679	3,979	549	3,430	279	30	249	249	23	226
100 yrs & over	748	78	670	661	66	595	87	12	75	79	11	68
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other degenerative diseases of nervous system, not elsewhere classified (G31)												
All ages	1,335	627	708	1,210	569	641	125	58	67	104	48	56
Under 1 year	8	4	4	7	3	4	1	1	-	1	1	-
1-4 years	33	17	16	27	14	13	6	3	3	5	2	3
5-9 years	11	6	5	11	6	5	-	-	-	-	-	-
10-14 years	9	5	4	8	4	4	1	1	-	1	1	-
15-19 years	4	2	2	2	1	1	2	1	1	2	1	1
20-24 years	6	4	2	5	4	1	1	-	1	1	-	1
25-29 years	9	4	5	6	2	4	3	2	1	3	2	1
30-34 years	13	8	5	8	5	3	5	3	2	4	3	1
35-39 years	13	9	4	11	9	2	2	-	2	1	-	1
40-44 years	23	10	13	17	6	11	6	4	2	5	3	2
45-49 years	44	22	22	36	20	16	8	2	6	7	1	6
50-54 years	43	25	18	35	22	13	8	3	5	7	3	4
55-59 years	72	39	33	64	35	29	8	4	4	8	4	4
60-64 years	82	45	37	72	41	31	10	4	6	7	3	4
65-69 years	133	73	60	118	64	54	15	9	6	13	9	4
70-74 years	142	77	65	129	69	60	13	8	5	9	6	3
75-79 years	181	91	90	168	85	83	13	6	7	10	5	5
80-84 years	155	75	80	149	73	76	6	2	4	6	2	4
85-89 years	182	71	111	177	68	109	5	3	2	4	2	2
90-94 years	112	26	86	105	25	80	7	1	6	6	-	6
95-99 years	51	12	39	47	11	36	4	1	3	3	-	3
100 yrs & over	9	2	7	8	2	6	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Circumscribed brain atrophy (G31.0)												
All ages	183	78	105	180	78	102	3	-	3	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	10	6	4	10	6	4	-	-	-	-	-	-
50-54 years	9	3	6	9	3	6	-	-	-	-	-	-
55-59 years	28	14	14	28	14	14	-	-	-	-	-	-
60-64 years	20	8	12	19	8	11	1	-	1	-	-	-
65-69 years	33	16	17	31	16	15	2	-	2	1	-	1
70-74 years	29	8	21	29	8	21	-	-	-	-	-	-
75-79 years	23	10	13	23	10	13	-	-	-	-	-	-
80-84 years	15	9	6	15	9	6	-	-	-	-	-	-
85-89 years	10	1	9	10	1	9	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Senile degeneration of brain, not elsewhere classified (G31.1)												
All ages	25	7	18	24	6	18	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	4	4	-	4	4	-	-	-	-	-	-	-
85-89 years	9	1	8	9	1	8	-	-	-	-	-	-
90-94 years	6	1	5	6	1	5	-	-	-	-	-	-
95-99 years	4	1	3	3	-	3	1	1	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Degeneration of nervous system due to alcohol (G31.2)												
All ages	114	93	21	101	82	19	13	11	2	11	10	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	1	1	-	1	-	1	-	-	-
40-44 years	4	2	2	4	2	2	-	-	-	-	-	-
45-49 years	15	12	3	13	10	3	2	2	-	1	1	-
50-54 years	10	7	3	9	7	2	1	-	1	1	-	1
55-59 years	10	10	-	9	9	-	1	1	-	1	1	-
60-64 years	14	13	1	12	11	1	2	2	-	2	2	-
65-69 years	16	13	3	13	10	3	3	3	-	3	3	-
70-74 years	18	14	4	16	12	4	2	2	-	2	2	-
75-79 years	14	12	2	13	11	2	1	1	-	1	1	-
80-84 years	6	5	1	6	5	1	-	-	-	-	-	-
85-89 years	5	4	1	5	4	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified degenerative diseases of nervous system (G31.8)												
All ages	126	59	67	117	56	61	9	3	6	7	3	4
Under 1 year	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years	10	6	4	9	5	4	1	1	-	1	1	-
5-9 years	4	2	2	4	2	2	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	-	2	2	-	2	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years	10	5	5	8	4	4	2	1	1	2	1	1
60-64 years	8	3	5	6	3	3	2	-	2	2	-	2
65-69 years	14	7	7	13	7	6	1	-	1	-	-	-
70-74 years	19	9	10	18	9	9	1	-	1	1	-	1
75-79 years	25	12	13	24	12	12	1	-	1	-	-	-
80-84 years	11	5	6	11	5	6	-	-	-	-	-	-
85-89 years	9	3	6	9	3	6	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Degenerative disease of nervous system, unspecified (G31.9)												
All ages	887	390	497	788	347	441	99	43	56	85	35	50
Under 1 year	6	4	2	5	3	2	1	1	-	1	1	-
1-4 years	23	11	12	18	9	9	5	2	3	4	1	3
5-9 years	7	4	3	7	4	3	-	-	-	-	-	-
10-14 years	8	4	4	7	3	4	1	1	-	1	1	-
15-19 years	3	2	1	1	1	-	2	1	1	2	1	1
20-24 years	6	4	2	5	4	1	1	-	1	1	-	1
25-29 years	7	4	3	4	2	2	3	2	1	3	2	1
30-34 years	12	7	5	8	5	3	4	2	2	3	2	1
35-39 years	8	6	2	7	6	1	1	-	1	1	-	1
40-44 years	16	6	10	10	2	8	6	4	2	5	3	2
45-49 years	17	4	13	11	4	7	6	-	6	6	-	6
50-54 years	20	12	8	13	9	4	7	3	4	6	3	3
55-59 years	24	10	14	19	8	11	5	2	3	5	2	3
60-64 years	40	21	19	35	19	16	5	2	3	3	1	2
65-69 years	70	37	33	61	31	30	9	6	3	9	6	3
70-74 years	76	46	30	66	40	26	10	6	4	6	4	2
75-79 years	118	57	61	107	52	55	11	5	6	9	4	5
80-84 years	119	52	67	113	50	63	6	2	4	6	2	4
85-89 years	149	62	87	144	59	85	5	3	2	4	2	2
90-94 years	105	24	81	98	23	75	7	1	6	6	-	6
95-99 years	45	11	34	42	11	31	3	-	3	3	-	3
100 yrs & over	8	2	6	7	2	5	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Multiple sclerosis (G35)												
All ages	3,053	1,043	2,010	2,739	955	1,784	314	88	226	300	84	216
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	5	2	3	3	-	3	2	2	-	2	2	-
25-29 years	14	6	8	12	6	6	2	-	2	1	-	1
30-34 years	38	13	25	29	11	18	9	2	7	9	2	7
35-39 years	96	36	60	65	27	38	31	9	22	30	9	21
40-44 years	207	65	142	171	56	115	36	9	27	34	9	25
45-49 years	331	118	213	279	101	178	52	17	35	49	16	33
50-54 years	429	151	278	379	138	241	50	13	37	48	12	36
55-59 years	421	147	274	383	136	247	38	11	27	37	10	27
60-64 years	363	124	239	329	115	214	34	9	25	33	8	25
65-69 years	323	137	186	298	129	169	25	8	17	23	8	15
70-74 years	291	89	202	277	86	191	14	3	11	14	3	11
75-79 years	267	94	173	258	91	167	9	3	6	8	3	5
80-84 years	174	41	133	166	39	127	8	2	6	8	2	6
85-89 years	58	14	44	56	14	42	2	-	2	2	-	2
90-94 years	26	5	21	26	5	21	-	-	-	-	-	-
95-99 years	7	1	6	7	1	6	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other acute disseminated demyelination (G36)												
All ages	5	3	2	3	3	-	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	-	2	-	-	-	2	-	2	2	-	2
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Neuromyelitis optica [Devic] (G36.0)												
All ages	4	2	2	2	2	-	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	-	2	-	-	-	2	-	2	2	-	2
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified acute disseminated demyelination (G36.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other demyelinating diseases of central nervous system (G37)												
All ages	122	65	57	108	58	50	14	7	7	12	6	6
Under 1 year	4	3	1	3	2	1	1	1	-	1	1	-
1-4 years	4	3	1	3	2	1	1	1	-	1	1	-
5-9 years	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	4	2	2	3	2	1	1	-	1	1	-	1
40-44 years	9	5	4	8	4	4	1	1	-	1	1	-
45-49 years	6	3	3	4	2	2	2	1	1	1	1	-
50-54 years	7	4	3	6	4	2	1	-	1	1	-	1
55-59 years	13	10	3	10	8	2	3	2	1	2	1	1
60-64 years	14	7	7	12	6	6	2	1	1	2	1	1
65-69 years	10	4	6	10	4	6	-	-	-	-	-	-
70-74 years	10	4	6	10	4	6	-	-	-	-	-	-
75-79 years	9	3	6	8	3	5	1	-	1	1	-	1
80-84 years	13	6	7	13	6	7	-	-	-	-	-	-
85-89 years	4	3	1	4	3	1	-	-	-	-	-	-
90-94 years	6	1	5	6	1	5	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	1	-	1	-	-	-	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Diffuse sclerosis (G37.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Central demyelination of corpus callosum (G37.1)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Central pontine myelinolysis (G37.2)												
All ages	21	12	9	16	9	7	5	3	2	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	3	3	-	3	3	-	-	-	-	-	-	-
45-49 years	2	1	1	1	1	-	1	-	1	-	-	-
50-54 years	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years	5	5	-	3	3	-	2	2	-	1	1	-
60-64 years	3	1	2	2	-	2	1	1	-	1	1	-
65-69 years	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute transverse myelitis in demyelinating disease of central nervous system (G37.3)												
All ages	8	4	4	8	4	4	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified demyelinating diseases of central nervous system (G37.8)												
All ages	9	5	4	9	5	4	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Demyelinating disease of central nervous system, unspecified (G37.9)												
All ages	81	42	39	72	38	34	9	4	5	9	4	5
Under 1 year	4	3	1	3	2	1	1	1	-	1	1	-
1-4 years	2	2	-	1	1	-	1	1	-	1	1	-
5-9 years	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years	5	2	3	4	1	3	1	1	-	1	1	-
45-49 years	3	2	1	2	1	1	1	1	-	1	1	-
50-54 years	4	2	2	4	2	2	-	-	-	-	-	-
55-59 years	6	4	2	5	4	1	1	-	1	1	-	1
60-64 years	7	4	3	6	4	2	1	-	1	1	-	1
65-69 years	7	3	4	7	3	4	-	-	-	-	-	-
70-74 years	7	3	4	7	3	4	-	-	-	-	-	-
75-79 years	7	3	4	6	3	3	1	-	1	1	-	1
80-84 years	12	6	6	12	6	6	-	-	-	-	-	-
85-89 years	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years	6	1	5	6	1	5	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	1	-	1	-	-	-	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Epilepsy (G40)												
All ages	799	472	327	608	349	259	191	123	68	168	111	57
Under 1 year	7	2	5	6	2	4	1	-	1	1	-	1
1-4 years	9	4	5	8	4	4	1	-	1	1	-	1
5-9 years	12	4	8	11	4	7	1	-	1	1	-	1
10-14 years	11	8	3	11	8	3	-	-	-	-	-	-
15-19 years	29	20	9	20	13	7	9	7	2	6	4	2
20-24 years	47	34	13	35	26	9	12	8	4	12	8	4
25-29 years	64	41	23	42	28	14	22	13	9	20	13	7
30-34 years	68	34	34	51	24	27	17	10	7	16	9	7
35-39 years	89	64	25	60	41	19	29	23	6	27	22	5
40-44 years	103	60	43	77	45	32	26	15	11	22	14	8
45-49 years	78	47	31	63	38	25	15	9	6	12	8	4
50-54 years	60	39	21	50	31	19	10	8	2	9	7	2
55-59 years	51	30	21	37	21	16	14	9	5	12	8	4
60-64 years	34	16	18	25	11	14	9	5	4	8	4	4
65-69 years	24	14	10	19	10	9	5	4	1	4	3	1
70-74 years	25	15	10	20	11	9	5	4	1	4	3	1
75-79 years	26	14	12	19	10	9	7	4	3	5	4	1
80-84 years	24	9	15	17	6	11	7	3	4	7	3	4
85-89 years	25	13	12	24	12	12	1	1	-	1	1	-
90-94 years	8	3	5	8	3	5	-	-	-	-	-	-
95-99 years	5	1	4	5	1	4	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures (G40.2)												
All ages	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Generalized idiopathic epilepsy and epileptic syndromes (G40.3)												
All ages	37	20	17	31	18	13	6	2	4	5	2	3
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	1	1	-	1	-	1	1	-	1
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	4	1	3	3	1	2	1	-	1	-	-	-
30-34 years	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years	7	5	2	6	4	2	1	1	-	1	1	-
40-44 years	3	3	-	3	3	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	3	1	2	1	-	1	2	1	1	2	1	1
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	3	1	2	2	1	1	1	-	1	1	-	1
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other generalized epilepsy and epileptic syndromes (G40.4)												
All ages	11	2	9	9	2	7	2	-	2	1	-	1
Under 1 year	3	-	3	2	-	2	1	-	1	1	-	1
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	3	1	2	3	1	2	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Special epileptic syndromes (G40.5)												
All ages	7	7	-	4	4	-	3	3	-	3	3	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	3	3	-	2	2	-	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Grand mal seizures, unspecified (with or without petit mal) (G40.6)												
All ages	163	92	71	133	72	61	30	20	10	26	19	7
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	9	7	2	8	6	2	1	1	-	1	1	-
20-24 years	6	4	2	4	3	1	2	1	1	2	1	1
25-29 years	10	7	3	8	5	3	2	2	-	2	2	-
30-34 years	10	4	6	5	1	4	5	3	2	5	3	2
35-39 years	15	10	5	13	8	5	2	2	-	1	1	-
40-44 years	22	12	10	18	11	7	4	1	3	3	1	2
45-49 years	12	8	4	10	6	4	2	2	-	2	2	-
50-54 years	11	6	5	10	5	5	1	1	-	1	1	-
55-59 years	13	9	4	10	6	4	3	3	-	3	3	-
60-64 years	9	4	5	7	3	4	2	1	1	2	1	1
65-69 years	5	2	3	5	2	3	-	-	-	-	-	-
70-74 years	7	4	3	6	3	3	1	1	-	1	1	-
75-79 years	8	4	4	5	3	2	3	1	2	1	1	-
80-84 years	11	4	7	9	3	6	2	1	1	2	1	1
85-89 years	8	4	4	8	4	4	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Petit mal, unspecified, without grand mal seizures (G40.7)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other epilepsy (G40.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Epilepsy, unspecified (G40.9)												
All ages	575	346	229	426	249	177	149	97	52	132	86	46
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	6	2	4	5	2	3	1	-	1	1	-	1
5-9 years	8	3	5	7	3	4	1	-	1	1	-	1
10-14 years	9	7	2	9	7	2	-	-	-	-	-	-
15-19 years	18	12	6	11	6	5	7	6	1	4	3	1
20-24 years	39	28	11	29	21	8	10	7	3	10	7	3
25-29 years	48	32	16	30	21	9	18	11	7	18	11	7
30-34 years	53	28	25	41	21	20	12	7	5	11	6	5
35-39 years	65	47	18	41	29	12	24	18	6	23	18	5
40-44 years	77	44	33	56	31	25	21	13	8	18	12	6
45-49 years	64	38	26	51	31	20	13	7	6	10	6	4
50-54 years	46	30	16	37	23	14	9	7	2	8	6	2
55-59 years	32	17	15	24	13	11	8	4	4	6	3	3
60-64 years	25	12	13	18	8	10	7	4	3	6	3	3
65-69 years	17	11	6	12	7	5	5	4	1	4	3	1
70-74 years	16	10	6	12	7	5	4	3	1	3	2	1
75-79 years	16	9	7	12	6	6	4	3	1	4	3	1
80-84 years	10	4	6	6	2	4	4	2	2	4	2	2
85-89 years	15	8	7	14	7	7	1	1	-	1	1	-
90-94 years	7	2	5	7	2	5	-	-	-	-	-	-
95-99 years	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Status epilepticus (G41)												
All ages	493	228	265	360	169	191	133	59	74	122	53	69
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	9	4	5	7	3	4	2	1	1	1	-	1
5-9 years	12	8	4	9	6	3	3	2	1	2	1	1
10-14 years	5	3	2	3	2	1	2	1	1	2	1	1
15-19 years	13	4	9	9	2	7	4	2	2	4	2	2
20-24 years	6	6	-	3	3	-	3	3	-	2	2	-
25-29 years	12	6	6	10	4	6	2	2	-	-	-	-
30-34 years	16	12	4	13	9	4	3	3	-	3	3	-
35-39 years	26	13	13	20	11	9	6	2	4	6	2	4
40-44 years	40	26	14	28	18	10	12	8	4	12	8	4
45-49 years	26	16	10	21	13	8	5	3	2	5	3	2
50-54 years	48	22	26	33	16	17	15	6	9	14	6	8
55-59 years	32	19	13	18	12	6	14	7	7	13	7	6
60-64 years	38	20	18	29	17	12	9	3	6	8	3	5
65-69 years	40	20	20	33	17	16	7	3	4	7	3	4
70-74 years	41	17	24	28	13	15	13	4	9	12	4	8
75-79 years	57	16	41	40	10	30	17	6	11	16	5	11
80-84 years	38	6	32	30	6	24	8	-	8	8	-	8
85-89 years	26	6	20	24	6	18	2	-	2	2	-	2
90-94 years	3	1	2	1	-	1	2	1	1	1	1	-
95-99 years	2	1	1	1	1	-	1	-	1	1	-	1
100 yrs & over	2	1	1	-	-	-	2	1	1	2	1	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Grand mal status epilepticus (G41.0)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Status epilepticus, unspecified (G41.9)												
All ages	491	227	264	358	168	190	133	59	74	122	53	69
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	9	4	5	7	3	4	2	1	1	1	-	1
5-9 years	12	8	4	9	6	3	3	2	1	2	1	1
10-14 years	5	3	2	3	2	1	2	1	1	2	1	1
15-19 years	13	4	9	9	2	7	4	2	2	4	2	2
20-24 years	6	6	-	3	3	-	3	3	-	2	2	-
25-29 years	12	6	6	10	4	6	2	2	-	-	-	-
30-34 years	16	12	4	13	9	4	3	3	-	3	3	-
35-39 years	25	12	13	19	10	9	6	2	4	6	2	4
40-44 years	40	26	14	28	18	10	12	8	4	12	8	4
45-49 years	26	16	10	21	13	8	5	3	2	5	3	2
50-54 years	48	22	26	33	16	17	15	6	9	14	6	8
55-59 years	32	19	13	18	12	6	14	7	7	13	7	6
60-64 years	38	20	18	29	17	12	9	3	6	8	3	5
65-69 years	40	20	20	33	17	16	7	3	4	7	3	4
70-74 years	41	17	24	28	13	15	13	4	9	12	4	8
75-79 years	56	16	40	39	10	29	17	6	11	16	5	11
80-84 years	38	6	32	30	6	24	8	-	8	8	-	8
85-89 years	26	6	20	24	6	18	2	-	2	2	-	2
90-94 years	3	1	2	1	-	1	2	1	1	1	1	-
95-99 years	2	1	1	1	1	-	1	-	1	1	-	1
100 yrs & over	2	1	1	-	-	-	2	1	1	2	1	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Migraine (G43)												
All ages	5	1	4	5	1	4	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Migraine without aura [common migraine] (G43.0)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other migraine (G43.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Migraine, unspecified (G43.9)												
All ages	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other headache syndromes (G44)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cluster headache syndrome (G44.0)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Transient cerebral ischemic attacks and related syndromes (G45)												
All ages	271	106	165	250	98	152	21	8	13	21	8	13
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	4	2	2	2	1	1	2	1	1	2	1	1
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	5	4	1	4	3	1	1	1	-	1	1	-
65-69 years	13	4	9	10	3	7	3	1	2	3	1	2
70-74 years	11	6	5	10	6	4	1	-	1	1	-	1
75-79 years	31	16	15	30	16	14	1	-	1	1	-	1
80-84 years	35	16	19	35	16	19	-	-	-	-	-	-
85-89 years	70	31	39	65	30	35	5	1	4	5	1	4
90-94 years	60	20	40	56	18	38	4	2	2	4	2	2
95-99 years	26	2	24	24	2	22	2	-	2	2	-	2
100 yrs & over	11	2	9	10	1	9	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Vertebro-basilar artery syndrome (G45.0)												
All ages	26	12	14	24	11	13	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years	5	1	4	4	1	3	1	-	1	1	-	1
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Carotid artery syndrome (hemispheric) (G45.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Amaurosis fugax (G45.3)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other transient cerebral ischemic attacks and related syndromes (G45.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Transient cerebral ischemic attack, unspecified (G45.9)												
All ages	242	92	150	223	85	138	19	7	12	19	7	12
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	3	1	2	1	-	1	2	1	1	2	1	1
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	11	4	7	8	3	5	3	1	2	3	1	2
70-74 years	7	3	4	6	3	3	1	-	1	1	-	1
75-79 years	26	13	13	25	13	12	1	-	1	1	-	1
80-84 years	32	16	16	32	16	16	-	-	-	-	-	-
85-89 years	66	29	37	61	28	33	5	1	4	5	1	4
90-94 years	55	19	36	52	17	35	3	2	1	3	2	1
95-99 years	25	2	23	23	2	21	2	-	2	2	-	2
100 yrs & over	11	2	9	10	1	9	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sleep disorders (G47)												
All ages	447	270	177	351	223	128	96	47	49	89	44	45
Under 1 year	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	5	3	2	4	2	2	1	1	-	1	1	-
25-29 years	13	10	3	8	6	2	5	4	1	5	4	1
30-34 years	11	7	4	7	4	3	4	3	1	3	2	1
35-39 years	29	21	8	17	13	4	12	8	4	11	7	4
40-44 years	30	20	10	26	17	9	4	3	1	4	3	1
45-49 years	36	23	13	28	18	10	8	5	3	7	5	2
50-54 years	35	21	14	28	17	11	7	4	3	6	3	3
55-59 years	51	35	16	38	30	8	13	5	8	12	5	7
60-64 years	44	27	17	34	23	11	10	4	6	9	4	5
65-69 years	46	31	15	41	29	12	5	2	3	4	2	2
70-74 years	38	18	20	30	16	14	8	2	6	8	2	6
75-79 years	53	31	22	44	29	15	9	2	7	9	2	7
80-84 years	29	10	19	24	9	15	5	1	4	5	1	4
85-89 years	11	5	6	10	4	6	1	1	-	1	1	-
90-94 years	10	5	5	7	4	3	3	1	2	3	1	2
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Sleep apnea (G47.3)												
All ages	439	265	174	343	218	125	96	47	49	89	44	45
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	5	3	2	4	2	2	1	1	-	1	1	-
25-29 years	13	10	3	8	6	2	5	4	1	5	4	1
30-34 years	11	7	4	7	4	3	4	3	1	3	2	1
35-39 years	29	21	8	17	13	4	12	8	4	11	7	4
40-44 years	30	20	10	26	17	9	4	3	1	4	3	1
45-49 years	36	23	13	28	18	10	8	5	3	7	5	2
50-54 years	35	21	14	28	17	11	7	4	3	6	3	3
55-59 years	51	35	16	38	30	8	13	5	8	12	5	7
60-64 years	43	26	17	33	22	11	10	4	6	9	4	5
65-69 years	44	29	15	39	27	12	5	2	3	4	2	2
70-74 years	38	18	20	30	16	14	8	2	6	8	2	6
75-79 years	51	30	21	42	28	14	9	2	7	9	2	7
80-84 years	27	10	17	22	9	13	5	1	4	5	1	4
85-89 years	11	5	6	10	4	6	1	1	-	1	1	-
90-94 years	10	5	5	7	4	3	3	1	2	3	1	2
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Narcolepsy and cataplexy (G47.4)												
All ages	4	1	3	4	1	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other sleep disorders (G47.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sleep disorder, unspecified (G47.9)												
All ages	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of trigeminal nerve (G50)												
All ages	5	-	5	4	-	4	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Trigeminal neuralgia (G50.0)												
All ages	5	-	5	4	-	4	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Facial nerve disorders (G51)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Bell's palsy (G51.0)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of facial nerve (G51.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorders of other cranial nerves (G52)												
All ages	10	6	4	10	6	4	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of multiple cranial nerves (G52.7)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorders of other specified cranial nerves (G52.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cranial nerve disorder, unspecified (G52.9)												
All ages	7	5	2	7	5	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Nerve root and plexus disorders (G54)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Brachial plexus disorders (G54.0)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cervical root disorders, not elsewhere classified (G54.2)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Thoracic root disorders, not elsewhere classified (G54.3)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other mononeuropathies (G58)												
All ages	36	19	17	31	16	15	5	3	2	5	3	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	3	2	1	2	1	1	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years	7	3	4	7	3	4	-	-	-	-	-	-
80-84 years	7	2	5	6	1	5	1	1	-	1	1	-
85-89 years	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years	3	1	2	2	1	1	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mononeuritis multiplex (G58.7)												
All ages	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified mononeuropathies (G58.8)												
All ages	8	3	5	7	3	4	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	4	-	4	4	-	4	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mononeuropathy, unspecified (G58.9)												
All ages	25	14	11	22	12	10	3	2	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years	5	1	4	5	1	4	-	-	-	-	-	-
80-84 years	3	2	1	2	1	1	1	1	-	1	1	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	3	1	2	2	1	1	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hereditary and idiopathic neuropathy (G60)												
All ages	86	46	40	81	41	40	5	5	-	4	4	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	1	1	1	-	1	1	1	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	2	1	1	1	-	1	1	1	-	1	1	-
45-49 years	4	3	1	4	3	1	-	-	-	-	-	-
50-54 years	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years	7	4	3	6	3	3	1	1	-	1	1	-
60-64 years	6	3	3	6	3	3	-	-	-	-	-	-
65-69 years	6	1	5	6	1	5	-	-	-	-	-	-
70-74 years	8	4	4	8	4	4	-	-	-	-	-	-
75-79 years	14	6	8	13	5	8	1	1	-	1	1	-
80-84 years	11	7	4	11	7	4	-	-	-	-	-	-
85-89 years	14	11	3	13	10	3	1	1	-	1	1	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hereditary motor and sensory neuropathy (G60.0)												
All ages	49	25	24	48	24	24	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	5	3	2	5	3	2	-	-	-	-	-	-
60-64 years	6	3	3	6	3	3	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	5	3	2	5	3	2	-	-	-	-	-	-
75-79 years	10	5	5	9	4	5	1	1	-	1	1	-
80-84 years	5	2	3	5	2	3	-	-	-	-	-	-
85-89 years	6	5	1	6	5	1	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Refsum's disease (G60.1)												
All ages	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Neuropathy in association with hereditary ataxia (G60.2)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Idiopathic progressive neuropathy (G60.3)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other hereditary and idiopathic neuropathies (G60.8)												
All ages	10	5	5	9	4	5	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hereditary and idiopathic neuropathy, unspecified (G60.9)												
All ages	19	10	9	16	7	9	3	3	-	3	3	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	1	-	1	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	1	-	1	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	6	5	1	6	5	1	-	-	-	-	-	-
85-89 years	3	2	1	2	1	1	1	1	-	1	1	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Inflammatory polyneuropathy (G61)												
All ages	220	112	108	184	94	90	36	18	18	33	17	16
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	2	1	1	1	-	1	1	1	-	1	1	-
30-34 years	4	1	3	3	-	3	1	1	-	1	1	-
35-39 years	5	3	2	3	2	1	2	1	1	2	1	1
40-44 years	7	2	5	4	-	4	3	2	1	3	2	1
45-49 years	3	2	1	1	1	-	2	1	1	2	1	1
50-54 years	14	5	9	9	4	5	5	1	4	5	1	4
55-59 years	9	7	2	7	6	1	2	1	1	2	1	1
60-64 years	16	8	8	14	6	8	2	2	-	1	1	-
65-69 years	15	10	5	13	9	4	2	1	1	1	1	-
70-74 years	35	22	13	30	18	12	5	4	1	5	4	1
75-79 years	40	21	19	35	19	16	5	2	3	5	2	3
80-84 years	43	21	22	40	20	20	3	1	2	2	1	1
85-89 years	14	5	9	14	5	9	-	-	-	-	-	-
90-94 years	10	4	6	8	4	4	2	-	2	2	-	2
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Guillain-Barre syndrome (G61.0)												
All ages	215	109	106	179	91	88	36	18	18	33	17	16
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	2	1	1	1	-	1	1	1	-	1	1	-
30-34 years	4	1	3	3	-	3	1	1	-	1	1	-
35-39 years	5	3	2	3	2	1	2	1	1	2	1	1
40-44 years	7	2	5	4	-	4	3	2	1	3	2	1
45-49 years	2	1	1	-	-	-	2	1	1	2	1	1
50-54 years	13	4	9	8	3	5	5	1	4	5	1	4
55-59 years	9	7	2	7	6	1	2	1	1	2	1	1
60-64 years	16	8	8	14	6	8	2	2	-	1	1	-
65-69 years	15	10	5	13	9	4	2	1	1	1	1	-
70-74 years	35	22	13	30	18	12	5	4	1	5	4	1
75-79 years	40	21	19	35	19	16	5	2	3	5	2	3
80-84 years	40	20	20	37	19	18	3	1	2	2	1	1
85-89 years	14	5	9	14	5	9	-	-	-	-	-	-
90-94 years	10	4	6	8	4	4	2	-	2	2	-	2
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other inflammatory polyneuropathies (G61.8)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Inflammatory polyneuropathy, unspecified (G61.9)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other polyneuropathies (G62)												
All ages	268	139	129	242	121	121	26	18	8	20	13	7
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	1	-	1	1	1	-	1	1	-
40-44 years	3	2	1	2	2	-	1	-	1	-	-	-
45-49 years	5	3	2	4	2	2	1	1	-	1	1	-
50-54 years	7	3	4	6	3	3	1	-	1	1	-	1
55-59 years	15	7	8	15	7	8	-	-	-	-	-	-
60-64 years	14	9	5	13	8	5	1	1	-	1	1	-
65-69 years	21	14	7	19	12	7	2	2	-	2	2	-
70-74 years	44	21	23	38	18	20	6	3	3	4	1	3
75-79 years	47	22	25	43	18	25	4	4	-	4	4	-
80-84 years	54	30	24	50	26	24	4	4	-	3	3	-
85-89 years	30	16	14	29	15	14	1	1	-	-	-	-
90-94 years	20	8	12	18	8	10	2	-	2	2	-	2
95-99 years	3	1	2	2	1	1	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Alcoholic polyneuropathy (G62.1)												
All ages	3	3	-	1	1	-	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified polyneuropathies (G62.8)												
All ages	52	31	21	46	27	19	6	4	2	4	3	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	1	1	-	1	-	1	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	4	2	2	3	2	1	1	-	1	1	-	1
55-59 years	7	4	3	7	4	3	-	-	-	-	-	-
60-64 years	7	4	3	7	4	3	-	-	-	-	-	-
65-69 years	3	3	-	2	2	-	1	1	-	1	1	-
70-74 years	11	6	5	9	4	5	2	2	-	1	1	-
75-79 years	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years	12	8	4	11	7	4	1	1	-	1	1	-
85-89 years	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Polyneuropathy, unspecified (G62.9)												
All ages	213	105	108	195	93	102	18	12	6	14	8	6
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	4	2	2	4	2	2	-	-	-	-	-	-
50-54 years	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years	8	3	5	8	3	5	-	-	-	-	-	-
60-64 years	7	5	2	6	4	2	1	1	-	1	1	-
65-69 years	17	10	7	16	9	7	1	1	-	1	1	-
70-74 years	33	15	18	29	14	15	4	1	3	3	-	3
75-79 years	43	21	22	39	17	22	4	4	-	4	4	-
80-84 years	42	22	20	39	19	20	3	3	-	2	2	-
85-89 years	28	14	14	27	13	14	1	1	-	-	-	-
90-94 years	20	8	12	18	8	10	2	-	2	2	-	2
95-99 years	3	1	2	2	1	1	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Myasthenia gravis and other myoneural disorders (G70)												
All ages	639	301	338	585	284	301	54	17	37	42	12	30
Under 1 year	10	4	6	7	3	4	3	1	2	2	-	2
1-4 years	9	4	5	5	3	2	4	1	3	3	1	2
5-9 years	4	1	3	4	1	3	-	-	-	-	-	-
10-14 years	4	1	3	4	1	3	-	-	-	-	-	-
15-19 years	4	3	1	4	3	1	-	-	-	-	-	-
20-24 years	5	3	2	4	3	1	1	-	1	1	-	1
25-29 years	3	1	2	1	-	1	2	1	1	2	1	1
30-34 years	5	1	4	2	1	1	3	-	3	2	-	2
35-39 years	4	-	4	3	-	3	1	-	1	1	-	1
40-44 years	7	3	4	6	2	4	1	1	-	1	1	-
45-49 years	6	3	3	3	2	1	3	1	2	3	1	2
50-54 years	21	12	9	16	9	7	5	3	2	5	3	2
55-59 years	20	12	8	18	12	6	2	-	2	1	-	1
60-64 years	20	8	12	14	7	7	6	1	5	6	1	5
65-69 years	54	25	29	51	24	27	3	1	2	2	-	2
70-74 years	54	31	23	53	31	22	1	-	1	1	-	1
75-79 years	108	54	54	103	53	50	5	1	4	3	1	2
80-84 years	143	69	74	135	66	69	8	3	5	6	2	4
85-89 years	90	42	48	85	39	46	5	3	2	3	1	2
90-94 years	58	21	37	57	21	36	1	-	1	-	-	-
95-99 years	10	3	7	10	3	7	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Myasthenia gravis (G70.0)												
All ages	463	206	257	427	196	231	36	10	26	28	6	22
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	4	1	3	2	1	1	2	-	2	2	-	2
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	4	1	3	3	-	3	1	1	-	1	1	-
45-49 years	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years	14	6	8	11	5	6	3	1	2	3	1	2
55-59 years	12	5	7	10	5	5	2	-	2	1	-	1
60-64 years	12	3	9	8	3	5	4	-	4	4	-	4
65-69 years	37	17	20	34	16	18	3	1	2	2	-	2
70-74 years	42	23	19	41	23	18	1	-	1	1	-	1
75-79 years	86	44	42	82	43	39	4	1	3	3	1	2
80-84 years	115	55	60	108	52	56	7	3	4	5	2	3
85-89 years	73	33	40	69	30	39	4	3	1	2	1	1
90-94 years	50	16	34	49	16	33	1	-	1	-	-	-
95-99 years	8	2	6	8	2	6	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Toxic myoneural disorders (G70.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified myoneural disorders (G70.8)												
All ages	7	5	2	6	5	1	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Myoneural disorder, unspecified (G70.9)												
All ages	168	89	79	151	82	69	17	7	10	14	6	8
Under 1 year	10	4	6	7	3	4	3	1	2	2	-	2
1-4 years	8	4	4	5	3	2	3	1	2	2	1	1
5-9 years	4	1	3	4	1	3	-	-	-	-	-	-
10-14 years	4	1	3	4	1	3	-	-	-	-	-	-
15-19 years	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years	4	3	1	4	3	1	-	-	-	-	-	-
25-29 years	3	1	2	1	-	1	2	1	1	2	1	1
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	-	3	3	-	3	-	-	-	-	-	-
40-44 years	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years	4	3	1	2	2	-	2	1	1	2	1	1
50-54 years	7	6	1	5	4	1	2	2	-	2	2	-
55-59 years	8	7	1	8	7	1	-	-	-	-	-	-
60-64 years	8	5	3	6	4	2	2	1	1	2	1	1
65-69 years	16	7	9	16	7	9	-	-	-	-	-	-
70-74 years	8	4	4	8	4	4	-	-	-	-	-	-
75-79 years	21	10	11	20	10	10	1	-	1	-	-	-
80-84 years	28	14	14	27	14	13	1	-	1	1	-	1
85-89 years	16	8	8	15	8	7	1	-	1	1	-	1
90-94 years	8	5	3	8	5	3	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Primary disorders of muscles (G71)												
All ages	1,014	681	333	918	603	315	96	78	18	77	63	14
Under 1 year	34	24	10	25	19	6	9	5	4	7	4	3
1-4 years	11	6	5	8	4	4	3	2	1	1	1	-
5-9 years	10	5	5	9	5	4	1	-	1	1	-	1
10-14 years	29	20	9	25	16	9	4	4	-	3	3	-
15-19 years	111	105	6	91	86	5	20	19	1	16	15	1
20-24 years	98	92	6	80	77	3	18	15	3	14	11	3
25-29 years	55	52	3	47	44	3	8	8	-	7	7	-
30-34 years	34	25	9	29	20	9	5	5	-	5	5	-
35-39 years	31	23	8	29	22	7	2	1	1	1	1	-
40-44 years	46	32	14	42	29	13	4	3	1	3	2	1
45-49 years	80	53	27	80	53	27	-	-	-	-	-	-
50-54 years	99	53	46	92	47	45	7	6	1	6	5	1
55-59 years	69	44	25	66	42	24	3	2	1	3	2	1
60-64 years	53	25	28	51	23	28	2	2	-	2	2	-
65-69 years	53	32	21	51	30	21	2	2	-	2	2	-
70-74 years	56	26	30	53	24	29	3	2	1	3	2	1
75-79 years	57	27	30	57	27	30	-	-	-	-	-	-
80-84 years	39	21	18	37	20	17	2	1	1	-	-	-
85-89 years	31	13	18	30	12	18	1	1	-	1	1	-
90-94 years	13	3	10	12	3	9	1	-	1	1	-	1
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	2	-	2	1	-	1	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Muscular dystrophy (G71.0)												
All ages	662	477	185	602	425	177	60	52	8	49	41	8
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	3	-	3	2	-	2	1	-	1	1	-	1
10-14 years	17	15	2	14	12	2	3	3	-	2	2	-
15-19 years	86	83	3	73	70	3	13	13	-	10	10	-
20-24 years	84	80	4	67	66	1	17	14	3	13	10	3
25-29 years	47	45	2	41	39	2	6	6	-	6	6	-
30-34 years	25	20	5	22	17	5	3	3	-	3	3	-
35-39 years	23	17	6	22	16	6	1	1	-	1	1	-
40-44 years	27	17	10	25	15	10	2	2	-	1	1	-
45-49 years	51	35	16	51	35	16	-	-	-	-	-	-
50-54 years	57	28	29	53	25	28	4	3	1	3	2	1
55-59 years	36	26	10	33	24	9	3	2	1	3	2	1
60-64 years	31	16	15	30	15	15	1	1	-	1	1	-
65-69 years	35	22	13	33	20	13	2	2	-	2	2	-
70-74 years	46	22	24	44	21	23	2	1	1	2	1	1
75-79 years	41	22	19	41	22	19	-	-	-	-	-	-
80-84 years	31	17	14	30	16	14	1	1	-	-	-	-
85-89 years	15	8	7	15	8	7	-	-	-	-	-	-
90-94 years	4	2	2	3	2	1	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Myotonic disorders (G71.1)												
All ages	193	109	84	180	99	81	13	10	3	9	8	1
Under 1 year	11	9	2	8	6	2	3	3	-	2	2	-
1-4 years	2	1	1	1	1	-	1	-	1	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	2	2	-	1	1	-	1	1	-	-	-	-
30-34 years	5	2	3	4	1	3	1	1	-	1	1	-
35-39 years	5	3	2	4	3	1	1	-	1	-	-	-
40-44 years	15	12	3	13	11	2	2	1	1	2	1	1
45-49 years	26	17	9	26	17	9	-	-	-	-	-	-
50-54 years	40	24	16	37	21	16	3	3	-	3	3	-
55-59 years	32	18	14	32	18	14	-	-	-	-	-	-
60-64 years	21	9	12	20	8	12	1	1	-	1	1	-
65-69 years	15	9	6	15	9	6	-	-	-	-	-	-
70-74 years	5	1	4	5	1	4	-	-	-	-	-	-
75-79 years	8	1	7	8	1	7	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital myopathies (G71.2)												
All ages	100	78	22	82	65	17	18	13	5	15	11	4
Under 1 year	20	13	7	15	12	3	5	1	4	4	1	3
1-4 years	7	3	4	5	1	4	2	2	-	1	1	-
5-9 years	4	3	1	4	3	1	-	-	-	-	-	-
10-14 years	7	4	3	6	3	3	1	1	-	1	1	-
15-19 years	23	22	1	16	16	-	7	6	1	6	5	1
20-24 years	12	11	1	11	10	1	1	1	-	1	1	-
25-29 years	6	5	1	5	4	1	1	1	-	1	1	-
30-34 years	3	3	-	2	2	-	1	1	-	1	1	-
35-39 years	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years	4	3	1	4	3	1	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Mitochondrial myopathy, not elsewhere classified (G71.3)												
All ages	15	6	9	14	5	9	1	1	-	1	1	-
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years	4	1	3	4	1	3	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other primary disorders of muscles (G71.8)												
All ages	43	11	32	39	9	30	4	2	2	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	3	2	1	2	1	1	1	1	-	1	1	-
75-79 years	6	2	4	6	2	4	-	-	-	-	-	-
80-84 years	8	4	4	7	4	3	1	-	1	-	-	-
85-89 years	12	2	10	11	1	10	1	1	-	1	1	-
90-94 years	8	1	7	8	1	7	-	-	-	-	-	-
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	2	-	2	1	-	1	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Primary disorder of muscle, unspecified (G71.9)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other myopathies (G72)												
All ages	132	72	60	118	64	54	14	8	6	13	8	5
Under 1 year	3	2	1	3	2	1	-	-	-	-	-	-
1-4 years	4	3	1	4	3	1	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	3	2	1	1	1	-	2	1	1	2	1	1
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	5	1	4	4	1	3	1	-	1	1	-	1
55-59 years	5	3	2	4	2	2	1	1	-	1	1	-
60-64 years	14	7	7	12	5	7	2	2	-	2	2	-
65-69 years	7	4	3	7	4	3	-	-	-	-	-	-
70-74 years	21	16	5	18	13	5	3	3	-	3	3	-
75-79 years	16	7	9	15	7	8	1	-	1	1	-	1
80-84 years	19	10	9	18	10	8	1	-	1	1	-	1
85-89 years	19	10	9	19	10	9	-	-	-	-	-	-
90-94 years	9	4	5	8	4	4	1	-	1	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Drug-induced myopathy (G72.0)												
All ages	8	3	5	8	3	5	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	3	-	3	3	-	3	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholic myopathy (G72.1)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Myopathy due to other toxic agents (G72.2)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Periodic paralysis (G72.3)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Inflammatory myopathy, not elsewhere classified (G72.4)												
All ages	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified myopathies (G72.8)												
All ages	31	19	12	27	16	11	4	3	1	4	3	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	4	4	-	3	3	-	1	1	-	1	1	-
65-69 years	4	3	1	4	3	1	-	-	-	-	-	-
70-74 years	5	4	1	5	4	1	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Myopathy, unspecified (G72.9)												
All ages	83	44	39	73	39	34	10	5	5	9	5	4
Under 1 year	3	2	1	3	2	1	-	-	-	-	-	-
1-4 years	3	3	-	3	3	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	3	-	3	2	-	2	1	-	1	1	-	1
55-59 years	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years	6	3	3	5	2	3	1	1	-	1	1	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	13	11	2	10	8	2	3	3	-	3	3	-
75-79 years	12	4	8	11	4	7	1	-	1	1	-	1
80-84 years	14	7	7	13	7	6	1	-	1	1	-	1
85-89 years	15	8	7	15	8	7	-	-	-	-	-	-
90-94 years	5	3	2	4	3	1	1	-	1	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Infantile cerebral palsy (G80)												
All ages	1,155	657	498	910	521	389	245	136	109	216	120	96
Under 1 year	19	12	7	7	5	2	12	7	5	9	5	4
1-4 years	71	43	28	50	33	17	21	10	11	18	9	9
5-9 years	87	41	46	61	28	33	26	13	13	22	10	12
10-14 years	110	59	51	77	43	34	33	16	17	30	15	15
15-19 years	141	85	56	99	59	40	42	26	16	39	25	14
20-24 years	121	75	46	92	59	33	29	16	13	23	12	11
25-29 years	70	38	32	47	27	20	23	11	12	23	11	12
30-34 years	68	41	27	52	29	23	16	12	4	15	11	4
35-39 years	50	23	27	45	21	24	5	2	3	5	2	3
40-44 years	52	35	17	45	30	15	7	5	2	5	4	1
45-49 years	50	25	25	42	23	19	8	2	6	5	1	4
50-54 years	60	36	24	51	31	20	9	5	4	9	5	4
55-59 years	56	25	31	51	23	28	5	2	3	4	1	3
60-64 years	39	22	17	37	20	17	2	2	-	2	2	-
65-69 years	30	18	12	27	15	12	3	3	-	3	3	-
70-74 years	51	35	16	48	32	16	3	3	-	3	3	-
75-79 years	42	23	19	41	22	19	1	1	-	1	1	-
80-84 years	20	11	9	20	11	9	-	-	-	-	-	-
85-89 years	12	6	6	12	6	6	-	-	-	-	-	-
90-94 years	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years	4	2	2	4	2	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Spastic cerebral palsy (G80.0)												
All ages	7	1	6	6	1	5	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	-	2	1	-	1	1	-	1	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Spastic diplegia (G80.1)												
All ages	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Infantile hemiplegia (G80.2)												
All ages	5	2	3	5	2	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Ataxic cerebral palsy (G80.4)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other infantile cerebral palsy (G80.8)												
All ages	40	24	16	31	19	12	9	5	4	9	5	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	3	1	2	3	1	2	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	7	4	3	4	2	2	3	2	1	3	2	1
20-24 years	4	3	1	3	2	1	1	1	-	1	1	-
25-29 years	4	2	2	2	1	1	2	1	1	2	1	1
30-34 years	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years	2	-	2	1	-	1	1	-	1	1	-	1
40-44 years	4	3	1	3	2	1	1	1	-	1	1	-
45-49 years	3	2	1	2	2	-	1	-	1	1	-	1
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Infantile cerebral palsy, unspecified (G80.9)												
All ages	1,100	630	470	866	499	367	234	131	103	206	115	91
Under 1 year	19	12	7	7	5	2	12	7	5	9	5	4
1-4 years	66	42	24	46	32	14	20	10	10	18	9	9
5-9 years	85	40	45	59	27	32	26	13	13	22	10	12
10-14 years	108	58	50	75	42	33	33	16	17	30	15	15
15-19 years	133	81	52	94	57	37	39	24	15	36	23	13
20-24 years	116	72	44	88	57	31	28	15	13	22	11	11
25-29 years	65	36	29	44	26	18	21	10	11	21	10	11
30-34 years	65	39	26	49	27	22	16	12	4	15	11	4
35-39 years	48	23	25	44	21	23	4	2	2	4	2	2
40-44 years	48	32	16	42	28	14	6	4	2	4	3	1
45-49 years	46	23	23	40	21	19	6	2	4	3	1	2
50-54 years	59	36	23	50	31	19	9	5	4	9	5	4
55-59 years	53	24	29	48	22	26	5	2	3	4	1	3
60-64 years	36	20	16	34	18	16	2	2	-	2	2	-
65-69 years	29	17	12	26	14	12	3	3	-	3	3	-
70-74 years	50	35	15	47	32	15	3	3	-	3	3	-
75-79 years	39	20	19	38	19	19	1	1	-	1	1	-
80-84 years	20	11	9	20	11	9	-	-	-	-	-	-
85-89 years	9	5	4	9	5	4	-	-	-	-	-	-
90-94 years	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years	4	2	2	4	2	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hemiplegia (G81)												
All ages	158	68	90	125	51	74	33	17	16	31	16	15
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	2	1	1	1	-	1	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	5	4	1	2	1	1	3	3	-	3	3	-
55-59 years	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years	10	8	2	8	7	1	2	1	1	2	1	1
65-69 years	8	5	3	4	3	1	4	2	2	4	2	2
70-74 years	16	9	7	12	6	6	4	3	1	3	3	-
75-79 years	30	11	19	26	10	16	4	1	3	4	1	3
80-84 years	23	7	16	17	5	12	6	2	4	6	2	4
85-89 years	30	13	17	27	12	15	3	1	2	3	1	2
90-94 years	17	3	14	13	1	12	4	2	2	3	1	2
95-99 years	11	3	8	11	3	8	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Spastic hemiplegia (G81.1)												
All ages	2	1	1	1	-	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hemiplegia, unspecified (G81.9)												
All ages	156	67	89	124	51	73	32	16	16	30	15	15
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	2	1	1	1	-	1	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	5	4	1	2	1	1	3	3	-	3	3	-
55-59 years	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years	10	8	2	8	7	1	2	1	1	2	1	1
65-69 years	7	4	3	4	3	1	3	1	2	3	1	2
70-74 years	16	9	7	12	6	6	4	3	1	3	3	-
75-79 years	30	11	19	26	10	16	4	1	3	4	1	3
80-84 years	23	7	16	17	5	12	6	2	4	6	2	4
85-89 years	30	13	17	27	12	15	3	1	2	3	1	2
90-94 years	17	3	14	13	1	12	4	2	2	3	1	2
95-99 years	10	3	7	10	3	7	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia and tetraplegia (G82)												
All ages	678	459	219	539	363	176	139	96	43	124	86	38
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	3	2	1	3	2	1	-	-	-	-	-	-
5-9 years	3	-	3	2	-	2	1	-	1	1	-	1
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	4	3	1	3	3	-	1	-	1	1	-	1
20-24 years	7	4	3	5	4	1	2	-	2	2	-	2
25-29 years	15	10	5	10	7	3	5	3	2	4	2	2
30-34 years	11	9	2	8	6	2	3	3	-	3	3	-
35-39 years	22	21	1	16	15	1	6	6	-	6	6	-
40-44 years	41	35	6	34	28	6	7	7	-	7	7	-
45-49 years	65	46	19	49	36	13	16	10	6	13	9	4
50-54 years	56	40	16	41	29	12	15	11	4	13	10	3
55-59 years	55	43	12	44	34	10	11	9	2	10	8	2
60-64 years	54	34	20	45	29	16	9	5	4	9	5	4
65-69 years	78	64	14	62	49	13	16	15	1	15	14	1
70-74 years	68	40	28	52	32	20	16	8	8	14	7	7
75-79 years	63	41	22	54	33	21	9	8	1	9	8	1
80-84 years	56	31	25	45	26	19	11	5	6	10	4	6
85-89 years	44	22	22	38	19	19	6	3	3	3	1	2
90-94 years	26	11	15	23	9	14	3	2	1	2	1	1
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	1	-	1	-	-	-	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Spastic paraplegia (G82.1)												
All ages	11	6	5	10	6	4	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	3	1	2	2	1	1	1	-	1	1	-	1
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, unspecified (G82.2)												
All ages	259	163	96	211	134	77	48	29	19	41	26	15
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	4	4	-	2	2	-	2	2	-	1	1	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	4	4	-	3	3	-	1	1	-	1	1	-
40-44 years	12	10	2	11	9	2	1	1	-	1	1	-
45-49 years	29	21	8	21	17	4	8	4	4	5	3	2
50-54 years	20	15	5	11	9	2	9	6	3	8	6	2
55-59 years	19	17	2	16	15	1	3	2	1	3	2	1
60-64 years	16	9	7	16	9	7	-	-	-	-	-	-
65-69 years	23	16	7	20	13	7	3	3	-	2	2	-
70-74 years	33	18	15	27	16	11	6	2	4	6	2	4
75-79 years	31	22	9	24	16	8	7	6	1	7	6	1
80-84 years	26	15	11	25	15	10	1	-	1	1	-	1
85-89 years	22	6	16	19	5	14	3	1	2	2	1	1
90-94 years	13	4	9	12	4	8	1	-	1	1	-	1
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	1	-	1	-	-	-	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Spastic tetraplegia (G82.4)												
All ages	48	32	16	39	25	14	9	7	2	8	6	2
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years	2	-	2	1	-	1	1	-	1	1	-	1
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	4	3	1	3	3	-	1	-	1	1	-	1
20-24 years	3	2	1	3	2	1	-	-	-	-	-	-
25-29 years	5	2	3	5	2	3	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	4	4	-	3	3	-	1	1	-	1	1	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	5	3	2	4	2	2	1	1	-	1	1	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	3	3	-	2	2	-	1	1	-	1	1	-
65-69 years	3	2	1	2	1	1	1	1	-	1	1	-
70-74 years	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	3	3	-	2	2	-	1	1	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Tetraplegia, unspecified (G82.5)												
All ages	360	258	102	279	198	81	81	60	21	74	54	20
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	3	2	1	2	2	-	1	-	1	1	-	1
25-29 years	6	4	2	3	3	-	3	1	2	3	1	2
30-34 years	7	6	1	5	4	1	2	2	-	2	2	-
35-39 years	14	13	1	10	9	1	4	4	-	4	4	-
40-44 years	27	23	4	21	17	4	6	6	-	6	6	-
45-49 years	35	24	11	28	19	9	7	5	2	7	5	2
50-54 years	31	22	9	26	18	8	5	4	1	4	3	1
55-59 years	34	26	8	26	19	7	8	7	1	7	6	1
60-64 years	34	22	12	26	18	8	8	4	4	8	4	4
65-69 years	50	44	6	38	33	5	12	11	1	12	11	1
70-74 years	31	21	10	21	15	6	10	6	4	8	5	3
75-79 years	30	18	12	28	16	12	2	2	-	2	2	-
80-84 years	26	14	12	17	9	8	9	5	4	8	4	4
85-89 years	17	12	5	15	11	4	2	1	1	1	-	1
90-94 years	13	7	6	11	5	6	2	2	-	1	1	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other paralytic syndromes (G83)												
All ages	241	110	131	218	102	116	23	8	15	22	8	14
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years	4	3	1	2	1	1	2	2	-	2	2	-
45-49 years	10	5	5	7	4	3	3	1	2	3	1	2
50-54 years	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years	10	8	2	10	8	2	-	-	-	-	-	-
60-64 years	20	9	11	16	7	9	4	2	2	4	2	2
65-69 years	15	7	8	13	6	7	2	1	1	2	1	1
70-74 years	28	9	19	26	8	18	2	1	1	2	1	1
75-79 years	46	22	24	44	21	23	2	1	1	2	1	1
80-84 years	36	17	19	34	17	17	2	-	2	2	-	2
85-89 years	39	15	24	36	15	21	3	-	3	2	-	2
90-94 years	18	9	9	17	9	8	1	-	1	1	-	1
95-99 years	6	2	4	6	2	4	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Diplegia of upper limbs (G83.0)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Monoplegia of lower limb (G83.1)												
All ages	9	4	5	8	3	5	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cauda equina syndrome (G83.4)												
All ages	7	4	3	6	4	2	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified paralytic syndromes (G83.8)												
All ages	181	80	101	168	76	92	13	4	9	13	4	9
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	6	3	3	6	3	3	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	9	7	2	9	7	2	-	-	-	-	-	-
60-64 years	14	8	6	11	6	5	3	2	1	3	2	1
65-69 years	9	3	6	7	2	5	2	1	1	2	1	1
70-74 years	23	7	16	22	7	15	1	-	1	1	-	1
75-79 years	38	19	19	36	18	18	2	1	1	2	1	1
80-84 years	29	13	16	27	13	14	2	-	2	2	-	2
85-89 years	29	10	19	28	10	18	1	-	1	1	-	1
90-94 years	15	8	7	14	8	6	1	-	1	1	-	1
95-99 years	6	2	4	6	2	4	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Paralytic syndrome, unspecified (G83.9)												
All ages	42	22	20	34	19	15	8	3	5	7	3	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years	2	2	-	-	-	-	2	2	-	2	2	-
45-49 years	3	1	2	-	-	-	3	1	2	3	1	2
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	4	1	3	4	1	3	-	-	-	-	-	-
65-69 years	5	4	1	5	4	1	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	6	2	4	6	2	4	-	-	-	-	-	-
80-84 years	6	3	3	6	3	3	-	-	-	-	-	-
85-89 years	8	5	3	6	5	1	2	-	2	1	-	1
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorders of autonomic nervous system (G90)												
All ages	251	150	101	232	139	93	19	11	8	18	10	8
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	2	-	1	1	-	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years	9	4	5	8	4	4	1	-	1	1	-	1
55-59 years	11	9	2	10	9	1	1	-	1	1	-	1
60-64 years	13	7	6	10	5	5	3	2	1	3	2	1
65-69 years	34	20	14	31	18	13	3	2	1	2	1	1
70-74 years	17	11	6	17	11	6	-	-	-	-	-	-
75-79 years	58	36	22	56	34	22	2	2	-	2	2	-
80-84 years	52	29	23	47	28	19	5	1	4	5	1	4
85-89 years	28	19	9	27	18	9	1	1	-	1	1	-
90-94 years	14	7	7	13	6	7	1	1	-	1	1	-
95-99 years	3	1	2	2	-	2	1	1	-	1	1	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic peripheral autonomic neuropathy (G90.0)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Familial dysautonomia [Riley-Day] (G90.1)												
All ages	12	6	6	10	5	5	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	2	-	1	1	-	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Multisystem degeneration (G90.3)												
All ages	184	114	70	174	109	65	10	5	5	9	4	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	6	3	3	5	3	2	1	-	1	1	-	1
55-59 years	10	8	2	9	8	1	1	-	1	1	-	1
60-64 years	10	7	3	8	5	3	2	2	-	2	2	-
65-69 years	28	17	11	26	16	10	2	1	1	1	-	1
70-74 years	14	10	4	14	10	4	-	-	-	-	-	-
75-79 years	45	27	18	44	26	18	1	1	-	1	1	-
80-84 years	36	22	14	34	22	12	2	-	2	2	-	2
85-89 years	23	14	9	22	13	9	1	1	-	1	1	-
90-94 years	11	5	6	11	5	6	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other disorders of autonomic nervous system (G90.8)												
All ages	36	24	12	32	21	11	4	3	1	4	3	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	5	3	2	4	2	2	1	1	-	1	1	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	10	7	3	9	6	3	1	1	-	1	1	-
80-84 years	8	5	3	7	5	2	1	-	1	1	-	1
85-89 years	4	4	-	4	4	-	-	-	-	-	-	-
90-94 years	3	2	1	2	1	1	1	1	-	1	1	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorder of autonomic nervous system, unspecified (G90.9)												
All ages	18	6	12	15	4	11	3	2	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	2	-	2	1	-	1	1	-	1	1	-	1
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	7	2	5	6	1	5	1	1	-	1	1	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	3	1	2	2	-	2	1	1	-	1	1	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hydrocephalus (G91)												
All ages	679	339	340	571	285	286	108	54	54	93	46	47
Under 1 year	29	15	14	14	6	8	15	9	6	12	7	5
1-4 years	28	15	13	17	9	8	11	6	5	10	6	4
5-9 years	18	6	12	9	4	5	9	2	7	8	1	7
10-14 years	17	9	8	12	8	4	5	1	4	5	1	4
15-19 years	10	8	2	5	4	1	5	4	1	5	4	1
20-24 years	11	8	3	9	7	2	2	1	1	2	1	1
25-29 years	10	5	5	5	2	3	5	3	2	3	2	1
30-34 years	9	4	5	6	2	4	3	2	1	2	1	1
35-39 years	18	10	8	17	10	7	1	-	1	1	-	1
40-44 years	14	4	10	10	2	8	4	2	2	3	2	1
45-49 years	8	6	2	7	5	2	1	1	-	1	1	-
50-54 years	21	9	12	16	7	9	5	2	3	5	2	3
55-59 years	13	5	8	11	4	7	2	1	1	2	1	1
60-64 years	29	15	14	20	11	9	9	4	5	6	2	4
65-69 years	37	21	16	31	19	12	6	2	4	5	2	3
70-74 years	64	34	30	58	32	26	6	2	4	6	2	4
75-79 years	94	50	44	86	45	41	8	5	3	6	4	2
80-84 years	125	63	62	118	59	59	7	4	3	7	4	3
85-89 years	85	34	51	83	32	51	2	2	-	2	2	-
90-94 years	33	17	16	31	16	15	2	1	1	2	1	1
95-99 years	6	1	5	6	1	5	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Communicating hydrocephalus (G91.0)												
All ages	9	4	5	8	4	4	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Obstructive hydrocephalus (G91.1)												
All ages	52	21	31	41	17	24	11	4	7	10	4	6
Under 1 year	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years	2	-	2	1	-	1	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	4	3	1	3	2	1	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	3	-	3	2	-	2	1	-	1	-	-	-
45-49 years	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years	6	1	5	5	1	4	1	-	1	1	-	1
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years	5	2	3	4	2	2	1	-	1	1	-	1
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	7	4	3	5	3	2	2	1	1	2	1	1
80-84 years	7	3	4	6	3	3	1	-	1	1	-	1
85-89 years	5	1	4	4	-	4	1	1	-	1	1	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Normal-pressure hydrocephalus (G91.2)												
All ages	224	112	112	208	103	105	16	9	7	15	9	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	4	1	3	1	-	1	3	1	2	2	1	1
65-69 years	11	7	4	10	6	4	1	1	-	1	1	-
70-74 years	32	15	17	28	14	14	4	1	3	4	1	3
75-79 years	36	21	15	35	20	15	1	1	-	1	1	-
80-84 years	68	37	31	65	34	31	3	3	-	3	3	-
85-89 years	44	18	26	43	17	26	1	1	-	1	1	-
90-94 years	23	12	11	21	11	10	2	1	1	2	1	1
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other hydrocephalus (G91.8)												
All ages	20	12	8	17	10	7	3	2	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	4	2	2	2	1	1	2	1	1	2	1	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	-	-	-	1	1	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	6	4	2	6	4	2	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hydrocephalus, unspecified (G91.9)												
All ages	374	190	184	297	151	146	77	39	38	65	32	33
Under 1 year	28	15	13	14	6	8	14	9	5	11	7	4
1-4 years	22	13	9	14	8	6	8	5	3	7	5	2
5-9 years	18	6	12	9	4	5	9	2	7	8	1	7
10-14 years	13	6	7	9	6	3	4	-	4	4	-	4
15-19 years	10	8	2	5	4	1	5	4	1	5	4	1
20-24 years	10	7	3	8	6	2	2	1	1	2	1	1
25-29 years	9	5	4	4	2	2	5	3	2	3	2	1
30-34 years	9	4	5	6	2	4	3	2	1	2	1	1
35-39 years	14	9	5	14	9	5	-	-	-	-	-	-
40-44 years	11	4	7	8	2	6	3	2	1	3	2	1
45-49 years	6	6	-	5	5	-	1	1	-	1	1	-
50-54 years	14	7	7	10	5	5	4	2	2	4	2	2
55-59 years	10	4	6	10	4	6	-	-	-	-	-	-
60-64 years	20	10	10	15	8	7	5	2	3	4	1	3
65-69 years	19	11	8	15	10	5	4	1	3	3	1	2
70-74 years	29	17	12	27	16	11	2	1	1	2	1	1
75-79 years	42	20	22	37	17	20	5	3	2	3	2	1
80-84 years	48	22	26	45	21	24	3	1	2	3	1	2
85-89 years	33	13	20	33	13	20	-	-	-	-	-	-
90-94 years	7	3	4	7	3	4	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Toxic encephalopathy (G92)												
All ages	74	39	35	66	34	32	8	5	3	7	5	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	4	2	2	3	1	2	1	1	-	1	1	-
45-49 years	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years	3	2	1	2	1	1	1	1	-	1	1	-
60-64 years	3	1	2	2	-	2	1	1	-	1	1	-
65-69 years	9	7	2	8	6	2	1	1	-	1	1	-
70-74 years	9	7	2	8	6	2	1	1	-	1	1	-
75-79 years	7	4	3	7	4	3	-	-	-	-	-	-
80-84 years	13	7	6	12	7	5	1	-	1	-	-	-
85-89 years	9	3	6	9	3	6	-	-	-	-	-	-
90-94 years	8	2	6	8	2	6	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of brain (G93)												
All ages	5,566	2,751	2,815	4,275	2,162	2,113	1,291	589	702	1,134	506	628
Under 1 year	51	31	20	33	18	15	18	13	5	14	10	4
1-4 years	66	36	30	40	24	16	26	12	14	22	10	12
5-9 years	35	25	10	28	21	7	7	4	3	7	4	3
10-14 years	41	24	17	28	17	11	13	7	6	12	6	6
15-19 years	27	15	12	18	11	7	9	4	5	8	4	4
20-24 years	56	28	28	41	21	20	15	7	8	14	7	7
25-29 years	54	27	27	38	17	21	16	10	6	14	9	5
30-34 years	86	41	45	55	28	27	31	13	18	26	11	15
35-39 years	140	71	69	105	56	49	35	15	20	32	13	19
40-44 years	238	126	112	181	98	83	57	28	29	52	25	27
45-49 years	315	162	153	215	109	106	100	53	47	87	46	41
50-54 years	348	188	160	241	129	112	107	59	48	98	52	46
55-59 years	429	216	213	290	159	131	139	57	82	124	51	73
60-64 years	452	239	213	340	184	156	112	55	57	95	45	50
65-69 years	531	267	264	394	210	184	137	57	80	127	51	76
70-74 years	652	348	304	520	288	232	132	60	72	112	50	62
75-79 years	710	359	351	573	299	274	137	60	77	117	52	65
80-84 years	652	293	359	552	261	291	100	32	68	89	29	60
85-89 years	412	166	246	356	142	214	56	24	32	44	15	29
90-94 years	194	70	124	163	55	108	31	15	16	28	13	15
95-99 years	64	17	47	57	14	43	7	3	4	7	3	4
100 yrs & over	13	2	11	7	1	6	6	1	5	5	-	5
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cerebral cysts (G93.0)												
All ages	25	12	13	20	8	12	5	4	1	4	4	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	3	1	2	2	-	2	1	1	-	1	1	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	2	1	1	1	1	-	1	-	1	-	-	-
35-39 years	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years	4	2	2	3	1	2	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	3	1	2	2	-	2	1	1	-	1	1	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Anoxic brain damage, not elsewhere classified (G93.1)												
All ages	3,849	1,935	1,914	2,883	1,500	1,383	966	435	531	856	375	481
Under 1 year	26	14	12	15	6	9	11	8	3	9	7	2
1-4 years	24	9	15	12	4	8	12	5	7	11	4	7
5-9 years	7	7	-	6	6	-	1	1	-	1	1	-
10-14 years	10	7	3	8	6	2	2	1	1	2	1	1
15-19 years	13	7	6	9	5	4	4	2	2	4	2	2
20-24 years	31	17	14	25	15	10	6	2	4	5	2	3
25-29 years	26	15	11	19	10	9	7	5	2	7	5	2
30-34 years	55	26	29	35	18	17	20	8	12	17	7	10
35-39 years	92	44	48	71	36	35	21	8	13	18	6	12
40-44 years	165	89	76	123	69	54	42	20	22	39	18	21
45-49 years	240	122	118	161	81	80	79	41	38	69	36	33
50-54 years	265	134	131	179	89	90	86	45	41	80	40	40
55-59 years	333	165	168	220	123	97	113	42	71	103	38	65
60-64 years	361	197	164	272	150	122	89	47	42	75	39	36
65-69 years	402	215	187	290	164	126	112	51	61	104	45	59
70-74 years	495	265	230	390	221	169	105	44	61	88	36	52
75-79 years	502	255	247	395	206	189	107	49	58	93	43	50
80-84 years	424	193	231	342	166	176	82	27	55	73	24	49
85-89 years	253	109	144	213	93	120	40	16	24	34	11	23
90-94 years	96	37	59	78	26	52	18	11	7	16	9	7
95-99 years	23	7	16	19	6	13	4	1	3	4	1	3
100 yrs & over	6	1	5	1	-	1	5	1	4	4	-	4
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Benign intracranial hypertension (G93.2)												
All ages	50	20	30	37	15	22	13	5	8	12	5	7
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years	4	1	3	4	1	3	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	3	-	3	2	-	2	1	-	1	1	-	1
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	3	1	2	2	-	2	1	1	-	1	1	-
45-49 years	4	4	-	2	2	-	2	2	-	2	2	-
50-54 years	3	2	1	1	1	-	2	1	1	2	1	1
55-59 years	4	1	3	2	1	1	2	-	2	2	-	2
60-64 years	4	1	3	4	1	3	-	-	-	-	-	-
65-69 years	6	2	4	2	1	1	4	1	3	3	1	2
70-74 years	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years	2	1	1	1	1	-	1	-	1	1	-	1
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Postviral fatigue syndrome (G93.3)												
All ages	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Encephalopathy, unspecified (G93.4)												
All ages	856	425	431	692	341	351	164	84	80	143	72	71
Under 1 year	12	8	4	7	4	3	5	4	1	3	2	1
1-4 years	15	7	8	9	5	4	6	2	4	5	2	3
5-9 years	11	7	4	9	5	4	2	2	-	2	2	-
10-14 years	10	6	4	4	2	2	6	4	2	5	3	2
15-19 years	5	4	1	3	3	-	2	1	1	2	1	1
20-24 years	3	1	2	3	1	2	-	-	-	-	-	-
25-29 years	12	7	5	7	3	4	5	4	1	4	3	1
30-34 years	10	5	5	5	3	2	5	2	3	5	2	3
35-39 years	10	4	6	6	3	3	4	1	3	4	1	3
40-44 years	26	19	7	21	16	5	5	3	2	5	3	2
45-49 years	33	22	11	25	17	8	8	5	3	8	5	3
50-54 years	36	25	11	27	18	9	9	7	2	8	7	1
55-59 years	44	26	18	31	16	15	13	10	3	12	9	3
60-64 years	43	22	21	26	15	11	17	7	10	14	5	9
65-69 years	77	32	45	65	29	36	12	3	9	11	3	8
70-74 years	95	50	45	75	37	38	20	13	7	17	11	6
75-79 years	130	66	64	112	59	53	18	7	11	15	6	9
80-84 years	127	53	74	115	51	64	12	2	10	11	2	9
85-89 years	82	35	47	74	30	44	8	5	3	5	3	2
90-94 years	50	20	30	46	19	27	4	1	3	4	1	3
95-99 years	20	6	14	18	5	13	2	1	1	2	1	1
100 yrs & over	5	-	5	4	-	4	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Compression of brain (G93.5)												
All ages	177	91	86	137	71	66	40	20	20	33	18	15
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	3	3	-	3	3	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	4	1	3	3	-	3	1	1	-	1	1	-
15-19 years	3	1	2	2	1	1	1	-	1	1	-	1
20-24 years	3	2	1	3	2	1	-	-	-	-	-	-
25-29 years	2	-	2	1	-	1	1	-	1	-	-	-
30-34 years	4	-	4	4	-	4	-	-	-	-	-	-
35-39 years	14	9	5	10	7	3	4	2	2	4	2	2
40-44 years	11	7	4	7	5	2	4	2	2	2	1	1
45-49 years	11	6	5	8	4	4	3	2	1	1	1	-
50-54 years	12	8	4	8	6	2	4	2	2	4	2	2
55-59 years	14	9	5	10	7	3	4	2	2	3	2	1
60-64 years	16	5	11	13	4	9	3	1	2	3	1	2
65-69 years	15	8	7	12	7	5	3	1	2	3	1	2
70-74 years	13	5	8	9	3	6	4	2	2	4	2	2
75-79 years	19	11	8	17	10	7	2	1	1	2	1	1
80-84 years	20	7	13	17	6	11	3	1	2	2	1	1
85-89 years	6	3	3	6	3	3	-	-	-	-	-	-
90-94 years	4	3	1	3	2	1	1	1	-	1	1	-
95-99 years	1	1	-	-	-	-	1	1	-	1	1	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cerebral edema (G93.6)												
All ages	219	105	114	172	87	85	47	18	29	39	14	25
Under 1 year	4	2	2	4	2	2	-	-	-	-	-	-
1-4 years	14	11	3	11	9	2	3	2	1	3	2	1
5-9 years	12	9	3	9	8	1	3	1	2	3	1	2
10-14 years	10	8	2	8	8	-	2	-	2	2	-	2
15-19 years	4	2	2	3	2	1	1	-	1	-	-	-
20-24 years	9	2	7	5	1	4	4	1	3	4	1	3
25-29 years	7	3	4	5	2	3	2	1	1	2	1	1
30-34 years	7	4	3	5	2	3	2	2	-	1	1	-
35-39 years	15	9	6	12	7	5	3	2	1	3	2	1
40-44 years	21	7	14	18	6	12	3	1	2	3	1	2
45-49 years	16	6	10	10	3	7	6	3	3	5	2	3
50-54 years	14	8	6	11	5	6	3	3	-	2	2	-
55-59 years	17	7	10	16	7	9	1	-	1	-	-	-
60-64 years	9	2	7	6	2	4	3	-	3	3	-	3
65-69 years	14	5	9	10	5	5	4	-	4	4	-	4
70-74 years	9	5	4	8	5	3	1	-	1	1	-	1
75-79 years	14	5	9	10	3	7	4	2	2	2	1	1
80-84 years	11	6	5	11	6	5	-	-	-	-	-	-
85-89 years	7	1	6	6	1	5	1	-	1	-	-	-
90-94 years	3	1	2	2	1	1	1	-	1	1	-	1
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Reye's syndrome (G93.7)												
All ages	6	2	4	4	2	2	2	-	2	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	1	1	1	1	-	1	-	1	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified disorders of brain (G93.8)												
All ages	121	55	66	100	45	55	21	10	11	19	9	10
Under 1 year	5	3	2	4	3	1	1	-	1	1	-	1
1-4 years	4	3	1	-	-	-	4	3	1	3	2	1
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	3	1	2	1	-	1	2	1	1	2	1	1
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	2	1	1	1	-	1	1	1	-	1	1	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years	4	2	2	2	1	1	2	1	1	2	1	1
40-44 years	5	1	4	5	1	4	-	-	-	-	-	-
45-49 years	4	1	3	4	1	3	-	-	-	-	-	-
50-54 years	7	3	4	6	3	3	1	-	1	1	-	1
55-59 years	9	5	4	6	3	3	3	2	1	3	2	1
60-64 years	6	4	2	6	4	2	-	-	-	-	-	-
65-69 years	5	2	3	5	2	3	-	-	-	-	-	-
70-74 years	7	4	3	7	4	3	-	-	-	-	-	-
75-79 years	11	5	6	8	4	4	3	1	2	3	1	2
80-84 years	16	10	6	16	10	6	-	-	-	-	-	-
85-89 years	17	5	12	17	5	12	-	-	-	-	-	-
90-94 years	6	1	5	5	1	4	1	-	1	-	-	-
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorder of brain, unspecified (G93.9)												
All ages	260	103	157	227	90	137	33	13	20	27	9	18
Under 1 year	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	4	4	-	2	2	-	2	2	-	2	2	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	4	3	1	2	2	-	2	1	1	2	1	1
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	3	-	3	2	-	2	1	-	1	1	-	1
45-49 years	7	1	6	5	1	4	2	-	2	2	-	2
50-54 years	10	7	3	8	6	2	2	1	1	1	-	1
55-59 years	6	2	4	3	1	2	3	1	2	1	-	1
60-64 years	12	7	5	12	7	5	-	-	-	-	-	-
65-69 years	9	2	7	8	2	6	1	-	1	1	-	1
70-74 years	27	15	12	25	14	11	2	1	1	2	1	1
75-79 years	29	14	15	27	14	13	2	-	2	1	-	1
80-84 years	48	22	26	45	20	25	3	2	1	3	2	1
85-89 years	46	13	33	39	10	29	7	3	4	5	1	4
90-94 years	33	8	25	27	6	21	6	2	4	6	2	4
95-99 years	16	2	14	16	2	14	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other diseases of spinal cord (G95)												
All ages	240	115	125	194	90	104	46	25	21	41	22	19
Under 1 year	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	3	2	1	2	1	1	1	1	-	1	1	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	4	-	4	3	-	3	1	-	1	1	-	1
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	4	2	2	4	2	2	-	-	-	-	-	-
45-49 years	8	1	7	7	-	7	1	1	-	1	1	-
50-54 years	11	8	3	8	6	2	3	2	1	2	1	1
55-59 years	7	2	5	5	1	4	2	1	1	2	1	1
60-64 years	18	6	12	13	5	8	5	1	4	4	1	3
65-69 years	19	8	11	15	6	9	4	2	2	3	2	1
70-74 years	41	20	21	33	17	16	8	3	5	8	3	5
75-79 years	29	14	15	26	12	14	3	2	1	3	2	1
80-84 years	45	26	19	39	21	18	6	5	1	6	5	1
85-89 years	31	13	18	25	10	15	6	3	3	4	1	3
90-94 years	12	7	5	8	5	3	4	2	2	4	2	2
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Syringomyelia and syringobulbia (G95.0)												
All ages	33	11	22	27	10	17	6	1	5	6	1	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	2	1	1	-	-	-	2	1	1	2	1	1
60-64 years	2	1	1	1	1	-	1	-	1	1	-	1
65-69 years	4	1	3	4	1	3	-	-	-	-	-	-
70-74 years	8	2	6	6	2	4	2	-	2	2	-	2
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	4	-	4	4	-	4	-	-	-	-	-	-
85-89 years	3	-	3	2	-	2	1	-	1	1	-	1
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Vascular myelopathies (G95.1)												
All ages	56	25	31	50	22	28	6	3	3	5	3	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	3	-	3	3	-	3	-	-	-	-	-	-
60-64 years	6	2	4	4	2	2	2	-	2	1	-	1
65-69 years	6	2	4	6	2	4	-	-	-	-	-	-
70-74 years	14	8	6	12	7	5	2	1	1	2	1	1
75-79 years	9	4	5	9	4	5	-	-	-	-	-	-
80-84 years	6	4	2	6	4	2	-	-	-	-	-	-
85-89 years	6	1	5	6	1	5	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cord compression, unspecified (G95.2)												
All ages	46	22	24	37	17	20	9	5	4	8	4	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	3	2	1	2	2	-	1	-	1	1	-	1
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years	2	1	1	1	-	1	1	1	-	1	1	-
70-74 years	5	2	3	5	2	3	-	-	-	-	-	-
75-79 years	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years	10	5	5	8	4	4	2	1	1	2	1	1
85-89 years	11	4	7	8	3	5	3	1	2	2	-	2
90-94 years	5	3	2	4	2	2	1	1	-	1	1	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified diseases of spinal cord (G95.8)												
All ages	21	9	12	18	7	11	3	2	1	3	2	1
Under 1 year	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	1	1	1	1	-	1	-	1	1	-	1
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disease of spinal cord, unspecified (G95.9)												
All ages	84	48	36	62	34	28	22	14	8	19	12	7
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	-	2	1	-	1	1	-	1	1	-	1
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	3	-	3	3	-	3	-	-	-	-	-	-
50-54 years	4	3	1	3	2	1	1	1	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	6	2	4	5	1	4	1	1	-	1	1	-
65-69 years	6	4	2	3	3	-	3	1	2	2	1	1
70-74 years	13	8	5	9	6	3	4	2	2	4	2	2
75-79 years	12	4	8	9	2	7	3	2	1	3	2	1
80-84 years	22	16	6	18	12	6	4	4	-	4	4	-
85-89 years	8	7	1	6	5	1	2	2	-	1	1	-
90-94 years	6	3	3	3	2	1	3	1	2	3	1	2
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other disorders of central nervous system (G96)												
All ages	52	20	32	45	18	27	7	2	5	5	2	3
Under 1 year	6	5	1	4	3	1	2	2	-	2	2	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	-	-	-	1	-	1	-	-	-
10-14 years	2	1	1	1	1	-	1	-	1	1	-	1
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	2	1	1	1	1	-	1	-	1	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	4	1	3	3	1	2	1	-	1	1	-	1
50-54 years	4	2	2	4	2	2	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	2	-	2	1	-	1	1	-	1	1	-	1
70-74 years	5	1	4	5	1	4	-	-	-	-	-	-
75-79 years	5	3	2	5	3	2	-	-	-	-	-	-
80-84 years	4	-	4	4	-	4	-	-	-	-	-	-
85-89 years	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal fluid leak (G96.0)												
All ages	4	1	3	3	1	2	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorders of meninges, not elsewhere classified (G96.1)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified disorders of central nervous system (G96.8)												
All ages	15	6	9	14	5	9	1	1	-	1	1	-
Under 1 year	3	3	-	2	2	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorder of central nervous system, unspecified (G96.9)												
All ages	31	13	18	26	12	14	5	1	4	3	1	2
Under 1 year	3	2	1	2	1	1	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	-	-	-	1	-	1	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	1	1	1	1	-	1	-	1	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	3	-	3	3	-	3	-	-	-	-	-	-
75-79 years	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of nervous system, not elsewhere classified (G98)												
All ages	68	37	31	60	32	28	8	5	3	7	4	3
Under 1 year	5	4	1	4	3	1	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	3	2	1	2	2	-	1	-	1	1	-	1
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	5	4	1	4	3	1	1	1	-	1	1	-
70-74 years	17	8	9	15	8	7	2	-	2	2	-	2
75-79 years	6	4	2	4	2	2	2	2	-	2	2	-
80-84 years	9	5	4	9	5	4	-	-	-	-	-	-
85-89 years	7	2	5	7	2	5	-	-	-	-	-	-
90-94 years	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years	2	2	-	2	2	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorders of lacrimal system (H04)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Stenosis and insufficiency of lacrimal passages (H04.5)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorders of orbit (H05)												
All ages	3	-	3	1	-	1	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute inflammation of orbit (H05.0)												
All ages	3	-	3	1	-	1	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other disorders of conjunctiva (H11)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pterygium (H11.0)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorder of conjunctiva, unspecified (H11.9)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Iridocyclitis (H20)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Iridocyclitis, unspecified (H20.9)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other cataract (H26)												
All ages	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cataract, unspecified (H26.9)												
All ages	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Retinal vascular occlusions (H34)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other retinal artery occlusions (H34.2)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other retinal disorders (H35)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Degeneration of macula and posterior pole (H35.3)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hereditary retinal dystrophy (H35.5)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Glaucoma (H40)												
All ages	4	-	4	3	-	3	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Glaucoma, unspecified (H40.9)												
All ages	4	-	4	3	-	3	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorders of globe (H44)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Purulent endophthalmitis (H44.0)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Paralytic strabismus (H49)												
All ages	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other paralytic strabismus (H49.8)												
All ages	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other strabismus (H50)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified heterotropia (H50.4)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Blindness and low vision (H54)												
All ages	13	5	8	12	5	7	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	4	2	2	4	2	2	-	-	-	-	-	-
95-99 years	4	2	2	4	2	2	-	-	-	-	-	-
100 yrs & over	2	-	2	1	-	1	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Blindness, both eyes (H54.0)												
All ages	13	5	8	12	5	7	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	4	2	2	4	2	2	-	-	-	-	-	-
95-99 years	4	2	2	4	2	2	-	-	-	-	-	-
100 yrs & over	2	-	2	1	-	1	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Otitis externa (H60)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cellulitis of external ear (H60.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malignant otitis externa (H60.2)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Suppurative and unspecified otitis media (H66)												
All ages	38	20	18	31	16	15	7	4	3	5	2	3
Under 1 year	3	2	1	2	1	1	1	1	-	1	1	-
1-4 years	4	1	3	4	1	3	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	6	4	2	4	3	1	2	1	1	2	1	1
40-44 years	4	4	-	3	3	-	1	1	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years	4	2	2	3	2	1	1	-	1	1	-	1
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	-	-	-	1	1	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	3	1	2	2	1	1	1	-	1	1	-	1
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Otitis media, unspecified (H66.9)												
All ages	38	20	18	31	16	15	7	4	3	5	2	3
Under 1 year	3	2	1	2	1	1	1	1	-	1	1	-
1-4 years	4	1	3	4	1	3	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	6	4	2	4	3	1	2	1	1	2	1	1
40-44 years	4	4	-	3	3	-	1	1	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years	4	2	2	3	2	1	1	-	1	1	-	1
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	-	-	-	1	1	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	3	1	2	2	1	1	1	-	1	1	-	1
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mastoiditis and related conditions (H70)												
All ages	22	8	14	20	7	13	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	6	-	6	6	-	6	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	3	1	2	2	1	1	1	-	1	1	-	1
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	3	1	2	2	-	2	1	1	-	1	1	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute mastoiditis (H70.0)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other mastoiditis and related conditions (H70.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Mastoiditis, unspecified (H70.9)												
All ages	19	7	12	17	6	11	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	5	-	5	5	-	5	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	3	1	2	2	1	1	1	-	1	1	-	1
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	2	1	1	1	-	1	1	1	-	1	1	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cholesteatoma of middle ear (H71)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorders of vestibular function (H81)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Meniere's disease (H81.0)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other diseases of inner ear (H83)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Labyrinthitis (H83.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other hearing loss (H91)												
All ages	8	2	6	8	2	6	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Presbycusis (H91.1)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hearing loss, unspecified (H91.9)												
All ages	6	1	5	6	1	5	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Otalgia and effusion of ear (H92)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Otalgia (H92.0)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic fever without mention of heart involvement (I00)												
All ages	50	14	36	41	12	29	9	2	7	8	2	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	4	1	3	3	-	3	1	1	-	1	1	-
65-69 years	4	-	4	1	-	1	3	-	3	3	-	3
70-74 years	5	1	4	4	1	3	1	-	1	-	-	-
75-79 years	6	1	5	6	1	5	-	-	-	-	-	-
80-84 years	8	3	5	8	3	5	-	-	-	-	-	-
85-89 years	12	2	10	10	1	9	2	1	1	2	1	1
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	2	1	1	1	1	-	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Rheumatic fever with heart involvement (I01)												
All ages	15	9	6	12	8	4	3	1	2	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	1	1	1	1	-	1	-	1	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	1	-	1	1	1	-	1	1	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute rheumatic endocarditis (I01.1)												
All ages	11	7	4	9	6	3	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	1	-	1	1	1	-	1	1	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute rheumatic myocarditis (I01.2)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other acute rheumatic heart disease (I01.8)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute rheumatic heart disease, unspecified (I01.9)												
All ages	1	-	1	-	-	-	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic mitral valve diseases (I05)												
All ages	1,902	535	1,367	1,686	477	1,209	216	58	158	167	44	123
Under 1 year	3	3	-	1	1	-	2	2	-	2	2	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	1	1	1	-	1	1	1	-	-	-	-
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	5	2	3	4	2	2	1	-	1	1	-	1
25-29 years	9	3	6	5	2	3	4	1	3	2	-	2
30-34 years	12	5	7	5	3	2	7	2	5	6	2	4
35-39 years	31	10	21	23	10	13	8	-	8	8	-	8
40-44 years	48	20	28	35	18	17	13	2	11	12	2	10
45-49 years	68	27	41	47	20	27	21	7	14	17	7	10
50-54 years	84	25	59	62	19	43	22	6	16	22	6	16
55-59 years	99	38	61	74	32	42	25	6	19	18	5	13
60-64 years	109	28	81	95	26	69	14	2	12	12	2	10
65-69 years	170	60	110	142	48	94	28	12	16	19	8	11
70-74 years	246	69	177	219	62	157	27	7	20	20	3	17
75-79 years	331	89	242	309	85	224	22	4	18	17	3	14
80-84 years	309	72	237	301	70	231	8	2	6	4	1	3
85-89 years	237	57	180	227	53	174	10	4	6	5	3	2
90-94 years	107	21	86	105	21	84	2	-	2	1	-	1
95-99 years	27	3	24	26	3	23	1	-	1	1	-	1
100 yrs & over	3	-	3	3	-	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Mitral stenosis (I05.0)												
All ages	698	134	564	622	122	500	76	12	64	62	10	52
Under 1 year	3	3	-	1	1	-	2	2	-	2	2	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	4	1	3	3	1	2	1	-	1	1	-	1
25-29 years	2	1	1	1	1	-	1	-	1	1	-	1
30-34 years	3	1	2	3	1	2	-	-	-	-	-	-
35-39 years	12	3	9	9	3	6	3	-	3	3	-	3
40-44 years	22	9	13	17	8	9	5	1	4	5	1	4
45-49 years	33	12	21	25	8	17	8	4	4	8	4	4
50-54 years	42	9	33	30	8	22	12	1	11	12	1	11
55-59 years	35	12	23	29	12	17	6	-	6	4	-	4
60-64 years	41	11	30	36	10	26	5	1	4	4	1	3
65-69 years	56	19	37	49	16	33	7	3	4	2	1	1
70-74 years	72	14	58	63	14	49	9	-	9	8	-	8
75-79 years	111	14	97	102	14	88	9	-	9	8	-	8
80-84 years	112	11	101	108	11	97	4	-	4	2	-	2
85-89 years	99	14	85	97	14	83	2	-	2	-	-	-
90-94 years	38	-	38	37	-	37	1	-	1	1	-	1
95-99 years	12	-	12	11	-	11	1	-	1	1	-	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic mitral insufficiency (I05.1)												
All ages	40	9	31	36	7	29	4	2	2	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	5	1	4	3	-	3	2	1	1	1	-	1
70-74 years	3	2	1	2	1	1	1	1	-	1	1	-
75-79 years	10	1	9	9	1	8	1	-	1	1	-	1
80-84 years	5	-	5	5	-	5	-	-	-	-	-	-
85-89 years	6	1	5	6	1	5	-	-	-	-	-	-
90-94 years	4	2	2	4	2	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Mitral stenosis with insufficiency (I05.2)												
All ages	20	4	16	17	4	13	3	-	3	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	2	-	2	1	-	1	1	-	1	1	-	1
65-69 years	3	1	2	2	1	1	1	-	1	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	4	1	3	3	1	2	1	-	1	-	-	-
80-84 years	7	1	6	7	1	6	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other mitral valve diseases (I05.8)												
All ages	17	8	9	16	8	8	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	1	1	1	1	-	1	-	1	1	-	1
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Mitral valve disease, unspecified (I05.9)												
All ages	1,127	380	747	995	336	659	132	44	88	100	33	67
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	1	1	1	-	1	1	1	-	-	-	-
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	6	2	4	3	1	2	3	1	2	1	-	1
30-34 years	9	4	5	2	2	-	7	2	5	6	2	4
35-39 years	19	7	12	14	7	7	5	-	5	5	-	5
40-44 years	24	10	14	16	9	7	8	1	7	7	1	6
45-49 years	34	14	20	21	11	10	13	3	10	9	3	6
50-54 years	39	16	23	29	11	18	10	5	5	10	5	5
55-59 years	61	26	35	42	20	22	19	6	13	14	5	9
60-64 years	62	14	48	55	13	42	7	1	6	6	1	5
65-69 years	106	39	67	88	31	57	18	8	10	16	7	9
70-74 years	168	50	118	151	44	107	17	6	11	11	2	9
75-79 years	203	73	130	192	69	123	11	4	7	8	3	5
80-84 years	182	58	124	178	56	122	4	2	2	2	1	1
85-89 years	129	41	88	121	37	84	8	4	4	5	3	2
90-94 years	63	19	44	62	19	43	1	-	1	-	-	-
95-99 years	15	3	12	15	3	12	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic aortic valve diseases (I06)												
All ages	66	26	40	56	23	33	10	3	7	7	1	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	-	-	-	2	1	1	1	-	1
45-49 years	3	2	1	1	1	-	2	1	1	2	1	1
50-54 years	3	1	2	2	1	1	1	-	1	1	-	1
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years	5	2	3	5	2	3	-	-	-	-	-	-
70-74 years	5	-	5	4	-	4	1	-	1	1	-	1
75-79 years	9	6	3	9	6	3	-	-	-	-	-	-
80-84 years	15	7	8	14	7	7	1	-	1	1	-	1
85-89 years	10	1	9	8	1	7	2	-	2	1	-	1
90-94 years	5	1	4	5	1	4	-	-	-	-	-	-
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Rheumatic aortic stenosis (I06.0)												
All ages	46	14	32	41	13	28	5	1	4	3	-	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	-	-	-	2	1	1	1	-	1
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	4	2	2	4	2	2	-	-	-	-	-	-
70-74 years	3	-	3	3	-	3	-	-	-	-	-	-
75-79 years	7	4	3	7	4	3	-	-	-	-	-	-
80-84 years	12	5	7	11	5	6	1	-	1	1	-	1
85-89 years	9	-	9	7	-	7	2	-	2	1	-	1
90-94 years	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic aortic insufficiency (I06.1)												
All ages	6	2	4	2	1	1	4	1	3	3	-	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Rheumatic aortic stenosis with insufficiency (I06.2)												
All ages	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic aortic valve disease, unspecified (I06.9)												
All ages	11	7	4	10	6	4	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Rheumatic tricuspid valve diseases (I07)												
All ages	214	67	147	179	57	122	35	10	25	29	7	22
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	10	4	6	7	3	4	3	1	2	3	1	2
45-49 years	7	4	3	6	3	3	1	1	-	1	1	-
50-54 years	5	2	3	1	1	-	4	1	3	4	1	3
55-59 years	6	2	4	1	1	-	5	1	4	4	1	3
60-64 years	9	5	4	9	5	4	-	-	-	-	-	-
65-69 years	8	3	5	6	3	3	2	-	2	2	-	2
70-74 years	21	4	17	14	3	11	7	1	6	7	1	6
75-79 years	34	12	22	28	11	17	6	1	5	3	-	3
80-84 years	38	8	30	35	7	28	3	1	2	2	-	2
85-89 years	37	10	27	36	10	26	1	-	1	1	-	1
90-94 years	29	8	21	28	7	21	1	1	-	-	-	-
95-99 years	6	2	4	5	1	4	1	1	-	1	1	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Tricuspid stenosis (I07.0)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Tricuspid insufficiency (I07.1)												
All ages	183	51	132	150	43	107	33	8	25	28	6	22
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	4	1	3	1	-	1	3	1	2	3	1	2
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	4	1	3	-	-	-	4	1	3	4	1	3
55-59 years	6	2	4	1	1	-	5	1	4	4	1	3
60-64 years	8	4	4	8	4	4	-	-	-	-	-	-
65-69 years	4	1	3	2	1	1	2	-	2	2	-	2
70-74 years	15	1	14	8	-	8	7	1	6	7	1	6
75-79 years	32	11	21	26	10	16	6	1	5	3	-	3
80-84 years	35	6	29	33	6	27	2	-	2	2	-	2
85-89 years	37	10	27	36	10	26	1	-	1	1	-	1
90-94 years	26	8	18	25	7	18	1	1	-	-	-	-
95-99 years	6	2	4	5	1	4	1	1	-	1	1	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other tricuspid valve diseases (I07.8)												
All ages	20	13	7	19	12	7	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	5	3	2	5	3	2	-	-	-	-	-	-
45-49 years	4	3	1	3	2	1	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Tricuspid valve disease, unspecified (I07.9)												
All ages	9	2	7	8	1	7	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	1	-	-	-	-	1	1	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Multiple valve diseases (I08)												
All ages	516	188	328	463	167	296	53	21	32	37	13	24
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	-	-	-
30-34 years	4	1	3	2	1	1	2	-	2	2	-	2
35-39 years	4	2	2	4	2	2	-	-	-	-	-	-
40-44 years	6	4	2	5	3	2	1	1	-	1	1	-
45-49 years	13	7	6	7	4	3	6	3	3	3	1	2
50-54 years	12	5	7	9	4	5	3	1	2	2	1	1
55-59 years	20	9	11	15	6	9	5	3	2	4	2	2
60-64 years	25	11	14	20	9	11	5	2	3	3	1	2
65-69 years	44	15	29	40	13	27	4	2	2	3	1	2
70-74 years	74	32	42	65	29	36	9	3	6	7	2	5
75-79 years	76	27	49	70	24	46	6	3	3	4	2	2
80-84 years	99	37	62	94	36	58	5	1	4	2	1	1
85-89 years	73	21	52	70	21	49	3	-	3	3	-	3
90-94 years	47	12	35	46	12	34	1	-	1	1	-	1
95-99 years	13	2	11	11	1	10	2	1	1	2	1	1
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorders of both mitral and aortic valves (I08.0)												
All ages	383	145	238	349	131	218	34	14	20	26	9	17
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	-	-	-
30-34 years	4	1	3	2	1	1	2	-	2	2	-	2
35-39 years	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years	4	2	2	4	2	2	-	-	-	-	-	-
45-49 years	8	4	4	4	2	2	4	2	2	2	1	1
50-54 years	9	5	4	8	4	4	1	1	-	1	1	-
55-59 years	11	5	6	10	5	5	1	-	1	1	-	1
60-64 years	16	7	9	14	6	8	2	1	1	2	1	1
65-69 years	33	12	21	30	10	20	3	2	1	2	1	1
70-74 years	53	24	29	45	21	24	8	3	5	7	2	5
75-79 years	49	19	30	47	17	30	2	2	-	1	1	-
80-84 years	81	31	50	77	30	47	4	1	3	2	1	1
85-89 years	61	19	42	58	19	39	3	-	3	3	-	3
90-94 years	34	9	25	33	9	24	1	-	1	1	-	1
95-99 years	11	2	9	9	1	8	2	1	1	2	1	1
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of both mitral and tricuspid valves (I08.1)												
All ages	75	21	54	62	18	44	13	3	10	8	2	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years	3	1	2	1	-	1	2	1	1	1	-	1
50-54 years	2	-	2	1	-	1	1	-	1	1	-	1
55-59 years	5	2	3	3	1	2	2	1	1	2	1	1
60-64 years	5	2	3	4	2	2	1	-	1	-	-	-
65-69 years	9	2	7	8	2	6	1	-	1	1	-	1
70-74 years	14	5	9	13	5	8	1	-	1	-	-	-
75-79 years	11	1	10	8	1	7	3	-	3	2	-	2
80-84 years	11	2	9	10	2	8	1	-	1	-	-	-
85-89 years	5	1	4	5	1	4	-	-	-	-	-	-
90-94 years	7	3	4	7	3	4	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorders of both aortic and tricuspid valves (I08.2)												
All ages	12	6	6	11	5	6	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years	1	1	-	-	-	-	1	1	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	4	3	1	4	3	1	-	-	-	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Combined disorders of mitral, aortic, and tricuspid valves (I08.3)												
All ages	37	12	25	32	9	23	5	3	2	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	-	1	-	-	-	1	-	1	-	-	-
55-59 years	2	2	-	-	-	-	2	2	-	1	1	-
60-64 years	3	1	2	2	1	1	1	-	1	1	-	1
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	5	3	2	5	3	2	-	-	-	-	-	-
75-79 years	10	2	8	9	1	8	1	1	-	1	1	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	6	1	5	6	1	5	-	-	-	-	-	-
90-94 years	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other multiple valve diseases (I08.8)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Multiple valve disease, unspecified (I08.9)												
All ages	7	2	5	7	2	5	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other rheumatic heart diseases (I09)												
All ages	726	192	534	649	166	483	77	26	51	52	18	34
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	3	3	-	2	2	-	1	1	-	1	1	-
35-39 years	9	5	4	1	-	1	8	5	3	6	5	1
40-44 years	17	6	11	9	4	5	8	2	6	8	2	6
45-49 years	13	4	9	6	2	4	7	2	5	4	1	3
50-54 years	20	7	13	12	6	6	8	1	7	4	1	3
55-59 years	40	21	19	34	19	15	6	2	4	5	2	3
60-64 years	42	14	28	35	11	24	7	3	4	6	3	3
65-69 years	75	25	50	66	21	45	9	4	5	4	2	2
70-74 years	85	18	67	81	18	63	4	-	4	3	-	3
75-79 years	141	46	95	134	44	90	7	2	5	4	-	4
80-84 years	120	21	99	115	18	97	5	3	2	3	1	2
85-89 years	95	13	82	92	13	79	3	-	3	1	-	1
90-94 years	44	7	37	41	6	35	3	1	2	2	-	2
95-99 years	16	2	14	16	2	14	-	-	-	-	-	-
100 yrs & over	5	-	5	5	-	5	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic myocarditis (I09.0)												
All ages	18	5	13	16	5	11	2	-	2	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	-	-	-	1	-	1	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	3	-	3	3	-	3	-	-	-	-	-	-
75-79 years	9	3	6	8	3	5	1	-	1	1	-	1
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Rheumatic diseases of endocardium, valve unspecified (I09.1)												
All ages	152	53	99	135	45	90	17	8	9	11	6	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	-	-	-	2	1	1	1	1	-
40-44 years	7	4	3	4	3	1	3	1	2	3	1	2
45-49 years	5	3	2	2	1	1	3	2	1	1	1	-
50-54 years	3	1	2	1	1	-	2	-	2	1	-	1
55-59 years	6	4	2	6	4	2	-	-	-	-	-	-
60-64 years	9	5	4	8	4	4	1	1	-	1	1	-
65-69 years	20	7	13	16	5	11	4	2	2	2	1	1
70-74 years	22	7	15	21	7	14	1	-	1	1	-	1
75-79 years	20	11	9	20	11	9	-	-	-	-	-	-
80-84 years	27	6	21	26	5	21	1	1	-	1	1	-
85-89 years	12	2	10	12	2	10	-	-	-	-	-	-
90-94 years	8	1	7	8	1	7	-	-	-	-	-	-
95-99 years	9	1	8	9	1	8	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified rheumatic heart diseases (I09.8)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Rheumatic heart disease, unspecified (I09.9)												
All ages	554	133	421	496	115	381	58	18	40	40	12	28
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	3	3	-	2	2	-	1	1	-	1	1	-
35-39 years	7	4	3	1	-	1	6	4	2	5	4	1
40-44 years	10	2	8	5	1	4	5	1	4	5	1	4
45-49 years	8	1	7	4	1	3	4	-	4	3	-	3
50-54 years	15	5	10	10	4	6	5	1	4	3	1	2
55-59 years	34	17	17	28	15	13	6	2	4	5	2	3
60-64 years	33	9	24	27	7	20	6	2	4	5	2	3
65-69 years	52	16	36	47	14	33	5	2	3	2	1	1
70-74 years	60	11	49	57	11	46	3	-	3	2	-	2
75-79 years	112	32	80	106	30	76	6	2	4	3	-	3
80-84 years	92	15	77	88	13	75	4	2	2	2	-	2
85-89 years	82	11	71	79	11	68	3	-	3	1	-	1
90-94 years	35	6	29	32	5	27	3	1	2	2	-	2
95-99 years	7	1	6	7	1	6	-	-	-	-	-	-
100 yrs & over	3	-	3	3	-	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Essential (primary) hypertension (I10)												
All ages	11,077	3,846	7,231	9,016	2,986	6,030	2,061	860	1,201	1,835	768	1,067
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	4	2	2	2	1	1	2	1	1	2	1	1
25-29 years	11	8	3	7	4	3	4	4	-	4	4	-
30-34 years	23	15	8	13	11	2	10	4	6	9	3	6
35-39 years	47	31	16	28	19	9	19	12	7	17	11	6
40-44 years	102	61	41	52	34	18	50	27	23	46	23	23
45-49 years	202	126	76	115	80	35	87	46	41	83	44	39
50-54 years	298	194	104	191	126	65	107	68	39	98	64	34
55-59 years	382	232	150	254	154	100	128	78	50	118	72	46
60-64 years	481	276	205	338	202	136	143	74	69	133	67	66
65-69 years	658	348	310	470	261	209	188	87	101	169	80	89
70-74 years	885	425	460	665	319	346	220	106	114	192	93	99
75-79 years	1,419	575	844	1,168	466	702	251	109	142	227	99	128
80-84 years	1,833	580	1,253	1,542	472	1,070	291	108	183	246	90	156
85-89 years	2,028	517	1,511	1,767	439	1,328	261	78	183	224	64	160
90-94 years	1,672	328	1,344	1,495	289	1,206	177	39	138	154	35	119
95-99 years	825	111	714	735	97	638	90	14	76	82	13	69
100 yrs & over	206	16	190	173	11	162	33	5	28	31	5	26
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hypertensive heart disease (I11)												
All ages	24,689	10,451	14,238	18,232	7,395	10,837	6,457	3,056	3,401	5,970	2,813	3,157
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	6	4	2	4	3	1	2	1	1	2	1	1
20-24 years	18	13	5	6	4	2	12	9	3	12	9	3
25-29 years	65	40	25	36	24	12	29	16	13	28	15	13
30-34 years	181	129	52	89	72	17	92	57	35	87	53	34
35-39 years	352	234	118	197	149	48	155	85	70	149	81	68
40-44 years	739	506	233	389	292	97	350	214	136	330	199	131
45-49 years	1,050	715	335	572	412	160	478	303	175	459	287	172
50-54 years	1,414	931	483	810	574	236	604	357	247	571	338	233
55-59 years	1,380	879	501	843	571	272	537	308	229	506	288	218
60-64 years	1,389	870	519	870	573	297	519	297	222	487	275	212
65-69 years	1,557	906	651	999	613	386	558	293	265	517	274	243
70-74 years	2,062	1,055	1,007	1,435	760	675	627	295	332	578	272	306
75-79 years	2,719	1,188	1,531	2,051	905	1,146	668	283	385	605	252	353
80-84 years	3,400	1,226	2,174	2,754	983	1,771	646	243	403	571	214	357
85-89 years	3,658	957	2,701	3,073	786	2,287	585	171	414	526	149	377
90-94 years	2,958	565	2,393	2,611	493	2,118	347	72	275	315	62	253
95-99 years	1,398	197	1,201	1,225	162	1,063	173	35	138	156	28	128
100 yrs & over	331	27	304	262	14	248	69	13	56	65	12	53
Not stated	11	9	2	6	5	1	5	4	1	5	4	1
Hypertensive heart disease with (congestive) heart failure (I11.0)												
All ages	8,657	2,619	6,038	7,067	2,035	5,032	1,590	584	1,006	1,464	537	927
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	1	1	-	-	-	2	1	1	2	1	1
25-29 years	3	-	3	2	-	2	1	-	1	1	-	1
30-34 years	13	9	4	5	3	2	8	6	2	8	6	2
35-39 years	26	16	10	12	9	3	14	7	7	14	7	7
40-44 years	57	31	26	20	11	9	37	20	17	35	19	16
45-49 years	79	44	35	28	15	13	51	29	22	51	29	22
50-54 years	129	77	52	56	38	18	73	39	34	70	37	33
55-59 years	188	104	84	119	70	49	69	34	35	67	32	35
60-64 years	236	128	108	137	87	50	99	41	58	97	40	57
65-69 years	309	143	166	200	96	104	109	47	62	101	43	58
70-74 years	530	256	274	371	193	178	159	63	96	151	60	91
75-79 years	930	379	551	729	296	433	201	83	118	177	74	103
80-84 years	1,462	477	985	1,238	396	842	224	81	143	204	74	130
85-89 years	1,862	476	1,386	1,631	409	1,222	231	67	164	205	58	147
90-94 years	1,749	339	1,410	1,570	298	1,272	179	41	138	158	34	124
95-99 years	858	120	738	773	103	670	85	17	68	77	15	62
100 yrs & over	223	18	205	176	11	165	47	7	40	45	7	38
Not stated	1	1	-	-	-	-	1	1	-	1	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hypertensive heart disease without (congestive) heart failure (I11.9)												
All ages	16,032	7,832	8,200	11,165	5,360	5,805	4,867	2,472	2,395	4,506	2,276	2,230
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	6	4	2	4	3	1	2	1	1	2	1	1
20-24 years	16	12	4	6	4	2	10	8	2	10	8	2
25-29 years	62	40	22	34	24	10	28	16	12	27	15	12
30-34 years	168	120	48	84	69	15	84	51	33	79	47	32
35-39 years	326	218	108	185	140	45	141	78	63	135	74	61
40-44 years	682	475	207	369	281	88	313	194	119	295	180	115
45-49 years	971	671	300	544	397	147	427	274	153	408	258	150
50-54 years	1,285	854	431	754	536	218	531	318	213	501	301	200
55-59 years	1,192	775	417	724	501	223	468	274	194	439	256	183
60-64 years	1,153	742	411	733	486	247	420	256	164	390	235	155
65-69 years	1,248	763	485	799	517	282	449	246	203	416	231	185
70-74 years	1,532	799	733	1,064	567	497	468	232	236	427	212	215
75-79 years	1,789	809	980	1,322	609	713	467	200	267	428	178	250
80-84 years	1,938	749	1,189	1,516	587	929	422	162	260	367	140	227
85-89 years	1,796	481	1,315	1,442	377	1,065	354	104	250	321	91	230
90-94 years	1,209	226	983	1,041	195	846	168	31	137	157	28	129
95-99 years	540	77	463	452	59	393	88	18	70	79	13	66
100 yrs & over	108	9	99	86	3	83	22	6	16	20	5	15
Not stated	10	8	2	6	5	1	4	3	1	4	3	1
Hypertensive renal disease (I12)												
All ages	8,173	3,408	4,765	5,736	2,365	3,371	2,437	1,043	1,394	2,203	947	1,256
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	4	1	3	3	1	2	1	-	1	1	-	1
20-24 years	14	12	2	8	6	2	6	6	-	6	6	-
25-29 years	21	12	9	6	4	2	15	8	7	14	8	6
30-34 years	49	24	25	19	9	10	30	15	15	28	14	14
35-39 years	54	28	26	17	8	9	37	20	17	36	19	17
40-44 years	128	86	42	43	32	11	85	54	31	80	51	29
45-49 years	183	113	70	68	39	29	115	74	41	108	71	37
50-54 years	248	136	112	89	46	43	159	90	69	154	87	67
55-59 years	248	122	126	102	52	50	146	70	76	138	67	71
60-64 years	351	154	197	169	68	101	182	86	96	169	82	87
65-69 years	509	255	254	283	134	149	226	121	105	205	112	93
70-74 years	780	351	429	521	248	273	259	103	156	226	91	135
75-79 years	1,219	525	694	881	398	483	338	127	211	290	106	184
80-84 years	1,522	602	920	1,185	484	701	337	118	219	301	107	194
85-89 years	1,578	612	966	1,291	517	774	287	95	192	257	84	173
90-94 years	901	282	619	748	245	503	153	37	116	134	26	108
95-99 years	311	81	230	263	64	199	48	17	31	44	14	30
100 yrs & over	51	12	39	38	10	28	13	2	11	12	2	10
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hypertensive renal disease with renal failure (I12.0)												
All ages	7,902	3,282	4,620	5,504	2,258	3,246	2,398	1,024	1,374	2,170	932	1,238
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	4	1	3	3	1	2	1	-	1	1	-	1
20-24 years	13	11	2	7	5	2	6	6	-	6	6	-
25-29 years	21	12	9	6	4	2	15	8	7	14	8	6
30-34 years	47	22	25	18	8	10	29	14	15	27	13	14
35-39 years	53	27	26	16	7	9	37	20	17	36	19	17
40-44 years	126	85	41	41	31	10	85	54	31	80	51	29
45-49 years	180	112	68	67	38	29	113	74	39	106	71	35
50-54 years	242	134	108	86	46	40	156	88	68	151	85	66
55-59 years	244	118	126	100	50	50	144	68	76	136	65	71
60-64 years	341	148	193	163	64	99	178	84	94	165	80	85
65-69 years	490	244	246	267	124	143	223	120	103	203	111	92
70-74 years	762	345	417	503	242	261	259	103	156	226	91	135
75-79 years	1,185	503	682	854	380	474	331	123	208	284	102	182
80-84 years	1,478	585	893	1,150	471	679	328	114	214	293	104	189
85-89 years	1,506	576	930	1,224	483	741	282	93	189	254	84	170
90-94 years	864	273	591	713	237	476	151	36	115	133	26	107
95-99 years	298	76	222	251	59	192	47	17	30	43	14	29
100 yrs & over	47	10	37	34	8	26	13	2	11	12	2	10
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive renal disease without renal failure (I12.9)												
All ages	271	126	145	232	107	125	39	19	20	33	15	18
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	3	1	2	1	1	-	2	-	2	2	-	2
50-54 years	6	2	4	3	-	3	3	2	1	3	2	1
55-59 years	4	4	-	2	2	-	2	2	-	2	2	-
60-64 years	10	6	4	6	4	2	4	2	2	4	2	2
65-69 years	19	11	8	16	10	6	3	1	2	2	1	1
70-74 years	18	6	12	18	6	12	-	-	-	-	-	-
75-79 years	34	22	12	27	18	9	7	4	3	6	4	2
80-84 years	44	17	27	35	13	22	9	4	5	8	3	5
85-89 years	72	36	36	67	34	33	5	2	3	3	-	3
90-94 years	37	9	28	35	8	27	2	1	1	1	-	1
95-99 years	13	5	8	12	5	7	1	-	1	1	-	1
100 yrs & over	4	2	2	4	2	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hypertensive heart and renal disease (I13)												
All ages	2,826	1,169	1,657	1,922	762	1,160	904	407	497	832	376	456
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	-	2	-	-	-	2	-	2	2	-	2
20-24 years	5	4	1	3	3	-	2	1	1	2	1	1
25-29 years	10	4	6	2	1	1	8	3	5	8	3	5
30-34 years	18	13	5	5	2	3	13	11	2	13	11	2
35-39 years	40	20	20	7	3	4	33	17	16	29	15	14
40-44 years	59	43	16	18	14	4	41	29	12	39	28	11
45-49 years	64	46	18	17	11	6	47	35	12	46	34	12
50-54 years	82	53	29	35	21	14	47	32	15	47	32	15
55-59 years	109	61	48	45	24	21	64	37	27	62	36	26
60-64 years	138	65	73	71	32	39	67	33	34	64	31	33
65-69 years	169	94	75	87	50	37	82	44	38	78	42	36
70-74 years	248	112	136	152	68	84	96	44	52	88	40	48
75-79 years	374	158	216	258	114	144	116	44	72	106	39	67
80-84 years	481	181	300	384	152	232	97	29	68	84	24	60
85-89 years	499	174	325	395	146	249	104	28	76	84	22	62
90-94 years	348	102	246	295	90	205	53	12	41	51	11	40
95-99 years	155	35	120	132	29	103	23	6	17	21	5	16
100 yrs & over	24	3	21	16	2	14	8	1	7	7	1	6
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease with (congestive) heart failure (I13.0)												
All ages	25	13	12	17	7	10	8	6	2	7	5	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	2	1	1	1	-	1	1	1	-	1	1	-
60-64 years	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years	3	3	-	2	2	-	1	1	-	1	1	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years	6	2	4	3	-	3	3	2	1	2	1	1
90-94 years	3	1	2	2	-	2	1	1	-	1	1	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hypertensive heart and renal disease with renal failure (I13.1)												
All ages	1,061	501	560	601	272	329	460	229	231	431	214	217
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	3	2	1	2	2	-	1	-	1	1	-	1
25-29 years	10	4	6	2	1	1	8	3	5	8	3	5
30-34 years	10	7	3	2	-	2	8	7	1	8	7	1
35-39 years	27	12	15	4	1	3	23	11	12	21	9	12
40-44 years	46	33	13	12	8	4	34	25	9	32	24	8
45-49 years	47	37	10	10	7	3	37	30	7	36	29	7
50-54 years	49	32	17	14	8	6	35	24	11	35	24	11
55-59 years	55	34	21	20	12	8	35	22	13	34	22	12
60-64 years	75	38	37	37	19	18	38	19	19	36	18	18
65-69 years	72	37	35	32	18	14	40	19	21	37	18	19
70-74 years	104	53	51	58	29	29	46	24	22	42	21	21
75-79 years	139	56	83	83	40	43	56	16	40	52	14	38
80-84 years	163	66	97	118	51	67	45	15	30	44	14	30
85-89 years	131	52	79	101	44	57	30	8	22	22	6	16
90-94 years	86	25	61	71	22	49	15	3	12	14	2	12
95-99 years	34	10	24	28	8	20	6	2	4	6	2	4
100 yrs & over	9	2	7	7	2	5	2	-	2	2	-	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease with both (congestive) heart failure and renal failure (I13.2)												
All ages	1,663	620	1,043	1,241	457	784	422	163	259	382	150	232
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	-	2	-	-	-	2	-	2	2	-	2
20-24 years	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	8	6	2	3	2	1	5	4	1	5	4	1
35-39 years	12	7	5	2	1	1	10	6	4	8	6	2
40-44 years	11	8	3	5	5	-	6	3	3	6	3	3
45-49 years	14	9	5	6	4	2	8	5	3	8	5	3
50-54 years	25	15	10	15	9	6	10	6	4	10	6	4
55-59 years	45	22	23	18	9	9	27	13	14	26	12	14
60-64 years	58	22	36	33	12	21	25	10	15	24	9	15
65-69 years	91	52	39	50	28	22	41	24	17	40	23	17
70-74 years	135	57	78	89	37	52	46	20	26	42	19	23
75-79 years	224	94	130	165	67	98	59	27	32	54	25	29
80-84 years	308	112	196	256	98	158	52	14	38	40	10	30
85-89 years	347	115	232	277	98	179	70	17	53	60	15	45
90-94 years	249	73	176	212	65	147	37	8	29	36	8	28
95-99 years	118	25	93	101	21	80	17	4	13	15	3	12
100 yrs & over	14	1	13	8	-	8	6	1	5	5	1	4
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hypertensive heart and renal disease, unspecified (I13.9)												
All ages	77	35	42	63	26	37	14	9	5	12	7	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	3	-	3	1	-	1	2	-	2	2	-	2
50-54 years	7	6	1	5	4	1	2	2	-	2	2	-
55-59 years	7	4	3	6	3	3	1	1	-	1	1	-
60-64 years	4	4	-	1	1	-	3	3	-	3	3	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	8	2	6	5	2	3	3	-	3	3	-	3
75-79 years	8	5	3	7	4	3	1	1	-	-	-	-
80-84 years	6	2	4	6	2	4	-	-	-	-	-	-
85-89 years	15	5	10	14	4	10	1	1	-	-	-	-
90-94 years	10	3	7	10	3	7	-	-	-	-	-	-
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (I20)												
All ages	381	158	223	328	140	188	53	18	35	50	17	33
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	6	1	5	3	1	2	3	-	3	3	-	3
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	16	11	5	13	9	4	3	2	1	3	2	1
55-59 years	20	15	5	17	13	4	3	2	1	3	2	1
60-64 years	14	8	6	10	6	4	4	2	2	4	2	2
65-69 years	18	13	5	13	9	4	5	4	1	4	3	1
70-74 years	33	20	13	26	16	10	7	4	3	7	4	3
75-79 years	48	20	28	40	18	22	8	2	6	6	2	4
80-84 years	64	24	40	55	22	33	9	2	7	9	2	7
85-89 years	72	24	48	67	24	43	5	-	5	5	-	5
90-94 years	55	15	40	49	15	34	6	-	6	6	-	6
95-99 years	27	4	23	27	4	23	-	-	-	-	-	-
100 yrs & over	5	-	5	5	-	5	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unstable angina (I20.0)												
All ages	83	42	41	67	35	32	16	7	9	16	7	9
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years	6	5	1	6	5	1	-	-	-	-	-	-
60-64 years	6	3	3	5	3	2	1	-	1	1	-	1
65-69 years	6	4	2	4	3	1	2	1	1	2	1	1
70-74 years	8	6	2	4	3	1	4	3	1	4	3	1
75-79 years	18	10	8	15	9	6	3	1	2	3	1	2
80-84 years	15	6	9	13	5	8	2	1	1	2	1	1
85-89 years	11	2	9	10	2	8	1	-	1	1	-	1
90-94 years	4	1	3	3	1	2	1	-	1	1	-	1
95-99 years	5	2	3	5	2	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris with documented spasm (I20.1)												
All ages	26	13	13	23	12	11	3	1	2	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	4	1	3	3	1	2	1	-	1	1	-	1
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	6	4	2	5	4	1	1	-	1	1	-	1
55-59 years	3	2	1	2	1	1	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	4	3	1	4	3	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other forms of angina pectoris (I20.8)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris, unspecified (I20.9)												
All ages	270	102	168	236	92	144	34	10	24	31	9	22
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	8	5	3	7	4	3	1	1	-	1	1	-
55-59 years	11	8	3	9	7	2	2	1	1	2	1	1
60-64 years	8	5	3	5	3	2	3	2	1	3	2	1
65-69 years	10	8	2	7	5	2	3	3	-	2	2	-
70-74 years	22	13	9	19	12	7	3	1	2	3	1	2
75-79 years	26	7	19	21	6	15	5	1	4	3	1	2
80-84 years	48	18	30	41	17	24	7	1	6	7	1	6
85-89 years	59	22	37	55	22	33	4	-	4	4	-	4
90-94 years	51	14	37	46	14	32	5	-	5	5	-	5
95-99 years	21	2	19	21	2	19	-	-	-	-	-	-
100 yrs & over	5	-	5	5	-	5	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute myocardial infarction (I21)												
All ages	184,757	95,875	88,882	162,943	85,280	77,663	21,814	10,595	11,219	18,581	8,717	9,864
Under 1 year	15	10	5	12	9	3	3	1	2	3	1	2
1-4 years	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	6	4	2	2	1	1	4	3	1	3	2	1
15-19 years	15	14	1	12	11	1	3	3	-	3	3	-
20-24 years	49	34	15	30	23	7	19	11	8	18	10	8
25-29 years	105	69	36	70	46	24	35	23	12	29	19	10
30-34 years	370	264	106	285	208	77	85	56	29	70	45	25
35-39 years	924	691	233	730	556	174	194	135	59	169	110	59
40-44 years	2,252	1,693	559	1,783	1,395	388	469	298	171	410	250	160
45-49 years	4,097	3,146	951	3,321	2,654	667	776	492	284	684	416	268
50-54 years	6,720	5,012	1,708	5,484	4,225	1,259	1,236	787	449	1,068	658	410
55-59 years	8,704	6,271	2,433	7,257	5,373	1,884	1,447	898	549	1,265	768	497
60-64 years	11,126	7,587	3,539	9,369	6,564	2,805	1,757	1,023	734	1,518	858	660
65-69 years	14,690	9,446	5,244	12,411	8,205	4,206	2,279	1,241	1,038	1,955	1,042	913
70-74 years	20,690	12,517	8,173	18,058	11,150	6,908	2,632	1,367	1,265	2,261	1,148	1,113
75-79 years	27,766	15,151	12,615	24,674	13,690	10,984	3,092	1,461	1,631	2,604	1,181	1,423
80-84 years	31,488	14,974	16,514	28,512	13,744	14,768	2,976	1,230	1,746	2,478	987	1,491
85-89 years	29,242	11,411	17,831	26,793	10,533	16,260	2,449	878	1,571	2,028	679	1,349
90-94 years	18,525	5,778	12,747	16,980	5,289	11,691	1,545	489	1,056	1,309	377	932
95-99 years	6,606	1,576	5,030	5,981	1,410	4,571	625	166	459	544	134	410
100 yrs & over	1,354	219	1,135	1,171	187	984	183	32	151	157	28	129
Not stated	10	6	4	6	5	1	4	1	3	4	1	3
Acute transmural myocardial infarction of anterior wall (I21.0)												
All ages	13	8	5	11	7	4	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	4	2	2	3	2	1	1	-	1	1	-	1
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years	1	1	-	-	-	-	1	1	-	1	1	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute transmural myocardial infarction of inferior wall (I21.1)												
All ages	5	3	2	3	2	1	2	1	1	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute transmural myocardial infarction of other sites (I21.2)												
All ages	8	3	5	7	3	4	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute transmural myocardial infarction of unspecified site (I21.3)												
All ages	26	16	10	21	13	8	5	3	2	4	2	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	5	3	2	5	3	2	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	3	2	1	1	1	-	2	1	1	1	-	1
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years	4	3	1	3	2	1	1	1	-	1	1	-
85-89 years	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years	1	1	-	-	-	-	1	1	-	1	1	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute subendocardial myocardial infarction (I21.4)												
All ages	269	128	141	241	120	121	28	8	20	22	6	16
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years	3	3	-	2	2	-	1	1	-	1	1	-
45-49 years	5	5	-	4	4	-	1	1	-	-	-	-
50-54 years	6	3	3	5	3	2	1	-	1	1	-	1
55-59 years	6	4	2	3	2	1	3	2	1	2	2	-
60-64 years	12	6	6	11	6	5	1	-	1	1	-	1
65-69 years	11	7	4	10	7	3	1	-	1	-	-	-
70-74 years	26	13	13	21	13	8	5	-	5	4	-	4
75-79 years	42	19	23	36	18	18	6	1	5	6	1	5
80-84 years	55	27	28	53	27	26	2	-	2	1	-	1
85-89 years	59	29	30	56	27	29	3	2	1	2	1	1
90-94 years	27	6	21	25	6	19	2	-	2	2	-	2
95-99 years	12	5	7	10	4	6	2	1	1	2	1	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute myocardial infarction, unspecified (I21.9)												
All ages	184,436	95,717	88,719	162,660	85,135	77,525	21,776	10,582	11,194	18,551	8,707	9,844
Under 1 year	15	10	5	12	9	3	3	1	2	3	1	2
1-4 years	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	6	4	2	2	1	1	4	3	1	3	2	1
15-19 years	15	14	1	12	11	1	3	3	-	3	3	-
20-24 years	48	33	15	29	22	7	19	11	8	18	10	8
25-29 years	105	69	36	70	46	24	35	23	12	29	19	10
30-34 years	369	264	105	284	208	76	85	56	29	70	45	25
35-39 years	920	690	230	727	555	172	193	135	58	168	110	58
40-44 years	2,248	1,689	559	1,780	1,392	388	468	297	171	409	249	160
45-49 years	4,085	3,138	947	3,312	2,647	665	773	491	282	682	416	266
50-54 years	6,709	5,007	1,702	5,474	4,220	1,254	1,235	787	448	1,067	658	409
55-59 years	8,692	6,264	2,428	7,248	5,368	1,880	1,444	896	548	1,263	766	497
60-64 years	11,112	7,579	3,533	9,356	6,556	2,800	1,756	1,023	733	1,517	858	659
65-69 years	14,674	9,435	5,239	12,399	8,196	4,203	2,275	1,239	1,036	1,953	1,041	912
70-74 years	20,660	12,502	8,158	18,033	11,135	6,898	2,627	1,367	1,260	2,257	1,148	1,109
75-79 years	27,719	15,129	12,590	24,633	13,669	10,964	3,086	1,460	1,626	2,598	1,180	1,418
80-84 years	31,426	14,944	16,482	28,453	13,715	14,738	2,973	1,229	1,744	2,476	986	1,490
85-89 years	29,178	11,378	17,800	26,732	10,502	16,230	2,446	876	1,570	2,026	678	1,348
90-94 years	18,495	5,770	12,725	16,955	5,283	11,672	1,540	487	1,053	1,305	375	930
95-99 years	6,594	1,571	5,023	5,971	1,406	4,565	623	165	458	542	133	409
100 yrs & over	1,353	219	1,134	1,170	187	983	183	32	151	157	28	129
Not stated	10	6	4	6	5	1	4	1	3	4	1	3
Other acute ischemic heart diseases (I24)												
All ages	3,351	1,720	1,631	2,821	1,431	1,390	530	289	241	454	249	205
Under 1 year	3	2	1	3	2	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	7	6	1	4	3	1	3	3	-	3	3	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	12	8	4	9	7	2	3	1	2	2	-	2
35-39 years	32	18	14	23	14	9	9	4	5	8	4	4
40-44 years	62	47	15	40	32	8	22	15	7	21	15	6
45-49 years	120	89	31	89	69	20	31	20	11	27	17	10
50-54 years	187	141	46	137	103	34	50	38	12	42	33	9
55-59 years	200	134	66	154	107	47	46	27	19	40	22	18
60-64 years	263	186	77	201	143	58	62	43	19	58	40	18
65-69 years	281	180	101	219	135	84	62	45	17	49	36	13
70-74 years	364	213	151	312	187	125	52	26	26	46	23	23
75-79 years	397	206	191	345	179	166	52	27	25	40	24	16
80-84 years	474	218	256	426	203	223	48	15	33	40	11	29
85-89 years	455	165	290	406	148	258	49	17	32	45	15	30
90-94 years	317	72	245	298	66	232	19	6	13	12	4	8
95-99 years	142	25	117	125	23	102	17	2	15	16	2	14
100 yrs & over	31	7	24	26	7	19	5	-	5	5	-	5
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Dressler's syndrome (I24.1)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other forms of acute ischemic heart disease (I24.8)												
All ages	2,612	1,353	1,259	2,174	1,114	1,060	438	239	199	371	203	168
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	4	3	1	3	2	1	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	9	6	3	7	5	2	2	1	1	1	-	1
35-39 years	25	14	11	19	11	8	6	3	3	6	3	3
40-44 years	44	35	9	29	23	6	15	12	3	15	12	3
45-49 years	95	73	22	69	55	14	26	18	8	22	15	7
50-54 years	152	110	42	112	80	32	40	30	10	32	25	7
55-59 years	168	113	55	129	91	38	39	22	17	33	17	16
60-64 years	217	156	61	162	118	44	55	38	17	51	35	16
65-69 years	223	148	75	173	112	61	50	36	14	38	28	10
70-74 years	271	163	108	228	143	85	43	20	23	37	17	20
75-79 years	309	158	151	264	133	131	45	25	20	35	22	13
80-84 years	360	170	190	323	160	163	37	10	27	32	9	23
85-89 years	347	121	226	304	106	198	43	15	28	39	13	26
90-94 years	250	56	194	233	50	183	17	6	11	11	4	7
95-99 years	111	19	92	96	17	79	15	2	13	14	2	12
100 yrs & over	24	6	18	20	6	14	4	-	4	4	-	4
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute ischemic heart disease, unspecified (I24.9)												
All ages	737	366	371	645	316	329	92	50	42	83	46	37
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	3	3	-	1	1	-	2	2	-	2	2	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	3	2	1	2	2	-	1	-	1	1	-	1
35-39 years	7	4	3	4	3	1	3	1	2	2	1	1
40-44 years	18	12	6	11	9	2	7	3	4	6	3	3
45-49 years	25	16	9	20	14	6	5	2	3	5	2	3
50-54 years	35	31	4	25	23	2	10	8	2	10	8	2
55-59 years	31	21	10	24	16	8	7	5	2	7	5	2
60-64 years	45	29	16	38	24	14	7	5	2	7	5	2
65-69 years	58	32	26	46	23	23	12	9	3	11	8	3
70-74 years	93	50	43	84	44	40	9	6	3	9	6	3
75-79 years	88	48	40	81	46	35	7	2	5	5	2	3
80-84 years	114	48	66	103	43	60	11	5	6	8	2	6
85-89 years	108	44	64	102	42	60	6	2	4	6	2	4
90-94 years	67	16	51	65	16	49	2	-	2	1	-	1
95-99 years	31	6	25	29	6	23	2	-	2	2	-	2
100 yrs & over	7	1	6	6	1	5	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chronic ischemic heart disease (I25)												
All ages	313,700	156,252	157,448	276,444	137,613	138,831	37,256	18,639	18,617	31,848	15,610	16,238
Under 1 year	8	5	3	4	3	1	4	2	2	4	2	2
1-4 years	7	1	6	4	-	4	3	1	2	3	1	2
5-9 years	3	2	1	3	2	1	-	-	-	-	-	-
10-14 years	8	6	2	6	5	1	2	1	1	2	1	1
15-19 years	16	10	6	10	5	5	6	5	1	6	5	1
20-24 years	75	54	21	47	35	12	28	19	9	23	15	8
25-29 years	172	140	32	125	108	17	47	32	15	44	30	14
30-34 years	455	347	108	329	253	76	126	94	32	105	77	28
35-39 years	1,256	958	298	961	746	215	295	212	83	260	184	76
40-44 years	3,002	2,304	698	2,302	1,816	486	700	488	212	615	420	195
45-49 years	5,242	4,086	1,156	4,014	3,233	781	1,228	853	375	1,076	732	344
50-54 years	8,689	6,654	2,035	6,807	5,345	1,462	1,882	1,309	573	1,676	1,154	522
55-59 years	11,346	8,374	2,972	9,008	6,791	2,217	2,338	1,583	755	2,041	1,341	700
60-64 years	14,901	10,431	4,470	11,913	8,540	3,373	2,988	1,891	1,097	2,623	1,636	987
65-69 years	20,513	13,542	6,971	16,813	11,380	5,433	3,700	2,162	1,538	3,202	1,846	1,356
70-74 years	30,874	19,141	11,733	26,538	16,713	9,825	4,336	2,428	1,908	3,711	2,072	1,639
75-79 years	44,871	25,517	19,354	39,493	22,846	16,647	5,378	2,671	2,707	4,543	2,199	2,344
80-84 years	54,746	26,843	27,903	49,650	24,628	25,022	5,096	2,215	2,881	4,256	1,797	2,459
85-89 years	55,111	21,866	33,245	50,838	20,414	30,424	4,273	1,452	2,821	3,548	1,126	2,422
90-94 years	40,661	11,837	28,824	37,757	11,003	26,754	2,904	834	2,070	2,448	665	1,783
95-99 years	17,431	3,519	13,912	16,024	3,227	12,797	1,407	292	1,115	1,212	226	986
100 yrs & over	4,275	588	3,687	3,774	504	3,270	501	84	417	438	71	367
Not stated	38	27	11	24	16	8	14	11	3	12	10	2

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Atherosclerotic cardiovascular disease, so described (I25.0)												
All ages	68,103	35,440	32,663	56,414	29,039	27,375	11,689	6,401	5,288	10,321	5,578	4,743
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	2	1	2	1	1	1	1	-	1	1	-
20-24 years	17	14	3	10	7	3	7	7	-	6	6	-
25-29 years	39	30	9	28	23	5	11	7	4	11	7	4
30-34 years	140	103	37	105	80	25	35	23	12	27	17	10
35-39 years	402	315	87	304	244	60	98	71	27	89	64	25
40-44 years	1,055	815	240	785	620	165	270	195	75	236	167	69
45-49 years	1,838	1,488	350	1,370	1,145	225	468	343	125	413	294	119
50-54 years	3,209	2,549	660	2,413	1,968	445	796	581	215	717	517	200
55-59 years	3,924	2,978	946	2,897	2,270	627	1,027	708	319	911	620	291
60-64 years	4,514	3,267	1,247	3,335	2,466	869	1,179	801	378	1,054	708	346
65-69 years	5,272	3,483	1,789	3,941	2,665	1,276	1,331	818	513	1,186	722	464
70-74 years	6,733	4,185	2,548	5,375	3,379	1,996	1,358	806	552	1,208	716	492
75-79 years	9,041	4,897	4,144	7,447	4,090	3,357	1,594	807	787	1,405	711	694
80-84 years	10,155	4,774	5,381	8,869	4,206	4,663	1,286	568	718	1,113	484	629
85-89 years	9,984	3,630	6,354	8,927	3,272	5,655	1,057	358	699	922	295	627
90-94 years	7,556	2,167	5,389	6,867	1,958	4,909	689	209	480	602	174	428
95-99 years	3,323	616	2,707	2,978	548	2,430	345	68	277	299	51	248
100 yrs & over	873	108	765	745	86	659	128	22	106	113	17	96
Not stated	25	19	6	16	11	5	9	8	1	8	7	1
Atherosclerotic heart disease (I25.1)												
All ages	219,385	106,195	113,190	196,481	95,335	101,146	22,904	10,860	12,044	19,339	8,929	10,410
Under 1 year	5	3	2	3	2	1	2	1	1	2	1	1
1-4 years	4	1	3	1	-	1	3	1	2	3	1	2
5-9 years	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years	7	5	2	5	4	1	2	1	1	2	1	1
15-19 years	8	6	2	5	3	2	3	3	-	3	3	-
20-24 years	42	28	14	25	20	5	17	8	9	14	6	8
25-29 years	107	89	18	81	71	10	26	18	8	23	16	7
30-34 years	281	219	62	198	153	45	83	66	17	70	55	15
35-39 years	757	572	185	586	451	135	171	121	50	150	104	46
40-44 years	1,741	1,338	403	1,357	1,074	283	384	264	120	342	230	112
45-49 years	3,032	2,316	716	2,370	1,873	497	662	443	219	576	379	197
50-54 years	4,847	3,624	1,223	3,884	2,977	907	963	647	316	852	565	287
55-59 years	6,480	4,685	1,795	5,340	3,925	1,415	1,140	760	380	990	631	359
60-64 years	9,126	6,270	2,856	7,513	5,301	2,212	1,613	969	644	1,400	827	573
65-69 years	13,260	8,731	4,529	11,203	7,559	3,644	2,057	1,172	885	1,747	973	774
70-74 years	21,247	13,016	8,231	18,597	11,565	7,032	2,650	1,451	1,199	2,232	1,217	1,015
75-79 years	31,722	18,046	13,676	28,357	16,401	11,956	3,365	1,645	1,720	2,809	1,325	1,484
80-84 years	39,750	19,423	20,327	36,286	17,935	18,351	3,464	1,488	1,976	2,867	1,189	1,678
85-89 years	40,587	16,095	24,492	37,650	15,121	22,529	2,937	974	1,963	2,407	745	1,662
90-94 years	30,127	8,637	21,490	28,102	8,074	20,028	2,025	563	1,462	1,694	445	1,249
95-99 years	13,050	2,640	10,410	12,061	2,434	9,627	989	206	783	852	164	688
100 yrs & over	3,191	442	2,749	2,848	386	2,462	343	56	287	300	49	251
Not stated	12	8	4	7	5	2	5	3	2	4	3	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Old myocardial infarction (I25.2)												
All ages	267	143	124	221	121	100	46	22	24	39	18	21
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	1	-	1	1	1	-	1	1	-
20-24 years	6	4	2	4	2	2	2	2	-	2	2	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years	4	2	2	3	2	1	1	-	1	1	-	1
40-44 years	8	5	3	5	3	2	3	2	1	3	2	1
45-49 years	11	6	5	10	6	4	1	-	1	1	-	1
50-54 years	12	6	6	9	5	4	3	1	2	2	1	1
55-59 years	19	15	4	11	10	1	8	5	3	5	3	2
60-64 years	19	14	5	14	10	4	5	4	1	5	4	1
65-69 years	15	10	5	12	9	3	3	1	2	3	1	2
70-74 years	21	15	6	18	13	5	3	2	1	3	2	1
75-79 years	25	11	14	21	10	11	4	1	3	3	-	3
80-84 years	38	23	15	34	22	12	4	1	3	4	1	3
85-89 years	43	16	27	41	15	26	2	1	1	2	1	1
90-94 years	27	10	17	25	9	16	2	1	1	1	-	1
95-99 years	10	2	8	9	2	7	1	-	1	1	-	1
100 yrs & over	2	-	2	-	-	-	2	-	2	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Aneurysm of heart (I25.3)												
All ages	81	46	35	70	38	32	11	8	3	9	6	3
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	3	1	2	1	-	1	2	1	1	2	1	1
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	8	6	2	7	5	2	1	1	-	1	1	-
70-74 years	15	6	9	15	6	9	-	-	-	-	-	-
75-79 years	21	16	5	18	13	5	3	3	-	2	2	-
80-84 years	11	5	6	10	5	5	1	-	1	1	-	1
85-89 years	9	4	5	7	3	4	2	1	1	1	-	1
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Coronary artery aneurysm (I25.4)												
All ages	13	7	6	9	6	3	4	1	3	4	1	3
Under 1 year	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	-	2	1	-	1	1	-	1	1	-	1
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	1	-	1	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic cardiomyopathy (I25.5)												
All ages	12,387	7,384	5,003	11,426	6,844	4,582	961	540	421	789	429	360
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	5	5	-	3	3	-	2	2	-	2	2	-
30-34 years	4	2	2	3	2	1	1	-	1	1	-	1
35-39 years	20	15	5	16	13	3	4	2	2	3	2	1
40-44 years	36	26	10	27	20	7	9	6	3	9	6	3
45-49 years	115	84	31	88	63	25	27	21	6	24	18	6
50-54 years	219	171	48	178	140	38	41	31	10	36	28	8
55-59 years	385	299	86	330	259	71	55	40	15	42	29	13
60-64 years	570	414	156	502	374	128	68	40	28	58	33	25
65-69 years	996	680	316	866	609	257	130	71	59	112	62	50
70-74 years	1,506	1,050	456	1,388	987	401	118	63	55	92	46	46
75-79 years	2,136	1,422	714	1,961	1,326	635	175	96	79	141	74	67
80-84 years	2,431	1,437	994	2,283	1,361	922	148	76	72	118	59	59
85-89 years	2,201	1,131	1,070	2,099	1,078	1,021	102	53	49	88	44	44
90-94 years	1,280	518	762	1,220	486	734	60	32	28	48	23	25
95-99 years	415	115	300	397	108	289	18	7	11	13	3	10
100 yrs & over	65	13	52	62	13	49	3	-	3	2	-	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other forms of chronic ischemic heart disease (I25.8)												
All ages	1,844	939	905	1,631	834	797	213	105	108	162	76	86
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years	4	2	2	2	1	1	2	1	1	2	1	1
30-34 years	4	4	-	4	4	-	-	-	-	-	-	-
35-39 years	7	4	3	6	3	3	1	1	-	1	1	-
40-44 years	18	10	8	14	9	5	4	1	3	2	1	1
45-49 years	17	13	4	12	9	3	5	4	1	4	3	1
50-54 years	49	35	14	39	30	9	10	5	5	8	4	4
55-59 years	79	60	19	71	53	18	8	7	1	6	5	1
60-64 years	110	74	36	92	64	28	18	10	8	13	6	7
65-69 years	131	84	47	106	69	37	25	15	10	22	12	10
70-74 years	190	121	69	161	105	56	29	16	13	24	14	10
75-79 years	269	156	113	233	140	93	36	16	20	27	12	15
80-84 years	323	161	162	300	144	156	23	17	6	14	10	4
85-89 years	316	130	186	295	124	171	21	6	15	13	2	11
90-94 years	222	60	162	205	59	146	17	1	16	14	1	13
95-99 years	86	21	65	75	17	58	11	4	7	9	3	6
100 yrs & over	16	3	13	14	2	12	2	1	1	2	1	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chronic ischemic heart disease, unspecified (I25.9)												
All ages	11,620	6,098	5,522	10,192	5,396	4,796	1,428	702	726	1,185	573	612
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	6	5	1	4	3	1	2	2	-	1	1	-
25-29 years	15	12	3	9	8	1	6	4	2	6	4	2
30-34 years	22	18	4	17	13	4	5	5	-	5	5	-
35-39 years	64	48	16	45	32	13	19	16	3	15	12	3
40-44 years	141	109	32	113	90	23	28	19	9	21	13	8
45-49 years	225	177	48	161	135	26	64	42	22	57	38	19
50-54 years	350	267	83	281	223	58	69	44	25	61	39	22
55-59 years	456	335	121	358	274	84	98	61	37	85	51	34
60-64 years	560	391	169	455	324	131	105	67	38	93	58	35
65-69 years	831	548	283	678	464	214	153	84	69	131	75	56
70-74 years	1,161	748	413	983	658	325	178	90	88	152	77	75
75-79 years	1,655	967	688	1,454	864	590	201	103	98	156	75	81
80-84 years	2,038	1,020	1,018	1,868	955	913	170	65	105	139	54	85
85-89 years	1,971	860	1,111	1,819	801	1,018	152	59	93	115	39	76
90-94 years	1,447	445	1,002	1,336	417	919	111	28	83	89	22	67
95-99 years	546	125	421	503	118	385	43	7	36	38	5	33
100 yrs & over	128	22	106	105	17	88	23	5	18	20	4	16
Not stated	1	-	1	1	-	1	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pulmonary embolism (I26)												
All ages	8,627	3,572	5,055	7,130	2,947	4,183	1,497	625	872	1,423	588	835
Under 1 year	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	2	-	1	1	-	1	1	-	1	1	-
15-19 years	15	7	8	10	3	7	5	4	1	5	4	1
20-24 years	56	22	34	41	16	25	15	6	9	13	5	8
25-29 years	94	40	54	53	23	30	41	17	24	38	15	23
30-34 years	143	51	92	93	31	62	50	20	30	48	19	29
35-39 years	205	88	117	132	59	73	73	29	44	71	29	42
40-44 years	316	149	167	224	106	118	92	43	49	88	39	49
45-49 years	398	179	219	288	133	155	110	46	64	109	46	63
50-54 years	489	218	271	383	184	199	106	34	72	100	31	69
55-59 years	585	250	335	466	193	273	119	57	62	112	54	58
60-64 years	601	297	304	486	238	248	115	59	56	111	59	52
65-69 years	746	371	375	610	312	298	136	59	77	132	56	76
70-74 years	998	457	541	845	398	447	153	59	94	143	54	89
75-79 years	1,165	493	672	992	423	569	173	70	103	157	62	95
80-84 years	1,146	454	692	1,029	402	627	117	52	65	112	50	62
85-89 years	982	316	666	882	280	602	100	36	64	97	34	63
90-94 years	511	140	371	447	113	334	64	27	37	60	24	36
95-99 years	154	37	117	130	31	99	24	6	18	23	6	17
100 yrs & over	18	1	17	16	1	15	2	-	2	2	-	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary embolism with mention of acute cor pulmonale (I26.0)												
All ages	21	6	15	18	5	13	3	1	2	3	1	2
Under 1 year	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	2	-	2	1	-	1	1	-	1	1	-	1
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	5	1	4	5	1	4	-	-	-	-	-	-
45-49 years	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	1	-	-	-	-	1	1	-	1	1	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pulmonary embolism without mention of acute cor pulmonale (I26.9)												
All ages	8,606	3,566	5,040	7,112	2,942	4,170	1,494	624	870	1,420	587	833
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	2	-	1	1	-	1	1	-	1	1	-
15-19 years	15	7	8	10	3	7	5	4	1	5	4	1
20-24 years	56	22	34	41	16	25	15	6	9	13	5	8
25-29 years	93	40	53	52	23	29	41	17	24	38	15	23
30-34 years	141	51	90	92	31	61	49	20	29	47	19	28
35-39 years	205	88	117	132	59	73	73	29	44	71	29	42
40-44 years	311	148	163	219	105	114	92	43	49	88	39	49
45-49 years	396	179	217	287	133	154	109	46	63	108	46	62
50-54 years	488	218	270	382	184	198	106	34	72	100	31	69
55-59 years	582	248	334	463	191	272	119	57	62	112	54	58
60-64 years	601	297	304	486	238	248	115	59	56	111	59	52
65-69 years	746	371	375	610	312	298	136	59	77	132	56	76
70-74 years	996	456	540	843	397	446	153	59	94	143	54	89
75-79 years	1,164	492	672	991	422	569	173	70	103	157	62	95
80-84 years	1,145	454	691	1,028	402	626	117	52	65	112	50	62
85-89 years	981	315	666	882	280	602	99	35	64	96	33	63
90-94 years	511	140	371	447	113	334	64	27	37	60	24	36
95-99 years	154	37	117	130	31	99	24	6	18	23	6	17
100 yrs & over	18	1	17	16	1	15	2	-	2	2	-	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other pulmonary heart diseases (I27)												
All ages	4,639	1,703	2,936	3,809	1,411	2,398	830	292	538	737	256	481
Under 1 year	164	80	84	109	54	55	55	26	29	43	23	20
1-4 years	20	12	8	16	10	6	4	2	2	4	2	2
5-9 years	10	8	2	8	6	2	2	2	-	2	2	-
10-14 years	17	8	9	13	7	6	4	1	3	4	1	3
15-19 years	19	10	9	11	4	7	8	6	2	7	5	2
20-24 years	30	10	20	17	6	11	13	4	9	10	4	6
25-29 years	51	18	33	36	14	22	15	4	11	13	3	10
30-34 years	64	20	44	47	17	30	17	3	14	17	3	14
35-39 years	100	32	68	72	22	50	28	10	18	22	9	13
40-44 years	153	64	89	109	51	58	44	13	31	41	12	29
45-49 years	200	87	113	144	65	79	56	22	34	47	17	30
50-54 years	224	84	140	168	65	103	56	19	37	49	17	32
55-59 years	247	101	146	177	76	101	70	25	45	64	22	42
60-64 years	308	135	173	242	111	131	66	24	42	60	21	39
65-69 years	399	145	254	307	117	190	92	28	64	88	27	61
70-74 years	518	226	292	442	192	250	76	34	42	69	31	38
75-79 years	624	211	413	541	186	355	83	25	58	72	20	52
80-84 years	637	228	409	574	207	367	63	21	42	54	17	37
85-89 years	487	141	346	442	127	315	45	14	31	41	12	29
90-94 years	260	65	195	240	60	180	20	5	15	20	5	15
95-99 years	92	16	76	81	13	68	11	3	8	8	2	6
100 yrs & over	15	2	13	13	1	12	2	1	1	2	1	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Primary pulmonary hypertension (I27.0)												
All ages	3,168	1,034	2,134	2,555	842	1,713	613	192	421	545	172	373
Under 1 year	155	74	81	106	52	54	49	22	27	38	20	18
1-4 years	20	12	8	16	10	6	4	2	2	4	2	2
5-9 years	9	7	2	7	5	2	2	2	-	2	2	-
10-14 years	16	8	8	13	7	6	3	1	2	3	1	2
15-19 years	17	9	8	10	3	7	7	6	1	6	5	1
20-24 years	29	10	19	16	6	10	13	4	9	10	4	6
25-29 years	46	14	32	33	11	22	13	3	10	12	3	9
30-34 years	61	19	42	44	16	28	17	3	14	17	3	14
35-39 years	89	24	65	64	17	47	25	7	18	20	7	13
40-44 years	134	50	84	95	39	56	39	11	28	36	10	26
45-49 years	162	63	99	116	47	69	46	16	30	38	12	26
50-54 years	178	63	115	130	48	82	48	15	33	43	14	29
55-59 years	170	54	116	114	37	77	56	17	39	50	14	36
60-64 years	204	79	125	156	62	94	48	17	31	44	15	29
65-69 years	265	79	186	204	67	137	61	12	49	57	11	46
70-74 years	311	123	188	264	105	159	47	18	29	44	17	27
75-79 years	378	96	282	324	84	240	54	12	42	49	11	38
80-84 years	381	119	262	349	109	240	32	10	22	28	9	19
85-89 years	316	86	230	286	77	209	30	9	21	26	7	19
90-94 years	163	31	132	152	28	124	11	3	8	11	3	8
95-99 years	56	12	44	50	11	39	6	1	5	5	1	4
100 yrs & over	8	2	6	6	1	5	2	1	1	2	1	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Kyphoscoliotic heart disease (I27.1)												
All ages	60	9	51	59	9	50	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	4	1	3	4	1	3	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	8	3	5	8	3	5	-	-	-	-	-	-
75-79 years	8	2	6	8	2	6	-	-	-	-	-	-
80-84 years	10	-	10	10	-	10	-	-	-	-	-	-
85-89 years	12	2	10	11	2	9	1	-	1	1	-	1
90-94 years	10	1	9	10	1	9	-	-	-	-	-	-
95-99 years	4	-	4	4	-	4	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified pulmonary heart diseases (I27.8)												
All ages	54	26	28	46	24	22	8	2	6	8	2	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years	4	2	2	1	1	-	3	1	2	3	1	2
70-74 years	6	5	1	6	5	1	-	-	-	-	-	-
75-79 years	9	3	6	7	2	5	2	1	1	2	1	1
80-84 years	13	8	5	12	8	4	1	-	1	1	-	1
85-89 years	5	2	3	4	2	2	1	-	1	1	-	1
90-94 years	6	2	4	5	2	3	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	3	-	3	3	-	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary heart disease, unspecified (I27.9)												
All ages	1,357	634	723	1,149	536	613	208	98	110	183	82	101
Under 1 year	9	6	3	3	2	1	6	4	2	5	3	2
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	2	1	1	1	1	-	1	-	1	1	-	1
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	5	4	1	3	3	-	2	1	1	1	-	1
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	10	8	2	7	5	2	3	3	-	2	2	-
40-44 years	17	12	5	12	10	2	5	2	3	5	2	3
45-49 years	38	24	14	28	18	10	10	6	4	9	5	4
50-54 years	43	21	22	35	17	18	8	4	4	6	3	3
55-59 years	76	47	29	62	39	23	14	8	6	14	8	6
60-64 years	97	53	44	79	46	33	18	7	11	16	6	10
65-69 years	130	64	66	102	49	53	28	15	13	28	15	13
70-74 years	193	95	98	164	79	85	29	16	13	25	14	11
75-79 years	229	110	119	202	98	104	27	12	15	21	8	13
80-84 years	233	101	132	203	90	113	30	11	19	25	8	17
85-89 years	154	51	103	141	46	95	13	5	8	13	5	8
90-94 years	81	31	50	73	29	44	8	2	6	8	2	6
95-99 years	32	4	28	27	2	25	5	2	3	3	1	2
100 yrs & over	4	-	4	4	-	4	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other diseases of pulmonary vessels (I28)												
All ages	54	24	30	49	22	27	5	2	3	3	1	2
Under 1 year	4	-	4	3	-	3	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years	5	2	3	4	2	2	1	-	1	-	-	-
65-69 years	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years	5	3	2	4	2	2	1	1	-	-	-	-
75-79 years	6	2	4	6	2	4	-	-	-	-	-	-
80-84 years	7	2	5	6	1	5	1	1	-	1	1	-
85-89 years	8	2	6	8	2	6	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Arteriovenous fistula of pulmonary vessels (I28.0)												
All ages	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Aneurysm of pulmonary artery (I28.1)												
All ages	11	6	5	10	6	4	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases of pulmonary vessels (I28.8)												
All ages	27	7	20	24	6	18	3	1	2	2	1	1
Under 1 year	4	-	4	3	-	3	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	3	1	2	2	1	1	1	-	1	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years	4	1	3	3	-	3	1	1	-	1	1	-
85-89 years	5	-	5	5	-	5	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disease of pulmonary vessels, unspecified (I28.9)												
All ages	12	8	4	11	7	4	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	3	2	1	2	1	1	1	1	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute pericarditis (I30)												
All ages	55	25	30	48	19	29	7	6	1	6	5	1
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	5	3	2	4	2	2	1	1	-	-	-	-
40-44 years	2	1	1	1	-	1	1	1	-	1	1	-
45-49 years	6	2	4	4	1	3	2	1	1	2	1	1
50-54 years	7	4	3	6	3	3	1	1	-	1	1	-
55-59 years	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years	4	4	-	3	3	-	1	1	-	1	1	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	8	4	4	8	4	4	-	-	-	-	-	-
75-79 years	5	1	4	5	1	4	-	-	-	-	-	-
80-84 years	6	1	5	6	1	5	-	-	-	-	-	-
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute nonspecific idiopathic pericarditis (I30.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Infective pericarditis (I30.1)												
All ages	23	13	10	18	9	9	5	4	1	4	3	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	3	3	-	2	2	-	1	1	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	4	2	2	2	1	1	2	1	1	2	1	1
50-54 years	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other forms of acute pericarditis (I30.8)												
All ages	11	6	5	10	5	5	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute pericarditis, unspecified (I30.9)												
All ages	20	5	15	19	4	15	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other diseases of pericardium (I31)												
All ages	487	231	256	388	180	208	99	51	48	85	43	42
Under 1 year	12	8	4	6	4	2	6	4	2	4	2	2
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	3	1	2	3	1	2	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years	3	2	1	-	-	-	3	2	1	3	2	1
30-34 years	10	3	7	8	2	6	2	1	1	2	1	1
35-39 years	17	12	5	9	8	1	8	4	4	5	2	3
40-44 years	23	9	14	15	8	7	8	1	7	7	1	6
45-49 years	27	15	12	18	9	9	9	6	3	9	6	3
50-54 years	27	18	9	16	13	3	11	5	6	11	5	6
55-59 years	35	22	13	26	16	10	9	6	3	8	5	3
60-64 years	37	22	15	29	16	13	8	6	2	7	5	2
65-69 years	38	23	15	27	15	12	11	8	3	9	8	1
70-74 years	55	25	30	51	25	26	4	-	4	3	-	3
75-79 years	71	30	41	64	26	38	7	4	3	6	3	3
80-84 years	56	19	37	50	17	33	6	2	4	5	2	3
85-89 years	42	12	30	37	11	26	5	1	4	4	-	4
90-94 years	22	6	16	21	6	15	1	-	1	1	-	1
95-99 years	6	2	4	6	2	4	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chronic adhesive pericarditis (I31.0)												
All ages	5	4	1	5	4	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Chronic constrictive pericarditis (I31.1)												
All ages	62	42	20	54	37	17	8	5	3	6	3	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	2	2	-	-	-	-	2	2	-	1	1	-
40-44 years	3	1	2	2	1	1	1	-	1	1	-	1
45-49 years	5	3	2	3	3	-	2	-	2	2	-	2
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years	8	8	-	7	7	-	1	1	-	1	1	-
65-69 years	7	5	2	6	4	2	1	1	-	1	1	-
70-74 years	9	7	2	9	7	2	-	-	-	-	-	-
75-79 years	6	3	3	6	3	3	-	-	-	-	-	-
80-84 years	6	2	4	6	2	4	-	-	-	-	-	-
85-89 years	7	5	2	6	4	2	1	1	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hemopericardium, not elsewhere classified (I31.2)												
All ages	26	13	13	21	10	11	5	3	2	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	4	4	-	3	3	-	1	1	-	1	1	-
55-59 years	4	3	1	1	1	-	3	2	1	2	1	1
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	5	-	5	5	-	5	-	-	-	-	-	-
75-79 years	6	4	2	6	4	2	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pericardial effusion (noninflammatory) (I31.3)												
All ages	169	59	110	126	38	88	43	21	22	38	18	20
Under 1 year	9	6	3	5	4	1	4	2	2	3	1	2
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	1	1	-	-	-	2	1	1	2	1	1
30-34 years	4	1	3	4	1	3	-	-	-	-	-	-
35-39 years	3	1	2	1	-	1	2	1	1	1	-	1
40-44 years	3	1	2	2	1	1	1	-	1	1	-	1
45-49 years	7	4	3	5	2	3	2	2	-	2	2	-
50-54 years	11	4	7	4	2	2	7	2	5	7	2	5
55-59 years	8	6	2	5	4	1	3	2	1	3	2	1
60-64 years	9	3	6	7	1	6	2	2	-	2	2	-
65-69 years	13	7	6	7	2	5	6	5	1	6	5	1
70-74 years	15	4	11	12	4	8	3	-	3	2	-	2
75-79 years	25	8	17	21	5	16	4	3	1	3	2	1
80-84 years	21	5	16	17	4	13	4	1	3	3	1	2
85-89 years	21	5	16	18	5	13	3	-	3	3	-	3
90-94 years	13	2	11	13	2	11	-	-	-	-	-	-
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases of pericardium (I31.8)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disease of pericardium, unspecified (I31.9)												
All ages	223	112	111	180	90	90	43	22	21	38	20	18
Under 1 year	3	2	1	1	-	1	2	2	-	1	1	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	5	2	3	3	1	2	2	1	1	2	1	1
35-39 years	11	9	2	8	8	-	3	1	2	3	1	2
40-44 years	14	5	9	8	4	4	6	1	5	5	1	4
45-49 years	13	7	6	8	3	5	5	4	1	5	4	1
50-54 years	7	6	1	4	4	-	3	2	1	3	2	1
55-59 years	20	10	10	17	8	9	3	2	1	3	2	1
60-64 years	20	11	9	15	8	7	5	3	2	4	2	2
65-69 years	17	11	6	13	9	4	4	2	2	2	2	-
70-74 years	25	13	12	24	13	11	1	-	1	1	-	1
75-79 years	34	15	19	31	14	17	3	1	2	3	1	2
80-84 years	28	12	16	26	11	15	2	1	1	2	1	1
85-89 years	12	2	10	11	2	9	1	-	1	1	-	1
90-94 years	6	2	4	5	2	3	1	-	1	1	-	1
95-99 years	3	2	1	3	2	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute and subacute endocarditis (I33)												
All ages	1,178	668	510	917	517	400	261	151	110	235	135	100
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	3	2	1	1	1	-	2	1	1	1	-	1
20-24 years	5	3	2	5	3	2	-	-	-	-	-	-
25-29 years	9	5	4	8	4	4	1	1	-	1	1	-
30-34 years	20	12	8	13	8	5	7	4	3	7	4	3
35-39 years	46	25	21	30	16	14	16	9	7	15	8	7
40-44 years	71	37	34	44	25	19	27	12	15	26	12	14
45-49 years	93	68	25	64	45	19	29	23	6	27	21	6
50-54 years	93	61	32	61	42	19	32	19	13	30	18	12
55-59 years	72	39	33	53	28	25	19	11	8	19	11	8
60-64 years	88	56	32	64	42	22	24	14	10	22	13	9
65-69 years	102	49	53	74	35	39	28	14	14	21	10	11
70-74 years	145	83	62	117	63	54	28	20	8	22	16	6
75-79 years	162	94	68	134	82	52	28	12	16	27	12	15
80-84 years	154	83	71	140	75	65	14	8	6	12	7	5
85-89 years	79	37	42	76	35	41	3	2	1	2	1	1
90-94 years	30	11	19	27	10	17	3	1	2	3	1	2
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute and subacute infective endocarditis (I33.0)												
All ages	1,145	653	492	891	505	386	254	148	106	229	132	97
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	3	2	1	1	1	-	2	1	1	1	-	1
20-24 years	5	3	2	5	3	2	-	-	-	-	-	-
25-29 years	9	5	4	8	4	4	1	1	-	1	1	-
30-34 years	19	12	7	13	8	5	6	4	2	6	4	2
35-39 years	44	23	21	29	15	14	15	8	7	14	7	7
40-44 years	69	37	32	42	25	17	27	12	15	26	12	14
45-49 years	90	66	24	62	44	18	28	22	6	26	20	6
50-54 years	93	61	32	61	42	19	32	19	13	30	18	12
55-59 years	70	38	32	51	27	24	19	11	8	19	11	8
60-64 years	85	54	31	63	41	22	22	13	9	20	12	8
65-69 years	97	46	51	71	32	39	26	14	12	20	10	10
70-74 years	142	82	60	114	62	52	28	20	8	22	16	6
75-79 years	160	93	67	132	81	51	28	12	16	27	12	15
80-84 years	147	81	66	133	73	60	14	8	6	12	7	5
85-89 years	76	36	40	73	34	39	3	2	1	2	1	1
90-94 years	30	11	19	27	10	17	3	1	2	3	1	2
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis, unspecified (I33.9)												
All ages	33	15	18	26	12	14	7	3	4	6	3	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years	3	2	1	2	1	1	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	3	2	1	1	1	-	2	1	1	2	1	1
65-69 years	5	3	2	3	3	-	2	-	2	1	-	1
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	7	2	5	7	2	5	-	-	-	-	-	-
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Nonrheumatic mitral valve disorders (I34)												
All ages	2,785	939	1,846	2,564	870	1,694	221	69	152	185	56	129
Under 1 year	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	9	1	8	6	1	5	3	-	3	3	-	3
20-24 years	16	6	10	11	5	6	5	1	4	5	1	4
25-29 years	26	12	14	21	10	11	5	2	3	4	2	2
30-34 years	28	10	18	25	9	16	3	1	2	3	1	2
35-39 years	40	17	23	30	11	19	10	6	4	9	5	4
40-44 years	53	22	31	43	17	26	10	5	5	10	5	5
45-49 years	66	35	31	53	28	25	13	7	6	13	7	6
50-54 years	70	32	38	56	29	27	14	3	11	13	2	11
55-59 years	72	37	35	60	33	27	12	4	8	12	4	8
60-64 years	83	37	46	71	33	38	12	4	8	10	4	6
65-69 years	162	73	89	135	63	72	27	10	17	23	9	14
70-74 years	241	107	134	215	96	119	26	11	15	21	8	13
75-79 years	421	145	276	400	140	260	21	5	16	14	3	11
80-84 years	495	157	338	472	153	319	23	4	19	19	3	16
85-89 years	531	152	379	511	147	364	20	5	15	13	2	11
90-94 years	342	78	264	330	77	253	12	1	11	9	-	9
95-99 years	106	16	90	105	16	89	1	-	1	1	-	1
100 yrs & over	21	1	20	18	1	17	3	-	3	2	-	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mitral (valve) insufficiency (I34.0)												
All ages	2,331	767	1,564	2,160	711	1,449	171	56	115	141	43	98
Under 1 year	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	5	1	4	3	-	3	2	1	1	2	1	1
30-34 years	5	2	3	4	2	2	1	-	1	1	-	1
35-39 years	10	7	3	5	2	3	5	5	-	4	4	-
40-44 years	16	8	8	11	6	5	5	2	3	5	2	3
45-49 years	29	13	16	20	10	10	9	3	6	9	3	6
50-54 years	34	14	20	23	11	12	11	3	8	10	2	8
55-59 years	52	30	22	41	26	15	11	4	7	11	4	7
60-64 years	68	32	36	57	28	29	11	4	7	9	4	5
65-69 years	135	65	70	116	56	60	19	9	10	17	8	9
70-74 years	209	91	118	186	81	105	23	10	13	18	7	11
75-79 years	376	128	248	355	123	232	21	5	16	14	3	11
80-84 years	449	143	306	430	139	291	19	4	15	16	3	13
85-89 years	506	144	362	489	139	350	17	5	12	12	2	10
90-94 years	315	73	242	304	72	232	11	1	10	8	-	8
95-99 years	98	15	83	97	15	82	1	-	1	1	-	1
100 yrs & over	20	-	20	17	-	17	3	-	3	2	-	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Mitral (valve) prolapse (I34.1)												
All ages	299	107	192	270	99	171	29	8	21	27	8	19
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	7	1	6	5	1	4	2	-	2	2	-	2
20-24 years	13	5	8	9	4	5	4	1	3	4	1	3
25-29 years	18	9	9	16	8	8	2	1	1	1	1	-
30-34 years	20	8	12	18	7	11	2	1	1	2	1	1
35-39 years	28	10	18	23	9	14	5	1	4	5	1	4
40-44 years	31	10	21	27	7	20	4	3	1	4	3	1
45-49 years	25	16	9	24	15	9	1	1	-	1	1	-
50-54 years	30	14	16	28	14	14	2	-	2	2	-	2
55-59 years	15	7	8	15	7	8	-	-	-	-	-	-
60-64 years	5	1	4	4	1	3	1	-	1	1	-	1
65-69 years	11	1	10	8	1	7	3	-	3	3	-	3
70-74 years	12	4	8	12	4	8	-	-	-	-	-	-
75-79 years	18	7	11	18	7	11	-	-	-	-	-	-
80-84 years	27	5	22	26	5	21	1	-	1	1	-	1
85-89 years	16	5	11	14	5	9	2	-	2	1	-	1
90-94 years	16	3	13	16	3	13	-	-	-	-	-	-
95-99 years	5	-	5	5	-	5	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonrheumatic mitral (valve) stenosis (I34.2)												
All ages	13	2	11	11	2	9	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	2	-	2	1	-	1	1	-	1	1	-	1
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	6	-	6	6	-	6	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other nonrheumatic mitral valve disorders (I34.8)												
All ages	85	36	49	75	33	42	10	3	7	9	3	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	2	1	1	1	1	-	1	-	1	1	-	1
25-29 years	3	2	1	2	2	-	1	-	1	1	-	1
30-34 years	3	-	3	3	-	3	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	9	4	5	8	3	5	1	1	-	1	1	-
50-54 years	5	3	2	4	3	1	1	-	1	1	-	1
55-59 years	4	-	4	3	-	3	1	-	1	1	-	1
60-64 years	7	3	4	7	3	4	-	-	-	-	-	-
65-69 years	8	5	3	5	4	1	3	1	2	2	1	1
70-74 years	5	3	2	4	2	2	1	1	-	1	1	-
75-79 years	11	5	6	11	5	6	-	-	-	-	-	-
80-84 years	9	5	4	8	5	3	1	-	1	1	-	1
85-89 years	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years	8	2	6	8	2	6	-	-	-	-	-	-
95-99 years	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonrheumatic mitral valve disorder, unspecified (I34.9)												
All ages	57	27	30	48	25	23	9	2	7	6	2	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	3	2	1	2	2	-	1	-	1	1	-	1
45-49 years	3	2	1	1	-	1	2	2	-	2	2	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	6	2	4	5	2	3	1	-	1	-	-	-
70-74 years	14	9	5	13	9	4	1	-	1	1	-	1
75-79 years	10	5	5	10	5	5	-	-	-	-	-	-
80-84 years	9	3	6	7	3	4	2	-	2	1	-	1
85-89 years	5	2	3	4	2	2	1	-	1	-	-	-
90-94 years	2	-	2	1	-	1	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Nonrheumatic aortic valve disorders (I35)												
All ages	12,189	4,847	7,342	11,469	4,507	6,962	720	340	380	576	257	319
Under 1 year	3	3	-	3	3	-	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	6	3	3	5	2	3	1	1	-	1	1	-
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	4	4	-	3	3	-	1	1	-	-	-	-
25-29 years	11	8	3	8	6	2	3	2	1	3	2	1
30-34 years	18	14	4	14	10	4	4	4	-	3	3	-
35-39 years	38	31	7	33	28	5	5	3	2	4	3	1
40-44 years	50	39	11	35	28	7	15	11	4	14	11	3
45-49 years	104	77	27	85	62	23	19	15	4	18	14	4
50-54 years	164	116	48	135	93	42	29	23	6	27	21	6
55-59 years	168	105	63	141	91	50	27	14	13	24	11	13
60-64 years	258	153	105	232	135	97	26	18	8	22	14	8
65-69 years	429	235	194	378	209	169	51	26	25	41	19	22
70-74 years	812	429	383	746	395	351	66	34	32	51	24	27
75-79 years	1,479	755	724	1,361	693	668	118	62	56	94	49	45
80-84 years	2,296	978	1,318	2,199	943	1,256	97	35	62	79	24	55
85-89 years	3,008	1,051	1,957	2,889	1,005	1,884	119	46	73	88	30	58
90-94 years	2,346	626	1,720	2,254	595	1,659	92	31	61	70	21	49
95-99 years	853	188	665	818	178	640	35	10	25	27	7	20
100 yrs & over	139	30	109	128	27	101	11	3	8	9	2	7
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Aortic (valve) stenosis (I35.0)												
All ages	9,930	3,694	6,236	9,459	3,499	5,960	471	195	276	369	134	235
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	5	2	3	4	1	3	1	1	-	1	1	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	4	4	-	3	3	-	1	1	-	-	-	-
25-29 years	4	3	1	3	2	1	1	1	-	1	1	-
30-34 years	4	3	1	4	3	1	-	-	-	-	-	-
35-39 years	18	14	4	17	14	3	1	-	1	-	-	-
40-44 years	20	17	3	16	13	3	4	4	-	4	4	-
45-49 years	40	27	13	36	24	12	4	3	1	4	3	1
50-54 years	82	59	23	73	52	21	9	7	2	8	6	2
55-59 years	87	49	38	79	46	33	8	3	5	7	2	5
60-64 years	153	91	62	139	81	58	14	10	4	11	7	4
65-69 years	267	145	122	242	135	107	25	10	15	22	8	14
70-74 years	590	300	290	544	276	268	46	24	22	34	16	18
75-79 years	1,091	527	564	1,020	492	528	71	35	36	55	25	30
80-84 years	1,894	778	1,116	1,823	755	1,068	71	23	48	60	15	45
85-89 years	2,649	905	1,744	2,554	870	1,684	95	35	60	70	21	49
90-94 years	2,119	574	1,545	2,043	548	1,495	76	26	50	58	17	41
95-99 years	777	168	609	744	159	585	33	9	24	25	6	19
100 yrs & over	123	26	97	113	24	89	10	2	8	8	1	7
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Aortic (valve) insufficiency (I35.1)												
All ages	575	268	307	487	217	270	88	51	37	77	47	30
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	3	3	-	2	2	-	1	1	-	1	1	-
30-34 years	6	5	1	4	3	1	2	2	-	2	2	-
35-39 years	6	5	1	4	3	1	2	2	-	2	2	-
40-44 years	8	6	2	3	3	-	5	3	2	5	3	2
45-49 years	17	16	1	12	11	1	5	5	-	4	4	-
50-54 years	23	18	5	19	15	4	4	3	1	4	3	1
55-59 years	19	14	5	13	10	3	6	4	2	6	4	2
60-64 years	22	15	7	19	13	6	3	2	1	3	2	1
65-69 years	35	18	17	30	13	17	5	5	-	3	3	-
70-74 years	36	17	19	30	14	16	6	3	3	6	3	3
75-79 years	81	52	29	60	40	20	21	12	9	19	12	7
80-84 years	89	36	53	77	34	43	12	2	10	10	2	8
85-89 years	112	42	70	105	38	67	7	4	3	6	4	2
90-94 years	83	14	69	75	12	63	8	2	6	5	1	4
95-99 years	29	6	23	28	5	23	1	1	-	1	1	-
100 yrs & over	6	1	5	6	1	5	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Aortic (valve) stenosis with insufficiency (I35.2)												
All ages	69	28	41	61	23	38	8	5	3	6	4	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	4	1	3	4	1	3	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	2	-	2	1	-	1	1	-	1	1	-	1
70-74 years	7	4	3	5	3	2	2	1	1	2	1	1
75-79 years	12	6	6	11	5	6	1	1	-	1	1	-
80-84 years	4	2	2	3	2	1	1	-	1	-	-	-
85-89 years	15	7	8	14	6	8	1	1	-	1	1	-
90-94 years	15	3	12	14	2	12	1	1	-	1	1	-
95-99 years	5	2	3	5	2	3	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other aortic valve disorders (I35.8)												
All ages	181	107	74	154	92	62	27	15	12	24	12	12
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	6	5	1	5	4	1	1	1	-	1	1	-
40-44 years	9	6	3	7	5	2	2	1	1	2	1	1
45-49 years	8	6	2	4	3	1	4	3	1	4	3	1
50-54 years	11	9	2	8	7	1	3	2	1	3	2	1
55-59 years	16	13	3	15	12	3	1	1	-	1	1	-
60-64 years	15	11	4	15	11	4	-	-	-	-	-	-
65-69 years	15	6	9	9	3	6	6	3	3	5	2	3
70-74 years	20	15	5	19	14	5	1	1	-	1	1	-
75-79 years	20	11	9	20	11	9	-	-	-	-	-	-
80-84 years	23	13	10	21	12	9	2	1	1	1	-	1
85-89 years	14	5	9	11	4	7	3	1	2	2	-	2
90-94 years	16	3	13	13	3	10	3	-	3	3	-	3
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	2	1	1	1	-	1	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Aortic valve disorder, unspecified (I35.9)												
All ages	1,434	750	684	1,308	676	632	126	74	52	100	60	40
Under 1 year	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	1	1	1	1	-	1	-	1	1	-	1
30-34 years	6	5	1	4	3	1	2	2	-	1	1	-
35-39 years	8	7	1	7	7	-	1	-	1	1	-	1
40-44 years	13	10	3	9	7	2	4	3	1	3	3	-
45-49 years	38	27	11	32	23	9	6	4	2	6	4	2
50-54 years	44	29	15	31	18	13	13	11	2	12	10	2
55-59 years	45	28	17	34	23	11	11	5	6	10	4	6
60-64 years	66	35	31	57	29	28	9	6	3	8	5	3
65-69 years	110	66	44	96	58	38	14	8	6	10	6	4
70-74 years	159	93	66	148	88	60	11	5	6	8	3	5
75-79 years	275	159	116	250	145	105	25	14	11	19	11	8
80-84 years	286	149	137	275	140	135	11	9	2	8	7	1
85-89 years	218	92	126	205	87	118	13	5	8	9	4	5
90-94 years	113	32	81	109	30	79	4	2	2	3	2	1
95-99 years	41	12	29	40	12	28	1	-	1	1	-	1
100 yrs & over	7	2	5	7	2	5	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Nonrheumatic tricuspid valve disorders (I36)												
All ages	7	3	4	7	3	4	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonrheumatic tricuspid (valve) stenosis (I36.0)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Nonrheumatic tricuspid (valve) insufficiency (I36.1)												
All ages	6	3	3	6	3	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary valve disorders (I37)												
All ages	12	7	5	10	6	4	2	1	1	2	1	1
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	1	1	1	1	-	1	-	1	1	-	1
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	1	-	-	-	-	1	1	-	1	1	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pulmonary valve stenosis (I37.0)												
All ages	4	3	1	2	2	-	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	1	1	1	1	-	1	-	1	1	-	1
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	-	-	-	1	1	-	1	1	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary valve insufficiency (I37.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other pulmonary valve disorders (I37.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary valve disorder, unspecified (I37.9)												
All ages	6	3	3	6	3	3	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Endocarditis, valve unspecified (I38)												
All ages	4,560	1,798	2,762	4,040	1,568	2,472	520	230	290	452	202	250
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	5	1	4	1	-	1	4	1	3	3	-	3
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	8	3	5	5	1	4	3	2	1	2	1	1
25-29 years	16	12	4	7	5	2	9	7	2	9	7	2
30-34 years	18	8	10	8	4	4	10	4	6	10	4	6
35-39 years	50	25	25	32	16	16	18	9	9	16	8	8
40-44 years	69	44	25	48	32	16	21	12	9	18	9	9
45-49 years	88	54	34	44	30	14	44	24	20	40	22	18
50-54 years	146	92	54	106	67	39	40	25	15	38	24	14
55-59 years	163	87	76	109	58	51	54	29	25	47	28	19
60-64 years	179	89	90	137	66	71	42	23	19	38	21	17
65-69 years	267	121	146	212	95	117	55	26	29	49	23	26
70-74 years	466	197	269	415	179	236	51	18	33	40	15	25
75-79 years	616	280	336	571	266	305	45	14	31	40	12	28
80-84 years	826	318	508	775	303	472	51	15	36	42	13	29
85-89 years	878	290	588	837	274	563	41	16	25	34	12	22
90-94 years	546	136	410	525	133	392	21	3	18	18	1	17
95-99 years	182	37	145	173	36	137	9	1	8	6	1	5
100 yrs & over	35	3	32	34	3	31	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocarditis (I40)												
All ages	297	145	152	222	111	111	75	34	41	67	31	36
Under 1 year	19	9	10	7	5	2	12	4	8	10	3	7
1-4 years	25	15	10	13	8	5	12	7	5	12	7	5
5-9 years	12	2	10	9	2	7	3	-	3	3	-	3
10-14 years	5	4	1	3	3	-	2	1	1	1	1	-
15-19 years	14	7	7	10	3	7	4	4	-	4	4	-
20-24 years	24	13	11	16	8	8	8	5	3	8	5	3
25-29 years	17	14	3	15	12	3	2	2	-	2	2	-
30-34 years	18	12	6	14	10	4	4	2	2	2	1	1
35-39 years	21	9	12	15	5	10	6	4	2	5	3	2
40-44 years	25	7	18	16	6	10	9	1	8	7	1	6
45-49 years	24	13	11	21	11	10	3	2	1	3	2	1
50-54 years	20	7	13	16	5	11	4	2	2	4	2	2
55-59 years	16	4	12	13	4	9	3	-	3	3	-	3
60-64 years	11	7	4	11	7	4	-	-	-	-	-	-
65-69 years	7	5	2	7	5	2	-	-	-	-	-	-
70-74 years	10	2	8	9	2	7	1	-	1	1	-	1
75-79 years	11	8	3	11	8	3	-	-	-	-	-	-
80-84 years	5	2	3	5	2	3	-	-	-	-	-	-
85-89 years	4	2	2	3	2	1	1	-	1	1	-	1
90-94 years	6	2	4	6	2	4	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	1	-	1	-	-	-	1	-	1	1	-	1
Not stated	1	1	-	1	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Infective myocarditis (I40.0)												
All ages	210	105	105	156	81	75	54	24	30	49	23	26
Under 1 year	15	7	8	5	4	1	10	3	7	9	3	6
1-4 years	20	12	8	9	6	3	11	6	5	11	6	5
5-9 years	9	1	8	7	1	6	2	-	2	2	-	2
10-14 years	4	4	-	3	3	-	1	1	-	1	1	-
15-19 years	5	3	2	3	1	2	2	2	-	2	2	-
20-24 years	18	9	9	12	6	6	6	3	3	6	3	3
25-29 years	11	9	2	9	7	2	2	2	-	2	2	-
30-34 years	11	8	3	9	7	2	2	1	1	1	1	-
35-39 years	15	8	7	11	5	6	4	3	1	3	2	1
40-44 years	18	5	13	12	4	8	6	1	5	4	1	3
45-49 years	18	11	7	16	9	7	2	2	-	2	2	-
50-54 years	10	1	9	9	1	8	1	-	1	1	-	1
55-59 years	10	3	7	8	3	5	2	-	2	2	-	2
60-64 years	7	6	1	7	6	1	-	-	-	-	-	-
65-69 years	5	3	2	5	3	2	-	-	-	-	-	-
70-74 years	10	2	8	9	2	7	1	-	1	1	-	1
75-79 years	9	7	2	9	7	2	-	-	-	-	-	-
80-84 years	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years	2	1	1	1	1	-	1	-	1	1	-	1
90-94 years	6	2	4	6	2	4	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	1	-	1	-	-	-	1	-	1	1	-	1
Not stated	1	1	-	1	1	-	-	-	-	-	-	-
Isolated myocarditis (I40.1)												
All ages	11	6	5	8	4	4	3	2	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other acute myocarditis (I40.8)												
All ages	2	-	2	1	-	1	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocarditis, unspecified (I40.9)												
All ages	74	34	40	57	26	31	17	8	9	15	6	9
Under 1 year	4	2	2	2	1	1	2	1	1	1	-	1
1-4 years	5	3	2	4	2	2	1	1	-	1	1	-
5-9 years	3	1	2	2	1	1	1	-	1	1	-	1
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	8	4	4	6	2	4	2	2	-	2	2	-
20-24 years	4	2	2	3	1	2	1	1	-	1	1	-
25-29 years	6	5	1	6	5	1	-	-	-	-	-	-
30-34 years	5	3	2	3	2	1	2	1	1	1	-	1
35-39 years	5	1	4	4	-	4	1	1	-	1	1	-
40-44 years	6	2	4	3	2	1	3	-	3	3	-	3
45-49 years	5	1	4	4	1	3	1	-	1	1	-	1
50-54 years	9	5	4	7	4	3	2	1	1	2	1	1
55-59 years	5	1	4	4	1	3	1	-	1	1	-	1
60-64 years	4	1	3	4	1	3	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cardiomyopathy (I42)												
All ages	26,863	15,334	11,529	21,721	12,383	9,338	5,142	2,951	2,191	4,623	2,644	1,979
Under 1 year	137	60	77	88	44	44	49	16	33	44	16	28
1-4 years	61	36	25	34	22	12	27	14	13	22	10	12
5-9 years	23	10	13	15	7	8	8	3	5	7	3	4
10-14 years	41	23	18	27	12	15	14	11	3	14	11	3
15-19 years	112	73	39	68	43	25	44	30	14	40	27	13
20-24 years	154	112	42	88	67	21	66	45	21	61	42	19
25-29 years	213	146	67	122	89	33	91	57	34	84	52	32
30-34 years	346	253	93	207	154	53	139	99	40	128	88	40
35-39 years	588	420	168	358	263	95	230	157	73	207	137	70
40-44 years	917	653	264	561	422	139	356	231	125	339	220	119
45-49 years	1,140	805	335	724	535	189	416	270	146	381	245	136
50-54 years	1,348	902	446	914	638	276	434	264	170	398	246	152
55-59 years	1,506	1,013	493	1,074	737	337	432	276	156	395	256	139
60-64 years	1,611	1,086	525	1,206	832	374	405	254	151	372	234	138
65-69 years	2,183	1,367	816	1,725	1,098	627	458	269	189	414	246	168
70-74 years	2,803	1,737	1,066	2,342	1,478	864	461	259	202	405	218	187
75-79 years	3,633	2,136	1,497	3,114	1,863	1,251	519	273	246	466	243	223
80-84 years	3,955	2,100	1,855	3,503	1,877	1,626	452	223	229	386	191	195
85-89 years	3,382	1,501	1,881	3,062	1,367	1,695	320	134	186	273	109	164
90-94 years	1,916	690	1,226	1,747	635	1,112	169	55	114	144	41	103
95-99 years	679	189	490	639	180	459	40	9	31	35	7	28
100 yrs & over	112	19	93	100	17	83	12	2	10	8	2	6
Not stated	3	3	-	3	3	-	-	-	-	-	-	-
Dilated cardiomyopathy (I42.0)												
All ages	4,970	3,189	1,781	3,661	2,357	1,304	1,309	832	477	1,196	758	438
Under 1 year	20	4	16	12	3	9	8	1	7	7	1	6
1-4 years	19	11	8	8	6	2	11	5	6	10	4	6
5-9 years	4	1	3	3	1	2	1	-	1	1	-	1
10-14 years	6	3	3	4	1	3	2	2	-	2	2	-
15-19 years	31	18	13	20	10	10	11	8	3	11	8	3
20-24 years	43	28	15	28	20	8	15	8	7	15	8	7
25-29 years	77	58	19	40	32	8	37	26	11	37	26	11
30-34 years	109	86	23	65	52	13	44	34	10	40	30	10
35-39 years	213	157	56	116	84	32	97	73	24	88	65	23
40-44 years	331	248	83	201	160	41	130	88	42	125	84	41
45-49 years	383	279	104	224	170	54	159	109	50	145	98	47
50-54 years	402	264	138	275	192	83	127	72	55	114	65	49
55-59 years	404	276	128	277	195	82	127	81	46	119	78	41
60-64 years	352	244	108	255	175	80	97	69	28	85	60	25
65-69 years	422	261	161	323	196	127	99	65	34	89	61	28
70-74 years	481	307	174	392	250	142	89	57	32	82	51	31
75-79 years	568	350	218	480	299	181	88	51	37	79	44	35
80-84 years	498	300	198	409	251	158	89	49	40	76	42	34
85-89 years	379	195	184	331	170	161	48	25	23	42	22	20
90-94 years	163	75	88	139	68	71	24	7	17	23	7	16
95-99 years	54	22	32	48	20	28	6	2	4	6	2	4
100 yrs & over	11	2	9	11	2	9	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Obstructive hypertrophic cardiomyopathy (I42.1)												
All ages	194	56	138	166	45	121	28	11	17	24	9	15
Under 1 year	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	5	4	1	4	3	1	1	1	-	1	1	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	3	2	1	3	2	1	-	-	-	-	-	-
30-34 years	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years	8	6	2	6	4	2	2	2	-	1	1	-
40-44 years	7	3	4	5	2	3	2	1	1	2	1	1
45-49 years	8	4	4	8	4	4	-	-	-	-	-	-
50-54 years	8	3	5	6	2	4	2	1	1	2	1	1
55-59 years	6	4	2	4	4	-	2	-	2	2	-	2
60-64 years	12	5	7	10	4	6	2	1	1	2	1	1
65-69 years	10	3	7	9	2	7	1	1	-	1	1	-
70-74 years	19	2	17	14	1	13	5	1	4	5	1	4
75-79 years	19	2	17	16	1	15	3	1	2	2	-	2
80-84 years	36	5	31	33	5	28	3	-	3	2	-	2
85-89 years	24	5	19	20	3	17	4	2	2	3	2	1
90-94 years	16	1	15	16	1	15	-	-	-	-	-	-
95-99 years	5	2	3	5	2	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other hypertrophic cardiomyopathy (I42.2)												
All ages	1,218	776	442	883	564	319	335	212	123	311	199	112
Under 1 year	39	20	19	24	13	11	15	7	8	12	7	5
1-4 years	7	4	3	3	2	1	4	2	2	2	1	1
5-9 years	7	4	3	6	3	3	1	1	-	1	1	-
10-14 years	12	10	2	8	6	2	4	4	-	4	4	-
15-19 years	31	27	4	15	14	1	16	13	3	15	12	3
20-24 years	38	35	3	18	17	1	20	18	2	17	16	1
25-29 years	36	31	5	22	21	1	14	10	4	14	10	4
30-34 years	59	48	11	35	28	7	24	20	4	22	18	4
35-39 years	89	73	16	64	53	11	25	20	5	23	18	5
40-44 years	142	104	38	88	68	20	54	36	18	50	33	17
45-49 years	156	114	42	108	84	24	48	30	18	47	29	18
50-54 years	107	76	31	78	61	17	29	15	14	26	14	12
55-59 years	81	58	23	64	53	11	17	5	12	16	5	11
60-64 years	39	24	15	32	20	12	7	4	3	7	4	3
65-69 years	51	34	17	37	24	13	14	10	4	14	10	4
70-74 years	47	24	23	38	20	18	9	4	5	9	4	5
75-79 years	67	29	38	57	25	32	10	4	6	9	4	5
80-84 years	81	27	54	72	21	51	9	6	3	9	6	3
85-89 years	77	19	58	68	17	51	9	2	7	8	2	6
90-94 years	37	10	27	33	10	23	4	-	4	4	-	4
95-99 years	11	3	8	9	2	7	2	1	1	2	1	1
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	2	2	-	2	2	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Endomyocardial (eosinophilic) disease (I42.3)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Endocardial fibroelastosis (I42.4)												
All ages	123	57	66	100	47	53	23	10	13	22	9	13
Under 1 year	32	16	16	23	14	9	9	2	7	9	2	7
1-4 years	10	5	5	7	4	3	3	1	2	2	-	2
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	5	2	3	3	1	2	2	1	1	2	1	1
20-24 years	4	2	2	4	2	2	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	5	3	2	3	2	1	2	1	1	2	1	1
35-39 years	4	1	3	4	1	3	-	-	-	-	-	-
40-44 years	6	4	2	5	3	2	1	1	-	1	1	-
45-49 years	4	2	2	1	-	1	3	2	1	3	2	1
50-54 years	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	5	2	3	4	1	3	1	1	-	1	1	-
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	7	5	2	7	5	2	-	-	-	-	-	-
80-84 years	9	5	4	9	5	4	-	-	-	-	-	-
85-89 years	15	5	10	13	4	9	2	1	1	2	1	1
90-94 years	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other restrictive cardiomyopathy (I42.5)												
All ages	106	45	61	86	38	48	20	7	13	18	7	11
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	2	1	1	1	-	1	1	1	-	1	1	-
10-14 years	2	-	2	1	-	1	1	-	1	1	-	1
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	1	1	1	-	1	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	1	1	-	1	-	1	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	5	2	3	2	-	2	3	2	1	3	2	1
50-54 years	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years	6	-	6	5	-	5	1	-	1	1	-	1
60-64 years	7	3	4	5	2	3	2	1	1	1	1	-
65-69 years	10	3	7	8	3	5	2	-	2	2	-	2
70-74 years	9	5	4	7	4	3	2	1	1	2	1	1
75-79 years	10	7	3	7	6	1	3	1	2	3	1	2
80-84 years	18	5	13	16	5	11	2	-	2	2	-	2
85-89 years	14	6	8	13	6	7	1	-	1	1	-	1
90-94 years	10	6	4	10	6	4	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholic cardiomyopathy (I42.6)												
All ages	499	443	56	371	329	42	128	114	14	113	100	13
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	3	3	-	-	-	-	3	3	-	2	2	-
30-34 years	7	5	2	5	3	2	2	2	-	1	1	-
35-39 years	22	18	4	16	14	2	6	4	2	4	3	1
40-44 years	55	49	6	41	36	5	14	13	1	13	12	1
45-49 years	64	54	10	44	37	7	20	17	3	16	13	3
50-54 years	81	72	9	60	53	7	21	19	2	21	19	2
55-59 years	66	62	4	49	46	3	17	16	1	14	13	1
60-64 years	56	51	5	41	38	3	15	13	2	14	12	2
65-69 years	52	46	6	40	35	5	12	11	1	12	11	1
70-74 years	27	25	2	25	23	2	2	2	-	1	1	-
75-79 years	30	26	4	19	16	3	11	10	1	11	10	1
80-84 years	23	21	2	21	19	2	2	2	-	2	2	-
85-89 years	11	10	1	9	8	1	2	2	-	1	1	-
90-94 years	2	1	1	1	1	-	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cardiomyopathy due to drugs and other external agents (I42.7)												
All ages	16	6	10	12	5	7	4	1	3	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	1	-	1	1	1	-	1	1	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	3	-	3	2	-	2	1	-	1	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	-	-	-	1	-	1	-	-	-
60-64 years	5	1	4	4	1	3	1	-	1	1	-	1
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other cardiomyopathies (I42.8)												
All ages	49	16	33	36	12	24	13	4	9	10	3	7
Under 1 year	2	-	2	-	-	-	2	-	2	2	-	2
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	3	-	3	3	-	3	-	-	-	-	-	-
30-34 years	3	2	1	2	1	1	1	1	-	1	1	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	2	1	1	1	-	1	1	1	-	1	1	-
45-49 years	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years	2	1	1	1	1	-	1	-	1	1	-	1
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	5	2	3	2	2	-	3	-	3	2	-	2
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	4	2	2	2	1	1	2	1	1	1	-	1
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	5	1	4	4	-	4	1	1	-	1	1	-
85-89 years	8	3	5	7	3	4	1	-	1	-	-	-
90-94 years	5	-	5	5	-	5	-	-	-	-	-	-
95-99 years	4	2	2	4	2	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cardiomyopathy, unspecified (I42.9)												
All ages	19,687	10,745	8,942	16,405	8,985	7,420	3,282	1,760	1,522	2,927	1,558	1,369
Under 1 year	42	19	23	28	13	15	14	6	8	13	6	7
1-4 years	24	15	9	15	9	6	9	6	3	8	5	3
5-9 years	8	4	4	3	3	-	5	1	4	4	1	3
10-14 years	18	9	9	11	4	7	7	5	2	7	5	2
15-19 years	38	21	17	24	14	10	14	7	7	11	5	6
20-24 years	67	45	22	36	26	10	31	19	12	29	18	11
25-29 years	88	50	38	52	33	19	36	17	19	30	13	17
30-34 years	160	106	54	94	65	29	66	41	25	62	37	25
35-39 years	247	163	84	149	106	43	98	57	41	90	49	41
40-44 years	371	242	129	217	151	66	154	91	63	147	88	59
45-49 years	515	349	166	334	239	95	181	110	71	166	101	65
50-54 years	743	485	258	489	328	161	254	157	97	234	147	87
55-59 years	941	613	328	674	439	235	267	174	93	243	160	83
60-64 years	1,134	755	379	856	589	267	278	166	112	260	156	104
65-69 years	1,632	1,018	614	1,303	837	466	329	181	148	295	162	133
70-74 years	2,212	1,371	841	1,860	1,178	682	352	193	159	305	160	145
75-79 years	2,929	1,715	1,214	2,525	1,509	1,016	404	206	198	362	184	178
80-84 years	3,283	1,734	1,549	2,937	1,569	1,368	346	165	181	294	140	154
85-89 years	2,854	1,258	1,596	2,601	1,156	1,445	253	102	151	216	81	135
90-94 years	1,679	596	1,083	1,539	548	991	140	48	92	116	34	82
95-99 years	603	160	443	571	154	417	32	6	26	27	4	23
100 yrs & over	98	16	82	86	14	72	12	2	10	8	2	6
Not stated	1	1	-	1	1	-	-	-	-	-	-	-
Atrioventricular and left bundle-branch block (I44)												
All ages	367	141	226	331	132	199	36	9	27	31	6	25
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	1	2	2	1	1	1	-	1	1	-	1
40-44 years	2	1	1	1	-	1	1	1	-	1	1	-
45-49 years	7	4	3	6	3	3	1	1	-	-	-	-
50-54 years	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years	8	4	4	8	4	4	-	-	-	-	-	-
60-64 years	11	3	8	9	3	6	2	-	2	2	-	2
65-69 years	8	5	3	7	5	2	1	-	1	-	-	-
70-74 years	29	12	17	27	11	16	2	1	1	2	1	1
75-79 years	36	19	17	30	19	11	6	-	6	5	-	5
80-84 years	56	28	28	52	25	27	4	3	1	4	3	1
85-89 years	82	27	55	75	27	48	7	-	7	7	-	7
90-94 years	64	18	46	59	18	41	5	-	5	5	-	5
95-99 years	38	12	26	34	9	25	4	3	1	2	1	1
100 yrs & over	17	3	14	15	3	12	2	-	2	2	-	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Atrioventricular block, first degree (I44.0)												
All ages	4	2	2	4	2	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Atrioventricular block, second degree (I44.1)												
All ages	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	1	-	-	-	-	1	1	-	1	1	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Atrioventricular block, complete (I44.2)												
All ages	330	125	205	301	118	183	29	7	22	25	4	21
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years	2	1	1	1	-	1	1	1	-	1	1	-
45-49 years	6	3	3	5	2	3	1	1	-	-	-	-
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years	8	4	4	8	4	4	-	-	-	-	-	-
60-64 years	8	2	6	8	2	6	-	-	-	-	-	-
65-69 years	7	4	3	6	4	2	1	-	1	-	-	-
70-74 years	27	11	16	25	10	15	2	1	1	2	1	1
75-79 years	32	19	13	28	19	9	4	-	4	4	-	4
80-84 years	52	24	28	49	22	27	3	2	1	3	2	1
85-89 years	70	23	47	64	23	41	6	-	6	6	-	6
90-94 years	61	17	44	56	17	39	5	-	5	5	-	5
95-99 years	34	10	24	31	8	23	3	2	1	1	-	1
100 yrs & over	16	3	13	14	3	11	2	-	2	2	-	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified atrioventricular block (I44.3)												
All ages	23	11	12	18	10	8	5	1	4	4	1	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	1	1	1	1	-	1	-	1	1	-	1
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	4	-	4	2	-	2	2	-	2	1	-	1
80-84 years	2	2	-	1	1	-	1	1	-	1	1	-
85-89 years	8	4	4	7	4	3	1	-	1	1	-	1
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Left bundle-branch block, unspecified (I44.7)												
All ages	7	1	6	6	1	5	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other conduction disorders (I45)												
All ages	295	129	166	259	110	149	36	19	17	30	14	16
Under 1 year	5	3	2	4	3	1	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	6	5	1	5	4	1	1	1	-	1	1	-
20-24 years	7	6	1	5	4	1	2	2	-	1	1	-
25-29 years	3	2	1	3	2	1	-	-	-	-	-	-
30-34 years	6	5	1	6	5	1	-	-	-	-	-	-
35-39 years	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years	3	2	1	2	2	-	1	-	1	1	-	1
45-49 years	4	2	2	4	2	2	-	-	-	-	-	-
50-54 years	8	6	2	7	5	2	1	1	-	1	1	-
55-59 years	11	5	6	8	3	5	3	2	1	3	2	1
60-64 years	8	7	1	8	7	1	-	-	-	-	-	-
65-69 years	16	4	12	13	3	10	3	1	2	2	1	1
70-74 years	20	8	12	16	6	10	4	2	2	4	2	2
75-79 years	44	18	26	40	16	24	4	2	2	4	2	2
80-84 years	39	20	19	34	18	16	5	2	3	4	1	3
85-89 years	39	12	27	36	10	26	3	2	1	3	2	1
90-94 years	43	17	26	38	13	25	5	4	1	2	1	1
95-99 years	21	2	19	20	2	18	1	-	1	1	-	1
100 yrs & over	6	1	5	5	1	4	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other and unspecified right bundle-branch block (I45.1)															
All ages	7	5	2	6	5	1	1	-	1	1	-	1			
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1			
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-			
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-			
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-			
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-			
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-			
90-94 years	2	2	-	2	2	-	-	-	-	-	-	-			
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			
Bifascicular block (I45.2)															
All ages	3	2	1	3	2	1	-	-	-	-	-	-			
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-			
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-			
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-			
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-			
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-			
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Nonspecific intraventricular block (I45.4)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified heart block (I45.5)												
All ages	10	5	5	8	4	4	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	4	1	3	3	1	2	1	-	1	1	-	1
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Preexcitation syndrome (I45.6)												
All ages	28	21	7	23	17	6	5	4	1	4	3	1
Under 1 year	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	6	5	1	5	4	1	1	1	-	1	1	-
20-24 years	5	4	1	3	2	1	2	2	-	1	1	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	4	4	-	4	4	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	3	3	-	2	2	-	1	1	-	1	1	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified conduction disorders (I45.8)												
All ages	99	43	56	87	37	50	12	6	6	11	5	6
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	3	1	2	3	1	2	-	-	-	-	-	-
50-54 years	4	2	2	4	2	2	-	-	-	-	-	-
55-59 years	6	2	4	4	1	3	2	1	1	2	1	1
60-64 years	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years	8	2	6	8	2	6	-	-	-	-	-	-
70-74 years	11	5	6	7	3	4	4	2	2	4	2	2
75-79 years	20	9	11	18	8	10	2	1	1	2	1	1
80-84 years	14	9	5	12	8	4	2	1	1	2	1	1
85-89 years	16	3	13	15	3	12	1	-	1	1	-	1
90-94 years	8	4	4	7	3	4	1	1	-	-	-	-
95-99 years	4	1	3	4	1	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Conduction disorder, unspecified (I45.9)												
All ages	147	52	95	131	44	87	16	8	8	12	5	7
Under 1 year	3	2	1	3	2	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years	8	2	6	5	1	4	3	1	2	2	1	1
70-74 years	5	1	4	5	1	4	-	-	-	-	-	-
75-79 years	22	7	15	20	6	14	2	1	1	2	1	1
80-84 years	19	9	10	17	8	9	2	1	1	1	-	1
85-89 years	22	8	14	20	6	14	2	2	-	2	2	-
90-94 years	32	11	21	28	8	20	4	3	1	2	1	1
95-99 years	15	1	14	14	1	13	1	-	1	1	-	1
100 yrs & over	5	1	4	4	1	3	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cardiac arrest (I46)												
All ages	17,331	8,143	9,188	14,284	6,670	7,614	3,047	1,473	1,574	2,588	1,229	1,359
Under 1 year	24	10	14	18	8	10	6	2	4	4	2	2
1-4 years	16	12	4	11	7	4	5	5	-	5	5	-
5-9 years	3	2	1	-	-	-	3	2	1	3	2	1
10-14 years	12	7	5	9	6	3	3	1	2	3	1	2
15-19 years	15	11	4	13	10	3	2	1	1	2	1	1
20-24 years	25	18	7	17	13	4	8	5	3	8	5	3
25-29 years	40	24	16	28	16	12	12	8	4	10	7	3
30-34 years	65	44	21	39	28	11	26	16	10	25	16	9
35-39 years	138	92	46	79	53	26	59	39	20	54	36	18
40-44 years	252	175	77	182	137	45	70	38	32	60	31	29
45-49 years	428	298	130	310	230	80	118	68	50	113	63	50
50-54 years	672	460	212	495	349	146	177	111	66	159	101	58
55-59 years	831	551	280	620	421	199	211	130	81	182	109	73
60-64 years	1,008	638	370	784	506	278	224	132	92	201	121	80
65-69 years	1,285	738	547	1,015	612	403	270	126	144	244	112	132
70-74 years	1,854	1,038	816	1,504	854	650	350	184	166	288	148	140
75-79 years	2,401	1,256	1,145	2,003	1,050	953	398	206	192	324	168	156
80-84 years	2,740	1,213	1,527	2,351	1,034	1,317	389	179	210	312	135	177
85-89 years	2,505	857	1,648	2,185	749	1,436	320	108	212	270	89	181
90-94 years	1,929	503	1,426	1,689	426	1,263	240	77	163	196	50	146
95-99 years	858	167	691	741	139	602	117	28	89	90	21	69
100 yrs & over	230	29	201	191	22	169	39	7	32	35	6	29
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sudden cardiac death, so described (I46.1)												
All ages	2,730	1,349	1,381	2,392	1,181	1,211	338	168	170	317	156	161
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	8	6	2	6	5	1	2	1	1	2	1	1
25-29 years	9	6	3	7	5	2	2	1	1	2	1	1
30-34 years	8	4	4	7	4	3	1	-	1	1	-	1
35-39 years	24	13	11	17	10	7	7	3	4	6	2	4
40-44 years	39	28	11	32	25	7	7	3	4	6	2	4
45-49 years	87	65	22	70	57	13	17	8	9	17	8	9
50-54 years	136	102	34	120	90	30	16	12	4	15	12	3
55-59 years	169	110	59	143	90	53	26	20	6	25	19	6
60-64 years	178	122	56	152	105	47	26	17	9	25	16	9
65-69 years	206	128	78	168	103	65	38	25	13	36	24	12
70-74 years	277	149	128	235	131	104	42	18	24	41	17	24
75-79 years	401	220	181	356	191	165	45	29	16	39	26	13
80-84 years	418	179	239	383	165	218	35	14	21	32	12	20
85-89 years	400	130	270	368	123	245	32	7	25	28	6	22
90-94 years	231	63	168	205	58	147	26	5	21	26	5	21
95-99 years	104	20	84	92	16	76	12	4	8	12	4	8
100 yrs & over	32	3	29	29	2	27	3	1	2	3	1	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cardiac arrest, unspecified (I46.9)												
All ages	14,601	6,794	7,807	11,892	5,489	6,403	2,709	1,305	1,404	2,271	1,073	1,198
Under 1 year	23	10	13	17	8	9	6	2	4	4	2	2
1-4 years	16	12	4	11	7	4	5	5	-	5	5	-
5-9 years	3	2	1	-	-	-	3	2	1	3	2	1
10-14 years	11	7	4	9	6	3	2	1	1	2	1	1
15-19 years	14	10	4	12	9	3	2	1	1	2	1	1
20-24 years	17	12	5	11	8	3	6	4	2	6	4	2
25-29 years	31	18	13	21	11	10	10	7	3	8	6	2
30-34 years	57	40	17	32	24	8	25	16	9	24	16	8
35-39 years	114	79	35	62	43	19	52	36	16	48	34	14
40-44 years	213	147	66	150	112	38	63	35	28	54	29	25
45-49 years	341	233	108	240	173	67	101	60	41	96	55	41
50-54 years	536	358	178	375	259	116	161	99	62	144	89	55
55-59 years	662	441	221	477	331	146	185	110	75	157	90	67
60-64 years	830	516	314	632	401	231	198	115	83	176	105	71
65-69 years	1,079	610	469	847	509	338	232	101	131	208	88	120
70-74 years	1,577	889	688	1,269	723	546	308	166	142	247	131	116
75-79 years	2,000	1,036	964	1,647	859	788	353	177	176	285	142	143
80-84 years	2,322	1,034	1,288	1,968	869	1,099	354	165	189	280	123	157
85-89 years	2,105	727	1,378	1,817	626	1,191	288	101	187	242	83	159
90-94 years	1,698	440	1,258	1,484	368	1,116	214	72	142	170	45	125
95-99 years	754	147	607	649	123	526	105	24	81	78	17	61
100 yrs & over	198	26	172	162	20	142	36	6	30	32	5	27
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Paroxysmal tachycardia (I47)												
All ages	649	319	330	542	264	278	107	55	52	94	51	43
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	3	3	-	2	2	-	1	1	-	1	1	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	4	2	2	3	2	1	1	-	1	-	-	-
40-44 years	13	3	10	7	-	7	6	3	3	6	3	3
45-49 years	28	18	10	22	15	7	6	3	3	5	2	3
50-54 years	21	16	5	16	12	4	5	4	1	4	3	1
55-59 years	40	19	21	31	15	16	9	4	5	7	3	4
60-64 years	47	29	18	33	21	12	14	8	6	12	8	4
65-69 years	59	31	28	47	25	22	12	6	6	10	6	4
70-74 years	82	48	34	71	40	31	11	8	3	10	7	3
75-79 years	106	48	58	94	46	48	12	2	10	12	2	10
80-84 years	98	46	52	86	39	47	12	7	5	12	7	5
85-89 years	75	32	43	64	27	37	11	5	6	8	5	3
90-94 years	50	19	31	47	16	31	3	3	-	3	3	-
95-99 years	16	3	13	13	3	10	3	-	3	3	-	3
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Reentry ventricular arrhythmia (I47.0)												
All ages	2	1	1	-	-	-	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Supraventricular tachycardia (I47.1)												
All ages	137	51	86	122	43	79	15	8	7	13	7	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	8	5	3	5	2	3	3	3	-	2	2	-
60-64 years	7	6	1	4	3	1	3	3	-	3	3	-
65-69 years	8	2	6	8	2	6	-	-	-	-	-	-
70-74 years	10	6	4	9	6	3	1	-	1	1	-	1
75-79 years	18	6	12	17	6	11	1	-	1	1	-	1
80-84 years	25	7	18	23	6	17	2	1	1	2	1	1
85-89 years	24	9	15	21	8	13	3	1	2	2	1	1
90-94 years	20	5	15	20	5	15	-	-	-	-	-	-
95-99 years	8	1	7	7	1	6	1	-	1	1	-	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Ventricular tachycardia (I47.2)												
All ages	507	267	240	417	221	196	90	46	44	79	43	36
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	4	2	2	3	2	1	1	-	1	-	-	-
40-44 years	11	3	8	5	-	5	6	3	3	6	3	3
45-49 years	25	17	8	21	14	7	4	3	1	3	2	1
50-54 years	19	14	5	14	10	4	5	4	1	4	3	1
55-59 years	32	14	18	26	13	13	6	1	5	5	1	4
60-64 years	40	23	17	29	18	11	11	5	6	9	5	4
65-69 years	50	28	22	39	23	16	11	5	6	9	5	4
70-74 years	71	42	29	61	34	27	10	8	2	9	7	2
75-79 years	87	42	45	76	40	36	11	2	9	11	2	9
80-84 years	73	39	34	63	33	30	10	6	4	10	6	4
85-89 years	51	23	28	43	19	24	8	4	4	6	4	2
90-94 years	30	14	16	27	11	16	3	3	-	3	3	-
95-99 years	8	2	6	6	2	4	2	-	2	2	-	2
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Paroxysmal tachycardia, unspecified (I47.9)												
All ages	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Atrial fibrillation and flutter (I48)												
All ages	9,451	3,118	6,333	8,835	2,887	5,948	616	231	385	508	186	322
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	5	1	4	5	1	4	-	-	-	-	-	-
40-44 years	11	5	6	7	3	4	4	2	2	3	1	2
45-49 years	16	12	4	8	6	2	8	6	2	6	4	2
50-54 years	52	34	18	41	29	12	11	5	6	10	5	5
55-59 years	63	42	21	54	39	15	9	3	6	9	3	6
60-64 years	154	87	67	125	73	52	29	14	15	27	13	14
65-69 years	300	168	132	256	147	109	44	21	23	35	17	18
70-74 years	587	281	306	525	247	278	62	34	28	50	28	22
75-79 years	1,142	451	691	1,059	418	641	83	33	50	71	26	45
80-84 years	1,948	724	1,224	1,838	683	1,155	110	41	69	86	31	55
85-89 years	2,453	730	1,723	2,327	689	1,638	126	41	85	100	34	66
90-94 years	1,831	428	1,403	1,759	412	1,347	72	16	56	60	11	49
95-99 years	743	131	612	699	120	579	44	11	33	39	10	29
100 yrs & over	143	23	120	130	19	111	13	4	9	11	3	8
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other cardiac arrhythmias (I49)												
All ages	10,461	4,864	5,597	8,900	4,110	4,790	1,561	754	807	1,431	679	752
Under 1 year	6	5	1	3	3	-	3	2	1	2	2	-
1-4 years	14	5	9	12	4	8	2	1	1	1	-	1
5-9 years	11	4	7	9	4	5	2	-	2	2	-	2
10-14 years	26	11	15	15	9	6	11	2	9	8	2	6
15-19 years	38	27	11	26	19	7	12	8	4	11	7	4
20-24 years	61	42	19	39	27	12	22	15	7	20	14	6
25-29 years	64	42	22	46	29	17	18	13	5	16	12	4
30-34 years	101	53	48	70	39	31	31	14	17	27	12	15
35-39 years	135	76	59	93	57	36	42	19	23	39	17	22
40-44 years	214	136	78	163	107	56	51	29	22	45	23	22
45-49 years	323	187	136	246	146	100	77	41	36	72	39	33
50-54 years	411	248	163	306	191	115	105	57	48	100	53	47
55-59 years	461	279	182	355	208	147	106	71	35	98	65	33
60-64 years	542	340	202	443	277	166	99	63	36	91	57	34
65-69 years	745	421	324	609	349	260	136	72	64	123	63	60
70-74 years	988	545	443	842	468	374	146	77	69	134	70	64
75-79 years	1,418	722	696	1,212	618	594	206	104	102	190	94	96
80-84 years	1,593	686	907	1,399	611	788	194	75	119	182	70	112
85-89 years	1,561	594	967	1,418	548	870	143	46	97	130	40	90
90-94 years	1,127	308	819	1,030	280	750	97	28	69	92	27	65
95-99 years	484	109	375	438	95	343	46	14	32	37	9	28
100 yrs & over	137	23	114	125	20	105	12	3	9	11	3	8
Not stated	1	1	-	1	1	-	-	-	-	-	-	-
Ventricular fibrillation and flutter (I49.0)												
All ages	1,406	780	626	1,208	682	526	198	98	100	181	86	95
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	3	1	2	2	1	1	1	-	1	1	-	1
15-19 years	5	4	1	4	3	1	1	1	-	1	1	-
20-24 years	3	2	1	2	1	1	1	1	-	1	1	-
25-29 years	8	4	4	7	3	4	1	1	-	1	1	-
30-34 years	12	3	9	7	3	4	5	-	5	4	-	4
35-39 years	15	7	8	10	4	6	5	3	2	4	2	2
40-44 years	29	17	12	21	12	9	8	5	3	7	4	3
45-49 years	65	38	27	50	28	22	15	10	5	13	10	3
50-54 years	72	43	29	57	33	24	15	10	5	15	10	5
55-59 years	103	65	38	85	57	28	18	8	10	17	7	10
60-64 years	120	85	35	100	72	28	20	13	7	17	10	7
65-69 years	143	100	43	118	86	32	25	14	11	23	13	10
70-74 years	158	93	65	140	84	56	18	9	9	16	7	9
75-79 years	226	128	98	204	119	85	22	9	13	21	8	13
80-84 years	188	95	93	171	87	84	17	8	9	17	8	9
85-89 years	156	66	90	139	60	79	17	6	11	14	4	10
90-94 years	80	26	54	73	26	47	7	-	7	7	-	7
95-99 years	19	2	17	17	2	15	2	-	2	2	-	2
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Ventricular premature depolarization (I49.3)												
All ages	12	5	7	10	4	6	2	1	1	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	1	-	1	-	-	-	1	-	1	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified premature depolarization (I49.4)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sick sinus syndrome (I49.5)												
All ages	449	172	277	405	154	251	44	18	26	39	14	25
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	4	3	1	3	2	1	1	1	-	1	1	-
55-59 years	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years	10	6	4	7	4	3	3	2	1	2	1	1
65-69 years	12	7	5	9	6	3	3	1	2	3	1	2
70-74 years	16	8	8	16	8	8	-	-	-	-	-	-
75-79 years	59	33	26	54	29	25	5	4	1	5	4	1
80-84 years	67	26	41	54	22	32	13	4	9	12	3	9
85-89 years	103	26	77	96	24	72	7	2	5	6	1	5
90-94 years	94	35	59	88	33	55	6	2	4	5	2	3
95-99 years	64	22	42	59	20	39	5	2	3	4	1	3
100 yrs & over	17	3	14	16	3	13	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified cardiac arrhythmias (I49.8)												
All ages	47	18	29	38	15	23	9	3	6	7	3	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years	3	1	2	2	1	1	1	-	1	1	-	1
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years	5	1	4	3	1	2	2	-	2	2	-	2
70-74 years	6	2	4	6	2	4	-	-	-	-	-	-
75-79 years	5	1	4	3	1	2	2	-	2	1	-	1
80-84 years	8	3	5	7	2	5	1	1	-	1	1	-
85-89 years	8	4	4	7	4	3	1	-	1	-	-	-
90-94 years	8	2	6	8	2	6	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cardiac arrhythmia, unspecified (I49.9)												
All ages	8,546	3,888	4,658	7,238	3,254	3,984	1,308	634	674	1,203	575	628
Under 1 year	6	5	1	3	3	-	3	2	1	2	2	-
1-4 years	14	5	9	12	4	8	2	1	1	1	-	1
5-9 years	10	3	7	8	3	5	2	-	2	2	-	2
10-14 years	23	10	13	13	8	5	10	2	8	7	2	5
15-19 years	33	23	10	22	16	6	11	7	4	10	6	4
20-24 years	58	40	18	37	26	11	21	14	7	19	13	6
25-29 years	56	38	18	39	26	13	17	12	5	15	11	4
30-34 years	89	50	39	63	36	27	26	14	12	23	12	11
35-39 years	120	69	51	83	53	30	37	16	21	35	15	20
40-44 years	185	119	66	142	95	47	43	24	19	38	19	19
45-49 years	255	147	108	194	117	77	61	30	31	58	28	30
50-54 years	332	201	131	244	155	89	88	46	42	83	42	41
55-59 years	354	210	144	266	147	119	88	63	25	81	58	23
60-64 years	411	248	163	336	201	135	75	47	28	71	45	26
65-69 years	585	313	272	479	256	223	106	57	49	95	49	46
70-74 years	806	440	366	679	373	306	127	67	60	117	62	55
75-79 years	1,125	558	567	948	467	481	177	91	86	163	82	81
80-84 years	1,327	561	766	1,164	499	665	163	62	101	152	58	94
85-89 years	1,294	498	796	1,176	460	716	118	38	80	110	35	75
90-94 years	942	244	698	858	218	640	84	26	58	80	25	55
95-99 years	400	85	315	362	73	289	38	12	26	31	8	23
100 yrs & over	120	20	100	109	17	92	11	3	8	10	3	7
Not stated	1	1	-	1	1	-	-	-	-	-	-	-
Heart failure (I50)												
All ages	56,934	21,632	35,302	51,252	19,332	31,920	5,682	2,300	3,382	5,122	2,052	3,070
Under 1 year	24	16	8	19	12	7	5	4	1	5	4	1
1-4 years	17	5	12	15	5	10	2	-	2	2	-	2
5-9 years	8	5	3	5	3	2	3	2	1	3	2	1
10-14 years	7	3	4	6	2	4	1	1	-	-	-	-
15-19 years	19	11	8	13	9	4	6	2	4	6	2	4
20-24 years	15	5	10	5	1	4	10	4	6	10	4	6
25-29 years	41	25	16	25	12	13	16	13	3	16	13	3
30-34 years	51	31	20	32	19	13	19	12	7	18	11	7
35-39 years	115	76	39	76	49	27	39	27	12	35	26	9
40-44 years	192	106	86	112	69	43	80	37	43	77	35	42
45-49 years	353	227	126	237	166	71	116	61	55	111	57	54
50-54 years	601	361	240	418	259	159	183	102	81	174	96	78
55-59 years	926	556	370	693	429	264	233	127	106	223	121	102
60-64 years	1,448	791	657	1,149	647	502	299	144	155	275	130	145
65-69 years	2,270	1,235	1,035	1,849	1,021	828	421	214	207	382	195	187
70-74 years	4,004	2,109	1,895	3,428	1,828	1,600	576	281	295	528	256	272
75-79 years	6,879	3,300	3,579	6,108	2,961	3,147	771	339	432	697	303	394
80-84 years	10,255	4,372	5,883	9,358	4,001	5,357	897	371	526	789	320	469
85-89 years	12,793	4,320	8,473	11,903	4,038	7,865	890	282	608	787	246	541
90-94 years	10,735	2,886	7,849	10,063	2,703	7,360	672	183	489	589	148	441
95-99 years	4,971	1,020	3,951	4,645	947	3,698	326	73	253	295	63	232
100 yrs & over	1,209	172	1,037	1,092	151	941	117	21	96	100	20	80
Not stated	1	-	1	1	-	1	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congestive heart failure (I50.0)												
All ages	52,828	19,805	33,023	47,724	17,782	29,942	5,104	2,023	3,081	4,599	1,802	2,797
Under 1 year	13	10	3	11	8	3	2	2	-	2	2	-
1-4 years	9	3	6	8	3	5	1	-	1	1	-	1
5-9 years	5	4	1	3	2	1	2	2	-	2	2	-
10-14 years	4	2	2	3	1	2	1	1	-	-	-	-
15-19 years	15	8	7	9	6	3	6	2	4	6	2	4
20-24 years	11	3	8	4	-	4	7	3	4	7	3	4
25-29 years	30	17	13	18	8	10	12	9	3	12	9	3
30-34 years	42	26	16	28	18	10	14	8	6	13	7	6
35-39 years	90	60	30	57	38	19	33	22	11	30	21	9
40-44 years	152	85	67	85	52	33	67	33	34	64	31	33
45-49 years	299	192	107	197	138	59	102	54	48	99	52	47
50-54 years	512	300	212	359	214	145	153	86	67	146	81	65
55-59 years	766	456	310	570	354	216	196	102	94	188	97	91
60-64 years	1,259	678	581	1,002	554	448	257	124	133	234	111	123
65-69 years	2,045	1,098	947	1,660	906	754	385	192	193	348	174	174
70-74 years	3,646	1,907	1,739	3,132	1,660	1,472	514	247	267	469	224	245
75-79 years	6,372	3,019	3,353	5,683	2,726	2,957	689	293	396	625	265	360
80-84 years	9,545	4,022	5,523	8,732	3,696	5,036	813	326	487	717	280	437
85-89 years	12,065	4,067	7,998	11,243	3,807	7,436	822	260	562	726	226	500
90-94 years	10,158	2,733	7,425	9,536	2,564	6,972	622	169	453	547	137	410
95-99 years	4,681	954	3,727	4,377	885	3,492	304	69	235	275	60	215
100 yrs & over	1,108	161	947	1,006	142	864	102	19	83	88	18	70
Not stated	1	-	1	1	-	1	-	-	-	-	-	-
Left ventricular failure (I50.1)												
All ages	146	68	78	130	58	72	16	10	6	13	8	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years	2	1	1	-	-	-	2	1	1	2	1	1
55-59 years	10	7	3	10	7	3	-	-	-	-	-	-
60-64 years	7	2	5	4	1	3	3	1	2	2	-	2
65-69 years	6	4	2	5	3	2	1	1	-	1	1	-
70-74 years	17	7	10	15	6	9	2	1	1	2	1	1
75-79 years	19	10	9	16	7	9	3	3	-	2	2	-
80-84 years	28	15	13	27	14	13	1	1	-	1	1	-
85-89 years	17	7	10	14	6	8	3	1	2	2	1	1
90-94 years	22	5	17	22	5	17	-	-	-	-	-	-
95-99 years	7	2	5	7	2	5	-	-	-	-	-	-
100 yrs & over	4	2	2	4	2	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Heart failure, unspecified (I50.9)												
All ages	3,960	1,759	2,201	3,398	1,492	1,906	562	267	295	510	242	268
Under 1 year	11	6	5	8	4	4	3	2	1	3	2	1
1-4 years	8	2	6	7	2	5	1	-	1	1	-	1
5-9 years	3	1	2	2	1	1	1	-	1	1	-	1
10-14 years	3	1	2	3	1	2	-	-	-	-	-	-
15-19 years	4	3	1	4	3	1	-	-	-	-	-	-
20-24 years	4	2	2	1	1	-	3	1	2	3	1	2
25-29 years	10	7	3	6	3	3	4	4	-	4	4	-
30-34 years	8	4	4	4	1	3	4	3	1	4	3	1
35-39 years	25	16	9	19	11	8	6	5	1	5	5	-
40-44 years	38	20	18	25	16	9	13	4	9	13	4	9
45-49 years	51	32	19	37	25	12	14	7	7	12	5	7
50-54 years	87	60	27	59	45	14	28	15	13	26	14	12
55-59 years	150	93	57	113	68	45	37	25	12	35	24	11
60-64 years	182	111	71	143	92	51	39	19	20	39	19	20
65-69 years	219	133	86	184	112	72	35	21	14	33	20	13
70-74 years	341	195	146	281	162	119	60	33	27	57	31	26
75-79 years	488	271	217	409	228	181	79	43	36	70	36	34
80-84 years	682	335	347	599	291	308	83	44	39	71	39	32
85-89 years	711	246	465	646	225	421	65	21	44	59	19	40
90-94 years	555	148	407	505	134	371	50	14	36	42	11	31
95-99 years	283	64	219	261	60	201	22	4	18	20	3	17
100 yrs & over	97	9	88	82	7	75	15	2	13	12	2	10
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Complications and ill-defined descriptions of heart disease (I51)												
All ages	9,708	4,797	4,911	8,085	3,976	4,109	1,623	821	802	1,439	712	727
Under 1 year	41	23	18	24	15	9	17	8	9	15	6	9
1-4 years	53	29	24	30	14	16	23	15	8	20	15	5
5-9 years	20	8	12	13	5	8	7	3	4	6	2	4
10-14 years	26	15	11	16	11	5	10	4	6	7	3	4
15-19 years	52	37	15	38	26	12	14	11	3	11	9	2
20-24 years	77	56	21	52	36	16	25	20	5	22	17	5
25-29 years	96	62	34	64	45	19	32	17	15	30	17	13
30-34 years	157	105	52	102	70	32	55	35	20	50	31	19
35-39 years	254	184	70	188	138	50	66	46	20	54	36	18
40-44 years	335	225	110	236	174	62	99	51	48	94	49	45
45-49 years	401	277	124	281	199	82	120	78	42	105	66	39
50-54 years	416	281	135	302	221	81	114	60	54	105	55	50
55-59 years	428	277	151	328	219	109	100	58	42	91	55	36
60-64 years	492	325	167	409	275	134	83	50	33	75	44	31
65-69 years	575	364	211	471	307	164	104	57	47	91	46	45
70-74 years	833	498	335	696	418	278	137	80	57	120	69	51
75-79 years	1,105	569	536	940	488	452	165	81	84	141	66	75
80-84 years	1,337	570	767	1,194	511	683	143	59	84	122	50	72
85-89 years	1,429	519	910	1,279	466	813	150	53	97	136	47	89
90-94 years	1,016	253	763	926	233	693	90	20	70	82	17	65
95-99 years	445	96	349	399	85	314	46	11	35	40	9	31
100 yrs & over	119	24	95	97	20	77	22	4	18	21	3	18
Not stated	1	-	1	-	-	-	1	-	1	1	-	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cardiac septal defect, acquired (I51.0)												
All ages	15	8	7	15	8	7	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Rupture of chordae tendineae, not elsewhere classified (I51.1)												
All ages	12	5	7	10	4	6	2	1	1	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	2	1	1	1	1	-	1	-	1	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Rupture of papillary muscle, not elsewhere classified (I51.2)												
All ages	15	9	6	11	7	4	4	2	2	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	3	3	-	2	2	-	1	1	-	1	1	-
65-69 years	4	1	3	3	1	2	1	-	1	1	-	1
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	2	1	1	1	1	-	1	-	1	-	-	-
85-89 years	3	3	-	2	2	-	1	1	-	1	1	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Intracardiac thrombosis, not elsewhere classified (I51.3)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Myocarditis, unspecified (I51.4)												
All ages	530	275	255	374	193	181	156	82	74	135	69	66
Under 1 year	23	13	10	9	5	4	14	8	6	12	6	6
1-4 years	38	22	16	21	10	11	17	12	5	14	12	2
5-9 years	13	5	8	7	3	4	6	2	4	5	1	4
10-14 years	11	5	6	8	4	4	3	1	2	2	1	1
15-19 years	23	12	11	15	6	9	8	6	2	5	4	1
20-24 years	19	10	9	15	7	8	4	3	1	3	2	1
25-29 years	35	16	19	21	10	11	14	6	8	13	6	7
30-34 years	37	17	20	21	11	10	16	6	10	15	6	9
35-39 years	67	43	24	55	35	20	12	8	4	9	5	4
40-44 years	57	30	27	38	22	16	19	8	11	18	8	10
45-49 years	51	25	26	35	15	20	16	10	6	14	8	6
50-54 years	39	22	17	28	18	10	11	4	7	11	4	7
55-59 years	15	5	10	13	5	8	2	-	2	2	-	2
60-64 years	13	8	5	11	7	4	2	1	1	2	1	1
65-69 years	21	15	6	17	11	6	4	4	-	2	2	-
70-74 years	20	8	12	17	8	9	3	-	3	3	-	3
75-79 years	13	9	4	10	6	4	3	3	-	3	3	-
80-84 years	8	4	4	8	4	4	-	-	-	-	-	-
85-89 years	10	5	5	9	5	4	1	-	1	1	-	1
90-94 years	12	1	11	12	1	11	-	-	-	-	-	-
95-99 years	3	-	3	2	-	2	1	-	1	1	-	1
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Myocardial degeneration (I51.5)												
All ages	203	102	101	172	84	88	31	18	13	26	15	11
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	4	3	1	3	2	1	1	1	-	1	1	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	4	1	3	2	1	1	2	-	2	2	-	2
35-39 years	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years	6	2	4	6	2	4	-	-	-	-	-	-
45-49 years	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years	8	6	2	5	4	1	3	2	1	3	2	1
55-59 years	10	5	5	8	4	4	2	1	1	2	1	1
60-64 years	19	11	8	16	8	8	3	3	-	2	2	-
65-69 years	13	7	6	10	6	4	3	1	2	2	1	1
70-74 years	19	13	6	13	8	5	6	5	1	4	4	-
75-79 years	24	15	9	23	14	9	1	1	-	1	1	-
80-84 years	23	11	12	20	10	10	3	1	2	3	1	2
85-89 years	22	8	14	22	8	14	-	-	-	-	-	-
90-94 years	19	9	10	17	8	9	2	1	1	1	-	1
95-99 years	14	3	11	13	2	11	1	1	-	1	1	-
100 yrs & over	7	3	4	5	2	3	2	1	1	2	1	1
Not stated	1	-	1	-	-	-	1	-	1	1	-	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cardiovascular disease, unspecified (I51.6)												
All ages	3,855	1,645	2,210	3,295	1,396	1,899	560	249	311	489	209	280
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	2	1	1	1	-	1	1	1	-	1	1	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years	7	5	2	5	5	-	2	-	2	2	-	2
30-34 years	11	8	3	10	7	3	1	1	-	1	1	-
35-39 years	17	11	6	12	7	5	5	4	1	2	1	1
40-44 years	43	34	9	34	29	5	9	5	4	9	5	4
45-49 years	65	48	17	49	39	10	16	9	7	14	7	7
50-54 years	96	67	29	75	54	21	21	13	8	19	12	7
55-59 years	132	89	43	101	69	32	31	20	11	24	17	7
60-64 years	170	119	51	137	99	38	33	20	13	33	20	13
65-69 years	195	122	73	159	97	62	36	25	11	32	21	11
70-74 years	359	203	156	302	171	131	57	32	25	50	27	23
75-79 years	509	243	266	415	204	211	94	39	55	78	28	50
80-84 years	678	258	420	599	229	370	79	29	50	66	24	42
85-89 years	720	244	476	637	214	423	83	30	53	76	28	48
90-94 years	540	131	409	491	119	372	49	12	37	45	10	35
95-99 years	247	46	201	217	40	177	30	6	24	25	5	20
100 yrs & over	58	11	47	46	9	37	12	2	10	11	1	10
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cardiomegaly (I51.7)												
All ages	1,403	918	485	1,033	682	351	370	236	134	334	210	124
Under 1 year	4	2	2	3	2	1	1	-	1	1	-	1
1-4 years	6	3	3	2	-	2	4	3	1	4	3	1
5-9 years	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years	7	5	2	4	3	1	3	2	1	3	2	1
15-19 years	17	17	-	13	13	-	4	4	-	4	4	-
20-24 years	41	32	9	25	19	6	16	13	3	14	11	3
25-29 years	44	35	9	31	26	5	13	9	4	12	9	3
30-34 years	91	72	19	60	47	13	31	25	6	27	21	6
35-39 years	140	110	30	96	79	17	44	31	13	38	27	11
40-44 years	179	128	51	126	100	26	53	28	25	51	27	24
45-49 years	195	137	58	133	97	36	62	40	22	54	35	19
50-54 years	138	94	44	96	73	23	42	21	21	39	18	21
55-59 years	89	59	30	63	39	24	26	20	6	26	20	6
60-64 years	73	42	31	57	33	24	16	9	7	14	7	7
65-69 years	54	32	22	43	27	16	11	5	6	9	3	6
70-74 years	53	38	15	40	28	12	13	10	3	12	10	2
75-79 years	66	36	30	59	31	28	7	5	2	7	5	2
80-84 years	58	28	30	49	23	26	9	5	4	7	4	3
85-89 years	73	33	40	61	27	34	12	6	6	9	4	5
90-94 years	47	8	39	44	8	36	3	-	3	3	-	3
95-99 years	21	5	16	21	5	16	-	-	-	-	-	-
100 yrs & over	5	1	4	5	1	4	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other ill-defined heart diseases (I51.8)												
All ages	681	343	338	623	315	308	58	28	30	52	25	27
Under 1 year	8	4	4	6	4	2	2	-	2	2	-	2
1-4 years	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	4	4	-	3	3	-	1	1	-	-	-	-
15-19 years	4	3	1	4	3	1	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	-	2	1	-	1	1	-	1	1	-	1
35-39 years	4	-	4	3	-	3	1	-	1	1	-	1
40-44 years	10	6	4	7	5	2	3	1	2	2	-	2
45-49 years	13	11	2	12	10	2	1	1	-	1	1	-
50-54 years	13	10	3	12	9	3	1	1	-	1	1	-
55-59 years	25	14	11	19	12	7	6	2	4	6	2	4
60-64 years	41	28	13	38	26	12	3	2	1	3	2	1
65-69 years	56	32	24	47	26	21	9	6	3	8	6	2
70-74 years	62	42	20	57	37	20	5	5	-	4	4	-
75-79 years	102	52	50	95	51	44	7	1	6	5	1	4
80-84 years	102	45	57	98	44	54	4	1	3	4	1	3
85-89 years	125	51	74	117	46	71	8	5	3	8	5	3
90-94 years	70	27	43	66	26	40	4	1	3	4	1	3
95-99 years	29	12	17	28	11	17	1	1	-	1	1	-
100 yrs & over	8	-	8	8	-	8	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Heart disease, unspecified (I51.9)												
All ages	2,993	1,492	1,501	2,551	1,287	1,264	442	205	237	399	181	218
Under 1 year	3	2	1	3	2	1	-	-	-	-	-	-
1-4 years	6	3	3	5	3	2	1	-	1	1	-	1
5-9 years	2	-	2	2	-	2	-	-	-	-	-	-
10-14 years	3	1	2	1	1	-	2	-	2	1	-	1
15-19 years	4	2	2	2	1	1	2	1	1	2	1	1
20-24 years	10	8	2	7	6	1	3	2	1	3	2	1
25-29 years	9	6	3	6	4	2	3	2	1	3	2	1
30-34 years	12	7	5	8	4	4	4	3	1	4	3	1
35-39 years	23	18	5	19	15	4	4	3	1	4	3	1
40-44 years	40	25	15	25	16	9	15	9	6	14	9	5
45-49 years	74	54	20	49	36	13	25	18	7	22	15	7
50-54 years	121	81	40	86	63	23	35	18	17	31	17	14
55-59 years	154	104	50	121	89	32	33	15	18	31	15	16
60-64 years	170	113	57	145	99	46	25	14	11	20	11	9
65-69 years	229	153	76	189	137	52	40	16	24	37	13	24
70-74 years	316	193	123	263	165	98	53	28	25	47	24	23
75-79 years	385	212	173	333	180	153	52	32	20	47	28	19
80-84 years	464	221	243	417	198	219	47	23	24	42	20	22
85-89 years	474	174	300	429	163	266	45	11	34	41	9	32
90-94 years	325	76	249	293	70	223	32	6	26	29	6	23
95-99 years	130	30	100	117	27	90	13	3	10	12	2	10
100 yrs & over	39	9	30	31	8	23	8	1	7	8	1	7
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Subarachnoid hemorrhage (I60)												
All ages	6,142	2,151	3,991	4,897	1,731	3,166	1,245	420	825	924	307	617
Under 1 year	2	-	2	-	-	-	2	-	2	2	-	2
1-4 years	3	2	1	3	2	1	-	-	-	-	-	-
5-9 years	5	3	2	3	3	-	2	-	2	2	-	2
10-14 years	8	2	6	5	1	4	3	1	2	1	1	-
15-19 years	21	9	12	15	7	8	6	2	4	5	2	3
20-24 years	46	25	21	32	21	11	14	4	10	11	3	8
25-29 years	67	39	28	45	28	17	22	11	11	19	10	9
30-34 years	146	71	75	107	53	54	39	18	21	27	11	16
35-39 years	283	111	172	196	80	116	87	31	56	69	23	46
40-44 years	507	211	296	363	156	207	144	55	89	126	46	80
45-49 years	617	242	375	460	182	278	157	60	97	126	45	81
50-54 years	624	255	369	456	192	264	168	63	105	131	49	82
55-59 years	600	218	382	463	164	299	137	54	83	102	37	65
60-64 years	473	166	307	403	143	260	70	23	47	54	20	34
65-69 years	502	154	348	395	128	267	107	26	81	76	18	58
70-74 years	555	203	352	471	174	297	84	29	55	47	15	32
75-79 years	596	173	423	511	151	360	85	22	63	56	17	39
80-84 years	506	144	362	461	138	323	45	6	39	25	4	21
85-89 years	365	88	277	315	76	239	50	12	38	31	4	27
90-94 years	162	30	132	148	27	121	14	3	11	9	2	7
95-99 years	49	4	45	40	4	36	9	-	9	5	-	5
100 yrs & over	5	1	4	5	1	4	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Subarachnoid hemorrhage from carotid siphon and bifurcation (I60.0)												
All ages	61	21	40	44	17	27	17	4	13	14	3	11
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	4	2	2	2	2	-	2	-	2	2	-	2
40-44 years	9	4	5	4	2	2	5	2	3	4	1	3
45-49 years	11	5	6	7	5	2	4	-	4	3	-	3
50-54 years	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years	6	3	3	4	3	1	2	-	2	2	-	2
60-64 years	4	-	4	4	-	4	-	-	-	-	-	-
65-69 years	7	2	5	4	1	3	3	1	2	2	1	1
70-74 years	7	1	6	7	1	6	-	-	-	-	-	-
75-79 years	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Subarachnoid hemorrhage from anterior communicating artery (I60.2)												
All ages	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Subarachnoid hemorrhage from basilar artery (I60.4)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Subarachnoid hemorrhage from vertebral artery (I60.5)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Subarachnoid hemorrhage from other intracranial arteries (I60.6)												
All ages	32	11	21	26	10	16	6	1	5	5	-	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	2	1	1	1	1	-	1	-	1	1	-	1
45-49 years	4	3	1	3	2	1	1	1	-	-	-	-
50-54 years	7	1	6	5	1	4	2	-	2	2	-	2
55-59 years	3	-	3	3	-	3	-	-	-	-	-	-
60-64 years	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years	2	-	2	1	-	1	1	-	1	1	-	1
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Subarachnoid hemorrhage from intracranial artery, unspecified (I60.7)												
All ages	449	193	256	357	163	194	92	30	62	79	26	53
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	4	2	2	2	1	1	2	1	1	2	1	1
20-24 years	6	4	2	3	3	-	3	1	2	3	1	2
25-29 years	10	7	3	9	6	3	1	1	-	1	1	-
30-34 years	19	11	8	16	10	6	3	1	2	2	-	2
35-39 years	49	24	25	34	18	16	15	6	9	15	6	9
40-44 years	72	34	38	58	29	29	14	5	9	12	4	8
45-49 years	70	33	37	56	29	27	14	4	10	13	4	9
50-54 years	69	28	41	52	22	30	17	6	11	17	6	11
55-59 years	56	22	34	44	18	26	12	4	8	8	3	5
60-64 years	26	10	16	24	10	14	2	-	2	1	-	1
65-69 years	21	6	15	18	5	13	3	1	2	2	-	2
70-74 years	19	7	12	17	7	10	2	-	2	1	-	1
75-79 years	11	3	8	8	3	5	3	-	3	1	-	1
80-84 years	11	2	9	10	2	8	1	-	1	1	-	1
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other subarachnoid hemorrhage (I60.8)												
All ages	19	12	7	11	8	3	8	4	4	4	2	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	5	4	1	3	2	1	2	2	-	1	1	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	3	2	1	2	2	-	1	-	1	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Subarachnoid hemorrhage, unspecified (I60.9)												
All ages	5,576	1,910	3,666	4,455	1,530	2,925	1,121	380	741	821	275	546
Under 1 year	2	-	2	-	-	-	2	-	2	2	-	2
1-4 years	3	2	1	3	2	1	-	-	-	-	-	-
5-9 years	4	3	1	3	3	-	1	-	1	1	-	1
10-14 years	7	2	5	4	1	3	3	1	2	1	1	-
15-19 years	16	7	9	12	6	6	4	1	3	3	1	2
20-24 years	40	21	19	29	18	11	11	3	8	8	2	6
25-29 years	55	31	24	36	22	14	19	9	10	16	8	8
30-34 years	122	56	66	87	40	47	35	16	19	25	11	14
35-39 years	227	84	143	158	59	99	69	25	44	52	17	35
40-44 years	422	171	251	300	124	176	122	47	75	107	40	67
45-49 years	527	197	330	391	144	247	136	53	83	109	40	69
50-54 years	543	223	320	395	167	228	148	56	92	111	42	69
55-59 years	533	192	341	410	142	268	123	50	73	92	34	58
60-64 years	436	151	285	369	128	241	67	23	44	53	20	33
65-69 years	471	145	326	370	121	249	101	24	77	72	17	55
70-74 years	528	194	334	446	165	281	82	29	53	46	15	31
75-79 years	578	168	410	496	146	350	82	22	60	55	17	38
80-84 years	491	140	351	448	134	314	43	6	37	23	4	19
85-89 years	360	88	272	310	76	234	50	12	38	31	4	27
90-94 years	158	30	128	144	27	117	14	3	11	9	2	7
95-99 years	48	4	44	39	4	35	9	-	9	5	-	5
100 yrs & over	5	1	4	5	1	4	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral hemorrhage (I61)												
All ages	19,685	8,921	10,764	16,189	7,193	8,996	3,496	1,728	1,768	2,716	1,339	1,377
Under 1 year	31	19	12	18	10	8	13	9	4	12	9	3
1-4 years	8	5	3	5	3	2	3	2	1	3	2	1
5-9 years	8	5	3	6	5	1	2	-	2	1	-	1
10-14 years	18	9	9	11	6	5	7	3	4	5	2	3
15-19 years	22	16	6	18	12	6	4	4	-	4	4	-
20-24 years	50	28	22	32	19	13	18	9	9	16	8	8
25-29 years	62	37	25	40	23	17	22	14	8	21	14	7
30-34 years	110	57	53	72	41	31	38	16	22	32	14	18
35-39 years	232	140	92	152	89	63	80	51	29	62	35	27
40-44 years	541	303	238	322	189	133	219	114	105	188	97	91
45-49 years	795	468	327	450	277	173	345	191	154	301	166	135
50-54 years	1,017	587	430	575	335	240	442	252	190	384	219	165
55-59 years	998	563	435	685	387	298	313	176	137	252	146	106
60-64 years	1,266	693	573	920	518	402	346	175	171	267	134	133
65-69 years	1,473	751	722	1,163	588	575	310	163	147	243	131	112
70-74 years	2,295	1,195	1,100	1,947	1,019	928	348	176	172	235	118	117
75-79 years	3,182	1,464	1,718	2,837	1,312	1,525	345	152	193	240	94	146
80-84 years	3,451	1,382	2,069	3,166	1,271	1,895	285	111	174	205	76	129
85-89 years	2,642	865	1,777	2,419	788	1,631	223	77	146	143	50	93
90-94 years	1,174	266	908	1,073	244	829	101	22	79	78	13	65
95-99 years	284	61	223	254	51	203	30	10	20	22	6	16
100 yrs & over	24	5	19	23	5	18	1	-	1	1	-	1
Not stated	2	2	-	1	1	-	1	1	-	1	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Intracerebral hemorrhage in hemisphere, subcortical (I61.0)												
All ages	192	90	102	138	65	73	54	25	29	36	15	21
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	7	5	2	6	5	1	1	-	1	1	-	1
45-49 years	15	8	7	3	3	-	12	5	7	8	3	5
50-54 years	17	7	10	6	3	3	11	4	7	9	3	6
55-59 years	11	7	4	5	4	1	6	3	3	4	1	3
60-64 years	10	5	5	7	4	3	3	1	2	2	1	1
65-69 years	21	9	12	16	7	9	5	2	3	2	1	1
70-74 years	21	14	7	13	9	4	8	5	3	6	3	3
75-79 years	33	15	18	30	14	16	3	1	2	1	1	-
80-84 years	29	9	20	28	9	19	1	-	1	1	-	1
85-89 years	22	6	16	20	4	16	2	2	-	1	1	-
90-94 years	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral hemorrhage in hemisphere, cortical (I61.1)												
All ages	108	46	62	91	36	55	17	10	7	10	5	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	3	1	2	3	1	2	-	-	-	-	-	-
50-54 years	5	4	1	3	2	1	2	2	-	2	2	-
55-59 years	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years	7	3	4	5	2	3	2	1	1	2	1	1
65-69 years	8	3	5	6	2	4	2	1	1	2	1	1
70-74 years	17	10	7	13	8	5	4	2	2	1	-	1
75-79 years	19	7	12	17	6	11	2	1	1	-	-	-
80-84 years	20	6	14	18	5	13	2	1	1	1	-	1
85-89 years	15	4	11	14	4	10	1	-	1	1	-	1
90-94 years	7	4	3	6	3	3	1	1	-	1	1	-
95-99 years	2	1	1	1	-	1	1	1	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Intracerebral hemorrhage in hemisphere, unspecified (I61.2)												
All ages	44	17	27	39	16	23	5	1	4	3	-	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	3	2	1	2	1	1	1	1	-	-	-	-
70-74 years	5	3	2	5	3	2	-	-	-	-	-	-
75-79 years	5	2	3	5	2	3	-	-	-	-	-	-
80-84 years	10	3	7	9	3	6	1	-	1	1	-	1
85-89 years	12	5	7	9	5	4	3	-	3	2	-	2
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral hemorrhage in brain stem (I61.3)												
All ages	578	313	265	411	212	199	167	101	66	126	78	48
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	2	-	2	-	-	-	2	-	2	2	-	2
25-29 years	6	4	2	3	1	2	3	3	-	3	3	-
30-34 years	5	3	2	4	3	1	1	-	1	1	-	1
35-39 years	15	11	4	7	5	2	8	6	2	6	4	2
40-44 years	41	27	14	20	11	9	21	16	5	17	12	5
45-49 years	58	44	14	34	27	7	24	17	7	21	16	5
50-54 years	71	44	27	42	27	15	29	17	12	22	12	10
55-59 years	61	37	24	36	21	15	25	16	9	21	15	6
60-64 years	54	33	21	37	23	14	17	10	7	11	6	5
65-69 years	41	21	20	34	16	18	7	5	2	7	5	2
70-74 years	53	26	27	43	23	20	10	3	7	4	2	2
75-79 years	59	24	35	52	21	31	7	3	4	4	1	3
80-84 years	44	18	26	39	15	24	5	3	2	4	2	2
85-89 years	46	15	31	39	14	25	7	1	6	3	-	3
90-94 years	14	2	12	13	1	12	1	1	-	-	-	-
95-99 years	6	2	4	6	2	4	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Intracerebral hemorrhage in cerebellum (I61.4)												
All ages	625	318	307	502	250	252	123	68	55	86	52	34
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	2	-	-	-	-	2	2	-	1	1	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	3	2	1	2	1	1	1	1	-	1	1	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	4	3	1	1	1	-	3	2	1	3	2	1
35-39 years	6	5	1	5	4	1	1	1	-	1	1	-
40-44 years	22	13	9	10	8	2	12	5	7	10	4	6
45-49 years	26	16	10	18	11	7	8	5	3	6	4	2
50-54 years	34	19	15	16	10	6	18	9	9	14	8	6
55-59 years	44	28	16	33	20	13	11	8	3	11	8	3
60-64 years	43	27	16	32	19	13	11	8	3	8	5	3
65-69 years	50	28	22	41	23	18	9	5	4	7	4	3
70-74 years	83	46	37	67	38	29	16	8	8	7	4	3
75-79 years	101	52	49	90	48	42	11	4	7	7	3	4
80-84 years	107	44	63	96	38	58	11	6	5	5	3	2
85-89 years	66	26	40	60	23	37	6	3	3	3	3	-
90-94 years	28	3	25	26	3	23	2	-	2	1	-	1
95-99 years	2	1	1	1	-	1	1	1	-	1	1	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral hemorrhage, intraventricular (I61.5)												
All ages	777	418	359	584	317	267	193	101	92	167	88	79
Under 1 year	24	15	9	15	8	7	9	7	2	9	7	2
1-4 years	4	2	2	2	1	1	2	1	1	2	1	1
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	6	4	2	5	3	2	1	1	-	1	1	-
15-19 years	3	3	-	2	2	-	1	1	-	1	1	-
20-24 years	6	3	3	3	1	2	3	2	1	2	1	1
25-29 years	4	3	1	3	3	-	1	-	1	1	-	1
30-34 years	6	5	1	4	4	-	2	1	1	2	1	1
35-39 years	17	12	5	12	9	3	5	3	2	5	3	2
40-44 years	34	21	13	17	11	6	17	10	7	17	10	7
45-49 years	35	23	12	17	11	6	18	12	6	16	11	5
50-54 years	48	30	18	25	18	7	23	12	11	20	10	10
55-59 years	56	39	17	35	25	10	21	14	7	17	12	5
60-64 years	81	50	31	56	37	19	25	13	12	21	12	9
65-69 years	65	34	31	51	26	25	14	8	6	11	7	4
70-74 years	85	42	43	75	37	38	10	5	5	8	3	5
75-79 years	108	60	48	91	53	38	17	7	10	15	5	10
80-84 years	106	49	57	96	47	49	10	2	8	6	1	5
85-89 years	58	15	43	51	13	38	7	2	5	7	2	5
90-94 years	26	8	18	20	8	12	6	-	6	5	-	5
95-99 years	4	-	4	4	-	4	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Intracerebral hemorrhage, multiple localized (I61.6)												
All ages	4	1	3	3	-	3	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other intracerebral hemorrhage (I61.8)												
All ages	87	36	51	73	30	43	14	6	8	11	5	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	-	2	1	-	1	1	-	1	1	-	1
35-39 years	2	1	1	1	-	1	1	1	-	-	-	-
40-44 years	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years	6	2	4	5	2	3	1	-	1	1	-	1
50-54 years	12	7	5	8	4	4	4	3	1	4	3	1
55-59 years	6	1	5	5	1	4	1	-	1	1	-	1
60-64 years	6	2	4	4	2	2	2	-	2	1	-	1
65-69 years	12	4	8	11	3	8	1	1	-	1	1	-
70-74 years	10	5	5	8	5	3	2	-	2	1	-	1
75-79 years	8	3	5	8	3	5	-	-	-	-	-	-
80-84 years	4	2	2	3	1	2	1	1	-	1	1	-
85-89 years	11	3	8	11	3	8	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Intracerebral hemorrhage, unspecified (I61.9)												
All ages	17,270	7,682	9,588	14,348	6,267	8,081	2,922	1,415	1,507	2,276	1,095	1,181
Under 1 year	6	3	3	2	1	1	4	2	2	3	2	1
1-4 years	2	1	1	1	-	1	1	1	-	1	1	-
5-9 years	5	4	1	4	4	-	1	-	1	-	-	-
10-14 years	9	2	7	5	2	3	4	-	4	3	-	3
15-19 years	16	11	5	13	8	5	3	3	-	3	3	-
20-24 years	38	22	16	26	16	10	12	6	6	11	6	5
25-29 years	51	30	21	33	19	14	18	11	7	17	11	6
30-34 years	90	44	46	60	32	28	30	12	18	25	11	14
35-39 years	191	110	81	127	71	56	64	39	25	49	26	23
40-44 years	434	235	199	266	152	114	168	83	85	143	71	72
45-49 years	652	374	278	370	222	148	282	152	130	249	132	117
50-54 years	828	476	352	473	271	202	355	205	150	313	181	132
55-59 years	816	447	369	567	312	255	249	135	114	198	110	88
60-64 years	1,063	571	492	778	430	348	285	141	144	221	108	113
65-69 years	1,273	650	623	1,002	510	492	271	140	131	213	112	101
70-74 years	2,021	1,049	972	1,723	896	827	298	153	145	208	106	102
75-79 years	2,849	1,301	1,548	2,544	1,165	1,379	305	136	169	213	84	129
80-84 years	3,131	1,251	1,880	2,877	1,153	1,724	254	98	156	186	69	117
85-89 years	2,410	791	1,619	2,213	722	1,491	197	69	128	126	44	82
90-94 years	1,092	246	846	1,001	226	775	91	20	71	71	12	59
95-99 years	268	57	211	240	49	191	28	8	20	21	5	16
100 yrs & over	23	5	18	22	5	17	1	-	1	1	-	1
Not stated	2	2	-	1	1	-	1	1	-	1	1	-
Other nontraumatic intracranial hemorrhage (I62)												
All ages	6,951	3,345	3,606	5,633	2,717	2,916	1,318	628	690	1,017	486	531
Under 1 year	9	6	3	4	3	1	5	3	2	5	3	2
1-4 years	7	2	5	5	1	4	2	1	1	2	1	1
5-9 years	6	3	3	6	3	3	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	6	4	2	5	4	1	1	-	1	-	-	-
20-24 years	10	7	3	8	6	2	2	1	1	2	1	1
25-29 years	19	10	9	9	5	4	10	5	5	9	5	4
30-34 years	41	24	17	28	17	11	13	7	6	12	6	6
35-39 years	92	60	32	54	34	20	38	26	12	34	23	11
40-44 years	155	82	73	85	45	40	70	37	33	61	29	32
45-49 years	279	178	101	160	106	54	119	72	47	108	66	42
50-54 years	354	202	152	209	124	85	145	78	67	128	70	58
55-59 years	347	209	138	261	158	103	86	51	35	68	40	28
60-64 years	385	221	164	267	162	105	118	59	59	90	45	45
65-69 years	552	293	259	409	227	182	143	66	77	100	50	50
70-74 years	797	419	378	658	356	302	139	63	76	90	43	47
75-79 years	1,141	539	602	998	478	520	143	61	82	101	41	60
80-84 years	1,242	537	705	1,100	489	611	142	48	94	102	31	71
85-89 years	936	361	575	846	326	520	90	35	55	63	21	42
90-94 years	435	143	292	401	133	268	34	10	24	27	7	20
95-99 years	117	39	78	105	36	69	12	3	9	9	2	7
100 yrs & over	19	4	15	15	4	11	4	-	4	4	-	4
Not stated	2	2	-	-	-	-	2	2	-	2	2	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Subdural hemorrhage (acute) (nontraumatic) (I62.0)												
All ages	1,083	605	478	930	515	415	153	90	63	119	68	51
Under 1 year	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years	2	2	-	1	1	-	1	1	-	1	1	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	3	3	-	2	2	-	1	1	-	1	1	-
35-39 years	6	3	3	5	2	3	1	1	-	1	1	-
40-44 years	12	7	5	8	4	4	4	3	1	2	2	-
45-49 years	14	10	4	10	7	3	4	3	1	3	3	-
50-54 years	21	14	7	14	10	4	7	4	3	7	4	3
55-59 years	35	24	11	27	18	9	8	6	2	7	5	2
60-64 years	39	25	14	26	16	10	13	9	4	10	7	3
65-69 years	45	29	16	31	20	11	14	9	5	10	7	3
70-74 years	95	56	39	80	50	30	15	6	9	11	4	7
75-79 years	168	97	71	145	83	62	23	14	9	17	9	8
80-84 years	220	126	94	192	113	79	28	13	15	25	11	14
85-89 years	213	112	101	199	102	97	14	10	4	9	5	4
90-94 years	152	67	85	137	60	77	15	7	8	12	6	6
95-99 years	45	22	23	42	20	22	3	2	1	1	1	-
100 yrs & over	7	3	4	6	3	3	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nontraumatic extradural hemorrhage (I62.1)												
All ages	10	5	5	8	3	5	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Intracranial hemorrhage (nontraumatic), unspecified (I62.9)												
All ages	5,858	2,735	3,123	4,695	2,199	2,496	1,163	536	627	896	416	480
Under 1 year	7	4	3	3	2	1	4	2	2	4	2	2
1-4 years	5	-	5	4	-	4	1	-	1	1	-	1
5-9 years	5	2	3	5	2	3	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	6	4	2	5	4	1	1	-	1	-	-	-
20-24 years	9	6	3	7	5	2	2	1	1	2	1	1
25-29 years	17	9	8	7	4	3	10	5	5	9	5	4
30-34 years	38	21	17	26	15	11	12	6	6	11	5	6
35-39 years	86	57	29	49	32	17	37	25	12	33	22	11
40-44 years	142	74	68	77	41	36	65	33	32	58	26	32
45-49 years	264	168	96	149	99	50	115	69	46	105	63	42
50-54 years	333	188	145	195	114	81	138	74	64	121	66	55
55-59 years	311	184	127	233	139	94	78	45	33	61	35	26
60-64 years	346	196	150	241	146	95	105	50	55	80	38	42
65-69 years	506	263	243	378	207	171	128	56	72	89	42	47
70-74 years	699	361	338	575	304	271	124	57	67	79	39	40
75-79 years	973	442	531	853	395	458	120	47	73	84	32	52
80-84 years	1,021	411	610	907	376	531	114	35	79	77	20	57
85-89 years	721	249	472	645	224	421	76	25	51	54	16	38
90-94 years	283	76	207	264	73	191	19	3	16	15	1	14
95-99 years	72	17	55	63	16	47	9	1	8	8	1	7
100 yrs & over	12	1	11	9	1	8	3	-	3	3	-	3
Not stated	2	2	-	-	-	-	2	2	-	2	2	-
Cerebral infarction (I63)												
All ages	12,654	4,943	7,711	11,057	4,255	6,802	1,597	688	909	1,360	585	775
Under 1 year	16	8	8	10	4	6	6	4	2	4	3	1
1-4 years	2	-	2	2	-	2	-	-	-	-	-	-
5-9 years	5	3	2	4	2	2	1	1	-	-	-	-
10-14 years	5	4	1	5	4	1	-	-	-	-	-	-
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	6	1	5	4	1	3	2	-	2	2	-	2
25-29 years	12	4	8	11	4	7	1	-	1	-	-	-
30-34 years	27	21	6	21	17	4	6	4	2	6	4	2
35-39 years	51	29	22	31	17	14	20	12	8	16	9	7
40-44 years	85	45	40	60	37	23	25	8	17	25	8	17
45-49 years	163	93	70	109	62	47	54	31	23	50	28	22
50-54 years	197	112	85	147	87	60	50	25	25	45	24	21
55-59 years	268	176	92	197	130	67	71	46	25	63	42	21
60-64 years	347	199	148	256	154	102	91	45	46	81	41	40
65-69 years	578	341	237	447	273	174	131	68	63	114	62	52
70-74 years	1,138	578	560	954	497	457	184	81	103	161	69	92
75-79 years	1,806	855	951	1,565	737	828	241	118	123	201	102	99
80-84 years	2,451	1,028	1,423	2,210	928	1,282	241	100	141	197	81	116
85-89 years	2,751	841	1,910	2,503	748	1,755	248	93	155	202	72	130
90-94 years	1,867	457	1,410	1,723	421	1,302	144	36	108	122	26	96
95-99 years	763	134	629	699	122	577	64	12	52	57	12	45
100 yrs & over	114	13	101	97	9	88	17	4	13	14	2	12
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cerebral infarction due to thrombosis of precerebral arteries (I63.0)												
All ages	156	88	68	130	77	53	26	11	15	21	9	12
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	-	2	1	-	1	1	-	1	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	3	2	1	2	1	1	1	1	-	1	1	-
40-44 years	5	1	4	4	1	3	1	-	1	1	-	1
45-49 years	6	5	1	5	5	-	1	-	1	1	-	1
50-54 years	11	11	-	11	11	-	-	-	-	-	-	-
55-59 years	15	11	4	13	10	3	2	1	1	2	1	1
60-64 years	17	11	6	11	9	2	6	2	4	5	1	4
65-69 years	8	4	4	6	2	4	2	2	-	1	1	-
70-74 years	27	16	11	22	14	8	5	2	3	5	2	3
75-79 years	27	13	14	23	12	11	4	1	3	2	1	1
80-84 years	17	10	7	17	10	7	-	-	-	-	-	-
85-89 years	13	4	9	11	2	9	2	2	-	2	2	-
90-94 years	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral infarction due to embolism of precerebral arteries (I63.1)												
All ages	19	7	12	18	7	11	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years	4	2	2	3	2	1	1	-	1	1	-	1
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cerebral infarction due to unspecified occlusion or stenosis of precerebral arteries (I63.2)												
All ages	714	382	332	638	341	297	76	41	35	59	31	28
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	6	4	2	4	2	2	2	2	-	1	1	-
40-44 years	12	8	4	10	7	3	2	1	1	2	1	1
45-49 years	16	7	9	13	6	7	3	1	2	3	1	2
50-54 years	31	15	16	25	12	13	6	3	3	6	3	3
55-59 years	38	27	11	34	24	10	4	3	1	4	3	1
60-64 years	39	27	12	31	23	8	8	4	4	7	4	3
65-69 years	55	43	12	48	38	10	7	5	2	7	5	2
70-74 years	101	51	50	89	46	43	12	5	7	7	3	4
75-79 years	134	82	52	119	72	47	15	10	5	10	6	4
80-84 years	132	61	71	123	57	66	9	4	5	5	2	3
85-89 years	96	35	61	91	33	58	5	2	3	5	2	3
90-94 years	35	16	19	32	15	17	3	1	2	2	-	2
95-99 years	11	3	8	11	3	8	-	-	-	-	-	-
100 yrs & over	4	1	3	4	1	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral infarction due to thrombosis of cerebral arteries (I63.3)												
All ages	2,021	701	1,320	1,807	607	1,200	214	94	120	191	84	107
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	2	-	2	1	-	1	1	-	1	1	-	1
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	7	6	1	7	6	1	-	-	-	-	-	-
35-39 years	5	3	2	1	1	-	4	2	2	4	2	2
40-44 years	10	4	6	8	4	4	2	-	2	2	-	2
45-49 years	9	3	6	7	2	5	2	1	1	2	1	1
50-54 years	16	11	5	14	10	4	2	1	1	2	1	1
55-59 years	20	13	7	15	10	5	5	3	2	4	3	1
60-64 years	38	20	18	26	14	12	12	6	6	10	5	5
65-69 years	66	40	26	53	32	21	13	8	5	11	7	4
70-74 years	142	69	73	119	62	57	23	7	16	21	6	15
75-79 years	278	135	143	243	115	128	35	20	15	31	19	12
80-84 years	387	144	243	348	125	223	39	19	20	36	17	19
85-89 years	469	146	323	432	130	302	37	16	21	32	13	19
90-94 years	365	74	291	338	65	273	27	9	18	25	8	17
95-99 years	175	30	145	165	28	137	10	2	8	8	2	6
100 yrs & over	29	1	28	27	1	26	2	-	2	2	-	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cerebral infarction due to embolism of cerebral arteries (I63.4)												
All ages	644	255	389	578	226	352	66	29	37	54	24	30
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	3	3	-	2	2	-	1	1	-	1	1	-
35-39 years	4	1	3	3	1	2	1	-	1	1	-	1
40-44 years	9	4	5	7	3	4	2	1	1	2	1	1
45-49 years	18	9	9	9	4	5	9	5	4	7	4	3
50-54 years	12	7	5	10	6	4	2	1	1	2	1	1
55-59 years	21	13	8	16	10	6	5	3	2	3	2	1
60-64 years	17	8	9	15	8	7	2	-	2	2	-	2
65-69 years	54	35	19	44	30	14	10	5	5	8	5	3
70-74 years	81	38	43	71	32	39	10	6	4	8	4	4
75-79 years	90	40	50	85	39	46	5	1	4	5	1	4
80-84 years	124	44	80	117	42	75	7	2	5	5	2	3
85-89 years	126	33	93	117	30	87	9	3	6	8	3	5
90-94 years	64	17	47	61	16	45	3	1	2	2	-	2
95-99 years	18	3	15	18	3	15	-	-	-	-	-	-
100 yrs & over	3	-	3	3	-	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral infarction due to unspecified occlusion or stenosis of cerebral arteries (I63.5)												
All ages	267	106	161	241	98	143	26	8	18	24	7	17
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	5	1	4	4	1	3	1	-	1	1	-	1
50-54 years	2	1	1	-	-	-	2	1	1	2	1	1
55-59 years	7	5	2	6	5	1	1	-	1	1	-	1
60-64 years	12	6	6	10	5	5	2	1	1	2	1	1
65-69 years	21	14	7	18	13	5	3	1	2	3	1	2
70-74 years	21	8	13	18	7	11	3	1	2	2	-	2
75-79 years	44	18	26	40	16	24	4	2	2	4	2	2
80-84 years	56	22	34	53	22	31	3	-	3	2	-	2
85-89 years	52	14	38	49	13	36	3	1	2	3	1	2
90-94 years	27	11	16	27	11	16	-	-	-	-	-	-
95-99 years	14	3	11	13	3	10	1	-	1	1	-	1
100 yrs & over	3	1	2	2	1	1	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other cerebral infarction (I63.8)												
All ages	97	45	52	85	38	47	12	7	5	9	5	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	2	-	1	1	-	1	1	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	4	2	2	2	1	1	2	1	1	2	1	1
55-59 years	4	3	1	4	3	1	-	-	-	-	-	-
60-64 years	6	4	2	6	4	2	-	-	-	-	-	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	12	8	4	11	7	4	1	1	-	1	1	-
75-79 years	15	6	9	14	5	9	1	1	-	1	1	-
80-84 years	18	10	8	17	10	7	1	-	1	-	-	-
85-89 years	10	1	9	7	-	7	3	1	2	3	1	2
90-94 years	14	3	11	14	3	11	-	-	-	-	-	-
95-99 years	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over	2	1	1	1	-	1	1	1	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral infarction, unspecified (I63.9)												
All ages	8,736	3,359	5,377	7,560	2,861	4,699	1,176	498	678	1,001	425	576
Under 1 year	14	7	7	8	3	5	6	4	2	4	3	1
1-4 years	2	-	2	2	-	2	-	-	-	-	-	-
5-9 years	4	3	1	3	2	1	1	1	-	-	-	-
10-14 years	5	4	1	5	4	1	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years	9	4	5	9	4	5	-	-	-	-	-	-
30-34 years	14	10	4	10	7	3	4	3	1	4	3	1
35-39 years	28	15	13	18	9	9	10	6	4	8	5	3
40-44 years	47	26	21	31	22	9	16	4	12	16	4	12
45-49 years	107	67	40	69	43	26	38	24	14	36	22	14
50-54 years	121	65	56	85	47	38	36	18	18	31	17	14
55-59 years	162	104	58	108	68	40	54	36	18	49	33	16
60-64 years	218	123	95	157	91	66	61	32	29	55	30	25
65-69 years	370	203	167	274	156	118	96	47	49	84	43	41
70-74 years	751	386	365	621	327	294	130	59	71	117	53	64
75-79 years	1,214	559	655	1,038	476	562	176	83	93	147	72	75
80-84 years	1,715	737	978	1,533	662	871	182	75	107	149	60	89
85-89 years	1,982	607	1,375	1,793	539	1,254	189	68	121	149	50	99
90-94 years	1,356	335	1,021	1,245	310	935	111	25	86	93	18	75
95-99 years	541	94	447	488	84	404	53	10	43	48	10	38
100 yrs & over	73	9	64	60	6	54	13	3	10	11	2	9
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Stroke, not specified as hemorrhage or infarction (I64)												
All ages	88,670	32,798	55,872	76,977	27,968	49,009	11,693	4,830	6,863	9,891	4,016	5,875
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	4	1	3	4	1	3	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	3	3	-	3	3	-	-	-	-	-	-	-
15-19 years	6	3	3	3	2	1	3	1	2	3	1	2
20-24 years	10	5	5	7	5	2	3	-	3	3	-	3
25-29 years	21	7	14	14	2	12	7	5	2	6	4	2
30-34 years	44	16	28	29	11	18	15	5	10	15	5	10
35-39 years	118	60	58	72	36	36	46	24	22	41	22	19
40-44 years	278	151	127	167	99	68	111	52	59	104	48	56
45-49 years	510	304	206	320	201	119	190	103	87	174	94	80
50-54 years	961	562	399	603	361	242	358	201	157	327	183	144
55-59 years	1,495	866	629	1,028	595	433	467	271	196	415	242	173
60-64 years	2,442	1,403	1,039	1,690	967	723	752	436	316	664	383	281
65-69 years	3,974	2,178	1,796	2,947	1,628	1,319	1,027	550	477	896	483	413
70-74 years	7,529	3,807	3,722	6,101	3,103	2,998	1,428	704	724	1,212	593	619
75-79 years	13,066	5,762	7,304	11,252	5,000	6,252	1,814	762	1,052	1,548	652	896
80-84 years	18,299	7,020	11,279	16,325	6,268	10,057	1,974	752	1,222	1,606	586	1,020
85-89 years	19,929	6,289	13,640	18,122	5,717	12,405	1,807	572	1,235	1,478	443	1,035
90-94 years	13,867	3,310	10,557	12,745	3,026	9,719	1,122	284	838	920	194	726
95-99 years	5,156	920	4,236	4,724	828	3,896	432	92	340	366	70	296
100 yrs & over	956	130	826	819	114	705	137	16	121	113	13	100
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other cerebrovascular diseases (I67)												
All ages	9,449	3,407	6,042	8,233	2,951	5,282	1,216	456	760	1,077	401	676
Under 1 year	49	30	19	27	18	9	22	12	10	20	12	8
1-4 years	26	12	14	18	9	9	8	3	5	5	1	4
5-9 years	12	5	7	9	3	6	3	2	1	2	1	1
10-14 years	7	3	4	6	3	3	1	-	1	1	-	1
15-19 years	9	3	6	8	2	6	1	1	-	1	1	-
20-24 years	4	-	4	1	-	1	3	-	3	3	-	3
25-29 years	10	4	6	7	3	4	3	1	2	3	1	2
30-34 years	23	12	11	16	9	7	7	3	4	6	3	3
35-39 years	39	21	18	32	16	16	7	5	2	6	5	1
40-44 years	37	16	21	23	10	13	14	6	8	12	6	6
45-49 years	68	29	39	51	24	27	17	5	12	17	5	12
50-54 years	102	57	45	62	35	27	40	22	18	36	20	16
55-59 years	145	82	63	104	63	41	41	19	22	41	19	22
60-64 years	190	96	94	135	73	62	55	23	32	47	19	28
65-69 years	305	165	140	231	130	101	74	35	39	66	33	33
70-74 years	642	330	312	529	273	256	113	57	56	98	50	48
75-79 years	1,194	533	661	1,021	457	564	173	76	97	155	68	87
80-84 years	1,889	750	1,139	1,695	678	1,017	194	72	122	166	57	109
85-89 years	2,160	729	1,431	1,970	669	1,301	190	60	130	168	53	115
90-94 years	1,670	389	1,281	1,509	348	1,161	161	41	120	142	34	108
95-99 years	714	124	590	647	114	533	67	10	57	63	10	53
100 yrs & over	154	17	137	132	14	118	22	3	19	19	3	16
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Dissection of cerebral arteries, nonruptured (I67.0)												
All ages	15	10	5	11	7	4	4	3	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	3	2	1	1	-	1	2	2	-	1	1	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	3	2	1	2	1	1	1	1	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral aneurysm, nonruptured (I67.1)												
All ages	403	151	252	337	133	204	66	18	48	58	16	42
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	4	1	3	3	-	3	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	9	5	4	6	4	2	3	1	2	3	1	2
35-39 years	18	11	7	16	9	7	2	2	-	2	2	-
40-44 years	16	7	9	10	5	5	6	2	4	5	2	3
45-49 years	25	12	13	18	9	9	7	3	4	7	3	4
50-54 years	30	13	17	21	10	11	9	3	6	9	3	6
55-59 years	38	13	25	32	13	19	6	-	6	6	-	6
60-64 years	41	19	22	34	17	17	7	2	5	5	1	4
65-69 years	38	15	23	33	15	18	5	-	5	4	-	4
70-74 years	47	23	24	42	21	21	5	2	3	2	1	1
75-79 years	61	14	47	55	13	42	6	1	5	6	1	5
80-84 years	36	8	28	33	8	25	3	-	3	2	-	2
85-89 years	22	5	17	18	4	14	4	1	3	4	1	3
90-94 years	11	2	9	9	2	7	2	-	2	2	-	2
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cerebral atherosclerosis (I67.2)												
All ages	1,234	392	842	1,093	334	759	141	58	83	135	54	81
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years	8	4	4	4	3	1	4	1	3	4	1	3
55-59 years	14	8	6	11	8	3	3	-	3	3	-	3
60-64 years	12	8	4	9	5	4	3	3	-	2	2	-
65-69 years	29	17	12	22	13	9	7	4	3	6	3	3
70-74 years	65	32	33	58	29	29	7	3	4	7	3	4
75-79 years	137	66	71	116	52	64	21	14	7	20	14	6
80-84 years	233	92	141	209	82	127	24	10	14	23	9	14
85-89 years	301	92	209	266	77	189	35	15	20	34	14	20
90-94 years	257	50	207	235	45	190	22	5	17	21	5	16
95-99 years	135	19	116	126	16	110	9	3	6	9	3	6
100 yrs & over	39	3	36	33	3	30	6	-	6	6	-	6
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Progressive vascular leukoencephalopathy (I67.3)												
All ages	26	11	15	24	9	15	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	5	3	2	5	3	2	-	-	-	-	-	-
80-84 years	4	1	3	3	-	3	1	1	-	1	1	-
85-89 years	8	3	5	8	3	5	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hypertensive encephalopathy (I67.4)												
All ages	50	20	30	39	14	25	11	6	5	10	5	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	-	-	-	1	1	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	3	2	1	1	1	-	2	1	1	2	1	1
55-59 years	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	6	4	2	4	2	2	2	2	-	2	2	-
70-74 years	4	3	1	3	3	-	1	-	1	1	-	1
75-79 years	8	2	6	8	2	6	-	-	-	-	-	-
80-84 years	10	2	8	9	2	7	1	-	1	1	-	1
85-89 years	7	1	6	7	1	6	-	-	-	-	-	-
90-94 years	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Moyamoya disease (I67.5)												
All ages	24	5	19	14	1	13	10	4	6	6	3	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	3	1	2	2	-	2	1	1	-	1	1	-
30-34 years	4	-	4	2	-	2	2	-	2	1	-	1
35-39 years	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	-	-	-
45-49 years	6	1	5	5	1	4	1	-	1	1	-	1
50-54 years	3	1	2	1	-	1	2	1	1	1	1	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	2	2	-	-	-	-	2	2	-	1	1	-
65-69 years	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cerebral arteritis, not elsewhere classified (I67.7)												
All ages	76	27	49	68	23	45	8	4	4	6	3	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	4	2	2	3	1	2	1	1	-	1	1	-
40-44 years	5	2	3	5	2	3	-	-	-	-	-	-
45-49 years	7	-	7	5	-	5	2	-	2	2	-	2
50-54 years	7	4	3	6	3	3	1	1	-	1	1	-
55-59 years	6	5	1	6	5	1	-	-	-	-	-	-
60-64 years	5	2	3	3	2	1	2	-	2	1	-	1
65-69 years	7	3	4	5	1	4	2	2	-	1	1	-
70-74 years	12	4	8	12	4	8	-	-	-	-	-	-
75-79 years	11	2	9	11	2	9	-	-	-	-	-	-
80-84 years	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified cerebrovascular diseases (I67.8)												
All ages	1,163	439	724	1,009	377	632	154	62	92	136	57	79
Under 1 year	47	28	19	26	17	9	21	11	10	19	11	8
1-4 years	23	11	12	16	9	7	7	2	5	5	1	4
5-9 years	11	4	7	9	3	6	2	1	1	2	1	1
10-14 years	5	1	4	4	1	3	1	-	1	1	-	1
15-19 years	5	2	3	5	2	3	-	-	-	-	-	-
20-24 years	3	-	3	1	-	1	2	-	2	2	-	2
25-29 years	2	1	1	1	1	-	1	-	1	1	-	1
30-34 years	6	4	2	6	4	2	-	-	-	-	-	-
35-39 years	8	4	4	5	2	3	3	2	1	2	2	-
40-44 years	5	1	4	5	1	4	-	-	-	-	-	-
45-49 years	14	7	7	12	7	5	2	-	2	2	-	2
50-54 years	22	12	10	15	8	7	7	4	3	6	4	2
55-59 years	24	10	14	17	7	10	7	3	4	7	3	4
60-64 years	28	14	14	17	12	5	11	2	9	10	2	8
65-69 years	47	25	22	40	21	19	7	4	3	7	4	3
70-74 years	87	43	44	71	36	35	16	7	9	12	5	7
75-79 years	136	60	76	120	52	68	16	8	8	16	8	8
80-84 years	197	85	112	179	76	103	18	9	9	17	8	9
85-89 years	224	70	154	211	67	144	13	3	10	11	3	8
90-94 years	175	41	134	161	37	124	14	4	10	10	3	7
95-99 years	76	13	63	72	12	60	4	1	3	4	1	3
100 yrs & over	18	3	15	16	2	14	2	1	1	2	1	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cerebrovascular disease, unspecified (I67.9)												
All ages	6,458	2,352	4,106	5,638	2,053	3,585	820	299	521	722	260	462
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	2	1	1	1	-	1	1	1	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	2	-	2	1	-	1	1	-	1	1	-	1
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	4	3	1	4	3	1	-	-	-	-	-	-
40-44 years	7	4	3	2	1	1	5	3	2	5	3	2
45-49 years	12	7	5	7	5	2	5	2	3	5	2	3
50-54 years	26	19	7	13	10	3	13	9	4	12	8	4
55-59 years	58	42	16	34	27	7	24	15	9	24	15	9
60-64 years	98	51	47	69	37	32	29	14	15	27	13	14
65-69 years	176	100	76	126	77	49	50	23	27	45	23	22
70-74 years	422	222	200	339	178	161	83	44	39	76	41	35
75-79 years	836	386	450	706	333	373	130	53	77	113	45	68
80-84 years	1,405	561	844	1,258	509	749	147	52	95	122	39	83
85-89 years	1,594	557	1,037	1,456	516	940	138	41	97	119	35	84
90-94 years	1,219	295	924	1,096	263	833	123	32	91	109	26	83
95-99 years	497	91	406	443	85	358	54	6	48	50	6	44
100 yrs & over	97	11	86	83	9	74	14	2	12	11	2	9
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Sequelae of cerebrovascular disease (I69)												
All ages	19,987	7,612	12,375	17,479	6,613	10,866	2,508	999	1,509	2,017	773	1,244
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	4	3	1	2	2	-	2	1	1	2	1	1
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years	2	1	1	1	1	-	1	-	1	1	-	1
25-29 years	8	4	4	7	3	4	1	1	-	1	1	-
30-34 years	11	5	6	10	4	6	1	1	-	1	1	-
35-39 years	25	14	11	16	9	7	9	5	4	8	4	4
40-44 years	48	24	24	32	17	15	16	7	9	13	6	7
45-49 years	75	40	35	47	24	23	28	16	12	26	14	12
50-54 years	148	76	72	87	45	42	61	31	30	53	25	28
55-59 years	240	137	103	169	97	72	71	40	31	61	34	27
60-64 years	412	248	164	296	179	117	116	69	47	105	63	42
65-69 years	786	463	323	596	363	233	190	100	90	156	83	73
70-74 years	1,472	772	700	1,199	634	565	273	138	135	220	111	109
75-79 years	2,787	1,345	1,442	2,362	1,156	1,206	425	189	236	349	155	194
80-84 years	4,212	1,769	2,443	3,762	1,601	2,161	450	168	282	344	122	222
85-89 years	4,682	1,558	3,124	4,269	1,425	2,844	413	133	280	327	90	237
90-94 years	3,475	887	2,588	3,168	820	2,348	307	67	240	240	44	196
95-99 years	1,315	224	1,091	1,203	196	1,007	112	28	84	87	16	71
100 yrs & over	281	41	240	251	37	214	30	4	26	21	2	19
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sequelae of subarachnoid hemorrhage (I69.0)												
All ages	85	27	58	70	22	48	15	5	10	10	3	7
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	-	-	-
40-44 years	7	1	6	5	1	4	2	-	2	2	-	2
45-49 years	5	3	2	5	3	2	-	-	-	-	-	-
50-54 years	5	1	4	5	1	4	-	-	-	-	-	-
55-59 years	4	2	2	3	1	2	1	1	-	1	1	-
60-64 years	12	4	8	10	3	7	2	1	1	2	1	1
65-69 years	3	2	1	2	1	1	1	1	-	1	1	-
70-74 years	11	2	9	8	2	6	3	-	3	2	-	2
75-79 years	12	3	9	11	3	8	1	-	1	-	-	-
80-84 years	14	2	12	11	1	10	3	1	2	1	-	1
85-89 years	7	4	3	6	4	2	1	-	1	1	-	1
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Sequelae of intracerebral hemorrhage (I69.1)												
All ages	183	81	102	161	74	87	22	7	15	18	7	11
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years	4	2	2	3	1	2	1	1	-	1	1	-
45-49 years	4	1	3	4	1	3	-	-	-	-	-	-
50-54 years	7	3	4	5	2	3	2	1	1	2	1	1
55-59 years	6	4	2	5	4	1	1	-	1	1	-	1
60-64 years	9	4	5	6	4	2	3	-	3	3	-	3
65-69 years	15	10	5	13	9	4	2	1	1	2	1	1
70-74 years	18	12	6	16	11	5	2	1	1	1	1	-
75-79 years	37	16	21	32	15	17	5	1	4	3	1	2
80-84 years	35	15	20	35	15	20	-	-	-	-	-	-
85-89 years	28	10	18	25	9	16	3	1	2	3	1	2
90-94 years	12	2	10	12	2	10	-	-	-	-	-	-
95-99 years	4	1	3	3	-	3	1	1	-	1	1	-
100 yrs & over	1	-	1	-	-	-	1	-	1	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sequelae of other nontraumatic intracranial hemorrhage (I69.2)												
All ages	78	34	44	71	32	39	7	2	5	4	-	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	3	1	2	3	1	2	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	4	1	3	3	1	2	1	-	1	1	-	1
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	8	4	4	7	4	3	1	-	1	1	-	1
75-79 years	16	8	8	13	7	6	3	1	2	1	-	1
80-84 years	13	7	6	13	7	6	-	-	-	-	-	-
85-89 years	14	4	10	13	3	10	1	1	-	-	-	-
90-94 years	9	5	4	9	5	4	-	-	-	-	-	-
95-99 years	5	2	3	4	2	2	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Sequelae of cerebral infarction (I69.3)												
All ages	845	319	526	723	280	443	122	39	83	90	29	61
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	2	1	1	1	-	1	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	5	2	3	5	2	3	-	-	-	-	-	-
50-54 years	6	3	3	2	1	1	4	2	2	4	2	2
55-59 years	9	6	3	8	6	2	1	-	1	1	-	1
60-64 years	18	11	7	13	8	5	5	3	2	5	3	2
65-69 years	43	26	17	34	21	13	9	5	4	8	4	4
70-74 years	58	26	32	39	17	22	19	9	10	12	5	7
75-79 years	137	70	67	122	65	57	15	5	10	13	4	9
80-84 years	188	73	115	164	65	99	24	8	16	14	5	9
85-89 years	194	64	130	182	61	121	12	3	9	9	2	7
90-94 years	134	30	104	115	27	88	19	3	16	13	3	10
95-99 years	39	5	34	30	5	25	9	-	9	6	-	6
100 yrs & over	9	1	8	6	1	5	3	-	3	3	-	3
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sequelae of stroke, not specified as hemorrhage or infarction (I69.4)												
All ages	10,259	4,249	6,010	8,638	3,564	5,074	1,621	685	936	1,301	529	772
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	4	2	2	3	1	2	1	1	-	1	1	-
30-34 years	4	2	2	4	2	2	-	-	-	-	-	-
35-39 years	7	6	1	6	5	1	1	1	-	1	1	-
40-44 years	11	4	7	4	2	2	7	2	5	6	2	4
45-49 years	31	17	14	11	6	5	20	11	9	19	10	9
50-54 years	71	41	30	32	21	11	39	20	19	35	17	18
55-59 years	144	85	59	93	55	38	51	30	21	42	25	17
60-64 years	218	139	79	143	89	54	75	50	25	69	47	22
65-69 years	452	269	183	326	203	123	126	66	60	102	54	48
70-74 years	856	478	378	677	379	298	179	99	80	146	78	68
75-79 years	1,546	774	772	1,254	643	611	292	131	161	238	105	133
80-84 years	2,237	1,008	1,229	1,945	900	1,045	292	108	184	222	78	144
85-89 years	2,417	863	1,554	2,146	767	1,379	271	96	175	213	66	147
90-94 years	1,602	440	1,162	1,425	393	1,032	177	47	130	139	32	107
95-99 years	548	101	447	476	83	393	72	18	54	56	10	46
100 yrs & over	109	19	90	93	15	78	16	4	12	10	2	8
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Sequelae of other and unspecified cerebrovascular diseases (I69.8)												
All ages	8,537	2,902	5,635	7,816	2,641	5,175	721	261	460	594	205	389
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	3	3	-	2	2	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	4	2	2	4	2	2	-	-	-	-	-	-
30-34 years	3	1	2	2	-	2	1	1	-	1	1	-
35-39 years	12	5	7	7	3	4	5	2	3	5	2	3
40-44 years	23	16	7	17	12	5	6	4	2	4	3	1
45-49 years	30	17	13	22	12	10	8	5	3	7	4	3
50-54 years	55	27	28	40	19	21	15	8	7	11	5	6
55-59 years	76	40	36	59	31	28	17	9	8	16	8	8
60-64 years	152	89	63	121	74	47	31	15	16	26	12	14
65-69 years	272	155	117	220	128	92	52	27	25	43	23	20
70-74 years	521	250	271	452	221	231	69	29	40	58	27	31
75-79 years	1,039	474	565	930	423	507	109	51	58	94	45	49
80-84 years	1,725	664	1,061	1,594	613	981	131	51	80	107	39	68
85-89 years	2,022	613	1,409	1,897	581	1,316	125	32	93	101	21	80
90-94 years	1,716	409	1,307	1,605	392	1,213	111	17	94	88	9	79
95-99 years	719	115	604	690	106	584	29	9	20	23	5	18
100 yrs & over	161	21	140	151	21	130	10	-	10	8	-	8
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Atherosclerosis (I70)												
All ages	14,086	5,143	8,943	12,961	4,696	8,265	1,125	447	678	970	370	600
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	14	8	6	11	5	6	3	3	-	2	2	-
40-44 years	26	18	8	22	16	6	4	2	2	4	2	2
45-49 years	65	43	22	54	35	19	11	8	3	11	8	3
50-54 years	121	75	46	97	59	38	24	16	8	20	13	7
55-59 years	198	118	80	166	101	65	32	17	15	28	14	14
60-64 years	275	168	107	216	136	80	59	32	27	56	29	27
65-69 years	471	273	198	406	237	169	65	36	29	58	30	28
70-74 years	864	470	394	760	418	342	104	52	52	90	45	45
75-79 years	1,624	765	859	1,475	692	783	149	73	76	132	65	67
80-84 years	2,532	1,026	1,506	2,339	946	1,393	193	80	113	158	61	97
85-89 years	3,214	1,123	2,091	3,034	1,067	1,967	180	56	124	151	45	106
90-94 years	2,786	710	2,076	2,624	666	1,958	162	44	118	139	35	104
95-99 years	1,471	285	1,186	1,374	268	1,106	97	17	80	87	13	74
100 yrs & over	417	54	363	377	44	333	40	10	30	32	7	25
Not stated	1	1	-	1	1	-	-	-	-	-	-	-
Atherosclerosis of aorta (I70.0)												
All ages	47	15	32	44	14	30	3	1	2	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	7	2	5	5	2	3	2	-	2	2	-	2
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years	5	2	3	5	2	3	-	-	-	-	-	-
80-84 years	4	-	4	4	-	4	-	-	-	-	-	-
85-89 years	12	5	7	11	4	7	1	1	-	1	1	-
90-94 years	7	1	6	7	1	6	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Atherosclerosis of renal artery (I70.1)												
All ages	65	22	43	59	20	39	6	2	4	6	2	4
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	3	1	2	2	1	1	1	-	1	1	-	1
60-64 years	4	2	2	4	2	2	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	7	1	6	7	1	6	-	-	-	-	-	-
75-79 years	14	8	6	13	8	5	1	-	1	1	-	1
80-84 years	22	4	18	20	3	17	2	1	1	2	1	1
85-89 years	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years	5	2	3	4	1	3	1	1	-	1	1	-
95-99 years	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis of arteries of the extremities (I70.2)												
All ages	520	188	332	452	169	283	68	19	49	66	18	48
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	5	3	2	4	2	2	1	1	-	1	1	-
55-59 years	13	4	9	8	3	5	5	1	4	5	1	4
60-64 years	12	7	5	8	5	3	4	2	2	4	2	2
65-69 years	19	9	10	15	8	7	4	1	3	4	1	3
70-74 years	34	18	16	29	16	13	5	2	3	5	2	3
75-79 years	68	27	41	60	24	36	8	3	5	8	3	5
80-84 years	113	54	59	99	50	49	14	4	10	13	4	9
85-89 years	111	42	69	104	41	63	7	1	6	6	-	6
90-94 years	81	14	67	71	11	60	10	3	7	10	3	7
95-99 years	47	8	39	41	8	33	6	-	6	6	-	6
100 yrs & over	15	1	14	13	1	12	2	-	2	2	-	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Atherosclerosis of other arteries (I70.8)												
All ages	7	2	5	7	2	5	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Generalized and unspecified atherosclerosis (I70.9)												
All ages	13,447	4,916	8,531	12,399	4,491	7,908	1,048	425	623	895	349	546
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	12	8	4	9	5	4	3	3	-	2	2	-
40-44 years	24	18	6	21	16	5	3	2	1	3	2	1
45-49 years	63	42	21	53	35	18	10	7	3	10	7	3
50-54 years	114	70	44	91	55	36	23	15	8	19	12	7
55-59 years	180	112	68	154	96	58	26	16	10	22	13	9
60-64 years	250	155	95	197	125	72	53	30	23	50	27	23
65-69 years	451	264	187	390	229	161	61	35	26	54	29	25
70-74 years	819	449	370	720	399	321	99	50	49	85	43	42
75-79 years	1,534	728	806	1,394	658	736	140	70	70	123	62	61
80-84 years	2,393	968	1,425	2,216	893	1,323	177	75	102	143	56	87
85-89 years	3,086	1,074	2,012	2,914	1,020	1,894	172	54	118	144	44	100
90-94 years	2,692	693	1,999	2,541	653	1,888	151	40	111	128	31	97
95-99 years	1,421	277	1,144	1,331	260	1,071	90	17	73	80	13	67
100 yrs & over	401	52	349	363	42	321	38	10	28	30	7	23
Not stated	1	1	-	1	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Aortic aneurysm and dissection (I71)												
All ages	15,234	9,114	6,120	13,652	8,224	5,428	1,582	890	692	1,251	671	580
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	4	3	1	4	3	1	-	-	-	-	-	-
15-19 years	15	12	3	11	9	2	4	3	1	4	3	1
20-24 years	28	19	9	21	14	7	7	5	2	6	4	2
25-29 years	46	34	12	37	29	8	9	5	4	8	5	3
30-34 years	71	56	15	55	44	11	16	12	4	15	11	4
35-39 years	134	105	29	96	77	19	38	28	10	33	24	9
40-44 years	198	159	39	131	106	25	67	53	14	59	46	13
45-49 years	287	219	68	208	163	45	79	56	23	67	45	22
50-54 years	374	287	87	270	212	58	104	75	29	88	64	24
55-59 years	532	398	134	431	333	98	101	65	36	88	55	33
60-64 years	862	633	229	736	544	192	126	89	37	104	72	32
65-69 years	1,430	981	449	1,276	892	384	154	89	65	107	59	48
70-74 years	2,087	1,401	686	1,905	1,293	612	182	108	74	137	79	58
75-79 years	2,899	1,722	1,177	2,639	1,588	1,051	260	134	126	198	93	105
80-84 years	2,852	1,591	1,261	2,654	1,499	1,155	198	92	106	157	68	89
85-89 years	2,122	1,000	1,122	1,987	950	1,037	135	50	85	98	28	70
90-94 years	1,022	406	616	943	385	558	79	21	58	64	13	51
95-99 years	242	78	164	221	73	148	21	5	16	16	2	14
100 yrs & over	26	7	19	24	7	17	2	-	2	2	-	2
Not stated	1	1	-	1	1	-	-	-	-	-	-	-
Dissection of aorta [any part] (I71.0)												
All ages	3,423	2,035	1,388	2,847	1,686	1,161	576	349	227	444	264	180
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	3	3	-	3	3	-	-	-	-	-	-	-
15-19 years	13	11	2	10	8	2	3	3	-	3	3	-
20-24 years	17	13	4	13	9	4	4	4	-	3	3	-
25-29 years	29	20	9	21	15	6	8	5	3	8	5	3
30-34 years	49	38	11	40	30	10	9	8	1	8	7	1
35-39 years	105	81	24	74	60	14	31	21	10	27	18	9
40-44 years	146	117	29	96	77	19	50	40	10	44	34	10
45-49 years	208	160	48	153	120	33	55	40	15	44	30	14
50-54 years	219	166	53	145	111	34	74	55	19	61	46	15
55-59 years	261	187	74	205	154	51	56	33	23	49	28	21
60-64 years	265	184	81	210	144	66	55	40	15	45	32	13
65-69 years	325	196	129	277	173	104	48	23	25	30	12	18
70-74 years	418	252	166	375	228	147	43	24	19	31	19	12
75-79 years	480	234	246	425	212	213	55	22	33	36	13	23
80-84 years	424	196	228	387	180	207	37	16	21	23	8	15
85-89 years	291	121	170	259	110	149	32	11	21	20	5	15
90-94 years	134	49	85	120	45	75	14	4	10	10	1	9
95-99 years	33	6	27	31	6	25	2	-	2	2	-	2
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Thoracic aortic aneurysm, ruptured (I71.1)												
All ages	1,084	510	574	939	439	500	145	71	74	114	54	60
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	6	3	3	5	3	2	1	-	1	1	-	1
25-29 years	7	6	1	6	6	-	1	-	1	-	-	-
30-34 years	7	6	1	6	6	-	1	-	1	1	-	1
35-39 years	9	8	1	7	6	1	2	2	-	1	1	-
40-44 years	16	14	2	13	11	2	3	3	-	3	3	-
45-49 years	19	12	7	9	6	3	10	6	4	9	5	4
50-54 years	29	23	6	21	18	3	8	5	3	8	5	3
55-59 years	38	25	13	29	19	10	9	6	3	7	5	2
60-64 years	46	28	18	38	23	15	8	5	3	6	4	2
65-69 years	81	44	37	67	38	29	14	6	8	8	4	4
70-74 years	124	63	61	108	56	52	16	7	9	12	6	6
75-79 years	215	104	111	190	91	99	25	13	12	19	9	10
80-84 years	224	83	141	202	73	129	22	10	12	20	9	11
85-89 years	168	65	103	158	61	97	10	4	6	7	1	6
90-94 years	79	22	57	67	19	48	12	3	9	10	2	8
95-99 years	14	4	10	12	3	9	2	1	1	1	-	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Thoracic aortic aneurysm, without mention of rupture (I71.2)												
All ages	773	312	461	664	266	398	109	46	63	90	38	52
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	2	-	2	-	-	-	2	-	2	2	-	2
35-39 years	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years	3	3	-	1	1	-	2	2	-	2	2	-
45-49 years	10	9	1	9	8	1	1	1	-	1	1	-
50-54 years	15	9	6	10	6	4	5	3	2	5	3	2
55-59 years	23	16	7	17	12	5	6	4	2	5	3	2
60-64 years	25	12	13	20	11	9	5	1	4	4	1	3
65-69 years	78	42	36	62	32	30	16	10	6	13	9	4
70-74 years	93	50	43	77	41	36	16	9	7	12	8	4
75-79 years	156	58	98	132	49	83	24	9	15	19	5	14
80-84 years	189	69	120	178	65	113	11	4	7	9	4	5
85-89 years	106	25	81	95	24	71	11	1	10	10	1	9
90-94 years	52	14	38	46	14	32	6	-	6	5	-	5
95-99 years	18	2	16	15	1	14	3	1	2	2	-	2
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Abdominal aortic aneurysm, ruptured (I71.3)												
All ages	5,109	3,411	1,698	4,797	3,210	1,587	312	201	111	238	142	96
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	7	6	1	5	5	-	2	1	1	2	1	1
45-49 years	18	14	4	15	11	4	3	3	-	3	3	-
50-54 years	52	42	10	44	36	8	8	6	2	6	4	2
55-59 years	121	101	20	106	89	17	15	12	3	12	9	3
60-64 years	299	243	56	273	223	50	26	20	6	21	15	6
65-69 years	540	422	118	501	394	107	39	28	11	28	18	10
70-74 years	768	588	180	716	547	169	52	41	11	36	26	10
75-79 years	1,007	690	317	955	656	299	52	34	18	40	26	14
80-84 years	1,007	655	352	952	624	328	55	31	24	46	25	21
85-89 years	813	436	377	772	417	355	41	19	22	28	10	18
90-94 years	372	166	206	359	163	196	13	3	10	11	2	9
95-99 years	90	41	49	85	39	46	5	2	3	4	2	2
100 yrs & over	12	4	8	12	4	8	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal aortic aneurysm, without mention of rupture (I71.4)												
All ages	2,315	1,393	922	2,132	1,309	823	183	84	99	154	68	86
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	4	3	1	1	1	-	3	2	1	2	2	-
45-49 years	4	3	1	3	2	1	1	1	-	1	1	-
50-54 years	11	8	3	8	6	2	3	2	1	3	2	1
55-59 years	26	23	3	22	19	3	4	4	-	4	4	-
60-64 years	89	66	23	83	61	22	6	5	1	5	4	1
65-69 years	182	123	59	166	116	50	16	7	9	11	4	7
70-74 years	313	208	105	291	195	96	22	13	9	20	11	9
75-79 years	534	336	198	482	316	166	52	20	32	46	16	30
80-84 years	522	319	203	489	304	185	33	15	18	27	11	16
85-89 years	371	197	174	352	189	163	19	8	11	16	8	8
90-94 years	204	90	114	185	83	102	19	7	12	14	5	9
95-99 years	45	13	32	41	13	28	4	-	4	4	-	4
100 yrs & over	9	3	6	8	3	5	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Thoracoabdominal aortic aneurysm, ruptured (I71.5)												
All ages	80	45	35	73	40	33	7	5	2	5	3	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	3	2	1	1	1	-	2	1	1	2	1	1
60-64 years	6	4	2	3	1	2	3	3	-	2	2	-
65-69 years	7	4	3	7	4	3	-	-	-	-	-	-
70-74 years	13	6	7	12	6	6	1	-	1	1	-	1
75-79 years	17	11	6	16	10	6	1	1	-	-	-	-
80-84 years	18	7	11	18	7	11	-	-	-	-	-	-
85-89 years	9	4	5	9	4	5	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Thoracoabdominal aortic aneurysm, without mention of rupture (I71.6)												
All ages	121	66	55	105	57	48	16	9	7	14	8	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years	4	2	2	4	2	2	-	-	-	-	-	-
55-59 years	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years	11	5	6	10	4	6	1	1	-	1	1	-
65-69 years	13	7	6	12	7	5	1	-	1	1	-	1
70-74 years	33	16	17	26	12	14	7	4	3	5	3	2
75-79 years	28	18	10	25	16	9	3	2	1	3	2	1
80-84 years	17	12	5	16	11	5	1	1	-	1	1	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	6	2	4	4	2	2	2	-	2	2	-	2
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Aortic aneurysm of unspecified site, ruptured (I71.8)												
All ages	1,532	897	635	1,383	817	566	149	80	69	125	61	64
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	3	2	1	2	1	1	1	1	-	1	1	-
25-29 years	7	6	1	7	6	1	-	-	-	-	-	-
30-34 years	5	4	1	4	3	1	1	1	-	1	1	-
35-39 years	14	10	4	11	7	4	3	3	-	3	3	-
40-44 years	18	13	5	12	8	4	6	5	1	5	4	1
45-49 years	21	17	4	14	13	1	7	4	3	7	4	3
50-54 years	26	20	6	21	17	4	5	3	2	4	3	1
55-59 years	41	33	8	33	28	5	8	5	3	8	5	3
60-64 years	84	62	22	67	52	15	17	10	7	17	10	7
65-69 years	140	96	44	127	88	39	13	8	5	11	7	4
70-74 years	210	144	66	195	139	56	15	5	10	11	2	9
75-79 years	295	168	127	264	146	118	31	22	9	22	13	9
80-84 years	282	165	117	264	158	106	18	7	11	16	5	11
85-89 years	233	106	127	222	103	119	11	3	8	8	1	7
90-94 years	123	45	78	113	42	71	10	3	7	9	2	7
95-99 years	26	5	21	24	5	19	2	-	2	1	-	1
100 yrs & over	2	-	2	1	-	1	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Aortic aneurysm of unspecified site, without mention of rupture (I71.9)												
All ages	797	445	352	712	400	312	85	45	40	67	33	34
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	6	6	-	4	4	-	2	2	-	2	2	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	2	1	1	1	1	-	1	-	1	1	-	1
45-49 years	4	2	2	3	2	1	1	-	1	1	-	1
50-54 years	16	15	1	15	14	1	1	1	-	1	1	-
55-59 years	16	10	6	15	10	5	1	-	1	1	-	1
60-64 years	37	29	8	32	25	7	5	4	1	3	3	-
65-69 years	64	47	17	57	40	17	7	7	-	5	5	-
70-74 years	115	74	41	105	69	36	10	5	5	9	4	5
75-79 years	167	103	64	150	92	58	17	11	6	13	9	4
80-84 years	169	85	84	148	77	71	21	8	13	15	5	10
85-89 years	129	46	83	118	42	76	11	4	7	9	2	7
90-94 years	51	17	34	48	16	32	3	1	2	3	1	2
95-99 years	16	7	9	13	6	7	3	1	2	2	-	2
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other aneurysm (I72)												
All ages	745	416	329	640	362	278	105	54	51	92	46	46
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	2	-	2	2	-	2	-	-	-	-	-	-
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	3	2	1	2	1	1	1	1	-	-	-	-
25-29 years	8	4	4	5	2	3	3	2	1	3	2	1
30-34 years	8	5	3	6	4	2	2	1	1	2	1	1
35-39 years	18	7	11	10	3	7	8	4	4	6	2	4
40-44 years	27	10	17	22	7	15	5	3	2	5	3	2
45-49 years	28	13	15	25	11	14	3	2	1	3	2	1
50-54 years	39	18	21	33	14	19	6	4	2	5	4	1
55-59 years	38	26	12	27	19	8	11	7	4	10	6	4
60-64 years	48	24	24	40	20	20	8	4	4	7	3	4
65-69 years	78	47	31	66	41	25	12	6	6	11	6	5
70-74 years	107	58	49	95	52	43	12	6	6	12	6	6
75-79 years	121	69	52	109	63	46	12	6	6	9	3	6
80-84 years	107	66	41	90	60	30	17	6	11	15	6	9
85-89 years	67	43	24	65	42	23	2	1	1	2	1	1
90-94 years	33	19	14	30	18	12	3	1	2	2	1	1
95-99 years	9	4	5	9	4	5	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Aneurysm of carotid artery (I72.0)												
All ages	43	15	28	40	14	26	3	1	2	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	5	2	3	4	1	3	1	1	-	1	1	-
45-49 years	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years	6	3	3	6	3	3	-	-	-	-	-	-
55-59 years	4	1	3	4	1	3	-	-	-	-	-	-
60-64 years	4	2	2	4	2	2	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	7	1	6	6	1	5	1	-	1	1	-	1
80-84 years	4	3	1	4	3	1	-	-	-	-	-	-
85-89 years	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Aneurysm of artery of upper extremity (I72.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Aneurysm of renal artery (I72.2)												
All ages	36	25	11	32	23	9	4	2	2	4	2	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	6	5	1	6	5	1	-	-	-	-	-	-
70-74 years	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years	6	4	2	4	3	1	2	1	1	2	1	1
80-84 years	5	3	2	5	3	2	-	-	-	-	-	-
85-89 years	3	2	1	2	2	-	1	-	1	1	-	1
90-94 years	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Aneurysm of iliac artery (I72.3)												
All ages	166	129	37	140	111	29	26	18	8	25	17	8
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	4	4	-	3	3	-	1	1	-	1	1	-
60-64 years	11	7	4	10	7	3	1	-	1	1	-	1
65-69 years	17	13	4	13	9	4	4	4	-	4	4	-
70-74 years	23	19	4	17	15	2	6	4	2	6	4	2
75-79 years	41	30	11	38	28	10	3	2	1	3	2	1
80-84 years	36	28	8	29	25	4	7	3	4	7	3	4
85-89 years	20	15	5	19	14	5	1	1	-	1	1	-
90-94 years	10	9	1	9	8	1	1	1	-	1	1	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Aneurysm of artery of lower extremity (I72.4)												
All ages	41	23	18	32	21	11	9	2	7	9	2	7
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	4	3	1	2	1	1	2	2	-	2	2	-
70-74 years	5	3	2	3	3	-	2	-	2	2	-	2
75-79 years	7	4	3	5	4	1	2	-	2	2	-	2
80-84 years	8	5	3	7	5	2	1	-	1	1	-	1
85-89 years	9	5	4	9	5	4	-	-	-	-	-	-
90-94 years	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Aneurysm of other specified arteries (I72.8)												
All ages	107	40	67	91	37	54	16	3	13	14	2	12
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	3	-	3	2	-	2	1	-	1	1	-	1
30-34 years	4	3	1	4	3	1	-	-	-	-	-	-
35-39 years	5	1	4	3	-	3	2	1	1	1	-	1
40-44 years	8	2	6	7	2	5	1	-	1	1	-	1
45-49 years	9	5	4	8	5	3	1	-	1	1	-	1
50-54 years	9	3	6	7	2	5	2	1	1	1	1	-
55-59 years	6	4	2	4	4	-	2	-	2	2	-	2
60-64 years	8	2	6	6	1	5	2	1	1	2	1	1
65-69 years	10	2	8	7	2	5	3	-	3	3	-	3
70-74 years	15	6	9	15	6	9	-	-	-	-	-	-
75-79 years	11	4	7	11	4	7	-	-	-	-	-	-
80-84 years	9	5	4	8	5	3	1	-	1	1	-	1
85-89 years	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years	3	2	1	2	2	-	1	-	1	1	-	1
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Aneurysm of unspecified site (I72.9)												
All ages	351	183	168	304	155	149	47	28	19	37	22	15
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	4	3	1	2	1	1	2	2	-	2	2	-
30-34 years	3	2	1	1	1	-	2	1	1	2	1	1
35-39 years	10	5	5	7	3	4	3	2	1	2	1	1
40-44 years	14	6	8	11	4	7	3	2	1	3	2	1
45-49 years	15	6	9	14	5	9	1	1	-	1	1	-
50-54 years	21	10	11	17	7	10	4	3	1	4	3	1
55-59 years	20	14	6	13	8	5	7	6	1	6	5	1
60-64 years	23	12	11	18	9	9	5	3	2	4	2	2
65-69 years	39	24	15	36	24	12	3	-	3	2	-	2
70-74 years	58	28	30	54	26	28	4	2	2	4	2	2
75-79 years	49	26	23	45	23	22	4	3	1	1	-	1
80-84 years	44	21	23	36	18	18	8	3	5	6	3	3
85-89 years	27	18	9	27	18	9	-	-	-	-	-	-
90-94 years	13	4	9	12	4	8	1	-	1	-	-	-
95-99 years	6	3	3	6	3	3	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other peripheral vascular diseases (I73)												
All ages	7,276	3,035	4,241	6,107	2,560	3,547	1,169	475	694	1,096	435	661
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	3	2	1	3	2	1	-	-	-	-	-	-
30-34 years	8	2	6	5	-	5	3	2	1	3	2	1
35-39 years	17	9	8	12	6	6	5	3	2	5	3	2
40-44 years	34	11	23	18	7	11	16	4	12	15	4	11
45-49 years	61	34	27	41	21	20	20	13	7	19	12	7
50-54 years	110	55	55	83	39	44	27	16	11	25	14	11
55-59 years	186	94	92	140	76	64	46	18	28	43	16	27
60-64 years	287	154	133	221	119	102	66	35	31	64	33	31
65-69 years	430	243	187	348	202	146	82	41	41	75	36	39
70-74 years	750	411	339	604	337	267	146	74	72	140	70	70
75-79 years	1,124	542	582	944	471	473	180	71	109	173	68	105
80-84 years	1,280	591	689	1,097	507	590	183	84	99	167	78	89
85-89 years	1,416	508	908	1,238	450	788	178	58	120	163	50	113
90-94 years	1,018	270	748	904	229	675	114	41	73	108	35	73
95-99 years	446	94	352	375	82	293	71	12	59	67	11	56
100 yrs & over	104	14	90	73	11	62	31	3	28	28	3	25
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Raynaud's syndrome (I73.0)												
All ages	12	2	10	12	2	10	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Thromboangiitis obliterans [Buerger] (I73.1)												
All ages	16	15	1	15	15	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	3	2	1	2	2	-	1	-	1	1	-	1
50-54 years	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified peripheral vascular diseases (I73.8)												
All ages	34	11	23	33	11	22	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	4	2	2	3	2	1	1	-	1	1	-	1
75-79 years	4	-	4	4	-	4	-	-	-	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	8	1	7	8	1	7	-	-	-	-	-	-
90-94 years	5	3	2	5	3	2	-	-	-	-	-	-
95-99 years	5	1	4	5	1	4	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Peripheral vascular disease, unspecified (I73.9)												
All ages	7,214	3,007	4,207	6,047	2,532	3,515	1,167	475	692	1,094	435	659
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	3	2	1	3	2	1	-	-	-	-	-	-
30-34 years	8	2	6	5	-	5	3	2	1	3	2	1
35-39 years	15	8	7	10	5	5	5	3	2	5	3	2
40-44 years	33	10	23	17	6	11	16	4	12	15	4	11
45-49 years	58	32	26	39	19	20	19	13	6	18	12	6
50-54 years	105	52	53	78	36	42	27	16	11	25	14	11
55-59 years	183	94	89	137	76	61	46	18	28	43	16	27
60-64 years	285	152	133	219	117	102	66	35	31	64	33	31
65-69 years	426	240	186	344	199	145	82	41	41	75	36	39
70-74 years	744	407	337	599	333	266	145	74	71	139	70	69
75-79 years	1,116	540	576	936	469	467	180	71	109	173	68	105
80-84 years	1,272	587	685	1,089	503	586	183	84	99	167	78	89
85-89 years	1,407	506	901	1,229	448	781	178	58	120	163	50	113
90-94 years	1,012	267	745	898	226	672	114	41	73	108	35	73
95-99 years	441	93	348	370	81	289	71	12	59	67	11	56
100 yrs & over	104	14	90	73	11	62	31	3	28	28	3	25
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Arterial embolism and thrombosis (I74)												
All ages	906	344	562	817	309	508	89	35	54	78	30	48
Under 1 year	4	2	2	4	2	2	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	1	1	1	1	-	1	-	1	1	-	1
30-34 years	4	3	1	4	3	1	-	-	-	-	-	-
35-39 years	4	2	2	1	-	1	3	2	1	3	2	1
40-44 years	13	6	7	8	3	5	5	3	2	5	3	2
45-49 years	13	9	4	9	7	2	4	2	2	4	2	2
50-54 years	22	9	13	21	8	13	1	1	-	1	1	-
55-59 years	39	18	21	36	18	18	3	-	3	3	-	3
60-64 years	55	34	21	42	27	15	13	7	6	11	6	5
65-69 years	76	36	40	68	34	34	8	2	6	7	2	5
70-74 years	120	59	61	107	54	53	13	5	8	13	5	8
75-79 years	145	53	92	134	48	86	11	5	6	7	3	4
80-84 years	144	54	90	130	48	82	14	6	8	13	6	7
85-89 years	137	35	102	131	34	97	6	1	5	5	-	5
90-94 years	85	14	71	81	14	67	4	-	4	3	-	3
95-99 years	36	7	29	34	6	28	2	1	1	1	-	1
100 yrs & over	7	2	5	6	2	4	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Embolism and thrombosis of abdominal aorta (I74.0)												
All ages	53	25	28	45	20	25	8	5	3	7	4	3
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	6	4	2	5	3	2	1	1	-	1	1	-
65-69 years	9	6	3	8	5	3	1	1	-	1	1	-
70-74 years	7	4	3	6	4	2	1	-	1	1	-	1
75-79 years	9	5	4	8	4	4	1	1	-	1	1	-
80-84 years	4	2	2	2	1	1	2	1	1	2	1	1
85-89 years	8	2	6	7	1	6	1	1	-	-	-	-
90-94 years	4	-	4	4	-	4	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Embolism and thrombosis of other and unspecified parts of aorta (I74.1)												
All ages	189	74	115	166	67	99	23	7	16	21	7	14
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	3	3	-	2	2	-	1	1	-	1	1	-
45-49 years	3	1	2	2	1	1	1	-	1	1	-	1
50-54 years	6	3	3	6	3	3	-	-	-	-	-	-
55-59 years	12	4	8	10	4	6	2	-	2	2	-	2
60-64 years	27	15	12	19	12	7	8	3	5	8	3	5
65-69 years	17	8	9	15	8	7	2	-	2	1	-	1
70-74 years	27	12	15	23	10	13	4	2	2	4	2	2
75-79 years	32	10	22	30	10	20	2	-	2	2	-	2
80-84 years	24	9	15	22	9	13	2	-	2	1	-	1
85-89 years	19	4	15	19	4	15	-	-	-	-	-	-
90-94 years	13	2	11	13	2	11	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Embolism and thrombosis of arteries of the upper extremities (I74.2)												
All ages	17	2	15	16	2	14	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	3	-	3	2	-	2	1	-	1	1	-	1
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Embolism and thrombosis of arteries of the lower extremities (I74.3)												
All ages	160	42	118	150	38	112	10	4	6	9	4	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	-	-	-	2	1	1	2	1	1
40-44 years	2	1	1	1	-	1	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	6	3	3	5	2	3	1	1	-	1	1	-
65-69 years	9	4	5	8	4	4	1	-	1	1	-	1
70-74 years	9	3	6	8	2	6	1	1	-	1	1	-
75-79 years	14	4	10	13	4	9	1	-	1	-	-	-
80-84 years	36	13	23	35	13	22	1	-	1	1	-	1
85-89 years	33	8	25	32	8	24	1	-	1	1	-	1
90-94 years	26	1	25	26	1	25	-	-	-	-	-	-
95-99 years	15	1	14	15	1	14	-	-	-	-	-	-
100 yrs & over	4	1	3	3	1	2	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Embolism and thrombosis of arteries of extremities, unspecified (I74.4)												
All ages	36	11	25	32	10	22	4	1	3	3	-	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	1	1	1	1	-	1	-	1	1	-	1
70-74 years	6	3	3	6	3	3	-	-	-	-	-	-
75-79 years	6	1	5	6	1	5	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	10	2	8	10	2	8	-	-	-	-	-	-
90-94 years	7	1	6	6	1	5	1	-	1	1	-	1
95-99 years	1	1	-	-	-	-	1	1	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Embolism and thrombosis of iliac artery (I74.5)												
All ages	29	8	21	28	8	20	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	7	1	6	6	1	5	1	-	1	-	-	-
80-84 years	6	2	4	6	2	4	-	-	-	-	-	-
85-89 years	7	2	5	7	2	5	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Embolism and thrombosis of other arteries (I74.8)												
All ages	40	24	16	35	21	14	5	3	2	4	3	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	6	3	3	5	3	2	1	-	1	1	-	1
60-64 years	3	2	1	1	1	-	2	1	1	1	1	-
65-69 years	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years	9	6	3	8	5	3	1	1	-	1	1	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Embolism and thrombosis of unspecified artery (I74.9)												
All ages	382	158	224	345	143	202	37	15	22	33	12	21
Under 1 year	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	4	1	3	3	1	2	1	-	1	1	-	1
45-49 years	6	5	1	4	3	1	2	2	-	2	2	-
50-54 years	9	4	5	8	3	5	1	1	-	1	1	-
55-59 years	18	10	8	18	10	8	-	-	-	-	-	-
60-64 years	10	9	1	9	8	1	1	1	-	-	-	-
65-69 years	36	16	20	33	15	18	3	1	2	3	1	2
70-74 years	63	33	30	56	31	25	7	2	5	7	2	5
75-79 years	72	30	42	66	26	40	6	4	2	4	2	2
80-84 years	61	20	41	53	16	37	8	4	4	8	4	4
85-89 years	57	17	40	54	17	37	3	-	3	3	-	3
90-94 years	29	9	20	26	9	17	3	-	3	2	-	2
95-99 years	12	3	9	11	3	8	1	-	1	1	-	1
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other disorders of arteries and arterioles (I77)												
All ages	1,099	464	635	968	414	554	131	50	81	109	42	67
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	2	-	2	1	-	1	1	-	1	1	-	1
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	3	-	3	2	-	2	1	-	1	1	-	1
15-19 years	6	4	2	5	4	1	1	-	1	1	-	1
20-24 years	6	2	4	6	2	4	-	-	-	-	-	-
25-29 years	8	2	6	6	2	4	2	-	2	2	-	2
30-34 years	12	6	6	7	3	4	5	3	2	5	3	2
35-39 years	20	8	12	17	6	11	3	2	1	3	2	1
40-44 years	31	16	15	23	11	12	8	5	3	8	5	3
45-49 years	30	14	16	24	12	12	6	2	4	5	2	3
50-54 years	56	27	29	40	21	19	16	6	10	12	4	8
55-59 years	52	29	23	44	22	22	8	7	1	8	7	1
60-64 years	87	42	45	67	36	31	20	6	14	15	3	12
65-69 years	107	48	59	96	42	54	11	6	5	9	5	4
70-74 years	146	59	87	130	54	76	16	5	11	15	5	10
75-79 years	202	90	112	188	85	103	14	5	9	12	3	9
80-84 years	141	56	85	135	55	80	6	1	5	3	1	2
85-89 years	121	46	75	110	44	66	11	2	9	7	2	5
90-94 years	50	10	40	48	10	38	2	-	2	2	-	2
95-99 years	15	5	10	15	5	10	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Arteriovenous fistula, acquired (I77.0)												
All ages	30	14	16	13	9	4	17	5	12	13	5	8
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	7	3	4	1	1	-	6	2	4	6	2	4
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	3	3	-	2	2	-	1	1	-	1	1	-
70-74 years	3	1	2	1	1	-	2	-	2	2	-	2
75-79 years	5	1	4	3	1	2	2	-	2	2	-	2
80-84 years	2	-	2	1	-	1	1	-	1	-	-	-
85-89 years	5	1	4	2	1	1	3	-	3	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Stricture of artery (I77.1)												
All ages	140	43	97	125	37	88	15	6	9	13	4	9
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	4	2	2	3	2	1	1	-	1	1	-	1
50-54 years	4	2	2	3	1	2	1	1	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	7	5	2	5	4	1	2	1	1	1	-	1
65-69 years	9	4	5	8	3	5	1	1	-	1	1	-
70-74 years	5	2	3	5	2	3	-	-	-	-	-	-
75-79 years	23	7	16	20	6	14	3	1	2	3	1	2
80-84 years	21	3	18	21	3	18	-	-	-	-	-	-
85-89 years	29	7	22	23	5	18	6	2	4	6	2	4
90-94 years	26	5	21	25	5	20	1	-	1	1	-	1
95-99 years	7	2	5	7	2	5	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Rupture of artery (I77.2)												
All ages	150	83	67	129	71	58	21	12	9	19	12	7
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	3	2	1	2	1	1	1	1	-	1	1	-
35-39 years	6	3	3	4	2	2	2	1	1	2	1	1
40-44 years	3	3	-	2	2	-	1	1	-	1	1	-
45-49 years	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years	10	3	7	8	3	5	2	-	2	2	-	2
55-59 years	7	4	3	4	1	3	3	3	-	3	3	-
60-64 years	10	5	5	5	4	1	5	1	4	3	1	2
65-69 years	16	11	5	14	9	5	2	2	-	2	2	-
70-74 years	22	11	11	20	9	11	2	2	-	2	2	-
75-79 years	32	18	14	31	18	13	1	-	1	1	-	1
80-84 years	18	12	6	17	11	6	1	1	-	1	1	-
85-89 years	13	5	8	12	5	7	1	-	1	1	-	1
90-94 years	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Arterial fibromuscular dysplasia (I77.3)												
All ages	6	2	4	6	2	4	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Celiac artery compression syndrome (I77.4)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Arteritis, unspecified (I77.6)												
All ages	493	198	295	450	185	265	43	13	30	34	8	26
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	3	-	3	2	-	2	1	-	1	1	-	1
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	3	-	3	3	-	3	-	-	-	-	-	-
25-29 years	4	-	4	3	-	3	1	-	1	1	-	1
30-34 years	7	2	5	4	1	3	3	1	2	3	1	2
35-39 years	11	4	7	10	3	7	1	1	-	1	1	-
40-44 years	19	6	13	14	4	10	5	2	3	5	2	3
45-49 years	15	6	9	12	5	7	3	1	2	2	1	1
50-54 years	18	11	7	15	9	6	3	2	1	2	1	1
55-59 years	35	20	15	32	18	14	3	2	1	3	2	1
60-64 years	40	19	21	33	17	16	7	2	5	5	-	5
65-69 years	46	15	31	42	14	28	4	1	3	3	-	3
70-74 years	66	23	43	62	23	39	4	-	4	3	-	3
75-79 years	87	35	52	84	34	50	3	1	2	2	-	2
80-84 years	65	26	39	61	26	35	4	-	4	2	-	2
85-89 years	51	24	27	51	24	27	-	-	-	-	-	-
90-94 years	13	4	9	13	4	9	-	-	-	-	-	-
95-99 years	6	3	3	6	3	3	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified disorders of arteries and arterioles (I77.8)												
All ages	19	8	11	16	8	8	3	-	3	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years	3	2	1	2	2	-	1	-	1	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	3	2	1	2	2	-	1	-	1	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorder of arteries and arterioles, unspecified (I77.9)												
All ages	259	116	143	227	102	125	32	14	18	29	13	16
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	1	1	1	1	-	1	-	1	1	-	1
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	2	1	2	1	1	1	1	-	1	1	-
45-49 years	6	4	2	5	3	2	1	1	-	1	1	-
50-54 years	14	6	8	11	5	6	3	1	2	2	1	1
55-59 years	6	3	3	5	2	3	1	1	-	1	1	-
60-64 years	27	12	15	21	10	11	6	2	4	6	2	4
65-69 years	30	13	17	28	12	16	2	1	1	2	1	1
70-74 years	48	21	27	40	18	22	8	3	5	8	3	5
75-79 years	54	28	26	49	25	24	5	3	2	4	2	2
80-84 years	33	15	18	33	15	18	-	-	-	-	-	-
85-89 years	23	9	14	22	9	13	1	-	1	-	-	-
90-94 years	6	-	6	5	-	5	1	-	1	1	-	1
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of capillaries (I78)												
All ages	58	23	35	52	18	34	6	5	1	6	5	1
Under 1 year	6	5	1	4	3	1	2	2	-	2	2	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years	6	1	5	6	1	5	-	-	-	-	-	-
65-69 years	6	2	4	3	-	3	3	2	1	3	2	1
70-74 years	8	3	5	7	2	5	1	1	-	1	1	-
75-79 years	7	-	7	7	-	7	-	-	-	-	-	-
80-84 years	10	5	5	10	5	5	-	-	-	-	-	-
85-89 years	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hereditary hemorrhagic telangiectasia (I78.0)												
All ages	32	11	21	28	8	20	4	3	1	4	3	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	4	1	3	4	1	3	-	-	-	-	-	-
65-69 years	6	2	4	3	-	3	3	2	1	3	2	1
70-74 years	6	2	4	5	1	4	1	1	-	1	1	-
75-79 years	4	-	4	4	-	4	-	-	-	-	-	-
80-84 years	5	2	3	5	2	3	-	-	-	-	-	-
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nevus, nonneoplastic (I78.1)												
All ages	12	6	6	12	6	6	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	4	3	1	4	3	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other diseases of capillaries (I78.8)												
All ages	14	6	8	12	4	8	2	2	-	2	2	-
Under 1 year	6	5	1	4	3	1	2	2	-	2	2	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis and thrombophlebitis (I80)												
All ages	3,209	1,265	1,944	2,610	1,009	1,601	599	256	343	557	241	316
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	7	3	4	4	2	2	3	1	2	3	1	2
20-24 years	22	11	11	10	6	4	12	5	7	11	4	7
25-29 years	39	15	24	25	9	16	14	6	8	14	6	8
30-34 years	64	28	36	39	17	22	25	11	14	24	10	14
35-39 years	78	39	39	46	22	24	32	17	15	30	16	14
40-44 years	133	62	71	90	40	50	43	22	21	39	21	18
45-49 years	156	78	78	108	60	48	48	18	30	44	16	28
50-54 years	151	82	69	114	59	55	37	23	14	34	21	13
55-59 years	183	97	86	142	76	66	41	21	20	38	20	18
60-64 years	196	99	97	147	71	76	49	28	21	48	28	20
65-69 years	227	102	125	180	83	97	47	19	28	44	19	25
70-74 years	323	155	168	264	129	135	59	26	33	56	24	32
75-79 years	392	156	236	325	131	194	67	25	42	59	24	35
80-84 years	428	150	278	385	137	248	43	13	30	41	12	29
85-89 years	402	108	294	367	97	270	35	11	24	30	10	20
90-94 years	287	59	228	256	54	202	31	5	26	29	4	25
95-99 years	98	15	83	88	12	76	10	3	7	10	3	7
100 yrs & over	22	5	17	20	4	16	2	1	1	2	1	1
Not stated	1	1	-	-	-	-	1	1	-	1	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Phlebitis and thrombophlebitis of superficial vessels of lower extremities (I80.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis and thrombophlebitis of femoral vein (I80.1)												
All ages	40	16	24	28	11	17	12	5	7	11	5	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	4	3	1	2	2	-	2	1	1	2	1	1
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years	2	1	1	1	-	1	1	1	-	1	1	-
65-69 years	2	1	1	1	1	-	1	-	1	-	-	-
70-74 years	5	3	2	3	2	1	2	1	1	2	1	1
75-79 years	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years	7	4	3	5	3	2	2	1	1	2	1	1
85-89 years	5	1	4	4	1	3	1	-	1	1	-	1
90-94 years	2	-	2	1	-	1	1	-	1	1	-	1
95-99 years	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Phlebitis and thrombophlebitis of other deep vessels of lower extremities (I80.2)												
All ages	2,730	1,076	1,654	2,228	860	1,368	502	216	286	470	204	266
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	6	3	3	3	2	1	3	1	2	3	1	2
20-24 years	19	11	8	8	6	2	11	5	6	10	4	6
25-29 years	36	15	21	23	9	14	13	6	7	13	6	7
30-34 years	47	23	24	27	14	13	20	9	11	20	9	11
35-39 years	66	35	31	37	20	17	29	15	14	27	14	13
40-44 years	112	54	58	75	34	41	37	20	17	33	19	14
45-49 years	126	63	63	91	51	40	35	12	23	31	10	21
50-54 years	130	73	57	96	51	45	34	22	12	32	20	12
55-59 years	148	85	63	116	66	50	32	19	13	30	19	11
60-64 years	167	81	86	124	59	65	43	22	21	42	22	20
65-69 years	197	91	106	157	74	83	40	17	23	39	17	22
70-74 years	266	123	143	220	103	117	46	20	26	44	19	25
75-79 years	336	130	206	276	110	166	60	20	40	52	19	33
80-84 years	370	127	243	336	118	218	34	9	25	32	8	24
85-89 years	352	95	257	325	85	240	27	10	17	25	9	16
90-94 years	255	49	206	228	45	183	27	4	23	26	3	23
95-99 years	79	13	66	71	10	61	8	3	5	8	3	5
100 yrs & over	17	4	13	15	3	12	2	1	1	2	1	1
Not stated	1	1	-	-	-	-	1	1	-	1	1	-
Phlebitis and thrombophlebitis of lower extremities, unspecified (I80.3)												
All ages	278	115	163	220	91	129	58	24	34	54	23	31
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	3	-	3	2	-	2	1	-	1	1	-	1
30-34 years	9	1	8	8	1	7	1	-	1	1	-	1
35-39 years	10	4	6	7	2	5	3	2	1	3	2	1
40-44 years	16	4	12	12	4	8	4	-	4	4	-	4
45-49 years	20	13	7	10	8	2	10	5	5	10	5	5
50-54 years	14	5	9	12	4	8	2	1	1	2	1	1
55-59 years	26	12	14	17	10	7	9	2	7	8	1	7
60-64 years	20	11	9	16	7	9	4	4	-	4	4	-
65-69 years	18	8	10	14	7	7	4	1	3	3	1	2
70-74 years	32	18	14	24	14	10	8	4	4	8	4	4
75-79 years	27	14	13	23	11	12	4	3	1	4	3	1
80-84 years	31	12	19	29	11	18	2	1	1	2	1	1
85-89 years	20	7	13	17	6	11	3	1	2	2	1	1
90-94 years	16	4	12	15	4	11	1	-	1	-	-	-
95-99 years	13	1	12	12	1	11	1	-	1	1	-	1
100 yrs & over	2	1	1	2	1	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Phlebitis and thrombophlebitis of other sites (I80.8)												
All ages	11	6	5	10	6	4	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	2	1	1	1	1	-	1	-	1	1	-	1
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis and thrombophlebitis of unspecified site (I80.9)												
All ages	149	51	98	123	40	83	26	11	15	21	9	12
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	3	1	2	1	-	1	2	1	1	1	-	1
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	3	2	1	2	1	1	1	1	-	1	1	-
45-49 years	9	2	7	6	1	5	3	1	2	3	1	2
50-54 years	5	3	2	4	3	1	1	-	1	-	-	-
55-59 years	7	-	7	7	-	7	-	-	-	-	-	-
60-64 years	6	5	1	5	4	1	1	1	-	1	1	-
65-69 years	10	2	8	8	1	7	2	1	1	2	1	1
70-74 years	19	10	9	16	9	7	3	1	2	2	-	2
75-79 years	23	10	13	20	8	12	3	2	1	3	2	1
80-84 years	18	6	12	14	4	10	4	2	2	4	2	2
85-89 years	22	3	19	18	3	15	4	-	4	2	-	2
90-94 years	14	6	8	12	5	7	2	1	1	2	1	1
95-99 years	5	1	4	5	1	4	-	-	-	-	-	-
100 yrs & over	3	-	3	3	-	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Portal vein thrombosis (I81)												
All ages	89	42	47	77	34	43	12	8	4	11	8	3
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	4	3	1	2	1	1	2	2	-	2	2	-
45-49 years	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years	4	2	2	4	2	2	-	-	-	-	-	-
55-59 years	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years	9	6	3	5	3	2	4	3	1	3	3	-
65-69 years	12	6	6	11	6	5	1	-	1	1	-	1
70-74 years	14	8	6	13	7	6	1	1	-	1	1	-
75-79 years	16	6	10	16	6	10	-	-	-	-	-	-
80-84 years	10	5	5	8	4	4	2	1	1	2	1	1
85-89 years	10	3	7	9	3	6	1	-	1	1	-	1
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other venous embolism and thrombosis (I82)												
All ages	233	91	142	197	79	118	36	12	24	34	11	23
Under 1 year	2	1	1	-	-	-	2	1	1	2	1	1
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	4	-	4	4	-	4	-	-	-	-	-	-
25-29 years	5	3	2	4	2	2	1	1	-	1	1	-
30-34 years	8	3	5	5	2	3	3	1	2	3	1	2
35-39 years	7	3	4	4	3	1	3	-	3	3	-	3
40-44 years	9	4	5	7	4	3	2	-	2	2	-	2
45-49 years	7	3	4	6	3	3	1	-	1	1	-	1
50-54 years	12	7	5	11	6	5	1	1	-	1	1	-
55-59 years	16	6	10	13	5	8	3	1	2	3	1	2
60-64 years	20	7	13	12	4	8	8	3	5	8	3	5
65-69 years	30	12	18	25	11	14	5	1	4	4	1	3
70-74 years	19	9	10	17	7	10	2	2	-	1	1	-
75-79 years	32	19	13	31	19	12	1	-	1	1	-	1
80-84 years	19	5	14	19	5	14	-	-	-	-	-	-
85-89 years	18	2	16	17	2	15	1	-	1	1	-	1
90-94 years	17	6	11	15	5	10	2	1	1	2	1	1
95-99 years	6	-	6	5	-	5	1	-	1	1	-	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Budd-Chiari syndrome (I82.0)												
All ages	33	15	18	31	13	18	2	2	-	2	2	-
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years	4	2	2	4	2	2	-	-	-	-	-	-
65-69 years	3	-	3	3	-	3	-	-	-	-	-	-
70-74 years	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years	6	5	1	6	5	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Thrombophlebitis migrans (I82.1)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Embolism and thrombosis of vena cava (I82.2)												
All ages	42	22	20	36	19	17	6	3	3	5	3	2
Under 1 year	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	2	2	-	1	1	-	1	1	-	1	1	-
30-34 years	3	1	2	3	1	2	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	4	2	2	4	2	2	-	-	-	-	-	-
60-64 years	3	1	2	1	-	1	2	1	1	2	1	1
65-69 years	8	4	4	7	4	3	1	-	1	-	-	-
70-74 years	2	1	1	1	-	1	1	1	-	1	1	-
75-79 years	5	4	1	5	4	1	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Embolism and thrombosis of renal vein (I82.3)												
All ages	5	3	2	4	3	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Embolism and thrombosis of other specified veins (I82.8)												
All ages	83	27	56	67	22	45	16	5	11	16	5	11
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	3	1	2	3	1	2	-	-	-	-	-	-
30-34 years	3	-	3	1	-	1	2	-	2	2	-	2
35-39 years	2	-	2	-	-	-	2	-	2	2	-	2
40-44 years	3	1	2	3	1	2	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	4	2	2	3	1	2	1	1	-	1	1	-
55-59 years	5	2	3	3	1	2	2	1	1	2	1	1
60-64 years	7	2	5	5	1	4	2	1	1	2	1	1
65-69 years	13	4	9	10	3	7	3	1	2	3	1	2
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	10	7	3	9	7	2	1	-	1	1	-	1
80-84 years	6	2	4	6	2	4	-	-	-	-	-	-
85-89 years	10	1	9	9	1	8	1	-	1	1	-	1
90-94 years	7	4	3	6	3	3	1	1	-	1	1	-
95-99 years	6	-	6	5	-	5	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Embolism and thrombosis of unspecified vein (I82.9)												
All ages	69	24	45	58	22	36	11	2	9	10	1	9
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	3	1	2	1	1	-	2	-	2	2	-	2
45-49 years	3	1	2	2	1	1	1	-	1	1	-	1
50-54 years	4	2	2	4	2	2	-	-	-	-	-	-
55-59 years	5	2	3	4	2	2	1	-	1	1	-	1
60-64 years	6	2	4	2	1	1	4	1	3	4	1	3
65-69 years	6	4	2	5	4	1	1	-	1	1	-	1
70-74 years	9	5	4	8	4	4	1	1	-	-	-	-
75-79 years	11	3	8	11	3	8	-	-	-	-	-	-
80-84 years	8	1	7	8	1	7	-	-	-	-	-	-
85-89 years	6	1	5	6	1	5	-	-	-	-	-	-
90-94 years	6	1	5	5	1	4	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Varicose veins of lower extremities (I83)												
All ages	183	93	90	156	74	82	27	19	8	22	16	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	4	2	2	1	-	1	3	2	1	2	1	1
40-44 years	9	7	2	4	2	2	5	5	-	5	5	-
45-49 years	13	11	2	12	11	1	1	-	1	1	-	1
50-54 years	9	8	1	7	7	-	2	1	1	1	1	-
55-59 years	13	11	2	8	7	1	5	4	1	5	4	1
60-64 years	7	3	4	5	1	4	2	2	-	2	2	-
65-69 years	11	7	4	9	5	4	2	2	-	1	1	-
70-74 years	13	6	7	10	5	5	3	1	2	1	-	1
75-79 years	12	8	4	11	7	4	1	1	-	1	1	-
80-84 years	14	9	5	14	9	5	-	-	-	-	-	-
85-89 years	36	13	23	35	13	22	1	-	1	1	-	1
90-94 years	29	6	23	27	5	22	2	1	1	2	1	1
95-99 years	13	2	11	13	2	11	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Varicose veins of lower extremities with ulcer (I83.0)												
All ages	80	29	51	75	26	49	5	3	2	5	3	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	3	3	-	2	2	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years	4	2	2	3	1	2	1	1	-	1	1	-
80-84 years	9	5	4	9	5	4	-	-	-	-	-	-
85-89 years	29	11	18	28	11	17	1	-	1	1	-	1
90-94 years	22	5	17	20	4	16	2	1	1	2	1	1
95-99 years	6	1	5	6	1	5	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Varicose veins of lower extremities with inflammation (I83.1)												
All ages	21	9	12	19	7	12	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	2	1	1	1	-	1	1	1	-	1	1	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	5	4	1	5	4	1	-	-	-	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	4	-	4	4	-	4	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Varicose veins of lower extremities with both ulcer and inflammation (I83.2)												
All ages	7	1	6	6	1	5	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	4	-	4	4	-	4	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Varicose veins of lower extremities without ulcer or inflammation (I83.9)												
All ages	75	54	21	56	40	16	19	14	5	14	11	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	4	2	2	1	-	1	3	2	1	2	1	1
40-44 years	8	6	2	4	2	2	4	4	-	4	4	-
45-49 years	13	11	2	12	11	1	1	-	1	1	-	1
50-54 years	6	5	1	5	5	-	1	-	1	-	-	-
55-59 years	12	10	2	7	6	1	5	4	1	5	4	1
60-64 years	5	3	2	3	1	2	2	2	-	2	2	-
65-69 years	7	5	2	6	4	2	1	1	-	-	-	-
70-74 years	7	4	3	5	3	2	2	1	1	-	-	-
75-79 years	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhoids (I84)												
All ages	9	2	7	9	2	7	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Internal hemorrhoids without complication (I84.2)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified hemorrhoids with other complications (I84.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified hemorrhoids without complication (I84.9)												
All ages	6	2	4	6	2	4	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Esophageal varices (I85)												
All ages	179	127	52	157	111	46	22	16	6	17	11	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	4	4	-	4	4	-	-	-	-	-	-	-
40-44 years	15	14	1	14	13	1	1	1	-	1	1	-
45-49 years	19	17	2	14	12	2	5	5	-	3	3	-
50-54 years	24	18	6	19	15	4	5	3	2	4	2	2
55-59 years	17	13	4	15	12	3	2	1	1	2	1	1
60-64 years	19	16	3	18	15	3	1	1	-	1	1	-
65-69 years	12	7	5	9	5	4	3	2	1	2	1	1
70-74 years	17	7	10	17	7	10	-	-	-	-	-	-
75-79 years	10	7	3	7	5	2	3	2	1	2	1	1
80-84 years	21	15	6	20	15	5	1	-	1	1	-	1
85-89 years	11	7	4	10	6	4	1	1	-	1	1	-
90-94 years	9	1	8	9	1	8	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Esophageal varices with bleeding (I85.0)												
All ages	144	101	43	126	88	38	18	13	5	14	9	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	4	4	-	4	4	-	-	-	-	-	-	-
40-44 years	13	12	1	12	11	1	1	1	-	1	1	-
45-49 years	17	16	1	12	11	1	5	5	-	3	3	-
50-54 years	16	10	6	13	9	4	3	1	2	3	1	2
55-59 years	16	12	4	14	11	3	2	1	1	2	1	1
60-64 years	16	14	2	16	14	2	-	-	-	-	-	-
65-69 years	9	5	4	6	3	3	3	2	1	2	1	1
70-74 years	12	5	7	12	5	7	-	-	-	-	-	-
75-79 years	8	6	2	6	4	2	2	2	-	1	1	-
80-84 years	16	10	6	15	10	5	1	-	1	1	-	1
85-89 years	10	6	4	9	5	4	1	1	-	1	1	-
90-94 years	6	-	6	6	-	6	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Esophageal varices without bleeding (I85.9)												
All ages	35	26	9	31	23	8	4	3	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	8	8	-	6	6	-	2	2	-	1	1	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	3	2	1	2	1	1	1	1	-	1	1	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	5	2	3	5	2	3	-	-	-	-	-	-
75-79 years	2	1	1	1	1	-	1	-	1	1	-	1
80-84 years	5	5	-	5	5	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Varicose veins of other sites (I86)												
All ages	41	24	17	35	19	16	6	5	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	3	3	-	3	3	-	-	-	-	-	-	-
45-49 years	7	6	1	7	6	1	-	-	-	-	-	-
50-54 years	2	2	-	1	1	-	1	1	-	-	-	-
55-59 years	6	4	2	5	3	2	1	1	-	1	1	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	4	2	2	3	1	2	1	1	-	-	-	-
70-74 years	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years	2	1	1	1	-	1	1	1	-	1	1	-
80-84 years	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years	4	-	4	3	-	3	1	-	1	1	-	1
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Gastric varices (I86.4)												
All ages	35	21	14	30	17	13	5	4	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	3	3	-	3	3	-	-	-	-	-	-	-
45-49 years	7	6	1	7	6	1	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	-	-	-
55-59 years	6	4	2	5	3	2	1	1	-	1	1	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	4	2	2	3	1	2	1	1	-	-	-	-
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	1	1	-	-	-	-	1	1	-	1	1	-
80-84 years	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years	3	-	3	2	-	2	1	-	1	1	-	1
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Varicose veins of other specified sites (I86.8)												
All ages	6	3	3	5	2	3	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of veins (I87)												
All ages	147	61	86	131	54	77	16	7	9	15	6	9
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	3	1	2	2	1	1	1	-	1	1	-	1
35-39 years	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years	6	2	4	2	1	1	4	1	3	4	1	3
45-49 years	9	6	3	8	5	3	1	1	-	1	1	-
50-54 years	10	6	4	8	5	3	2	1	1	2	1	1
55-59 years	8	6	2	7	5	2	1	1	-	1	1	-
60-64 years	4	2	2	4	2	2	-	-	-	-	-	-
65-69 years	13	6	7	12	5	7	1	1	-	1	1	-
70-74 years	19	8	11	17	7	10	2	1	1	1	-	1
75-79 years	10	7	3	10	7	3	-	-	-	-	-	-
80-84 years	21	7	14	21	7	14	-	-	-	-	-	-
85-89 years	17	5	12	17	5	12	-	-	-	-	-	-
90-94 years	14	3	11	12	3	9	2	-	2	2	-	2
95-99 years	8	-	8	8	-	8	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Postphlebitic syndrome (I87.0)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Compression of vein (I87.1)												
All ages	40	16	24	30	11	19	10	5	5	9	4	5
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	-	2	1	-	1	1	-	1	1	-	1
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	5	1	4	2	1	1	3	-	3	3	-	3
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	3	1	2	2	-	2	1	1	-	1	1	-
55-59 years	4	2	2	3	1	2	1	1	-	1	1	-
60-64 years	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years	4	3	1	3	2	1	1	1	-	1	1	-
70-74 years	6	4	2	5	3	2	1	1	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	4	-	4	4	-	4	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Venous insufficiency (chronic) (peripheral) (I87.2)												
All ages	52	22	30	51	22	29	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	5	2	3	5	2	3	-	-	-	-	-	-
75-79 years	6	5	1	6	5	1	-	-	-	-	-	-
80-84 years	12	5	7	12	5	7	-	-	-	-	-	-
85-89 years	10	3	7	10	3	7	-	-	-	-	-	-
90-94 years	7	2	5	6	2	4	1	-	1	1	-	1
95-99 years	5	-	5	5	-	5	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified disorders of veins (I87.8)												
All ages	49	21	28	44	19	25	5	2	3	5	2	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	8	5	3	7	4	3	1	1	-	1	1	-
50-54 years	5	3	2	4	3	1	1	-	1	1	-	1
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	6	2	4	6	2	4	-	-	-	-	-	-
70-74 years	6	2	4	5	2	3	1	-	1	1	-	1
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	5	2	3	5	2	3	-	-	-	-	-	-
85-89 years	5	1	4	5	1	4	-	-	-	-	-	-
90-94 years	6	1	5	5	1	4	1	-	1	1	-	1
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorder of vein, unspecified (I87.9)												
All ages	5	2	3	5	2	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonspecific lymphadenitis (I88)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Nonspecific mesenteric lymphadenitis (I88.0)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other noninfective disorders of lymphatic vessels and lymph nodes (I89)												
All ages	75	32	43	67	27	40	8	5	3	5	3	2
Under 1 year	13	4	9	12	4	8	1	-	1	1	-	1
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	4	3	1	3	2	1	1	1	-	-	-	-
50-54 years	5	3	2	3	2	1	2	1	1	2	1	1
55-59 years	4	1	3	4	1	3	-	-	-	-	-	-
60-64 years	4	4	-	3	3	-	1	1	-	1	1	-
65-69 years	4	1	3	4	1	3	-	-	-	-	-	-
70-74 years	5	2	3	4	1	3	1	1	-	1	1	-
75-79 years	7	3	4	7	3	4	-	-	-	-	-	-
80-84 years	9	2	7	9	2	7	-	-	-	-	-	-
85-89 years	8	3	5	8	3	5	-	-	-	-	-	-
90-94 years	6	3	3	5	2	3	1	1	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Lymphedema, not elsewhere classified (I89.0)												
All ages	44	15	29	40	13	27	4	2	2	2	1	1
Under 1 year	3	1	2	3	1	2	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	3	2	1	2	1	1	1	1	-	-	-	-
50-54 years	3	2	1	2	2	-	1	-	1	1	-	1
55-59 years	3	-	3	3	-	3	-	-	-	-	-	-
60-64 years	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years	4	1	3	4	1	3	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years	6	-	6	6	-	6	-	-	-	-	-	-
85-89 years	7	2	5	7	2	5	-	-	-	-	-	-
90-94 years	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Lymphangitis (I89.1)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified noninfective disorders of lymphatic vessels and lymph nodes (I89.8)															
All ages	24	14	10	21	12	9	3	2	1	2	1	1			
Under 1 year	10	3	7	9	3	6	1	-	1	1	-	1			
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-			
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-			
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-			
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-			
60-64 years	1	1	-	-	-	-	1	1	-	1	1	-			
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-			
75-79 years	3	2	1	3	2	1	-	-	-	-	-	-			
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-			
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-			
90-94 years	2	2	-	1	1	-	1	1	-	-	-	-			
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			
Noninfective disorder of lymphatic vessels and lymph nodes, unspecified (I89.9)															
All ages	5	3	2	4	2	2	1	1	-	1	1	-			
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-			
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-			
50-54 years	2	1	1	1	-	1	1	1	-	1	1	-			
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-			
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-			
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hypotension (I95)												
All ages	260	120	140	202	90	112	58	30	28	45	24	21
Under 1 year	3	3	-	2	2	-	1	1	-	1	1	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	-	3	3	-	3	-	-	-	-	-	-
45-49 years	3	1	2	1	1	-	2	-	2	2	-	2
50-54 years	5	2	3	2	1	1	3	1	2	2	1	1
55-59 years	11	3	8	9	3	6	2	-	2	1	-	1
60-64 years	16	7	9	10	4	6	6	3	3	4	3	1
65-69 years	26	12	14	18	8	10	8	4	4	7	4	3
70-74 years	25	19	6	20	15	5	5	4	1	5	4	1
75-79 years	58	29	29	46	23	23	12	6	6	10	4	6
80-84 years	50	22	28	42	16	26	8	6	2	6	4	2
85-89 years	23	9	14	18	6	12	5	3	2	3	1	2
90-94 years	23	9	14	21	9	12	2	-	2	1	-	1
95-99 years	9	2	7	7	1	6	2	1	1	2	1	1
100 yrs & over	3	1	2	1	-	1	2	1	1	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic hypotension (I95.0)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Orthostatic hypotension (I95.1)												
All ages	18	7	11	16	7	9	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	5	2	3	4	2	2	1	-	1	1	-	1
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	6	2	4	6	2	4	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hypotension due to drugs (I95.2)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other hypotension (I95.8)												
All ages	10	5	5	9	4	5	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	4	3	1	3	2	1	1	1	-	1	1	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hypotension, unspecified (I95.9)												
All ages	230	107	123	175	78	97	55	29	26	42	23	19
Under 1 year	3	3	-	2	2	-	1	1	-	1	1	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	-	3	3	-	3	-	-	-	-	-	-
45-49 years	3	1	2	1	1	-	2	-	2	2	-	2
50-54 years	5	2	3	2	1	1	3	1	2	2	1	1
55-59 years	10	3	7	9	3	6	1	-	1	-	-	-
60-64 years	14	6	8	8	3	5	6	3	3	4	3	1
65-69 years	21	10	11	14	6	8	7	4	3	6	4	2
70-74 years	23	18	5	18	14	4	5	4	1	5	4	1
75-79 years	53	25	28	42	20	22	11	5	6	9	3	6
80-84 years	41	19	22	33	13	20	8	6	2	6	4	2
85-89 years	21	8	13	16	5	11	5	3	2	3	1	2
90-94 years	21	8	13	19	8	11	2	-	2	1	-	1
95-99 years	7	2	5	5	1	4	2	1	1	2	1	1
100 yrs & over	3	1	2	1	-	1	2	1	1	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other and unspecified disorders of circulatory system (I99)												
All ages	238	124	114	200	104	96	38	20	18	33	17	16
Under 1 year	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	9	5	4	7	4	3	2	1	1	2	1	1
55-59 years	11	7	4	7	5	2	4	2	2	4	2	2
60-64 years	15	10	5	14	9	5	1	1	-	1	1	-
65-69 years	25	18	7	21	14	7	4	4	-	4	4	-
70-74 years	34	16	18	30	14	16	4	2	2	1	-	1
75-79 years	33	18	15	26	14	12	7	4	3	7	4	3
80-84 years	33	19	14	27	16	11	6	3	3	5	2	3
85-89 years	37	14	23	33	14	19	4	-	4	4	-	4
90-94 years	27	10	17	22	8	14	5	2	3	4	2	2
95-99 years	5	-	5	5	-	5	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute nasopharyngitis [common cold] (J00)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute sinusitis (J01)												
All ages	6	2	4	3	1	2	3	1	2	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute sinusitis, unspecified (J01.9)												
All ages	6	2	4	3	1	2	3	1	2	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute pharyngitis (J02)												
All ages	23	9	14	20	8	12	3	1	2	3	1	2
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	2	1	1	1	-	1	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal pharyngitis (J02.0)												
All ages	7	2	5	7	2	5	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute pharyngitis due to other specified organisms (J02.8)												
All ages	3	1	2	2	1	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute pharyngitis, unspecified (J02.9)												
All ages	13	6	7	11	5	6	2	1	1	2	1	1
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute tonsillitis (J03)												
All ages	7	4	3	6	3	3	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute tonsillitis due to other specified organisms (J03.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute tonsillitis, unspecified (J03.9)												
All ages	6	3	3	5	2	3	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute laryngitis and tracheitis (J04)												
All ages	21	13	8	17	10	7	4	3	1	4	3	1
Under 1 year	3	3	-	1	1	-	2	2	-	2	2	-
1-4 years	6	3	3	4	2	2	2	1	1	2	1	1
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute laryngitis (J04.0)												
All ages	8	4	4	7	3	4	1	1	-	1	1	-
Under 1 year	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute tracheitis (J04.1)												
All ages	8	6	2	7	5	2	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	3	3	-	2	2	-	1	1	-	1	1	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute laryngotracheitis (J04.2)												
All ages	5	3	2	3	2	1	2	1	1	2	1	1
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	2	-	2	1	-	1	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute obstructive laryngitis [croup] and epiglottitis (J05)												
All ages	27	14	13	20	9	11	7	5	2	6	5	1
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	3	1	2	3	1	2	-	-	-	-	-	-
5-9 years	3	2	1	3	2	1	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	4	3	1	3	2	1	1	1	-	1	1	-
45-49 years	3	2	1	2	1	1	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	3	1	2	2	-	2	1	1	-	1	1	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	2	-	2	1	-	1	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute obstructive laryngitis [croup] (J05.0)												
All ages	5	2	3	5	2	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	-	2	2	-	2	-	-	-	-	-	-
5-9 years	3	2	1	3	2	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute epiglottitis (J05.1)												
All ages	22	12	10	15	7	8	7	5	2	6	5	1
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	4	3	1	3	2	1	1	1	-	1	1	-
45-49 years	3	2	1	2	1	1	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	3	1	2	2	-	2	1	1	-	1	1	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	2	-	2	1	-	1	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute upper respiratory infections of multiple and unspecified sites (J06)												
All ages	84	19	65	75	15	60	9	4	5	7	3	4
Under 1 year	3	2	1	1	-	1	2	2	-	1	1	-
1-4 years	4	3	1	3	2	1	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	3	1	2	1	-	1	2	1	1	2	1	1
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	3	-	3	2	-	2	1	-	1	-	-	-
75-79 years	9	1	8	8	1	7	1	-	1	1	-	1
80-84 years	9	3	6	9	3	6	-	-	-	-	-	-
85-89 years	11	2	9	11	2	9	-	-	-	-	-	-
90-94 years	20	1	19	20	1	19	-	-	-	-	-	-
95-99 years	8	3	5	8	3	5	-	-	-	-	-	-
100 yrs & over	7	-	7	5	-	5	2	-	2	2	-	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute laryngopharyngitis (J06.0)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute upper respiratory infection, unspecified (J06.9)												
All ages	83	19	64	74	15	59	9	4	5	7	3	4
Under 1 year	3	2	1	1	-	1	2	2	-	1	1	-
1-4 years	4	3	1	3	2	1	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	2	1	1	-	-	-	2	1	1	2	1	1
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	3	-	3	2	-	2	1	-	1	-	-	-
75-79 years	9	1	8	8	1	7	1	-	1	1	-	1
80-84 years	9	3	6	9	3	6	-	-	-	-	-	-
85-89 years	11	2	9	11	2	9	-	-	-	-	-	-
90-94 years	20	1	19	20	1	19	-	-	-	-	-	-
95-99 years	8	3	5	8	3	5	-	-	-	-	-	-
100 yrs & over	7	-	7	5	-	5	2	-	2	2	-	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Influenza due to identified influenza virus (J10)												
All ages	18	7	11	16	6	10	2	1	1	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years	4	1	3	3	1	2	1	-	1	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Influenza with pneumonia, influenza virus identified (J10.0)												
All ages	6	2	4	5	1	4	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Influenza with other respiratory manifestations, influenza virus identified (J10.1)												
All ages	12	5	7	11	5	6	1	-	1	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years	4	1	3	3	1	2	1	-	1	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Influenza, virus not identified (J11)												
All ages	239	94	145	213	82	131	26	12	14	20	10	10
Under 1 year	6	6	-	6	6	-	-	-	-	-	-	-
1-4 years	4	1	3	3	1	2	1	-	1	-	-	-
5-9 years	5	2	3	2	1	1	3	1	2	2	-	2
10-14 years	2	1	1	1	1	-	1	-	1	-	-	-
15-19 years	4	3	1	3	2	1	1	1	-	1	1	-
20-24 years	3	3	-	2	2	-	1	1	-	-	-	-
25-29 years	3	2	1	2	1	1	1	1	-	1	1	-
30-34 years	5	3	2	4	2	2	1	1	-	1	1	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	4	-	4	2	-	2	2	-	2	1	-	1
45-49 years	6	4	2	6	4	2	-	-	-	-	-	-
50-54 years	7	4	3	7	4	3	-	-	-	-	-	-
55-59 years	7	4	3	6	3	3	1	1	-	1	1	-
60-64 years	13	5	8	10	3	7	3	2	1	2	2	-
65-69 years	10	3	7	8	1	7	2	2	-	2	2	-
70-74 years	11	5	6	11	5	6	-	-	-	-	-	-
75-79 years	17	5	12	17	5	12	-	-	-	-	-	-
80-84 years	36	13	23	32	13	19	4	-	4	4	-	4
85-89 years	37	15	22	34	14	20	3	1	2	3	1	2
90-94 years	38	8	30	37	7	30	1	1	-	1	1	-
95-99 years	14	4	10	13	4	9	1	-	1	1	-	1
100 yrs & over	6	2	4	6	2	4	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Influenza with pneumonia, virus not identified (J11.0)												
All ages	111	46	65	98	39	59	13	7	6	11	6	5
Under 1 year	4	4	-	4	4	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	2	1	1	1	1	-	1	-	1	1	-	1
10-14 years	1	-	1	-	-	-	1	-	1	-	-	-
15-19 years	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years	2	2	-	1	1	-	1	1	-	-	-	-
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years	4	2	2	4	2	2	-	-	-	-	-	-
55-59 years	3	2	1	2	1	1	1	1	-	1	1	-
60-64 years	5	1	4	4	-	4	1	1	-	1	1	-
65-69 years	4	1	3	3	-	3	1	1	-	1	1	-
70-74 years	6	3	3	6	3	3	-	-	-	-	-	-
75-79 years	5	2	3	5	2	3	-	-	-	-	-	-
80-84 years	18	7	11	15	7	8	3	-	3	3	-	3
85-89 years	24	11	13	22	10	12	2	1	1	2	1	1
90-94 years	12	3	9	11	2	9	1	1	-	1	1	-
95-99 years	8	2	6	8	2	6	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Influenza with other respiratory manifestations, virus not identified (J11.1)												
All ages	115	43	72	102	38	64	13	5	8	9	4	5
Under 1 year	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years	2	1	1	1	1	-	1	-	1	-	-	-
5-9 years	3	1	2	1	-	1	2	1	1	1	-	1
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	4	3	1	3	2	1	1	1	-	1	1	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	2	-	2	-	-	-	2	-	2	1	-	1
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	4	2	2	4	2	2	-	-	-	-	-	-
60-64 years	8	4	4	6	3	3	2	1	1	1	1	-
65-69 years	5	1	4	4	-	4	1	1	-	1	1	-
70-74 years	5	2	3	5	2	3	-	-	-	-	-	-
75-79 years	10	3	7	10	3	7	-	-	-	-	-	-
80-84 years	17	6	11	16	6	10	1	-	1	1	-	1
85-89 years	11	4	7	10	4	6	1	-	1	1	-	1
90-94 years	24	3	21	24	3	21	-	-	-	-	-	-
95-99 years	6	2	4	5	2	3	1	-	1	1	-	1
100 yrs & over	4	2	2	4	2	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Influenza with other manifestations, virus not identified (J11.8)												
All ages	13	5	8	13	5	8	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Viral pneumonia, not elsewhere classified (J12)												
All ages	282	151	131	231	123	108	51	28	23	32	18	14
Under 1 year	76	42	34	42	23	19	34	19	15	23	14	9
1-4 years	12	7	5	11	6	5	1	1	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	-	-	-
25-29 years	3	1	2	2	1	1	1	-	1	1	-	1
30-34 years	3	2	1	2	2	-	1	-	1	1	-	1
35-39 years	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years	6	1	5	6	1	5	-	-	-	-	-	-
45-49 years	9	6	3	7	5	2	2	1	1	2	1	1
50-54 years	6	4	2	5	3	2	1	1	-	-	-	-
55-59 years	9	5	4	9	5	4	-	-	-	-	-	-
60-64 years	6	2	4	6	2	4	-	-	-	-	-	-
65-69 years	14	9	5	11	8	3	3	1	2	2	1	1
70-74 years	9	6	3	8	5	3	1	1	-	1	1	-
75-79 years	24	15	9	22	14	8	2	1	1	-	-	-
80-84 years	37	25	12	35	24	11	2	1	1	1	-	1
85-89 years	25	13	12	24	12	12	1	1	-	1	1	-
90-94 years	26	9	17	25	8	17	1	1	-	-	-	-
95-99 years	9	3	6	9	3	6	-	-	-	-	-	-
100 yrs & over	3	-	3	3	-	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Adenoviral pneumonia (J12.0)												
All ages	7	3	4	7	3	4	-	-	-	-	-	-
Under 1 year	3	-	3	3	-	3	-	-	-	-	-	-
1-4 years	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Respiratory syncytial virus pneumonia (J12.1)												
All ages	26	14	12	14	8	6	12	6	6	9	5	4
Under 1 year	19	9	10	7	3	4	12	6	6	9	5	4
1-4 years	4	3	1	4	3	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Parainfluenza virus pneumonia (J12.2)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Viral pneumonia, unspecified (J12.9)												
All ages	247	132	115	208	110	98	39	22	17	23	13	10
Under 1 year	54	33	21	32	20	12	22	13	9	14	9	5
1-4 years	6	3	3	5	2	3	1	1	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	-	-	-
25-29 years	3	1	2	2	1	1	1	-	1	1	-	1
30-34 years	3	2	1	2	2	-	1	-	1	1	-	1
35-39 years	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years	6	1	5	6	1	5	-	-	-	-	-	-
45-49 years	9	6	3	7	5	2	2	1	1	2	1	1
50-54 years	6	4	2	5	3	2	1	1	-	-	-	-
55-59 years	9	5	4	9	5	4	-	-	-	-	-	-
60-64 years	6	2	4	6	2	4	-	-	-	-	-	-
65-69 years	12	7	5	9	6	3	3	1	2	2	1	1
70-74 years	9	6	3	8	5	3	1	1	-	1	1	-
75-79 years	24	15	9	22	14	8	2	1	1	-	-	-
80-84 years	34	23	11	32	22	10	2	1	1	1	-	1
85-89 years	24	12	12	23	11	12	1	1	-	1	1	-
90-94 years	25	8	17	24	7	17	1	1	-	-	-	-
95-99 years	9	3	6	9	3	6	-	-	-	-	-	-
100 yrs & over	3	-	3	3	-	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia due to Streptococcus pneumoniae (J13)												
All ages	562	281	281	476	231	245	86	50	36	70	40	30
Under 1 year	3	1	2	2	1	1	1	-	1	1	-	1
1-4 years	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years	4	1	3	3	1	2	1	-	1	1	-	1
30-34 years	12	8	4	8	6	2	4	2	2	3	1	2
35-39 years	21	13	8	14	8	6	7	5	2	6	5	1
40-44 years	24	16	8	18	11	7	6	5	1	5	4	1
45-49 years	33	20	13	26	16	10	7	4	3	6	4	2
50-54 years	43	22	21	33	17	16	10	5	5	8	3	5
55-59 years	59	28	31	53	25	28	6	3	3	5	2	3
60-64 years	31	22	9	24	16	8	7	6	1	6	5	1
65-69 years	38	20	18	32	17	15	6	3	3	3	1	2
70-74 years	34	15	19	26	10	16	8	5	3	4	3	1
75-79 years	67	35	32	60	29	31	7	6	1	7	6	1
80-84 years	67	32	35	63	30	33	4	2	2	3	2	1
85-89 years	62	30	32	56	28	28	6	2	4	6	2	4
90-94 years	45	14	31	42	12	30	3	2	1	3	2	1
95-99 years	11	3	8	10	3	7	1	-	1	1	-	1
100 yrs & over	3	-	3	2	-	2	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pneumonia due to Hemophilus influenzae (J14)												
All ages	46	22	24	41	18	23	5	4	1	1	1	-
Under 1 year	3	2	1	1	-	1	2	2	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	7	4	3	6	3	3	1	1	-	-	-	-
80-84 years	8	3	5	7	2	5	1	1	-	-	-	-
85-89 years	10	6	4	9	6	3	1	-	1	-	-	-
90-94 years	7	3	4	7	3	4	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Bacterial pneumonia, not elsewhere classified (J15)												
All ages	3,813	1,931	1,882	3,313	1,651	1,662	500	280	220	390	219	171
Under 1 year	26	15	11	21	13	8	5	2	3	4	1	3
1-4 years	14	7	7	8	5	3	6	2	4	5	2	3
5-9 years	3	2	1	2	1	1	1	1	-	1	1	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	5	4	1	3	2	1	2	2	-	2	2	-
20-24 years	5	3	2	4	3	1	1	-	1	1	-	1
25-29 years	13	8	5	9	6	3	4	2	2	1	-	1
30-34 years	15	9	6	11	6	5	4	3	1	4	3	1
35-39 years	31	14	17	25	10	15	6	4	2	6	4	2
40-44 years	55	35	20	34	22	12	21	13	8	15	10	5
45-49 years	75	39	36	59	29	30	16	10	6	12	9	3
50-54 years	94	58	36	77	42	35	17	16	1	16	15	1
55-59 years	134	83	51	111	69	42	23	14	9	18	11	7
60-64 years	149	80	69	115	63	52	34	17	17	28	14	14
65-69 years	212	136	76	178	115	63	34	21	13	28	19	9
70-74 years	347	204	143	298	172	126	49	32	17	41	27	14
75-79 years	553	319	234	470	268	202	83	51	32	64	40	24
80-84 years	686	362	324	619	328	291	67	34	33	49	21	28
85-89 years	680	295	385	609	261	348	71	34	37	56	25	31
90-94 years	472	182	290	439	165	274	33	17	16	23	12	11
95-99 years	202	67	135	187	62	125	15	5	10	9	3	6
100 yrs & over	40	8	32	32	8	24	8	-	8	7	-	7
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pneumonia due to Klebsiella pneumoniae (J15.0)												
All ages	127	72	55	102	58	44	25	14	11	16	8	8
Under 1 year	4	4	-	4	4	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	3	2	1	2	1	1	1	1	-	1	1	-
50-54 years	6	3	3	6	3	3	-	-	-	-	-	-
55-59 years	9	4	5	6	3	3	3	1	2	1	-	1
60-64 years	7	4	3	5	3	2	2	1	1	2	1	1
65-69 years	6	4	2	4	3	1	2	1	1	2	1	1
70-74 years	15	9	6	10	6	4	5	3	2	2	1	1
75-79 years	17	10	7	15	9	6	2	1	1	2	1	1
80-84 years	18	9	9	16	9	7	2	-	2	2	-	2
85-89 years	17	9	8	16	8	8	1	1	-	1	1	-
90-94 years	14	9	5	10	6	4	4	3	1	-	-	-
95-99 years	7	3	4	6	2	4	1	1	-	1	1	-
100 yrs & over	1	-	1	-	-	-	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia due to Pseudomonas (J15.1)												
All ages	346	196	150	294	165	129	52	31	21	43	28	15
Under 1 year	7	4	3	5	3	2	2	1	1	2	1	1
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years	4	3	1	2	1	1	2	2	-	2	2	-
45-49 years	7	3	4	6	2	4	1	1	-	1	1	-
50-54 years	12	7	5	8	4	4	4	3	1	4	3	1
55-59 years	19	13	6	16	10	6	3	3	-	3	3	-
60-64 years	21	10	11	14	6	8	7	4	3	7	4	3
65-69 years	36	26	10	28	21	7	8	5	3	6	5	1
70-74 years	43	31	12	39	28	11	4	3	1	4	3	1
75-79 years	71	42	29	61	37	24	10	5	5	7	4	3
80-84 years	49	31	18	45	29	16	4	2	2	2	1	1
85-89 years	34	14	20	28	12	16	6	2	4	5	1	4
90-94 years	26	7	19	25	7	18	1	-	1	-	-	-
95-99 years	9	1	8	9	1	8	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pneumonia due to staphylococcus (J15.2)												
All ages	1,196	651	545	1,049	564	485	147	87	60	115	64	51
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	2	1	1	1	-	1	1	1	-	1	1	-
20-24 years	3	2	1	2	2	-	1	-	1	1	-	1
25-29 years	6	4	2	3	2	1	3	2	1	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	7	2	5	5	1	4	2	1	1	2	1	1
40-44 years	16	9	7	14	8	6	2	1	1	-	-	-
45-49 years	18	8	10	11	6	5	7	2	5	4	1	3
50-54 years	22	17	5	18	13	5	4	4	-	4	4	-
55-59 years	40	28	12	35	26	9	5	2	3	5	2	3
60-64 years	44	24	20	37	20	17	7	4	3	5	3	2
65-69 years	75	50	25	66	46	20	9	4	5	8	3	5
70-74 years	138	74	64	117	61	56	21	13	8	17	10	7
75-79 years	198	122	76	175	105	70	23	17	6	19	13	6
80-84 years	237	130	107	215	114	101	22	16	6	17	11	6
85-89 years	220	104	116	196	94	102	24	10	14	18	7	11
90-94 years	116	56	60	105	49	56	11	7	4	9	5	4
95-99 years	43	16	27	39	14	25	4	2	2	4	2	2
100 yrs & over	5	1	4	5	1	4	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia due to streptococcus, group B (J15.3)												
All ages	4	2	2	3	1	2	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pneumonia due to other streptococci (J15.4)												
All ages	326	164	162	278	137	141	48	27	21	35	21	14
Under 1 year	7	2	5	6	2	4	1	-	1	1	-	1
1-4 years	7	3	4	3	2	1	4	1	3	3	1	2
5-9 years	2	1	1	1	-	1	1	1	-	1	1	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	4	1	3	3	1	2	1	-	1	1	-	1
35-39 years	10	7	3	8	5	3	2	2	-	2	2	-
40-44 years	22	14	8	12	9	3	10	5	5	7	3	4
45-49 years	21	11	10	18	8	10	3	3	-	3	3	-
50-54 years	18	9	9	17	8	9	1	1	-	1	1	-
55-59 years	25	10	15	22	9	13	3	1	2	1	-	1
60-64 years	24	11	13	19	10	9	5	1	4	3	1	2
65-69 years	9	7	2	8	6	2	1	1	-	1	1	-
70-74 years	23	12	11	20	10	10	3	2	1	3	2	1
75-79 years	37	16	21	34	15	19	3	1	2	2	1	1
80-84 years	43	18	25	40	17	23	3	1	2	1	-	1
85-89 years	37	20	17	31	14	17	6	6	-	4	4	-
90-94 years	20	11	9	20	11	9	-	-	-	-	-	-
95-99 years	9	5	4	9	5	4	-	-	-	-	-	-
100 yrs & over	3	1	2	3	1	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia due to Escherichia coli (J15.5)												
All ages	36	20	16	31	16	15	5	4	1	4	3	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	3	2	1	2	1	1	1	1	-	1	1	-
70-74 years	7	3	4	7	3	4	-	-	-	-	-	-
75-79 years	6	4	2	5	4	1	1	-	1	1	-	1
80-84 years	8	4	4	7	3	4	1	1	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pneumonia due to other aerobic Gram-negative bacteria (J15.6)												
All ages	26	16	10	23	14	9	3	2	1	2	1	1
Under 1 year	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	5	4	1	5	4	1	-	-	-	-	-	-
85-89 years	4	3	1	2	2	-	2	1	1	1	-	1
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	2	2	-	2	2	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia due to Mycoplasma pneumoniae (J15.7)												
All ages	58	28	30	52	26	26	6	2	4	4	1	3
Under 1 year	1	1	-	-	-	-	1	1	-	-	-	-
1-4 years	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	2	-	2	1	-	1	1	-	1	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	8	4	4	8	4	4	-	-	-	-	-	-
75-79 years	5	1	4	4	1	3	1	-	1	1	-	1
80-84 years	9	5	4	9	5	4	-	-	-	-	-	-
85-89 years	15	7	8	14	7	7	1	-	1	1	-	1
90-94 years	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other bacterial pneumonia (J15.8)												
All ages	27	14	13	23	11	12	4	3	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years	5	3	2	3	2	1	2	1	1	1	-	1
85-89 years	3	1	2	2	-	2	1	1	-	1	1	-
90-94 years	6	5	1	6	5	1	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Bacterial pneumonia, unspecified (J15.9)												
All ages	1,667	768	899	1,458	659	799	209	109	100	167	90	77
Under 1 year	4	2	2	3	2	1	1	-	1	1	-	1
1-4 years	3	3	-	2	2	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	4	2	2	3	2	1	1	-	1	1	-	1
30-34 years	6	4	2	4	2	2	2	2	-	2	2	-
35-39 years	7	2	5	6	2	4	1	-	1	1	-	1
40-44 years	9	6	3	4	3	1	5	3	2	4	3	1
45-49 years	22	14	8	20	12	8	2	2	-	2	2	-
50-54 years	33	21	12	26	14	12	7	7	-	6	6	-
55-59 years	33	21	12	26	16	10	7	5	2	6	4	2
60-64 years	47	28	19	34	21	13	13	7	6	11	5	6
65-69 years	77	44	33	64	35	29	13	9	4	10	8	2
70-74 years	106	69	37	90	58	32	16	11	5	15	11	4
75-79 years	214	122	92	171	95	76	43	27	16	32	21	11
80-84 years	312	158	154	279	145	134	33	13	20	26	9	17
85-89 years	348	136	212	318	123	195	30	13	17	25	11	14
90-94 years	283	92	191	266	85	181	17	7	10	14	7	7
95-99 years	128	38	90	118	36	82	10	2	8	4	-	4
100 yrs & over	31	6	25	24	6	18	7	-	7	6	-	6
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pneumonia due to other infectious organisms, not elsewhere classified (J16)												
All ages	4	3	1	3	3	-	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia due to other specified infectious organisms (J16.8)												
All ages	4	3	1	3	3	-	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pneumonia, organism unspecified (J18)												
All ages	57,070	24,853	32,217	50,481	21,630	28,851	6,589	3,223	3,366	5,258	2,525	2,733
Under 1 year	184	101	83	95	57	38	89	44	45	77	37	40
1-4 years	79	41	38	54	28	26	25	13	12	20	12	8
5-9 years	33	18	15	25	14	11	8	4	4	6	3	3
10-14 years	40	22	18	29	15	14	11	7	4	8	5	3
15-19 years	56	28	28	39	19	20	17	9	8	13	8	5
20-24 years	104	64	40	72	50	22	32	14	18	28	12	16
25-29 years	100	51	49	67	31	36	33	20	13	28	16	12
30-34 years	179	105	74	123	71	52	56	34	22	48	31	17
35-39 years	337	190	147	232	131	101	105	59	46	97	53	44
40-44 years	500	284	216	342	196	146	158	88	70	146	80	66
45-49 years	685	427	258	471	302	169	214	125	89	201	116	85
50-54 years	840	514	326	622	368	254	218	146	72	191	127	64
55-59 years	944	566	378	725	434	291	219	132	87	196	119	77
60-64 years	1,346	788	558	1,076	615	461	270	173	97	224	144	80
65-69 years	2,046	1,168	878	1,689	947	742	357	221	136	283	174	109
70-74 years	3,924	2,164	1,760	3,378	1,862	1,516	546	302	244	442	251	191
75-79 years	6,840	3,615	3,225	5,966	3,131	2,835	874	484	390	699	392	307
80-84 years	10,331	4,863	5,468	9,320	4,375	4,945	1,011	488	523	770	362	408
85-89 years	12,568	5,014	7,554	11,577	4,610	6,967	991	404	587	729	263	466
90-94 years	10,102	3,371	6,731	9,301	3,068	6,233	801	303	498	610	213	397
95-99 years	4,599	1,205	3,394	4,204	1,088	3,116	395	117	278	311	80	231
100 yrs & over	1,228	250	978	1,070	214	856	158	36	122	131	27	104
Not stated	5	4	1	4	4	-	1	-	1	-	-	-
Bronchopneumonia, unspecified (J18.0)												
All ages	1,738	818	920	1,443	654	789	295	164	131	247	140	107
Under 1 year	86	48	38	36	23	13	50	25	25	44	23	21
1-4 years	18	10	8	12	7	5	6	3	3	4	2	2
5-9 years	6	3	3	4	1	3	2	2	-	1	1	-
10-14 years	4	1	3	3	1	2	1	-	1	-	-	-
15-19 years	7	5	2	4	3	1	3	2	1	2	2	-
20-24 years	15	10	5	10	8	2	5	2	3	5	2	3
25-29 years	15	9	6	12	7	5	3	2	1	3	2	1
30-34 years	34	23	11	25	17	8	9	6	3	7	6	1
35-39 years	59	35	24	45	27	18	14	8	6	13	7	6
40-44 years	71	50	21	53	36	17	18	14	4	16	12	4
45-49 years	99	68	31	80	59	21	19	9	10	19	9	10
50-54 years	66	43	23	50	30	20	16	13	3	12	10	2
55-59 years	63	39	24	47	32	15	16	7	9	14	6	8
60-64 years	58	32	26	46	26	20	12	6	6	11	6	5
65-69 years	64	36	28	51	27	24	13	9	4	7	5	2
70-74 years	102	66	36	82	51	31	20	15	5	16	12	4
75-79 years	125	68	57	105	55	50	20	13	7	16	10	6
80-84 years	217	90	127	187	76	111	30	14	16	27	12	15
85-89 years	272	91	181	255	83	172	17	8	9	13	8	5
90-94 years	205	65	140	194	61	133	11	4	7	9	3	6
95-99 years	113	18	95	107	17	90	6	1	5	5	1	4
100 yrs & over	38	7	31	34	6	28	4	1	3	3	1	2
Not stated	1	1	-	1	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Lobar pneumonia, unspecified (J18.1)												
All ages	1,579	801	778	1,273	637	636	306	164	142	269	137	132
Under 1 year	9	6	3	4	3	1	5	3	2	4	2	2
1-4 years	4	2	2	-	-	-	4	2	2	4	2	2
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years	10	3	7	6	3	3	4	-	4	4	-	4
30-34 years	20	13	7	13	7	6	7	6	1	7	6	1
35-39 years	30	19	11	23	12	11	7	7	-	6	6	-
40-44 years	46	26	20	31	16	15	15	10	5	14	9	5
45-49 years	66	50	16	37	29	8	29	21	8	27	19	8
50-54 years	84	53	31	65	44	21	19	9	10	18	8	10
55-59 years	60	42	18	50	36	14	10	6	4	9	5	4
60-64 years	45	32	13	29	21	8	16	11	5	15	10	5
65-69 years	79	52	27	65	41	24	14	11	3	13	10	3
70-74 years	100	58	42	84	49	35	16	9	7	13	8	5
75-79 years	157	94	63	124	73	51	33	21	12	29	17	12
80-84 years	230	112	118	191	93	98	39	19	20	28	12	16
85-89 years	322	131	191	281	115	166	41	16	25	38	13	25
90-94 years	210	80	130	184	69	115	26	11	15	22	8	14
95-99 years	87	23	64	70	22	48	17	1	16	15	1	14
100 yrs & over	15	2	13	12	2	10	3	-	3	2	-	2
Not stated	1	1	-	1	1	-	-	-	-	-	-	-
Hypostatic pneumonia, unspecified (J18.2)												
All ages	49	20	29	46	19	27	3	1	2	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years	7	4	3	7	4	3	-	-	-	-	-	-
80-84 years	8	4	4	7	4	3	1	-	1	1	-	1
85-89 years	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years	9	1	8	8	1	7	1	-	1	1	-	1
95-99 years	7	1	6	7	1	6	-	-	-	-	-	-
100 yrs & over	2	1	1	2	1	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other pneumonia, organism unspecified (J18.8)												
All ages	51	22	29	40	17	23	11	5	6	9	4	5
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	5	2	3	5	2	3	-	-	-	-	-	-
75-79 years	11	6	5	7	3	4	4	3	1	4	3	1
80-84 years	10	3	7	9	3	6	1	-	1	1	-	1
85-89 years	8	4	4	5	3	2	3	1	2	1	-	1
90-94 years	6	1	5	6	1	5	-	-	-	-	-	-
95-99 years	4	1	3	3	1	2	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia, unspecified (J18.9)												
All ages	53,653	23,192	30,461	47,679	20,303	27,376	5,974	2,889	3,085	4,730	2,243	2,487
Under 1 year	88	46	42	54	30	24	34	16	18	29	12	17
1-4 years	57	29	28	42	21	21	15	8	7	12	8	4
5-9 years	26	15	11	21	13	8	5	2	3	4	2	2
10-14 years	36	21	15	26	14	12	10	7	3	8	5	3
15-19 years	47	23	24	33	16	17	14	7	7	11	6	5
20-24 years	86	51	35	60	40	20	26	11	15	22	9	13
25-29 years	74	38	36	48	20	28	26	18	8	21	14	7
30-34 years	125	69	56	85	47	38	40	22	18	34	19	15
35-39 years	246	135	111	162	91	71	84	44	40	78	40	38
40-44 years	383	208	175	258	144	114	125	64	61	116	59	57
45-49 years	520	309	211	354	214	140	166	95	71	155	88	67
50-54 years	689	417	272	507	294	213	182	123	59	160	108	52
55-59 years	819	483	336	627	365	262	192	118	74	172	107	65
60-64 years	1,241	723	518	999	567	432	242	156	86	198	128	70
65-69 years	1,900	1,077	823	1,570	876	694	330	201	129	263	159	104
70-74 years	3,713	2,037	1,676	3,203	1,759	1,444	510	278	232	413	231	182
75-79 years	6,540	3,443	3,097	5,723	2,996	2,727	817	447	370	650	362	288
80-84 years	9,866	4,654	5,212	8,926	4,199	4,727	940	455	485	713	338	375
85-89 years	11,961	4,786	7,175	11,031	4,407	6,624	930	379	551	677	242	435
90-94 years	9,672	3,224	6,448	8,909	2,936	5,973	763	288	475	578	202	376
95-99 years	4,388	1,162	3,226	4,017	1,047	2,970	371	115	256	290	78	212
100 yrs & over	1,173	240	933	1,022	205	817	151	35	116	126	26	100
Not stated	3	2	1	2	2	-	1	-	1	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute bronchitis (J20)												
All ages	201	65	136	173	51	122	28	14	14	20	9	11
Under 1 year	18	10	8	13	7	6	5	3	2	4	3	1
1-4 years	11	6	5	8	3	5	3	3	-	1	1	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	5	3	2	5	3	2	-	-	-	-	-	-
40-44 years	4	3	1	4	3	1	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	6	4	2	2	1	1	4	3	1	4	3	1
55-59 years	2	-	2	1	-	1	1	-	1	1	-	1
60-64 years	9	5	4	8	4	4	1	1	-	-	-	-
65-69 years	8	2	6	7	2	5	1	-	1	-	-	-
70-74 years	11	3	8	8	2	6	3	1	2	3	1	2
75-79 years	15	6	9	12	4	8	3	2	1	-	-	-
80-84 years	21	4	17	21	4	17	-	-	-	-	-	-
85-89 years	34	9	25	33	9	24	1	-	1	1	-	1
90-94 years	35	4	31	32	3	29	3	1	2	3	1	2
95-99 years	12	2	10	10	2	8	2	-	2	2	-	2
100 yrs & over	4	1	3	4	1	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis due to Hemophilus influenzae (J20.1)												
All ages	1	1	-	-	-	-	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	-	-	-	1	1	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute bronchitis due to respiratory syncytial virus (J20.5)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis due to other specified organisms (J20.8)												
All ages	16	5	11	12	3	9	4	2	2	2	1	1
Under 1 year	5	1	4	3	1	2	2	-	2	1	-	1
1-4 years	3	2	1	2	1	1	1	1	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute bronchitis, unspecified (J20.9)												
All ages	183	58	125	161	48	113	22	10	12	17	7	10
Under 1 year	12	8	4	10	6	4	2	2	-	2	2	-
1-4 years	8	4	4	6	2	4	2	2	-	1	1	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	4	3	1	4	3	1	-	-	-	-	-	-
40-44 years	4	3	1	4	3	1	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	5	3	2	2	1	1	3	2	1	3	2	1
55-59 years	2	-	2	1	-	1	1	-	1	1	-	1
60-64 years	8	5	3	7	4	3	1	1	-	-	-	-
65-69 years	7	1	6	6	1	5	1	-	1	-	-	-
70-74 years	11	3	8	8	2	6	3	1	2	3	1	2
75-79 years	12	5	7	10	4	6	2	1	1	-	-	-
80-84 years	20	4	16	20	4	16	-	-	-	-	-	-
85-89 years	34	9	25	33	9	24	1	-	1	1	-	1
90-94 years	34	4	30	31	3	28	3	1	2	3	1	2
95-99 years	12	2	10	10	2	8	2	-	2	2	-	2
100 yrs & over	4	1	3	4	1	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchiolitis (J21)												
All ages	62	24	38	45	16	29	17	8	9	12	6	6
Under 1 year	31	15	16	17	8	9	14	7	7	11	6	5
1-4 years	7	2	5	5	2	3	2	-	2	1	-	1
5-9 years	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	3	2	1	2	1	1	1	1	-	-	-	-
75-79 years	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	4	-	4	4	-	4	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute bronchiolitis due to respiratory syncytial virus (J21.0)												
All ages	4	1	3	3	1	2	1	-	1	1	-	1
Under 1 year	3	1	2	2	1	1	1	-	1	1	-	1
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchiolitis due to other specified organisms (J21.8)												
All ages	4	3	1	2	1	1	2	2	-	2	2	-
Under 1 year	3	3	-	1	1	-	2	2	-	2	2	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute bronchiolitis, unspecified (J21.9)												
All ages	54	20	34	40	14	26	14	6	8	9	4	5
Under 1 year	25	11	14	14	6	8	11	5	6	8	4	4
1-4 years	5	2	3	3	2	1	2	-	2	1	-	1
5-9 years	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	3	2	1	2	1	1	1	1	-	-	-	-
75-79 years	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	4	-	4	4	-	4	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified acute lower respiratory infection (J22)												
All ages	84	28	56	81	27	54	3	1	2	2	1	1
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	4	2	2	3	2	1	1	-	1	1	-	1
75-79 years	6	4	2	6	4	2	-	-	-	-	-	-
80-84 years	13	6	7	12	6	6	1	-	1	-	-	-
85-89 years	22	6	16	21	5	16	1	1	-	1	1	-
90-94 years	19	5	14	19	5	14	-	-	-	-	-	-
95-99 years	12	2	10	12	2	10	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Chronic rhinitis, nasopharyngitis, and pharyngitis (J31)												
All ages	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chronic rhinitis (J31.0)												
All ages	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Chronic sinusitis (J32)												
All ages	96	48	48	71	35	36	25	13	12	23	11	12
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	3	2	1	1	-	1	2	2	-	2	2	-
15-19 years	6	4	2	4	4	-	2	-	2	2	-	2
20-24 years	3	2	1	1	1	-	2	1	1	2	1	1
25-29 years	2	1	1	-	-	-	2	1	1	2	1	1
30-34 years	4	2	2	3	1	2	1	1	-	1	1	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	6	3	3	4	2	2	2	1	1	2	1	1
45-49 years	5	3	2	3	2	1	2	1	1	2	1	1
50-54 years	8	3	5	5	2	3	3	1	2	3	1	2
55-59 years	4	3	1	1	-	1	3	3	-	2	2	-
60-64 years	9	6	3	9	6	3	-	-	-	-	-	-
65-69 years	7	2	5	7	2	5	-	-	-	-	-	-
70-74 years	8	4	4	5	3	2	3	1	2	2	-	2
75-79 years	8	3	5	8	3	5	-	-	-	-	-	-
80-84 years	7	4	3	6	3	3	1	1	-	1	1	-
85-89 years	5	3	2	5	3	2	-	-	-	-	-	-
90-94 years	6	1	5	5	1	4	1	-	1	1	-	1
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chronic maxillary sinusitis (J32.0)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Chronic frontal sinusitis (J32.1)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chronic ethmoidal sinusitis (J32.2)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Chronic sphenoidal sinusitis (J32.3)												
All ages	6	3	3	4	2	2	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chronic pansinusitis (J32.4)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Chronic sinusitis, unspecified (J32.9)												
All ages	84	44	40	62	32	30	22	12	10	20	10	10
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	2	1	1	1	-	1	1	1	-	1	1	-
15-19 years	6	4	2	4	4	-	2	-	2	2	-	2
20-24 years	3	2	1	1	1	-	2	1	1	2	1	1
25-29 years	2	1	1	-	-	-	2	1	1	2	1	1
30-34 years	3	2	1	2	1	1	1	1	-	1	1	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	6	3	3	4	2	2	2	1	1	2	1	1
45-49 years	5	3	2	3	2	1	2	1	1	2	1	1
50-54 years	6	2	4	4	1	3	2	1	1	2	1	1
55-59 years	3	3	-	-	-	-	3	3	-	2	2	-
60-64 years	7	5	2	7	5	2	-	-	-	-	-	-
65-69 years	6	2	4	6	2	4	-	-	-	-	-	-
70-74 years	7	3	4	4	2	2	3	1	2	2	-	2
75-79 years	8	3	5	8	3	5	-	-	-	-	-	-
80-84 years	7	4	3	6	3	3	1	1	-	1	1	-
85-89 years	4	3	1	4	3	1	-	-	-	-	-	-
90-94 years	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of nose and nasal sinuses (J34)												
All ages	6	5	1	5	4	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Deviated nasal septum (J34.2)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified disorders of nose and nasal sinuses (J34.8)												
All ages	5	5	-	4	4	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Chronic diseases of tonsils and adenoids (J35)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chronic disease of tonsils and adenoids, unspecified (J35.9)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Peritonsillar abscess (J36)												
All ages	10	8	2	9	7	2	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chronic laryngitis and laryngotracheitis (J37)												
All ages	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Chronic laryngitis (J37.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chronic laryngotracheitis (J37.1)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Diseases of vocal cords and larynx, not elsewhere classified (J38)												
All ages	102	48	54	80	38	42	22	10	12	21	9	12
Under 1 year	3	2	1	1	1	-	2	1	1	1	-	1
1-4 years	3	1	2	2	1	1	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	2	1	1	1	-	1	1	1	-	1	1	-
45-49 years	5	2	3	2	2	-	3	-	3	3	-	3
50-54 years	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	9	4	5	9	4	5	-	-	-	-	-	-
70-74 years	10	2	8	5	2	3	5	-	5	5	-	5
75-79 years	12	6	6	12	6	6	-	-	-	-	-	-
80-84 years	18	11	7	16	9	7	2	2	-	2	2	-
85-89 years	16	5	11	14	4	10	2	1	1	2	1	1
90-94 years	11	8	3	8	5	3	3	3	-	3	3	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	1	-	1	-	-	-	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis of vocal cords and larynx (J38.0)												
All ages	33	14	19	28	12	16	5	2	3	5	2	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	5	1	4	3	1	2	2	-	2	2	-	2
75-79 years	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years	7	4	3	7	4	3	-	-	-	-	-	-
85-89 years	7	2	5	7	2	5	-	-	-	-	-	-
90-94 years	5	4	1	3	2	1	2	2	-	2	2	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	-	-	-	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Polyp of vocal cord and larynx (J38.1)												
All ages	3	2	1	1	-	1	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	1	-	-	-	-	1	1	-	1	1	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of vocal cords (J38.3)												
All ages	9	3	6	8	3	5	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	5	3	2	5	3	2	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Edema of larynx (J38.4)												
All ages	16	5	11	10	4	6	6	1	5	6	1	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	-	2	-	-	-	2	-	2	2	-	2
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	3	-	3	-	-	-	3	-	3	3	-	3
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Laryngeal spasm (J38.5)												
All ages	7	3	4	6	2	4	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	1	1	1	-	1	1	1	-	1	1	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Stenosis of larynx (J38.6)												
All ages	10	5	5	5	3	2	5	2	3	4	1	3
Under 1 year	2	1	1	-	-	-	2	1	1	1	-	1
1-4 years	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of larynx (J38.7)												
All ages	24	16	8	22	14	8	2	2	-	2	2	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	5	4	1	4	3	1	1	1	-	1	1	-
85-89 years	2	2	-	1	1	-	1	1	-	1	1	-
90-94 years	5	3	2	5	3	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other diseases of upper respiratory tract (J39)												
All ages	234	114	120	185	85	100	49	29	20	39	21	18
Under 1 year	10	5	5	7	3	4	3	2	1	2	1	1
1-4 years	8	5	3	4	2	2	4	3	1	4	3	1
5-9 years	2	1	1	1	1	-	1	-	1	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years	2	1	1	1	-	1	1	1	-	-	-	-
30-34 years	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years	9	5	4	4	3	1	5	2	3	3	-	3
40-44 years	5	4	1	4	3	1	1	1	-	1	1	-
45-49 years	12	7	5	5	2	3	7	5	2	6	4	2
50-54 years	10	5	5	9	4	5	1	1	-	-	-	-
55-59 years	7	1	6	6	1	5	1	-	1	1	-	1
60-64 years	13	7	6	10	4	6	3	3	-	2	2	-
65-69 years	11	5	6	7	3	4	4	2	2	2	1	1
70-74 years	12	6	6	9	5	4	3	1	2	3	1	2
75-79 years	27	12	15	21	7	14	6	5	1	6	5	1
80-84 years	43	21	22	40	20	20	3	1	2	3	1	2
85-89 years	28	14	14	26	13	13	2	1	1	2	1	1
90-94 years	21	9	12	18	8	10	3	1	2	3	1	2
95-99 years	4	1	3	4	1	3	-	-	-	-	-	-
100 yrs & over	3	1	2	3	1	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Retropharyngeal and parapharyngeal abscess (J39.0)												
All ages	8	7	1	7	6	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	3	3	-	2	2	-	1	1	-	1	1	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other abscess of pharynx (J39.1)												
All ages	6	4	2	3	1	2	3	3	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	1	1	1	-	1	1	1	-	1	1	-
65-69 years	2	2	-	1	1	-	1	1	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of pharynx (J39.2)												
All ages	101	54	47	87	44	43	14	10	4	11	8	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	1	1	1	-	1	1	1	-	-	-	-
50-54 years	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	-	1	-	-	-	1	-	1	-	-	-
70-74 years	10	6	4	9	5	4	1	1	-	1	1	-
75-79 years	14	7	7	10	3	7	4	4	-	4	4	-
80-84 years	23	13	10	22	12	10	1	1	-	1	1	-
85-89 years	20	10	10	18	9	9	2	1	1	2	1	1
90-94 years	17	8	9	14	7	7	3	1	2	3	1	2
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	2	1	1	2	1	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified diseases of upper respiratory tract (J39.8)												
All ages	117	48	69	86	33	53	31	15	16	25	10	15
Under 1 year	10	5	5	7	3	4	3	2	1	2	1	1
1-4 years	8	5	3	4	2	2	4	3	1	4	3	1
5-9 years	2	1	1	1	1	-	1	-	1	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	2	1	1	1	-	1	1	1	-	-	-	-
30-34 years	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years	8	4	4	4	3	1	4	1	3	3	-	3
40-44 years	3	2	1	2	1	1	1	1	-	1	1	-
45-49 years	6	2	4	2	-	2	4	2	2	4	2	2
50-54 years	6	3	3	5	2	3	1	1	-	-	-	-
55-59 years	5	-	5	4	-	4	1	-	1	1	-	1
60-64 years	9	4	5	7	2	5	2	2	-	1	1	-
65-69 years	8	3	5	6	2	4	2	1	1	2	1	1
70-74 years	2	-	2	-	-	-	2	-	2	2	-	2
75-79 years	11	4	7	9	3	6	2	1	1	2	1	1
80-84 years	18	7	11	16	7	9	2	-	2	2	-	2
85-89 years	8	4	4	8	4	4	-	-	-	-	-	-
90-94 years	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disease of upper respiratory tract, unspecified (J39.9)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Bronchitis, not specified as acute or chronic (J40)												
All ages	530	207	323	481	178	303	49	29	20	42	26	16
Under 1 year	14	8	6	7	5	2	7	3	4	7	3	4
1-4 years	7	4	3	5	4	1	2	-	2	2	-	2
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years	4	2	2	3	1	2	1	1	-	1	1	-
30-34 years	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years	6	1	5	6	1	5	-	-	-	-	-	-
40-44 years	7	3	4	6	3	3	1	-	1	1	-	1
45-49 years	15	10	5	10	7	3	5	3	2	4	3	1
50-54 years	13	6	7	12	5	7	1	1	-	1	1	-
55-59 years	12	9	3	12	9	3	-	-	-	-	-	-
60-64 years	15	9	6	12	7	5	3	2	1	3	2	1
65-69 years	23	11	12	19	8	11	4	3	1	4	3	1
70-74 years	38	19	19	34	16	18	4	3	1	4	3	1
75-79 years	72	32	40	65	27	38	7	5	2	6	4	2
80-84 years	68	24	44	64	21	43	4	3	1	2	2	-
85-89 years	104	35	69	102	35	67	2	-	2	2	-	2
90-94 years	74	20	54	71	19	52	3	1	2	1	-	1
95-99 years	39	10	29	36	7	29	3	3	-	3	3	-
100 yrs & over	13	1	12	12	1	11	1	-	1	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Simple and mucopurulent chronic bronchitis (J41)												
All ages	13	5	8	12	5	7	1	-	1	1	-	1
Under 1 year	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Simple chronic bronchitis (J41.0)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mucopurulent chronic bronchitis (J41.1)												
All ages	11	4	7	10	4	6	1	-	1	1	-	1
Under 1 year	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified chronic bronchitis (J42)												
All ages	416	184	232	385	171	214	31	13	18	20	6	14
Under 1 year	6	3	3	4	2	2	2	1	1	2	1	1
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	4	2	2	2	1	1	2	1	1	2	1	1
45-49 years	5	1	4	5	1	4	-	-	-	-	-	-
50-54 years	8	3	5	8	3	5	-	-	-	-	-	-
55-59 years	13	7	6	12	7	5	1	-	1	1	-	1
60-64 years	21	11	10	21	11	10	-	-	-	-	-	-
65-69 years	32	23	9	29	22	7	3	1	2	3	1	2
70-74 years	39	22	17	33	20	13	6	2	4	4	1	3
75-79 years	56	35	21	52	33	19	4	2	2	2	-	2
80-84 years	62	24	38	58	22	36	4	2	2	1	-	1
85-89 years	80	33	47	76	30	46	4	3	1	3	2	1
90-94 years	48	13	35	44	12	32	4	1	3	2	-	2
95-99 years	28	4	24	27	4	23	1	-	1	-	-	-
100 yrs & over	10	1	9	10	1	9	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (J43)												
All ages	16,242	8,415	7,827	15,243	7,798	7,445	999	617	382	811	487	324
Under 1 year	3	1	2	2	-	2	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	6	4	2	3	2	1	3	2	1	3	2	1
35-39 years	24	17	7	22	16	6	2	1	1	1	1	-
40-44 years	51	35	16	42	28	14	9	7	2	9	7	2
45-49 years	141	89	52	127	82	45	14	7	7	13	6	7
50-54 years	307	177	130	256	146	110	51	31	20	46	27	19
55-59 years	705	395	310	624	344	280	81	51	30	70	44	26
60-64 years	1,124	571	553	1,039	515	524	85	56	29	72	47	25
65-69 years	1,892	988	904	1,771	920	851	121	68	53	107	62	45
70-74 years	2,912	1,566	1,346	2,726	1,442	1,284	186	124	62	149	94	55
75-79 years	3,481	1,809	1,672	3,302	1,698	1,604	179	111	68	126	74	52
80-84 years	2,856	1,446	1,410	2,732	1,368	1,364	124	78	46	97	61	36
85-89 years	1,827	929	898	1,744	874	870	83	55	28	65	40	25
90-94 years	727	326	401	681	305	376	46	21	25	40	18	22
95-99 years	161	54	107	150	51	99	11	3	8	9	2	7
100 yrs & over	21	6	15	20	6	14	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
MacLeod's syndrome (J43.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Panlobular emphysema (J43.1)												
All ages	5	2	3	5	2	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Centrilobular emphysema (J43.2)												
All ages	10	6	4	9	5	4	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	2	2	-	1	1	-	1	1	-	1	1	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other emphysema (J43.8)												
All ages	3	-	3	2	-	2	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	-	2	1	-	1	1	-	1	1	-	1
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Emphysema, unspecified (J43.9)												
All ages	16,223	8,406	7,817	15,226	7,790	7,436	997	616	381	809	486	323
Under 1 year	3	1	2	2	-	2	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	6	4	2	3	2	1	3	2	1	3	2	1
35-39 years	24	17	7	22	16	6	2	1	1	1	1	-
40-44 years	51	35	16	42	28	14	9	7	2	9	7	2
45-49 years	141	89	52	127	82	45	14	7	7	13	6	7
50-54 years	306	176	130	255	145	110	51	31	20	46	27	19
55-59 years	705	395	310	624	344	280	81	51	30	70	44	26
60-64 years	1,120	569	551	1,035	513	522	85	56	29	72	47	25
65-69 years	1,890	987	903	1,769	919	850	121	68	53	107	62	45
70-74 years	2,910	1,566	1,344	2,725	1,442	1,283	185	124	61	148	94	54
75-79 years	3,477	1,807	1,670	3,298	1,696	1,602	179	111	68	126	74	52
80-84 years	2,853	1,443	1,410	2,730	1,366	1,364	123	77	46	96	60	36
85-89 years	1,825	929	896	1,742	874	868	83	55	28	65	40	25
90-94 years	726	326	400	680	305	375	46	21	25	40	18	22
95-99 years	161	54	107	150	51	99	11	3	8	9	2	7
100 yrs & over	21	6	15	20	6	14	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary disease (J44)												
All ages	100,572	49,142	51,430	93,816	45,248	48,568	6,756	3,894	2,862	5,578	3,193	2,385
Under 1 year	6	4	2	3	2	1	3	2	1	2	1	1
1-4 years	4	2	2	3	1	2	1	1	-	1	1	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	3	3	-	2	2	-	1	1	-	1	1	-
15-19 years	8	4	4	5	1	4	3	3	-	2	2	-
20-24 years	13	9	4	7	5	2	6	4	2	6	4	2
25-29 years	6	2	4	4	1	3	2	1	1	1	1	-
30-34 years	31	20	11	25	17	8	6	3	3	6	3	3
35-39 years	109	56	53	78	40	38	31	16	15	30	16	14
40-44 years	299	142	157	251	119	132	48	23	25	45	22	23
45-49 years	678	382	296	570	327	243	108	55	53	98	49	49
50-54 years	1,527	803	724	1,318	683	635	209	120	89	187	104	83
55-59 years	3,158	1,652	1,506	2,829	1,463	1,366	329	189	140	292	169	123
60-64 years	5,497	2,831	2,666	5,013	2,548	2,465	484	283	201	417	247	170
65-69 years	9,531	4,894	4,637	8,712	4,419	4,293	819	475	344	699	414	285
70-74 years	15,474	8,075	7,399	14,426	7,444	6,982	1,048	631	417	882	531	351
75-79 years	20,276	10,391	9,885	19,069	9,633	9,436	1,207	758	449	993	611	382
80-84 years	19,714	9,613	10,101	18,629	8,982	9,647	1,085	631	454	875	505	370
85-89 years	14,968	6,680	8,288	14,193	6,262	7,931	775	418	357	593	312	281
90-94 years	6,945	2,843	4,102	6,521	2,639	3,882	424	204	220	320	144	176
95-99 years	2,015	653	1,362	1,885	594	1,291	130	59	71	102	45	57
100 yrs & over	308	82	226	272	66	206	36	16	20	26	11	15
Not stated	1	1	-	-	-	-	1	1	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Chronic obstructive pulmonary disease with acute lower respiratory infection (J44.0)												
All ages	293	133	160	273	124	149	20	9	11	16	7	9
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years	4	3	1	3	3	-	1	-	1	1	-	1
55-59 years	13	6	7	11	5	6	2	1	1	2	1	1
60-64 years	11	3	8	9	3	6	2	-	2	2	-	2
65-69 years	25	15	10	24	14	10	1	1	-	1	1	-
70-74 years	50	25	25	44	21	23	6	4	2	3	3	-
75-79 years	49	24	25	47	23	24	2	1	1	1	-	1
80-84 years	61	30	31	57	28	29	4	2	2	4	2	2
85-89 years	40	12	28	39	12	27	1	-	1	1	-	1
90-94 years	17	5	12	17	5	12	-	-	-	-	-	-
95-99 years	15	4	11	14	4	10	1	-	1	1	-	1
100 yrs & over	2	2	-	2	2	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary disease with acute exacerbation, unspecified (J44.1)												
All ages	27	14	13	25	14	11	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years	6	5	1	6	5	1	-	-	-	-	-	-
75-79 years	6	3	3	6	3	3	-	-	-	-	-	-
80-84 years	5	4	1	4	4	-	1	-	1	1	-	1
85-89 years	4	1	3	3	1	2	1	-	1	1	-	1
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified chronic obstructive pulmonary disease (J44.8)												
All ages	3,762	1,717	2,045	3,410	1,525	1,885	352	192	160	279	151	128
Under 1 year	4	3	1	1	1	-	3	2	1	2	1	1
1-4 years	4	2	2	3	1	2	1	1	-	1	1	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	2	2	-	1	1	-	1	1	-	1	1	-
15-19 years	6	4	2	3	1	2	3	3	-	2	2	-
20-24 years	6	2	4	4	2	2	2	-	2	2	-	2
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	5	1	4	4	1	3	1	-	1	1	-	1
35-39 years	22	12	10	12	6	6	10	6	4	9	6	3
40-44 years	34	16	18	28	13	15	6	3	3	6	3	3
45-49 years	77	38	39	58	31	27	19	7	12	17	6	11
50-54 years	108	59	49	84	45	39	24	14	10	19	9	10
55-59 years	159	73	86	143	62	81	16	11	5	15	10	5
60-64 years	291	145	146	252	126	126	39	19	20	30	14	16
65-69 years	407	188	219	366	165	201	41	23	18	33	19	14
70-74 years	613	300	313	565	270	295	48	30	18	34	22	12
75-79 years	745	333	412	690	302	388	55	31	24	45	25	20
80-84 years	637	291	346	598	268	330	39	23	16	32	18	14
85-89 years	386	160	226	362	150	212	24	10	14	17	9	8
90-94 years	193	68	125	181	65	116	12	3	9	9	3	6
95-99 years	55	17	38	48	13	35	7	4	3	4	2	2
100 yrs & over	5	1	4	5	1	4	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	1	1	-	-	-	-
Chronic obstructive pulmonary disease, unspecified (J44.9)												
All ages	96,490	47,278	49,212	90,108	43,585	46,523	6,382	3,693	2,689	5,281	3,035	2,246
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years	7	7	-	3	3	-	4	4	-	4	4	-
25-29 years	4	1	3	2	-	2	2	1	1	1	1	-
30-34 years	25	18	7	20	15	5	5	3	2	5	3	2
35-39 years	87	44	43	66	34	32	21	10	11	21	10	11
40-44 years	264	126	138	222	106	116	42	20	22	39	19	20
45-49 years	598	341	257	509	293	216	89	48	41	81	43	38
50-54 years	1,414	741	673	1,230	635	595	184	106	78	167	95	72
55-59 years	2,986	1,573	1,413	2,675	1,396	1,279	311	177	134	275	158	117
60-64 years	5,195	2,683	2,512	4,752	2,419	2,333	443	264	179	385	233	152
65-69 years	9,096	4,690	4,406	8,319	4,239	4,080	777	451	326	665	394	271
70-74 years	14,805	7,745	7,060	13,811	7,148	6,663	994	597	397	845	506	339
75-79 years	19,476	10,031	9,445	18,326	9,305	9,021	1,150	726	424	947	586	361
80-84 years	19,011	9,288	9,723	17,970	8,682	9,288	1,041	606	435	838	485	353
85-89 years	14,538	6,507	8,031	13,789	6,099	7,690	749	408	341	574	303	271
90-94 years	6,733	2,770	3,963	6,321	2,569	3,752	412	201	211	311	141	170
95-99 years	1,945	632	1,313	1,823	577	1,246	122	55	67	97	43	54
100 yrs & over	301	79	222	265	63	202	36	16	20	26	11	15
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Asthma (J45)												
All ages	3,897	1,334	2,563	2,777	855	1,922	1,120	479	641	972	411	561
Under 1 year	9	6	3	5	4	1	4	2	2	3	1	2
1-4 years	29	20	9	10	5	5	19	15	4	19	15	4
5-9 years	36	23	13	15	10	5	21	13	8	21	13	8
10-14 years	51	29	22	21	12	9	30	17	13	29	16	13
15-19 years	49	28	21	26	12	14	23	16	7	21	15	6
20-24 years	66	38	28	30	17	13	36	21	15	34	20	14
25-29 years	77	41	36	37	20	17	40	21	19	39	21	18
30-34 years	126	58	68	64	23	41	62	35	27	60	33	27
35-39 years	168	75	93	84	39	45	84	36	48	76	33	43
40-44 years	211	90	121	124	48	76	87	42	45	78	35	43
45-49 years	244	91	153	140	48	92	104	43	61	96	41	55
50-54 years	282	99	183	186	59	127	96	40	56	84	36	48
55-59 years	228	74	154	147	51	96	81	23	58	74	20	54
60-64 years	259	87	172	166	52	114	93	35	58	79	27	52
65-69 years	259	92	167	195	68	127	64	24	40	50	15	35
70-74 years	330	113	217	256	83	173	74	30	44	62	27	35
75-79 years	374	114	260	303	89	214	71	25	46	58	18	40
80-84 years	400	103	297	347	84	263	53	19	34	38	12	26
85-89 years	363	83	280	320	74	246	43	9	34	32	8	24
90-94 years	237	56	181	212	47	165	25	9	16	13	3	10
95-99 years	77	11	66	71	9	62	6	2	4	3	1	2
100 yrs & over	22	3	19	18	1	17	4	2	2	3	1	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Predominantly allergic asthma (J45.0)												
All ages	184	106	78	85	43	42	99	63	36	91	58	33
Under 1 year	9	6	3	5	4	1	4	2	2	3	1	2
1-4 years	29	20	9	10	5	5	19	15	4	19	15	4
5-9 years	35	23	12	14	10	4	21	13	8	21	13	8
10-14 years	49	27	22	20	11	9	29	16	13	28	15	13
15-19 years	38	23	15	19	9	10	19	14	5	17	13	4
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	3	1	2	1	1	-	2	-	2	1	-	1
55-59 years	4	-	4	2	-	2	2	-	2	1	-	1
60-64 years	1	1	-	-	-	-	1	1	-	-	-	-
65-69 years	4	1	3	3	-	3	1	1	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Nonallergic asthma (J45.1)												
All ages	6	2	4	5	2	3	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	-	-	-	1	-	1	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Asthma, unspecified (J45.9)												
All ages	3,707	1,226	2,481	2,687	810	1,877	1,020	416	604	881	353	528
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	2	2	-	1	1	-	1	1	-	1	1	-
15-19 years	11	5	6	7	3	4	4	2	2	4	2	2
20-24 years	66	38	28	30	17	13	36	21	15	34	20	14
25-29 years	77	41	36	37	20	17	40	21	19	39	21	18
30-34 years	125	58	67	63	23	40	62	35	27	60	33	27
35-39 years	168	75	93	84	39	45	84	36	48	76	33	43
40-44 years	209	89	120	122	47	75	87	42	45	78	35	43
45-49 years	244	91	153	140	48	92	104	43	61	96	41	55
50-54 years	278	98	180	185	58	127	93	40	53	83	36	47
55-59 years	224	74	150	145	51	94	79	23	56	73	20	53
60-64 years	258	86	172	166	52	114	92	34	58	79	27	52
65-69 years	253	90	163	190	67	123	63	23	40	50	15	35
70-74 years	329	112	217	256	83	173	73	29	44	61	26	35
75-79 years	372	113	259	301	88	213	71	25	46	58	18	40
80-84 years	395	101	294	342	82	260	53	19	34	38	12	26
85-89 years	360	83	277	317	74	243	43	9	34	32	8	24
90-94 years	236	56	180	211	47	164	25	9	16	13	3	10
95-99 years	77	11	66	71	9	62	6	2	4	3	1	2
100 yrs & over	22	3	19	18	1	17	4	2	2	3	1	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Status asthmaticus (J46)												
All ages	372	145	227	213	82	131	159	63	96	136	48	88
Under 1 year	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years	2	2	-	1	1	-	1	1	-	1	1	-
5-9 years	5	1	4	2	-	2	3	1	2	2	1	1
10-14 years	7	4	3	7	4	3	-	-	-	-	-	-
15-19 years	11	7	4	5	3	2	6	4	2	6	4	2
20-24 years	14	7	7	6	3	3	8	4	4	6	2	4
25-29 years	11	8	3	6	5	1	5	3	2	5	3	2
30-34 years	19	9	10	7	3	4	12	6	6	12	6	6
35-39 years	39	18	21	15	9	6	24	9	15	24	9	15
40-44 years	37	12	25	24	8	16	13	4	9	12	4	8
45-49 years	35	12	23	24	10	14	11	2	9	11	2	9
50-54 years	42	17	25	25	10	15	17	7	10	15	6	9
55-59 years	37	10	27	25	6	19	12	4	8	10	3	7
60-64 years	29	11	18	11	2	9	18	9	9	9	2	7
65-69 years	29	12	17	20	8	12	9	4	5	8	3	5
70-74 years	16	3	13	6	1	5	10	2	8	8	2	6
75-79 years	10	2	8	9	2	7	1	-	1	1	-	1
80-84 years	18	6	12	14	5	9	4	1	3	3	-	3
85-89 years	8	3	5	5	2	3	3	1	2	2	-	2
90-94 years	2	1	1	1	-	1	1	1	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Bronchiectasis (J47)												
All ages	971	265	706	892	224	668	79	41	38	29	16	13
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	1	1	-	1	-	1	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	-	-	-
25-29 years	3	2	1	2	2	-	1	-	1	1	-	1
30-34 years	4	-	4	2	-	2	2	-	2	1	-	1
35-39 years	6	2	4	4	2	2	2	-	2	1	-	1
40-44 years	4	-	4	3	-	3	1	-	1	-	-	-
45-49 years	8	5	3	5	4	1	3	1	2	2	1	1
50-54 years	18	6	12	16	5	11	2	1	1	1	-	1
55-59 years	23	12	11	17	7	10	6	5	1	1	1	-
60-64 years	45	23	22	39	21	18	6	2	4	3	1	2
65-69 years	71	25	46	62	19	43	9	6	3	2	2	-
70-74 years	104	33	71	95	28	67	9	5	4	3	2	1
75-79 years	172	50	122	160	42	118	12	8	4	5	3	2
80-84 years	200	42	158	189	36	153	11	6	5	5	4	1
85-89 years	188	41	147	181	38	143	7	3	4	3	1	2
90-94 years	91	20	71	86	17	69	5	3	2	1	1	-
95-99 years	25	1	24	24	1	23	1	-	1	-	-	-
100 yrs & over	5	1	4	5	1	4	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Coalworker's pneumoconiosis (J60)												
All ages	367	364	3	359	356	3	8	8	-	8	8	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	8	8	-	8	8	-	-	-	-	-	-	-
65-69 years	25	25	-	25	25	-	-	-	-	-	-	-
70-74 years	44	43	1	43	42	1	1	1	-	1	1	-
75-79 years	68	68	-	67	67	-	1	1	-	1	1	-
80-84 years	96	94	2	94	92	2	2	2	-	2	2	-
85-89 years	78	78	-	76	76	-	2	2	-	2	2	-
90-94 years	37	37	-	35	35	-	2	2	-	2	2	-
95-99 years	7	7	-	7	7	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pneumoconiosis due to asbestos and other mineral fibers (J61)												
All ages	550	535	15	518	503	15	32	32	-	27	27	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years	18	18	-	15	15	-	3	3	-	3	3	-
60-64 years	18	18	-	14	14	-	4	4	-	3	3	-
65-69 years	48	47	1	47	46	1	1	1	-	1	1	-
70-74 years	102	101	1	96	95	1	6	6	-	4	4	-
75-79 years	139	133	6	133	127	6	6	6	-	6	6	-
80-84 years	126	121	5	119	114	5	7	7	-	6	6	-
85-89 years	75	74	1	71	70	1	4	4	-	3	3	-
90-94 years	15	14	1	15	14	1	-	-	-	-	-	-
95-99 years	5	5	-	5	5	-	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pneumoconiosis due to dust containing silica (J62)												
All ages	82	78	4	67	64	3	15	14	1	14	13	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	5	5	-	5	5	-	-	-	-	-	-	-
60-64 years	10	9	1	8	7	1	2	2	-	2	2	-
65-69 years	8	8	-	6	6	-	2	2	-	2	2	-
70-74 years	14	14	-	12	12	-	2	2	-	2	2	-
75-79 years	15	15	-	14	14	-	1	1	-	1	1	-
80-84 years	11	10	1	6	5	1	5	5	-	4	4	-
85-89 years	10	9	1	8	7	1	2	2	-	2	2	-
90-94 years	3	3	-	3	3	-	-	-	-	-	-	-
95-99 years	2	2	-	2	2	-	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pneumoconiosis due to talc dust (J62.0)												
All ages	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pneumoconiosis due to other dust containing silica (J62.8)												
All ages	80	77	3	66	63	3	14	14	-	13	13	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	5	5	-	5	5	-	-	-	-	-	-	-
60-64 years	10	9	1	8	7	1	2	2	-	2	2	-
65-69 years	8	8	-	6	6	-	2	2	-	2	2	-
70-74 years	14	14	-	12	12	-	2	2	-	2	2	-
75-79 years	14	14	-	13	13	-	1	1	-	1	1	-
80-84 years	11	10	1	6	5	1	5	5	-	4	4	-
85-89 years	10	9	1	8	7	1	2	2	-	2	2	-
90-94 years	3	3	-	3	3	-	-	-	-	-	-	-
95-99 years	2	2	-	2	2	-	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pneumoconiosis due to other inorganic dusts (J63)												
All ages	4	3	1	3	2	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	2	2	-	1	1	-	1	1	-	1	1	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Berylliosis (J63.2)												
All ages	4	3	1	3	2	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	2	2	-	1	1	-	1	1	-	1	1	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified pneumoconiosis (J64)												
All ages	97	93	4	90	87	3	7	6	1	7	6	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	3	2	1	2	2	-	1	-	1	1	-	1
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	7	7	-	6	6	-	1	1	-	1	1	-
70-74 years	11	10	1	10	9	1	1	1	-	1	1	-
75-79 years	18	18	-	18	18	-	-	-	-	-	-	-
80-84 years	23	23	-	23	23	-	-	-	-	-	-	-
85-89 years	19	18	1	16	15	1	3	3	-	3	3	-
90-94 years	10	9	1	10	9	1	-	-	-	-	-	-
95-99 years	2	2	-	2	2	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pneumoconiosis associated with tuberculosis (J65)												
All ages	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Airway disease due to specific organic dust (J66)												
All ages	7	5	2	7	5	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Byssinosis (J66.0)												
All ages	6	4	2	6	4	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Airway disease due to other specific organic dusts (J66.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hypersensitivity pneumonitis due to organic dust (J67)												
All ages	46	33	13	44	32	12	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	3	-	2	2	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	9	4	5	8	4	4	1	-	1	1	-	1
70-74 years	5	4	1	5	4	1	-	-	-	-	-	-
75-79 years	9	7	2	9	7	2	-	-	-	-	-	-
80-84 years	7	6	1	7	6	1	-	-	-	-	-	-
85-89 years	5	5	-	5	5	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Farmer's lung (J67.0)												
All ages	15	15	-	15	15	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	5	5	-	5	5	-	-	-	-	-	-	-
80-84 years	4	4	-	4	4	-	-	-	-	-	-	-
85-89 years	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Air-conditioner and humidifier lung (J67.7)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hypersensitivity pneumonitis due to unspecified organic dust (J67.9)												
All ages	28	16	12	26	15	11	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	3	-	2	2	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	6	1	5	5	1	4	1	-	1	1	-	1
70-74 years	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	3	3	-	3	3	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Respiratory conditions due to inhalation of chemicals, gases, fumes, and vapors (J68)												
All ages	26	14	12	26	14	12	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years	8	2	6	8	2	6	-	-	-	-	-	-
80-84 years	3	3	-	3	3	-	-	-	-	-	-	-
85-89 years	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis and pneumonitis due to chemicals, gases, fumes, and vapors (J68.0)												
All ages	18	6	12	18	6	12	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	7	1	6	7	1	6	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute pulmonary edema due to chemicals, gases, fumes, and vapors (J68.1)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chronic respiratory conditions due to chemicals, gases, fumes, and vapors (J68.4)												
All ages	5	5	-	5	5	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified respiratory condition due to chemicals, gases, fumes, and vapors (J68.9)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonitis due to solids and liquids (J69)												
All ages	17,301	8,576	8,725	15,425	7,705	7,720	1,876	871	1,005	1,599	741	858
Under 1 year	12	6	6	9	6	3	3	-	3	3	-	3
1-4 years	14	6	8	12	4	8	2	2	-	2	2	-
5-9 years	5	3	2	4	3	1	1	-	1	1	-	1
10-14 years	10	4	6	7	2	5	3	2	1	3	2	1
15-19 years	10	5	5	8	4	4	2	1	1	1	-	1
20-24 years	24	17	7	17	14	3	7	3	4	6	2	4
25-29 years	31	15	16	26	14	12	5	1	4	5	1	4
30-34 years	48	25	23	36	21	15	12	4	8	11	3	8
35-39 years	61	42	19	45	31	14	16	11	5	13	8	5
40-44 years	118	75	43	97	63	34	21	12	9	21	12	9
45-49 years	142	81	61	114	71	43	28	10	18	25	8	17
50-54 years	236	151	85	184	118	66	52	33	19	48	31	17
55-59 years	259	160	99	221	139	82	38	21	17	34	20	14
60-64 years	400	224	176	329	182	147	71	42	29	67	40	27
65-69 years	589	362	227	490	307	183	99	55	44	86	49	37
70-74 years	1,241	744	497	1,051	638	413	190	106	84	166	92	74
75-79 years	2,259	1,253	1,006	2,003	1,118	885	256	135	121	222	121	101
80-84 years	3,500	1,892	1,608	3,169	1,731	1,438	331	161	170	281	135	146
85-89 years	3,958	1,893	2,065	3,620	1,745	1,875	338	148	190	274	118	156
90-94 years	2,960	1,180	1,780	2,707	1,091	1,616	253	89	164	203	69	134
95-99 years	1,160	379	781	1,054	350	704	106	29	77	93	23	70
100 yrs & over	264	59	205	222	53	169	42	6	36	34	5	29
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pneumonitis due to food and vomit (J69.0)												
All ages	17,294	8,571	8,723	15,418	7,700	7,718	1,876	871	1,005	1,599	741	858
Under 1 year	11	5	6	8	5	3	3	-	3	3	-	3
1-4 years	14	6	8	12	4	8	2	2	-	2	2	-
5-9 years	5	3	2	4	3	1	1	-	1	1	-	1
10-14 years	10	4	6	7	2	5	3	2	1	3	2	1
15-19 years	10	5	5	8	4	4	2	1	1	1	-	1
20-24 years	24	17	7	17	14	3	7	3	4	6	2	4
25-29 years	31	15	16	26	14	12	5	1	4	5	1	4
30-34 years	48	25	23	36	21	15	12	4	8	11	3	8
35-39 years	61	42	19	45	31	14	16	11	5	13	8	5
40-44 years	118	75	43	97	63	34	21	12	9	21	12	9
45-49 years	142	81	61	114	71	43	28	10	18	25	8	17
50-54 years	236	151	85	184	118	66	52	33	19	48	31	17
55-59 years	259	160	99	221	139	82	38	21	17	34	20	14
60-64 years	400	224	176	329	182	147	71	42	29	67	40	27
65-69 years	588	361	227	489	306	183	99	55	44	86	49	37
70-74 years	1,241	744	497	1,051	638	413	190	106	84	166	92	74
75-79 years	2,259	1,253	1,006	2,003	1,118	885	256	135	121	222	121	101
80-84 years	3,498	1,890	1,608	3,167	1,729	1,438	331	161	170	281	135	146
85-89 years	3,957	1,893	2,064	3,619	1,745	1,874	338	148	190	274	118	156
90-94 years	2,958	1,179	1,779	2,705	1,090	1,615	253	89	164	203	69	134
95-99 years	1,160	379	781	1,054	350	704	106	29	77	93	23	70
100 yrs & over	264	59	205	222	53	169	42	6	36	34	5	29
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonitis due to oils and essences (J69.1)												
All ages	5	4	1	5	4	1	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pneumonitis due to other solids and liquids (J69.8)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory conditions due to other external agents (J70)												
All ages	41	21	20	40	21	19	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	3	2	1	2	2	-	1	-	1	1	-	1
55-59 years	4	2	2	4	2	2	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	5	3	2	5	3	2	-	-	-	-	-	-
70-74 years	5	2	3	5	2	3	-	-	-	-	-	-
75-79 years	8	3	5	8	3	5	-	-	-	-	-	-
80-84 years	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years	6	4	2	6	4	2	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute pulmonary manifestations due to radiation (J70.0)												
All ages	20	9	11	19	9	10	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years	6	2	4	6	2	4	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chronic and other pulmonary manifestations due to radiation (J70.1)												
All ages	12	4	8	12	4	8	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Respiratory conditions due to other specified external agents (J70.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory conditions due to unspecified external agent (J70.9)												
All ages	8	7	1	8	7	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Adult respiratory distress syndrome (J80)												
All ages	2,079	994	1,085	1,752	832	920	327	162	165	273	128	145
Under 1 year	6	3	3	4	1	3	2	2	-	1	1	-
1-4 years	12	4	8	9	3	6	3	1	2	2	-	2
5-9 years	4	2	2	4	2	2	-	-	-	-	-	-
10-14 years	6	3	3	5	3	2	1	-	1	1	-	1
15-19 years	11	3	8	9	3	6	2	-	2	1	-	1
20-24 years	18	7	11	11	5	6	7	2	5	7	2	5
25-29 years	29	10	19	14	3	11	15	7	8	12	5	7
30-34 years	26	10	16	15	6	9	11	4	7	10	3	7
35-39 years	50	23	27	30	14	16	20	9	11	17	8	9
40-44 years	72	37	35	53	29	24	19	8	11	17	8	9
45-49 years	92	48	44	64	35	29	28	13	15	26	12	14
50-54 years	127	64	63	100	49	51	27	15	12	26	14	12
55-59 years	115	51	64	93	40	53	22	11	11	17	7	10
60-64 years	144	81	63	117	61	56	27	20	7	22	16	6
65-69 years	215	116	99	185	99	86	30	17	13	21	11	10
70-74 years	253	131	122	221	116	105	32	15	17	27	13	14
75-79 years	353	168	185	313	145	168	40	23	17	34	18	16
80-84 years	286	133	153	262	123	139	24	10	14	19	8	11
85-89 years	178	74	104	170	72	98	8	2	6	6	1	5
90-94 years	62	19	43	53	16	37	9	3	6	7	1	6
95-99 years	19	7	12	19	7	12	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary edema (J81)												
All ages	735	316	419	622	265	357	113	51	62	107	47	60
Under 1 year	10	6	4	7	4	3	3	2	1	3	2	1
1-4 years	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years	2	1	1	1	-	1	1	1	-	1	1	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	4	2	2	2	1	1	2	1	1	2	1	1
20-24 years	12	7	5	9	5	4	3	2	1	3	2	1
25-29 years	5	2	3	5	2	3	-	-	-	-	-	-
30-34 years	10	6	4	9	6	3	1	-	1	1	-	1
35-39 years	5	3	2	5	3	2	-	-	-	-	-	-
40-44 years	12	9	3	9	8	1	3	1	2	3	1	2
45-49 years	24	11	13	14	7	7	10	4	6	10	4	6
50-54 years	24	15	9	19	12	7	5	3	2	5	3	2
55-59 years	23	9	14	16	6	10	7	3	4	6	3	3
60-64 years	43	22	21	32	16	16	11	6	5	11	6	5
65-69 years	34	19	15	21	12	9	13	7	6	11	6	5
70-74 years	74	41	33	63	37	26	11	4	7	10	3	7
75-79 years	100	44	56	86	36	50	14	8	6	14	8	6
80-84 years	121	45	76	111	40	71	10	5	5	9	4	5
85-89 years	105	40	65	99	38	61	6	2	4	5	1	4
90-94 years	77	20	57	71	19	52	6	1	5	6	1	5
95-99 years	40	11	29	35	11	24	5	-	5	5	-	5
100 yrs & over	7	1	6	5	-	5	2	1	1	2	1	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pulmonary eosinophilia, not elsewhere classified (J82)												
All ages	202	103	99	178	87	91	24	16	8	17	11	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	4	1	3	3	1	2	1	-	1	1	-	1
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	5	3	2	4	2	2	1	1	-	1	1	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	4	2	2	3	1	2	1	1	-	1	1	-
55-59 years	9	6	3	6	4	2	3	2	1	3	2	1
60-64 years	10	7	3	10	7	3	-	-	-	-	-	-
65-69 years	14	7	7	11	5	6	3	2	1	3	2	1
70-74 years	27	13	14	23	10	13	4	3	1	3	3	-
75-79 years	34	18	16	32	17	15	2	1	1	1	-	1
80-84 years	35	16	19	34	15	19	1	1	-	1	1	-
85-89 years	32	18	14	28	15	13	4	3	1	2	1	1
90-94 years	17	5	12	15	5	10	2	-	2	1	-	1
95-99 years	5	2	3	4	1	3	1	1	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other interstitial pulmonary diseases (J84)												
All ages	13,068	6,565	6,503	11,931	6,095	5,836	1,137	470	667	838	330	508
Under 1 year	58	35	23	37	25	12	21	10	11	18	9	9
1-4 years	7	3	4	4	3	1	3	-	3	3	-	3
5-9 years	5	4	1	4	3	1	1	1	-	1	1	-
10-14 years	7	4	3	7	4	3	-	-	-	-	-	-
15-19 years	6	2	4	3	1	2	3	1	2	3	1	2
20-24 years	16	11	5	12	8	4	4	3	1	3	2	1
25-29 years	17	7	10	9	3	6	8	4	4	7	3	4
30-34 years	20	10	10	12	6	6	8	4	4	8	4	4
35-39 years	64	28	36	38	19	19	26	9	17	25	8	17
40-44 years	116	63	53	85	52	33	31	11	20	29	11	18
45-49 years	212	119	93	153	91	62	59	28	31	50	23	27
50-54 years	369	190	179	272	153	119	97	37	60	80	28	52
55-59 years	511	268	243	428	241	187	83	27	56	67	22	45
60-64 years	689	398	291	592	352	240	97	46	51	74	31	43
65-69 years	1,207	702	505	1,083	648	435	124	54	70	94	39	55
70-74 years	1,895	1,079	816	1,748	1,011	737	147	68	79	104	45	59
75-79 years	2,573	1,375	1,198	2,409	1,305	1,104	164	70	94	103	41	62
80-84 years	2,481	1,207	1,274	2,360	1,159	1,201	121	48	73	81	29	52
85-89 years	1,797	722	1,075	1,716	692	1,024	81	30	51	47	19	28
90-94 years	778	285	493	733	270	463	45	15	30	30	10	20
95-99 years	210	49	161	197	45	152	13	4	9	10	4	6
100 yrs & over	29	4	25	28	4	24	1	-	1	1	-	1
Not stated	1	-	1	1	-	1	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Alveolar and parietoalveolar conditions (J84.0)												
All ages	162	92	70	131	74	57	31	18	13	26	14	12
Under 1 year	4	2	2	1	-	1	3	2	1	3	2	1
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	2	-	2	1	-	1	1	-	1	1	-	1
20-24 years	6	3	3	3	1	2	3	2	1	3	2	1
25-29 years	2	1	1	-	-	-	2	1	1	2	1	1
30-34 years	3	1	2	3	1	2	-	-	-	-	-	-
35-39 years	4	1	3	2	1	1	2	-	2	2	-	2
40-44 years	12	9	3	9	6	3	3	3	-	3	3	-
45-49 years	16	11	5	14	10	4	2	1	1	1	-	1
50-54 years	19	10	9	13	7	6	6	3	3	6	3	3
55-59 years	15	12	3	15	12	3	-	-	-	-	-	-
60-64 years	12	4	8	9	2	7	3	2	1	2	1	1
65-69 years	18	9	9	17	9	8	1	-	1	-	-	-
70-74 years	18	11	7	15	9	6	3	2	1	2	1	1
75-79 years	13	7	6	12	6	6	1	1	-	-	-	-
80-84 years	9	8	1	9	8	1	-	-	-	-	-	-
85-89 years	5	-	5	5	-	5	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other interstitial pulmonary diseases with fibrosis (J84.1)												
All ages	10,348	5,250	5,098	9,551	4,921	4,630	797	329	468	567	223	344
Under 1 year	2	-	2	-	-	-	2	-	2	1	-	1
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	3	2	1	3	2	1	-	-	-	-	-	-
10-14 years	3	1	2	3	1	2	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	3	2	1	3	2	1	-	-	-	-	-	-
25-29 years	9	2	7	7	2	5	2	-	2	2	-	2
30-34 years	13	6	7	7	3	4	6	3	3	6	3	3
35-39 years	41	20	21	27	14	13	14	6	8	13	5	8
40-44 years	71	40	31	53	35	18	18	5	13	17	5	12
45-49 years	124	76	48	88	56	32	36	20	16	33	18	15
50-54 years	258	133	125	196	111	85	62	22	40	52	17	35
55-59 years	385	210	175	321	188	133	64	22	42	51	18	33
60-64 years	524	314	210	455	282	173	69	32	37	52	21	31
65-69 years	933	557	376	843	516	327	90	41	49	66	29	37
70-74 years	1,539	877	662	1,433	830	603	106	47	59	74	30	44
75-79 years	2,093	1,124	969	1,957	1,068	889	136	56	80	85	33	52
80-84 years	2,031	996	1,035	1,945	958	987	86	38	48	51	21	30
85-89 years	1,476	604	872	1,415	580	835	61	24	37	35	14	21
90-94 years	645	238	407	610	228	382	35	10	25	22	6	16
95-99 years	170	42	128	161	39	122	9	3	6	6	3	3
100 yrs & over	23	4	19	22	4	18	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified interstitial pulmonary diseases (J84.8)												
All ages	34	18	16	30	15	15	4	3	1	2	1	1
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	4	3	1	2	1	1	2	2	-	-	-	-
55-59 years	6	1	5	5	1	4	1	-	1	1	-	1
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	5	4	1	5	4	1	-	-	-	-	-	-
70-74 years	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years	7	3	4	6	2	4	1	1	-	1	1	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Interstitial pulmonary disease, unspecified (J84.9)												
All ages	2,524	1,205	1,319	2,219	1,085	1,134	305	120	185	243	92	151
Under 1 year	51	32	19	35	24	11	16	8	8	14	7	7
1-4 years	5	2	3	2	2	-	3	-	3	3	-	3
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	3	2	1	3	2	1	-	-	-	-	-	-
15-19 years	3	1	2	1	-	1	2	1	1	2	1	1
20-24 years	7	6	1	6	5	1	1	1	-	-	-	-
25-29 years	6	4	2	2	1	1	4	3	1	3	2	1
30-34 years	4	3	1	2	2	-	2	1	1	2	1	1
35-39 years	19	7	12	9	4	5	10	3	7	10	3	7
40-44 years	33	14	19	23	11	12	10	3	7	9	3	6
45-49 years	72	32	40	51	25	26	21	7	14	16	5	11
50-54 years	88	44	44	61	34	27	27	10	17	22	8	14
55-59 years	105	45	60	87	40	47	18	5	13	15	4	11
60-64 years	151	78	73	126	66	60	25	12	13	20	9	11
65-69 years	251	132	119	218	119	99	33	13	20	28	10	18
70-74 years	334	189	145	296	170	126	38	19	19	28	14	14
75-79 years	460	241	219	434	229	205	26	12	14	17	7	10
80-84 years	438	202	236	403	192	211	35	10	25	30	8	22
85-89 years	314	117	197	294	111	183	20	6	14	12	5	7
90-94 years	132	46	86	122	41	81	10	5	5	8	4	4
95-99 years	40	7	33	36	6	30	4	1	3	4	1	3
100 yrs & over	6	-	6	6	-	6	-	-	-	-	-	-
Not stated	1	-	1	1	-	1	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Abscess of lung and mediastinum (J85)												
All ages	330	186	144	259	140	119	71	46	25	61	39	22
Under 1 year	1	1	-	-	-	-	1	1	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	2	1	1	1	1	-	1	-	1	1	-	1
20-24 years	5	2	3	4	2	2	1	-	1	1	-	1
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	4	3	1	4	3	1	-	-	-	-	-	-
35-39 years	13	5	8	10	3	7	3	2	1	2	2	-
40-44 years	17	13	4	9	6	3	8	7	1	7	6	1
45-49 years	20	11	9	17	9	8	3	2	1	3	2	1
50-54 years	28	20	8	18	14	4	10	6	4	10	6	4
55-59 years	26	15	11	24	14	10	2	1	1	2	1	1
60-64 years	24	17	7	19	14	5	5	3	2	5	3	2
65-69 years	24	11	13	19	7	12	5	4	1	5	4	1
70-74 years	32	20	12	24	14	10	8	6	2	5	3	2
75-79 years	43	26	17	36	22	14	7	4	3	6	3	3
80-84 years	37	17	20	29	11	18	8	6	2	6	5	1
85-89 years	34	13	21	29	11	18	5	2	3	4	2	2
90-94 years	13	8	5	10	6	4	3	2	1	3	2	1
95-99 years	3	1	2	2	1	1	1	-	1	1	-	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Gangrene and necrosis of lung (J85.0)												
All ages	120	74	46	95	55	40	25	19	6	23	17	6
Under 1 year	1	1	-	-	-	-	1	1	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	1	1	-	1	-	1	1	-	1
20-24 years	4	2	2	3	2	1	1	-	1	1	-	1
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	7	2	5	7	2	5	-	-	-	-	-	-
40-44 years	6	4	2	4	2	2	2	2	-	2	2	-
45-49 years	6	4	2	6	4	2	-	-	-	-	-	-
50-54 years	6	5	1	2	2	-	4	3	1	4	3	1
55-59 years	14	9	5	13	8	5	1	1	-	1	1	-
60-64 years	10	7	3	7	5	2	3	2	1	3	2	1
65-69 years	8	3	5	7	2	5	1	1	-	1	1	-
70-74 years	14	11	3	10	8	2	4	3	1	4	3	1
75-79 years	12	9	3	10	7	3	2	2	-	1	1	-
80-84 years	10	5	5	8	3	5	2	2	-	2	2	-
85-89 years	11	6	5	9	5	4	2	1	1	2	1	1
90-94 years	6	3	3	5	2	3	1	1	-	1	1	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Abscess of lung with pneumonia (J85.1)												
All ages	73	38	35	52	25	27	21	13	8	15	8	7
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	3	2	1	1	-	1	2	2	-	2	2	-
40-44 years	5	4	1	3	2	1	2	2	-	1	1	-
45-49 years	7	4	3	5	3	2	2	1	1	2	1	1
50-54 years	5	5	-	4	4	-	1	1	-	1	1	-
55-59 years	4	1	3	4	1	3	-	-	-	-	-	-
60-64 years	3	2	1	2	1	1	1	1	-	1	1	-
65-69 years	5	3	2	4	3	1	1	-	1	1	-	1
70-74 years	7	4	3	4	1	3	3	3	-	-	-	-
75-79 years	12	6	6	9	6	3	3	-	3	3	-	3
80-84 years	9	4	5	5	1	4	4	3	1	3	2	1
85-89 years	9	2	7	7	2	5	2	-	2	1	-	1
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Abscess of lung without pneumonia (J85.2)												
All ages	132	72	60	108	58	50	24	14	10	22	14	8
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years	3	1	2	2	1	1	1	-	1	-	-	-
40-44 years	6	5	1	2	2	-	4	3	1	4	3	1
45-49 years	7	3	4	6	2	4	1	1	-	1	1	-
50-54 years	17	10	7	12	8	4	5	2	3	5	2	3
55-59 years	6	4	2	6	4	2	-	-	-	-	-	-
60-64 years	11	8	3	10	8	2	1	-	1	1	-	1
65-69 years	11	5	6	8	2	6	3	3	-	3	3	-
70-74 years	10	5	5	9	5	4	1	-	1	1	-	1
75-79 years	19	11	8	17	9	8	2	2	-	2	2	-
80-84 years	17	8	9	15	7	8	2	1	1	1	1	-
85-89 years	13	4	9	12	3	9	1	1	-	1	1	-
90-94 years	6	5	1	4	4	-	2	1	1	2	1	1
95-99 years	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Abscess of mediastinum (J85.3)												
All ages	5	2	3	4	2	2	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	1	1	-	1	-	1	1	-	1
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pyothorax (J86)												
All ages	455	272	183	400	232	168	55	40	15	40	27	13
Under 1 year	3	1	2	1	-	1	2	1	1	2	1	1
1-4 years	1	1	-	-	-	-	1	1	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	3	1	2	2	-	2	1	1	-	1	1	-
25-29 years	3	2	1	1	-	1	2	2	-	1	1	-
30-34 years	5	3	2	3	2	1	2	1	1	2	1	1
35-39 years	10	5	5	7	4	3	3	1	2	3	1	2
40-44 years	15	11	4	13	11	2	2	-	2	2	-	2
45-49 years	21	14	7	19	13	6	2	1	1	2	1	1
50-54 years	33	27	6	24	19	5	9	8	1	5	4	1
55-59 years	26	16	10	25	16	9	1	-	1	-	-	-
60-64 years	32	21	11	26	16	10	6	5	1	6	5	1
65-69 years	42	27	15	36	21	15	6	6	-	4	4	-
70-74 years	49	29	20	45	25	20	4	4	-	3	3	-
75-79 years	72	42	30	65	36	29	7	6	1	5	4	1
80-84 years	57	32	25	55	31	24	2	1	1	2	1	1
85-89 years	51	28	23	46	26	20	5	2	3	2	-	2
90-94 years	25	9	16	25	9	16	-	-	-	-	-	-
95-99 years	5	1	4	5	1	4	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pyothorax with fistula (J86.0)												
All ages	102	70	32	89	62	27	13	8	5	12	7	5
Under 1 year	3	1	2	1	-	1	2	1	1	2	1	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	4	4	-	4	4	-	-	-	-	-	-	-
50-54 years	8	6	2	6	4	2	2	2	-	2	2	-
55-59 years	7	5	2	7	5	2	-	-	-	-	-	-
60-64 years	11	9	2	8	7	1	3	2	1	3	2	1
65-69 years	12	10	2	10	8	2	2	2	-	1	1	-
70-74 years	15	9	6	14	8	6	1	1	-	1	1	-
75-79 years	15	9	6	15	9	6	-	-	-	-	-	-
80-84 years	11	7	4	11	7	4	-	-	-	-	-	-
85-89 years	9	7	2	8	7	1	1	-	1	1	-	1
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pyothorax without fistula (J86.9)												
All ages	353	202	151	311	170	141	42	32	10	28	20	8
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	3	1	2	2	-	2	1	1	-	1	1	-
25-29 years	3	2	1	1	-	1	2	2	-	1	1	-
30-34 years	4	3	1	3	2	1	1	1	-	1	1	-
35-39 years	8	4	4	5	3	2	3	1	2	3	1	2
40-44 years	14	11	3	13	11	2	1	-	1	1	-	1
45-49 years	17	10	7	15	9	6	2	1	1	2	1	1
50-54 years	25	21	4	18	15	3	7	6	1	3	2	1
55-59 years	19	11	8	18	11	7	1	-	1	-	-	-
60-64 years	21	12	9	18	9	9	3	3	-	3	3	-
65-69 years	30	17	13	26	13	13	4	4	-	3	3	-
70-74 years	34	20	14	31	17	14	3	3	-	2	2	-
75-79 years	57	33	24	50	27	23	7	6	1	5	4	1
80-84 years	46	25	21	44	24	20	2	1	1	2	1	1
85-89 years	42	21	21	38	19	19	4	2	2	1	-	1
90-94 years	24	9	15	24	9	15	-	-	-	-	-	-
95-99 years	4	-	4	4	-	4	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pleural effusion, not elsewhere classified (J90)												
All ages	959	402	557	842	358	484	117	44	73	102	41	61
Under 1 year	2	1	1	1	1	-	1	-	1	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	5	1	4	2	-	2	3	1	2	2	1	1
45-49 years	10	5	5	8	4	4	2	1	1	2	1	1
50-54 years	16	7	9	9	3	6	7	4	3	7	4	3
55-59 years	11	4	7	10	3	7	1	1	-	-	-	-
60-64 years	33	17	16	27	15	12	6	2	4	5	2	3
65-69 years	38	23	15	32	21	11	6	2	4	6	2	4
70-74 years	80	45	35	67	39	28	13	6	7	11	5	6
75-79 years	122	49	73	106	41	65	16	8	8	14	8	6
80-84 years	197	91	106	181	84	97	16	7	9	15	7	8
85-89 years	236	96	140	219	90	129	17	6	11	15	5	10
90-94 years	141	42	99	125	39	86	16	3	13	12	3	9
95-99 years	54	17	37	43	15	28	11	2	9	11	2	9
100 yrs & over	11	3	8	10	3	7	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pleural plaque (J92)												
All ages	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pleural plaque with presence of asbestos (J92.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pleural plaque without asbestos (J92.9)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pneumothorax (J93)												
All ages	289	137	152	239	114	125	50	23	27	42	20	22
Under 1 year	13	8	5	8	6	2	5	2	3	4	2	2
1-4 years	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	3	1	2	3	1	2	-	-	-	-	-	-
30-34 years	2	-	2	-	-	-	2	-	2	2	-	2
35-39 years	4	2	2	1	1	-	3	1	2	3	1	2
40-44 years	4	2	2	1	1	-	3	1	2	3	1	2
45-49 years	7	3	4	6	3	3	1	-	1	1	-	1
50-54 years	9	8	1	7	6	1	2	2	-	2	2	-
55-59 years	11	7	4	8	5	3	3	2	1	1	1	-
60-64 years	13	11	2	12	10	2	1	1	-	1	1	-
65-69 years	23	13	10	16	8	8	7	5	2	7	5	2
70-74 years	35	16	19	30	15	15	5	1	4	5	1	4
75-79 years	38	18	20	36	17	19	2	1	1	1	1	-
80-84 years	44	16	28	37	13	24	7	3	4	4	2	2
85-89 years	43	14	29	40	12	28	3	2	1	2	1	1
90-94 years	22	13	9	21	13	8	1	-	1	1	-	1
95-99 years	12	2	10	8	-	8	4	2	2	4	2	2
100 yrs & over	3	-	3	2	-	2	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Spontaneous tension pneumothorax (J93.0)												
All ages	49	21	28	34	14	20	15	7	8	15	7	8
Under 1 year	7	4	3	3	2	1	4	2	2	4	2	2
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	-	-	-	2	1	1	2	1	1
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	5	2	3	2	1	1	3	1	2	3	1	2
70-74 years	9	5	4	7	4	3	2	1	1	2	1	1
75-79 years	5	4	1	4	3	1	1	1	-	1	1	-
80-84 years	9	1	8	8	1	7	1	-	1	1	-	1
85-89 years	4	-	4	4	-	4	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other spontaneous pneumothorax (J93.1)												
All ages	32	16	16	23	10	13	9	6	3	7	5	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	1	1	1	-	1	1	1	-	1	1	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	3	3	-	2	2	-	1	1	-	1	1	-
65-69 years	4	3	1	2	1	1	2	2	-	2	2	-
70-74 years	3	2	1	2	2	-	1	-	1	1	-	1
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	6	3	3	4	2	2	2	1	1	-	-	-
85-89 years	6	1	5	6	1	5	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	2	1	1	1	-	1	1	1	-	1	1	-
100 yrs & over	1	-	1	-	-	-	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other pneumothorax (J93.8)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pneumothorax, unspecified (J93.9)												
All ages	205	98	107	179	88	91	26	10	16	20	8	12
Under 1 year	6	4	2	5	4	1	1	-	1	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	4	2	2	1	1	-	3	1	2	3	1	2
40-44 years	2	1	1	1	1	-	1	-	1	1	-	1
45-49 years	5	2	3	4	2	2	1	-	1	1	-	1
50-54 years	5	5	-	5	5	-	-	-	-	-	-	-
55-59 years	9	6	3	6	4	2	3	2	1	1	1	-
60-64 years	9	7	2	9	7	2	-	-	-	-	-	-
65-69 years	14	8	6	12	6	6	2	2	-	2	2	-
70-74 years	23	9	14	21	9	12	2	-	2	2	-	2
75-79 years	31	14	17	30	14	16	1	-	1	-	-	-
80-84 years	29	12	17	25	10	15	4	2	2	3	2	1
85-89 years	32	13	19	29	11	18	3	2	1	2	1	1
90-94 years	19	11	8	18	11	7	1	-	1	1	-	1
95-99 years	10	1	9	7	-	7	3	1	2	3	1	2
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other pleural conditions (J94)												
All ages	120	60	60	100	49	51	20	11	9	16	8	8
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	3	1	2	1	-	1	2	1	1	2	1	1
35-39 years	4	3	1	4	3	1	-	-	-	-	-	-
40-44 years	2	1	1	1	1	-	1	-	1	1	-	1
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	1	1	-	-	-	2	1	1	2	1	1
55-59 years	9	4	5	8	3	5	1	1	-	1	1	-
60-64 years	7	5	2	5	3	2	2	2	-	1	1	-
65-69 years	9	7	2	7	5	2	2	2	-	2	2	-
70-74 years	15	9	6	11	6	5	4	3	1	2	2	-
75-79 years	19	11	8	17	11	6	2	-	2	2	-	2
80-84 years	20	8	12	18	8	10	2	-	2	2	-	2
85-89 years	14	5	9	14	5	9	-	-	-	-	-	-
90-94 years	10	2	8	8	1	7	2	1	1	1	-	1
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Chylous effusion (J94.0)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Fibrothorax (J94.1)												
All ages	17	11	6	16	10	6	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years	5	3	2	5	3	2	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	1	-	-	-	-	1	1	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hemothorax (J94.2)												
All ages	67	30	37	54	24	30	13	6	7	12	6	6
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	3	1	2	1	-	1	2	1	1	2	1	1
35-39 years	4	3	1	4	3	1	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	1	1	-	-	-	2	1	1	2	1	1
55-59 years	5	3	2	4	2	2	1	1	-	1	1	-
60-64 years	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years	3	3	-	2	2	-	1	1	-	1	1	-
70-74 years	9	4	5	6	2	4	3	2	1	2	2	-
75-79 years	9	4	5	7	4	3	2	-	2	2	-	2
80-84 years	12	4	8	11	4	7	1	-	1	1	-	1
85-89 years	6	2	4	6	2	4	-	-	-	-	-	-
90-94 years	5	-	5	5	-	5	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified pleural conditions (J94.8)												
All ages	28	17	11	23	13	10	5	4	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	4	3	1	2	1	1	2	2	-	1	1	-
65-69 years	4	3	1	3	2	1	1	1	-	1	1	-
70-74 years	2	2	-	1	1	-	1	1	-	-	-	-
75-79 years	5	4	1	5	4	1	-	-	-	-	-	-
80-84 years	3	3	-	3	3	-	-	-	-	-	-	-
85-89 years	6	2	4	6	2	4	-	-	-	-	-	-
90-94 years	2	-	2	1	-	1	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pleural condition, unspecified (J94.9)												
All ages	6	2	4	5	2	3	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	3	-	3	2	-	2	1	-	1	1	-	1
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory failure, not elsewhere classified (J96)												
All ages	3,246	1,334	1,912	2,741	1,112	1,629	505	222	283	468	206	262
Under 1 year	9	9	-	4	4	-	5	5	-	5	5	-
1-4 years	4	2	2	3	1	2	1	1	-	1	1	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	5	2	3	3	1	2	2	1	1	2	1	1
15-19 years	5	4	1	3	2	1	2	2	-	2	2	-
20-24 years	5	4	1	3	3	-	2	1	1	2	1	1
25-29 years	9	4	5	4	1	3	5	3	2	5	3	2
30-34 years	10	5	5	6	3	3	4	2	2	3	2	1
35-39 years	22	12	10	14	10	4	8	2	6	8	2	6
40-44 years	29	15	14	15	9	6	14	6	8	14	6	8
45-49 years	46	21	25	35	15	20	11	6	5	11	6	5
50-54 years	75	40	35	49	24	25	26	16	10	26	16	10
55-59 years	89	50	39	61	35	26	28	15	13	27	14	13
60-64 years	158	85	73	121	65	56	37	20	17	36	19	17
65-69 years	213	110	103	169	86	83	44	24	20	42	23	19
70-74 years	385	190	195	326	167	159	59	23	36	54	20	34
75-79 years	500	213	287	440	190	250	60	23	37	54	21	33
80-84 years	585	245	340	508	214	294	77	31	46	71	29	42
85-89 years	516	176	340	456	158	298	60	18	42	51	17	34
90-94 years	378	112	266	344	98	246	34	14	20	32	12	20
95-99 years	163	27	136	142	19	123	21	8	13	17	5	12
100 yrs & over	37	6	31	34	6	28	3	-	3	3	-	3
Not stated	2	1	1	-	-	-	2	1	1	2	1	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute respiratory failure (J96.0)												
All ages	213	78	135	178	66	112	35	12	23	34	12	22
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	2	1	1	1	1	-	1	-	1	1	-	1
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	4	1	3	2	1	1	2	-	2	2	-	2
40-44 years	2	1	1	1	1	-	1	-	1	1	-	1
45-49 years	9	2	7	8	1	7	1	1	-	1	1	-
50-54 years	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years	6	2	4	5	1	4	1	1	-	1	1	-
60-64 years	7	3	4	6	3	3	1	-	1	1	-	1
65-69 years	17	7	10	12	4	8	5	3	2	5	3	2
70-74 years	28	16	12	23	15	8	5	1	4	5	1	4
75-79 years	28	8	20	26	8	18	2	-	2	2	-	2
80-84 years	34	12	22	29	11	18	5	1	4	4	1	3
85-89 years	36	10	26	32	9	23	4	1	3	4	1	3
90-94 years	23	7	16	20	5	15	3	2	1	3	2	1
95-99 years	10	2	8	7	1	6	3	1	2	3	1	2
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chronic respiratory failure (J96.1)												
All ages	175	74	101	149	62	87	26	12	14	26	12	14
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	2	2	-	-	-	-	2	2	-	2	2	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	8	3	5	6	2	4	2	1	1	2	1	1
55-59 years	9	5	4	5	3	2	4	2	2	4	2	2
60-64 years	10	5	5	10	5	5	-	-	-	-	-	-
65-69 years	16	8	8	11	6	5	5	2	3	5	2	3
70-74 years	32	14	18	26	12	14	6	2	4	6	2	4
75-79 years	40	17	23	37	16	21	3	1	2	3	1	2
80-84 years	26	9	17	26	9	17	-	-	-	-	-	-
85-89 years	17	6	11	14	5	9	3	1	2	3	1	2
90-94 years	6	1	5	6	1	5	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Respiratory failure, unspecified (J96.9)												
All ages	2,858	1,182	1,676	2,414	984	1,430	444	198	246	408	182	226
Under 1 year	8	8	-	3	3	-	5	5	-	5	5	-
1-4 years	4	2	2	3	1	2	1	1	-	1	1	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	4	2	2	2	1	1	2	1	1	2	1	1
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	4	3	1	2	2	-	2	1	1	2	1	1
25-29 years	6	3	3	2	-	2	4	3	1	4	3	1
30-34 years	9	5	4	5	3	2	4	2	2	3	2	1
35-39 years	17	10	7	11	8	3	6	2	4	6	2	4
40-44 years	25	12	13	14	8	6	11	4	7	11	4	7
45-49 years	37	19	18	27	14	13	10	5	5	10	5	5
50-54 years	64	34	30	40	19	21	24	15	9	24	15	9
55-59 years	74	43	31	51	31	20	23	12	11	22	11	11
60-64 years	141	77	64	105	57	48	36	20	16	35	19	16
65-69 years	180	95	85	146	76	70	34	19	15	32	18	14
70-74 years	325	160	165	277	140	137	48	20	28	43	17	26
75-79 years	432	188	244	377	166	211	55	22	33	49	20	29
80-84 years	525	224	301	453	194	259	72	30	42	67	28	39
85-89 years	463	160	303	410	144	266	53	16	37	44	15	29
90-94 years	349	104	245	318	92	226	31	12	19	29	10	19
95-99 years	151	25	126	133	18	115	18	7	11	14	4	10
100 yrs & over	36	6	30	33	6	27	3	-	3	3	-	3
Not stated	2	1	1	-	-	-	2	1	1	2	1	1
Other respiratory disorders (J98)												
All ages	3,982	1,783	2,199	3,486	1,529	1,957	496	254	242	413	215	198
Under 1 year	167	106	61	79	46	33	88	60	28	77	52	25
1-4 years	36	18	18	22	9	13	14	9	5	11	7	4
5-9 years	9	5	4	6	3	3	3	2	1	2	1	1
10-14 years	18	11	7	15	10	5	3	1	2	3	1	2
15-19 years	12	8	4	8	4	4	4	4	-	3	3	-
20-24 years	18	8	10	14	6	8	4	2	2	4	2	2
25-29 years	14	7	7	13	7	6	1	-	1	1	-	1
30-34 years	23	13	10	16	7	9	7	6	1	7	6	1
35-39 years	31	14	17	20	10	10	11	4	7	8	2	6
40-44 years	52	28	24	44	25	19	8	3	5	8	3	5
45-49 years	79	45	34	54	28	26	25	17	8	24	16	8
50-54 years	97	54	43	79	48	31	18	6	12	16	6	10
55-59 years	176	92	84	147	79	68	29	13	16	27	13	14
60-64 years	211	105	106	183	83	100	28	22	6	25	19	6
65-69 years	307	141	166	272	128	144	35	13	22	26	11	15
70-74 years	442	234	208	403	213	190	39	21	18	33	18	15
75-79 years	660	332	328	603	307	296	57	25	32	48	21	27
80-84 years	654	263	391	611	243	368	43	20	23	31	16	15
85-89 years	543	194	349	498	175	323	45	19	26	33	16	17
90-94 years	306	82	224	288	78	210	18	4	14	15	1	14
95-99 years	112	19	93	98	17	81	14	2	12	9	-	9
100 yrs & over	15	4	11	13	3	10	2	1	1	2	1	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Diseases of bronchus, not elsewhere classified (J98.0)												
All ages	89	40	49	72	31	41	17	9	8	15	7	8
Under 1 year	7	5	2	3	1	2	4	4	-	4	4	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	4	-	4	1	-	1	3	-	3	3	-	3
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	6	4	2	4	3	1	2	1	1	2	1	1
55-59 years	4	2	2	4	2	2	-	-	-	-	-	-
60-64 years	8	5	3	7	4	3	1	1	-	1	1	-
65-69 years	6	2	4	6	2	4	-	-	-	-	-	-
70-74 years	5	5	-	4	4	-	1	1	-	1	1	-
75-79 years	18	7	11	13	6	7	5	1	4	4	-	4
80-84 years	10	4	6	10	4	6	-	-	-	-	-	-
85-89 years	7	1	6	7	1	6	-	-	-	-	-	-
90-94 years	8	3	5	8	3	5	-	-	-	-	-	-
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary collapse (J98.1)												
All ages	176	70	106	153	65	88	23	5	18	20	5	15
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	1	1	-	-	-	2	1	1	1	1	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	5	4	1	5	4	1	-	-	-	-	-	-
45-49 years	3	1	2	3	1	2	-	-	-	-	-	-
50-54 years	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years	4	2	2	2	2	-	2	-	2	1	-	1
60-64 years	5	3	2	4	2	2	1	1	-	1	1	-
65-69 years	9	6	3	7	6	1	2	-	2	2	-	2
70-74 years	19	10	9	17	9	8	2	1	1	2	1	1
75-79 years	28	12	16	23	12	11	5	-	5	5	-	5
80-84 years	39	15	24	36	13	23	3	2	1	3	2	1
85-89 years	33	10	23	29	10	19	4	-	4	3	-	3
90-94 years	16	2	14	14	2	12	2	-	2	2	-	2
95-99 years	5	-	5	5	-	5	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Interstitial emphysema (J98.2)												
All ages	28	18	10	22	14	8	6	4	2	5	4	1
Under 1 year	8	6	2	5	4	1	3	2	1	2	2	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	6	3	3	4	2	2	2	1	1	2	1	1
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	3	3	-	2	2	-	1	1	-	1	1	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of lung (J98.4)												
All ages	2,893	1,270	1,623	2,550	1,088	1,462	343	182	161	279	151	128
Under 1 year	131	80	51	62	33	29	69	47	22	62	42	20
1-4 years	19	11	8	12	6	6	7	5	2	5	3	2
5-9 years	4	2	2	3	1	2	1	1	-	-	-	-
10-14 years	9	6	3	7	5	2	2	1	1	2	1	1
15-19 years	7	4	3	6	3	3	1	1	-	1	1	-
20-24 years	9	3	6	7	3	4	2	-	2	2	-	2
25-29 years	8	4	4	7	4	3	1	-	1	1	-	1
30-34 years	13	6	7	9	2	7	4	4	-	4	4	-
35-39 years	17	8	9	13	7	6	4	1	3	3	-	3
40-44 years	28	12	16	25	11	14	3	1	2	3	1	2
45-49 years	60	34	26	40	21	19	20	13	7	19	12	7
50-54 years	63	33	30	50	29	21	13	4	9	11	4	7
55-59 years	125	64	61	104	53	51	21	11	10	20	11	9
60-64 years	153	71	82	135	58	77	18	13	5	16	11	5
65-69 years	227	101	126	205	92	113	22	9	13	16	7	9
70-74 years	342	176	166	314	161	153	28	15	13	22	12	10
75-79 years	522	261	261	485	242	243	37	19	18	30	16	14
80-84 years	488	185	303	454	170	284	34	15	19	25	12	13
85-89 years	396	139	257	365	124	241	31	15	16	20	12	8
90-94 years	199	56	143	186	52	134	13	4	9	10	1	9
95-99 years	65	12	53	55	10	45	10	2	8	5	-	5
100 yrs & over	8	2	6	6	1	5	2	1	1	2	1	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Diseases of mediastinum, not elsewhere classified (J98.5)												
All ages	153	79	74	138	70	68	15	9	6	14	9	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	4	3	1	3	2	1	1	1	-	1	1	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	4	2	2	2	1	1	2	1	1	2	1	1
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years	8	4	4	8	4	4	-	-	-	-	-	-
60-64 years	11	5	6	8	2	6	3	3	-	3	3	-
65-69 years	20	8	12	17	7	10	3	1	2	3	1	2
70-74 years	16	8	8	15	8	7	1	-	1	1	-	1
75-79 years	27	18	9	24	16	8	3	2	1	2	2	-
80-84 years	25	13	12	25	13	12	-	-	-	-	-	-
85-89 years	19	10	9	18	9	9	1	1	-	1	1	-
90-94 years	7	2	5	6	2	4	1	-	1	1	-	1
95-99 years	5	2	3	5	2	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of diaphragm (J98.6)												
All ages	34	22	12	32	20	12	2	2	-	1	1	-
Under 1 year	1	1	-	-	-	-	1	1	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	7	4	3	7	4	3	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	10	8	2	10	8	2	-	-	-	-	-	-
85-89 years	8	3	5	7	2	5	1	1	-	1	1	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified respiratory disorders (J98.8)												
All ages	453	208	245	387	176	211	66	32	34	57	28	29
Under 1 year	16	11	5	7	6	1	9	5	4	7	3	4
1-4 years	12	5	7	8	3	5	4	2	2	4	2	2
5-9 years	3	2	1	1	1	-	2	1	1	2	1	1
10-14 years	6	4	2	5	4	1	1	-	1	1	-	1
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	7	5	2	5	3	2	2	2	-	2	2	-
25-29 years	5	3	2	5	3	2	-	-	-	-	-	-
30-34 years	3	2	1	2	2	-	1	-	1	1	-	1
35-39 years	8	4	4	4	1	3	4	3	1	2	2	-
40-44 years	12	8	4	9	6	3	3	2	1	3	2	1
45-49 years	8	5	3	6	3	3	2	2	-	2	2	-
50-54 years	18	8	10	15	7	8	3	1	2	3	1	2
55-59 years	25	15	10	21	14	7	4	1	3	4	1	3
60-64 years	20	11	9	17	8	9	3	3	-	3	3	-
65-69 years	26	14	12	22	13	9	4	1	3	2	1	1
70-74 years	39	22	17	34	20	14	5	2	3	5	2	3
75-79 years	43	21	22	38	19	19	5	2	3	5	2	3
80-84 years	56	26	30	52	24	28	4	2	2	1	1	-
85-89 years	56	22	34	51	20	31	5	2	3	5	2	3
90-94 years	60	14	46	58	14	44	2	-	2	2	-	2
95-99 years	23	3	20	21	3	18	2	-	2	2	-	2
100 yrs & over	6	2	4	6	2	4	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory disorder, unspecified (J98.9)												
All ages	156	76	80	132	65	67	24	11	13	22	10	12
Under 1 year	4	3	1	2	2	-	2	1	1	2	1	1
1-4 years	2	1	1	1	-	1	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	2	1	1	1	-	1	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	1	1	1	-	1	1	1	-	1	1	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	5	3	2	3	3	-	2	-	2	2	-	2
45-49 years	4	3	1	3	2	1	1	1	-	1	1	-
50-54 years	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years	6	3	3	4	2	2	2	1	1	2	1	1
60-64 years	12	8	4	10	7	3	2	1	1	1	-	1
65-69 years	11	6	5	9	5	4	2	1	1	1	1	-
70-74 years	13	9	4	11	7	4	2	2	-	2	2	-
75-79 years	17	8	9	16	8	8	1	-	1	1	-	1
80-84 years	23	11	12	21	10	11	2	1	1	2	1	1
85-89 years	23	8	15	20	8	12	3	-	3	3	-	3
90-94 years	15	5	10	15	5	10	-	-	-	-	-	-
95-99 years	11	2	9	9	2	7	2	-	2	2	-	2
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Dental caries (K02)												
All ages	3	2	1	2	1	1	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	-	-	-	1	1	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Dental caries, unspecified (K02.9)												
All ages	3	2	1	2	1	1	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	-	-	-	1	1	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Diseases of pulp and periapical tissues (K04)												
All ages	16	8	8	15	8	7	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	7	2	5	6	2	4	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chronic apical periodontitis (K04.5)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Periapical abscess without sinus (K04.7)												
All ages	15	8	7	14	8	6	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	6	2	4	5	2	3	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Gingivitis and periodontal diseases (K05)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Chronic gingivitis (K05.1)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute periodontitis (K05.2)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Chronic periodontitis (K05.3)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Dentofacial anomalies [including malocclusion] (K07)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Major anomalies of jaw size (K07.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malocclusion, unspecified (K07.4)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other dentofacial anomalies (K07.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of the teeth and supporting structures (K08)												
All ages	5	2	3	4	1	3	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	3	1	2	2	-	2	1	1	-	1	1	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified disorders of teeth and supporting structures (K08.8)												
All ages	2	1	1	1	-	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	1	1	1	-	1	1	1	-	1	1	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorder of teeth and supporting structures, unspecified (K08.9)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other diseases of jaws (K10)												
All ages	6	4	2	5	4	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	3	2	1	2	2	-	1	-	1	1	-	1
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Inflammatory conditions of jaws (K10.2)												
All ages	5	4	1	4	4	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	3	2	1	2	2	-	1	-	1	1	-	1
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disease of jaws, unspecified (K10.9)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of salivary glands (K11)												
All ages	67	25	42	63	22	41	4	3	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	11	6	5	9	5	4	2	1	1	2	1	1
80-84 years	20	9	11	18	7	11	2	2	-	1	1	-
85-89 years	16	5	11	16	5	11	-	-	-	-	-	-
90-94 years	11	3	8	11	3	8	-	-	-	-	-	-
95-99 years	5	1	4	5	1	4	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sialoadenitis (K11.2)												
All ages	58	20	38	54	17	37	4	3	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	9	4	5	7	3	4	2	1	1	2	1	1
80-84 years	17	7	10	15	5	10	2	2	-	1	1	-
85-89 years	16	5	11	16	5	11	-	-	-	-	-	-
90-94 years	10	3	7	10	3	7	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Abscess of salivary gland (K11.3)												
All ages	6	3	3	6	3	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disturbances of salivary secretion (K11.7)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disease of salivary gland, unspecified (K11.9)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Stomatitis and related lesions (K12)												
All ages	25	11	14	22	10	12	3	1	2	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	3	3	-	2	2	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	4	1	3	3	1	2	1	-	1	1	-	1
80-84 years	7	1	6	6	1	5	1	-	1	1	-	1
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other forms of stomatitis (K12.1)												
All ages	6	2	4	5	2	3	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	2	-	2	1	-	1	1	-	1	1	-	1
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cellulitis and abscess of mouth (K12.2)												
All ages	19	9	10	17	8	9	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	2	-	1	1	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	7	1	6	6	1	5	1	-	1	1	-	1
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of lip and oral mucosa (K13)												
All ages	4	3	1	2	2	-	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	-	-	-	1	1	-	1	1	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Oral submucous fibrosis (K13.5)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified lesions of oral mucosa (K13.7)												
All ages	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	-	-	-	1	1	-	1	1	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Diseases of tongue (K14)												
All ages	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	-	-	-	1	1	-	1	1	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Glossitis (K14.0)												
All ages	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	-	-	-	1	1	-	1	1	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Esophagitis (K20)												
All ages	168	88	80	147	75	72	21	13	8	18	12	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	3	2	1	2	2	-	1	-	1	1	-	1
40-44 years	6	5	1	5	4	1	1	1	-	1	1	-
45-49 years	4	3	1	4	3	1	-	-	-	-	-	-
50-54 years	4	3	1	3	3	-	1	-	1	1	-	1
55-59 years	3	2	1	2	1	1	1	1	-	1	1	-
60-64 years	8	6	2	6	5	1	2	1	1	2	1	1
65-69 years	9	6	3	8	5	3	1	1	-	1	1	-
70-74 years	16	6	10	12	3	9	4	3	1	3	3	-
75-79 years	26	15	11	22	12	10	4	3	1	3	3	-
80-84 years	33	15	18	31	13	18	2	2	-	1	1	-
85-89 years	23	14	9	19	13	6	4	1	3	4	1	3
90-94 years	23	9	14	23	9	14	-	-	-	-	-	-
95-99 years	8	2	6	8	2	6	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Gastroesophageal reflux disease (K21)												
All ages	692	257	435	624	227	397	68	30	38	57	21	36
Under 1 year	18	8	10	9	5	4	9	3	6	8	2	6
1-4 years	6	3	3	2	2	-	4	1	3	4	1	3
5-9 years	2	-	2	1	-	1	1	-	1	1	-	1
10-14 years	10	3	7	7	3	4	3	-	3	3	-	3
15-19 years	4	3	1	3	2	1	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	4	3	1	3	2	1	1	1	-	1	1	-
40-44 years	6	2	4	6	2	4	-	-	-	-	-	-
45-49 years	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years	11	8	3	9	7	2	2	1	1	1	-	1
55-59 years	13	9	4	12	8	4	1	1	-	1	1	-
60-64 years	19	10	9	17	9	8	2	1	1	-	-	-
65-69 years	22	8	14	21	7	14	1	1	-	1	1	-
70-74 years	41	21	20	34	16	18	7	5	2	5	3	2
75-79 years	72	32	40	65	27	38	7	5	2	5	3	2
80-84 years	111	43	68	108	42	66	3	1	2	3	1	2
85-89 years	168	55	113	152	47	105	16	8	8	14	6	8
90-94 years	123	34	89	115	33	82	8	1	7	7	1	6
95-99 years	38	7	31	37	7	30	1	-	1	1	-	1
100 yrs & over	19	4	15	18	4	14	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Gastroesophageal reflux disease with esophagitis (K21.0)												
All ages	63	23	40	61	23	38	2	-	2	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	10	1	9	9	1	8	1	-	1	1	-	1
80-84 years	14	7	7	14	7	7	-	-	-	-	-	-
85-89 years	10	2	8	10	2	8	-	-	-	-	-	-
90-94 years	14	7	7	13	7	6	1	-	1	-	-	-
95-99 years	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Gastroesophageal reflux disease without esophagitis (K21.9)												
All ages	629	234	395	563	204	359	66	30	36	56	21	35
Under 1 year	18	8	10	9	5	4	9	3	6	8	2	6
1-4 years	6	3	3	2	2	-	4	1	3	4	1	3
5-9 years	2	-	2	1	-	1	1	-	1	1	-	1
10-14 years	9	3	6	6	3	3	3	-	3	3	-	3
15-19 years	4	3	1	3	2	1	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	3	2	1	2	1	1	1	1	-	1	1	-
40-44 years	4	1	3	4	1	3	-	-	-	-	-	-
45-49 years	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years	11	8	3	9	7	2	2	1	1	1	-	1
55-59 years	11	8	3	10	7	3	1	1	-	1	1	-
60-64 years	18	9	9	16	8	8	2	1	1	-	-	-
65-69 years	20	8	12	19	7	12	1	1	-	1	1	-
70-74 years	40	20	20	33	15	18	7	5	2	5	3	2
75-79 years	62	31	31	56	26	30	6	5	1	4	3	1
80-84 years	97	36	61	94	35	59	3	1	2	3	1	2
85-89 years	158	53	105	142	45	97	16	8	8	14	6	8
90-94 years	109	27	82	102	26	76	7	1	6	7	1	6
95-99 years	35	6	29	34	6	28	1	-	1	1	-	1
100 yrs & over	17	4	13	16	4	12	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other diseases of esophagus (K22)												
All ages	1,252	579	673	1,157	525	632	95	54	41	81	47	34
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	7	5	2	6	4	2	1	1	-	1	1	-
30-34 years	2	1	1	1	-	1	1	1	-	1	1	-
35-39 years	12	8	4	11	7	4	1	1	-	1	1	-
40-44 years	7	6	1	5	5	-	2	1	1	1	-	1
45-49 years	21	14	7	18	12	6	3	2	1	3	2	1
50-54 years	26	20	6	21	15	6	5	5	-	5	5	-
55-59 years	36	25	11	31	21	10	5	4	1	5	4	1
60-64 years	43	31	12	36	24	12	7	7	-	6	6	-
65-69 years	66	42	24	57	36	21	9	6	3	8	5	3
70-74 years	99	56	43	89	51	38	10	5	5	8	3	5
75-79 years	159	77	82	149	71	78	10	6	4	8	5	3
80-84 years	239	112	127	216	102	114	23	10	13	19	9	10
85-89 years	243	89	154	233	87	146	10	2	8	8	2	6
90-94 years	196	62	134	192	60	132	4	2	2	3	2	1
95-99 years	76	23	53	73	22	51	3	1	2	3	1	2
100 yrs & over	17	7	10	16	7	9	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Achalasia of cardia (K22.0)												
All ages	89	37	52	82	33	49	7	4	3	6	4	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years	4	1	3	4	1	3	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	6	3	3	6	3	3	-	-	-	-	-	-
80-84 years	27	13	14	25	12	13	2	1	1	2	1	1
85-89 years	16	5	11	14	5	9	2	-	2	1	-	1
90-94 years	23	9	14	23	9	14	-	-	-	-	-	-
95-99 years	8	3	5	7	2	5	1	1	-	1	1	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Ulcer of esophagus (K22.1)												
All ages	123	71	52	115	65	50	8	6	2	7	6	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	2	1	2	1	1	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	6	2	4	6	2	4	-	-	-	-	-	-
50-54 years	7	5	2	6	4	2	1	1	-	1	1	-
55-59 years	7	5	2	7	5	2	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	14	12	2	13	11	2	1	1	-	1	1	-
70-74 years	18	14	4	17	13	4	1	1	-	1	1	-
75-79 years	17	9	8	16	8	8	1	1	-	1	1	-
80-84 years	18	10	8	15	9	6	3	1	2	2	1	1
85-89 years	15	5	10	15	5	10	-	-	-	-	-	-
90-94 years	7	3	4	7	3	4	-	-	-	-	-	-
95-99 years	7	2	5	7	2	5	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Esophageal obstruction (K22.2)												
All ages	275	106	169	255	95	160	20	11	9	15	8	7
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years	10	7	3	7	4	3	3	3	-	2	2	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	23	12	11	19	9	10	4	3	1	2	1	1
75-79 years	28	9	19	26	8	18	2	1	1	2	1	1
80-84 years	59	26	33	52	23	29	7	3	4	6	3	3
85-89 years	58	13	45	54	12	42	4	1	3	3	1	2
90-94 years	57	17	40	57	17	40	-	-	-	-	-	-
95-99 years	21	7	14	21	7	14	-	-	-	-	-	-
100 yrs & over	6	4	2	6	4	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Perforation of esophagus (K22.3)												
All ages	244	128	116	218	111	107	26	17	9	24	17	7
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	4	3	1	4	3	1	-	-	-	-	-	-
40-44 years	3	3	-	3	3	-	-	-	-	-	-	-
45-49 years	3	3	-	2	2	-	1	1	-	1	1	-
50-54 years	9	7	2	6	4	2	3	3	-	3	3	-
55-59 years	11	9	2	9	7	2	2	2	-	2	2	-
60-64 years	15	11	4	13	9	4	2	2	-	2	2	-
65-69 years	12	8	4	7	5	2	5	3	2	5	3	2
70-74 years	23	9	14	20	9	11	3	-	3	3	-	3
75-79 years	47	28	19	43	25	18	4	3	1	3	3	-
80-84 years	53	25	28	50	24	26	3	1	2	3	1	2
85-89 years	41	16	25	41	16	25	-	-	-	-	-	-
90-94 years	19	3	16	17	2	15	2	1	1	1	1	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Dyskinesia of esophagus (K22.4)												
All ages	222	94	128	212	88	124	10	6	4	8	4	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	1	1	1	-	1	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	7	4	3	7	4	3	-	-	-	-	-	-
70-74 years	17	11	6	16	11	5	1	-	1	1	-	1
75-79 years	27	12	15	25	11	14	2	1	1	1	-	1
80-84 years	40	17	23	38	15	23	2	2	-	1	1	-
85-89 years	64	30	34	62	29	33	2	1	1	2	1	1
90-94 years	37	10	27	36	9	27	1	1	-	1	1	-
95-99 years	16	4	12	16	4	12	-	-	-	-	-	-
100 yrs & over	5	2	3	5	2	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Diverticulum of esophagus, acquired (K22.5)												
All ages	77	34	43	75	34	41	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	9	4	5	9	4	5	-	-	-	-	-	-
80-84 years	11	6	5	10	6	4	1	-	1	1	-	1
85-89 years	18	10	8	18	10	8	-	-	-	-	-	-
90-94 years	26	9	17	26	9	17	-	-	-	-	-	-
95-99 years	8	3	5	7	3	4	1	-	1	1	-	1
100 yrs & over	2	1	1	2	1	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Gastroesophageal laceration-hemorrhage syndrome (K22.6)												
All ages	60	40	20	50	33	17	10	7	3	7	5	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	4	3	1	3	2	1	1	1	-	1	1	-
55-59 years	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years	6	4	2	4	2	2	2	2	-	1	1	-
70-74 years	5	5	-	4	4	-	1	1	-	1	1	-
75-79 years	8	4	4	8	4	4	-	-	-	-	-	-
80-84 years	15	10	5	11	8	3	4	2	2	3	2	1
85-89 years	4	2	2	3	2	1	1	-	1	1	-	1
90-94 years	4	3	1	4	3	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified diseases of esophagus (K22.8)												
All ages	104	39	65	96	37	59	8	2	6	8	2	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	2	1	1	1	1	-	1	-	1	1	-	1
45-49 years	5	2	3	3	1	2	2	1	1	2	1	1
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	5	2	3	4	1	3	1	1	-	1	1	-
60-64 years	7	5	2	7	5	2	-	-	-	-	-	-
65-69 years	10	5	5	9	5	4	1	-	1	1	-	1
70-74 years	5	2	3	5	2	3	-	-	-	-	-	-
75-79 years	8	4	4	7	4	3	1	-	1	1	-	1
80-84 years	7	3	4	7	3	4	-	-	-	-	-	-
85-89 years	18	3	15	18	3	15	-	-	-	-	-	-
90-94 years	20	7	13	19	7	12	1	-	1	1	-	1
95-99 years	10	2	8	10	2	8	-	-	-	-	-	-
100 yrs & over	3	-	3	2	-	2	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disease of esophagus, unspecified (K22.9)												
All ages	58	30	28	54	29	25	4	1	3	4	1	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	5	4	1	5	4	1	-	-	-	-	-	-
60-64 years	3	3	-	2	2	-	1	1	-	1	1	-
65-69 years	9	6	3	9	6	3	-	-	-	-	-	-
70-74 years	5	1	4	5	1	4	-	-	-	-	-	-
75-79 years	9	4	5	9	4	5	-	-	-	-	-	-
80-84 years	9	2	7	8	2	6	1	-	1	1	-	1
85-89 years	9	5	4	8	5	3	1	-	1	1	-	1
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	3	1	2	2	1	1	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Gastric ulcer (K25)												
All ages	1,277	545	732	1,073	431	642	204	114	90	150	87	63
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	3	2	1	3	2	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	7	5	2	2	2	-	5	3	2	5	3	2
30-34 years	8	4	4	4	2	2	4	2	2	3	2	1
35-39 years	11	8	3	6	3	3	5	5	-	5	5	-
40-44 years	24	20	4	14	11	3	10	9	1	9	8	1
45-49 years	52	34	18	35	22	13	17	12	5	13	10	3
50-54 years	48	26	22	38	20	18	10	6	4	10	6	4
55-59 years	51	36	15	38	26	12	13	10	3	10	7	3
60-64 years	72	39	33	57	29	28	15	10	5	12	7	5
65-69 years	95	51	44	71	36	35	24	15	9	14	10	4
70-74 years	136	69	67	115	55	60	21	14	7	18	13	5
75-79 years	178	82	96	157	73	84	21	9	12	15	6	9
80-84 years	238	89	149	214	79	135	24	10	14	10	5	5
85-89 years	196	56	140	177	51	126	19	5	14	13	4	9
90-94 years	106	18	88	98	15	83	8	3	5	6	1	5
95-99 years	42	3	39	35	2	33	7	1	6	6	-	6
100 yrs & over	7	1	6	7	1	6	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-
Gastric ulcer, Acute with haemorrhage (K25.0)												
All ages	16	7	9	11	5	6	5	2	3	4	1	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years	2	-	2	1	-	1	1	-	1	1	-	1
85-89 years	2	1	1	-	-	-	2	1	1	1	-	1
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Gastric ulcer, Acute with perforation (K25.1)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Gastric ulcer, Acute with both haemorrhage and perforation (K25.2)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Gastric ulcer, Acute without haemorrhage or perforation (K25.3)												
All ages	2	-	2	1	-	1	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Gastric ulcer, Chronic or unspecified with haemorrhage (K25.4)												
All ages	581	267	314	473	204	269	108	63	45	70	43	27
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	4	3	1	1	1	-	3	2	1	3	2	1
30-34 years	3	3	-	1	1	-	2	2	-	2	2	-
35-39 years	4	2	2	3	1	2	1	1	-	1	1	-
40-44 years	10	9	1	6	5	1	4	4	-	4	4	-
45-49 years	25	17	8	15	10	5	10	7	3	7	5	2
50-54 years	22	14	8	17	11	6	5	3	2	5	3	2
55-59 years	17	11	6	12	7	5	5	4	1	3	2	1
60-64 years	27	12	15	18	6	12	9	6	3	7	4	3
65-69 years	36	22	14	23	14	9	13	8	5	5	4	1
70-74 years	63	36	27	53	29	24	10	7	3	9	7	2
75-79 years	83	42	41	73	39	34	10	3	7	6	1	5
80-84 years	109	50	59	92	42	50	17	8	9	6	3	3
85-89 years	99	33	66	91	29	62	8	4	4	4	4	-
90-94 years	50	8	42	45	5	40	5	3	2	3	1	2
95-99 years	23	2	21	18	1	17	5	1	4	4	-	4
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Gastric ulcer, Chronic or unspecified with perforation (K25.5)												
All ages	484	174	310	421	139	282	63	35	28	55	30	25
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	1	1	-	-	-	2	1	1	2	1	1
30-34 years	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years	6	5	1	2	1	1	4	4	-	4	4	-
40-44 years	9	7	2	6	4	2	3	3	-	3	3	-
45-49 years	19	11	8	14	7	7	5	4	1	5	4	1
50-54 years	16	4	12	13	3	10	3	1	2	3	1	2
55-59 years	23	17	6	16	11	5	7	6	1	6	5	1
60-64 years	30	18	12	28	16	12	2	2	-	1	1	-
65-69 years	38	16	22	33	13	20	5	3	2	4	2	2
70-74 years	55	24	31	47	20	27	8	4	4	6	3	3
75-79 years	69	27	42	59	22	37	10	5	5	8	4	4
80-84 years	91	23	68	87	21	66	4	2	2	3	2	1
85-89 years	72	14	58	67	14	53	5	-	5	5	-	5
90-94 years	35	6	29	33	6	27	2	-	2	2	-	2
95-99 years	13	-	13	11	-	11	2	-	2	2	-	2
100 yrs & over	3	-	3	3	-	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Gastric ulcer, Chronic or unspecified with haemorrhage and perforation (K25.6)												
All ages	39	28	11	33	25	8	6	3	3	5	3	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	4	3	1	3	3	-	1	-	1	1	-	1
60-64 years	5	4	1	4	3	1	1	1	-	1	1	-
65-69 years	4	3	1	3	2	1	1	1	-	1	1	-
70-74 years	4	3	1	3	2	1	1	1	-	1	1	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	7	6	1	7	6	1	-	-	-	-	-	-
85-89 years	2	1	1	1	1	-	1	-	1	1	-	1
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Gastric ulcer, Chronic without haemorrhage or perforation (K25.7)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Gastric ulcer, Unspecified as acute or chronic, without haemorrhage or perforation (K25.9)												
All ages	150	67	83	129	56	73	21	11	10	16	10	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	2	2	-	-	-	-	2	2	-	1	1	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	6	5	1	4	3	1	2	2	-	2	2	-
55-59 years	6	4	2	6	4	2	-	-	-	-	-	-
60-64 years	9	5	4	6	4	2	3	1	2	3	1	2
65-69 years	16	10	6	11	7	4	5	3	2	4	3	1
70-74 years	13	5	8	11	3	8	2	2	-	2	2	-
75-79 years	21	11	10	20	10	10	1	1	-	1	1	-
80-84 years	28	10	18	26	10	16	2	-	2	-	-	-
85-89 years	20	7	13	17	7	10	3	-	3	2	-	2
90-94 years	16	3	13	15	3	12	1	-	1	1	-	1
95-99 years	5	-	5	5	-	5	-	-	-	-	-	-
100 yrs & over	2	1	1	2	1	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Duodenal ulcer (K26)												
All ages	1,544	782	762	1,387	681	706	157	101	56	119	74	45
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	3	2	1	2	1	1	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	1	1	1	-	1	1	1	-	1	1	-
30-34 years	7	5	2	5	4	1	2	1	1	2	1	1
35-39 years	14	9	5	8	5	3	6	4	2	6	4	2
40-44 years	40	31	9	30	24	6	10	7	3	8	5	3
45-49 years	55	40	15	40	28	12	15	12	3	12	10	2
50-54 years	59	43	16	44	30	14	15	13	2	14	12	2
55-59 years	62	39	23	49	32	17	13	7	6	9	5	4
60-64 years	86	60	26	73	51	22	13	9	4	12	8	4
65-69 years	102	63	39	91	58	33	11	5	6	9	3	6
70-74 years	140	77	63	126	65	61	14	12	2	10	8	2
75-79 years	213	110	103	192	97	95	21	13	8	12	6	6
80-84 years	277	123	154	262	115	147	15	8	7	11	5	6
85-89 years	290	118	172	277	113	164	13	5	8	7	4	3
90-94 years	133	48	85	130	46	84	3	2	1	2	1	1
95-99 years	50	11	39	47	10	37	3	1	2	2	-	2
100 yrs & over	10	2	8	10	2	8	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Duodenal ulcer, Acute with haemorrhage (K26.0)												
All ages	13	9	4	12	9	3	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years	2	-	2	1	-	1	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Duodenal ulcer, Acute with perforation (K26.1)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Duodenal ulcer, Acute with both haemorrhage and perforation (K26.2)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Duodenal ulcer, Acute without haemorrhage or perforation (K26.3)												
All ages	-	-	-	-	-	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Duodenal ulcer, Chronic or unspecified with haemorrhage (K26.4)												
All ages	596	337	259	527	293	234	69	44	25	52	32	20
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	3	2	1	2	2	-	1	-	1	1	-	1
35-39 years	4	4	-	3	3	-	1	1	-	1	1	-
40-44 years	16	14	2	14	12	2	2	2	-	2	2	-
45-49 years	19	16	3	12	10	2	7	6	1	7	6	1
50-54 years	21	17	4	14	11	3	7	6	1	6	5	1
55-59 years	26	21	5	20	17	3	6	4	2	5	3	2
60-64 years	33	23	10	27	20	7	6	3	3	5	2	3
65-69 years	34	20	14	32	19	13	2	1	1	1	-	1
70-74 years	52	34	18	45	29	16	7	5	2	5	3	2
75-79 years	82	51	31	75	45	30	7	6	1	3	3	-
80-84 years	108	57	51	99	53	46	9	4	5	7	2	5
85-89 years	120	53	67	111	50	61	9	3	6	5	3	2
90-94 years	51	19	32	49	17	32	2	2	-	1	1	-
95-99 years	19	3	16	18	3	15	1	-	1	1	-	1
100 yrs & over	5	2	3	5	2	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Duodenal ulcer, Chronic or unspecified with perforation (K26.5)												
All ages	733	339	394	661	291	370	72	48	24	54	34	20
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	3	3	-	2	2	-	1	1	-	1	1	-
35-39 years	6	4	2	1	1	-	5	3	2	5	3	2
40-44 years	21	15	6	14	11	3	7	4	3	5	2	3
45-49 years	30	20	10	22	14	8	8	6	2	5	4	1
50-54 years	27	20	7	21	15	6	6	5	1	6	5	1
55-59 years	25	12	13	18	9	9	7	3	4	4	2	2
60-64 years	43	30	13	37	24	13	6	6	-	6	6	-
65-69 years	54	33	21	46	30	16	8	3	5	7	2	5
70-74 years	73	35	38	68	30	38	5	5	-	3	3	-
75-79 years	98	48	50	90	43	47	8	5	3	4	1	3
80-84 years	134	48	86	128	44	84	6	4	2	4	3	1
85-89 years	129	43	86	127	42	85	2	1	1	2	1	1
90-94 years	60	21	39	60	21	39	-	-	-	-	-	-
95-99 years	23	5	18	21	4	17	2	1	1	1	-	1
100 yrs & over	4	-	4	4	-	4	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Duodenal ulcer, Chronic or unspecified with haemorrhage and perforation (K26.6)												
All ages	63	33	30	59	29	30	4	4	-	4	4	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	8	6	2	6	4	2	2	2	-	2	2	-
55-59 years	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	5	3	2	4	2	2	1	1	-	1	1	-
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	10	4	6	9	3	6	1	1	-	1	1	-
80-84 years	11	5	6	11	5	6	-	-	-	-	-	-
85-89 years	13	7	6	13	7	6	-	-	-	-	-	-
90-94 years	4	2	2	4	2	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Duodenal ulcer, Chronic without haemorrhage or perforation (K26.7)															
All ages	6	2	4	6	2	4	-	-	-	-	-	-			
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-			
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-			
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-			
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-			
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-			
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-			
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			
Duodenal ulcer, Unspecified as acute or chronic, without haemorrhage or perforation (K26.9)															
All ages	130	62	68	119	57	62	11	5	6	8	4	4			
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-			
35-39 years	3	1	2	3	1	2	-	-	-	-	-	-			
40-44 years	3	2	1	2	1	1	1	1	-	1	1	-			
45-49 years	3	1	2	3	1	2	-	-	-	-	-	-			
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-			
55-59 years	6	3	3	6	3	3	-	-	-	-	-	-			
60-64 years	7	4	3	6	4	2	1	-	1	1	-	1			
65-69 years	7	5	2	7	5	2	-	-	-	-	-	-			
70-74 years	11	7	4	9	5	4	2	2	-	2	2	-			
75-79 years	21	6	15	16	5	11	5	1	4	4	1	3			
80-84 years	21	12	9	21	12	9	-	-	-	-	-	-			
85-89 years	25	13	12	23	12	11	2	1	1	-	-	-			
90-94 years	13	5	8	13	5	8	-	-	-	-	-	-			
95-99 years	8	3	5	8	3	5	-	-	-	-	-	-			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Peptic ulcer, site unspecified (K27)												
All ages	1,631	729	902	1,445	622	823	186	107	79	139	82	57
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	1	1	1	1	-	1	-	1	-	-	-
25-29 years	4	4	-	2	2	-	2	2	-	2	2	-
30-34 years	4	2	2	2	1	1	2	1	1	2	1	1
35-39 years	11	8	3	5	4	1	6	4	2	5	4	1
40-44 years	17	10	7	14	8	6	3	2	1	2	1	1
45-49 years	29	17	12	26	15	11	3	2	1	2	1	1
50-54 years	39	26	13	29	18	11	10	8	2	8	7	1
55-59 years	69	47	22	50	32	18	19	15	4	16	14	2
60-64 years	73	48	25	59	39	20	14	9	5	10	7	3
65-69 years	93	63	30	79	52	27	14	11	3	10	8	2
70-74 years	145	70	75	130	62	68	15	8	7	13	6	7
75-79 years	218	120	98	193	104	89	25	16	9	18	11	7
80-84 years	301	120	181	272	107	165	29	13	16	20	9	11
85-89 years	301	102	199	276	92	184	25	10	15	18	7	11
90-94 years	212	56	156	197	52	145	15	4	11	12	3	9
95-99 years	91	33	58	88	31	57	3	2	1	1	1	-
100 yrs & over	21	2	19	21	2	19	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Peptic ulcer, site unspecified, Acute with haemorrhage (K27.0)												
All ages	7	4	3	7	4	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Peptic ulcer, site unspecified, Acute without haemorrhage or perforation (K27.3)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Peptic ulcer, site unspecified, Chronic or unspecified with haemorrhage (K27.4)												
All ages	953	459	494	836	391	445	117	68	49	85	48	37
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	1	1	1	1	-	1	-	1	-	-	-
25-29 years	2	2	-	1	1	-	1	1	-	1	1	-
30-34 years	3	2	1	1	1	-	2	1	1	2	1	1
35-39 years	6	4	2	3	2	1	3	2	1	3	2	1
40-44 years	13	8	5	11	7	4	2	1	1	2	1	1
45-49 years	15	11	4	14	10	4	1	1	-	-	-	-
50-54 years	24	16	8	17	10	7	7	6	1	6	5	1
55-59 years	33	26	7	24	18	6	9	8	1	9	8	1
60-64 years	39	28	11	29	23	6	10	5	5	6	3	3
65-69 years	49	37	12	39	30	9	10	7	3	6	4	2
70-74 years	75	45	30	66	39	27	9	6	3	7	4	3
75-79 years	126	81	45	112	70	42	14	11	3	10	7	3
80-84 years	177	74	103	157	66	91	20	8	12	15	5	10
85-89 years	180	66	114	165	60	105	15	6	9	10	4	6
90-94 years	137	35	102	127	32	95	10	3	7	7	2	5
95-99 years	57	22	35	54	20	34	3	2	1	1	1	-
100 yrs & over	14	1	13	14	1	13	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Peptic ulcer, site unspecified, Chronic or unspecified with perforation (K27.5)												
All ages	374	144	230	335	126	209	39	18	21	29	16	13
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	4	3	1	2	2	-	2	1	1	1	1	-
40-44 years	1	1	-	-	-	-	1	1	-	-	-	-
45-49 years	11	5	6	10	4	6	1	1	-	1	1	-
50-54 years	5	4	1	5	4	1	-	-	-	-	-	-
55-59 years	18	9	9	11	5	6	7	4	3	5	4	1
60-64 years	19	11	8	16	8	8	3	3	-	3	3	-
65-69 years	31	19	12	29	17	12	2	2	-	2	2	-
70-74 years	41	11	30	37	10	27	4	1	3	4	1	3
75-79 years	50	17	33	45	17	28	5	-	5	3	-	3
80-84 years	70	30	40	63	27	36	7	3	4	4	3	1
85-89 years	63	17	46	59	15	44	4	2	2	3	1	2
90-94 years	42	12	30	39	12	27	3	-	3	3	-	3
95-99 years	16	4	12	16	4	12	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Peptic ulcer, site unspecified, Chronic or unspecified with haemorrhage and perforation (K27.6)												
All ages	30	13	17	27	11	16	3	2	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	7	5	2	6	4	2	1	1	-	-	-	-
60-64 years	4	1	3	4	1	3	-	-	-	-	-	-
65-69 years	3	2	1	2	1	1	1	1	-	1	1	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years	5	-	5	4	-	4	1	-	1	1	-	1
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Peptic ulcer, site unspecified, Chronic without haemorrhage or perforation (K27.7)												
All ages	6	2	4	5	2	3	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Peptic ulcer, site unspecified, Unspecified as acute or chronic, without haemorrhage or perforation (K27.9)												
All ages	260	107	153	234	88	146	26	19	7	22	17	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	3	1	2	3	1	2	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	9	5	4	6	3	3	3	2	1	2	2	-
55-59 years	10	6	4	8	4	4	2	2	-	2	2	-
60-64 years	11	8	3	10	7	3	1	1	-	1	1	-
65-69 years	9	5	4	8	4	4	1	1	-	1	1	-
70-74 years	25	12	13	23	11	12	2	1	1	2	1	1
75-79 years	37	19	18	31	14	17	6	5	1	5	4	1
80-84 years	48	15	33	46	13	33	2	2	-	1	1	-
85-89 years	52	19	33	47	17	30	5	2	3	4	2	2
90-94 years	30	8	22	28	7	21	2	1	1	2	1	1
95-99 years	17	6	11	17	6	11	-	-	-	-	-	-
100 yrs & over	5	1	4	5	1	4	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Gastrojejunal ulcer (K28)												
All ages	39	18	21	37	17	20	2	1	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years	4	2	2	4	2	2	-	-	-	-	-	-
70-74 years	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years	6	3	3	6	3	3	-	-	-	-	-	-
80-84 years	7	2	5	7	2	5	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	7	3	4	6	2	4	1	1	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	2	-	2	1	-	1	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Gastrojejunal ulcer, Chronic or unspecified with haemorrhage (K28.4)												
All ages	31	16	15	30	15	15	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years	4	2	2	4	2	2	-	-	-	-	-	-
70-74 years	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years	5	2	3	5	2	3	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	6	3	3	5	2	3	1	1	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Gastrojejunal ulcer, Chronic or unspecified with perforation (K28.5)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Gastrojejunal ulcer, Chronic or unspecified with haemorrhage and perforation (K28.6)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Gastrojejunal ulcer, Unspecified as acute or chronic, without haemorrhage or perforation (K28.9)												
All ages	5	2	3	4	2	2	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	-	-	-	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Gastritis and duodenitis (K29)												
All ages	375	161	214	334	141	193	41	20	21	34	18	16
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	1	1	1	1	-	1	-	1	1	-	1
25-29 years	3	-	3	2	-	2	1	-	1	1	-	1
30-34 years	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years	4	2	2	3	2	1	1	-	1	1	-	1
40-44 years	10	5	5	10	5	5	-	-	-	-	-	-
45-49 years	7	3	4	5	1	4	2	2	-	2	2	-
50-54 years	9	6	3	6	3	3	3	3	-	3	3	-
55-59 years	15	13	2	13	11	2	2	2	-	2	2	-
60-64 years	13	6	7	10	5	5	3	1	2	3	1	2
65-69 years	22	11	11	18	8	10	4	3	1	4	3	1
70-74 years	29	14	15	22	11	11	7	3	4	6	2	4
75-79 years	42	18	24	39	18	21	3	-	3	2	-	2
80-84 years	49	17	32	42	15	27	7	2	5	4	2	2
85-89 years	84	37	47	80	35	45	4	2	2	2	1	1
90-94 years	58	17	41	57	17	40	1	-	1	1	-	1
95-99 years	22	8	14	21	7	14	1	1	-	1	1	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute hemorrhagic gastritis (K29.0)												
All ages	15	6	9	15	6	9	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other acute gastritis (K29.1)												
All ages	10	6	4	9	5	4	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	3	3	-	3	3	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Alcoholic gastritis (K29.2)												
All ages	8	6	2	6	4	2	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chronic atrophic gastritis (K29.4)												
All ages	7	1	6	5	-	5	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	1	-	1	1	1	-	1	1	-
75-79 years	2	-	2	1	-	1	1	-	1	1	-	1
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Chronic gastritis, unspecified (K29.5)												
All ages	31	16	15	27	13	14	4	3	1	4	3	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years	3	1	2	2	1	1	1	-	1	1	-	1
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	12	5	7	11	4	7	1	1	-	1	1	-
90-94 years	5	2	3	5	2	3	-	-	-	-	-	-
95-99 years	1	1	-	-	-	-	1	1	-	1	1	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other gastritis (K29.6)												
All ages	96	53	43	84	45	39	12	8	4	12	8	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	1	1	1	1	-	1	-	1	1	-	1
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	4	2	2	4	2	2	-	-	-	-	-	-
45-49 years	5	3	2	3	1	2	2	2	-	2	2	-
50-54 years	3	3	-	2	2	-	1	1	-	1	1	-
55-59 years	6	6	-	5	5	-	1	1	-	1	1	-
60-64 years	4	3	1	2	2	-	2	1	1	2	1	1
65-69 years	9	6	3	7	4	3	2	2	-	2	2	-
70-74 years	10	5	5	9	5	4	1	-	1	1	-	1
75-79 years	6	2	4	6	2	4	-	-	-	-	-	-
80-84 years	12	7	5	11	6	5	1	1	-	1	1	-
85-89 years	17	8	9	16	8	8	1	-	1	1	-	1
90-94 years	10	2	8	10	2	8	-	-	-	-	-	-
95-99 years	4	2	2	4	2	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Gastritis, unspecified (K29.7)												
All ages	194	65	129	174	60	114	20	5	15	13	3	10
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	-	2	1	-	1	1	-	1	1	-	1
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	2	-	2	1	-	1	1	-	1	1	-	1
40-44 years	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years	4	2	2	3	1	2	1	1	-	1	1	-
55-59 years	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years	5	2	3	4	2	2	1	-	1	1	-	1
65-69 years	6	2	4	6	2	4	-	-	-	-	-	-
70-74 years	16	7	9	11	5	6	5	2	3	4	1	3
75-79 years	23	9	14	21	9	12	2	-	2	1	-	1
80-84 years	28	6	22	22	5	17	6	1	5	3	1	2
85-89 years	46	20	26	44	19	25	2	1	1	-	-	-
90-94 years	36	10	26	35	10	25	1	-	1	1	-	1
95-99 years	16	4	12	16	4	12	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Duodenitis (K29.8)												
All ages	10	7	3	10	7	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Gastroduodenitis, unspecified (K29.9)												
All ages	4	1	3	4	1	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia (K30)												
All ages	5	2	3	3	1	2	2	1	1	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	-	-	-	1	-	1	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other diseases of stomach and duodenum (K31)												
All ages	537	216	321	474	187	287	63	29	34	58	26	32
Under 1 year	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years	4	3	1	3	2	1	1	1	-	-	-	-
25-29 years	2	1	1	1	-	1	1	1	-	1	1	-
30-34 years	7	2	5	6	2	4	1	-	1	1	-	1
35-39 years	8	3	5	6	3	3	2	-	2	2	-	2
40-44 years	17	9	8	13	7	6	4	2	2	3	1	2
45-49 years	17	8	9	14	7	7	3	1	2	2	1	1
50-54 years	28	11	17	26	9	17	2	2	-	2	2	-
55-59 years	16	7	9	13	6	7	3	1	2	3	1	2
60-64 years	24	13	11	19	10	9	5	3	2	5	3	2
65-69 years	40	22	18	35	18	17	5	4	1	5	4	1
70-74 years	50	23	27	43	19	24	7	4	3	6	3	3
75-79 years	70	26	44	58	21	37	12	5	7	12	5	7
80-84 years	90	42	48	83	40	43	7	2	5	6	2	4
85-89 years	89	20	69	81	19	62	8	1	7	8	1	7
90-94 years	47	16	31	47	16	31	-	-	-	-	-	-
95-99 years	19	6	13	18	5	13	1	1	-	1	1	-
100 yrs & over	2	1	1	2	1	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute dilatation of stomach (K31.0)												
All ages	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Adult hypertrophic pyloric stenosis (K31.1)												
All ages	90	37	53	82	31	51	8	6	2	8	6	2
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	5	3	2	4	2	2	1	1	-	1	1	-
70-74 years	10	4	6	10	4	6	-	-	-	-	-	-
75-79 years	9	4	5	5	1	4	4	3	1	4	3	1
80-84 years	17	8	9	16	7	9	1	1	-	1	1	-
85-89 years	21	6	15	21	6	15	-	-	-	-	-	-
90-94 years	14	7	7	14	7	7	-	-	-	-	-	-
95-99 years	4	2	2	3	1	2	1	1	-	1	1	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Obstruction of duodenum (K31.5)												
All ages	13	4	9	11	4	7	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	-	2	1	-	1	1	-	1	1	-	1
75-79 years	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years	5	3	2	5	3	2	-	-	-	-	-	-
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Fistula of stomach and duodenum (K31.6)												
All ages	27	11	16	23	10	13	4	1	3	4	1	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	3	1	2	2	-	2	1	1	-	1	1	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	1	1	-	1	-	1	1	-	1
75-79 years	6	4	2	6	4	2	-	-	-	-	-	-
80-84 years	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years	7	1	6	5	1	4	2	-	2	2	-	2
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases of stomach and duodenum (K31.8)												
All ages	297	122	175	267	110	157	30	12	18	27	10	17
Under 1 year	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years	4	3	1	3	2	1	1	1	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	5	2	3	4	2	2	1	-	1	1	-	1
35-39 years	5	2	3	3	2	1	2	-	2	2	-	2
40-44 years	7	4	3	5	3	2	2	1	1	1	-	1
45-49 years	8	5	3	7	4	3	1	1	-	1	1	-
50-54 years	13	5	8	12	4	8	1	1	-	1	1	-
55-59 years	7	3	4	6	2	4	1	1	-	1	1	-
60-64 years	17	10	7	13	7	6	4	3	1	4	3	1
65-69 years	24	17	7	22	15	7	2	2	-	2	2	-
70-74 years	25	13	12	23	12	11	2	1	1	2	1	1
75-79 years	47	15	32	42	15	27	5	-	5	5	-	5
80-84 years	49	20	29	45	20	25	4	-	4	3	-	3
85-89 years	43	8	35	40	8	32	3	-	3	3	-	3
90-94 years	24	8	16	24	8	16	-	-	-	-	-	-
95-99 years	11	3	8	11	3	8	-	-	-	-	-	-
100 yrs & over	2	1	1	2	1	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disease of stomach and duodenum, unspecified (K31.9)												
All ages	108	40	68	90	31	59	18	9	9	16	8	8
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	9	4	5	7	3	4	2	1	1	2	1	1
45-49 years	6	2	4	5	2	3	1	-	1	-	-	-
50-54 years	9	4	5	9	4	5	-	-	-	-	-	-
55-59 years	6	2	4	4	2	2	2	-	2	2	-	2
60-64 years	5	2	3	4	2	2	1	-	1	1	-	1
65-69 years	11	2	9	9	1	8	2	1	1	2	1	1
70-74 years	11	5	6	8	2	6	3	3	-	2	2	-
75-79 years	7	3	4	5	1	4	2	2	-	2	2	-
80-84 years	15	9	6	13	8	5	2	1	1	2	1	1
85-89 years	15	4	11	12	3	9	3	1	2	3	1	2
90-94 years	6	1	5	6	1	5	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute appendicitis (K35)												
All ages	350	207	143	281	163	118	69	44	25	59	39	20
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	6	5	1	3	2	1	3	3	-	2	2	-
5-9 years	3	3	-	2	2	-	1	1	-	1	1	-
10-14 years	3	2	1	2	1	1	1	1	-	1	1	-
15-19 years	4	2	2	4	2	2	-	-	-	-	-	-
20-24 years	8	5	3	4	2	2	4	3	1	4	3	1
25-29 years	7	5	2	3	2	1	4	3	1	3	3	-
30-34 years	8	6	2	5	3	2	3	3	-	3	3	-
35-39 years	8	6	2	6	5	1	2	1	1	2	1	1
40-44 years	16	9	7	10	6	4	6	3	3	5	3	2
45-49 years	18	11	7	10	6	4	8	5	3	7	4	3
50-54 years	12	10	2	11	9	2	1	1	-	1	1	-
55-59 years	20	12	8	12	9	3	8	3	5	8	3	5
60-64 years	19	13	6	13	9	4	6	4	2	6	4	2
65-69 years	25	16	9	21	12	9	4	4	-	4	4	-
70-74 years	47	29	18	44	28	16	3	1	2	1	-	1
75-79 years	30	19	11	27	18	9	3	1	2	2	1	1
80-84 years	44	24	20	39	22	17	5	2	3	5	2	3
85-89 years	40	18	22	34	13	21	6	5	1	3	3	-
90-94 years	24	10	14	23	10	13	1	-	1	1	-	1
95-99 years	6	1	5	6	1	5	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute appendicitis with generalized peritonitis (K35.0)												
All ages	296	175	121	241	136	105	55	39	16	48	35	13
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	5	4	1	3	2	1	2	2	-	1	1	-
5-9 years	3	3	-	2	2	-	1	1	-	1	1	-
10-14 years	3	2	1	2	1	1	1	1	-	1	1	-
15-19 years	4	2	2	4	2	2	-	-	-	-	-	-
20-24 years	6	3	3	3	1	2	3	2	1	3	2	1
25-29 years	7	5	2	3	2	1	4	3	1	3	3	-
30-34 years	8	6	2	5	3	2	3	3	-	3	3	-
35-39 years	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years	14	9	5	10	6	4	4	3	1	4	3	1
45-49 years	13	10	3	7	5	2	6	5	1	5	4	1
50-54 years	9	7	2	8	6	2	1	1	-	1	1	-
55-59 years	17	12	5	11	9	2	6	3	3	6	3	3
60-64 years	18	13	5	13	9	4	5	4	1	5	4	1
65-69 years	22	13	9	19	10	9	3	3	-	3	3	-
70-74 years	43	26	17	40	25	15	3	1	2	1	-	1
75-79 years	26	16	10	24	15	9	2	1	1	2	1	1
80-84 years	37	19	18	32	17	15	5	2	3	5	2	3
85-89 years	34	15	19	29	11	18	5	4	1	3	3	-
90-94 years	17	6	11	16	6	10	1	-	1	1	-	1
95-99 years	5	1	4	5	1	4	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute appendicitis with peritoneal abscess (K35.1)												
All ages	18	12	6	15	11	4	3	1	2	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	4	3	1	3	3	-	1	-	1	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute appendicitis, unspecified (K35.9)												
All ages	36	20	16	25	16	9	11	4	7	9	3	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	5	4	1	3	3	-	2	1	1	2	1	1
40-44 years	1	-	1	-	-	-	1	-	1	-	-	-
45-49 years	4	1	3	2	1	1	2	-	2	2	-	2
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	3	-	3	1	-	1	2	-	2	2	-	2
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	3	3	-	2	2	-	1	1	-	1	1	-
70-74 years	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	5	4	1	5	4	1	-	-	-	-	-	-
85-89 years	3	1	2	2	-	2	1	1	-	-	-	-
90-94 years	4	2	2	4	2	2	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other appendicitis (K36)												
All ages	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified appendicitis (K37)												
All ages	70	38	32	54	29	25	16	9	7	13	7	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	2	-	2	1	-	1	1	-	1	1	-	1
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	5	4	1	3	3	-	2	1	1	1	1	-
50-54 years	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years	4	4	-	3	3	-	1	1	-	1	1	-
65-69 years	7	5	2	5	5	-	2	-	2	2	-	2
70-74 years	8	5	3	8	5	3	-	-	-	-	-	-
75-79 years	6	2	4	5	1	4	1	1	-	1	1	-
80-84 years	8	5	3	4	3	1	4	2	2	3	1	2
85-89 years	10	2	8	9	1	8	1	1	-	-	-	-
90-94 years	6	2	4	5	1	4	1	1	-	1	1	-
95-99 years	5	3	2	4	2	2	1	1	-	1	1	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of appendix (K38)												
All ages	5	4	1	5	4	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disease of appendix, unspecified (K38.9)												
All ages	5	4	1	5	4	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Inguinal hernia (K40)												
All ages	204	146	58	177	122	55	27	24	3	23	21	2
Under 1 year	5	5	-	2	2	-	3	3	-	3	3	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	2	1	1	1	-	1	1	1	-	1	1	-
45-49 years	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years	9	8	1	7	6	1	2	2	-	2	2	-
55-59 years	4	3	1	3	2	1	1	1	-	1	1	-
60-64 years	13	11	2	13	11	2	-	-	-	-	-	-
65-69 years	14	11	3	14	11	3	-	-	-	-	-	-
70-74 years	10	9	1	9	8	1	1	1	-	1	1	-
75-79 years	25	20	5	18	14	4	7	6	1	5	5	-
80-84 years	36	29	7	33	26	7	3	3	-	2	2	-
85-89 years	41	26	15	36	21	15	5	5	-	4	4	-
90-94 years	31	16	15	28	15	13	3	1	2	3	1	2
95-99 years	9	4	5	9	4	5	-	-	-	-	-	-
100 yrs & over	2	1	1	2	1	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Bilateral inguinal hernia, with obstruction, without gangrene (K40.0)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Bilateral inguinal hernia, without obstruction or gangrene (K40.2)												
All ages	5	4	1	5	4	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	3	3	-	3	3	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unilateral or unspecified inguinal hernia, with obstruction, without gangrene (K40.3)												
All ages	151	107	44	132	91	41	19	16	3	17	15	2
Under 1 year	4	4	-	1	1	-	3	3	-	3	3	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	6	6	-	5	5	-	1	1	-	1	1	-
55-59 years	4	3	1	3	2	1	1	1	-	1	1	-
60-64 years	6	5	1	6	5	1	-	-	-	-	-	-
65-69 years	8	6	2	8	6	2	-	-	-	-	-	-
70-74 years	9	8	1	9	8	1	-	-	-	-	-	-
75-79 years	16	12	4	13	10	3	3	2	1	2	2	-
80-84 years	30	24	6	27	21	6	3	3	-	2	2	-
85-89 years	29	18	11	26	15	11	3	3	-	3	3	-
90-94 years	27	14	13	24	13	11	3	1	2	3	1	2
95-99 years	8	4	4	8	4	4	-	-	-	-	-	-
100 yrs & over	2	1	1	2	1	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unilateral or unspecified inguinal hernia, with gangrene (K40.4)												
All ages	16	11	5	13	8	5	3	3	-	2	2	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years	1	1	-	-	-	-	1	1	-	1	1	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	4	2	2	3	1	2	1	1	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unilateral or unspecified inguinal hernia, without obstruction or gangrene (K40.9)												
All ages	29	22	7	24	17	7	5	5	-	4	4	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	5	4	1	5	4	1	-	-	-	-	-	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	8	7	1	5	4	1	3	3	-	2	2	-
80-84 years	5	4	1	5	4	1	-	-	-	-	-	-
85-89 years	5	3	2	4	2	2	1	1	-	1	1	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Femoral hernia (K41)												
All ages	43	7	36	38	7	31	5	-	5	4	-	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years	6	1	5	6	1	5	-	-	-	-	-	-
80-84 years	12	1	11	11	1	10	1	-	1	1	-	1
85-89 years	5	1	4	5	1	4	-	-	-	-	-	-
90-94 years	8	-	8	7	-	7	1	-	1	1	-	1
95-99 years	6	-	6	3	-	3	3	-	3	2	-	2
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Bilateral femoral hernia, with gangrene (K41.1)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unilateral or unspecified femoral hernia, with obstruction, without gangrene (K41.3)												
All ages	39	7	32	36	7	29	3	-	3	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years	6	1	5	6	1	5	-	-	-	-	-	-
80-84 years	10	1	9	10	1	9	-	-	-	-	-	-
85-89 years	5	1	4	5	1	4	-	-	-	-	-	-
90-94 years	7	-	7	6	-	6	1	-	1	1	-	1
95-99 years	5	-	5	3	-	3	2	-	2	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unilateral or unspecified femoral hernia, without obstruction or gangrene (K41.9)												
All ages	3	-	3	2	-	2	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Umbilical hernia (K42)												
All ages	70	27	43	57	21	36	13	6	7	12	5	7
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	4	4	-	3	3	-	1	1	-	1	1	-
45-49 years	4	2	2	4	2	2	-	-	-	-	-	-
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	7	5	2	3	3	-	4	2	2	3	1	2
65-69 years	7	2	5	7	2	5	-	-	-	-	-	-
70-74 years	9	4	5	9	4	5	-	-	-	-	-	-
75-79 years	7	1	6	6	1	5	1	-	1	1	-	1
80-84 years	15	4	11	12	2	10	3	2	1	3	2	1
85-89 years	6	1	5	3	-	3	3	1	2	3	1	2
90-94 years	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	1	-	1	-	-	-	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Umbilical hernia with obstruction, without gangrene (K42.0)												
All ages	53	20	33	45	17	28	8	3	5	7	2	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	3	-	2	2	-	1	1	-	1	1	-
45-49 years	4	2	2	4	2	2	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	5	4	1	3	3	-	2	1	1	1	-	1
65-69 years	4	1	3	4	1	3	-	-	-	-	-	-
70-74 years	9	4	5	9	4	5	-	-	-	-	-	-
75-79 years	7	1	6	6	1	5	1	-	1	1	-	1
80-84 years	11	3	8	9	2	7	2	1	1	2	1	1
85-89 years	4	-	4	3	-	3	1	-	1	1	-	1
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	1	-	1	-	-	-	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Umbilical hernia with gangrene (K42.1)												
All ages	6	2	4	5	2	3	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Umbilical hernia without obstruction or gangrene (K42.9)												
All ages	11	5	6	7	2	5	4	3	1	4	3	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	3	1	2	2	-	2	1	1	-	1	1	-
85-89 years	2	1	1	-	-	-	2	1	1	2	1	1
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Ventral hernia (K43)												
All ages	315	81	234	273	72	201	42	9	33	40	9	31
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	5	1	4	3	1	2	2	-	2	2	-	2
45-49 years	9	3	6	9	3	6	-	-	-	-	-	-
50-54 years	15	5	10	13	4	9	2	1	1	2	1	1
55-59 years	28	8	20	21	4	17	7	4	3	7	4	3
60-64 years	24	9	15	21	7	14	3	2	1	3	2	1
65-69 years	22	7	15	17	7	10	5	-	5	5	-	5
70-74 years	30	5	25	25	5	20	5	-	5	5	-	5
75-79 years	45	14	31	40	14	26	5	-	5	4	-	4
80-84 years	46	12	34	38	11	27	8	1	7	7	1	6
85-89 years	43	5	38	43	5	38	-	-	-	-	-	-
90-94 years	26	5	21	22	4	18	4	1	3	4	1	3
95-99 years	17	3	14	16	3	13	1	-	1	1	-	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Ventral hernia with obstruction, without gangrene (K43.0)												
All ages	190	36	154	166	33	133	24	3	21	22	3	19
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	5	1	4	5	1	4	-	-	-	-	-	-
50-54 years	9	3	6	7	2	5	2	1	1	2	1	1
55-59 years	13	1	12	11	1	10	2	-	2	2	-	2
60-64 years	10	3	7	10	3	7	-	-	-	-	-	-
65-69 years	10	3	7	9	3	6	1	-	1	1	-	1
70-74 years	19	2	17	15	2	13	4	-	4	4	-	4
75-79 years	28	9	19	24	9	15	4	-	4	3	-	3
80-84 years	28	5	23	23	4	19	5	1	4	4	1	3
85-89 years	31	2	29	31	2	29	-	-	-	-	-	-
90-94 years	20	4	16	16	3	13	4	1	3	4	1	3
95-99 years	13	1	12	12	1	11	1	-	1	1	-	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Ventral hernia with gangrene (K43.1)												
All ages	27	11	16	23	9	14	4	2	2	4	2	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	5	3	2	3	1	2	2	2	-	2	2	-
60-64 years	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years	5	1	4	3	1	2	2	-	2	2	-	2
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Ventral hernia without obstruction or gangrene (K43.9)												
All ages	98	34	64	84	30	54	14	4	10	14	4	10
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	4	1	3	3	1	2	1	-	1	1	-	1
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	6	2	4	6	2	4	-	-	-	-	-	-
55-59 years	10	4	6	7	2	5	3	2	1	3	2	1
60-64 years	12	6	6	9	4	5	3	2	1	3	2	1
65-69 years	7	3	4	5	3	2	2	-	2	2	-	2
70-74 years	11	3	8	10	3	7	1	-	1	1	-	1
75-79 years	14	4	10	13	4	9	1	-	1	1	-	1
80-84 years	16	6	10	13	6	7	3	-	3	3	-	3
85-89 years	9	2	7	9	2	7	-	-	-	-	-	-
90-94 years	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Diaphragmatic hernia (K44)												
All ages	470	142	328	439	129	310	31	13	18	25	12	13
Under 1 year	33	19	14	25	13	12	8	6	2	7	5	2
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	4	1	3	4	1	3	-	-	-	-	-	-
35-39 years	5	3	2	5	3	2	-	-	-	-	-	-
40-44 years	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years	4	1	3	4	1	3	-	-	-	-	-	-
50-54 years	8	5	3	6	3	3	2	2	-	2	2	-
55-59 years	7	3	4	5	2	3	2	1	1	2	1	1
60-64 years	10	4	6	9	3	6	1	1	-	1	1	-
65-69 years	13	10	3	12	9	3	1	1	-	1	1	-
70-74 years	27	8	19	25	8	17	2	-	2	2	-	2
75-79 years	52	12	40	48	12	36	4	-	4	3	-	3
80-84 years	83	25	58	81	25	56	2	-	2	-	-	-
85-89 years	107	28	79	105	27	78	2	1	1	2	1	1
90-94 years	75	14	61	73	14	59	2	-	2	-	-	-
95-99 years	35	6	29	31	5	26	4	1	3	4	1	3
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Diaphragmatic hernia with obstruction, without gangrene (K44.0)												
All ages	78	20	58	75	19	56	3	1	2	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	1	1	1	-	1	1	1	-	1	1	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years	4	3	1	4	3	1	-	-	-	-	-	-
70-74 years	3	-	3	2	-	2	1	-	1	1	-	1
75-79 years	10	4	6	9	4	5	1	-	1	1	-	1
80-84 years	16	2	14	16	2	14	-	-	-	-	-	-
85-89 years	17	3	14	17	3	14	-	-	-	-	-	-
90-94 years	16	4	12	16	4	12	-	-	-	-	-	-
95-99 years	4	-	4	4	-	4	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Diaphragmatic hernia with gangrene (K44.1)												
All ages	9	4	5	8	3	5	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Diaphragmatic hernia without obstruction or gangrene (K44.9)												
All ages	383	118	265	356	107	249	27	11	16	21	10	11
Under 1 year	33	19	14	25	13	12	8	6	2	7	5	2
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	3	1	2	3	1	2	-	-	-	-	-	-
35-39 years	4	3	1	4	3	1	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	4	1	3	4	1	3	-	-	-	-	-	-
50-54 years	5	4	1	4	3	1	1	1	-	1	1	-
55-59 years	6	3	3	4	2	2	2	1	1	2	1	1
60-64 years	7	2	5	6	1	5	1	1	-	1	1	-
65-69 years	8	6	2	8	6	2	-	-	-	-	-	-
70-74 years	24	8	16	23	8	15	1	-	1	1	-	1
75-79 years	42	8	34	39	8	31	3	-	3	2	-	2
80-84 years	66	22	44	64	22	42	2	-	2	-	-	-
85-89 years	87	25	62	85	24	61	2	1	1	2	1	1
90-94 years	59	10	49	57	10	47	2	-	2	-	-	-
95-99 years	31	6	25	27	5	22	4	1	3	4	1	3
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other abdominal hernia (K45)												
All ages	15	2	13	11	1	10	4	1	3	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	3	1	2	1	-	1	2	1	1	1	1	-
85-89 years	4	-	4	3	-	3	1	-	1	1	-	1
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified abdominal hernia with obstruction, without gangrene (K45.0)												
All ages	10	-	10	8	-	8	2	-	2	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	-	1	-	-	-	1	-	1	-	-	-
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified abdominal hernia without obstruction or gangrene (K45.8)												
All ages	5	2	3	3	1	2	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	1	1	1	-	1	1	1	-	1	1	-
85-89 years	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified abdominal hernia (K46)												
All ages	405	182	223	348	150	198	57	32	25	50	28	22
Under 1 year	4	3	1	3	2	1	1	1	-	1	1	-
1-4 years	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	5	3	2	5	3	2	-	-	-	-	-	-
30-34 years	4	4	-	2	2	-	2	2	-	2	2	-
35-39 years	5	1	4	2	1	1	3	-	3	3	-	3
40-44 years	7	3	4	5	2	3	2	1	1	2	1	1
45-49 years	5	5	-	2	2	-	3	3	-	3	3	-
50-54 years	22	11	11	17	8	9	5	3	2	5	3	2
55-59 years	14	6	8	12	5	7	2	1	1	2	1	1
60-64 years	19	11	8	15	9	6	4	2	2	4	2	2
65-69 years	24	9	15	18	6	12	6	3	3	4	1	3
70-74 years	53	26	27	45	22	23	8	4	4	7	4	3
75-79 years	49	23	26	45	22	23	4	1	3	4	1	3
80-84 years	63	30	33	59	26	33	4	4	-	3	3	-
85-89 years	63	27	36	56	21	35	7	6	1	6	5	1
90-94 years	45	13	32	44	12	32	1	1	-	1	1	-
95-99 years	17	6	11	15	6	9	2	-	2	1	-	1
100 yrs & over	2	-	2	1	-	1	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified abdominal hernia with obstruction, without gangrene (K46.0)												
All ages	251	111	140	215	92	123	36	19	17	32	18	14
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	4	3	1	4	3	1	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	3	-	3	1	-	1	2	-	2	2	-	2
40-44 years	3	2	1	2	1	1	1	1	-	1	1	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	14	7	7	10	5	5	4	2	2	4	2	2
55-59 years	5	2	3	5	2	3	-	-	-	-	-	-
60-64 years	14	7	7	11	6	5	3	1	2	3	1	2
65-69 years	11	4	7	8	3	5	3	1	2	2	-	2
70-74 years	31	16	15	26	13	13	5	3	2	4	3	1
75-79 years	33	16	17	30	15	15	3	1	2	3	1	2
80-84 years	44	20	24	41	17	24	3	3	-	3	3	-
85-89 years	44	21	23	39	17	22	5	4	1	5	4	1
90-94 years	27	7	20	26	6	20	1	1	-	1	1	-
95-99 years	12	3	9	10	3	7	2	-	2	1	-	1
100 yrs & over	1	-	1	-	-	-	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified abdominal hernia with gangrene (K46.1)												
All ages	39	14	25	35	11	24	4	3	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	-	2	1	-	1	1	-	1	1	-	1
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	3	-	3	3	-	3	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	3	2	1	2	1	1	1	1	-	-	-	-
70-74 years	5	1	4	5	1	4	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	7	2	5	7	2	5	-	-	-	-	-	-
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	8	2	6	8	2	6	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified abdominal hernia without obstruction or gangrene (K46.9)												
All ages	115	57	58	98	47	51	17	10	7	15	8	7
Under 1 year	3	2	1	2	1	1	1	1	-	1	1	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	3	3	-	2	2	-	1	1	-	1	1	-
50-54 years	7	3	4	6	2	4	1	1	-	1	1	-
55-59 years	6	4	2	4	3	1	2	1	1	2	1	1
60-64 years	3	2	1	2	1	1	1	1	-	1	1	-
65-69 years	10	3	7	8	2	6	2	1	1	2	1	1
70-74 years	17	9	8	14	8	6	3	1	2	3	1	2
75-79 years	15	7	8	14	7	7	1	-	1	1	-	1
80-84 years	12	8	4	11	7	4	1	1	-	-	-	-
85-89 years	16	5	11	14	3	11	2	2	-	1	1	-
90-94 years	10	4	6	10	4	6	-	-	-	-	-	-
95-99 years	3	2	1	3	2	1	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Crohn's disease [regional enteritis] (K50)												
All ages	533	229	304	491	210	281	42	19	23	39	18	21
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	7	5	2	6	4	2	1	1	-	1	1	-
25-29 years	7	5	2	6	4	2	1	1	-	1	1	-
30-34 years	8	4	4	5	3	2	3	1	2	2	1	1
35-39 years	15	6	9	14	5	9	1	1	-	1	1	-
40-44 years	16	6	10	11	4	7	5	2	3	5	2	3
45-49 years	26	12	14	22	11	11	4	1	3	4	1	3
50-54 years	32	15	17	30	13	17	2	2	-	2	2	-
55-59 years	55	28	27	49	24	25	6	4	2	6	4	2
60-64 years	39	19	20	38	18	20	1	1	-	1	1	-
65-69 years	43	23	20	40	21	19	3	2	1	3	2	1
70-74 years	54	27	27	53	27	26	1	-	1	1	-	1
75-79 years	66	30	36	61	29	32	5	1	4	4	1	3
80-84 years	73	27	46	70	27	43	3	-	3	3	-	3
85-89 years	56	14	42	52	14	38	4	-	4	4	-	4
90-94 years	28	5	23	27	4	23	1	1	-	-	-	-
95-99 years	5	-	5	5	-	5	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Crohn's disease of small intestine (K50.0)												
All ages	4	1	3	4	1	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Crohn's disease of large intestine (K50.1)												
All ages	22	10	12	20	9	11	2	1	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	3	2	1	2	2	-	1	-	1	1	-	1
75-79 years	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	2	1	1	1	-	1	1	1	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other Crohn's disease (K50.8)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Crohn's disease, unspecified (K50.9)												
All ages	505	218	287	465	200	265	40	18	22	38	18	20
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	7	5	2	6	4	2	1	1	-	1	1	-
25-29 years	7	5	2	6	4	2	1	1	-	1	1	-
30-34 years	8	4	4	5	3	2	3	1	2	2	1	1
35-39 years	13	5	8	12	4	8	1	1	-	1	1	-
40-44 years	16	6	10	11	4	7	5	2	3	5	2	3
45-49 years	25	12	13	21	11	10	4	1	3	4	1	3
50-54 years	31	14	17	29	12	17	2	2	-	2	2	-
55-59 years	53	27	26	47	23	24	6	4	2	6	4	2
60-64 years	37	17	20	36	16	20	1	1	-	1	1	-
65-69 years	41	23	18	38	21	17	3	2	1	3	2	1
70-74 years	51	25	26	51	25	26	-	-	-	-	-	-
75-79 years	60	28	32	55	27	28	5	1	4	4	1	3
80-84 years	70	26	44	67	26	41	3	-	3	3	-	3
85-89 years	53	14	39	49	14	35	4	-	4	4	-	4
90-94 years	25	4	21	25	4	21	-	-	-	-	-	-
95-99 years	5	-	5	5	-	5	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Ulcerative colitis (K51)												
All ages	298	128	170	276	117	159	22	11	11	17	7	10
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	2	1	2	2	-	1	-	1	1	-	1
20-24 years	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years	3	1	2	3	1	2	-	-	-	-	-	-
30-34 years	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years	6	5	1	6	5	1	-	-	-	-	-	-
40-44 years	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years	6	2	4	5	2	3	1	-	1	1	-	1
50-54 years	9	6	3	5	4	1	4	2	2	3	2	1
55-59 years	11	4	7	9	3	6	2	1	1	2	1	1
60-64 years	12	7	5	11	6	5	1	1	-	-	-	-
65-69 years	21	10	11	20	9	11	1	1	-	1	1	-
70-74 years	42	24	18	39	22	17	3	2	1	1	-	1
75-79 years	50	19	31	50	19	31	-	-	-	-	-	-
80-84 years	50	17	33	48	16	32	2	1	1	2	1	1
85-89 years	53	20	33	47	17	30	6	3	3	5	2	3
90-94 years	18	5	13	18	5	13	-	-	-	-	-	-
95-99 years	5	1	4	4	1	3	1	-	1	1	-	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Ulcerative (chronic) proctitis (K51.2)												
All ages	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other ulcerative colitis (K51.8)												
All ages	4	2	2	4	2	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Ulcerative colitis, unspecified (K51.9)												
All ages	291	123	168	269	112	157	22	11	11	17	7	10
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	2	1	2	2	-	1	-	1	1	-	1
20-24 years	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years	3	1	2	3	1	2	-	-	-	-	-	-
30-34 years	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years	5	4	1	5	4	1	-	-	-	-	-	-
40-44 years	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years	6	2	4	5	2	3	1	-	1	1	-	1
50-54 years	8	5	3	4	3	1	4	2	2	3	2	1
55-59 years	11	4	7	9	3	6	2	1	1	2	1	1
60-64 years	12	7	5	11	6	5	1	1	-	-	-	-
65-69 years	21	10	11	20	9	11	1	1	-	1	1	-
70-74 years	41	23	18	38	21	17	3	2	1	1	-	1
75-79 years	49	19	30	49	19	30	-	-	-	-	-	-
80-84 years	49	17	32	47	16	31	2	1	1	2	1	1
85-89 years	53	20	33	47	17	30	6	3	3	5	2	3
90-94 years	17	4	13	17	4	13	-	-	-	-	-	-
95-99 years	4	-	4	3	-	3	1	-	1	1	-	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other noninfective gastroenteritis and colitis (K52)												
All ages	1,526	520	1,006	1,389	463	926	137	57	80	117	47	70
Under 1 year	31	18	13	11	4	7	20	14	6	17	11	6
1-4 years	24	13	11	14	8	6	10	5	5	8	4	4
5-9 years	3	1	2	3	1	2	-	-	-	-	-	-
10-14 years	3	2	1	2	2	-	1	-	1	1	-	1
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years	2	-	2	2	-	2	-	-	-	-	-	-
30-34 years	4	4	-	4	4	-	-	-	-	-	-	-
35-39 years	12	4	8	11	3	8	1	1	-	1	1	-
40-44 years	11	6	5	10	6	4	1	-	1	1	-	1
45-49 years	17	6	11	13	5	8	4	1	3	4	1	3
50-54 years	35	16	19	28	16	12	7	-	7	5	-	5
55-59 years	36	20	16	29	16	13	7	4	3	5	4	1
60-64 years	50	21	29	42	19	23	8	2	6	8	2	6
65-69 years	85	32	53	78	28	50	7	4	3	7	4	3
70-74 years	146	51	95	130	43	87	16	8	8	14	7	7
75-79 years	208	75	133	197	70	127	11	5	6	10	5	5
80-84 years	287	95	192	271	90	181	16	5	11	13	2	11
85-89 years	313	88	225	299	84	215	14	4	10	12	3	9
90-94 years	185	49	136	175	46	129	10	3	7	7	2	5
95-99 years	63	12	51	60	12	48	3	-	3	3	-	3
100 yrs & over	5	2	3	5	2	3	-	-	-	-	-	-
Not stated	2	2	-	1	1	-	1	1	-	1	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Gastroenteritis and colitis due to radiation (K52.0)												
All ages	30	5	25	26	4	22	4	1	3	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	-	2	1	-	1	1	-	1	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	10	2	8	9	1	8	1	1	-	1	1	-
80-84 years	9	2	7	8	2	6	1	-	1	1	-	1
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Toxic gastroenteritis and colitis (K52.1)												
All ages	9	2	7	9	2	7	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Allergic and dietetic gastroenteritis and colitis (K52.2)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified noninfective gastroenteritis and colitis (K52.8)												
All ages	4	3	1	3	3	-	1	-	1	1	-	1
Under 1 year	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Noninfective gastroenteritis and colitis, unspecified (K52.9)												
All ages	1,482	510	972	1,350	454	896	132	56	76	113	46	67
Under 1 year	29	18	11	10	4	6	19	14	5	16	11	5
1-4 years	24	13	11	14	8	6	10	5	5	8	4	4
5-9 years	3	1	2	3	1	2	-	-	-	-	-	-
10-14 years	3	2	1	2	2	-	1	-	1	1	-	1
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years	2	-	2	2	-	2	-	-	-	-	-	-
30-34 years	4	4	-	4	4	-	-	-	-	-	-	-
35-39 years	11	4	7	10	3	7	1	1	-	1	1	-
40-44 years	11	6	5	10	6	4	1	-	1	1	-	1
45-49 years	16	5	11	12	4	8	4	1	3	4	1	3
50-54 years	35	16	19	28	16	12	7	-	7	5	-	5
55-59 years	34	20	14	28	16	12	6	4	2	5	4	1
60-64 years	48	19	29	40	17	23	8	2	6	8	2	6
65-69 years	83	32	51	76	28	48	7	4	3	7	4	3
70-74 years	142	50	92	126	42	84	16	8	8	14	7	7
75-79 years	196	72	124	186	68	118	10	4	6	9	4	5
80-84 years	275	92	183	260	87	173	15	5	10	12	2	10
85-89 years	311	88	223	297	84	213	14	4	10	12	3	9
90-94 years	182	49	133	172	46	126	10	3	7	7	2	5
95-99 years	62	12	50	60	12	48	2	-	2	2	-	2
100 yrs & over	5	2	3	5	2	3	-	-	-	-	-	-
Not stated	2	2	-	1	1	-	1	1	-	1	1	-
Vascular disorders of intestine (K55)												
All ages	9,109	3,139	5,970	8,023	2,709	5,314	1,086	430	656	925	376	549
Under 1 year	215	123	92	115	62	53	100	61	39	97	59	38
1-4 years	7	3	4	5	2	3	2	1	1	2	1	1
5-9 years	5	4	1	3	2	1	2	2	-	2	2	-
10-14 years	2	1	1	1	-	1	1	1	-	1	1	-
15-19 years	3	-	3	2	-	2	1	-	1	1	-	1
20-24 years	3	1	2	2	1	1	1	-	1	1	-	1
25-29 years	12	5	7	8	4	4	4	1	3	3	1	2
30-34 years	15	7	8	11	6	5	4	1	3	3	-	3
35-39 years	25	10	15	19	6	13	6	4	2	5	3	2
40-44 years	56	33	23	40	24	16	16	9	7	13	7	6
45-49 years	127	53	74	94	41	53	33	12	21	33	12	21
50-54 years	208	102	106	148	76	72	60	26	34	54	22	32
55-59 years	300	127	173	236	101	135	64	26	38	51	21	30
60-64 years	430	190	240	357	161	196	73	29	44	68	27	41
65-69 years	755	308	447	633	253	380	122	55	67	104	50	54
70-74 years	1,139	483	656	1,014	432	582	125	51	74	111	47	64
75-79 years	1,511	508	1,003	1,335	449	886	176	59	117	136	47	89
80-84 years	1,677	539	1,138	1,547	496	1,051	130	43	87	108	36	72
85-89 years	1,474	405	1,069	1,386	376	1,010	88	29	59	70	24	46
90-94 years	838	184	654	785	171	614	53	13	40	43	10	33
95-99 years	269	49	220	248	43	205	21	6	15	16	5	11
100 yrs & over	38	4	34	34	3	31	4	1	3	3	1	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute vascular disorders of intestine (K55.0)												
All ages	3,357	1,248	2,109	2,917	1,052	1,865	440	196	244	380	175	205
Under 1 year	203	119	84	108	61	47	95	58	37	92	56	36
1-4 years	7	3	4	5	2	3	2	1	1	2	1	1
5-9 years	5	4	1	3	2	1	2	2	-	2	2	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	2	-	2	1	-	1	1	-	1	1	-	1
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	5	3	2	3	2	1	2	1	1	1	1	-
30-34 years	9	4	5	7	4	3	2	-	2	2	-	2
35-39 years	11	3	8	8	2	6	3	1	2	3	1	2
40-44 years	38	24	14	27	17	10	11	7	4	9	6	3
45-49 years	53	24	29	40	19	21	13	5	8	13	5	8
50-54 years	96	50	46	76	40	36	20	10	10	18	9	9
55-59 years	126	55	71	100	42	58	26	13	13	20	10	10
60-64 years	162	77	85	140	68	72	22	9	13	21	8	13
65-69 years	272	115	157	225	92	133	47	23	24	40	20	20
70-74 years	425	182	243	386	162	224	39	20	19	34	18	16
75-79 years	535	191	344	483	178	305	52	13	39	32	7	25
80-84 years	604	188	416	551	170	381	53	18	35	45	17	28
85-89 years	462	130	332	430	119	311	32	11	21	27	10	17
90-94 years	251	59	192	237	55	182	14	4	10	14	4	10
95-99 years	78	17	61	76	17	59	2	-	2	2	-	2
100 yrs & over	11	-	11	9	-	9	2	-	2	2	-	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chronic vascular disorders of intestine (K55.1)												
All ages	208	68	140	188	58	130	20	10	10	18	10	8
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	4	3	1	1	1	-	3	2	1	3	2	1
50-54 years	3	-	3	2	-	2	1	-	1	1	-	1
55-59 years	6	4	2	4	2	2	2	2	-	2	2	-
60-64 years	12	5	7	12	5	7	-	-	-	-	-	-
65-69 years	30	8	22	26	6	20	4	2	2	3	2	1
70-74 years	28	11	17	26	11	15	2	-	2	2	-	2
75-79 years	27	9	18	24	6	18	3	3	-	3	3	-
80-84 years	34	12	22	33	12	21	1	-	1	1	-	1
85-89 years	37	7	30	36	7	29	1	-	1	1	-	1
90-94 years	14	4	10	14	4	10	-	-	-	-	-	-
95-99 years	7	2	5	7	2	5	-	-	-	-	-	-
100 yrs & over	3	1	2	1	-	1	2	1	1	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Angiodysplasia of colon (K55.2)												
All ages	70	23	47	63	20	43	7	3	4	5	3	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	3	1	2	2	-	2	1	1	-	1	1	-
70-74 years	3	-	3	3	-	3	-	-	-	-	-	-
75-79 years	12	4	8	11	4	7	1	-	1	-	-	-
80-84 years	8	3	5	7	3	4	1	-	1	-	-	-
85-89 years	18	5	13	17	5	12	1	-	1	1	-	1
90-94 years	13	6	7	12	5	7	1	1	-	1	1	-
95-99 years	8	2	6	6	1	5	2	1	1	2	1	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other vascular disorders of intestine (K55.8)												
All ages	7	1	6	6	1	5	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	3	-	3	2	-	2	1	-	1	1	-	1
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Vascular disorder of intestine, unspecified (K55.9)												
All ages	5,467	1,799	3,668	4,849	1,578	3,271	618	221	397	521	188	333
Under 1 year	12	4	8	7	1	6	5	3	2	5	3	2
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	6	2	4	5	2	3	1	-	1	1	-	1
30-34 years	6	3	3	4	2	2	2	1	1	1	-	1
35-39 years	14	7	7	11	4	7	3	3	-	2	2	-
40-44 years	17	8	9	12	6	6	5	2	3	4	1	3
45-49 years	70	26	44	53	21	32	17	5	12	17	5	12
50-54 years	108	51	57	69	35	34	39	16	23	35	13	22
55-59 years	166	68	98	130	57	73	36	11	25	29	9	20
60-64 years	255	107	148	204	87	117	51	20	31	47	19	28
65-69 years	449	183	266	379	154	225	70	29	41	60	27	33
70-74 years	682	290	392	598	259	339	84	31	53	75	29	46
75-79 years	934	304	630	815	261	554	119	43	76	100	37	63
80-84 years	1,029	336	693	954	311	643	75	25	50	62	19	43
85-89 years	957	263	694	903	245	658	54	18	36	41	14	27
90-94 years	560	115	445	522	107	415	38	8	30	28	5	23
95-99 years	176	28	148	159	23	136	17	5	12	12	4	8
100 yrs & over	23	3	20	23	3	20	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Paralytic ileus and intestinal obstruction without hernia (K56)												
All ages	5,248	1,911	3,337	4,586	1,611	2,975	662	300	362	616	284	332
Under 1 year	19	11	8	13	8	5	6	3	3	6	3	3
1-4 years	16	11	5	13	9	4	3	2	1	2	1	1
5-9 years	9	5	4	7	4	3	2	1	1	2	1	1
10-14 years	10	9	1	7	6	1	3	3	-	3	3	-
15-19 years	7	5	2	6	4	2	1	1	-	1	1	-
20-24 years	5	3	2	3	2	1	2	1	1	2	1	1
25-29 years	13	6	7	6	2	4	7	4	3	5	3	2
30-34 years	9	7	2	8	6	2	1	1	-	1	1	-
35-39 years	22	13	9	15	8	7	7	5	2	7	5	2
40-44 years	43	19	24	34	13	21	9	6	3	9	6	3
45-49 years	49	27	22	36	17	19	13	10	3	12	9	3
50-54 years	82	38	44	57	23	34	25	15	10	24	15	9
55-59 years	80	34	46	57	22	35	23	12	11	22	12	10
60-64 years	166	80	86	116	57	59	50	23	27	46	20	26
65-69 years	209	94	115	168	70	98	41	24	17	39	24	15
70-74 years	427	202	225	354	167	187	73	35	38	67	33	34
75-79 years	696	323	373	594	273	321	102	50	52	95	45	50
80-84 years	1,007	386	621	914	350	564	93	36	57	90	35	55
85-89 years	1,187	362	825	1,079	320	759	108	42	66	94	41	53
90-94 years	811	198	613	757	181	576	54	17	37	52	17	35
95-99 years	316	66	250	288	61	227	28	5	23	27	5	22
100 yrs & over	65	12	53	54	8	46	11	4	7	10	3	7
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Paralytic ileus (K56.0)												
All ages	46	20	26	39	15	24	7	5	2	7	5	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	-	2	1	-	1	1	-	1	1	-	1
65-69 years	3	2	1	2	1	1	1	1	-	1	1	-
70-74 years	4	2	2	2	1	1	2	1	1	2	1	1
75-79 years	8	4	4	6	2	4	2	2	-	2	2	-
80-84 years	7	2	5	7	2	5	-	-	-	-	-	-
85-89 years	9	3	6	9	3	6	-	-	-	-	-	-
90-94 years	11	6	5	11	6	5	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception (K56.1)												
All ages	18	10	8	15	8	7	3	2	1	3	2	1
Under 1 year	5	3	2	4	3	1	1	-	1	1	-	1
1-4 years	3	3	-	3	3	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	5	3	2	3	1	2	2	2	-	2	2	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Volvulus (K56.2)												
All ages	558	259	299	478	213	265	80	46	34	77	43	34
Under 1 year	8	5	3	8	5	3	-	-	-	-	-	-
1-4 years	7	5	2	6	4	2	1	1	-	-	-	-
5-9 years	3	2	1	2	1	1	1	1	-	1	1	-
10-14 years	2	2	-	1	1	-	1	1	-	1	1	-
15-19 years	4	3	1	3	2	1	1	1	-	1	1	-
20-24 years	2	1	1	1	-	1	1	1	-	1	1	-
25-29 years	4	2	2	3	1	2	1	1	-	1	1	-
30-34 years	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years	7	5	2	5	3	2	2	2	-	2	2	-
40-44 years	12	3	9	9	-	9	3	3	-	3	3	-
45-49 years	8	5	3	6	4	2	2	1	1	2	1	1
50-54 years	14	9	5	10	7	3	4	2	2	4	2	2
55-59 years	9	5	4	7	4	3	2	1	1	2	1	1
60-64 years	23	12	11	16	9	7	7	3	4	7	3	4
65-69 years	25	14	11	23	13	10	2	1	1	2	1	1
70-74 years	41	22	19	38	21	17	3	1	2	3	1	2
75-79 years	81	39	42	66	32	34	15	7	8	14	6	8
80-84 years	114	49	65	103	42	61	11	7	4	10	6	4
85-89 years	110	43	67	98	37	61	12	6	6	12	6	6
90-94 years	59	24	35	50	18	32	9	6	3	9	6	3
95-99 years	17	7	10	16	7	9	1	-	1	1	-	1
100 yrs & over	5	-	5	4	-	4	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Gallstone ileus (K56.3)												
All ages	23	8	15	22	8	14	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years	4	3	1	4	3	1	-	-	-	-	-	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	6	-	6	6	-	6	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other impaction of intestine (K56.4)												
All ages	107	34	73	95	28	67	12	6	6	10	6	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	6	4	2	4	2	2	2	2	-	2	2	-
55-59 years	3	-	3	2	-	2	1	-	1	1	-	1
60-64 years	4	-	4	4	-	4	-	-	-	-	-	-
65-69 years	2	1	1	1	-	1	1	1	-	1	1	-
70-74 years	8	5	3	7	4	3	1	1	-	1	1	-
75-79 years	10	4	6	9	3	6	1	1	-	1	1	-
80-84 years	24	6	18	21	6	15	3	-	3	2	-	2
85-89 years	25	8	17	23	7	16	2	1	1	2	1	1
90-94 years	12	1	11	11	1	10	1	-	1	-	-	-
95-99 years	6	-	6	6	-	6	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal adhesions [bands] with obstruction (K56.5)												
All ages	332	112	220	295	95	200	37	17	20	36	17	19
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	3	2	1	2	1	1	1	1	-	1	1	-
40-44 years	5	1	4	4	1	3	1	-	1	1	-	1
45-49 years	5	4	1	5	4	1	-	-	-	-	-	-
50-54 years	7	3	4	6	2	4	1	1	-	1	1	-
55-59 years	6	2	4	5	1	4	1	1	-	1	1	-
60-64 years	10	3	7	8	2	6	2	1	1	2	1	1
65-69 years	13	6	7	9	4	5	4	2	2	4	2	2
70-74 years	24	9	15	18	7	11	6	2	4	5	2	3
75-79 years	42	23	19	37	19	18	5	4	1	5	4	1
80-84 years	61	23	38	56	20	36	5	3	2	5	3	2
85-89 years	75	21	54	71	20	51	4	1	3	4	1	3
90-94 years	56	9	47	52	8	44	4	1	3	4	1	3
95-99 years	19	4	15	18	4	14	1	-	1	1	-	1
100 yrs & over	3	2	1	3	2	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other and unspecified intestinal obstruction (K56.6)												
All ages	3,846	1,335	2,511	3,359	1,129	2,230	487	206	281	450	193	257
Under 1 year	6	3	3	1	-	1	5	3	2	5	3	2
1-4 years	4	2	2	3	1	2	1	1	-	1	1	-
5-9 years	5	2	3	4	2	2	1	-	1	1	-	1
10-14 years	6	5	1	4	3	1	2	2	-	2	2	-
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	3	2	1	2	2	-	1	-	1	1	-	1
25-29 years	6	4	2	2	1	1	4	3	1	3	2	1
30-34 years	3	3	-	2	2	-	1	1	-	1	1	-
35-39 years	9	4	5	5	2	3	4	2	2	4	2	2
40-44 years	22	13	9	17	10	7	5	3	2	5	3	2
45-49 years	30	16	14	20	8	12	10	8	2	9	7	2
50-54 years	47	19	28	31	11	20	16	8	8	15	8	7
55-59 years	53	20	33	39	15	24	14	5	9	13	5	8
60-64 years	117	57	60	80	39	41	37	18	19	33	15	18
65-69 years	153	62	91	120	43	77	33	19	14	31	19	12
70-74 years	320	149	171	263	121	142	57	28	29	52	26	26
75-79 years	490	226	264	420	193	227	70	33	37	64	29	35
80-84 years	744	278	466	672	253	419	72	25	47	71	25	46
85-89 years	892	267	625	810	236	574	82	31	51	70	30	40
90-94 years	626	143	483	588	135	453	38	8	30	37	8	29
95-99 years	254	49	205	230	45	185	24	4	20	23	4	19
100 yrs & over	54	10	44	44	6	38	10	4	6	9	3	6
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Ileus, unspecified (K56.7)												
All ages	318	133	185	283	115	168	35	18	17	32	18	14
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	-	2	1	-	1	1	-	1	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	4	2	2	3	1	2	1	1	-	1	1	-
50-54 years	7	2	5	6	1	5	1	1	-	1	1	-
55-59 years	9	7	2	4	2	2	5	5	-	5	5	-
60-64 years	9	8	1	7	7	-	2	1	1	2	1	1
65-69 years	12	8	4	12	8	4	-	-	-	-	-	-
70-74 years	26	12	14	22	10	12	4	2	2	4	2	2
75-79 years	60	24	36	51	21	30	9	3	6	9	3	6
80-84 years	53	26	27	51	25	26	2	1	1	2	1	1
85-89 years	65	17	48	59	16	43	6	1	5	4	1	3
90-94 years	45	15	30	43	13	30	2	2	-	2	2	-
95-99 years	17	6	11	15	5	10	2	1	1	2	1	1
100 yrs & over	3	-	3	3	-	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Diverticular disease of intestine (K57)												
All ages	3,438	1,078	2,360	3,152	987	2,165	286	91	195	250	73	177
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	7	2	5	6	2	4	1	-	1	1	-	1
35-39 years	8	6	2	7	6	1	1	-	1	1	-	1
40-44 years	14	6	8	13	6	7	1	-	1	-	-	-
45-49 years	43	26	17	38	24	14	5	2	3	4	2	2
50-54 years	48	26	22	39	22	17	9	4	5	8	3	5
55-59 years	86	43	43	75	40	35	11	3	8	10	3	7
60-64 years	143	60	83	121	51	70	22	9	13	16	7	9
65-69 years	206	70	136	168	58	110	38	12	26	35	10	25
70-74 years	318	125	193	284	114	170	34	11	23	31	10	21
75-79 years	520	202	318	478	183	295	42	19	23	38	16	22
80-84 years	661	207	454	630	195	435	31	12	19	26	8	18
85-89 years	711	175	536	656	164	492	55	11	44	51	9	42
90-94 years	470	92	378	449	87	362	21	5	16	16	2	14
95-99 years	173	33	140	163	32	131	10	1	9	10	1	9
100 yrs & over	27	4	23	23	3	20	4	1	3	2	1	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Diverticular disease of small intestine with perforation and abscess (K57.0)												
All ages	9	4	5	9	4	5	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Diverticular disease of small intestine without perforation or abscess (K57.1)												
All ages	20	10	10	19	10	9	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	3	-	3	2	-	2	1	-	1	1	-	1
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	11	7	4	11	7	4	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Diverticular disease of large intestine with perforation and abscess (K57.2)												
All ages	331	96	235	310	91	219	21	5	16	14	3	11
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	2	1	1	1	1	-	1	-	1	-	-	-
45-49 years	10	5	5	10	5	5	-	-	-	-	-	-
50-54 years	5	3	2	5	3	2	-	-	-	-	-	-
55-59 years	14	5	9	13	5	8	1	-	1	-	-	-
60-64 years	19	4	15	16	3	13	3	1	2	1	-	1
65-69 years	34	7	27	28	5	23	6	2	4	4	1	3
70-74 years	50	18	32	46	16	30	4	2	2	3	2	1
75-79 years	52	22	30	49	22	27	3	-	3	3	-	3
80-84 years	63	14	49	62	14	48	1	-	1	1	-	1
85-89 years	48	11	37	47	11	36	1	-	1	1	-	1
90-94 years	25	5	20	25	5	20	-	-	-	-	-	-
95-99 years	6	1	5	5	1	4	1	-	1	1	-	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Diverticular disease of large intestine without perforation or abscess (K57.3)												
All ages	169	57	112	147	49	98	22	8	14	21	8	13
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	5	4	1	4	3	1	1	1	-	1	1	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	6	3	3	4	2	2	2	1	1	2	1	1
65-69 years	9	3	6	5	2	3	4	1	3	4	1	3
70-74 years	12	4	8	10	3	7	2	1	1	2	1	1
75-79 years	26	12	14	23	10	13	3	2	1	3	2	1
80-84 years	34	12	22	31	10	21	3	2	1	3	2	1
85-89 years	37	9	28	32	9	23	5	-	5	4	-	4
90-94 years	27	4	23	26	4	22	1	-	1	1	-	1
95-99 years	8	2	6	7	2	5	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Diverticular disease of intestine, part unspecified, with perforation and abscess (K57.8)												
All ages	1,258	407	851	1,173	383	790	85	24	61	74	17	57
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	5	2	3	4	2	2	1	-	1	1	-	1
35-39 years	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years	9	2	7	9	2	7	-	-	-	-	-	-
45-49 years	24	15	9	20	13	7	4	2	2	3	2	1
50-54 years	25	14	11	20	12	8	5	2	3	5	2	3
55-59 years	37	16	21	31	14	17	6	2	4	6	2	4
60-64 years	70	32	38	66	31	35	4	1	3	3	1	2
65-69 years	103	42	61	86	38	48	17	4	13	17	4	13
70-74 years	119	46	73	114	46	68	5	-	5	5	-	5
75-79 years	227	85	142	214	80	134	13	5	8	10	3	7
80-84 years	236	71	165	223	68	155	13	3	10	9	-	9
85-89 years	239	49	190	229	46	183	10	3	7	8	1	7
90-94 years	115	20	95	111	19	92	4	1	3	4	1	3
95-99 years	42	9	33	40	9	31	2	-	2	2	-	2
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Diverticular disease of intestine, part unspecified, without perforation or abscess (K57.9)												
All ages	1,651	504	1,147	1,494	450	1,044	157	54	103	140	45	95
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	4	3	1	3	3	-	1	-	1	1	-	1
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	7	4	3	6	4	2	1	-	1	1	-	1
50-54 years	13	5	8	10	4	6	3	1	2	2	-	2
55-59 years	30	21	9	27	20	7	3	1	2	3	1	2
60-64 years	47	21	26	34	15	19	13	6	7	10	5	5
65-69 years	60	18	42	49	13	36	11	5	6	10	4	6
70-74 years	136	56	80	113	48	65	23	8	15	21	7	14
75-79 years	213	83	130	190	71	119	23	12	11	22	11	11
80-84 years	316	102	214	302	95	207	14	7	7	13	6	7
85-89 years	383	105	278	344	97	247	39	8	31	38	8	30
90-94 years	299	61	238	283	57	226	16	4	12	11	1	10
95-99 years	116	20	96	110	19	91	6	1	5	6	1	5
100 yrs & over	24	4	20	20	3	17	4	1	3	2	1	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Irritable bowel syndrome (K58)												
All ages	21	6	15	20	5	15	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	3	1	2	2	-	2	1	1	-	1	1	-
80-84 years	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years	5	1	4	5	1	4	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Irritable bowel syndrome with diarrhea (K58.0)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Irritable bowel syndrome without diarrhea (K58.9)												
All ages	18	5	13	17	4	13	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	3	1	2	2	-	2	1	1	-	1	1	-
80-84 years	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other functional intestinal disorders (K59)												
All ages	425	161	264	369	135	234	56	26	30	50	23	27
Under 1 year	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	3	3	-	1	1	-	2	2	-	2	2	-
20-24 years	3	3	-	3	3	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	4	2	2	3	1	2	1	1	-	1	1	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	6	4	2	5	3	2	1	1	-	1	1	-
45-49 years	8	4	4	4	3	1	4	1	3	4	1	3
50-54 years	7	-	7	6	-	6	1	-	1	1	-	1
55-59 years	15	10	5	11	6	5	4	4	-	4	4	-
60-64 years	15	9	6	11	7	4	4	2	2	3	1	2
65-69 years	22	10	12	21	9	12	1	1	-	1	1	-
70-74 years	37	17	20	35	16	19	2	1	1	2	1	1
75-79 years	69	29	40	57	23	34	12	6	6	9	5	4
80-84 years	92	35	57	77	29	48	15	6	9	14	5	9
85-89 years	65	15	50	62	15	47	3	-	3	2	-	2
90-94 years	52	12	40	48	12	36	4	-	4	4	-	4
95-99 years	19	2	17	18	2	16	1	-	1	1	-	1
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Constipation (K59.0)												
All ages	147	36	111	134	30	104	13	6	7	11	5	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	5	-	5	5	-	5	-	-	-	-	-	-
55-59 years	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years	3	1	2	2	-	2	1	1	-	1	1	-
65-69 years	6	3	3	6	3	3	-	-	-	-	-	-
70-74 years	10	2	8	10	2	8	-	-	-	-	-	-
75-79 years	20	7	13	16	4	12	4	3	1	3	2	1
80-84 years	39	10	29	35	8	27	4	2	2	4	2	2
85-89 years	24	5	19	21	5	16	3	-	3	2	-	2
90-94 years	22	3	19	21	3	18	1	-	1	1	-	1
95-99 years	11	1	10	11	1	10	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Neurogenic bowel, not elsewhere classified (K59.2)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Megacolon, not elsewhere classified (K59.3)												
All ages	212	101	111	182	88	94	30	13	17	27	12	15
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	5	3	2	4	2	2	1	1	-	1	1	-
45-49 years	6	3	3	3	2	1	3	1	2	3	1	2
50-54 years	2	-	2	1	-	1	1	-	1	1	-	1
55-59 years	10	7	3	6	3	3	4	4	-	4	4	-
60-64 years	10	8	2	8	7	1	2	1	1	1	-	1
65-69 years	13	6	7	12	5	7	1	1	-	1	1	-
70-74 years	25	15	10	24	14	10	1	1	-	1	1	-
75-79 years	35	18	17	28	16	12	7	2	5	5	2	3
80-84 years	38	18	20	32	17	15	6	1	5	6	1	5
85-89 years	27	7	20	27	7	20	-	-	-	-	-	-
90-94 years	24	7	17	22	7	15	2	-	2	2	-	2
95-99 years	8	1	7	7	1	6	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified functional intestinal disorders (K59.8)												
All ages	39	13	26	33	9	24	6	4	2	5	3	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	9	1	8	9	1	8	-	-	-	-	-	-
80-84 years	10	5	5	6	2	4	4	3	1	3	2	1
85-89 years	10	2	8	10	2	8	-	-	-	-	-	-
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Functional intestinal disorder, unspecified (K59.9)												
All ages	25	10	15	18	7	11	7	3	4	7	3	4
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	-	2	1	-	1	1	-	1	1	-	1
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	2	-	2	1	-	1	1	-	1	1	-	1
75-79 years	5	3	2	4	2	2	1	1	-	1	1	-
80-84 years	5	2	3	4	2	2	1	-	1	1	-	1
85-89 years	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years	3	1	2	2	1	1	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Fissure and fistula of anal and rectal regions (K60)												
All ages	20	6	14	18	5	13	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	3	2	1	2	1	1	1	1	-	1	1	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	5	1	4	4	1	3	1	-	1	1	-	1
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Anal fissure, unspecified (K60.2)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Anal fistula (K60.3)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Rectal fistula (K60.4)												
All ages	17	6	11	15	5	10	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	3	2	1	2	1	1	1	1	-	1	1	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	4	1	3	3	1	2	1	-	1	1	-	1
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Abscess of anal and rectal regions (K61)												
All ages	95	45	50	73	36	37	22	9	13	21	8	13
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	4	1	3	2	1	1	2	-	2	2	-	2
45-49 years	6	3	3	3	3	-	3	-	3	3	-	3
50-54 years	6	5	1	4	3	1	2	2	-	1	1	-
55-59 years	5	2	3	3	1	2	2	1	1	2	1	1
60-64 years	10	5	5	7	3	4	3	2	1	3	2	1
65-69 years	8	4	4	6	3	3	2	1	1	2	1	1
70-74 years	7	4	3	6	3	3	1	1	-	1	1	-
75-79 years	13	4	9	9	3	6	4	1	3	4	1	3
80-84 years	13	7	6	11	6	5	2	1	1	2	1	1
85-89 years	9	2	7	8	2	6	1	-	1	1	-	1
90-94 years	9	4	5	9	4	5	-	-	-	-	-	-
95-99 years	2	2	-	2	2	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Anal abscess (K61.0)												
All ages	5	2	3	4	2	2	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Rectal abscess (K61.1)												
All ages	87	43	44	66	34	32	21	9	12	20	8	12
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	-	3	1	-	1	2	-	2	2	-	2
45-49 years	6	3	3	3	3	-	3	-	3	3	-	3
50-54 years	6	5	1	4	3	1	2	2	-	1	1	-
55-59 years	3	2	1	1	1	-	2	1	1	2	1	1
60-64 years	10	5	5	7	3	4	3	2	1	3	2	1
65-69 years	7	4	3	6	3	3	1	1	-	1	1	-
70-74 years	7	4	3	6	3	3	1	1	-	1	1	-
75-79 years	13	4	9	9	3	6	4	1	3	4	1	3
80-84 years	10	6	4	8	5	3	2	1	1	2	1	1
85-89 years	8	2	6	7	2	5	1	-	1	1	-	1
90-94 years	9	4	5	9	4	5	-	-	-	-	-	-
95-99 years	2	2	-	2	2	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Ischiorectal abscess (K61.3)												
All ages	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other diseases of anus and rectum (K62)												
All ages	339	111	228	294	95	199	45	16	29	38	14	24
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years	5	3	2	3	1	2	2	2	-	2	2	-
45-49 years	4	1	3	3	1	2	1	-	1	1	-	1
50-54 years	8	2	6	7	2	5	1	-	1	1	-	1
55-59 years	10	3	7	8	2	6	2	1	1	2	1	1
60-64 years	17	3	14	13	1	12	4	2	2	2	1	1
65-69 years	20	10	10	18	8	10	2	2	-	2	2	-
70-74 years	31	17	14	26	14	12	5	3	2	5	3	2
75-79 years	43	19	24	35	15	20	8	4	4	8	4	4
80-84 years	68	20	48	60	20	40	8	-	8	5	-	5
85-89 years	51	19	32	51	19	32	-	-	-	-	-	-
90-94 years	54	11	43	47	10	37	7	1	6	5	-	5
95-99 years	23	1	22	20	1	19	3	-	3	3	-	3
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Rectal polyp (K62.1)												
All ages	4	4	-	3	3	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	2	-	1	1	-	1	1	-	1	1	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Anal prolapse (K62.2)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Rectal prolapse (K62.3)												
All ages	36	3	33	33	3	30	3	-	3	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	5	2	3	5	2	3	-	-	-	-	-	-
75-79 years	4	-	4	4	-	4	-	-	-	-	-	-
80-84 years	8	-	8	6	-	6	2	-	2	1	-	1
85-89 years	4	-	4	4	-	4	-	-	-	-	-	-
90-94 years	8	-	8	7	-	7	1	-	1	1	-	1
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Stenosis of anus and rectum (K62.4)												
All ages	7	1	6	7	1	6	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhage of anus and rectum (K62.5)												
All ages	146	51	95	128	45	83	18	6	12	14	5	9
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	3	1	2	2	1	1	1	-	1	1	-	1
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years	5	2	3	3	1	2	2	1	1	1	-	1
65-69 years	10	6	4	8	4	4	2	2	-	2	2	-
70-74 years	8	3	5	7	2	5	1	1	-	1	1	-
75-79 years	13	7	6	9	6	3	4	1	3	4	1	3
80-84 years	32	13	19	28	13	15	4	-	4	2	-	2
85-89 years	23	8	15	23	8	15	-	-	-	-	-	-
90-94 years	29	6	23	27	6	21	2	-	2	1	-	1
95-99 years	15	1	14	14	1	13	1	-	1	1	-	1
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Ulcer of anus and rectum (K62.6)												
All ages	11	5	6	8	4	4	3	1	2	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Radiation proctitis (K62.7)												
All ages	5	2	3	3	1	2	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	2	-	2	1	-	1	1	-	1	1	-	1
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified diseases of anus and rectum (K62.8)												
All ages	93	34	59	78	28	50	15	6	9	14	5	9
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	4	-	4	4	-	4	-	-	-	-	-	-
55-59 years	6	2	4	4	1	3	2	1	1	2	1	1
60-64 years	8	1	7	7	-	7	1	1	-	1	1	-
65-69 years	8	3	5	8	3	5	-	-	-	-	-	-
70-74 years	9	7	2	8	7	1	1	-	1	1	-	1
75-79 years	11	6	5	9	4	5	2	2	-	2	2	-
80-84 years	18	6	12	17	6	11	1	-	1	1	-	1
85-89 years	12	6	6	12	6	6	-	-	-	-	-	-
90-94 years	9	1	8	5	-	5	4	1	3	3	-	3
95-99 years	3	-	3	1	-	1	2	-	2	2	-	2
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disease of anus and rectum, unspecified (K62.9)												
All ages	36	11	25	33	10	23	3	1	2	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	5	3	2	3	2	1	2	1	1	2	1	1
75-79 years	9	3	6	8	3	5	1	-	1	1	-	1
80-84 years	7	1	6	7	1	6	-	-	-	-	-	-
85-89 years	7	2	5	7	2	5	-	-	-	-	-	-
90-94 years	5	2	3	5	2	3	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other diseases of intestine (K63)												
All ages	2,331	893	1,438	2,037	764	1,273	294	129	165	259	116	143
Under 1 year	22	13	9	14	7	7	8	6	2	7	5	2
1-4 years	2	-	2	2	-	2	-	-	-	-	-	-
5-9 years	5	3	2	4	2	2	1	1	-	1	1	-
10-14 years	3	2	1	2	1	1	1	1	-	1	1	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	5	2	3	3	1	2	2	1	1	1	-	1
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	6	4	2	5	4	1	1	-	1	1	-	1
35-39 years	21	10	11	13	6	7	8	4	4	8	4	4
40-44 years	31	11	20	26	9	17	5	2	3	5	2	3
45-49 years	55	26	29	45	23	22	10	3	7	8	2	6
50-54 years	80	40	40	65	30	35	15	10	5	14	10	4
55-59 years	85	37	48	62	27	35	23	10	13	19	9	10
60-64 years	119	60	59	99	48	51	20	12	8	14	9	5
65-69 years	191	81	110	163	67	96	28	14	14	25	14	11
70-74 years	265	118	147	237	100	137	28	18	10	23	14	9
75-79 years	411	176	235	364	158	206	47	18	29	43	18	25
80-84 years	397	141	256	354	127	227	43	14	29	39	13	26
85-89 years	373	106	267	340	96	244	33	10	23	30	9	21
90-94 years	190	44	146	178	42	136	12	2	10	11	2	9
95-99 years	57	14	43	50	12	38	7	2	5	7	2	5
100 yrs & over	9	3	6	8	3	5	1	-	1	1	-	1
Not stated	1	1	-	-	-	-	1	1	-	1	1	-
Abscess of intestine (K63.0)												
All ages	45	16	29	41	14	27	4	2	2	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years	2	1	1	1	-	1	1	1	-	1	1	-
60-64 years	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years	3	-	3	3	-	3	-	-	-	-	-	-
70-74 years	10	6	4	9	5	4	1	1	-	-	-	-
75-79 years	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years	8	2	6	7	2	5	1	-	1	1	-	1
85-89 years	5	-	5	4	-	4	1	-	1	1	-	1
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Perforation of intestine (nontraumatic) (K63.1)												
All ages	1,600	601	999	1,406	512	894	194	89	105	171	80	91
Under 1 year	16	12	4	8	6	2	8	6	2	7	5	2
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	3	3	-	2	2	-	1	1	-	1	1	-
10-14 years	3	2	1	2	1	1	1	1	-	1	1	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	4	2	2	2	1	1	2	1	1	1	-	1
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	4	4	-	4	4	-	-	-	-	-	-	-
35-39 years	17	8	9	11	5	6	6	3	3	6	3	3
40-44 years	22	8	14	18	6	12	4	2	2	4	2	2
45-49 years	40	19	21	32	16	16	8	3	5	6	2	4
50-54 years	50	28	22	42	22	20	8	6	2	7	6	1
55-59 years	48	24	24	34	19	15	14	5	9	11	4	7
60-64 years	81	44	37	70	36	34	11	8	3	9	6	3
65-69 years	134	53	81	114	43	71	20	10	10	17	10	7
70-74 years	165	67	98	155	60	95	10	7	3	7	5	2
75-79 years	286	117	169	254	102	152	32	15	17	31	15	16
80-84 years	271	95	176	244	85	159	27	10	17	24	10	14
85-89 years	276	75	201	252	67	185	24	8	16	22	7	15
90-94 years	134	29	105	123	28	95	11	1	10	10	1	9
95-99 years	37	9	28	31	7	24	6	2	4	6	2	4
100 yrs & over	7	1	6	6	1	5	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Fistula of intestine (K63.2)												
All ages	191	56	135	160	48	112	31	8	23	29	7	22
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	4	1	3	3	1	2	1	-	1	1	-	1
45-49 years	5	-	5	4	-	4	1	-	1	1	-	1
50-54 years	10	3	7	6	1	5	4	2	2	4	2	2
55-59 years	13	4	9	8	2	6	5	2	3	5	2	3
60-64 years	12	2	10	9	1	8	3	1	2	1	-	1
65-69 years	28	10	18	23	8	15	5	2	3	5	2	3
70-74 years	25	8	17	22	7	15	3	1	2	3	1	2
75-79 years	31	14	17	28	14	14	3	-	3	3	-	3
80-84 years	38	10	28	33	10	23	5	-	5	5	-	5
85-89 years	14	3	11	13	3	10	1	-	1	1	-	1
90-94 years	7	-	7	7	-	7	-	-	-	-	-	-
95-99 years	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Ulcer of intestine (K63.3)												
All ages	42	22	20	36	18	18	6	4	2	6	4	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	3	2	1	2	1	1	1	1	-	1	1	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	9	3	6	9	3	6	-	-	-	-	-	-
75-79 years	11	7	4	10	7	3	1	-	1	1	-	1
80-84 years	7	5	2	6	4	2	1	1	-	1	1	-
85-89 years	4	1	3	3	-	3	1	1	-	1	1	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases of intestine (K63.8)												
All ages	70	28	42	62	27	35	8	1	7	7	1	6
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	3	2	1	2	2	-	1	-	1	1	-	1
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years	4	2	2	2	1	1	2	1	1	1	1	-
65-69 years	2	1	1	1	1	-	1	-	1	1	-	1
70-74 years	10	4	6	10	4	6	-	-	-	-	-	-
75-79 years	12	6	6	11	6	5	1	-	1	1	-	1
80-84 years	12	2	10	10	2	8	2	-	2	2	-	2
85-89 years	7	4	3	6	4	2	1	-	1	1	-	1
90-94 years	10	1	9	10	1	9	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disease of intestine, unspecified (K63.9)												
All ages	383	170	213	332	145	187	51	25	26	43	23	20
Under 1 year	5	1	4	5	1	4	-	-	-	-	-	-
1-4 years	2	-	2	2	-	2	-	-	-	-	-	-
5-9 years	2	-	2	2	-	2	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	2	1	1	1	-	1	1	1	-	1	1	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	6	4	2	6	4	2	-	-	-	-	-	-
50-54 years	13	4	9	10	2	8	3	2	1	3	2	1
55-59 years	18	5	13	16	4	12	2	1	1	1	1	-
60-64 years	16	8	8	13	7	6	3	1	2	2	1	1
65-69 years	23	16	7	21	14	7	2	2	-	2	2	-
70-74 years	46	30	16	32	21	11	14	9	5	13	8	5
75-79 years	67	31	36	57	28	29	10	3	7	7	3	4
80-84 years	61	27	34	54	24	30	7	3	4	6	2	4
85-89 years	67	23	44	62	22	40	5	1	4	4	1	3
90-94 years	35	13	22	34	12	22	1	1	-	1	1	-
95-99 years	13	3	10	12	3	9	1	-	1	1	-	1
100 yrs & over	2	2	-	2	2	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	1	1	-	1	1	-
Peritonitis (K65)												
All ages	1,562	670	892	1,310	559	751	252	111	141	214	91	123
Under 1 year	7	3	4	4	1	3	3	2	1	2	1	1
1-4 years	2	1	1	1	1	-	1	-	1	1	-	1
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	4	1	3	3	1	2	1	-	1	1	-	1
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	2	-	2	-	-	-	2	-	2	2	-	2
25-29 years	5	2	3	4	1	3	1	1	-	1	1	-
30-34 years	9	4	5	7	4	3	2	-	2	1	-	1
35-39 years	22	14	8	13	8	5	9	6	3	7	5	2
40-44 years	44	28	16	24	17	7	20	11	9	18	9	9
45-49 years	68	42	26	48	31	17	20	11	9	20	11	9
50-54 years	77	42	35	60	36	24	17	6	11	15	6	9
55-59 years	82	47	35	61	32	29	21	15	6	17	13	4
60-64 years	81	43	38	58	33	25	23	10	13	18	6	12
65-69 years	120	66	54	97	56	41	23	10	13	22	10	12
70-74 years	166	75	91	141	64	77	25	11	14	19	9	10
75-79 years	218	86	132	192	77	115	26	9	17	19	6	13
80-84 years	251	100	151	226	94	132	25	6	19	22	5	17
85-89 years	237	73	164	218	67	151	19	6	13	17	4	13
90-94 years	116	29	87	107	24	83	9	5	4	8	4	4
95-99 years	47	12	35	42	10	32	5	2	3	4	1	3
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute peritonitis (K65.0)												
All ages	583	278	305	479	228	251	104	50	54	88	40	48
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	1	1	1	1	-	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	10	6	4	7	4	3	3	2	1	1	1	-
40-44 years	23	16	7	13	10	3	10	6	4	9	5	4
45-49 years	27	20	7	20	15	5	7	5	2	7	5	2
50-54 years	36	21	15	29	18	11	7	3	4	7	3	4
55-59 years	44	27	17	33	18	15	11	9	2	9	8	1
60-64 years	38	21	17	25	17	8	13	4	9	11	3	8
65-69 years	45	28	17	37	24	13	8	4	4	8	4	4
70-74 years	58	26	32	47	23	24	11	3	8	8	2	6
75-79 years	77	35	42	64	28	36	13	7	6	11	5	6
80-84 years	95	42	53	86	40	46	9	2	7	8	2	6
85-89 years	74	22	52	68	20	48	6	2	4	5	1	4
90-94 years	38	7	31	35	5	30	3	2	1	2	1	1
95-99 years	11	2	9	9	1	8	2	1	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other peritonitis (K65.8)												
All ages	25	12	13	24	12	12	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	4	1	3	3	1	2	1	-	1	1	-	1
50-54 years	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	6	3	3	6	3	3	-	-	-	-	-	-
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Peritonitis, unspecified (K65.9)												
All ages	954	380	574	807	319	488	147	61	86	125	51	74
Under 1 year	7	3	4	4	1	3	3	2	1	2	1	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	4	1	3	3	1	2	1	-	1	1	-	1
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	-	2	-	-	-	2	-	2	2	-	2
25-29 years	3	1	2	2	-	2	1	1	-	1	1	-
30-34 years	7	2	5	5	2	3	2	-	2	1	-	1
35-39 years	11	7	4	5	3	2	6	4	2	6	4	2
40-44 years	21	12	9	11	7	4	10	5	5	9	4	5
45-49 years	37	21	16	25	15	10	12	6	6	12	6	6
50-54 years	39	21	18	29	18	11	10	3	7	8	3	5
55-59 years	37	19	18	27	13	14	10	6	4	8	5	3
60-64 years	40	20	20	30	14	16	10	6	4	7	3	4
65-69 years	74	37	37	59	31	28	15	6	9	14	6	8
70-74 years	102	46	56	88	38	50	14	8	6	11	7	4
75-79 years	138	50	88	125	48	77	13	2	11	8	1	7
80-84 years	153	56	97	137	52	85	16	4	12	14	3	11
85-89 years	162	51	111	149	47	102	13	4	9	12	3	9
90-94 years	78	22	56	72	19	53	6	3	3	6	3	3
95-99 years	36	10	26	33	9	24	3	1	2	3	1	2
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of peritoneum (K66)												
All ages	312	149	163	232	109	123	80	40	40	72	36	36
Under 1 year	5	4	1	3	3	-	2	1	1	2	1	1
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	2	2	-	1	1	-	1	1	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	4	2	2	3	1	2	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	10	6	4	6	3	3	4	3	1	4	3	1
40-44 years	6	2	4	5	2	3	1	-	1	1	-	1
45-49 years	25	12	13	17	10	7	8	2	6	7	2	5
50-54 years	18	8	10	10	4	6	8	4	4	8	4	4
55-59 years	26	17	9	16	11	5	10	6	4	8	5	3
60-64 years	22	11	11	13	7	6	9	4	5	8	3	5
65-69 years	15	11	4	13	9	4	2	2	-	2	2	-
70-74 years	32	11	21	26	9	17	6	2	4	5	2	3
75-79 years	47	24	23	37	19	18	10	5	5	9	4	5
80-84 years	41	19	22	33	15	18	8	4	4	7	4	3
85-89 years	39	13	26	33	10	23	6	3	3	6	3	3
90-94 years	12	4	8	9	3	6	3	1	2	3	1	2
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Peritoneal adhesions (K66.0)												
All ages	94	40	54	77	30	47	17	10	7	15	9	6
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	6	2	4	4	1	3	2	1	1	2	1	1
50-54 years	6	3	3	3	1	2	3	2	1	3	2	1
55-59 years	7	4	3	4	2	2	3	2	1	2	1	1
60-64 years	7	2	5	5	1	4	2	1	1	2	1	1
65-69 years	2	2	-	1	1	-	1	1	-	1	1	-
70-74 years	7	2	5	6	1	5	1	1	-	1	1	-
75-79 years	15	6	9	14	5	9	1	1	-	1	1	-
80-84 years	15	7	8	14	7	7	1	-	1	-	-	-
85-89 years	15	5	10	13	5	8	2	-	2	2	-	2
90-94 years	5	2	3	4	1	3	1	1	-	1	1	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hemoperitoneum (K66.1)												
All ages	167	87	80	119	64	55	48	23	25	42	20	22
Under 1 year	4	3	1	2	2	-	2	1	1	2	1	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	3	1	2	2	-	2	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	8	4	4	5	2	3	3	2	1	3	2	1
40-44 years	5	1	4	4	1	3	1	-	1	1	-	1
45-49 years	17	9	8	12	8	4	5	1	4	4	1	3
50-54 years	9	4	5	6	3	3	3	1	2	3	1	2
55-59 years	17	12	5	11	8	3	6	4	2	5	4	1
60-64 years	13	7	6	6	4	2	7	3	4	6	2	4
65-69 years	11	7	4	11	7	4	-	-	-	-	-	-
70-74 years	20	9	11	18	8	10	2	1	1	1	1	-
75-79 years	25	13	12	17	10	7	8	3	5	7	2	5
80-84 years	20	11	9	15	8	7	5	3	2	5	3	2
85-89 years	11	4	7	9	3	6	2	1	1	2	1	1
90-94 years	2	-	2	1	-	1	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified disorders of peritoneum (K66.8)												
All ages	36	12	24	26	9	17	10	3	7	10	3	7
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years	2	-	2	1	-	1	1	-	1	1	-	1
55-59 years	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	5	-	5	2	-	2	3	-	3	3	-	3
75-79 years	6	4	2	5	3	2	1	1	-	1	1	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	9	2	7	8	1	7	1	1	-	1	1	-
90-94 years	3	-	3	2	-	2	1	-	1	1	-	1
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorder of peritoneum, unspecified (K66.9)												
All ages	15	10	5	10	6	4	5	4	1	5	4	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	4	1	3	2	-	2	2	1	1	2	1	1
85-89 years	4	2	2	3	1	2	1	1	-	1	1	-
90-94 years	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Alcoholic liver disease (K70)												
All ages	12,207	8,932	3,275	10,387	7,689	2,698	1,820	1,243	577	1,348	935	413
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	-	-	-
20-24 years	7	5	2	2	2	-	5	3	2	1	-	1
25-29 years	45	31	14	32	26	6	13	5	8	7	2	5
30-34 years	219	148	71	179	125	54	40	23	17	20	10	10
35-39 years	745	492	253	613	407	206	132	85	47	75	51	24
40-44 years	1,400	954	446	1,158	795	363	242	159	83	170	110	60
45-49 years	2,121	1,563	558	1,812	1,363	449	309	200	109	221	148	73
50-54 years	2,082	1,536	546	1,709	1,287	422	373	249	124	295	206	89
55-59 years	1,582	1,235	347	1,332	1,045	287	250	190	60	200	150	50
60-64 years	1,331	1,007	324	1,166	886	280	165	121	44	128	92	36
65-69 years	1,062	789	273	918	683	235	144	106	38	120	90	30
70-74 years	786	590	196	711	533	178	75	57	18	58	45	13
75-79 years	515	370	145	472	343	129	43	27	16	33	19	14
80-84 years	202	135	67	188	126	62	14	9	5	11	7	4
85-89 years	86	60	26	74	53	21	12	7	5	8	4	4
90-94 years	12	8	4	10	6	4	2	2	-	1	1	-
95-99 years	6	4	2	6	4	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	5	5	-	5	5	-	-	-	-	-	-	-
Alcoholic fatty liver (K70.0)												
All ages	273	194	79	220	154	66	53	40	13	45	34	11
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	8	6	2	6	5	1	2	1	1	2	1	1
30-34 years	20	15	5	17	13	4	3	2	1	1	-	1
35-39 years	40	29	11	31	22	9	9	7	2	5	5	-
40-44 years	63	38	25	54	33	21	9	5	4	8	4	4
45-49 years	50	31	19	40	25	15	10	6	4	10	6	4
50-54 years	47	39	8	34	27	7	13	12	1	13	12	1
55-59 years	26	23	3	22	19	3	4	4	-	3	3	-
60-64 years	6	4	2	5	3	2	1	1	-	1	1	-
65-69 years	6	4	2	5	3	2	1	1	-	1	1	-
70-74 years	5	4	1	4	3	1	1	1	-	1	1	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Alcoholic hepatitis (K70.1)												
All ages	930	616	314	793	535	258	137	81	56	111	65	46
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	6	6	-	5	5	-	1	1	-	-	-	-
30-34 years	28	20	8	22	18	4	6	2	4	3	1	2
35-39 years	84	49	35	74	42	32	10	7	3	6	3	3
40-44 years	143	91	52	117	79	38	26	12	14	19	9	10
45-49 years	164	102	62	144	92	52	20	10	10	18	9	9
50-54 years	153	102	51	124	81	43	29	21	8	25	18	7
55-59 years	113	80	33	97	71	26	16	9	7	15	8	7
60-64 years	94	70	24	83	64	19	11	6	5	9	6	3
65-69 years	70	43	27	61	35	26	9	8	1	9	8	1
70-74 years	40	28	12	35	25	10	5	3	2	5	3	2
75-79 years	21	16	5	17	14	3	4	2	2	2	-	2
80-84 years	8	5	3	8	5	3	-	-	-	-	-	-
85-89 years	5	3	2	5	3	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholic fibrosis and sclerosis of liver (K70.2)												
All ages	5	5	-	4	4	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Alcoholic cirrhosis of liver (K70.3)												
All ages	7,456	5,553	1,903	6,410	4,819	1,591	1,046	734	312	767	545	222
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	-	-	-
20-24 years	2	2	-	-	-	-	2	2	-	-	-	-
25-29 years	13	6	7	10	6	4	3	-	3	2	-	2
30-34 years	97	66	31	83	58	25	14	8	6	9	6	3
35-39 years	381	256	125	311	212	99	70	44	26	41	28	13
40-44 years	766	539	227	632	444	188	134	95	39	96	65	31
45-49 years	1,296	982	314	1,118	866	252	178	116	62	121	81	40
50-54 years	1,252	929	323	1,040	785	255	212	144	68	158	112	46
55-59 years	980	761	219	831	650	181	149	111	38	122	91	31
60-64 years	835	640	195	742	567	175	93	73	20	73	56	17
65-69 years	704	538	166	607	467	140	97	71	26	78	58	20
70-74 years	550	420	130	504	384	120	46	36	10	33	25	8
75-79 years	348	253	95	322	234	88	26	19	7	20	14	6
80-84 years	156	107	49	147	99	48	9	8	1	7	6	1
85-89 years	58	41	17	47	35	12	11	6	5	7	3	4
90-94 years	10	7	3	9	6	3	1	1	-	-	-	-
95-99 years	4	3	1	4	3	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	3	-	3	3	-	-	-	-	-	-	-
Alcoholic hepatic failure (K70.4)												
All ages	1,526	1,084	442	1,292	934	358	234	150	84	170	111	59
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	1	1	1	1	-	1	-	1	1	-	1
25-29 years	11	8	3	8	7	1	3	1	2	1	1	-
30-34 years	32	20	12	23	14	9	9	6	3	3	1	2
35-39 years	105	70	35	87	60	27	18	10	8	11	5	6
40-44 years	193	129	64	162	109	53	31	20	11	21	14	7
45-49 years	270	191	79	225	160	65	45	31	14	31	24	7
50-54 years	266	189	77	221	163	58	45	26	19	37	22	15
55-59 years	198	154	44	170	133	37	28	21	7	20	15	5
60-64 years	173	128	45	145	110	35	28	18	10	21	13	8
65-69 years	113	80	33	102	72	30	11	8	3	10	7	3
70-74 years	77	53	24	69	47	22	8	6	2	8	6	2
75-79 years	55	41	14	50	38	12	5	3	2	5	3	2
80-84 years	15	11	4	13	11	2	2	-	2	1	-	1
85-89 years	14	8	6	14	8	6	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Alcoholic liver disease, unspecified (K70.9)												
All ages	2,017	1,480	537	1,668	1,243	425	349	237	112	254	179	75
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	1	1	-	-	-	2	1	1	-	-	-
25-29 years	7	5	2	3	3	-	4	2	2	2	-	2
30-34 years	42	27	15	34	22	12	8	5	3	4	2	2
35-39 years	135	88	47	110	71	39	25	17	8	12	10	2
40-44 years	234	156	78	192	129	63	42	27	15	26	18	8
45-49 years	339	255	84	283	218	65	56	37	19	41	28	13
50-54 years	364	277	87	290	231	59	74	46	28	62	42	20
55-59 years	264	216	48	211	171	40	53	45	8	40	33	7
60-64 years	223	165	58	191	142	49	32	23	9	24	16	8
65-69 years	169	124	45	143	106	37	26	18	8	22	16	6
70-74 years	113	84	29	99	74	25	14	10	4	10	9	1
75-79 years	90	60	30	82	57	25	8	3	5	6	2	4
80-84 years	23	12	11	20	11	9	3	1	2	3	1	2
85-89 years	9	8	1	8	7	1	1	1	-	1	1	-
90-94 years	2	1	1	1	-	1	1	1	-	1	1	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-
Toxic liver disease (K71)												
All ages	27	11	16	24	9	15	3	2	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	2	1	1	1	-	1	1	1	-	-	-	-
45-49 years	3	-	3	3	-	3	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	4	3	1	4	3	1	-	-	-	-	-	-
60-64 years	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years	2	2	-	1	1	-	1	1	-	1	1	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	4	3	1	4	3	1	-	-	-	-	-	-
85-89 years	3	-	3	2	-	2	1	-	1	1	-	1
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Toxic liver disease with cholestasis (K71.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Toxic liver disease with hepatic necrosis (K71.1)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Toxic liver disease with acute hepatitis (K71.2)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Toxic liver disease with hepatitis, not elsewhere classified (K71.6)												
All ages	16	7	9	13	5	8	3	2	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	1	-	1	1	1	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	3	-	3	2	-	2	1	-	1	1	-	1
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Toxic liver disease with fibrosis and cirrhosis of liver (K71.7)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Toxic liver disease with other disorders of liver (K71.8)												
All ages	4	2	2	4	2	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Toxic liver disease, unspecified (K71.9)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hepatic failure, not elsewhere classified (K72)												
All ages	3,922	2,248	1,674	3,254	1,866	1,388	668	382	286	572	332	240
Under 1 year	41	25	16	22	13	9	19	12	7	16	11	5
1-4 years	16	10	6	13	9	4	3	1	2	2	-	2
5-9 years	9	5	4	7	4	3	2	1	1	2	1	1
10-14 years	7	4	3	4	2	2	3	2	1	2	1	1
15-19 years	9	3	6	4	1	3	5	2	3	5	2	3
20-24 years	19	9	10	12	6	6	7	3	4	7	3	4
25-29 years	14	2	12	7	1	6	7	1	6	6	1	5
30-34 years	52	23	29	37	14	23	15	9	6	10	6	4
35-39 years	106	71	35	76	50	26	30	21	9	24	16	8
40-44 years	210	132	78	165	104	61	45	28	17	39	25	14
45-49 years	383	254	129	298	194	104	85	60	25	79	56	23
50-54 years	403	278	125	330	235	95	73	43	30	64	41	23
55-59 years	369	221	148	301	179	122	68	42	26	61	37	24
60-64 years	399	252	147	326	210	116	73	42	31	62	36	26
65-69 years	372	217	155	314	192	122	58	25	33	53	23	30
70-74 years	409	217	192	355	189	166	54	28	26	45	24	21
75-79 years	439	236	203	392	207	185	47	29	18	39	23	16
80-84 years	325	154	171	281	129	152	44	25	19	37	20	17
85-89 years	217	95	122	198	91	107	19	4	15	10	2	8
90-94 years	79	27	52	73	25	48	6	2	4	5	2	3
95-99 years	36	9	27	32	8	24	4	1	3	3	1	2
100 yrs & over	7	3	4	7	3	4	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	1	1	-	1	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute and subacute hepatic failure (K72.0)												
All ages	283	147	136	227	115	112	56	32	24	52	29	23
Under 1 year	4	3	1	3	2	1	1	1	-	1	1	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	2	2	-	1	1	-	1	1	-	1	1	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	4	1	3	4	1	3	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	9	3	6	6	1	5	3	2	1	3	2	1
35-39 years	9	9	-	6	6	-	3	3	-	2	2	-
40-44 years	15	7	8	12	6	6	3	1	2	2	-	2
45-49 years	21	14	7	16	11	5	5	3	2	5	3	2
50-54 years	17	12	5	14	11	3	3	1	2	3	1	2
55-59 years	20	9	11	12	4	8	8	5	3	8	5	3
60-64 years	27	13	14	19	10	9	8	3	5	8	3	5
65-69 years	20	7	13	16	7	9	4	-	4	4	-	4
70-74 years	31	15	16	26	11	15	5	4	1	5	4	1
75-79 years	47	27	20	42	24	18	5	3	2	5	3	2
80-84 years	26	13	13	21	9	12	5	4	1	4	3	1
85-89 years	19	10	9	18	10	8	1	-	1	-	-	-
90-94 years	5	2	3	4	1	3	1	1	-	1	1	-
95-99 years	6	-	6	6	-	6	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chronic hepatic failure (K72.1)												
All ages	82	45	37	69	41	28	13	4	9	12	3	9
Under 1 year	2	1	1	1	1	-	1	-	1	1	-	1
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	1	2	1	1	-	2	-	2	2	-	2
45-49 years	7	5	2	5	3	2	2	2	-	1	1	-
50-54 years	14	9	5	13	9	4	1	-	1	1	-	1
55-59 years	9	5	4	8	5	3	1	-	1	1	-	1
60-64 years	5	3	2	5	3	2	-	-	-	-	-	-
65-69 years	10	5	5	7	5	2	3	-	3	3	-	3
70-74 years	11	6	5	10	5	5	1	1	-	1	1	-
75-79 years	7	3	4	7	3	4	-	-	-	-	-	-
80-84 years	6	3	3	6	3	3	-	-	-	-	-	-
85-89 years	5	2	3	4	2	2	1	-	1	1	-	1
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	1	1	-	-	-	-	1	1	-	1	1	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hepatic failure, unspecified (K72.9)												
All ages	3,557	2,056	1,501	2,958	1,710	1,248	599	346	253	508	300	208
Under 1 year	35	21	14	18	10	8	17	11	6	14	10	4
1-4 years	14	10	4	11	9	2	3	1	2	2	-	2
5-9 years	7	3	4	6	3	3	1	-	1	1	-	1
10-14 years	7	4	3	4	2	2	3	2	1	2	1	1
15-19 years	9	3	6	4	1	3	5	2	3	5	2	3
20-24 years	15	8	7	8	5	3	7	3	4	7	3	4
25-29 years	14	2	12	7	1	6	7	1	6	6	1	5
30-34 years	43	20	23	31	13	18	12	7	5	7	4	3
35-39 years	97	62	35	70	44	26	27	18	9	22	14	8
40-44 years	192	124	68	152	97	55	40	27	13	35	25	10
45-49 years	355	235	120	277	180	97	78	55	23	73	52	21
50-54 years	372	257	115	303	215	88	69	42	27	60	40	20
55-59 years	340	207	133	281	170	111	59	37	22	52	32	20
60-64 years	367	236	131	302	197	105	65	39	26	54	33	21
65-69 years	342	205	137	291	180	111	51	25	26	46	23	23
70-74 years	367	196	171	319	173	146	48	23	25	39	19	20
75-79 years	385	206	179	343	180	163	42	26	16	34	20	14
80-84 years	293	138	155	254	117	137	39	21	18	33	17	16
85-89 years	193	83	110	176	79	97	17	4	13	9	2	7
90-94 years	73	24	49	68	23	45	5	1	4	4	1	3
95-99 years	29	8	21	26	8	18	3	-	3	2	-	2
100 yrs & over	7	3	4	7	3	4	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	1	1	-	1	1	-
Chronic hepatitis, not elsewhere classified (K73)												
All ages	467	127	340	405	115	290	62	12	50	48	9	39
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years	9	3	6	5	3	2	4	-	4	4	-	4
25-29 years	7	4	3	5	4	1	2	-	2	2	-	2
30-34 years	9	2	7	7	2	5	2	-	2	2	-	2
35-39 years	13	6	7	10	4	6	3	2	1	2	1	1
40-44 years	16	8	8	10	6	4	6	2	4	6	2	4
45-49 years	37	11	26	28	9	19	9	2	7	7	2	5
50-54 years	37	16	21	34	15	19	3	1	2	3	1	2
55-59 years	43	11	32	40	10	30	3	1	2	2	-	2
60-64 years	36	5	31	33	4	29	3	1	2	2	1	1
65-69 years	54	10	44	49	8	41	5	2	3	4	2	2
70-74 years	66	18	48	55	18	37	11	-	11	5	-	5
75-79 years	62	12	50	54	12	42	8	-	8	7	-	7
80-84 years	42	10	32	40	9	31	2	1	1	1	-	1
85-89 years	23	7	16	22	7	15	1	-	1	1	-	1
90-94 years	7	3	4	7	3	4	-	-	-	-	-	-
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Chronic persistent hepatitis, not elsewhere classified (K73.0)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chronic active hepatitis, not elsewhere classified (K73.2)												
All ages	340	60	280	297	58	239	43	2	41	36	2	34
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	7	1	6	3	1	2	4	-	4	4	-	4
25-29 years	5	4	1	4	4	-	1	-	1	1	-	1
30-34 years	6	1	5	4	1	3	2	-	2	2	-	2
35-39 years	8	3	5	6	2	4	2	1	1	2	1	1
40-44 years	7	1	6	3	1	2	4	-	4	4	-	4
45-49 years	23	2	21	17	2	15	6	-	6	4	-	4
50-54 years	25	7	18	22	6	16	3	1	2	3	1	2
55-59 years	34	6	28	32	6	26	2	-	2	2	-	2
60-64 years	27	3	24	25	3	22	2	-	2	1	-	1
65-69 years	48	7	41	45	7	38	3	-	3	2	-	2
70-74 years	50	12	38	44	12	32	6	-	6	4	-	4
75-79 years	47	4	43	41	4	37	6	-	6	5	-	5
80-84 years	31	5	26	30	5	25	1	-	1	1	-	1
85-89 years	14	3	11	13	3	10	1	-	1	1	-	1
90-94 years	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other chronic hepatitis, not elsewhere classified (K73.8)												
All ages	7	4	3	6	3	3	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chronic hepatitis, unspecified (K73.9)												
All ages	118	63	55	100	54	46	18	9	9	11	6	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	3	1	2	3	1	2	-	-	-	-	-	-
35-39 years	4	3	1	3	2	1	1	1	-	-	-	-
40-44 years	9	7	2	7	5	2	2	2	-	2	2	-
45-49 years	13	8	5	10	6	4	3	2	1	3	2	1
50-54 years	12	9	3	12	9	3	-	-	-	-	-	-
55-59 years	9	5	4	8	4	4	1	1	-	-	-	-
60-64 years	9	2	7	8	1	7	1	1	-	1	1	-
65-69 years	5	2	3	4	1	3	1	1	-	1	1	-
70-74 years	16	6	10	11	6	5	5	-	5	1	-	1
75-79 years	10	6	4	8	6	2	2	-	2	2	-	2
80-84 years	11	5	6	10	4	6	1	1	-	-	-	-
85-89 years	9	4	5	9	4	5	-	-	-	-	-	-
90-94 years	4	3	1	4	3	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Fibrosis and cirrhosis of liver (K74)												
All ages	14,361	8,334	6,027	12,616	7,244	5,372	1,745	1,090	655	1,379	899	480
Under 1 year	3	1	2	3	1	2	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	2	1	-	-	-	3	2	1	2	1	1
20-24 years	4	2	2	1	1	-	3	1	2	3	1	2
25-29 years	25	18	7	14	8	6	11	10	1	9	8	1
30-34 years	82	56	26	70	46	24	12	10	2	7	6	1
35-39 years	350	215	135	296	179	117	54	36	18	41	26	15
40-44 years	812	531	281	658	435	223	154	96	58	128	84	44
45-49 years	1,399	1,007	392	1,118	812	306	281	195	86	244	173	71
50-54 years	1,583	1,162	421	1,288	945	343	295	217	78	241	183	58
55-59 years	1,374	915	459	1,141	759	382	233	156	77	191	130	61
60-64 years	1,384	855	529	1,212	738	474	172	117	55	134	96	38
65-69 years	1,636	950	686	1,475	855	620	161	95	66	125	78	47
70-74 years	1,882	978	904	1,731	906	825	151	72	79	105	55	50
75-79 years	1,748	769	979	1,639	721	918	109	48	61	81	39	42
80-84 years	1,232	537	695	1,168	517	651	64	20	44	42	11	31
85-89 years	605	240	365	579	233	346	26	7	19	13	3	10
90-94 years	202	78	124	191	73	118	11	5	6	9	3	6
95-99 years	34	15	19	31	14	17	3	1	2	2	-	2
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	1	1	-	1	1	-
Hepatic fibrosis (K74.0)												
All ages	9	7	2	9	7	2	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hepatic sclerosis (K74.1)												
All ages	13	8	5	13	8	5	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Primary biliary cirrhosis (K74.3)												
All ages	395	50	345	373	48	325	22	2	20	11	-	11
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	2	-	2	1	-	1	1	-	1	1	-	1
40-44 years	5	2	3	4	2	2	1	-	1	-	-	-
45-49 years	15	-	15	15	-	15	-	-	-	-	-	-
50-54 years	15	1	14	13	1	12	2	-	2	-	-	-
55-59 years	26	4	22	24	4	20	2	-	2	2	-	2
60-64 years	49	8	41	49	8	41	-	-	-	-	-	-
65-69 years	60	8	52	56	7	49	4	1	3	1	-	1
70-74 years	66	10	56	64	10	54	2	-	2	2	-	2
75-79 years	74	6	68	69	6	63	5	-	5	2	-	2
80-84 years	49	8	41	47	7	40	2	1	1	1	-	1
85-89 years	28	1	27	26	1	25	2	-	2	1	-	1
90-94 years	4	2	2	4	2	2	-	-	-	-	-	-
95-99 years	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Secondary biliary cirrhosis (K74.4)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Biliary cirrhosis, unspecified (K74.5)												
All ages	99	20	79	91	17	74	8	3	5	8	3	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	5	2	3	5	2	3	-	-	-	-	-	-
45-49 years	3	1	2	3	1	2	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	4	-	4	3	-	3	1	-	1	1	-	1
60-64 years	4	1	3	3	1	2	1	-	1	1	-	1
65-69 years	7	1	6	7	1	6	-	-	-	-	-	-
70-74 years	26	7	19	23	6	17	3	1	2	3	1	2
75-79 years	26	5	21	26	5	21	-	-	-	-	-	-
80-84 years	7	1	6	7	1	6	-	-	-	-	-	-
85-89 years	11	-	11	10	-	10	1	-	1	1	-	1
90-94 years	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other and unspecified cirrhosis of liver (K74.6)												
All ages	13,842	8,248	5,594	12,127	7,163	4,964	1,715	1,085	630	1,360	896	464
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	-	-	-	2	1	1	1	-	1
20-24 years	4	2	2	1	1	-	3	1	2	3	1	2
25-29 years	23	17	6	12	7	5	11	10	1	9	8	1
30-34 years	80	55	25	69	46	23	11	9	2	6	5	1
35-39 years	347	214	133	294	178	116	53	36	17	40	26	14
40-44 years	802	527	275	649	431	218	153	96	57	128	84	44
45-49 years	1,379	1,004	375	1,098	809	289	281	195	86	244	173	71
50-54 years	1,566	1,159	407	1,273	942	331	293	217	76	241	183	58
55-59 years	1,342	910	432	1,112	754	358	230	156	74	188	130	58
60-64 years	1,329	845	484	1,158	728	430	171	117	54	133	96	37
65-69 years	1,564	936	628	1,407	842	565	157	94	63	124	78	46
70-74 years	1,788	960	828	1,642	889	753	146	71	75	100	54	46
75-79 years	1,646	757	889	1,542	709	833	104	48	56	79	39	40
80-84 years	1,174	527	647	1,112	508	604	62	19	43	41	11	30
85-89 years	565	239	326	542	232	310	23	7	16	11	3	8
90-94 years	194	76	118	183	71	112	11	5	6	9	3	6
95-99 years	32	15	17	30	14	16	2	1	1	1	-	1
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	1	1	-	1	1	-
Other inflammatory liver diseases (K75)												
All ages	601	322	279	504	264	240	97	58	39	76	45	31
Under 1 year	5	3	2	4	3	1	1	-	1	1	-	1
1-4 years	5	3	2	4	3	1	1	-	1	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	-	-	-
30-34 years	8	7	1	3	2	1	5	5	-	4	4	-
35-39 years	18	12	6	12	8	4	6	4	2	5	4	1
40-44 years	29	20	9	24	16	8	5	4	1	4	3	1
45-49 years	53	35	18	45	32	13	8	3	5	8	3	5
50-54 years	62	42	20	50	32	18	12	10	2	11	9	2
55-59 years	35	23	12	28	18	10	7	5	2	6	5	1
60-64 years	50	24	26	43	19	24	7	5	2	7	5	2
65-69 years	58	26	32	54	25	29	4	1	3	2	-	2
70-74 years	56	31	25	43	27	16	13	4	9	10	3	7
75-79 years	85	36	49	67	25	42	18	11	7	14	7	7
80-84 years	61	30	31	58	30	28	3	-	3	1	-	1
85-89 years	43	20	23	39	17	22	4	3	1	2	1	1
90-94 years	19	4	15	19	4	15	-	-	-	-	-	-
95-99 years	9	3	6	8	2	6	1	1	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Abscess of liver (K75.0)												
All ages	149	72	77	120	58	62	29	14	15	21	9	12
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	1	1	1	-	1	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	1	2	2	1	1	1	-	1	1	-	1
45-49 years	6	4	2	5	4	1	1	-	1	1	-	1
50-54 years	9	7	2	7	5	2	2	2	-	2	2	-
55-59 years	12	9	3	9	7	2	3	2	1	2	2	-
60-64 years	20	7	13	15	4	11	5	3	2	5	3	2
65-69 years	12	6	6	9	5	4	3	1	2	1	-	1
70-74 years	18	8	10	12	7	5	6	1	5	5	1	4
75-79 years	23	6	17	18	4	14	5	2	3	3	-	3
80-84 years	19	11	8	19	11	8	-	-	-	-	-	-
85-89 years	11	7	4	10	6	4	1	1	-	-	-	-
90-94 years	9	3	6	9	3	6	-	-	-	-	-	-
95-99 years	4	1	3	3	-	3	1	1	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Granulomatous hepatitis, not elsewhere classified (K75.3)												
All ages	9	6	3	8	5	3	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified inflammatory liver diseases (K75.8)												
All ages	26	13	13	22	11	11	4	2	2	3	1	2
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	1	-	1	1	1	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	6	4	2	4	3	1	2	1	1	2	1	1
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Inflammatory liver disease, unspecified (K75.9)												
All ages	417	231	186	354	190	164	63	41	22	52	35	17
Under 1 year	3	2	1	2	2	-	1	-	1	1	-	1
1-4 years	4	2	2	3	2	1	1	-	1	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	-	-	-
30-34 years	6	6	-	2	2	-	4	4	-	3	3	-
35-39 years	18	12	6	12	8	4	6	4	2	5	4	1
40-44 years	24	18	6	21	15	6	3	3	-	3	3	-
45-49 years	45	30	15	39	27	12	6	3	3	6	3	3
50-54 years	49	33	16	39	25	14	10	8	2	9	7	2
55-59 years	22	14	8	18	11	7	4	3	1	4	3	1
60-64 years	27	15	12	25	13	12	2	2	-	2	2	-
65-69 years	40	17	23	39	17	22	1	-	1	1	-	1
70-74 years	35	21	14	29	19	10	6	2	4	5	2	3
75-79 years	55	25	30	44	17	27	11	8	3	9	6	3
80-84 years	39	18	21	36	18	18	3	-	3	1	-	1
85-89 years	31	12	19	28	10	18	3	2	1	2	1	1
90-94 years	10	1	9	10	1	9	-	-	-	-	-	-
95-99 years	4	2	2	4	2	2	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other diseases of liver (K76)												
All ages	3,255	1,945	1,310	2,689	1,623	1,066	566	322	244	452	255	197
Under 1 year	29	18	11	22	14	8	7	4	3	5	2	3
1-4 years	7	2	5	4	2	2	3	-	3	3	-	3
5-9 years	5	3	2	4	2	2	1	1	-	-	-	-
10-14 years	6	3	3	4	1	3	2	2	-	1	1	-
15-19 years	8	5	3	6	5	1	2	-	2	2	-	2
20-24 years	14	8	6	8	5	3	6	3	3	3	1	2
25-29 years	20	10	10	16	7	9	4	3	1	1	1	-
30-34 years	45	24	21	33	18	15	12	6	6	10	5	5
35-39 years	121	68	53	89	51	38	32	17	15	23	10	13
40-44 years	246	160	86	189	124	65	57	36	21	44	27	17
45-49 years	380	259	121	297	211	86	83	48	35	70	40	30
50-54 years	433	316	117	344	255	89	89	61	28	77	53	24
55-59 years	346	221	125	266	175	91	80	46	34	73	41	32
60-64 years	325	202	123	275	175	100	50	27	23	35	19	16
65-69 years	304	186	118	270	169	101	34	17	17	28	16	12
70-74 years	285	149	136	248	130	118	37	19	18	30	16	14
75-79 years	282	142	140	256	130	126	26	12	14	16	7	9
80-84 years	204	103	101	186	94	92	18	9	9	15	9	6
85-89 years	128	44	84	110	36	74	18	8	10	12	5	7
90-94 years	49	16	33	47	15	32	2	1	1	2	1	1
95-99 years	16	5	11	13	3	10	3	2	1	2	1	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-
Fatty (change of) liver, not elsewhere classified (K76.0)												
All ages	350	173	177	280	132	148	70	41	29	58	32	26
Under 1 year	2	2	-	1	1	-	1	1	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	6	5	1	5	4	1	1	1	-	-	-	-
25-29 years	8	4	4	5	2	3	3	2	1	1	1	-
30-34 years	16	10	6	14	8	6	2	2	-	2	2	-
35-39 years	35	17	18	23	12	11	12	5	7	9	2	7
40-44 years	58	29	29	47	24	23	11	5	6	11	5	6
45-49 years	64	35	29	49	26	23	15	9	6	13	7	6
50-54 years	44	20	24	33	15	18	11	5	6	11	5	6
55-59 years	35	16	19	25	8	17	10	8	2	9	8	1
60-64 years	31	16	15	29	14	15	2	2	-	1	1	-
65-69 years	15	5	10	14	4	10	1	1	-	1	1	-
70-74 years	9	2	7	9	2	7	-	-	-	-	-	-
75-79 years	14	6	8	13	6	7	1	-	1	-	-	-
80-84 years	5	3	2	5	3	2	-	-	-	-	-	-
85-89 years	4	-	4	4	-	4	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Chronic passive congestion of liver (K76.1)												
All ages	23	10	13	22	10	12	1	-	1	1	-	1
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	6	3	3	6	3	3	-	-	-	-	-	-
80-84 years	4	1	3	3	1	2	1	-	1	1	-	1
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Infarction of liver (K76.3)												
All ages	20	6	14	17	5	12	3	1	2	3	1	2
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	2	-	2	1	-	1	1	-	1	1	-	1
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	3	1	2	2	1	1	1	-	1	1	-	1
70-74 years	5	1	4	5	1	4	-	-	-	-	-	-
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Peliosis hepatis (K76.4)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hepatic veno-occlusive disease (K76.5)												
All ages	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Portal hypertension (K76.6)												
All ages	100	61	39	90	55	35	10	6	4	8	4	4
Under 1 year	5	3	2	3	2	1	2	1	1	2	1	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years	7	2	5	5	2	3	2	-	2	2	-	2
50-54 years	13	10	3	12	9	3	1	1	-	1	1	-
55-59 years	8	6	2	8	6	2	-	-	-	-	-	-
60-64 years	10	8	2	9	7	2	1	1	-	1	1	-
65-69 years	11	7	4	9	6	3	2	1	1	2	1	1
70-74 years	12	7	5	11	6	5	1	1	-	-	-	-
75-79 years	6	4	2	5	3	2	1	1	-	-	-	-
80-84 years	9	5	4	9	5	4	-	-	-	-	-	-
85-89 years	7	1	6	7	1	6	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hepatorenal syndrome (K76.7)												
All ages	483	304	179	401	253	148	82	51	31	65	42	23
Under 1 year	6	3	3	6	3	3	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	-	-	-	1	1	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	1	1	-	-	-	-	1	1	-	-	-	-
25-29 years	5	2	3	4	1	3	1	1	-	-	-	-
30-34 years	7	3	4	6	3	3	1	-	1	1	-	1
35-39 years	19	12	7	16	10	6	3	2	1	-	-	-
40-44 years	32	24	8	25	19	6	7	5	2	4	3	1
45-49 years	47	38	9	36	30	6	11	8	3	10	7	3
50-54 years	74	62	12	53	45	8	21	17	4	20	16	4
55-59 years	42	29	13	32	25	7	10	4	6	10	4	6
60-64 years	40	24	16	34	22	12	6	2	4	4	2	2
65-69 years	40	28	12	31	22	9	9	6	3	8	6	2
70-74 years	40	22	18	37	20	17	3	2	1	3	2	1
75-79 years	56	26	30	54	25	29	2	1	1	1	1	-
80-84 years	32	19	13	30	18	12	2	1	1	1	1	-
85-89 years	22	5	17	19	5	14	3	-	3	2	-	2
90-94 years	13	4	9	13	4	9	-	-	-	-	-	-
95-99 years	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified diseases of liver (K76.8)												
All ages	131	67	64	111	55	56	20	12	8	13	8	5
Under 1 year	5	3	2	3	2	1	2	1	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	2	1	1	1	-	1	1	1	-	1	1	-
40-44 years	4	3	1	2	2	-	2	1	1	-	-	-
45-49 years	3	2	1	2	1	1	1	1	-	1	1	-
50-54 years	7	6	1	5	4	1	2	2	-	2	2	-
55-59 years	6	2	4	5	2	3	1	-	1	1	-	1
60-64 years	8	3	5	7	3	4	1	-	1	1	-	1
65-69 years	20	5	15	19	4	15	1	1	-	1	1	-
70-74 years	18	9	9	16	8	8	2	1	1	1	1	-
75-79 years	19	12	7	16	10	6	3	2	1	1	1	-
80-84 years	14	10	4	13	9	4	1	1	-	1	1	-
85-89 years	14	6	8	12	5	7	2	1	1	1	-	1
90-94 years	5	1	4	5	1	4	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Liver disease, unspecified (K76.9)												
All ages	2,143	1,320	823	1,764	1,110	654	379	210	169	303	167	136
Under 1 year	7	4	3	5	3	2	2	1	1	2	1	1
1-4 years	6	1	5	3	1	2	3	-	3	3	-	3
5-9 years	3	1	2	3	1	2	-	-	-	-	-	-
10-14 years	3	2	1	1	-	1	2	2	-	1	1	-
15-19 years	3	2	1	3	2	1	-	-	-	-	-	-
20-24 years	6	2	4	2	1	1	4	1	3	3	1	2
25-29 years	6	4	2	6	4	2	-	-	-	-	-	-
30-34 years	17	7	10	8	3	5	9	4	5	7	3	4
35-39 years	60	34	26	45	26	19	15	8	7	12	6	6
40-44 years	147	101	46	110	76	34	37	25	12	29	19	10
45-49 years	257	181	76	204	152	52	53	29	24	43	24	19
50-54 years	293	218	75	240	182	58	53	36	17	42	29	13
55-59 years	254	168	86	195	134	61	59	34	25	53	29	24
60-64 years	235	150	85	195	128	67	40	22	18	28	15	13
65-69 years	212	137	75	192	129	63	20	8	12	15	7	8
70-74 years	199	108	91	168	93	75	31	15	16	26	13	13
75-79 years	178	90	88	159	82	77	19	8	11	14	5	9
80-84 years	139	65	74	125	58	67	14	7	7	12	7	5
85-89 years	79	32	47	66	25	41	13	7	6	9	5	4
90-94 years	27	10	17	25	9	16	2	1	1	2	1	1
95-99 years	12	3	9	9	1	8	3	2	1	2	1	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cholelithiasis (K80)												
All ages	1,138	503	635	994	435	559	144	68	76	101	42	59
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years	8	4	4	7	3	4	1	1	-	1	1	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	7	3	4	5	2	3	2	1	1	2	1	1
40-44 years	8	6	2	8	6	2	-	-	-	-	-	-
45-49 years	32	18	14	24	12	12	8	6	2	6	4	2
50-54 years	33	18	15	24	14	10	9	4	5	9	4	5
55-59 years	40	29	11	33	24	9	7	5	2	7	5	2
60-64 years	55	26	29	42	19	23	13	7	6	7	3	4
65-69 years	72	37	35	58	31	27	14	6	8	10	3	7
70-74 years	116	67	49	104	60	44	12	7	5	9	5	4
75-79 years	138	81	57	116	70	46	22	11	11	11	5	6
80-84 years	203	83	120	183	75	108	20	8	12	11	2	9
85-89 years	213	76	137	195	69	126	18	7	11	13	5	8
90-94 years	141	40	101	128	36	92	13	4	9	10	3	7
95-99 years	49	11	38	45	11	34	4	-	4	4	-	4
100 yrs & over	17	3	14	16	2	14	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Calculus of gallbladder with acute cholecystitis (K80.0)												
All ages	89	40	49	76	34	42	13	6	7	10	3	7
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	4	1	3	3	1	2	1	-	1	1	-	1
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years	6	4	2	3	2	1	3	2	1	1	-	1
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	8	5	3	8	5	3	-	-	-	-	-	-
75-79 years	9	8	1	7	6	1	2	2	-	2	2	-
80-84 years	17	8	9	14	7	7	3	1	2	2	-	2
85-89 years	19	7	12	18	7	11	1	-	1	1	-	1
90-94 years	15	3	12	14	3	11	1	-	1	1	-	1
95-99 years	5	1	4	4	1	3	1	-	1	1	-	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Calculus of gallbladder with other cholecystitis (K80.1)												
All ages	175	70	105	153	56	97	22	14	8	15	10	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	5	1	4	3	1	2	2	-	2	2	-	2
55-59 years	4	3	1	3	2	1	1	1	-	1	1	-
60-64 years	10	5	5	6	2	4	4	3	1	2	2	-
65-69 years	11	7	4	8	5	3	3	2	1	1	-	1
70-74 years	18	13	5	15	10	5	3	3	-	3	3	-
75-79 years	24	13	11	19	11	8	5	2	3	3	1	2
80-84 years	24	5	19	22	4	18	2	1	1	1	1	-
85-89 years	37	13	24	36	12	24	1	1	-	1	1	-
90-94 years	26	6	20	25	5	20	1	1	-	1	1	-
95-99 years	11	3	8	11	3	8	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Calculus of gallbladder without cholecystitis (K80.2)												
All ages	660	307	353	573	271	302	87	36	51	64	24	40
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	8	4	4	7	3	4	1	1	-	1	1	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	4	1	3	4	1	3	-	-	-	-	-	-
40-44 years	6	6	-	6	6	-	-	-	-	-	-	-
45-49 years	20	13	7	14	7	7	6	6	-	4	4	-
50-54 years	24	14	10	18	10	8	6	4	2	6	4	2
55-59 years	29	23	6	24	20	4	5	3	2	5	3	2
60-64 years	33	15	18	28	14	14	5	1	4	4	1	3
65-69 years	46	20	26	36	17	19	10	3	7	8	2	6
70-74 years	77	43	34	69	40	29	8	3	5	6	2	4
75-79 years	84	45	39	71	39	32	13	6	7	6	2	4
80-84 years	125	55	70	115	52	63	10	3	7	7	1	6
85-89 years	102	34	68	90	30	60	12	4	8	8	3	5
90-94 years	67	25	42	59	23	36	8	2	6	6	1	5
95-99 years	21	7	14	18	7	11	3	-	3	3	-	3
100 yrs & over	9	1	8	9	1	8	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Calculus of bile duct with cholangitis (K80.3)												
All ages	56	24	32	51	19	32	5	5	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	6	5	1	5	4	1	1	1	-	-	-	-
80-84 years	16	8	8	13	5	8	3	3	-	-	-	-
85-89 years	13	8	5	12	7	5	1	1	-	-	-	-
90-94 years	6	-	6	6	-	6	-	-	-	-	-	-
95-99 years	4	-	4	4	-	4	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Calculus of bile duct with cholecystitis (K80.4)												
All ages	30	10	20	24	9	15	6	1	5	4	-	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	2	1	1	1	-	1	1	1	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	5	3	2	4	3	1	1	-	1	1	-	1
85-89 years	7	2	5	7	2	5	-	-	-	-	-	-
90-94 years	6	1	5	4	1	3	2	-	2	1	-	1
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Calculus of bile duct without cholangitis or cholecystitis (K80.5)												
All ages	127	51	76	117	46	71	10	5	5	8	5	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	6	4	2	5	4	1	1	-	1	1	-	1
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years	10	8	2	9	7	2	1	1	-	1	1	-
70-74 years	7	3	4	7	3	4	-	-	-	-	-	-
75-79 years	13	8	5	12	8	4	1	-	1	-	-	-
80-84 years	16	4	12	15	4	11	1	-	1	-	-	-
85-89 years	35	12	23	32	11	21	3	1	2	3	1	2
90-94 years	21	5	16	20	4	16	1	1	-	1	1	-
95-99 years	7	-	7	7	-	7	-	-	-	-	-	-
100 yrs & over	3	2	1	2	1	1	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other cholelithiasis (K80.8)												
All ages	1	1	-	-	-	-	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cholecystitis (K81)												
All ages	1,475	687	788	1,262	594	668	213	93	120	173	69	104
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	2	1	1	1	1	-	1	-	1	1	-	1
25-29 years	2	-	2	2	-	2	-	-	-	-	-	-
30-34 years	4	3	1	2	2	-	2	1	1	2	1	1
35-39 years	10	5	5	7	4	3	3	1	2	3	1	2
40-44 years	10	7	3	7	5	2	3	2	1	3	2	1
45-49 years	30	17	13	20	11	9	10	6	4	6	4	2
50-54 years	21	15	6	15	12	3	6	3	3	5	3	2
55-59 years	41	25	16	28	18	10	13	7	6	11	6	5
60-64 years	68	40	28	55	33	22	13	7	6	12	6	6
65-69 years	97	50	47	71	34	37	26	16	10	19	12	7
70-74 years	179	88	91	147	79	68	32	9	23	31	8	23
75-79 years	237	121	116	210	112	98	27	9	18	22	5	17
80-84 years	251	123	128	219	112	107	32	11	21	28	7	21
85-89 years	276	116	160	247	103	144	29	13	16	19	9	10
90-94 years	185	60	125	173	54	119	12	6	6	8	3	5
95-99 years	50	10	40	46	8	38	4	2	2	3	2	1
100 yrs & over	11	5	6	11	5	6	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute cholecystitis (K81.0)												
All ages	727	369	358	619	320	299	108	49	59	82	33	49
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	3	2	1	2	1	1	1	1	-	1	1	-
40-44 years	6	5	1	5	4	1	1	1	-	1	1	-
45-49 years	14	9	5	8	6	2	6	3	3	4	2	2
50-54 years	8	6	2	5	3	2	3	3	-	3	3	-
55-59 years	20	13	7	13	8	5	7	5	2	5	4	1
60-64 years	35	23	12	28	19	9	7	4	3	6	3	3
65-69 years	41	22	19	27	13	14	14	9	5	8	5	3
70-74 years	93	45	48	74	42	32	19	3	16	19	3	16
75-79 years	114	67	47	101	63	38	13	4	9	11	2	9
80-84 years	133	69	64	120	64	56	13	5	8	11	3	8
85-89 years	143	63	80	128	57	71	15	6	9	8	4	4
90-94 years	85	35	50	79	31	48	6	4	2	3	1	2
95-99 years	23	6	17	21	5	16	2	1	1	1	1	-
100 yrs & over	6	3	3	6	3	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Chronic cholecystitis (K81.1)												
All ages	46	22	24	39	20	19	7	2	5	7	2	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	6	3	3	4	3	1	2	-	2	2	-	2
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years	5	2	3	4	2	2	1	-	1	1	-	1
80-84 years	5	2	3	3	1	2	2	1	1	2	1	1
85-89 years	6	2	4	5	2	3	1	-	1	1	-	1
90-94 years	10	5	5	9	4	5	1	1	-	1	1	-
95-99 years	4	-	4	4	-	4	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other cholecystitis (K81.8)												
All ages	6	3	3	6	3	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cholecystitis, unspecified (K81.9)												
All ages	696	293	403	598	251	347	98	42	56	84	34	50
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	3	3	-	2	2	-	1	1	-	1	1	-
35-39 years	7	3	4	5	3	2	2	-	2	2	-	2
40-44 years	4	2	2	2	1	1	2	1	1	2	1	1
45-49 years	14	7	7	10	4	6	4	3	1	2	2	-
50-54 years	11	7	4	8	7	1	3	-	3	2	-	2
55-59 years	18	10	8	12	8	4	6	2	4	6	2	4
60-64 years	27	14	13	23	11	12	4	3	1	4	3	1
65-69 years	55	27	28	43	20	23	12	7	5	11	7	4
70-74 years	82	40	42	69	34	35	13	6	7	12	5	7
75-79 years	118	52	66	105	47	58	13	5	8	10	3	7
80-84 years	112	51	61	95	46	49	17	5	12	15	3	12
85-89 years	126	51	75	113	44	69	13	7	6	10	5	5
90-94 years	89	20	69	84	19	65	5	1	4	4	1	3
95-99 years	23	4	19	21	3	18	2	1	1	2	1	1
100 yrs & over	4	1	3	4	1	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of gallbladder (K82)												
All ages	352	151	201	311	128	183	41	23	18	36	19	17
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	3	1	2	3	1	2	-	-	-	-	-	-
35-39 years	4	1	3	2	1	1	2	-	2	2	-	2
40-44 years	5	3	2	4	2	2	1	1	-	1	1	-
45-49 years	7	4	3	5	3	2	2	1	1	2	1	1
50-54 years	14	7	7	11	5	6	3	2	1	3	2	1
55-59 years	13	7	6	11	6	5	2	1	1	2	1	1
60-64 years	25	15	10	22	12	10	3	3	-	3	3	-
65-69 years	24	9	15	21	8	13	3	1	2	3	1	2
70-74 years	38	18	20	32	13	19	6	5	1	6	5	1
75-79 years	57	29	28	53	27	26	4	2	2	2	-	2
80-84 years	59	27	32	54	24	30	5	3	2	4	2	2
85-89 years	53	17	36	51	15	36	2	2	-	1	1	-
90-94 years	38	11	27	34	11	23	4	-	4	3	-	3
95-99 years	7	-	7	6	-	6	1	-	1	1	-	1
100 yrs & over	3	-	3	2	-	2	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Obstruction of gallbladder (K82.0)												
All ages	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hydrops of gallbladder (K82.1)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Perforation of gallbladder (K82.2)												
All ages	56	28	28	49	25	24	7	3	4	6	2	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years	3	1	2	2	1	1	1	-	1	1	-	1
70-74 years	5	2	3	5	2	3	-	-	-	-	-	-
75-79 years	9	6	3	9	6	3	-	-	-	-	-	-
80-84 years	13	7	6	11	6	5	2	1	1	1	-	1
85-89 years	10	4	6	10	4	6	-	-	-	-	-	-
90-94 years	7	2	5	7	2	5	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	2	-	2	1	-	1	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Fistula of gallbladder (K82.3)												
All ages	9	3	6	9	3	6	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	3	-	3	3	-	3	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified diseases of gallbladder (K82.8)												
All ages	9	3	6	6	1	5	3	2	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	3	2	1	1	-	1	2	2	-	2	2	-
75-79 years	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disease of gallbladder, unspecified (K82.9)												
All ages	273	114	159	242	96	146	31	18	13	27	15	12
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	3	1	2	3	1	2	-	-	-	-	-	-
35-39 years	4	1	3	2	1	1	2	-	2	2	-	2
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	6	3	3	4	2	2	2	1	1	2	1	1
50-54 years	13	6	7	10	4	6	3	2	1	3	2	1
55-59 years	12	7	5	11	6	5	1	1	-	1	1	-
60-64 years	22	12	10	20	10	10	2	2	-	2	2	-
65-69 years	20	7	13	18	6	12	2	1	1	2	1	1
70-74 years	26	13	13	22	10	12	4	3	1	4	3	1
75-79 years	45	22	23	42	20	22	3	2	1	1	-	1
80-84 years	44	19	25	41	17	24	3	2	1	3	2	1
85-89 years	37	11	26	35	9	26	2	2	-	1	1	-
90-94 years	29	9	20	25	9	16	4	-	4	3	-	3
95-99 years	7	-	7	6	-	6	1	-	1	1	-	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other diseases of biliary tract (K83)												
All ages	1,031	463	568	885	397	488	146	66	80	117	52	65
Under 1 year	6	3	3	3	1	2	3	2	1	1	-	1
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	4	-	4	3	-	3	1	-	1	1	-	1
30-34 years	7	5	2	3	2	1	4	3	1	4	3	1
35-39 years	14	8	6	5	4	1	9	4	5	9	4	5
40-44 years	14	9	5	10	8	2	4	1	3	4	1	3
45-49 years	35	16	19	26	12	14	9	4	5	8	4	4
50-54 years	33	23	10	27	19	8	6	4	2	5	4	1
55-59 years	34	17	17	24	13	11	10	4	6	8	4	4
60-64 years	47	25	22	39	22	17	8	3	5	7	2	5
65-69 years	70	41	29	57	34	23	13	7	6	12	6	6
70-74 years	106	60	46	90	51	39	16	9	7	13	7	6
75-79 years	126	68	58	108	58	50	18	10	8	13	8	5
80-84 years	175	76	99	163	74	89	12	2	10	9	1	8
85-89 years	174	65	109	161	61	100	13	4	9	10	3	7
90-94 years	127	34	93	111	27	84	16	7	9	10	3	7
95-99 years	45	10	35	42	9	33	3	1	2	2	1	1
100 yrs & over	11	-	11	11	-	11	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cholangitis (K83.0)												
All ages	566	279	287	479	241	238	87	38	49	69	30	39
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	5	4	1	3	2	1	2	2	-	2	2	-
35-39 years	14	8	6	5	4	1	9	4	5	9	4	5
40-44 years	11	7	4	7	6	1	4	1	3	4	1	3
45-49 years	31	13	18	23	10	13	8	3	5	7	3	4
50-54 years	26	19	7	22	15	7	4	4	-	4	4	-
55-59 years	23	11	12	18	10	8	5	1	4	3	1	2
60-64 years	25	16	9	20	14	6	5	2	3	4	1	3
65-69 years	43	25	18	37	22	15	6	3	3	5	2	3
70-74 years	57	30	27	50	26	24	7	4	3	6	4	2
75-79 years	80	43	37	69	37	32	11	6	5	7	4	3
80-84 years	102	46	56	94	46	48	8	-	8	6	-	6
85-89 years	84	37	47	76	34	42	8	3	5	6	2	4
90-94 years	43	14	29	34	10	24	9	4	5	5	1	4
95-99 years	20	6	14	19	5	14	1	1	-	1	1	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Obstruction of bile duct (K83.1)												
All ages	393	156	237	345	134	211	48	22	26	42	18	24
Under 1 year	6	3	3	3	1	2	3	2	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years	3	2	1	2	2	-	1	-	1	1	-	1
55-59 years	9	5	4	5	3	2	4	2	2	4	2	2
60-64 years	13	7	6	10	6	4	3	1	2	3	1	2
65-69 years	21	13	8	14	9	5	7	4	3	7	4	3
70-74 years	41	23	18	33	19	14	8	4	4	7	3	4
75-79 years	39	21	18	34	18	16	5	3	2	5	3	2
80-84 years	66	27	39	63	26	37	3	1	2	3	1	2
85-89 years	79	27	52	74	26	48	5	1	4	4	1	3
90-94 years	74	19	55	68	16	52	6	3	3	5	2	3
95-99 years	24	3	21	22	3	19	2	-	2	1	-	1
100 yrs & over	10	-	10	10	-	10	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Perforation of bile duct (K83.2)												
All ages	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Fistula of bile duct (K83.3)												
All ages	6	4	2	3	1	2	3	3	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	3	2	1	2	1	1	1	1	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases of biliary tract (K83.8)												
All ages	26	9	17	25	9	16	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	4	2	2	3	2	1	1	-	1	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	5	1	4	5	1	4	-	-	-	-	-	-
65-69 years	4	2	2	4	2	2	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years	5	-	5	5	-	5	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disease of biliary tract, unspecified (K83.9)												
All ages	37	15	22	30	12	18	7	3	4	5	3	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	3	-	3	2	-	2	1	-	1	1	-	1
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	5	5	-	5	5	-	-	-	-	-	-	-
75-79 years	6	3	3	4	2	2	2	1	1	1	1	-
80-84 years	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years	6	-	6	6	-	6	-	-	-	-	-	-
90-94 years	5	1	4	4	1	3	1	-	1	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute pancreatitis (K85)												
All ages	3,075	1,551	1,524	2,585	1,300	1,285	490	251	239	429	222	207
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	5	3	2	2	-	2	3	3	-	2	2	-
15-19 years	9	5	4	8	5	3	1	-	1	1	-	1
20-24 years	19	13	6	9	6	3	10	7	3	8	6	2
25-29 years	31	21	10	22	14	8	9	7	2	8	6	2
30-34 years	69	43	26	41	27	14	28	16	12	23	13	10
35-39 years	109	68	41	79	52	27	30	16	14	29	15	14
40-44 years	154	102	52	112	78	34	42	24	18	42	24	18
45-49 years	176	114	62	128	82	46	48	32	16	47	31	16
50-54 years	184	108	76	135	83	52	49	25	24	45	23	22
55-59 years	193	127	66	160	108	52	33	19	14	30	19	11
60-64 years	220	129	91	180	105	75	40	24	16	33	20	13
65-69 years	266	143	123	229	126	103	37	17	20	30	15	15
70-74 years	364	210	154	319	191	128	45	19	26	35	15	20
75-79 years	366	172	194	335	155	180	31	17	14	25	15	10
80-84 years	370	137	233	335	125	210	35	12	23	30	9	21
85-89 years	283	102	181	255	90	165	28	12	16	22	8	14
90-94 years	180	37	143	165	36	129	15	1	14	15	1	14
95-99 years	62	12	50	58	12	46	4	-	4	2	-	2
100 yrs & over	12	2	10	10	2	8	2	-	2	2	-	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other diseases of pancreas (K86)												
All ages	852	497	355	667	372	295	185	125	60	161	110	51
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	11	8	3	9	7	2	2	1	1	2	1	1
30-34 years	22	15	7	15	11	4	7	4	3	5	3	2
35-39 years	42	32	10	31	22	9	11	10	1	10	9	1
40-44 years	60	37	23	42	25	17	18	12	6	17	11	6
45-49 years	90	66	24	63	45	18	27	21	6	25	19	6
50-54 years	96	67	29	60	42	18	36	25	11	33	24	9
55-59 years	70	50	20	49	32	17	21	18	3	17	15	2
60-64 years	78	51	27	66	42	24	12	9	3	9	7	2
65-69 years	62	43	19	48	31	17	14	12	2	14	12	2
70-74 years	62	41	21	54	36	18	8	5	3	8	5	3
75-79 years	71	28	43	61	26	35	10	2	8	8	1	7
80-84 years	69	28	41	62	27	35	7	1	6	4	-	4
85-89 years	51	13	38	48	12	36	3	1	2	2	-	2
90-94 years	50	10	40	43	8	35	7	2	5	5	1	4
95-99 years	13	6	7	11	4	7	2	2	-	2	2	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Alcohol-induced chronic pancreatitis (K86.0)												
All ages	295	224	71	210	160	50	85	64	21	80	60	20
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	7	5	2	6	4	2	1	1	-	1	1	-
30-34 years	14	12	2	9	8	1	5	4	1	3	3	-
35-39 years	24	20	4	17	14	3	7	6	1	7	6	1
40-44 years	36	20	16	25	15	10	11	5	6	10	4	6
45-49 years	50	44	6	36	32	4	14	12	2	13	11	2
50-54 years	49	38	11	31	25	6	18	13	5	18	13	5
55-59 years	35	28	7	25	18	7	10	10	-	10	10	-
60-64 years	33	24	9	26	18	8	7	6	1	6	5	1
65-69 years	24	17	7	16	11	5	8	6	2	8	6	2
70-74 years	11	8	3	10	8	2	1	-	1	1	-	1
75-79 years	8	5	3	5	4	1	3	1	2	3	1	2
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other chronic pancreatitis (K86.1)												
All ages	278	151	127	219	109	110	59	42	17	47	33	14
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	11	8	3	8	5	3	3	3	-	2	2	-
40-44 years	19	14	5	12	7	5	7	7	-	7	7	-
45-49 years	31	18	13	20	11	9	11	7	4	10	6	4
50-54 years	25	16	9	11	6	5	14	10	4	13	9	4
55-59 years	25	15	10	18	10	8	7	5	2	4	3	1
60-64 years	26	13	13	22	10	12	4	3	1	3	2	1
65-69 years	17	11	6	16	10	6	1	1	-	1	1	-
70-74 years	22	18	4	20	16	4	2	2	-	2	2	-
75-79 years	26	10	16	24	9	15	2	1	1	1	-	1
80-84 years	28	13	15	24	12	12	4	1	3	2	-	2
85-89 years	15	5	10	13	4	9	2	1	1	1	-	1
90-94 years	20	5	15	18	4	14	2	1	1	1	1	-
95-99 years	8	2	6	8	2	6	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cyst of pancreas (K86.2)												
All ages	8	2	6	6	2	4	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pseudocyst of pancreas (K86.3)												
All ages	49	24	25	45	21	24	4	3	1	4	3	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	5	4	1	4	3	1	1	1	-	1	1	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	5	3	2	4	2	2	1	1	-	1	1	-
50-54 years	6	4	2	5	3	2	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	5	3	2	5	3	2	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years	11	3	8	11	3	8	-	-	-	-	-	-
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases of pancreas (K86.8)												
All ages	51	22	29	47	21	26	4	1	3	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	8	4	4	7	4	3	1	-	1	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	5	3	2	4	3	1	1	-	1	-	-	-
65-69 years	7	3	4	6	2	4	1	1	-	1	1	-
70-74 years	6	4	2	6	4	2	-	-	-	-	-	-
75-79 years	5	2	3	4	2	2	1	-	1	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	6	1	5	6	1	5	-	-	-	-	-	-
90-94 years	7	1	6	7	1	6	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disease of pancreas, unspecified (K86.9)												
All ages	171	74	97	140	59	81	31	15	16	27	13	14
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	5	2	3	4	2	2	1	-	1	1	-	1
35-39 years	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	3	1	2	2	-	2	1	1	-	1	1	-
50-54 years	8	5	3	6	4	2	2	1	1	1	1	-
55-59 years	9	7	2	6	4	2	3	3	-	2	2	-
60-64 years	8	7	1	8	7	1	-	-	-	-	-	-
65-69 years	12	11	1	8	7	1	4	4	-	4	4	-
70-74 years	19	9	10	14	6	8	5	3	2	5	3	2
75-79 years	27	9	18	23	9	14	4	-	4	4	-	4
80-84 years	25	10	15	22	10	12	3	-	3	2	-	2
85-89 years	23	5	18	22	5	17	1	-	1	1	-	1
90-94 years	22	3	19	17	2	15	5	1	4	4	-	4
95-99 years	5	4	1	3	2	1	2	2	-	2	2	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal malabsorption (K90)												
All ages	290	97	193	256	80	176	34	17	17	29	13	16
Under 1 year	24	10	14	13	5	8	11	5	6	10	5	5
1-4 years	13	11	2	5	4	1	8	7	1	7	6	1
5-9 years	4	-	4	4	-	4	-	-	-	-	-	-
10-14 years	2	-	2	2	-	2	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	5	1	4	4	-	4	1	1	-	1	1	-
45-49 years	14	4	10	14	4	10	-	-	-	-	-	-
50-54 years	15	5	10	13	4	9	2	1	1	1	-	1
55-59 years	11	6	5	10	5	5	1	1	-	-	-	-
60-64 years	17	4	13	15	3	12	2	1	1	2	1	1
65-69 years	22	9	13	20	9	11	2	-	2	2	-	2
70-74 years	32	12	20	31	12	19	1	-	1	1	-	1
75-79 years	50	12	38	48	12	36	2	-	2	2	-	2
80-84 years	42	13	29	42	13	29	-	-	-	-	-	-
85-89 years	24	3	21	23	3	20	1	-	1	1	-	1
90-94 years	9	3	6	8	3	5	1	-	1	1	-	1
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Celiac disease (K90.0)												
All ages	27	7	20	25	7	18	2	-	2	2	-	2
Under 1 year	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	4	-	4	4	-	4	-	-	-	-	-	-
75-79 years	8	3	5	7	3	4	1	-	1	1	-	1
80-84 years	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Tropical sprue (K90.1)												
All ages	28	12	16	27	12	15	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	4	3	1	3	3	-	1	-	1	1	-	1
70-74 years	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years	7	2	5	7	2	5	-	-	-	-	-	-
80-84 years	6	3	3	6	3	3	-	-	-	-	-	-
85-89 years	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Blind loop syndrome, not elsewhere classified (K90.2)												
All ages	143	56	87	116	40	76	27	16	11	22	12	10
Under 1 year	22	10	12	12	5	7	10	5	5	9	5	4
1-4 years	11	10	1	3	3	-	8	7	1	7	6	1
5-9 years	3	-	3	3	-	3	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	9	3	6	9	3	6	-	-	-	-	-	-
50-54 years	9	4	5	7	3	4	2	1	1	1	-	1
55-59 years	9	5	4	8	4	4	1	1	-	-	-	-
60-64 years	10	2	8	8	1	7	2	1	1	2	1	1
65-69 years	9	2	7	8	2	6	1	-	1	1	-	1
70-74 years	14	6	8	14	6	8	-	-	-	-	-	-
75-79 years	19	4	15	18	4	14	1	-	1	1	-	1
80-84 years	14	5	9	14	5	9	-	-	-	-	-	-
85-89 years	7	1	6	6	1	5	1	-	1	1	-	1
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malabsorption due to intolerance, not elsewhere classified (K90.4)												
All ages	11	2	9	11	2	9	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other intestinal malabsorption (K90.8)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal malabsorption, unspecified (K90.9)												
All ages	78	18	60	74	17	57	4	1	3	4	1	3
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	4	1	3	3	-	3	1	1	-	1	1	-
45-49 years	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years	4	1	3	4	1	3	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	4	-	4	4	-	4	-	-	-	-	-	-
65-69 years	6	2	4	6	2	4	-	-	-	-	-	-
70-74 years	7	3	4	6	3	3	1	-	1	1	-	1
75-79 years	15	3	12	15	3	12	-	-	-	-	-	-
80-84 years	18	4	14	18	4	14	-	-	-	-	-	-
85-89 years	8	1	7	8	1	7	-	-	-	-	-	-
90-94 years	5	1	4	4	1	3	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other diseases of the digestive system (K92)												
All ages	7,919	3,549	4,370	6,923	3,053	3,870	996	496	500	882	431	451
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	3	3	-	3	3	-	-	-	-	-	-	-
25-29 years	12	7	5	6	5	1	6	2	4	6	2	4
30-34 years	22	17	5	18	14	4	4	3	1	4	3	1
35-39 years	37	27	10	28	20	8	9	7	2	8	6	2
40-44 years	89	65	24	59	46	13	30	19	11	24	15	9
45-49 years	130	99	31	95	72	23	35	27	8	31	25	6
50-54 years	172	135	37	125	98	27	47	37	10	43	34	9
55-59 years	243	164	79	180	122	58	63	42	21	59	40	19
60-64 years	327	200	127	250	158	92	77	42	35	70	38	32
65-69 years	439	268	171	352	216	136	87	52	35	77	45	32
70-74 years	642	364	278	547	309	238	95	55	40	82	49	33
75-79 years	999	523	476	859	447	412	140	76	64	125	65	60
80-84 years	1,408	623	785	1,280	574	706	128	49	79	116	45	71
85-89 years	1,515	561	954	1,399	519	880	116	42	74	100	33	67
90-94 years	1,226	361	865	1,134	337	797	92	24	68	79	16	63
95-99 years	530	108	422	477	93	384	53	15	38	45	12	33
100 yrs & over	121	21	100	108	18	90	13	3	10	12	2	10
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hematemesis (K92.0)												
All ages	50	19	31	45	16	29	5	3	2	5	3	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	3	1	2	2	1	1	1	-	1	1	-	1
60-64 years	2	1	1	-	-	-	2	1	1	2	1	1
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	7	2	5	7	2	5	-	-	-	-	-	-
75-79 years	6	3	3	5	2	3	1	1	-	1	1	-
80-84 years	7	5	2	6	4	2	1	1	-	1	1	-
85-89 years	8	2	6	8	2	6	-	-	-	-	-	-
90-94 years	6	1	5	6	1	5	-	-	-	-	-	-
95-99 years	6	1	5	6	1	5	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Melena (K92.1)												
All ages	5	3	2	4	2	2	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	3	3	-	2	2	-	1	1	-	1	1	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Gastrointestinal hemorrhage, unspecified (K92.2)												
All ages	7,804	3,501	4,303	6,823	3,014	3,809	981	487	494	870	424	446
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	12	7	5	6	5	1	6	2	4	6	2	4
30-34 years	21	17	4	17	14	3	4	3	1	4	3	1
35-39 years	35	27	8	26	20	6	9	7	2	8	6	2
40-44 years	86	65	21	57	46	11	29	19	10	24	15	9
45-49 years	128	98	30	93	71	22	35	27	8	31	25	6
50-54 years	171	135	36	124	98	26	47	37	10	43	34	9
55-59 years	238	163	75	176	121	55	62	42	20	58	40	18
60-64 years	322	198	124	249	158	91	73	40	33	66	36	30
65-69 years	436	266	170	349	214	135	87	52	35	77	45	32
70-74 years	629	358	271	535	303	232	94	55	39	81	49	32
75-79 years	984	516	468	845	441	404	139	75	64	124	64	60
80-84 years	1,390	613	777	1,266	567	699	124	46	78	113	43	70
85-89 years	1,495	552	943	1,380	511	869	115	41	74	99	32	67
90-94 years	1,213	357	856	1,122	334	788	91	23	68	79	16	63
95-99 years	522	107	415	469	92	377	53	15	38	45	12	33
100 yrs & over	120	21	99	107	18	89	13	3	10	12	2	10
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified diseases of digestive system (K92.8)												
All ages	11	6	5	10	5	5	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	3	1	2	2	-	2	1	1	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disease of digestive system, unspecified (K92.9)												
All ages	49	20	29	41	16	25	8	4	4	6	3	3
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	2	-	2	1	-	1	1	-	1	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	3	1	2	1	-	1	2	1	1	2	1	1
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	5	3	2	4	3	1	1	-	1	1	-	1
75-79 years	8	3	5	8	3	5	-	-	-	-	-	-
80-84 years	8	4	4	6	3	3	2	1	1	2	1	1
85-89 years	8	3	5	8	3	5	-	-	-	-	-	-
90-94 years	4	2	2	3	1	2	1	1	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Staphylococcal scalded skin syndrome (L00)												
All ages	4	1	3	2	1	1	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Impetigo (L01)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Impetigo [any organism] [any site] (L01.0)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cutaneous abscess, furuncle, and carbuncle (L02)												
All ages	198	74	124	150	56	94	48	18	30	47	18	29
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	3	3	-	2	2	-	1	1	-	1	1	-
30-34 years	3	3	-	2	2	-	1	1	-	1	1	-
35-39 years	6	2	4	3	2	1	3	-	3	2	-	2
40-44 years	11	6	5	7	4	3	4	2	2	4	2	2
45-49 years	7	3	4	3	1	2	4	2	2	4	2	2
50-54 years	16	8	8	12	5	7	4	3	1	4	3	1
55-59 years	11	5	6	6	3	3	5	2	3	5	2	3
60-64 years	14	10	4	10	7	3	4	3	1	4	3	1
65-69 years	9	3	6	6	3	3	3	-	3	3	-	3
70-74 years	16	6	10	16	6	10	-	-	-	-	-	-
75-79 years	25	9	16	22	7	15	3	2	1	3	2	1
80-84 years	33	5	28	27	5	22	6	-	6	6	-	6
85-89 years	20	7	13	18	6	12	2	1	1	2	1	1
90-94 years	12	3	9	10	3	7	2	-	2	2	-	2
95-99 years	9	1	8	6	-	6	3	1	2	3	1	2
100 yrs & over	1	-	1	-	-	-	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cutaneous abscess, furuncle, and carbuncle of face (L02.0)												
All ages	5	2	3	4	1	3	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cutaneous abscess, furuncle, and carbuncle of neck (L02.1)												
All ages	12	9	3	8	5	3	4	4	-	4	4	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	2	1	1	1	-	1	1	1	-	1	1	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cutaneous abscess, furuncle, and carbuncle of trunk (L02.2)												
All ages	45	10	35	38	9	29	7	1	6	7	1	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	-	3	2	-	2	1	-	1	1	-	1
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	2	1	1	1	-	1	1	1	-	1	1	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years	9	2	7	8	2	6	1	-	1	1	-	1
80-84 years	9	-	9	8	-	8	1	-	1	1	-	1
85-89 years	7	2	5	7	2	5	-	-	-	-	-	-
90-94 years	5	2	3	4	2	2	1	-	1	1	-	1
95-99 years	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cutaneous abscess, furuncle, and carbuncle of buttock (L02.3)												
All ages	11	3	8	9	3	6	2	-	2	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	5	2	3	4	2	2	1	-	1	1	-	1
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cutaneous abscess, furuncle, and carbuncle of limb (L02.4)												
All ages	70	30	40	46	22	24	24	8	16	24	8	16
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	-	2	-	-	-	2	-	2	2	-	2
40-44 years	4	2	2	2	1	1	2	1	1	2	1	1
45-49 years	4	2	2	1	1	-	3	1	2	3	1	2
50-54 years	7	3	4	5	2	3	2	1	1	2	1	1
55-59 years	5	2	3	3	2	1	2	-	2	2	-	2
60-64 years	8	6	2	5	3	2	3	3	-	3	3	-
65-69 years	2	1	1	1	1	-	1	-	1	1	-	1
70-74 years	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years	11	6	5	9	4	5	2	2	-	2	2	-
80-84 years	14	3	11	9	3	6	5	-	5	5	-	5
85-89 years	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years	3	1	2	2	1	1	1	-	1	1	-	1
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	1	-	1	-	-	-	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cutaneous abscess, furuncle, and carbuncle of other sites (L02.8)												
All ages	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cutaneous abscess, furuncle, and carbuncle, unspecified (L02.9)												
All ages	51	17	34	41	13	28	10	4	6	10	4	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years	3	3	-	2	2	-	1	1	-	1	1	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	4	2	2	4	2	2	-	-	-	-	-	-
55-59 years	4	2	2	2	1	1	2	1	1	2	1	1
60-64 years	4	2	2	3	2	1	1	-	1	1	-	1
65-69 years	5	-	5	3	-	3	2	-	2	2	-	2
70-74 years	6	1	5	6	1	5	-	-	-	-	-	-
75-79 years	5	1	4	5	1	4	-	-	-	-	-	-
80-84 years	5	1	4	5	1	4	-	-	-	-	-	-
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	3	1	2	1	-	1	2	1	1	2	1	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cellulitis (L03)												
All ages	858	350	508	766	315	451	92	35	57	73	27	46
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	4	1	3	2	-	2	2	1	1	1	-	1
35-39 years	12	8	4	8	5	3	4	3	1	3	2	1
40-44 years	12	7	5	8	4	4	4	3	1	2	2	-
45-49 years	41	30	11	32	25	7	9	5	4	6	4	2
50-54 years	30	15	15	24	11	13	6	4	2	6	4	2
55-59 years	39	22	17	31	20	11	8	2	6	6	1	5
60-64 years	42	19	23	33	18	15	9	1	8	7	1	6
65-69 years	65	37	28	57	33	24	8	4	4	8	4	4
70-74 years	66	39	27	61	38	23	5	1	4	2	-	2
75-79 years	107	49	58	100	44	56	7	5	2	6	4	2
80-84 years	115	41	74	106	39	67	9	2	7	7	2	5
85-89 years	164	51	113	156	49	107	8	2	6	7	1	6
90-94 years	96	23	73	89	23	66	7	-	7	7	-	7
95-99 years	47	6	41	44	6	38	3	-	3	2	-	2
100 yrs & over	13	-	13	13	-	13	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cellulitis of finger and toe (L03.0)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cellulitis of other parts of limb (L03.1)												
All ages	356	144	212	325	130	195	31	14	17	25	11	14
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years	6	4	2	5	3	2	1	1	-	1	1	-
40-44 years	5	4	1	3	2	1	2	2	-	1	1	-
45-49 years	12	9	3	8	7	1	4	2	2	2	2	-
50-54 years	11	5	6	9	4	5	2	1	1	2	1	1
55-59 years	14	8	6	11	7	4	3	1	2	3	1	2
60-64 years	17	8	9	16	8	8	1	-	1	1	-	1
65-69 years	27	16	11	24	14	10	3	2	1	3	2	1
70-74 years	27	14	13	25	13	12	2	1	1	1	-	1
75-79 years	42	24	18	39	21	18	3	3	-	3	3	-
80-84 years	46	16	30	45	16	29	1	-	1	1	-	1
85-89 years	70	20	50	66	19	47	4	1	3	3	-	3
90-94 years	45	12	33	43	12	31	2	-	2	2	-	2
95-99 years	23	4	19	21	4	17	2	-	2	1	-	1
100 yrs & over	8	-	8	8	-	8	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cellulitis of face (L03.2)												
All ages	11	-	11	10	-	10	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	2	-	2	1	-	1	1	-	1	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cellulitis of trunk (L03.3)												
All ages	37	15	22	34	13	21	3	2	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	3	-	3	3	-	3	-	-	-	-	-	-
55-59 years	5	3	2	5	3	2	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	3	1	2	2	1	1	1	-	1	1	-	1
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	5	2	3	5	2	3	-	-	-	-	-	-
80-84 years	4	2	2	3	1	2	1	1	-	1	1	-
85-89 years	10	3	7	9	2	7	1	1	-	1	1	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cellulitis of other sites (L03.8)												
All ages	10	3	7	6	2	4	4	1	3	4	1	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cellulitis, unspecified (L03.9)												
All ages	442	186	256	389	168	221	53	18	35	41	13	28
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	1	1	-	-	-	2	1	1	1	-	1
35-39 years	4	3	1	1	1	-	3	2	1	2	1	1
40-44 years	7	3	4	5	2	3	2	1	1	1	1	-
45-49 years	27	19	8	22	16	6	5	3	2	4	2	2
50-54 years	16	10	6	12	7	5	4	3	1	4	3	1
55-59 years	18	10	8	13	9	4	5	1	4	3	-	3
60-64 years	24	11	13	17	10	7	7	1	6	5	1	4
65-69 years	35	20	15	31	18	13	4	2	2	4	2	2
70-74 years	37	24	13	34	24	10	3	-	3	1	-	1
75-79 years	56	22	34	52	20	32	4	2	2	3	1	2
80-84 years	62	23	39	57	22	35	5	1	4	4	1	3
85-89 years	81	28	53	78	28	50	3	-	3	3	-	3
90-94 years	44	9	35	40	9	31	4	-	4	4	-	4
95-99 years	22	2	20	21	2	19	1	-	1	1	-	1
100 yrs & over	4	-	4	4	-	4	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pilonidal cyst (L05)												
All ages	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pilonidal cyst without abscess (L05.9)												
All ages	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other local infections of skin and subcutaneous tissue (L08)												
All ages	184	82	102	150	66	84	34	16	18	29	14	15
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	3	3	-	2	2	-	1	1	-	1	1	-
40-44 years	3	2	1	1	1	-	2	1	1	2	1	1
45-49 years	8	5	3	5	2	3	3	3	-	2	2	-
50-54 years	12	9	3	11	8	3	1	1	-	1	1	-
55-59 years	9	6	3	7	4	3	2	2	-	1	1	-
60-64 years	17	11	6	14	10	4	3	1	2	2	1	1
65-69 years	11	8	3	9	7	2	2	1	1	2	1	1
70-74 years	22	9	13	18	7	11	4	2	2	4	2	2
75-79 years	18	7	11	13	6	7	5	1	4	4	1	3
80-84 years	27	9	18	24	8	16	3	1	2	3	1	2
85-89 years	23	7	16	21	6	15	2	1	1	2	1	1
90-94 years	20	6	14	17	5	12	3	1	2	3	1	2
95-99 years	7	-	7	6	-	6	1	-	1	1	-	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pyoderma (L08.0)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified local infections of skin and subcutaneous tissue (L08.8)												
All ages	2	1	1	1	-	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Local infection of skin and subcutaneous tissue, unspecified (L08.9)												
All ages	180	80	100	147	65	82	33	15	18	28	13	15
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	3	3	-	2	2	-	1	1	-	1	1	-
40-44 years	3	2	1	1	1	-	2	1	1	2	1	1
45-49 years	8	5	3	5	2	3	3	3	-	2	2	-
50-54 years	12	9	3	11	8	3	1	1	-	1	1	-
55-59 years	9	6	3	7	4	3	2	2	-	1	1	-
60-64 years	16	10	6	13	9	4	3	1	2	2	1	1
65-69 years	11	8	3	9	7	2	2	1	1	2	1	1
70-74 years	21	8	13	18	7	11	3	1	2	3	1	2
75-79 years	18	7	11	13	6	7	5	1	4	4	1	3
80-84 years	27	9	18	24	8	16	3	1	2	3	1	2
85-89 years	22	7	15	20	6	14	2	1	1	2	1	1
90-94 years	19	6	13	16	5	11	3	1	2	3	1	2
95-99 years	7	-	7	6	-	6	1	-	1	1	-	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pemphigus (L10)												
All ages	59	13	46	52	12	40	7	1	6	6	1	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	3	2	1	2	1	1	1	1	-	1	1	-
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	9	2	7	8	2	6	1	-	1	1	-	1
80-84 years	14	4	10	14	4	10	-	-	-	-	-	-
85-89 years	11	-	11	10	-	10	1	-	1	1	-	1
90-94 years	9	3	6	8	3	5	1	-	1	1	-	1
95-99 years	6	-	6	4	-	4	2	-	2	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus vulgaris (L10.0)												
All ages	17	3	14	16	3	13	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	6	1	5	6	1	5	-	-	-	-	-	-
80-84 years	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pemphigus, unspecified (L10.9)												
All ages	42	10	32	36	9	27	6	1	5	5	1	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	2	1	1	1	-	1	1	1	-	1	1	-
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	3	1	2	2	1	1	1	-	1	1	-	1
80-84 years	11	4	7	11	4	7	-	-	-	-	-	-
85-89 years	8	-	8	7	-	7	1	-	1	1	-	1
90-94 years	7	3	4	6	3	3	1	-	1	1	-	1
95-99 years	5	-	5	4	-	4	1	-	1	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigoid (L12)												
All ages	80	16	64	62	10	52	18	6	12	14	4	10
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	1	1	1	-	1	1	1	-	1	1	-
70-74 years	3	-	3	1	-	1	2	-	2	-	-	-
75-79 years	7	4	3	6	3	3	1	1	-	1	1	-
80-84 years	22	5	17	18	3	15	4	2	2	3	1	2
85-89 years	21	1	20	17	1	16	4	-	4	4	-	4
90-94 years	13	4	9	12	3	9	1	1	-	-	-	-
95-99 years	8	1	7	3	-	3	5	1	4	5	1	4
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Bullous pemphigoid (L12.0)												
All ages	68	12	56	52	7	45	16	5	11	12	3	9
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	1	1	1	-	1	1	1	-	1	1	-
70-74 years	3	-	3	1	-	1	2	-	2	-	-	-
75-79 years	6	3	3	5	2	3	1	1	-	1	1	-
80-84 years	19	3	16	16	2	14	3	1	2	2	-	2
85-89 years	18	1	17	15	1	14	3	-	3	3	-	3
90-94 years	11	3	8	10	2	8	1	1	-	-	-	-
95-99 years	8	1	7	3	-	3	5	1	4	5	1	4
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cicatricial pemphigoid (L12.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acquired epidermolysis bullosa (L12.3)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigoid, unspecified (L12.9)												
All ages	10	3	7	8	2	6	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	3	2	1	2	1	1	1	1	-	1	1	-
85-89 years	2	-	2	1	-	1	1	-	1	1	-	1
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other bullous disorders (L13)												
All ages	7	4	3	6	3	3	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	1	1	1	-	1	1	1	-	1	1	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Dermatitis herpetiformis (L13.0)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Bullous disorder, unspecified (L13.9)												
All ages	6	4	2	5	3	2	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	1	-	-	-	-	1	1	-	1	1	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Atopic dermatitis (L20)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Atopic dermatitis, unspecified (L20.9)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Irritant contact dermatitis (L24)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Irritant contact dermatitis, unspecified cause (L24.9)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified contact dermatitis (L25)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified contact dermatitis due to drugs in contact with the skin (L25.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Exfoliative dermatitis (L26)												
All ages	12	7	5	4	2	2	8	5	3	8	5	3
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	2	2	-	-	-	-	2	2	-	2	2	-
80-84 years	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	2	1	1	1	-	1	1	1	-	1	1	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Lichen simplex chronicus and prurigo (L28)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Prurigo nodularis (L28.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other dermatitis (L30)												
All ages	12	3	9	8	2	6	4	1	3	3	-	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	1	-	1	1	1	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	2	-	2	1	-	1	1	-	1	1	-	1
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	2	-	2	1	-	1	1	-	1	1	-	1
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Erythema intertrigo (L30.4)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified dermatitis (L30.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Dermatitis, unspecified (L30.9)												
All ages	10	2	8	6	1	5	4	1	3	3	-	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	1	-	1	1	1	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	2	-	2	1	-	1	1	-	1	1	-	1
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	-	2	1	-	1	1	-	1	1	-	1
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Psoriasis (L40)												
All ages	29	13	16	22	8	14	7	5	2	4	2	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	-	-	-	2	2	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	1	2	2	-	2	1	1	-	-	-	-
45-49 years	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years	1	1	-	-	-	-	1	1	-	-	-	-
55-59 years	4	1	3	2	-	2	2	1	1	2	1	1
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	7	4	3	7	4	3	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Generalized pustular psoriasis (L40.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Arthropathic psoriasis (L40.5)												
All ages	10	6	4	7	3	4	3	3	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	1	-	1	1	1	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other psoriasis (L40.8)												
All ages	4	1	3	2	1	1	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Psoriasis, unspecified (L40.9)												
All ages	14	5	9	12	3	9	2	2	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	-	-	-	2	2	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Parapsoriasis (L41)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Lymphomatoid papulosis (L41.2)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Lichen planus (L43)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other lichen planus (L43.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Lichen planus, unspecified (L43.9)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Urticaria (L50)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Urticaria, unspecified (L50.9)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Erythema multiforme (L51)												
All ages	110	43	67	54	23	31	56	20	36	52	19	33
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	1	1	1	1	-	1	-	1	1	-	1
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	6	3	3	2	1	1	4	2	2	4	2	2
40-44 years	3	2	1	-	-	-	3	2	1	3	2	1
45-49 years	7	3	4	3	1	2	4	2	2	4	2	2
50-54 years	5	4	1	4	3	1	1	1	-	1	1	-
55-59 years	5	3	2	2	1	1	3	2	1	3	2	1
60-64 years	6	1	5	1	-	1	5	1	4	4	1	3
65-69 years	8	4	4	3	2	1	5	2	3	4	1	3
70-74 years	17	7	10	6	4	2	11	3	8	9	3	6
75-79 years	12	5	7	6	2	4	6	3	3	6	3	3
80-84 years	10	3	7	7	3	4	3	-	3	3	-	3
85-89 years	13	2	11	9	2	7	4	-	4	4	-	4
90-94 years	9	2	7	6	2	4	3	-	3	3	-	3
95-99 years	2	1	1	1	-	1	1	1	-	1	1	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Bullous erythema multiforme (L51.1)												
All ages	49	21	28	29	13	16	20	8	12	17	7	10
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	1	1	1	1	-	1	-	1	1	-	1
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	4	3	1	1	1	-	3	2	1	3	2	1
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	3	2	1	2	1	1	1	1	-	1	1	-
55-59 years	4	2	2	2	1	1	2	1	1	2	1	1
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	5	3	2	3	2	1	2	1	1	1	-	1
70-74 years	6	3	3	4	3	1	2	-	2	-	-	-
75-79 years	3	1	2	2	-	2	1	1	-	1	1	-
80-84 years	3	1	2	2	1	1	1	-	1	1	-	1
85-89 years	10	2	8	7	2	5	3	-	3	3	-	3
90-94 years	5	1	4	4	1	3	1	-	1	1	-	1
95-99 years	1	1	-	-	-	-	1	1	-	1	1	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Toxic epidermal necrolysis [Lyell] (L51.2)												
All ages	55	22	33	21	10	11	34	12	22	33	12	21
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	2	-	2	1	-	1	1	-	1	1	-	1
40-44 years	2	1	1	-	-	-	2	1	1	2	1	1
45-49 years	7	3	4	3	1	2	4	2	2	4	2	2
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	4	1	3	-	-	-	4	1	3	3	1	2
65-69 years	3	1	2	-	-	-	3	1	2	3	1	2
70-74 years	10	4	6	1	1	-	9	3	6	9	3	6
75-79 years	9	4	5	4	2	2	5	2	3	5	2	3
80-84 years	6	2	4	4	2	2	2	-	2	2	-	2
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	3	1	2	2	1	1	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Erythema multiforme, unspecified (L51.9)												
All ages	6	-	6	4	-	4	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other erythematous conditions (L53)												
All ages	15	7	8	14	6	8	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified erythematous conditions (L53.8)												
All ages	2	1	1	1	-	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Erythematous condition, unspecified (L53.9)												
All ages	13	6	7	13	6	7	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Sunburn (L55)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sunburn of second degree (L55.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Skin changes due to chronic exposure to nonionizing radiation (L57)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Skin changes due to chronic exposure to nonionizing radiation, unspecified (L57.9)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of skin and subcutaneous tissue related to radiation (L59)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified disorders of skin and subcutaneous tissue related to radiation (L59.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Alopecia areata (L63)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Ophiasis (L63.2)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other follicular disorders (L73)												
All ages	4	2	2	3	1	2	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hidradenitis suppurativa (L73.2)												
All ages	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Follicular disorder, unspecified (L73.9)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other disorders of pigmentation (L81)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cafe au lait spots (L81.3)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other melanin hyperpigmentation (L81.4)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorder of pigmentation, unspecified (L81.9)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pyoderma gangrenosum (L88)												
All ages	9	5	4	9	5	4	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Decubitus ulcer (L89)												
All ages	1,638	552	1,086	1,116	371	745	522	181	341	508	178	330
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	3	1	2	2	-	2	1	1	-	1	1	-
30-34 years	3	-	3	2	-	2	1	-	1	1	-	1
35-39 years	3	3	-	2	2	-	1	1	-	1	1	-
40-44 years	9	3	6	5	3	2	4	-	4	3	-	3
45-49 years	14	7	7	12	5	7	2	2	-	2	2	-
50-54 years	27	14	13	14	8	6	13	6	7	12	6	6
55-59 years	35	21	14	25	16	9	10	5	5	10	5	5
60-64 years	40	18	22	23	10	13	17	8	9	16	8	8
65-69 years	71	42	29	43	27	16	28	15	13	28	15	13
70-74 years	128	57	71	85	39	46	43	18	25	42	17	25
75-79 years	241	100	141	162	64	98	79	36	43	76	36	40
80-84 years	307	117	190	210	81	129	97	36	61	94	36	58
85-89 years	370	107	263	259	74	185	111	33	78	108	31	77
90-94 years	242	42	200	172	29	143	70	13	57	70	13	57
95-99 years	106	12	94	80	10	70	26	2	24	26	2	24
100 yrs & over	38	7	31	19	2	17	19	5	14	18	5	13
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Atrophic disorders of the skin (L90)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Scar conditions and fibrosis of skin (L90.5)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Granulomatous disorders of skin and subcutaneous tissue (L92)												
All ages	10	5	5	6	3	3	4	2	2	4	2	2
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other granulomatous disorders of skin and subcutaneous tissue (L92.8)												
All ages	4	2	2	2	1	1	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Granulomatous disorder of skin and subcutaneous tissue, unspecified (L92.9)															
All ages	6	3	3	4	2	2	2	1	1	2	1	1			
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-			
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-			
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-			
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1			
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-			
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-			
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-			
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-			
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			
Lupus erythematosus (L93)															
All ages	217	31	186	147	25	122	70	6	64	65	6	59			
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years	2	1	1	1	-	1	1	1	-	1	1	-			
15-19 years	3	-	3	2	-	2	1	-	1	1	-	1			
20-24 years	2	1	1	1	1	-	1	-	1	-	-	-			
25-29 years	11	1	10	3	1	2	8	-	8	8	-	8			
30-34 years	10	-	10	6	-	6	4	-	4	4	-	4			
35-39 years	15	1	14	4	-	4	11	1	10	11	1	10			
40-44 years	22	5	17	13	4	9	9	1	8	8	1	7			
45-49 years	18	2	16	10	2	8	8	-	8	8	-	8			
50-54 years	18	3	15	12	2	10	6	1	5	5	1	4			
55-59 years	17	3	14	12	2	10	5	1	4	4	1	3			
60-64 years	21	3	18	15	3	12	6	-	6	5	-	5			
65-69 years	17	2	15	14	2	12	3	-	3	3	-	3			
70-74 years	16	4	12	15	4	11	1	-	1	1	-	1			
75-79 years	16	3	13	10	2	8	6	1	5	6	1	5			
80-84 years	20	2	18	20	2	18	-	-	-	-	-	-			
85-89 years	5	-	5	5	-	5	-	-	-	-	-	-			
90-94 years	4	-	4	4	-	4	-	-	-	-	-	-			
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Discoid lupus erythematosus (L93.0)												
All ages	216	31	185	146	25	121	70	6	64	65	6	59
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	1	1	1	-	1	1	1	-	1	1	-
15-19 years	3	-	3	2	-	2	1	-	1	1	-	1
20-24 years	2	1	1	1	1	-	1	-	1	-	-	-
25-29 years	11	1	10	3	1	2	8	-	8	8	-	8
30-34 years	10	-	10	6	-	6	4	-	4	4	-	4
35-39 years	15	1	14	4	-	4	11	1	10	11	1	10
40-44 years	21	5	16	12	4	8	9	1	8	8	1	7
45-49 years	18	2	16	10	2	8	8	-	8	8	-	8
50-54 years	18	3	15	12	2	10	6	1	5	5	1	4
55-59 years	17	3	14	12	2	10	5	1	4	4	1	3
60-64 years	21	3	18	15	3	12	6	-	6	5	-	5
65-69 years	17	2	15	14	2	12	3	-	3	3	-	3
70-74 years	16	4	12	15	4	11	1	-	1	1	-	1
75-79 years	16	3	13	10	2	8	6	1	5	6	1	5
80-84 years	20	2	18	20	2	18	-	-	-	-	-	-
85-89 years	5	-	5	5	-	5	-	-	-	-	-	-
90-94 years	4	-	4	4	-	4	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other local lupus erythematosus (L93.2)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other localized connective tissue disorders (L94)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Poikiloderma vasculare atrophicans (L94.5)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Vasculitis limited to the skin, not elsewhere classified (L95)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other vasculitis limited to skin (L95.8)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Ulcer of lower limb, not elsewhere classified (L97)												
All ages	132	49	83	111	38	73	21	11	10	19	10	9
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	-	2	-	-	-	2	-	2	1	-	1
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	3	3	-	1	1	-	2	2	-	2	2	-
50-54 years	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	6	4	2	3	3	-	3	1	2	3	1	2
70-74 years	9	7	2	5	4	1	4	3	1	3	2	1
75-79 years	11	7	4	9	5	4	2	2	-	2	2	-
80-84 years	27	8	19	24	7	17	3	1	2	3	1	2
85-89 years	28	7	21	27	7	20	1	-	1	1	-	1
90-94 years	19	5	14	17	4	13	2	1	1	2	1	1
95-99 years	15	3	12	14	2	12	1	1	-	1	1	-
100 yrs & over	5	-	5	4	-	4	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of skin and subcutaneous tissue, not elsewhere classified (L98)												
All ages	146	49	97	117	41	76	29	8	21	27	7	20
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	3	3	-	1	1	-	2	2	-	1	1	-
50-54 years	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years	6	-	6	2	-	2	4	-	4	4	-	4
60-64 years	10	2	8	8	2	6	2	-	2	2	-	2
65-69 years	8	5	3	7	4	3	1	1	-	1	1	-
70-74 years	17	7	10	13	7	6	4	-	4	4	-	4
75-79 years	24	9	15	23	9	14	1	-	1	1	-	1
80-84 years	24	7	17	19	5	14	5	2	3	4	2	2
85-89 years	24	8	16	20	7	13	4	1	3	4	1	3
90-94 years	18	5	13	15	4	11	3	1	2	3	1	2
95-99 years	5	1	4	5	1	4	-	-	-	-	-	-
100 yrs & over	4	-	4	2	-	2	2	-	2	2	-	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Factitial dermatitis (L98.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Febrile neutrophilic dermatosis [Sweet] (L98.2)												
All ages	5	3	2	5	3	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Chronic ulcer of skin, not elsewhere classified (L98.4)												
All ages	115	39	76	92	32	60	23	7	16	22	7	15
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years	3	-	3	1	-	1	2	-	2	2	-	2
60-64 years	6	1	5	5	1	4	1	-	1	1	-	1
65-69 years	5	3	2	4	2	2	1	1	-	1	1	-
70-74 years	11	5	6	8	5	3	3	-	3	3	-	3
75-79 years	21	9	12	20	9	11	1	-	1	1	-	1
80-84 years	20	6	14	16	4	12	4	2	2	3	2	1
85-89 years	22	7	15	18	6	12	4	1	3	4	1	3
90-94 years	15	4	11	12	3	9	3	1	2	3	1	2
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	4	-	4	2	-	2	2	-	2	2	-	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mucinosis of skin (L98.5)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified disorders of skin and subcutaneous tissue (L98.8)												
All ages	9	3	6	7	2	5	2	1	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	-	2	1	-	1	1	-	1	1	-	1
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorder of skin and subcutaneous tissue, unspecified (L98.9)												
All ages	15	2	13	11	2	9	4	-	4	4	-	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	3	-	3	1	-	1	2	-	2	2	-	2
60-64 years	2	-	2	1	-	1	1	-	1	1	-	1
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	1	1	-	1	-	1	1	-	1
75-79 years	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pyogenic arthritis (M00)												
All ages	253	140	113	211	118	93	42	22	20	34	18	16
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	4	-	4	3	-	3	1	-	1	1	-	1
45-49 years	5	5	-	3	3	-	2	2	-	2	2	-
50-54 years	15	13	2	9	8	1	6	5	1	6	5	1
55-59 years	11	5	6	6	4	2	5	1	4	3	1	2
60-64 years	9	5	4	8	5	3	1	-	1	1	-	1
65-69 years	16	7	9	10	5	5	6	2	4	4	1	3
70-74 years	31	20	11	26	17	9	5	3	2	4	2	2
75-79 years	35	25	10	32	23	9	3	2	1	2	2	-
80-84 years	59	33	26	51	29	22	8	4	4	7	3	4
85-89 years	35	14	21	34	14	20	1	-	1	1	-	1
90-94 years	22	9	13	21	8	13	1	1	-	1	1	-
95-99 years	5	2	3	4	1	3	1	1	-	-	-	-
100 yrs & over	3	-	3	2	-	2	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Staphylococcal arthritis and polyarthritis (M00.0)												
All ages	8	5	3	6	4	2	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pneumococcal arthritis and polyarthritis (M00.1)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Arthritis and polyarthritis due to other specified bacterial agents (M00.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pyogenic arthritis, unspecified (M00.9)												
All ages	243	134	109	204	113	91	39	21	18	31	17	14
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	4	-	4	3	-	3	1	-	1	1	-	1
45-49 years	5	5	-	3	3	-	2	2	-	2	2	-
50-54 years	13	11	2	8	7	1	5	4	1	5	4	1
55-59 years	11	5	6	6	4	2	5	1	4	3	1	2
60-64 years	8	5	3	8	5	3	-	-	-	-	-	-
65-69 years	13	6	7	8	4	4	5	2	3	3	1	2
70-74 years	30	20	10	25	17	8	5	3	2	4	2	2
75-79 years	34	24	10	31	22	9	3	2	1	2	2	-
80-84 years	59	33	26	51	29	22	8	4	4	7	3	4
85-89 years	34	13	21	33	13	20	1	-	1	1	-	1
90-94 years	21	8	13	20	7	13	1	1	-	1	1	-
95-99 years	5	2	3	4	1	3	1	1	-	-	-	-
100 yrs & over	3	-	3	2	-	2	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Reactive arthropathies (M02)												
All ages	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Reiter's disease (M02.3)												
All ages	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Seropositive rheumatoid arthritis (M05)												
All ages	296	95	201	262	86	176	34	9	25	26	8	18
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	4	1	3	3	-	3	1	1	-	1	1	-
45-49 years	4	-	4	3	-	3	1	-	1	-	-	-
50-54 years	9	3	6	5	2	3	4	1	3	3	1	2
55-59 years	16	6	10	10	5	5	6	1	5	6	1	5
60-64 years	25	11	14	22	10	12	3	1	2	2	1	1
65-69 years	33	9	24	29	7	22	4	2	2	3	1	2
70-74 years	50	23	27	48	23	25	2	-	2	2	-	2
75-79 years	60	24	36	54	23	31	6	1	5	5	1	4
80-84 years	56	14	42	50	12	38	6	2	4	3	2	1
85-89 years	30	3	27	29	3	26	1	-	1	1	-	1
90-94 years	7	1	6	7	1	6	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Felty's syndrome (M05.0)												
All ages	33	10	23	33	10	23	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years	4	3	1	4	3	1	-	-	-	-	-	-
70-74 years	7	2	5	7	2	5	-	-	-	-	-	-
75-79 years	5	1	4	5	1	4	-	-	-	-	-	-
80-84 years	6	1	5	6	1	5	-	-	-	-	-	-
85-89 years	4	-	4	4	-	4	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatoid lung disease (M05.1)												
All ages	178	64	114	156	58	98	22	6	16	15	5	10
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years	4	-	4	3	-	3	1	-	1	-	-	-
50-54 years	5	3	2	2	2	-	3	1	2	2	1	1
55-59 years	7	4	3	3	3	-	4	1	3	4	1	3
60-64 years	15	6	9	13	5	8	2	1	1	1	1	-
65-69 years	23	6	17	20	4	16	3	2	1	2	1	1
70-74 years	27	16	11	26	16	10	1	-	1	1	-	1
75-79 years	36	16	20	32	16	16	4	-	4	3	-	3
80-84 years	36	10	26	32	9	23	4	1	3	2	1	1
85-89 years	19	2	17	19	2	17	-	-	-	-	-	-
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Rheumatoid vasculitis (M05.2)												
All ages	46	10	36	40	8	32	6	2	4	6	2	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	1	-	1	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	3	-	3	2	-	2	1	-	1	1	-	1
55-59 years	8	1	7	6	1	5	2	-	2	2	-	2
60-64 years	4	1	3	4	1	3	-	-	-	-	-	-
65-69 years	4	-	4	3	-	3	1	-	1	1	-	1
70-74 years	8	2	6	8	2	6	-	-	-	-	-	-
75-79 years	7	2	5	7	2	5	-	-	-	-	-	-
80-84 years	8	3	5	7	2	5	1	1	-	1	1	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatoid arthritis with involvement of other organs and systems (M05.3)												
All ages	39	11	28	33	10	23	6	1	5	5	1	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	3	2	1	2	2	-	1	-	1	1	-	1
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	8	3	5	7	3	4	1	-	1	1	-	1
75-79 years	12	5	7	10	4	6	2	1	1	2	1	1
80-84 years	6	-	6	5	-	5	1	-	1	-	-	-
85-89 years	5	1	4	4	1	3	1	-	1	1	-	1
90-94 years	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other rheumatoid arthritis (M06)												
All ages	2,347	519	1,828	2,163	476	1,687	184	43	141	138	32	106
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	14	4	10	9	3	6	5	1	4	3	1	2
40-44 years	12	2	10	10	2	8	2	-	2	1	-	1
45-49 years	21	9	12	17	7	10	4	2	2	3	1	2
50-54 years	51	14	37	44	12	32	7	2	5	6	2	4
55-59 years	87	33	54	79	32	47	8	1	7	7	1	6
60-64 years	127	36	91	111	32	79	16	4	12	8	2	6
65-69 years	201	58	143	190	56	134	11	2	9	10	2	8
70-74 years	323	79	244	295	70	225	28	9	19	22	7	15
75-79 years	505	117	388	475	110	365	30	7	23	18	5	13
80-84 years	483	98	385	458	89	369	25	9	16	21	7	14
85-89 years	324	48	276	297	43	254	27	5	22	21	4	17
90-94 years	146	15	131	132	15	117	14	-	14	12	-	12
95-99 years	43	4	39	38	3	35	5	1	4	4	-	4
100 yrs & over	6	-	6	5	-	5	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Seronegative rheumatoid arthritis (M06.0)												
All ages	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Rheumatoid nodule (M06.3)												
All ages	4	1	3	3	-	3	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Inflammatory polyarthropathy (M06.4)												
All ages	5	4	1	5	4	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified rheumatoid arthritis (M06.8)												
All ages	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatoid arthritis, unspecified (M06.9)												
All ages	2,334	513	1,821	2,153	471	1,682	181	42	139	135	31	104
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	14	4	10	9	3	6	5	1	4	3	1	2
40-44 years	12	2	10	10	2	8	2	-	2	1	-	1
45-49 years	21	9	12	17	7	10	4	2	2	3	1	2
50-54 years	49	12	37	43	11	32	6	1	5	5	1	4
55-59 years	86	33	53	79	32	47	7	1	6	6	1	5
60-64 years	125	35	90	109	31	78	16	4	12	8	2	6
65-69 years	200	58	142	189	56	133	11	2	9	10	2	8
70-74 years	321	78	243	294	69	225	27	9	18	21	7	14
75-79 years	504	117	387	474	110	364	30	7	23	18	5	13
80-84 years	482	97	385	457	88	369	25	9	16	21	7	14
85-89 years	322	47	275	295	42	253	27	5	22	21	4	17
90-94 years	145	15	130	131	15	116	14	-	14	12	-	12
95-99 years	43	4	39	38	3	35	5	1	4	4	-	4
100 yrs & over	6	-	6	5	-	5	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Juvenile arthritis (M08)												
All ages	14	2	12	14	2	12	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	4	-	4	4	-	4	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Juvenile rheumatoid arthritis (M08.0)												
All ages	9	-	9	9	-	9	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	3	-	3	3	-	3	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Juvenile arthritis with systemic onset (M08.2)												
All ages	5	2	3	5	2	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Gout (M10)												
All ages	74	45	29	54	33	21	20	12	8	19	12	7
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	4	1	3	3	-	3	1	1	-	1	1	-
60-64 years	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years	8	4	4	5	2	3	3	2	1	3	2	1
70-74 years	7	4	3	4	2	2	3	2	1	3	2	1
75-79 years	8	8	-	4	4	-	4	4	-	4	4	-
80-84 years	14	8	6	10	6	4	4	2	2	4	2	2
85-89 years	16	10	6	14	9	5	2	1	1	2	1	1
90-94 years	10	4	6	7	4	3	3	-	3	2	-	2
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Idiopathic gout (M10.0)												
All ages	15	11	4	11	9	2	4	2	2	4	2	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	4	4	-	3	3	-	1	1	-	1	1	-
80-84 years	2	2	-	1	1	-	1	1	-	1	1	-
85-89 years	5	3	2	5	3	2	-	-	-	-	-	-
90-94 years	2	1	1	1	1	-	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Gout due to impairment of renal function (M10.3)												
All ages	5	2	3	5	2	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Gout, unspecified (M10.9)												
All ages	54	32	22	38	22	16	16	10	6	15	10	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	4	1	3	3	-	3	1	1	-	1	1	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	6	4	2	3	2	1	3	2	1	3	2	1
70-74 years	6	4	2	4	2	2	2	2	-	2	2	-
75-79 years	4	4	-	1	1	-	3	3	-	3	3	-
80-84 years	10	5	5	7	4	3	3	1	2	3	1	2
85-89 years	11	7	4	9	6	3	2	1	1	2	1	1
90-94 years	8	3	5	6	3	3	2	-	2	1	-	1
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specific arthropathies (M12)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specific arthropathies, not elsewhere classified (M12.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other arthritis (M13)												
All ages	328	79	249	308	74	234	20	5	15	18	4	14
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	-	-	-
40-44 years	3	2	1	2	1	1	1	1	-	1	1	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	4	2	2	3	1	2	1	1	-	1	1	-
55-59 years	4	2	2	3	1	2	1	1	-	1	1	-
60-64 years	4	1	3	4	1	3	-	-	-	-	-	-
65-69 years	11	4	7	9	3	6	2	1	1	2	1	1
70-74 years	14	7	7	14	7	7	-	-	-	-	-	-
75-79 years	29	9	20	27	9	18	2	-	2	1	-	1
80-84 years	70	20	50	66	20	46	4	-	4	4	-	4
85-89 years	63	15	48	62	15	47	1	-	1	1	-	1
90-94 years	74	9	65	72	9	63	2	-	2	2	-	2
95-99 years	41	6	35	38	6	32	3	-	3	3	-	3
100 yrs & over	7	-	7	5	-	5	2	-	2	2	-	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Polyarthritis, unspecified (M13.0)												
All ages	7	1	6	6	1	5	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	-	-	-	1	-	1	-	-	-
80-84 years	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Arthritis, unspecified (M13.9)												
All ages	321	78	243	302	73	229	19	5	14	18	4	14
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	-	-	-
40-44 years	3	2	1	2	1	1	1	1	-	1	1	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	4	2	2	3	1	2	1	1	-	1	1	-
55-59 years	4	2	2	3	1	2	1	1	-	1	1	-
60-64 years	4	1	3	4	1	3	-	-	-	-	-	-
65-69 years	11	4	7	9	3	6	2	1	1	2	1	1
70-74 years	14	7	7	14	7	7	-	-	-	-	-	-
75-79 years	28	9	19	27	9	18	1	-	1	1	-	1
80-84 years	67	20	47	63	20	43	4	-	4	4	-	4
85-89 years	63	15	48	62	15	47	1	-	1	1	-	1
90-94 years	73	8	65	71	8	63	2	-	2	2	-	2
95-99 years	39	6	33	36	6	30	3	-	3	3	-	3
100 yrs & over	7	-	7	5	-	5	2	-	2	2	-	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Polyarthrosis (M15)												
All ages	19	3	16	18	2	16	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	5	2	3	4	1	3	1	1	-	1	1	-
85-89 years	7	1	6	7	1	6	-	-	-	-	-	-
90-94 years	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Polyarthrosis, unspecified (M15.9)												
All ages	19	3	16	18	2	16	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	5	2	3	4	1	3	1	1	-	1	1	-
85-89 years	7	1	6	7	1	6	-	-	-	-	-	-
90-94 years	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Coxarthrosis [arthrosis of hip] (M16)												
All ages	16	10	6	16	10	6	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	5	4	1	5	4	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Coxarthrosis, unspecified (M16.9)												
All ages	16	10	6	16	10	6	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	5	4	1	5	4	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Gonarthrosis [arthrosis of knee] (M17)												
All ages	19	7	12	16	6	10	3	1	2	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	4	1	3	3	-	3	1	1	-	1	1	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	6	3	3	5	3	2	1	-	1	1	-	1
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	3	-	3	2	-	2	1	-	1	1	-	1
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Gonarthrosis, unspecified (M17.9)												
All ages	19	7	12	16	6	10	3	1	2	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	4	1	3	3	-	3	1	1	-	1	1	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	6	3	3	5	3	2	1	-	1	1	-	1
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	3	-	3	2	-	2	1	-	1	1	-	1
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other arthrosis (M19)												
All ages	900	221	679	825	194	631	75	27	48	69	24	45
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	4	4	-	3	3	-	1	1	-	1	1	-
45-49 years	3	1	2	2	-	2	1	1	-	1	1	-
50-54 years	3	2	1	2	1	1	1	1	-	1	1	-
55-59 years	9	6	3	8	5	3	1	1	-	1	1	-
60-64 years	14	7	7	9	4	5	5	3	2	4	2	2
65-69 years	19	6	13	14	5	9	5	1	4	5	1	4
70-74 years	36	12	24	31	9	22	5	3	2	3	2	1
75-79 years	78	32	46	72	28	44	6	4	2	6	4	2
80-84 years	151	41	110	139	38	101	12	3	9	12	3	9
85-89 years	222	47	175	206	45	161	16	2	14	15	1	14
90-94 years	210	34	176	202	31	171	8	3	5	8	3	5
95-99 years	109	23	86	102	21	81	7	2	5	5	2	3
100 yrs & over	41	5	36	34	3	31	7	2	5	7	2	5
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Posttraumatic arthrosis of other joints (M19.1)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Secondary arthrosis of other joints (M19.2)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified arthrosis (M19.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Arthrosis, unspecified (M19.9)												
All ages	896	221	675	821	194	627	75	27	48	69	24	45
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	4	4	-	3	3	-	1	1	-	1	1	-
45-49 years	3	1	2	2	-	2	1	1	-	1	1	-
50-54 years	3	2	1	2	1	1	1	1	-	1	1	-
55-59 years	9	6	3	8	5	3	1	1	-	1	1	-
60-64 years	14	7	7	9	4	5	5	3	2	4	2	2
65-69 years	19	6	13	14	5	9	5	1	4	5	1	4
70-74 years	36	12	24	31	9	22	5	3	2	3	2	1
75-79 years	78	32	46	72	28	44	6	4	2	6	4	2
80-84 years	150	41	109	138	38	100	12	3	9	12	3	9
85-89 years	220	47	173	204	45	159	16	2	14	15	1	14
90-94 years	209	34	175	201	31	170	8	3	5	8	3	5
95-99 years	109	23	86	102	21	81	7	2	5	5	2	3
100 yrs & over	41	5	36	34	3	31	7	2	5	7	2	5
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other acquired deformities of limbs (M21)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acquired deformity of limb, unspecified (M21.9)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Internal derangement of knee (M23)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other meniscus derangements (M23.3)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specific joint derangements (M24)												
All ages	5	-	5	5	-	5	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Contracture of joint (M24.5)												
All ages	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Ankylosis of joint (M24.6)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other joint disorders, not elsewhere classified (M25)												
All ages	43	15	28	41	14	27	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	4	1	3	4	1	3	-	-	-	-	-	-
70-74 years	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years	5	1	4	4	1	3	1	-	1	1	-	1
80-84 years	8	4	4	8	4	4	-	-	-	-	-	-
85-89 years	11	3	8	11	3	8	-	-	-	-	-	-
90-94 years	6	2	4	5	1	4	1	1	-	1	1	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Osteophyte (M25.7)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified joint disorders (M25.8)												
All ages	6	3	3	5	2	3	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	2	1	1	1	-	1	1	1	-	1	1	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Joint disorder, unspecified (M25.9)												
All ages	36	11	25	35	11	24	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	4	1	3	4	1	3	-	-	-	-	-	-
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	5	1	4	4	1	3	1	-	1	1	-	1
80-84 years	7	3	4	7	3	4	-	-	-	-	-	-
85-89 years	9	2	7	9	2	7	-	-	-	-	-	-
90-94 years	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Polyarteritis nodosa and related conditions (M30)												
All ages	109	50	59	96	44	52	13	6	7	9	4	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	4	1	3	4	1	3	-	-	-	-	-	-
40-44 years	4	1	3	3	1	2	1	-	1	1	-	1
45-49 years	5	4	1	3	3	-	2	1	1	1	1	-
50-54 years	4	1	3	4	1	3	-	-	-	-	-	-
55-59 years	6	3	3	4	2	2	2	1	1	1	-	1
60-64 years	13	5	8	10	4	6	3	1	2	3	1	2
65-69 years	13	5	8	11	4	7	2	1	1	2	1	1
70-74 years	13	7	6	12	6	6	1	1	-	-	-	-
75-79 years	17	7	10	17	7	10	-	-	-	-	-	-
80-84 years	12	6	6	12	6	6	-	-	-	-	-	-
85-89 years	10	4	6	10	4	6	-	-	-	-	-	-
90-94 years	3	1	2	1	-	1	2	1	1	1	1	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Polyarteritis nodosa (M30.0)												
All ages	75	37	38	65	33	32	10	4	6	6	2	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	2	1	1	1	1	-	1	-	1	1	-	1
45-49 years	4	3	1	2	2	-	2	1	1	1	1	-
50-54 years	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years	5	3	2	3	2	1	2	1	1	1	-	1
60-64 years	7	3	4	6	3	3	1	-	1	1	-	1
65-69 years	12	5	7	10	4	6	2	1	1	2	1	1
70-74 years	8	5	3	7	4	3	1	1	-	-	-	-
75-79 years	13	6	7	13	6	7	-	-	-	-	-	-
80-84 years	11	6	5	11	6	5	-	-	-	-	-	-
85-89 years	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years	2	-	2	1	-	1	1	-	1	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Polyarteritis with lung involvement [Churg-Strauss] (M30.1)												
All ages	31	10	21	29	9	20	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	6	2	4	4	1	3	2	1	1	2	1	1
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	5	2	3	5	2	3	-	-	-	-	-	-
75-79 years	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mucocutaneous lymph node syndrome [Kawasaki] (M30.3)												
All ages	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	-	-	-	1	1	-	1	1	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other necrotizing vasculopathies (M31)												
All ages	891	342	549	747	301	446	144	41	103	131	36	95
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	3	-	3	3	-	3	-	-	-	-	-	-
15-19 years	7	1	6	5	1	4	2	-	2	1	-	1
20-24 years	13	5	8	7	2	5	6	3	3	6	3	3
25-29 years	18	3	15	8	1	7	10	2	8	10	2	8
30-34 years	24	7	17	14	5	9	10	2	8	10	2	8
35-39 years	31	10	21	21	7	14	10	3	7	9	3	6
40-44 years	35	12	23	23	9	14	12	3	9	9	1	8
45-49 years	42	13	29	28	9	19	14	4	10	14	4	10
50-54 years	43	13	30	26	8	18	17	5	12	17	5	12
55-59 years	48	19	29	37	15	22	11	4	7	10	3	7
60-64 years	45	21	24	35	18	17	10	3	7	9	3	6
65-69 years	81	34	47	74	32	42	7	2	5	6	2	4
70-74 years	124	63	61	110	57	53	14	6	8	12	6	6
75-79 years	142	54	88	136	54	82	6	-	6	5	-	5
80-84 years	123	50	73	118	48	70	5	2	3	4	1	3
85-89 years	77	28	49	73	28	45	4	-	4	4	-	4
90-94 years	26	5	21	22	4	18	4	1	3	3	-	3
95-99 years	8	3	5	7	3	4	1	-	1	1	-	1
100 yrs & over	1	1	-	-	-	-	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hypersensitivity angiitis (M31.0)												
All ages	88	38	50	75	33	42	13	5	8	12	5	7
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	2	2	-	1	1	-	1	1	-	1	1	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	5	1	4	3	-	3	2	1	1	2	1	1
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	8	3	5	7	3	4	1	-	1	1	-	1
60-64 years	7	3	4	5	3	2	2	-	2	2	-	2
65-69 years	8	3	5	7	3	4	1	-	1	1	-	1
70-74 years	17	9	8	13	7	6	4	2	2	3	2	1
75-79 years	17	7	10	16	7	9	1	-	1	1	-	1
80-84 years	9	2	7	9	2	7	-	-	-	-	-	-
85-89 years	8	2	6	8	2	6	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Thrombotic microangiopathy (M31.1)												
All ages	345	114	231	236	86	150	109	28	81	105	27	78
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	-	2	2	-	2	-	-	-	-	-	-
15-19 years	3	-	3	2	-	2	1	-	1	1	-	1
20-24 years	10	3	7	4	-	4	6	3	3	6	3	3
25-29 years	13	1	12	5	-	5	8	1	7	8	1	7
30-34 years	20	5	15	12	4	8	8	1	7	8	1	7
35-39 years	23	5	18	15	3	12	8	2	6	8	2	6
40-44 years	17	3	14	11	2	9	6	1	5	5	1	4
45-49 years	31	10	21	19	7	12	12	3	9	12	3	9
50-54 years	27	7	20	11	2	9	16	5	11	16	5	11
55-59 years	20	7	13	12	4	8	8	3	5	8	3	5
60-64 years	21	9	12	14	6	8	7	3	4	7	3	4
65-69 years	25	9	16	20	8	12	5	1	4	4	1	3
70-74 years	38	20	18	29	16	13	9	4	5	9	4	5
75-79 years	39	10	29	36	10	26	3	-	3	2	-	2
80-84 years	30	16	14	27	16	11	3	-	3	3	-	3
85-89 years	13	3	10	9	3	6	4	-	4	4	-	4
90-94 years	9	3	6	5	2	3	4	1	3	3	-	3
95-99 years	4	3	1	3	3	-	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Lethal midline granuloma (M31.2)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Wegener's granulomatosis (M31.3)												
All ages	332	160	172	318	156	162	14	4	10	9	2	7
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	1	2	2	1	1	1	-	1	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	2	-	2	1	-	1	1	-	1	1	-	1
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	5	3	2	5	3	2	-	-	-	-	-	-
40-44 years	15	6	9	10	5	5	5	1	4	4	-	4
45-49 years	5	2	3	5	2	3	-	-	-	-	-	-
50-54 years	14	5	9	13	5	8	1	-	1	1	-	1
55-59 years	17	9	8	15	8	7	2	1	1	1	-	1
60-64 years	16	9	7	15	9	6	1	-	1	-	-	-
65-69 years	46	22	24	45	21	24	1	1	-	1	1	-
70-74 years	56	31	25	55	31	24	1	-	1	-	-	-
75-79 years	66	32	34	66	32	34	-	-	-	-	-	-
80-84 years	58	27	31	57	26	31	1	1	-	1	1	-
85-89 years	22	13	9	22	13	9	-	-	-	-	-	-
90-94 years	5	-	5	5	-	5	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Aortic arch syndrome [Takayasu] (M31.4)												
All ages	11	2	9	9	1	8	2	1	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	-	-	-
40-44 years	2	2	-	1	1	-	1	1	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	3	-	3	3	-	3	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other giant cell arteritis (M31.6)												
All ages	101	21	80	98	20	78	3	1	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	11	1	10	11	1	10	-	-	-	-	-	-
75-79 years	15	3	12	13	3	10	2	-	2	2	-	2
80-84 years	25	5	20	24	4	20	1	1	-	-	-	-
85-89 years	33	10	23	33	10	23	-	-	-	-	-	-
90-94 years	12	2	10	12	2	10	-	-	-	-	-	-
95-99 years	4	-	4	4	-	4	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified necrotizing vasculopathies (M31.8)												
All ages	5	3	2	3	2	1	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	1	-	-	-	-	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Necrotizing vasculopathy, unspecified (M31.9)												
All ages	7	4	3	6	3	3	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Systemic lupus erythematosus (M32)												
All ages	1,359	196	1,163	851	136	715	508	60	448	435	53	382
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	2	-	2	2	-	2	-	-	-	-	-	-
10-14 years	6	3	3	4	2	2	2	1	1	-	-	-
15-19 years	35	2	33	17	1	16	18	1	17	14	1	13
20-24 years	72	10	62	30	7	23	42	3	39	32	2	30
25-29 years	73	11	62	22	3	19	51	8	43	42	5	37
30-34 years	75	9	66	31	3	28	44	6	38	38	6	32
35-39 years	105	15	90	45	8	37	60	7	53	55	6	49
40-44 years	111	14	97	46	7	39	65	7	58	59	7	52
45-49 years	126	13	113	73	8	65	53	5	48	49	5	44
50-54 years	126	21	105	79	14	65	47	7	40	41	6	35
55-59 years	97	13	84	68	8	60	29	5	24	26	5	21
60-64 years	96	11	85	64	6	58	32	5	27	27	5	22
65-69 years	85	10	75	66	9	57	19	1	18	16	1	15
70-74 years	104	18	86	87	16	71	17	2	15	12	2	10
75-79 years	107	12	95	93	11	82	14	1	13	12	1	11
80-84 years	84	19	65	77	18	59	7	1	6	5	1	4
85-89 years	36	12	24	30	12	18	6	-	6	5	-	5
90-94 years	18	3	15	16	3	13	2	-	2	2	-	2
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Drug-induced systemic lupus erythematosus (M32.0)												
All ages	4	-	4	1	-	1	3	-	3	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Systemic lupus erythematosus with organ or system involvement (M32.1)												
All ages	1,210	177	1,033	757	125	632	453	52	401	385	45	340
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	2	-	2	2	-	2	-	-	-	-	-	-
10-14 years	5	3	2	3	2	1	2	1	1	-	-	-
15-19 years	27	2	25	11	1	10	16	1	15	13	1	12
20-24 years	63	9	54	28	6	22	35	3	32	26	2	24
25-29 years	62	9	53	20	3	17	42	6	36	33	3	30
30-34 years	66	9	57	27	3	24	39	6	33	34	6	28
35-39 years	94	13	81	37	7	30	57	6	51	52	5	47
40-44 years	96	9	87	41	6	35	55	3	52	50	3	47
45-49 years	112	11	101	65	7	58	47	4	43	44	4	40
50-54 years	112	21	91	69	14	55	43	7	36	37	6	31
55-59 years	90	12	78	63	7	56	27	5	22	24	5	19
60-64 years	84	11	73	55	6	49	29	5	24	24	5	19
65-69 years	76	10	66	58	9	49	18	1	17	15	1	14
70-74 years	99	18	81	83	16	67	16	2	14	11	2	9
75-79 years	98	10	88	84	9	75	14	1	13	12	1	11
80-84 years	76	17	59	69	16	53	7	1	6	5	1	4
85-89 years	30	10	20	26	10	16	4	-	4	3	-	3
90-94 years	17	3	14	15	3	12	2	-	2	2	-	2
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other forms of systemic lupus erythematosus (M32.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Systemic lupus erythematosus, unspecified (M32.9)												
All ages	144	19	125	92	11	81	52	8	44	48	8	40
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	7	-	7	6	-	6	1	-	1	1	-	1
20-24 years	9	1	8	2	1	1	7	-	7	6	-	6
25-29 years	11	2	9	2	-	2	9	2	7	9	2	7
30-34 years	9	-	9	4	-	4	5	-	5	4	-	4
35-39 years	11	2	9	8	1	7	3	1	2	3	1	2
40-44 years	15	5	10	5	1	4	10	4	6	9	4	5
45-49 years	14	2	12	8	1	7	6	1	5	5	1	4
50-54 years	13	-	13	9	-	9	4	-	4	4	-	4
55-59 years	7	1	6	5	1	4	2	-	2	2	-	2
60-64 years	11	-	11	9	-	9	2	-	2	2	-	2
65-69 years	7	-	7	7	-	7	-	-	-	-	-	-
70-74 years	5	-	5	4	-	4	1	-	1	1	-	1
75-79 years	9	2	7	9	2	7	-	-	-	-	-	-
80-84 years	8	2	6	8	2	6	-	-	-	-	-	-
85-89 years	6	2	4	4	2	2	2	-	2	2	-	2
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Dermatopolymyositis (M33)												
All ages	278	106	172	213	88	125	65	18	47	50	13	37
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	-	3	2	-	2	1	-	1	1	-	1
20-24 years	2	-	2	1	-	1	1	-	1	1	-	1
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years	5	3	2	2	1	1	3	2	1	3	2	1
40-44 years	9	-	9	4	-	4	5	-	5	5	-	5
45-49 years	16	9	7	10	7	3	6	2	4	6	2	4
50-54 years	9	2	7	6	1	5	3	1	2	1	-	1
55-59 years	14	4	10	9	3	6	5	1	4	2	-	2
60-64 years	24	8	16	19	7	12	5	1	4	3	1	2
65-69 years	36	13	23	24	9	15	12	4	8	10	3	7
70-74 years	49	20	29	41	18	23	8	2	6	5	1	4
75-79 years	47	21	26	41	18	23	6	3	3	4	2	2
80-84 years	35	13	22	29	12	17	6	1	5	5	1	4
85-89 years	15	7	8	14	6	8	1	1	-	1	1	-
90-94 years	8	5	3	7	5	2	1	-	1	1	-	1
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other dermatomyositis (M33.1)												
All ages	91	33	58	69	29	40	22	4	18	14	1	13
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	-	3	2	-	2	1	-	1	1	-	1
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years	3	1	2	2	1	1	1	-	1	1	-	1
40-44 years	6	-	6	2	-	2	4	-	4	4	-	4
45-49 years	6	4	2	5	4	1	1	-	1	1	-	1
50-54 years	5	2	3	3	1	2	2	1	1	-	-	-
55-59 years	5	1	4	3	-	3	2	1	1	-	-	-
60-64 years	8	2	6	5	2	3	3	-	3	1	-	1
65-69 years	12	5	7	10	5	5	2	-	2	2	-	2
70-74 years	15	6	9	11	4	7	4	2	2	2	1	1
75-79 years	10	5	5	10	5	5	-	-	-	-	-	-
80-84 years	11	5	6	11	5	6	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Polymyositis (M33.2)												
All ages	185	73	112	143	59	84	42	14	28	35	12	23
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	-	2	1	-	1	1	-	1	1	-	1
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	2	-	-	-	-	2	2	-	2	2	-
40-44 years	3	-	3	2	-	2	1	-	1	1	-	1
45-49 years	9	5	4	5	3	2	4	2	2	4	2	2
50-54 years	4	-	4	3	-	3	1	-	1	1	-	1
55-59 years	9	3	6	6	3	3	3	-	3	2	-	2
60-64 years	16	6	10	14	5	9	2	1	1	2	1	1
65-69 years	23	8	15	13	4	9	10	4	6	8	3	5
70-74 years	34	14	20	30	14	16	4	-	4	3	-	3
75-79 years	37	16	21	31	13	18	6	3	3	4	2	2
80-84 years	24	8	16	18	7	11	6	1	5	5	1	4
85-89 years	13	6	7	12	5	7	1	1	-	1	1	-
90-94 years	7	5	2	6	5	1	1	-	1	1	-	1
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Dermatopolymyositis, unspecified (M33.9)												
All ages	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Systemic sclerosis (M34)												
All ages	1,378	272	1,106	1,139	217	922	239	55	184	205	48	157
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	1	2	1	-	1	2	1	1	1	1	-
20-24 years	10	2	8	5	1	4	5	1	4	4	1	3
25-29 years	13	6	7	6	3	3	7	3	4	6	3	3
30-34 years	13	3	10	8	2	6	5	1	4	5	1	4
35-39 years	41	11	30	25	8	17	16	3	13	15	3	12
40-44 years	76	18	58	46	9	37	30	9	21	28	9	19
45-49 years	87	25	62	58	17	41	29	8	21	25	8	17
50-54 years	115	34	81	81	26	55	34	8	26	32	6	26
55-59 years	118	29	89	99	23	76	19	6	13	18	5	13
60-64 years	157	44	113	130	39	91	27	5	22	18	5	13
65-69 years	170	25	145	146	20	126	24	5	19	20	5	15
70-74 years	191	33	158	168	29	139	23	4	19	17	-	17
75-79 years	179	22	157	168	22	146	11	-	11	9	-	9
80-84 years	141	14	127	137	14	123	4	-	4	4	-	4
85-89 years	53	3	50	51	3	48	2	-	2	2	-	2
90-94 years	9	1	8	9	1	8	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Progressive systemic sclerosis (M34.0)												
All ages	50	13	37	36	10	26	14	3	11	12	3	9
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	-	-	-
25-29 years	2	1	1	1	-	1	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	-	2	1	-	1	1	-	1	1	-	1
40-44 years	5	1	4	4	1	3	1	-	1	1	-	1
45-49 years	6	2	4	4	2	2	2	-	2	2	-	2
50-54 years	6	2	4	3	1	2	3	1	2	3	1	2
55-59 years	6	2	4	6	2	4	-	-	-	-	-	-
60-64 years	4	1	3	1	-	1	3	1	2	2	1	1
65-69 years	4	1	3	3	1	2	1	-	1	1	-	1
70-74 years	6	2	4	5	2	3	1	-	1	1	-	1
75-79 years	5	1	4	5	1	4	-	-	-	-	-	-
80-84 years	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
CR(E)ST syndrome (M34.1)												
All ages	104	18	86	94	11	83	10	7	3	9	6	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	1	-	1	1	1	-	1	1	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years	6	3	3	4	1	3	2	2	-	2	2	-
50-54 years	5	2	3	4	2	2	1	-	1	1	-	1
55-59 years	3	-	3	3	-	3	-	-	-	-	-	-
60-64 years	13	3	10	11	1	10	2	2	-	2	2	-
65-69 years	12	1	11	12	1	11	-	-	-	-	-	-
70-74 years	20	4	16	18	3	15	2	1	1	1	-	1
75-79 years	16	1	15	15	1	14	1	-	1	1	-	1
80-84 years	18	2	16	18	2	16	-	-	-	-	-	-
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other forms of systemic sclerosis (M34.8)												
All ages	613	118	495	506	100	406	107	18	89	95	16	79
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	6	1	5	4	1	3	2	-	2	2	-	2
25-29 years	5	1	4	2	1	1	3	-	3	2	-	2
30-34 years	6	1	5	3	1	2	3	-	3	3	-	3
35-39 years	13	6	7	8	3	5	5	3	2	4	3	1
40-44 years	29	6	23	19	4	15	10	2	8	9	2	7
45-49 years	47	15	32	33	10	23	14	5	9	13	5	8
50-54 years	46	9	37	28	7	21	18	2	16	17	1	16
55-59 years	62	14	48	49	10	39	13	4	9	12	3	9
60-64 years	77	22	55	67	22	45	10	-	10	7	-	7
65-69 years	88	13	75	77	11	66	11	2	9	9	2	7
70-74 years	89	14	75	76	14	62	13	-	13	12	-	12
75-79 years	71	10	61	66	10	56	5	-	5	5	-	5
80-84 years	55	6	49	55	6	49	-	-	-	-	-	-
85-89 years	15	-	15	15	-	15	-	-	-	-	-	-
90-94 years	4	-	4	4	-	4	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Systemic sclerosis, unspecified (M34.9)												
All ages	611	123	488	503	96	407	108	27	81	89	23	66
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	-	-	-
20-24 years	2	1	1	-	-	-	2	1	1	2	1	1
25-29 years	6	4	2	3	2	1	3	2	1	3	2	1
30-34 years	7	2	5	5	1	4	2	1	1	2	1	1
35-39 years	24	5	19	14	5	9	10	-	10	10	-	10
40-44 years	40	11	29	21	4	17	19	7	12	18	7	11
45-49 years	28	5	23	17	4	13	11	1	10	8	1	7
50-54 years	58	21	37	46	16	30	12	5	7	11	4	7
55-59 years	47	13	34	41	11	30	6	2	4	6	2	4
60-64 years	63	18	45	51	16	35	12	2	10	7	2	5
65-69 years	66	10	56	54	7	47	12	3	9	10	3	7
70-74 years	76	13	63	69	10	59	7	3	4	3	-	3
75-79 years	87	10	77	82	10	72	5	-	5	3	-	3
80-84 years	65	6	59	61	6	55	4	-	4	4	-	4
85-89 years	35	3	32	33	3	30	2	-	2	2	-	2
90-94 years	5	1	4	5	1	4	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other systemic involvement of connective tissue (M35)												
All ages	486	154	332	378	102	276	108	52	56	95	48	47
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	3	1	2	3	1	2	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	6	4	2	4	4	-	2	-	2	2	-	2
30-34 years	14	5	9	7	2	5	7	3	4	7	3	4
35-39 years	28	16	12	15	8	7	13	8	5	13	8	5
40-44 years	35	18	17	17	7	10	18	11	7	17	10	7
45-49 years	33	18	15	15	6	9	18	12	6	18	12	6
50-54 years	39	22	17	23	13	10	16	9	7	15	9	6
55-59 years	22	7	15	19	6	13	3	1	2	2	1	1
60-64 years	24	8	16	18	6	12	6	2	4	3	1	2
65-69 years	27	3	24	23	3	20	4	-	4	3	-	3
70-74 years	47	8	39	41	7	34	6	1	5	1	-	1
75-79 years	56	12	44	51	10	41	5	2	3	4	1	3
80-84 years	46	10	36	44	9	35	2	1	1	2	1	1
85-89 years	54	12	42	50	11	39	4	1	3	4	1	3
90-94 years	38	4	34	35	4	31	3	-	3	3	-	3
95-99 years	10	3	7	10	3	7	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sicca syndrome [Sjogren] (M35.0)												
All ages	70	5	65	69	5	64	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years	5	-	5	4	-	4	1	-	1	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	14	1	13	14	1	13	-	-	-	-	-	-
75-79 years	21	2	19	21	2	19	-	-	-	-	-	-
80-84 years	9	1	8	9	1	8	-	-	-	-	-	-
85-89 years	5	-	5	5	-	5	-	-	-	-	-	-
90-94 years	5	-	5	5	-	5	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other overlap syndromes (M35.1)												
All ages	10	4	6	8	3	5	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	1	1	-	-	-	-	1	1	-	1	1	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Behcet's disease (M35.2)												
All ages	11	2	9	8	-	8	3	2	1	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	1	1	1	-	1	1	1	-	1	1	-
55-59 years	1	-	1	-	-	-	1	-	1	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	3	-	3	3	-	3	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Polymyalgia rheumatica (M35.3)												
All ages	111	27	84	103	26	77	8	1	7	8	1	7
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	11	3	8	10	3	7	1	-	1	1	-	1
80-84 years	22	5	17	22	5	17	-	-	-	-	-	-
85-89 years	39	9	30	35	8	27	4	1	3	4	1	3
90-94 years	25	4	21	22	4	18	3	-	3	3	-	3
95-99 years	7	3	4	7	3	4	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified systemic involvement of connective tissue (M35.8)												
All ages	7	1	6	6	1	5	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	3	-	3	2	-	2	1	-	1	1	-	1
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Systemic involvement of connective tissue, unspecified (M35.9)												
All ages	277	115	162	184	67	117	93	48	45	82	44	38
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	5	3	2	3	3	-	2	-	2	2	-	2
30-34 years	12	5	7	6	2	4	6	3	3	6	3	3
35-39 years	26	16	10	13	8	5	13	8	5	13	8	5
40-44 years	31	18	13	13	7	6	18	11	7	17	10	7
45-49 years	31	18	13	13	6	7	18	12	6	18	12	6
50-54 years	32	19	13	17	11	6	15	8	7	14	8	6
55-59 years	16	6	10	14	5	9	2	1	1	2	1	1
60-64 years	17	6	11	12	4	8	5	2	3	3	1	2
65-69 years	18	3	15	15	3	12	3	-	3	2	-	2
70-74 years	30	6	24	24	5	19	6	1	5	1	-	1
75-79 years	21	6	15	17	4	13	4	2	2	3	1	2
80-84 years	14	3	11	13	3	10	1	-	1	1	-	1
85-89 years	10	3	7	10	3	7	-	-	-	-	-	-
90-94 years	8	-	8	8	-	8	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Kyphosis and lordosis (M40)												
All ages	92	16	76	91	15	76	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	7	3	4	7	3	4	-	-	-	-	-	-
75-79 years	6	2	4	6	2	4	-	-	-	-	-	-
80-84 years	19	4	15	19	4	15	-	-	-	-	-	-
85-89 years	20	2	18	19	1	18	1	1	-	-	-	-
90-94 years	28	1	27	28	1	27	-	-	-	-	-	-
95-99 years	6	2	4	6	2	4	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified kyphosis (M40.2)												
All ages	92	16	76	91	15	76	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	7	3	4	7	3	4	-	-	-	-	-	-
75-79 years	6	2	4	6	2	4	-	-	-	-	-	-
80-84 years	19	4	15	19	4	15	-	-	-	-	-	-
85-89 years	20	2	18	19	1	18	1	1	-	-	-	-
90-94 years	28	1	27	28	1	27	-	-	-	-	-	-
95-99 years	6	2	4	6	2	4	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Scoliosis (M41)												
All ages	260	65	195	232	56	176	28	9	19	23	9	14
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	3	-	3	2	-	2	1	-	1	1	-	1
10-14 years	10	7	3	7	4	3	3	3	-	3	3	-
15-19 years	8	5	3	6	5	1	2	-	2	2	-	2
20-24 years	6	3	3	3	2	1	3	1	2	3	1	2
25-29 years	2	-	2	2	-	2	-	-	-	-	-	-
30-34 years	5	3	2	5	3	2	-	-	-	-	-	-
35-39 years	5	3	2	5	3	2	-	-	-	-	-	-
40-44 years	4	2	2	3	1	2	1	1	-	1	1	-
45-49 years	9	5	4	9	5	4	-	-	-	-	-	-
50-54 years	4	-	4	3	-	3	1	-	1	1	-	1
55-59 years	11	5	6	10	4	6	1	1	-	1	1	-
60-64 years	13	2	11	11	2	9	2	-	2	2	-	2
65-69 years	10	3	7	9	3	6	1	-	1	1	-	1
70-74 years	18	4	14	14	2	12	4	2	2	3	2	1
75-79 years	38	8	30	36	7	29	2	1	1	1	1	-
80-84 years	44	8	36	40	8	32	4	-	4	2	-	2
85-89 years	41	5	36	38	5	33	3	-	3	2	-	2
90-94 years	26	2	24	26	2	24	-	-	-	-	-	-
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other idiopathic scoliosis (M41.2)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Thoracogenic scoliosis (M41.3)												
All ages	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Neuromuscular scoliosis (M41.4)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other secondary scoliosis (M41.5)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other forms of scoliosis (M41.8)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Scoliosis, unspecified (M41.9)												
All ages	251	62	189	223	53	170	28	9	19	23	9	14
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	3	-	3	2	-	2	1	-	1	1	-	1
10-14 years	10	7	3	7	4	3	3	3	-	3	3	-
15-19 years	8	5	3	6	5	1	2	-	2	2	-	2
20-24 years	6	3	3	3	2	1	3	1	2	3	1	2
25-29 years	2	-	2	2	-	2	-	-	-	-	-	-
30-34 years	5	3	2	5	3	2	-	-	-	-	-	-
35-39 years	5	3	2	5	3	2	-	-	-	-	-	-
40-44 years	4	2	2	3	1	2	1	1	-	1	1	-
45-49 years	9	5	4	9	5	4	-	-	-	-	-	-
50-54 years	4	-	4	3	-	3	1	-	1	1	-	1
55-59 years	10	4	6	9	3	6	1	1	-	1	1	-
60-64 years	12	1	11	10	1	9	2	-	2	2	-	2
65-69 years	10	3	7	9	3	6	1	-	1	1	-	1
70-74 years	17	4	13	13	2	11	4	2	2	3	2	1
75-79 years	35	8	27	33	7	26	2	1	1	1	1	-
80-84 years	42	7	35	38	7	31	4	-	4	2	-	2
85-89 years	40	5	35	37	5	32	3	-	3	2	-	2
90-94 years	26	2	24	26	2	24	-	-	-	-	-	-
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Spinal osteochondrosis (M42)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Juvenile osteochondrosis of spine (M42.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other deforming dorsopathies (M43)												
All ages	21	6	15	18	6	12	3	-	3	3	-	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	3	-	3	3	-	3	-	-	-	-	-	-
70-74 years	7	2	5	6	2	4	1	-	1	1	-	1
75-79 years	4	1	3	3	1	2	1	-	1	1	-	1
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Spondylolysis (M43.0)												
All ages	4	-	4	4	-	4	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Spondylolisthesis (M43.1)												
All ages	7	3	4	6	3	3	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years	3	1	2	2	1	1	1	-	1	1	-	1
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other fusion of spine (M43.2)												
All ages	6	3	3	5	3	2	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Deforming dorsopathy, unspecified (M43.9)												
All ages	4	-	4	3	-	3	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Ankylosing spondylitis (M45)												
All ages	32	29	3	30	27	3	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years	4	3	1	3	2	1	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years	4	4	-	4	4	-	-	-	-	-	-	-
80-84 years	3	3	-	3	3	-	-	-	-	-	-	-
85-89 years	4	3	1	4	3	1	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other inflammatory spondylopathies (M46)												
All ages	150	78	72	119	66	53	31	12	19	26	9	17
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	3	-	3	3	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	5	3	2	4	2	2	1	1	-	1	1	-
55-59 years	8	3	5	4	2	2	4	1	3	4	1	3
60-64 years	9	8	1	6	5	1	3	3	-	2	2	-
65-69 years	10	7	3	5	5	-	5	2	3	4	1	3
70-74 years	26	9	17	24	9	15	2	-	2	1	-	1
75-79 years	29	17	12	21	15	6	8	2	6	8	2	6
80-84 years	27	15	12	23	14	9	4	1	3	3	1	2
85-89 years	20	9	11	18	8	10	2	1	1	2	1	1
90-94 years	9	4	5	7	3	4	2	1	1	1	-	1
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sacroiliitis, not elsewhere classified (M46.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Osteomyelitis of vertebra (M46.2)												
All ages	105	52	53	82	46	36	23	6	17	19	4	15
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	4	2	2	4	2	2	-	-	-	-	-	-
55-59 years	6	2	4	4	2	2	2	-	2	2	-	2
60-64 years	6	5	1	4	3	1	2	2	-	1	1	-
65-69 years	8	5	3	4	4	-	4	1	3	4	1	3
70-74 years	17	7	10	15	7	8	2	-	2	1	-	1
75-79 years	20	11	9	14	10	4	6	1	5	6	1	5
80-84 years	20	10	10	17	10	7	3	-	3	2	-	2
85-89 years	14	6	8	12	5	7	2	1	1	2	1	1
90-94 years	5	2	3	3	1	2	2	1	1	1	-	1
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Infection of intervertebral disc (pyogenic) (M46.3)												
All ages	4	3	1	3	3	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Discitis, unspecified (M46.4)												
All ages	29	16	13	24	12	12	5	4	1	5	4	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	6	1	5	6	1	5	-	-	-	-	-	-
75-79 years	7	4	3	5	3	2	2	1	1	2	1	1
80-84 years	6	4	2	6	4	2	-	-	-	-	-	-
85-89 years	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Inflammatory spondylopathy, unspecified (M46.9)												
All ages	11	6	5	9	4	5	2	2	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	2	-	1	1	-	1	1	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	-	-	-	1	1	-	1	1	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Spondylosis (M47)												
All ages	51	26	25	44	19	25	7	7	-	7	7	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	3	3	-	2	2	-	1	1	-	1	1	-
70-74 years	2	1	1	1	-	1	1	1	-	1	1	-
75-79 years	8	3	5	6	1	5	2	2	-	2	2	-
80-84 years	10	4	6	10	4	6	-	-	-	-	-	-
85-89 years	11	7	4	11	7	4	-	-	-	-	-	-
90-94 years	11	4	7	11	4	7	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other spondylosis with myelopathy (M47.1)												
All ages	7	4	3	5	2	3	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	1	1	1	-	1	1	1	-	1	1	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other spondylosis with radiculopathy (M47.2)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other spondylosis (M47.8)												
All ages	29	16	13	26	13	13	3	3	-	3	3	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	2	2	-	1	1	-	1	1	-	1	1	-
70-74 years	2	1	1	1	-	1	1	1	-	1	1	-
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years	6	4	2	6	4	2	-	-	-	-	-	-
85-89 years	8	4	4	8	4	4	-	-	-	-	-	-
90-94 years	5	2	3	5	2	3	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Spondylosis, unspecified (M47.9)												
All ages	14	6	8	12	4	8	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	3	1	2	2	-	2	1	1	-	1	1	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years	5	2	3	5	2	3	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other spondylopathies (M48)												
All ages	220	104	116	198	95	103	22	9	13	19	8	11
Under 1 year	3	3	-	2	2	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	4	2	2	4	2	2	-	-	-	-	-	-
45-49 years	2	1	1	1	1	-	1	-	1	-	-	-
50-54 years	7	5	2	7	5	2	-	-	-	-	-	-
55-59 years	7	3	4	7	3	4	-	-	-	-	-	-
60-64 years	5	4	1	3	3	-	2	1	1	2	1	1
65-69 years	14	6	8	12	4	8	2	2	-	2	2	-
70-74 years	12	6	6	10	6	4	2	-	2	2	-	2
75-79 years	31	18	13	27	16	11	4	2	2	3	1	2
80-84 years	47	26	21	41	25	16	6	1	5	5	1	4
85-89 years	46	13	33	43	12	31	3	1	2	3	1	2
90-94 years	34	14	20	33	13	20	1	1	-	1	1	-
95-99 years	6	2	4	6	2	4	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Spinal stenosis (M48.0)												
All ages	176	83	93	158	76	82	18	7	11	16	6	10
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years	5	2	3	5	2	3	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	8	4	4	6	2	4	2	2	-	2	2	-
70-74 years	11	5	6	9	5	4	2	-	2	2	-	2
75-79 years	23	15	8	19	13	6	4	2	2	3	1	2
80-84 years	43	24	19	37	23	14	6	1	5	5	1	4
85-89 years	41	11	30	38	10	28	3	1	2	3	1	2
90-94 years	32	13	19	31	12	19	1	1	-	1	1	-
95-99 years	5	2	3	5	2	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Ankylosing hyperostosis [Forestier] (M48.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Collapsed vertebra, not elsewhere classified (M48.5)												
All ages	5	1	4	5	1	4	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified spondylopathies (M48.8)												
All ages	9	4	5	8	3	5	1	1	-	1	1	-
Under 1 year	3	3	-	2	2	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Spondylopathy, unspecified (M48.9)												
All ages	29	15	14	26	14	12	3	1	2	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years	2	1	1	1	1	-	1	-	1	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	3	2	1	1	1	-	2	1	1	2	1	1
65-69 years	4	2	2	4	2	2	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	5	3	2	5	3	2	-	-	-	-	-	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cervical disc disorders (M50)												
All ages	19	9	10	15	7	8	4	2	2	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	4	3	1	3	2	1	1	1	-	1	1	-
55-59 years	3	2	1	1	1	-	2	1	1	1	-	1
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	3	-	3	2	-	2	1	-	1	1	-	1
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cervical disc disorder with myelopathy (M50.0)												
All ages	1	1	-	-	-	-	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cervical disc disorder with radiculopathy (M50.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other cervical disc displacement (M50.2)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other cervical disc degeneration (M50.3)												
All ages	10	4	6	8	3	5	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	4	3	1	3	2	1	1	1	-	1	1	-
55-59 years	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other cervical disc disorders (M50.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cervical disc disorder, unspecified (M50.9)												
All ages	4	3	1	3	3	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other intervertebral disc disorders (M51)												
All ages	44	22	22	39	18	21	5	4	1	4	3	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	5	3	2	5	3	2	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years	2	1	1	1	-	1	1	1	-	1	1	-
65-69 years	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years	3	2	1	2	1	1	1	1	-	1	1	-
75-79 years	3	-	3	2	-	2	1	-	1	1	-	1
80-84 years	7	4	3	6	3	3	1	1	-	-	-	-
85-89 years	6	2	4	6	2	4	-	-	-	-	-	-
90-94 years	5	3	2	5	3	2	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Lumbar and other intervertebral disc disorders with radiculopathy (M51.1)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified intervertebral disc displacement (M51.2)												
All ages	12	7	5	10	5	5	2	2	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	2	-	1	1	-	1	1	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified intervertebral disc degeneration (M51.3)												
All ages	19	6	13	18	6	12	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified intervertebral disc disorders (M51.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Intervertebral disc disorder, unspecified (M51.9)												
All ages	11	8	3	9	6	3	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other dorsopathies, not elsewhere classified (M53)												
All ages	2	1	1	1	-	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Spinal instabilities (M53.2)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified dorsopathies (M53.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Dorsalgia (M54)												
All ages	67	22	45	64	21	43	3	1	2	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	3	1	2	2	1	1	1	-	1	1	-	1
70-74 years	7	5	2	6	4	2	1	1	-	1	1	-
75-79 years	5	3	2	5	3	2	-	-	-	-	-	-
80-84 years	8	1	7	8	1	7	-	-	-	-	-	-
85-89 years	16	6	10	16	6	10	-	-	-	-	-	-
90-94 years	17	3	14	16	3	13	1	-	1	1	-	1
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Radiculopathy (M54.1)												
All ages	5	2	3	5	2	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sciatica (M54.3)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Low back pain (M54.5)												
All ages	13	4	9	11	4	7	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	-	2	1	-	1	1	-	1	1	-	1
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	4	1	3	3	1	2	1	-	1	1	-	1
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Dorsalgia, unspecified (M54.9)												
All ages	47	14	33	46	13	33	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	5	4	1	4	3	1	1	1	-	1	1	-
75-79 years	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years	7	1	6	7	1	6	-	-	-	-	-	-
85-89 years	11	3	8	11	3	8	-	-	-	-	-	-
90-94 years	13	2	11	13	2	11	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Myositis (M60)												
All ages	88	42	46	75	35	40	13	7	6	13	7	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	3	-	-	-	-	3	3	-	3	3	-
45-49 years	3	2	1	2	1	1	1	1	-	1	1	-
50-54 years	3	2	1	2	2	-	1	-	1	1	-	1
55-59 years	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years	5	-	5	5	-	5	-	-	-	-	-	-
65-69 years	5	1	4	4	1	3	1	-	1	1	-	1
70-74 years	15	9	6	13	8	5	2	1	1	2	1	1
75-79 years	16	9	7	13	9	4	3	-	3	3	-	3
80-84 years	18	9	9	18	9	9	-	-	-	-	-	-
85-89 years	11	3	8	11	3	8	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Infective myositis (M60.0)												
All ages	36	16	20	32	14	18	4	2	2	4	2	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	1	1	1	1	-	1	-	1	1	-	1
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years	4	1	3	3	1	2	1	-	1	1	-	1
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	9	7	2	9	7	2	-	-	-	-	-	-
80-84 years	6	2	4	6	2	4	-	-	-	-	-	-
85-89 years	5	1	4	5	1	4	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other myositis (M60.8)												
All ages	5	2	3	4	2	2	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	3	1	2	2	1	1	1	-	1	1	-	1
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Myositis, unspecified (M60.9)												
All ages	47	24	23	39	19	20	8	5	3	8	5	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	-	-	-	2	2	-	2	2	-
45-49 years	3	2	1	2	1	1	1	1	-	1	1	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	3	-	3	3	-	3	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	9	7	2	8	6	2	1	1	-	1	1	-
75-79 years	7	2	5	4	2	2	3	-	3	3	-	3
80-84 years	12	7	5	12	7	5	-	-	-	-	-	-
85-89 years	5	1	4	5	1	4	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Calcification and ossification of muscle (M61)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Myositis ossificans progressiva (M61.1)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of muscle (M62)												
All ages	553	334	219	438	268	170	115	66	49	104	60	44
Under 1 year	3	1	2	2	1	1	1	-	1	1	-	1
1-4 years	2	1	1	1	-	1	1	1	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	2	-	2	2	-	2	-	-	-	-	-	-
15-19 years	3	1	2	2	1	1	1	-	1	1	-	1
20-24 years	2	1	1	1	-	1	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	8	6	2	4	4	-	4	2	2	4	2	2
35-39 years	16	15	1	12	11	1	4	4	-	4	4	-
40-44 years	15	12	3	11	8	3	4	4	-	4	4	-
45-49 years	14	9	5	12	7	5	2	2	-	1	1	-
50-54 years	25	20	5	18	15	3	7	5	2	6	5	1
55-59 years	20	15	5	19	14	5	1	1	-	1	1	-
60-64 years	31	19	12	18	13	5	13	6	7	13	6	7
65-69 years	45	32	13	32	23	9	13	9	4	11	8	3
70-74 years	55	36	19	41	28	13	14	8	6	12	7	5
75-79 years	88	55	33	71	48	23	17	7	10	17	7	10
80-84 years	92	50	42	79	41	38	13	9	4	13	9	4
85-89 years	70	35	35	61	33	28	9	2	7	7	2	5
90-94 years	45	18	27	37	15	22	8	3	5	7	2	5
95-99 years	13	6	7	12	5	7	1	1	-	-	-	-
100 yrs & over	3	1	2	2	-	2	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Immobility syndrome (paraplegic) (M62.3)												
All ages	39	14	25	30	9	21	9	5	4	8	4	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	4	-	4	3	-	3	1	-	1	1	-	1
80-84 years	9	5	4	5	2	3	4	3	1	4	3	1
85-89 years	9	1	8	9	1	8	-	-	-	-	-	-
90-94 years	7	-	7	5	-	5	2	-	2	2	-	2
95-99 years	2	1	1	1	-	1	1	1	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Contracture of muscle (M62.4)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Muscle wasting and atrophy, not elsewhere classified (M62.5)												
All ages	6	5	1	6	5	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Muscle strain (M62.6)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified disorders of muscle (M62.8)												
All ages	503	314	189	398	253	145	105	61	44	95	56	39
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	2	-	2	2	-	2	-	-	-	-	-	-
15-19 years	3	1	2	2	1	1	1	-	1	1	-	1
20-24 years	2	1	1	1	-	1	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	7	5	2	3	3	-	4	2	2	4	2	2
35-39 years	16	15	1	12	11	1	4	4	-	4	4	-
40-44 years	13	10	3	9	6	3	4	4	-	4	4	-
45-49 years	14	9	5	12	7	5	2	2	-	1	1	-
50-54 years	24	19	5	17	14	3	7	5	2	6	5	1
55-59 years	20	15	5	19	14	5	1	1	-	1	1	-
60-64 years	29	17	12	17	12	5	12	5	7	12	5	7
65-69 years	43	30	13	30	21	9	13	9	4	11	8	3
70-74 years	53	34	19	39	26	13	14	8	6	12	7	5
75-79 years	82	54	28	66	47	19	16	7	9	16	7	9
80-84 years	82	44	38	73	38	35	9	6	3	9	6	3
85-89 years	59	33	26	50	31	19	9	2	7	7	2	5
90-94 years	38	18	20	32	15	17	6	3	3	5	2	3
95-99 years	10	5	5	10	5	5	-	-	-	-	-	-
100 yrs & over	2	1	1	1	-	1	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorder of muscle, unspecified (M62.9)												
All ages	3	1	2	2	1	1	1	-	1	1	-	1
Under 1 year	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other disorders of synovium and tendon (M67)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Ganglion (M67.4)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorder of synovium and tendon, unspecified (M67.9)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Soft tissue disorders related to use, overuse, and pressure (M70)												
All ages	4	2	2	3	2	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Olecranon bursitis (M70.2)												
All ages	4	2	2	3	2	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other bursopathies (M71)												
All ages	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other infective bursitis (M71.1)												
All ages	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Fibroblastic disorders (M72)												
All ages	368	181	187	283	142	141	85	39	46	68	33	35
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years	5	4	1	5	4	1	-	-	-	-	-	-
30-34 years	9	4	5	6	2	4	3	2	1	-	-	-
35-39 years	14	9	5	13	9	4	1	-	1	-	-	-
40-44 years	20	13	7	15	9	6	5	4	1	4	4	-
45-49 years	24	13	11	19	10	9	5	3	2	5	3	2
50-54 years	49	26	23	36	20	16	13	6	7	10	6	4
55-59 years	44	22	22	28	13	15	16	9	7	15	8	7
60-64 years	33	12	21	19	6	13	14	6	8	12	4	8
65-69 years	26	13	13	21	12	9	5	1	4	5	1	4
70-74 years	31	17	14	26	15	11	5	2	3	5	2	3
75-79 years	36	16	20	28	14	14	8	2	6	6	2	4
80-84 years	34	17	17	29	16	13	5	1	4	3	1	2
85-89 years	24	10	14	19	7	12	5	3	2	3	2	1
90-94 years	11	3	8	11	3	8	-	-	-	-	-	-
95-99 years	4	1	3	4	1	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Fasciitis, not elsewhere classified (M72.5)												
All ages	364	180	184	280	141	139	84	39	45	67	33	34
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	5	4	1	5	4	1	-	-	-	-	-	-
30-34 years	9	4	5	6	2	4	3	2	1	-	-	-
35-39 years	14	9	5	13	9	4	1	-	1	-	-	-
40-44 years	20	13	7	15	9	6	5	4	1	4	4	-
45-49 years	24	13	11	19	10	9	5	3	2	5	3	2
50-54 years	49	26	23	36	20	16	13	6	7	10	6	4
55-59 years	44	22	22	28	13	15	16	9	7	15	8	7
60-64 years	32	12	20	18	6	12	14	6	8	12	4	8
65-69 years	26	13	13	21	12	9	5	1	4	5	1	4
70-74 years	31	17	14	26	15	11	5	2	3	5	2	3
75-79 years	35	16	19	28	14	14	7	2	5	5	2	3
80-84 years	33	16	17	28	15	13	5	1	4	3	1	2
85-89 years	24	10	14	19	7	12	5	3	2	3	2	1
90-94 years	11	3	8	11	3	8	-	-	-	-	-	-
95-99 years	4	1	3	4	1	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Fibroblastic disorder, unspecified (M72.9)												
All ages	4	1	3	3	1	2	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other soft tissue disorders, not elsewhere classified (M79)												
All ages	48	13	35	45	12	33	3	1	2	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	9	2	7	8	2	6	1	-	1	1	-	1
45-49 years	5	3	2	4	2	2	1	1	-	1	1	-
50-54 years	5	2	3	5	2	3	-	-	-	-	-	-
55-59 years	5	-	5	5	-	5	-	-	-	-	-	-
60-64 years	4	-	4	4	-	4	-	-	-	-	-	-
65-69 years	4	1	3	4	1	3	-	-	-	-	-	-
70-74 years	6	1	5	6	1	5	-	-	-	-	-	-
75-79 years	4	2	2	3	2	1	1	-	1	1	-	1
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism, unspecified (M79.0)												
All ages	9	2	7	9	2	7	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Myalgia (M79.1)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Neuralgia and neuritis, unspecified (M79.2)												
All ages	4	2	2	4	2	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Panniculitis, unspecified (M79.3)												
All ages	22	4	18	22	4	18	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	4	-	4	4	-	4	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	4	2	2	4	2	2	-	-	-	-	-	-
55-59 years	3	-	3	3	-	3	-	-	-	-	-	-
60-64 years	3	-	3	3	-	3	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pain in limb (M79.6)												
All ages	5	2	3	3	1	2	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	1	1	-	1	-	1	1	-	1
45-49 years	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified soft tissue disorders (M79.8)												
All ages	5	-	5	4	-	4	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Soft tissue disorder, unspecified (M79.9)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Osteoporosis with pathological fracture (M80)												
All ages	731	105	626	712	104	608	19	1	18	9	1	8
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years	4	1	3	3	1	2	1	-	1	-	-	-
65-69 years	15	4	11	15	4	11	-	-	-	-	-	-
70-74 years	20	5	15	20	5	15	-	-	-	-	-	-
75-79 years	65	12	53	64	12	52	1	-	1	1	-	1
80-84 years	118	14	104	114	14	100	4	-	4	-	-	-
85-89 years	187	27	160	183	27	156	4	-	4	2	-	2
90-94 years	201	22	179	195	21	174	6	1	5	4	1	3
95-99 years	100	16	84	97	16	81	3	-	3	2	-	2
100 yrs & over	16	1	15	16	1	15	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Drug-induced osteoporosis with pathological fracture (M80.4)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other osteoporosis with pathological fracture (M80.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified osteoporosis with pathological fracture (M80.9)												
All ages	729	105	624	710	104	606	19	1	18	9	1	8
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years	4	1	3	3	1	2	1	-	1	-	-	-
65-69 years	15	4	11	15	4	11	-	-	-	-	-	-
70-74 years	20	5	15	20	5	15	-	-	-	-	-	-
75-79 years	65	12	53	64	12	52	1	-	1	1	-	1
80-84 years	118	14	104	114	14	100	4	-	4	-	-	-
85-89 years	185	27	158	181	27	154	4	-	4	2	-	2
90-94 years	201	22	179	195	21	174	6	1	5	4	1	3
95-99 years	100	16	84	97	16	81	3	-	3	2	-	2
100 yrs & over	16	1	15	16	1	15	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Osteoporosis without pathological fracture (M81)												
All ages	953	91	862	922	88	834	31	3	28	16	2	14
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	4	1	3	3	-	3	1	1	-	1	1	-
60-64 years	8	2	6	8	2	6	-	-	-	-	-	-
65-69 years	13	1	12	12	1	11	1	-	1	1	-	1
70-74 years	20	6	14	17	6	11	3	-	3	1	-	1
75-79 years	60	7	53	57	7	50	3	-	3	2	-	2
80-84 years	168	16	152	165	16	149	3	-	3	1	-	1
85-89 years	273	24	249	264	24	240	9	-	9	4	-	4
90-94 years	257	22	235	249	21	228	8	1	7	4	-	4
95-99 years	125	8	117	122	7	115	3	1	2	2	1	1
100 yrs & over	21	1	20	21	1	20	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Postmenopausal osteoporosis (M81.0)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other osteoporosis (M81.8)												
All ages	4	-	4	4	-	4	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Osteoporosis, unspecified (M81.9)												
All ages	948	91	857	917	88	829	31	3	28	16	2	14
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	4	1	3	3	-	3	1	1	-	1	1	-
60-64 years	8	2	6	8	2	6	-	-	-	-	-	-
65-69 years	13	1	12	12	1	11	1	-	1	1	-	1
70-74 years	20	6	14	17	6	11	3	-	3	1	-	1
75-79 years	60	7	53	57	7	50	3	-	3	2	-	2
80-84 years	168	16	152	165	16	149	3	-	3	1	-	1
85-89 years	271	24	247	262	24	238	9	-	9	4	-	4
90-94 years	254	22	232	246	21	225	8	1	7	4	-	4
95-99 years	125	8	117	122	7	115	3	1	2	2	1	1
100 yrs & over	21	1	20	21	1	20	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Adult osteomalacia (M83)												
All ages	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Adult osteomalacia, unspecified (M83.9)												
All ages	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorders of continuity of bone (M84)												
All ages	139	36	103	127	31	96	12	5	7	12	5	7
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years	3	1	2	2	1	1	1	-	1	1	-	1
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	3	1	2	2	-	2	1	1	-	1	1	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	7	3	4	7	3	4	-	-	-	-	-	-
75-79 years	20	8	12	18	7	11	2	1	1	2	1	1
80-84 years	16	4	12	16	4	12	-	-	-	-	-	-
85-89 years	28	9	19	27	9	18	1	-	1	1	-	1
90-94 years	28	4	24	25	3	22	3	1	2	3	1	2
95-99 years	18	1	17	18	1	17	-	-	-	-	-	-
100 yrs & over	8	1	7	6	1	5	2	-	2	2	-	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonunion of fracture [pseudarthrosis] (M84.1)												
All ages	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Stress fracture, not elsewhere classified (M84.3)												
All ages	5	1	4	4	1	3	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	2	1	1	1	1	-	1	-	1	1	-	1
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pathological fracture, not elsewhere classified (M84.4)												
All ages	131	35	96	120	30	90	11	5	6	11	5	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	2	1	1	1	-	1	1	1	-	1	1	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	7	3	4	7	3	4	-	-	-	-	-	-
75-79 years	20	8	12	18	7	11	2	1	1	2	1	1
80-84 years	15	4	11	15	4	11	-	-	-	-	-	-
85-89 years	28	9	19	27	9	18	1	-	1	1	-	1
90-94 years	27	4	23	24	3	21	3	1	2	3	1	2
95-99 years	17	1	16	17	1	16	-	-	-	-	-	-
100 yrs & over	8	1	7	6	1	5	2	-	2	2	-	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other disorders of bone density and structure (M85)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Fibrous dysplasia (monostotic) (M85.0)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other cyst of bone (M85.6)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified disorders of bone density and structure (M85.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Osteomyelitis (M86)												
All ages	1,221	555	666	984	449	535	237	106	131	216	95	121
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	2	-	-	-	-	2	2	-	2	2	-
30-34 years	10	4	6	8	3	5	2	1	1	2	1	1
35-39 years	10	9	1	10	9	1	-	-	-	-	-	-
40-44 years	11	6	5	8	4	4	3	2	1	3	2	1
45-49 years	22	15	7	15	10	5	7	5	2	6	5	1
50-54 years	28	19	9	23	16	7	5	3	2	5	3	2
55-59 years	35	25	10	26	18	8	9	7	2	8	6	2
60-64 years	58	32	26	44	23	21	14	9	5	14	9	5
65-69 years	86	49	37	65	36	29	21	13	8	19	12	7
70-74 years	131	61	70	94	44	50	37	17	20	34	14	20
75-79 years	169	89	80	144	77	67	25	12	13	21	10	11
80-84 years	220	99	121	185	85	100	35	14	21	32	12	20
85-89 years	223	87	136	183	74	109	40	13	27	37	12	25
90-94 years	146	48	98	123	41	82	23	7	16	20	6	14
95-99 years	58	9	49	46	8	38	12	1	11	11	1	10
100 yrs & over	12	1	11	10	1	9	2	-	2	2	-	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other acute osteomyelitis (M86.1)												
All ages	4	1	3	4	1	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Chronic osteomyelitis with draining sinus (M86.4)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic osteomyelitis (M86.6)												
All ages	78	38	40	68	31	37	10	7	3	9	6	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	2	1	1	1	-	1	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	4	3	1	3	2	1	1	1	-	1	1	-
65-69 years	9	5	4	8	4	4	1	1	-	-	-	-
70-74 years	9	3	6	6	2	4	3	1	2	3	1	2
75-79 years	8	5	3	8	5	3	-	-	-	-	-	-
80-84 years	13	8	5	11	7	4	2	1	1	2	1	1
85-89 years	14	6	8	14	6	8	-	-	-	-	-	-
90-94 years	9	1	8	8	-	8	1	1	-	1	1	-
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other osteomyelitis (M86.8)												
All ages	41	16	25	36	14	22	5	2	3	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	1	1	-	1	-	1	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	4	-	4	4	-	4	-	-	-	-	-	-
70-74 years	4	1	3	3	1	2	1	-	1	1	-	1
75-79 years	4	3	1	4	3	1	-	-	-	-	-	-
80-84 years	6	2	4	6	2	4	-	-	-	-	-	-
85-89 years	8	3	5	7	2	5	1	1	-	1	1	-
90-94 years	3	2	1	2	1	1	1	1	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	2	-	2	1	-	1	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Osteomyelitis, unspecified (M86.9)												
All ages	1,097	500	597	875	403	472	222	97	125	204	88	116
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	10	4	6	8	3	5	2	1	1	2	1	1
35-39 years	6	5	1	6	5	1	-	-	-	-	-	-
40-44 years	10	5	5	7	3	4	3	2	1	3	2	1
45-49 years	18	12	6	12	7	5	6	5	1	6	5	1
50-54 years	24	17	7	20	15	5	4	2	2	4	2	2
55-59 years	33	24	9	24	17	7	9	7	2	8	6	2
60-64 years	52	28	24	39	20	19	13	8	5	13	8	5
65-69 years	71	44	27	51	32	19	20	12	8	19	12	7
70-74 years	118	57	61	85	41	44	33	16	17	30	13	17
75-79 years	157	81	76	132	69	63	25	12	13	21	10	11
80-84 years	200	89	111	167	76	91	33	13	20	30	11	19
85-89 years	201	78	123	162	66	96	39	12	27	36	11	25
90-94 years	134	45	89	113	40	73	21	5	16	19	5	14
95-99 years	53	9	44	41	8	33	12	1	11	11	1	10
100 yrs & over	9	1	8	8	1	7	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Osteonecrosis (M87)												
All ages	14	7	7	11	4	7	3	3	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Osteonecrosis due to previous trauma (M87.2)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other osteonecrosis (M87.8)												
All ages	5	2	3	4	1	3	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Osteonecrosis, unspecified (M87.9)												
All ages	8	4	4	6	2	4	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Paget's disease of bone [osteitis deformans] (M88)												
All ages	76	32	44	70	28	42	6	4	2	6	4	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	5	2	3	5	2	3	-	-	-	-	-	-
75-79 years	5	3	2	2	-	2	3	3	-	3	3	-
80-84 years	23	8	15	21	8	13	2	-	2	2	-	2
85-89 years	17	9	8	17	9	8	-	-	-	-	-	-
90-94 years	15	6	9	14	5	9	1	1	-	1	1	-
95-99 years	8	2	6	8	2	6	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Paget's disease of bone, unspecified (M88.9)												
All ages	76	32	44	70	28	42	6	4	2	6	4	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	5	2	3	5	2	3	-	-	-	-	-	-
75-79 years	5	3	2	2	-	2	3	3	-	3	3	-
80-84 years	23	8	15	21	8	13	2	-	2	2	-	2
85-89 years	17	9	8	17	9	8	-	-	-	-	-	-
90-94 years	15	6	9	14	5	9	1	1	-	1	1	-
95-99 years	8	2	6	8	2	6	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other disorders of bone (M89)												
All ages	47	18	29	46	18	28	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	4	-	4	4	-	4	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years	5	3	2	5	3	2	-	-	-	-	-	-
75-79 years	9	1	8	9	1	8	-	-	-	-	-	-
80-84 years	8	5	3	8	5	3	-	-	-	-	-	-
85-89 years	7	2	5	6	2	4	1	-	1	1	-	1
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Algoneurodystrophy (M89.0)												
All ages	7	1	6	7	1	6	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	3	-	3	3	-	3	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Osteolysis (M89.5)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified disorders of bone (M89.8)												
All ages	23	8	15	22	8	14	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	4	-	4	4	-	4	-	-	-	-	-	-
80-84 years	5	3	2	5	3	2	-	-	-	-	-	-
85-89 years	4	1	3	3	1	2	1	-	1	1	-	1
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorder of bone, unspecified (M89.9)												
All ages	15	8	7	15	8	7	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Juvenile osteochondrosis of hip and pelvis (M91)												
All ages	8	3	5	8	3	5	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Juvenile osteochondrosis of hip and pelvis, unspecified (M91.9)												
All ages	8	3	5	8	3	5	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other osteochondropathies (M93)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Osteochondropathy, unspecified (M93.9)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of cartilage (M94)												
All ages	10	4	6	9	4	5	1	-	1	1	-	1
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Relapsing polychondritis (M94.1)												
All ages	6	3	3	6	3	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified disorders of cartilage (M94.8)												
All ages	3	-	3	2	-	2	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorder of cartilage, unspecified (M94.9)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other acquired deformities of musculoskeletal system and connective tissue (M95)												
All ages	4	1	3	4	1	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acquired deformity of chest and rib (M95.4)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acquired deformity of musculoskeletal system, unspecified (M95.9)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute nephritic syndrome (N00)												
All ages	9	4	5	9	4	5	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified (N00.9)												
All ages	9	4	5	9	4	5	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Rapidly progressive nephritic syndrome (N01)												
All ages	16	7	9	13	6	7	3	1	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	3	-	3	2	-	2	1	-	1	1	-	1
90-94 years	2	-	2	1	-	1	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Diffuse crescentic glomerulonephritis (N01.7)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified (N01.9)												
All ages	15	7	8	12	6	6	3	1	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	2	-	2	1	-	1	1	-	1	1	-	1
90-94 years	2	-	2	1	-	1	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Recurrent and persistent hematuria (N02)												
All ages	25	18	7	21	17	4	4	1	3	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	1	1	-	1	-	1	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	3	1	2	2	1	1	1	-	1	-	-	-
60-64 years	4	3	1	2	2	-	2	1	1	2	1	1
65-69 years	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other (N02.8)												
All ages	25	18	7	21	17	4	4	1	3	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	1	1	-	1	-	1	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	3	1	2	2	1	1	1	-	1	-	-	-
60-64 years	4	3	1	2	2	-	2	1	1	2	1	1
65-69 years	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chronic nephritic syndrome (N03)												
All ages	272	131	141	211	101	110	61	30	31	48	25	23
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	3	2	1	3	2	1	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	3	-	3	2	-	2	1	-	1	-	-	-
35-39 years	6	3	3	1	1	-	5	2	3	4	2	2
40-44 years	4	2	2	3	1	2	1	1	-	1	1	-
45-49 years	6	3	3	2	-	2	4	3	1	4	3	1
50-54 years	15	8	7	7	3	4	8	5	3	6	4	2
55-59 years	8	3	5	7	2	5	1	1	-	1	1	-
60-64 years	10	6	4	4	2	2	6	4	2	4	3	1
65-69 years	27	11	16	17	5	12	10	6	4	8	5	3
70-74 years	29	15	14	25	13	12	4	2	2	2	1	1
75-79 years	34	23	11	30	21	9	4	2	2	4	2	2
80-84 years	39	19	20	32	16	16	7	3	4	5	2	3
85-89 years	50	24	26	46	23	23	4	1	3	3	1	2
90-94 years	26	7	19	24	7	17	2	-	2	2	-	2
95-99 years	9	5	4	8	5	3	1	-	1	1	-	1
100 yrs & over	1	-	1	-	-	-	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified (N03.9)												
All ages	272	131	141	211	101	110	61	30	31	48	25	23
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	3	2	1	3	2	1	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	3	-	3	2	-	2	1	-	1	-	-	-
35-39 years	6	3	3	1	1	-	5	2	3	4	2	2
40-44 years	4	2	2	3	1	2	1	1	-	1	1	-
45-49 years	6	3	3	2	-	2	4	3	1	4	3	1
50-54 years	15	8	7	7	3	4	8	5	3	6	4	2
55-59 years	8	3	5	7	2	5	1	1	-	1	1	-
60-64 years	10	6	4	4	2	2	6	4	2	4	3	1
65-69 years	27	11	16	17	5	12	10	6	4	8	5	3
70-74 years	29	15	14	25	13	12	4	2	2	2	1	1
75-79 years	34	23	11	30	21	9	4	2	2	4	2	2
80-84 years	39	19	20	32	16	16	7	3	4	5	2	3
85-89 years	50	24	26	46	23	23	4	1	3	3	1	2
90-94 years	26	7	19	24	7	17	2	-	2	2	-	2
95-99 years	9	5	4	8	5	3	1	-	1	1	-	1
100 yrs & over	1	-	1	-	-	-	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nephrotic syndrome (N04)												
All ages	131	62	69	108	50	58	23	12	11	19	9	10
Under 1 year	8	4	4	7	3	4	1	1	-	-	-	-
1-4 years	4	3	1	3	2	1	1	1	-	1	1	-
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	2	-	-	-	-	2	2	-	2	2	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	5	4	1	4	4	-	1	-	1	1	-	1
55-59 years	8	5	3	7	4	3	1	1	-	1	1	-
60-64 years	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years	11	4	7	7	1	6	4	3	1	4	3	1
70-74 years	13	3	10	11	2	9	2	1	1	2	1	1
75-79 years	24	9	15	21	9	12	3	-	3	3	-	3
80-84 years	16	7	9	14	7	7	2	-	2	2	-	2
85-89 years	20	10	10	17	8	9	3	2	1	1	1	-
90-94 years	8	4	4	6	3	3	2	1	1	1	-	1
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Focal and segmental glomerular lesions (N04.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified (N04.9)												
All ages	130	61	69	107	49	58	23	12	11	19	9	10
Under 1 year	8	4	4	7	3	4	1	1	-	-	-	-
1-4 years	4	3	1	3	2	1	1	1	-	1	1	-
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	2	-	-	-	-	2	2	-	2	2	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	5	4	1	4	4	-	1	-	1	1	-	1
55-59 years	8	5	3	7	4	3	1	1	-	1	1	-
60-64 years	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years	11	4	7	7	1	6	4	3	1	4	3	1
70-74 years	13	3	10	11	2	9	2	1	1	2	1	1
75-79 years	23	8	15	20	8	12	3	-	3	3	-	3
80-84 years	16	7	9	14	7	7	2	-	2	2	-	2
85-89 years	20	10	10	17	8	9	3	2	1	1	1	-
90-94 years	8	4	4	6	3	3	2	1	1	1	-	1
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified nephritic syndrome (N05)												
All ages	179	102	77	155	88	67	24	14	10	16	10	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	3	-	2	2	-	1	1	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	2	-	2	2	-	2	-	-	-	-	-	-
30-34 years	4	1	3	4	1	3	-	-	-	-	-	-
35-39 years	8	3	5	6	3	3	2	-	2	-	-	-
40-44 years	5	4	1	3	2	1	2	2	-	2	2	-
45-49 years	6	3	3	4	1	3	2	2	-	1	1	-
50-54 years	9	5	4	4	2	2	5	3	2	3	3	-
55-59 years	4	4	-	3	3	-	1	1	-	1	1	-
60-64 years	8	5	3	7	4	3	1	1	-	1	1	-
65-69 years	17	9	8	15	9	6	2	-	2	2	-	2
70-74 years	30	23	7	28	22	6	2	1	1	2	1	1
75-79 years	26	12	14	23	10	13	3	2	1	2	1	1
80-84 years	32	21	11	29	20	9	3	1	2	2	-	2
85-89 years	14	5	9	14	5	9	-	-	-	-	-	-
90-94 years	6	2	4	6	2	4	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Focal and segmental glomerular lesions (N05.1)												
All ages	8	6	2	6	6	-	2	-	2	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	-	-	-	1	-	1	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Diffuse membranous glomerulonephritis (N05.2)												
All ages	30	19	11	27	16	11	3	3	-	3	3	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	3	3	-	2	2	-	1	1	-	1	1	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	6	4	2	6	4	2	-	-	-	-	-	-
75-79 years	4	2	2	3	1	2	1	1	-	1	1	-
80-84 years	6	4	2	6	4	2	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Diffuse mesangial proliferative glomerulonephritis (N05.3)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Diffuse mesangiocapillary glomerulonephritis (N05.5)												
All ages	10	7	3	6	4	2	4	3	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	2	-	1	1	-	1	1	-	-	-	-
80-84 years	3	1	2	2	1	1	1	-	1	1	-	1
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Diffuse crescentic glomerulonephritis (N05.7)												
All ages	4	3	1	3	2	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other (N05.8)												
All ages	19	13	6	15	10	5	4	3	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	5	5	-	5	5	-	-	-	-	-	-	-
75-79 years	2	1	1	1	1	-	1	-	1	1	-	1
80-84 years	4	3	1	3	2	1	1	1	-	-	-	-
85-89 years	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified (N05.9)												
All ages	107	53	54	97	49	48	10	4	6	7	3	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years	5	2	3	4	2	2	1	-	1	-	-	-
40-44 years	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years	5	2	3	4	1	3	1	1	-	-	-	-
50-54 years	6	3	3	3	1	2	3	2	1	2	2	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	4	1	3	4	1	3	-	-	-	-	-	-
65-69 years	13	8	5	11	8	3	2	-	2	2	-	2
70-74 years	17	12	5	15	11	4	2	1	1	2	1	1
75-79 years	17	6	11	17	6	11	-	-	-	-	-	-
80-84 years	16	10	6	15	10	5	1	-	1	1	-	1
85-89 years	7	2	5	7	2	5	-	-	-	-	-	-
90-94 years	5	1	4	5	1	4	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hereditary nephropathy, not elsewhere classified (N07)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Diffuse mesangiocapillary glomerulonephritis (N07.5)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute tubulo-interstitial nephritis (N10)												
All ages	127	33	94	100	22	78	27	11	16	21	9	12
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	3	1	2	2	1	1	1	-	1	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	-	-	-
25-29 years	5	-	5	4	-	4	1	-	1	1	-	1
30-34 years	2	-	2	1	-	1	1	-	1	1	-	1
35-39 years	5	1	4	3	1	2	2	-	2	2	-	2
40-44 years	5	2	3	4	2	2	1	-	1	1	-	1
45-49 years	6	1	5	3	-	3	3	1	2	2	1	1
50-54 years	12	-	12	9	-	9	3	-	3	3	-	3
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	4	1	3	3	-	3	1	1	-	1	1	-
65-69 years	8	3	5	5	1	4	3	2	1	3	2	1
70-74 years	6	4	2	6	4	2	-	-	-	-	-	-
75-79 years	17	6	11	14	3	11	3	3	-	2	2	-
80-84 years	15	4	11	13	3	10	2	1	1	2	1	1
85-89 years	21	6	15	19	5	14	2	1	1	2	1	1
90-94 years	10	3	7	8	1	7	2	2	-	1	1	-
95-99 years	4	1	3	4	1	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chronic tubulo-interstitial nephritis (N11)												
All ages	73	27	46	66	23	43	7	4	3	7	4	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	4	3	1	3	2	1	1	1	-	1	1	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	4	3	1	2	2	-	2	1	1	2	1	1
70-74 years	6	-	6	5	-	5	1	-	1	1	-	1
75-79 years	18	3	15	17	3	14	1	-	1	1	-	1
80-84 years	11	6	5	10	5	5	1	1	-	1	1	-
85-89 years	9	4	5	8	3	5	1	1	-	1	1	-
90-94 years	6	-	6	6	-	6	-	-	-	-	-	-
95-99 years	4	2	2	4	2	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Nonobstructive reflux-associated chronic pyelonephritis (N11.0)												
All ages	4	3	1	3	2	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	3	-	2	2	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pyelonephritis (N11.1)												
All ages	9	1	8	8	1	7	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other chronic tubulo-interstitial nephritis (N11.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chronic tubulo-interstitial nephritis, unspecified (N11.9)												
All ages	59	22	37	54	19	35	5	3	2	5	3	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	4	3	1	2	2	-	2	1	1	2	1	1
70-74 years	5	-	5	5	-	5	-	-	-	-	-	-
75-79 years	17	3	14	16	3	13	1	-	1	1	-	1
80-84 years	7	4	3	6	3	3	1	1	-	1	1	-
85-89 years	7	4	3	6	3	3	1	1	-	1	1	-
90-94 years	4	-	4	4	-	4	-	-	-	-	-	-
95-99 years	3	2	1	3	2	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Tubulo-interstitial nephritis, not specified as acute or chronic (N12)												
All ages	504	137	367	443	119	324	61	18	43	49	13	36
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	1	1	-	-	-	-	1	1	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	1	1	1	-	1	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	3	2	1	2	1	1	1	1	-	1	1	-
35-39 years	6	-	6	5	-	5	1	-	1	1	-	1
40-44 years	8	2	6	7	2	5	1	-	1	1	-	1
45-49 years	12	3	9	9	3	6	3	-	3	2	-	2
50-54 years	10	4	6	7	3	4	3	1	2	3	1	2
55-59 years	16	4	12	11	4	7	5	-	5	3	-	3
60-64 years	12	3	9	10	2	8	2	1	1	2	1	1
65-69 years	17	10	7	15	8	7	2	2	-	2	2	-
70-74 years	35	15	20	31	12	19	4	3	1	4	3	1
75-79 years	82	26	56	75	23	52	7	3	4	5	1	4
80-84 years	91	27	64	77	25	52	14	2	12	11	1	10
85-89 years	99	22	77	90	20	70	9	2	7	7	1	6
90-94 years	82	12	70	76	12	64	6	-	6	5	-	5
95-99 years	24	4	20	24	4	20	-	-	-	-	-	-
100 yrs & over	3	-	3	3	-	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Obstructive and reflux uropathy (N13)												
All ages	447	265	182	389	230	159	58	35	23	48	31	17
Under 1 year	7	5	2	5	4	1	2	1	1	2	1	1
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years	2	2	-	1	1	-	1	1	-	1	1	-
30-34 years	4	3	1	4	3	1	-	-	-	-	-	-
35-39 years	7	5	2	5	5	-	2	-	2	1	-	1
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	3	1	2	2	-	2	1	1	-	1	1	-
50-54 years	6	3	3	5	2	3	1	1	-	1	1	-
55-59 years	13	8	5	11	6	5	2	2	-	2	2	-
60-64 years	18	5	13	11	3	8	7	2	5	5	2	3
65-69 years	18	6	12	16	4	12	2	2	-	2	2	-
70-74 years	42	28	14	35	23	12	7	5	2	6	4	2
75-79 years	64	35	29	56	30	26	8	5	3	7	4	3
80-84 years	80	58	22	71	50	21	9	8	1	8	7	1
85-89 years	82	48	34	75	43	32	7	5	2	7	5	2
90-94 years	66	40	26	59	39	20	7	1	6	4	1	3
95-99 years	29	14	15	27	13	14	2	1	1	1	-	1
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hydronephrosis with ureteropelvic junction obstruction (N13.0)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hydronephrosis with renal and ureteral calculous obstruction (N13.2)												
All ages	12	2	10	10	2	8	2	-	2	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	1	1	-	1	-	1	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other and unspecified hydronephrosis (N13.3)												
All ages	87	31	56	78	29	49	9	2	7	8	2	6
Under 1 year	3	2	1	3	2	1	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	3	1	2	2	-	2	1	1	-	1	1	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	2	-	2	1	-	1	1	-	1	-	-	-
65-69 years	5	3	2	5	3	2	-	-	-	-	-	-
70-74 years	4	1	3	3	1	2	1	-	1	1	-	1
75-79 years	8	1	7	7	1	6	1	-	1	1	-	1
80-84 years	14	7	7	14	7	7	-	-	-	-	-	-
85-89 years	17	4	13	16	4	12	1	-	1	1	-	1
90-94 years	17	6	11	15	6	9	2	-	2	2	-	2
95-99 years	7	1	6	6	1	5	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Kinking and stricture of ureter without hydronephrosis (N13.5)												
All ages	51	24	27	45	21	24	6	3	3	6	3	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	5	3	2	4	2	2	1	1	-	1	1	-
75-79 years	9	4	5	7	4	3	2	-	2	2	-	2
80-84 years	12	8	4	11	7	4	1	1	-	1	1	-
85-89 years	10	6	4	9	5	4	1	1	-	1	1	-
90-94 years	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pyonephrosis (N13.6)												
All ages	8	4	4	7	3	4	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Vesicoureteral-reflux-associated uropathy (N13.7)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other obstructive and reflux uropathy (N13.8)												
All ages	16	9	7	12	7	5	4	2	2	4	2	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	2	2	-	-	-	-	2	2	-	2	2	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	5	3	2	5	3	2	-	-	-	-	-	-
85-89 years	6	3	3	5	3	2	1	-	1	1	-	1
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Obstructive and reflux uropathy, unspecified (N13.9)												
All ages	271	194	77	235	167	68	36	27	9	28	23	5
Under 1 year	4	3	1	2	2	-	2	1	1	2	1	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years	4	3	1	2	1	1	2	2	-	2	2	-
60-64 years	12	4	8	8	3	5	4	1	3	3	1	2
65-69 years	10	3	7	8	1	7	2	2	-	2	2	-
70-74 years	29	22	7	27	20	7	2	2	-	1	1	-
75-79 years	41	29	12	36	24	12	5	5	-	4	4	-
80-84 years	46	38	8	38	31	7	8	7	1	7	6	1
85-89 years	47	34	13	43	30	13	4	4	-	4	4	-
90-94 years	45	34	11	40	33	7	5	1	4	2	1	1
95-99 years	18	12	6	17	11	6	1	1	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Drug- and heavy-metal-induced tubulo-interstitial and tubular conditions (N14)												
All ages	8	7	1	8	7	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Analgesic nephropathy (N14.0)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Nephropathy induced by other drugs, medicaments, and biological substances (N14.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nephropathy induced by unspecified drug, medicament, or biological substance (N14.2)												
All ages	5	4	1	5	4	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other renal tubulo-interstitial diseases (N15)												
All ages	59	16	43	52	13	39	7	3	4	4	1	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	2	-	2	-	-	-	2	-	2	2	-	2
40-44 years	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	5	1	4	5	1	4	-	-	-	-	-	-
65-69 years	7	4	3	5	2	3	2	2	-	1	1	-
70-74 years	6	2	4	6	2	4	-	-	-	-	-	-
75-79 years	7	1	6	7	1	6	-	-	-	-	-	-
80-84 years	8	1	7	6	-	6	2	1	1	-	-	-
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	6	2	4	5	2	3	1	-	1	1	-	1
95-99 years	7	2	5	7	2	5	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Renal and perinephric abscess (N15.1)												
All ages	36	12	24	31	9	22	5	3	2	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	4	-	4	4	-	4	-	-	-	-	-	-
65-69 years	6	3	3	4	1	3	2	2	-	1	1	-
70-74 years	5	2	3	5	2	3	-	-	-	-	-	-
75-79 years	6	1	5	6	1	5	-	-	-	-	-	-
80-84 years	4	1	3	2	-	2	2	1	1	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Renal tubulo-interstitial disease, unspecified (N15.9)												
All ages	23	4	19	21	4	17	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	4	-	4	4	-	4	-	-	-	-	-	-
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	4	1	3	3	1	2	1	-	1	1	-	1
95-99 years	6	1	5	6	1	5	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute renal failure (N17)												
All ages	5,480	2,548	2,932	4,683	2,171	2,512	797	377	420	728	342	386
Under 1 year	18	9	9	6	4	2	12	5	7	11	5	6
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	2	-	2	1	-	1	1	-	1	1	-	1
10-14 years	2	1	1	1	1	-	1	-	1	1	-	1
15-19 years	3	2	1	2	2	-	1	-	1	1	-	1
20-24 years	4	2	2	2	1	1	2	1	1	2	1	1
25-29 years	7	2	5	6	2	4	1	-	1	1	-	1
30-34 years	12	4	8	9	1	8	3	3	-	3	3	-
35-39 years	24	15	9	17	13	4	7	2	5	7	2	5
40-44 years	41	26	15	22	17	5	19	9	10	18	8	10
45-49 years	58	35	23	29	20	9	29	15	14	26	13	13
50-54 years	101	63	38	76	46	30	25	17	8	24	17	7
55-59 years	147	91	56	107	64	43	40	27	13	36	24	12
60-64 years	196	110	86	149	87	62	47	23	24	40	20	20
65-69 years	358	216	142	296	181	115	62	35	27	60	33	27
70-74 years	532	292	240	449	246	203	83	46	37	77	42	35
75-79 years	829	435	394	713	384	329	116	51	65	107	48	59
80-84 years	1,061	502	559	937	438	499	124	64	60	113	60	53
85-89 years	1,050	421	629	944	380	564	106	41	65	95	36	59
90-94 years	727	247	480	640	218	422	87	29	58	75	22	53
95-99 years	264	66	198	238	59	179	26	7	19	25	6	19
100 yrs & over	43	9	34	38	7	31	5	2	3	5	2	3
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute renal failure with tubular necrosis (N17.0)												
All ages	209	90	119	183	79	104	26	11	15	20	8	12
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	3	2	1	1	1	-	2	1	1	2	1	1
45-49 years	4	2	2	2	1	1	2	1	1	2	1	1
50-54 years	5	1	4	5	1	4	-	-	-	-	-	-
55-59 years	6	3	3	5	3	2	1	-	1	1	-	1
60-64 years	11	6	5	9	6	3	2	-	2	1	-	1
65-69 years	14	11	3	11	8	3	3	3	-	3	3	-
70-74 years	21	11	10	20	11	9	1	-	1	1	-	1
75-79 years	38	21	17	35	20	15	3	1	2	3	1	2
80-84 years	39	15	24	36	13	23	3	2	1	2	1	1
85-89 years	26	9	17	24	9	15	2	-	2	2	-	2
90-94 years	25	6	19	20	4	16	5	2	3	1	-	1
95-99 years	11	-	11	11	-	11	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute renal failure with acute cortical necrosis (N17.1)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute renal failure with medullary necrosis (N17.2)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other acute renal failure (N17.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute renal failure, unspecified (N17.9)												
All ages	5,267	2,457	2,810	4,497	2,091	2,406	770	366	404	707	334	373
Under 1 year	17	9	8	5	4	1	12	5	7	11	5	6
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	2	-	2	1	-	1	1	-	1	1	-	1
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	3	2	1	2	2	-	1	-	1	1	-	1
20-24 years	3	1	2	2	1	1	1	-	1	1	-	1
25-29 years	6	1	5	5	1	4	1	-	1	1	-	1
30-34 years	12	4	8	9	1	8	3	3	-	3	3	-
35-39 years	23	14	9	16	12	4	7	2	5	7	2	5
40-44 years	38	24	14	21	16	5	17	8	9	16	7	9
45-49 years	54	33	21	27	19	8	27	14	13	24	12	12
50-54 years	96	62	34	71	45	26	25	17	8	24	17	7
55-59 years	141	88	53	102	61	41	39	27	12	35	24	11
60-64 years	184	104	80	139	81	58	45	23	22	39	20	19
65-69 years	344	205	139	285	173	112	59	32	27	57	30	27
70-74 years	510	280	230	428	234	194	82	46	36	76	42	34
75-79 years	790	414	376	678	364	314	112	50	62	103	47	56
80-84 years	1,022	487	535	901	425	476	121	62	59	111	59	52
85-89 years	1,024	412	612	920	371	549	104	41	63	93	36	57
90-94 years	702	241	461	620	214	406	82	27	55	74	22	52
95-99 years	253	66	187	227	59	168	26	7	19	25	6	19
100 yrs & over	41	9	32	36	7	29	5	2	3	5	2	3
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chronic renal failure (N18)												
All ages	15,692	7,657	8,035	11,359	5,755	5,604	4,333	1,902	2,431	3,843	1,665	2,178
Under 1 year	3	2	1	1	-	1	2	2	-	2	2	-
1-4 years	3	1	2	2	-	2	1	1	-	1	1	-
5-9 years	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years	3	1	2	2	1	1	1	-	1	1	-	1
15-19 years	10	6	4	7	4	3	3	2	1	3	2	1
20-24 years	40	17	23	28	10	18	12	7	5	9	5	4
25-29 years	40	22	18	21	10	11	19	12	7	19	12	7
30-34 years	76	38	38	37	19	18	39	19	20	38	19	19
35-39 years	165	82	83	78	46	32	87	36	51	77	30	47
40-44 years	254	131	123	134	72	62	120	59	61	112	53	59
45-49 years	379	212	167	171	92	79	208	120	88	189	111	78
50-54 years	565	301	264	305	166	139	260	135	125	241	125	116
55-59 years	734	370	364	408	210	198	326	160	166	289	148	141
60-64 years	960	474	486	552	292	260	408	182	226	372	162	210
65-69 years	1,516	771	745	968	518	450	548	253	295	496	227	269
70-74 years	1,903	932	971	1,346	702	644	557	230	327	492	200	292
75-79 years	2,537	1,244	1,293	1,960	1,014	946	577	230	347	506	199	307
80-84 years	2,624	1,326	1,298	2,094	1,095	999	530	231	299	455	192	263
85-89 years	2,208	1,061	1,147	1,846	920	926	362	141	221	305	111	194
90-94 years	1,202	518	684	1,011	456	555	191	62	129	161	51	110
95-99 years	398	130	268	331	113	218	67	17	50	62	13	49
100 yrs & over	70	17	53	55	14	41	15	3	12	13	2	11
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
End-stage renal disease (N18.0)												
All ages	8,270	4,050	4,220	5,405	2,809	2,596	2,865	1,241	1,624	2,551	1,098	1,453
Under 1 year	2	1	1	1	-	1	1	1	-	1	1	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years	2	-	2	1	-	1	1	-	1	1	-	1
15-19 years	6	4	2	4	3	1	2	1	1	2	1	1
20-24 years	22	12	10	12	6	6	10	6	4	7	4	3
25-29 years	23	12	11	13	6	7	10	6	4	10	6	4
30-34 years	52	23	29	19	8	11	33	15	18	32	15	17
35-39 years	108	53	55	45	28	17	63	25	38	58	21	37
40-44 years	185	96	89	94	53	41	91	43	48	87	41	46
45-49 years	270	151	119	110	56	54	160	95	65	146	89	57
50-54 years	379	199	180	195	104	91	184	95	89	171	89	82
55-59 years	521	262	259	266	138	128	255	124	131	223	113	110
60-64 years	647	308	339	352	180	172	295	128	167	264	110	154
65-69 years	968	478	490	599	308	291	369	170	199	335	154	181
70-74 years	1,146	558	588	754	395	359	392	163	229	347	140	207
75-79 years	1,434	680	754	1,052	533	519	382	147	235	339	132	207
80-84 years	1,232	623	609	909	496	413	323	127	196	283	107	176
85-89 years	824	408	416	639	342	297	185	66	119	152	50	102
90-94 years	345	144	201	259	122	137	86	22	64	70	18	52
95-99 years	88	33	55	66	27	39	22	6	16	22	6	16
100 yrs & over	13	4	9	12	3	9	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic renal failure (N18.8)												
All ages	281	130	151	210	97	113	71	33	38	65	29	36
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years	2	1	1	-	-	-	2	1	1	2	1	1
45-49 years	2	1	1	-	-	-	2	1	1	2	1	1
50-54 years	3	1	2	1	-	1	2	1	1	2	1	1
55-59 years	13	7	6	7	4	3	6	3	3	6	3	3
60-64 years	12	7	5	4	2	2	8	5	3	7	5	2
65-69 years	16	8	8	10	5	5	6	3	3	5	2	3
70-74 years	28	12	16	21	9	12	7	3	4	6	2	4
75-79 years	42	19	23	32	15	17	10	4	6	9	3	6
80-84 years	49	26	23	39	20	19	10	6	4	9	6	3
85-89 years	66	30	36	60	27	33	6	3	3	6	3	3
90-94 years	30	10	20	24	9	15	6	1	5	5	-	5
95-99 years	14	6	8	11	5	6	3	1	2	3	1	2
100 yrs & over	1	-	1	-	-	-	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Chronic renal failure, unspecified (N18.9)												
All ages	7,141	3,477	3,664	5,744	2,849	2,895	1,397	628	769	1,227	538	689
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	2	1	1	1	-	1	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	4	2	2	3	1	2	1	1	-	1	1	-
20-24 years	18	5	13	16	4	12	2	1	1	2	1	1
25-29 years	16	9	7	8	4	4	8	5	3	8	5	3
30-34 years	24	15	9	18	11	7	6	4	2	6	4	2
35-39 years	55	28	27	32	17	15	23	11	12	18	9	9
40-44 years	67	34	33	40	19	21	27	15	12	23	11	12
45-49 years	107	60	47	61	36	25	46	24	22	41	21	20
50-54 years	183	101	82	109	62	47	74	39	35	68	35	33
55-59 years	200	101	99	135	68	67	65	33	32	60	32	28
60-64 years	301	159	142	196	110	86	105	49	56	101	47	54
65-69 years	532	285	247	359	205	154	173	80	93	156	71	85
70-74 years	729	362	367	571	298	273	158	64	94	139	58	81
75-79 years	1,061	545	516	876	466	410	185	79	106	158	64	94
80-84 years	1,343	677	666	1,146	579	567	197	98	99	163	79	84
85-89 years	1,318	623	695	1,147	551	596	171	72	99	147	58	89
90-94 years	827	364	463	728	325	403	99	39	60	86	33	53
95-99 years	296	91	205	254	81	173	42	10	32	37	6	31
100 yrs & over	56	13	43	43	11	32	13	2	11	11	1	10
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified renal failure (N19)												
All ages	17,612	8,304	9,308	14,735	7,035	7,700	2,877	1,269	1,608	2,607	1,131	1,476
Under 1 year	104	61	43	63	38	25	41	23	18	40	22	18
1-4 years	5	2	3	4	1	3	1	1	-	1	1	-
5-9 years	4	2	2	2	2	-	2	-	2	2	-	2
10-14 years	3	1	2	2	-	2	1	1	-	-	-	-
15-19 years	5	3	2	4	3	1	1	-	1	1	-	1
20-24 years	20	10	10	10	6	4	10	4	6	10	4	6
25-29 years	29	19	10	15	10	5	14	9	5	12	8	4
30-34 years	45	24	21	26	12	14	19	12	7	18	12	6
35-39 years	89	49	40	58	34	24	31	15	16	29	13	16
40-44 years	159	91	68	99	59	40	60	32	28	58	30	28
45-49 years	292	187	105	194	121	73	98	66	32	88	60	28
50-54 years	375	224	151	238	151	87	137	73	64	122	62	60
55-59 years	495	274	221	345	203	142	150	71	79	132	66	66
60-64 years	694	361	333	498	265	233	196	96	100	174	86	88
65-69 years	1,089	594	495	813	454	359	276	140	136	251	130	121
70-74 years	1,813	947	866	1,465	788	677	348	159	189	315	144	171
75-79 years	2,641	1,346	1,295	2,225	1,161	1,064	416	185	231	369	157	212
80-84 years	3,206	1,528	1,678	2,834	1,379	1,455	372	149	223	340	131	209
85-89 years	3,259	1,471	1,788	2,927	1,344	1,583	332	127	205	308	112	196
90-94 years	2,245	839	1,406	2,000	760	1,240	245	79	166	219	70	149
95-99 years	852	233	619	755	209	546	97	24	73	88	20	68
100 yrs & over	187	38	149	157	35	122	30	3	27	30	3	27
Not stated	1	-	1	1	-	1	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Calculus of kidney and ureter (N20)												
All ages	252	103	149	225	92	133	27	11	16	24	11	13
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	4	3	1	3	2	1	1	1	-	1	1	-
30-34 years	5	2	3	4	1	3	1	1	-	1	1	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	5	4	1	5	4	1	-	-	-	-	-	-
45-49 years	7	3	4	6	3	3	1	-	1	1	-	1
50-54 years	13	6	7	10	4	6	3	2	1	3	2	1
55-59 years	6	3	3	6	3	3	-	-	-	-	-	-
60-64 years	19	12	7	17	11	6	2	1	1	1	1	-
65-69 years	16	9	7	14	7	7	2	2	-	2	2	-
70-74 years	25	11	14	19	10	9	6	1	5	4	1	3
75-79 years	43	12	31	39	11	28	4	1	3	4	1	3
80-84 years	35	16	19	32	15	17	3	1	2	3	1	2
85-89 years	33	9	24	32	9	23	1	-	1	1	-	1
90-94 years	28	9	19	25	8	17	3	1	2	3	1	2
95-99 years	9	3	6	9	3	6	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Calculus of kidney (N20.0)												
All ages	210	89	121	188	79	109	22	10	12	19	10	9
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	4	3	1	3	2	1	1	1	-	1	1	-
30-34 years	5	2	3	4	1	3	1	1	-	1	1	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	6	3	3	6	3	3	-	-	-	-	-	-
50-54 years	12	5	7	10	4	6	2	1	1	2	1	1
55-59 years	5	3	2	5	3	2	-	-	-	-	-	-
60-64 years	17	11	6	15	10	5	2	1	1	1	1	-
65-69 years	14	8	6	12	6	6	2	2	-	2	2	-
70-74 years	19	10	9	15	9	6	4	1	3	2	1	1
75-79 years	36	12	24	33	11	22	3	1	2	3	1	2
80-84 years	31	13	18	28	12	16	3	1	2	3	1	2
85-89 years	24	6	18	23	6	17	1	-	1	1	-	1
90-94 years	23	8	15	20	7	13	3	1	2	3	1	2
95-99 years	8	3	5	8	3	5	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Calculus of ureter (N20.1)												
All ages	20	8	12	18	7	11	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	3	-	3	2	-	2	1	-	1	1	-	1
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	4	3	1	4	3	1	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Calculus of kidney with calculus of ureter (N20.2)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Urinary calculus, unspecified (N20.9)												
All ages	19	5	14	16	5	11	3	-	3	3	-	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	2	1	1	1	1	-	1	-	1	1	-	1
75-79 years	4	-	4	3	-	3	1	-	1	1	-	1
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	6	2	4	6	2	4	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Calculus of lower urinary tract (N21)												
All ages	17	12	5	17	12	5	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	2	2	-	2	2	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Calculus in bladder (N21.0)												
All ages	13	9	4	13	9	4	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	2	2	-	2	2	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Calculus in urethra (N21.1)												
All ages	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified renal colic (N23)												
All ages	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorders resulting from impaired renal tubular function (N25)												
All ages	29	6	23	21	4	17	8	2	6	6	2	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	-	2	1	-	1	1	-	1	1	-	1
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	4	1	3	3	1	2	1	-	1	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	2	-	2	1	-	1	1	-	1	1	-	1
60-64 years	3	-	3	3	-	3	-	-	-	-	-	-
65-69 years	3	-	3	3	-	3	-	-	-	-	-	-
70-74 years	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years	3	1	2	1	-	1	2	1	1	1	1	-
85-89 years	1	1	-	-	-	-	1	1	-	1	1	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	-	-	-	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Renal osteodystrophy (N25.0)												
All ages	3	1	2	2	1	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nephrogenic diabetes insipidus (N25.1)												
All ages	4	2	2	4	2	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other disorders resulting from impaired renal tubular function (N25.8)												
All ages	21	3	18	14	1	13	7	2	5	5	2	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	3	1	2	2	1	1	1	-	1	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	-	2	1	-	1	1	-	1	1	-	1
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	3	-	3	3	-	3	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years	3	1	2	1	-	1	2	1	1	1	1	-
85-89 years	1	1	-	-	-	-	1	1	-	1	1	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	-	-	-	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorder resulting from impaired renal tubular function, unspecified (N25.9)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified contracted kidney (N26)												
All ages	34	13	21	29	10	19	5	3	2	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	2	-	1	1	-	1	1	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	5	2	3	4	1	3	1	1	-	-	-	-
80-84 years	5	3	2	5	3	2	-	-	-	-	-	-
85-89 years	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years	6	1	5	6	1	5	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of kidney and ureter, not elsewhere classified (N28)												
All ages	604	301	303	465	235	230	139	66	73	122	59	63
Under 1 year	2	1	1	1	1	-	1	-	1	1	-	1
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	2	-	1	1	-	1	1	-	-	-	-
25-29 years	3	2	1	2	1	1	1	1	-	1	1	-
30-34 years	11	7	4	5	2	3	6	5	1	4	4	-
35-39 years	13	6	7	11	6	5	2	-	2	2	-	2
40-44 years	20	16	4	12	10	2	8	6	2	8	6	2
45-49 years	23	13	10	16	10	6	7	3	4	7	3	4
50-54 years	40	25	15	25	15	10	15	10	5	14	9	5
55-59 years	42	24	18	27	15	12	15	9	6	13	8	5
60-64 years	49	26	23	37	20	17	12	6	6	9	4	5
65-69 years	63	33	30	45	23	22	18	10	8	15	9	6
70-74 years	64	35	29	50	29	21	14	6	8	14	6	8
75-79 years	87	42	45	75	38	37	12	4	8	12	4	8
80-84 years	71	31	40	60	29	31	11	2	9	8	2	6
85-89 years	64	21	43	56	21	35	8	-	8	8	-	8
90-94 years	31	12	19	25	9	16	6	3	3	4	3	1
95-99 years	14	4	10	13	4	9	1	-	1	1	-	1
100 yrs & over	3	-	3	2	-	2	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Ischemia and infarction of kidney (N28.0)												
All ages	57	22	35	50	18	32	7	4	3	7	4	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	2	1	1	1	-	1	1	1	-	1	1	-
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	7	2	5	6	1	5	1	1	-	1	1	-
70-74 years	4	1	3	4	1	3	-	-	-	-	-	-
75-79 years	16	7	9	15	7	8	1	-	1	1	-	1
80-84 years	12	5	7	10	4	6	2	1	1	2	1	1
85-89 years	9	2	7	9	2	7	-	-	-	-	-	-
90-94 years	4	2	2	4	2	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cyst of kidney, acquired (N28.1)												
All ages	2	2	-	-	-	-	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	-	-	-	1	1	-	1	1	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified disorders of kidney and ureter (N28.8)												
All ages	94	46	48	82	40	42	12	6	6	12	6	6
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years	4	3	1	2	2	-	2	1	1	2	1	1
55-59 years	2	-	2	1	-	1	1	-	1	1	-	1
60-64 years	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years	7	4	3	6	3	3	1	1	-	1	1	-
70-74 years	12	7	5	10	6	4	2	1	1	2	1	1
75-79 years	14	6	8	14	6	8	-	-	-	-	-	-
80-84 years	11	6	5	10	6	4	1	-	1	1	-	1
85-89 years	21	8	13	19	8	11	2	-	2	2	-	2
90-94 years	9	4	5	8	3	5	1	1	-	1	1	-
95-99 years	6	1	5	6	1	5	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorder of kidney and ureter, unspecified (N28.9)												
All ages	451	231	220	333	177	156	118	54	64	101	47	54
Under 1 year	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	2	-	1	1	-	1	1	-	-	-	-
25-29 years	3	2	1	2	1	1	1	1	-	1	1	-
30-34 years	11	7	4	5	2	3	6	5	1	4	4	-
35-39 years	12	5	7	10	5	5	2	-	2	2	-	2
40-44 years	18	14	4	12	10	2	6	4	2	6	4	2
45-49 years	21	12	9	15	10	5	6	2	4	6	2	4
50-54 years	34	20	14	22	12	10	12	8	4	11	7	4
55-59 years	38	23	15	25	15	10	13	8	5	11	7	4
60-64 years	45	23	22	34	17	17	11	6	5	8	4	4
65-69 years	49	27	22	33	19	14	16	8	8	13	7	6
70-74 years	48	27	21	36	22	14	12	5	7	12	5	7
75-79 years	56	28	28	46	25	21	10	3	7	10	3	7
80-84 years	48	20	28	40	19	21	8	1	7	5	1	4
85-89 years	34	11	23	28	11	17	6	-	6	6	-	6
90-94 years	18	6	12	13	4	9	5	2	3	3	2	1
95-99 years	8	3	5	7	3	4	1	-	1	1	-	1
100 yrs & over	3	-	3	2	-	2	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cystitis (N30)												
All ages	119	33	86	102	28	74	17	5	12	16	5	11
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	3	2	1	2	1	1	1	1	-	1	1	-
55-59 years	5	-	5	4	-	4	1	-	1	1	-	1
60-64 years	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years	5	2	3	2	1	1	3	1	2	3	1	2
70-74 years	9	2	7	5	1	4	4	1	3	3	1	2
75-79 years	23	8	15	18	6	12	5	2	3	5	2	3
80-84 years	20	6	14	19	6	13	1	-	1	1	-	1
85-89 years	25	8	17	24	8	16	1	-	1	1	-	1
90-94 years	9	2	7	9	2	7	-	-	-	-	-	-
95-99 years	10	2	8	10	2	8	-	-	-	-	-	-
100 yrs & over	4	-	4	3	-	3	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute cystitis (N30.0)												
All ages	9	3	6	7	1	6	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	-	-	-	1	1	-	1	1	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Interstitial cystitis (chronic) (N30.1)												
All ages	4	-	4	4	-	4	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic cystitis (N30.2)												
All ages	14	3	11	11	2	9	3	1	2	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	1	1	1	-	1	1	1	-	1	1	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	4	1	3	3	1	2	1	-	1	1	-	1
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	2	-	2	1	-	1	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Irradiation cystitis (N30.4)												
All ages	4	2	2	4	2	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other cystitis (N30.8)												
All ages	8	2	6	7	2	5	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cystitis, unspecified (N30.9)												
All ages	80	23	57	69	21	48	11	2	9	10	2	8
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	3	-	3	2	-	2	1	-	1	1	-	1
60-64 years	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years	4	1	3	2	1	1	2	-	2	2	-	2
70-74 years	7	2	5	4	1	3	3	1	2	2	1	1
75-79 years	16	6	10	12	5	7	4	1	3	4	1	3
80-84 years	14	5	9	13	5	8	1	-	1	1	-	1
85-89 years	16	5	11	16	5	11	-	-	-	-	-	-
90-94 years	7	2	5	7	2	5	-	-	-	-	-	-
95-99 years	7	1	6	7	1	6	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Neuromuscular dysfunction of bladder, not elsewhere classified (N31)												
All ages	138	75	63	128	68	60	10	7	3	8	5	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	5	3	2	5	3	2	-	-	-	-	-	-
40-44 years	3	1	2	3	1	2	-	-	-	-	-	-
45-49 years	3	1	2	2	1	1	1	-	1	1	-	1
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years	2	-	2	1	-	1	1	-	1	1	-	1
60-64 years	6	5	1	6	5	1	-	-	-	-	-	-
65-69 years	8	7	1	7	6	1	1	1	-	1	1	-
70-74 years	11	7	4	9	6	3	2	1	1	1	-	1
75-79 years	18	12	6	16	10	6	2	2	-	2	2	-
80-84 years	25	10	15	24	9	15	1	1	-	1	1	-
85-89 years	24	14	10	23	13	10	1	1	-	1	1	-
90-94 years	20	9	11	19	8	11	1	1	-	-	-	-
95-99 years	7	3	4	7	3	4	-	-	-	-	-	-
100 yrs & over	2	1	1	2	1	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Flaccid neuropathic bladder, not elsewhere classified (N31.2)												
All ages	10	4	6	9	3	6	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	6	2	4	5	1	4	1	1	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other neuromuscular dysfunction of bladder (N31.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Neuromuscular dysfunction of bladder, unspecified (N31.9)												
All ages	127	70	57	118	64	54	9	6	3	8	5	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	4	3	1	4	3	1	-	-	-	-	-	-
40-44 years	3	1	2	3	1	2	-	-	-	-	-	-
45-49 years	3	1	2	2	1	1	1	-	1	1	-	1
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years	2	-	2	1	-	1	1	-	1	1	-	1
60-64 years	6	5	1	6	5	1	-	-	-	-	-	-
65-69 years	8	7	1	7	6	1	1	1	-	1	1	-
70-74 years	11	7	4	9	6	3	2	1	1	1	-	1
75-79 years	17	11	6	15	9	6	2	2	-	2	2	-
80-84 years	25	10	15	24	9	15	1	1	-	1	1	-
85-89 years	22	13	9	21	12	9	1	1	-	1	1	-
90-94 years	14	7	7	14	7	7	-	-	-	-	-	-
95-99 years	7	3	4	7	3	4	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of bladder (N32)												
All ages	207	97	110	189	89	100	18	8	10	16	7	9
Under 1 year	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	5	2	3	4	1	3	1	1	-	1	1	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	6	2	4	3	1	2	3	1	2	3	1	2
60-64 years	7	4	3	7	4	3	-	-	-	-	-	-
65-69 years	7	5	2	6	4	2	1	1	-	1	1	-
70-74 years	14	7	7	12	6	6	2	1	1	2	1	1
75-79 years	25	10	15	25	10	15	-	-	-	-	-	-
80-84 years	53	30	23	49	29	20	4	1	3	3	1	2
85-89 years	41	20	21	40	20	20	1	-	1	1	-	1
90-94 years	32	13	19	28	10	18	4	3	1	3	2	1
95-99 years	11	2	9	10	2	8	1	-	1	1	-	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Bladder-neck obstruction (N32.0)												
All ages	34	31	3	30	28	2	4	3	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years	13	12	1	12	11	1	1	1	-	1	1	-
85-89 years	7	7	-	7	7	-	-	-	-	-	-	-
90-94 years	6	6	-	4	4	-	2	2	-	1	1	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Vesicointestinal fistula (N32.1)												
All ages	101	27	74	96	27	69	5	-	5	4	-	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	5	1	4	4	1	3	1	-	1	1	-	1
75-79 years	14	4	10	14	4	10	-	-	-	-	-	-
80-84 years	26	9	17	24	9	15	2	-	2	1	-	1
85-89 years	23	7	16	22	7	15	1	-	1	1	-	1
90-94 years	15	1	14	15	1	14	-	-	-	-	-	-
95-99 years	9	1	8	8	1	7	1	-	1	1	-	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Vesical fistula, not elsewhere classified (N32.2)												
All ages	9	3	6	9	3	6	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Diverticulum of bladder (N32.3)												
All ages	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	1	-	-	-	-	1	1	-	1	1	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Rupture of bladder, nontraumatic (N32.4)												
All ages	22	12	10	18	9	9	4	3	1	4	3	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	3	1	2	2	-	2	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	-	-	-	2	1	1	2	1	1
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	4	3	1	3	2	1	1	1	-	1	1	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	5	4	1	5	4	1	-	-	-	-	-	-
85-89 years	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified disorders of bladder (N32.8)												
All ages	14	11	3	14	11	3	-	-	-	-	-	-
Under 1 year	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	3	3	-	3	3	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Bladder disorder, unspecified (N32.9)												
All ages	24	10	14	20	9	11	4	1	3	4	1	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	3	2	1	2	1	1	1	1	-	1	1	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	6	3	3	5	3	2	1	-	1	1	-	1
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	5	2	3	4	2	2	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Urethral stricture (N35)												
All ages	14	12	2	10	8	2	4	4	-	4	4	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	3	3	-	2	2	-	1	1	-	1	1	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	2	2	-	1	1	-	1	1	-	1	1	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Urethral stricture, unspecified (N35.9)												
All ages	14	12	2	10	8	2	4	4	-	4	4	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	3	3	-	2	2	-	1	1	-	1	1	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	2	2	-	1	1	-	1	1	-	1	1	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of urethra (N36)												
All ages	11	5	6	9	4	5	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	4	1	3	3	1	2	1	-	1	1	-	1
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	4	3	1	3	2	1	1	1	-	1	1	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Urethral fistula (N36.0)												
All ages	6	4	2	5	4	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	3	1	2	2	1	1	1	-	1	1	-	1
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified disorders of urethra (N36.8)												
All ages	4	1	3	3	-	3	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	1	1	1	-	1	1	1	-	1	1	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Urethral disorder, unspecified (N36.9)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of urinary system (N39)												
All ages	13,992	4,201	9,791	12,137	3,599	8,538	1,855	602	1,253	1,627	532	1,095
Under 1 year	4	3	1	3	3	-	1	-	1	1	-	1
1-4 years	3	-	3	2	-	2	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	4	3	1	3	2	1	1	1	-	-	-	-
20-24 years	5	3	2	4	2	2	1	1	-	1	1	-
25-29 years	12	5	7	8	3	5	4	2	2	4	2	2
30-34 years	17	7	10	13	6	7	4	1	3	4	1	3
35-39 years	23	14	9	20	12	8	3	2	1	3	2	1
40-44 years	47	19	28	40	17	23	7	2	5	7	2	5
45-49 years	89	34	55	63	23	40	26	11	15	24	11	13
50-54 years	109	44	65	75	32	43	34	12	22	29	10	19
55-59 years	192	79	113	148	55	93	44	24	20	36	20	16
60-64 years	260	113	147	203	89	114	57	24	33	49	22	27
65-69 years	505	220	285	394	171	223	111	49	62	89	42	47
70-74 years	1,001	395	606	825	321	504	176	74	102	151	60	91
75-79 years	1,822	659	1,163	1,545	560	985	277	99	178	240	89	151
80-84 years	2,828	968	1,860	2,480	866	1,614	348	102	246	309	90	219
85-89 years	3,359	911	2,448	2,983	803	2,180	376	108	268	332	97	235
90-94 years	2,501	528	1,973	2,272	469	1,803	229	59	170	208	53	155
95-99 years	973	165	808	864	139	725	109	26	83	97	25	72
100 yrs & over	238	31	207	192	26	166	46	5	41	42	5	37
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Urinary tract infection, site not specified (N39.0)												
All ages	13,981	4,197	9,784	12,126	3,595	8,531	1,855	602	1,253	1,627	532	1,095
Under 1 year	4	3	1	3	3	-	1	-	1	1	-	1
1-4 years	3	-	3	2	-	2	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	4	3	1	3	2	1	1	1	-	-	-	-
20-24 years	5	3	2	4	2	2	1	1	-	1	1	-
25-29 years	12	5	7	8	3	5	4	2	2	4	2	2
30-34 years	17	7	10	13	6	7	4	1	3	4	1	3
35-39 years	23	14	9	20	12	8	3	2	1	3	2	1
40-44 years	47	19	28	40	17	23	7	2	5	7	2	5
45-49 years	89	34	55	63	23	40	26	11	15	24	11	13
50-54 years	109	44	65	75	32	43	34	12	22	29	10	19
55-59 years	192	79	113	148	55	93	44	24	20	36	20	16
60-64 years	260	113	147	203	89	114	57	24	33	49	22	27
65-69 years	505	220	285	394	171	223	111	49	62	89	42	47
70-74 years	1,000	394	606	824	320	504	176	74	102	151	60	91
75-79 years	1,821	659	1,162	1,544	560	984	277	99	178	240	89	151
80-84 years	2,826	966	1,860	2,478	864	1,614	348	102	246	309	90	219
85-89 years	3,357	911	2,446	2,981	803	2,178	376	108	268	332	97	235
90-94 years	2,497	527	1,970	2,268	468	1,800	229	59	170	208	53	155
95-99 years	972	165	807	863	139	724	109	26	83	97	25	72
100 yrs & over	238	31	207	192	26	166	46	5	41	42	5	37
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Stress incontinence (N39.3)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified disorders of urinary system (N39.8)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorder of urinary system, unspecified (N39.9)												
All ages	8	2	6	8	2	6	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hyperplasia of prostate (N40)												
All ages	439	439	...	403	403	...	36	36	...	32	32	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years	2	2	...	1	1	...	1	1	...	1	1	...
55-59 years	3	3	...	2	2	...	1	1	...	1	1	...
60-64 years	6	6	...	3	3	...	3	3	...	3	3	...
65-69 years	14	14	...	12	12	...	2	2	...	2	2	...
70-74 years	31	31	...	28	28	...	3	3	...	2	2	...
75-79 years	60	60	...	55	55	...	5	5	...	5	5	...
80-84 years	81	81	...	74	74	...	7	7	...	7	7	...
85-89 years	110	110	...	102	102	...	8	8	...	6	6	...
90-94 years	94	94	...	90	90	...	4	4	...	4	4	...
95-99 years	33	33	...	31	31	...	2	2	...	1	1	...
100 yrs & over	5	5	...	5	5	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...
Inflammatory diseases of prostate (N41)												
All ages	29	29	...	24	24	...	5	5	...	5	5	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	1	1	...	-	-	...	1	1	...	1	1	...
40-44 years	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years	2	2	...	1	1	...	1	1	...	1	1	...
50-54 years	2	2	...	1	1	...	1	1	...	1	1	...
55-59 years	1	1	...	1	1	...	-	-	...	-	-	...
60-64 years	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years	3	3	...	2	2	...	1	1	...	1	1	...
75-79 years	4	4	...	3	3	...	1	1	...	1	1	...
80-84 years	9	9	...	9	9	...	-	-	...	-	-	...
85-89 years	3	3	...	3	3	...	-	-	...	-	-	...
90-94 years	3	3	...	3	3	...	-	-	...	-	-	...
95-99 years	1	1	...	1	1	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute prostatitis (N41.0)												
All ages	3	3	...	3	3	...	-	-	...	-	-	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years	1	1	...	1	1	...	-	-	...	-	-	...
55-59 years	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years	2	2	...	2	2	...	-	-	...	-	-	...
85-89 years	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...
Chronic prostatitis (N41.1)												
All ages	3	3	...	3	3	...	-	-	...	-	-	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years	1	1	...	1	1	...	-	-	...	-	-	...
80-84 years	1	1	...	1	1	...	-	-	...	-	-	...
85-89 years	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years	1	1	...	1	1	...	-	-	...	-	-	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Abscess of prostate (N41.2)												
All ages	4	4	...	2	2	...	2	2	...	2	2	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	1	1	...	-	-	...	1	1	...	1	1	...
40-44 years	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years	1	1	...	1	1	...	-	-	...	-	-	...
50-54 years	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years	1	1	...	-	-	...	1	1	...	1	1	...
80-84 years	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years	1	1	...	1	1	...	-	-	...	-	-	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...
Inflammatory disease of prostate, unspecified (N41.9)												
All ages	19	19	...	16	16	...	3	3	...	3	3	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years	1	1	...	-	-	...	1	1	...	1	1	...
50-54 years	1	1	...	-	-	...	1	1	...	1	1	...
55-59 years	1	1	...	1	1	...	-	-	...	-	-	...
60-64 years	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years	3	3	...	2	2	...	1	1	...	1	1	...
75-79 years	2	2	...	2	2	...	-	-	...	-	-	...
80-84 years	6	6	...	6	6	...	-	-	...	-	-	...
85-89 years	3	3	...	3	3	...	-	-	...	-	-	...
90-94 years	1	1	...	1	1	...	-	-	...	-	-	...
95-99 years	1	1	...	1	1	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other disorders of prostate (N42)												
All ages	50	50	...	42	42	...	8	8	...	8	8	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years	1	1	...	-	-	...	1	1	...	1	1	...
45-49 years	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years	1	1	...	1	1	...	-	-	...	-	-	...
55-59 years	2	2	...	2	2	...	-	-	...	-	-	...
60-64 years	4	4	...	3	3	...	1	1	...	1	1	...
65-69 years	3	3	...	3	3	...	-	-	...	-	-	...
70-74 years	11	11	...	9	9	...	2	2	...	2	2	...
75-79 years	7	7	...	7	7	...	-	-	...	-	-	...
80-84 years	7	7	...	6	6	...	1	1	...	1	1	...
85-89 years	10	10	...	8	8	...	2	2	...	2	2	...
90-94 years	2	2	...	2	2	...	-	-	...	-	-	...
95-99 years	1	1	...	1	1	...	-	-	...	-	-	...
100 yrs & over	1	1	...	-	-	...	1	1	...	1	1	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...
Congestion and hemorrhage of prostate (N42.1)												
All ages	3	3	...	2	2	...	1	1	...	1	1	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years	2	2	...	2	2	...	-	-	...	-	-	...
85-89 years	1	1	...	-	-	...	1	1	...	1	1	...
90-94 years	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified disorders of prostate (N42.8)												
All ages	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years	1	1	...	1	1	...	-	-	...	-	-	...
90-94 years	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...
Disorder of prostate, unspecified (N42.9)												
All ages	46	46	...	39	39	...	7	7	...	7	7	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years	1	1	...	-	-	...	1	1	...	1	1	...
45-49 years	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years	1	1	...	1	1	...	-	-	...	-	-	...
55-59 years	2	2	...	2	2	...	-	-	...	-	-	...
60-64 years	4	4	...	3	3	...	1	1	...	1	1	...
65-69 years	3	3	...	3	3	...	-	-	...	-	-	...
70-74 years	11	11	...	9	9	...	2	2	...	2	2	...
75-79 years	7	7	...	7	7	...	-	-	...	-	-	...
80-84 years	5	5	...	4	4	...	1	1	...	1	1	...
85-89 years	8	8	...	7	7	...	1	1	...	1	1	...
90-94 years	2	2	...	2	2	...	-	-	...	-	-	...
95-99 years	1	1	...	1	1	...	-	-	...	-	-	...
100 yrs & over	1	1	...	-	-	...	1	1	...	1	1	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hydrocele and spermatocele (N43)												
All ages	2	2	...	1	1	...	1	1	...	1	1	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years	1	1	...	-	-	...	1	1	...	1	1	...
45-49 years	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years	1	1	...	1	1	...	-	-	...	-	-	...
55-59 years	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...
Hydrocele, unspecified (N43.3)												
All ages	2	2	...	1	1	...	1	1	...	1	1	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years	1	1	...	-	-	...	1	1	...	1	1	...
45-49 years	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years	1	1	...	1	1	...	-	-	...	-	-	...
55-59 years	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Orchitis and epididymitis (N45)												
All ages	8	8	...	7	7	...	1	1	...	1	1	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years	1	1	...	1	1	...	-	-	...	-	-	...
50-54 years	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years	1	1	...	1	1	...	-	-	...	-	-	...
70-74 years	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years	4	4	...	3	3	...	1	1	...	1	1	...
80-84 years	2	2	...	2	2	...	-	-	...	-	-	...
85-89 years	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...
Orchitis, epididymitis, and epididymo-orchitis with abscess (N45.0)												
All ages	2	2	...	2	2	...	-	-	...	-	-	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years	1	1	...	1	1	...	-	-	...	-	-	...
70-74 years	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years	1	1	...	1	1	...	-	-	...	-	-	...
85-89 years	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Orchitis, epididymitis, and epididymo-orchitis without abscess (N45.9)												
All ages	6	6	...	5	5	...	1	1	...	1	1	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years	1	1	...	1	1	...	-	-	...	-	-	...
50-54 years	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years	4	4	...	3	3	...	1	1	...	1	1	...
80-84 years	1	1	...	1	1	...	-	-	...	-	-	...
85-89 years	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...
Other disorders of penis (N48)												
All ages	6	6	...	4	4	...	2	2	...	2	2	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years	1	1	...	-	-	...	1	1	...	1	1	...
55-59 years	2	2	...	2	2	...	-	-	...	-	-	...
60-64 years	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years	2	2	...	1	1	...	1	1	...	1	1	...
75-79 years	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years	1	1	...	1	1	...	-	-	...	-	-	...
85-89 years	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other inflammatory disorders of penis (N48.2)												
All ages	4	4	...	2	2	...	2	2	...	2	2	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years	1	1	...	-	-	...	1	1	...	1	1	...
55-59 years	2	2	...	2	2	...	-	-	...	-	-	...
60-64 years	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years	1	1	...	-	-	...	1	1	...	1	1	...
75-79 years	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...
Disorder of penis, unspecified (N48.9)												
All ages	2	2	...	2	2	...	-	-	...	-	-	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years	1	1	...	1	1	...	-	-	...	-	-	...
75-79 years	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years	1	1	...	1	1	...	-	-	...	-	-	...
85-89 years	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Inflammatory disorders of male genital organs, not elsewhere classified (N49)															
All ages	53	53	...	37	37	...	16	16	...	15	15	...			
Under 1 year	1	1	...	1	1	...	-	-	...	-	-	...			
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...			
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...			
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...			
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...			
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...			
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...			
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...			
35-39 years	2	2	...	1	1	...	1	1	...	1	1	...			
40-44 years	1	1	...	-	-	...	1	1	...	1	1	...			
45-49 years	6	6	...	5	5	...	1	1	...	1	1	...			
50-54 years	2	2	...	1	1	...	1	1	...	1	1	...			
55-59 years	4	4	...	2	2	...	2	2	...	1	1	...			
60-64 years	5	5	...	2	2	...	3	3	...	3	3	...			
65-69 years	4	4	...	4	4	...	-	-	...	-	-	...			
70-74 years	6	6	...	6	6	...	-	-	...	-	-	...			
75-79 years	5	5	...	4	4	...	1	1	...	1	1	...			
80-84 years	7	7	...	4	4	...	3	3	...	3	3	...			
85-89 years	6	6	...	5	5	...	1	1	...	1	1	...			
90-94 years	3	3	...	2	2	...	1	1	...	1	1	...			
95-99 years	1	1	...	-	-	...	1	1	...	1	1	...			
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...			
Not stated	-	-	...	-	-	...	-	-	...	-	-	...			
Inflammatory disorders of scrotum (N49.2)															
All ages	35	35	...	24	24	...	11	11	...	10	10	...			
Under 1 year	1	1	...	1	1	...	-	-	...	-	-	...			
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...			
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...			
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...			
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...			
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...			
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...			
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...			
35-39 years	1	1	...	-	-	...	1	1	...	1	1	...			
40-44 years	-	-	...	-	-	...	-	-	...	-	-	...			
45-49 years	3	3	...	2	2	...	1	1	...	1	1	...			
50-54 years	-	-	...	-	-	...	-	-	...	-	-	...			
55-59 years	3	3	...	1	1	...	2	2	...	1	1	...			
60-64 years	3	3	...	-	-	...	3	3	...	3	3	...			
65-69 years	3	3	...	3	3	...	-	-	...	-	-	...			
70-74 years	3	3	...	3	3	...	-	-	...	-	-	...			
75-79 years	5	5	...	4	4	...	1	1	...	1	1	...			
80-84 years	4	4	...	3	3	...	1	1	...	1	1	...			
85-89 years	6	6	...	5	5	...	1	1	...	1	1	...			
90-94 years	3	3	...	2	2	...	1	1	...	1	1	...			
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...			
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...			
Not stated	-	-	...	-	-	...	-	-	...	-	-	...			

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Inflammatory disorders of other specified male genital organs (N49.8)												
All ages	14	14	...	10	10	...	4	4	...	4	4	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	1	1	...	1	1	...	-	-	...	-	-	...
40-44 years	1	1	...	-	-	...	1	1	...	1	1	...
45-49 years	2	2	...	2	2	...	-	-	...	-	-	...
50-54 years	2	2	...	1	1	...	1	1	...	1	1	...
55-59 years	1	1	...	1	1	...	-	-	...	-	-	...
60-64 years	1	1	...	1	1	...	-	-	...	-	-	...
65-69 years	1	1	...	1	1	...	-	-	...	-	-	...
70-74 years	3	3	...	3	3	...	-	-	...	-	-	...
75-79 years	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years	2	2	...	-	-	...	2	2	...	2	2	...
85-89 years	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...
Inflammatory disorder of unspecified male genital organ (N49.9)												
All ages	4	4	...	3	3	...	1	1	...	1	1	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years	1	1	...	1	1	...	-	-	...	-	-	...
50-54 years	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years	1	1	...	1	1	...	-	-	...	-	-	...
65-69 years	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years	1	1	...	1	1	...	-	-	...	-	-	...
85-89 years	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years	1	1	...	-	-	...	1	1	...	1	1	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other disorders of male genital organs (N50)												
All ages	5	5	...	5	5	...	-	-	...	-	-	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years	1	1	...	1	1	...	-	-	...	-	-	...
55-59 years	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years	1	1	...	1	1	...	-	-	...	-	-	...
75-79 years	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years	2	2	...	2	2	...	-	-	...	-	-	...
90-94 years	1	1	...	1	1	...	-	-	...	-	-	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...
Vascular disorders of male genital organs (N50.1)												
All ages	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years	1	1	...	1	1	...	-	-	...	-	-	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified disorders of male genital organs (N50.8)												
All ages	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years	1	1	...	1	1	...	-	-	...	-	-	...
55-59 years	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...
Disorder of male genital organs, unspecified (N50.9)												
All ages	3	3	...	3	3	...	-	-	...	-	-	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years	1	1	...	1	1	...	-	-	...	-	-	...
75-79 years	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years	2	2	...	2	2	...	-	-	...	-	-	...
90-94 years	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Inflammatory disorders of breast (N61)												
All ages	11	1	10	9	1	8	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	-	2	1	-	1	1	-	1	1	-	1
65-69 years	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified lump in breast (N63)												
All ages	30	-	30	27	-	27	3	-	3	3	-	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	3	-	3	3	-	3	-	-	-	-	-	-
75-79 years	4	-	4	3	-	3	1	-	1	1	-	1
80-84 years	5	-	5	5	-	5	-	-	-	-	-	-
85-89 years	5	-	5	4	-	4	1	-	1	1	-	1
90-94 years	6	-	6	5	-	5	1	-	1	1	-	1
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other disorders of breast (N64)												
All ages	24	-	24	20	-	20	4	-	4	4	-	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	-	2	1	-	1	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	4	-	4	4	-	4	-	-	-	-	-	-
75-79 years	2	-	2	1	-	1	1	-	1	1	-	1
80-84 years	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years	6	-	6	6	-	6	-	-	-	-	-	-
90-94 years	5	-	5	4	-	4	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Fat necrosis of breast (N64.1)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other signs and symptoms in breast (N64.5)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified disorders of breast (N64.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Disorder of breast, unspecified (N64.9)												
All ages	21	-	21	18	-	18	3	-	3	3	-	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	4	-	4	4	-	4	-	-	-	-	-	-
75-79 years	2	-	2	1	-	1	1	-	1	1	-	1
80-84 years	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years	6	-	6	6	-	6	-	-	-	-	-	-
90-94 years	4	-	4	3	-	3	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Salpingitis and oophoritis (N70)												
All ages	14	...	14	8	...	8	6	...	6	6	...	6
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years	3	...	3	2	...	2	1	...	1	1	...	1
45-49 years	4	...	4	2	...	2	2	...	2	2	...	2
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years	2	...	2	-	...	-	2	...	2	2	...	2
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute salpingitis and oophoritis (N70.0)												
All ages	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Chronic salpingitis and oophoritis (N70.1)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Salpingitis and oophoritis, unspecified (N70.9)												
All ages	12	...	12	7	...	7	5	...	5	5	...	5
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	2	...	2	1	...	1	1	...	1	1	...	1
45-49 years	4	...	4	2	...	2	2	...	2	2	...	2
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years	2	...	2	-	...	-	2	...	2	2	...	2
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Inflammatory disease of uterus, except cervix (N71)												
All ages	13	...	13	8	...	8	5	...	5	4	...	4
Under 1 year	1	...	1	1	...	1	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years	2	...	2	1	...	1	1	...	1	1	...	1
70-74 years	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years	2	...	2	-	...	-	2	...	2	2	...	2
80-84 years	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years	4	...	4	3	...	3	1	...	1	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Chronic inflammatory disease of uterus (N71.1)												
All ages	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	1	...	1	-	...	-	1	...	1	1	...	1
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Inflammatory disease of uterus, unspecified (N71.9)												
All ages	12	...	12	8	...	8	4	...	4	3	...	3
Under 1 year	1	...	1	1	...	1	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years	2	...	2	-	...	-	2	...	2	2	...	2
80-84 years	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years	4	...	4	3	...	3	1	...	1	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Inflammatory disease of cervix uteri (N72)												
All ages	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Other female pelvic inflammatory diseases (N73)												
All ages	89	...	89	78	...	78	11	...	11	11	...	11
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	3	...	3	3	...	3	-	...	-	-	...	-
45-49 years	4	...	4	3	...	3	1	...	1	1	...	1
50-54 years	3	...	3	2	...	2	1	...	1	1	...	1
55-59 years	3	...	3	3	...	3	-	...	-	-	...	-
60-64 years	5	...	5	3	...	3	2	...	2	2	...	2
65-69 years	6	...	6	5	...	5	1	...	1	1	...	1
70-74 years	8	...	8	6	...	6	2	...	2	2	...	2
75-79 years	10	...	10	10	...	10	-	...	-	-	...	-
80-84 years	16	...	16	15	...	15	1	...	1	1	...	1
85-89 years	16	...	16	16	...	16	-	...	-	-	...	-
90-94 years	8	...	8	5	...	5	3	...	3	3	...	3
95-99 years	4	...	4	4	...	4	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute parametritis and pelvic cellulitis (N73.0)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Chronic parametritis and pelvic cellulitis (N73.1)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified parametritis and pelvic cellulitis (N73.2)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Female pelvic peritoneal adhesions (N73.6)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Female pelvic inflammatory disease, unspecified (N73.9)												
All ages	85	...	85	74	...	74	11	...	11	11	...	11
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	2	...	2	2	...	2	-	...	-	-	...	-
45-49 years	4	...	4	3	...	3	1	...	1	1	...	1
50-54 years	3	...	3	2	...	2	1	...	1	1	...	1
55-59 years	3	...	3	3	...	3	-	...	-	-	...	-
60-64 years	5	...	5	3	...	3	2	...	2	2	...	2
65-69 years	5	...	5	4	...	4	1	...	1	1	...	1
70-74 years	8	...	8	6	...	6	2	...	2	2	...	2
75-79 years	10	...	10	10	...	10	-	...	-	-	...	-
80-84 years	15	...	15	14	...	14	1	...	1	1	...	1
85-89 years	16	...	16	16	...	16	-	...	-	-	...	-
90-94 years	8	...	8	5	...	5	3	...	3	3	...	3
95-99 years	4	...	4	4	...	4	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Diseases of Bartholin's gland (N75)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Abscess of Bartholin's gland (N75.1)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Other inflammation of vagina and vulva (N76)												
All ages	8	...	8	6	...	6	2	...	2	2	...	2
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years	1	...	1	-	...	-	1	...	1	1	...	1
85-89 years	3	...	3	3	...	3	-	...	-	-	...	-
90-94 years	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute vaginitis (N76.0)												
All ages	5	...	5	4	...	4	1	...	1	1	...	1
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years	1	...	1	-	...	-	1	...	1	1	...	1
85-89 years	2	...	2	2	...	2	-	...	-	-	...	-
90-94 years	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Acute vulvitis (N76.2)												
All ages	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Abscess of vulva (N76.4)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Other specified inflammation of vagina and vulva (N76.8)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Endometriosis (N80)												
All ages	3	...	3	3	...	3	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Endometriosis of uterus (N80.0)												
All ages	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Endometriosis, unspecified (N80.9)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Female genital prolapse (N81)												
All ages	22	...	22	20	...	20	2	...	2	2	...	2
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	2	...	2	2	...	2	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	2	...	2	2	...	2	-	...	-	-	...	-
70-74 years	3	...	3	3	...	3	-	...	-	-	...	-
75-79 years	6	...	6	4	...	4	2	...	2	2	...	2
80-84 years	4	...	4	4	...	4	-	...	-	-	...	-
85-89 years	2	...	2	2	...	2	-	...	-	-	...	-
90-94 years	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years	2	...	2	2	...	2	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Female urethrocele (N81.0)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Cystocele (N81.1)												
All ages	12	...	12	11	...	11	1	...	1	1	...	1
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	2	...	2	2	...	2	-	...	-	-	...	-
70-74 years	2	...	2	2	...	2	-	...	-	-	...	-
75-79 years	4	...	4	3	...	3	1	...	1	1	...	1
80-84 years	3	...	3	3	...	3	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Uterovaginal prolapse, unspecified (N81.4)												
All ages	6	...	6	5	...	5	1	...	1	1	...	1
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years	1	...	1	-	...	-	1	...	1	1	...	1
80-84 years	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Other female genital prolapse (N81.8)												
All ages	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Female genital prolapse, unspecified (N81.9)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Fistulae involving female genital tract (N82)												
All ages	55	...	55	49	...	49	6	...	6	6	...	6
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	3	...	3	2	...	2	1	...	1	1	...	1
70-74 years	6	...	6	5	...	5	1	...	1	1	...	1
75-79 years	9	...	9	8	...	8	1	...	1	1	...	1
80-84 years	11	...	11	10	...	10	1	...	1	1	...	1
85-89 years	12	...	12	10	...	10	2	...	2	2	...	2
90-94 years	8	...	8	8	...	8	-	...	-	-	...	-
95-99 years	3	...	3	3	...	3	-	...	-	-	...	-
100 yrs & over	1	...	1	1	...	1	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Vesicovaginal fistula (N82.0)												
All ages	4	...	4	4	...	4	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Fistula of vagina to large intestine (N82.3)												
All ages	38	...	38	32	...	32	6	...	6	6	...	6
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	2	...	2	1	...	1	1	...	1	1	...	1
70-74 years	4	...	4	3	...	3	1	...	1	1	...	1
75-79 years	7	...	7	6	...	6	1	...	1	1	...	1
80-84 years	6	...	6	5	...	5	1	...	1	1	...	1
85-89 years	8	...	8	6	...	6	2	...	2	2	...	2
90-94 years	7	...	7	7	...	7	-	...	-	-	...	-
95-99 years	2	...	2	2	...	2	-	...	-	-	...	-
100 yrs & over	1	...	1	1	...	1	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other female intestinal-genital tract fistulae (N82.4)												
All ages	9	...	9	9	...	9	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	2	...	2	2	...	2	-	...	-	-	...	-
75-79 years	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years	2	...	2	2	...	2	-	...	-	-	...	-
85-89 years	3	...	3	3	...	3	-	...	-	-	...	-
90-94 years	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Female genital tract fistula, unspecified (N82.9)												
All ages	4	...	4	4	...	4	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	2	...	2	2	...	2	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Noninflammatory disorders of ovary, fallopian tube, and broad ligament (N83)												
All ages	37	...	37	30	...	30	7	...	7	6	...	6
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	2	...	2	1	...	1	1	...	1	1	...	1
40-44 years	3	...	3	2	...	2	1	...	1	1	...	1
45-49 years	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years	3	...	3	2	...	2	1	...	1	1	...	1
55-59 years	3	...	3	1	...	1	2	...	2	1	...	1
60-64 years	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years	6	...	6	6	...	6	-	...	-	-	...	-
75-79 years	5	...	5	5	...	5	-	...	-	-	...	-
80-84 years	6	...	6	6	...	6	-	...	-	-	...	-
85-89 years	1	...	1	-	...	-	1	...	1	1	...	1
90-94 years	2	...	2	2	...	2	-	...	-	-	...	-
95-99 years	2	...	2	1	...	1	1	...	1	1	...	1
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Other and unspecified ovarian cysts (N83.2)												
All ages	8	...	8	7	...	7	1	...	1	1	...	1
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years	3	...	3	2	...	2	1	...	1	1	...	1
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years	2	...	2	2	...	2	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Torsion of ovary, ovarian pedicle, and fallopian tube (N83.5)												
All ages	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	1	...	1	-	...	-	1	...	1	1	...	1
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Other noninflammatory disorders of ovary, fallopian tube, and broad ligament (N83.8)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Noninflammatory disorder of ovary, fallopian tube, and broad ligament, unspecified (N83.9)												
All ages	26	...	26	21	...	21	5	...	5	4	...	4
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years	3	...	3	2	...	2	1	...	1	1	...	1
55-59 years	2	...	2	-	...	-	2	...	2	1	...	1
60-64 years	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years	5	...	5	5	...	5	-	...	-	-	...	-
75-79 years	4	...	4	4	...	4	-	...	-	-	...	-
80-84 years	4	...	4	4	...	4	-	...	-	-	...	-
85-89 years	1	...	1	-	...	-	1	...	1	1	...	1
90-94 years	2	...	2	2	...	2	-	...	-	-	...	-
95-99 years	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Other noninflammatory disorders of uterus, except cervix (N85)												
All ages	11	...	11	7	...	7	4	...	4	3	...	3
Under 1 year	1	...	1	1	...	1	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	1	...	1	-	...	-	1	...	1	1	...	1
50-54 years	1	...	1	-	...	-	1	...	1	1	...	1
55-59 years	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	2	...	2	1	...	1	1	...	1	-	...	-
75-79 years	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years	2	...	2	2	...	2	-	...	-	-	...	-
85-89 years	1	...	1	-	...	-	1	...	1	1	...	1
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified noninflammatory disorders of uterus (N85.8)												
All ages	5	...	5	4	...	4	1	...	1	1	...	1
Under 1 year	1	...	1	1	...	1	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	1	...	1	-	...	-	1	...	1	1	...	1
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Noninflammatory disorder of uterus, unspecified (N85.9)												
All ages	6	...	6	3	...	3	3	...	3	2	...	2
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	1	...	1	-	...	-	1	...	1	1	...	1
55-59 years	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	2	...	2	1	...	1	1	...	1	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years	1	...	1	-	...	-	1	...	1	1	...	1
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other noninflammatory disorders of cervix uteri (N88)												
All ages	16	...	16	10	...	10	6	...	6	6	...	6
Under 1 year	4	...	4	2	...	2	2	...	2	2	...	2
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years	1	...	1	-	...	-	1	...	1	1	...	1
75-79 years	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years	2	...	2	1	...	1	1	...	1	1	...	1
85-89 years	2	...	2	-	...	-	2	...	2	2	...	2
90-94 years	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years	2	...	2	2	...	2	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Stricture and stenosis of cervix uteri (N88.2)												
All ages	5	...	5	1	...	1	4	...	4	4	...	4
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	1	...	1	-	...	-	1	...	1	1	...	1
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	1	...	1	-	...	-	1	...	1	1	...	1
85-89 years	2	...	2	-	...	-	2	...	2	2	...	2
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Incompetence of cervix uteri (N88.3)												
All ages	4	...	4	2	...	2	2	...	2	2	...	2
Under 1 year	4	...	4	2	...	2	2	...	2	2	...	2
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Other specified noninflammatory disorders of cervix uteri (N88.8)												
All ages	4	...	4	4	...	4	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Noninflammatory disorder of cervix uteri, unspecified (N88.9)												
All ages	3	...	3	3	...	3	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Excessive, frequent, and irregular menstruation (N92)												
All ages	4	...	4	1	...	1	3	...	3	3	...	3
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	1	...	1	-	...	-	1	...	1	1	...	1
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Excessive and frequent menstruation with regular cycle (N92.0)												
All ages	2	...	2	-	...	-	2	...	2	2	...	2
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	1	...	1	-	...	-	1	...	1	1	...	1
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Excessive and frequent menstruation with irregular cycle (N92.1)												
All ages	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Irregular menstruation, unspecified (N92.6)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Other abnormal uterine and vaginal bleeding (N93)												
All ages	24	...	24	15	...	15	9	...	9	8	...	8
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years	3	...	3	2	...	2	1	...	1	1	...	1
50-54 years	3	...	3	1	...	1	2	...	2	2	...	2
55-59 years	1	...	1	-	...	-	1	...	1	1	...	1
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years	1	...	1	-	...	-	1	...	1	-	...	-
75-79 years	1	...	1	-	...	-	1	...	1	1	...	1
80-84 years	3	...	3	2	...	2	1	...	1	1	...	1
85-89 years	2	...	2	2	...	2	-	...	-	-	...	-
90-94 years	5	...	5	5	...	5	-	...	-	-	...	-
95-99 years	2	...	2	2	...	2	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified abnormal uterine and vaginal bleeding (N93.8)												
All ages	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years	1	...	1	-	...	-	1	...	1	1	...	1
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Abnormal uterine and vaginal bleeding, unspecified (N93.9)												
All ages	22	...	22	14	...	14	8	...	8	7	...	7
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years	2	...	2	1	...	1	1	...	1	1	...	1
50-54 years	2	...	2	1	...	1	1	...	1	1	...	1
55-59 years	1	...	1	-	...	-	1	...	1	1	...	1
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years	1	...	1	-	...	-	1	...	1	-	...	-
75-79 years	1	...	1	-	...	-	1	...	1	1	...	1
80-84 years	3	...	3	2	...	2	1	...	1	1	...	1
85-89 years	2	...	2	2	...	2	-	...	-	-	...	-
90-94 years	5	...	5	5	...	5	-	...	-	-	...	-
95-99 years	2	...	2	2	...	2	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pain and other conditions associated with female genital organs and menstrual cycle (N94)															
All ages	8	...	8	7	...	7	1	...	1	1	...	1			
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-			
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-			
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-			
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-			
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-			
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-			
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-			
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-			
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-			
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-			
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-			
50-54 years	1	...	1	1	...	1	-	...	-	-	...	-			
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-			
60-64 years	1	...	1	1	...	1	-	...	-	-	...	-			
65-69 years	1	...	1	1	...	1	-	...	-	-	...	-			
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-			
75-79 years	2	...	2	1	...	1	1	...	1	1	...	1			
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-			
85-89 years	1	...	1	1	...	1	-	...	-	-	...	-			
90-94 years	2	...	2	2	...	2	-	...	-	-	...	-			
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-			
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-			
Not stated	-	...	-	-	...	-	-	...	-	-	...	-			
Other specified conditions associated with female genital organs and menstrual cycle (N94.8)															
All ages	7	...	7	7	...	7	-	...	-	-	...	-			
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-			
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-			
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-			
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-			
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-			
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-			
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-			
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-			
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-			
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-			
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-			
50-54 years	1	...	1	1	...	1	-	...	-	-	...	-			
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-			
60-64 years	1	...	1	1	...	1	-	...	-	-	...	-			
65-69 years	1	...	1	1	...	1	-	...	-	-	...	-			
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-			
75-79 years	1	...	1	1	...	1	-	...	-	-	...	-			
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-			
85-89 years	1	...	1	1	...	1	-	...	-	-	...	-			
90-94 years	2	...	2	2	...	2	-	...	-	-	...	-			
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-			
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-			
Not stated	-	...	-	-	...	-	-	...	-	-	...	-			

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified condition associated with female genital organs and menstrual cycle (N94.9)												
All ages	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	1	...	1	-	...	-	1	...	1	1	...	1
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Menopausal and other perimenopausal disorders (N95)												
All ages	8	...	8	8	...	8	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	2	...	2	2	...	2	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Postmenopausal bleeding (N95.0)												
All ages	4	...	4	4	...	4	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	2	...	2	2	...	2	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Menopausal and female climacteric states (N95.1)												
All ages	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
States associated with artificial menopause (N95.3)												
All ages	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Ectopic pregnancy (O00)												
All ages	23	...	23	11	...	11	12	...	12	10	...	10
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	2	...	2	1	...	1	1	...	1	1	...	1
15-19 years	4	...	4	3	...	3	1	...	1	1	...	1
20-24 years	4	...	4	2	...	2	2	...	2	2	...	2
25-29 years	3	...	3	2	...	2	1	...	1	1	...	1
30-34 years	3	...	3	1	...	1	2	...	2	1	...	1
35-39 years	7	...	7	2	...	2	5	...	5	4	...	4
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Tubal pregnancy (O00.1)												
All ages	7	...	7	3	...	3	4	...	4	4	...	4
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	1	...	1	-	...	-	1	...	1	1	...	1
15-19 years	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years	3	...	3	1	...	1	2	...	2	2	...	2
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Other ectopic pregnancy (O00.8)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Ectopic pregnancy, unspecified (O00.9)												
All ages	15	...	15	7	...	7	8	...	8	6	...	6
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	1	...	1	1	...	1	-	...	-	-	...	-
15-19 years	2	...	2	1	...	1	1	...	1	1	...	1
20-24 years	3	...	3	1	...	1	2	...	2	2	...	2
25-29 years	3	...	3	2	...	2	1	...	1	1	...	1
30-34 years	2	...	2	1	...	1	1	...	1	-	...	-
35-39 years	4	...	4	1	...	1	3	...	3	2	...	2
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Other abnormal products of conception (O02)												
All ages	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	2	...	2	1	...	1	1	...	1	1	...	1
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Blighted ovum and nonhydatidiform mole (O02.0)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Missed abortion (O02.1)												
All ages	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Spontaneous abortion (O03)												
All ages	7	...	7	5	...	5	2	...	2	2	...	2
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	2	...	2	1	...	1	1	...	1	1	...	1
30-34 years	3	...	3	2	...	2	1	...	1	1	...	1
35-39 years	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Incomplete, without complication (O03.4)												
All ages	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Complete or unspecified, complicated by genital tract and pelvic infection (O03.5)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Complete or unspecified, with other and unspecified complications (O03.8)												
All ages	4	...	4	3	...	3	1	...	1	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	2	...	2	1	...	1	1	...	1	1	...	1
35-39 years	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Complete or unspecified, without complication (O03.9)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Medical abortion (O04)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Complete or unspecified, with other and unspecified complications (O04.8)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Unspecified abortion (O06)												
All ages	3	...	3	1	...	1	2	...	2	2	...	2
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years	1	...	1	-	...	-	1	...	1	1	...	1
25-29 years	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Complete or unspecified, with other and unspecified complications (O06.8)												
All ages	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Complete or unspecified, without complication (O06.9)												
All ages	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	1	...	1	-	...	-	1	...	1	1	...	1
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Failed attempted abortion (O07)												
All ages	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Other and unspecified failed attempted abortion, complicated by delayed or excessive hemorrhage (O07.6)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other and unspecified failed attempted abortion, with other and unspecified complications (O07.8)												
All ages	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Preexisting hypertension complicating pregnancy, childbirth, and the puerperium (O10)												
All ages	4	...	4	2	...	2	2	...	2	2	...	2
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years	2	...	2	1	...	1	1	...	1	1	...	1
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Preexisting essential hypertension complicating pregnancy, childbirth, and the puerperium (O10.0)												
All ages	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Preexisting hypertensive heart disease complicating pregnancy, childbirth, and the puerperium (O10.1)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified preexisting hypertension complicating pregnancy, childbirth, and the puerperium (O10.9)												
All ages	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Preexisting hypertensive disorder with superimposed proteinuria (O11)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Gestational [pregnancy-induced] edema and proteinuria without hypertension (O12)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Gestational edema (O12.0)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Gestational [pregnancy-induced] hypertension without significant proteinuria (O13)												
All ages	4	...	4	2	...	2	2	...	2	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	1	...	1	-	...	-	1	...	1	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	2	...	2	1	...	1	1	...	1	1	...	1
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Gestational [pregnancy-induced] hypertension with significant proteinuria (O14)												
All ages	39	...	39	26	...	26	13	...	13	12	...	12
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years	7	...	7	5	...	5	2	...	2	2	...	2
25-29 years	11	...	11	7	...	7	4	...	4	4	...	4
30-34 years	12	...	12	10	...	10	2	...	2	2	...	2
35-39 years	5	...	5	3	...	3	2	...	2	2	...	2
40-44 years	3	...	3	-	...	-	3	...	3	2	...	2
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Moderate preeclampsia (O14.0)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Severe preeclampsia (O14.1)												
All ages	16	...	16	7	...	7	9	...	9	8	...	8
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	4	...	4	2	...	2	2	...	2	2	...	2
25-29 years	3	...	3	-	...	-	3	...	3	3	...	3
30-34 years	4	...	4	4	...	4	-	...	-	-	...	-
35-39 years	3	...	3	1	...	1	2	...	2	2	...	2
40-44 years	2	...	2	-	...	-	2	...	2	1	...	1
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Preeclampsia, unspecified (O14.9)												
All ages	22	...	22	18	...	18	4	...	4	4	...	4
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years	3	...	3	3	...	3	-	...	-	-	...	-
25-29 years	7	...	7	6	...	6	1	...	1	1	...	1
30-34 years	8	...	8	6	...	6	2	...	2	2	...	2
35-39 years	2	...	2	2	...	2	-	...	-	-	...	-
40-44 years	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Eclampsia (O15)												
All ages	22	...	22	10	...	10	12	...	12	11	...	11
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	1	...	1	1	...	1	-	...	-	-	...	-
15-19 years	4	...	4	2	...	2	2	...	2	2	...	2
20-24 years	6	...	6	3	...	3	3	...	3	3	...	3
25-29 years	2	...	2	1	...	1	1	...	1	1	...	1
30-34 years	4	...	4	2	...	2	2	...	2	2	...	2
35-39 years	3	...	3	-	...	-	3	...	3	2	...	2
40-44 years	2	...	2	1	...	1	1	...	1	1	...	1
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER - TOTAL			ALL OTHER - BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Eclampsia in pregnancy (O15.0)												
All ages	4	...	4	3	...	3	1	...	1	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	1	...	1	1	...	1	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Eclampsia, unspecified as to time period (O15.9)												
All ages	18	...	18	7	...	7	11	...	11	10	...	10
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	4	...	4	2	...	2	2	...	2	2	...	2
20-24 years	5	...	5	2	...	2	3	...	3	3	...	3
25-29 years	2	...	2	1	...	1	1	...	1	1	...	1
30-34 years	3	...	3	1	...	1	2	...	2	2	...	2
35-39 years	2	...	2	-	...	-	2	...	2	1	...	1
40-44 years	2	...	2	1	...	1	1	...	1	1	...	1
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified maternal hypertension (O16)												
All ages	6	...	6	4	...	4	2	...	2	2	...	2
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	3	...	3	2	...	2	1	...	1	1	...	1
25-29 years	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Hemorrhage in early pregnancy (O20)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hemorrhage in early pregnancy, unspecified (O20.9)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Venous complications in pregnancy (O22)												
All ages	12	...	12	5	...	5	7	...	7	7	...	7
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	3	...	3	2	...	2	1	...	1	1	...	1
25-29 years	3	...	3	1	...	1	2	...	2	2	...	2
30-34 years	2	...	2	1	...	1	1	...	1	1	...	1
35-39 years	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years	2	...	2	1	...	1	1	...	1	1	...	1
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Superficial thrombophlebitis in pregnancy (O22.2)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Deep phlebothrombosis in pregnancy (O22.3)												
All ages	5	...	5	3	...	3	2	...	2	2	...	2
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	2	...	2	2	...	2	-	...	-	-	...	-
25-29 years	2	...	2	1	...	1	1	...	1	1	...	1
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other venous complications in pregnancy (O22.8)												
All ages	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Venous complication in pregnancy, unspecified (O22.9)												
All ages	5	...	5	1	...	1	4	...	4	4	...	4
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	1	...	1	-	...	-	1	...	1	1	...	1
25-29 years	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	2	...	2	1	...	1	1	...	1	1	...	1
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Infections of genitourinary tract in pregnancy (O23)												
All ages	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years	1	...	1	-	...	-	1	...	1	1	...	1
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Infections of the genital tract in pregnancy (O23.5)												
All ages	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years	1	...	1	-	...	-	1	...	1	1	...	1
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Diabetes mellitus in pregnancy (O24)												
All ages	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	2	...	2	1	...	1	1	...	1	1	...	1
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Diabetes mellitus in pregnancy, unspecified (O24.9)												
All ages	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	2	...	2	1	...	1	1	...	1	1	...	1
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Maternal care for other conditions predominantly related to pregnancy (O26)												
All ages	17	...	17	9	...	9	8	...	8	7	...	7
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	7	...	7	2	...	2	5	...	5	5	...	5
25-29 years	5	...	5	4	...	4	1	...	1	1	...	1
30-34 years	2	...	2	1	...	1	1	...	1	1	...	1
35-39 years	1	...	1	-	...	-	1	...	1	-	...	-
40-44 years	2	...	2	2	...	2	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Liver disorders in pregnancy, childbirth, and the puerperium (O26.6)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified pregnancy-related conditions (O26.8)												
All ages	16	...	16	8	...	8	8	...	8	7	...	7
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	7	...	7	2	...	2	5	...	5	5	...	5
25-29 years	4	...	4	3	...	3	1	...	1	1	...	1
30-34 years	2	...	2	1	...	1	1	...	1	1	...	1
35-39 years	1	...	1	-	...	-	1	...	1	-	...	-
40-44 years	2	...	2	2	...	2	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Complications of anesthesia during pregnancy (O29)												
All ages	5	...	5	4	...	4	1	...	1	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years	2	...	2	2	...	2	-	...	-	-	...	-
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	1	...	1	-	...	-	1	...	1	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cardiac complications of anesthesia during pregnancy (O29.1)												
All ages	5	...	5	4	...	4	1	...	1	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years	2	...	2	2	...	2	-	...	-	-	...	-
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	1	...	1	-	...	-	1	...	1	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Maternal care for known or suspected malpresentation of fetus (O32)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Maternal care for breech presentation (O32.1)															
All ages	1	...	1	1	...	1	-	...	-	-	...	-			
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...			
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...			
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...			
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-			
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-			
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-			
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-			
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-			
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-			
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-			
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-			
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-			
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-			
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-			
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-			
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-			
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-			
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-			
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-			
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-			
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-			
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-			
Not stated	-	...	-	-	...	-	-	...	-	-	...	-			
Maternal care for known or suspected abnormality of pelvic organs (O34)															
All ages	1	...	1	1	...	1	-	...	-	-	...	-			
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...			
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...			
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...			
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-			
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-			
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-			
25-29 years	1	...	1	1	...	1	-	...	-	-	...	-			
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-			
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-			
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-			
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-			
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-			
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-			
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-			
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-			
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-			
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-			
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-			
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-			
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-			
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-			
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-			
Not stated	-	...	-	-	...	-	-	...	-	-	...	-			

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Maternal care for other abnormalities of gravid uterus (O34.5)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Maternal care for known or suspected fetal abnormality and damage (O35)												
All ages	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Maternal care for (suspected) damage to fetus by drugs (O35.5)												
All ages	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Maternal care for other known or suspected fetal problems (O36)												
All ages	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	2	...	2	1	...	1	1	...	1	1	...	1
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Maternal care for rhesus isoimmunization (O36.0)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Maternal care for intrauterine death (O36.4)												
All ages	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other disorders of amniotic fluid and membranes (O41)												
All ages	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Infection of amniotic sac and membranes (O41.1)												
All ages	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Premature rupture of membranes (O42)												
All ages	2	...	2	-	...	-	2	...	2	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	1	...	1	-	...	-	1	...	1	-	...	-
30-34 years	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Premature rupture of membranes, unspecified (O42.9)												
All ages	2	...	2	-	...	-	2	...	2	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	1	...	1	-	...	-	1	...	1	-	...	-
30-34 years	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Placental disorders (O43)												
All ages	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Placental transfusion syndromes (O43.0)												
All ages	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Placenta previa (O44)												
All ages	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Placenta previa with hemorrhage (O44.1)												
All ages	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Premature separation of placenta [abruptio placentae] (O45)												
All ages	8	...	8	3	...	3	5	...	5	4	...	4
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	2	...	2	1	...	1	1	...	1	1	...	1
25-29 years	2	...	2	-	...	-	2	...	2	2	...	2
30-34 years	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years	2	...	2	1	...	1	1	...	1	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Premature separation of placenta, unspecified (O45.9)												
All ages	8	...	8	3	...	3	5	...	5	4	...	4
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	2	...	2	1	...	1	1	...	1	1	...	1
25-29 years	2	...	2	-	...	-	2	...	2	2	...	2
30-34 years	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years	2	...	2	1	...	1	1	...	1	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Antepartum hemorrhage, not elsewhere classified (O46)												
All ages	11	...	11	7	...	7	4	...	4	4	...	4
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years	4	...	4	3	...	3	1	...	1	1	...	1
35-39 years	3	...	3	2	...	2	1	...	1	1	...	1
40-44 years	2	...	2	-	...	-	2	...	2	2	...	2
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Antepartum hemorrhage with coagulation defect (O46.0)												
All ages	3	...	3	2	...	2	1	...	1	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other antepartum hemorrhage (O46.8)												
All ages	4	...	4	2	...	2	2	...	2	2	...	2
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Antepartum hemorrhage, unspecified (O46.9)												
All ages	4	...	4	3	...	3	1	...	1	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	2	...	2	1	...	1	1	...	1	1	...	1
35-39 years	2	...	2	2	...	2	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Abnormality of forces of labor (O62)												
All ages	3	...	3	2	...	2	1	...	1	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Other uterine inertia (O62.2)												
All ages	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Precipitate labor (O62.3)												
All ages	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Labor and delivery complicated by intrapartum hemorrhage, not elsewhere classified (O67)												
All ages	5	...	5	4	...	4	1	...	1	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years	2	...	2	1	...	1	1	...	1	1	...	1
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Intrapartum hemorrhage with coagulation defect (O67.0)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Intrapartum hemorrhage, unspecified (O67.9)												
All ages	4	...	4	3	...	3	1	...	1	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Perineal laceration during delivery (O70)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
First degree perineal laceration during delivery (O70.0)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other obstetric trauma (O71)												
All ages	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Rupture of uterus during labor (O71.1)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other obstetric injury to pelvic organs (O71.5)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Postpartum hemorrhage (O72)												
All ages	17	...	17	10	...	10	7	...	7	5	...	5
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years	2	...	2	2	...	2	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	7	...	7	6	...	6	1	...	1	-	...	-
35-39 years	5	...	5	1	...	1	4	...	4	3	...	3
40-44 years	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years	1	...	1	-	...	-	1	...	1	1	...	1
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Third-stage hemorrhage (O72.0)												
All ages	5	...	5	2	...	2	3	...	3	2	...	2
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	2	...	2	1	...	1	1	...	1	-	...	-
35-39 years	2	...	2	1	...	1	1	...	1	1	...	1
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Other immediate postpartum hemorrhage (O72.1)												
All ages	5	...	5	3	...	3	2	...	2	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	2	...	2	2	...	2	-	...	-	-	...	-
35-39 years	2	...	2	-	...	-	2	...	2	1	...	1
40-44 years	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Postpartum coagulation defects (O72.3)												
All ages	7	...	7	5	...	5	2	...	2	2	...	2
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	2	...	2	2	...	2	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	3	...	3	3	...	3	-	...	-	-	...	-
35-39 years	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	1	...	1	-	...	-	1	...	1	1	...	1
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Complications of anesthesia during labor and delivery (O74)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cardiac complications of anesthesia during labor and delivery (O74.2)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Other complications of labor and delivery, not elsewhere classified (O75)												
All ages	32	...	32	22	...	22	10	...	10	10	...	10
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	2	...	2	2	...	2	-	...	-	-	...	-
20-24 years	3	...	3	2	...	2	1	...	1	1	...	1
25-29 years	7	...	7	4	...	4	3	...	3	3	...	3
30-34 years	13	...	13	11	...	11	2	...	2	2	...	2
35-39 years	6	...	6	3	...	3	3	...	3	3	...	3
40-44 years	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Shock during or following labor and delivery (O75.1)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Other complications of obstetric surgery and procedures (O75.4)												
All ages	20	...	20	12	...	12	8	...	8	8	...	8
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years	5	...	5	2	...	2	3	...	3	3	...	3
30-34 years	8	...	8	7	...	7	1	...	1	1	...	1
35-39 years	4	...	4	1	...	1	3	...	3	3	...	3
40-44 years	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Delayed delivery after spontaneous or unspecified rupture of membranes (O75.6)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Vaginal delivery following previous cesarean section (O75.7)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified complications of labor and delivery (O75.8)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Complication of labor and delivery, unspecified (O75.9)												
All ages	8	...	8	6	...	6	2	...	2	2	...	2
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years	2	...	2	1	...	1	1	...	1	1	...	1
25-29 years	2	...	2	2	...	2	-	...	-	-	...	-
30-34 years	2	...	2	1	...	1	1	...	1	1	...	1
35-39 years	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Puerperal sepsis (O85)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Other puerperal infections (O86)												
All ages	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pyrexia of unknown origin following delivery (O86.4)												
All ages	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Venous complications in the puerperium (O87)												
All ages	2	...	2	-	...	-	2	...	2	2	...	2
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Venous complication in the puerperium, unspecified (O87.9)												
All ages	2	...	2	-	...	-	2	...	2	2	...	2
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Obstetric embolism (O88)												
All ages	69	...	69	39	...	39	30	...	30	24	...	24
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	10	...	10	6	...	6	4	...	4	4	...	4
20-24 years	9	...	9	3	...	3	6	...	6	6	...	6
25-29 years	17	...	17	8	...	8	9	...	9	6	...	6
30-34 years	11	...	11	9	...	9	2	...	2	2	...	2
35-39 years	18	...	18	11	...	11	7	...	7	4	...	4
40-44 years	4	...	4	2	...	2	2	...	2	2	...	2
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Obstetric air embolism (O88.0)												
All ages	2	...	2	-	...	-	2	...	2	2	...	2
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	2	...	2	-	...	-	2	...	2	2	...	2
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Amniotic fluid embolism (O88.1)												
All ages	40	...	40	27	...	27	13	...	13	8	...	8
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	5	...	5	4	...	4	1	...	1	1	...	1
20-24 years	3	...	3	2	...	2	1	...	1	1	...	1
25-29 years	11	...	11	6	...	6	5	...	5	3	...	3
30-34 years	3	...	3	3	...	3	-	...	-	-	...	-
35-39 years	15	...	15	10	...	10	5	...	5	2	...	2
40-44 years	3	...	3	2	...	2	1	...	1	1	...	1
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Obstetric blood-clot embolism (O88.2)												
All ages	27	...	27	12	...	12	15	...	15	14	...	14
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	5	...	5	2	...	2	3	...	3	3	...	3
20-24 years	4	...	4	1	...	1	3	...	3	3	...	3
25-29 years	6	...	6	2	...	2	4	...	4	3	...	3
30-34 years	8	...	8	6	...	6	2	...	2	2	...	2
35-39 years	3	...	3	1	...	1	2	...	2	2	...	2
40-44 years	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Complications of anesthesia during the puerperium (O89)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cardiac complications of anesthesia during the puerperium (O89.1)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Complications of the puerperium, not elsewhere classified (O90)												
All ages	26	...	26	13	...	13	13	...	13	12	...	12
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	2	...	2	1	...	1	1	...	1	1	...	1
20-24 years	5	...	5	4	...	4	1	...	1	1	...	1
25-29 years	8	...	8	3	...	3	5	...	5	4	...	4
30-34 years	8	...	8	3	...	3	5	...	5	5	...	5
35-39 years	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hematoma of obstetric wound (O90.2)												
All ages	-	...	-	-	...	-	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Cardiomyopathy in the puerperium (O90.3)												
All ages	25	...	25	12	...	12	13	...	13	12	...	12
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	2	...	2	1	...	1	1	...	1	1	...	1
20-24 years	4	...	4	3	...	3	1	...	1	1	...	1
25-29 years	8	...	8	3	...	3	5	...	5	4	...	4
30-34 years	8	...	8	3	...	3	5	...	5	5	...	5
35-39 years	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other complications of the puerperium, not elsewhere classified (O90.8)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Obstetric death of unspecified cause (O95)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Death from any obstetric cause occurring more than 42 days but less than 1 year after delivery (O96)												
All ages	9	...	9	4	...	4	5	...	5	4	...	4
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	2	...	2	1	...	1	1	...	1	1	...	1
25-29 years	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years	2	...	2	1	...	1	1	...	1	1	...	1
35-39 years	3	...	3	-	...	-	3	...	3	2	...	2
40-44 years	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Death from sequelae of direct obstetric causes (O97)												
All ages	8	...	8	3	...	3	5	...	5	4	...	4
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	1	...	1	-	...	-	1	...	1	1	...	1
25-29 years	2	...	2	-	...	-	2	...	2	2	...	2
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	3	...	3	1	...	1	2	...	2	1	...	1
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Maternal infectious and parasitic diseases classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium (O98)															
All ages	5	...	5	5	...	5	-	...	-	-	...	-			
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...			
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...			
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...			
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-			
15-19 years	1	...	1	1	...	1	-	...	-	-	...	-			
20-24 years	1	...	1	1	...	1	-	...	-	-	...	-			
25-29 years	1	...	1	1	...	1	-	...	-	-	...	-			
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-			
35-39 years	1	...	1	1	...	1	-	...	-	-	...	-			
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-			
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-			
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-			
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-			
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-			
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-			
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-			
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-			
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-			
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-			
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-			
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-			
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-			
Not stated	-	...	-	-	...	-	-	...	-	-	...	-			
Other viral diseases complicating pregnancy, childbirth, and the puerperium (O98.5)															
All ages	2	...	2	2	...	2	-	...	-	-	...	-			
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...			
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...			
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...			
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-			
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-			
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-			
25-29 years	1	...	1	1	...	1	-	...	-	-	...	-			
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-			
35-39 years	1	...	1	1	...	1	-	...	-	-	...	-			
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-			
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-			
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-			
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-			
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-			
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-			
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-			
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-			
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-			
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-			
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-			
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-			
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-			
Not stated	-	...	-	-	...	-	-	...	-	-	...	-			

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other maternal infectious and parasitic diseases complicating pregnancy, childbirth, and the puerperium (O98.8)												
All ages	3	...	3	3	...	3	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium (O99)												
All ages	46	...	46	23	...	23	23	...	23	20	...	20
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	3	...	3	1	...	1	2	...	2	2	...	2
20-24 years	9	...	9	5	...	5	4	...	4	4	...	4
25-29 years	9	...	9	3	...	3	6	...	6	4	...	4
30-34 years	11	...	11	7	...	7	4	...	4	3	...	3
35-39 years	7	...	7	3	...	3	4	...	4	4	...	4
40-44 years	6	...	6	4	...	4	2	...	2	2	...	2
45-49 years	1	...	1	-	...	-	1	...	1	1	...	1
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Endocrine, nutritional, and metabolic diseases complicating pregnancy, childbirth, and the puerperium (O99.2)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Diseases of the circulatory system complicating pregnancy, childbirth, and the puerperium (O99.4)												
All ages	32	...	32	13	...	13	19	...	19	17	...	17
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	2	...	2	1	...	1	1	...	1	1	...	1
20-24 years	6	...	6	2	...	2	4	...	4	4	...	4
25-29 years	7	...	7	2	...	2	5	...	5	3	...	3
30-34 years	5	...	5	2	...	2	3	...	3	3	...	3
35-39 years	5	...	5	2	...	2	3	...	3	3	...	3
40-44 years	6	...	6	4	...	4	2	...	2	2	...	2
45-49 years	1	...	1	-	...	-	1	...	1	1	...	1
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Diseases of the respiratory system complicating pregnancy, childbirth, and the puerperium (O99.5)															
All ages	1	...	1	1	...	1	-	...	-	-	...	-			
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...			
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...			
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...			
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-			
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-			
20-24 years	1	...	1	1	...	1	-	...	-	-	...	-			
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-			
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-			
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-			
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-			
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-			
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-			
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-			
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-			
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-			
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-			
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-			
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-			
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-			
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-			
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-			
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-			
Not stated	-	...	-	-	...	-	-	...	-	-	...	-			
Diseases of the digestive system complicating pregnancy, childbirth, and the puerperium (O99.6)															
All ages	1	...	1	1	...	1	-	...	-	-	...	-			
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...			
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...			
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...			
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-			
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-			
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-			
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-			
30-34 years	1	...	1	1	...	1	-	...	-	-	...	-			
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-			
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-			
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-			
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-			
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-			
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-			
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-			
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-			
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-			
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-			
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-			
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-			
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-			
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-			
Not stated	-	...	-	-	...	-	-	...	-	-	...	-			

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	- - - ALL RACES - - -			- - - - WHITE - - - -			- - - - TOTAL - - - -			- - - - BLACK - - - -		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified diseases and conditions complicating pregnancy, childbirth, and the puerperium (O99.8)												
All ages	11	...	11	7	...	7	4	...	4	3	...	3
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years	2	...	2	2	...	2	-	...	-	-	...	-
25-29 years	2	...	2	1	...	1	1	...	1	1	...	1
30-34 years	4	...	4	3	...	3	1	...	1	-	...	-
35-39 years	2	...	2	1	...	1	1	...	1	1	...	1
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Newborn affected by maternal conditions that may be unrelated to present pregnancy (P00)												
All ages	131	74	57	73	44	29	58	30	28	52	26	26
Under 1 year	130	73	57	72	43	29	58	30	28	52	26	26
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Newborn affected by maternal hypertensive disorders (P00.0)												
All ages	60	38	22	31	20	11	29	18	11	28	17	11
Under 1 year	60	38	22	31	20	11	29	18	11	28	17	11
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by maternal renal and urinary tract diseases (P00.1)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Newborn affected by maternal infectious and parasitic diseases (P00.2)												
All ages	17	6	11	8	3	5	9	3	6	8	3	5
Under 1 year	17	6	11	8	3	5	9	3	6	8	3	5
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by other maternal circulatory and respiratory diseases (P00.3)												
All ages	7	3	4	5	2	3	2	1	1	2	1	1
Under 1 year	7	3	4	5	2	3	2	1	1	2	1	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Newborn affected by maternal nutritional disorders (P00.4)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by maternal injury (P00.5)												
All ages	18	10	8	11	9	2	7	1	6	5	-	5
Under 1 year	17	9	8	10	8	2	7	1	6	5	-	5
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Newborn affected by other medical procedures on mother, not elsewhere classified (P00.7)												
All ages	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year	3	2	1	2	1	1	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by other maternal conditions (P00.8)												
All ages	21	14	7	13	8	5	8	6	2	6	4	2
Under 1 year	21	14	7	13	8	5	8	6	2	6	4	2
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Newborn affected by unspecified maternal condition (P00.9)												
All ages	3	1	2	2	1	1	1	-	1	1	-	1
Under 1 year	3	1	2	2	1	1	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by maternal complications of pregnancy (P01)												
All ages	1,502	848	654	918	523	395	584	325	259	537	299	238
Under 1 year	1,499	847	652	915	522	393	584	325	259	537	299	238
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Newborn affected by incompetent cervix (P01.0)												
All ages	403	236	167	223	132	91	180	104	76	166	96	70
Under 1 year	403	236	167	223	132	91	180	104	76	166	96	70
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by premature rupture of membranes (P01.1)												
All ages	663	360	303	393	215	178	270	145	125	244	131	113
Under 1 year	663	360	303	393	215	178	270	145	125	244	131	113
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Newborn affected by oligohydramnios (P01.2)												
All ages	89	48	41	66	38	28	23	10	13	21	9	12
Under 1 year	89	48	41	66	38	28	23	10	13	21	9	12
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by polyhydramnios (P01.3)												
All ages	18	9	9	13	7	6	5	2	3	5	2	3
Under 1 year	18	9	9	13	7	6	5	2	3	5	2	3
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Newborn affected by ectopic pregnancy (P01.4)												
All ages	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by multiple pregnancy (P01.5)												
All ages	271	159	112	184	106	78	87	53	34	85	51	34
Under 1 year	270	159	111	183	106	77	87	53	34	85	51	34
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Newborn affected by maternal death (P01.6)												
All ages	9	3	6	5	2	3	4	1	3	2	1	1
Under 1 year	7	2	5	3	1	2	4	1	3	2	1	1
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by malpresentation before labor (P01.7)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Newborn affected by other maternal complications of pregnancy (P01.8)												
All ages	46	30	16	32	21	11	14	9	5	13	8	5
Under 1 year	46	30	16	32	21	11	14	9	5	13	8	5
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by complications of placenta, cord, and membranes (P02)												
All ages	1,025	586	439	693	392	301	332	194	138	297	168	129
Under 1 year	1,018	582	436	690	390	300	328	192	136	294	166	128
1-4 years	4	2	2	2	1	1	2	1	1	2	1	1
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	2	1	1	1	1	-	1	-	1	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Newborn affected by placenta previa (P02.0)												
All ages	17	11	6	13	9	4	4	2	2	4	2	2
Under 1 year	16	11	5	12	9	3	4	2	2	4	2	2
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by other forms of placental separation and hemorrhage (P02.1)												
All ages	410	242	168	305	179	126	105	63	42	91	54	37
Under 1 year	405	238	167	303	177	126	102	61	41	88	52	36
1-4 years	3	2	1	1	1	-	2	1	1	2	1	1
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Newborn affected by other and unspecified morphological and functional abnormalities of placenta (P02.2)												
All ages	29	12	17	20	8	12	9	4	5	8	3	5
Under 1 year	29	12	17	20	8	12	9	4	5	8	3	5
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by placental transfusion syndromes (P02.3)												
All ages	70	31	39	62	26	36	8	5	3	6	3	3
Under 1 year	70	31	39	62	26	36	8	5	3	6	3	3
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Newborn affected by prolapsed cord (P02.4)												
All ages	27	23	4	16	14	2	11	9	2	8	6	2
Under 1 year	27	23	4	16	14	2	11	9	2	8	6	2
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by other compression of umbilical cord (P02.5)												
All ages	16	10	6	15	10	5	1	-	1	1	-	1
Under 1 year	16	10	6	15	10	5	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Newborn affected by other and unspecified conditions of umbilical cord (P02.6)												
All ages	9	5	4	5	4	1	4	1	3	3	1	2
Under 1 year	8	5	3	5	4	1	3	1	2	3	1	2
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by chorioamnionitis (P02.7)												
All ages	447	252	195	257	142	115	190	110	80	176	99	77
Under 1 year	447	252	195	257	142	115	190	110	80	176	99	77
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Newborn affected by other complications of labor and delivery (P03)												
All ages	148	85	63	110	57	53	38	28	10	29	22	7
Under 1 year	148	85	63	110	57	53	38	28	10	29	22	7
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by breech delivery and extraction (P03.0)												
All ages	8	6	2	7	6	1	1	-	1	1	-	1
Under 1 year	8	6	2	7	6	1	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Newborn affected by other malpresentation, malposition, and disproportion during labor and delivery (P03.1)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	3	1	2	3	1	2	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by forceps delivery (P03.2)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Newborn affected by delivery by vacuum extractor [ventouse] (P03.3)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by cesarean delivery (P03.4)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Newborn affected by precipitate delivery (P03.5)												
All ages	5	4	1	2	1	1	3	3	-	2	2	-
Under 1 year	5	4	1	2	1	1	3	3	-	2	2	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by abnormal uterine contractions (P03.6)												
All ages	7	4	3	4	2	2	3	2	1	3	2	1
Under 1 year	7	4	3	4	2	2	3	2	1	3	2	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Newborn affected by other specified complications of labor and delivery (P03.8)												
All ages	67	40	27	52	28	24	15	12	3	10	9	1
Under 1 year	67	40	27	52	28	24	15	12	3	10	9	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by complication of labor and delivery, unspecified (P03.9)												
All ages	54	26	28	40	17	23	14	9	5	11	7	4
Under 1 year	54	26	28	40	17	23	14	9	5	11	7	4
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Newborn affected by noxious influences transmitted via placenta or breast milk (P04)												
All ages	39	20	19	21	13	8	18	7	11	18	7	11
Under 1 year	37	19	18	19	12	7	18	7	11	18	7	11
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by other maternal medication (P04.1)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Newborn affected by maternal use of tobacco (P04.2)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by maternal use of alcohol (P04.3)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Newborn affected by maternal use of drugs of addiction (P04.4)												
All ages	32	17	15	14	10	4	18	7	11	18	7	11
Under 1 year	32	17	15	14	10	4	18	7	11	18	7	11
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by maternal exposure to environmental chemical substances (P04.6)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Slow fetal growth and fetal malnutrition (P05)												
All ages	63	31	32	41	21	20	22	10	12	19	10	9
Under 1 year	63	31	32	41	21	20	22	10	12	19	10	9
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Small for gestational age (P05.1)												
All ages	3	2	1	-	-	-	3	2	1	2	2	-
Under 1 year	3	2	1	-	-	-	3	2	1	2	2	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Slow fetal growth, unspecified (P05.9)												
All ages	60	29	31	41	21	20	19	8	11	17	8	9
Under 1 year	60	29	31	41	21	20	19	8	11	17	8	9
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorders related to short gestation and low birthweight, not elsewhere classified (P07)												
All ages	4,419	2,431	1,988	2,456	1,345	1,111	1,963	1,086	877	1,839	1,019	820
Under 1 year	4,410	2,426	1,984	2,451	1,343	1,108	1,959	1,083	876	1,835	1,016	819
1-4 years	7	4	3	3	1	2	4	3	1	4	3	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Extremely low birthweight (P07.0)												
All ages	132	73	59	58	34	24	74	39	35	72	39	33
Under 1 year	132	73	59	58	34	24	74	39	35	72	39	33
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other low birthweight (P07.1)												
All ages	8	6	2	6	4	2	2	2	-	2	2	-
Under 1 year	8	6	2	6	4	2	2	2	-	2	2	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Extreme immaturity (P07.2)												
All ages	3,185	1,734	1,451	1,756	948	808	1,429	786	643	1,339	736	603
Under 1 year	3,184	1,733	1,451	1,755	947	808	1,429	786	643	1,339	736	603
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other preterm infants (P07.3)												
All ages	1,094	618	476	636	359	277	458	259	199	426	242	184
Under 1 year	1,086	614	472	632	358	274	454	256	198	422	239	183
1-4 years	6	3	3	2	-	2	4	3	1	4	3	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Intracranial laceration and hemorrhage due to birth injury (P10)												
All ages	126	76	50	83	46	37	43	30	13	38	25	13
Under 1 year	125	75	50	82	45	37	43	30	13	38	25	13
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Subdural hemorrhage due to birth injury (P10.0)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cerebral hemorrhage due to birth injury (P10.1)												
All ages	5	3	2	4	2	2	1	1	-	1	1	-
Under 1 year	5	3	2	4	2	2	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Intraventricular hemorrhage due to birth injury (P10.2)												
All ages	87	48	39	54	27	27	33	21	12	29	17	12
Under 1 year	87	48	39	54	27	27	33	21	12	29	17	12
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other intracranial lacerations and hemorrhages due to birth injury (P10.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified intracranial laceration and hemorrhage due to birth injury (P10.9)												
All ages	31	22	9	22	14	8	9	8	1	8	7	1
Under 1 year	31	22	9	22	14	8	9	8	1	8	7	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other birth injuries to central nervous system (P11)												
All ages	10	7	3	7	5	2	3	2	1	3	2	1
Under 1 year	6	3	3	3	1	2	3	2	1	3	2	1
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral edema due to birth injury (P11.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified brain damage due to birth injury (P11.2)												
All ages	6	4	2	5	3	2	1	1	-	1	1	-
Under 1 year	3	1	2	2	-	2	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Birth injury to central nervous system, unspecified (P11.9)												
All ages	3	2	1	1	1	-	2	1	1	2	1	1
Under 1 year	2	1	1	-	-	-	2	1	1	2	1	1
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Birth injury to skeleton (P13)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Fracture of skull due to birth injury (P13.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other birth injuries (P15)												
All ages	21	14	7	16	9	7	5	5	-	5	5	-
Under 1 year	13	7	6	9	3	6	4	4	-	4	4	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	3	2	1	3	2	1	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Birth injury to liver (P15.0)												
All ages	5	2	3	4	1	3	1	1	-	1	1	-
Under 1 year	5	2	3	4	1	3	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified birth injuries (P15.8)												
All ages	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year	3	2	1	2	1	1	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Birth injury, unspecified (P15.9)												
All ages	13	10	3	10	7	3	3	3	-	3	3	-
Under 1 year	5	3	2	3	1	2	2	2	-	2	2	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	3	2	1	3	2	1	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Intrauterine hypoxia (P20)												
All ages	121	75	46	83	52	31	38	23	15	33	19	14
Under 1 year	120	74	46	82	51	31	38	23	15	33	19	14
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Intrauterine hypoxia, unspecified (P20.9)												
All ages	121	75	46	83	52	31	38	23	15	33	19	14
Under 1 year	120	74	46	82	51	31	38	23	15	33	19	14
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Birth asphyxia (P21)												
All ages	451	245	206	327	175	152	124	70	54	107	60	47
Under 1 year	414	221	193	303	158	145	111	63	48	96	55	41
1-4 years	17	11	6	11	6	5	6	5	1	5	4	1
5-9 years	8	5	3	6	5	1	2	-	2	2	-	2
10-14 years	3	1	2	-	-	-	3	1	2	3	1	2
15-19 years	2	1	1	1	1	-	1	-	1	1	-	1
20-24 years	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Severe birth asphyxia (P21.0)												
All ages	23	11	12	15	9	6	8	2	6	6	1	5
Under 1 year	21	10	11	15	9	6	6	1	5	5	1	4
1-4 years	1	1	-	-	-	-	1	1	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Birth asphyxia, unspecified (P21.9)												
All ages	428	234	194	312	166	146	116	68	48	101	59	42
Under 1 year	393	211	182	288	149	139	105	62	43	91	54	37
1-4 years	16	10	6	11	6	5	5	4	1	5	4	1
5-9 years	8	5	3	6	5	1	2	-	2	2	-	2
10-14 years	2	1	1	-	-	-	2	1	1	2	1	1
15-19 years	2	1	1	1	1	-	1	-	1	1	-	1
20-24 years	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory distress of newborn (P22)												
All ages	1,015	577	438	633	349	284	382	228	154	354	211	143
Under 1 year	1,011	574	437	630	346	284	381	228	153	353	211	142
1-4 years	4	3	1	3	3	-	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Respiratory distress syndrome of newborn (P22.0)												
All ages	912	519	393	578	322	256	334	197	137	310	183	127
Under 1 year	908	516	392	575	319	256	333	197	136	309	183	126
1-4 years	4	3	1	3	3	-	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory distress of newborn, unspecified (P22.9)												
All ages	103	58	45	55	27	28	48	31	17	44	28	16
Under 1 year	103	58	45	55	27	28	48	31	17	44	28	16
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital pneumonia (P23)												
All ages	72	40	32	39	23	16	33	17	16	32	17	15
Under 1 year	72	40	32	39	23	16	33	17	16	32	17	15
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital pneumonia due to Escherichia coli (P23.4)												
All ages	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital pneumonia due to Pseudomonas (P23.5)												
All ages	4	1	3	-	-	-	4	1	3	4	1	3
Under 1 year	4	1	3	-	-	-	4	1	3	4	1	3
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital pneumonia due to other bacterial agents (P23.6)												
All ages	2	1	1	-	-	-	2	1	1	2	1	1
Under 1 year	2	1	1	-	-	-	2	1	1	2	1	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital pneumonia due to other organisms (P23.8)												
All ages	3	2	1	2	2	-	1	-	1	1	-	1
Under 1 year	3	2	1	2	2	-	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital pneumonia, unspecified (P23.9)												
All ages	61	34	27	36	20	16	25	14	11	24	14	10
Under 1 year	61	34	27	36	20	16	25	14	11	24	14	10
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Neonatal aspiration syndromes (P24)												
All ages	72	31	41	46	23	23	26	8	18	24	7	17
Under 1 year	71	31	40	46	23	23	25	8	17	23	7	16
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Neonatal aspiration of meconium (P24.0)												
All ages	62	27	35	36	19	17	26	8	18	24	7	17
Under 1 year	61	27	34	36	19	17	25	8	17	23	7	16
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Neonatal aspiration of amniotic fluid and mucus (P24.1)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Neonatal aspiration syndrome, unspecified (P24.9)												
All ages	8	4	4	8	4	4	-	-	-	-	-	-
Under 1 year	8	4	4	8	4	4	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Interstitial emphysema and related conditions originating in the perinatal period (P25)												
All ages	204	114	90	142	80	62	62	34	28	56	30	26
Under 1 year	204	114	90	142	80	62	62	34	28	56	30	26
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Interstitial emphysema originating in the perinatal period (P25.0)												
All ages	80	45	35	61	35	26	19	10	9	16	8	8
Under 1 year	80	45	35	61	35	26	19	10	9	16	8	8
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pneumothorax originating in the perinatal period (P25.1)												
All ages	114	60	54	76	41	35	38	19	19	36	18	18
Under 1 year	114	60	54	76	41	35	38	19	19	36	18	18
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pneumopericardium originating in the perinatal period (P25.3)												
All ages	7	6	1	3	2	1	4	4	-	4	4	-
Under 1 year	7	6	1	3	2	1	4	4	-	4	4	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other conditions related to interstitial emphysema originating in the perinatal period (P25.8)												
All ages	3	3	-	2	2	-	1	1	-	-	-	-
Under 1 year	3	3	-	2	2	-	1	1	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary hemorrhage originating in the perinatal period (P26)												
All ages	279	166	113	157	94	63	122	72	50	109	66	43
Under 1 year	279	166	113	157	94	63	122	72	50	109	66	43
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Massive pulmonary hemorrhage originating in the perinatal period (P26.1)												
All ages	5	3	2	4	2	2	1	1	-	1	1	-
Under 1 year	5	3	2	4	2	2	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified pulmonary hemorrhage originating in the perinatal period (P26.9)												
All ages	274	163	111	153	92	61	121	71	50	108	65	43
Under 1 year	274	163	111	153	92	61	121	71	50	108	65	43
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Chronic respiratory disease originating in the perinatal period (P27)												
All ages	340	199	141	189	112	77	151	87	64	142	81	61
Under 1 year	310	186	124	172	106	66	138	80	58	130	75	55
1-4 years	24	11	13	13	5	8	11	6	5	10	5	5
5-9 years	3	1	2	1	-	1	2	1	1	2	1	1
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Bronchopulmonary dysplasia originating in the perinatal period (P27.1)												
All ages	296	172	124	162	97	65	134	75	59	127	71	56
Under 1 year	269	161	108	147	92	55	122	69	53	116	66	50
1-4 years	24	11	13	13	5	8	11	6	5	10	5	5
5-9 years	2	-	2	1	-	1	1	-	1	1	-	1
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other chronic respiratory diseases originating in the perinatal period (P27.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified chronic respiratory disease originating in the perinatal period (P27.9)												
All ages	43	27	16	26	15	11	17	12	5	15	10	5
Under 1 year	40	25	15	24	14	10	16	11	5	14	9	5
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other respiratory conditions originating in the perinatal period (P28)												
All ages	569	332	237	387	223	164	182	109	73	161	101	60
Under 1 year	567	332	235	385	223	162	182	109	73	161	101	60
1-4 years	2	-	2	2	-	2	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Primary atelectasis of newborn (P28.0)												
All ages	500	297	203	341	200	141	159	97	62	142	89	53
Under 1 year	498	297	201	339	200	139	159	97	62	142	89	53
1-4 years	2	-	2	2	-	2	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other and unspecified atelectasis of newborn (P28.1)												
All ages	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year	3	3	-	2	2	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Primary sleep apnea of newborn (P28.3)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other apnea of newborn (P28.4)												
All ages	12	10	2	8	6	2	4	4	-	4	4	-
Under 1 year	12	10	2	8	6	2	4	4	-	4	4	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory failure of newborn (P28.5)												
All ages	37	15	22	25	11	14	12	4	8	8	4	4
Under 1 year	37	15	22	25	11	14	12	4	8	8	4	4
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified respiratory conditions of newborn (P28.8)												
All ages	9	5	4	6	3	3	3	2	1	3	2	1
Under 1 year	9	5	4	6	3	3	3	2	1	3	2	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory condition of newborn, unspecified (P28.9)												
All ages	7	2	5	4	1	3	3	1	2	3	1	2
Under 1 year	7	2	5	4	1	3	3	1	2	3	1	2
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cardiovascular disorders originating in the perinatal period (P29)												
All ages	956	563	393	578	343	235	378	220	158	332	196	136
Under 1 year	950	560	390	572	340	232	378	220	158	332	196	136
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Neonatal cardiac failure (P29.0)												
All ages	406	236	170	250	141	109	156	95	61	137	83	54
Under 1 year	402	234	168	246	139	107	156	95	61	137	83	54
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Neonatal cardiac dysrhythmia (P29.1)												
All ages	511	298	213	307	186	121	204	112	92	179	100	79
Under 1 year	510	297	213	306	185	121	204	112	92	179	100	79
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Neonatal hypertension (P29.2)												
All ages	18	14	4	11	8	3	7	6	1	6	6	-
Under 1 year	17	14	3	10	8	2	7	6	1	6	6	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Persistent fetal circulation (P29.3)												
All ages	4	2	2	1	1	-	3	1	2	2	1	1
Under 1 year	4	2	2	1	1	-	3	1	2	2	1	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Transient myocardial ischemia of newborn (P29.4)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other cardiovascular disorders originating in the perinatal period (P29.8)												
All ages	11	8	3	6	4	2	5	4	1	5	4	1
Under 1 year	11	8	3	6	4	2	5	4	1	5	4	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cardiovascular disorder originating in the perinatal period, unspecified (P29.9)												
All ages	4	3	1	1	1	-	3	2	1	3	2	1
Under 1 year	4	3	1	1	1	-	3	2	1	3	2	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital viral diseases (P35)												
All ages	56	36	20	38	23	15	18	13	5	14	10	4
Under 1 year	44	27	17	30	18	12	14	9	5	13	9	4
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	3	3	-	1	1	-	2	2	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	-	-	-
15-19 years	3	2	1	2	1	1	1	1	-	1	1	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital rubella syndrome (P35.0)												
All ages	4	2	2	3	1	2	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital cytomegalovirus infection (P35.1)												
All ages	29	19	10	23	15	8	6	4	2	5	3	2
Under 1 year	22	13	9	18	11	7	4	2	2	4	2	2
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	2	2	-	1	1	-	1	1	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	2	1	2	1	1	1	1	-	1	1	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital herpes-viral [herpes simplex] infection (P35.2)												
All ages	19	12	7	10	5	5	9	7	2	8	6	2
Under 1 year	18	11	7	10	5	5	8	6	2	8	6	2
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	-	-	-	1	1	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital viral hepatitis (P35.3)												
All ages	2	1	1	1	1	-	1	-	1	-	-	-
Under 1 year	2	1	1	1	1	-	1	-	1	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital viral disease, unspecified (P35.9)												
All ages	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Bacterial sepsis of newborn (P36)												
All ages	699	406	293	445	273	172	254	133	121	228	122	106
Under 1 year	696	404	292	444	272	172	252	132	120	226	121	105
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Sepsis of newborn due to streptococcus, group B (P36.0)												
All ages	34	22	12	26	17	9	8	5	3	7	4	3
Under 1 year	33	22	11	26	17	9	7	5	2	6	4	2
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sepsis of newborn due to other and unspecified streptococci (P36.1)												
All ages	9	6	3	5	3	2	4	3	1	4	3	1
Under 1 year	9	6	3	5	3	2	4	3	1	4	3	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Sepsis of newborn due to Staphylococcus aureus (P36.2)												
All ages	12	8	4	8	5	3	4	3	1	3	2	1
Under 1 year	12	8	4	8	5	3	4	3	1	3	2	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sepsis of newborn due to other and unspecified staphylococci (P36.3)												
All ages	15	11	4	8	6	2	7	5	2	5	3	2
Under 1 year	15	11	4	8	6	2	7	5	2	5	3	2
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Sepsis of newborn due to Escherichia coli (P36.4)												
All ages	3	1	2	-	-	-	3	1	2	3	1	2
Under 1 year	3	1	2	-	-	-	3	1	2	3	1	2
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other bacterial sepsis of newborn (P36.8)												
All ages	118	68	50	82	48	34	36	20	16	30	19	11
Under 1 year	117	67	50	82	48	34	35	19	16	29	18	11
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Bacterial sepsis of newborn, unspecified (P36.9)												
All ages	508	290	218	316	194	122	192	96	96	176	90	86
Under 1 year	507	289	218	315	193	122	192	96	96	176	90	86
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other congenital infectious and parasitic diseases (P37)												
All ages	57	35	22	36	24	12	21	11	10	17	9	8
Under 1 year	54	33	21	33	22	11	21	11	10	17	9	8
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital toxoplasmosis (P37.1)												
All ages	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Neonatal (disseminated) listeriosis (P37.2)												
All ages	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year	3	3	-	3	3	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Neonatal candidiasis (P37.5)												
All ages	44	25	19	28	17	11	16	8	8	13	6	7
Under 1 year	44	25	19	28	17	11	16	8	8	13	6	7
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified congenital infectious and parasitic diseases (P37.8)												
All ages	6	4	2	1	1	-	5	3	2	4	3	1
Under 1 year	6	4	2	1	1	-	5	3	2	4	3	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Omphalitis of newborn with or without mild hemorrhage (P38)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	3	1	2	3	1	2	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other infections specific to the perinatal period (P39)												
All ages	72	40	32	42	23	19	30	17	13	24	13	11
Under 1 year	72	40	32	42	23	19	30	17	13	24	13	11
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Intra-amniotic infection of fetus, not elsewhere classified (P39.2)												
All ages	4	4	-	4	4	-	-	-	-	-	-	-
Under 1 year	4	4	-	4	4	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Neonatal urinary tract infection (P39.3)												
All ages	4	3	1	3	3	-	1	-	1	1	-	1
Under 1 year	4	3	1	3	3	-	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified infections specific to the perinatal period (P39.8)												
All ages	6	3	3	3	2	1	3	1	2	3	1	2
Under 1 year	6	3	3	3	2	1	3	1	2	3	1	2
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Infection specific to the perinatal period, unspecified (P39.9)												
All ages	58	30	28	32	14	18	26	16	10	20	12	8
Under 1 year	58	30	28	32	14	18	26	16	10	20	12	8
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Fetal blood loss (P50)												
All ages	8	4	4	6	3	3	2	1	1	2	1	1
Under 1 year	8	4	4	6	3	3	2	1	1	2	1	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Fetal blood loss from ruptured cord (P50.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhage into maternal circulation (P50.4)												
All ages	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year	2	-	2	1	-	1	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other fetal blood loss (P50.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Fetal blood loss, unspecified (P50.9)												
All ages	4	2	2	3	1	2	1	1	-	1	1	-
Under 1 year	4	2	2	3	1	2	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Intracranial nontraumatic hemorrhage of fetus and newborn (P52)												
All ages	399	229	170	292	175	117	107	54	53	92	45	47
Under 1 year	398	228	170	292	175	117	106	53	53	91	44	47
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Intraventricular (nontraumatic) hemorrhage, grade 3, of newborn (P52.2)												
All ages	4	3	1	3	3	-	1	-	1	1	-	1
Under 1 year	4	3	1	3	3	-	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified intraventricular (nontraumatic) hemorrhage of newborn (P52.3)												
All ages	238	139	99	168	106	62	70	33	37	61	29	32
Under 1 year	237	138	99	168	106	62	69	32	37	60	28	32
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral (nontraumatic) hemorrhage of newborn (P52.4)												
All ages	33	20	13	24	14	10	9	6	3	8	6	2
Under 1 year	33	20	13	24	14	10	9	6	3	8	6	2
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Subarachnoid (nontraumatic) hemorrhage of newborn (P52.5)												
All ages	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year	3	-	3	3	-	3	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cerebellar (nontraumatic) and posterior fossa hemorrhage of newborn (P52.6)												
All ages	4	2	2	2	1	1	2	1	1	2	1	1
Under 1 year	4	2	2	2	1	1	2	1	1	2	1	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other intracranial (nontraumatic) hemorrhages of newborn (P52.8)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Intracranial (nontraumatic) hemorrhage of newborn, unspecified (P52.9)												
All ages	115	65	50	90	51	39	25	14	11	20	9	11
Under 1 year	115	65	50	90	51	39	25	14	11	20	9	11
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other neonatal hemorrhages (P54)												
All ages	47	28	19	34	20	14	13	8	5	10	7	3
Under 1 year	47	28	19	34	20	14	13	8	5	10	7	3
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Neonatal rectal hemorrhage (P54.2)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other neonatal gastrointestinal hemorrhage (P54.3)												
All ages	11	7	4	9	5	4	2	2	-	2	2	-
Under 1 year	11	7	4	9	5	4	2	2	-	2	2	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Neonatal adrenal hemorrhage (P54.4)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Neonatal cutaneous hemorrhage (P54.5)												
All ages	3	2	1	2	1	1	1	1	-	-	-	-
Under 1 year	3	2	1	2	1	1	1	1	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Neonatal vaginal hemorrhage (P54.6)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	1	...	1	1	...	1	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified neonatal hemorrhages (P54.8)												
All ages	12	9	3	10	8	2	2	1	1	2	1	1
Under 1 year	12	9	3	10	8	2	2	1	1	2	1	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Neonatal hemorrhage, unspecified (P54.9)												
All ages	18	8	10	11	5	6	7	3	4	5	3	2
Under 1 year	18	8	10	11	5	6	7	3	4	5	3	2
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hemolytic disease of fetus and newborn (P55)												
All ages	9	6	3	8	5	3	1	1	-	1	1	-
Under 1 year	9	6	3	8	5	3	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Rh isoimmunization of newborn (P55.0)												
All ages	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year	4	3	1	4	3	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other hemolytic diseases of newborn (P55.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hemolytic disease of newborn, unspecified (P55.9)												
All ages	4	2	2	3	1	2	1	1	-	1	1	-
Under 1 year	4	2	2	3	1	2	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hydrops fetalis due to hemolytic disease (P56)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hydrops fetalis due to other and unspecified hemolytic disease (P56.9)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Kernicterus (P57)												
All ages	2	2	-	-	-	-	2	2	-	2	2	-
Under 1 year	2	2	-	-	-	-	2	2	-	2	2	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Kernicterus, unspecified (P57.9)												
All ages	2	2	-	-	-	-	2	2	-	2	2	-
Under 1 year	2	2	-	-	-	-	2	2	-	2	2	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Neonatal jaundice due to other excessive hemolysis (P58)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Neonatal jaundice due to other specified excessive hemolysis (P58.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Neonatal jaundice from other and unspecified causes (P59)												
All ages	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	2	-	1	1	-	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Neonatal jaundice from other and unspecified hepatocellular damage (P59.2)												
All ages	2	1	1	1	-	1	1	1	-	1	1	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Neonatal jaundice, unspecified (P59.9)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disseminated intravascular coagulation of newborn (P60)												
All ages	75	46	29	50	28	22	25	18	7	23	17	6
Under 1 year	75	46	29	50	28	22	25	18	7	23	17	6
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other perinatal hematological disorders (P61)												
All ages	59	37	22	43	23	20	16	14	2	14	12	2
Under 1 year	58	36	22	42	22	20	16	14	2	14	12	2
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Anemia of prematurity (P61.2)												
All ages	9	8	1	5	4	1	4	4	-	4	4	-
Under 1 year	9	8	1	5	4	1	4	4	-	4	4	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital anemia from fetal blood loss (P61.3)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	3	1	2	3	1	2	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital anemias, not elsewhere classified (P61.4)												
All ages	41	23	18	29	13	16	12	10	2	10	8	2
Under 1 year	41	23	18	29	13	16	12	10	2	10	8	2
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Transient neonatal neutropenia (P61.5)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other transient neonatal disorders of coagulation (P61.6)												
All ages	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year	4	3	1	4	3	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Perinatal hematological disorder, unspecified (P61.9)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Transitory disorders of carbohydrate metabolism specific to newborn (P70)												
All ages	10	4	6	5	3	2	5	1	4	4	-	4
Under 1 year	9	4	5	4	3	1	5	1	4	4	-	4
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Syndrome of infant of mother with gestational diabetes (P70.0)												
All ages	2	1	1	-	-	-	2	1	1	1	-	1
Under 1 year	2	1	1	-	-	-	2	1	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Syndrome of infant of a diabetic mother (P70.1)												
All ages	3	1	2	1	1	-	2	-	2	2	-	2
Under 1 year	3	1	2	1	1	-	2	-	2	2	-	2
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Neonatal diabetes mellitus (P70.2)												
All ages	3	-	3	2	-	2	1	-	1	1	-	1
Under 1 year	2	-	2	1	-	1	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other neonatal hypoglycemia (P70.4)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Transitory neonatal disorders of calcium and magnesium metabolism (P71)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other transitory neonatal disorders of calcium and magnesium metabolism (P71.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other transitory neonatal electrolyte and metabolic disturbances (P74)												
All ages	19	11	8	14	8	6	5	3	2	4	2	2
Under 1 year	19	11	8	14	8	6	5	3	2	4	2	2
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Late metabolic acidosis of newborn (P74.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Dehydration of newborn (P74.1)												
All ages	14	7	7	9	4	5	5	3	2	4	2	2
Under 1 year	14	7	7	9	4	5	5	3	2	4	2	2
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disturbances of potassium balance of newborn (P74.3)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	3	2	1	3	2	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Transitory metabolic disturbance of newborn, unspecified (P74.9)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other intestinal obstruction of newborn (P76)												
All ages	5	2	3	2	1	1	3	1	2	3	1	2
Under 1 year	5	2	3	2	1	1	3	1	2	3	1	2
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified intestinal obstruction of newborn (P76.8)												
All ages	3	1	2	1	-	1	2	1	1	2	1	1
Under 1 year	3	1	2	1	-	1	2	1	1	2	1	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction of newborn, unspecified (P76.9)												
All ages	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year	2	1	1	1	1	-	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Necrotizing enterocolitis of newborn (P77)												
All ages	380	231	149	217	134	83	163	97	66	140	82	58
Under 1 year	380	231	149	217	134	83	163	97	66	140	82	58
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other perinatal digestive system disorders (P78)												
All ages	72	38	34	47	24	23	25	14	11	21	12	9
Under 1 year	71	37	34	46	23	23	25	14	11	21	12	9
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Perinatal intestinal perforation (P78.0)												
All ages	50	23	27	35	16	19	15	7	8	14	7	7
Under 1 year	50	23	27	35	16	19	15	7	8	14	7	7
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other neonatal peritonitis (P78.1)												
All ages	12	8	4	6	4	2	6	4	2	5	3	2
Under 1 year	12	8	4	6	4	2	6	4	2	5	3	2
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Noninfective neonatal diarrhea (P78.3)												
All ages	4	2	2	1	-	1	3	2	1	2	2	-
Under 1 year	4	2	2	1	-	1	3	2	1	2	2	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified perinatal digestive system disorders (P78.8)												
All ages	6	5	1	5	4	1	1	1	-	-	-	-
Under 1 year	5	4	1	4	3	1	1	1	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other conditions of integument specific to newborn (P83)												
All ages	167	90	77	141	72	69	26	18	8	17	13	4
Under 1 year	167	90	77	141	72	69	26	18	8	17	13	4
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hydrops fetalis not due to hemolytic disease (P83.2)												
All ages	166	89	77	141	72	69	25	17	8	16	12	4
Under 1 year	166	89	77	141	72	69	25	17	8	16	12	4
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other and unspecified edema specific to newborn (P83.3)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions of newborn (P90)												
All ages	16	10	6	13	9	4	3	1	2	3	1	2
Under 1 year	7	5	2	5	4	1	2	1	1	2	1	1
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other disturbances of cerebral status of newborn (P91)												
All ages	15	10	5	13	9	4	2	1	1	1	-	1
Under 1 year	13	9	4	11	8	3	2	1	1	1	-	1
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Neonatal cerebral ischemia (P91.0)												
All ages	6	5	1	6	5	1	-	-	-	-	-	-
Under 1 year	6	5	1	6	5	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Neonatal cerebral leukomalacia (P91.2)												
All ages	6	2	4	5	2	3	1	-	1	1	-	1
Under 1 year	4	1	3	3	1	2	1	-	1	1	-	1
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Neonatal cerebral depression (P91.4)												
All ages	2	2	-	1	1	-	1	1	-	-	-	-
Under 1 year	2	2	-	1	1	-	1	1	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified disturbances of cerebral status of newborn (P91.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Feeding problems of newborn (P92)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Regurgitation and rumination in newborn (P92.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of muscle tone of newborn (P94)												
All ages	10	2	8	7	1	6	3	1	2	1	1	-
Under 1 year	9	1	8	6	-	6	3	1	2	1	1	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Transient neonatal myasthenia gravis (P94.0)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital hypotonia (P94.2)												
All ages	9	1	8	7	1	6	2	-	2	-	-	-
Under 1 year	8	-	8	6	-	6	2	-	2	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other conditions originating in the perinatal period (P96)												
All ages	136	80	56	89	53	36	47	27	20	38	23	15
Under 1 year	135	80	55	88	53	35	47	27	20	38	23	15
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital renal failure (P96.0)												
All ages	54	30	24	40	24	16	14	6	8	9	5	4
Under 1 year	53	30	23	39	24	15	14	6	8	9	5	4
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Termination of pregnancy, fetus, and newborn (P96.4)												
All ages	37	26	11	24	17	7	13	9	4	13	9	4
Under 1 year	37	26	11	24	17	7	13	9	4	13	9	4
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified conditions originating in the perinatal period (P96.8)												
All ages	32	15	17	20	9	11	12	6	6	8	3	5
Under 1 year	32	15	17	20	9	11	12	6	6	8	3	5
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Condition originating in the perinatal period, unspecified (P96.9)												
All ages	13	9	4	5	3	2	8	6	2	8	6	2
Under 1 year	13	9	4	5	3	2	8	6	2	8	6	2
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Anencephaly and similar malformations (Q00)												
All ages	275	116	159	225	99	126	50	17	33	38	11	27
Under 1 year	263	110	153	218	94	124	45	16	29	34	10	24
1-4 years	5	2	3	2	1	1	3	1	2	3	1	2
5-9 years	2	1	1	1	1	-	1	-	1	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Anencephaly (Q00.0)												
All ages	275	116	159	225	99	126	50	17	33	38	11	27
Under 1 year	263	110	153	218	94	124	45	16	29	34	10	24
1-4 years	5	2	3	2	1	1	3	1	2	3	1	2
5-9 years	2	1	1	1	1	-	1	-	1	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Encephalocele (Q01)												
All ages	34	23	11	29	20	9	5	3	2	4	2	2
Under 1 year	30	19	11	25	16	9	5	3	2	4	2	2
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Occipital encephalocele (Q01.2)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Encephalocele of other sites (Q01.8)												
All ages	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Encephalocele, unspecified (Q01.9)												
All ages	31	20	11	27	18	9	4	2	2	3	1	2
Under 1 year	27	16	11	23	14	9	4	2	2	3	1	2
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Microcephaly (Q02)												
All ages	83	40	43	61	32	29	22	8	14	15	6	9
Under 1 year	17	7	10	14	6	8	3	1	2	1	1	-
1-4 years	19	8	11	10	4	6	9	4	5	6	3	3
5-9 years	9	5	4	6	3	3	3	2	1	2	1	1
10-14 years	5	4	1	4	4	-	1	-	1	1	-	1
15-19 years	7	2	5	5	2	3	2	-	2	2	-	2
20-24 years	6	2	4	6	2	4	-	-	-	-	-	-
25-29 years	3	1	2	1	1	-	2	-	2	1	-	1
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	7	6	1	5	5	-	2	1	1	2	1	1
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital hydrocephalus (Q03)												
All ages	213	124	89	171	100	71	42	24	18	40	22	18
Under 1 year	105	59	46	83	48	35	22	11	11	21	10	11
1-4 years	35	21	14	22	12	10	13	9	4	12	8	4
5-9 years	10	5	5	9	4	5	1	1	-	1	1	-
10-14 years	12	7	5	10	7	3	2	-	2	2	-	2
15-19 years	9	6	3	8	5	3	1	1	-	1	1	-
20-24 years	6	5	1	5	5	-	1	-	1	1	-	1
25-29 years	5	4	1	5	4	1	-	-	-	-	-	-
30-34 years	7	3	4	7	3	4	-	-	-	-	-	-
35-39 years	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years	3	2	1	2	1	1	1	1	-	1	1	-
45-49 years	4	3	1	3	2	1	1	1	-	1	1	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malformations of aqueduct of Sylvius (Q03.0)												
All ages	13	9	4	7	5	2	6	4	2	6	4	2
Under 1 year	5	4	1	3	2	1	2	2	-	2	2	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	3	1	2	1	1	-	2	-	2	2	-	2
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Atresia of foramina of Magendie and Luschka (Q03.1)												
All ages	31	20	11	25	15	10	6	5	1	6	5	1
Under 1 year	18	12	6	14	9	5	4	3	1	4	3	1
1-4 years	6	3	3	5	2	3	1	1	-	1	1	-
5-9 years	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital hydrocephalus (Q03.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital hydrocephalus, unspecified (Q03.9)												
All ages	168	94	74	138	79	59	30	15	15	28	13	15
Under 1 year	81	42	39	65	36	29	16	6	10	15	5	10
1-4 years	29	18	11	17	10	7	12	8	4	11	7	4
5-9 years	8	4	4	7	3	4	1	1	-	1	1	-
10-14 years	9	6	3	9	6	3	-	-	-	-	-	-
15-19 years	7	5	2	7	5	2	-	-	-	-	-	-
20-24 years	5	4	1	4	4	-	1	-	1	1	-	1
25-29 years	4	3	1	4	3	1	-	-	-	-	-	-
30-34 years	6	3	3	6	3	3	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of brain (Q04)												
All ages	387	181	206	297	147	150	90	34	56	73	30	43
Under 1 year	219	95	124	166	73	93	53	22	31	42	20	22
1-4 years	61	31	30	48	26	22	13	5	8	12	4	8
5-9 years	20	11	9	16	11	5	4	-	4	3	-	3
10-14 years	16	8	8	12	8	4	4	-	4	3	-	3
15-19 years	11	6	5	10	5	5	1	1	-	1	1	-
20-24 years	8	3	5	4	2	2	4	1	3	3	-	3
25-29 years	8	4	4	6	3	3	2	1	1	2	1	1
30-34 years	6	2	4	3	1	2	3	1	2	3	1	2
35-39 years	5	4	1	4	3	1	1	1	-	1	1	-
40-44 years	5	3	2	5	3	2	-	-	-	-	-	-
45-49 years	6	2	4	3	1	2	3	1	2	2	1	1
50-54 years	4	3	1	2	2	-	2	1	1	1	1	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	4	2	2	4	2	2	-	-	-	-	-	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	5	4	1	5	4	1	-	-	-	-	-	-
75-79 years	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital malformations of corpus callosum (Q04.0)												
All ages	21	10	11	16	8	8	5	2	3	4	2	2
Under 1 year	6	4	2	4	2	2	2	2	-	2	2	-
1-4 years	5	1	4	3	1	2	2	-	2	2	-	2
5-9 years	2	-	2	2	-	2	-	-	-	-	-	-
10-14 years	2	1	1	1	1	-	1	-	1	-	-	-
15-19 years	5	4	1	5	4	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Holoprosencephaly (Q04.2)												
All ages	103	29	74	74	18	56	29	11	18	24	10	14
Under 1 year	86	25	61	64	16	48	22	9	13	17	8	9
1-4 years	14	4	10	8	2	6	6	2	4	6	2	4
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other reduction deformities of brain (Q04.3)												
All ages	101	51	50	74	40	34	27	11	16	21	9	12
Under 1 year	66	32	34	46	24	22	20	8	12	15	7	8
1-4 years	21	12	9	18	11	7	3	1	2	2	-	2
5-9 years	3	2	1	3	2	1	-	-	-	-	-	-
10-14 years	6	2	4	5	2	3	1	-	1	1	-	1
15-19 years	2	1	1	1	-	1	1	1	-	1	1	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Septo-optic dysplasia (Q04.4)												
All ages	6	4	2	4	2	2	2	2	-	2	2	-
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	2	1	1	1	-	1	1	1	-	1	1	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Megalencephaly (Q04.5)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital cerebral cysts (Q04.6)												
All ages	32	17	15	20	12	8	12	5	7	9	4	5
Under 1 year	6	3	3	4	3	1	2	-	2	2	-	2
1-4 years	4	2	2	3	1	2	1	1	-	1	1	-
5-9 years	3	1	2	1	1	-	2	-	2	1	-	1
10-14 years	2	1	1	1	1	-	1	-	1	1	-	1
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	3	1	2	2	1	1	1	-	1	1	-	1
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	2	1	1	-	-	-	2	1	1	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified congenital malformations of brain (Q04.8)												
All ages	20	13	7	17	12	5	3	1	2	3	1	2
Under 1 year	14	9	5	12	8	4	2	1	1	2	1	1
1-4 years	3	2	1	3	2	1	-	-	-	-	-	-
5-9 years	2	1	1	1	1	-	1	-	1	1	-	1
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformation of brain, unspecified (Q04.9)												
All ages	103	57	46	91	55	36	12	2	10	10	2	8
Under 1 year	40	21	19	36	20	16	4	1	3	3	1	2
1-4 years	11	9	2	11	9	2	-	-	-	-	-	-
5-9 years	8	6	2	8	6	2	-	-	-	-	-	-
10-14 years	5	4	1	4	4	-	1	-	1	1	-	1
15-19 years	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years	5	2	3	3	2	1	2	-	2	2	-	2
25-29 years	7	3	4	6	3	3	1	-	1	1	-	1
30-34 years	3	1	2	1	-	1	2	1	1	2	1	1
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years	4	1	3	2	1	1	2	-	2	1	-	1
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Spina bifida (Q05)												
All ages	138	57	81	122	50	72	16	7	9	13	6	7
Under 1 year	19	8	11	15	5	10	4	3	1	3	2	1
1-4 years	7	2	5	4	2	2	3	-	3	1	-	1
5-9 years	12	6	6	12	6	6	-	-	-	-	-	-
10-14 years	6	1	5	6	1	5	-	-	-	-	-	-
15-19 years	13	5	8	11	4	7	2	1	1	2	1	1
20-24 years	12	5	7	11	5	6	1	-	1	1	-	1
25-29 years	14	7	7	12	6	6	2	1	1	2	1	1
30-34 years	16	5	11	14	4	10	2	1	1	2	1	1
35-39 years	10	6	4	10	6	4	-	-	-	-	-	-
40-44 years	7	4	3	6	3	3	1	1	-	1	1	-
45-49 years	7	2	5	6	2	4	1	-	1	1	-	1
50-54 years	7	4	3	7	4	3	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	4	2	2	4	2	2	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified spina bifida with hydrocephalus (Q05.4)												
All ages	31	11	20	25	6	19	6	5	1	5	4	1
Under 1 year	7	4	3	4	1	3	3	3	-	2	2	-
1-4 years	3	2	1	3	2	1	-	-	-	-	-	-
5-9 years	2	-	2	2	-	2	-	-	-	-	-	-
10-14 years	2	-	2	2	-	2	-	-	-	-	-	-
15-19 years	5	1	4	4	1	3	1	-	1	1	-	1
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	3	2	1	3	2	1	-	-	-	-	-	-
30-34 years	5	1	4	4	-	4	1	1	-	1	1	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Lumbar spina bifida without hydrocephalus (Q05.7)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Spina bifida, unspecified (Q05.9)												
All ages	106	45	61	96	43	53	10	2	8	8	2	6
Under 1 year	11	3	8	10	3	7	1	-	1	1	-	1
1-4 years	4	-	4	1	-	1	3	-	3	1	-	1
5-9 years	10	6	4	10	6	4	-	-	-	-	-	-
10-14 years	4	1	3	4	1	3	-	-	-	-	-	-
15-19 years	8	4	4	7	3	4	1	1	-	1	1	-
20-24 years	11	5	6	10	5	5	1	-	1	1	-	1
25-29 years	11	5	6	9	4	5	2	1	1	2	1	1
30-34 years	11	4	7	10	4	6	1	-	1	1	-	1
35-39 years	9	6	3	9	6	3	-	-	-	-	-	-
40-44 years	6	3	3	6	3	3	-	-	-	-	-	-
45-49 years	7	2	5	6	2	4	1	-	1	1	-	1
50-54 years	6	4	2	6	4	2	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	4	2	2	4	2	2	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other congenital malformations of spinal cord (Q06)												
All ages	5	3	2	3	2	1	2	1	1	2	1	1
Under 1 year	3	2	1	1	1	-	2	1	1	2	1	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified congenital malformations of spinal cord (Q06.8)												
All ages	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year	2	1	1	1	1	-	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital malformation of spinal cord, unspecified (Q06.9)												
All ages	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of nervous system (Q07)												
All ages	71	32	39	52	25	27	19	7	12	17	6	11
Under 1 year	17	12	5	14	10	4	3	2	1	3	2	1
1-4 years	14	5	9	8	2	6	6	3	3	4	2	2
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	3	1	2	2	1	1	1	-	1	1	-	1
15-19 years	6	3	3	6	3	3	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	6	4	2	5	4	1	1	-	1	1	-	1
30-34 years	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years	2	1	1	1	-	1	1	1	-	1	1	-
40-44 years	3	-	3	2	-	2	1	-	1	1	-	1
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	3	2	1	1	1	-	2	1	1	2	1	1
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years	2	-	2	1	-	1	1	-	1	1	-	1
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	3	-	3	2	-	2	1	-	1	1	-	1
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Arnold-Chiari syndrome (Q07.0)												
All ages	38	13	25	29	11	18	9	2	7	8	2	6
Under 1 year	3	1	2	3	1	2	-	-	-	-	-	-
1-4 years	6	2	4	4	1	3	2	1	1	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	1	1	1	1	-	1	-	1	1	-	1
15-19 years	3	-	3	3	-	3	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	5	3	2	4	3	1	1	-	1	1	-	1
30-34 years	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years	2	1	1	1	-	1	1	1	-	1	1	-
40-44 years	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	2	1	1	1	1	-	1	-	1	1	-	1
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years	2	-	2	1	-	1	1	-	1	1	-	1
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	3	-	3	2	-	2	1	-	1	1	-	1
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified congenital malformations of nervous system (Q07.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital malformation of nervous system, unspecified (Q07.9)												
All ages	32	19	13	22	14	8	10	5	5	9	4	5
Under 1 year	13	11	2	10	9	1	3	2	1	3	2	1
1-4 years	8	3	5	4	1	3	4	2	2	3	1	2
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Anophthalmos, microphthalmos, and macrophthalmos (Q11)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other anophthalmos (Q11.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations of posterior segment of eye (Q14)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other congenital malformations of posterior segment of eye (Q14.8)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of face and neck (Q18)												
All ages	2	1	1	1	-	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified congenital malformations of face and neck (Q18.8)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformation of face and neck, unspecified (Q18.9)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital malformations of cardiac chambers and connections (Q20)												
All ages	264	153	111	209	126	83	55	27	28	44	23	21
Under 1 year	136	74	62	112	65	47	24	9	15	18	7	11
1-4 years	15	10	5	9	8	1	6	2	4	5	2	3
5-9 years	4	3	1	2	2	-	2	1	1	2	1	1
10-14 years	12	10	2	9	8	1	3	2	1	2	2	-
15-19 years	20	16	4	13	9	4	7	7	-	6	6	-
20-24 years	18	12	6	11	7	4	7	5	2	5	4	1
25-29 years	10	6	4	8	5	3	2	1	1	2	1	1
30-34 years	10	7	3	10	7	3	-	-	-	-	-	-
35-39 years	6	3	3	6	3	3	-	-	-	-	-	-
40-44 years	13	5	8	12	5	7	1	-	1	1	-	1
45-49 years	4	3	1	4	3	1	-	-	-	-	-	-
50-54 years	5	3	2	5	3	2	-	-	-	-	-	-
55-59 years	5	1	4	3	1	2	2	-	2	2	-	2
60-64 years	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Common arterial trunk (Q20.0)												
All ages	52	22	30	40	19	21	12	3	9	10	3	7
Under 1 year	42	16	26	31	13	18	11	3	8	10	3	7
1-4 years	2	1	1	1	1	-	1	-	1	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	3	3	-	3	3	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Double outlet right ventricle (Q20.1)												
All ages	27	18	9	21	15	6	6	3	3	3	2	1
Under 1 year	17	11	6	14	10	4	3	1	2	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	2	1	1	-	-	-	2	1	1	2	1	1
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	5	3	2	5	3	2	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Double outlet left ventricle (Q20.2)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Discordant ventriculoarterial connection (Q20.3)												
All ages	98	70	28	79	58	21	19	12	7	17	10	7
Under 1 year	53	37	16	48	34	14	5	3	2	4	2	2
1-4 years	5	2	3	2	2	-	3	-	3	3	-	3
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	4	3	1	3	2	1	1	1	-	1	1	-
15-19 years	9	9	-	4	4	-	5	5	-	5	5	-
20-24 years	11	8	3	7	5	2	4	3	1	3	2	1
25-29 years	5	2	3	4	2	2	1	-	1	1	-	1
30-34 years	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	3	3	-	3	3	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Double inlet ventricle (Q20.4)												
All ages	39	21	18	31	17	14	8	4	4	5	3	2
Under 1 year	21	9	12	18	8	10	3	1	2	3	1	2
1-4 years	6	5	1	4	3	1	2	2	-	2	2	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	3	2	1	2	2	-	1	-	1	-	-	-
15-19 years	4	2	2	3	1	2	1	1	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	-	-	-
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Isomerism of atrial appendages (Q20.6)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of cardiac chambers and connections (Q20.8)												
All ages	46	20	26	37	16	21	9	4	5	8	4	4
Under 1 year	2	-	2	1	-	1	1	-	1	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years	5	4	1	3	2	1	2	2	-	2	2	-
25-29 years	3	3	-	2	2	-	1	1	-	1	1	-
30-34 years	3	1	2	3	1	2	-	-	-	-	-	-
35-39 years	4	2	2	4	2	2	-	-	-	-	-	-
40-44 years	9	2	7	8	2	6	1	-	1	1	-	1
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	5	3	2	5	3	2	-	-	-	-	-	-
55-59 years	4	-	4	2	-	2	2	-	2	2	-	2
60-64 years	2	-	2	2	-	2	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital malformations of cardiac septa (Q21)												
All ages	817	363	454	670	300	370	147	63	84	117	45	72
Under 1 year	163	83	80	112	54	58	51	29	22	42	22	20
1-4 years	44	24	20	29	16	13	15	8	7	12	5	7
5-9 years	9	3	6	7	3	4	2	-	2	1	-	1
10-14 years	11	5	6	7	4	3	4	1	3	3	1	2
15-19 years	20	10	10	15	8	7	5	2	3	5	2	3
20-24 years	32	18	14	21	12	9	11	6	5	10	5	5
25-29 years	34	15	19	25	13	12	9	2	7	7	1	6
30-34 years	26	10	16	21	9	12	5	1	4	2	-	2
35-39 years	32	16	16	26	13	13	6	3	3	5	2	3
40-44 years	37	16	21	30	15	15	7	1	6	5	1	4
45-49 years	39	15	24	35	13	22	4	2	2	4	2	2
50-54 years	42	16	26	39	15	24	3	1	2	2	-	2
55-59 years	36	21	15	31	19	12	5	2	3	5	2	3
60-64 years	29	13	16	26	12	14	3	1	2	3	1	2
65-69 years	38	18	20	35	17	18	3	1	2	1	-	1
70-74 years	47	25	22	43	25	18	4	-	4	3	-	3
75-79 years	54	21	33	50	21	29	4	-	4	4	-	4
80-84 years	47	18	29	45	17	28	2	1	1	-	-	-
85-89 years	44	11	33	42	10	32	2	1	1	1	-	1
90-94 years	17	1	16	17	1	16	-	-	-	-	-	-
95-99 years	13	3	10	12	3	9	1	-	1	1	-	1
100 yrs & over	3	1	2	2	-	2	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Ventricular septal defect (Q21.0)												
All ages	187	87	100	145	68	77	42	19	23	34	11	23
Under 1 year	45	19	26	29	11	18	16	8	8	14	6	8
1-4 years	8	6	2	5	4	1	3	2	1	2	1	1
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	5	3	2	4	3	1	1	-	1	1	-	1
20-24 years	3	2	1	1	1	-	2	1	1	1	-	1
25-29 years	8	4	4	5	2	3	3	2	1	2	1	1
30-34 years	8	4	4	6	4	2	2	-	2	2	-	2
35-39 years	4	4	-	2	2	-	2	2	-	1	1	-
40-44 years	7	4	3	7	4	3	-	-	-	-	-	-
45-49 years	8	2	6	7	2	5	1	-	1	1	-	1
50-54 years	10	3	7	8	3	5	2	-	2	2	-	2
55-59 years	11	9	2	8	7	1	3	2	1	3	2	1
60-64 years	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years	8	4	4	7	3	4	1	1	-	-	-	-
70-74 years	17	8	9	15	8	7	2	-	2	2	-	2
75-79 years	16	4	12	15	4	11	1	-	1	1	-	1
80-84 years	11	6	5	10	5	5	1	1	-	-	-	-
85-89 years	9	2	7	8	2	6	1	-	1	1	-	1
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Atrial septal defect (Q21.1)												
All ages	308	116	192	267	106	161	41	10	31	35	8	27
Under 1 year	22	11	11	15	8	7	7	3	4	7	3	4
1-4 years	3	2	1	1	1	-	2	1	1	1	-	1
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	4	1	3	4	1	3	-	-	-	-	-	-
20-24 years	8	3	5	5	3	2	3	-	3	3	-	3
25-29 years	6	2	4	4	2	2	2	-	2	2	-	2
30-34 years	7	1	6	6	1	5	1	-	1	-	-	-
35-39 years	7	2	5	3	1	2	4	1	3	4	1	3
40-44 years	12	4	8	7	3	4	5	1	4	4	1	3
45-49 years	13	4	9	11	3	8	2	1	1	2	1	1
50-54 years	14	7	7	13	6	7	1	1	-	-	-	-
55-59 years	12	5	7	10	5	5	2	-	2	2	-	2
60-64 years	20	8	12	17	7	10	3	1	2	3	1	2
65-69 years	23	11	12	22	11	11	1	-	1	1	-	1
70-74 years	25	16	9	24	16	8	1	-	1	-	-	-
75-79 years	34	16	18	31	16	15	3	-	3	3	-	3
80-84 years	33	10	23	32	10	22	1	-	1	-	-	-
85-89 years	33	8	25	33	8	25	-	-	-	-	-	-
90-94 years	14	-	14	14	-	14	-	-	-	-	-	-
95-99 years	12	2	10	11	2	9	1	-	1	1	-	1
100 yrs & over	3	1	2	2	-	2	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Atrioventricular septal defect (Q21.2)												
All ages	53	25	28	41	20	21	12	5	7	10	4	6
Under 1 year	27	8	19	22	7	15	5	1	4	4	1	3
1-4 years	9	6	3	5	4	1	4	2	2	4	2	2
5-9 years	2	-	2	2	-	2	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	1	1	1	1	-	1	-	1	1	-	1
30-34 years	1	1	-	-	-	-	1	1	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Tetralogy of Fallot (Q21.3)												
All ages	177	103	74	138	75	63	39	28	11	31	22	9
Under 1 year	67	45	22	45	28	17	22	17	5	17	12	5
1-4 years	23	10	13	18	7	11	5	3	2	4	2	2
5-9 years	4	2	2	3	2	1	1	-	1	-	-	-
10-14 years	5	2	3	3	1	2	2	1	1	2	1	1
15-19 years	4	2	2	2	1	1	2	1	1	2	1	1
20-24 years	16	12	4	11	7	4	5	5	-	5	5	-
25-29 years	9	7	2	9	7	2	-	-	-	-	-	-
30-34 years	7	3	4	6	3	3	1	-	1	-	-	-
35-39 years	11	4	7	11	4	7	-	-	-	-	-	-
40-44 years	7	5	2	7	5	2	-	-	-	-	-	-
45-49 years	8	5	3	7	4	3	1	1	-	1	1	-
50-54 years	8	3	5	8	3	5	-	-	-	-	-	-
55-59 years	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of cardiac septa (Q21.8)												
All ages	84	27	57	71	26	45	13	1	12	7	-	7
Under 1 year	2	-	2	1	-	1	1	-	1	-	-	-
1-4 years	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	2	-	2	1	-	1	1	-	1	-	-	-
15-19 years	4	1	3	3	1	2	1	-	1	1	-	1
20-24 years	5	1	4	4	1	3	1	-	1	1	-	1
25-29 years	8	-	8	5	-	5	3	-	3	2	-	2
30-34 years	3	1	2	3	1	2	-	-	-	-	-	-
35-39 years	8	5	3	8	5	3	-	-	-	-	-	-
40-44 years	10	3	7	8	3	5	2	-	2	1	-	1
45-49 years	9	4	5	9	4	5	-	-	-	-	-	-
50-54 years	9	2	7	9	2	7	-	-	-	-	-	-
55-59 years	6	2	4	6	2	4	-	-	-	-	-	-
60-64 years	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years	3	-	3	2	-	2	1	-	1	-	-	-
70-74 years	3	-	3	2	-	2	1	-	1	1	-	1
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	2	1	1	1	-	1	1	1	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital malformation of cardiac septum, unspecified (Q21.9)												
All ages	8	5	3	8	5	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations of pulmonary and tricuspid valves (Q22)												
All ages	103	55	48	78	43	35	25	12	13	21	10	11
Under 1 year	54	31	23	39	25	14	15	6	9	14	5	9
1-4 years	7	5	2	5	4	1	2	1	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	3	2	1	3	2	1	-	-	-	-	-	-
15-19 years	7	6	1	3	2	1	4	4	-	4	4	-
20-24 years	5	2	3	5	2	3	-	-	-	-	-	-
25-29 years	3	1	2	3	1	2	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	4	1	3	3	1	2	1	-	1	-	-	-
45-49 years	5	2	3	4	1	3	1	1	-	1	1	-
50-54 years	5	-	5	3	-	3	2	-	2	1	-	1
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pulmonary valve atresia (Q22.0)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital pulmonary valve stenosis (Q22.1)												
All ages	5	3	2	4	3	1	1	-	1	1	-	1
Under 1 year	5	3	2	4	3	1	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital pulmonary valve insufficiency (Q22.2)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of pulmonary valve (Q22.3)												
All ages	3	1	2	2	1	1	1	-	1	-	-	-
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	-	-	-	1	-	1	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital tricuspid stenosis (Q22.4)												
All ages	29	17	12	19	11	8	10	6	4	8	5	3
Under 1 year	10	7	3	6	5	1	4	2	2	3	1	2
1-4 years	3	1	2	2	1	1	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	6	5	1	3	2	1	3	3	-	3	3	-
20-24 years	4	1	3	4	1	3	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	-	-	-
45-49 years	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Ebstein's anomaly (Q22.5)												
All ages	48	25	23	40	21	19	8	4	4	7	3	4
Under 1 year	23	13	10	18	11	7	5	2	3	5	2	3
1-4 years	3	3	-	2	2	-	1	1	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	3	1	2	3	1	2	-	-	-	-	-	-
45-49 years	3	1	2	3	1	2	-	-	-	-	-	-
50-54 years	3	-	3	2	-	2	1	-	1	1	-	1
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hypoplastic right heart syndrome (Q22.6)												
All ages	11	6	5	7	5	2	4	1	3	4	1	3
Under 1 year	9	5	4	5	4	1	4	1	3	4	1	3
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of tricuspid valve (Q22.8)												
All ages	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital malformation of tricuspid valve, unspecified (Q22.9)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations of aortic and mitral valves (Q23)												
All ages	592	370	222	468	298	170	124	72	52	105	59	46
Under 1 year	437	267	170	337	210	127	100	57	43	85	48	37
1-4 years	29	20	9	22	14	8	7	6	1	7	6	1
5-9 years	8	4	4	6	4	2	2	-	2	2	-	2
10-14 years	2	-	2	2	-	2	-	-	-	-	-	-
15-19 years	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years	3	1	2	2	1	1	1	-	1	1	-	1
25-29 years	3	3	-	3	3	-	-	-	-	-	-	-
30-34 years	7	5	2	5	3	2	2	2	-	2	2	-
35-39 years	16	11	5	15	11	4	1	-	1	1	-	1
40-44 years	18	14	4	17	13	4	1	1	-	1	1	-
45-49 years	18	14	4	13	11	2	5	3	2	2	-	2
50-54 years	11	8	3	10	7	3	1	1	-	1	1	-
55-59 years	9	6	3	8	5	3	1	1	-	1	1	-
60-64 years	6	2	4	4	2	2	2	-	2	2	-	2
65-69 years	4	2	2	4	2	2	-	-	-	-	-	-
70-74 years	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years	5	3	2	5	3	2	-	-	-	-	-	-
85-89 years	2	1	1	1	-	1	1	1	-	-	-	-
90-94 years	4	-	4	4	-	4	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital stenosis of aortic valve (Q23.0)												
All ages	67	40	27	58	36	22	9	4	5	8	3	5
Under 1 year	37	24	13	32	21	11	5	3	2	5	3	2
1-4 years	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	2	1	1	1	1	-	1	-	1	1	-	1
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	6	4	2	5	4	1	1	-	1	1	-	1
40-44 years	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	2	1	1	1	-	1	1	1	-	-	-	-
90-94 years	4	-	4	4	-	4	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital insufficiency of aortic valve (Q23.1)												
All ages	68	52	16	59	45	14	9	7	2	7	5	2
Under 1 year	3	1	2	3	1	2	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	4	4	-	2	2	-	2	2	-	2	2	-
35-39 years	6	5	1	6	5	1	-	-	-	-	-	-
40-44 years	14	12	2	13	11	2	1	1	-	1	1	-
45-49 years	13	10	3	10	8	2	3	2	1	1	-	1
50-54 years	9	6	3	8	5	3	1	1	-	1	1	-
55-59 years	6	4	2	5	3	2	1	1	-	1	1	-
60-64 years	4	2	2	3	2	1	1	-	1	1	-	1
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital mitral stenosis (Q23.2)												
All ages	12	6	6	11	5	6	1	1	-	1	1	-
Under 1 year	6	2	4	5	1	4	1	1	-	1	1	-
1-4 years	3	3	-	3	3	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital mitral insufficiency (Q23.3)												
All ages	16	8	8	12	7	5	4	1	3	2	-	2
Under 1 year	10	6	4	7	5	2	3	1	2	1	-	1
1-4 years	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hypoplastic left heart syndrome (Q23.4)												
All ages	409	251	158	310	193	117	99	58	41	86	50	36
Under 1 year	378	232	146	287	180	107	91	52	39	78	44	34
1-4 years	23	16	7	17	10	7	6	6	-	6	6	-
5-9 years	4	1	3	2	1	1	2	-	2	2	-	2
10-14 years	2	-	2	2	-	2	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of aortic and mitral valves (Q23.8)												
All ages	6	3	3	6	3	3	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital malformation of aortic and mitral valves, unspecified (Q23.9)												
All ages	14	10	4	12	9	3	2	1	1	1	-	1
Under 1 year	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	1	1	-	1	1	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of heart (Q24)												
All ages	1,537	842	695	1,181	650	531	356	192	164	297	166	131
Under 1 year	766	408	358	575	311	264	191	97	94	152	81	71
1-4 years	102	50	52	75	39	36	27	11	16	21	9	12
5-9 years	26	17	9	19	12	7	7	5	2	5	4	1
10-14 years	46	26	20	33	20	13	13	6	7	10	5	5
15-19 years	73	57	16	50	39	11	23	18	5	23	18	5
20-24 years	66	40	26	50	29	21	16	11	5	14	9	5
25-29 years	52	31	21	40	26	14	12	5	7	10	4	6
30-34 years	67	47	20	57	41	16	10	6	4	9	6	3
35-39 years	59	32	27	46	26	20	13	6	7	12	6	6
40-44 years	60	32	28	46	22	24	14	10	4	13	9	4
45-49 years	48	26	22	41	23	18	7	3	4	6	2	4
50-54 years	48	25	23	39	20	19	9	5	4	9	5	4
55-59 years	15	8	7	12	7	5	3	1	2	2	-	2
60-64 years	18	9	9	16	7	9	2	2	-	2	2	-
65-69 years	13	8	5	11	7	4	2	1	1	2	1	1
70-74 years	13	9	4	11	7	4	2	2	-	2	2	-
75-79 years	20	5	15	19	5	14	1	-	1	1	-	1
80-84 years	16	7	9	15	6	9	1	1	-	1	1	-
85-89 years	16	4	12	14	3	11	2	1	1	2	1	1
90-94 years	8	-	8	8	-	8	-	-	-	-	-	-
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	2	1	1	1	-	1	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Dextrocardia (Q24.0)												
All ages	9	8	1	8	7	1	1	1	-	1	1	-
Under 1 year	3	2	1	3	2	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	2	-	1	1	-	1	1	-	1	1	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cor triatriatum (Q24.2)												
All ages	2	1	1	-	-	-	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital subaortic stenosis (Q24.4)												
All ages	29	12	17	22	10	12	7	2	5	7	2	5
Under 1 year	3	-	3	2	-	2	1	-	1	1	-	1
1-4 years	3	2	1	2	1	1	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	3	3	-	2	2	-	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	-	2	-	-	-	2	-	2	2	-	2
50-54 years	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years	2	1	1	1	1	-	1	-	1	1	-	1
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	3	-	3	2	-	2	1	-	1	1	-	1
90-94 years	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Malformation of coronary vessels (Q24.5)												
All ages	180	113	67	130	83	47	50	30	20	48	28	20
Under 1 year	22	10	12	16	8	8	6	2	4	6	2	4
1-4 years	5	1	4	4	1	3	1	-	1	1	-	1
5-9 years	3	3	-	2	2	-	1	1	-	1	1	-
10-14 years	8	6	2	7	6	1	1	-	1	1	-	1
15-19 years	15	12	3	9	7	2	6	5	1	6	5	1
20-24 years	15	12	3	11	9	2	4	3	1	4	3	1
25-29 years	15	9	6	9	7	2	6	2	4	5	1	4
30-34 years	20	12	8	15	9	6	5	3	2	5	3	2
35-39 years	12	10	2	10	8	2	2	2	-	2	2	-
40-44 years	19	14	5	14	10	4	5	4	1	5	4	1
45-49 years	10	7	3	9	6	3	1	1	-	1	1	-
50-54 years	11	4	7	6	2	4	5	2	3	5	2	3
55-59 years	5	3	2	3	2	1	2	1	1	1	-	1
60-64 years	3	3	-	1	1	-	2	2	-	2	2	-
65-69 years	4	1	3	3	1	2	1	-	1	1	-	1
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	2	2	-	1	1	-	1	1	-	1	1	-
85-89 years	4	2	2	3	1	2	1	1	-	1	1	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital heart block (Q24.6)												
All ages	9	5	4	4	2	2	5	3	2	4	2	2
Under 1 year	7	5	2	3	2	1	4	3	1	3	2	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified congenital malformations of heart (Q24.8)												
All ages	114	64	50	93	51	42	21	13	8	17	10	7
Under 1 year	49	33	16	40	29	11	9	4	5	7	3	4
1-4 years	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	4	4	-	2	2	-	2	2	-	1	1	-
15-19 years	3	3	-	2	2	-	1	1	-	1	1	-
20-24 years	4	3	1	3	2	1	1	1	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	5	2	3	4	1	3	1	1	-	1	1	-
40-44 years	10	4	6	8	3	5	2	1	1	2	1	1
45-49 years	6	2	4	5	2	3	1	-	1	1	-	1
50-54 years	4	2	2	3	1	2	1	1	-	1	1	-
55-59 years	3	1	2	3	1	2	-	-	-	-	-	-
60-64 years	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	3	3	-	2	2	-	1	1	-	1	1	-
75-79 years	5	1	4	5	1	4	-	-	-	-	-	-
80-84 years	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years	4	-	4	4	-	4	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital malformation of the heart, unspecified (Q24.9)												
All ages	1,194	639	555	924	497	427	270	142	128	218	122	96
Under 1 year	682	358	324	511	270	241	171	88	83	135	74	61
1-4 years	93	47	46	69	37	32	24	10	14	18	8	10
5-9 years	22	13	9	16	9	7	6	4	2	4	3	1
10-14 years	31	13	18	22	10	12	9	3	6	7	3	4
15-19 years	54	41	13	39	30	9	15	11	4	15	11	4
20-24 years	45	25	20	35	18	17	10	7	3	9	6	3
25-29 years	33	19	14	28	17	11	5	2	3	4	2	2
30-34 years	44	32	12	40	30	10	4	2	2	3	2	1
35-39 years	40	18	22	30	15	15	10	3	7	9	3	6
40-44 years	30	14	16	24	9	15	6	5	1	5	4	1
45-49 years	29	17	12	26	15	11	3	2	1	2	1	1
50-54 years	30	16	14	27	14	13	3	2	1	3	2	1
55-59 years	5	3	2	5	3	2	-	-	-	-	-	-
60-64 years	12	5	7	12	5	7	-	-	-	-	-	-
65-69 years	7	5	2	6	4	2	1	1	-	1	1	-
70-74 years	7	4	3	6	3	3	1	1	-	1	1	-
75-79 years	11	3	8	10	3	7	1	-	1	1	-	1
80-84 years	9	3	6	9	3	6	-	-	-	-	-	-
85-89 years	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	1	1	-	-	-	-	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations of great arteries (Q25)												
All ages	198	103	95	152	78	74	46	25	21	37	22	15
Under 1 year	110	55	55	79	39	40	31	16	15	25	13	12
1-4 years	11	5	6	7	4	3	4	1	3	2	1	1
5-9 years	3	1	2	2	-	2	1	1	-	1	1	-
10-14 years	4	2	2	2	1	1	2	1	1	2	1	1
15-19 years	6	3	3	5	2	3	1	1	-	1	1	-
20-24 years	3	2	1	2	1	1	1	1	-	1	1	-
25-29 years	4	4	-	4	4	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	5	2	3	3	1	2	2	1	1	1	1	-
45-49 years	4	4	-	4	4	-	-	-	-	-	-	-
50-54 years	7	5	2	4	2	2	3	3	-	3	3	-
55-59 years	7	4	3	7	4	3	-	-	-	-	-	-
60-64 years	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years	8	4	4	7	4	3	1	-	1	1	-	1
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	5	3	2	5	3	2	-	-	-	-	-	-
80-84 years	5	2	3	5	2	3	-	-	-	-	-	-
85-89 years	5	1	4	5	1	4	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Patent ductus arteriosus (Q25.0)												
All ages	39	19	20	21	10	11	18	9	9	15	9	6
Under 1 year	27	15	12	13	8	5	14	7	7	13	7	6
1-4 years	2	1	1	-	-	-	2	1	1	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Coarctation of aorta (Q25.1)												
All ages	35	20	15	27	15	12	8	5	3	7	4	3
Under 1 year	20	9	11	14	5	9	6	4	2	5	3	2
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	1	1	-	-	-	2	1	1	2	1	1
15-19 years	3	1	2	3	1	2	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Stenosis of aorta (Q25.3)												
All ages	12	4	8	12	4	8	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of aorta (Q25.4)												
All ages	19	9	10	15	6	9	4	3	1	4	3	1
Under 1 year	8	2	6	8	2	6	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	3	2	1	2	1	1	1	1	-	1	1	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Atresia of pulmonary artery (Q25.5)												
All ages	44	23	21	37	18	19	7	5	2	4	3	1
Under 1 year	34	18	16	29	14	15	5	4	1	2	2	-
1-4 years	3	1	2	2	1	1	1	-	1	1	-	1
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Stenosis of pulmonary artery (Q25.6)												
All ages	38	23	15	31	20	11	7	3	4	6	3	3
Under 1 year	16	9	7	12	8	4	4	1	3	4	1	3
1-4 years	4	1	3	3	1	2	1	-	1	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	2	1	1	1	-	1	1	1	-	1	1	-
55-59 years	4	3	1	4	3	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	4	2	2	4	2	2	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other congenital malformations of pulmonary artery (Q25.7)												
All ages	10	5	5	9	5	4	1	-	1	-	-	-
Under 1 year	4	2	2	3	2	1	1	-	1	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of great arteries (Q25.8)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital malformations of great veins (Q26)												
All ages	52	28	24	41	25	16	11	3	8	8	3	5
Under 1 year	47	27	20	37	24	13	10	3	7	7	3	4
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Total anomalous pulmonary venous connection (Q26.2)												
All ages	8	3	5	6	3	3	2	-	2	-	-	-
Under 1 year	7	3	4	5	3	2	2	-	2	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Partial anomalous pulmonary venous connection (Q26.3)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	3	2	1	3	2	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Anomalous pulmonary venous connection, unspecified (Q26.4)												
All ages	34	21	13	26	18	8	8	3	5	7	3	4
Under 1 year	32	20	12	24	17	7	8	3	5	7	3	4
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other congenital malformations of great veins (Q26.8)												
All ages	5	2	3	5	2	3	-	-	-	-	-	-
Under 1 year	5	2	3	5	2	3	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformation of great vein, unspecified (Q26.9)												
All ages	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other congenital malformations of peripheral vascular system (Q27)												
All ages	254	127	127	220	112	108	34	15	19	27	11	16
Under 1 year	20	11	9	16	10	6	4	1	3	4	1	3
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	6	4	2	3	3	-	3	1	2	-	-	-
10-14 years	7	4	3	6	4	2	1	-	1	1	-	1
15-19 years	2	-	2	1	-	1	1	-	1	1	-	1
20-24 years	7	2	5	5	-	5	2	2	-	-	-	-
25-29 years	3	1	2	2	1	1	1	-	1	1	-	1
30-34 years	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years	5	4	1	5	4	1	-	-	-	-	-	-
40-44 years	9	5	4	7	5	2	2	-	2	2	-	2
45-49 years	10	6	4	7	5	2	3	1	2	3	1	2
50-54 years	8	3	5	7	3	4	1	-	1	1	-	1
55-59 years	14	11	3	12	9	3	2	2	-	2	2	-
60-64 years	10	3	7	10	3	7	-	-	-	-	-	-
65-69 years	5	4	1	5	4	1	-	-	-	-	-	-
70-74 years	27	14	13	21	10	11	6	4	2	5	3	2
75-79 years	28	17	11	27	16	11	1	1	-	1	1	-
80-84 years	31	15	16	31	15	16	-	-	-	-	-	-
85-89 years	28	12	16	25	11	14	3	1	2	2	1	1
90-94 years	22	7	15	19	5	14	3	2	1	3	2	1
95-99 years	9	2	7	8	2	6	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of renal artery (Q27.2)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Peripheral arteriovenous malformation (Q27.3)												
All ages	223	109	114	193	96	97	30	13	17	25	11	14
Under 1 year	8	3	5	5	2	3	3	1	2	3	1	2
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	5	3	2	3	3	-	2	-	2	-	-	-
10-14 years	6	4	2	6	4	2	-	-	-	-	-	-
15-19 years	2	-	2	1	-	1	1	-	1	1	-	1
20-24 years	5	1	4	4	-	4	1	1	-	-	-	-
25-29 years	2	1	1	1	1	-	1	-	1	1	-	1
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	5	4	1	5	4	1	-	-	-	-	-	-
40-44 years	7	3	4	5	3	2	2	-	2	2	-	2
45-49 years	9	5	4	6	4	2	3	1	2	3	1	2
50-54 years	8	3	5	7	3	4	1	-	1	1	-	1
55-59 years	13	11	2	11	9	2	2	2	-	2	2	-
60-64 years	7	3	4	7	3	4	-	-	-	-	-	-
65-69 years	5	4	1	5	4	1	-	-	-	-	-	-
70-74 years	25	12	13	19	8	11	6	4	2	5	3	2
75-79 years	28	17	11	27	16	11	1	1	-	1	1	-
80-84 years	29	14	15	29	14	15	-	-	-	-	-	-
85-89 years	27	11	16	24	10	14	3	1	2	2	1	1
90-94 years	21	7	14	18	5	13	3	2	1	3	2	1
95-99 years	9	2	7	8	2	6	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified congenital malformations of peripheral vascular system (Q27.8)												
All ages	5	4	1	5	4	1	-	-	-	-	-	-
Under 1 year	3	3	-	3	3	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital malformation of peripheral vascular system, unspecified (Q27.9)												
All ages	25	13	12	21	11	10	4	2	2	2	-	2
Under 1 year	9	5	4	8	5	3	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	-	-	-	1	1	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	3	-	3	3	-	3	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of circulatory system (Q28)												
All ages	292	158	134	233	127	106	59	31	28	46	24	22
Under 1 year	15	8	7	12	7	5	3	1	2	3	1	2
1-4 years	4	-	4	2	-	2	2	-	2	2	-	2
5-9 years	19	10	9	15	8	7	4	2	2	3	1	2
10-14 years	6	6	-	4	4	-	2	2	-	2	2	-
15-19 years	15	9	6	11	6	5	4	3	1	3	3	-
20-24 years	8	8	-	7	7	-	1	1	-	1	1	-
25-29 years	8	4	4	6	3	3	2	1	1	2	1	1
30-34 years	7	3	4	6	2	4	1	1	-	1	1	-
35-39 years	11	7	4	6	3	3	5	4	1	4	3	1
40-44 years	21	14	7	17	11	6	4	3	1	3	2	1
45-49 years	30	17	13	20	11	9	10	6	4	7	3	4
50-54 years	17	8	9	15	8	7	2	-	2	1	-	1
55-59 years	18	10	8	15	8	7	3	2	1	2	2	-
60-64 years	18	9	9	14	7	7	4	2	2	4	2	2
65-69 years	26	11	15	22	10	12	4	1	3	1	-	1
70-74 years	38	16	22	33	16	17	5	-	5	4	-	4
75-79 years	15	9	6	14	8	6	1	1	-	1	1	-
80-84 years	9	5	4	8	5	3	1	-	1	1	-	1
85-89 years	6	3	3	5	2	3	1	1	-	1	1	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other malformations of precerebral vessels (Q28.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Arteriovenous malformation of cerebral vessels (Q28.2)												
All ages	241	133	108	197	110	87	44	23	21	34	19	15
Under 1 year	6	5	1	5	5	-	1	-	1	1	-	1
1-4 years	3	-	3	1	-	1	2	-	2	2	-	2
5-9 years	15	9	6	12	7	5	3	2	1	2	1	1
10-14 years	5	5	-	4	4	-	1	1	-	1	1	-
15-19 years	14	9	5	10	6	4	4	3	1	3	3	-
20-24 years	6	6	-	5	5	-	1	1	-	1	1	-
25-29 years	4	2	2	4	2	2	-	-	-	-	-	-
30-34 years	5	1	4	5	1	4	-	-	-	-	-	-
35-39 years	10	7	3	6	3	3	4	4	-	3	3	-
40-44 years	16	10	6	15	9	6	1	1	-	1	1	-
45-49 years	24	13	11	17	9	8	7	4	3	6	3	3
50-54 years	16	8	8	14	8	6	2	-	2	1	-	1
55-59 years	17	10	7	14	8	6	3	2	1	2	2	-
60-64 years	17	9	8	14	7	7	3	2	1	3	2	1
65-69 years	21	9	12	17	8	9	4	1	3	1	-	1
70-74 years	33	14	19	28	14	14	5	-	5	4	-	4
75-79 years	14	8	6	13	7	6	1	1	-	1	1	-
80-84 years	9	5	4	8	5	3	1	-	1	1	-	1
85-89 years	6	3	3	5	2	3	1	1	-	1	1	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other malformations of cerebral vessels (Q28.3)												
All ages	40	18	22	28	11	17	12	7	5	9	4	5
Under 1 year	3	-	3	3	-	3	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	3	-	3	2	-	2	1	-	1	1	-	1
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	3	2	1	2	1	1	1	1	-	1	1	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	5	4	1	2	2	-	3	2	1	2	1	1
45-49 years	5	3	2	2	1	1	3	2	1	1	-	1
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	5	2	3	5	2	3	-	-	-	-	-	-
70-74 years	5	2	3	5	2	3	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified congenital malformations of circulatory system (Q28.8)												
All ages	5	3	2	3	2	1	2	1	1	2	1	1
Under 1 year	4	2	2	2	1	1	2	1	1	2	1	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital malformation of circulatory system, unspecified (Q28.9)												
All ages	5	3	2	4	3	1	1	-	1	1	-	1
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations of nose (Q30)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Choanal atresia (Q30.0)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations of larynx (Q31)												
All ages	15	9	6	10	6	4	5	3	2	4	3	1
Under 1 year	7	4	3	6	4	2	1	-	1	1	-	1
1-4 years	5	5	-	2	2	-	3	3	-	3	3	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Web of larynx (Q31.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital subglottic stenosis (Q31.1)												
All ages	5	3	2	3	2	1	2	1	1	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	3	3	-	2	2	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Laryngocele (Q31.3)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of larynx (Q31.8)												
All ages	5	4	1	4	3	1	1	1	-	1	1	-
Under 1 year	4	3	1	4	3	1	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital malformation of larynx, unspecified (Q31.9)												
All ages	3	1	2	1	-	1	2	1	1	2	1	1
Under 1 year	2	-	2	1	-	1	1	-	1	1	-	1
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations of trachea and bronchus (Q32)												
All ages	45	27	18	36	21	15	9	6	3	6	4	2
Under 1 year	25	14	11	19	11	8	6	3	3	5	3	2
1-4 years	5	3	2	5	3	2	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	1	1	1	-	1	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	2	2	-	1	1	-	1	1	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital tracheomalacia (Q32.0)												
All ages	8	3	5	5	2	3	3	1	2	1	-	1
Under 1 year	5	-	5	3	-	3	2	-	2	1	-	1
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of trachea (Q32.1)												
All ages	34	23	11	29	19	10	5	4	1	4	3	1
Under 1 year	19	13	6	16	11	5	3	2	1	3	2	1
1-4 years	3	2	1	3	2	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	2	2	-	1	1	-	1	1	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital bronchomalacia (Q32.2)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital stenosis of bronchus (Q32.3)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other congenital malformations of bronchus (Q32.4)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations of lung (Q33)												
All ages	577	332	245	434	246	188	143	86	57	123	78	45
Under 1 year	553	323	230	413	239	174	140	84	56	120	76	44
1-4 years	7	3	4	4	1	3	3	2	1	3	2	1
5-9 years	2	-	2	2	-	2	-	-	-	-	-	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital cystic lung (Q33.0)												
All ages	9	6	3	5	4	1	4	2	2	2	1	1
Under 1 year	7	6	1	4	4	-	3	2	1	1	1	-
1-4 years	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Agenesis of lung (Q33.3)												
All ages	8	3	5	7	3	4	1	-	1	1	-	1
Under 1 year	4	2	2	3	2	1	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital bronchiectasis (Q33.4)												
All ages	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hypoplasia and dysplasia of lung (Q33.6)												
All ages	540	315	225	407	233	174	133	82	51	116	75	41
Under 1 year	529	309	220	398	229	169	131	80	51	114	73	41
1-4 years	4	2	2	2	-	2	2	2	-	2	2	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other congenital malformations of lung (Q33.8)												
All ages	4	3	1	3	2	1	1	1	-	1	1	-
Under 1 year	3	2	1	2	1	1	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformation of lung, unspecified (Q33.9)												
All ages	13	5	8	9	4	5	4	1	3	3	1	2
Under 1 year	10	4	6	6	3	3	4	1	3	3	1	2
1-4 years	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other congenital malformations of respiratory system (Q34)												
All ages	10	5	5	8	3	5	2	2	-	2	2	-
Under 1 year	7	3	4	6	2	4	1	1	-	1	1	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified congenital malformations of respiratory system (Q34.8)												
All ages	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital malformation of respiratory system, unspecified (Q34.9)												
All ages	8	3	5	7	2	5	1	1	-	1	1	-
Under 1 year	6	2	4	6	2	4	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cleft lip (Q36)												
All ages	1	1	-	-	-	-	1	1	-	-	-	-
Under 1 year	1	1	-	-	-	-	1	1	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cleft lip, unilateral (Q36.9)												
All ages	1	1	-	-	-	-	1	1	-	-	-	-
Under 1 year	1	1	-	-	-	-	1	1	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cleft palate with cleft lip (Q37)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified cleft palate with cleft lip, unilateral (Q37.9)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of tongue, mouth and pharynx (Q38)												
All ages	8	6	2	8	6	2	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Macroglossia (Q38.2)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of mouth (Q38.6)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other congenital malformations of pharynx (Q38.8)												
All ages	6	5	1	6	5	1	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations of esophagus (Q39)												
All ages	38	16	22	36	15	21	2	1	1	2	1	1
Under 1 year	9	4	5	8	3	5	1	1	-	1	1	-
1-4 years	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	5	3	2	5	3	2	-	-	-	-	-	-
80-84 years	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years	6	2	4	6	2	4	-	-	-	-	-	-
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Atresia of esophagus without fistula (Q39.0)												
All ages	11	5	6	10	4	6	1	1	-	1	1	-
Under 1 year	8	3	5	7	2	5	1	1	-	1	1	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital tracheoesophageal fistula without atresia (Q39.2)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Esophageal web (Q39.4)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Diverticulum of esophagus (Q39.6)												
All ages	20	6	14	19	6	13	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	6	2	4	6	2	4	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other congenital malformations of esophagus (Q39.8)												
All ages	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformation of esophagus, unspecified (Q39.9)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other congenital malformations of upper alimentary tract (Q40)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital hypertrophic pyloric stenosis (Q40.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital malformation of stomach, unspecified (Q40.3)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital absence, atresia, and stenosis of small intestine (Q41)												
All ages	18	9	9	13	6	7	5	3	2	5	3	2
Under 1 year	15	8	7	11	6	5	4	2	2	4	2	2
1-4 years	3	1	2	2	-	2	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital absence, atresia, and stenosis of duodenum (Q41.0)												
All ages	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year	3	3	-	3	3	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital absence, atresia, and stenosis of jejunum (Q41.1)												
All ages	3	-	3	1	-	1	2	-	2	2	-	2
Under 1 year	2	-	2	-	-	-	2	-	2	2	-	2
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital absence, atresia, and stenosis of ileum (Q41.2)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital absence, atresia, and stenosis of other specified parts of small intestine (Q41.8)												
All ages	2	1	1	1	-	1	1	1	-	1	1	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital absence, atresia, and stenosis of small intestine, part unspecified (Q41.9)												
All ages	9	5	4	7	3	4	2	2	-	2	2	-
Under 1 year	8	5	3	6	3	3	2	2	-	2	2	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital absence, atresia, and stenosis of large intestine (Q42)												
All ages	5	3	2	4	2	2	1	1	-	-	-	-
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital absence, atresia, and stenosis of anus without fistula (Q42.3)												
All ages	4	3	1	3	2	1	1	1	-	-	-	-
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital absence, atresia, and stenosis of other parts of large intestine (Q42.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other congenital malformations of intestine (Q43)												
All ages	94	58	36	72	41	31	22	17	5	19	14	5
Under 1 year	42	26	16	34	20	14	8	6	2	7	5	2
1-4 years	13	10	3	8	5	3	5	5	-	4	4	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	4	3	1	2	2	-	2	1	1	2	1	1
15-19 years	1	1	-	-	-	-	1	1	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	1	1	1	-	1	1	1	-	1	1	-
65-69 years	5	4	1	3	3	-	2	1	1	2	1	1
70-74 years	5	3	2	5	3	2	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	5	3	2	3	1	2	2	2	-	2	2	-
85-89 years	6	2	4	6	2	4	-	-	-	-	-	-
90-94 years	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years	2	1	1	1	1	-	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Meckel's diverticulum (Q43.0)												
All ages	10	8	2	9	7	2	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	2	2	-	1	1	-	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hirschsprung's disease (Q43.1)												
All ages	24	18	6	17	12	5	7	6	1	5	4	1
Under 1 year	12	11	1	7	6	1	5	5	-	4	4	-
1-4 years	4	3	1	4	3	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	1	1	1	1	-	1	-	1	1	-	1
15-19 years	1	1	-	-	-	-	1	1	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations of intestinal fixation (Q43.3)												
All ages	23	12	11	17	8	9	6	4	2	5	3	2
Under 1 year	15	7	8	13	6	7	2	1	1	2	1	1
1-4 years	3	3	-	-	-	-	3	3	-	2	2	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	2	1	1	1	1	-	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Persistent cloaca (Q43.7)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified congenital malformations of intestine (Q43.8)												
All ages	22	12	10	14	6	8	8	6	2	8	6	2
Under 1 year	12	6	6	11	6	5	1	-	1	1	-	1
1-4 years	4	2	2	2	-	2	2	2	-	2	2	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years	2	1	1	-	-	-	2	1	1	2	1	1
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	2	-	-	-	-	2	2	-	2	2	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital malformation of intestine, unspecified (Q43.9)												
All ages	14	7	7	14	7	7	-	-	-	-	-	-
Under 1 year	3	2	1	3	2	1	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	4	-	4	4	-	4	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations of gallbladder, bile ducts, and liver (Q44)												
All ages	83	35	48	58	26	32	25	9	16	14	3	11
Under 1 year	32	15	17	22	10	12	10	5	5	5	2	3
1-4 years	13	3	10	8	3	5	5	-	5	3	-	3
5-9 years	2	2	-	1	1	-	1	1	-	1	1	-
10-14 years	3	1	2	2	1	1	1	-	1	1	-	1
15-19 years	4	1	3	3	1	2	1	-	1	1	-	1
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years	3	3	-	2	2	-	1	1	-	-	-	-
60-64 years	3	1	2	2	1	1	1	-	1	1	-	1
65-69 years	7	4	3	5	4	1	2	-	2	1	-	1
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	4	3	1	2	1	1	2	2	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Atresia of bile ducts (Q44.2)												
All ages	11	2	9	6	1	5	5	1	4	2	-	2
Under 1 year	7	2	5	4	1	3	3	1	2	1	-	1
1-4 years	3	-	3	1	-	1	2	-	2	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of bile ducts (Q44.5)												
All ages	38	17	21	28	12	16	10	5	5	7	2	5
Under 1 year	21	11	10	15	7	8	6	4	2	4	2	2
1-4 years	7	2	5	5	2	3	2	-	2	2	-	2
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	2	-	2	1	-	1	1	-	1	1	-	1
15-19 years	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	2	-	1	1	-	1	1	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cystic disease of liver (Q44.6)												
All ages	17	8	9	12	6	6	5	2	3	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	3	3	-	2	2	-	1	1	-	-	-	-
60-64 years	2	-	2	1	-	1	1	-	1	1	-	1
65-69 years	6	3	3	4	3	1	2	-	2	1	-	1
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	1	1	-	-	-	-	1	1	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of liver (Q44.7)												
All ages	17	8	9	12	7	5	5	1	4	3	1	2
Under 1 year	4	2	2	3	2	1	1	-	1	-	-	-
1-4 years	3	1	2	2	1	1	1	-	1	-	-	-
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	2	1	1	1	1	-	1	-	1	1	-	1
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other congenital malformations of digestive system (Q45)												
All ages	10	6	4	8	4	4	2	2	-	2	2	-
Under 1 year	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of pancreas and pancreatic duct (Q45.3)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified congenital malformations of digestive system (Q45.8)												
All ages	-	-	-	-	-	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformation of digestive system, unspecified (Q45.9)												
All ages	7	4	3	5	2	3	2	2	-	2	2	-
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital malformations of uterus and cervix (Q51)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	1	...	1	1	...	1	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Congenital malformation of uterus and cervix, unspecified (Q51.9)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	1	...	1	1	...	1	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other congenital malformations of female genitalia (Q52)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Other specified congenital malformations of female genitalia (Q52.8)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Undescended testicle (Q53)												
All ages	1	1	...	-	-	...	1	1	...	1	1	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	1	1	...	-	-	...	1	1	...	1	1	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...
Undescended testicle, unspecified (Q53.9)												
All ages	1	1	...	-	-	...	1	1	...	1	1	...
Under 1 year	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years	1	1	...	-	-	...	1	1	...	1	1	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Indeterminate sex and pseudohermaphroditism (Q56)												
All ages	3	2	1	2	1	1	1	1	-	-	-	-
Under 1 year	3	2	1	2	1	1	1	1	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Indeterminate sex, unspecified (Q56.4)												
All ages	3	2	1	2	1	1	1	1	-	-	-	-
Under 1 year	3	2	1	2	1	1	1	1	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Renal agenesis and other reduction defects of kidney (Q60)												
All ages	273	187	86	222	154	68	51	33	18	46	28	18
Under 1 year	263	182	81	212	149	63	51	33	18	46	28	18
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Renal agenesis, unilateral (Q60.0)												
All ages	6	2	4	5	2	3	1	-	1	1	-	1
Under 1 year	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Renal agenesis, bilateral (Q60.1)												
All ages	18	16	2	17	15	2	1	1	-	1	1	-
Under 1 year	18	16	2	17	15	2	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Renal agenesis, unspecified (Q60.2)												
All ages	108	74	34	90	63	27	18	11	7	17	10	7
Under 1 year	106	72	34	88	61	27	18	11	7	17	10	7
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Renal hypoplasia, bilateral (Q60.4)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Renal hypoplasia, unspecified (Q60.5)												
All ages	23	15	8	18	12	6	5	3	2	5	3	2
Under 1 year	20	14	6	15	11	4	5	3	2	5	3	2
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Potter's syndrome (Q60.6)												
All ages	116	79	37	90	61	29	26	18	8	22	14	8
Under 1 year	116	79	37	90	61	29	26	18	8	22	14	8
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cystic kidney disease (Q61)												
All ages	394	191	203	329	158	171	65	33	32	57	29	28
Under 1 year	69	38	31	52	31	21	17	7	10	12	4	8
1-4 years	4	3	1	4	3	1	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	3	3	-	2	2	-	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	4	3	1	-	-	-	4	3	1	4	3	1
40-44 years	14	11	3	9	6	3	5	5	-	5	5	-
45-49 years	19	8	11	13	6	7	6	2	4	6	2	4
50-54 years	21	15	6	15	10	5	6	5	1	6	5	1
55-59 years	27	14	13	22	11	11	5	3	2	5	3	2
60-64 years	37	12	25	35	11	24	2	1	1	2	1	1
65-69 years	25	14	11	24	14	10	1	-	1	1	-	1
70-74 years	38	17	21	35	16	19	3	1	2	3	1	2
75-79 years	54	22	32	48	21	27	6	1	5	6	1	5
80-84 years	48	17	31	42	14	28	6	3	3	3	2	1
85-89 years	21	10	11	21	10	11	-	-	-	-	-	-
90-94 years	4	2	2	4	2	2	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	1	1	-	-	-	-	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital single renal cyst (Q61.0)												
All ages	9	6	3	6	4	2	3	2	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	1	1	1	1	-	1	-	1	1	-	1
80-84 years	3	2	1	2	1	1	1	1	-	-	-	-
85-89 years	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Polycystic kidney, infantile type (Q61.1)												
All ages	11	5	6	9	5	4	2	-	2	1	-	1
Under 1 year	10	5	5	8	5	3	2	-	2	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Polycystic kidney, adult type (Q61.2)												
All ages	15	11	4	10	7	3	5	4	1	5	4	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	2	-	-	-	-	2	2	-	2	2	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years	4	3	1	3	2	1	1	1	-	1	1	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Polycystic kidney, unspecified (Q61.3)												
All ages	314	145	169	269	124	145	45	21	24	42	21	21
Under 1 year	30	16	14	23	14	9	7	2	5	6	2	4
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	2	1	1	-	-	-	2	1	1	2	1	1
40-44 years	13	10	3	8	5	3	5	5	-	5	5	-
45-49 years	18	8	10	13	6	7	5	2	3	5	2	3
50-54 years	19	14	5	14	10	4	5	4	1	5	4	1
55-59 years	25	12	13	20	9	11	5	3	2	5	3	2
60-64 years	36	12	24	34	11	23	2	1	1	2	1	1
65-69 years	22	12	10	21	12	9	1	-	1	1	-	1
70-74 years	36	16	20	35	16	19	1	-	1	1	-	1
75-79 years	45	18	27	41	18	23	4	-	4	4	-	4
80-84 years	42	14	28	37	12	25	5	2	3	3	2	1
85-89 years	17	7	10	17	7	10	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Renal dysplasia (Q61.4)												
All ages	21	13	8	14	7	7	7	6	1	4	3	1
Under 1 year	17	11	6	11	6	5	6	5	1	3	2	1
1-4 years	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	1	-	-	-	-	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Medullary cystic kidney (Q61.5)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cystic kidney disease, unspecified (Q61.9)												
All ages	23	11	12	20	11	9	3	-	3	3	-	3
Under 1 year	12	6	6	10	6	4	2	-	2	2	-	2
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital obstructive defects of renal pelvis and congenital malformations of ureter (Q62)												
All ages	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year	3	3	-	2	2	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital hydronephrosis (Q62.0)												
All ages	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other obstructive defects of renal pelvis and ureter (Q62.3)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other congenital malformations of kidney (Q63)												
All ages	15	11	4	15	11	4	-	-	-	-	-	-
Under 1 year	6	4	2	6	4	2	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Lobulated, fused, and horseshoe kidney (Q63.1)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hyperplastic and giant kidney (Q63.3)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified congenital malformations of kidney (Q63.8)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital malformation of kidney, unspecified (Q63.9)												
All ages	10	7	3	10	7	3	-	-	-	-	-	-
Under 1 year	4	2	2	4	2	2	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of urinary system (Q64)												
All ages	17	14	3	10	8	2	7	6	1	6	5	1
Under 1 year	11	10	1	6	5	1	5	5	-	4	4	-
1-4 years	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Exstrophy of urinary bladder (Q64.1)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital posterior urethral valves (Q64.2)												
All ages	9	9	-	5	5	-	4	4	-	4	4	-
Under 1 year	7	7	-	4	4	-	3	3	-	3	3	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other atresia and stenosis of urethra and bladder neck (Q64.3)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital absence of bladder and urethra (Q64.5)												
All ages	1	1	-	-	-	-	1	1	-	-	-	-
Under 1 year	1	1	-	-	-	-	1	1	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other congenital malformations of bladder and urethra (Q64.7)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformation of urinary system, unspecified (Q64.9)												
All ages	3	1	2	2	1	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital deformities of feet (Q66)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Talipes equinovarus (Q66.0)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital musculoskeletal deformities of head, face, spine, and chest (Q67)												
All ages	32	15	17	26	11	15	6	4	2	6	4	2
Under 1 year	7	3	4	6	3	3	1	-	1	1	-	1
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	3	-	1	1	-	2	2	-	2	2	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	3	-	3	3	-	3	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital deformities of skull, face, and jaw (Q67.4)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital deformity of spine (Q67.5)												
All ages	14	6	8	10	3	7	4	3	1	4	3	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	2	-	-	-	-	2	2	-	2	2	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	3	-	3	3	-	3	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pectus excavatum (Q67.6)												
All ages	6	3	3	6	3	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other congenital deformities of chest (Q67.8)												
All ages	11	5	6	9	4	5	2	1	1	2	1	1
Under 1 year	6	2	4	5	2	3	1	-	1	1	-	1
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital musculoskeletal deformities (Q68)												
All ages	12	7	5	10	7	3	2	-	2	2	-	2
Under 1 year	10	6	4	9	6	3	1	-	1	1	-	1
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified congenital musculoskeletal deformities (Q68.8)												
All ages	12	7	5	10	7	3	2	-	2	2	-	2
Under 1 year	10	6	4	9	6	3	1	-	1	1	-	1
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Polydactyly (Q69)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Polydactyly, unspecified (Q69.9)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of limb(s) (Q74)												
All ages	10	4	6	8	2	6	2	2	-	2	2	-
Under 1 year	6	3	3	4	1	3	2	2	-	2	2	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other congenital malformations of lower limb(s), including pelvic girdle (Q74.2)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Arthrogryposis multiplex congenita (Q74.3)												
All ages	4	2	2	2	-	2	2	2	-	2	2	-
Under 1 year	3	2	1	1	-	1	2	2	-	2	2	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified congenital malformations of limb(s) (Q74. 8)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified congenital malformation of limb(s) (Q74.9)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other congenital malformations of skull and face bones (Q75)												
All ages	24	8	16	19	5	14	5	3	2	4	2	2
Under 1 year	9	3	6	8	3	5	1	-	1	1	-	1
1-4 years	6	3	3	4	1	3	2	2	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	2	1	1	1	-	1	1	1	-	1	1	-
30-34 years	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Craniosynostosis (Q75.0)												
All ages	5	2	3	4	1	3	1	1	-	1	1	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	3	2	1	2	1	1	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Craniofacial dysostosis (Q75.1)												
All ages	2	1	1	1	-	1	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Macrocephaly (Q75.3)												
All ages	5	2	3	4	1	3	1	1	-	1	1	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Mandibulofacial dysostosis (Q75.4)												
All ages	5	1	4	5	1	4	-	-	-	-	-	-
Under 1 year	3	1	2	3	1	2	-	-	-	-	-	-
1-4 years	2	-	2	2	-	2	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified congenital malformations of skull and face bones (Q75.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital malformation of skull and face bones, unspecified (Q75.9)												
All ages	6	2	4	4	2	2	2	-	2	2	-	2
Under 1 year	4	2	2	3	2	1	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations of spine and bony thorax (Q76)												
All ages	14	11	3	14	11	3	-	-	-	-	-	-
Under 1 year	4	2	2	4	2	2	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Klippel-Feil syndrome (Q76.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of spine, not associated with scoliosis (Q76.4)												
All ages	12	10	2	12	10	2	-	-	-	-	-	-
Under 1 year	3	2	1	3	2	1	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other congenital malformations of ribs (Q76.6)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Osteochondrodysplasia with defects of growth of tubular bones and spine (Q77)												
All ages	55	29	26	41	19	22	14	10	4	11	9	2
Under 1 year	46	25	21	33	16	17	13	9	4	10	8	2
1-4 years	3	2	1	2	1	1	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Achondrogenesis (Q77.0)												
All ages	5	5	-	3	3	-	2	2	-	2	2	-
Under 1 year	5	5	-	3	3	-	2	2	-	2	2	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Thanatophoric short stature (Q77.1)												
All ages	21	10	11	16	7	9	5	3	2	4	3	1
Under 1 year	21	10	11	16	7	9	5	3	2	4	3	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Short rib syndrome (Q77.2)												
All ages	12	6	6	7	2	5	5	4	1	3	3	-
Under 1 year	10	5	5	6	2	4	4	3	1	2	2	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chondrodysplasia punctata (Q77.3)												
All ages	7	3	4	5	2	3	2	1	1	2	1	1
Under 1 year	5	3	2	3	2	1	2	1	1	2	1	1
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Achondroplasia (Q77.4)												
All ages	7	4	3	7	4	3	-	-	-	-	-	-
Under 1 year	3	2	1	3	2	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chondroectodermal dysplasia (Q77.6)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Spondyloepiphyseal dysplasia (Q77.7)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other osteochondrodysplasias (Q78)												
All ages	94	54	40	67	42	25	27	12	15	22	11	11
Under 1 year	62	39	23	44	28	16	18	11	7	17	10	7
1-4 years	6	3	3	3	3	-	3	-	3	2	-	2
5-9 years	2	-	2	2	-	2	-	-	-	-	-	-
10-14 years	7	3	4	5	3	2	2	-	2	1	-	1
15-19 years	1	-	1	-	-	-	1	-	1	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	5	2	3	5	2	3	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	1	1	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	-	-	-	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Osteogenesis imperfecta (Q78.0)												
All ages	46	24	22	30	16	14	16	8	8	14	8	6
Under 1 year	30	16	14	18	9	9	12	7	5	12	7	5
1-4 years	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	3	1	2	2	1	1	1	-	1	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	4	1	3	4	1	3	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	1	1	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Polyostotic fibrous dysplasia (Q78.1)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Osteopetrosis (Q78.2)												
All ages	10	7	3	9	7	2	1	-	1	-	-	-
Under 1 year	3	3	-	3	3	-	-	-	-	-	-	-
1-4 years	3	2	1	2	2	-	1	-	1	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Progressive diaphyseal dysplasia (Q78.3)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Enchondromatosis (Q78.4)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified osteochondrodysplasias (Q78.8)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Osteochondrodysplasia, unspecified (Q78.9)												
All ages	33	21	12	24	17	7	9	4	5	7	3	4
Under 1 year	28	20	8	22	16	6	6	4	2	5	3	2
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	1	-	1	-	-	-	1	-	1	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	-	-	-	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations of musculoskeletal system, not elsewhere classified (Q79)												
All ages	341	202	139	266	154	112	75	48	27	58	37	21
Under 1 year	310	186	124	241	143	98	69	43	26	54	34	20
1-4 years	5	2	3	3	1	2	2	1	1	2	1	1
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	3	1	2	3	1	2	-	-	-	-	-	-
20-24 years	4	2	2	3	1	2	1	1	-	-	-	-
25-29 years	4	3	1	3	2	1	1	1	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital diaphragmatic hernia (Q79.0)												
All ages	222	130	92	172	100	72	50	30	20	38	23	15
Under 1 year	217	127	90	169	98	71	48	29	19	36	22	14
1-4 years	3	1	2	1	-	1	2	1	1	2	1	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of diaphragm (Q79.1)												
All ages	5	3	2	4	2	2	1	1	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Exomphalos (Q79.2)												
All ages	15	7	8	11	4	7	4	3	1	4	3	1
Under 1 year	15	7	8	11	4	7	4	3	1	4	3	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Gastroschisis (Q79.3)												
All ages	51	36	15	41	29	12	10	7	3	9	6	3
Under 1 year	50	35	15	40	28	12	10	7	3	9	6	3
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Prune belly syndrome (Q79.4)												
All ages	12	12	-	8	8	-	4	4	-	4	4	-
Under 1 year	7	7	-	5	5	-	2	2	-	2	2	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of abdominal wall (Q79.5)												
All ages	6	-	6	5	-	5	1	-	1	1	-	1
Under 1 year	4	-	4	3	-	3	1	-	1	1	-	1
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Ehlers-Danlos syndrome (Q79.6)												
All ages	11	4	7	10	3	7	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years	3	1	2	3	1	2	-	-	-	-	-	-
25-29 years	3	2	1	2	1	1	1	1	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of musculoskeletal system (Q79.8)												
All ages	14	6	8	10	4	6	4	2	2	2	1	1
Under 1 year	12	6	6	8	4	4	4	2	2	2	1	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital malformation of musculoskeletal system, unspecified (Q79.9)															
All ages	5	4	1	5	4	1	-	-	-	-	-	-	-	-	-
Under 1 year	4	3	1	4	3	1	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital ichthyosis (Q80)															
All ages	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Lamellar ichthyosis (Q80.2)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Harlequin fetus (Q80.4)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Epidermolysis bullosa (Q81)												
All ages	22	9	13	17	6	11	5	3	2	3	2	1
Under 1 year	15	7	8	10	4	6	5	3	2	3	2	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Epidermolysis bullosa letalis (Q81.1)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Epidermolysis bullosa dystrophica (Q81.2)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Epidermolysis bullosa, unspecified (Q81.9)												
All ages	19	8	11	14	5	9	5	3	2	3	2	1
Under 1 year	14	7	7	9	4	5	5	3	2	3	2	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other congenital malformations of skin (Q82)												
All ages	23	12	11	19	9	10	4	3	1	4	3	1
Under 1 year	2	1	1	-	-	-	2	1	1	2	1	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	4	2	2	4	2	2	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years	3	2	1	2	1	1	1	1	-	1	1	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hereditary lymphedema (Q82.0)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Mastocytosis (Q82.2)												
All ages	14	8	6	13	7	6	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	3	2	1	2	1	1	1	1	-	1	1	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital nonneoplastic nevus (Q82.5)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified congenital malformations of skin (Q82.8)												
All ages	5	2	3	5	2	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformation of skin, unspecified (Q82.9)												
All ages	2	1	1	-	-	-	2	1	1	2	1	1
Under 1 year	2	1	1	-	-	-	2	1	1	2	1	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Phakomatoses, not elsewhere classified (Q85)												
All ages	135	75	60	109	64	45	26	11	15	24	10	14
Under 1 year	2	1	1	1	1	-	1	-	1	1	-	1
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	4	2	2	2	1	1	2	1	1	2	1	1
15-19 years	8	7	1	7	6	1	1	1	-	1	1	-
20-24 years	6	6	-	4	4	-	2	2	-	2	2	-
25-29 years	6	5	1	4	4	-	2	1	1	2	1	1
30-34 years	10	7	3	9	6	3	1	1	-	1	1	-
35-39 years	17	5	12	10	4	6	7	1	6	7	1	6
40-44 years	17	8	9	17	8	9	-	-	-	-	-	-
45-49 years	10	5	5	8	4	4	2	1	1	1	1	-
50-54 years	8	7	1	8	7	1	-	-	-	-	-	-
55-59 years	4	3	1	2	2	-	2	1	1	1	-	1
60-64 years	9	6	3	8	6	2	1	-	1	1	-	1
65-69 years	5	2	3	4	2	2	1	-	1	1	-	1
70-74 years	8	3	5	8	3	5	-	-	-	-	-	-
75-79 years	10	3	7	8	3	5	2	-	2	2	-	2
80-84 years	6	3	3	5	2	3	1	1	-	1	1	-
85-89 years	3	2	1	2	1	1	1	1	-	1	1	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Neurofibromatosis (nonmalignant) (Q85.0)												
All ages	97	56	41	81	49	32	16	7	9	15	7	8
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	1	1	-	-	-	2	1	1	2	1	1
15-19 years	5	5	-	4	4	-	1	1	-	1	1	-
20-24 years	3	3	-	3	3	-	-	-	-	-	-	-
25-29 years	4	3	1	3	3	-	1	-	1	1	-	1
30-34 years	8	7	1	7	6	1	1	1	-	1	1	-
35-39 years	12	4	8	7	3	4	5	1	4	5	1	4
40-44 years	12	5	7	12	5	7	-	-	-	-	-	-
45-49 years	9	4	5	7	3	4	2	1	1	1	1	-
50-54 years	8	7	1	8	7	1	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years	5	2	3	4	2	2	1	-	1	1	-	1
70-74 years	7	3	4	7	3	4	-	-	-	-	-	-
75-79 years	9	3	6	8	3	5	1	-	1	1	-	1
80-84 years	5	3	2	4	2	2	1	1	-	1	1	-
85-89 years	3	2	1	2	1	1	1	1	-	1	1	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Tuberous sclerosis (Q85.1)												
All ages	22	10	12	15	7	8	7	3	4	7	3	4
Under 1 year	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	3	3	-	1	1	-	2	2	-	2	2	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years	3	-	3	2	-	2	1	-	1	1	-	1
40-44 years	4	3	1	4	3	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	-	-	-	1	-	1	1	-	1
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other phakomatoses, not elsewhere classified (Q85.8)												
All ages	15	8	7	12	7	5	3	1	2	2	-	2
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	-	-	-
60-64 years	5	2	3	4	2	2	1	-	1	1	-	1
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Phakomatosis, unspecified (Q85.9)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformation syndromes due to known exogenous causes, not elsewhere classified (Q86)												
All ages	5	3	2	3	1	2	2	2	-	2	2	-
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	3	2	1	2	1	1	1	1	-	1	1	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Fetal alcohol syndrome (dysmorphic) (Q86.0)												
All ages	5	3	2	3	1	2	2	2	-	2	2	-
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	3	2	1	2	1	1	1	1	-	1	1	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified congenital malformation syndromes affecting multiple systems (Q87)												
All ages	226	125	101	191	107	84	35	18	17	28	15	13
Under 1 year	51	26	25	41	21	20	10	5	5	8	4	4
1-4 years	21	11	10	16	8	8	5	3	2	4	3	1
5-9 years	9	6	3	8	6	2	1	-	1	1	-	1
10-14 years	5	4	1	4	4	-	1	-	1	1	-	1
15-19 years	11	3	8	8	3	5	3	-	3	3	-	3
20-24 years	12	10	2	8	6	2	4	4	-	4	4	-
25-29 years	14	5	9	14	5	9	-	-	-	-	-	-
30-34 years	11	6	5	9	4	5	2	2	-	2	2	-
35-39 years	25	17	8	22	16	6	3	1	2	2	-	2
40-44 years	22	15	7	19	12	7	3	3	-	2	2	-
45-49 years	7	4	3	7	4	3	-	-	-	-	-	-
50-54 years	9	2	7	8	2	6	1	-	1	1	-	1
55-59 years	10	5	5	10	5	5	-	-	-	-	-	-
60-64 years	7	6	1	6	6	-	1	-	1	-	-	-
65-69 years	5	1	4	5	1	4	-	-	-	-	-	-
70-74 years	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years	3	2	1	2	2	-	1	-	1	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital malformation syndromes predominantly affecting facial appearance (Q87.0)												
All ages	22	13	9	19	12	7	3	1	2	2	1	1
Under 1 year	7	5	2	6	4	2	1	1	-	1	1	-
1-4 years	4	1	3	3	1	2	1	-	1	-	-	-
5-9 years	5	3	2	4	3	1	1	-	1	1	-	1
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformation syndromes predominantly associated with short stature (Q87.1)												
All ages	55	26	29	46	19	27	9	7	2	9	7	2
Under 1 year	9	3	6	9	3	6	-	-	-	-	-	-
1-4 years	6	5	1	4	3	1	2	2	-	2	2	-
5-9 years	3	2	1	3	2	1	-	-	-	-	-	-
10-14 years	2	1	1	1	1	-	1	-	1	1	-	1
15-19 years	7	3	4	6	3	3	1	-	1	1	-	1
20-24 years	5	4	1	2	1	1	3	3	-	3	3	-
25-29 years	7	-	7	7	-	7	-	-	-	-	-	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	4	1	3	4	1	3	-	-	-	-	-	-
40-44 years	6	3	3	4	1	3	2	2	-	2	2	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital malformation syndromes predominantly involving limbs (Q87.2)												
All ages	18	8	10	12	4	8	6	4	2	5	3	2
Under 1 year	11	5	6	7	2	5	4	3	1	3	2	1
1-4 years	3	1	2	1	-	1	2	1	1	2	1	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformation syndromes involving early overgrowth (Q87.3)												
All ages	3	2	1	2	2	-	1	-	1	1	-	1
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Marfan's syndrome (Q87.4)												
All ages	85	50	35	74	46	28	11	4	7	7	2	5
Under 1 year	2	1	1	1	1	-	1	-	1	1	-	1
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	6	5	1	5	4	1	1	1	-	1	1	-
25-29 years	5	4	1	5	4	1	-	-	-	-	-	-
30-34 years	6	3	3	5	2	3	1	1	-	1	1	-
35-39 years	17	12	5	14	11	3	3	1	2	2	-	2
40-44 years	12	9	3	11	8	3	1	1	-	-	-	-
45-49 years	5	3	2	5	3	2	-	-	-	-	-	-
50-54 years	7	1	6	6	1	5	1	-	1	1	-	1
55-59 years	8	3	5	8	3	5	-	-	-	-	-	-
60-64 years	5	4	1	4	4	-	1	-	1	-	-	-
65-69 years	3	-	3	3	-	3	-	-	-	-	-	-
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	2	1	1	1	1	-	1	-	1	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified congenital malformation syndromes, not elsewhere classified (Q87.8)												
All ages	43	26	17	38	24	14	5	2	3	4	2	2
Under 1 year	21	11	10	17	10	7	4	1	3	3	1	2
1-4 years	7	3	4	7	3	4	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	4	3	1	4	3	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other congenital malformations, not elsewhere classified (Q89)												
All ages	650	325	325	516	256	260	134	69	65	106	55	51
Under 1 year	473	243	230	365	188	177	108	55	53	89	47	42
1-4 years	28	12	16	20	7	13	8	5	3	4	2	2
5-9 years	8	3	5	7	3	4	1	-	1	1	-	1
10-14 years	6	4	2	4	2	2	2	2	-	2	2	-
15-19 years	7	6	1	6	6	-	1	-	1	1	-	1
20-24 years	17	8	9	13	6	7	4	2	2	2	1	1
25-29 years	5	3	2	3	2	1	2	1	1	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	9	3	6	7	2	5	2	1	1	2	1	1
40-44 years	5	3	2	4	3	1	1	-	1	1	-	1
45-49 years	9	5	4	8	5	3	1	-	1	1	-	1
50-54 years	6	4	2	6	4	2	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	3	2	1	2	1	1	1	1	-	1	1	-
65-69 years	7	1	6	7	1	6	-	-	-	-	-	-
70-74 years	8	4	4	8	4	4	-	-	-	-	-	-
75-79 years	12	7	5	12	7	5	-	-	-	-	-	-
80-84 years	7	2	5	6	1	5	1	1	-	1	1	-
85-89 years	23	12	11	23	12	11	-	-	-	-	-	-
90-94 years	10	2	8	9	1	8	1	1	-	-	-	-
95-99 years	5	1	4	5	1	4	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations of spleen (Q89.0)												
All ages	16	6	10	14	5	9	2	1	1	1	1	-
Under 1 year	5	2	3	4	1	3	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	-	2	1	-	1	1	-	1	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	3	1	2	3	1	2	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital malformations of adrenal gland (Q89.1)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations of other endocrine glands (Q89.2)												
All ages	5	3	2	5	3	2	-	-	-	-	-	-
Under 1 year	4	3	1	4	3	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Situs inversus (Q89.3)												
All ages	18	7	11	14	5	9	4	2	2	3	1	2
Under 1 year	6	2	4	3	1	2	3	1	2	3	1	2
1-4 years	1	1	-	-	-	-	1	1	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Conjoined twins (Q89.4)												
All ages	42	10	32	36	8	28	6	2	4	6	2	4
Under 1 year	41	10	31	35	8	27	6	2	4	6	2	4
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Multiple congenital malformations, not elsewhere classified (Q89.7)												
All ages	287	154	133	225	124	101	62	30	32	47	21	26
Under 1 year	249	135	114	197	110	87	52	25	27	40	18	22
1-4 years	15	7	8	10	4	6	5	3	2	2	1	1
5-9 years	4	2	2	4	2	2	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	4	3	1	3	3	-	1	-	1	1	-	1
20-24 years	6	4	2	5	4	1	1	-	1	1	-	1
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	1	2	2	-	2	1	1	-	1	1	-
40-44 years	2	-	2	1	-	1	1	-	1	1	-	1
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified congenital malformations (Q89.8)												
All ages	82	45	37	66	36	30	16	9	7	15	9	6
Under 1 year	47	26	21	36	20	16	11	6	5	10	6	4
1-4 years	6	1	5	4	-	4	2	1	1	2	1	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	5	3	2	4	2	2	1	1	-	1	1	-
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	1	1	1	1	-	1	-	1	1	-	1
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years	2	1	1	1	-	1	1	1	-	1	1	-
85-89 years	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Congenital malformation, unspecified (Q89.9)												
All ages	199	100	99	155	75	80	44	25	19	34	21	13
Under 1 year	121	65	56	86	45	41	35	20	15	29	19	10
1-4 years	5	3	2	5	3	2	-	-	-	-	-	-
5-9 years	3	1	2	2	1	1	1	-	1	1	-	1
10-14 years	3	2	1	1	-	1	2	2	-	2	2	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	4	1	3	3	-	3	1	1	-	-	-	-
25-29 years	2	1	1	-	-	-	2	1	1	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	2	-	2	1	-	1	1	-	1	1	-	1
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	5	1	4	5	1	4	-	-	-	-	-	-
70-74 years	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years	6	4	2	6	4	2	-	-	-	-	-	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	18	9	9	18	9	9	-	-	-	-	-	-
90-94 years	10	2	8	9	1	8	1	1	-	-	-	-
95-99 years	5	1	4	5	1	4	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Down's syndrome (Q90)												
All ages	828	411	417	730	367	363	98	44	54	78	34	44
Under 1 year	119	71	48	96	59	37	23	12	11	15	7	8
1-4 years	20	12	8	14	8	6	6	4	2	5	3	2
5-9 years	6	3	3	4	2	2	2	1	1	2	1	1
10-14 years	10	6	4	7	5	2	3	1	2	2	1	1
15-19 years	8	6	2	7	5	2	1	1	-	1	1	-
20-24 years	21	8	13	14	5	9	7	3	4	7	3	4
25-29 years	24	13	11	20	12	8	4	1	3	3	1	2
30-34 years	39	20	19	33	17	16	6	3	3	6	3	3
35-39 years	37	15	22	27	12	15	10	3	7	6	1	5
40-44 years	60	30	30	53	26	27	7	4	3	6	3	3
45-49 years	63	32	31	57	30	27	6	2	4	5	2	3
50-54 years	119	56	63	111	54	57	8	2	6	5	1	4
55-59 years	128	52	76	121	49	72	7	3	4	7	3	4
60-64 years	108	52	56	104	50	54	4	2	2	4	2	2
65-69 years	42	23	19	40	22	18	2	1	1	2	1	1
70-74 years	14	7	7	12	6	6	2	1	1	2	1	1
75-79 years	6	4	2	6	4	2	-	-	-	-	-	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Down's syndrome, unspecified (Q90.9)												
All ages	828	411	417	730	367	363	98	44	54	78	34	44
Under 1 year	119	71	48	96	59	37	23	12	11	15	7	8
1-4 years	20	12	8	14	8	6	6	4	2	5	3	2
5-9 years	6	3	3	4	2	2	2	1	1	2	1	1
10-14 years	10	6	4	7	5	2	3	1	2	2	1	1
15-19 years	8	6	2	7	5	2	1	1	-	1	1	-
20-24 years	21	8	13	14	5	9	7	3	4	7	3	4
25-29 years	24	13	11	20	12	8	4	1	3	3	1	2
30-34 years	39	20	19	33	17	16	6	3	3	6	3	3
35-39 years	37	15	22	27	12	15	10	3	7	6	1	5
40-44 years	60	30	30	53	26	27	7	4	3	6	3	3
45-49 years	63	32	31	57	30	27	6	2	4	5	2	3
50-54 years	119	56	63	111	54	57	8	2	6	5	1	4
55-59 years	128	52	76	121	49	72	7	3	4	7	3	4
60-64 years	108	52	56	104	50	54	4	2	2	4	2	2
65-69 years	42	23	19	40	22	18	2	1	1	2	1	1
70-74 years	14	7	7	12	6	6	2	1	1	2	1	1
75-79 years	6	4	2	6	4	2	-	-	-	-	-	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Edwards' syndrome and Patau's syndrome (Q91)												
All ages	756	337	419	605	272	333	151	65	86	125	51	74
Under 1 year	722	326	396	579	265	314	143	61	82	119	48	71
1-4 years	20	5	15	16	3	13	4	2	2	3	2	1
5-9 years	6	5	1	4	4	-	2	1	1	2	1	1
10-14 years	2	-	2	2	-	2	-	-	-	-	-	-
15-19 years	2	1	1	1	-	1	1	1	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Trisomy 18, mosaicism (mitotic nondisjunction) (Q91.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Trisomy 18, translocation (Q91.2)												
All ages	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Edwards' syndrome, unspecified (Q91.3)												
All ages	463	186	277	370	151	219	93	35	58	77	26	51
Under 1 year	444	180	264	354	147	207	90	33	57	75	25	50
1-4 years	12	3	9	12	3	9	-	-	-	-	-	-
5-9 years	2	2	-	1	1	-	1	1	-	1	1	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	2	1	1	1	-	1	1	1	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Patau's syndrome, unspecified (Q91.7)												
All ages	290	150	140	233	120	113	57	30	27	47	25	22
Under 1 year	276	145	131	223	117	106	53	28	25	44	23	21
1-4 years	7	2	5	4	-	4	3	2	1	2	2	-
5-9 years	4	3	1	3	3	-	1	-	1	1	-	1
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other trisomies and partial trisomies of autosomes, not elsewhere classified (Q92)												
All ages	64	26	38	40	17	23	24	9	15	19	7	12
Under 1 year	53	22	31	34	15	19	19	7	12	15	5	10
1-4 years	6	2	4	2	-	2	4	2	2	3	2	1
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	-	2	1	-	1	1	-	1	1	-	1
20-24 years	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Whole chromosome trisomy, mosaicism (mitotic nondisjunction) (Q92.1)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Triploidy and polyploidy (Q92.7)												
All ages	16	4	12	12	2	10	4	2	2	4	2	2
Under 1 year	15	4	11	11	2	9	4	2	2	4	2	2
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified trisomies and partial trisomies of autosomes (Q92.8)												
All ages	28	12	16	14	8	6	14	4	10	11	3	8
Under 1 year	23	10	13	13	8	5	10	2	8	7	1	6
1-4 years	4	2	2	1	-	1	3	2	1	3	2	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Trisomy and partial trisomy of autosomes, unspecified (Q92.9)												
All ages	19	10	9	14	7	7	5	3	2	3	2	1
Under 1 year	14	8	6	10	5	5	4	3	1	3	2	1
1-4 years	1	-	1	-	-	-	1	-	1	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Monosomies and deletions from the autosomes, not elsewhere classified (Q93)												
All ages	43	16	27	35	12	23	8	4	4	5	2	3
Under 1 year	22	7	15	17	5	12	5	2	3	3	-	3
1-4 years	8	2	6	6	1	5	2	1	1	1	1	-
5-9 years	3	2	1	2	1	1	1	1	-	1	1	-
10-14 years	3	2	1	3	2	1	-	-	-	-	-	-
15-19 years	3	1	2	3	1	2	-	-	-	-	-	-
20-24 years	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Deletion of short arm of chromosome 4 (Q93.3)												
All ages	8	-	8	7	-	7	1	-	1	1	-	1
Under 1 year	3	-	3	2	-	2	1	-	1	1	-	1
1-4 years	3	-	3	3	-	3	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Deletion of short arm of chromosome 5 (Q93.4)												
All ages	5	4	1	3	2	1	2	2	-	1	1	-
Under 1 year	2	1	1	1	-	1	1	1	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	2	2	-	1	1	-	1	1	-	1	1	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other deletions of part of a chromosome (Q93.5)												
All ages	15	6	9	13	5	8	2	1	1	-	-	-
Under 1 year	8	4	4	7	3	4	1	1	-	-	-	-
1-4 years	4	1	3	3	1	2	1	-	1	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other deletions from the autosomes (Q93.8)												
All ages	7	2	5	6	2	4	1	-	1	1	-	1
Under 1 year	4	-	4	3	-	3	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Deletion from autosomes, unspecified (Q93.9)												
All ages	8	4	4	6	3	3	2	1	1	2	1	1
Under 1 year	5	2	3	4	2	2	1	-	1	1	-	1
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Balanced rearrangements and structural markers, not elsewhere classified (Q95)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Balanced rearrangement and structural marker, unspecified (Q95.9)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Turner's syndrome (Q96)												
All ages	14	...	14	12	...	12	2	...	2	-	...	-
Under 1 year	3	...	3	1	...	1	2	...	2	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	2	...	2	2	...	2	-	...	-	-	...	-
45-49 years	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	3	...	3	3	...	3	-	...	-	-	...	-
60-64 years	3	...	3	3	...	3	-	...	-	-	...	-
65-69 years	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Turner's syndrome, unspecified (Q96.9)												
All ages	14	...	14	12	...	12	2	...	2	-	...	-
Under 1 year	3	...	3	1	...	1	2	...	2	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	2	...	2	2	...	2	-	...	-	-	...	-
45-49 years	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	3	...	3	3	...	3	-	...	-	-	...	-
60-64 years	3	...	3	3	...	3	-	...	-	-	...	-
65-69 years	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Other sex chromosome abnormalities, male phenotype, not elsewhere classified (Q98)												
All ages	5	5	...	4	4	...	1	1	...	1	1	...
Under 1 year	1	1	...	1	1	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years	2	2	...	2	2	...	-	-	...	-	-	...
45-49 years	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years	2	2	...	1	1	...	1	1	...	1	1	...
85-89 years	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Klinefelter's syndrome, unspecified (Q98.4)												
All ages	5	5	...	4	4	...	1	1	...	1	1	...
Under 1 year	1	1	...	1	1	...	-	-	...	-	-	...
1-4 years	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years	2	2	...	2	2	...	-	-	...	-	-	...
45-49 years	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years	2	2	...	1	1	...	1	1	...	1	1	...
85-89 years	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over	-	-	...	-	-	...	-	-	...	-	-	...
Not stated	-	-	...	-	-	...	-	-	...	-	-	...
Other chromosome abnormalities, not elsewhere classified (Q99)												
All ages	148	74	74	115	60	55	33	14	19	24	11	13
Under 1 year	112	57	55	86	47	39	26	10	16	20	9	11
1-4 years	15	6	9	11	4	7	4	2	2	2	1	1
5-9 years	2	2	-	1	1	-	1	1	-	-	-	-
10-14 years	7	3	4	6	2	4	1	1	-	1	1	-
15-19 years	4	1	3	3	1	2	1	-	1	1	-	1
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Fragile X chromosome (Q99.2)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified chromosome abnormalities (Q99.8)												
All ages	36	18	18	26	13	13	10	5	5	8	4	4
Under 1 year	27	14	13	19	9	10	8	5	3	7	4	3
1-4 years	3	1	2	2	1	1	1	-	1	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	3	1	2	2	1	1	1	-	1	1	-	1
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Chromosomal abnormality, unspecified (Q99.9)												
All ages	110	54	56	87	45	42	23	9	14	16	7	9
Under 1 year	85	43	42	67	38	29	18	5	13	13	5	8
1-4 years	12	5	7	9	3	6	3	2	1	2	1	1
5-9 years	2	2	-	1	1	-	1	1	-	-	-	-
10-14 years	6	3	3	5	2	3	1	1	-	1	1	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Abnormalities of heart beat (R00)												
All ages	73	34	39	61	30	31	12	4	8	12	4	8
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	2	-	2	1	-	1	1	-	1	1	-	1
55-59 years	3	2	1	2	1	1	1	1	-	1	1	-
60-64 years	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years	4	4	-	4	4	-	-	-	-	-	-	-
70-74 years	4	3	1	3	3	-	1	-	1	1	-	1
75-79 years	11	5	6	11	5	6	-	-	-	-	-	-
80-84 years	12	7	5	10	6	4	2	1	1	2	1	1
85-89 years	11	2	9	10	2	8	1	-	1	1	-	1
90-94 years	14	5	9	11	5	6	3	-	3	3	-	3
95-99 years	2	1	1	1	-	1	1	1	-	1	1	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Tachycardia, unspecified (R00.0)												
All ages	8	5	3	7	4	3	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Bradycardia, unspecified (R00.1)												
All ages	64	28	36	53	25	28	11	3	8	11	3	8
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	2	-	2	1	-	1	1	-	1	1	-	1
55-59 years	3	2	1	2	1	1	1	1	-	1	1	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years	4	3	1	3	3	-	1	-	1	1	-	1
75-79 years	10	5	5	10	5	5	-	-	-	-	-	-
80-84 years	12	7	5	10	6	4	2	1	1	2	1	1
85-89 years	11	2	9	10	2	8	1	-	1	1	-	1
90-94 years	11	3	8	8	3	5	3	-	3	3	-	3
95-99 years	2	1	1	1	-	1	1	1	-	1	1	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other and unspecified abnormalities of heart beat (R00.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Gangrene, not elsewhere classified (R02)												
All ages	133	64	69	106	49	57	27	15	12	24	13	11
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	3	3	-	2	2	-	1	1	-	1	1	-
55-59 years	4	2	2	4	2	2	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	7	4	3	4	2	2	3	2	1	3	2	1
70-74 years	16	9	7	11	7	4	5	2	3	5	2	3
75-79 years	9	7	2	7	6	1	2	1	1	2	1	1
80-84 years	20	12	8	17	9	8	3	3	-	2	2	-
85-89 years	23	8	15	19	8	11	4	-	4	3	-	3
90-94 years	28	12	16	24	9	15	4	3	1	4	3	1
95-99 years	12	2	10	10	-	10	2	2	-	1	1	-
100 yrs & over	6	1	5	5	1	4	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hemorrhage from respiratory passages (R04)												
All ages	107	52	55	87	38	49	20	14	6	14	10	4
Under 1 year	4	2	2	2	-	2	2	2	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	3	3	-	-	-	-	3	3	-	3	3	-
45-49 years	3	2	1	2	1	1	1	1	-	1	1	-
50-54 years	5	2	3	3	2	1	2	-	2	2	-	2
55-59 years	7	5	2	5	3	2	2	2	-	1	1	-
60-64 years	10	5	5	8	4	4	2	1	1	1	1	-
65-69 years	8	6	2	6	4	2	2	2	-	1	1	-
70-74 years	17	5	12	15	5	10	2	-	2	1	-	1
75-79 years	13	6	7	13	6	7	-	-	-	-	-	-
80-84 years	11	6	5	10	5	5	1	1	-	-	-	-
85-89 years	15	7	8	14	7	7	1	-	1	1	-	1
90-94 years	7	-	7	7	-	7	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis (R04.0)												
All ages	6	3	3	6	3	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hemorrhage from throat (R04.1)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hemoptysis (R04.2)												
All ages	22	9	13	19	6	13	3	3	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	1	-	1	1	1	-	1	1	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	3	2	1	1	-	1	2	2	-	1	1	-
70-74 years	8	2	6	8	2	6	-	-	-	-	-	-
75-79 years	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hemorrhage from other sites in respiratory passages (R04.8)												
All ages	78	40	38	61	29	32	17	11	6	12	8	4
Under 1 year	4	2	2	2	-	2	2	2	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	3	3	-	-	-	-	3	3	-	3	3	-
45-49 years	3	2	1	2	1	1	1	1	-	1	1	-
50-54 years	4	1	3	2	1	1	2	-	2	2	-	2
55-59 years	4	3	1	3	2	1	1	1	-	-	-	-
60-64 years	8	4	4	6	3	3	2	1	1	1	1	-
65-69 years	4	4	-	4	4	-	-	-	-	-	-	-
70-74 years	8	3	5	6	3	3	2	-	2	1	-	1
75-79 years	10	4	6	10	4	6	-	-	-	-	-	-
80-84 years	10	5	5	9	4	5	1	1	-	-	-	-
85-89 years	12	6	6	11	6	5	1	-	1	1	-	1
90-94 years	4	-	4	4	-	4	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cough (R05)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Abnormalities of breathing (R06)												
All ages	251	103	148	205	84	121	46	19	27	43	17	26
Under 1 year	10	7	3	8	5	3	2	2	-	1	1	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	4	3	1	3	2	1	1	1	-	1	1	-
40-44 years	9	7	2	5	5	-	4	2	2	4	2	2
45-49 years	4	2	2	3	2	1	1	-	1	1	-	1
50-54 years	4	1	3	3	1	2	1	-	1	1	-	1
55-59 years	5	4	1	5	4	1	-	-	-	-	-	-
60-64 years	13	9	4	11	7	4	2	2	-	2	2	-
65-69 years	17	8	9	12	5	7	5	3	2	4	2	2
70-74 years	25	12	13	22	11	11	3	1	2	3	1	2
75-79 years	31	11	20	25	9	16	6	2	4	6	2	4
80-84 years	37	10	27	32	9	23	5	1	4	5	1	4
85-89 years	49	16	33	42	13	29	7	3	4	6	3	3
90-94 years	27	7	20	23	7	16	4	-	4	4	-	4
95-99 years	10	2	8	8	2	6	2	-	2	2	-	2
100 yrs & over	3	1	2	2	1	1	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Dyspnea (R06.0)												
All ages	97	47	50	75	39	36	22	8	14	21	7	14
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	2	1	2	1	1	1	1	-	1	1	-
40-44 years	5	3	2	3	3	-	2	-	2	2	-	2
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years	4	3	1	4	3	1	-	-	-	-	-	-
60-64 years	6	6	-	5	5	-	1	1	-	1	1	-
65-69 years	9	6	3	7	4	3	2	2	-	1	1	-
70-74 years	7	6	1	6	6	-	1	-	1	1	-	1
75-79 years	10	4	6	6	3	3	4	1	3	4	1	3
80-84 years	16	4	12	14	4	10	2	-	2	2	-	2
85-89 years	19	8	11	15	6	9	4	2	2	4	2	2
90-94 years	9	2	7	8	2	6	1	-	1	1	-	1
95-99 years	4	-	4	3	-	3	1	-	1	1	-	1
100 yrs & over	1	-	1	-	-	-	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hyperventilation (R06.4)												
All ages	17	6	11	14	5	9	3	1	2	3	1	2
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	3	2	1	1	1	-	2	1	1	2	1	1
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified abnormalities of breathing (R06.8)												
All ages	137	50	87	116	40	76	21	10	11	19	9	10
Under 1 year	8	5	3	7	4	3	1	1	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	4	4	-	2	2	-	2	2	-	2	2	-
45-49 years	3	1	2	2	1	1	1	-	1	1	-	1
50-54 years	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	7	3	4	6	2	4	1	1	-	1	1	-
65-69 years	5	-	5	4	-	4	1	-	1	1	-	1
70-74 years	17	6	11	16	5	11	1	1	-	1	1	-
75-79 years	20	7	13	18	6	12	2	1	1	2	1	1
80-84 years	17	4	13	14	3	11	3	1	2	3	1	2
85-89 years	26	7	19	23	6	17	3	1	2	2	1	1
90-94 years	16	5	11	13	5	8	3	-	3	3	-	3
95-99 years	5	2	3	4	2	2	1	-	1	1	-	1
100 yrs & over	2	1	1	2	1	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pain in throat and chest (R07)												
All ages	4	2	2	4	2	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chest pain, unspecified (R07.4)												
All ages	4	2	2	4	2	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other symptoms and signs involving the circulatory and respiratory systems (R09)												
All ages	2,341	957	1,384	1,972	810	1,162	369	147	222	333	132	201
Under 1 year	13	10	3	11	8	3	2	2	-	1	1	-
1-4 years	10	2	8	6	1	5	4	1	3	3	1	2
5-9 years	3	1	2	3	1	2	-	-	-	-	-	-
10-14 years	3	2	1	3	2	1	-	-	-	-	-	-
15-19 years	6	4	2	6	4	2	-	-	-	-	-	-
20-24 years	6	2	4	5	2	3	1	-	1	1	-	1
25-29 years	10	5	5	6	5	1	4	-	4	3	-	3
30-34 years	5	1	4	2	-	2	3	1	2	3	1	2
35-39 years	20	8	12	11	7	4	9	1	8	9	1	8
40-44 years	27	17	10	22	13	9	5	4	1	5	4	1
45-49 years	38	24	14	29	17	12	9	7	2	9	7	2
50-54 years	59	40	19	47	32	15	12	8	4	10	6	4
55-59 years	75	48	27	48	33	15	27	15	12	23	13	10
60-64 years	87	51	36	68	38	30	19	13	6	14	10	4
65-69 years	138	73	65	104	55	49	34	18	16	32	18	14
70-74 years	220	106	114	179	92	87	41	14	27	38	13	25
75-79 years	319	142	177	276	130	146	43	12	31	37	11	26
80-84 years	365	164	201	326	154	172	39	10	29	36	9	27
85-89 years	398	120	278	349	104	245	49	16	33	47	16	31
90-94 years	327	99	228	287	80	207	40	19	21	36	16	20
95-99 years	167	32	135	144	26	118	23	6	17	21	5	16
100 yrs & over	45	6	39	40	6	34	5	-	5	5	-	5
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Asphyxia (R09.0)												
All ages	217	98	119	179	89	90	38	9	29	36	9	27
Under 1 year	9	7	2	8	6	2	1	1	-	1	1	-
1-4 years	2	-	2	1	-	1	1	-	1	1	-	1
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	2	1	1	1	1	-	1	-	1	1	-	1
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	4	1	3	3	1	2	1	-	1	1	-	1
40-44 years	5	2	3	4	1	3	1	1	-	1	1	-
45-49 years	8	5	3	6	5	1	2	-	2	2	-	2
50-54 years	4	2	2	4	2	2	-	-	-	-	-	-
55-59 years	9	5	4	4	2	2	5	3	2	4	3	1
60-64 years	12	7	5	10	6	4	2	1	1	2	1	1
65-69 years	16	9	7	10	7	3	6	2	4	6	2	4
70-74 years	18	5	13	11	4	7	7	1	6	7	1	6
75-79 years	35	19	16	34	19	15	1	-	1	1	-	1
80-84 years	28	16	12	26	16	10	2	-	2	1	-	1
85-89 years	25	6	19	21	6	15	4	-	4	4	-	4
90-94 years	24	8	16	22	8	14	2	-	2	2	-	2
95-99 years	9	2	7	8	2	6	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Respiratory arrest (R09.2)												
All ages	2,106	854	1,252	1,779	718	1,061	327	136	191	293	121	172
Under 1 year	4	3	1	3	2	1	1	1	-	-	-	-
1-4 years	6	2	4	4	1	3	2	1	1	1	1	-
5-9 years	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	4	2	2	4	2	2	-	-	-	-	-	-
20-24 years	4	1	3	4	1	3	-	-	-	-	-	-
25-29 years	9	5	4	6	5	1	3	-	3	2	-	2
30-34 years	4	1	3	1	-	1	3	1	2	3	1	2
35-39 years	16	7	9	8	6	2	8	1	7	8	1	7
40-44 years	21	15	6	17	12	5	4	3	1	4	3	1
45-49 years	28	18	10	22	12	10	6	6	-	6	6	-
50-54 years	54	37	17	43	30	13	11	7	4	9	5	4
55-59 years	65	43	22	43	31	12	22	12	10	19	10	9
60-64 years	75	44	31	58	32	26	17	12	5	12	9	3
65-69 years	120	63	57	92	47	45	28	16	12	26	16	10
70-74 years	202	101	101	168	88	80	34	13	21	31	12	19
75-79 years	284	123	161	242	111	131	42	12	30	36	11	25
80-84 years	335	147	188	298	137	161	37	10	27	35	9	26
85-89 years	370	113	257	326	97	229	44	16	28	42	16	26
90-94 years	301	91	210	263	72	191	38	19	19	34	16	18
95-99 years	156	30	126	134	24	110	22	6	16	20	5	15
100 yrs & over	45	6	39	40	6	34	5	-	5	5	-	5
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified symptoms and signs involving the circulatory and respiratory systems (R09.8)												
All ages	18	5	13	14	3	11	4	2	2	4	2	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	-	2	1	-	1	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	3	1	2	2	1	1	1	-	1	1	-	1
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Abdominal and pelvic pain (R10)												
All ages	49	16	33	43	12	31	6	4	2	6	4	2
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	1	-	1	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	6	2	4	4	2	2	2	-	2	2	-	2
75-79 years	6	3	3	6	3	3	-	-	-	-	-	-
80-84 years	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years	10	3	7	10	3	7	-	-	-	-	-	-
90-94 years	11	1	10	10	-	10	1	1	-	1	1	-
95-99 years	5	1	4	5	1	4	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Acute abdomen (R10.0)												
All ages	22	10	12	19	9	10	3	1	2	3	1	2
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	4	2	2	2	2	-	2	-	2	2	-	2
75-79 years	4	3	1	4	3	1	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years	4	-	4	4	-	4	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other and unspecified abdominal pain (R10.4)												
All ages	27	6	21	24	3	21	3	3	-	3	3	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	6	1	5	6	1	5	-	-	-	-	-	-
90-94 years	7	1	6	6	-	6	1	1	-	1	1	-
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nausea and vomiting (R11)												
All ages	4	1	3	3	1	2	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	1	1	1	1	-	1	-	1	1	-	1
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Dysphagia (R13)												
All ages	51	15	36	46	13	33	5	2	3	5	2	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	7	3	4	7	3	4	-	-	-	-	-	-
80-84 years	12	5	7	9	4	5	3	1	2	3	1	2
85-89 years	11	2	9	10	2	8	1	-	1	1	-	1
90-94 years	10	3	7	9	2	7	1	1	-	1	1	-
95-99 years	9	1	8	9	1	8	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hepatomegaly and splenomegaly, not elsewhere classified (R16)												
All ages	4	2	2	3	2	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hepatomegaly, not elsewhere classified (R16.0)												
All ages	3	2	1	2	2	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Splenomegaly, not elsewhere classified (R16.1)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified jaundice (R17)												
All ages	6	2	4	5	2	3	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Ascites (R18)												
All ages	13	8	5	13	8	5	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	5	3	2	5	3	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other symptoms and signs involving the digestive system and abdomen (R19)												
All ages	197	48	149	183	47	136	14	1	13	14	1	13
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years	5	1	4	3	1	2	2	-	2	2	-	2
70-74 years	11	3	8	11	3	8	-	-	-	-	-	-
75-79 years	26	3	23	25	3	22	1	-	1	1	-	1
80-84 years	36	13	23	33	13	20	3	-	3	3	-	3
85-89 years	47	14	33	42	13	29	5	1	4	5	1	4
90-94 years	42	7	35	40	7	33	2	-	2	2	-	2
95-99 years	14	2	12	14	2	12	-	-	-	-	-	-
100 yrs & over	6	-	6	6	-	6	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Intra-abdominal and pelvic swelling, mass, and lump (R19.0)												
All ages	34	4	30	32	4	28	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	5	1	4	5	1	4	-	-	-	-	-	-
80-84 years	4	-	4	3	-	3	1	-	1	1	-	1
85-89 years	8	1	7	8	1	7	-	-	-	-	-	-
90-94 years	8	2	6	7	2	5	1	-	1	1	-	1
95-99 years	5	-	5	5	-	5	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified symptoms and signs involving the digestive system and abdomen (R19.8)												
All ages	163	44	119	151	43	108	12	1	11	12	1	11
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	5	1	4	3	1	2	2	-	2	2	-	2
70-74 years	10	3	7	10	3	7	-	-	-	-	-	-
75-79 years	21	2	19	20	2	18	1	-	1	1	-	1
80-84 years	32	13	19	30	13	17	2	-	2	2	-	2
85-89 years	39	13	26	34	12	22	5	1	4	5	1	4
90-94 years	34	5	29	33	5	28	1	-	1	1	-	1
95-99 years	9	2	7	9	2	7	-	-	-	-	-	-
100 yrs & over	4	-	4	4	-	4	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Localized swelling, mass, and lump of skin and subcutaneous tissue (R22)												
All ages	16	6	10	13	5	8	3	1	2	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	1	1	1	-	1	1	1	-	1	1	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	3	1	2	2	1	1	1	-	1	1	-	1
75-79 years	3	-	3	2	-	2	1	-	1	1	-	1
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Localized swelling, mass, and lump, neck (R22.1)												
All ages	6	2	4	5	2	3	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	2	-	2	1	-	1	1	-	1	1	-	1
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Localized swelling, mass, and lump, trunk (R22.2)												
All ages	10	4	6	8	3	5	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	1	1	1	-	1	1	1	-	1	1	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other lack of coordination (R27)												
All ages	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Ataxia, unspecified (R27.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other and unspecified lack of coordination (R27.8)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other symptoms and signs involving the nervous and musculoskeletal systems (R29)												
All ages	42	26	16	34	22	12	8	4	4	6	3	3
Under 1 year	3	1	2	2	1	1	1	-	1	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years	4	3	1	1	1	-	3	2	1	2	1	1
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	3	2	1	1	1	-	2	1	1	2	1	1
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	4	2	2	4	2	2	-	-	-	-	-	-
70-74 years	3	3	-	2	2	-	1	1	-	1	1	-
75-79 years	5	1	4	5	1	4	-	-	-	-	-	-
80-84 years	4	3	1	4	3	1	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other and unspecified symptoms and signs involving the nervous and musculoskeletal systems (R29.8)												
All ages	42	26	16	34	22	12	8	4	4	6	3	3
Under 1 year	3	1	2	2	1	1	1	-	1	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years	4	3	1	1	1	-	3	2	1	2	1	1
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	3	2	1	1	1	-	2	1	1	2	1	1
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	4	2	2	4	2	2	-	-	-	-	-	-
70-74 years	3	3	-	2	2	-	1	1	-	1	1	-
75-79 years	5	1	4	5	1	4	-	-	-	-	-	-
80-84 years	4	3	1	4	3	1	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified hematuria (R31)												
All ages	4	2	2	3	1	2	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Retention of urine (R33)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Anuria and oliguria (R34)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Somnolence, stupor, and coma (R40)												
All ages	20	11	9	19	10	9	1	1	-	1	1	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	5	3	2	4	2	2	1	1	-	1	1	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Coma, unspecified (R40.2)												
All ages	20	11	9	19	10	9	1	1	-	1	1	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	5	3	2	4	2	2	1	1	-	1	1	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other symptoms and signs involving cognitive functions and awareness (R41)												
All ages	5	2	3	5	2	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Disorientation, unspecified (R41.0)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other and unspecified symptoms and signs involving cognitive functions and awareness (R41.8)															
All ages	4	2	2	4	2	2	-	-	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Speech disturbances, not elsewhere classified (R47)															
All ages	8	2	6	7	2	5	1	-	1	1	-	1			
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-			
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1			
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-			
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-			
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-			
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-			
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-			
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-			
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-			
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-			
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Dysphasia and aphasia (R47.0)												
All ages	7	2	5	6	2	4	1	-	1	1	-	1
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Dysarthria and anarthria (R47.1)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Dyslexia and other symbolic dysfunctions, not elsewhere classified (R48)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Apraxia (R48.2)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Fever of unknown origin (R50)												
All ages	47	25	22	42	22	20	5	3	2	3	1	2
Under 1 year	2	-	2	1	-	1	1	-	1	1	-	1
1-4 years	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	10	6	4	9	5	4	1	1	-	-	-	-
75-79 years	6	3	3	6	3	3	-	-	-	-	-	-
80-84 years	5	3	2	5	3	2	-	-	-	-	-	-
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	3	-	3	2	-	2	1	-	1	1	-	1
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Fever, unspecified (R50.9)												
All ages	47	25	22	42	22	20	5	3	2	3	1	2
Under 1 year	2	-	2	1	-	1	1	-	1	1	-	1
1-4 years	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	10	6	4	9	5	4	1	1	-	-	-	-
75-79 years	6	3	3	6	3	3	-	-	-	-	-	-
80-84 years	5	3	2	5	3	2	-	-	-	-	-	-
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	3	-	3	2	-	2	1	-	1	1	-	1
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Headache (R51)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pain, not elsewhere classified (R52)												
All ages	7	2	5	6	2	4	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other chronic pain (R52.2)												
All ages	5	1	4	4	1	3	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pain, unspecified (R52.9)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Malaise and fatigue (R53)												
All ages	429	105	324	388	98	290	41	7	34	34	6	28
Under 1 year	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	5	3	2	2	1	1	3	2	1	3	2	1
65-69 years	6	3	3	4	2	2	2	1	1	2	1	1
70-74 years	6	2	4	6	2	4	-	-	-	-	-	-
75-79 years	28	11	17	24	10	14	4	1	3	3	1	2
80-84 years	57	16	41	50	16	34	7	-	7	5	-	5
85-89 years	98	23	75	91	22	69	7	1	6	6	1	5
90-94 years	121	27	94	114	27	87	7	-	7	7	-	7
95-99 years	73	14	59	68	13	55	5	1	4	4	-	4
100 yrs & over	30	4	26	26	3	23	4	1	3	2	1	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Senility (R54)												
All ages	4,189	1,154	3,035	3,872	1,061	2,811	317	93	224	275	83	192
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	3	3	-	-	-	-	3	3	-	3	3	-
55-59 years	6	4	2	4	3	1	2	1	1	2	1	1
60-64 years	13	6	7	9	4	5	4	2	2	3	2	1
65-69 years	36	21	15	23	16	7	13	5	8	12	4	8
70-74 years	118	57	61	108	54	54	10	3	7	7	1	6
75-79 years	245	99	146	221	92	129	24	7	17	23	7	16
80-84 years	554	220	334	512	205	307	42	15	27	40	14	26
85-89 years	834	251	583	793	235	558	41	16	25	35	15	20
90-94 years	1,152	260	892	1,072	238	834	80	22	58	67	18	49
95-99 years	846	179	667	783	167	616	63	12	51	54	11	43
100 yrs & over	381	53	328	346	46	300	35	7	28	29	7	22
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Syncope and collapse (R55)												
All ages	29	16	13	25	13	12	4	3	1	4	3	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	5	3	2	4	2	2	1	1	-	1	1	-
80-84 years	4	1	3	4	1	3	-	-	-	-	-	-
85-89 years	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions, not elsewhere classified (R56)												
All ages	1,095	661	434	758	439	319	337	222	115	316	208	108
Under 1 year	5	2	3	4	2	2	1	-	1	1	-	1
1-4 years	19	14	5	14	11	3	5	3	2	3	3	-
5-9 years	15	7	8	11	3	8	4	4	-	4	4	-
10-14 years	23	14	9	16	10	6	7	4	3	6	3	3
15-19 years	43	32	11	29	21	8	14	11	3	12	9	3
20-24 years	87	56	31	57	33	24	30	23	7	30	23	7
25-29 years	82	51	31	55	38	17	27	13	14	26	13	13
30-34 years	98	62	36	74	45	29	24	17	7	20	13	7
35-39 years	129	84	45	88	55	33	41	29	12	38	27	11
40-44 years	145	88	57	100	58	42	45	30	15	44	29	15
45-49 years	146	98	48	109	73	36	37	25	12	36	24	12
50-54 years	72	43	29	42	25	17	30	18	12	27	16	11
55-59 years	50	30	20	34	18	16	16	12	4	16	12	4
60-64 years	34	22	12	21	11	10	13	11	2	13	11	2
65-69 years	29	11	18	20	5	15	9	6	3	8	5	3
70-74 years	22	9	13	14	4	10	8	5	3	8	5	3
75-79 years	35	15	20	25	10	15	10	5	5	9	5	4
80-84 years	22	7	15	18	5	13	4	2	2	3	2	1
85-89 years	20	9	11	12	5	7	8	4	4	8	4	4
90-94 years	7	4	3	5	4	1	2	-	2	2	-	2
95-99 years	10	3	7	9	3	6	1	-	1	1	-	1
100 yrs & over	2	-	2	1	-	1	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Febrile convulsions (R56.0)												
All ages	4	3	1	3	3	-	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	1	1	1	1	-	1	-	1	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified convulsions (R56.8)												
All ages	1,091	658	433	755	436	319	336	222	114	316	208	108
Under 1 year	5	2	3	4	2	2	1	-	1	1	-	1
1-4 years	17	13	4	13	10	3	4	3	1	3	3	-
5-9 years	14	6	8	10	2	8	4	4	-	4	4	-
10-14 years	23	14	9	16	10	6	7	4	3	6	3	3
15-19 years	42	31	11	28	20	8	14	11	3	12	9	3
20-24 years	87	56	31	57	33	24	30	23	7	30	23	7
25-29 years	82	51	31	55	38	17	27	13	14	26	13	13
30-34 years	98	62	36	74	45	29	24	17	7	20	13	7
35-39 years	129	84	45	88	55	33	41	29	12	38	27	11
40-44 years	145	88	57	100	58	42	45	30	15	44	29	15
45-49 years	146	98	48	109	73	36	37	25	12	36	24	12
50-54 years	72	43	29	42	25	17	30	18	12	27	16	11
55-59 years	50	30	20	34	18	16	16	12	4	16	12	4
60-64 years	34	22	12	21	11	10	13	11	2	13	11	2
65-69 years	29	11	18	20	5	15	9	6	3	8	5	3
70-74 years	22	9	13	14	4	10	8	5	3	8	5	3
75-79 years	35	15	20	25	10	15	10	5	5	9	5	4
80-84 years	22	7	15	18	5	13	4	2	2	3	2	1
85-89 years	20	9	11	12	5	7	8	4	4	8	4	4
90-94 years	7	4	3	5	4	1	2	-	2	2	-	2
95-99 years	10	3	7	9	3	6	1	-	1	1	-	1
100 yrs & over	2	-	2	1	-	1	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Shock, not elsewhere classified (R57)												
All ages	773	366	407	645	299	346	128	67	61	122	61	61
Under 1 year	16	15	1	12	11	1	4	4	-	4	4	-
1-4 years	4	3	1	1	1	-	3	2	1	3	2	1
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	4	3	1	3	2	1	1	1	-	-	-	-
20-24 years	7	1	6	3	1	2	4	-	4	4	-	4
25-29 years	6	4	2	5	3	2	1	1	-	1	1	-
30-34 years	7	2	5	6	1	5	1	1	-	1	1	-
35-39 years	9	4	5	9	4	5	-	-	-	-	-	-
40-44 years	16	11	5	13	10	3	3	1	2	3	1	2
45-49 years	17	12	5	12	8	4	5	4	1	5	4	1
50-54 years	35	23	12	19	12	7	16	11	5	14	9	5
55-59 years	36	24	12	29	18	11	7	6	1	6	5	1
60-64 years	39	24	15	29	17	12	10	7	3	10	7	3
65-69 years	58	34	24	45	26	19	13	8	5	13	8	5
70-74 years	85	37	48	68	31	37	17	6	11	16	5	11
75-79 years	129	64	65	114	58	56	15	6	9	14	5	9
80-84 years	128	55	73	117	50	67	11	5	6	11	5	6
85-89 years	89	29	60	80	27	53	9	2	7	9	2	7
90-94 years	58	12	46	53	12	41	5	-	5	5	-	5
95-99 years	21	4	17	19	3	16	2	1	1	2	1	1
100 yrs & over	7	3	4	7	3	4	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Cardiogenic shock (R57.0)												
All ages	450	219	231	370	178	192	80	41	39	75	36	39
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	7	4	3	6	4	2	1	-	1	1	-	1
45-49 years	11	7	4	6	3	3	5	4	1	5	4	1
50-54 years	17	10	7	10	5	5	7	5	2	5	3	2
55-59 years	24	15	9	22	13	9	2	2	-	1	1	-
60-64 years	30	18	12	21	12	9	9	6	3	9	6	3
65-69 years	42	27	15	33	21	12	9	6	3	9	6	3
70-74 years	53	27	26	38	21	17	15	6	9	14	5	9
75-79 years	80	44	36	68	39	29	12	5	7	11	4	7
80-84 years	77	34	43	69	30	39	8	4	4	8	4	4
85-89 years	53	19	34	45	17	28	8	2	6	8	2	6
90-94 years	33	8	25	31	8	23	2	-	2	2	-	2
95-99 years	13	2	11	11	1	10	2	1	1	2	1	1
100 yrs & over	4	2	2	4	2	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hypovolemic shock (R57.1)												
All ages	21	8	13	18	6	12	3	2	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	3	-	3	3	-	3	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	8	4	4	7	3	4	1	1	-	1	1	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other shock (R57.8)												
All ages	34	14	20	30	11	19	4	3	1	4	3	1
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	1	1	1	-	1	1	1	-	1	1	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	6	1	5	5	1	4	1	-	1	1	-	1
75-79 years	6	4	2	6	4	2	-	-	-	-	-	-
80-84 years	6	2	4	5	1	4	1	1	-	1	1	-
85-89 years	6	2	4	6	2	4	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Shock, unspecified (R57.9)												
All ages	268	125	143	227	104	123	41	21	20	40	20	20
Under 1 year	14	13	1	10	9	1	4	4	-	4	4	-
1-4 years	4	3	1	1	1	-	3	2	1	3	2	1
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	3	3	-	2	2	-	1	1	-	-	-	-
20-24 years	5	1	4	2	1	1	3	-	3	3	-	3
25-29 years	5	3	2	4	2	2	1	1	-	1	1	-
30-34 years	5	2	3	4	1	3	1	1	-	1	1	-
35-39 years	7	3	4	7	3	4	-	-	-	-	-	-
40-44 years	9	7	2	7	6	1	2	1	1	2	1	1
45-49 years	5	5	-	5	5	-	-	-	-	-	-	-
50-54 years	14	10	4	7	6	1	7	4	3	7	4	3
55-59 years	11	8	3	7	5	2	4	3	1	4	3	1
60-64 years	9	6	3	8	5	3	1	1	-	1	1	-
65-69 years	11	7	4	7	5	2	4	2	2	4	2	2
70-74 years	24	8	16	23	8	15	1	-	1	1	-	1
75-79 years	35	12	23	33	12	21	2	-	2	2	-	2
80-84 years	43	18	25	41	18	23	2	-	2	2	-	2
85-89 years	29	8	21	28	8	20	1	-	1	1	-	1
90-94 years	22	3	19	19	3	16	3	-	3	3	-	3
95-99 years	8	2	6	8	2	6	-	-	-	-	-	-
100 yrs & over	3	1	2	3	1	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhage, not elsewhere classified (R58)												
All ages	239	90	149	201	73	128	38	17	21	28	14	14
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	1	1	1	1	-	1	-	1	1	-	1
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	7	3	4	4	2	2	3	1	2	2	1	1
45-49 years	6	2	4	5	1	4	1	1	-	1	1	-
50-54 years	20	10	10	17	8	9	3	2	1	3	2	1
55-59 years	9	4	5	7	4	3	2	-	2	-	-	-
60-64 years	18	12	6	13	7	6	5	5	-	5	5	-
65-69 years	18	7	11	13	5	8	5	2	3	5	2	3
70-74 years	31	11	20	26	9	17	5	2	3	5	2	3
75-79 years	51	15	36	44	13	31	7	2	5	3	-	3
80-84 years	42	15	27	37	13	24	5	2	3	2	1	1
85-89 years	18	6	12	18	6	12	-	-	-	-	-	-
90-94 years	10	1	9	9	1	8	1	-	1	1	-	1
95-99 years	4	1	3	4	1	3	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Enlarged lymph nodes (R59)												
All ages	4	2	2	4	2	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Generalized enlarged lymph nodes (R59.1)												
All ages	4	2	2	4	2	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Edema, not elsewhere classified (R60)												
All ages	7	-	7	7	-	7	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Localized edema (R60.0)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Generalized edema (R60.1)												
All ages	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Edema, unspecified (R60.9)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Lack of expected normal physiological development (R62)												
All ages	1,127	269	858	1,035	246	789	92	23	69	82	21	61
Under 1 year	4	3	1	2	2	-	2	1	1	2	1	1
1-4 years	3	-	3	1	-	1	2	-	2	2	-	2
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	12	4	8	8	1	7	4	3	1	4	3	1
70-74 years	23	8	15	21	6	15	2	2	-	2	2	-
75-79 years	91	33	58	81	29	52	10	4	6	10	4	6
80-84 years	174	51	123	153	46	107	21	5	16	19	5	14
85-89 years	267	62	205	247	58	189	20	4	16	14	2	12
90-94 years	307	66	241	290	63	227	17	3	14	16	3	13
95-99 years	169	29	140	158	28	130	11	1	10	10	1	9
100 yrs & over	65	7	58	63	7	56	2	-	2	2	-	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other lack of expected normal physiological development (R62.8)												
All ages	1,126	268	858	1,034	245	789	92	23	69	82	21	61
Under 1 year	4	3	1	2	2	-	2	1	1	2	1	1
1-4 years	3	-	3	1	-	1	2	-	2	2	-	2
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	12	4	8	8	1	7	4	3	1	4	3	1
70-74 years	23	8	15	21	6	15	2	2	-	2	2	-
75-79 years	91	33	58	81	29	52	10	4	6	10	4	6
80-84 years	174	51	123	153	46	107	21	5	16	19	5	14
85-89 years	267	62	205	247	58	189	20	4	16	14	2	12
90-94 years	307	66	241	290	63	227	17	3	14	16	3	13
95-99 years	169	29	140	158	28	130	11	1	10	10	1	9
100 yrs & over	65	7	58	63	7	56	2	-	2	2	-	2
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Lack of expected normal physiological development, unspecified (R62.9)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms and signs concerning food and fluid intake (R63)												
All ages	97	22	75	92	21	71	5	1	4	5	1	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	6	2	4	4	1	3	2	1	1	2	1	1
75-79 years	10	2	8	10	2	8	-	-	-	-	-	-
80-84 years	16	3	13	15	3	12	1	-	1	1	-	1
85-89 years	26	7	19	24	7	17	2	-	2	2	-	2
90-94 years	18	4	14	18	4	14	-	-	-	-	-	-
95-99 years	12	1	11	12	1	11	-	-	-	-	-	-
100 yrs & over	3	-	3	3	-	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Anorexia (R63.0)												
All ages	84	18	66	79	17	62	5	1	4	5	1	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	6	2	4	4	1	3	2	1	1	2	1	1
75-79 years	9	2	7	9	2	7	-	-	-	-	-	-
80-84 years	13	2	11	12	2	10	1	-	1	1	-	1
85-89 years	23	6	17	21	6	15	2	-	2	2	-	2
90-94 years	16	4	12	16	4	12	-	-	-	-	-	-
95-99 years	10	1	9	10	1	9	-	-	-	-	-	-
100 yrs & over	3	-	3	3	-	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Feeding difficulties and mismanagement (R63.3)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Abnormal weight loss (R63.4)												
All ages	10	4	6	10	4	6	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other symptoms and signs concerning food and fluid intake (R63.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cachexia (R64)												
All ages	354	106	248	324	96	228	30	10	20	26	9	17
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	3	3	-	1	1	-	2	2	-	2	2	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	4	2	2	3	1	2	1	1	-	1	1	-
65-69 years	4	3	1	2	2	-	2	1	1	2	1	1
70-74 years	19	9	10	13	7	6	6	2	4	6	2	4
75-79 years	25	8	17	22	8	14	3	-	3	2	-	2
80-84 years	58	23	35	53	21	32	5	2	3	4	1	3
85-89 years	85	24	61	81	23	58	4	1	3	3	1	2
90-94 years	82	18	64	80	18	62	2	-	2	2	-	2
95-99 years	45	9	36	44	9	35	1	-	1	1	-	1
100 yrs & over	20	1	19	18	1	17	2	-	2	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other general symptoms and signs (R68)												
All ages	95	34	61	85	29	56	10	5	5	6	3	3
Under 1 year	5	1	4	3	1	2	2	-	2	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	5	5	-	4	4	-	1	1	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years	3	-	3	3	-	3	-	-	-	-	-	-
60-64 years	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	6	2	4	5	2	3	1	-	1	1	-	1
75-79 years	10	5	5	9	4	5	1	1	-	1	1	-
80-84 years	15	5	10	15	5	10	-	-	-	-	-	-
85-89 years	12	6	6	9	3	6	3	3	-	2	2	-
90-94 years	17	1	16	15	1	14	2	-	2	1	-	1
95-99 years	7	1	6	7	1	6	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified general symptoms and signs (R68.8)												
All ages	95	34	61	85	29	56	10	5	5	6	3	3
Under 1 year	5	1	4	3	1	2	2	-	2	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	5	5	-	4	4	-	1	1	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years	3	-	3	3	-	3	-	-	-	-	-	-
60-64 years	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	6	2	4	5	2	3	1	-	1	1	-	1
75-79 years	10	5	5	9	4	5	1	1	-	1	1	-
80-84 years	15	5	10	15	5	10	-	-	-	-	-	-
85-89 years	12	6	6	9	3	6	3	3	-	2	2	-
90-94 years	17	1	16	15	1	14	2	-	2	1	-	1
95-99 years	7	1	6	7	1	6	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Elevated blood glucose level (R73)												
All ages	14	8	6	7	5	2	7	3	4	6	2	4
Under 1 year	4	3	1	3	2	1	1	1	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	2	-	2	-	-	-	2	-	2	2	-	2
85-89 years	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hyperglycemia, unspecified (R73.9)												
All ages	14	8	6	7	5	2	7	3	4	6	2	4
Under 1 year	4	3	1	3	2	1	1	1	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	2	-	2	-	-	-	2	-	2	2	-	2
85-89 years	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Laboratory evidence of human immunodeficiency virus [HIV] (R75)												
All ages	10	9	1	3	2	1	7	7	-	7	7	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	3	-	-	-	-	3	3	-	3	3	-
40-44 years	4	3	1	3	2	1	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Findings of drugs and other substances, not normally found in blood (R78)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Finding of alcohol in blood (R78.0)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other abnormal findings of blood chemistry (R79)												
All ages	15	8	7	14	7	7	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years	8	5	3	8	5	3	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified abnormal findings of blood chemistry (R79.8)												
All ages	15	8	7	14	7	7	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years	8	5	3	8	5	3	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Isolated proteinuria (R80)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Abnormal findings on diagnostic imaging of central nervous system (R90)												
All ages	9	2	7	5	2	3	4	-	4	3	-	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	1	-	1	-	-	-	1	-	1	-	-	-
85-89 years	2	-	2	1	-	1	1	-	1	1	-	1
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Intracranial space-occupying lesion (R90.0)												
All ages	9	2	7	5	2	3	4	-	4	3	-	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	1	-	1	-	-	-	1	-	1	-	-	-
85-89 years	2	-	2	1	-	1	1	-	1	1	-	1
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Abnormal findings on diagnostic imaging of lung (R91)												
All ages	130	58	72	105	42	63	25	16	9	24	16	8
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	-	-	-	2	1	1	2	1	1
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	5	3	2	1	-	1	4	3	1	4	3	1
55-59 years	3	2	1	1	1	-	2	1	1	2	1	1
60-64 years	9	6	3	4	2	2	5	4	1	5	4	1
65-69 years	5	1	4	4	-	4	1	1	-	1	1	-
70-74 years	11	6	5	9	4	5	2	2	-	2	2	-
75-79 years	21	11	10	21	11	10	-	-	-	-	-	-
80-84 years	24	8	16	21	6	15	3	2	1	3	2	1
85-89 years	23	10	13	21	10	11	2	-	2	1	-	1
90-94 years	16	4	12	14	4	10	2	-	2	2	-	2
95-99 years	8	5	3	7	4	3	1	1	-	1	1	-
100 yrs & over	2	1	1	1	-	1	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Abnormal results of function studies (R94)												
All ages	5	3	2	3	2	1	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	2	1	1	-	-	-	2	1	1	2	1	1
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Abnormal results of cardiovascular function studies (R94.3)												
All ages	5	3	2	3	2	1	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	2	1	1	-	-	-	2	1	1	2	1	1
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sudden infant death syndrome (R95)												
All ages	2,234	1,317	917	1,406	841	565	828	476	352	745	422	323
Under 1 year	2,234	1,317	917	1,406	841	565	828	476	352	745	422	323
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	...	...	...	...	...	...	...	...	...	...	...	...
10-14 years	...	...	...	...	...	...	...	...	...	...	...	...
15-19 years	...	...	...	...	...	...	...	...	...	...	...	...
20-24 years	...	...	...	...	...	...	...	...	...	...	...	...
25-29 years	...	...	...	...	...	...	...	...	...	...	...	...
30-34 years	...	...	...	...	...	...	...	...	...	...	...	...
35-39 years	...	...	...	...	...	...	...	...	...	...	...	...
40-44 years	...	...	...	...	...	...	...	...	...	...	...	...
45-49 years	...	...	...	...	...	...	...	...	...	...	...	...
50-54 years	...	...	...	...	...	...	...	...	...	...	...	...
55-59 years	...	...	...	...	...	...	...	...	...	...	...	...
60-64 years	...	...	...	...	...	...	...	...	...	...	...	...
65-69 years	...	...	...	...	...	...	...	...	...	...	...	...
70-74 years	...	...	...	...	...	...	...	...	...	...	...	...
75-79 years	...	...	...	...	...	...	...	...	...	...	...	...
80-84 years	...	...	...	...	...	...	...	...	...	...	...	...
85-89 years	...	...	...	...	...	...	...	...	...	...	...	...
90-94 years	...	...	...	...	...	...	...	...	...	...	...	...
95-99 years	...	...	...	...	...	...	...	...	...	...	...	...
100 yrs & over	...	...	...	...	...	...	...	...	...	...	...	...
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other sudden death, cause unknown (R96)												
All ages	336	162	174	282	134	148	54	28	26	47	21	26
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	24	15	9	15	7	8	9	8	1	7	6	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	5	1	4	4	1	3	1	-	1	1	-	1
30-34 years	4	1	3	3	-	3	1	1	-	1	1	-
35-39 years	11	6	5	5	3	2	6	3	3	4	1	3
40-44 years	12	5	7	10	4	6	2	1	1	2	1	1
45-49 years	10	8	2	6	6	-	4	2	2	4	2	2
50-54 years	17	11	6	12	8	4	5	3	2	5	3	2
55-59 years	14	10	4	12	8	4	2	2	-	1	1	-
60-64 years	19	8	11	16	6	10	3	2	1	3	2	1
65-69 years	23	14	9	22	13	9	1	1	-	-	-	-
70-74 years	36	23	13	32	22	10	4	1	3	4	1	3
75-79 years	33	15	18	28	14	14	5	1	4	5	1	4
80-84 years	39	15	24	34	13	21	5	2	3	5	2	3
85-89 years	48	16	32	45	15	30	3	1	2	2	-	2
90-94 years	25	8	17	23	8	15	2	-	2	2	-	2
95-99 years	12	4	8	11	4	7	1	-	1	1	-	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Instantaneous death (R96.0)															
All ages	335	161	174	281	133	148	54	28	26	47	21	26			
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...			
1-4 years	24	15	9	15	7	8	9	8	1	7	6	1			
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-			
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-			
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-			
25-29 years	5	1	4	4	1	3	1	-	1	1	-	1			
30-34 years	4	1	3	3	-	3	1	1	-	1	1	-			
35-39 years	11	6	5	5	3	2	6	3	3	4	1	3			
40-44 years	12	5	7	10	4	6	2	1	1	2	1	1			
45-49 years	10	8	2	6	6	-	4	2	2	4	2	2			
50-54 years	17	11	6	12	8	4	5	3	2	5	3	2			
55-59 years	14	10	4	12	8	4	2	2	-	1	1	-			
60-64 years	19	8	11	16	6	10	3	2	1	3	2	1			
65-69 years	23	14	9	22	13	9	1	1	-	-	-	-			
70-74 years	36	23	13	32	22	10	4	1	3	4	1	3			
75-79 years	33	15	18	28	14	14	5	1	4	5	1	4			
80-84 years	39	15	24	34	13	21	5	2	3	5	2	3			
85-89 years	47	15	32	44	14	30	3	1	2	2	-	2			
90-94 years	25	8	17	23	8	15	2	-	2	2	-	2			
95-99 years	12	4	8	11	4	7	1	-	1	1	-	1			
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			
Death occurring less than 24 hours from onset of symptoms, not otherwise explained (R96.1)															
All ages	1	1	-	1	1	-	-	-	-	-	-	-			
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-			
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-			
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-			
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unattended death (R98)												
All ages	33	24	9	28	20	8	5	4	1	4	4	-
Under 1 year	2	1	1	1	1	-	1	-	1	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	3	3	-	2	2	-	1	1	-	1	1	-
25-29 years	4	3	1	4	3	1	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	4	4	-	3	3	-	1	1	-	1	1	-
45-49 years	5	4	1	4	3	1	1	1	-	1	1	-
50-54 years	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	3	2	1	2	1	1	1	1	-	1	1	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other ill-defined and unspecified causes of mortality (R99)												
All ages	17,707	9,975	7,732	14,715	8,264	6,451	2,992	1,711	1,281	2,484	1,392	1,092
Under 1 year	1,183	675	508	772	443	329	411	232	179	345	195	150
1-4 years	205	124	81	142	83	59	63	41	22	50	31	19
5-9 years	54	31	23	34	17	17	20	14	6	14	10	4
10-14 years	70	34	36	46	24	22	24	10	14	16	8	8
15-19 years	299	204	95	245	167	78	54	37	17	39	27	12
20-24 years	479	338	141	389	277	112	90	61	29	72	49	23
25-29 years	550	394	156	443	328	115	107	66	41	88	53	35
30-34 years	737	505	232	585	408	177	152	97	55	120	69	51
35-39 years	1,182	765	417	958	621	337	224	144	80	181	108	73
40-44 years	1,498	961	537	1,249	824	425	249	137	112	210	111	99
45-49 years	1,637	1,061	576	1,335	877	458	302	184	118	264	157	107
50-54 years	1,373	911	462	1,118	753	365	255	158	97	220	130	90
55-59 years	958	612	346	788	498	290	170	114	56	146	100	46
60-64 years	823	532	291	684	443	241	139	89	50	110	76	34
65-69 years	820	482	338	686	403	283	134	79	55	110	67	43
70-74 years	873	488	385	751	425	326	122	63	59	100	54	46
75-79 years	1,068	538	530	950	482	468	118	56	62	102	48	54
80-84 years	1,136	517	619	1,015	462	553	121	55	66	99	42	57
85-89 years	1,129	393	736	1,044	361	683	85	32	53	66	24	42
90-94 years	905	205	700	840	190	650	65	15	50	56	12	44
95-99 years	446	101	345	409	92	317	37	9	28	32	7	25
100 yrs & over	167	26	141	144	25	119	23	1	22	22	1	21
Not stated	115	78	37	88	61	27	27	17	10	22	13	9

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Terrorism (homicide) (*U01) 1/												
All ages	2,922	2,220	702	2,461	1,927	534	461	293	168	279	165	114
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	3	1	2	2	1	1	1	-	1	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	3	2	1	-	-	-	3	2	1	3	2	1
15-19 years	2	2	-	1	1	-	1	1	-	-	-	-
20-24 years	114	75	39	92	63	29	22	12	10	10	5	5
25-29 years	328	235	93	271	201	70	57	34	23	29	18	11
30-34 years	494	384	110	412	327	85	82	57	25	40	28	12
35-39 years	554	451	103	467	399	68	87	52	35	61	34	27
40-44 years	494	388	106	419	341	78	75	47	28	45	26	19
45-49 years	366	274	92	314	241	73	52	33	19	36	20	16
50-54 years	263	199	64	222	168	54	41	31	10	28	18	10
55-59 years	169	124	45	148	112	36	21	12	9	14	7	7
60-64 years	80	51	29	66	41	25	14	10	4	8	5	3
65-69 years	28	20	8	26	20	6	2	-	2	2	-	2
70-74 years	14	10	4	12	9	3	2	1	1	2	1	1
75-79 years	6	3	3	5	2	3	1	1	-	1	1	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Terrorism involving destruction of aircraft (homicide) (*U01.1) 1/												
All ages	2,922	2,220	702	2,461	1,927	534	461	293	168	279	165	114
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	3	1	2	2	1	1	1	-	1	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	3	2	1	-	-	-	3	2	1	3	2	1
15-19 years	2	2	-	1	1	-	1	1	-	-	-	-
20-24 years	114	75	39	92	63	29	22	12	10	10	5	5
25-29 years	328	235	93	271	201	70	57	34	23	29	18	11
30-34 years	494	384	110	412	327	85	82	57	25	40	28	12
35-39 years	554	451	103	467	399	68	87	52	35	61	34	27
40-44 years	494	388	106	419	341	78	75	47	28	45	26	19
45-49 years	366	274	92	314	241	73	52	33	19	36	20	16
50-54 years	263	199	64	222	168	54	41	31	10	28	18	10
55-59 years	169	124	45	148	112	36	21	12	9	14	7	7
60-64 years	80	51	29	66	41	25	14	10	4	8	5	3
65-69 years	28	20	8	26	20	6	2	-	2	2	-	2
70-74 years	14	10	4	12	9	3	2	1	1	2	1	1
75-79 years	6	3	3	5	2	3	1	1	-	1	1	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Terrorism (suicide) (*U03) 1/												
All ages	4	4	-	4	4	-	-	-	-	-	-	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	4	-	4	4	-	-	-	-	-	-	-
Terrorism involving explosions and fragments (suicide) (*U03.0) 1/												
All ages	4	4	-	4	4	-	-	-	-	-	-	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	4	-	4	4	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pedestrian injured in collision with pedal cycle (V01)												
All ages	7	5	2	7	5	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Traffic accident (V01.1)												
All ages	6	5	1	6	5	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified whether traffic or nontraffic accident (V01.9)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pedestrian injured in collision with two- or three-wheeled motor vehicle (V02)												
All ages	28	22	6	19	14	5	9	8	1	6	5	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	3	2	1	3	2	1	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	3	3	-	1	1	-	2	2	-	2	2	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years	4	4	-	2	2	-	2	2	-	1	1	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	3	1	2	1	-	1	2	1	1	2	1	1
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	2	-	-	-	-	2	2	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Nontraffic accident (V02.0)												
All ages	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Traffic accident (V02.1)												
All ages	26	20	6	18	13	5	8	7	1	5	4	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	3	2	1	3	2	1	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	3	3	-	1	1	-	2	2	-	2	2	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years	2	2	-	1	1	-	1	1	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	3	1	2	1	-	1	2	1	1	2	1	1
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	2	-	-	-	-	2	2	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pedestrian injured in collision with car, pickup truck, or van (V03)												
All ages	3,209	2,216	993	2,480	1,725	755	729	491	238	560	388	172
Under 1 year	8	5	3	7	4	3	1	1	-	1	1	-
1-4 years	159	103	56	118	79	39	41	24	17	35	20	15
5-9 years	109	70	39	67	41	26	42	29	13	38	27	11
10-14 years	139	103	36	104	78	26	35	25	10	32	25	7
15-19 years	157	110	47	120	85	35	37	25	12	28	18	10
20-24 years	199	159	40	160	128	32	39	31	8	27	21	6
25-29 years	160	132	28	130	110	20	30	22	8	24	18	6
30-34 years	178	132	46	141	107	34	37	25	12	27	18	9
35-39 years	271	187	84	196	145	51	75	42	33	58	32	26
40-44 years	296	220	76	208	156	52	88	64	24	71	54	17
45-49 years	271	191	80	203	145	58	68	46	22	58	40	18
50-54 years	223	158	65	164	117	47	59	41	18	49	34	15
55-59 years	176	126	50	144	102	42	32	24	8	27	21	6
60-64 years	133	96	37	100	69	31	33	27	6	24	22	2
65-69 years	96	53	43	79	43	36	17	10	7	11	7	4
70-74 years	157	100	57	126	81	45	31	19	12	18	12	6
75-79 years	160	89	71	134	73	61	26	16	10	13	9	4
80-84 years	181	99	82	155	89	66	26	10	16	12	4	8
85-89 years	86	51	35	76	42	34	10	9	1	5	4	1
90-94 years	31	18	13	30	18	12	1	-	1	1	-	1
95-99 years	6	3	3	6	3	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	13	11	2	12	10	2	1	1	-	1	1	-
Nontraffic accident (V03.0)												
All ages	166	106	60	150	97	53	16	9	7	10	4	6
Under 1 year	3	3	-	3	3	-	-	-	-	-	-	-
1-4 years	35	21	14	30	18	12	5	3	2	3	1	2
5-9 years	5	2	3	5	2	3	-	-	-	-	-	-
10-14 years	3	2	1	3	2	1	-	-	-	-	-	-
15-19 years	3	2	1	3	2	1	-	-	-	-	-	-
20-24 years	4	3	1	4	3	1	-	-	-	-	-	-
25-29 years	8	6	2	8	6	2	-	-	-	-	-	-
30-34 years	8	7	1	8	7	1	-	-	-	-	-	-
35-39 years	10	10	-	10	10	-	-	-	-	-	-	-
40-44 years	7	2	5	6	2	4	1	-	1	-	-	-
45-49 years	6	2	4	3	2	1	3	-	3	3	-	3
50-54 years	9	7	2	7	6	1	2	1	1	1	-	1
55-59 years	9	4	5	7	2	5	2	2	-	2	2	-
60-64 years	9	6	3	8	5	3	1	1	-	1	1	-
65-69 years	6	4	2	5	3	2	1	1	-	-	-	-
70-74 years	5	3	2	5	3	2	-	-	-	-	-	-
75-79 years	12	6	6	11	5	6	1	1	-	-	-	-
80-84 years	16	9	7	16	9	7	-	-	-	-	-	-
85-89 years	6	6	-	6	6	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Traffic accident (V03.1)												
All ages	3,005	2,089	916	2,299	1,612	687	706	477	229	544	380	164
Under 1 year	5	2	3	4	1	3	1	1	-	1	1	-
1-4 years	119	80	39	83	59	24	36	21	15	32	19	13
5-9 years	103	67	36	61	38	23	42	29	13	38	27	11
10-14 years	133	99	34	99	75	24	34	24	10	31	24	7
15-19 years	153	107	46	116	82	34	37	25	12	28	18	10
20-24 years	191	152	39	153	122	31	38	30	8	26	20	6
25-29 years	151	125	26	121	103	18	30	22	8	24	18	6
30-34 years	169	125	44	132	100	32	37	25	12	27	18	9
35-39 years	260	176	84	186	135	51	74	41	33	57	31	26
40-44 years	285	214	71	200	152	48	85	62	23	70	53	17
45-49 years	262	188	74	198	142	56	64	46	18	54	40	14
50-54 years	212	150	62	155	110	45	57	40	17	48	34	14
55-59 years	162	120	42	133	98	35	29	22	7	24	19	5
60-64 years	123	90	33	91	64	27	32	26	6	23	21	2
65-69 years	90	49	41	74	40	34	16	9	7	11	7	4
70-74 years	151	97	54	120	78	42	31	19	12	18	12	6
75-79 years	145	83	62	120	68	52	25	15	10	13	9	4
80-84 years	163	89	74	137	79	58	26	10	16	12	4	8
85-89 years	80	45	35	70	36	34	10	9	1	5	4	1
90-94 years	30	17	13	29	17	12	1	-	1	1	-	1
95-99 years	5	3	2	5	3	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	13	11	2	12	10	2	1	1	-	1	1	-
Unspecified whether traffic or nontraffic accident (V03.9)												
All ages	38	21	17	31	16	15	7	5	2	6	4	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	5	2	3	5	2	3	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	3	2	1	2	1	1	1	1	-	1	1	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	4	4	-	3	3	-	1	1	-	1	1	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	4	4	-	2	2	-	2	2	-	1	1	-
45-49 years	3	1	2	2	1	1	1	-	1	1	-	1
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	5	2	3	4	2	2	1	-	1	1	-	1
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pedestrian injured in collision with heavy transport vehicle or bus (V04)												
All ages	320	231	89	245	180	65	75	51	24	52	36	16
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	11	9	2	7	6	1	4	3	1	2	1	1
5-9 years	11	11	-	7	7	-	4	4	-	4	4	-
10-14 years	7	5	2	6	4	2	1	1	-	-	-	-
15-19 years	19	15	4	14	12	2	5	3	2	5	3	2
20-24 years	23	19	4	19	16	3	4	3	1	3	2	1
25-29 years	21	19	2	17	15	2	4	4	-	2	2	-
30-34 years	25	19	6	16	13	3	9	6	3	6	4	2
35-39 years	29	21	8	23	16	7	6	5	1	6	5	1
40-44 years	32	26	6	24	20	4	8	6	2	5	3	2
45-49 years	25	17	8	20	14	6	5	3	2	4	2	2
50-54 years	22	12	10	17	10	7	5	2	3	4	2	2
55-59 years	17	10	7	16	9	7	1	1	-	1	1	-
60-64 years	14	10	4	10	7	3	4	3	1	4	3	1
65-69 years	12	8	4	11	7	4	1	1	-	1	1	-
70-74 years	15	11	4	12	9	3	3	2	1	1	1	-
75-79 years	16	9	7	12	7	5	4	2	2	2	2	-
80-84 years	14	9	5	10	7	3	4	2	2	-	-	-
85-89 years	4	1	3	2	1	1	2	-	2	1	-	1
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	1	-	-	-	1	-	1	1	-	1
Nontraffic accident (V04.0)												
All ages	37	28	9	31	23	8	6	5	1	5	4	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	3	2	1	2	2	-	1	-	1	1	-	1
5-9 years	4	4	-	3	3	-	1	1	-	1	1	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	3	2	1	2	1	1	1	1	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	3	2	1	1	-	1	2	2	-	2	2	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Traffic accident (V04.1)												
All ages	273	193	80	204	147	57	69	46	23	47	32	15
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	6	5	1	3	2	1	3	3	-	1	1	-
5-9 years	7	7	-	4	4	-	3	3	-	3	3	-
10-14 years	6	4	2	5	3	2	1	1	-	-	-	-
15-19 years	17	13	4	12	10	2	5	3	2	5	3	2
20-24 years	22	18	4	19	16	3	3	2	1	2	1	1
25-29 years	17	16	1	13	12	1	4	4	-	2	2	-
30-34 years	20	15	5	12	10	2	8	5	3	6	4	2
35-39 years	27	20	7	21	15	6	6	5	1	6	5	1
40-44 years	29	23	6	21	17	4	8	6	2	5	3	2
45-49 years	24	16	8	19	13	6	5	3	2	4	2	2
50-54 years	17	8	9	12	6	6	5	2	3	4	2	2
55-59 years	15	8	7	14	7	7	1	1	-	1	1	-
60-64 years	11	8	3	9	7	2	2	1	1	2	1	1
65-69 years	11	7	4	10	6	4	1	1	-	1	1	-
70-74 years	12	8	4	9	6	3	3	2	1	1	1	-
75-79 years	13	7	6	9	5	4	4	2	2	2	2	-
80-84 years	13	9	4	9	7	2	4	2	2	-	-	-
85-89 years	4	1	3	2	1	1	2	-	2	1	-	1
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	1	-	-	-	1	-	1	1	-	1
Unspecified whether traffic or nontraffic accident (V04.9)												
All ages	10	10	-	10	10	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pedestrian injured in collision with railway train or railway vehicle (V05)												
All ages	460	388	72	361	303	58	99	85	14	80	69	11
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	2	-	1	1	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	15	10	5	10	6	4	5	4	1	5	4	1
15-19 years	35	28	7	26	21	5	9	7	2	8	6	2
20-24 years	36	28	8	32	25	7	4	3	1	2	1	1
25-29 years	44	40	4	39	37	2	5	3	2	3	2	1
30-34 years	44	41	3	32	31	1	12	10	2	8	7	1
35-39 years	55	49	6	41	36	5	14	13	1	10	10	-
40-44 years	57	49	8	45	38	7	12	11	1	12	11	1
45-49 years	49	44	5	34	30	4	15	14	1	12	11	1
50-54 years	38	32	6	33	27	6	5	5	-	4	4	-
55-59 years	20	18	2	17	15	2	3	3	-	3	3	-
60-64 years	18	13	5	12	10	2	6	3	3	6	3	3
65-69 years	6	6	-	5	5	-	1	1	-	1	1	-
70-74 years	11	8	3	9	6	3	2	2	-	2	2	-
75-79 years	11	10	1	10	9	1	1	1	-	1	1	-
80-84 years	7	2	5	5	-	5	2	2	-	-	-	-
85-89 years	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	8	8	-	6	6	-	2	2	-	2	2	-
Nontraffic accident (V05.0)												
All ages	179	148	31	144	120	24	35	28	7	30	24	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	8	6	2	3	2	1	5	4	1	5	4	1
15-19 years	15	12	3	11	9	2	4	3	1	4	3	1
20-24 years	16	11	5	14	10	4	2	1	1	2	1	1
25-29 years	17	15	2	15	14	1	2	1	1	2	1	1
30-34 years	16	15	1	13	13	-	3	2	1	2	2	-
35-39 years	24	24	-	15	15	-	9	9	-	7	7	-
40-44 years	22	19	3	20	17	3	2	2	-	2	2	-
45-49 years	12	10	2	9	8	1	3	2	1	1	-	1
50-54 years	17	14	3	17	14	3	-	-	-	-	-	-
55-59 years	6	4	2	5	3	2	1	1	-	1	1	-
60-64 years	8	5	3	6	4	2	2	1	1	2	1	1
65-69 years	3	3	-	2	2	-	1	1	-	1	1	-
70-74 years	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years	4	4	-	4	4	-	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	4	-	3	3	-	1	1	-	1	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Traffic accident (V05.1)												
All ages	69	57	12	51	41	10	18	16	2	16	15	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	8	7	1	4	4	-	4	3	1	4	3	1
20-24 years	5	4	1	5	4	1	-	-	-	-	-	-
25-29 years	3	3	-	2	2	-	1	1	-	1	1	-
30-34 years	4	4	-	4	4	-	-	-	-	-	-	-
35-39 years	7	5	2	6	5	1	1	-	1	-	-	-
40-44 years	8	5	3	7	4	3	1	1	-	1	1	-
45-49 years	7	6	1	5	4	1	2	2	-	2	2	-
50-54 years	6	5	1	5	4	1	1	1	-	1	1	-
55-59 years	4	4	-	2	2	-	2	2	-	2	2	-
60-64 years	3	3	-	2	2	-	1	1	-	1	1	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	4	4	-	2	2	-	2	2	-	2	2	-
75-79 years	3	3	-	2	2	-	1	1	-	1	1	-
80-84 years	1	1	-	-	-	-	1	1	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	1	1	-	1	1	-
Unspecified whether traffic or nontraffic accident (V05.9)												
All ages	212	183	29	166	142	24	46	41	5	34	30	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	5	3	2	5	3	2	-	-	-	-	-	-
15-19 years	12	9	3	11	8	3	1	1	-	-	-	-
20-24 years	15	13	2	13	11	2	2	2	-	-	-	-
25-29 years	24	22	2	22	21	1	2	1	1	-	-	-
30-34 years	24	22	2	15	14	1	9	8	1	6	5	1
35-39 years	24	20	4	20	16	4	4	4	-	3	3	-
40-44 years	27	25	2	18	17	1	9	8	1	9	8	1
45-49 years	30	28	2	20	18	2	10	10	-	9	9	-
50-54 years	15	13	2	11	9	2	4	4	-	3	3	-
55-59 years	10	10	-	10	10	-	-	-	-	-	-	-
60-64 years	7	5	2	4	4	-	3	1	2	3	1	2
65-69 years	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years	4	3	1	4	3	1	-	-	-	-	-	-
80-84 years	4	1	3	3	-	3	1	1	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	3	-	3	3	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pedestrian injured in collision with other nonmotor vehicle (V06)												
All ages	8	7	1	7	6	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nontraffic accident (V06.0)												
All ages	5	5	-	4	4	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Traffic accident (V06.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified whether traffic or nontraffic accident (V06.9)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pedestrian injured in other and unspecified transport accidents (V09)												
All ages	2,039	1,418	621	1,508	1,036	472	531	382	149	402	296	106
Under 1 year	2	1	1	1	1	-	1	-	1	-	-	-
1-4 years	76	54	22	60	42	18	16	12	4	11	8	3
5-9 years	57	36	21	26	16	10	31	20	11	30	20	10
10-14 years	68	41	27	40	22	18	28	19	9	25	18	7
15-19 years	109	81	28	86	68	18	23	13	10	16	8	8
20-24 years	131	100	31	95	74	21	36	26	10	24	17	7
25-29 years	116	88	28	86	64	22	30	24	6	21	17	4
30-34 years	111	80	31	87	63	24	24	17	7	19	13	6
35-39 years	179	138	41	131	99	32	48	39	9	33	26	7
40-44 years	192	138	54	128	90	38	64	48	16	55	40	15
45-49 years	181	135	46	114	84	30	67	51	16	59	48	11
50-54 years	141	107	34	103	81	22	38	26	12	30	21	9
55-59 years	119	86	33	93	64	29	26	22	4	17	16	1
60-64 years	92	65	27	66	49	17	26	16	10	20	14	6
65-69 years	97	66	31	72	50	22	25	16	9	18	12	6
70-74 years	86	51	35	72	42	30	14	9	5	8	5	3
75-79 years	99	50	49	87	43	44	12	7	5	7	5	2
80-84 years	95	52	43	85	44	41	10	8	2	4	4	-
85-89 years	56	28	28	50	23	27	6	5	1	1	1	-
90-94 years	16	9	7	13	7	6	3	2	1	1	1	-
95-99 years	6	3	3	5	3	2	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	10	9	1	8	7	1	2	2	-	2	2	-
Pedestrian injured in nontraffic accident involving other and unspecified motor vehicles (V09.0)												
All ages	82	58	24	65	44	21	17	14	3	9	6	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	17	14	3	12	9	3	5	5	-	1	1	-
5-9 years	4	2	2	3	2	1	1	-	1	1	-	1
10-14 years	2	2	-	1	1	-	1	1	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	6	5	1	4	4	-	2	1	1	1	-	1
25-29 years	4	3	1	4	3	1	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	6	2	4	5	2	3	1	-	1	1	-	1
45-49 years	5	5	-	4	4	-	1	1	-	1	1	-
50-54 years	6	5	1	5	4	1	1	1	-	1	1	-
55-59 years	9	6	3	7	4	3	2	2	-	2	2	-
60-64 years	7	6	1	6	5	1	1	1	-	1	1	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	5	3	2	3	1	2	2	2	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pedestrian injured in unspecified nontraffic accident (V09.1)												
All ages	257	161	96	177	114	63	80	47	33	51	30	21
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	13	8	5	11	7	4	2	1	1	2	1	1
5-9 years	7	3	4	5	2	3	2	1	1	2	1	1
10-14 years	6	3	3	4	2	2	2	1	1	2	1	1
15-19 years	10	7	3	6	4	2	4	3	1	3	2	1
20-24 years	16	15	1	10	10	-	6	5	1	3	3	-
25-29 years	6	5	1	3	3	-	3	2	1	3	2	1
30-34 years	9	8	1	7	6	1	2	2	-	1	1	-
35-39 years	26	22	4	15	14	1	11	8	3	7	5	2
40-44 years	25	16	9	16	10	6	9	6	3	9	6	3
45-49 years	22	9	13	13	8	5	9	1	8	6	1	5
50-54 years	17	13	4	12	10	2	5	3	2	3	2	1
55-59 years	14	10	4	10	7	3	4	3	1	2	1	1
60-64 years	12	7	5	8	7	1	4	-	4	2	-	2
65-69 years	19	13	6	10	6	4	9	7	2	5	4	1
70-74 years	9	4	5	9	4	5	-	-	-	-	-	-
75-79 years	21	8	13	18	8	10	3	-	3	1	-	1
80-84 years	8	4	4	7	3	4	1	1	-	-	-	-
85-89 years	12	4	8	9	2	7	3	2	1	-	-	-
90-94 years	4	2	2	3	1	2	1	1	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pedestrian injured in traffic accident involving other and unspecified motor vehicles (V09.2)												
All ages	1,470	1,035	435	1,103	763	340	367	272	95	284	216	68
Under 1 year	2	1	1	1	1	-	1	-	1	-	-	-
1-4 years	37	24	13	29	19	10	8	5	3	7	5	2
5-9 years	40	29	11	16	12	4	24	17	7	23	17	6
10-14 years	49	28	21	27	14	13	22	14	8	20	14	6
15-19 years	83	63	20	69	55	14	14	8	6	9	4	5
20-24 years	101	73	28	75	54	21	26	19	7	20	14	6
25-29 years	93	70	23	69	51	18	24	19	5	16	13	3
30-34 years	85	61	24	69	49	20	16	12	4	12	9	3
35-39 years	128	96	32	99	71	28	29	25	4	20	17	3
40-44 years	140	102	38	95	69	26	45	33	12	37	26	11
45-49 years	135	107	28	87	65	22	48	42	6	44	39	5
50-54 years	103	77	26	75	57	18	28	20	8	22	16	6
55-59 years	89	65	24	70	49	21	19	16	3	12	12	-
60-64 years	68	49	19	50	36	14	18	13	5	14	11	3
65-69 years	59	41	18	48	36	12	11	5	6	8	4	4
70-74 years	64	39	25	50	30	20	14	9	5	8	5	3
75-79 years	63	34	29	55	28	27	8	6	2	5	4	1
80-84 years	70	39	31	62	32	30	8	7	1	4	4	-
85-89 years	36	20	16	35	19	16	1	1	-	1	1	-
90-94 years	12	7	5	10	6	4	2	1	1	1	1	-
95-99 years	5	3	2	4	3	1	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	8	7	1	8	7	1	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pedestrian injured in unspecified traffic accident (V09.3)												
All ages	20	14	6	14	10	4	6	4	2	6	4	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	5	3	2	3	3	-	2	-	2	2	-	2
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	4	2	2	3	1	2	1	1	-	1	1	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	4	3	1	2	1	1	2	2	-	2	2	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pedestrian injured in unspecified transport accident (V09.9)												
All ages	210	150	60	149	105	44	61	45	16	52	40	12
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	9	8	1	8	7	1	1	1	-	1	1	-
5-9 years	6	2	4	2	-	2	4	2	2	4	2	2
10-14 years	11	8	3	8	5	3	3	3	-	3	3	-
15-19 years	11	8	3	8	6	2	3	2	1	2	2	-
20-24 years	8	7	1	6	6	-	2	1	1	-	-	-
25-29 years	13	10	3	10	7	3	3	3	-	2	2	-
30-34 years	15	10	5	10	8	2	5	2	3	5	2	3
35-39 years	24	19	5	16	13	3	8	6	2	6	4	2
40-44 years	21	18	3	12	9	3	9	9	-	8	8	-
45-49 years	15	12	3	7	6	1	8	6	2	7	6	1
50-54 years	14	11	3	10	9	1	4	2	2	4	2	2
55-59 years	5	3	2	4	2	2	1	1	-	1	1	-
60-64 years	5	3	2	2	1	1	3	2	1	3	2	1
65-69 years	14	9	5	11	7	4	3	2	1	3	2	1
70-74 years	10	5	5	10	5	5	-	-	-	-	-	-
75-79 years	10	7	3	9	6	3	1	1	-	1	1	-
80-84 years	15	8	7	14	8	6	1	-	1	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	2	-	-	-	-	2	2	-	2	2	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pedal cyclist injured in collision with pedestrian or animal (V10)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Driver injured in nontraffic accident (V10.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pedal cyclist injured in collision with other pedal cycle (V11)												
All ages	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified pedal cyclist injured in traffic accident (V11.9)												
All ages	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pedal cyclist injured in collision with two- or three-wheeled motor vehicle (V12)												
All ages	6	5	1	5	5	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Driver injured in traffic accident (V12.4)												
All ages	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified pedal cyclist injured in traffic accident (V12.9)												
All ages	4	4	-	4	4	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pedal cyclist injured in collision with car, pickup truck, or van (V13)												
All ages	404	370	34	317	287	30	87	83	4	77	73	4
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	35	23	12	28	18	10	7	5	2	6	4	2
10-14 years	44	39	5	25	21	4	19	18	1	17	16	1
15-19 years	40	39	1	30	29	1	10	10	-	10	10	-
20-24 years	21	20	1	16	15	1	5	5	-	4	4	-
25-29 years	23	21	2	21	19	2	2	2	-	-	-	-
30-34 years	18	17	1	17	16	1	1	1	-	1	1	-
35-39 years	32	29	3	27	24	3	5	5	-	5	5	-
40-44 years	45	42	3	34	32	2	11	10	1	11	10	1
45-49 years	42	39	3	35	32	3	7	7	-	7	7	-
50-54 years	27	25	2	22	20	2	5	5	-	5	5	-
55-59 years	20	19	1	16	15	1	4	4	-	4	4	-
60-64 years	12	12	-	11	11	-	1	1	-	1	1	-
65-69 years	15	15	-	10	10	-	5	5	-	4	4	-
70-74 years	7	7	-	5	5	-	2	2	-	1	1	-
75-79 years	9	9	-	9	9	-	-	-	-	-	-	-
80-84 years	5	5	-	4	4	-	1	1	-	-	-	-
85-89 years	3	3	-	2	2	-	1	1	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	2	2	-	1	1	-	1	1	-	1	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in nontraffic accident (V13.0)												
All ages	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Passenger injured in nontraffic accident (V13.1)												
All ages	20	17	3	19	16	3	1	1	-	1	1	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	3	2	1	3	2	1	-	-	-	-	-	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	5	4	1	4	3	1	1	1	-	1	1	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in traffic accident (V13.4)												
All ages	192	179	13	148	137	11	44	42	2	37	35	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	15	12	3	11	9	2	4	3	1	4	3	1
10-14 years	19	17	2	11	9	2	8	8	-	6	6	-
15-19 years	22	21	1	17	16	1	5	5	-	5	5	-
20-24 years	9	9	-	6	6	-	3	3	-	3	3	-
25-29 years	15	14	1	13	12	1	2	2	-	-	-	-
30-34 years	3	3	-	2	2	-	1	1	-	1	1	-
35-39 years	13	11	2	11	9	2	2	2	-	2	2	-
40-44 years	19	18	1	14	14	-	5	4	1	5	4	1
45-49 years	27	26	1	23	22	1	4	4	-	4	4	-
50-54 years	16	14	2	16	14	2	-	-	-	-	-	-
55-59 years	8	8	-	6	6	-	2	2	-	2	2	-
60-64 years	3	3	-	2	2	-	1	1	-	1	1	-
65-69 years	8	8	-	6	6	-	2	2	-	2	2	-
70-74 years	3	3	-	1	1	-	2	2	-	1	1	-
75-79 years	4	4	-	4	4	-	-	-	-	-	-	-
80-84 years	3	3	-	2	2	-	1	1	-	-	-	-
85-89 years	2	2	-	1	1	-	1	1	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	1	1	-	1	1	-
Passenger injured in traffic accident (V13.5)												
All ages	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified pedal cyclist injured in traffic accident (V13.9)												
All ages	186	169	17	145	130	15	41	39	2	38	36	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	15	8	7	12	6	6	3	2	1	2	1	1
10-14 years	23	20	3	12	10	2	11	10	1	11	10	1
15-19 years	18	18	-	13	13	-	5	5	-	5	5	-
20-24 years	11	10	1	9	8	1	2	2	-	1	1	-
25-29 years	6	6	-	6	6	-	-	-	-	-	-	-
30-34 years	12	11	1	12	11	1	-	-	-	-	-	-
35-39 years	19	18	1	16	15	1	3	3	-	3	3	-
40-44 years	21	20	1	16	15	1	5	5	-	5	5	-
45-49 years	12	10	2	9	7	2	3	3	-	3	3	-
50-54 years	10	10	-	6	6	-	4	4	-	4	4	-
55-59 years	11	10	1	9	8	1	2	2	-	2	2	-
60-64 years	8	8	-	8	8	-	-	-	-	-	-	-
65-69 years	7	7	-	4	4	-	3	3	-	2	2	-
70-74 years	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years	5	5	-	5	5	-	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-
Pedal cyclist injured in collision with heavy transport vehicle or bus (V14)												
All ages	37	31	6	28	25	3	9	6	3	6	6	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	1	1	1	1	-	1	-	1	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years	3	1	2	3	1	2	-	-	-	-	-	-
25-29 years	5	3	2	4	3	1	1	-	1	-	-	-
30-34 years	4	3	1	3	3	-	1	-	1	-	-	-
35-39 years	4	4	-	3	3	-	1	1	-	1	1	-
40-44 years	4	4	-	2	2	-	2	2	-	2	2	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	6	6	-	5	5	-	1	1	-	1	1	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in nontraffic accident (V14.0)												
All ages	1	-	1	-	-	-	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	-	-	-	1	-	1	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Driver injured in traffic accident (V14.4)												
All ages	17	14	3	15	13	2	2	1	1	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	3	1	2	3	1	2	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	2	1	1	1	1	-	1	-	1	-	-	-
35-39 years	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years	3	3	-	2	2	-	1	1	-	1	1	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Passenger injured in traffic accident (V14.5)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified pedal cyclist injured in traffic accident (V14.9)												
All ages	18	16	2	12	11	1	6	5	1	5	5	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	4	2	2	3	2	1	1	-	1	-	-	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	5	5	-	4	4	-	1	1	-	1	1	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pedal cyclist injured in collision with railway train or railway vehicle (V15)												
All ages	7	6	1	6	5	1	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Driver injured in nontraffic accident (V15.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in traffic accident (V15.4)												
All ages	4	3	1	3	2	1	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified pedal cyclist injured in traffic accident (V15.9)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pedal cyclist injured in collision with other nonmotor vehicle (V16)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified pedal cyclist injured in traffic accident (V16.9)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pedal cyclist injured in collision with fixed or stationary object (V17)												
All ages	16	14	2	14	12	2	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	1	1	1	-	1	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	4	3	1	4	3	1	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Driver injured in nontraffic accident (V17.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in traffic accident (V17.4)												
All ages	7	7	-	5	5	-	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Passenger injured in traffic accident (V17.5)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified pedal cyclist injured in traffic accident (V17.9)												
All ages	6	5	1	6	5	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pedal cyclist injured in noncollision transport accident (V18)												
All ages	69	58	11	64	54	10	5	4	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	4	2	2	2	1	1	2	1	1	2	1	1
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	3	3	-	3	3	-	-	-	-	-	-	-
25-29 years	4	4	-	4	4	-	-	-	-	-	-	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	7	7	-	6	6	-	1	1	-	-	-	-
40-44 years	5	5	-	5	5	-	-	-	-	-	-	-
45-49 years	9	7	2	9	7	2	-	-	-	-	-	-
50-54 years	6	4	2	6	4	2	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	10	9	1	10	9	1	-	-	-	-	-	-
65-69 years	4	4	-	4	4	-	-	-	-	-	-	-
70-74 years	7	5	2	5	3	2	2	2	-	1	1	-
75-79 years	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in nontraffic accident (V18.0)												
All ages	6	6	-	6	6	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified pedal cyclist injured in nontraffic accident (V18.2)												
All ages	6	4	2	5	4	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	1	1	1	1	-	1	-	1	1	-	1
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Person injured while boarding or alighting (V18.3)												
All ages	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Driver injured in traffic accident (V18.4)												
All ages	18	16	2	17	15	2	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	4	4	-	3	3	-	1	1	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified pedal cyclist injured in traffic accident (V18.9)												
All ages	37	30	7	35	28	7	2	2	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	4	2	2	4	2	2	-	-	-	-	-	-
50-54 years	5	3	2	5	3	2	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	5	5	-	5	5	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	6	5	1	4	3	1	2	2	-	1	1	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pedal cyclist injured in other and unspecified transport accidents (V19)												
All ages	247	229	18	206	189	17	41	40	1	34	33	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	13	12	1	8	8	-	5	4	1	5	4	1
10-14 years	25	21	4	23	19	4	2	2	-	2	2	-
15-19 years	19	17	2	15	13	2	4	4	-	4	4	-
20-24 years	12	10	2	12	10	2	-	-	-	-	-	-
25-29 years	13	12	1	11	10	1	2	2	-	-	-	-
30-34 years	15	15	-	12	12	-	3	3	-	1	1	-
35-39 years	14	14	-	12	12	-	2	2	-	2	2	-
40-44 years	29	29	-	22	22	-	7	7	-	6	6	-
45-49 years	31	28	3	28	25	3	3	3	-	3	3	-
50-54 years	16	14	2	11	9	2	5	5	-	5	5	-
55-59 years	19	17	2	17	15	2	2	2	-	2	2	-
60-64 years	13	12	1	13	12	1	-	-	-	-	-	-
65-69 years	11	11	-	7	7	-	4	4	-	3	3	-
70-74 years	8	8	-	6	6	-	2	2	-	1	1	-
75-79 years	5	5	-	5	5	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in collision with other and unspecified motor vehicles in nontraffic accident (V19.0)												
All ages	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Passenger injured in collision with other and unspecified motor vehicles in nontraffic accident (V19.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified pedal cyclist injured in collision with other and unspecified motor vehicles in nontraffic accident (V19.2)												
All ages	9	6	3	8	5	3	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Pedal cyclist [any] injured in an unspecified nontraffic accident (V19.3)												
All ages	5	2	3	4	2	2	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in collision with other and unspecified motor vehicles in traffic accident (V19.4)												
All ages	72	71	1	58	57	1	14	14	-	12	12	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	3	3	-	2	2	-	1	1	-	1	1	-
10-14 years	5	5	-	5	5	-	-	-	-	-	-	-
15-19 years	8	8	-	6	6	-	2	2	-	2	2	-
20-24 years	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years	6	6	-	5	5	-	1	1	-	-	-	-
30-34 years	5	5	-	4	4	-	1	1	-	1	1	-
35-39 years	4	4	-	4	4	-	-	-	-	-	-	-
40-44 years	9	9	-	5	5	-	4	4	-	4	4	-
45-49 years	11	11	-	10	10	-	1	1	-	1	1	-
50-54 years	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	7	7	-	7	7	-	-	-	-	-	-	-
65-69 years	3	3	-	-	-	-	3	3	-	2	2	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Passenger injured in collision with other and unspecified motor vehicles in traffic accident (V19.5)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified pedal cyclist injured in collision with other and unspecified motor vehicles in traffic accident (V19.6)												
All ages	88	82	6	74	68	6	14	14	-	11	11	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	6	6	-	5	5	-	1	1	-	1	1	-
10-14 years	12	9	3	10	7	3	2	2	-	2	2	-
15-19 years	8	8	-	6	6	-	2	2	-	2	2	-
20-24 years	5	4	1	5	4	1	-	-	-	-	-	-
25-29 years	3	3	-	2	2	-	1	1	-	-	-	-
30-34 years	4	4	-	3	3	-	1	1	-	-	-	-
35-39 years	7	7	-	6	6	-	1	1	-	1	1	-
40-44 years	10	10	-	9	9	-	1	1	-	1	1	-
45-49 years	6	6	-	6	6	-	-	-	-	-	-	-
50-54 years	6	6	-	3	3	-	3	3	-	3	3	-
55-59 years	10	8	2	10	8	2	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	4	4	-	2	2	-	2	2	-	1	1	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-
Pedal cyclist [any] injured in other specified transport accidents (V19.8)												
All ages	10	9	1	10	9	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	3	3	-	3	3	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Pedal cyclist [any] injured in unspecified traffic accident (V19.9)												
All ages	58	55	3	48	45	3	10	10	-	8	8	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	2	2	-	1	1	-	1	1	-	1	1	-
10-14 years	3	3	-	3	3	-	-	-	-	-	-	-
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	5	5	-	5	5	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	5	5	-	4	4	-	1	1	-	-	-	-
35-39 years	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years	7	7	-	5	5	-	2	2	-	1	1	-
45-49 years	11	10	1	9	8	1	2	2	-	2	2	-
50-54 years	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years	6	6	-	4	4	-	2	2	-	2	2	-
60-64 years	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years	4	4	-	3	3	-	1	1	-	1	1	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Motorcycle rider injured in collision with pedestrian or animal (V20)												
All ages	43	38	5	41	36	5	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	6	6	-	6	6	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	8	7	1	8	7	1	-	-	-	-	-	-
40-44 years	9	7	2	9	7	2	-	-	-	-	-	-
45-49 years	5	4	1	4	3	1	1	1	-	1	1	-
50-54 years	4	4	-	4	4	-	-	-	-	-	-	-
55-59 years	5	4	1	5	4	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in nontraffic accident (V20.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Passenger injured in nontraffic accident (V20.1)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in traffic accident (V20.4)												
All ages	24	24	-	23	23	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	6	6	-	6	6	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years	4	4	-	4	4	-	-	-	-	-	-	-
45-49 years	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Passenger injured in traffic accident (V20.5)												
All ages	6	3	3	5	2	3	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified motorcycle rider injured in traffic accident (V20.9)												
All ages	10	9	1	10	9	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Motorcycle rider injured in collision with pedal cycle (V21)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in traffic accident (V21.4)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Motorcycle rider injured in collision with two- or three-wheeled motor vehicle (V22)												
All ages	38	33	5	31	26	5	7	7	-	7	7	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	6	4	2	6	4	2	-	-	-	-	-	-
25-29 years	6	6	-	3	3	-	3	3	-	3	3	-
30-34 years	5	5	-	3	3	-	2	2	-	2	2	-
35-39 years	6	5	1	5	4	1	1	1	-	1	1	-
40-44 years	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years	3	2	1	2	1	1	1	1	-	1	1	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in nontraffic accident (V22.0)												
All ages	8	8	-	8	8	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Driver injured in traffic accident (V22.4)												
All ages	23	21	2	17	15	2	6	6	-	6	6	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	3	3	-	3	3	-	-	-	-	-	-	-
25-29 years	3	3	-	1	1	-	2	2	-	2	2	-
30-34 years	4	4	-	2	2	-	2	2	-	2	2	-
35-39 years	5	4	1	4	3	1	1	1	-	1	1	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Passenger injured in traffic accident (V22.5)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified motorcycle rider injured in traffic accident (V22.9)												
All ages	5	4	1	4	3	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Motorcycle rider injured in collision with car, pickup truck, or van (V23)												
All ages	881	798	83	776	699	77	105	99	6	83	80	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	5	4	1	4	3	1	1	1	-	1	1	-
10-14 years	9	8	1	9	8	1	-	-	-	-	-	-
15-19 years	45	43	2	44	42	2	1	1	-	1	1	-
20-24 years	125	116	9	103	98	5	22	18	4	14	12	2
25-29 years	113	106	7	84	77	7	29	29	-	28	28	-
30-34 years	102	95	7	89	82	7	13	13	-	10	10	-
35-39 years	125	101	24	109	86	23	16	15	1	13	13	-
40-44 years	112	102	10	104	94	10	8	8	-	6	6	-
45-49 years	100	90	10	94	85	9	6	5	1	6	5	1
50-54 years	64	57	7	61	54	7	3	3	-	1	1	-
55-59 years	31	28	3	29	26	3	2	2	-	2	2	-
60-64 years	20	20	-	19	19	-	1	1	-	1	1	-
65-69 years	12	11	1	11	10	1	1	1	-	-	-	-
70-74 years	4	4	-	4	4	-	-	-	-	-	-	-
75-79 years	5	5	-	4	4	-	1	1	-	-	-	-
80-84 years	7	6	1	7	6	1	-	-	-	-	-	-
85-89 years	1	1	-	-	-	-	1	1	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Driver injured in nontraffic accident (V23.0)												
All ages	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Passenger injured in nontraffic accident (V23.1)												
All ages	2	2	-	-	-	-	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Driver injured in traffic accident (V23.4)												
All ages	702	675	27	619	593	26	83	82	1	71	70	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	5	5	-	5	5	-	-	-	-	-	-	-
15-19 years	36	35	1	35	34	1	1	1	-	1	1	-
20-24 years	102	102	-	86	86	-	16	16	-	11	11	-
25-29 years	92	91	1	67	66	1	25	25	-	24	24	-
30-34 years	83	80	3	74	71	3	9	9	-	9	9	-
35-39 years	93	88	5	80	75	5	13	13	-	11	11	-
40-44 years	92	86	6	85	79	6	7	7	-	5	5	-
45-49 years	80	76	4	74	71	3	6	5	1	6	5	1
50-54 years	51	47	4	50	46	4	1	1	-	1	1	-
55-59 years	28	26	2	26	24	2	2	2	-	2	2	-
60-64 years	18	18	-	17	17	-	1	1	-	1	1	-
65-69 years	9	8	1	8	7	1	1	1	-	-	-	-
70-74 years	4	4	-	4	4	-	-	-	-	-	-	-
75-79 years	4	4	-	3	3	-	1	1	-	-	-	-
80-84 years	5	5	-	5	5	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Passenger injured in traffic accident (V23.5)												
All ages	65	16	49	58	14	44	7	2	5	4	2	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	3	2	1	3	2	1	-	-	-	-	-	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	11	2	9	7	2	5	4	-	4	2	-	2
25-29 years	9	3	6	8	2	6	1	1	-	1	1	-
30-34 years	6	2	4	5	1	4	1	1	-	1	1	-
35-39 years	17	1	16	16	1	15	1	-	1	-	-	-
40-44 years	4	1	3	4	1	3	-	-	-	-	-	-
45-49 years	6	-	6	6	-	6	-	-	-	-	-	-
50-54 years	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified motorcycle rider injured in traffic accident (V23.9)												
All ages	109	102	7	96	89	7	13	13	-	6	6	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	7	7	-	7	7	-	-	-	-	-	-	-
20-24 years	12	12	-	10	10	-	2	2	-	1	1	-
25-29 years	11	11	-	9	9	-	2	2	-	2	2	-
30-34 years	12	12	-	9	9	-	3	3	-	-	-	-
35-39 years	14	11	3	13	10	3	1	1	-	1	1	-
40-44 years	16	15	1	15	14	1	1	1	-	1	1	-
45-49 years	14	14	-	14	14	-	-	-	-	-	-	-
50-54 years	11	10	1	9	8	1	2	2	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	1	-	-	-	-	1	1	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Motorcycle rider injured in collision with heavy transport vehicle or bus (V24)												
All ages	71	67	4	65	62	3	6	5	1	5	4	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	6	6	-	6	6	-	-	-	-	-	-	-
20-24 years	15	14	1	14	14	-	1	-	1	1	-	1
25-29 years	12	10	2	9	7	2	3	3	-	2	2	-
30-34 years	7	7	-	5	5	-	2	2	-	2	2	-
35-39 years	6	6	-	6	6	-	-	-	-	-	-	-
40-44 years	7	7	-	7	7	-	-	-	-	-	-	-
45-49 years	4	4	-	4	4	-	-	-	-	-	-	-
50-54 years	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	5	5	-	5	5	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Driver injured in traffic accident (V24.4)												
All ages	51	51	-	47	47	-	4	4	-	3	3	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	5	5	-	5	5	-	-	-	-	-	-	-
20-24 years	9	9	-	9	9	-	-	-	-	-	-	-
25-29 years	7	7	-	5	5	-	2	2	-	1	1	-
30-34 years	5	5	-	3	3	-	2	2	-	2	2	-
35-39 years	5	5	-	5	5	-	-	-	-	-	-	-
40-44 years	5	5	-	5	5	-	-	-	-	-	-	-
45-49 years	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	5	5	-	5	5	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Passenger injured in traffic accident (V24.5)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified motorcycle rider injured in traffic accident (V24.9)												
All ages	17	15	2	15	14	1	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	6	5	1	5	5	-	1	-	1	1	-	1
25-29 years	4	3	1	3	2	1	1	1	-	1	1	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Motorcycle rider injured in collision with railway train or railway vehicle (V25)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Passenger injured in traffic accident (V25.5)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified motorcycle rider injured in traffic accident (V25.9)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Motorcycle rider injured in collision with other nonmotor vehicle (V26)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Passenger injured in nontraffic accident (V26.1)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified motorcycle rider injured in traffic accident (V26.9)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Motorcycle rider injured in collision with fixed or stationary object (V27)												
All ages	633	591	42	545	509	36	88	82	6	74	71	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	4	4	-	3	3	-	1	1	-	1	1	-
15-19 years	31	30	1	27	26	1	4	4	-	4	4	-
20-24 years	111	106	5	88	84	4	23	22	1	15	15	-
25-29 years	97	93	4	77	75	2	20	18	2	17	16	1
30-34 years	102	89	13	80	68	12	22	21	1	22	21	1
35-39 years	67	63	4	63	59	4	4	4	-	3	3	-
40-44 years	84	76	8	78	71	7	6	5	1	5	5	-
45-49 years	53	50	3	50	47	3	3	3	-	3	3	-
50-54 years	45	43	2	43	41	2	2	2	-	2	2	-
55-59 years	19	18	1	19	18	1	-	-	-	-	-	-
60-64 years	10	10	-	8	8	-	2	2	-	1	1	-
65-69 years	4	4	-	4	4	-	-	-	-	-	-	-
70-74 years	4	3	1	3	3	-	1	-	1	1	-	1
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Driver injured in nontraffic accident (V27.0)												
All ages	10	9	1	10	9	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified motorcycle rider injured in nontraffic accident (V27.2)												
All ages	4	4	-	4	4	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Driver injured in traffic accident (V27.4)												
All ages	501	481	20	425	409	16	76	72	4	64	62	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	3	3	-	2	2	-	1	1	-	1	1	-
15-19 years	21	21	-	17	17	-	4	4	-	4	4	-
20-24 years	87	85	2	67	66	1	20	19	1	12	12	-
25-29 years	77	77	-	61	61	-	16	16	-	14	14	-
30-34 years	77	70	7	59	53	6	18	17	1	18	17	1
35-39 years	54	52	2	51	49	2	3	3	-	3	3	-
40-44 years	65	61	4	59	56	3	6	5	1	5	5	-
45-49 years	44	42	2	41	39	2	3	3	-	3	3	-
50-54 years	39	37	2	37	35	2	2	2	-	2	2	-
55-59 years	16	16	-	16	16	-	-	-	-	-	-	-
60-64 years	10	10	-	8	8	-	2	2	-	1	1	-
65-69 years	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years	3	2	1	2	2	-	1	-	1	1	-	1
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Passenger injured in traffic accident (V27.5)												
All ages	31	17	14	28	16	12	3	1	2	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	4	3	1	4	3	1	-	-	-	-	-	-
20-24 years	5	3	2	4	2	2	1	1	-	1	1	-
25-29 years	5	2	3	3	2	1	2	-	2	1	-	1
30-34 years	7	3	4	7	3	4	-	-	-	-	-	-
35-39 years	4	2	2	4	2	2	-	-	-	-	-	-
40-44 years	4	2	2	4	2	2	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified motorcycle rider injured in traffic accident (V27.9)												
All ages	87	80	7	78	71	7	9	9	-	8	8	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years	17	16	1	15	14	1	2	2	-	2	2	-
25-29 years	13	12	1	11	10	1	2	2	-	2	2	-
30-34 years	17	15	2	13	11	2	4	4	-	4	4	-
35-39 years	8	8	-	7	7	-	1	1	-	-	-	-
40-44 years	14	12	2	14	12	2	-	-	-	-	-	-
45-49 years	7	6	1	7	6	1	-	-	-	-	-	-
50-54 years	6	6	-	6	6	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Motorcycle rider injured in noncollision transport accident (V28)												
All ages	461	414	47	408	364	44	53	50	3	37	36	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	23	18	5	19	15	4	4	3	1	2	2	-
20-24 years	54	51	3	49	46	3	5	5	-	5	5	-
25-29 years	57	53	4	49	45	4	8	8	-	4	4	-
30-34 years	55	49	6	38	33	5	17	16	1	12	11	1
35-39 years	50	46	4	42	38	4	8	8	-	6	6	-
40-44 years	73	66	7	70	63	7	3	3	-	3	3	-
45-49 years	52	46	6	49	44	5	3	2	1	1	1	-
50-54 years	40	35	5	39	34	5	1	1	-	1	1	-
55-59 years	26	24	2	25	23	2	1	1	-	1	1	-
60-64 years	12	10	2	11	9	2	1	1	-	1	1	-
65-69 years	8	7	1	7	6	1	1	1	-	1	1	-
70-74 years	6	5	1	5	4	1	1	1	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Driver injured in nontraffic accident (V28.0)												
All ages	8	7	1	7	7	-	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	1	1	-	1	-	1	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Passenger injured in nontraffic accident (V28.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified motorcycle rider injured in nontraffic accident (V28.2)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in traffic accident (V28.4)												
All ages	346	331	15	305	290	15	41	41	-	30	30	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	13	12	1	12	11	1	1	1	-	-	-	-
20-24 years	42	41	1	38	37	1	4	4	-	4	4	-
25-29 years	40	38	2	32	30	2	8	8	-	4	4	-
30-34 years	41	40	1	28	27	1	13	13	-	9	9	-
35-39 years	40	38	2	33	31	2	7	7	-	6	6	-
40-44 years	59	56	3	56	53	3	3	3	-	3	3	-
45-49 years	37	37	-	35	35	-	2	2	-	1	1	-
50-54 years	29	27	2	28	26	2	1	1	-	1	1	-
55-59 years	22	21	1	21	20	1	1	1	-	1	1	-
60-64 years	10	9	1	10	9	1	-	-	-	-	-	-
65-69 years	7	6	1	6	5	1	1	1	-	1	1	-
70-74 years	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Passenger injured in traffic accident (V28.5)												
All ages	34	8	26	31	7	24	3	1	2	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	4	1	3	3	-	3	1	1	-	1	1	-
20-24 years	4	2	2	4	2	2	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	3	-	3	2	-	2	1	-	1	1	-	1
35-39 years	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years	6	2	4	6	2	4	-	-	-	-	-	-
45-49 years	7	2	5	6	2	4	1	-	1	-	-	-
50-54 years	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified motorcycle rider injured in traffic accident (V28.9)												
All ages	70	65	5	62	57	5	8	8	-	5	5	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	3	-	2	2	-	1	1	-	1	1	-
20-24 years	8	8	-	7	7	-	1	1	-	1	1	-
25-29 years	16	15	1	16	15	1	-	-	-	-	-	-
30-34 years	8	6	2	5	3	2	3	3	-	2	2	-
35-39 years	5	5	-	4	4	-	1	1	-	-	-	-
40-44 years	7	7	-	7	7	-	-	-	-	-	-	-
45-49 years	8	7	1	8	7	1	-	-	-	-	-	-
50-54 years	9	8	1	9	8	1	-	-	-	-	-	-
55-59 years	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Motorcycle rider injured in other and unspecified transport accidents (V29)												
All ages	910	812	98	784	691	93	126	121	5	110	106	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	3	3	-	3	3	-	-	-	-	-	-	-
10-14 years	11	10	1	9	8	1	2	2	-	1	1	-
15-19 years	64	59	5	58	53	5	6	6	-	5	5	-
20-24 years	133	126	7	102	96	6	31	30	1	26	25	1
25-29 years	132	124	8	108	102	6	24	22	2	22	21	1
30-34 years	116	106	10	88	79	9	28	27	1	25	24	1
35-39 years	106	87	19	90	72	18	16	15	1	15	14	1
40-44 years	93	79	14	86	72	14	7	7	-	6	6	-
45-49 years	95	82	13	89	76	13	6	6	-	6	6	-
50-54 years	77	64	13	75	62	13	2	2	-	1	1	-
55-59 years	33	30	3	30	27	3	3	3	-	2	2	-
60-64 years	22	19	3	22	19	3	-	-	-	-	-	-
65-69 years	10	10	-	10	10	-	-	-	-	-	-	-
70-74 years	10	9	1	9	8	1	1	1	-	1	1	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in collision with other and unspecified motor vehicles in nontraffic accident (V29.0)												
All ages	6	6	-	6	6	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Passenger injured in collision with other and unspecified motor vehicles in nontraffic accident (V29.1)												
All ages	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified motorcycle rider injured in collision with other and unspecified motor vehicles in nontraffic accident (V29.2)												
All ages	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Motorcycle rider [any] injured in unspecified nontraffic accident (V29.3)												
All ages	11	10	1	9	8	1	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	4	4	-	4	4	-	-	-	-	-	-	-
25-29 years	3	3	-	1	1	-	2	2	-	2	2	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in collision with other and unspecified motor vehicles in traffic accident (V29.4)												
All ages	269	258	11	228	217	11	41	41	-	35	35	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	19	19	-	18	18	-	1	1	-	1	1	-
20-24 years	43	43	-	34	34	-	9	9	-	8	8	-
25-29 years	37	37	-	32	32	-	5	5	-	5	5	-
30-34 years	45	44	1	30	29	1	15	15	-	12	12	-
35-39 years	30	26	4	24	20	4	6	6	-	5	5	-
40-44 years	25	24	1	22	21	1	3	3	-	2	2	-
45-49 years	27	24	3	26	23	3	1	1	-	1	1	-
50-54 years	23	22	1	23	22	1	-	-	-	-	-	-
55-59 years	10	10	-	9	9	-	1	1	-	1	1	-
60-64 years	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Passenger injured in collision with other and unspecified motor vehicles in traffic accident (V29.5)												
All ages	29	10	19	24	7	17	5	3	2	4	3	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	4	2	2	4	2	2	-	-	-	-	-	-
25-29 years	5	2	3	3	1	2	2	1	1	1	1	-
30-34 years	2	1	1	1	-	1	1	1	-	1	1	-
35-39 years	4	1	3	2	-	2	2	1	1	2	1	1
40-44 years	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years	4	1	3	4	1	3	-	-	-	-	-	-
50-54 years	5	-	5	5	-	5	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified motorcycle rider injured in collision with other and unspecified motor vehicles in traffic accident (V29.6)												
All ages	39	37	2	30	28	2	9	9	-	8	8	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	6	6	-	2	2	-	4	4	-	4	4	-
25-29 years	6	6	-	4	4	-	2	2	-	1	1	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	5	5	-	4	4	-	1	1	-	1	1	-
40-44 years	6	6	-	5	5	-	1	1	-	1	1	-
45-49 years	5	5	-	5	5	-	-	-	-	-	-	-
50-54 years	5	5	-	5	5	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Motorcycle rider [any] injured in other specified transport accidents (V29.8)												
All ages	12	10	2	11	9	2	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	4	3	1	4	3	1	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Motorcycle rider [any] injured in unspecified traffic accident (V29.9)												
All ages	537	475	62	469	410	59	68	65	3	60	57	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	8	8	-	6	6	-	2	2	-	1	1	-
15-19 years	41	36	5	37	32	5	4	4	-	3	3	-
20-24 years	74	69	5	56	52	4	18	17	1	14	13	1
25-29 years	75	71	4	62	59	3	13	12	1	13	12	1
30-34 years	65	58	7	54	48	6	11	10	1	11	10	1
35-39 years	65	53	12	58	46	12	7	7	-	7	7	-
40-44 years	55	46	9	52	43	9	3	3	-	3	3	-
45-49 years	57	50	7	52	45	7	5	5	-	5	5	-
50-54 years	41	35	6	39	33	6	2	2	-	1	1	-
55-59 years	23	20	3	21	18	3	2	2	-	1	1	-
60-64 years	13	11	2	13	11	2	-	-	-	-	-	-
65-69 years	8	8	-	8	8	-	-	-	-	-	-	-
70-74 years	6	5	1	5	4	1	1	1	-	1	1	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of three-wheeled motor vehicle injured in collision with pedestrian or animal (V30)												
All ages	1	1	-	-	-	-	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Passenger injured in nontraffic accident (V30.1)												
All ages	1	1	-	-	-	-	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of three-wheeled motor vehicle injured in collision with car, pickup truck, or van (V33)												
All ages	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in traffic accident (V33.5)												
All ages	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus (V34)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in traffic accident (V34.5)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of three-wheeled motor vehicle injured in collision with fixed or stationary object (V37)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in traffic accident (V37.5)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of three-wheeled motor vehicle injured in noncollision transport accident (V38)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in traffic accident (V38.5)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of three-wheeled motor vehicle injured in other and unspecified transport accidents (V39)												
All ages	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Occupant [any] of three-wheeled motor vehicle injured in unspecified nontraffic accident (V39.3)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Occupant [any] of three-wheeled motor vehicle injured in unspecified traffic accident (V39.9)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Car occupant injured in collision with pedestrian or animal (V40)												
All ages	41	24	17	34	20	14	7	4	3	5	3	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	5	2	3	5	2	3	-	-	-	-	-	-
20-24 years	3	1	2	2	1	1	1	-	1	1	-	1
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	3	3	-	2	2	-	1	1	-	1	1	-
35-39 years	7	4	3	5	2	3	2	2	-	1	1	-
40-44 years	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years	6	3	3	4	2	2	2	1	1	1	1	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	2	-	2	1	-	1	1	-	1	1	-	1
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Driver injured in traffic accident (V40.5)												
All ages	18	9	9	15	7	8	3	2	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	3	1	2	2	1	1	1	-	1	1	-	1
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	4	1	3	3	-	3	1	1	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Passenger injured in traffic accident (V40.6)												
All ages	10	5	5	8	5	3	2	-	2	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	3	2	1	3	2	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	-	2	1	-	1	1	-	1	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Person on outside of vehicle injured in traffic accident (V40.7)												
All ages	5	5	-	4	4	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	3	3	-	2	2	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified car occupant injured in traffic accident (V40.9)												
All ages	8	5	3	7	4	3	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	3	3	-	2	2	-	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Car occupant injured in collision with pedal cycle (V41)												
All ages	4	1	3	3	-	3	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified car occupant injured in traffic accident (V41.9)												
All ages	4	1	3	3	-	3	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Car occupant injured in collision with two- or three-wheeled motor vehicle (V42)												
All ages	21	17	4	16	13	3	5	4	1	5	4	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	3	3	-	1	1	-	2	2	-	2	2	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	4	3	1	3	2	1	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	4	4	-	4	4	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in traffic accident (V42.5)												
All ages	8	7	1	8	7	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	3	3	-	3	3	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Passenger injured in traffic accident (V42.6)												
All ages	10	7	3	5	3	2	5	4	1	5	4	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	3	3	-	1	1	-	2	2	-	2	2	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	3	2	1	2	1	1	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified car occupant injured in traffic accident (V42.9)												
All ages	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Car occupant injured in collision with car, pickup truck, or van (V43)												
All ages	5,384	2,994	2,390	4,519	2,493	2,026	865	501	364	640	382	258
Under 1 year	32	19	13	24	14	10	8	5	3	4	3	1
1-4 years	90	38	52	67	28	39	23	10	13	20	9	11
5-9 years	96	46	50	72	36	36	24	10	14	20	9	11
10-14 years	107	61	46	85	52	33	22	9	13	13	6	7
15-19 years	633	369	264	526	310	216	107	59	48	66	38	28
20-24 years	563	363	200	471	301	170	92	62	30	64	45	19
25-29 years	408	271	137	333	221	112	75	50	25	63	42	21
30-34 years	306	192	114	240	149	91	66	43	23	52	34	18
35-39 years	362	212	150	280	161	119	82	51	31	60	36	24
40-44 years	354	195	159	280	152	128	74	43	31	59	36	23
45-49 years	308	173	135	238	128	110	70	45	25	47	35	12
50-54 years	270	144	126	222	116	106	48	28	20	36	22	14
55-59 years	249	127	122	216	114	102	33	13	20	25	10	15
60-64 years	198	96	102	164	79	85	34	17	17	28	14	14
65-69 years	212	108	104	187	93	94	25	15	10	20	12	8
70-74 years	261	114	147	229	99	130	32	15	17	24	9	15
75-79 years	344	166	178	318	153	165	26	13	13	18	10	8
80-84 years	292	153	139	280	148	132	12	5	7	11	5	6
85-89 years	200	100	100	191	94	97	9	6	3	7	5	2
90-94 years	88	44	44	86	42	44	2	2	-	2	2	-
95-99 years	10	2	8	9	2	7	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in nontraffic accident (V43.0)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Passenger injured in nontraffic accident (V43.1)												
All ages	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Person injured while boarding or alighting (V43.4)												
All ages	2	2	-	1	1	-	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Driver injured in traffic accident (V43.5)												
All ages	3,288	1,990	1,298	2,790	1,664	1,126	498	326	172	374	244	130
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	4	2	2	3	2	1	1	-	1	1	-	1
15-19 years	342	205	137	287	172	115	55	33	22	36	21	15
20-24 years	347	227	120	292	190	102	55	37	18	36	24	12
25-29 years	282	181	101	227	144	83	55	37	18	46	31	15
30-34 years	212	136	76	164	102	62	48	34	14	38	26	12
35-39 years	242	155	87	188	113	75	54	42	12	38	29	9
40-44 years	255	143	112	212	116	96	43	27	16	36	23	13
45-49 years	209	125	84	164	96	68	45	29	16	32	24	8
50-54 years	197	116	81	164	94	70	33	22	11	28	18	10
55-59 years	166	96	70	145	85	60	21	11	10	15	8	7
60-64 years	139	74	65	114	60	54	25	14	11	21	11	10
65-69 years	139	84	55	127	75	52	12	9	3	9	6	3
70-74 years	169	89	80	146	76	70	23	13	10	15	7	8
75-79 years	227	126	101	210	116	94	17	10	7	12	8	4
80-84 years	173	119	54	168	116	52	5	3	2	5	3	2
85-89 years	131	76	55	126	72	54	5	4	1	5	4	1
90-94 years	47	32	15	46	31	15	1	1	-	1	1	-
95-99 years	4	2	2	4	2	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Passenger injured in traffic accident (V43.6)												
All ages	1,645	756	889	1,339	613	726	306	143	163	222	114	108
Under 1 year	28	17	11	21	12	9	7	5	2	4	3	1
1-4 years	83	35	48	63	27	36	20	8	12	17	7	10
5-9 years	92	45	47	69	35	34	23	10	13	19	9	10
10-14 years	96	56	40	76	48	28	20	8	12	12	6	6
15-19 years	239	138	101	192	114	78	47	24	23	28	17	11
20-24 years	170	109	61	141	91	50	29	18	11	20	14	6
25-29 years	97	71	26	79	59	20	18	12	6	15	10	5
30-34 years	65	41	24	51	32	19	14	9	5	11	8	3
35-39 years	91	43	48	68	35	33	23	8	15	18	6	12
40-44 years	69	33	36	44	21	23	25	12	13	18	9	9
45-49 years	60	24	36	44	14	30	16	10	6	11	8	3
50-54 years	55	18	37	43	14	29	12	4	8	7	3	4
55-59 years	58	15	43	46	13	33	12	2	10	10	2	8
60-64 years	43	12	31	35	9	26	8	3	5	6	3	3
65-69 years	52	13	39	43	9	34	9	4	5	7	4	3
70-74 years	75	16	59	67	14	53	8	2	6	8	2	6
75-79 years	88	28	60	82	26	56	6	2	4	3	1	2
80-84 years	95	21	74	89	20	69	6	1	5	5	1	4
85-89 years	50	13	37	49	13	36	1	-	1	1	-	1
90-94 years	33	7	26	32	6	26	1	1	-	1	1	-
95-99 years	5	-	5	4	-	4	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-
Person on outside of vehicle injured in traffic accident (V43.7)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified car occupant injured in traffic accident (V43.9)												
All ages	442	243	199	382	212	170	60	31	29	44	24	20
Under 1 year	2	1	1	1	1	-	1	-	1	-	-	-
1-4 years	6	2	4	3	-	3	3	2	1	3	2	1
5-9 years	4	1	3	3	1	2	1	-	1	1	-	1
10-14 years	7	3	4	6	2	4	1	1	-	-	-	-
15-19 years	49	23	26	45	22	23	4	1	3	2	-	2
20-24 years	46	27	19	38	20	18	8	7	1	8	7	1
25-29 years	29	19	10	27	18	9	2	1	1	2	1	1
30-34 years	28	14	14	24	14	10	4	-	4	3	-	3
35-39 years	29	14	15	24	13	11	5	1	4	4	1	3
40-44 years	30	19	11	24	15	9	6	4	2	5	4	1
45-49 years	39	24	15	30	18	12	9	6	3	4	3	1
50-54 years	18	10	8	15	8	7	3	2	1	1	1	-
55-59 years	25	16	9	25	16	9	-	-	-	-	-	-
60-64 years	16	10	6	15	10	5	1	-	1	1	-	1
65-69 years	21	11	10	17	9	8	4	2	2	4	2	2
70-74 years	17	9	8	16	9	7	1	-	1	1	-	1
75-79 years	26	12	14	23	11	12	3	1	2	3	1	2
80-84 years	24	13	11	23	12	11	1	1	-	1	1	-
85-89 years	18	10	8	15	8	7	3	2	1	1	1	-
90-94 years	7	5	2	7	5	2	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Car occupant injured in collision with heavy transport vehicle or bus (V44)												
All ages	1,067	607	460	912	517	395	155	90	65	132	74	58
Under 1 year	7	4	3	5	4	1	2	-	2	2	-	2
1-4 years	11	5	6	10	4	6	1	1	-	1	1	-
5-9 years	13	5	8	9	2	7	4	3	1	4	3	1
10-14 years	15	5	10	14	5	9	1	-	1	-	-	-
15-19 years	143	84	59	124	71	53	19	13	6	16	11	5
20-24 years	128	83	45	99	62	37	29	21	8	23	17	6
25-29 years	80	48	32	67	40	27	13	8	5	10	5	5
30-34 years	66	41	25	55	32	23	11	9	2	10	8	2
35-39 years	81	47	34	69	43	26	12	4	8	11	4	7
40-44 years	81	43	38	70	37	33	11	6	5	10	6	4
45-49 years	69	42	27	55	32	23	14	10	4	12	8	4
50-54 years	63	33	30	54	30	24	9	3	6	8	3	5
55-59 years	44	24	20	40	22	18	4	2	2	3	1	2
60-64 years	38	18	20	33	16	17	5	2	3	4	1	3
65-69 years	43	20	23	39	19	20	4	1	3	4	1	3
70-74 years	55	35	20	49	33	16	6	2	4	5	1	4
75-79 years	60	27	33	57	25	32	3	2	1	2	1	1
80-84 years	36	17	19	33	16	17	3	1	2	3	1	2
85-89 years	28	23	5	26	22	4	2	1	1	2	1	1
90-94 years	6	3	3	4	2	2	2	1	1	2	1	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in nontraffic accident (V44.0)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Driver injured in traffic accident (V44.5)												
All ages	750	461	289	646	398	248	104	63	41	83	48	35
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	92	52	40	81	46	35	11	6	5	8	4	4
20-24 years	90	59	31	69	45	24	21	14	7	15	10	5
25-29 years	63	40	23	52	33	19	11	7	4	8	4	4
30-34 years	53	36	17	44	28	16	9	8	1	8	7	1
35-39 years	64	37	27	54	33	21	10	4	6	9	4	5
40-44 years	59	33	26	52	29	23	7	4	3	6	4	2
45-49 years	56	35	21	46	27	19	10	8	2	8	6	2
50-54 years	51	29	22	45	27	18	6	2	4	5	2	3
55-59 years	36	21	15	33	20	13	3	1	2	2	-	2
60-64 years	28	15	13	25	13	12	3	2	1	2	1	1
65-69 years	28	17	11	25	16	9	3	1	2	3	1	2
70-74 years	37	26	11	34	24	10	3	2	1	2	1	1
75-79 years	38	21	17	36	20	16	2	1	1	2	1	1
80-84 years	29	17	12	26	16	10	3	1	2	3	1	2
85-89 years	21	19	2	20	18	2	1	1	-	1	1	-
90-94 years	4	3	1	3	2	1	1	1	-	1	1	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Passenger injured in traffic accident (V44.6)												
All ages	256	110	146	213	87	126	43	23	20	41	22	19
Under 1 year	7	4	3	5	4	1	2	-	2	2	-	2
1-4 years	10	4	6	9	3	6	1	1	-	1	1	-
5-9 years	13	5	8	9	2	7	4	3	1	4	3	1
10-14 years	15	5	10	14	5	9	1	-	1	-	-	-
15-19 years	44	26	18	37	20	17	7	6	1	7	6	1
20-24 years	28	16	12	21	10	11	7	6	1	7	6	1
25-29 years	12	7	5	10	6	4	2	1	1	2	1	1
30-34 years	10	3	7	9	2	7	1	1	-	1	1	-
35-39 years	13	6	7	11	6	5	2	-	2	2	-	2
40-44 years	15	5	10	11	3	8	4	2	2	4	2	2
45-49 years	9	4	5	6	3	3	3	1	2	3	1	2
50-54 years	12	4	8	9	3	6	3	1	2	3	1	2
55-59 years	5	2	3	5	2	3	-	-	-	-	-	-
60-64 years	7	3	4	6	3	3	1	-	1	1	-	1
65-69 years	13	2	11	12	2	10	1	-	1	1	-	1
70-74 years	14	7	7	13	7	6	1	-	1	1	-	1
75-79 years	15	4	11	14	3	11	1	1	-	-	-	-
80-84 years	6	-	6	6	-	6	-	-	-	-	-	-
85-89 years	6	3	3	5	3	2	1	-	1	1	-	1
90-94 years	2	-	2	1	-	1	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified car occupant injured in traffic accident (V44.9)												
All ages	60	36	24	52	32	20	8	4	4	8	4	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	7	6	1	6	5	1	1	1	-	1	1	-
20-24 years	10	8	2	9	7	2	1	1	-	1	1	-
25-29 years	5	1	4	5	1	4	-	-	-	-	-	-
30-34 years	3	2	1	2	2	-	1	-	1	1	-	1
35-39 years	4	4	-	4	4	-	-	-	-	-	-	-
40-44 years	7	5	2	7	5	2	-	-	-	-	-	-
45-49 years	4	3	1	3	2	1	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	3	1	2	2	-	2	1	1	-	1	1	-
60-64 years	3	-	3	2	-	2	1	-	1	1	-	1
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	4	2	2	2	2	-	2	-	2	2	-	2
75-79 years	6	2	4	6	2	4	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Car occupant injured in collision with railway train or railway vehicle (V45)												
All ages	150	84	66	130	70	60	20	14	6	18	12	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	6	6	-	3	3	-	3	3	-	3	3	-
5-9 years	5	4	1	4	3	1	1	1	-	1	1	-
10-14 years	5	2	3	4	1	3	1	1	-	1	1	-
15-19 years	10	6	4	10	6	4	-	-	-	-	-	-
20-24 years	26	16	10	21	12	9	5	4	1	5	4	1
25-29 years	10	6	4	10	6	4	-	-	-	-	-	-
30-34 years	9	6	3	8	6	2	1	-	1	1	-	1
35-39 years	16	8	8	16	8	8	-	-	-	-	-	-
40-44 years	14	9	5	13	8	5	1	1	-	-	-	-
45-49 years	7	4	3	4	2	2	3	2	1	3	2	1
50-54 years	5	2	3	2	1	1	3	1	2	3	1	2
55-59 years	5	3	2	4	2	2	1	1	-	-	-	-
60-64 years	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years	5	1	4	5	1	4	-	-	-	-	-	-
70-74 years	7	4	3	7	4	3	-	-	-	-	-	-
75-79 years	12	4	8	11	4	7	1	-	1	1	-	1
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Driver injured in nontraffic accident (V45.0)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Passenger injured in nontraffic accident (V45.1)												
All ages	2	2	-	-	-	-	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	2	-	-	-	-	2	2	-	2	2	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified car occupant injured in nontraffic accident (V45.3)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Person injured while boarding or alighting (V45.4)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Driver injured in traffic accident (V45.5)												
All ages	76	44	32	65	37	28	11	7	4	9	5	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	7	4	3	7	4	3	-	-	-	-	-	-
20-24 years	13	9	4	11	7	4	2	2	-	2	2	-
25-29 years	4	2	2	4	2	2	-	-	-	-	-	-
30-34 years	6	4	2	5	4	1	1	-	1	1	-	1
35-39 years	8	4	4	8	4	4	-	-	-	-	-	-
40-44 years	6	5	1	5	4	1	1	1	-	-	-	-
45-49 years	5	4	1	3	2	1	2	2	-	2	2	-
50-54 years	4	2	2	1	1	-	3	1	2	3	1	2
55-59 years	5	3	2	4	2	2	1	1	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	8	3	5	7	3	4	1	-	1	1	-	1
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Passenger injured in traffic accident (V45.6)												
All ages	41	24	17	35	19	16	6	5	1	6	5	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	4	4	-	3	3	-	1	1	-	1	1	-
5-9 years	4	4	-	3	3	-	1	1	-	1	1	-
10-14 years	2	1	1	1	-	1	1	1	-	1	1	-
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	9	5	4	6	3	3	3	2	1	3	2	1
25-29 years	5	3	2	5	3	2	-	-	-	-	-	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	3	1	2	3	1	2	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified car occupant injured in traffic accident (V45.9)												
All ages	26	11	15	25	11	14	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	3	1	2	3	1	2	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	3	1	2	3	1	2	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	3	-	3	3	-	3	-	-	-	-	-	-
40-44 years	5	3	2	5	3	2	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Car occupant injured in collision with other nonmotor vehicle (V46)												
All ages	7	6	1	7	6	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Driver injured in nontraffic accident (V46.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Passenger injured in nontraffic accident (V46.1)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Driver injured in traffic accident (V46.5)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified car occupant injured in traffic accident (V46.9)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Car occupant injured in collision with fixed or stationary object (V47)												
All ages	3,252	2,269	983	2,575	1,782	793	677	487	190	557	411	146
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	18	7	11	10	4	6	8	3	5	7	2	5
5-9 years	25	15	10	18	13	5	7	2	5	6	2	4
10-14 years	37	20	17	33	18	15	4	2	2	3	2	1
15-19 years	626	436	190	497	338	159	129	98	31	108	83	25
20-24 years	643	500	143	483	380	103	160	120	40	130	102	28
25-29 years	320	240	80	246	183	63	74	57	17	61	46	15
30-34 years	279	207	72	213	156	57	66	51	15	55	41	14
35-39 years	227	150	77	182	121	61	45	29	16	40	27	13
40-44 years	213	156	57	162	121	41	51	35	16	47	34	13
45-49 years	181	124	57	140	97	43	41	27	14	31	22	9
50-54 years	136	88	48	111	72	39	25	16	9	18	12	6
55-59 years	82	66	16	71	58	13	11	8	3	9	6	3
60-64 years	71	46	25	56	36	20	15	10	5	10	8	2
65-69 years	72	39	33	61	31	30	11	8	3	7	5	2
70-74 years	70	38	32	61	32	29	9	6	3	5	4	1
75-79 years	110	61	49	98	51	47	12	10	2	11	10	1
80-84 years	70	40	30	63	37	26	7	3	4	7	3	4
85-89 years	52	24	28	51	23	28	1	1	-	1	1	-
90-94 years	10	6	4	10	6	4	-	-	-	-	-	-
95-99 years	7	4	3	6	3	3	1	1	-	1	1	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in nontraffic accident (V47.0)												
All ages	13	7	6	12	6	6	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Passenger injured in nontraffic accident (V47.1)												
All ages	5	1	4	4	1	3	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Person on outside of vehicle injured in nontraffic accident (V47.2)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified car occupant injured in nontraffic accident (V47.3)												
All ages	5	4	1	5	4	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in traffic accident (V47.5)												
All ages	2,041	1,508	533	1,620	1,182	438	421	326	95	347	273	74
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	7	6	1	5	4	1	2	2	-	2	2	-
15-19 years	315	227	88	254	181	73	61	46	15	51	39	12
20-24 years	396	322	74	300	245	55	96	77	19	76	64	12
25-29 years	205	161	44	158	124	34	47	37	10	40	31	9
30-34 years	198	149	49	152	109	43	46	40	6	36	30	6
35-39 years	165	112	53	129	88	41	36	24	12	32	22	10
40-44 years	147	108	39	107	79	28	40	29	11	37	28	9
45-49 years	134	99	35	107	78	29	27	21	6	21	16	5
50-54 years	107	70	37	89	57	32	18	13	5	13	10	3
55-59 years	60	51	9	51	44	7	9	7	2	7	5	2
60-64 years	52	36	16	41	28	13	11	8	3	8	7	1
65-69 years	53	33	20	44	27	17	9	6	3	6	4	2
70-74 years	47	29	18	42	25	17	5	4	1	4	3	1
75-79 years	72	49	23	64	41	23	8	8	-	8	8	-
80-84 years	42	27	15	38	25	13	4	2	2	4	2	2
85-89 years	34	22	12	33	21	12	1	1	-	1	1	-
90-94 years	4	4	-	4	4	-	-	-	-	-	-	-
95-99 years	3	3	-	2	2	-	1	1	-	1	1	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Passenger injured in traffic accident (V47.6)												
All ages	860	522	338	657	400	257	203	122	81	167	106	61
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	15	6	9	8	3	5	7	3	4	6	2	4
5-9 years	23	13	10	17	12	5	6	1	5	5	1	4
10-14 years	24	10	14	22	10	12	2	-	2	1	-	1
15-19 years	241	160	81	184	119	65	57	41	16	49	36	13
20-24 years	186	133	53	132	98	34	54	35	19	45	31	14
25-29 years	78	53	25	58	37	21	20	16	4	16	12	4
30-34 years	54	35	19	40	29	11	14	6	8	13	6	7
35-39 years	44	27	17	37	24	13	7	3	4	6	3	3
40-44 years	44	30	14	34	24	10	10	6	4	9	6	3
45-49 years	30	12	18	22	9	13	8	3	5	5	3	2
50-54 years	18	11	7	13	9	4	5	2	3	3	1	2
55-59 years	8	5	3	8	5	3	-	-	-	-	-	-
60-64 years	11	6	5	8	4	4	3	2	1	2	1	1
65-69 years	11	2	9	10	1	9	1	1	-	1	1	-
70-74 years	13	4	9	10	3	7	3	1	2	1	1	-
75-79 years	24	5	19	20	3	17	4	2	2	3	2	1
80-84 years	15	5	10	13	5	8	2	-	2	2	-	2
85-89 years	14	2	12	14	2	12	-	-	-	-	-	-
90-94 years	4	1	3	4	1	3	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Person on outside of vehicle injured in traffic accident (V47.7)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified car occupant injured in traffic accident (V47.9)												
All ages	326	227	99	275	189	86	51	38	13	41	31	10
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	2	2	-	1	1	-	1	1	-	1	1	-
10-14 years	3	2	1	3	2	1	-	-	-	-	-	-
15-19 years	67	47	20	57	37	20	10	10	-	7	7	-
20-24 years	59	44	15	49	36	13	10	8	2	9	7	2
25-29 years	37	26	11	30	22	8	7	4	3	5	3	2
30-34 years	26	22	4	20	17	3	6	5	1	6	5	1
35-39 years	18	11	7	16	9	7	2	2	-	2	2	-
40-44 years	21	17	4	20	17	3	1	-	1	1	-	1
45-49 years	16	12	4	10	9	1	6	3	3	5	3	2
50-54 years	10	6	4	8	5	3	2	1	1	2	1	1
55-59 years	14	10	4	12	9	3	2	1	1	2	1	1
60-64 years	8	4	4	7	4	3	1	-	1	-	-	-
65-69 years	7	4	3	6	3	3	1	1	-	-	-	-
70-74 years	10	5	5	9	4	5	1	1	-	-	-	-
75-79 years	11	5	6	11	5	6	-	-	-	-	-	-
80-84 years	9	7	2	8	6	2	1	1	-	1	1	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Car occupant injured in noncollision transport accident (V48)												
All ages	2,669	1,743	926	2,200	1,428	772	469	315	154	309	215	94
Under 1 year	12	2	10	11	2	9	1	-	1	-	-	-
1-4 years	27	15	12	19	11	8	8	4	4	5	2	3
5-9 years	36	20	16	25	13	12	11	7	4	10	7	3
10-14 years	70	34	36	52	25	27	18	9	9	13	6	7
15-19 years	434	260	174	373	216	157	61	44	17	39	28	11
20-24 years	485	361	124	404	313	91	81	48	33	49	29	20
25-29 years	265	188	77	197	140	57	68	48	20	39	26	13
30-34 years	229	162	67	177	124	53	52	38	14	36	31	5
35-39 years	208	130	78	175	108	67	33	22	11	18	12	6
40-44 years	188	123	65	157	101	56	31	22	9	24	17	7
45-49 years	168	122	46	133	95	38	35	27	8	25	20	5
50-54 years	143	86	57	123	73	50	20	13	7	12	9	3
55-59 years	90	56	34	68	43	25	22	13	9	18	11	7
60-64 years	88	56	32	74	44	30	14	12	2	12	11	1
65-69 years	45	30	15	42	28	14	3	2	1	2	2	-
70-74 years	59	36	23	55	34	21	4	2	2	2	1	1
75-79 years	55	28	27	54	27	27	1	1	-	1	1	-
80-84 years	37	18	19	35	17	18	2	1	1	1	1	-
85-89 years	23	13	10	20	11	9	3	2	1	2	1	1
90-94 years	4	1	3	3	1	2	1	-	1	1	-	1
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	1	1	2	1	1	-	-	-	-	-	-
Driver injured in nontraffic accident (V48.0)												
All ages	15	9	6	14	9	5	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	4	2	2	4	2	2	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Passenger injured in nontraffic accident (V48.1)												
All ages	6	5	1	6	5	1	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Person on outside of vehicle injured in nontraffic accident (V48.2)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified car occupant injured in nontraffic accident (V48.3)												
All ages	7	7	-	6	6	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Person injured while boarding or alighting (V48.4)												
All ages	6	5	1	6	5	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in traffic accident (V48.5)												
All ages	1,461	993	468	1,226	816	410	235	177	58	162	124	38
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	9	5	4	7	4	3	2	1	1	2	1	1
15-19 years	205	136	69	177	112	65	28	24	4	19	16	3
20-24 years	257	195	62	213	165	48	44	30	14	26	17	9
25-29 years	145	115	30	110	87	23	35	28	7	23	17	6
30-34 years	139	90	49	112	69	43	27	21	6	21	18	3
35-39 years	142	89	53	118	74	44	24	15	9	16	11	5
40-44 years	126	83	43	107	68	39	19	15	4	15	11	4
45-49 years	106	83	23	87	66	21	19	17	2	14	13	1
50-54 years	95	54	41	85	48	37	10	6	4	5	3	2
55-59 years	57	39	18	42	28	14	15	11	4	11	9	2
60-64 years	57	34	23	50	28	22	7	6	1	7	6	1
65-69 years	27	22	5	26	21	5	1	1	-	1	1	-
70-74 years	33	18	15	32	18	14	1	-	1	-	-	-
75-79 years	31	17	14	31	17	14	-	-	-	-	-	-
80-84 years	17	6	11	17	6	11	-	-	-	-	-	-
85-89 years	12	7	5	10	5	5	2	2	-	1	1	-
90-94 years	3	-	3	2	-	2	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Passenger injured in traffic accident (V48.6)												
All ages	765	432	333	597	339	258	168	93	75	103	58	45
Under 1 year	11	2	9	10	2	8	1	-	1	-	-	-
1-4 years	23	12	11	16	9	7	7	3	4	5	2	3
5-9 years	33	18	15	22	11	11	11	7	4	10	7	3
10-14 years	52	25	27	37	17	20	15	8	7	10	5	5
15-19 years	173	95	78	144	77	67	29	18	11	17	10	7
20-24 years	154	113	41	126	98	28	28	15	13	18	10	8
25-29 years	67	35	32	47	25	22	20	10	10	11	5	6
30-34 years	47	34	13	34	27	7	13	7	6	5	4	1
35-39 years	37	21	16	31	16	15	6	5	1	2	1	1
40-44 years	24	12	12	19	9	10	5	3	2	3	2	1
45-49 years	31	13	18	21	7	14	10	6	4	6	3	3
50-54 years	22	11	11	16	8	8	6	3	3	3	2	1
55-59 years	21	8	13	16	8	8	5	-	5	5	-	5
60-64 years	19	12	7	13	7	6	6	5	1	5	5	-
65-69 years	11	3	8	10	3	7	1	-	1	-	-	-
70-74 years	10	6	4	7	4	3	3	2	1	2	1	1
75-79 years	12	3	9	11	2	9	1	1	-	1	1	-
80-84 years	12	6	6	11	6	5	1	-	1	-	-	-
85-89 years	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Person on outside of vehicle injured in traffic accident (V48.7)												
All ages	4	4	-	3	3	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified car occupant injured in traffic accident (V48.9)												
All ages	403	287	116	340	244	96	63	43	20	41	31	10
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	4	3	1	3	2	1	1	1	-	-	-	-
5-9 years	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years	7	2	5	6	2	4	1	-	1	1	-	1
15-19 years	55	29	26	51	27	24	4	2	2	3	2	1
20-24 years	67	48	19	58	45	13	9	3	6	5	2	3
25-29 years	49	35	14	37	26	11	12	9	3	4	3	1
30-34 years	39	34	5	27	24	3	12	10	2	10	9	1
35-39 years	27	18	9	24	16	8	3	2	1	-	-	-
40-44 years	37	27	10	30	23	7	7	4	3	6	4	2
45-49 years	27	22	5	21	18	3	6	4	2	5	4	1
50-54 years	26	21	5	22	17	5	4	4	-	4	4	-
55-59 years	11	8	3	9	6	3	2	2	-	2	2	-
60-64 years	9	7	2	8	6	2	1	1	-	-	-	-
65-69 years	6	4	2	6	4	2	-	-	-	-	-	-
70-74 years	16	12	4	16	12	4	-	-	-	-	-	-
75-79 years	8	6	2	8	6	2	-	-	-	-	-	-
80-84 years	7	5	2	6	4	2	1	1	-	1	1	-
85-89 years	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	1	1	-	1	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Car occupant injured in other and unspecified transport accidents (V49)												
All ages	2,351	1,453	898	1,949	1,179	770	402	274	128	335	230	105
Under 1 year	12	6	6	8	4	4	4	2	2	3	2	1
1-4 years	24	14	10	18	10	8	6	4	2	6	4	2
5-9 years	24	8	16	17	5	12	7	3	4	5	2	3
10-14 years	41	22	19	33	17	16	8	5	3	8	5	3
15-19 years	356	235	121	289	182	107	67	53	14	49	37	12
20-24 years	300	217	83	245	184	61	55	33	22	49	29	20
25-29 years	191	128	63	153	102	51	38	26	12	30	20	10
30-34 years	154	106	48	129	88	41	25	18	7	23	17	6
35-39 years	161	114	47	127	89	38	34	25	9	28	20	8
40-44 years	156	99	57	133	80	53	23	19	4	18	16	2
45-49 years	151	97	54	115	70	45	36	27	9	32	25	7
50-54 years	131	75	56	111	63	48	20	12	8	18	11	7
55-59 years	102	58	44	89	49	40	13	9	4	11	9	2
60-64 years	86	45	41	71	37	34	15	8	7	12	7	5
65-69 years	92	50	42	74	39	35	18	11	7	17	11	6
70-74 years	96	46	50	82	41	41	14	5	9	12	4	8
75-79 years	106	51	55	99	45	54	7	6	1	4	3	1
80-84 years	92	46	46	84	40	44	8	6	2	6	6	-
85-89 years	54	28	26	53	27	26	1	1	-	1	1	-
90-94 years	16	6	10	14	5	9	2	1	1	2	1	1
95-99 years	5	2	3	4	2	2	1	-	1	1	-	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Driver injured in collision with other and unspecified motor vehicles in nontraffic accident (V49.0)												
All ages	4	4	-	3	3	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	1	-	-	-	-	1	1	-	1	1	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Passenger injured in collision with other and unspecified motor vehicles in nontraffic accident (V49.1)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified car occupant injured in collision with other and unspecified motor vehicles in nontraffic accident (V49.2)												
All ages	9	8	1	8	7	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Car occupant [any] injured in unspecified nontraffic accident (V49.3)												
All ages	16	13	3	14	11	3	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Driver injured in collision with other and unspecified motor vehicles in traffic accident (V49.4)												
All ages	331	194	137	267	150	117	64	44	20	52	34	18
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	52	31	21	44	27	17	8	4	4	8	4	4
20-24 years	36	28	8	26	20	6	10	8	2	10	8	2
25-29 years	24	17	7	18	12	6	6	5	1	4	3	1
30-34 years	26	15	11	20	11	9	6	4	2	5	3	2
35-39 years	20	12	8	15	8	7	5	4	1	3	2	1
40-44 years	24	13	11	19	9	10	5	4	1	3	2	1
45-49 years	21	10	11	15	6	9	6	4	2	4	3	1
50-54 years	21	11	10	15	9	6	6	2	4	4	1	3
55-59 years	20	12	8	16	9	7	4	3	1	4	3	1
60-64 years	15	4	11	14	4	10	1	-	1	1	-	1
65-69 years	15	7	8	12	5	7	3	2	1	3	2	1
70-74 years	11	7	4	10	6	4	1	1	-	-	-	-
75-79 years	15	7	8	13	5	8	2	2	-	2	2	-
80-84 years	18	12	6	18	12	6	-	-	-	-	-	-
85-89 years	10	6	4	10	6	4	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Passenger injured in collision with other and unspecified motor vehicles in traffic accident (V49.5)												
All ages	278	140	138	222	106	116	56	34	22	45	26	19
Under 1 year	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	5	1	4	5	1	4	-	-	-	-	-	-
10-14 years	12	8	4	9	7	2	3	1	2	3	1	2
15-19 years	39	25	14	23	14	9	16	11	5	9	6	3
20-24 years	42	30	12	29	21	8	13	9	4	12	8	4
25-29 years	16	6	10	15	6	9	1	-	1	1	-	1
30-34 years	15	10	5	13	8	5	2	2	-	2	2	-
35-39 years	18	12	6	16	11	5	2	1	1	2	1	1
40-44 years	21	8	13	18	5	13	3	3	-	2	2	-
45-49 years	18	9	9	13	7	6	5	2	3	4	1	3
50-54 years	10	2	8	10	2	8	-	-	-	-	-	-
55-59 years	8	2	6	6	2	4	2	-	2	1	-	1
60-64 years	10	5	5	8	4	4	2	1	1	2	1	1
65-69 years	10	3	7	8	2	6	2	1	1	2	1	1
70-74 years	11	3	8	9	2	7	2	1	1	2	1	1
75-79 years	11	2	9	10	2	8	1	-	1	1	-	1
80-84 years	15	5	10	15	5	10	-	-	-	-	-	-
85-89 years	7	5	2	7	5	2	-	-	-	-	-	-
90-94 years	5	1	4	4	-	4	1	1	-	1	1	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified car occupant injured in collision with other and unspecified motor vehicles in traffic accident (V49.6)												
All ages	112	58	54	95	46	49	17	12	5	15	11	4
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	3	2	1	2	1	1	1	1	-	1	1	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	8	5	3	7	4	3	1	1	-	1	1	-
15-19 years	16	10	6	13	7	6	3	3	-	3	3	-
20-24 years	14	7	7	11	7	4	3	-	3	2	-	2
25-29 years	10	5	5	7	2	5	3	3	-	3	3	-
30-34 years	4	1	3	3	1	2	1	-	1	1	-	1
35-39 years	3	-	3	2	-	2	1	-	1	1	-	1
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	5	4	1	4	3	1	1	1	-	1	1	-
50-54 years	8	5	3	8	5	3	-	-	-	-	-	-
55-59 years	5	3	2	5	3	2	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	4	1	3	3	-	3	1	1	-	1	1	-
70-74 years	5	1	4	5	1	4	-	-	-	-	-	-
75-79 years	10	5	5	9	4	5	1	1	-	-	-	-
80-84 years	8	4	4	7	3	4	1	1	-	1	1	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Car occupant [any] injured in other specified transport accidents (V49.8)												
All ages	27	21	6	25	19	6	2	2	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	4	3	1	3	2	1	1	1	-	-	-	-
20-24 years	5	5	-	4	4	-	1	1	-	1	1	-
25-29 years	4	2	2	4	2	2	-	-	-	-	-	-
30-34 years	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years	4	4	-	4	4	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Car occupant [any] injured in unspecified traffic accident (V49.9)												
All ages	1,572	1,013	559	1,313	835	478	259	178	81	218	154	64
Under 1 year	8	3	5	5	2	3	3	1	2	2	1	1
1-4 years	19	11	8	15	9	6	4	2	2	4	2	2
5-9 years	17	7	10	10	4	6	7	3	4	5	2	3
10-14 years	21	9	12	17	6	11	4	3	1	4	3	1
15-19 years	243	164	79	205	131	74	38	33	5	28	23	5
20-24 years	199	143	56	171	128	43	28	15	13	24	12	12
25-29 years	135	96	39	107	78	29	28	18	10	22	14	8
30-34 years	104	75	29	88	63	25	16	12	4	15	12	3
35-39 years	114	84	30	88	64	24	26	20	6	22	17	5
40-44 years	105	74	31	91	63	28	14	11	3	12	11	1
45-49 years	103	70	33	79	50	29	24	20	4	23	20	3
50-54 years	88	54	34	74	44	30	14	10	4	14	10	4
55-59 years	66	38	28	60	33	27	6	5	1	5	5	-
60-64 years	59	34	25	47	27	20	12	7	5	9	6	3
65-69 years	62	38	24	50	31	19	12	7	5	11	7	4
70-74 years	68	35	33	57	32	25	11	3	8	10	3	7
75-79 years	66	34	32	63	31	32	3	3	-	1	1	-
80-84 years	47	23	24	41	19	22	6	4	2	4	4	-
85-89 years	35	16	19	34	15	19	1	1	-	1	1	-
90-94 years	10	5	5	9	5	4	1	-	1	1	-	1
95-99 years	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Occupant of pickup truck or van injured in collision with pedestrian or animal (V50)												
All ages	9	9	-	8	8	-	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	3	3	-	3	3	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Driver injured in traffic accident (V50.5)												
All ages	5	5	-	5	5	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Passenger injured in traffic accident (V50.6)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified occupant of pickup truck or van injured in traffic accident (V50.9)												
All ages	3	3	-	2	2	-	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Occupant of pickup truck or van injured in collision with two- or three-wheeled motor vehicle (V52)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Driver injured in traffic accident (V52.5)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Occupant of pickup truck or van injured in collision with car, pickup truck, or van (V53)												
All ages	943	688	255	838	612	226	105	76	29	75	55	20
Under 1 year	10	2	8	8	2	6	2	-	2	2	-	2
1-4 years	15	8	7	14	8	6	1	-	1	-	-	-
5-9 years	22	13	9	17	11	6	5	2	3	2	1	1
10-14 years	22	10	12	20	10	10	2	-	2	1	-	1
15-19 years	81	60	21	73	56	17	8	4	4	6	3	3
20-24 years	88	74	14	78	64	14	10	10	-	6	6	-
25-29 years	75	63	12	67	56	11	8	7	1	6	5	1
30-34 years	69	59	10	57	50	7	12	9	3	8	5	3
35-39 years	62	45	17	55	40	15	7	5	2	4	2	2
40-44 years	80	56	24	71	48	23	9	8	1	8	7	1
45-49 years	64	47	17	59	42	17	5	5	-	4	4	-
50-54 years	66	50	16	55	41	14	11	9	2	9	8	1
55-59 years	49	30	19	46	29	17	3	1	2	2	1	1
60-64 years	48	36	12	42	31	11	6	5	1	5	4	1
65-69 years	54	36	18	47	32	15	7	4	3	5	4	1
70-74 years	44	33	11	39	30	9	5	3	2	5	3	2
75-79 years	39	26	13	37	24	13	2	2	-	1	1	-
80-84 years	32	24	8	30	22	8	2	2	-	1	1	-
85-89 years	12	8	4	12	8	4	-	-	-	-	-	-
90-94 years	8	5	3	8	5	3	-	-	-	-	-	-
95-99 years	2	2	-	2	2	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-
Driver injured in nontraffic accident (V53.0)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Person injured while boarding or alighting (V53.4)												
All ages	5	4	1	3	2	1	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Driver injured in traffic accident (V53.5)												
All ages	611	489	122	552	442	110	59	47	12	47	37	10
Under 1 year	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	44	40	4	41	38	3	3	2	1	3	2	1
20-24 years	58	51	7	53	46	7	5	5	-	2	2	-
25-29 years	48	42	6	44	38	6	4	4	-	4	4	-
30-34 years	47	41	6	39	35	4	8	6	2	6	4	2
35-39 years	47	34	13	43	32	11	4	2	2	3	1	2
40-44 years	58	39	19	52	34	18	6	5	1	6	5	1
45-49 years	49	35	14	46	32	14	3	3	-	3	3	-
50-54 years	45	36	9	38	30	8	7	6	1	5	5	-
55-59 years	42	29	13	40	28	12	2	1	1	2	1	1
60-64 years	36	30	6	31	26	5	5	4	1	4	3	1
65-69 years	36	31	5	32	28	4	4	3	1	3	3	-
70-74 years	32	28	4	29	26	3	3	2	1	3	2	1
75-79 years	27	22	5	25	20	5	2	2	-	1	1	-
80-84 years	28	21	7	26	19	7	2	2	-	1	1	-
85-89 years	6	5	1	6	5	1	-	-	-	-	-	-
90-94 years	5	4	1	5	4	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Passenger injured in traffic accident (V53.6)												
All ages	282	159	123	246	137	109	36	22	14	21	13	8
Under 1 year	7	2	5	7	2	5	-	-	-	-	-	-
1-4 years	15	8	7	14	8	6	1	-	1	-	-	-
5-9 years	21	12	9	16	10	6	5	2	3	2	1	1
10-14 years	21	10	11	19	10	9	2	-	2	1	-	1
15-19 years	26	12	14	23	10	13	3	2	1	2	1	1
20-24 years	29	23	6	24	18	6	5	5	-	4	4	-
25-29 years	23	17	6	19	14	5	4	3	1	2	1	1
30-34 years	15	11	4	12	9	3	3	2	1	2	1	1
35-39 years	12	9	3	10	7	3	2	2	-	-	-	-
40-44 years	16	11	5	14	9	5	2	2	-	2	2	-
45-49 years	11	8	3	10	7	3	1	1	-	-	-	-
50-54 years	17	11	6	14	9	5	3	2	1	3	2	1
55-59 years	7	1	6	6	1	5	1	-	1	-	-	-
60-64 years	7	3	4	7	3	4	-	-	-	-	-	-
65-69 years	16	3	13	14	3	11	2	-	2	1	-	1
70-74 years	12	5	7	10	4	6	2	1	1	2	1	1
75-79 years	12	4	8	12	4	8	-	-	-	-	-	-
80-84 years	4	3	1	4	3	1	-	-	-	-	-	-
85-89 years	6	3	3	6	3	3	-	-	-	-	-	-
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	2	2	-	2	2	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified occupant of pickup truck or van injured in traffic accident (V53.9)												
All ages	43	34	9	35	29	6	8	5	3	5	3	2
Under 1 year	2	-	2	1	-	1	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	11	8	3	9	8	1	2	-	2	1	-	1
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	4	4	-	4	4	-	-	-	-	-	-	-
30-34 years	6	6	-	5	5	-	1	1	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	6	6	-	5	5	-	1	1	-	-	-	-
45-49 years	3	3	-	2	2	-	1	1	-	1	1	-
50-54 years	3	2	1	2	1	1	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	3	2	1	2	1	1	1	1	-	1	1	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Occupant of pickup truck or van injured in collision with heavy transport vehicle or bus (V54)															
All ages	500	388	112	461	364	97	39	24	15	32	20	12			
Under 1 year	3	1	2	3	1	2	-	-	-	-	-	-			
1-4 years	4	2	2	3	2	1	1	-	1	-	-	-			
5-9 years	6	2	4	6	2	4	-	-	-	-	-	-			
10-14 years	9	7	2	9	7	2	-	-	-	-	-	-			
15-19 years	44	32	12	43	32	11	1	-	1	1	-	1			
20-24 years	49	45	4	46	43	3	3	2	1	2	1	1			
25-29 years	33	25	8	29	24	5	4	1	3	3	1	2			
30-34 years	38	35	3	36	33	3	2	2	-	2	2	-			
35-39 years	44	32	12	38	28	10	6	4	2	5	3	2			
40-44 years	51	39	12	49	38	11	2	1	1	2	1	1			
45-49 years	40	30	10	34	26	8	6	4	2	3	2	1			
50-54 years	24	21	3	23	21	2	1	-	1	1	-	1			
55-59 years	32	28	4	29	25	4	3	3	-	3	3	-			
60-64 years	21	16	5	18	13	5	3	3	-	3	3	-			
65-69 years	22	16	6	19	15	4	3	1	2	3	1	2			
70-74 years	35	27	8	34	26	8	1	1	-	1	1	-			
75-79 years	19	15	4	19	15	4	-	-	-	-	-	-			
80-84 years	16	7	9	14	6	8	2	1	1	2	1	1			
85-89 years	9	7	2	8	6	2	1	1	-	1	1	-			
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-			
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			
Driver injured in nontraffic accident (V54.0)															
All ages	1	1	-	1	1	-	-	-	-	-	-	-			
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-			
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-			
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-			
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Person injured while boarding or alighting (V54.4)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Driver injured in traffic accident (V54.5)												
All ages	329	278	51	310	264	46	19	14	5	17	13	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	28	25	3	28	25	3	-	-	-	-	-	-
20-24 years	30	29	1	30	29	1	-	-	-	-	-	-
25-29 years	18	16	2	17	16	1	1	-	1	1	-	1
30-34 years	30	27	3	28	25	3	2	2	-	2	2	-
35-39 years	28	22	6	26	20	6	2	2	-	2	2	-
40-44 years	37	28	9	35	27	8	2	1	1	2	1	1
45-49 years	29	20	9	25	17	8	4	3	1	2	2	-
50-54 years	20	18	2	20	18	2	-	-	-	-	-	-
55-59 years	26	22	4	24	20	4	2	2	-	2	2	-
60-64 years	17	14	3	15	12	3	2	2	-	2	2	-
65-69 years	16	13	3	13	12	1	3	1	2	3	1	2
70-74 years	19	18	1	19	18	1	-	-	-	-	-	-
75-79 years	14	13	1	14	13	1	-	-	-	-	-	-
80-84 years	10	6	4	10	6	4	-	-	-	-	-	-
85-89 years	6	6	-	5	5	-	1	1	-	1	1	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Passenger injured in traffic accident (V54.6)												
All ages	134	77	57	116	69	47	18	8	10	13	5	8
Under 1 year	3	1	2	3	1	2	-	-	-	-	-	-
1-4 years	3	1	2	2	1	1	1	-	1	-	-	-
5-9 years	6	2	4	6	2	4	-	-	-	-	-	-
10-14 years	9	7	2	9	7	2	-	-	-	-	-	-
15-19 years	13	5	8	12	5	7	1	-	1	1	-	1
20-24 years	16	13	3	13	11	2	3	2	1	2	1	1
25-29 years	14	8	6	11	7	4	3	1	2	2	1	1
30-34 years	6	6	-	6	6	-	-	-	-	-	-	-
35-39 years	9	5	4	5	3	2	4	2	2	3	1	2
40-44 years	7	5	2	7	5	2	-	-	-	-	-	-
45-49 years	8	7	1	6	6	-	2	1	1	1	-	1
50-54 years	2	1	1	1	1	-	1	-	1	1	-	1
55-59 years	3	3	-	2	2	-	1	1	-	1	1	-
60-64 years	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years	5	2	3	5	2	3	-	-	-	-	-	-
70-74 years	15	8	7	14	7	7	1	1	-	1	1	-
75-79 years	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years	5	-	5	4	-	4	1	-	1	1	-	1
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified occupant of pickup truck or van injured in traffic accident (V54.9)												
All ages	35	31	4	33	29	4	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	2	1	3	2	1	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	7	5	2	7	5	2	-	-	-	-	-	-
40-44 years	6	5	1	6	5	1	-	-	-	-	-	-
45-49 years	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	1	-	-	-	-	1	1	-	1	1	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Occupant of pickup truck or van injured in collision with railway train or railway vehicle (V55)												
All ages	76	64	12	72	60	12	4	4	-	4	4	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	3	1	2	3	1	2	-	-	-	-	-	-
15-19 years	7	5	2	7	5	2	-	-	-	-	-	-
20-24 years	6	5	1	6	5	1	-	-	-	-	-	-
25-29 years	11	10	1	9	8	1	2	2	-	2	2	-
30-34 years	4	3	1	4	3	1	-	-	-	-	-	-
35-39 years	6	5	1	5	4	1	1	1	-	1	1	-
40-44 years	11	9	2	10	8	2	1	1	-	1	1	-
45-49 years	7	5	2	7	5	2	-	-	-	-	-	-
50-54 years	7	7	-	7	7	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	4	4	-	4	4	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified occupant of pickup truck or van injured in nontraffic accident (V55.3)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in traffic accident (V55.5)												
All ages	46	39	7	43	36	7	3	3	-	3	3	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	2	1	3	2	1	-	-	-	-	-	-
20-24 years	3	3	-	3	3	-	-	-	-	-	-	-
25-29 years	9	8	1	8	7	1	1	1	-	1	1	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	4	3	1	3	2	1	1	1	-	1	1	-
40-44 years	9	7	2	8	6	2	1	1	-	1	1	-
45-49 years	6	4	2	6	4	2	-	-	-	-	-	-
50-54 years	4	4	-	4	4	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Passenger injured in traffic accident (V55.6)												
All ages	22	17	5	21	16	5	1	1	-	1	1	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	3	1	2	3	1	2	-	-	-	-	-	-
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	3	2	1	3	2	1	-	-	-	-	-	-
25-29 years	2	2	-	1	1	-	1	1	-	1	1	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified occupant of pickup truck or van injured in traffic accident (V55.9)												
All ages	6	6	-	6	6	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of pickup truck or van injured in collision with other nonmotor vehicle (V56)												
All ages	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in traffic accident (V56.5)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Person on outside of vehicle injured in traffic accident (V56.7)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified occupant of pickup truck or van injured in traffic accident (V56.9)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of pickup truck or van injured in collision with fixed or stationary object (V57)												
All ages	853	746	107	768	674	94	85	72	13	70	59	11
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	5	3	2	4	2	2	1	1	-	1	1	-
5-9 years	3	2	1	2	1	1	1	1	-	-	-	-
10-14 years	9	5	4	8	5	3	1	-	1	1	-	1
15-19 years	107	93	14	102	90	12	5	3	2	4	2	2
20-24 years	129	114	15	117	105	12	12	9	3	6	4	2
25-29 years	85	76	9	77	69	8	8	7	1	7	6	1
30-34 years	68	58	10	63	53	10	5	5	-	4	4	-
35-39 years	84	74	10	77	68	9	7	6	1	6	5	1
40-44 years	83	73	10	76	66	10	7	7	-	7	7	-
45-49 years	74	68	6	61	56	5	13	12	1	11	10	1
50-54 years	58	49	9	47	40	7	11	9	2	9	8	1
55-59 years	40	35	5	36	31	5	4	4	-	4	4	-
60-64 years	27	24	3	24	22	2	3	2	1	3	2	1
65-69 years	29	26	3	26	23	3	3	3	-	3	3	-
70-74 years	22	18	4	20	17	3	2	1	1	2	1	1
75-79 years	14	13	1	13	12	1	1	1	-	1	1	-
80-84 years	10	10	-	9	9	-	1	1	-	1	1	-
85-89 years	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in nontraffic accident (V57.0)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Person on outside of vehicle injured in nontraffic accident (V57.2)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in traffic accident (V57.5)												
All ages	620	569	51	566	517	49	54	52	2	47	45	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	60	53	7	60	53	7	-	-	-	-	-	-
20-24 years	81	78	3	79	76	3	2	2	-	1	1	-
25-29 years	64	61	3	57	54	3	7	7	-	6	6	-
30-34 years	50	44	6	47	41	6	3	3	-	2	2	-
35-39 years	63	57	6	57	52	5	6	5	1	5	4	1
40-44 years	69	63	6	62	56	6	7	7	-	7	7	-
45-49 years	61	55	6	49	44	5	12	11	1	10	9	1
50-54 years	47	42	5	40	35	5	7	7	-	6	6	-
55-59 years	32	30	2	30	28	2	2	2	-	2	2	-
60-64 years	25	23	2	23	21	2	2	2	-	2	2	-
65-69 years	24	22	2	21	19	2	3	3	-	3	3	-
70-74 years	18	16	2	17	15	2	1	1	-	1	1	-
75-79 years	11	11	-	10	10	-	1	1	-	1	1	-
80-84 years	9	9	-	8	8	-	1	1	-	1	1	-
85-89 years	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Passenger injured in traffic accident (V57.6)												
All ages	168	117	51	142	102	40	26	15	11	18	9	9
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	4	2	2	4	2	2	-	-	-	-	-	-
5-9 years	3	2	1	2	1	1	1	1	-	-	-	-
10-14 years	9	5	4	8	5	3	1	-	1	1	-	1
15-19 years	37	30	7	32	27	5	5	3	2	4	2	2
20-24 years	37	25	12	28	19	9	9	6	3	4	2	2
25-29 years	15	9	6	14	9	5	1	-	1	1	-	1
30-34 years	13	10	3	11	8	3	2	2	-	2	2	-
35-39 years	12	9	3	12	9	3	-	-	-	-	-	-
40-44 years	11	9	2	11	9	2	-	-	-	-	-	-
45-49 years	6	6	-	6	6	-	-	-	-	-	-	-
50-54 years	6	2	4	2	-	2	4	2	2	3	2	1
55-59 years	5	2	3	4	1	3	1	1	-	1	1	-
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years	3	1	2	2	1	1	1	-	1	1	-	1
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified occupant of pickup truck or van injured in traffic accident (V57.9)												
All ages	61	57	4	56	52	4	5	5	-	5	5	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	10	10	-	10	10	-	-	-	-	-	-	-
20-24 years	10	10	-	9	9	-	1	1	-	1	1	-
25-29 years	6	6	-	6	6	-	-	-	-	-	-	-
30-34 years	5	4	1	5	4	1	-	-	-	-	-	-
35-39 years	8	7	1	7	6	1	1	1	-	1	1	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	7	7	-	6	6	-	1	1	-	1	1	-
50-54 years	5	5	-	5	5	-	-	-	-	-	-	-
55-59 years	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of pickup truck or van injured in noncollision transport accident (V58)												
All ages	1,093	867	226	959	772	187	134	95	39	74	55	19
Under 1 year	3	1	2	3	1	2	-	-	-	-	-	-
1-4 years	7	2	5	6	2	4	1	-	1	1	-	1
5-9 years	10	5	5	8	3	5	2	2	-	2	2	-
10-14 years	29	15	14	27	15	12	2	-	2	-	-	-
15-19 years	127	94	33	115	88	27	12	6	6	3	1	2
20-24 years	156	132	24	138	119	19	18	13	5	8	4	4
25-29 years	83	70	13	72	63	9	11	7	4	7	5	2
30-34 years	108	94	14	94	81	13	14	13	1	8	7	1
35-39 years	128	103	25	110	91	19	18	12	6	8	6	2
40-44 years	108	84	24	98	76	22	10	8	2	8	7	1
45-49 years	82	68	14	68	58	10	14	10	4	8	6	2
50-54 years	75	67	8	69	61	8	6	6	-	5	5	-
55-59 years	41	34	7	33	27	6	8	7	1	6	5	1
60-64 years	34	25	9	28	20	8	6	5	1	4	4	-
65-69 years	34	22	12	29	19	10	5	3	2	3	2	1
70-74 years	27	22	5	25	22	3	2	-	2	2	-	2
75-79 years	25	19	6	22	17	5	3	2	1	1	1	-
80-84 years	13	8	5	12	8	4	1	-	1	-	-	-
85-89 years	3	2	1	2	1	1	1	1	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in nontraffic accident (V58.0)												
All ages	3	3	-	2	2	-	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	2	-	1	1	-	1	1	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Passenger injured in nontraffic accident (V58.1)												
All ages	4	1	3	4	1	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Person on outside of vehicle injured in nontraffic accident (V58.2)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified occupant of pickup truck or van injured in nontraffic accident (V58.3)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Person injured while boarding or alighting (V58.4)												
All ages	5	4	1	3	3	-	2	1	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Driver injured in traffic accident (V58.5)												
All ages	667	574	93	602	519	83	65	55	10	37	31	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	57	43	14	52	41	11	5	2	3	2	1	1
20-24 years	93	86	7	86	80	6	7	6	1	1	-	1
25-29 years	54	45	9	47	40	7	7	5	2	5	4	1
30-34 years	75	66	9	68	59	9	7	7	-	4	4	-
35-39 years	83	66	17	76	61	15	7	5	2	3	2	1
40-44 years	80	65	15	72	58	14	8	7	1	7	6	1
45-49 years	49	45	4	44	40	4	5	5	-	2	2	-
50-54 years	57	53	4	52	48	4	5	5	-	4	4	-
55-59 years	29	27	2	24	23	1	5	4	1	3	2	1
60-64 years	25	21	4	21	17	4	4	4	-	3	3	-
65-69 years	20	15	5	18	13	5	2	2	-	2	2	-
70-74 years	17	16	1	17	16	1	-	-	-	-	-	-
75-79 years	17	15	2	15	13	2	2	2	-	1	1	-
80-84 years	7	7	-	7	7	-	-	-	-	-	-	-
85-89 years	2	2	-	1	1	-	1	1	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Passenger injured in traffic accident (V58.6)												
All ages	301	188	113	248	162	86	53	26	27	28	17	11
Under 1 year	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years	7	2	5	6	2	4	1	-	1	1	-	1
5-9 years	9	5	4	7	3	4	2	2	-	2	2	-
10-14 years	24	11	13	22	11	11	2	-	2	-	-	-
15-19 years	51	37	14	44	33	11	7	4	3	1	-	1
20-24 years	45	31	14	39	27	12	6	4	2	5	4	1
25-29 years	24	21	3	20	19	1	4	2	2	2	1	1
30-34 years	24	20	4	19	16	3	5	4	1	4	3	1
35-39 years	26	20	6	17	15	2	9	5	4	4	3	1
40-44 years	17	12	5	16	12	4	1	-	1	-	-	-
45-49 years	21	12	9	15	10	5	6	2	4	4	2	2
50-54 years	8	4	4	8	4	4	-	-	-	-	-	-
55-59 years	10	5	5	8	3	5	2	2	-	2	2	-
60-64 years	5	-	5	4	-	4	1	-	1	-	-	-
65-69 years	9	2	7	6	1	5	3	1	2	1	-	1
70-74 years	9	5	4	7	5	2	2	-	2	2	-	2
75-79 years	3	-	3	2	-	2	1	-	1	-	-	-
80-84 years	6	1	5	5	1	4	1	-	1	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Person on outside of vehicle injured in traffic accident (V58.7)												
All ages	6	5	1	5	4	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	3	2	1	3	2	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified occupant of pickup truck or van injured in traffic accident (V58.9)												
All ages	104	89	15	92	78	14	12	11	1	7	6	1
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	13	10	3	13	10	3	-	-	-	-	-	-
20-24 years	17	15	2	13	12	1	4	3	1	1	-	1
25-29 years	5	4	1	5	4	1	-	-	-	-	-	-
30-34 years	8	7	1	7	6	1	1	1	-	-	-	-
35-39 years	15	14	1	14	13	1	1	1	-	1	1	-
40-44 years	10	6	4	9	5	4	1	1	-	1	1	-
45-49 years	10	9	1	7	6	1	3	3	-	2	2	-
50-54 years	10	10	-	9	9	-	1	1	-	1	1	-
55-59 years	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	4	3	1	4	3	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of pickup truck or van injured in other and unspecified transport accidents (V59)												
All ages	261	203	58	228	173	55	33	30	3	23	21	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	5	3	2	5	3	2	-	-	-	-	-	-
5-9 years	6	4	2	5	3	2	1	1	-	-	-	-
10-14 years	13	4	9	9	1	8	4	3	1	3	2	1
15-19 years	25	16	9	23	15	8	2	1	1	1	1	-
20-24 years	31	27	4	30	26	4	1	1	-	-	-	-
25-29 years	16	14	2	14	12	2	2	2	-	1	1	-
30-34 years	15	11	4	12	9	3	3	2	1	3	2	1
35-39 years	20	15	5	19	14	5	1	1	-	1	1	-
40-44 years	30	29	1	20	19	1	10	10	-	9	9	-
45-49 years	19	14	5	16	11	5	3	3	-	2	2	-
50-54 years	12	7	5	11	6	5	1	1	-	-	-	-
55-59 years	20	14	6	20	14	6	-	-	-	-	-	-
60-64 years	10	10	-	8	8	-	2	2	-	1	1	-
65-69 years	14	11	3	13	10	3	1	1	-	1	1	-
70-74 years	11	11	-	9	9	-	2	2	-	1	1	-
75-79 years	8	8	-	8	8	-	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in collision with other and unspecified motor vehicles in nontraffic accident (V59.0)												
All ages	3	2	1	2	2	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Passenger injured in collision with other and unspecified motor vehicles in nontraffic accident (V59.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified occupant of pickup truck or van injured in collision with other and unspecified motor vehicles in nontraffic accident (V59.2)												
All ages	1	1	-	-	-	-	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Occupant [any] of pickup truck or van injured in unspecified nontraffic accident (V59.3)												
All ages	8	6	2	8	6	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in collision with other and unspecified motor vehicles in traffic accident (V59.4)												
All ages	72	63	9	64	55	9	8	8	-	5	5	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	4	4	-	4	4	-	-	-	-	-	-	-
20-24 years	7	5	2	6	4	2	1	1	-	-	-	-
25-29 years	3	3	-	2	2	-	1	1	-	1	1	-
30-34 years	4	3	1	3	2	1	1	1	-	1	1	-
35-39 years	6	6	-	6	6	-	-	-	-	-	-	-
40-44 years	6	6	-	4	4	-	2	2	-	1	1	-
45-49 years	7	6	1	6	5	1	1	1	-	1	1	-
50-54 years	4	2	2	4	2	2	-	-	-	-	-	-
55-59 years	8	6	2	8	6	2	-	-	-	-	-	-
60-64 years	6	6	-	5	5	-	1	1	-	-	-	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	6	6	-	5	5	-	1	1	-	1	1	-
75-79 years	6	6	-	6	6	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Passenger injured in collision with other and unspecified motor vehicles in traffic accident (V59.5)												
All ages	56	42	14	50	36	14	6	6	-	5	5	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years	4	2	2	3	1	2	1	1	-	1	1	-
15-19 years	7	4	3	6	3	3	1	1	-	1	1	-
20-24 years	8	8	-	8	8	-	-	-	-	-	-	-
25-29 years	5	4	1	4	3	1	1	1	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	6	3	3	6	3	3	-	-	-	-	-	-
40-44 years	7	6	1	6	5	1	1	1	-	1	1	-
45-49 years	3	3	-	2	2	-	1	1	-	1	1	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	5	4	1	4	3	1	1	1	-	1	1	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified occupant of pickup truck or van injured in collision with other and unspecified motor vehicles in traffic accident (V59.6)												
All ages	20	9	11	16	5	11	4	4	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	1	-	-	-	-	1	1	-	-	-	-
10-14 years	3	-	3	3	-	3	-	-	-	-	-	-
15-19 years	4	1	3	4	1	3	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	3	3	-	2	2	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	1	1	1	-	1	1	1	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Occupant [any] of pickup truck or van injured in other specified transport accidents (V59.8)												
All ages	23	18	5	18	13	5	5	5	-	5	5	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	3	3	-	3	3	-	-	-	-	-	-	-
25-29 years	4	3	1	4	3	1	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	5	5	-	2	2	-	3	3	-	3	3	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Occupant [any] of pickup truck or van injured in unspecified traffic accident (V59.9)												
All ages	77	61	16	69	55	14	8	6	2	6	5	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years	5	1	4	3	-	3	2	1	1	1	-	1
15-19 years	8	5	3	7	5	2	1	-	1	-	-	-
20-24 years	10	9	1	10	9	1	-	-	-	-	-	-
25-29 years	3	3	-	3	3	-	-	-	-	-	-	-
30-34 years	8	7	1	8	7	1	-	-	-	-	-	-
35-39 years	4	4	-	3	3	-	1	1	-	1	1	-
40-44 years	8	8	-	5	5	-	3	3	-	3	3	-
45-49 years	6	3	3	6	3	3	-	-	-	-	-	-
50-54 years	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years	6	5	1	6	5	1	-	-	-	-	-	-
60-64 years	3	3	-	2	2	-	1	1	-	1	1	-
65-69 years	5	5	-	5	5	-	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of heavy transport vehicle injured in collision with car, pickup truck, or van (V63)												
All ages	45	37	8	41	34	7	4	3	1	4	3	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	4	3	1	4	3	1	-	-	-	-	-	-
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	4	3	1	3	3	-	1	-	1	1	-	1
35-39 years	4	4	-	4	4	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	10	9	1	8	7	1	2	2	-	2	2	-
50-54 years	5	4	1	5	4	1	-	-	-	-	-	-
55-59 years	4	4	-	4	4	-	-	-	-	-	-	-
60-64 years	4	3	1	3	2	1	1	1	-	1	1	-
65-69 years	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in traffic accident (V63.5)												
All ages	33	29	4	29	26	3	4	3	1	4	3	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	4	3	1	3	3	-	1	-	1	1	-	1
35-39 years	4	4	-	4	4	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	7	6	1	5	4	1	2	2	-	2	2	-
50-54 years	5	4	1	5	4	1	-	-	-	-	-	-
55-59 years	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years	3	3	-	2	2	-	1	1	-	1	1	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Passenger injured in traffic accident (V63.6)												
All ages	7	5	2	7	5	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified occupant of heavy transport vehicle injured in traffic accident (V63.9)												
All ages	5	3	2	5	3	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of heavy transport vehicle injured in collision with heavy transport vehicle or bus (V64)												
All ages	47	43	4	44	41	3	3	2	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	5	5	-	5	5	-	-	-	-	-	-	-
25-29 years	4	4	-	4	4	-	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	4	3	1	3	2	1	1	1	-	1	1	-
40-44 years	7	4	3	6	4	2	1	-	1	1	-	1
45-49 years	7	7	-	7	7	-	-	-	-	-	-	-
50-54 years	8	8	-	8	8	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	7	7	-	7	7	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in traffic accident (V64.5)												
All ages	40	37	3	37	35	2	3	2	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	5	5	-	5	5	-	-	-	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	3	2	1	2	1	1	1	1	-	1	1	-
40-44 years	5	3	2	4	3	1	1	-	1	1	-	1
45-49 years	7	7	-	7	7	-	-	-	-	-	-	-
50-54 years	7	7	-	7	7	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	6	6	-	6	6	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Passenger injured in traffic accident (V64.6)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified occupant of heavy transport vehicle injured in traffic accident (V64.9)												
All ages	4	4	-	4	4	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of heavy transport vehicle injured in collision with railway train or railway vehicle (V65)												
All ages	11	11	-	9	9	-	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years	4	4	-	2	2	-	2	2	-	2	2	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in nontraffic accident (V65.0)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Driver injured in traffic accident (V65.5)												
All ages	7	7	-	5	5	-	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	4	4	-	2	2	-	2	2	-	2	2	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified occupant of heavy transport vehicle injured in traffic accident (V65.9)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of heavy transport vehicle injured in collision with fixed or stationary object (V67)												
All ages	82	80	2	62	60	2	20	20	-	19	19	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	2	2	-	-	-	-	2	2	-	2	2	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	6	6	-	5	5	-	1	1	-	1	1	-
30-34 years	13	13	-	9	9	-	4	4	-	3	3	-
35-39 years	6	5	1	3	2	1	3	3	-	3	3	-
40-44 years	16	16	-	11	11	-	5	5	-	5	5	-
45-49 years	12	12	-	10	10	-	2	2	-	2	2	-
50-54 years	7	7	-	6	6	-	1	1	-	1	1	-
55-59 years	4	4	-	3	3	-	1	1	-	1	1	-
60-64 years	6	6	-	5	5	-	1	1	-	1	1	-
65-69 years	4	3	1	4	3	1	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in traffic accident (V67.5)												
All ages	66	65	1	49	48	1	17	17	-	16	16	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	4	4	-	3	3	-	1	1	-	1	1	-
30-34 years	11	11	-	7	7	-	4	4	-	3	3	-
35-39 years	4	4	-	2	2	-	2	2	-	2	2	-
40-44 years	15	15	-	10	10	-	5	5	-	5	5	-
45-49 years	10	10	-	8	8	-	2	2	-	2	2	-
50-54 years	7	7	-	6	6	-	1	1	-	1	1	-
55-59 years	4	4	-	3	3	-	1	1	-	1	1	-
60-64 years	4	4	-	3	3	-	1	1	-	1	1	-
65-69 years	4	3	1	4	3	1	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Passenger injured in traffic accident (V67.6)												
All ages	12	12	-	9	9	-	3	3	-	3	3	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	2	2	-	-	-	-	2	2	-	2	2	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified occupant of heavy transport vehicle injured in traffic accident (V67.9)												
All ages	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of heavy transport vehicle injured in noncollision transport accident (V68)												
All ages	139	127	12	117	105	12	22	22	-	19	19	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	10	9	1	9	8	1	1	1	-	1	1	-
25-29 years	13	13	-	12	12	-	1	1	-	1	1	-
30-34 years	17	15	2	14	12	2	3	3	-	3	3	-
35-39 years	21	20	1	17	16	1	4	4	-	3	3	-
40-44 years	20	17	3	18	15	3	2	2	-	1	1	-
45-49 years	16	15	1	11	10	1	5	5	-	4	4	-
50-54 years	9	9	-	8	8	-	1	1	-	1	1	-
55-59 years	12	11	1	10	9	1	2	2	-	2	2	-
60-64 years	8	8	-	6	6	-	2	2	-	2	2	-
65-69 years	9	7	2	8	6	2	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in nontraffic accident (V68.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified occupant of heavy transport vehicle injured in nontraffic accident (V68.3)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Person injured while boarding or alighting (V68.4)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Driver injured in traffic accident (V68.5)												
All ages	95	90	5	79	74	5	16	16	-	13	13	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	4	4	-	4	4	-	-	-	-	-	-	-
25-29 years	10	10	-	9	9	-	1	1	-	1	1	-
30-34 years	11	11	-	10	10	-	1	1	-	1	1	-
35-39 years	15	15	-	12	12	-	3	3	-	2	2	-
40-44 years	12	11	1	10	9	1	2	2	-	1	1	-
45-49 years	14	13	1	9	8	1	5	5	-	4	4	-
50-54 years	9	9	-	8	8	-	1	1	-	1	1	-
55-59 years	9	8	1	8	7	1	1	1	-	1	1	-
60-64 years	6	6	-	4	4	-	2	2	-	2	2	-
65-69 years	5	3	2	5	3	2	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Passenger injured in traffic accident (V68.6)												
All ages	17	14	3	14	11	3	3	3	-	3	3	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	3	2	1	3	2	1	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	3	3	-	1	1	-	2	2	-	2	2	-
35-39 years	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Person on outside of vehicle injured in traffic accident (V68.7)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified occupant of heavy transport vehicle injured in traffic accident (V68.9)												
All ages	23	19	4	20	16	4	3	3	-	3	3	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	3	3	-	2	2	-	1	1	-	1	1	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years	4	3	1	4	3	1	-	-	-	-	-	-
40-44 years	6	5	1	6	5	1	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of heavy transport vehicle injured in other and unspecified transport accidents (V69)												
All ages	50	42	8	42	35	7	8	7	1	8	7	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	5	5	-	5	5	-	-	-	-	-	-	-
25-29 years	6	5	1	5	4	1	1	1	-	1	1	-
30-34 years	5	4	1	3	3	-	2	1	1	2	1	1
35-39 years	5	3	2	5	3	2	-	-	-	-	-	-
40-44 years	8	6	2	7	5	2	1	1	-	1	1	-
45-49 years	5	4	1	4	3	1	1	1	-	1	1	-
50-54 years	5	4	1	5	4	1	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	5	5	-	4	4	-	1	1	-	1	1	-
65-69 years	2	2	-	1	1	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Occupant [any] of heavy transport vehicle injured in unspecified nontraffic accident (V69.3)												
All ages	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Driver injured in collision with other and unspecified motor vehicles in traffic accident (V69.4)												
All ages	8	8	-	8	8	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Passenger injured in collision with other and unspecified motor vehicles in traffic accident (V69.5)												
All ages	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified occupant of heavy transport vehicle injured in collision with other and unspecified motor vehicles in traffic accident (V69.6)												
All ages	4	3	1	2	2	-	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Occupant [any] of heavy transport vehicle injured in other specified transport accidents (V69.8)												
All ages	8	6	2	8	6	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Occupant [any] of heavy transport vehicle injured in unspecified traffic accident (V69.9)												
All ages	23	20	3	18	15	3	5	5	-	5	5	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	4	4	-	3	3	-	1	1	-	1	1	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	5	4	1	4	3	1	1	1	-	1	1	-
45-49 years	3	2	1	2	1	1	1	1	-	1	1	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Bus occupant injured in collision with car, pickup truck, or van (V73)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Driver injured in nontraffic accident (V73.0)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in traffic accident (V73.5)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Bus occupant injured in collision with heavy transport vehicle or bus (V74)												
All ages	12	9	3	11	9	2	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	2	1	1	1	1	-	1	-	1	1	-	1
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in traffic accident (V74.5)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Passenger injured in traffic accident (V74.6)												
All ages	8	6	2	7	6	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	2	1	1	1	1	-	1	-	1	1	-	1
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified bus occupant injured in traffic accident (V74.9)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Bus occupant injured in collision with fixed or stationary object (V77)												
All ages	6	4	2	6	4	2	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in traffic accident (V77.5)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Passenger injured in traffic accident (V77.6)												
All ages	5	3	2	5	3	2	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Bus occupant injured in noncollision transport accident (V78)												
All ages	7	5	2	6	4	2	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Person on outside of vehicle injured in nontraffic accident (V78.2)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified bus occupant injured in nontraffic accident (V78.3)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Person injured while boarding or alighting (V78.4)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Passenger injured in traffic accident (V78.6)												
All ages	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified bus occupant injured in traffic accident (V78.9)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Bus occupant injured in other and unspecified transport accidents (V79)															
All ages	10	6	4	7	3	4	3	3	-	3	3	-			
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-			
30-34 years	2	2	-	-	-	-	2	2	-	2	2	-			
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-			
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-			
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-			
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-			
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-			
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-			
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-			
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			
Unspecified bus occupant injured in collision with other and unspecified motor vehicles in nontraffic accident (V79.2)															
All ages	1	1	-	1	1	-	-	-	-	-	-	-			
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-			
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-			
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-			
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Bus occupant [any] injured in unspecified nontraffic accident (V79.3)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified bus occupant injured in collision with other and unspecified motor vehicles in traffic accident (V79.6)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Bus occupant [any] injured in other specified transport accidents (V79.8)												
All ages	3	1	2	2	-	2	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Bus occupant [any] injured in unspecified traffic accident (V79.9)												
All ages	3	3	-	1	1	-	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	-	-	-	2	2	-	2	2	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Animal-rider or occupant of animal-drawn vehicle injured in transport accident (V80)												
All ages	116	80	36	109	76	33	7	4	3	4	3	1
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	5	3	2	4	3	1	1	-	1	1	-	1
10-14 years	5	1	4	4	-	4	1	1	-	1	1	-
15-19 years	9	9	-	7	7	-	2	2	-	1	1	-
20-24 years	5	3	2	5	3	2	-	-	-	-	-	-
25-29 years	5	2	3	5	2	3	-	-	-	-	-	-
30-34 years	4	4	-	3	3	-	1	1	-	1	1	-
35-39 years	11	5	6	10	5	5	1	-	1	-	-	-
40-44 years	10	6	4	9	6	3	1	-	1	-	-	-
45-49 years	13	6	7	13	6	7	-	-	-	-	-	-
50-54 years	15	13	2	15	13	2	-	-	-	-	-	-
55-59 years	10	8	2	10	8	2	-	-	-	-	-	-
60-64 years	5	5	-	5	5	-	-	-	-	-	-	-
65-69 years	7	6	1	7	6	1	-	-	-	-	-	-
70-74 years	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Rider or occupant injured by fall from or being thrown from animal or animal-drawn vehicle in noncollision accident (V80.0)												
All ages	79	52	27	76	50	26	3	2	1	2	2	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years	3	-	3	3	-	3	-	-	-	-	-	-
15-19 years	4	4	-	3	3	-	1	1	-	1	1	-
20-24 years	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years	4	1	3	4	1	3	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	9	4	5	8	4	4	1	-	1	-	-	-
40-44 years	6	3	3	6	3	3	-	-	-	-	-	-
45-49 years	11	4	7	11	4	7	-	-	-	-	-	-
50-54 years	9	8	1	9	8	1	-	-	-	-	-	-
55-59 years	10	8	2	10	8	2	-	-	-	-	-	-
60-64 years	4	4	-	4	4	-	-	-	-	-	-	-
65-69 years	4	4	-	4	4	-	-	-	-	-	-	-
70-74 years	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Rider or occupant injured in collision with pedestrian or animal (V80.1)												
All ages	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Rider or occupant injured in collision with car, pickup truck, van, heavy transport vehicle, or bus (V80.4)												
All ages	11	11	-	10	10	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Rider or occupant injured in collision with other specified motor vehicle (V80.5)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Rider or occupant injured in collision with other nonmotor vehicle (V80.7)												
All ages	2	1	1	1	1	-	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Rider or occupant injured in collision with fixed or stationary object (V80.8)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Rider or occupant injured in other and unspecified transport accidents (V80.9)												
All ages	17	11	6	15	10	5	2	1	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	3	1	2	2	1	1	1	-	1	1	-	1
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	2	2	-	1	1	-	1	1	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Occupant of railway train or railway vehicle injured in transport accident (V81)												
All ages	26	24	2	23	21	2	3	3	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	4	4	-	4	4	-	-	-	-	-	-	-
25-29 years	3	3	-	3	3	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	4	4	-	2	2	-	2	2	-	1	1	-
40-44 years	4	4	-	4	4	-	-	-	-	-	-	-
45-49 years	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of railway train or railway vehicle injured in collision with motor vehicle in traffic accident (V81.1)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Occupant of railway train or railway vehicle injured in collision with or hit by rolling stock (V81.2)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of railway train or railway vehicle injured in collision with other object (V81.3)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Person injured while boarding or alighting from railway train or railway vehicle (V81.4)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of railway train or railway vehicle injured by fall in railway train or railway vehicle (V81.5)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Occupant of railway train or railway vehicle injured by fall from railway train or railway vehicle (V81.6)												
All ages	9	9	-	7	7	-	2	2	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	3	-	1	1	-	2	2	-	1	1	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of railway train or railway vehicle injured in derailment without antecedent collision (V81.7)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Occupant of railway train or railway vehicle injured in other specified railway accidents (V81.8)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of railway train or railway vehicle injured in unspecified railway accident (V81.9)												
All ages	6	5	1	6	5	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Occupant of streetcar injured in transport accident (V82)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of streetcar injured in other specified transport accidents (V82.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Occupant of streetcar injured in unspecified traffic accident (V82.9)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of special vehicle mainly used on industrial premises injured in transport accident (V83)												
All ages	10	10	-	6	6	-	4	4	-	4	4	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	4	4	-	3	3	-	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	-	-	-	2	2	-	2	2	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver of special industrial vehicle injured in traffic accident (V83.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified occupant of special industrial vehicle injured in traffic accident (V83.3)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver of special industrial vehicle injured in nontraffic accident (V83.5)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Person on outside of special industrial vehicle injured in nontraffic accident (V83.7)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified occupant of special industrial vehicle injured in nontraffic accident (V83.9)												
All ages	6	6	-	3	3	-	3	3	-	3	3	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	3	3	-	2	2	-	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of special vehicle mainly used in agriculture injured in transport accident (V84)												
All ages	239	228	11	226	217	9	13	11	2	11	9	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years	7	4	3	7	4	3	-	-	-	-	-	-
10-14 years	6	6	-	4	4	-	2	2	-	1	1	-
15-19 years	4	3	1	4	3	1	-	-	-	-	-	-
20-24 years	3	3	-	3	3	-	-	-	-	-	-	-
25-29 years	4	4	-	4	4	-	-	-	-	-	-	-
30-34 years	5	5	-	4	4	-	1	1	-	1	1	-
35-39 years	7	7	-	7	7	-	-	-	-	-	-	-
40-44 years	11	11	-	10	10	-	1	1	-	1	1	-
45-49 years	11	9	2	10	9	1	1	-	1	1	-	1
50-54 years	18	18	-	15	15	-	3	3	-	3	3	-
55-59 years	23	22	1	22	21	1	1	1	-	1	1	-
60-64 years	27	27	-	26	26	-	1	1	-	1	1	-
65-69 years	29	29	-	29	29	-	-	-	-	-	-	-
70-74 years	21	20	1	20	19	1	1	1	-	1	1	-
75-79 years	34	33	1	32	32	-	2	1	1	1	-	1
80-84 years	19	18	1	19	18	1	-	-	-	-	-	-
85-89 years	6	5	1	6	5	1	-	-	-	-	-	-
90-94 years	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver of special agricultural vehicle injured in traffic accident (V84.0)												
All ages	29	29	-	27	27	-	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	3	3	-	3	3	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	3	3	-	3	3	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	5	5	-	4	4	-	1	1	-	1	1	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	3	3	-	2	2	-	1	1	-	1	1	-
65-69 years	4	4	-	4	4	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Passenger of special agricultural vehicle injured in traffic accident (V84.1)												
All ages	3	1	2	2	1	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Person on outside of special agricultural vehicle injured in traffic accident (V84.2)												
All ages	2	1	1	1	-	1	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified occupant of special agricultural vehicle injured in traffic accident (V84.3)												
All ages	6	6	-	6	6	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Person injured while boarding or alighting from special agricultural vehicle (V84.4)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Driver of special agricultural vehicle injured in nontraffic accident (V84.5)												
All ages	22	22	-	22	22	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years	4	4	-	4	4	-	-	-	-	-	-	-
65-69 years	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Passenger of special agricultural vehicle injured in nontraffic accident (V84.6)												
All ages	3	3	-	3	3	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Person on outside of special agricultural vehicle injured in nontraffic accident (V84.7)												
All ages	8	7	1	7	7	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified occupant of special agricultural vehicle injured in nontraffic accident (V84.9)												
All ages	165	158	7	157	150	7	8	8	-	7	7	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	4	2	2	4	2	2	-	-	-	-	-	-
10-14 years	3	3	-	2	2	-	1	1	-	1	1	-
15-19 years	4	3	1	4	3	1	-	-	-	-	-	-
20-24 years	3	3	-	3	3	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	5	5	-	4	4	-	1	1	-	1	1	-
35-39 years	5	5	-	5	5	-	-	-	-	-	-	-
40-44 years	7	7	-	6	6	-	1	1	-	1	1	-
45-49 years	6	5	1	6	5	1	-	-	-	-	-	-
50-54 years	11	11	-	9	9	-	2	2	-	2	2	-
55-59 years	18	17	1	17	16	1	1	1	-	1	1	-
60-64 years	16	16	-	16	16	-	-	-	-	-	-	-
65-69 years	21	21	-	21	21	-	-	-	-	-	-	-
70-74 years	16	15	1	15	14	1	1	1	-	1	1	-
75-79 years	26	26	-	25	25	-	1	1	-	-	-	-
80-84 years	13	13	-	13	13	-	-	-	-	-	-	-
85-89 years	4	3	1	4	3	1	-	-	-	-	-	-
90-94 years	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of special construction vehicle injured in transport accident (V85)												
All ages	18	17	1	16	15	1	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	3	3	-	2	2	-	1	1	-	1	1	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver of special construction vehicle injured in traffic accident (V85.0)												
All ages	5	4	1	4	3	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Passenger of special construction vehicle injured in traffic accident (V85.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Person on outside of special construction vehicle injured in traffic accident (V85.2)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified occupant of special construction vehicle injured in traffic accident (V85.3)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver of special construction vehicle injured in nontraffic accident (V85.5)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Person on outside of special construction vehicle injured in nontraffic accident (V85.7)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified occupant of special construction vehicle injured in nontraffic accident (V85.9)												
All ages	5	5	-	4	4	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of special all-terrain or other motor vehicle designed primarily for off-road use, injured in transport accident (V86)												
All ages	751	658	93	700	615	85	51	43	8	29	27	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	11	8	3	9	7	2	2	1	1	1	1	-
5-9 years	35	24	11	33	23	10	2	1	1	-	-	-
10-14 years	82	64	18	72	57	15	10	7	3	6	4	2
15-19 years	124	112	12	115	104	11	9	8	1	5	5	-
20-24 years	85	75	10	79	70	9	6	5	1	4	4	-
25-29 years	70	60	10	66	56	10	4	4	-	4	4	-
30-34 years	74	69	5	71	66	5	3	3	-	3	3	-
35-39 years	63	58	5	61	56	5	2	2	-	1	1	-
40-44 years	67	61	6	62	56	6	5	5	-	2	2	-
45-49 years	28	26	2	25	24	1	3	2	1	2	2	-
50-54 years	27	24	3	25	22	3	2	2	-	-	-	-
55-59 years	24	23	1	23	22	1	1	1	-	-	-	-
60-64 years	13	13	-	13	13	-	-	-	-	-	-	-
65-69 years	10	9	1	10	9	1	-	-	-	-	-	-
70-74 years	15	12	3	14	11	3	1	1	-	1	1	-
75-79 years	13	11	2	13	11	2	-	-	-	-	-	-
80-84 years	9	8	1	8	7	1	1	1	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver of all-terrain or other off-road motor vehicle injured in traffic accident (V86.0)												
All ages	154	135	19	137	120	17	17	15	2	16	14	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	6	4	2	6	4	2	-	-	-	-	-	-
10-14 years	10	8	2	6	6	-	4	2	2	4	2	2
15-19 years	39	35	4	36	32	4	3	3	-	3	3	-
20-24 years	16	13	3	15	12	3	1	1	-	1	1	-
25-29 years	20	18	2	17	15	2	3	3	-	3	3	-
30-34 years	16	15	1	13	12	1	3	3	-	3	3	-
35-39 years	12	10	2	11	9	2	1	1	-	-	-	-
40-44 years	11	11	-	10	10	-	1	1	-	1	1	-
45-49 years	5	5	-	4	4	-	1	1	-	1	1	-
50-54 years	5	5	-	5	5	-	-	-	-	-	-	-
55-59 years	6	5	1	6	5	1	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Passenger of all-terrain or other off-road motor vehicle injured in traffic accident (V86.1)												
All ages	25	17	8	21	16	5	4	1	3	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	7	5	2	5	4	1	2	1	1	1	1	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	6	5	1	5	5	-	1	-	1	-	-	-
20-24 years	5	2	3	4	2	2	1	-	1	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Person on outside of all-terrain or other off-road motor vehicle injured in traffic accident (V86.2)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified occupant of all-terrain or other off-road motor vehicles injured in traffic accident (V86.3)												
All ages	77	71	6	69	64	5	8	7	1	6	6	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	8	7	1	6	6	-	2	1	1	1	1	-
15-19 years	17	13	4	14	10	4	3	3	-	2	2	-
20-24 years	9	9	-	9	9	-	-	-	-	-	-	-
25-29 years	5	5	-	5	5	-	-	-	-	-	-	-
30-34 years	9	8	1	9	8	1	-	-	-	-	-	-
35-39 years	13	13	-	12	12	-	1	1	-	1	1	-
40-44 years	5	5	-	4	4	-	1	1	-	1	1	-
45-49 years	4	4	-	3	3	-	1	1	-	1	1	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Person injured while boarding or alighting from all-terrain or other off-road motor vehicle (V86.4)												
All ages	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Driver of all-terrain or other off-road motor vehicle injured in nontraffic accident (V86.5)												
All ages	201	183	18	193	176	17	8	7	1	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	5	4	1	5	4	1	-	-	-	-	-	-
10-14 years	25	19	6	25	19	6	-	-	-	-	-	-
15-19 years	31	31	-	30	30	-	1	1	-	-	-	-
20-24 years	17	17	-	15	15	-	2	2	-	1	1	-
25-29 years	21	17	4	20	16	4	1	1	-	1	1	-
30-34 years	20	19	1	20	19	1	-	-	-	-	-	-
35-39 years	17	17	-	17	17	-	-	-	-	-	-	-
40-44 years	18	18	-	17	17	-	1	1	-	-	-	-
45-49 years	9	7	2	8	7	1	1	-	1	-	-	-
50-54 years	13	11	2	12	10	2	1	1	-	-	-	-
55-59 years	7	7	-	6	6	-	1	1	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years	6	5	1	6	5	1	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Passenger of all-terrain or other off-road motor vehicle injured in nontraffic accident (V86.6)												
All ages	25	16	9	22	13	9	3	3	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	4	3	1	3	2	1	1	1	-	-	-	-
10-14 years	5	4	1	4	3	1	1	1	-	-	-	-
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	4	1	3	4	1	3	-	-	-	-	-	-
25-29 years	4	2	2	4	2	2	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	-	-	-	1	1	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Person on outside of all-terrain or other off-road motor vehicle injured in nontraffic accident (V86.7)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified occupant of all-terrain or other off-road motor vehicle injured in nontraffic accident (V86.9)												
All ages	262	230	32	252	221	31	10	9	1	3	3	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years	16	11	5	15	11	4	1	-	1	-	-	-
10-14 years	32	24	8	30	22	8	2	2	-	-	-	-
15-19 years	28	25	3	27	24	3	1	1	-	-	-	-
20-24 years	33	32	1	31	30	1	2	2	-	2	2	-
25-29 years	20	18	2	20	18	2	-	-	-	-	-	-
30-34 years	27	25	2	27	25	2	-	-	-	-	-	-
35-39 years	19	17	2	19	17	2	-	-	-	-	-	-
40-44 years	28	23	5	26	21	5	2	2	-	-	-	-
45-49 years	9	9	-	9	9	-	-	-	-	-	-	-
50-54 years	8	7	1	7	6	1	1	1	-	-	-	-
55-59 years	9	9	-	9	9	-	-	-	-	-	-	-
60-64 years	9	9	-	9	9	-	-	-	-	-	-	-
65-69 years	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years	10	9	1	9	8	1	1	1	-	1	1	-
75-79 years	5	4	1	5	4	1	-	-	-	-	-	-
80-84 years	3	3	-	3	3	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Traffic accident of specified type but victim's mode of transport unknown (V87)												
All ages	4,352	2,674	1,678	3,745	2,301	1,444	607	373	234	488	305	183
Under 1 year	13	5	8	12	5	7	1	-	1	-	-	-
1-4 years	52	24	28	42	19	23	10	5	5	6	2	4
5-9 years	78	38	40	57	26	31	21	12	9	18	11	7
10-14 years	60	36	24	42	23	19	18	13	5	15	11	4
15-19 years	507	326	181	445	282	163	62	44	18	48	35	13
20-24 years	503	360	143	418	301	117	85	59	26	62	44	18
25-29 years	326	230	96	274	189	85	52	41	11	42	34	8
30-34 years	302	187	115	256	166	90	46	21	25	36	17	19
35-39 years	293	172	121	248	143	105	45	29	16	38	23	15
40-44 years	289	189	100	244	161	83	45	28	17	39	25	14
45-49 years	294	195	99	242	165	77	52	30	22	43	25	18
50-54 years	284	176	108	244	154	90	40	22	18	28	17	11
55-59 years	206	115	91	179	98	81	27	17	10	26	16	10
60-64 years	181	111	70	155	97	58	26	14	12	19	12	7
65-69 years	165	88	77	147	79	68	18	9	9	17	8	9
70-74 years	187	103	84	169	94	75	18	9	9	17	8	9
75-79 years	240	124	116	216	112	104	24	12	12	19	10	9
80-84 years	208	108	100	198	103	95	10	5	5	9	4	5
85-89 years	113	61	52	107	59	48	6	2	4	5	2	3
90-94 years	44	22	22	43	21	22	1	1	-	1	1	-
95-99 years	6	3	3	6	3	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Person injured in collision between car and two- or three-wheeled motor vehicle (traffic) (V87.0)												
All ages	84	78	6	67	61	6	17	17	-	16	16	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	2	2	-	1	1	-	1	1	-	1	1	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	4	4	-	3	3	-	1	1	-	-	-	-
20-24 years	16	16	-	12	12	-	4	4	-	4	4	-
25-29 years	10	8	2	6	4	2	4	4	-	4	4	-
30-34 years	11	11	-	8	8	-	3	3	-	3	3	-
35-39 years	10	9	1	8	7	1	2	2	-	2	2	-
40-44 years	4	4	-	4	4	-	-	-	-	-	-	-
45-49 years	13	11	2	12	10	2	1	1	-	1	1	-
50-54 years	7	7	-	7	7	-	-	-	-	-	-	-
55-59 years	4	4	-	4	4	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Person injured in collision between other motor vehicle and two- or three-wheeled motor vehicle (traffic) (V87.1)												
All ages	17	16	1	14	13	1	3	3	-	3	3	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	3	3	-	3	3	-	-	-	-	-	-	-
25-29 years	3	3	-	2	2	-	1	1	-	1	1	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	3	3	-	2	2	-	1	1	-	1	1	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Person injured in collision between car and pickup truck or van (traffic) (V87.2)												
All ages	154	95	59	129	83	46	25	12	13	20	10	10
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	1	1	1	1	-	1	-	1	1	-	1
5-9 years	4	2	2	2	2	-	2	-	2	1	-	1
10-14 years	4	2	2	2	1	1	2	1	1	2	1	1
15-19 years	26	18	8	23	15	8	3	3	-	3	3	-
20-24 years	17	10	7	15	9	6	2	1	1	2	1	1
25-29 years	14	9	5	13	9	4	1	-	1	1	-	1
30-34 years	7	5	2	6	5	1	1	-	1	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	13	10	3	11	9	2	2	1	1	1	1	-
45-49 years	12	10	2	10	8	2	2	2	-	2	2	-
50-54 years	8	6	2	5	4	1	3	2	1	2	1	1
55-59 years	10	5	5	10	5	5	-	-	-	-	-	-
60-64 years	4	2	2	3	1	2	1	1	-	-	-	-
65-69 years	5	2	3	4	2	2	1	-	1	1	-	1
70-74 years	9	5	4	8	5	3	1	-	1	1	-	1
75-79 years	7	1	6	6	-	6	1	1	-	1	1	-
80-84 years	4	2	2	3	2	1	1	-	1	1	-	1
85-89 years	5	3	2	4	3	1	1	-	1	1	-	1
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-
Person injured in collision between car and bus (traffic) (V87.3)												
All ages	9	4	5	9	4	5	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Person injured in collision between car and heavy transport vehicle (traffic) (V87.4)												
All ages	105	60	45	96	58	38	9	2	7	7	2	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years	3	1	2	2	1	1	1	-	1	-	-	-
15-19 years	17	8	9	17	8	9	-	-	-	-	-	-
20-24 years	12	9	3	8	7	1	4	2	2	4	2	2
25-29 years	7	4	3	6	4	2	1	-	1	-	-	-
30-34 years	5	4	1	5	4	1	-	-	-	-	-	-
35-39 years	5	2	3	5	2	3	-	-	-	-	-	-
40-44 years	8	6	2	8	6	2	-	-	-	-	-	-
45-49 years	11	6	5	9	6	3	2	-	2	2	-	2
50-54 years	7	4	3	7	4	3	-	-	-	-	-	-
55-59 years	7	2	5	7	2	5	-	-	-	-	-	-
60-64 years	6	3	3	5	3	2	1	-	1	1	-	1
65-69 years	4	3	1	4	3	1	-	-	-	-	-	-
70-74 years	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	5	3	2	5	3	2	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Person injured in collision between heavy transport vehicle and bus (traffic) (V87.5)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Person injured in collision between railway train or railway vehicle and car (traffic) (V87.6)															
All ages	14	10	4	14	10	4	-	-	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	5	4	1	5	4	1	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
60-64 years	3	3	-	3	3	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Person injured in collision between other specified motor vehicles (traffic) (V87.7)															
All ages	3,623	2,154	1,469	3,135	1,862	1,273	488	292	196	384	232	152			
Under 1 year	12	5	7	11	5	6	1	-	1	-	-	-			
1-4 years	44	21	23	35	16	19	9	5	4	5	2	3			
5-9 years	63	30	33	47	20	27	16	10	6	14	9	5			
10-14 years	44	27	17	34	19	15	10	8	2	8	6	2			
15-19 years	389	246	143	342	213	129	47	33	14	34	25	9			
20-24 years	403	276	127	337	233	104	66	43	23	44	29	15			
25-29 years	253	175	78	218	148	70	35	27	8	28	22	6			
30-34 years	247	145	102	212	130	82	35	15	20	29	12	17			
35-39 years	237	132	105	204	113	91	33	19	14	27	14	13			
40-44 years	231	145	86	191	121	70	40	24	16	35	21	14			
45-49 years	232	148	84	188	124	64	44	24	20	35	19	16			
50-54 years	239	141	98	204	122	82	35	19	16	24	15	9			
55-59 years	173	97	76	148	81	67	25	16	9	24	15	9			
60-64 years	160	96	64	138	84	54	22	12	10	16	11	5			
65-69 years	153	81	72	137	72	65	16	9	7	15	8	7			
70-74 years	166	90	76	150	81	69	16	9	7	15	8	7			
75-79 years	227	120	107	204	109	95	23	11	12	18	9	9			
80-84 years	195	99	96	186	94	92	9	5	4	8	4	4			
85-89 years	107	57	50	102	55	47	5	2	3	4	2	2			
90-94 years	43	21	22	42	20	22	1	1	-	1	1	-			
95-99 years	5	2	3	5	2	3	-	-	-	-	-	-			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Person injured in other specified noncollision transport accidents involving motor vehicle (traffic) (V87.8)															
All ages	343	255	88	278	208	70	65	47	18	58	42	16			
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-			
1-4 years	5	2	3	5	2	3	-	-	-	-	-	-			
5-9 years	6	2	4	4	1	3	2	1	1	2	1	1			
10-14 years	7	4	3	3	1	2	4	3	1	4	3	1			
15-19 years	69	48	21	59	42	17	10	6	4	10	6	4			
20-24 years	49	44	5	40	35	5	9	9	-	8	8	-			
25-29 years	34	27	7	24	18	6	10	9	1	8	7	1			
30-34 years	28	20	8	21	17	4	7	3	4	4	2	2			
35-39 years	35	25	10	26	18	8	9	7	2	8	6	2			
40-44 years	27	22	5	24	19	5	3	3	-	3	3	-			
45-49 years	23	18	5	20	15	5	3	3	-	3	3	-			
50-54 years	22	17	5	20	16	4	2	1	1	2	1	1			
55-59 years	11	6	5	9	5	4	2	1	1	2	1	1			
60-64 years	7	6	1	5	5	-	2	1	1	2	1	1			
65-69 years	2	1	1	1	1	-	1	-	1	1	-	1			
70-74 years	9	6	3	8	6	2	1	-	1	1	-	1			
75-79 years	3	2	1	3	2	1	-	-	-	-	-	-			
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-			
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-			
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-			
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			
Person injured in other specified (collision) (noncollision) transport accidents involving nonmotor vehicle (traffic) (V87.9)															
All ages	2	1	1	2	1	1	-	-	-	-	-	-			
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-			
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-			
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-			
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-			
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Nontraffic accident of specified type but victim's mode of transport unknown (V88)												
All ages	33	26	7	27	21	6	6	5	1	4	4	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	5	3	2	4	2	2	1	1	-	1	1	-
35-39 years	5	5	-	5	5	-	-	-	-	-	-	-
40-44 years	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	4	4	-	3	3	-	1	1	-	-	-	-
65-69 years	2	1	1	1	1	-	1	-	1	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Person injured in collision between other specified motor vehicles, nontraffic (V88.7)												
All ages	22	17	5	17	13	4	5	4	1	3	3	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	5	3	2	4	2	2	1	1	-	1	1	-
35-39 years	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	2	2	-	1	1	-	1	1	-	-	-	-
65-69 years	1	-	1	-	-	-	1	-	1	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Person injured in other specified noncollision transport accidents involving motor vehicle, nontraffic (V88.8)															
All ages	8	6	2	7	5	2	1	1	-	1	1	-			
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-			
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-			
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-			
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-			
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-			
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-			
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-			
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-			
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			
Person injured in other specified (collision) (noncollision) transport accidents involving nonmotor vehicle, nontraffic (V88.9)															
All ages	3	3	-	3	3	-	-	-	-	-	-	-			
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-			
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-			
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-			
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-			
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Motor- or nonmotor-vehicle accident, type of vehicle unspecified (V89)												
All ages	10,633	7,112	3,521	8,860	5,935	2,925	1,773	1,177	596	1,304	891	413
Under 1 year	39	17	22	23	9	14	16	8	8	7	1	6
1-4 years	118	64	54	81	45	36	37	19	18	28	15	13
5-9 years	124	69	55	99	55	44	25	14	11	18	10	8
10-14 years	156	85	71	120	64	56	36	21	15	24	13	11
15-19 years	1,486	1,004	482	1,254	839	415	232	165	67	152	109	43
20-24 years	1,489	1,130	359	1,212	929	283	277	201	76	211	156	55
25-29 years	958	705	253	774	580	194	184	125	59	137	95	42
30-34 years	742	537	205	586	431	155	156	106	50	114	80	34
35-39 years	877	583	294	699	459	240	178	124	54	134	95	39
40-44 years	810	555	255	673	469	204	137	86	51	108	70	38
45-49 years	641	434	207	539	362	177	102	72	30	77	60	17
50-54 years	555	383	172	470	330	140	85	53	32	62	41	21
55-59 years	458	289	169	373	237	136	85	52	33	63	42	21
60-64 years	335	207	128	287	176	111	48	31	17	36	26	10
65-69 years	328	180	148	275	152	123	53	28	25	39	21	18
70-74 years	383	225	158	342	198	144	41	27	14	26	17	9
75-79 years	474	283	191	431	255	176	43	28	15	38	26	12
80-84 years	361	202	159	341	192	149	20	10	10	14	7	7
85-89 years	217	115	102	205	109	96	12	6	6	11	6	5
90-94 years	66	39	27	61	38	23	5	1	4	4	1	3
95-99 years	14	5	9	14	5	9	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	1	1	1	1	-	1	-	1	1	-	1
Person injured in unspecified motor-vehicle accident, nontraffic (V89.0)												
All ages	71	50	21	62	45	17	9	5	4	7	4	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	9	6	3	8	6	2	1	-	1	1	-	1
20-24 years	13	12	1	10	10	-	3	2	1	2	1	1
25-29 years	3	1	2	3	1	2	-	-	-	-	-	-
30-34 years	4	3	1	4	3	1	-	-	-	-	-	-
35-39 years	9	4	5	9	4	5	-	-	-	-	-	-
40-44 years	4	4	-	3	3	-	1	1	-	1	1	-
45-49 years	2	1	1	1	-	1	1	1	-	1	1	-
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years	5	4	1	4	4	-	1	-	1	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	6	4	2	5	3	2	1	1	-	1	1	-
85-89 years	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Person injured in unspecified nonmotor-vehicle accident, nontraffic (V89.1)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Person injured in unspecified motor-vehicle accident, traffic (V89.2)												
All ages	10,425	6,964	3,461	8,686	5,804	2,882	1,739	1,160	579	1,280	879	401
Under 1 year	37	17	20	22	9	13	15	8	7	7	1	6
1-4 years	117	64	53	81	45	36	36	19	17	27	15	12
5-9 years	120	67	53	95	53	42	25	14	11	18	10	8
10-14 years	152	83	69	119	63	56	33	20	13	22	12	10
15-19 years	1,459	987	472	1,230	822	408	229	165	64	151	109	42
20-24 years	1,457	1,102	355	1,184	904	280	273	198	75	208	154	54
25-29 years	948	699	249	764	574	190	184	125	59	137	95	42
30-34 years	729	527	202	575	423	152	154	104	50	114	80	34
35-39 years	859	572	287	685	450	235	174	122	52	131	94	37
40-44 years	795	542	253	661	458	203	134	84	50	105	68	37
45-49 years	629	424	205	529	354	175	100	70	30	75	58	17
50-54 years	545	376	169	462	324	138	83	52	31	61	41	20
55-59 years	447	279	168	364	228	136	83	51	32	62	41	21
60-64 years	325	201	124	279	171	108	46	30	16	34	25	9
65-69 years	324	176	148	271	148	123	53	28	25	39	21	18
70-74 years	375	218	157	334	191	143	41	27	14	26	17	9
75-79 years	466	277	189	425	250	175	41	27	14	36	25	11
80-84 years	350	197	153	332	188	144	18	9	9	12	6	6
85-89 years	212	113	99	200	107	93	12	6	6	11	6	5
90-94 years	63	37	26	59	36	23	4	1	3	3	1	2
95-99 years	14	5	9	14	5	9	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	1	1	1	1	-	1	-	1	1	-	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Person injured in unspecified nonmotor-vehicle accident, traffic (V89.3)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Person injured in unspecified vehicle accident (V89.9)												
All ages	134	97	37	110	86	24	24	11	13	16	7	9
Under 1 year	1	-	1	-	-	-	1	-	1	-	-	-
1-4 years	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years	2	1	1	1	1	-	1	-	1	-	-	-
15-19 years	18	11	7	16	11	5	2	-	2	-	-	-
20-24 years	19	16	3	18	15	3	1	1	-	1	1	-
25-29 years	7	5	2	7	5	2	-	-	-	-	-	-
30-34 years	9	7	2	7	5	2	2	2	-	-	-	-
35-39 years	9	7	2	5	5	-	4	2	2	3	1	2
40-44 years	11	9	2	9	8	1	2	1	1	2	1	1
45-49 years	10	9	1	9	8	1	1	1	-	1	1	-
50-54 years	7	5	2	5	4	1	2	1	1	1	-	1
55-59 years	6	6	-	5	5	-	1	1	-	1	1	-
60-64 years	9	5	4	7	4	3	2	1	1	2	1	1
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	7	6	1	7	6	1	-	-	-	-	-	-
75-79 years	6	4	2	4	3	1	2	1	1	2	1	1
80-84 years	4	1	3	3	1	2	1	-	1	1	-	1
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	3	2	1	2	2	-	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Accident to watercraft causing drowning and submersion (V90)												
All ages	221	200	21	192	171	21	29	29	-	24	24	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	6	3	3	5	2	3	1	1	-	1	1	-
10-14 years	6	5	1	6	5	1	-	-	-	-	-	-
15-19 years	20	19	1	19	18	1	1	1	-	1	1	-
20-24 years	20	20	-	20	20	-	-	-	-	-	-	-
25-29 years	21	20	1	17	16	1	4	4	-	3	3	-
30-34 years	17	14	3	16	13	3	1	1	-	-	-	-
35-39 years	19	17	2	16	14	2	3	3	-	2	2	-
40-44 years	27	23	4	23	19	4	4	4	-	4	4	-
45-49 years	17	17	-	14	14	-	3	3	-	3	3	-
50-54 years	16	15	1	14	13	1	2	2	-	1	1	-
55-59 years	20	16	4	13	9	4	7	7	-	7	7	-
60-64 years	8	8	-	7	7	-	1	1	-	1	1	-
65-69 years	7	7	-	6	6	-	1	1	-	1	1	-
70-74 years	7	7	-	6	6	-	1	1	-	-	-	-
75-79 years	4	4	-	4	4	-	-	-	-	-	-	-
80-84 years	4	4	-	4	4	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Merchant ship (V90.0)												
All ages	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Passenger ship (V90.1)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Fishing boat (V90.2)												
All ages	22	22	-	21	21	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	3	3	-	3	3	-	-	-	-	-	-	-
30-34 years	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other powered watercraft (V90.3)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Sailboat (V90.4)												
All ages	5	3	2	5	3	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Canoe or kayak (V90.5)												
All ages	37	34	3	34	31	3	3	3	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	9	9	-	9	9	-	-	-	-	-	-	-
25-29 years	6	6	-	5	5	-	1	1	-	-	-	-
30-34 years	4	3	1	4	3	1	-	-	-	-	-	-
35-39 years	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years	4	3	1	4	3	1	-	-	-	-	-	-
45-49 years	3	3	-	2	2	-	1	1	-	1	1	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	3	2	1	2	1	1	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Inflatable craft (nonpowered) (V90.6)												
All ages	6	4	2	6	4	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	1	2	3	1	2	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other unpowered watercraft (V90.8)												
All ages	5	4	1	5	4	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified watercraft (V90.9)												
All ages	141	128	13	117	104	13	24	24	-	20	20	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	4	2	2	3	1	2	1	1	-	1	1	-
10-14 years	5	4	1	5	4	1	-	-	-	-	-	-
15-19 years	14	13	1	13	12	1	1	1	-	1	1	-
20-24 years	7	7	-	7	7	-	-	-	-	-	-	-
25-29 years	11	10	1	8	7	1	3	3	-	3	3	-
30-34 years	10	8	2	9	7	2	1	1	-	-	-	-
35-39 years	12	11	1	9	8	1	3	3	-	2	2	-
40-44 years	16	16	-	13	13	-	3	3	-	3	3	-
45-49 years	10	10	-	8	8	-	2	2	-	2	2	-
50-54 years	11	10	1	9	8	1	2	2	-	1	1	-
55-59 years	11	8	3	6	3	3	5	5	-	5	5	-
60-64 years	7	7	-	6	6	-	1	1	-	1	1	-
65-69 years	6	6	-	5	5	-	1	1	-	1	1	-
70-74 years	7	7	-	6	6	-	1	1	-	-	-	-
75-79 years	4	4	-	4	4	-	-	-	-	-	-	-
80-84 years	4	4	-	4	4	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Accident to watercraft causing other injury (V91)												
All ages	75	58	17	71	55	16	4	3	1	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	3	2	1	2	2	-	1	-	1	-	-	-
10-14 years	3	3	-	3	3	-	-	-	-	-	-	-
15-19 years	8	6	2	7	5	2	1	1	-	1	1	-
20-24 years	8	6	2	7	5	2	1	1	-	1	1	-
25-29 years	6	5	1	6	5	1	-	-	-	-	-	-
30-34 years	4	3	1	4	3	1	-	-	-	-	-	-
35-39 years	14	11	3	13	10	3	1	1	-	-	-	-
40-44 years	7	5	2	7	5	2	-	-	-	-	-	-
45-49 years	8	5	3	8	5	3	-	-	-	-	-	-
50-54 years	5	3	2	5	3	2	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	4	4	-	4	4	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Merchant ship (V91.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other powered watercraft (V91.3)												
All ages	17	12	5	16	11	5	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	2	-	2	2	-	2	-	-	-	-	-	-
20-24 years	5	3	2	4	2	2	1	1	-	1	1	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Water-skis (V91.7)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other unpowered watercraft (V91.8)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified watercraft (V91.9)												
All ages	55	43	12	52	41	11	3	2	1	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	-	-	-	1	-	1	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	6	6	-	5	5	-	1	1	-	1	1	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	4	3	1	4	3	1	-	-	-	-	-	-
30-34 years	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years	12	9	3	11	8	3	1	1	-	-	-	-
40-44 years	5	3	2	5	3	2	-	-	-	-	-	-
45-49 years	7	4	3	7	4	3	-	-	-	-	-	-
50-54 years	5	3	2	5	3	2	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	4	4	-	4	4	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Water-transport-related drowning and submersion without accident to watercraft (V92)												
All ages	192	182	10	159	149	10	33	33	-	22	22	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	3	2	1	3	2	1	-	-	-	-	-	-
15-19 years	17	17	-	15	15	-	2	2	-	-	-	-
20-24 years	19	18	1	14	13	1	5	5	-	3	3	-
25-29 years	17	16	1	14	13	1	3	3	-	2	2	-
30-34 years	10	10	-	7	7	-	3	3	-	1	1	-
35-39 years	12	10	2	11	9	2	1	1	-	1	1	-
40-44 years	18	17	1	15	14	1	3	3	-	2	2	-
45-49 years	22	21	1	16	15	1	6	6	-	5	5	-
50-54 years	18	17	1	15	14	1	3	3	-	2	2	-
55-59 years	13	13	-	12	12	-	1	1	-	1	1	-
60-64 years	15	13	2	14	12	2	1	1	-	1	1	-
65-69 years	11	11	-	8	8	-	3	3	-	2	2	-
70-74 years	9	9	-	8	8	-	1	1	-	1	1	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	4	4	-	4	4	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Merchant ship (V92.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Fishing boat (V92.2)												
All ages	9	9	-	7	7	-	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	2	2	-	1	1	-	1	1	-	1	1	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other powered watercraft (V92.3)												
All ages	6	6	-	6	6	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sailboat (V92.4)												
All ages	4	4	-	4	4	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Canoe or kayak (V92.5)												
All ages	20	19	1	16	15	1	4	4	-	3	3	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	3	3	-	2	2	-	1	1	-	1	1	-
25-29 years	2	2	-	1	1	-	1	1	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Inflatable craft (nonpowered) (V92.6)												
All ages	9	8	1	8	7	1	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other unpowered watercraft (V92.8)												
All ages	7	6	1	6	5	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified watercraft (V92.9)												
All ages	136	129	7	111	104	7	25	25	-	16	16	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	11	11	-	9	9	-	2	2	-	-	-	-
20-24 years	12	11	1	8	7	1	4	4	-	2	2	-
25-29 years	12	12	-	10	10	-	2	2	-	2	2	-
30-34 years	5	5	-	4	4	-	1	1	-	-	-	-
35-39 years	8	7	1	8	7	1	-	-	-	-	-	-
40-44 years	12	11	1	11	10	1	1	1	-	-	-	-
45-49 years	16	15	1	10	9	1	6	6	-	5	5	-
50-54 years	14	13	1	11	10	1	3	3	-	2	2	-
55-59 years	9	9	-	8	8	-	1	1	-	1	1	-
60-64 years	11	9	2	11	9	2	-	-	-	-	-	-
65-69 years	9	9	-	6	6	-	3	3	-	2	2	-
70-74 years	8	8	-	7	7	-	1	1	-	1	1	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	3	3	-	3	3	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Accident onboard watercraft without accident to watercraft, not causing drowning and submersion (V93)												
All ages	24	21	3	18	16	2	6	5	1	5	4	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	4	3	1	2	2	-	2	1	1	2	1	1
30-34 years	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	3	3	-	2	2	-	1	1	-	1	1	-
70-74 years	2	1	1	1	-	1	1	1	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Merchant ship (V93.0)												
All ages	-	-	-	-	-	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Passenger ship (V93.1)												
All ages	2	2	-	1	1	-	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Fishing boat (V93.2)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other powered watercraft (V93.3)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Inflatable craft (nonpowered) (V93.6)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified watercraft (V93.9)												
All ages	18	16	2	14	13	1	4	3	1	4	3	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	3	2	1	1	1	-	2	1	1	2	1	1
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	3	3	-	2	2	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other and unspecified water transport accidents (V94)												
All ages	79	65	14	73	59	14	6	6	-	6	6	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	3	3	-	3	3	-	-	-	-	-	-	-
5-9 years	3	3	-	3	3	-	-	-	-	-	-	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	11	6	5	11	6	5	-	-	-	-	-	-
20-24 years	6	4	2	6	4	2	-	-	-	-	-	-
25-29 years	6	3	3	6	3	3	-	-	-	-	-	-
30-34 years	11	10	1	10	9	1	1	1	-	1	1	-
35-39 years	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years	6	5	1	6	5	1	-	-	-	-	-	-
45-49 years	6	6	-	6	6	-	-	-	-	-	-	-
50-54 years	11	11	-	9	9	-	2	2	-	2	2	-
55-59 years	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years	6	6	-	4	4	-	2	2	-	2	2	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Passenger ship (V94.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other powered watercraft (V94.3)												
All ages	10	8	2	10	8	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Canoe or kayak (V94.5)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Water-skis (V94.7)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified watercraft (V94.9)												
All ages	63	52	11	57	46	11	6	6	-	6	6	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	10	5	5	10	5	5	-	-	-	-	-	-
20-24 years	4	3	1	4	3	1	-	-	-	-	-	-
25-29 years	5	3	2	5	3	2	-	-	-	-	-	-
30-34 years	11	10	1	10	9	1	1	1	-	1	1	-
35-39 years	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years	5	4	1	5	4	1	-	-	-	-	-	-
45-49 years	5	5	-	5	5	-	-	-	-	-	-	-
50-54 years	8	8	-	6	6	-	2	2	-	2	2	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	3	3	-	1	1	-	2	2	-	2	2	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Accident to powered aircraft causing injury to occupant (V95)												
All ages	876	661	215	833	634	199	43	27	16	24	14	10
Under 1 year	3	1	2	3	1	2	-	-	-	-	-	-
1-4 years	14	10	4	13	9	4	1	1	-	1	1	-
5-9 years	8	5	3	8	5	3	-	-	-	-	-	-
10-14 years	10	5	5	8	4	4	2	1	1	2	1	1
15-19 years	12	9	3	12	9	3	-	-	-	-	-	-
20-24 years	45	27	18	43	25	18	2	2	-	1	1	-
25-29 years	66	46	20	60	42	18	6	4	2	5	3	2
30-34 years	85	72	13	77	65	12	8	7	1	5	4	1
35-39 years	88	69	19	84	68	16	4	1	3	2	-	2
40-44 years	111	85	26	105	81	24	6	4	2	3	2	1
45-49 years	100	70	30	94	69	25	6	1	5	2	-	2
50-54 years	96	73	23	95	73	22	1	-	1	1	-	1
55-59 years	69	53	16	65	49	16	4	4	-	1	1	-
60-64 years	55	46	9	54	45	9	1	1	-	-	-	-
65-69 years	49	39	10	49	39	10	-	-	-	-	-	-
70-74 years	33	26	7	32	26	6	1	-	1	-	-	-
75-79 years	21	15	6	20	14	6	1	1	-	1	1	-
80-84 years	8	8	-	8	8	-	-	-	-	-	-	-
85-89 years	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Helicopter accident injuring occupant (V95.0)												
All ages	56	52	4	51	48	3	5	4	1	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	3	3	-	3	3	-	-	-	-	-	-	-
25-29 years	6	6	-	6	6	-	-	-	-	-	-	-
30-34 years	11	11	-	8	8	-	3	3	-	1	1	-
35-39 years	6	5	1	6	5	1	-	-	-	-	-	-
40-44 years	5	5	-	5	5	-	-	-	-	-	-	-
45-49 years	5	4	1	4	4	-	1	-	1	-	-	-
50-54 years	6	6	-	6	6	-	-	-	-	-	-	-
55-59 years	5	5	-	4	4	-	1	1	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Ultralight, microlight, or powered-glider accident injuring occupant (V95.1)												
All ages	29	28	1	28	27	1	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years	4	3	1	4	3	1	-	-	-	-	-	-
40-44 years	7	7	-	7	7	-	-	-	-	-	-	-
45-49 years	4	4	-	4	4	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Accident to other private fixed-wing aircraft, injuring occupant (V95.2)												
All ages	44	36	8	43	35	8	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	3	2	1	3	2	1	-	-	-	-	-	-
25-29 years	5	2	3	5	2	3	-	-	-	-	-	-
30-34 years	3	3	-	2	2	-	1	1	-	-	-	-
35-39 years	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years	6	5	1	6	5	1	-	-	-	-	-	-
50-54 years	4	4	-	4	4	-	-	-	-	-	-	-
55-59 years	4	4	-	4	4	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	5	5	-	5	5	-	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Accident to commercial fixed-wing aircraft, injuring occupant (V95.3)												
All ages	248	121	127	236	117	119	12	4	8	12	4	8
Under 1 year	3	1	2	3	1	2	-	-	-	-	-	-
1-4 years	14	10	4	13	9	4	1	1	-	1	1	-
5-9 years	5	3	2	5	3	2	-	-	-	-	-	-
10-14 years	3	1	2	1	-	1	2	1	1	2	1	1
15-19 years	4	2	2	4	2	2	-	-	-	-	-	-
20-24 years	9	2	7	9	2	7	-	-	-	-	-	-
25-29 years	12	4	8	10	3	7	2	1	1	2	1	1
30-34 years	20	11	9	19	11	8	1	-	1	1	-	1
35-39 years	29	21	8	28	21	7	1	-	1	1	-	1
40-44 years	29	13	16	28	13	15	1	-	1	1	-	1
45-49 years	26	8	18	24	8	16	2	-	2	2	-	2
50-54 years	26	12	14	25	12	13	1	-	1	1	-	1
55-59 years	20	6	14	20	6	14	-	-	-	-	-	-
60-64 years	14	8	6	14	8	6	-	-	-	-	-	-
65-69 years	13	8	5	13	8	5	-	-	-	-	-	-
70-74 years	7	2	5	7	2	5	-	-	-	-	-	-
75-79 years	9	5	4	8	4	4	1	1	-	1	1	-
80-84 years	3	3	-	3	3	-	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other aircraft accidents injuring occupant (V95.8)												
All ages	28	25	3	28	25	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	4	3	1	4	3	1	-	-	-	-	-	-
35-39 years	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years	5	5	-	5	5	-	-	-	-	-	-	-
45-49 years	5	4	1	5	4	1	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified aircraft accident injuring occupant (V95.9)												
All ages	471	399	72	447	382	65	24	17	7	11	9	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	3	2	1	3	2	1	-	-	-	-	-	-
10-14 years	5	3	2	5	3	2	-	-	-	-	-	-
15-19 years	6	6	-	6	6	-	-	-	-	-	-	-
20-24 years	29	19	10	28	18	10	1	1	-	1	1	-
25-29 years	41	32	9	37	29	8	4	3	1	3	2	1
30-34 years	44	41	3	41	38	3	3	3	-	3	3	-
35-39 years	43	35	8	40	34	6	3	1	2	1	-	1
40-44 years	62	53	9	57	49	8	5	4	1	2	2	-
45-49 years	54	45	9	51	44	7	3	1	2	-	-	-
50-54 years	57	48	9	57	48	9	-	-	-	-	-	-
55-59 years	37	35	2	34	32	2	3	3	-	1	1	-
60-64 years	34	32	2	33	31	2	1	1	-	-	-	-
65-69 years	26	21	5	26	21	5	-	-	-	-	-	-
70-74 years	16	15	1	15	15	-	1	-	1	-	-	-
75-79 years	10	8	2	10	8	2	-	-	-	-	-	-
80-84 years	4	4	-	4	4	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Accident to nonpowered aircraft causing injury to occupant (V96)												
All ages	6	4	2	6	4	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hang-glider accident injuring occupant (V96.1)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Glider (nonpowered) accident injuring occupant (V96.2)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other nonpowered-aircraft accidents injuring occupant (V96.8)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified air transport accidents (V97)												
All ages	36	31	5	35	30	5	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	3	2	1	3	2	1	-	-	-	-	-	-
25-29 years	3	2	1	3	2	1	-	-	-	-	-	-
30-34 years	5	5	-	5	5	-	-	-	-	-	-	-
35-39 years	5	4	1	4	3	1	1	1	-	1	1	-
40-44 years	6	5	1	6	5	1	-	-	-	-	-	-
45-49 years	5	4	1	5	4	1	-	-	-	-	-	-
50-54 years	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Occupant of aircraft injured in other specified air transport accidents (V97.0)												
All ages	7	6	1	7	6	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Parachutist injured in air transport accident (V97.2)												
All ages	23	19	4	22	18	4	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years	3	2	1	3	2	1	-	-	-	-	-	-
30-34 years	4	4	-	4	4	-	-	-	-	-	-	-
35-39 years	5	4	1	4	3	1	1	1	-	1	1	-
40-44 years	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Person on ground injured in air transport accident (V97.3)												
All ages	4	4	-	4	4	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other air transport accidents, not elsewhere classified (V97.8)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified transport accidents (V98)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified transport accident (V99)												
All ages	3	1	2	2	1	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Fall on same level involving ice and snow (W00)												
All ages	87	62	25	86	62	24	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years	4	2	2	4	2	2	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	8	6	2	8	6	2	-	-	-	-	-	-
65-69 years	10	8	2	10	8	2	-	-	-	-	-	-
70-74 years	17	11	6	16	11	5	1	-	1	-	-	-
75-79 years	13	10	3	13	10	3	-	-	-	-	-	-
80-84 years	12	11	1	12	11	1	-	-	-	-	-	-
85-89 years	10	5	5	10	5	5	-	-	-	-	-	-
90-94 years	4	2	2	4	2	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Fall on same level from slipping, tripping, and stumbling (W01)												
All ages	564	264	300	536	248	288	28	16	12	14	8	6
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	4	3	1	4	3	1	-	-	-	-	-	-
25-29 years	2	2	-	1	1	-	1	1	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	7	3	4	6	2	4	1	1	-	1	1	-
40-44 years	8	6	2	6	4	2	2	2	-	2	2	-
45-49 years	15	13	2	14	12	2	1	1	-	-	-	-
50-54 years	9	8	1	8	7	1	1	1	-	1	1	-
55-59 years	11	5	6	10	5	5	1	-	1	1	-	1
60-64 years	16	9	7	13	7	6	3	2	1	3	2	1
65-69 years	23	11	12	20	9	11	3	2	1	3	2	1
70-74 years	32	10	22	29	10	19	3	-	3	2	-	2
75-79 years	89	39	50	85	38	47	4	1	3	-	-	-
80-84 years	119	59	60	117	58	59	2	1	1	1	-	1
85-89 years	113	50	63	111	49	62	2	1	1	-	-	-
90-94 years	73	32	41	70	30	40	3	2	1	-	-	-
95-99 years	36	11	25	35	10	25	1	1	-	-	-	-
100 yrs & over	4	1	3	4	1	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Fall involving ice skates, skis, roller skates, or skateboards (W02)												
All ages	119	62	57	107	55	52	12	7	5	6	2	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	5	2	3	5	2	3	-	-	-	-	-	-
15-19 years	6	5	1	5	4	1	1	1	-	-	-	-
20-24 years	6	4	2	4	3	1	2	1	1	1	-	1
25-29 years	4	4	-	4	4	-	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	-	-	-
35-39 years	2	2	-	-	-	-	2	2	-	-	-	-
40-44 years	4	3	1	4	3	1	-	-	-	-	-	-
45-49 years	5	4	1	5	4	1	-	-	-	-	-	-
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years	5	4	1	5	4	1	-	-	-	-	-	-
65-69 years	3	-	3	3	-	3	-	-	-	-	-	-
70-74 years	6	2	4	6	2	4	-	-	-	-	-	-
75-79 years	10	6	4	9	6	3	1	-	1	1	-	1
80-84 years	12	8	4	10	7	3	2	1	1	2	1	1
85-89 years	15	5	10	14	5	9	1	-	1	1	-	1
90-94 years	19	4	15	17	3	14	2	1	1	1	1	-
95-99 years	6	1	5	6	1	5	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other fall on same level due to collision with, or pushing by, another person (W03)												
All ages	22	6	16	19	4	15	3	2	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years	7	1	6	7	1	6	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Fall while being carried or supported by other persons (W04)												
All ages	13	5	8	11	4	7	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	1	1	1	1	-	1	-	1	1	-	1
90-94 years	6	1	5	6	1	5	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Fall involving wheelchair (W05)												
All ages	157	67	90	143	62	81	14	5	9	8	3	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	2	1	1	-	-	-	-	-	-
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years	4	2	2	2	1	1	2	1	1	-	-	-
60-64 years	4	4	-	4	4	-	-	-	-	-	-	-
65-69 years	5	2	3	4	2	2	1	-	1	1	-	1
70-74 years	11	5	6	10	5	5	1	-	1	1	-	1
75-79 years	25	15	10	22	14	8	3	1	2	3	1	2
80-84 years	21	6	15	19	4	15	2	2	-	1	1	-
85-89 years	37	15	22	35	15	20	2	-	2	-	-	-
90-94 years	34	10	24	32	10	22	2	-	2	1	-	1
95-99 years	8	3	5	8	3	5	-	-	-	-	-	-
100 yrs & over	2	1	1	2	1	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Fall involving bed (W06)												
All ages	516	200	316	477	178	299	39	22	17	26	15	11
Under 1 year	8	5	3	5	3	2	3	2	1	2	2	-
1-4 years	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	3	3	-	3	3	-	-	-	-	-	-	-
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	4	3	1	4	3	1	-	-	-	-	-	-
40-44 years	3	2	1	-	-	-	3	2	1	2	2	-
45-49 years	9	6	3	8	5	3	1	1	-	-	-	-
50-54 years	5	4	1	4	3	1	1	1	-	1	1	-
55-59 years	8	3	5	5	2	3	3	1	2	3	1	2
60-64 years	9	2	7	8	2	6	1	-	1	1	-	1
65-69 years	14	6	8	13	6	7	1	-	1	-	-	-
70-74 years	32	19	13	29	17	12	3	2	1	2	1	1
75-79 years	46	22	24	43	22	21	3	-	3	2	-	2
80-84 years	97	44	53	92	40	52	5	4	1	3	3	-
85-89 years	125	45	80	115	39	76	10	6	4	6	2	4
90-94 years	81	21	60	79	20	59	2	1	1	2	1	1
95-99 years	53	7	46	52	7	45	1	-	1	-	-	-
100 yrs & over	11	2	9	11	2	9	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Fall involving chair (W07)												
All ages	181	85	96	169	81	88	12	4	8	7	2	5
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	4	3	1	3	2	1	1	1	-	1	1	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	8	6	2	7	5	2	1	1	-	-	-	-
65-69 years	9	4	5	9	4	5	-	-	-	-	-	-
70-74 years	9	4	5	9	4	5	-	-	-	-	-	-
75-79 years	26	16	10	24	15	9	2	1	1	1	-	1
80-84 years	36	16	20	36	16	20	-	-	-	-	-	-
85-89 years	38	23	15	34	23	11	4	-	4	1	-	1
90-94 years	33	7	26	30	7	23	3	-	3	3	-	3
95-99 years	12	4	8	11	3	8	1	1	-	1	1	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Fall involving other furniture (W08)												
All ages	37	14	23	33	12	21	4	2	2	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	1	1	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	-	2	1	-	1	1	-	1	1	-	1
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years	4	3	1	3	2	1	1	1	-	1	1	-
70-74 years	2	-	2	1	-	1	1	-	1	-	-	-
75-79 years	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years	8	1	7	8	1	7	-	-	-	-	-	-
90-94 years	5	2	3	5	2	3	-	-	-	-	-	-
95-99 years	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Fall involving playground equipment (W09)												
All ages	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Fall on and from stairs and steps (W10)												
All ages	1,462	853	609	1,333	764	569	129	89	40	102	71	31
Under 1 year	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years	3	3	-	1	1	-	2	2	-	1	1	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	4	4	-	3	3	-	1	1	-	-	-	-
20-24 years	12	9	3	10	8	2	2	1	1	2	1	1
25-29 years	9	8	1	6	5	1	3	3	-	-	-	-
30-34 years	14	9	5	11	6	5	3	3	-	2	2	-
35-39 years	35	32	3	30	28	2	5	4	1	4	3	1
40-44 years	56	43	13	48	37	11	8	6	2	8	6	2
45-49 years	59	43	16	53	38	15	6	5	1	6	5	1
50-54 years	66	46	20	55	37	18	11	9	2	11	9	2
55-59 years	68	44	24	60	39	21	8	5	3	6	4	2
60-64 years	63	44	19	55	37	18	8	7	1	6	5	1
65-69 years	117	74	43	103	63	40	14	11	3	11	9	2
70-74 years	148	79	69	137	73	64	11	6	5	10	6	4
75-79 years	231	135	96	215	123	92	16	12	4	11	9	2
80-84 years	263	132	131	253	127	126	10	5	5	7	5	2
85-89 years	208	105	103	196	102	94	12	3	9	10	2	8
90-94 years	80	34	46	75	31	44	5	3	2	4	2	2
95-99 years	17	5	12	15	4	11	2	1	1	2	1	1
100 yrs & over	6	2	4	5	1	4	1	1	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Fall on and from ladder (W11)												
All ages	376	354	22	335	316	19	41	38	3	19	18	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	-	-	-	1	-	1	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	5	5	-	5	5	-	-	-	-	-	-	-
20-24 years	3	3	-	3	3	-	-	-	-	-	-	-
25-29 years	6	6	-	6	6	-	-	-	-	-	-	-
30-34 years	9	9	-	8	8	-	1	1	-	1	1	-
35-39 years	13	12	1	7	7	-	6	5	1	3	3	-
40-44 years	18	18	-	14	14	-	4	4	-	2	2	-
45-49 years	18	16	2	14	12	2	4	4	-	-	-	-
50-54 years	30	30	-	27	27	-	3	3	-	-	-	-
55-59 years	31	30	1	25	24	1	6	6	-	4	4	-
60-64 years	42	38	4	37	33	4	5	5	-	1	1	-
65-69 years	34	33	1	31	30	1	3	3	-	3	3	-
70-74 years	37	35	2	35	33	2	2	2	-	2	2	-
75-79 years	58	52	6	55	50	5	3	2	1	2	1	1
80-84 years	42	40	2	41	39	2	1	1	-	1	1	-
85-89 years	23	22	1	21	20	1	2	2	-	-	-	-
90-94 years	6	5	1	6	5	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Fall on and from scaffolding (W12)												
All ages	63	63	-	60	60	-	3	3	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	6	6	-	6	6	-	-	-	-	-	-	-
25-29 years	5	5	-	4	4	-	1	1	-	-	-	-
30-34 years	6	6	-	6	6	-	-	-	-	-	-	-
35-39 years	6	6	-	6	6	-	-	-	-	-	-	-
40-44 years	4	4	-	4	4	-	-	-	-	-	-	-
45-49 years	6	6	-	5	5	-	1	1	-	1	1	-
50-54 years	8	8	-	7	7	-	1	1	-	-	-	-
55-59 years	6	6	-	6	6	-	-	-	-	-	-	-
60-64 years	4	4	-	4	4	-	-	-	-	-	-	-
65-69 years	7	7	-	7	7	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Fall from, out of, or through building or structure (W13)												
All ages	580	477	103	520	423	97	60	54	6	50	45	5
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	5	4	1	5	4	1	-	-	-	-	-	-
5-9 years	6	4	2	4	3	1	2	1	1	2	1	1
10-14 years	5	4	1	5	4	1	-	-	-	-	-	-
15-19 years	20	16	4	20	16	4	-	-	-	-	-	-
20-24 years	41	39	2	40	38	2	1	1	-	1	1	-
25-29 years	32	31	1	29	28	1	3	3	-	2	2	-
30-34 years	30	26	4	27	23	4	3	3	-	2	2	-
35-39 years	42	38	4	37	34	3	5	4	1	4	3	1
40-44 years	45	42	3	38	35	3	7	7	-	6	6	-
45-49 years	57	54	3	43	40	3	14	14	-	12	12	-
50-54 years	34	32	2	28	26	2	6	6	-	6	6	-
55-59 years	31	29	2	29	27	2	2	2	-	1	1	-
60-64 years	28	22	6	23	19	4	5	3	2	2	1	1
65-69 years	31	29	2	29	27	2	2	2	-	2	2	-
70-74 years	27	23	4	23	19	4	4	4	-	4	4	-
75-79 years	41	29	12	39	28	11	2	1	1	2	1	1
80-84 years	40	26	14	39	25	14	1	1	-	1	1	-
85-89 years	32	16	16	32	16	16	-	-	-	-	-	-
90-94 years	23	7	16	22	7	15	1	-	1	1	-	1
95-99 years	7	4	3	6	3	3	1	1	-	1	1	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Fall from tree (W14)												
All ages	111	106	5	100	96	4	11	10	1	10	9	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	3	1	2	3	1	2	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	4	4	-	4	4	-	-	-	-	-	-	-
25-29 years	6	6	-	6	6	-	-	-	-	-	-	-
30-34 years	7	6	1	7	6	1	-	-	-	-	-	-
35-39 years	8	7	1	8	7	1	-	-	-	-	-	-
40-44 years	7	7	-	7	7	-	-	-	-	-	-	-
45-49 years	16	16	-	14	14	-	2	2	-	2	2	-
50-54 years	9	9	-	7	7	-	2	2	-	2	2	-
55-59 years	11	11	-	8	8	-	3	3	-	3	3	-
60-64 years	6	6	-	6	6	-	-	-	-	-	-	-
65-69 years	8	8	-	8	8	-	-	-	-	-	-	-
70-74 years	9	9	-	6	6	-	3	3	-	2	2	-
75-79 years	9	8	1	8	8	-	1	-	1	1	-	1
80-84 years	4	4	-	4	4	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Fall from cliff (W15)												
All ages	62	57	5	60	55	5	2	2	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	7	7	-	7	7	-	-	-	-	-	-	-
20-24 years	16	16	-	16	16	-	-	-	-	-	-	-
25-29 years	6	6	-	6	6	-	-	-	-	-	-	-
30-34 years	4	4	-	4	4	-	-	-	-	-	-	-
35-39 years	4	3	1	4	3	1	-	-	-	-	-	-
40-44 years	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years	6	6	-	5	5	-	1	1	-	-	-	-
50-54 years	5	2	3	5	2	3	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years	2	2	-	1	1	-	1	1	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Diving or jumping into water causing injury other than drowning or submersion (W16)												
All ages	68	50	18	58	42	16	10	8	2	7	6	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years	4	4	-	4	4	-	-	-	-	-	-	-
25-29 years	8	6	2	6	4	2	2	2	-	1	1	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	3	3	-	2	2	-	1	1	-	1	1	-
40-44 years	4	4	-	3	3	-	1	1	-	1	1	-
45-49 years	10	10	-	9	9	-	1	1	-	1	1	-
50-54 years	4	3	1	3	3	-	1	-	1	1	-	1
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	1	1	-	1	1	-	1	1	-
70-74 years	8	5	3	7	5	2	1	-	1	-	-	-
75-79 years	6	4	2	5	3	2	1	1	-	-	-	-
80-84 years	7	2	5	7	2	5	-	-	-	-	-	-
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other fall from one level to another (W17)												
All ages	595	472	123	523	412	111	72	60	12	56	45	11
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	10	7	3	8	5	3	2	2	-	2	2	-
5-9 years	5	4	1	4	4	-	1	-	1	1	-	1
10-14 years	4	3	1	3	2	1	1	1	-	1	1	-
15-19 years	21	20	1	19	18	1	2	2	-	-	-	-
20-24 years	34	31	3	32	30	2	2	1	1	2	1	1
25-29 years	46	41	5	42	38	4	4	3	1	2	1	1
30-34 years	38	32	6	31	27	4	7	5	2	6	4	2
35-39 years	38	34	4	33	29	4	5	5	-	4	4	-
40-44 years	43	41	2	38	36	2	5	5	-	5	5	-
45-49 years	57	52	5	44	42	2	13	10	3	8	6	2
50-54 years	43	43	-	35	35	-	8	8	-	8	8	-
55-59 years	31	29	2	27	25	2	4	4	-	3	3	-
60-64 years	22	20	2	16	14	2	6	6	-	5	5	-
65-69 years	20	16	4	19	15	4	1	1	-	1	1	-
70-74 years	36	27	9	36	27	9	-	-	-	-	-	-
75-79 years	29	24	5	26	21	5	3	3	-	3	3	-
80-84 years	34	15	19	31	14	17	3	1	2	3	1	2
85-89 years	42	17	25	39	15	24	3	2	1	1	-	1
90-94 years	34	13	21	32	12	20	2	1	1	1	-	1
95-99 years	5	2	3	5	2	3	-	-	-	-	-	-
100 yrs & over	2	-	2	2	-	2	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other fall on same level (W18)												
All ages	2,342	1,196	1,146	2,161	1,095	1,066	181	101	80	119	68	51
Under 1 year	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years	5	3	2	5	3	2	-	-	-	-	-	-
5-9 years	4	1	3	3	1	2	1	-	1	1	-	1
10-14 years	4	4	-	3	3	-	1	1	-	-	-	-
15-19 years	7	5	2	7	5	2	-	-	-	-	-	-
20-24 years	12	11	1	11	11	-	1	-	1	1	-	1
25-29 years	11	8	3	9	7	2	2	1	1	2	1	1
30-34 years	24	21	3	22	20	2	2	1	1	2	1	1
35-39 years	32	29	3	30	27	3	2	2	-	2	2	-
40-44 years	34	25	9	26	21	5	8	4	4	7	3	4
45-49 years	74	55	19	60	45	15	14	10	4	8	6	2
50-54 years	74	49	25	65	41	24	9	8	1	9	8	1
55-59 years	76	54	22	67	47	20	9	7	2	8	7	1
60-64 years	84	56	28	72	48	24	12	8	4	9	6	3
65-69 years	113	73	40	105	68	37	8	5	3	6	4	2
70-74 years	177	93	84	159	84	75	18	9	9	14	6	8
75-79 years	288	165	123	260	147	113	28	18	10	16	10	6
80-84 years	437	213	224	413	201	212	24	12	12	11	6	5
85-89 years	422	171	251	404	164	240	18	7	11	7	3	4
90-94 years	318	123	195	302	117	185	16	6	10	11	3	8
95-99 years	124	32	92	118	30	88	6	2	4	4	2	2
100 yrs & over	20	5	15	19	5	14	1	-	1	-	-	-
Not stated	1	-	1	1	-	1	-	-	-	-	-	-
Unspecified fall (W19)												
All ages	7,660	3,693	3,967	7,092	3,359	3,733	568	334	234	422	250	172
Under 1 year	8	6	2	6	5	1	2	1	1	1	-	1
1-4 years	4	4	-	4	4	-	-	-	-	-	-	-
5-9 years	6	5	1	6	5	1	-	-	-	-	-	-
10-14 years	8	5	3	8	5	3	-	-	-	-	-	-
15-19 years	11	11	-	9	9	-	2	2	-	2	2	-
20-24 years	22	19	3	19	16	3	3	3	-	2	2	-
25-29 years	23	18	5	19	16	3	4	2	2	3	2	1
30-34 years	41	34	7	35	29	6	6	5	1	5	4	1
35-39 years	77	60	17	59	46	13	18	14	4	14	10	4
40-44 years	143	112	31	117	94	23	26	18	8	24	17	7
45-49 years	179	138	41	147	111	36	32	27	5	25	22	3
50-54 years	201	153	48	173	132	41	28	21	7	25	19	6
55-59 years	178	125	53	145	103	42	33	22	11	26	17	9
60-64 years	236	148	88	204	128	76	32	20	12	28	18	10
65-69 years	345	191	154	294	163	131	51	28	23	44	24	20
70-74 years	532	296	236	487	272	215	45	24	21	35	19	16
75-79 years	993	509	484	930	475	455	63	34	29	51	27	24
80-84 years	1,438	660	778	1,360	619	741	78	41	37	51	26	25
85-89 years	1,561	667	894	1,490	627	863	71	40	31	44	23	21
90-94 years	1,124	392	732	1,077	373	704	47	19	28	27	12	15
95-99 years	446	118	328	427	108	319	19	10	9	8	3	5
100 yrs & over	82	20	62	74	17	57	8	3	5	7	3	4
Not stated	2	2	-	2	2	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Struck by thrown, projected, or falling object (W20)												
All ages	707	648	59	622	571	51	85	77	8	71	68	3
Under 1 year	5	2	3	5	2	3	-	-	-	-	-	-
1-4 years	26	11	15	20	10	10	6	1	5	2	1	1
5-9 years	19	13	6	17	11	6	2	2	-	1	1	-
10-14 years	8	7	1	8	7	1	-	-	-	-	-	-
15-19 years	21	19	2	18	17	1	3	2	1	2	1	1
20-24 years	42	41	1	40	39	1	2	2	-	2	2	-
25-29 years	37	35	2	34	32	2	3	3	-	3	3	-
30-34 years	54	54	-	45	45	-	9	9	-	7	7	-
35-39 years	67	65	2	60	59	1	7	6	1	6	6	-
40-44 years	66	63	3	57	54	3	9	9	-	8	8	-
45-49 years	84	79	5	71	66	5	13	13	-	11	11	-
50-54 years	86	83	3	72	69	3	14	14	-	13	13	-
55-59 years	42	42	-	37	37	-	5	5	-	5	5	-
60-64 years	50	48	2	44	42	2	6	6	-	6	6	-
65-69 years	31	29	2	27	25	2	4	4	-	3	3	-
70-74 years	26	23	3	26	23	3	-	-	-	-	-	-
75-79 years	28	23	5	28	23	5	-	-	-	-	-	-
80-84 years	8	7	1	7	6	1	1	1	-	1	1	-
85-89 years	4	3	1	4	3	1	-	-	-	-	-	-
90-94 years	3	1	2	2	1	1	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Striking against or struck by sports equipment (W21)												
All ages	11	9	2	9	7	2	2	2	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	3	-	2	2	-	1	1	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Striking against or struck by other objects (W22)												
All ages	135	107	28	125	98	27	10	9	1	9	8	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	3	2	1	3	2	1	-	-	-	-	-	-
5-9 years	4	4	-	4	4	-	-	-	-	-	-	-
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years	4	3	1	4	3	1	-	-	-	-	-	-
20-24 years	8	7	1	8	7	1	-	-	-	-	-	-
25-29 years	7	7	-	7	7	-	-	-	-	-	-	-
30-34 years	7	7	-	7	7	-	-	-	-	-	-	-
35-39 years	13	12	1	10	9	1	3	3	-	2	2	-
40-44 years	15	12	3	13	10	3	2	2	-	2	2	-
45-49 years	9	7	2	8	6	2	1	1	-	1	1	-
50-54 years	8	7	1	8	7	1	-	-	-	-	-	-
55-59 years	4	4	-	2	2	-	2	2	-	2	2	-
60-64 years	6	4	2	6	4	2	-	-	-	-	-	-
65-69 years	7	6	1	7	6	1	-	-	-	-	-	-
70-74 years	4	4	-	4	4	-	-	-	-	-	-	-
75-79 years	10	9	1	9	9	-	1	-	1	1	-	1
80-84 years	6	5	1	6	5	1	-	-	-	-	-	-
85-89 years	8	3	5	7	2	5	1	1	-	1	1	-
90-94 years	9	2	7	9	2	7	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Caught, crushed, jammed, or pinched in or between objects (W23)												
All ages	116	94	22	93	76	17	23	18	5	16	12	4
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	11	4	7	7	2	5	4	2	2	3	2	1
5-9 years	3	3	-	3	3	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	4	4	-	4	4	-	-	-	-	-	-	-
20-24 years	4	4	-	3	3	-	1	1	-	1	1	-
25-29 years	10	9	1	8	7	1	2	2	-	1	1	-
30-34 years	10	9	1	9	8	1	1	1	-	1	1	-
35-39 years	4	4	-	2	2	-	2	2	-	1	1	-
40-44 years	15	14	1	12	12	-	3	2	1	2	1	1
45-49 years	17	15	2	13	12	1	4	3	1	3	2	1
50-54 years	9	9	-	8	8	-	1	1	-	-	-	-
55-59 years	3	3	-	2	2	-	1	1	-	-	-	-
60-64 years	9	8	1	7	7	-	2	1	1	2	1	1
65-69 years	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years	5	3	2	5	3	2	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	3	1	2	2	-	2	1	1	-	1	1	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Contact with lifting and transmission devices, not elsewhere classified (W24)												
All ages	87	85	2	74	72	2	13	13	-	8	8	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	4	4	-	2	2	-	2	2	-	2	2	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	7	7	-	7	7	-	-	-	-	-	-	-
25-29 years	11	11	-	8	8	-	3	3	-	3	3	-
30-34 years	12	11	1	11	10	1	1	1	-	-	-	-
35-39 years	11	11	-	8	8	-	3	3	-	2	2	-
40-44 years	12	11	1	10	9	1	2	2	-	-	-	-
45-49 years	8	8	-	8	8	-	-	-	-	-	-	-
50-54 years	10	10	-	9	9	-	1	1	-	1	1	-
55-59 years	6	6	-	5	5	-	1	1	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Contact with sharp glass (W25)												
All ages	16	15	1	8	7	1	8	8	-	7	7	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	3	3	-	1	1	-	2	2	-	2	2	-
25-29 years	4	4	-	2	2	-	2	2	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Contact with knife, sword, or dagger (W26)												
All ages	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Contact with nonpowered hand tool (W27)												
All ages	4	4	-	4	4	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Contact with powered lawn mower (W28)												
All ages	45	37	8	42	34	8	3	3	-	3	3	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	3	3	-	3	3	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years	3	3	-	2	2	-	1	1	-	1	1	-
55-59 years	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years	4	3	1	3	2	1	1	1	-	1	1	-
65-69 years	4	3	1	4	3	1	-	-	-	-	-	-
70-74 years	4	4	-	3	3	-	1	1	-	1	1	-
75-79 years	8	6	2	8	6	2	-	-	-	-	-	-
80-84 years	6	5	1	6	5	1	-	-	-	-	-	-
85-89 years	4	3	1	4	3	1	-	-	-	-	-	-
90-94 years	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Contact with other powered hand tools and household machinery (W29)												
All ages	13	13	-	12	12	-	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Contact with agricultural machinery (W30)												
All ages	260	247	13	250	237	13	10	10	-	6	6	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	5	4	1	5	4	1	-	-	-	-	-	-
5-9 years	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years	3	3	-	3	3	-	-	-	-	-	-	-
15-19 years	5	5	-	5	5	-	-	-	-	-	-	-
20-24 years	9	9	-	7	7	-	2	2	-	1	1	-
25-29 years	6	6	-	5	5	-	1	1	-	-	-	-
30-34 years	4	4	-	4	4	-	-	-	-	-	-	-
35-39 years	14	14	-	13	13	-	1	1	-	-	-	-
40-44 years	13	12	1	11	10	1	2	2	-	2	2	-
45-49 years	21	20	1	21	20	1	-	-	-	-	-	-
50-54 years	16	16	-	16	16	-	-	-	-	-	-	-
55-59 years	22	20	2	21	19	2	1	1	-	1	1	-
60-64 years	29	27	2	28	26	2	1	1	-	1	1	-
65-69 years	27	25	2	26	24	2	1	1	-	1	1	-
70-74 years	28	26	2	28	26	2	-	-	-	-	-	-
75-79 years	29	29	-	29	29	-	-	-	-	-	-	-
80-84 years	15	14	1	15	14	1	-	-	-	-	-	-
85-89 years	7	7	-	6	6	-	1	1	-	-	-	-
90-94 years	3	3	-	3	3	-	-	-	-	-	-	-
95-99 years	2	2	-	2	2	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Contact with other and unspecified machinery (W31)												
All ages	301	286	15	270	256	14	31	30	1	21	20	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	4	2	2	3	1	2	1	1	-	-	-	-
5-9 years	3	1	2	3	1	2	-	-	-	-	-	-
10-14 years	3	2	1	3	2	1	-	-	-	-	-	-
15-19 years	8	8	-	7	7	-	1	1	-	-	-	-
20-24 years	20	19	1	18	17	1	2	2	-	2	2	-
25-29 years	24	23	1	23	22	1	1	1	-	1	1	-
30-34 years	26	26	-	22	22	-	4	4	-	1	1	-
35-39 years	36	36	-	32	32	-	4	4	-	2	2	-
40-44 years	25	25	-	19	19	-	6	6	-	5	5	-
45-49 years	30	28	2	27	25	2	3	3	-	2	2	-
50-54 years	29	27	2	26	24	2	3	3	-	2	2	-
55-59 years	27	25	2	26	24	2	1	1	-	1	1	-
60-64 years	23	22	1	21	21	-	2	1	1	2	1	1
65-69 years	14	14	-	13	13	-	1	1	-	1	1	-
70-74 years	14	14	-	13	13	-	1	1	-	1	1	-
75-79 years	8	7	1	7	6	1	1	1	-	1	1	-
80-84 years	5	5	-	5	5	-	-	-	-	-	-	-
85-89 years	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Handgun discharge (W32)												
All ages	108	94	14	91	81	10	17	13	4	15	12	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	4	3	1	3	2	1	1	1	-	1	1	-
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	5	5	-	4	4	-	1	1	-	1	1	-
15-19 years	21	17	4	13	10	3	8	7	1	7	6	1
20-24 years	17	17	-	14	14	-	3	3	-	3	3	-
25-29 years	14	12	2	12	11	1	2	1	1	2	1	1
30-34 years	6	5	1	6	5	1	-	-	-	-	-	-
35-39 years	12	10	2	11	10	1	1	-	1	-	-	-
40-44 years	8	8	-	8	8	-	-	-	-	-	-	-
45-49 years	7	6	1	7	6	1	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years	3	3	-	3	3	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Rifle, shotgun, and larger firearm discharge (W33)												
All ages	148	136	12	134	124	10	14	12	2	10	9	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	7	6	1	6	5	1	1	1	-	-	-	-
10-14 years	9	8	1	8	8	-	1	-	1	-	-	-
15-19 years	14	14	-	11	11	-	3	3	-	2	2	-
20-24 years	9	7	2	8	6	2	1	1	-	1	1	-
25-29 years	7	6	1	6	5	1	1	1	-	1	1	-
30-34 years	7	7	-	6	6	-	1	1	-	1	1	-
35-39 years	13	12	1	13	12	1	-	-	-	-	-	-
40-44 years	20	20	-	18	18	-	2	2	-	2	2	-
45-49 years	11	11	-	11	11	-	-	-	-	-	-	-
50-54 years	14	12	2	13	12	1	1	-	1	1	-	1
55-59 years	14	12	2	13	11	2	1	1	-	-	-	-
60-64 years	10	9	1	9	8	1	1	1	-	1	1	-
65-69 years	4	4	-	4	4	-	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years	6	5	1	6	5	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Discharge from other and unspecified firearms (W34)												
All ages	546	460	86	450	375	75	96	85	11	87	78	9
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	11	9	2	7	6	1	4	3	1	4	3	1
5-9 years	10	8	2	8	6	2	2	2	-	1	1	-
10-14 years	25	22	3	19	18	1	6	4	2	5	4	1
15-19 years	75	71	4	55	51	4	20	20	-	17	17	-
20-24 years	70	67	3	51	49	2	19	18	1	19	18	1
25-29 years	50	45	5	37	32	5	13	13	-	11	11	-
30-34 years	38	28	10	36	28	8	2	-	2	2	-	2
35-39 years	45	35	10	40	30	10	5	5	-	4	4	-
40-44 years	48	36	12	37	29	8	11	7	4	10	7	3
45-49 years	43	34	9	39	30	9	4	4	-	4	4	-
50-54 years	27	23	4	27	23	4	-	-	-	-	-	-
55-59 years	27	19	8	22	15	7	5	4	1	5	4	1
60-64 years	12	9	3	12	9	3	-	-	-	-	-	-
65-69 years	14	11	3	13	10	3	1	1	-	1	1	-
70-74 years	11	8	3	10	7	3	1	1	-	1	1	-
75-79 years	17	16	1	16	15	1	1	1	-	1	1	-
80-84 years	15	13	2	13	11	2	2	2	-	2	2	-
85-89 years	4	3	1	4	3	1	-	-	-	-	-	-
90-94 years	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	1	1	2	1	1	-	-	-	-	-	-
Explosion and rupture of boiler (W35)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Explosion and rupture of gas cylinder (W36)												
All ages	14	12	2	14	12	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	4	2	2	4	2	2	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Explosion and rupture of pressurized tire, pipe, or hose (W37)												
All ages	12	12	-	11	11	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Explosion and rupture of other specified pressurized devices (W38)												
All ages	11	10	1	11	10	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Discharge of firework (W39)												
All ages	6	5	1	6	5	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Explosion of other materials (W40)												
All ages	138	112	26	121	97	24	17	15	2	16	14	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	5	4	1	5	4	1	-	-	-	-	-	-
20-24 years	10	9	1	9	8	1	1	1	-	1	1	-
25-29 years	7	5	2	7	5	2	-	-	-	-	-	-
30-34 years	13	13	-	12	12	-	1	1	-	1	1	-
35-39 years	14	13	1	13	12	1	1	1	-	1	1	-
40-44 years	14	11	3	11	9	2	3	2	1	3	2	1
45-49 years	5	5	-	4	4	-	1	1	-	1	1	-
50-54 years	18	16	2	16	14	2	2	2	-	2	2	-
55-59 years	5	5	-	5	5	-	-	-	-	-	-	-
60-64 years	8	7	1	6	5	1	2	2	-	2	2	-
65-69 years	9	8	1	7	6	1	2	2	-	1	1	-
70-74 years	9	7	2	7	5	2	2	2	-	2	2	-
75-79 years	10	4	6	8	3	5	2	1	1	2	1	1
80-84 years	9	5	4	9	5	4	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Foreign body entering into or through eye or natural orifice (W44)												
All ages	29	22	7	23	16	7	6	6	-	4	4	-
Under 1 year	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years	3	2	1	3	2	1	-	-	-	-	-	-
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	2	-	1	1	-	1	1	-	1	1	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	3	1	2	2	-	2	1	1	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Foreign body or object entering through skin (W45)												
All ages	4	3	1	4	3	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Exposure to other and unspecified inanimate mechanical forces (W49)												
All ages	37	26	11	30	19	11	7	7	-	4	4	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	3	-	2	2	-	1	1	-	-	-	-
20-24 years	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years	3	3	-	1	1	-	2	2	-	2	2	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	5	4	1	3	2	1	2	2	-	1	1	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	4	1	3	4	1	3	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	4	4	-	3	3	-	1	1	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hit, struck, kicked, twisted, bitten, or scratched by another person (W50)												
All ages	31	29	2	22	20	2	9	9	-	6	6	-
Under 1 year	3	2	1	3	2	1	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	3	3	-	1	1	-	2	2	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	3	3	-	2	2	-	1	1	-	-	-	-
40-44 years	4	4	-	3	3	-	1	1	-	1	1	-
45-49 years	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years	3	3	-	2	2	-	1	1	-	1	1	-
55-59 years	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Striking against or bumped into by another person (W51)												
All ages	14	10	4	10	6	4	4	4	-	4	4	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	2	1	1	1	-	1	1	1	-	1	1	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	3	-	2	2	-	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	3	2	1	2	1	1	1	1	-	1	1	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Bitten by rat (W53)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Bitten or struck by dog (W54)												
All ages	25	17	8	19	14	5	6	3	3	6	3	3
Under 1 year	4	1	3	3	1	2	1	-	1	1	-	1
1-4 years	7	6	1	6	6	-	1	-	1	1	-	1
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	2	1	1	1	1	-	1	-	1	1	-	1
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	1	-	-	-	-	1	1	-	1	1	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Bitten or struck by other mammals (W55)												
All ages	64	50	14	62	48	14	2	2	-	1	1	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	6	5	1	5	4	1	1	1	-	-	-	-
5-9 years	4	1	3	4	1	3	-	-	-	-	-	-
10-14 years	3	1	2	3	1	2	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	3	3	-	3	3	-	-	-	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	4	4	-	3	3	-	1	1	-	1	1	-
50-54 years	5	4	1	5	4	1	-	-	-	-	-	-
55-59 years	4	3	1	4	3	1	-	-	-	-	-	-
60-64 years	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years	4	4	-	4	4	-	-	-	-	-	-	-
70-74 years	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years	6	5	1	6	5	1	-	-	-	-	-	-
80-84 years	6	6	-	6	6	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Contact with marine animal (W56)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Bitten or stung by nonvenomous insect and other nonvenomous arthropods (W57)												
All ages	9	7	2	7	6	1	2	1	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	3	3	-	3	3	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Bitten or struck by crocodile or alligator (W58)												
All ages	5	4	1	5	4	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Contact with plant thorns, spines, and sharp leaves (W60)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Exposure to other and unspecified animate mechanical forces (W64)												
All ages	8	4	4	6	2	4	2	2	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	1	2	2	-	2	1	1	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Drowning and submersion while in bathtub (W65)												
All ages	291	137	154	241	110	131	50	27	23	37	21	16
Under 1 year	44	21	23	33	17	16	11	4	7	9	3	6
1-4 years	38	21	17	32	17	15	6	4	2	5	4	1
5-9 years	6	3	3	5	2	3	1	1	-	1	1	-
10-14 years	10	4	6	8	3	5	2	1	1	2	1	1
15-19 years	5	2	3	4	2	2	1	-	1	1	-	1
20-24 years	11	7	4	10	6	4	1	1	-	1	1	-
25-29 years	16	6	10	14	4	10	2	2	-	2	2	-
30-34 years	14	9	5	12	7	5	2	2	-	1	1	-
35-39 years	17	5	12	14	3	11	3	2	1	1	-	1
40-44 years	20	7	13	18	7	11	2	-	2	2	-	2
45-49 years	23	13	10	21	13	8	2	-	2	2	-	2
50-54 years	8	2	6	7	1	6	1	1	-	1	1	-
55-59 years	8	5	3	5	2	3	3	3	-	3	3	-
60-64 years	15	6	9	13	4	9	2	2	-	1	1	-
65-69 years	6	3	3	3	1	2	3	2	1	2	2	-
70-74 years	14	10	4	13	9	4	1	1	-	1	1	-
75-79 years	12	4	8	9	3	6	3	1	2	1	-	1
80-84 years	7	3	4	5	3	2	2	-	2	1	-	1
85-89 years	8	3	5	6	3	3	2	-	2	-	-	-
90-94 years	6	3	3	6	3	3	-	-	-	-	-	-
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Drowning and submersion following fall into bathtub (W66)												
All ages	31	16	15	24	11	13	7	5	2	6	4	2
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	4	2	2	4	2	2	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	3	2	1	2	1	1	1	1	-	1	1	-
45-49 years	3	2	1	2	1	1	1	1	-	1	1	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	2	1	1	1	-	1	1	1	-	1	1	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	3	-	3	3	-	3	-	-	-	-	-	-
80-84 years	4	3	1	1	1	-	3	2	1	2	1	1
85-89 years	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Drowning and submersion while in swimming pool (W67)												
All ages	494	374	120	340	248	92	154	126	28	120	99	21
Under 1 year	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years	155	105	50	129	90	39	26	15	11	23	13	10
5-9 years	45	37	8	21	15	6	24	22	2	21	19	2
10-14 years	41	29	12	12	7	5	29	22	7	27	21	6
15-19 years	33	32	1	15	15	-	18	17	1	18	17	1
20-24 years	29	27	2	19	17	2	10	10	-	9	9	-
25-29 years	27	25	2	9	8	1	18	17	1	6	6	-
30-34 years	7	7	-	5	5	-	2	2	-	2	2	-
35-39 years	21	17	4	16	13	3	5	4	1	3	2	1
40-44 years	20	13	7	14	7	7	6	6	-	3	3	-
45-49 years	21	16	5	16	12	4	5	4	1	5	4	1
50-54 years	13	8	5	12	7	5	1	1	-	1	1	-
55-59 years	15	13	2	13	11	2	2	2	-	-	-	-
60-64 years	7	5	2	7	5	2	-	-	-	-	-	-
65-69 years	13	7	6	10	6	4	3	1	2	-	-	-
70-74 years	9	8	1	6	6	-	3	2	1	1	1	-
75-79 years	8	5	3	7	5	2	1	-	1	-	-	-
80-84 years	15	11	4	15	11	4	-	-	-	-	-	-
85-89 years	13	9	4	12	8	4	1	1	-	1	1	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Drowning and submersion following fall into swimming pool (W68)												
All ages	102	54	48	83	45	38	19	9	10	17	8	9
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	61	31	30	55	29	26	6	2	4	6	2	4
5-9 years	4	-	4	1	-	1	3	-	3	2	-	2
10-14 years	2	1	1	-	-	-	2	1	1	2	1	1
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	1	-	1
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	2	1	1	1	-	1	1	1	-	1	1	-
55-59 years	3	2	1	2	1	1	1	1	-	1	1	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	2	-	1	1	-	1	1	-	1	1	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	9	5	4	9	5	4	-	-	-	-	-	-
80-84 years	5	3	2	3	2	1	2	1	1	2	1	1
85-89 years	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Drowning and submersion while in natural water (W69)												
All ages	845	736	109	647	564	83	198	172	26	138	124	14
Under 1 year	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years	36	23	13	29	19	10	7	4	3	4	3	1
5-9 years	35	26	9	19	13	6	16	13	3	12	10	2
10-14 years	42	32	10	24	19	5	18	13	5	14	10	4
15-19 years	118	111	7	82	79	3	36	32	4	26	23	3
20-24 years	109	105	4	87	84	3	22	21	1	15	15	-
25-29 years	63	59	4	42	40	2	21	19	2	11	11	-
30-34 years	49	44	5	38	33	5	11	11	-	7	7	-
35-39 years	70	63	7	52	45	7	18	18	-	15	15	-
40-44 years	78	68	10	63	58	5	15	10	5	8	6	2
45-49 years	69	67	2	56	54	2	13	13	-	8	8	-
50-54 years	49	42	7	44	37	7	5	5	-	4	4	-
55-59 years	27	24	3	22	19	3	5	5	-	5	5	-
60-64 years	27	20	7	24	18	6	3	2	1	2	1	1
65-69 years	12	10	2	11	9	2	1	1	-	1	1	-
70-74 years	12	7	5	11	7	4	1	-	1	1	-	1
75-79 years	13	10	3	11	9	2	2	1	1	1	1	-
80-84 years	9	6	3	8	5	3	1	1	-	1	1	-
85-89 years	7	5	2	7	5	2	-	-	-	-	-	-
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	15	13	2	12	10	2	3	3	-	3	3	-
Drowning and submersion following fall into natural water (W70)												
All ages	209	181	28	168	145	23	41	36	5	28	25	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	22	16	6	22	16	6	-	-	-	-	-	-
5-9 years	9	7	2	4	3	1	5	4	1	3	2	1
10-14 years	6	6	-	4	4	-	2	2	-	2	2	-
15-19 years	20	19	1	13	13	-	7	6	1	3	3	-
20-24 years	13	11	2	13	11	2	-	-	-	-	-	-
25-29 years	15	15	-	15	15	-	-	-	-	-	-	-
30-34 years	10	10	-	7	7	-	3	3	-	3	3	-
35-39 years	12	11	1	9	8	1	3	3	-	1	1	-
40-44 years	22	20	2	15	14	1	7	6	1	4	4	-
45-49 years	14	13	1	11	10	1	3	3	-	2	2	-
50-54 years	8	8	-	7	7	-	1	1	-	1	1	-
55-59 years	10	6	4	6	3	3	4	3	1	4	3	1
60-64 years	10	10	-	7	7	-	3	3	-	2	2	-
65-69 years	5	5	-	4	4	-	1	1	-	1	1	-
70-74 years	11	8	3	11	8	3	-	-	-	-	-	-
75-79 years	11	9	2	11	9	2	-	-	-	-	-	-
80-84 years	7	5	2	6	4	2	1	1	-	1	1	-
85-89 years	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other specified drowning and submersion (W73)												
All ages	172	141	31	129	104	25	43	37	6	37	33	4
Under 1 year	2	1	1	-	-	-	2	1	1	1	-	1
1-4 years	29	16	13	26	15	11	3	1	2	2	1	1
5-9 years	8	7	1	5	4	1	3	3	-	3	3	-
10-14 years	11	9	2	5	4	1	6	5	1	6	5	1
15-19 years	22	22	-	15	15	-	7	7	-	6	6	-
20-24 years	12	11	1	10	9	1	2	2	-	2	2	-
25-29 years	15	13	2	12	10	2	3	3	-	3	3	-
30-34 years	13	12	1	8	7	1	5	5	-	5	5	-
35-39 years	5	4	1	4	4	-	1	-	1	-	-	-
40-44 years	9	7	2	9	7	2	-	-	-	-	-	-
45-49 years	7	6	1	4	4	-	3	2	1	3	2	1
50-54 years	10	10	-	8	8	-	2	2	-	1	1	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	4	4	-	2	2	-	2	2	-	2	2	-
65-69 years	4	2	2	3	1	2	1	1	-	1	1	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	5	4	1	4	3	1	1	1	-	1	1	-
80-84 years	5	4	1	5	4	1	-	-	-	-	-	-
85-89 years	3	2	1	1	-	1	2	2	-	1	1	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	5	4	1	5	4	1	-	-	-	-	-	-
Unspecified drowning and submersion (W74)												
All ages	1,137	921	216	883	709	174	254	212	42	196	164	32
Under 1 year	16	7	9	13	7	6	3	-	3	2	-	2
1-4 years	113	77	36	100	69	31	13	8	5	8	5	3
5-9 years	61	40	21	42	24	18	19	16	3	14	12	2
10-14 years	53	36	17	25	17	8	28	19	9	25	16	9
15-19 years	124	109	15	78	67	11	46	42	4	36	34	2
20-24 years	99	87	12	78	66	12	21	21	-	17	17	-
25-29 years	75	68	7	57	51	6	18	17	1	11	11	-
30-34 years	66	57	9	50	43	7	16	14	2	11	10	1
35-39 years	95	81	14	78	65	13	17	16	1	14	13	1
40-44 years	88	78	10	67	60	7	21	18	3	18	15	3
45-49 years	76	64	12	59	50	9	17	14	3	13	10	3
50-54 years	54	46	8	45	39	6	9	7	2	8	6	2
55-59 years	43	31	12	34	25	9	9	6	3	8	5	3
60-64 years	31	25	6	26	21	5	5	4	1	3	2	1
65-69 years	36	32	4	34	30	4	2	2	-	1	1	-
70-74 years	29	25	4	26	22	4	3	3	-	3	3	-
75-79 years	24	18	6	22	16	6	2	2	-	2	2	-
80-84 years	20	12	8	19	11	8	1	1	-	1	1	-
85-89 years	15	13	2	14	12	2	1	1	-	1	1	-
90-94 years	4	3	1	4	3	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	14	12	2	11	11	-	3	1	2	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Accidental suffocation and strangulation in bed (W75)												
All ages	456	263	193	307	173	134	149	90	59	135	85	50
Under 1 year	390	233	157	250	146	104	140	87	53	128	82	46
1-4 years	15	9	6	11	7	4	4	2	2	4	2	2
5-9 years	2	2	-	1	1	-	1	1	-	1	1	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	5	3	2	5	3	2	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years	5	2	3	4	2	2	1	-	1	-	-	-
45-49 years	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years	3	2	1	2	2	-	1	-	1	1	-	1
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	4	-	4	2	-	2	2	-	2	1	-	1
75-79 years	8	4	4	8	4	4	-	-	-	-	-	-
80-84 years	5	2	3	5	2	3	-	-	-	-	-	-
85-89 years	5	1	4	5	1	4	-	-	-	-	-	-
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other accidental hanging and strangulation (W76)												
All ages	279	227	52	245	203	42	34	24	10	24	15	9
Under 1 year	9	6	3	4	4	-	5	2	3	4	2	2
1-4 years	21	9	12	17	6	11	4	3	1	3	2	1
5-9 years	12	6	6	12	6	6	-	-	-	-	-	-
10-14 years	41	37	4	36	33	3	5	4	1	4	3	1
15-19 years	23	19	4	19	16	3	4	3	1	2	1	1
20-24 years	14	14	-	14	14	-	-	-	-	-	-	-
25-29 years	13	10	3	11	9	2	2	1	1	2	1	1
30-34 years	20	20	-	17	17	-	3	3	-	1	1	-
35-39 years	27	25	2	25	23	2	2	2	-	1	1	-
40-44 years	32	28	4	30	28	2	2	-	2	2	-	2
45-49 years	24	23	1	21	20	1	3	3	-	1	1	-
50-54 years	12	11	1	11	10	1	1	1	-	1	1	-
55-59 years	11	7	4	9	6	3	2	1	1	2	1	1
60-64 years	4	2	2	4	2	2	-	-	-	-	-	-
65-69 years	4	4	-	4	4	-	-	-	-	-	-	-
70-74 years	5	3	2	5	3	2	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	2	1	1	1	-	1	1	1	-	1	1	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Threat to breathing due to cave-in, falling earth, and other substances (W77)												
All ages	56	53	3	54	51	3	2	2	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	4	3	1	4	3	1	-	-	-	-	-	-
10-14 years	3	2	1	3	2	1	-	-	-	-	-	-
15-19 years	3	3	-	2	2	-	1	1	-	1	1	-
20-24 years	3	3	-	3	3	-	-	-	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	4	4	-	4	4	-	-	-	-	-	-	-
35-39 years	9	9	-	9	9	-	-	-	-	-	-	-
40-44 years	6	6	-	5	5	-	1	1	-	1	1	-
45-49 years	7	6	1	7	6	1	-	-	-	-	-	-
50-54 years	6	6	-	6	6	-	-	-	-	-	-	-
55-59 years	6	6	-	6	6	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Inhalation of gastric contents (W78)												
All ages	422	200	222	343	155	188	79	45	34	73	40	33
Under 1 year	15	11	4	7	7	-	8	4	4	8	4	4
1-4 years	5	1	4	4	1	3	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	4	3	1	3	2	1	1	1	-	1	1	-
15-19 years	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years	6	5	1	4	3	1	2	2	-	2	2	-
25-29 years	3	2	1	3	2	1	-	-	-	-	-	-
30-34 years	7	3	4	7	3	4	-	-	-	-	-	-
35-39 years	11	5	6	8	4	4	3	1	2	3	1	2
40-44 years	26	18	8	22	16	6	4	2	2	4	2	2
45-49 years	25	11	14	19	8	11	6	3	3	5	2	3
50-54 years	20	13	7	18	12	6	2	1	1	2	1	1
55-59 years	26	14	12	21	10	11	5	4	1	4	3	1
60-64 years	21	9	12	14	6	8	7	3	4	7	3	4
65-69 years	17	9	8	16	9	7	1	-	1	1	-	1
70-74 years	34	19	15	23	12	11	11	7	4	10	6	4
75-79 years	51	14	37	44	10	34	7	4	3	6	3	3
80-84 years	48	24	24	41	19	22	7	5	2	5	4	1
85-89 years	52	24	28	47	21	26	5	3	2	5	3	2
90-94 years	28	9	19	21	5	16	7	4	3	7	4	3
95-99 years	18	4	14	17	4	13	1	-	1	1	-	1
100 yrs & over	3	-	3	3	-	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Inhalation and ingestion of food causing obstruction of respiratory tract (W79)												
All ages	742	381	361	646	330	316	96	51	45	75	40	35
Under 1 year	7	4	3	3	2	1	4	2	2	4	2	2
1-4 years	29	20	9	21	15	6	8	5	3	8	5	3
5-9 years	6	1	5	5	-	5	1	1	-	1	1	-
10-14 years	8	1	7	7	1	6	1	-	1	-	-	-
15-19 years	6	3	3	6	3	3	-	-	-	-	-	-
20-24 years	8	7	1	5	5	-	3	2	1	3	2	1
25-29 years	5	2	3	4	1	3	1	1	-	1	1	-
30-34 years	5	4	1	2	1	1	3	3	-	3	3	-
35-39 years	24	14	10	22	13	9	2	1	1	2	1	1
40-44 years	26	21	5	22	17	5	4	4	-	3	3	-
45-49 years	55	34	21	44	28	16	11	6	5	9	5	4
50-54 years	62	34	28	60	32	28	2	2	-	1	1	-
55-59 years	50	31	19	42	27	15	8	4	4	6	3	3
60-64 years	38	19	19	36	18	18	2	1	1	2	1	1
65-69 years	52	32	20	46	29	17	6	3	3	5	3	2
70-74 years	65	27	38	54	24	30	11	3	8	10	3	7
75-79 years	74	39	35	64	36	28	10	3	7	5	1	4
80-84 years	77	37	40	68	31	37	9	6	3	5	3	2
85-89 years	78	34	44	74	33	41	4	1	3	3	1	2
90-94 years	44	13	31	40	11	29	4	2	2	3	1	2
95-99 years	18	4	14	16	3	13	2	1	1	1	-	1
100 yrs & over	5	-	5	5	-	5	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Inhalation and ingestion of other objects causing obstruction of respiratory tract (W80)												
All ages	3,021	1,532	1,489	2,561	1,277	1,284	460	255	205	411	228	183
Under 1 year	40	27	13	31	20	11	9	7	2	8	7	1
1-4 years	40	24	16	29	17	12	11	7	4	10	6	4
5-9 years	10	6	4	8	4	4	2	2	-	1	1	-
10-14 years	5	5	-	3	3	-	2	2	-	2	2	-
15-19 years	11	6	5	10	5	5	1	1	-	1	1	-
20-24 years	22	11	11	17	9	8	5	2	3	5	2	3
25-29 years	15	10	5	11	7	4	4	3	1	4	3	1
30-34 years	22	15	7	17	13	4	5	2	3	5	2	3
35-39 years	38	21	17	29	17	12	9	4	5	9	4	5
40-44 years	51	32	19	39	23	16	12	9	3	10	8	2
45-49 years	83	57	26	65	44	21	18	13	5	17	12	5
50-54 years	98	57	41	76	42	34	22	15	7	18	11	7
55-59 years	91	62	29	67	43	24	24	19	5	22	17	5
60-64 years	104	59	45	81	46	35	23	13	10	22	13	9
65-69 years	152	86	66	124	71	53	28	15	13	27	15	12
70-74 years	219	121	98	181	100	81	38	21	17	36	20	16
75-79 years	410	227	183	345	191	154	65	36	29	55	30	25
80-84 years	533	277	256	467	237	230	66	40	26	59	38	21
85-89 years	539	242	297	487	219	268	52	23	29	46	19	27
90-94 years	358	142	216	315	125	190	43	17	26	36	14	22
95-99 years	145	39	106	129	35	94	16	4	12	14	3	11
100 yrs & over	35	6	29	30	6	24	5	-	5	4	-	4
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Confined to or trapped in a low-oxygen environment (W81)												
All ages	20	19	1	19	18	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified threats to breathing (W83)												
All ages	210	145	65	172	122	50	38	23	15	31	18	13
Under 1 year	48	27	21	31	16	15	17	11	6	16	10	6
1-4 years	15	11	4	9	7	2	6	4	2	5	4	1
5-9 years	5	5	-	5	5	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	5	5	-	4	4	-	1	1	-	1	1	-
20-24 years	10	9	1	9	8	1	1	1	-	-	-	-
25-29 years	10	9	1	10	9	1	-	-	-	-	-	-
30-34 years	8	8	-	8	8	-	-	-	-	-	-	-
35-39 years	16	15	1	13	12	1	3	3	-	2	2	-
40-44 years	21	14	7	17	11	6	4	3	1	2	1	1
45-49 years	15	11	4	15	11	4	-	-	-	-	-	-
50-54 years	5	5	-	5	5	-	-	-	-	-	-	-
55-59 years	5	3	2	4	3	1	1	-	1	1	-	1
60-64 years	8	6	2	8	6	2	-	-	-	-	-	-
65-69 years	8	3	5	7	3	4	1	-	1	-	-	-
70-74 years	10	7	3	10	7	3	-	-	-	-	-	-
75-79 years	7	3	4	6	3	3	1	-	1	1	-	1
80-84 years	4	1	3	3	1	2	1	-	1	1	-	1
85-89 years	5	-	5	4	-	4	1	-	1	1	-	1
90-94 years	3	2	1	2	2	-	1	-	1	1	-	1
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified threat to breathing (W84)												
All ages	349	222	127	262	172	90	87	50	37	73	42	31
Under 1 year	105	50	55	56	26	30	49	24	25	43	21	22
1-4 years	11	7	4	6	4	2	5	3	2	4	2	2
5-9 years	4	3	1	3	2	1	1	1	-	1	1	-
10-14 years	6	3	3	4	2	2	2	1	1	1	-	1
15-19 years	15	10	5	14	10	4	1	-	1	1	-	1
20-24 years	14	12	2	14	12	2	-	-	-	-	-	-
25-29 years	15	13	2	11	10	1	4	3	1	3	2	1
30-34 years	18	14	4	14	10	4	4	4	-	4	4	-
35-39 years	23	17	6	22	17	5	1	-	1	1	-	1
40-44 years	22	21	1	20	19	1	2	2	-	2	2	-
45-49 years	23	20	3	18	16	2	5	4	1	5	4	1
50-54 years	17	14	3	13	11	2	4	3	1	2	2	-
55-59 years	6	4	2	6	4	2	-	-	-	-	-	-
60-64 years	8	4	4	4	2	2	4	2	2	1	1	-
65-69 years	7	6	1	7	6	1	-	-	-	-	-	-
70-74 years	13	7	6	11	6	5	2	1	1	2	1	1
75-79 years	15	7	8	14	6	8	1	1	-	1	1	-
80-84 years	10	4	6	9	4	5	1	-	1	1	-	1
85-89 years	7	3	4	7	3	4	-	-	-	-	-	-
90-94 years	8	3	5	7	2	5	1	1	-	1	1	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Exposure to electric transmission lines (W85)												
All ages	83	82	1	73	72	1	10	10	-	7	7	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	5	5	-	5	5	-	-	-	-	-	-	-
20-24 years	15	15	-	11	11	-	4	4	-	2	2	-
25-29 years	8	8	-	5	5	-	3	3	-	3	3	-
30-34 years	12	12	-	11	11	-	1	1	-	-	-	-
35-39 years	6	6	-	6	6	-	-	-	-	-	-	-
40-44 years	11	11	-	10	10	-	1	1	-	1	1	-
45-49 years	9	9	-	9	9	-	-	-	-	-	-	-
50-54 years	8	7	1	7	6	1	1	1	-	1	1	-
55-59 years	5	5	-	5	5	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Exposure to other specified electric current (W86)												
All ages	146	135	11	126	117	9	20	18	2	18	16	2
Under 1 year	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years	2	2	-	-	-	-	2	2	-	2	2	-
5-9 years	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years	4	4	-	3	3	-	1	1	-	1	1	-
15-19 years	6	6	-	6	6	-	-	-	-	-	-	-
20-24 years	13	13	-	12	12	-	1	1	-	1	1	-
25-29 years	14	13	1	13	12	1	1	1	-	-	-	-
30-34 years	13	13	-	11	11	-	2	2	-	2	2	-
35-39 years	22	20	2	21	19	2	1	1	-	-	-	-
40-44 years	23	21	2	22	20	2	1	1	-	1	1	-
45-49 years	14	13	1	10	9	1	4	4	-	4	4	-
50-54 years	6	5	1	5	5	-	1	-	1	1	-	1
55-59 years	6	6	-	3	3	-	3	3	-	3	3	-
60-64 years	6	6	-	5	5	-	1	1	-	1	1	-
65-69 years	5	5	-	5	5	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	3	2	1	2	1	1	1	1	-	1	1	-
85-89 years	3	3	-	3	3	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Exposure to unspecified electric current (W87)												
All ages	180	174	6	160	155	5	20	19	1	10	9	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years	3	2	1	2	1	1	1	1	-	-	-	-
10-14 years	6	5	1	4	4	-	2	1	1	2	1	1
15-19 years	7	6	1	6	5	1	1	1	-	1	1	-
20-24 years	15	15	-	13	13	-	2	2	-	-	-	-
25-29 years	20	20	-	19	19	-	1	1	-	-	-	-
30-34 years	23	23	-	20	20	-	3	3	-	-	-	-
35-39 years	29	29	-	28	28	-	1	1	-	-	-	-
40-44 years	28	27	1	25	24	1	3	3	-	2	2	-
45-49 years	16	16	-	13	13	-	3	3	-	3	3	-
50-54 years	4	4	-	3	3	-	1	1	-	-	-	-
55-59 years	8	6	2	7	5	2	1	1	-	1	1	-
60-64 years	7	7	-	7	7	-	-	-	-	-	-	-
65-69 years	4	4	-	3	3	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	5	5	-	5	5	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Exposure to excessive heat of man-made origin (W92)												
All ages	7	2	5	5	2	3	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	3	-	3	2	-	2	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Exposure to excessive cold of man-made origin (W93)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Exposure to high and low air pressure and changes in air pressure (W94)												
All ages	13	8	5	13	8	5	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years	3	-	3	3	-	3	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Exposure to other and unspecified man-made environmental factors (W99)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Exposure to uncontrolled fire in building or structure (X00)												
All ages	2,673	1,581	1,092	1,877	1,103	774	796	478	318	737	438	299
Under 1 year	48	28	20	32	17	15	16	11	5	15	10	5
1-4 years	219	138	81	137	92	45	82	46	36	81	45	36
5-9 years	160	101	59	98	59	39	62	42	20	60	40	20
10-14 years	83	44	39	53	27	26	30	17	13	28	16	12
15-19 years	66	40	26	49	30	19	17	10	7	12	7	5
20-24 years	113	75	38	89	62	27	24	13	11	22	11	11
25-29 years	95	60	35	58	42	16	37	18	19	33	15	18
30-34 years	114	71	43	88	54	34	26	17	9	24	15	9
35-39 years	162	109	53	121	79	42	41	30	11	37	27	10
40-44 years	208	144	64	150	107	43	58	37	21	54	34	20
45-49 years	168	116	52	123	83	40	45	33	12	44	32	12
50-54 years	166	108	58	119	75	44	47	33	14	41	30	11
55-59 years	167	107	60	115	74	41	52	33	19	45	28	17
60-64 years	143	81	62	108	59	49	35	22	13	31	19	12
65-69 years	141	82	59	94	54	40	47	28	19	44	26	18
70-74 years	149	72	77	103	46	57	46	26	20	42	25	17
75-79 years	169	78	91	124	53	71	45	25	20	41	22	19
80-84 years	130	56	74	94	43	51	36	13	23	35	13	22
85-89 years	103	41	62	79	31	48	24	10	14	23	10	13
90-94 years	52	20	32	33	11	22	19	9	10	18	8	10
95-99 years	12	6	6	6	2	4	6	4	2	6	4	2
100 yrs & over	2	1	1	1	-	1	1	1	-	1	1	-
Not stated	3	3	-	3	3	-	-	-	-	-	-	-
Exposure to uncontrolled fire, not in building or structure (X01)												
All ages	61	54	7	53	47	6	8	7	1	7	6	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	4	1	3	4	1	3	-	-	-	-	-	-
20-24 years	4	4	-	3	3	-	1	1	-	1	1	-
25-29 years	4	3	1	3	2	1	1	1	-	1	1	-
30-34 years	3	3	-	1	1	-	2	2	-	2	2	-
35-39 years	4	4	-	4	4	-	-	-	-	-	-	-
40-44 years	4	4	-	2	2	-	2	2	-	2	2	-
45-49 years	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years	8	7	1	8	7	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	9	9	-	9	9	-	-	-	-	-	-	-
75-79 years	2	1	1	1	1	-	1	-	1	1	-	1
80-84 years	7	7	-	6	6	-	1	1	-	-	-	-
85-89 years	3	3	-	3	3	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Exposure to controlled fire in building or structure (X02)												
All ages	44	24	20	31	16	15	13	8	5	12	7	5
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	-	-	-	2	1	1	2	1	1
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	4	2	2	4	2	2	-	-	-	-	-	-
45-49 years	3	2	1	1	-	1	2	2	-	1	1	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	2	1	1	-	-	-	2	1	1	2	1	1
60-64 years	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years	4	2	2	3	2	1	1	-	1	1	-	1
70-74 years	7	5	2	5	3	2	2	2	-	2	2	-
75-79 years	4	-	4	3	-	3	1	-	1	1	-	1
80-84 years	5	4	1	5	4	1	-	-	-	-	-	-
85-89 years	6	2	4	5	2	3	1	-	1	1	-	1
90-94 years	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Exposure to controlled fire, not in building or structure (X03)												
All ages	41	38	3	34	32	2	7	6	1	6	6	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	2	1	1	1	1	-	1	-	1	-	-	-
40-44 years	6	5	1	5	4	1	1	1	-	1	1	-
45-49 years	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years	8	7	1	7	6	1	1	1	-	1	1	-
80-84 years	6	6	-	5	5	-	1	1	-	1	1	-
85-89 years	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Exposure to ignition of highly flammable material (X04)												
All ages	53	39	14	39	29	10	14	10	4	11	8	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	3	2	1	2	1	1	1	1	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	3	3	-	2	2	-	1	1	-	-	-	-
25-29 years	3	1	2	1	-	1	2	1	1	2	1	1
30-34 years	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years	3	1	2	2	-	2	1	1	-	1	1	-
40-44 years	9	6	3	8	5	3	1	1	-	1	1	-
45-49 years	3	2	1	2	2	-	1	-	1	-	-	-
50-54 years	4	4	-	1	1	-	3	3	-	3	3	-
55-59 years	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years	4	2	2	3	2	1	1	-	1	1	-	1
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	5	4	1	4	3	1	1	1	-	1	1	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	4	3	1	3	3	-	1	-	1	1	-	1
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Exposure to ignition or melting of nightwear (X05)												
All ages	5	1	4	3	-	3	2	1	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	3	1	2	1	-	1	2	1	1	1	-	1
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Exposure to ignition or melting of other clothing and apparel (X06)												
All ages	125	61	64	99	48	51	26	13	13	24	12	12
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	6	5	1	4	3	1	2	2	-	2	2	-
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years	6	4	2	4	4	-	2	-	2	2	-	2
60-64 years	6	3	3	4	1	3	2	2	-	2	2	-
65-69 years	11	4	7	10	3	7	1	1	-	1	1	-
70-74 years	20	13	7	15	10	5	5	3	2	5	3	2
75-79 years	17	9	8	11	6	5	6	3	3	4	2	2
80-84 years	22	9	13	21	8	13	1	1	-	1	1	-
85-89 years	20	6	14	14	5	9	6	1	5	6	1	5
90-94 years	7	2	5	7	2	5	-	-	-	-	-	-
95-99 years	2	1	1	1	1	-	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Exposure to other specified smoke, fire, and flames (X08)												
All ages	59	39	20	51	33	18	8	6	2	6	4	2
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	2	2	-	1	1	-	1	1	-	-	-	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	2	2	-	-	-	-	2	2	-	1	1	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	5	3	2	2	2	-	3	1	2	3	1	2
50-54 years	5	4	1	5	4	1	-	-	-	-	-	-
55-59 years	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years	3	3	-	2	2	-	1	1	-	1	1	-
65-69 years	8	3	5	8	3	5	-	-	-	-	-	-
70-74 years	10	4	6	10	4	6	-	-	-	-	-	-
75-79 years	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years	5	4	1	4	3	1	1	1	-	1	1	-
85-89 years	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Exposure to unspecified smoke, fire, and flames (X09)												
All ages	248	161	87	200	128	72	48	33	15	42	30	12
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	4	3	1	3	2	1	1	1	-	1	1	-
5-9 years	4	3	1	4	3	1	-	-	-	-	-	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	3	2	1	1	1	-	2	1	1	-	-	-
20-24 years	10	8	2	5	4	1	5	4	1	5	4	1
25-29 years	9	6	3	7	6	1	2	-	2	2	-	2
30-34 years	9	7	2	7	6	1	2	1	1	2	1	1
35-39 years	14	13	1	9	9	-	5	4	1	5	4	1
40-44 years	16	11	5	14	10	4	2	1	1	1	1	-
45-49 years	22	17	5	16	11	5	6	6	-	6	6	-
50-54 years	22	15	7	16	10	6	6	5	1	6	5	1
55-59 years	25	17	8	23	16	7	2	1	1	2	1	1
60-64 years	5	3	2	4	2	2	1	1	-	1	1	-
65-69 years	20	16	4	17	13	4	3	3	-	2	2	-
70-74 years	19	8	11	16	7	9	3	1	2	3	1	2
75-79 years	18	7	11	17	6	11	1	1	-	1	1	-
80-84 years	16	8	8	12	6	6	4	2	2	3	2	1
85-89 years	22	12	10	20	11	9	2	1	1	1	-	1
90-94 years	6	3	3	6	3	3	-	-	-	-	-	-
95-99 years	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Contact with hot drinks, food, fats, and cooking oils (X10)												
All ages	6	2	4	6	2	4	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Contact with hot tap water (X11)												
All ages	57	23	34	47	18	29	10	5	5	10	5	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	3	-	3	1	-	1	2	-	2	2	-	2
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	3	1	2	3	1	2	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	7	6	1	5	4	1	2	2	-	2	2	-
55-59 years	5	1	4	4	-	4	1	1	-	1	1	-
60-64 years	4	-	4	4	-	4	-	-	-	-	-	-
65-69 years	5	2	3	4	2	2	1	-	1	1	-	1
70-74 years	3	-	3	2	-	2	1	-	1	1	-	1
75-79 years	5	2	3	5	2	3	-	-	-	-	-	-
80-84 years	8	3	5	7	3	4	1	-	1	1	-	1
85-89 years	7	3	4	7	3	4	-	-	-	-	-	-
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Contact with other hot fluids (X12)												
All ages	15	8	7	9	4	5	6	4	2	5	3	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	2	2	-	-	-	-	2	2	-	2	2	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	-	-	-	2	1	1	2	1	1
60-64 years	2	1	1	1	1	-	1	-	1	1	-	1
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	1	-	-	-	-	1	1	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Contact with steam and hot vapors (X13)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Contact with hot air and gases (X14)												
All ages	4	4	-	1	1	-	3	3	-	3	3	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	-	-	-	2	2	-	2	2	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Contact with hot household appliances (X15)												
All ages	5	2	3	4	2	2	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Contact with hot heating appliances, radiators, and pipes (X16)												
All ages	11	8	3	7	4	3	4	4	-	3	3	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	2	-	-	-	-	2	2	-	2	2	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Contact with other hot metals (X18)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Contact with other and unspecified heat and hot substances (X19)												
All ages	12	8	4	9	7	2	3	1	2	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	2	1	1	-	-	-	2	1	1	2	1	1
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	2	1	1	1	1	-	1	-	1	1	-	1
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Contact with venomous snakes and lizards (X20)												
All ages	7	4	3	7	4	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Contact with venomous spiders (X21)												
All ages	5	2	3	5	2	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Contact with scorpions (X22)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Contact with hornets, wasps, and bees (X23)												
All ages	43	33	10	39	31	8	4	2	2	4	2	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	4	4	-	4	4	-	-	-	-	-	-	-
45-49 years	9	8	1	8	8	-	1	-	1	1	-	1
50-54 years	4	3	1	3	2	1	1	1	-	1	1	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	5	4	1	4	4	-	1	-	1	1	-	1
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	6	5	1	6	5	1	-	-	-	-	-	-
75-79 years	4	3	1	4	3	1	-	-	-	-	-	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Contact with other specified venomous arthropods (X25)												
All ages	4	4	-	4	4	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Contact with unspecified venomous animal or plant (X29)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Exposure to excessive natural heat (X30)												
All ages	300	203	97	236	167	69	64	36	28	60	35	25
Under 1 year	12	7	5	7	4	3	5	3	2	4	3	1
1-4 years	18	12	6	13	9	4	5	3	2	5	3	2
5-9 years	2	1	1	1	1	-	1	-	1	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years	4	4	-	3	3	-	1	1	-	1	1	-
25-29 years	8	6	2	5	4	1	3	2	1	3	2	1
30-34 years	9	8	1	8	7	1	1	1	-	1	1	-
35-39 years	18	14	4	15	11	4	3	3	-	3	3	-
40-44 years	14	13	1	12	11	1	2	2	-	2	2	-
45-49 years	23	20	3	18	17	1	5	3	2	4	3	1
50-54 years	27	22	5	24	19	5	3	3	-	2	2	-
55-59 years	17	14	3	13	10	3	4	4	-	4	4	-
60-64 years	18	10	8	13	9	4	5	1	4	5	1	4
65-69 years	24	15	9	19	13	6	5	2	3	5	2	3
70-74 years	15	9	6	12	7	5	3	2	1	3	2	1
75-79 years	30	20	10	26	19	7	4	1	3	4	1	3
80-84 years	20	8	12	14	4	10	6	4	2	6	4	2
85-89 years	16	3	13	12	3	9	4	-	4	4	-	4
90-94 years	6	3	3	3	2	1	3	1	2	3	1	2
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	13	10	3	13	10	3	-	-	-	-	-	-
Exposure to excessive natural cold (X31)												
All ages	599	400	199	436	285	151	163	115	48	123	85	38
Under 1 year	2	1	1	1	1	-	1	-	1	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	3	3	-	2	2	-	1	1	-	1	1	-
15-19 years	7	6	1	7	6	1	-	-	-	-	-	-
20-24 years	10	10	-	7	7	-	3	3	-	-	-	-
25-29 years	6	5	1	5	5	-	1	-	1	1	-	1
30-34 years	15	11	4	12	8	4	3	3	-	-	-	-
35-39 years	29	25	4	22	18	4	7	7	-	4	4	-
40-44 years	42	32	10	26	19	7	16	13	3	10	9	1
45-49 years	41	33	8	27	23	4	14	10	4	10	7	3
50-54 years	61	51	10	42	34	8	19	17	2	14	13	1
55-59 years	30	23	7	25	19	6	5	4	1	4	3	1
60-64 years	45	34	11	27	20	7	18	14	4	12	10	2
65-69 years	32	24	8	22	17	5	10	7	3	7	5	2
70-74 years	48	32	16	34	23	11	14	9	5	11	7	4
75-79 years	50	30	20	37	18	19	13	12	1	12	11	1
80-84 years	65	26	39	53	20	33	12	6	6	12	6	6
85-89 years	56	31	25	48	27	21	8	4	4	7	4	3
90-94 years	40	16	24	29	13	16	11	3	8	11	3	8
95-99 years	10	2	8	6	2	4	4	-	4	4	-	4
100 yrs & over	2	-	2	1	-	1	1	-	1	1	-	1
Not stated	4	4	-	3	3	-	1	1	-	1	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Exposure to sunlight (X32)												
All ages	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Victim of lightning (X33)												
All ages	44	38	6	40	34	6	4	4	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years	5	5	-	3	3	-	2	2	-	-	-	-
20-24 years	5	4	1	5	4	1	-	-	-	-	-	-
25-29 years	4	3	1	4	3	1	-	-	-	-	-	-
30-34 years	5	5	-	5	5	-	-	-	-	-	-	-
35-39 years	5	4	1	4	3	1	1	1	-	1	1	-
40-44 years	4	3	1	4	3	1	-	-	-	-	-	-
45-49 years	5	4	1	4	3	1	1	1	-	1	1	-
50-54 years	6	5	1	6	5	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Victim of avalanche, landslide, and other earth movements (X36)												
All ages	28	23	5	28	23	5	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	4	4	-	4	4	-	-	-	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	8	7	1	8	7	1	-	-	-	-	-	-
35-39 years	7	7	-	7	7	-	-	-	-	-	-	-
40-44 years	3	1	2	3	1	2	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Victim of cataclysmic storm (X37)												
All ages	54	26	28	46	24	22	8	2	6	8	2	6
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	3	2	1	3	2	1	-	-	-	-	-	-
5-9 years	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years	6	3	3	4	2	2	2	1	1	2	1	1
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	2	-	2	2	-	2	-	-	-	-	-	-
25-29 years	4	-	4	3	-	3	1	-	1	1	-	1
30-34 years	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	6	3	3	5	3	2	1	-	1	1	-	1
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years	5	2	3	3	2	1	2	-	2	2	-	2
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	9	4	5	7	3	4	2	1	1	2	1	1
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Victim of flood (X38)												
All ages	35	26	9	20	14	6	15	12	3	9	7	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	3	2	1	2	1	1	1	1	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	4	4	-	4	4	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	-	-	-
30-34 years	4	2	2	1	-	1	3	2	1	2	1	1
35-39 years	5	4	1	3	2	1	2	2	-	2	2	-
40-44 years	3	1	2	2	1	1	1	-	1	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	3	1	2	2	1	1	1	-	1	1	-	1
60-64 years	2	2	-	-	-	-	2	2	-	2	2	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	3	2	1	2	1	1	1	1	-	1	1	-
75-79 years	2	2	-	1	1	-	1	1	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Exposure to other and unspecified forces of nature (X39)												
All ages	37	28	9	33	26	7	4	2	2	4	2	2
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	6	6	-	6	6	-	-	-	-	-	-	-
45-49 years	4	3	1	4	3	1	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years	5	4	1	5	4	1	-	-	-	-	-	-
75-79 years	3	2	1	2	1	1	1	1	-	1	1	-
80-84 years	3	1	2	2	1	1	1	-	1	1	-	1
85-89 years	5	3	2	5	3	2	-	-	-	-	-	-
90-94 years	1	1	-	-	-	-	1	1	-	1	1	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	2	-	2	2	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Accidental poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics (X40)												
All ages	208	86	122	170	65	105	38	21	17	37	21	16
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	3	2	1	3	2	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	4	2	2	3	1	2	1	1	-	1	1	-
25-29 years	10	4	6	7	2	5	3	2	1	3	2	1
30-34 years	18	8	10	11	4	7	7	4	3	7	4	3
35-39 years	23	13	10	20	11	9	3	2	1	3	2	1
40-44 years	37	11	26	28	5	23	9	6	3	9	6	3
45-49 years	36	18	18	28	15	13	8	3	5	8	3	5
50-54 years	18	7	11	16	7	9	2	-	2	2	-	2
55-59 years	6	1	5	5	-	5	1	1	-	1	1	-
60-64 years	8	4	4	6	3	3	2	1	1	2	1	1
65-69 years	14	8	6	14	8	6	-	-	-	-	-	-
70-74 years	8	4	4	6	3	3	2	1	1	1	1	-
75-79 years	11	2	9	11	2	9	-	-	-	-	-	-
80-84 years	5	1	4	5	1	4	-	-	-	-	-	-
85-89 years	4	-	4	4	-	4	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Accidental poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified (X41)												
All ages	763	475	288	693	435	258	70	40	30	47	25	22
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	2	2	-	2	2	-	-	-	-	-	-	-
5-9 years	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years	3	1	2	3	1	2	-	-	-	-	-	-
15-19 years	30	17	13	25	15	10	5	2	3	4	2	2
20-24 years	49	37	12	42	31	11	7	6	1	4	3	1
25-29 years	50	41	9	44	36	8	6	5	1	3	3	-
30-34 years	71	45	26	66	43	23	5	2	3	3	2	1
35-39 years	117	75	42	108	70	38	9	5	4	4	2	2
40-44 years	152	95	57	143	91	52	9	4	5	5	-	5
45-49 years	110	67	43	103	62	41	7	5	2	5	4	1
50-54 years	81	47	34	74	44	30	7	3	4	5	2	3
55-59 years	40	17	23	36	15	21	4	2	2	4	2	2
60-64 years	21	13	8	16	9	7	5	4	1	4	3	1
65-69 years	10	4	6	9	4	5	1	-	1	1	-	1
70-74 years	9	3	6	5	2	3	4	1	3	4	1	3
75-79 years	6	5	1	5	4	1	1	1	-	1	1	-
80-84 years	5	3	2	5	3	2	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER - BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Accidental poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified (X42)												
All ages	6,509	5,001	1,508	5,043	3,934	1,109	1,466	1,067	399	1,376	1,006	370
Under 1 year	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years	7	6	1	4	4	-	3	2	1	3	2	1
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	6	5	1	5	4	1	1	1	-	1	1	-
15-19 years	180	146	34	160	133	27	20	13	7	13	9	4
20-24 years	460	380	80	415	343	72	45	37	8	37	30	7
25-29 years	539	435	104	467	380	87	72	55	17	63	50	13
30-34 years	721	562	159	588	478	110	133	84	49	120	76	44
35-39 years	1,110	834	276	880	674	206	230	160	70	214	149	65
40-44 years	1,341	996	345	1,039	797	242	302	199	103	284	186	98
45-49 years	1,134	874	260	813	629	184	321	245	76	307	236	71
50-54 years	606	466	140	399	307	92	207	159	48	203	155	48
55-59 years	214	165	49	141	104	37	73	61	12	73	61	12
60-64 years	93	67	26	58	37	21	35	30	5	34	30	4
65-69 years	40	27	13	31	19	12	9	8	1	9	8	1
70-74 years	23	15	8	16	8	8	7	7	-	7	7	-
75-79 years	15	10	5	10	6	4	5	4	1	5	4	1
80-84 years	4	4	-	4	4	-	-	-	-	-	-	-
85-89 years	4	-	4	4	-	4	-	-	-	-	-	-
90-94 years	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years	1	1	-	-	-	-	1	1	-	1	1	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	6	6	-	5	5	-	1	1	-	1	1	-
Accidental poisoning by and exposure to other drugs acting on the autonomic nervous system (X43)												
All ages	19	13	6	18	13	5	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	5	4	1	5	4	1	-	-	-	-	-	-
45-49 years	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Accidental poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances (X44)												
All ages	5,525	3,545	1,980	4,896	3,159	1,737	629	386	243	552	338	214
Under 1 year	7	3	4	5	1	4	2	2	-	2	2	-
1-4 years	6	5	1	4	3	1	2	2	-	1	1	-
5-9 years	2	1	1	1	1	-	1	-	1	1	-	1
10-14 years	8	3	5	7	2	5	1	1	-	-	-	-
15-19 years	140	106	34	134	103	31	6	3	3	2	1	1
20-24 years	372	291	81	349	272	77	23	19	4	20	16	4
25-29 years	421	309	112	384	279	105	37	30	7	31	25	6
30-34 years	554	370	184	506	341	165	48	29	19	39	23	16
35-39 years	930	608	322	832	552	280	98	56	42	86	47	39
40-44 years	1,058	684	374	932	615	317	126	69	57	120	67	53
45-49 years	873	560	313	760	488	272	113	72	41	103	68	35
50-54 years	477	299	178	391	238	153	86	61	25	77	56	21
55-59 years	206	115	91	178	96	82	28	19	9	22	14	8
60-64 years	102	42	60	87	34	53	15	8	7	12	6	6
65-69 years	67	28	39	55	24	31	12	4	8	10	4	6
70-74 years	60	37	23	57	35	22	3	2	1	1	1	-
75-79 years	75	37	38	68	31	37	7	6	1	5	4	1
80-84 years	73	24	49	66	24	42	7	-	7	6	-	6
85-89 years	49	10	39	42	8	34	7	2	5	7	2	5
90-94 years	33	9	24	29	9	20	4	-	4	4	-	4
95-99 years	7	-	7	6	-	6	1	-	1	1	-	1
100 yrs & over	2	1	1	-	-	-	2	1	1	2	1	1
Not stated	3	3	-	3	3	-	-	-	-	-	-	-
Accidental poisoning by and exposure to alcohol (X45)												
All ages	303	231	72	253	198	55	50	33	17	34	23	11
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	8	7	1	7	6	1	1	1	-	-	-	-
20-24 years	10	7	3	7	5	2	3	2	1	2	1	1
25-29 years	16	12	4	15	11	4	1	1	-	1	1	-
30-34 years	24	17	7	20	16	4	4	1	3	4	1	3
35-39 years	48	38	10	38	30	8	10	8	2	4	4	-
40-44 years	66	51	15	56	44	12	10	7	3	7	6	1
45-49 years	45	35	10	39	32	7	6	3	3	6	3	3
50-54 years	45	34	11	36	28	8	9	6	3	8	6	2
55-59 years	17	12	5	16	11	5	1	1	-	-	-	-
60-64 years	15	12	3	11	9	2	4	3	1	1	1	-
65-69 years	6	3	3	5	3	2	1	-	1	1	-	1
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Accidental poisoning by and exposure to organic solvents and halogenated hydrocarbons and their vapors (X46)												
All ages	63	54	9	46	43	3	17	11	6	6	3	3
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	4	3	1	2	2	-	2	1	1	-	-	-
15-19 years	7	7	-	6	6	-	1	1	-	-	-	-
20-24 years	5	4	1	4	3	1	1	1	-	1	1	-
25-29 years	2	2	-	1	1	-	1	1	-	-	-	-
30-34 years	5	3	2	3	3	-	2	-	2	-	-	-
35-39 years	15	13	2	11	10	1	4	3	1	2	1	1
40-44 years	8	7	1	5	5	-	3	2	1	1	-	1
45-49 years	3	3	-	3	3	-	-	-	-	-	-	-
50-54 years	4	2	2	3	2	1	1	-	1	1	-	1
55-59 years	3	3	-	2	2	-	1	1	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	3	3	-	2	2	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Accidental poisoning by and exposure to other gases and vapors (X47)												
All ages	593	425	168	468	342	126	125	83	42	103	66	37
Under 1 year	5	3	2	2	2	-	3	1	2	3	1	2
1-4 years	10	4	6	7	3	4	3	1	2	2	1	1
5-9 years	12	5	7	9	4	5	3	1	2	3	1	2
10-14 years	10	4	6	8	4	4	2	-	2	1	-	1
15-19 years	35	24	11	25	19	6	10	5	5	8	3	5
20-24 years	49	43	6	40	34	6	9	9	-	2	2	-
25-29 years	34	25	9	26	19	7	8	6	2	6	4	2
30-34 years	32	23	9	29	20	9	3	3	-	2	2	-
35-39 years	53	39	14	43	33	10	10	6	4	10	6	4
40-44 years	56	44	12	44	35	9	12	9	3	11	9	2
45-49 years	53	45	8	44	38	6	9	7	2	8	6	2
50-54 years	40	33	7	28	24	4	12	9	3	11	8	3
55-59 years	33	22	11	29	18	11	4	4	-	3	3	-
60-64 years	22	17	5	17	13	4	5	4	1	5	4	1
65-69 years	19	14	5	17	12	5	2	2	-	2	2	-
70-74 years	20	15	5	17	14	3	3	1	2	3	1	2
75-79 years	37	23	14	28	17	11	9	6	3	6	5	1
80-84 years	33	19	14	21	12	9	12	7	5	11	6	5
85-89 years	29	16	13	25	15	10	4	1	3	4	1	3
90-94 years	8	5	3	6	4	2	2	1	1	2	1	1
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Accidental poisoning by and exposure to pesticides (X48)												
All ages	7	5	2	4	3	1	3	2	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	1	1	-	-	-	2	1	1	2	1	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	2	-	1	1	-	1	1	-	1	1	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Accidental poisoning by and exposure to other and unspecified chemicals and noxious substances (X49)												
All ages	88	50	38	71	40	31	17	10	7	11	6	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	4	3	1	4	3	1	-	-	-	-	-	-
20-24 years	7	5	2	6	5	1	1	-	1	1	-	1
25-29 years	5	3	2	4	2	2	1	1	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	9	4	5	6	3	3	3	1	2	2	1	1
40-44 years	5	3	2	5	3	2	-	-	-	-	-	-
45-49 years	9	5	4	8	4	4	1	1	-	-	-	-
50-54 years	9	5	4	4	1	3	5	4	1	3	2	1
55-59 years	9	4	5	7	4	3	2	-	2	2	-	2
60-64 years	5	2	3	3	-	3	2	2	-	2	2	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	5	5	-	4	4	-	1	1	-	1	1	-
75-79 years	7	5	2	7	5	2	-	-	-	-	-	-
80-84 years	5	2	3	4	2	2	1	-	1	-	-	-
85-89 years	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Overexertion and strenuous or repetitive movements (X50)												
All ages	8	7	1	7	6	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Prolonged stay in weightless environment (X52)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Lack of food (X53)												
All ages	87	29	58	85	28	57	2	1	1	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	1	-	-	-	-	1	1	-	1	1	-
65-69 years	4	1	3	4	1	3	-	-	-	-	-	-
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	10	6	4	9	6	3	1	-	1	-	-	-
80-84 years	11	3	8	11	3	8	-	-	-	-	-	-
85-89 years	31	10	21	31	10	21	-	-	-	-	-	-
90-94 years	18	6	12	18	6	12	-	-	-	-	-	-
95-99 years	4	-	4	4	-	4	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified privation (X57)												
All ages	41	20	21	27	15	12	14	5	9	12	4	8
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	3	1	2	2	1	1	1	-	1	1	-	1
40-44 years	5	1	4	2	-	2	3	1	2	2	1	1
45-49 years	4	2	2	2	1	1	2	1	1	2	1	1
50-54 years	6	5	1	5	4	1	1	1	-	-	-	-
55-59 years	2	-	2	1	-	1	1	-	1	1	-	1
60-64 years	3	2	1	2	2	-	1	-	1	1	-	1
65-69 years	4	3	1	4	3	1	-	-	-	-	-	-
70-74 years	3	1	2	2	1	1	1	-	1	1	-	1
75-79 years	3	2	1	1	1	-	2	1	1	2	1	1
80-84 years	2	2	-	1	1	-	1	1	-	1	1	-
85-89 years	4	-	4	3	-	3	1	-	1	1	-	1
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Exposure to other specified factors (X58)												
All ages	38	33	5	33	29	4	5	4	1	4	3	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	4	4	-	3	3	-	1	1	-	1	1	-
35-39 years	2	2	-	1	1	-	1	1	-	-	-	-
40-44 years	3	3	-	3	3	-	-	-	-	-	-	-
45-49 years	5	5	-	4	4	-	1	1	-	1	1	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	3	1	2	2	1	1	1	-	1	1	-	1
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Exposure to unspecified factor (X59)												
All ages	7,218	3,129	4,089	6,510	2,766	3,744	708	363	345	589	293	296
Under 1 year	21	14	7	15	10	5	6	4	2	5	3	2
1-4 years	21	11	10	15	8	7	6	3	3	6	3	3
5-9 years	11	7	4	5	2	3	6	5	1	5	5	-
10-14 years	15	10	5	12	8	4	3	2	1	3	2	1
15-19 years	73	45	28	60	36	24	13	9	4	11	8	3
20-24 years	101	82	19	85	70	15	16	12	4	10	7	3
25-29 years	64	46	18	45	34	11	19	12	7	15	8	7
30-34 years	82	60	22	61	44	17	21	16	5	17	14	3
35-39 years	132	89	43	97	71	26	35	18	17	27	15	12
40-44 years	142	103	39	102	75	27	40	28	12	35	25	10
45-49 years	169	116	53	127	90	37	42	26	16	37	23	14
50-54 years	191	112	79	150	87	63	41	25	16	37	21	16
55-59 years	170	101	69	149	87	62	21	14	7	14	9	5
60-64 years	215	131	84	176	103	73	39	28	11	34	23	11
65-69 years	240	126	114	205	105	100	35	21	14	32	20	12
70-74 years	448	225	223	390	197	193	58	28	30	46	22	24
75-79 years	748	353	395	678	327	351	70	26	44	61	21	40
80-84 years	1,174	498	676	1,106	466	640	68	32	36	55	25	30
85-89 years	1,438	516	922	1,360	486	874	78	30	48	64	22	42
90-94 years	1,174	369	805	1,120	351	769	54	18	36	44	12	32
95-99 years	465	92	373	438	88	350	27	4	23	21	3	18
100 yrs & over	119	18	101	110	17	93	9	1	8	9	1	8
Not stated	5	5	-	4	4	-	1	1	-	1	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Intentional self-poisoning (suicide) by and exposure to nonopioid analgesics, antipyretics, and antirheumatics (X60)												
All ages	205	76	129	187	69	118	18	7	11	11	4	7
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	11	3	8	10	2	8	1	1	-	-	-	-
20-24 years	7	2	5	6	2	4	1	-	1	-	-	-
25-29 years	14	6	8	12	5	7	2	1	1	1	-	1
30-34 years	14	4	10	10	1	9	4	3	1	4	3	1
35-39 years	26	7	19	23	7	16	3	-	3	2	-	2
40-44 years	28	8	20	25	7	18	3	1	2	1	-	1
45-49 years	32	17	15	31	17	14	1	-	1	-	-	-
50-54 years	22	8	14	21	8	13	1	-	1	1	-	1
55-59 years	15	6	9	14	6	8	1	-	1	1	-	1
60-64 years	7	3	4	7	3	4	-	-	-	-	-	-
65-69 years	15	6	9	15	6	9	-	-	-	-	-	-
70-74 years	3	2	1	2	1	1	1	1	-	1	1	-
75-79 years	7	3	4	7	3	4	-	-	-	-	-	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Intentional self-poisoning (suicide) by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified (X61)												
All ages	816	379	437	747	352	395	69	27	42	46	17	29
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	16	7	9	14	7	7	2	-	2	1	-	1
20-24 years	22	11	11	19	10	9	3	1	2	1	1	-
25-29 years	41	21	20	37	20	17	4	1	3	2	-	2
30-34 years	73	35	38	67	34	33	6	1	5	3	1	2
35-39 years	111	59	52	103	56	47	8	3	5	6	2	4
40-44 years	143	67	76	129	59	70	14	8	6	11	7	4
45-49 years	147	66	81	129	60	69	18	6	12	15	4	11
50-54 years	94	43	51	90	41	49	4	2	2	2	-	2
55-59 years	53	18	35	50	17	33	3	1	2	1	-	1
60-64 years	31	14	17	29	12	17	2	2	-	1	1	-
65-69 years	28	14	14	23	12	11	5	2	3	3	1	2
70-74 years	18	7	11	18	7	11	-	-	-	-	-	-
75-79 years	18	7	11	18	7	11	-	-	-	-	-	-
80-84 years	9	1	8	9	1	8	-	-	-	-	-	-
85-89 years	5	3	2	5	3	2	-	-	-	-	-	-
90-94 years	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	2	-	2	2	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Intentional self-poisoning (suicide) by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified (X62)												
All ages	483	254	229	461	243	218	22	11	11	15	9	6
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	12	9	3	11	9	2	1	-	1	1	-	1
20-24 years	23	9	14	21	8	13	2	1	1	2	1	1
25-29 years	17	12	5	16	12	4	1	-	1	-	-	-
30-34 years	41	23	18	39	23	16	2	-	2	1	-	1
35-39 years	59	40	19	56	37	19	3	3	-	3	3	-
40-44 years	85	47	38	81	45	36	4	2	2	1	-	1
45-49 years	91	46	45	87	44	43	4	2	2	4	2	2
50-54 years	62	28	34	62	28	34	-	-	-	-	-	-
55-59 years	29	16	13	27	14	13	2	2	-	2	2	-
60-64 years	15	5	10	14	5	9	1	-	1	-	-	-
65-69 years	12	6	6	11	6	5	1	-	1	-	-	-
70-74 years	9	2	7	9	2	7	-	-	-	-	-	-
75-79 years	13	4	9	12	3	9	1	1	-	1	1	-
80-84 years	7	4	3	7	4	3	-	-	-	-	-	-
85-89 years	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-
Intentional self-poisoning (suicide) by and exposure to other drugs acting on the autonomic nervous system (X63)												
All ages	13	6	7	13	6	7	-	-	-	-	-	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	3	-	3	3	-	3	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
										BLACK		
Intentional self-poisoning (suicide) by and exposure to other and unspecified drugs, medicaments, and biological substances (X64)												
All ages	2,042	998	1,044	1,911	936	975	131	62	69	85	41	44
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	8	1	7	7	1	6	1	-	1	1	-	1
15-19 years	45	20	25	40	20	20	5	-	5	3	-	3
20-24 years	92	49	43	81	41	40	11	8	3	7	6	1
25-29 years	116	63	53	103	56	47	13	7	6	6	4	2
30-34 years	180	101	79	165	94	71	15	7	8	9	5	4
35-39 years	274	159	115	251	148	103	23	11	12	17	7	10
40-44 years	367	198	169	345	187	158	22	11	11	16	8	8
45-49 years	337	157	180	316	146	170	21	11	10	12	7	5
50-54 years	256	99	157	250	98	152	6	1	5	5	1	4
55-59 years	137	56	81	133	55	78	4	1	3	3	-	3
60-64 years	78	22	56	73	20	53	5	2	3	4	2	2
65-69 years	42	27	15	41	26	15	1	1	-	-	-	-
70-74 years	49	20	29	47	18	29	2	2	-	1	1	-
75-79 years	27	11	16	27	11	16	-	-	-	-	-	-
80-84 years	12	5	7	12	5	7	-	-	-	-	-	-
85-89 years	15	7	8	14	7	7	1	-	1	-	-	-
90-94 years	5	2	3	5	2	3	-	-	-	-	-	-
95-99 years	2	1	1	1	1	-	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Intentional self-poisoning (suicide) by and exposure to alcohol (X65)												
All ages	26	21	5	22	18	4	4	3	1	1	1	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	6	3	3	4	2	2	2	1	1	1	1	-
30-34 years	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years	5	4	1	5	4	1	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	3	2	1	2	1	1	1	1	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	-	-	-	1	1	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Intentional self-poisoning (suicide) by and exposure to organic solvents and halogenated hydrocarbons and their vapors (X66)												
All ages	61	49	12	53	42	11	8	7	1	5	4	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	11	9	2	9	8	1	2	1	1	1	-	1
30-34 years	5	4	1	4	3	1	1	1	-	1	1	-
35-39 years	7	5	2	6	4	2	1	1	-	-	-	-
40-44 years	15	12	3	13	10	3	2	2	-	2	2	-
45-49 years	10	7	3	10	7	3	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	5	5	-	3	3	-	2	2	-	1	1	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Intentional self-poisoning (suicide) by and exposure to other gases and vapors (X67)												
All ages	1,442	1,115	327	1,381	1,066	315	61	49	12	38	32	6
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	25	21	4	24	20	4	1	1	-	-	-	-
20-24 years	67	61	6	65	60	5	2	1	1	1	-	1
25-29 years	81	63	18	76	59	17	5	4	1	3	3	-
30-34 years	139	118	21	129	112	17	10	6	4	8	5	3
35-39 years	179	143	36	171	136	35	8	7	1	5	5	-
40-44 years	205	156	49	197	149	48	8	7	1	6	5	1
45-49 years	210	165	45	198	156	42	12	9	3	8	7	1
50-54 years	153	112	41	148	107	41	5	5	-	3	3	-
55-59 years	132	91	41	126	86	40	6	5	1	4	4	-
60-64 years	55	39	16	53	37	16	2	2	-	-	-	-
65-69 years	46	34	12	46	34	12	-	-	-	-	-	-
70-74 years	36	26	10	35	25	10	1	1	-	-	-	-
75-79 years	45	32	13	44	31	13	1	1	-	-	-	-
80-84 years	35	29	6	35	29	6	-	-	-	-	-	-
85-89 years	25	19	6	25	19	6	-	-	-	-	-	-
90-94 years	9	6	3	9	6	3	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER TOTAL - BOTH SEXES	ALL OTHER TOTAL - MALE	ALL OTHER TOTAL - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
Intentional self-poisoning (suicide) by and exposure to pesticides (X68)												
All ages	18	14	4	8	7	1	10	7	3	3	2	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	1	-	1	1	1	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	2	1	1	1	1	-	1	-	1	-	-	-
40-44 years	3	3	-	2	2	-	1	1	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	3	2	1	-	-	-	3	2	1	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	1	1	-	-	-	2	1	1	1	-	1
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	-	-	-	1	1	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Intentional self-poisoning (suicide) by and exposure to other and unspecified chemicals and noxious substances (X69)												
All ages	85	60	25	68	45	23	17	15	2	10	9	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	6	5	1	4	3	1	2	2	-	1	1	-
25-29 years	6	2	4	6	2	4	-	-	-	-	-	-
30-34 years	5	3	2	3	1	2	2	2	-	1	1	-
35-39 years	10	9	1	7	6	1	3	3	-	2	2	-
40-44 years	14	12	2	12	10	2	2	2	-	2	2	-
45-49 years	7	5	2	6	4	2	1	1	-	1	1	-
50-54 years	7	6	1	6	5	1	1	1	-	1	1	-
55-59 years	10	6	4	7	3	4	3	3	-	1	1	-
60-64 years	4	3	1	3	3	-	1	-	1	1	-	1
65-69 years	3	2	1	1	1	-	2	1	1	-	-	-
70-74 years	5	3	2	5	3	2	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Intentional self harm (suicide) by hanging, strangulation, and suffocation (X70)												
All ages	6,198	5,210	988	5,387	4,551	836	811	659	152	414	361	53
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	6	6	-	4	4	-	2	2	-	2	2	-
10-14 years	163	130	33	125	98	27	38	32	6	22	19	3
15-19 years	551	453	98	470	392	78	81	61	20	35	30	5
20-24 years	684	600	84	592	525	67	92	75	17	52	45	7
25-29 years	656	572	84	544	479	65	112	93	19	66	59	7
30-34 years	717	616	101	600	515	85	117	101	16	72	63	9
35-39 years	810	688	122	715	604	111	95	84	11	52	46	6
40-44 years	724	617	107	653	558	95	71	59	12	38	30	8
45-49 years	564	484	80	519	450	69	45	34	11	26	24	2
50-54 years	388	325	63	344	291	53	44	34	10	17	15	2
55-59 years	241	196	45	215	178	37	26	18	8	12	9	3
60-64 years	151	113	38	127	92	35	24	21	3	7	7	-
65-69 years	127	97	30	107	81	26	20	16	4	8	7	1
70-74 years	111	93	18	96	81	15	15	12	3	3	3	-
75-79 years	103	71	32	93	64	29	10	7	3	1	1	-
80-84 years	109	82	27	99	77	22	10	5	5	1	1	-
85-89 years	62	43	19	54	38	16	8	5	3	-	-	-
90-94 years	29	22	7	28	22	6	1	-	1	-	-	-
95-99 years	2	2	-	2	2	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Intentional self harm (suicide) by drowning and submersion (X71)												
All ages	339	211	128	269	163	106	70	48	22	49	37	12
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	13	9	4	10	8	2	3	1	2	1	1	-
20-24 years	29	23	6	17	12	5	12	11	1	8	8	-
25-29 years	26	18	8	13	9	4	13	9	4	6	6	-
30-34 years	22	11	11	19	9	10	3	2	1	3	2	1
35-39 years	39	24	15	32	18	14	7	6	1	5	5	-
40-44 years	30	19	11	26	16	10	4	3	1	4	3	1
45-49 years	36	25	11	26	18	8	10	7	3	6	5	1
50-54 years	35	22	13	25	16	9	10	6	4	9	5	4
55-59 years	23	12	11	21	12	9	2	-	2	2	-	2
60-64 years	16	11	5	14	9	5	2	2	-	1	1	-
65-69 years	15	6	9	14	6	8	1	-	1	1	-	1
70-74 years	17	12	5	16	11	5	1	1	-	1	1	-
75-79 years	11	6	5	10	6	4	1	-	1	1	-	1
80-84 years	13	6	7	13	6	7	-	-	-	-	-	-
85-89 years	9	6	3	8	6	2	1	-	1	1	-	1
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Intentional self harm (suicide) by handgun discharge (X72)												
All ages	3,489	2,944	545	3,205	2,714	491	284	230	54	184	151	33
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	18	14	4	14	13	1	4	1	3	2	1	1
15-19 years	125	106	19	108	91	17	17	15	2	9	7	2
20-24 years	240	212	28	194	170	24	46	42	4	33	32	1
25-29 years	228	193	35	192	165	27	36	28	8	20	13	7
30-34 years	284	239	45	255	215	40	29	24	5	19	18	1
35-39 years	287	229	58	257	205	52	30	24	6	22	17	5
40-44 years	318	248	70	283	223	60	35	25	10	20	14	6
45-49 years	317	252	65	298	238	60	19	14	5	14	11	3
50-54 years	300	249	51	285	238	47	15	11	4	13	11	2
55-59 years	292	240	52	272	222	50	20	18	2	12	11	1
60-64 years	194	156	38	188	151	37	6	5	1	3	3	-
65-69 years	161	141	20	158	138	20	3	3	-	1	1	-
70-74 years	195	176	19	189	171	18	6	5	1	3	2	1
75-79 years	231	207	24	220	198	22	11	9	2	9	7	2
80-84 years	165	153	12	163	152	11	2	1	1	2	1	1
85-89 years	92	88	4	90	86	4	2	2	-	-	-	-
90-94 years	37	36	1	35	34	1	2	2	-	2	2	-
95-99 years	3	3	-	3	3	-	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	1	1	-	-	-	-
Intentional self harm (suicide) by rifle, shotgun, and larger firearm discharge (X73)												
All ages	2,814	2,646	168	2,654	2,495	159	160	151	9	112	106	6
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	23	18	5	19	14	5	4	4	-	3	3	-
15-19 years	212	197	15	190	176	14	22	21	1	14	13	1
20-24 years	240	231	9	214	206	8	26	25	1	17	16	1
25-29 years	232	219	13	205	193	12	27	26	1	17	16	1
30-34 years	200	184	16	183	168	15	17	16	1	15	14	1
35-39 years	274	253	21	257	237	20	17	16	1	13	13	-
40-44 years	301	276	25	286	263	23	15	13	2	10	9	1
45-49 years	264	242	22	257	236	21	7	6	1	4	4	-
50-54 years	228	215	13	223	210	13	5	5	-	4	4	-
55-59 years	188	179	9	185	177	8	3	2	1	3	2	1
60-64 years	121	116	5	115	110	5	6	6	-	4	4	-
65-69 years	119	117	2	117	115	2	2	2	-	1	1	-
70-74 years	137	131	6	135	129	6	2	2	-	1	1	-
75-79 years	118	113	5	114	109	5	4	4	-	3	3	-
80-84 years	97	96	1	94	93	1	3	3	-	3	3	-
85-89 years	42	41	1	42	41	1	-	-	-	-	-	-
90-94 years	14	14	-	14	14	-	-	-	-	-	-	-
95-99 years	3	3	-	3	3	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Intentional self harm (suicide) by other and unspecified firearm discharge (X74)												
All ages	10,566	9,168	1,398	9,608	8,312	1,296	958	856	102	795	714	81
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	49	37	12	40	31	9	9	6	3	8	6	2
15-19 years	501	440	61	416	361	55	85	79	6	65	60	5
20-24 years	812	749	63	631	577	54	181	172	9	158	152	6
25-29 years	803	710	93	671	588	83	132	122	10	116	108	8
30-34 years	817	701	116	714	607	107	103	94	9	80	73	7
35-39 years	868	718	150	782	640	142	86	78	8	74	68	6
40-44 years	982	827	155	905	763	142	77	64	13	61	50	11
45-49 years	971	815	156	912	769	143	59	46	13	46	35	11
50-54 years	943	778	165	889	733	156	54	45	9	43	35	8
55-59 years	715	601	114	680	570	110	35	31	4	28	26	2
60-64 years	573	479	94	548	456	92	25	23	2	20	18	2
65-69 years	577	503	74	545	478	67	32	25	7	25	20	5
70-74 years	569	524	45	536	494	42	33	30	3	31	28	3
75-79 years	571	526	45	555	511	44	16	15	1	14	13	1
80-84 years	466	436	30	443	417	26	23	19	4	18	15	3
85-89 years	248	231	17	242	226	16	6	5	1	6	5	1
90-94 years	84	76	8	82	74	8	2	2	-	2	2	-
95-99 years	12	12	-	12	12	-	-	-	-	-	-	-
100 yrs & over	1	1	-	1	1	-	-	-	-	-	-	-
Not stated	4	4	-	4	4	-	-	-	-	-	-	-
Intentional self harm (suicide) by explosive material (X75)												
All ages	4	3	1	3	3	-	1	-	1	1	-	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Intentional self harm (suicide) by smoke, fire, and flames (X76)												
All ages	147	101	46	120	83	37	27	18	9	22	13	9
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	3	1	2	3	1	2	-	-	-	-	-	-
20-24 years	5	4	1	4	3	1	1	1	-	1	1	-
25-29 years	15	13	2	13	12	1	2	1	1	2	1	1
30-34 years	18	11	7	15	9	6	3	2	1	3	2	1
35-39 years	21	17	4	14	11	3	7	6	1	4	3	1
40-44 years	18	11	7	16	9	7	2	2	-	2	2	-
45-49 years	23	16	7	21	16	5	2	-	2	2	-	2
50-54 years	17	11	6	14	9	5	3	2	1	3	2	1
55-59 years	10	5	5	7	4	3	3	1	2	2	-	2
60-64 years	3	3	-	2	2	-	1	1	-	1	1	-
65-69 years	5	3	2	3	2	1	2	1	1	1	-	1
70-74 years	2	1	1	1	-	1	1	1	-	1	1	-
75-79 years	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Intentional self harm (suicide) by steam, hot vapors, and hot objects (X77)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Intentional self harm (suicide) by sharp object (X78)												
All ages	458	379	79	413	345	68	45	34	11	27	22	5
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years	22	19	3	19	16	3	3	3	-	3	3	-
25-29 years	26	22	4	22	19	3	4	3	1	2	2	-
30-34 years	26	24	2	23	22	1	3	2	1	3	2	1
35-39 years	57	53	4	50	47	3	7	6	1	6	5	1
40-44 years	59	48	11	54	46	8	5	2	3	2	2	-
45-49 years	63	48	15	58	44	14	5	4	1	3	2	1
50-54 years	52	40	12	46	37	9	6	3	3	3	2	1
55-59 years	38	33	5	35	30	5	3	3	-	1	1	-
60-64 years	22	18	4	19	16	3	3	2	1	2	1	1
65-69 years	20	18	2	17	15	2	3	3	-	1	1	-
70-74 years	19	13	6	19	13	6	-	-	-	-	-	-
75-79 years	20	14	6	19	13	6	1	1	-	-	-	-
80-84 years	16	14	2	15	13	2	1	1	-	-	-	-
85-89 years	10	8	2	10	8	2	-	-	-	-	-	-
90-94 years	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years	3	3	-	3	3	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Intentional self harm (suicide) by blunt object (X79)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Intentional self harm (suicide) by jumping from a high place (X80)												
All ages	651	443	208	542	366	176	109	77	32	69	52	17
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	4	3	1	2	2	-	2	1	1	2	1	1
15-19 years	37	28	9	31	24	7	6	4	2	3	2	1
20-24 years	47	35	12	40	30	10	7	5	2	5	5	-
25-29 years	49	35	14	37	25	12	12	10	2	4	4	-
30-34 years	60	45	15	47	36	11	13	9	4	9	5	4
35-39 years	64	47	17	49	35	14	15	12	3	8	7	1
40-44 years	75	48	27	61	38	23	14	10	4	10	7	3
45-49 years	68	45	23	57	39	18	11	6	5	9	6	3
50-54 years	61	35	26	52	31	21	9	4	5	7	4	3
55-59 years	44	32	12	37	28	9	7	4	3	5	4	1
60-64 years	29	21	8	26	18	8	3	3	-	3	3	-
65-69 years	23	13	10	22	13	9	1	-	1	-	-	-
70-74 years	27	16	11	24	13	11	3	3	-	3	3	-
75-79 years	29	22	7	25	18	7	4	4	-	1	1	-
80-84 years	18	8	10	17	7	10	1	1	-	-	-	-
85-89 years	8	7	1	7	6	1	1	1	-	-	-	-
90-94 years	6	3	3	6	3	3	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	1	1	-	1	-	-	-	-	-	-
Intentional self harm (suicide) by jumping or lying before moving object (X81)												
All ages	275	222	53	230	184	46	45	38	7	34	28	6
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	21	19	2	18	16	2	3	3	-	2	2	-
20-24 years	32	28	4	26	23	3	6	5	1	4	4	-
25-29 years	28	25	3	21	19	2	7	6	1	5	4	1
30-34 years	37	31	6	33	27	6	4	4	-	3	3	-
35-39 years	27	21	6	23	18	5	4	3	1	4	3	1
40-44 years	27	22	5	24	21	3	3	1	2	2	-	2
45-49 years	42	34	8	37	29	8	5	5	-	4	4	-
50-54 years	20	12	8	14	7	7	6	5	1	6	5	1
55-59 years	14	11	3	13	10	3	1	1	-	1	1	-
60-64 years	6	6	-	5	5	-	1	1	-	-	-	-
65-69 years	6	4	2	3	1	2	3	3	-	1	1	-
70-74 years	5	3	2	3	2	1	2	1	1	2	1	1
75-79 years	6	2	4	6	2	4	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Intentional self harm (suicide) by crashing of motor vehicle (X82)												
All ages	91	64	27	81	58	23	10	6	4	5	4	1
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	10	7	3	9	7	2	1	-	1	-	-	-
20-24 years	7	5	2	4	3	1	3	2	1	1	1	-
25-29 years	10	8	2	9	7	2	1	1	-	1	1	-
30-34 years	6	2	4	6	2	4	-	-	-	-	-	-
35-39 years	13	8	5	11	7	4	2	1	1	2	1	1
40-44 years	12	6	6	12	6	6	-	-	-	-	-	-
45-49 years	7	6	1	5	4	1	2	2	-	1	1	-
50-54 years	9	7	2	9	7	2	-	-	-	-	-	-
55-59 years	9	8	1	9	8	1	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	-	-	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Intentional self harm (suicide) by other specified means (X83)												
All ages	173	136	37	142	112	30	31	24	7	20	14	6
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	5	5	-	5	5	-	-	-	-	-	-	-
20-24 years	9	6	3	7	4	3	2	2	-	2	2	-
25-29 years	10	9	1	9	8	1	1	1	-	-	-	-
30-34 years	12	12	-	8	8	-	4	4	-	4	4	-
35-39 years	18	16	2	13	11	2	5	5	-	3	3	-
40-44 years	20	16	4	13	11	2	7	5	2	6	4	2
45-49 years	28	23	5	23	20	3	5	3	2	3	1	2
50-54 years	14	12	2	14	12	2	-	-	-	-	-	-
55-59 years	10	7	3	10	7	3	-	-	-	-	-	-
60-64 years	8	5	3	7	4	3	1	1	-	-	-	-
65-69 years	7	5	2	5	4	1	2	1	1	-	-	-
70-74 years	8	3	5	7	3	4	1	-	1	1	-	1
75-79 years	6	4	2	5	3	2	1	1	-	-	-	-
80-84 years	10	8	2	9	7	2	1	1	-	-	-	-
85-89 years	4	3	1	4	3	1	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Intentional self harm (suicide) by unspecified means (X84)												
All ages	146	105	41	130	95	35	16	10	6	8	3	5
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	8	6	2	6	5	1	2	1	1	1	-	1
20-24 years	10	9	1	6	6	-	4	3	1	-	-	-
25-29 years	8	7	1	7	6	1	1	1	-	1	1	-
30-34 years	15	12	3	14	11	3	1	1	-	-	-	-
35-39 years	16	11	5	15	10	5	1	1	-	1	1	-
40-44 years	18	10	8	17	10	7	1	-	1	1	-	1
45-49 years	19	13	6	18	12	6	1	1	-	-	-	-
50-54 years	7	6	1	6	5	1	1	1	-	-	-	-
55-59 years	9	5	4	8	4	4	1	1	-	1	1	-
60-64 years	11	8	3	9	8	1	2	-	2	2	-	2
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	5	3	2	5	3	2	-	-	-	-	-	-
75-79 years	8	6	2	8	6	2	-	-	-	-	-	-
80-84 years	6	4	2	6	4	2	-	-	-	-	-	-
85-89 years	2	1	1	1	1	-	1	-	1	1	-	1
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Assault (homicide) by drugs, medicaments, and biological substances (X85)												
All ages	42	27	15	29	17	12	13	10	3	12	9	3
Under 1 year	9	7	2	1	-	1	8	7	1	7	6	1
1-4 years	2	2	-	1	1	-	1	1	-	1	1	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	1	1	-	1	-	1	1	-	1
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	2	2	-	2	2	-	-	-	-	-	-	-
40-44 years	7	3	4	5	2	3	2	1	1	2	1	1
45-49 years	5	2	3	5	2	3	-	-	-	-	-	-
50-54 years	3	3	-	3	3	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Assault (homicide) by corrosive substance (X86)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Assault (homicide) by gases and vapors (X88)												
All ages	16	8	8	10	5	5	6	3	3	5	2	3
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years	3	2	1	2	1	1	1	1	-	1	1	-
10-14 years	3	1	2	2	1	1	1	-	1	1	-	1
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	1	1	-	1	-	1	1	-	1
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Assault (homicide) by other specified chemicals and noxious substances (X89)												
All ages	3	1	2	3	1	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Assault (homicide) by unspecified chemical or noxious substance (X90)												
All ages	2	1	1	-	-	-	2	1	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	1	1	-	-	-	-	1	1	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Assault (homicide) by hanging, strangulation, and suffocation (X91)												
All ages	690	244	446	454	165	289	236	79	157	212	70	142
Under 1 year	40	24	16	23	15	8	17	9	8	16	8	8
1-4 years	18	10	8	12	6	6	6	4	2	6	4	2
5-9 years	10	3	7	9	2	7	1	1	-	1	1	-
10-14 years	6	-	6	4	-	4	2	-	2	-	-	-
15-19 years	39	9	30	29	6	23	10	3	7	10	3	7
20-24 years	76	23	53	45	12	33	31	11	20	28	9	19
25-29 years	63	19	44	42	13	29	21	6	15	19	5	14
30-34 years	69	16	53	46	11	35	23	5	18	20	5	15
35-39 years	73	23	50	47	19	28	26	4	22	26	4	22
40-44 years	72	20	52	39	7	32	33	13	20	29	10	19
45-49 years	57	25	32	37	18	19	20	7	13	17	6	11
50-54 years	31	12	19	24	11	13	7	1	6	7	1	6
55-59 years	21	14	7	15	10	5	6	4	2	6	4	2
60-64 years	24	10	14	15	9	6	9	1	8	7	1	6
65-69 years	20	11	9	16	9	7	4	2	2	3	1	2
70-74 years	27	12	15	20	8	12	7	4	3	7	4	3
75-79 years	16	7	9	9	5	4	7	2	5	6	2	4
80-84 years	13	1	12	10	1	9	3	-	3	2	-	2
85-89 years	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years	7	3	4	5	2	3	2	1	1	1	1	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	1	3	3	-	3	1	1	-	1	1	-
Assault (homicide) by drowning and submersion (X92)												
All ages	68	44	24	41	28	13	27	16	11	22	15	7
Under 1 year	16	11	5	11	7	4	5	4	1	4	4	-
1-4 years	14	10	4	7	7	-	7	3	4	7	3	4
5-9 years	5	4	1	4	3	1	1	1	-	1	1	-
10-14 years	2	-	2	1	-	1	1	-	1	-	-	-
15-19 years	4	3	1	1	1	-	3	2	1	2	2	-
20-24 years	5	4	1	3	2	1	2	2	-	1	1	-
25-29 years	2	1	1	2	1	1	-	-	-	-	-	-
30-34 years	4	4	-	2	2	-	2	2	-	2	2	-
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	7	3	4	4	2	2	3	1	2	3	1	2
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	4	4	-	3	3	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	-	2	1	-	1	1	-	1	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	1	1	-	1	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Assault (homicide) by handgun discharge (X93)												
All ages	1,014	808	206	529	388	141	485	420	65	461	404	57
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	7	5	2	4	3	1	3	2	1	3	2	1
5-9 years	7	4	3	6	3	3	1	1	-	1	1	-
10-14 years	17	11	6	13	8	5	4	3	1	4	3	1
15-19 years	140	125	15	67	59	8	73	66	7	70	63	7
20-24 years	241	209	32	106	88	18	135	121	14	131	119	12
25-29 years	164	145	19	62	54	8	102	91	11	96	87	9
30-34 years	121	93	28	58	38	20	63	55	8	58	51	7
35-39 years	106	75	31	59	39	20	47	36	11	44	35	9
40-44 years	72	48	24	50	31	19	22	17	5	22	17	5
45-49 years	53	38	15	38	28	10	15	10	5	15	10	5
50-54 years	26	15	11	19	10	9	7	5	2	5	4	1
55-59 years	19	15	4	13	9	4	6	6	-	6	6	-
60-64 years	15	10	5	11	6	5	4	4	-	3	3	-
65-69 years	14	9	5	11	6	5	3	3	-	3	3	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	5	3	2	5	3	2	-	-	-	-	-	-
80-84 years	3	-	3	3	-	3	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-
Assault (homicide) by rifle, shotgun, and larger firearm discharge (X94)												
All ages	758	567	191	499	349	150	259	218	41	238	204	34
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	8	5	3	5	3	2	3	2	1	2	2	-
5-9 years	12	7	5	11	7	4	1	-	1	1	-	1
10-14 years	11	7	4	9	6	3	2	1	1	2	1	1
15-19 years	90	77	13	56	44	12	34	33	1	33	32	1
20-24 years	110	91	19	60	46	14	50	45	5	48	43	5
25-29 years	101	81	20	56	42	14	45	39	6	43	39	4
30-34 years	80	66	14	54	43	11	26	23	3	23	21	2
35-39 years	87	58	29	60	38	22	27	20	7	25	19	6
40-44 years	84	53	31	63	36	27	21	17	4	20	16	4
45-49 years	50	32	18	32	20	12	18	12	6	16	11	5
50-54 years	48	39	9	31	25	6	17	14	3	14	11	3
55-59 years	22	16	6	18	12	6	4	4	-	3	3	-
60-64 years	19	13	6	16	11	5	3	2	1	3	2	1
65-69 years	12	9	3	10	7	3	2	2	-	1	1	-
70-74 years	9	4	5	5	2	3	4	2	2	2	1	1
75-79 years	6	6	-	4	4	-	2	2	-	2	2	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Assault (homicide) by other and unspecified firearm discharge (X95)												
All ages	9,576	8,157	1,419	4,160	3,305	855	5,416	4,852	564	5,186	4,671	515
Under 1 year	10	7	3	7	5	2	3	2	1	2	1	1
1-4 years	40	17	23	24	11	13	16	6	10	13	5	8
5-9 years	40	24	16	30	18	12	10	6	4	10	6	4
10-14 years	93	72	21	50	36	14	43	36	7	39	33	6
15-19 years	1,295	1,175	120	470	405	65	825	770	55	799	747	52
20-24 years	2,324	2,119	205	819	709	110	1,505	1,410	95	1,456	1,369	87
25-29 years	1,675	1,482	193	623	531	92	1,052	951	101	1,016	924	92
30-34 years	1,167	997	170	474	375	99	693	622	71	665	601	64
35-39 years	949	759	190	464	366	98	485	393	92	471	380	91
40-44 years	680	535	145	369	281	88	311	254	57	291	241	50
45-49 years	449	364	85	254	194	60	195	170	25	176	154	22
50-54 years	308	238	70	186	138	48	122	100	22	111	94	17
55-59 years	172	128	44	111	73	38	61	55	6	52	46	6
60-64 years	117	82	35	86	59	27	31	23	8	27	20	7
65-69 years	88	61	27	63	38	25	25	23	2	23	21	2
70-74 years	67	38	29	50	25	25	17	13	4	16	13	3
75-79 years	50	29	21	38	20	18	12	9	3	11	9	2
80-84 years	32	15	17	25	9	16	7	6	1	5	4	1
85-89 years	8	5	3	8	5	3	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	1	1	-	-	-	-	1	1	-	1	1	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	9	9	-	7	7	-	2	2	-	2	2	-
Assault (homicide) by explosive material (X96)												
All ages	6	4	2	4	3	1	2	1	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	3	1	2	2	1	1	1	-	1	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Assault (homicide) by smoke, fire, and flames (X97)												
All ages	141	86	55	75	43	32	66	43	23	62	41	21
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	22	14	8	9	5	4	13	9	4	11	8	3
5-9 years	8	5	3	5	3	2	3	2	1	3	2	1
10-14 years	7	3	4	5	2	3	2	1	1	2	1	1
15-19 years	6	2	4	2	-	2	4	2	2	4	2	2
20-24 years	6	4	2	4	2	2	2	2	-	1	1	-
25-29 years	10	8	2	6	5	1	4	3	1	4	3	1
30-34 years	6	3	3	2	1	1	4	2	2	4	2	2
35-39 years	18	11	7	9	7	2	9	4	5	8	4	4
40-44 years	11	7	4	8	5	3	3	2	1	3	2	1
45-49 years	15	11	4	6	3	3	9	8	1	9	8	1
50-54 years	5	3	2	-	-	-	5	3	2	5	3	2
55-59 years	8	4	4	8	4	4	-	-	-	-	-	-
60-64 years	7	3	4	4	1	3	3	2	1	3	2	1
65-69 years	6	4	2	2	2	-	4	2	2	4	2	2
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	1	1	-	1	1	-
Assault (homicide) by steam, hot vapors, and hot objects (X98)												
All ages	7	3	4	1	-	1	6	3	3	6	3	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	1	1	-	-	-	2	1	1	2	1	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	1	1	-	-	-	2	1	1	2	1	1
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Assault (homicide) by sharp object (X99)												
All ages	1,971	1,375	596	1,104	767	337	867	608	259	759	539	220
Under 1 year	2	1	1	1	-	1	1	1	-	-	-	-
1-4 years	10	5	5	5	3	2	5	2	3	3	2	1
5-9 years	8	2	6	8	2	6	-	-	-	-	-	-
10-14 years	16	9	7	9	4	5	7	5	2	7	5	2
15-19 years	165	132	33	81	69	12	84	63	21	70	53	17
20-24 years	316	243	73	190	150	40	126	93	33	108	78	30
25-29 years	261	195	66	143	107	36	118	88	30	108	79	29
30-34 years	211	147	64	110	79	31	101	68	33	79	55	24
35-39 years	247	153	94	131	83	48	116	70	46	104	65	39
40-44 years	211	146	65	105	71	34	106	75	31	101	71	30
45-49 years	160	122	38	79	56	23	81	66	15	73	62	11
50-54 years	106	78	28	66	44	22	40	34	6	35	30	5
55-59 years	74	54	20	48	34	14	26	20	6	24	18	6
60-64 years	38	18	20	24	13	11	14	5	9	9	4	5
65-69 years	56	30	26	38	20	18	18	10	8	15	9	6
70-74 years	23	11	12	17	9	8	6	2	4	5	2	3
75-79 years	35	13	22	26	10	16	9	3	6	9	3	6
80-84 years	17	7	10	12	7	5	5	-	5	5	-	5
85-89 years	6	4	2	6	4	2	-	-	-	-	-	-
90-94 years	5	2	3	3	1	2	2	1	1	2	1	1
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	3	-	1	1	-	2	2	-	2	2	-
Assault (homicide) by blunt object (Y00)												
All ages	199	131	68	127	80	47	72	51	21	61	45	16
Under 1 year	7	6	1	5	4	1	2	2	-	2	2	-
1-4 years	7	3	4	2	-	2	5	3	2	5	3	2
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	7	4	3	5	3	2	2	1	1	1	1	-
20-24 years	10	4	6	9	4	5	1	-	1	1	-	1
25-29 years	18	11	7	9	7	2	9	4	5	8	4	4
30-34 years	9	5	4	3	2	1	6	3	3	5	2	3
35-39 years	17	8	9	14	7	7	3	1	2	3	1	2
40-44 years	31	21	10	19	13	6	12	8	4	10	8	2
45-49 years	30	23	7	20	14	6	10	9	1	10	9	1
50-54 years	18	15	3	9	7	2	9	8	1	7	7	-
55-59 years	11	8	3	6	4	2	5	4	1	4	3	1
60-64 years	9	8	1	5	4	1	4	4	-	3	3	-
65-69 years	8	5	3	4	1	3	4	4	-	2	2	-
70-74 years	7	3	4	7	3	4	-	-	-	-	-	-
75-79 years	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years	3	3	-	3	3	-	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Assault (homicide) by pushing from high place (Y01)												
All ages	17	12	5	11	9	2	6	3	3	6	3	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	2	1	1	1	1	-	1	-	1	1	-	1
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years	3	1	2	-	-	-	3	1	2	3	1	2
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Assault (homicide) by pushing or placing victim before moving object (Y02)												
All ages	61	45	16	44	31	13	17	14	3	13	10	3
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	8	6	2	5	3	2	3	3	-	2	2	-
20-24 years	5	1	4	3	1	2	2	-	2	2	-	2
25-29 years	5	4	1	5	4	1	-	-	-	-	-	-
30-34 years	5	5	-	3	3	-	2	2	-	1	1	-
35-39 years	8	7	1	4	4	-	4	3	1	4	3	1
40-44 years	8	6	2	6	4	2	2	2	-	2	2	-
45-49 years	4	4	-	2	2	-	2	2	-	2	2	-
50-54 years	6	5	1	4	3	1	2	2	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-
65-69 years	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Assault (homicide) by crashing of motor vehicle (Y03)												
All ages	86	56	30	58	38	20	28	18	10	19	11	8
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	2	-	1	1	-	1	1	-	1	1	-
5-9 years	2	1	1	1	-	1	1	1	-	1	1	-
10-14 years	1	-	1	-	-	-	1	-	1	-	-	-
15-19 years	13	10	3	10	7	3	3	3	-	1	1	-
20-24 years	10	7	3	8	5	3	2	2	-	2	2	-
25-29 years	11	8	3	7	5	2	4	3	1	2	1	1
30-34 years	9	6	3	7	5	2	2	1	1	2	1	1
35-39 years	8	5	3	6	3	3	2	2	-	2	2	-
40-44 years	5	2	3	2	2	-	3	-	3	3	-	3
45-49 years	6	5	1	5	4	1	1	1	-	1	1	-
50-54 years	9	5	4	6	4	2	3	1	2	1	-	1
55-59 years	1	1	-	-	-	-	1	1	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	1	1	1	1	-	1	-	1	1	-	1
70-74 years	2	1	1	1	-	1	1	1	-	1	1	-
75-79 years	2	1	1	1	1	-	1	-	1	1	-	1
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	2	1	1	1	-	1	1	1	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Assault (homicide) by bodily force (Y04)												
All ages	142	106	36	102	76	26	40	30	10	33	25	8
Under 1 year	3	3	-	3	3	-	-	-	-	-	-	-
1-4 years	4	3	1	3	2	1	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	9	9	-	7	7	-	2	2	-	2	2	-
20-24 years	14	12	2	10	8	2	4	4	-	4	4	-
25-29 years	9	6	3	7	5	2	2	1	1	2	1	1
30-34 years	13	9	4	8	6	2	5	3	2	4	3	1
35-39 years	13	8	5	7	4	3	6	4	2	3	2	1
40-44 years	24	17	7	17	11	6	7	6	1	6	5	1
45-49 years	18	12	6	12	9	3	6	3	3	5	2	3
50-54 years	10	8	2	7	6	1	3	2	1	2	1	1
55-59 years	4	4	-	3	3	-	1	1	-	1	1	-
60-64 years	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	5	4	1	4	3	1	1	1	-	1	1	-
75-79 years	5	3	2	4	2	2	1	1	-	1	1	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	3	2	1	2	1	1	1	1	-	1	1	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sexual assault (homicide) by bodily force (Y05)												
All ages	7	1	6	4	-	4	3	1	2	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	3	-	3	2	-	2	1	-	1	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	1	1	1	-	1	1	1	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Neglect and abandonment (Y06)												
All ages	43	23	20	30	15	15	13	8	5	11	7	4
Under 1 year	15	13	2	9	7	2	6	6	-	5	5	-
1-4 years	6	5	1	5	4	1	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	4	-	4	3	-	3	1	-	1	1	-	1
75-79 years	4	1	3	3	1	2	1	-	1	1	-	1
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	4	-	4	3	-	3	1	-	1	1	-	1
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
By parent (Y06.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
By other specified persons (Y06.8)												
All ages	4	1	3	3	1	2	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	-	-	-	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
By unspecified person (Y06.9)												
All ages	38	21	17	26	13	13	12	8	4	10	7	3
Under 1 year	14	12	2	8	6	2	6	6	-	5	5	-
1-4 years	6	5	1	5	4	1	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	-	1	-	-	-	1	-	1	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	4	-	4	3	-	3	1	-	1	1	-	1
75-79 years	3	-	3	2	-	2	1	-	1	1	-	1
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	3	-	3	2	-	2	1	-	1	1	-	1
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other maltreatment syndromes (Y07)												
All ages	199	110	89	116	67	49	83	43	40	77	41	36
Under 1 year	101	53	48	60	34	26	41	19	22	38	19	19
1-4 years	73	46	27	40	26	14	33	20	13	32	19	13
5-9 years	8	4	4	3	2	1	5	2	3	5	2	3
10-14 years	2	1	1	1	1	-	1	-	1	1	-	1
15-19 years	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	-	-	-
45-49 years	2	1	1	1	-	1	1	1	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
By spouse or partner (Y07.0)												
All ages	3	-	3	2	-	2	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
By parent (Y07.1)												
All ages	10	9	1	8	7	1	2	2	-	2	2	-
Under 1 year	5	4	1	4	3	1	1	1	-	1	1	-
1-4 years	4	4	-	3	3	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
By other specified persons (Y07.8)												
All ages	6	3	3	5	3	2	1	-	1	1	-	1
Under 1 year	3	2	1	2	2	-	1	-	1	1	-	1
1-4 years	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
By unspecified person (Y07.9)												
All ages	180	98	82	101	57	44	79	41	38	74	39	35
Under 1 year	93	47	46	54	29	25	39	18	21	36	18	18
1-4 years	67	41	26	35	22	13	32	19	13	31	18	13
5-9 years	8	4	4	3	2	1	5	2	3	5	2	3
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	3	3	-	3	3	-	-	-	-	-	-	-
20-24 years	2	2	-	1	1	-	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	1	1	1	-	1	1	1	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Assault (homicide) by other specified means (Y08)												
All ages	627	412	215	378	238	140	249	174	75	221	154	67
Under 1 year	19	7	12	11	4	7	8	3	5	8	3	5
1-4 years	44	25	19	28	16	12	16	9	7	14	8	6
5-9 years	5	3	2	2	1	1	3	2	1	-	-	-
10-14 years	8	4	4	4	3	1	4	1	3	4	1	3
15-19 years	34	17	17	20	11	9	14	6	8	12	5	7
20-24 years	47	31	16	31	19	12	16	12	4	13	10	3
25-29 years	45	30	15	24	12	12	21	18	3	18	16	2
30-34 years	62	38	24	38	20	18	24	18	6	22	16	6
35-39 years	58	42	16	35	26	9	23	16	7	21	14	7
40-44 years	64	42	22	32	20	12	32	22	10	29	20	9
45-49 years	67	51	16	33	27	6	34	24	10	32	22	10
50-54 years	47	37	10	26	20	6	21	17	4	19	15	4
55-59 years	41	29	12	30	20	10	11	9	2	10	8	2
60-64 years	15	12	3	10	8	2	5	4	1	4	4	-
65-69 years	13	11	2	11	9	2	2	2	-	2	2	-
70-74 years	16	12	4	12	8	4	4	4	-	4	4	-
75-79 years	12	7	5	9	5	4	3	2	1	2	2	-
80-84 years	14	5	9	10	3	7	4	2	2	3	1	2
85-89 years	12	7	5	10	5	5	2	2	-	2	2	-
90-94 years	3	1	2	2	1	1	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	1	-	-	-	-	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Assault (homicide) by unspecified means (Y09)												
All ages	1,506	950	556	992	634	358	514	316	198	439	270	169
Under 1 year	107	63	44	63	38	25	44	25	19	40	21	19
1-4 years	146	81	65	76	42	34	70	39	31	64	38	26
5-9 years	19	12	7	14	8	6	5	4	1	3	3	-
10-14 years	17	8	9	15	6	9	2	2	-	2	2	-
15-19 years	65	42	23	43	26	17	22	16	6	13	8	5
20-24 years	99	70	29	62	41	21	37	29	8	30	24	6
25-29 years	93	55	38	60	34	26	33	21	12	27	17	10
30-34 years	111	56	55	70	38	32	41	18	23	35	15	20
35-39 years	136	82	54	84	54	30	52	28	24	44	21	23
40-44 years	162	109	53	113	77	36	49	32	17	46	30	16
45-49 years	158	106	52	106	75	31	52	31	21	46	29	17
50-54 years	92	65	27	62	46	16	30	19	11	24	15	9
55-59 years	66	48	18	50	38	12	16	10	6	13	8	5
60-64 years	51	44	7	34	30	4	17	14	3	14	12	2
65-69 years	41	29	12	27	19	8	14	10	4	13	10	3
70-74 years	38	26	12	28	18	10	10	8	2	7	7	-
75-79 years	36	20	16	29	15	14	7	5	2	6	5	1
80-84 years	33	19	14	25	16	9	8	3	5	7	3	4
85-89 years	20	8	12	18	7	11	2	1	1	2	1	1
90-94 years	5	1	4	4	1	3	1	-	1	1	-	1
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	11	6	5	9	5	4	2	1	1	2	1	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics, undetermined intent (Y10)															
All ages	63	21	42	54	15	39	9	6	3	7	5	2			
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-			
1-4 years	1	-	1	-	-	-	1	-	1	1	-	1			
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years	4	-	4	3	-	3	1	-	1	-	-	-			
20-24 years	6	4	2	6	4	2	-	-	-	-	-	-			
25-29 years	5	1	4	4	-	4	1	1	-	1	1	-			
30-34 years	4	2	2	3	2	1	1	-	1	1	-	1			
35-39 years	11	3	8	10	2	8	1	1	-	1	1	-			
40-44 years	10	2	8	10	2	8	-	-	-	-	-	-			
45-49 years	10	6	4	7	3	4	3	3	-	2	2	-			
50-54 years	4	1	3	4	1	3	-	-	-	-	-	-			
55-59 years	4	2	2	3	1	2	1	1	-	1	1	-			
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-			
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-			
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-			
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			
Poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified, undetermined intent (Y11)															
All ages	231	134	97	211	120	91	20	14	6	15	11	4			
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years	2	2	-	2	2	-	-	-	-	-	-	-			
15-19 years	7	6	1	7	6	1	-	-	-	-	-	-			
20-24 years	7	5	2	5	3	2	2	2	-	2	2	-			
25-29 years	13	8	5	10	5	5	3	3	-	1	1	-			
30-34 years	25	15	10	22	13	9	3	2	1	3	2	1			
35-39 years	45	25	20	42	22	20	3	3	-	2	2	-			
40-44 years	42	29	13	39	27	12	3	2	1	2	2	-			
45-49 years	35	21	14	32	20	12	3	1	2	2	1	1			
50-54 years	28	12	16	25	11	14	3	1	2	3	1	2			
55-59 years	13	7	6	13	7	6	-	-	-	-	-	-			
60-64 years	4	1	3	4	1	3	-	-	-	-	-	-			
65-69 years	3	-	3	3	-	3	-	-	-	-	-	-			
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-			
75-79 years	3	2	1	3	2	1	-	-	-	-	-	-			
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-			
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Poisoning by and exposure to narcotics and psychodysleptics [hallucinogens] , not elsewhere classified, undetermined intent (Y12)															
All ages	1,595	1,144	451	1,259	894	365	336	250	86	326	244	82			
Under 1 year	3	3	-	2	2	-	1	1	-	1	1	-			
1-4 years	3	2	1	2	2	-	1	-	1	1	-	1			
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1			
10-14 years	4	4	-	4	4	-	-	-	-	-	-	-			
15-19 years	38	25	13	35	23	12	3	2	1	2	1	1			
20-24 years	106	80	26	101	75	26	5	5	-	4	4	-			
25-29 years	135	101	34	118	88	30	17	13	4	16	12	4			
30-34 years	191	126	65	156	104	52	35	22	13	33	20	13			
35-39 years	315	217	98	238	167	71	77	50	27	74	49	25			
40-44 years	330	247	83	245	179	66	85	68	17	84	68	16			
45-49 years	271	212	59	211	162	49	60	50	10	60	50	10			
50-54 years	132	90	42	95	63	32	37	27	10	37	27	10			
55-59 years	37	22	15	31	17	14	6	5	1	6	5	1			
60-64 years	9	4	5	7	2	5	2	2	-	2	2	-			
65-69 years	8	6	2	3	2	1	5	4	1	4	4	-			
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-			
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-			
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-			
85-89 years	2	1	1	1	-	1	1	1	-	1	1	-			
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-			
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	2	2	-	2	2	-	-	-	-	-	-	-			
Poisoning by and exposure to other drugs acting on the autonomic nervous system, undetermined intent (Y13)															
All ages	5	4	1	5	4	1	-	-	-	-	-	-			
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-			
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-			
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-			
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-			
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances, undetermined intent (Y14)												
All ages	875	495	380	811	450	361	64	45	19	48	36	12
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	2	2	-	1	1	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	2	2	-	1	1	-	1	1	-	1	1	-
15-19 years	21	20	1	21	20	1	-	-	-	-	-	-
20-24 years	42	29	13	38	26	12	4	3	1	2	2	-
25-29 years	53	34	19	49	32	17	4	2	2	3	2	1
30-34 years	94	59	35	84	53	31	10	6	4	6	4	2
35-39 years	142	77	65	136	72	64	6	5	1	4	3	1
40-44 years	192	98	94	181	91	90	11	7	4	9	6	3
45-49 years	149	85	64	137	76	61	12	9	3	10	7	3
50-54 years	93	48	45	85	42	43	8	6	2	8	6	2
55-59 years	33	18	15	30	16	14	3	2	1	2	2	-
60-64 years	23	12	11	21	10	11	2	2	-	2	2	-
65-69 years	7	4	3	7	4	3	-	-	-	-	-	-
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	6	2	4	5	1	4	1	1	-	-	-	-
80-84 years	7	3	4	6	3	3	1	-	1	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-
Poisoning by and exposure to alcohol, undetermined intent (Y15)												
All ages	28	22	6	25	20	5	3	2	1	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years	5	4	1	4	3	1	1	1	-	1	1	-
40-44 years	5	4	1	5	4	1	-	-	-	-	-	-
45-49 years	5	5	-	4	4	-	1	1	-	1	1	-
50-54 years	5	5	-	5	5	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Poisoning by and exposure to organic solvents and halogenated hydrocarbons and their vapors, undetermined intent (Y16)															
All ages	10	8	2	7	5	2	3	3	-	3	3	-			
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-			
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-			
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-			
35-39 years	2	2	-	1	1	-	1	1	-	1	1	-			
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-			
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-			
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-			
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			
Poisoning by and exposure to other gases and vapors, undetermined intent (Y17)															
All ages	79	60	19	72	55	17	7	5	2	5	3	2			
Under 1 year	3	2	1	2	1	1	1	1	-	1	1	-			
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-			
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-			
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-			
20-24 years	5	4	1	5	4	1	-	-	-	-	-	-			
25-29 years	5	3	2	5	3	2	-	-	-	-	-	-			
30-34 years	12	11	1	12	11	1	-	-	-	-	-	-			
35-39 years	10	6	4	8	4	4	2	2	-	1	1	-			
40-44 years	7	7	-	7	7	-	-	-	-	-	-	-			
45-49 years	12	9	3	10	8	2	2	1	1	2	1	1			
50-54 years	3	1	2	3	1	2	-	-	-	-	-	-			
55-59 years	6	6	-	5	5	-	1	1	-	-	-	-			
60-64 years	2	1	1	2	1	1	-	-	-	-	-	-			
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-			
70-74 years	4	4	-	4	4	-	-	-	-	-	-	-			
75-79 years	3	2	1	3	2	1	-	-	-	-	-	-			
80-84 years	2	-	2	1	-	1	1	-	1	1	-	1			
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Poisoning by and exposure to pesticides, undetermined intent (Y18)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Poisoning by and exposure to other and unspecified chemicals and noxious substances, undetermined intent (Y19)												
All ages	21	15	6	18	12	6	3	3	-	3	3	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	3	3	-	2	2	-	1	1	-	1	1	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	3	2	1	2	1	1	1	1	-	1	1	-
50-54 years	7	4	3	7	4	3	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hanging, strangulation, and suffocation, undetermined intent (Y20)												
All ages	131	88	43	93	63	30	38	25	13	35	23	12
Under 1 year	47	27	20	23	13	10	24	14	10	22	13	9
1-4 years	7	2	5	5	1	4	2	1	1	2	1	1
5-9 years	4	3	1	2	1	1	2	2	-	2	2	-
10-14 years	15	12	3	13	10	3	2	2	-	2	2	-
15-19 years	6	5	1	5	4	1	1	1	-	-	-	-
20-24 years	10	8	2	7	6	1	3	2	1	3	2	1
25-29 years	8	6	2	7	6	1	1	-	1	1	-	1
30-34 years	4	4	-	4	4	-	-	-	-	-	-	-
35-39 years	10	9	1	8	7	1	2	2	-	2	2	-
40-44 years	6	5	1	5	4	1	1	1	-	1	1	-
45-49 years	7	4	3	7	4	3	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Drowning and submersion, undetermined intent (Y21)												
All ages	235	165	70	180	122	58	55	43	12	43	34	9
Under 1 year	6	2	4	4	2	2	2	-	2	2	-	2
1-4 years	9	3	6	7	2	5	2	1	1	2	1	1
5-9 years	3	1	2	2	-	2	1	1	-	1	1	-
10-14 years	3	2	1	3	2	1	-	-	-	-	-	-
15-19 years	8	7	1	7	6	1	1	1	-	1	1	-
20-24 years	17	12	5	10	7	3	7	5	2	6	4	2
25-29 years	17	12	5	10	7	3	7	5	2	3	2	1
30-34 years	18	13	5	14	9	5	4	4	-	4	4	-
35-39 years	24	18	6	14	9	5	10	9	1	10	9	1
40-44 years	29	23	6	25	19	6	4	4	-	3	3	-
45-49 years	30	22	8	22	14	8	8	8	-	5	5	-
50-54 years	21	9	12	19	9	10	2	-	2	1	-	1
55-59 years	11	9	2	8	7	1	3	2	1	3	2	1
60-64 years	8	6	2	8	6	2	-	-	-	-	-	-
65-69 years	5	4	1	4	4	-	1	-	1	-	-	-
70-74 years	2	1	1	1	-	1	1	1	-	-	-	-
75-79 years	4	4	-	4	4	-	-	-	-	-	-	-
80-84 years	10	9	1	10	9	1	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	8	7	1	6	5	1	2	2	-	2	2	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Handgun discharge, undetermined intent (Y22)												
All ages	36	32	4	31	27	4	5	5	-	4	4	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	4	4	-	2	2	-	2	2	-	2	2	-
20-24 years	6	6	-	4	4	-	2	2	-	1	1	-
25-29 years	6	6	-	6	6	-	-	-	-	-	-	-
30-34 years	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years	4	3	1	4	3	1	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years	3	1	2	3	1	2	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Rifle, shotgun, and larger firearm discharge, undetermined intent (Y23)												
All ages	21	19	2	16	14	2	5	5	-	3	3	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	4	4	-	3	3	-	1	1	-	1	1	-
25-29 years	3	2	1	3	2	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	3	-	2	2	-	1	1	-	-	-	-
40-44 years	2	1	1	1	-	1	1	1	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	-	-	-	1	1	-	1	1	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other and unspecified firearm discharge, undetermined intent (Y24)												
All ages	174	139	35	141	109	32	33	30	3	25	22	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years	3	3	-	3	3	-	-	-	-	-	-	-
15-19 years	20	19	1	15	14	1	5	5	-	5	5	-
20-24 years	30	26	4	20	17	3	10	9	1	6	5	1
25-29 years	23	19	4	17	14	3	6	5	1	4	3	1
30-34 years	13	12	1	11	10	1	2	2	-	1	1	-
35-39 years	26	14	12	25	13	12	1	1	-	-	-	-
40-44 years	13	11	2	11	10	1	2	1	1	2	1	1
45-49 years	13	9	4	11	7	4	2	2	-	2	2	-
50-54 years	8	6	2	6	4	2	2	2	-	2	2	-
55-59 years	5	4	1	3	2	1	2	2	-	2	2	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	4	4	-	4	4	-	-	-	-	-	-	-
70-74 years	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years	5	5	-	5	5	-	-	-	-	-	-	-
80-84 years	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Contact with explosive material, undetermined intent (Y25)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Exposure to smoke, fire, and flames, undetermined intent (Y26)												
All ages	76	42	34	51	31	20	25	11	14	21	9	12
Under 1 year	3	1	2	1	1	-	2	-	2	2	-	2
1-4 years	8	2	6	4	-	4	4	2	2	4	2	2
5-9 years	3	1	2	2	1	1	1	-	1	1	-	1
10-14 years	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	4	4	-	4	4	-	-	-	-	-	-	-
30-34 years	7	3	4	6	2	4	1	1	-	1	1	-
35-39 years	11	6	5	6	5	1	5	1	4	3	-	3
40-44 years	3	2	1	2	1	1	1	1	-	1	1	-
45-49 years	7	5	2	5	4	1	2	1	1	2	1	1
50-54 years	9	6	3	4	2	2	5	4	1	4	3	1
55-59 years	7	4	3	6	3	3	1	1	-	1	1	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	3	2	1	2	2	-	1	-	1	-	-	-
85-89 years	3	3	-	3	3	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	1	1	2	1	1	-	-	-	-	-	-
Contact with steam, hot vapors, and hot objects, undetermined intent (Y27)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Contact with sharp object, undetermined intent (Y28)												
All ages	18	10	8	16	9	7	2	1	1	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	3	1	2	3	1	2	-	-	-	-	-	-
25-29 years	3	2	1	1	1	-	2	1	1	1	1	-
30-34 years	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	2	-	2	2	-	2	-	-	-	-	-	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Contact with blunt object, undetermined intent (Y29)												
All ages	3	1	2	2	1	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Falling, jumping, or pushed from a high place, undetermined intent (Y30)												
All ages	77	54	23	57	41	16	20	13	7	10	6	4
Under 1 year	6	3	3	4	3	1	2	-	2	2	-	2
1-4 years	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	5	3	2	4	3	1	1	-	1	1	-	1
20-24 years	6	6	-	6	6	-	-	-	-	-	-	-
25-29 years	7	7	-	4	4	-	3	3	-	1	1	-
30-34 years	8	4	4	6	3	3	2	1	1	1	1	-
35-39 years	9	7	2	7	6	1	2	1	1	1	1	-
40-44 years	10	8	2	8	6	2	2	2	-	1	1	-
45-49 years	6	4	2	3	2	1	3	2	1	-	-	-
50-54 years	6	4	2	3	1	2	3	3	-	2	2	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	3	2	1	2	1	1	1	1	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Falling, lying, or running before or into moving object, undetermined intent (Y31)												
All ages	40	35	5	30	26	4	10	9	1	7	7	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3	3	-	2	2	-	1	1	-	1	1	-
20-24 years	7	6	1	5	4	1	2	2	-	1	1	-
25-29 years	3	3	-	3	3	-	-	-	-	-	-	-
30-34 years	5	5	-	4	4	-	1	1	-	1	1	-
35-39 years	5	5	-	3	3	-	2	2	-	2	2	-
40-44 years	2	2	-	2	2	-	-	-	-	-	-	-
45-49 years	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years	2	2	-	-	-	-	2	2	-	2	2	-
55-59 years	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	-	-	-	1	1	-	-	-	-
80-84 years	3	-	3	2	-	2	1	-	1	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	1	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Crashing of motor vehicle, undetermined intent (Y32)												
All ages	22	16	6	19	13	6	3	3	-	2	2	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	4	2	2	4	2	2	-	-	-	-	-	-
20-24 years	3	3	-	1	1	-	2	2	-	1	1	-
25-29 years	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	3	1	2	3	1	2	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified events, undetermined intent (Y33)												
All ages	128	86	42	108	71	37	20	15	5	17	12	5
Under 1 year	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years	5	3	2	5	3	2	-	-	-	-	-	-
5-9 years	3	3	-	2	2	-	1	1	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	3	1	2	3	1	2	-	-	-	-	-	-
20-24 years	5	3	2	4	2	2	1	1	-	1	1	-
25-29 years	7	7	-	5	5	-	2	2	-	2	2	-
30-34 years	5	5	-	3	3	-	2	2	-	1	1	-
35-39 years	11	7	4	8	4	4	3	3	-	2	2	-
40-44 years	13	10	3	12	10	2	1	-	1	1	-	1
45-49 years	12	9	3	9	6	3	3	3	-	3	3	-
50-54 years	8	6	2	5	4	1	3	2	1	3	2	1
55-59 years	5	5	-	5	5	-	-	-	-	-	-	-
60-64 years	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years	8	5	3	7	4	3	1	1	-	1	1	-
70-74 years	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years	12	5	7	10	5	5	2	-	2	2	-	2
80-84 years	7	3	4	7	3	4	-	-	-	-	-	-
85-89 years	6	3	3	5	3	2	1	-	1	1	-	1
90-94 years	4	3	1	4	3	1	-	-	-	-	-	-
95-99 years	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified event, undetermined intent (Y34)												
All ages	288	210	78	216	155	61	72	55	17	57	44	13
Under 1 year	12	10	2	6	5	1	6	5	1	6	5	1
1-4 years	7	4	3	6	3	3	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	6	5	1	5	4	1	1	1	-	-	-	-
20-24 years	19	14	5	13	8	5	6	6	-	4	4	-
25-29 years	13	10	3	9	6	3	4	4	-	4	4	-
30-34 years	12	10	2	12	10	2	-	-	-	-	-	-
35-39 years	31	25	6	24	18	6	7	7	-	6	6	-
40-44 years	44	34	10	33	27	6	11	7	4	9	5	4
45-49 years	37	25	12	27	19	8	10	6	4	10	6	4
50-54 years	31	24	7	23	18	5	8	6	2	4	4	-
55-59 years	16	16	-	12	12	-	4	4	-	4	4	-
60-64 years	12	7	5	6	4	2	6	3	3	5	3	2
65-69 years	9	7	2	6	5	1	3	2	1	3	2	1
70-74 years	9	5	4	8	4	4	1	1	-	-	-	-
75-79 years	7	1	6	6	1	5	1	-	1	-	-	-
80-84 years	10	5	5	8	4	4	2	1	1	1	-	1
85-89 years	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	4	4	-	3	3	-	1	1	-	-	-	-
Legal intervention (Y35)												
All ages	393	377	16	291	282	9	102	95	7	82	77	5
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	26	25	1	15	14	1	11	11	-	10	10	-
20-24 years	62	59	3	45	44	1	17	15	2	16	14	2
25-29 years	47	46	1	35	34	1	12	12	-	9	9	-
30-34 years	60	58	2	43	43	-	17	15	2	12	11	1
35-39 years	64	62	2	46	44	2	18	18	-	14	14	-
40-44 years	50	45	5	40	37	3	10	8	2	8	6	2
45-49 years	32	32	-	23	23	-	9	9	-	8	8	-
50-54 years	17	17	-	16	16	-	1	1	-	1	1	-
55-59 years	15	15	-	10	10	-	5	5	-	3	3	-
60-64 years	9	7	2	8	7	1	1	-	1	-	-	-
65-69 years	4	4	-	4	4	-	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	1	-	-	-	-	1	1	-	1	1	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Legal intervention involving firearm discharge (Y35.0)												
All ages	323	310	13	242	234	8	81	76	5	64	60	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	26	25	1	15	14	1	11	11	-	10	10	-
20-24 years	61	58	3	44	43	1	17	15	2	16	14	2
25-29 years	44	43	1	32	31	1	12	12	-	9	9	-
30-34 years	51	49	2	37	37	-	14	12	2	9	8	1
35-39 years	49	47	2	37	35	2	12	12	-	9	9	-
40-44 years	35	32	3	29	27	2	6	5	1	5	4	1
45-49 years	22	22	-	19	19	-	3	3	-	2	2	-
50-54 years	9	9	-	9	9	-	-	-	-	-	-	-
55-59 years	10	10	-	5	5	-	5	5	-	3	3	-
60-64 years	6	5	1	6	5	1	-	-	-	-	-	-
65-69 years	3	3	-	3	3	-	-	-	-	-	-	-
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	1	-	-	-	-	1	1	-	1	1	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Legal execution (Y35.5)												
All ages	63	60	3	43	42	1	20	18	2	17	16	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	3	3	-	3	3	-	-	-	-	-	-	-
30-34 years	8	8	-	5	5	-	3	3	-	3	3	-
35-39 years	14	14	-	9	9	-	5	5	-	4	4	-
40-44 years	14	12	2	10	9	1	4	3	1	3	2	1
45-49 years	9	9	-	3	3	-	6	6	-	6	6	-
50-54 years	7	7	-	6	6	-	1	1	-	1	1	-
55-59 years	5	5	-	5	5	-	-	-	-	-	-	-
60-64 years	3	2	1	2	2	-	1	-	1	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Legal intervention involving other specified means (Y35.6)												
All ages	7	7	-	6	6	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Operations of war (Y36)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
War operations involving other explosions and fragments (Y36.2)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
War operations involving biological weapons (Y36.6)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Systemic antibiotics (Y40)												
All ages	18	8	10	13	6	7	5	2	3	3	2	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	3	-	2	2	-	1	1	-	1	1	-
40-44 years	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years	2	1	1	-	-	-	2	1	1	1	1	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	5	2	3	3	2	1	2	-	2	1	-	1
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Penicillins (Y40.0)												
All ages	3	2	1	1	1	-	2	1	1	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cefalosporins and other B-lactam antibiotics (Y40.1)												
All ages	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Macrolides (Y40.3)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Rifamycins (Y40.6)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other systemic antibiotics (Y40.8)												
All ages	4	1	3	3	1	2	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	3	1	2	2	1	1	1	-	1	1	-	1
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Systemic antibiotic, unspecified (Y40.9)												
All ages	6	2	4	5	2	3	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	-	-	-	1	-	1	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other systemic anti-infectives and antiparasitics (Y41)												
All ages	7	3	4	5	2	3	2	1	1	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Antimycobacterial drugs (Y41.1)												
All ages	3	1	2	2	1	1	1	-	1	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Antiviral drugs (Y41.5)												
All ages	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Systemic anti-infective and antiparasitic, unspecified (Y41.9)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Hormones and their synthetic substitutes and antagonists, not elsewhere classified (Y42)												
All ages	16	10	6	16	10	6	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Glucocorticoids and synthetic analogs (Y42.0)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Insulin and oral hypoglycemic [antidiabetic] drugs (Y42.3)												
All ages	10	8	2	10	8	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other estrogens and progestogens (Y42.5)												
All ages	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over	-	...	-	-	...	-	-	...	-	-	...	-
Not stated	-	...	-	-	...	-	-	...	-	-	...	-
Androgens and anabolic congeners (Y42.7)												
All ages	4	2	2	4	2	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Primarily systemic agents (Y43)												
All ages	15	3	12	10	2	8	5	1	4	5	1	4
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	-	2	-	-	-	2	-	2	2	-	2
50-54 years	3	1	2	2	1	1	1	-	1	1	-	1
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	2	-	2	1	-	1	1	-	1	1	-	1
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Antineoplastic antimetabolites (Y43.1)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other antineoplastic drugs (Y43.3)												
All ages	6	1	5	4	1	3	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	2	1	1	1	1	-	1	-	1	1	-	1
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Immunosuppressive agents (Y43.4)												
All ages	8	2	6	5	1	4	3	1	2	3	1	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	2	-	1	1	-	1	1	-	1	1	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Agents primarily affecting blood constituents (Y44)												
All ages	50	25	25	44	22	22	6	3	3	6	3	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	1	1	-	1	-	1	1	-	1
60-64 years	3	2	1	2	2	-	1	-	1	1	-	1
65-69 years	8	4	4	7	3	4	1	1	-	1	1	-
70-74 years	5	4	1	5	4	1	-	-	-	-	-	-
75-79 years	9	7	2	7	5	2	2	2	-	2	2	-
80-84 years	13	3	10	13	3	10	-	-	-	-	-	-
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Anticoagulants (Y44.2)												
All ages	39	17	22	35	15	20	4	2	2	4	2	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	-	-	-	1	-	1	1	-	1
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	1	1	1	1	-	1	-	1	1	-	1
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	4	1	3	4	1	3	-	-	-	-	-	-
70-74 years	4	3	1	4	3	1	-	-	-	-	-	-
75-79 years	7	6	1	5	4	1	2	2	-	2	2	-
80-84 years	13	3	10	13	3	10	-	-	-	-	-	-
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Anticoagulant antagonists, vitamin K, and other coagulants (Y44.3)												
All ages	6	3	3	5	3	2	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	-	-	-	1	-	1	1	-	1
65-69 years	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Thrombolytic drugs (Y44.5)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Natural blood and blood products (Y44.6)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified agents affecting blood constituents (Y44.9)												
All ages	2	2	-	1	1	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Analgesics, antipyretics, and anti-inflammatory drugs (Y45)												
All ages	13	6	7	12	5	7	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	-	2	2	-	2	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	1	1	-	1	-	-	-	-	-	-
Opioids and related analgesics (Y45.0)												
All ages	8	5	3	7	4	3	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	1	1	-	-	-	-	1	1	-	1	1	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Salicylates (Y45.1)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Propionic acid derivatives (Y45.2)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other nonsteroidal anti-inflammatory drugs [NSAID] (Y45.3)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
4-Aminophenol derivatives (Y45.5)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other analgesics, antipyretics, and anti-inflammatory drugs (Y45.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	1	1	-	1	-	-	-	-	-	-
Antiepileptics and antiparkinsonism drugs (Y46)												
All ages	3	1	2	2	-	2	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Hydantoin derivatives (Y46.2)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified antiepileptics (Y46.6)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Antiparkinsonism drugs (Y46.7)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Sedatives, hypnotics, and antianxiety drugs (Y47)												
All ages	8	3	5	5	2	3	3	1	2	3	1	2
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Benzodiazepines (Y47.1)												
All ages	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Chloral derivatives (Y47.2)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sedative, hypnotic, and antianxiety drug, unspecified (Y47.9)												
All ages	4	-	4	2	-	2	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Anesthetics and therapeutic gases (Y48)												
All ages	8	2	6	6	1	5	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2	1	1	1	-	1	1	1	-	1	1	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Parenteral anesthetics (Y48.1)												
All ages	2	1	1	1	-	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified general anesthetics (Y48.2)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Local anesthetics (Y48.3)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Anesthetic, unspecified (Y48.4)												
All ages	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Psychotropic drugs, not elsewhere classified (Y49)												
All ages	4	2	2	3	1	2	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	2	1	1	1	-	1	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Tricyclic and tetracyclic antidepressants (Y49.0)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other and unspecified antidepressants (Y49.2)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Phenothiazine antipsychotics and neuroleptics (Y49.3)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other psychotropic drugs, not elsewhere classified (Y49.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Central nervous system stimulants, not elsewhere classified (Y50)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Central nervous system stimulant, unspecified (Y50.9)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Drugs primarily affecting the autonomic nervous system (Y51)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other and unspecified drugs primarily affecting the autonomic nervous system (Y51.9)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Agents primarily affecting the cardiovascular system (Y52)												
All ages	4	4	-	3	3	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cardiac-stimulant glycosides and drugs of similar action (Y52.0)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Angiotensin-converting-enzyme inhibitors (Y52.4)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other and unspecified agents primarily affecting the cardiovascular system (Y52.9)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Agents primarily affecting the gastrointestinal system (Y53)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other laxatives (Y53.4)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Antidiarrheal drugs (Y53.6)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Agents primarily affecting water balance and mineral and uric acid metabolism (Y54)												
All ages	7	1	6	3	-	3	4	1	3	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	2	-	2	-	-	-	2	-	2	1	-	1
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Benzothiadiazine derivatives (Y54.3)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other diuretics (Y54.5)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Agents affecting uric acid metabolism (Y54.8)												
All ages	5	1	4	2	-	2	3	1	2	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	2	-	2	-	-	-	2	-	2	1	-	1
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Agents primarily acting on smooth and skeletal muscles and the respiratory system (Y55)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Skeletal muscle relaxants [neuromuscular blocking agents] (Y55.1)												
All ages	1	1	-	-	-	-	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	1	-	-	-	-	1	1	-	1	1	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Topical agents primarily affecting skin and mucous membrane and ophthalmological, otorhinolaryngological, and dental drugs (Y56)												
All ages	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Local antifungal, anti-infective, and anti-inflammatory drugs, not elsewhere classified (Y56.0)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Emollients, demulcents, and protectants (Y56.3)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Keratolytics, keratoplastics, and other hair treatment drugs and preparations (Y56.4)												
All ages	-	-	-	-	-	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other and unspecified drugs and medicaments (Y57)												
All ages	106	57	49	85	49	36	21	8	13	21	8	13
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	5	4	1	5	4	1	-	-	-	-	-	-
25-29 years	5	4	1	3	2	1	2	2	-	2	2	-
30-34 years	6	5	1	5	5	-	1	-	1	1	-	1
35-39 years	9	7	2	8	7	1	1	-	1	1	-	1
40-44 years	15	10	5	13	8	5	2	2	-	2	2	-
45-49 years	14	5	9	6	1	5	8	4	4	8	4	4
50-54 years	5	3	2	5	3	2	-	-	-	-	-	-
55-59 years	2	2	-	2	2	-	-	-	-	-	-	-
60-64 years	6	3	3	4	3	1	2	-	2	2	-	2
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	7	2	5	5	2	3	2	-	2	2	-	2
75-79 years	11	4	7	10	4	6	1	-	1	1	-	1
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	11	2	9	10	2	8	1	-	1	1	-	1
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
X-ray contrast media (Y57.5)												
All ages	9	5	4	8	5	3	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	-	-	-	1	-	1	1	-	1
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other drugs and medicaments (Y57.8)												
All ages	3	1	2	2	1	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Drug or medicament, unspecified (Y57.9)												
All ages	94	51	43	75	43	32	19	8	11	19	8	11
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years	5	4	1	5	4	1	-	-	-	-	-	-
25-29 years	5	4	1	3	2	1	2	2	-	2	2	-
30-34 years	5	4	1	4	4	-	1	-	1	1	-	1
35-39 years	9	7	2	8	7	1	1	-	1	1	-	1
40-44 years	14	10	4	12	8	4	2	2	-	2	2	-
45-49 years	13	5	8	6	1	5	7	4	3	7	4	3
50-54 years	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	5	3	2	3	3	-	2	-	2	2	-	2
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	6	2	4	5	2	3	1	-	1	1	-	1
75-79 years	9	2	7	8	2	6	1	-	1	1	-	1
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	10	1	9	9	1	8	1	-	1	1	-	1
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other and unspecified vaccines and biological substances (Y59)												
All ages	2	1	1	1	-	1	1	1	-	1	1	-
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Vaccine or biological substance, unspecified (Y59.9)												
All ages	2	1	1	1	-	1	1	1	-	1	1	-
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unintentional cut, puncture, perforation, or hemorrhage during surgical and medical care (Y60)															
All ages	125	57	68	96	43	53	29	14	15	26	13	13			
Under 1 year	4	3	1	3	2	1	1	1	-	1	1	-			
1-4 years	2	2	-	2	2	-	-	-	-	-	-	-			
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-			
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years	3	-	3	1	-	1	2	-	2	2	-	2			
35-39 years	4	1	3	2	-	2	2	1	1	2	1	1			
40-44 years	2	2	-	1	1	-	1	1	-	1	1	-			
45-49 years	7	3	4	5	2	3	2	1	1	2	1	1			
50-54 years	11	2	9	8	2	6	3	-	3	2	-	2			
55-59 years	3	3	-	3	3	-	-	-	-	-	-	-			
60-64 years	7	5	2	4	3	1	3	2	1	3	2	1			
65-69 years	17	5	12	12	4	8	5	1	4	4	1	3			
70-74 years	14	7	7	10	4	6	4	3	1	4	3	1			
75-79 years	21	8	13	18	7	11	3	1	2	3	1	2			
80-84 years	12	6	6	11	5	6	1	1	-	1	1	-			
85-89 years	10	5	5	9	4	5	1	1	-	1	1	-			
90-94 years	5	3	2	4	2	2	1	1	-	-	-	-			
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			
During surgical operation (Y60.0)															
All ages	30	16	14	23	12	11	7	4	3	6	4	2			
Under 1 year	3	2	1	2	1	1	1	1	-	1	1	-			
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-			
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-			
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-			
35-39 years	2	-	2	2	-	2	-	-	-	-	-	-			
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-			
45-49 years	2	2	-	2	2	-	-	-	-	-	-	-			
50-54 years	4	1	3	2	1	1	2	-	2	1	-	1			
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-			
60-64 years	2	2	-	1	1	-	1	1	-	1	1	-			
65-69 years	5	3	2	4	2	2	1	1	-	1	1	-			
70-74 years	2	1	1	1	-	1	1	1	-	1	1	-			
75-79 years	2	-	2	1	-	1	1	-	1	1	-	1			
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-			
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-			
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-			
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
During kidney dialysis or other perfusion (Y60.2)												
All ages	8	3	5	4	2	2	4	1	3	3	-	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	2	1	1	1	1	-	1	-	1	1	-	1
65-69 years	3	-	3	1	-	1	2	-	2	2	-	2
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	1	-	-	-	-	1	1	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
During endoscopic examination (Y60.4)												
All ages	17	5	12	15	4	11	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	2	-	2	2	-	2	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	3	-	3	2	-	2	1	-	1	1	-	1
70-74 years	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years	4	1	3	4	1	3	-	-	-	-	-	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
During heart catheterization (Y60.5)												
All ages	7	2	5	5	1	4	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	-	-	-	1	-	1	1	-	1
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	1	1	1	-	1	1	1	-	1	1	-
75-79 years	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
During aspiration, puncture, and other catheterization (Y60.6)												
All ages	22	8	14	15	5	10	7	3	4	6	3	3
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	1	-	1	-	-	-	1	-	1	1	-	1
40-44 years	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years	3	1	2	2	-	2	1	1	-	1	1	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	-	1	-	-	-	1	-	1	-	-	-
70-74 years	3	1	2	2	1	1	1	-	1	1	-	1
75-79 years	6	3	3	5	2	3	1	1	-	1	1	-
80-84 years	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
During administration of enema (Y60.7)												
All ages	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
During other surgical and medical care (Y60.8)												
All ages	24	12	12	19	9	10	5	3	2	5	3	2
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	-	-	-	1	-	1	1	-	1
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	3	-	3	2	-	2	1	-	1	1	-	1
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	2	1	1	1	-	1	1	1	-	1	1	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	4	2	2	4	2	2	-	-	-	-	-	-
80-84 years	2	2	-	1	1	-	1	1	-	1	1	-
85-89 years	3	1	2	2	-	2	1	1	-	1	1	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
During unspecified surgical and medical care (Y60.9)												
All ages	15	10	5	14	9	5	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	3	3	-	3	3	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Foreign object accidentally left in body during surgical and medical care (Y61)												
All ages	2	1	1	1	1	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
During surgical operation (Y61.0)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
During aspiration, puncture, and other catheterization (Y61.6)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Failure of sterile precautions during surgical and medical care (Y62)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
During other surgical and medical care (Y62.8)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Failure in dosage during surgical and medical care (Y63)												
All ages	3	1	2	2	1	1	1	-	1	1	-	1
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	2	-	2	1	-	1	1	-	1	1	-	1
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Excessive amount of blood or other fluid given during transfusion or infusion (Y63.0)												
All ages	1	-	1	-	-	-	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Overdose of radiation given during therapy (Y63.2)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Failure in dosage during unspecified surgical and medical care (Y63.9)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Contaminated medical or biological substances (Y64)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Contaminated medical or biological substance administered by unspecified means (Y64.9)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other misadventures during surgical and medical care (Y65)												
All ages	42	18	24	35	16	19	7	2	5	6	2	4
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	3	2	1	3	2	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	5	4	1	4	4	-	1	-	1	1	-	1
65-69 years	4	1	3	2	1	1	2	-	2	2	-	2
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	3	-	3	2	-	2	1	-	1	1	-	1
80-84 years	9	5	4	9	5	4	-	-	-	-	-	-
85-89 years	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Mismatched blood used in transfusion (Y65.0)												
All ages	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Failure to introduce or to remove other tube or instrument (Y65.4)												
All ages	3	-	3	3	-	3	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other specified misadventures during surgical and medical care (Y65.8)												
All ages	38	18	20	31	16	15	7	2	5	6	2	4
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	3	2	1	3	2	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	1	-	1	-	-	-	1	-	1	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	3	2	1	3	2	1	-	-	-	-	-	-
55-59 years	1	1	-	-	-	-	1	1	-	1	1	-
60-64 years	5	4	1	4	4	-	1	-	1	1	-	1
65-69 years	4	1	3	2	1	1	2	-	2	2	-	2
70-74 years	2	-	2	2	-	2	-	-	-	-	-	-
75-79 years	3	-	3	2	-	2	1	-	1	1	-	1
80-84 years	6	5	1	6	5	1	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Unspecified misadventure during surgical and medical care (Y69)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Anesthesiology devices associated with adverse incidents (Y70)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Surgical instruments, materials, and devices (including sutures) (Y70.3)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Gastroenterology and urology devices associated with adverse incidents (Y73)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Prosthetic and other implants, materials, and accessory devices (Y73.2)												
All ages	2	1	1	2	1	1	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Physical medicine devices associated with adverse incidents (Y80)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Diagnostic and monitoring devices (Y80.0)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
General- and plastic-surgery devices associated with adverse incidents (Y81)												
All ages	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Miscellaneous devices, not elsewhere classified (Y81.8)												
All ages	3	2	1	2	1	1	1	1	-	1	1	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified medical devices associated with adverse incidents (Y82)												
All ages	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Miscellaneous devices, not elsewhere classified (Y82.8)												
All ages	2	-	2	1	-	1	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	-	-	-	1	-	1	1	-	1
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Surgical operation and other surgical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure (Y83)												
All ages	2,014	873	1,141	1,676	717	959	338	156	182	308	144	164
Under 1 year	11	7	4	7	4	3	4	3	1	4	3	1
1-4 years	15	8	7	8	5	3	7	3	4	6	3	3
5-9 years	4	1	3	3	1	2	1	-	1	1	-	1
10-14 years	6	4	2	5	3	2	1	1	-	1	1	-
15-19 years	11	2	9	8	2	6	3	-	3	2	-	2
20-24 years	11	5	6	9	5	4	2	-	2	1	-	1
25-29 years	6	1	5	5	1	4	1	-	1	1	-	1
30-34 years	23	11	12	19	8	11	4	3	1	4	3	1
35-39 years	33	14	19	21	9	12	12	5	7	11	5	6
40-44 years	53	15	38	36	10	26	17	5	12	15	4	11
45-49 years	82	43	39	62	34	28	20	9	11	20	9	11
50-54 years	87	44	43	64	30	34	23	14	9	21	13	8
55-59 years	126	64	62	103	48	55	23	16	7	21	14	7
60-64 years	143	71	72	108	51	57	35	20	15	32	19	13
65-69 years	165	75	90	136	62	74	29	13	16	25	13	12
70-74 years	225	107	118	178	82	96	47	25	22	44	24	20
75-79 years	309	132	177	275	116	159	34	16	18	29	12	17
80-84 years	310	136	174	284	129	155	26	7	19	24	6	18
85-89 years	221	87	134	190	76	114	31	11	20	30	10	20
90-94 years	132	35	97	117	31	86	15	4	11	13	4	9
95-99 years	34	9	25	32	9	23	2	-	2	2	-	2
100 yrs & over	7	2	5	6	1	5	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Surgical operation with transplant of whole organ (Y83.0)												
All ages	72	42	30	60	32	28	12	10	2	10	9	1
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	4	3	1	2	1	1	2	2	-	2	2	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2	-	2	1	-	1	1	-	1	-	-	-
20-24 years	5	3	2	5	3	2	-	-	-	-	-	-
25-29 years	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years	3	1	2	3	1	2	-	-	-	-	-	-
35-39 years	3	3	-	3	3	-	-	-	-	-	-	-
40-44 years	4	1	3	3	1	2	1	-	1	1	-	1
45-49 years	9	3	6	9	3	6	-	-	-	-	-	-
50-54 years	5	1	4	5	1	4	-	-	-	-	-	-
55-59 years	10	9	1	7	6	1	3	3	-	2	2	-
60-64 years	12	8	4	10	6	4	2	2	-	2	2	-
65-69 years	7	4	3	6	3	3	1	1	-	1	1	-
70-74 years	5	3	2	5	3	2	-	-	-	-	-	-
75-79 years	1	1	-	-	-	-	1	1	-	1	1	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Surgical operation with implant of artificial internal device (Y83.1)												
All ages	326	125	201	301	114	187	25	11	14	22	11	11
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	3	3	-	2	2	-	1	1	-	1	1	-
35-39 years	3	2	1	1	1	-	2	1	1	1	1	-
40-44 years	2	-	2	2	-	2	-	-	-	-	-	-
45-49 years	5	1	4	5	1	4	-	-	-	-	-	-
50-54 years	11	6	5	11	6	5	-	-	-	-	-	-
55-59 years	7	3	4	7	3	4	-	-	-	-	-	-
60-64 years	17	8	9	14	7	7	3	1	2	2	1	1
65-69 years	23	12	11	20	9	11	3	3	-	3	3	-
70-74 years	33	15	18	30	13	17	3	2	1	3	2	1
75-79 years	54	16	38	50	15	35	4	1	3	4	1	3
80-84 years	70	25	45	68	25	43	2	-	2	2	-	2
85-89 years	51	22	29	49	21	28	2	1	1	2	1	1
90-94 years	32	8	24	29	8	21	3	-	3	2	-	2
95-99 years	11	3	8	10	3	7	1	-	1	1	-	1
100 yrs & over	2	1	1	1	-	1	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Surgical operation with anastomosis, bypass, or graft (Y83.2)												
All ages	223	111	112	184	98	86	39	13	26	34	11	23
Under 1 year	3	2	1	2	1	1	1	1	-	1	1	-
1-4 years	4	2	2	2	2	-	2	-	2	2	-	2
5-9 years	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years	3	3	-	2	2	-	1	1	-	1	1	-
15-19 years	4	1	3	3	1	2	1	-	1	1	-	1
20-24 years	1	-	1	-	-	-	1	-	1	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	5	3	2	3	2	1	2	1	1	2	1	1
35-39 years	7	2	5	6	2	4	1	-	1	1	-	1
40-44 years	4	1	3	3	1	2	1	-	1	1	-	1
45-49 years	7	3	4	6	2	4	1	1	-	1	1	-
50-54 years	7	6	1	7	6	1	-	-	-	-	-	-
55-59 years	19	8	11	15	8	7	4	-	4	4	-	4
60-64 years	18	10	8	16	9	7	2	1	1	1	-	1
65-69 years	25	12	13	22	11	11	3	1	2	2	1	1
70-74 years	27	13	14	21	10	11	6	3	3	5	3	2
75-79 years	36	18	18	32	17	15	4	1	3	4	1	3
80-84 years	29	20	9	25	18	7	4	2	2	3	1	2
85-89 years	18	5	13	15	5	10	3	-	3	3	-	3
90-94 years	3	2	1	2	1	1	1	1	-	1	1	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	1	-	1	1	-	1	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Surgical operation with formation of external stoma (Y83.3)												
All ages	105	37	68	76	27	49	29	10	19	28	10	18
Under 1 year	3	1	2	3	1	2	-	-	-	-	-	-
1-4 years	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years	1	-	1	-	-	-	1	-	1	1	-	1
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	7	5	2	3	3	-	4	2	2	4	2	2
45-49 years	5	5	-	4	4	-	1	1	-	1	1	-
50-54 years	3	1	2	2	1	1	1	-	1	1	-	1
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	10	4	6	7	2	5	3	2	1	3	2	1
65-69 years	11	3	8	6	2	4	5	1	4	4	1	3
70-74 years	12	5	7	8	3	5	4	2	2	4	2	2
75-79 years	15	5	10	13	4	9	2	1	1	2	1	1
80-84 years	15	2	13	11	2	9	4	-	4	4	-	4
85-89 years	8	1	7	6	-	6	2	1	1	2	1	1
90-94 years	9	3	6	8	3	5	1	-	1	1	-	1
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other reconstructive surgery (Y83.4)												
All ages	133	56	77	119	46	73	14	10	4	13	9	4
Under 1 year	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	3	2	1	2	1	1	1	1	-	1	1	-
40-44 years	4	1	3	3	-	3	1	1	-	-	-	-
45-49 years	5	5	-	4	4	-	1	1	-	1	1	-
50-54 years	3	2	1	2	1	1	1	1	-	1	1	-
55-59 years	10	7	3	7	4	3	3	3	-	3	3	-
60-64 years	8	4	4	7	3	4	1	1	-	1	1	-
65-69 years	9	2	7	8	2	6	1	-	1	1	-	1
70-74 years	15	6	9	14	5	9	1	1	-	1	1	-
75-79 years	23	8	15	23	8	15	-	-	-	-	-	-
80-84 years	23	10	13	21	10	11	2	-	2	2	-	2
85-89 years	15	6	9	14	6	8	1	-	1	1	-	1
90-94 years	8	1	7	8	1	7	-	-	-	-	-	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Amputation of limb(s) (Y83.5)												
All ages	162	82	80	119	56	63	43	26	17	40	23	17
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	2	1	1	1	1	-	1	-	1	1	-	1
45-49 years	3	3	-	2	2	-	1	1	-	1	1	-
50-54 years	5	5	-	1	1	-	4	4	-	3	3	-
55-59 years	10	6	4	7	3	4	3	3	-	3	3	-
60-64 years	15	11	4	10	7	3	5	4	1	5	4	1
65-69 years	13	9	4	10	6	4	3	3	-	3	3	-
70-74 years	19	9	10	14	6	8	5	3	2	4	2	2
75-79 years	25	12	13	23	11	12	2	1	1	2	1	1
80-84 years	25	13	12	19	10	9	6	3	3	6	3	3
85-89 years	25	9	16	18	5	13	7	4	3	6	3	3
90-94 years	15	2	13	10	2	8	5	-	5	5	-	5
95-99 years	5	2	3	4	2	2	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Removal of other organ (partial) (total) (Y83.6)												
All ages	167	75	92	141	64	77	26	11	15	22	9	13
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	4	2	2	2	1	1	2	1	1	1	1	-
5-9 years	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years	1	-	1	-	-	-	1	-	1	1	-	1
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	2	1	1	2	1	1	-	-	-	-	-	-
35-39 years	4	1	3	4	1	3	-	-	-	-	-	-
40-44 years	7	1	6	7	1	6	-	-	-	-	-	-
45-49 years	15	7	8	11	5	6	4	2	2	4	2	2
50-54 years	10	2	8	7	1	6	3	1	2	2	1	1
55-59 years	9	2	7	8	2	6	1	-	1	1	-	1
60-64 years	8	3	5	6	3	3	2	-	2	2	-	2
65-69 years	8	3	5	8	3	5	-	-	-	-	-	-
70-74 years	18	9	9	14	7	7	4	2	2	4	2	2
75-79 years	26	15	11	23	13	10	3	2	1	1	-	1
80-84 years	28	17	11	27	16	11	1	1	-	1	1	-
85-89 years	14	7	7	10	6	4	4	1	3	4	1	3
90-94 years	9	4	5	8	3	5	1	1	-	1	1	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other surgical procedures (Y83.8)												
All ages	159	68	91	133	57	76	26	11	15	21	8	13
Under 1 year	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	3	-	3	3	-	3	-	-	-	-	-	-
35-39 years	2	-	2	-	-	-	2	-	2	2	-	2
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	6	2	4	4	2	2	2	-	2	2	-	2
50-54 years	11	8	3	9	6	3	2	2	-	2	2	-
55-59 years	9	5	4	8	4	4	1	1	-	-	-	-
60-64 years	10	7	3	7	5	2	3	2	1	3	2	1
65-69 years	20	8	12	14	6	8	6	2	4	5	2	3
70-74 years	14	8	6	14	8	6	-	-	-	-	-	-
75-79 years	27	14	13	20	10	10	7	4	3	4	2	2
80-84 years	29	12	17	29	12	17	-	-	-	-	-	-
85-89 years	16	3	13	14	3	11	2	-	2	2	-	2
90-94 years	7	-	7	7	-	7	-	-	-	-	-	-
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Surgical procedure, unspecified (Y83.9)												
All ages	667	277	390	543	223	320	124	54	70	118	54	64
Under 1 year	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	2	-	2	1	-	1	1	-	1	1	-	1
20-24 years	3	1	2	3	1	2	-	-	-	-	-	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	7	3	4	6	2	4	1	1	-	1	1	-
35-39 years	10	4	6	4	1	3	6	3	3	6	3	3
40-44 years	22	5	17	13	3	10	9	2	7	8	2	6
45-49 years	27	14	13	17	11	6	10	3	7	10	3	7
50-54 years	32	13	19	20	7	13	12	6	6	12	6	6
55-59 years	51	24	27	43	18	25	8	6	2	8	6	2
60-64 years	45	16	29	31	9	22	14	7	7	13	7	6
65-69 years	49	22	27	42	20	22	7	2	5	6	2	4
70-74 years	82	39	43	58	27	31	24	12	12	23	12	11
75-79 years	102	43	59	91	38	53	11	5	6	11	5	6
80-84 years	91	37	54	84	36	48	7	1	6	6	1	5
85-89 years	74	34	40	64	30	34	10	4	6	10	4	6
90-94 years	49	15	34	45	13	32	4	2	2	3	2	1
95-99 years	13	3	10	13	3	10	-	-	-	-	-	-
100 yrs & over	4	1	3	4	1	3	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure (Y84)												
All ages	475	236	239	347	171	176	128	65	63	115	57	58
Under 1 year	7	2	5	4	1	3	3	1	2	3	1	2
1-4 years	3	1	2	3	1	2	-	-	-	-	-	-
5-9 years	1	1	-	-	-	-	1	1	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	6	2	4	5	2	3	1	-	1	1	-	1
25-29 years	7	3	4	5	2	3	2	1	1	2	1	1
30-34 years	10	5	5	6	2	4	4	3	1	4	3	1
35-39 years	11	7	4	6	2	4	5	5	-	4	4	-
40-44 years	23	13	10	14	8	6	9	5	4	9	5	4
45-49 years	20	14	6	15	10	5	5	4	1	4	3	1
50-54 years	20	12	8	16	9	7	4	3	1	4	3	1
55-59 years	30	15	15	15	8	7	15	7	8	14	6	8
60-64 years	29	13	16	23	10	13	6	3	3	6	3	3
65-69 years	39	26	13	29	20	9	10	6	4	9	6	3
70-74 years	49	22	27	34	15	19	15	7	8	10	4	6
75-79 years	61	33	28	55	31	24	6	2	4	6	2	4
80-84 years	65	32	33	49	25	24	16	7	9	14	7	7
85-89 years	53	22	31	39	18	21	14	4	10	13	3	10
90-94 years	25	8	17	17	5	12	8	3	5	8	3	5
95-99 years	13	3	10	10	1	9	3	2	1	3	2	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cardiac catheterization (Y84.0)												
All ages	15	8	7	13	7	6	2	1	1	2	1	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years	6	3	3	4	2	2	2	1	1	2	1	1
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Kidney dialysis (Y84.1)												
All ages	61	28	33	36	18	18	25	10	15	25	10	15
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	1	-	1	1	-	1	-	-	-	-	-	-
40-44 years	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years	3	2	1	-	-	-	3	2	1	3	2	1
50-54 years	2	1	1	2	1	1	-	-	-	-	-	-
55-59 years	5	2	3	2	1	1	3	1	2	3	1	2
60-64 years	7	3	4	4	3	1	3	-	3	3	-	3
65-69 years	8	4	4	3	2	1	5	2	3	5	2	3
70-74 years	5	2	3	5	2	3	-	-	-	-	-	-
75-79 years	12	5	7	10	5	5	2	-	2	2	-	2
80-84 years	6	5	1	3	3	-	3	2	1	3	2	1
85-89 years	5	1	4	3	1	2	2	-	2	2	-	2
90-94 years	1	1	-	-	-	-	1	1	-	1	1	-
95-99 years	1	1	-	-	-	-	1	1	-	1	1	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Radiological procedure and radiotherapy (Y84.2)												
All ages	8	5	3	7	5	2	1	-	1	1	-	1
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Shock therapy (Y84.3)												
All ages	2	-	2	2	-	2	-	-	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Aspiration of fluid (Y84.4)												
All ages	4	3	1	3	2	1	1	1	-	-	-	-
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	2	2	-	1	1	-	1	1	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Urinary catheterization (Y84.6)												
All ages	70	38	32	51	28	23	19	10	9	16	8	8
Under 1 year	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	3	1	2	2	1	1	1	-	1	1	-	1
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	4	3	1	2	1	1	2	2	-	2	2	-
45-49 years	3	2	1	3	2	1	-	-	-	-	-	-
50-54 years	3	3	-	2	2	-	1	1	-	1	1	-
55-59 years	4	2	2	1	1	-	3	1	2	3	1	2
60-64 years	5	4	1	4	3	1	1	1	-	1	1	-
65-69 years	4	3	1	3	2	1	1	1	-	1	1	-
70-74 years	5	3	2	1	1	-	4	2	2	2	-	2
75-79 years	9	4	5	9	4	5	-	-	-	-	-	-
80-84 years	9	7	2	7	6	1	2	1	1	1	1	-
85-89 years	9	2	7	7	2	5	2	-	2	2	-	2
90-94 years	7	3	4	6	3	3	1	-	1	1	-	1
95-99 years	3	-	3	3	-	3	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other medical procedures (Y84.8)												
All ages	302	148	154	224	105	119	78	43	35	69	38	31
Under 1 year	5	2	3	2	1	1	3	1	2	3	1	2
1-4 years	3	1	2	3	1	2	-	-	-	-	-	-
5-9 years	1	1	-	-	-	-	1	1	-	-	-	-
10-14 years	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years	5	2	3	4	2	2	1	-	1	1	-	1
25-29 years	6	3	3	5	2	3	1	1	-	1	1	-
30-34 years	5	3	2	3	1	2	2	2	-	2	2	-
35-39 years	9	6	3	5	2	3	4	4	-	3	3	-
40-44 years	17	9	8	10	6	4	7	3	4	7	3	4
45-49 years	13	9	4	11	7	4	2	2	-	1	1	-
50-54 years	13	8	5	10	6	4	3	2	1	3	2	1
55-59 years	17	11	6	10	6	4	7	5	2	6	4	2
60-64 years	15	6	9	13	4	9	2	2	-	2	2	-
65-69 years	24	16	8	20	13	7	4	3	1	3	3	-
70-74 years	32	12	20	22	8	14	10	4	6	8	4	4
75-79 years	32	20	12	30	19	11	2	1	1	2	1	1
80-84 years	44	16	28	34	12	22	10	4	6	9	4	5
85-89 years	35	16	19	25	12	13	10	4	6	9	3	6
90-94 years	15	3	12	9	1	8	6	2	4	6	2	4
95-99 years	8	2	6	6	1	5	2	1	1	2	1	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Medical procedure, unspecified (Y84.9)												
All ages	13	6	7	11	6	5	2	-	2	2	-	2
Under 1 year	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years	2	-	2	-	-	-	2	-	2	2	-	2
60-64 years	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years	2	2	-	2	2	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sequelae of transport accidents (Y85)												
All ages	582	440	142	473	354	119	109	86	23	89	73	16
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	5	2	3	4	1	3	1	1	-	1	1	-
5-9 years	4	1	3	1	-	1	3	1	2	3	1	2
10-14 years	4	4	-	2	2	-	2	2	-	2	2	-
15-19 years	21	18	3	17	14	3	4	4	-	4	4	-
20-24 years	23	20	3	19	16	3	4	4	-	4	4	-
25-29 years	34	23	11	30	21	9	4	2	2	3	2	1
30-34 years	47	38	9	38	32	6	9	6	3	8	6	2
35-39 years	51	38	13	42	30	12	9	8	1	6	6	-
40-44 years	86	66	20	75	56	19	11	10	1	8	8	-
45-49 years	66	58	8	45	41	4	21	17	4	18	15	3
50-54 years	61	48	13	46	35	11	15	13	2	11	9	2
55-59 years	35	26	9	26	18	8	9	8	1	7	7	-
60-64 years	30	27	3	28	25	3	2	2	-	2	2	-
65-69 years	22	16	6	19	13	6	3	3	-	2	2	-
70-74 years	25	19	6	24	18	6	1	1	-	1	1	-
75-79 years	34	20	14	28	17	11	6	3	3	5	2	3
80-84 years	20	11	9	18	10	8	2	1	1	2	1	1
85-89 years	10	4	6	8	4	4	2	-	2	1	-	1
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Sequelae of motor-vehicle accident (Y85.0)												
All ages	563	427	136	456	343	113	107	84	23	87	71	16
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	4	2	2	3	1	2	1	1	-	1	1	-
5-9 years	4	1	3	1	-	1	3	1	2	3	1	2
10-14 years	3	3	-	1	1	-	2	2	-	2	2	-
15-19 years	21	18	3	17	14	3	4	4	-	4	4	-
20-24 years	22	19	3	19	16	3	3	3	-	3	3	-
25-29 years	34	23	11	30	21	9	4	2	2	3	2	1
30-34 years	44	35	9	35	29	6	9	6	3	8	6	2
35-39 years	48	37	11	39	29	10	9	8	1	6	6	-
40-44 years	84	65	19	73	55	18	11	10	1	8	8	-
45-49 years	66	58	8	45	41	4	21	17	4	18	15	3
50-54 years	58	45	13	44	33	11	14	12	2	10	8	2
55-59 years	35	26	9	26	18	8	9	8	1	7	7	-
60-64 years	30	27	3	28	25	3	2	2	-	2	2	-
65-69 years	20	15	5	17	12	5	3	3	-	2	2	-
70-74 years	24	18	6	23	17	6	1	1	-	1	1	-
75-79 years	32	19	13	26	16	10	6	3	3	5	2	3
80-84 years	20	11	9	18	10	8	2	1	1	2	1	1
85-89 years	10	4	6	8	4	4	2	-	2	1	-	1
90-94 years	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years	2	-	2	1	-	1	1	-	1	1	-	1
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sequelae of other and unspecified transport accidents (Y85.9)												
All ages	19	13	6	17	11	6	2	2	-	2	2	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	3	3	-	3	3	-	-	-	-	-	-	-
35-39 years	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years	2	1	1	2	1	1	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	3	3	-	2	2	-	1	1	-	1	1	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years	2	1	1	2	1	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Sequelae of other accidents (Y86)												
All ages	996	656	340	850	557	293	146	99	47	105	71	34
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	7	4	3	4	2	2	3	2	1	3	2	1
5-9 years	6	4	2	4	3	1	2	1	1	1	-	1
10-14 years	5	4	1	4	3	1	1	1	-	1	1	-
15-19 years	14	12	2	13	12	1	1	-	1	-	-	-
20-24 years	16	10	6	12	8	4	4	2	2	4	2	2
25-29 years	16	14	2	14	12	2	2	2	-	1	1	-
30-34 years	35	30	5	26	21	5	9	9	-	4	4	-
35-39 years	38	28	10	35	27	8	3	1	2	3	1	2
40-44 years	67	55	12	55	45	10	12	10	2	9	7	2
45-49 years	68	54	14	54	43	11	14	11	3	10	8	2
50-54 years	65	51	14	51	39	12	14	12	2	12	10	2
55-59 years	47	37	10	41	31	10	6	6	-	4	4	-
60-64 years	46	35	11	38	31	7	8	4	4	8	4	4
65-69 years	57	48	9	45	38	7	12	10	2	9	9	-
70-74 years	72	51	21	63	44	19	9	7	2	7	5	2
75-79 years	114	72	42	104	65	39	10	7	3	5	4	1
80-84 years	118	61	57	103	54	49	15	7	8	9	4	5
85-89 years	105	48	57	91	44	47	14	4	10	11	3	8
90-94 years	66	29	37	64	28	36	2	1	1	1	1	-
95-99 years	28	7	21	24	5	19	4	2	2	2	1	1
100 yrs & over	6	2	4	5	2	3	1	-	1	1	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sequelae of intentional self harm, assault, and events of undetermined intent (Y87)															
All ages	312	252	60	188	144	44	124	108	16	115	100	15			
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...			
1-4 years	5	2	3	3	-	3	2	2	-	2	2	-			
5-9 years	3	3	-	1	1	-	2	2	-	2	2	-			
10-14 years	2	1	1	2	1	1	-	-	-	-	-	-			
15-19 years	18	17	1	12	11	1	6	6	-	6	6	-			
20-24 years	14	13	1	9	8	1	5	5	-	5	5	-			
25-29 years	32	29	3	13	12	1	19	17	2	19	17	2			
30-34 years	32	25	7	13	11	2	19	14	5	18	13	5			
35-39 years	31	18	13	19	10	9	12	8	4	11	7	4			
40-44 years	37	31	6	23	18	5	14	13	1	12	11	1			
45-49 years	44	34	10	36	26	10	8	8	-	7	7	-			
50-54 years	32	28	4	18	14	4	14	14	-	14	14	-			
55-59 years	21	17	4	12	9	3	9	8	1	8	8	-			
60-64 years	12	11	1	8	7	1	4	4	-	4	4	-			
65-69 years	13	11	2	7	7	-	6	4	2	3	1	2			
70-74 years	5	5	-	3	3	-	2	2	-	2	2	-			
75-79 years	3	2	1	3	2	1	-	-	-	-	-	-			
80-84 years	1	1	-	-	-	-	1	1	-	1	1	-			
85-89 years	5	3	2	4	3	1	1	-	1	1	-	1			
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years	2	1	1	2	1	1	-	-	-	-	-	-			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			
Sequelae of intentional self harm (Y87.0)															
All ages	73	61	12	68	56	12	5	5	-	3	3	-			
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...			
1-4 years	...	...	...	...	...	...	...	...	...	...	...	...			
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years	6	6	-	6	6	-	-	-	-	-	-	-			
20-24 years	2	2	-	2	2	-	-	-	-	-	-	-			
25-29 years	5	4	1	5	4	1	-	-	-	-	-	-			
30-34 years	6	5	1	6	5	1	-	-	-	-	-	-			
35-39 years	6	4	2	6	4	2	-	-	-	-	-	-			
40-44 years	8	6	2	7	5	2	1	1	-	-	-	-			
45-49 years	18	15	3	16	13	3	2	2	-	1	1	-			
50-54 years	7	6	1	6	5	1	1	1	-	1	1	-			
55-59 years	6	4	2	5	3	2	1	1	-	1	1	-			
60-64 years	4	4	-	4	4	-	-	-	-	-	-	-			
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-			
70-74 years	2	2	-	2	2	-	-	-	-	-	-	-			
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years	2	2	-	2	2	-	-	-	-	-	-	-			
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated	-	-	-	-	-	-	-	-	-	-	-	-			

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sequelae of assault (Y87.1)												
All ages	204	164	40	95	68	27	109	96	13	103	91	12
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	5	2	3	3	-	3	2	2	-	2	2	-
5-9 years	3	3	-	1	1	-	2	2	-	2	2	-
10-14 years	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years	12	11	1	6	5	1	6	6	-	6	6	-
20-24 years	12	11	1	7	6	1	5	5	-	5	5	-
25-29 years	27	25	2	8	8	-	19	17	2	19	17	2
30-34 years	22	17	5	4	4	-	18	13	5	18	13	5
35-39 years	21	11	10	11	4	7	10	7	3	9	6	3
40-44 years	23	20	3	12	9	3	11	11	-	10	10	-
45-49 years	18	12	6	12	6	6	6	6	-	6	6	-
50-54 years	23	20	3	11	8	3	12	12	-	12	12	-
55-59 years	13	11	2	6	5	1	7	6	1	6	6	-
60-64 years	6	6	-	3	3	-	3	3	-	3	3	-
65-69 years	10	9	1	5	5	-	5	4	1	2	1	1
70-74 years	2	2	-	1	1	-	1	1	-	1	1	-
75-79 years	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years	1	1	-	-	-	-	1	1	-	1	1	-
85-89 years	2	1	1	1	1	-	1	-	1	1	-	1
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Sequelae of events of undetermined intent (Y87.2)												
All ages	35	27	8	25	20	5	10	7	3	9	6	3
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	4	3	1	3	2	1	1	1	-	-	-	-
35-39 years	4	3	1	2	2	-	2	1	1	2	1	1
40-44 years	6	5	1	4	4	-	2	1	1	2	1	1
45-49 years	8	7	1	8	7	1	-	-	-	-	-	-
50-54 years	2	2	-	1	1	-	1	1	-	1	1	-
55-59 years	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years	2	1	1	1	-	1	1	1	-	1	1	-
65-69 years	2	1	1	1	1	-	1	-	1	1	-	1
70-74 years	1	1	-	-	-	-	1	1	-	1	1	-
75-79 years	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sequelae with surgical and medical care as external cause (Y88)												
All ages	78	37	41	64	26	38	14	11	3	13	10	3
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	3	2	1	1	-	1	2	2	-	2	2	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	6	4	2	6	4	2	-	-	-	-	-	-
50-54 years	4	1	3	4	1	3	-	-	-	-	-	-
55-59 years	6	3	3	5	2	3	1	1	-	1	1	-
60-64 years	8	4	4	6	3	3	2	1	1	2	1	1
65-69 years	5	2	3	4	2	2	1	-	1	1	-	1
70-74 years	9	5	4	7	3	4	2	2	-	2	2	-
75-79 years	12	4	8	11	4	7	1	-	1	1	-	1
80-84 years	5	3	2	5	3	2	-	-	-	-	-	-
85-89 years	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years	10	5	5	8	3	5	2	2	-	2	2	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Sequelae of adverse effects caused by drugs, medicaments, and biological substances in therapeutic use (Y88.0)												
All ages	9	5	4	7	3	4	2	2	-	2	2	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	2	-	2	2	-	2	-	-	-	-	-	-
60-64 years	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years	3	2	1	1	-	1	2	2	-	2	2	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sequelae of misadventures to patients during surgical and medical procedures (Y88.1)												
All ages	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Sequelae of surgical and medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure (Y88.3)												
All ages	68	31	37	56	22	34	12	9	3	11	8	3
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1	1	-	-	-	-	1	1	-	-	-	-
20-24 years	1	1	-	-	-	-	1	1	-	1	1	-
25-29 years	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years	3	2	1	1	-	1	2	2	-	2	2	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	5	3	2	5	3	2	-	-	-	-	-	-
50-54 years	4	1	3	4	1	3	-	-	-	-	-	-
55-59 years	4	3	1	3	2	1	1	1	-	1	1	-
60-64 years	7	3	4	5	2	3	2	1	1	2	1	1
65-69 years	4	1	3	3	1	2	1	-	1	1	-	1
70-74 years	6	3	3	6	3	3	-	-	-	-	-	-
75-79 years	12	4	8	11	4	7	1	-	1	1	-	1
80-84 years	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years	10	5	5	8	3	5	2	2	-	2	2	-
95-99 years	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			ALL OTHER BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sequelae of other external causes (Y89)												
All ages	20	19	1	17	16	1	3	3	-	3	3	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	4	4	-	3	3	-	1	1	-	1	1	-
75-79 years	6	5	1	6	5	1	-	-	-	-	-	-
80-84 years	3	3	-	3	3	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Sequelae of legal intervention (Y89.0)												
All ages	3	3	-	1	1	-	2	2	-	2	2	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES			WHITE			ALL OTHER TOTAL			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sequelae of war operations (Y89.1)												
All ages	15	14	1	14	13	1	1	1	-	1	1	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	4	4	-	3	3	-	1	1	-	1	1	-
75-79 years	6	5	1	6	5	1	-	-	-	-	-	-
80-84 years	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Sequelae of unspecified external cause (Y89.9)												
All ages	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year	...	...	...	...	...	...	...	...	...	...	...	...
1-4 years	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

- QUANTITY ZERO.
... CATEGORY NOT APPLICABLE.
1/ FIGURES INCLUDE SEPTEMBER 11, 2001 RELATED DEATHS FOR WHICH DEATH CERTIFICATES WERE FILED AS OF 10/24/02; SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001."

NOTE: COMPLETE CONFIRMATION OF DEATHS FROM SELECTED CAUSES OF DEATH, CONSIDERED TO BE OF PUBLIC HEALTH CONCERN, WERE NOT PROVIDED BY THE DISTRICT OF COLUMBIA AND THE FOLLOWING STATES--CALIFORNIA, ILLINOIS, INDIANA, KANSAS, KENTUCKY, MAINE, MINNESOTA, MONTANA, NEW JERSEY, NEW YORK, NORTH DAKOTA, OHIO, OKLAHOMA, PENNSYLVANIA, AND RHODE ISLAND.

SOURCE: CDC/NCHS, NATIONAL VITAL STATISTICS SYSTEM, MORTALITY.