

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All causes												
UNITED STATES -	2,416,425	27,568	5,107	3,093	4,002	13,555	18,697	18,211	23,472	36,895	54,779	73,684
WHITE-----MALE----	1,011,218	10,099	2,094	1,232	1,782	7,264	10,265	9,381	11,597	17,880	26,363	35,774
FEMALE--	1,068,473	7,856	1,576	1,018	1,138	2,971	3,248	3,607	5,409	9,358	14,536	19,860
ALL OTHER--MALE----	172,203	5,378	805	495	659	2,502	3,932	3,625	4,154	5,847	8,074	10,793
FEMALE--	164,531	4,235	632	348	423	818	1,252	1,598	2,312	3,810	5,806	7,257
BLACK---MALE----	145,908	4,764	672	409	551	2,080	3,399	3,117	3,556	5,022	7,113	9,495
FEMALE--	141,801	3,734	509	291	336	630	1,038	1,350	2,005	3,363	5,189	6,372
ALABAMA -----	45,316	567	98	67	94	297	409	371	480	698	1,147	1,484
WHITE-----MALE----	16,593	164	39	20	37	150	189	144	189	270	445	589
FEMALE--	17,526	112	24	19	22	59	57	68	106	163	266	339
ALL OTHER--MALE----	5,594	165	22	16	23	70	122	112	109	167	250	334
FEMALE--	5,603	126	13	12	12	18	41	47	76	98	186	222
BLACK---MALE----	5,544	165	22	16	23	70	119	111	108	165	246	332
FEMALE--	5,556	125	13	11	12	17	39	47	76	98	184	221
ALASKA -----	2,974	81	22	8	20	53	48	50	67	107	148	176
WHITE-----MALE----	1,237	20	6	5	8	21	20	22	31	45	61	81
FEMALE--	889	17	2	1	3	5	10	7	13	21	34	38
ALL OTHER--MALE----	478	21	5	1	6	18	16	10	14	27	28	32
FEMALE--	370	23	9	1	3	9	2	11	9	14	25	25
BLACK---MALE----	52	4	1	-	-	1	2	1	2	1	5	4
FEMALE--	30	-	-	-	-	2	-	2	-	2	3	2
ARIZONA -----	41,058	592	147	83	92	330	404	418	495	740	1,028	1,301
WHITE-----MALE----	19,940	257	58	34	39	179	260	256	295	383	567	765
FEMALE--	18,124	201	54	29	25	72	66	78	107	191	299	356
ALL OTHER--MALE----	1,660	72	15	14	20	57	64	61	67	119	109	107
FEMALE--	1,334	62	20	6	8	22	14	23	26	47	53	73
BLACK---MALE----	577	36	3	3	3	5	15	18	23	29	34	40
FEMALE--	483	27	7	2	-	5	5	6	5	16	22	29
ARKANSAS -----	27,759	309	74	38	45	181	232	220	289	400	617	769
WHITE-----MALE----	11,921	116	27	16	18	107	113	105	162	191	304	370
FEMALE--	11,920	80	22	10	12	32	60	48	71	102	188	197
ALL OTHER--MALE----	1,968	58	14	5	9	27	47	51	30	72	74	121
FEMALE--	1,950	55	11	7	6	15	12	16	26	35	51	81
BLACK---MALE----	1,922	55	14	5	9	26	45	50	29	72	72	120
FEMALE--	1,915	53	11	7	6	14	12	16	26	35	51	79
CALIFORNIA -----	234,044	2,830	545	371	415	1,446	2,018	1,955	2,455	3,784	5,566	7,648
WHITE-----MALE----	98,269	1,185	243	165	173	841	1,198	1,123	1,334	1,963	2,879	3,877
FEMALE--	100,672	946	170	126	138	288	371	369	573	1,025	1,527	2,127
ALL OTHER--MALE----	18,460	368	82	44	62	230	350	312	376	504	690	964
FEMALE--	16,643	331	50	36	42	87	99	151	172	292	470	680
BLACK---MALE----	9,563	220	47	27	35	146	225	209	235	307	461	607
FEMALE--	8,825	215	33	18	20	39	49	89	111	192	298	451

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All causes												
UNITED STATES -	94,381	109,523	134,616	178,232	252,728	333,677	368,252	339,775	221,314	85,954	18,488	422
WHITE-----MALE----	45,629	53,120	65,233	86,088	121,705	152,517	153,761	119,811	60,027	16,916	2,425	255
FEMALE--	27,436	34,687	44,813	62,520	96,815	142,531	178,943	191,354	143,543	61,546	13,643	65
ALL OTHER--MALE----	12,652	12,681	13,924	16,022	17,766	18,794	15,670	10,594	5,500	1,816	444	76
FEMALE--	8,664	9,035	10,646	13,602	16,442	19,835	19,878	18,016	12,244	5,676	1,976	26
BLACK---MALE----	11,099	10,984	11,921	13,763	15,012	15,616	12,779	8,389	4,292	1,428	380	67
FEMALE--	7,552	7,868	9,203	11,604	14,000	16,974	16,864	15,414	10,707	5,038	1,739	21
ALABAMA -----	2,011	2,291	2,836	3,826	5,037	6,015	6,385	5,785	3,727	1,390	300	1
WHITE-----MALE----	868	972	1,250	1,674	2,157	2,403	2,305	1,678	808	210	32	-
FEMALE--	450	625	852	1,186	1,698	2,386	2,876	3,043	2,193	842	140	-
ALL OTHER--MALE----	421	411	411	531	594	571	528	387	243	74	33	-
FEMALE--	272	283	323	435	588	655	676	677	483	264	95	1
BLACK---MALE----	418	406	409	525	590	564	523	382	243	74	33	-
FEMALE--	271	279	319	428	584	643	674	675	480	264	95	1
ALASKA -----	224	197	220	226	317	320	312	214	116	36	12	-
WHITE-----MALE----	122	95	98	89	139	137	126	77	26	4	4	-
FEMALE--	49	53	59	72	93	115	122	83	63	23	6	-
ALL OTHER--MALE----	35	29	34	42	48	41	29	24	15	3	-	-
FEMALE--	18	20	29	23	37	27	35	30	12	6	2	-
BLACK---MALE----	4	5	5	4	2	8	2	1	-	-	-	-
FEMALE--	2	1	3	1	2	2	3	3	1	1	-	-
ARIZONA -----	1,563	1,862	2,316	3,121	4,388	5,768	6,204	5,456	3,336	1,145	215	54
WHITE-----MALE----	883	1,041	1,264	1,735	2,319	2,981	2,922	2,224	1,116	282	36	44
FEMALE--	500	628	860	1,125	1,792	2,532	3,057	3,057	2,113	812	164	6
ALL OTHER--MALE----	113	110	101	124	142	126	87	83	42	20	3	4
FEMALE--	67	83	91	137	135	129	138	92	65	31	12	-
BLACK---MALE----	50	40	42	46	57	45	23	35	20	7	1	2
FEMALE--	21	29	29	45	55	45	54	37	29	12	3	-
ARKANSAS -----	1,096	1,369	1,693	2,302	2,924	3,769	4,085	3,803	2,454	891	197	2
WHITE-----MALE----	543	717	880	1,206	1,413	1,790	1,726	1,246	680	169	21	1
FEMALE--	331	422	576	779	1,120	1,542	1,968	2,143	1,501	587	129	-
ALL OTHER--MALE----	131	150	125	177	195	199	173	168	95	38	8	1
FEMALE--	91	80	112	140	196	238	218	246	178	97	39	-
BLACK---MALE----	127	147	122	171	187	191	171	167	95	38	8	1
FEMALE--	91	78	108	137	191	234	214	241	175	97	39	-
CALIFORNIA -----	9,847	10,724	12,798	16,676	23,274	32,264	35,580	32,716	21,019	8,135	1,875	103
WHITE-----MALE----	4,801	5,231	6,073	7,651	10,599	14,234	14,851	11,864	5,895	1,737	282	70
FEMALE--	2,961	3,366	4,269	5,976	8,966	13,658	16,372	17,413	13,069	5,583	1,357	22
ALL OTHER--MALE----	1,204	1,232	1,421	1,698	1,988	2,260	2,089	1,465	787	278	49	7
FEMALE--	881	895	1,035	1,351	1,721	2,112	2,268	1,974	1,268	537	187	4
BLACK---MALE----	739	702	817	966	978	1,003	889	547	269	107	22	5
FEMALE--	542	537	591	746	827	1,033	1,073	938	635	292	96	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All causes												
COLORADO -----	28,294	388	72	42	76	224	275	302	379	543	819	986
WHITE-----MALE----	13,114	192	32	18	46	135	193	203	228	318	485	588
FEMALE--	13,749	144	31	18	19	64	49	69	108	172	267	325
ALL OTHER--MALE----	769	27	4	2	7	21	23	19	28	36	43	51
FEMALE--	662	25	5	4	4	4	10	11	15	17	24	22
BLACK---MALE----	531	18	4	2	5	14	16	15	21	24	30	33
FEMALE--	434	20	1	4	3	-	7	7	8	9	17	13
CONNECTICUT -----	29,827	260	36	31	26	121	145	165	224	441	599	774
WHITE-----MALE----	12,692	91	12	11	12	68	73	84	122	230	305	400
FEMALE--	14,910	76	14	12	10	18	37	42	53	121	178	246
ALL OTHER--MALE----	1,143	49	7	7	3	29	27	30	34	47	68	78
FEMALE--	1,082	44	3	1	1	6	8	9	15	43	48	50
BLACK---MALE----	1,044	44	6	6	3	28	24	27	33	44	64	71
FEMALE--	1,000	43	3	1	1	6	6	8	14	41	44	45
DELAWARE -----	7,112	115	13	10	9	38	47	47	74	115	190	212
WHITE-----MALE----	2,854	34	4	3	2	22	23	25	30	50	80	94
FEMALE--	3,033	27	2	-	2	6	9	9	16	25	50	50
ALL OTHER--MALE----	598	31	4	5	1	8	7	7	21	24	28	37
FEMALE--	627	23	3	2	4	2	8	6	7	16	32	31
BLACK---MALE----	575	31	3	5	1	7	7	7	21	23	27	37
FEMALE--	607	23	3	2	4	2	8	6	7	15	32	31
DISTRICT OF COLUMBIA ---	5,951	81	11	7	11	45	93	83	95	160	244	318
WHITE-----MALE----	619	5	1	1	3	3	4	5	15	27	15	14
FEMALE--	621	2	-	-	-	1	-	3	4	4	8	12
ALL OTHER--MALE----	2,448	47	4	3	5	40	74	59	48	76	131	186
FEMALE--	2,263	27	6	3	3	1	15	16	28	53	90	106
BLACK---MALE----	2,423	46	4	3	5	39	74	58	48	76	128	186
FEMALE--	2,241	27	6	3	3	1	15	15	28	53	89	106
FLORIDA -----	167,269	1,495	291	158	217	716	1,097	1,085	1,468	2,383	3,490	4,673
WHITE-----MALE----	75,805	482	136	61	106	398	609	581	695	1,199	1,725	2,393
FEMALE--	73,045	362	64	40	57	144	197	214	350	574	878	1,210
ALL OTHER--MALE----	9,369	358	45	33	35	126	207	169	250	336	498	647
FEMALE--	9,050	293	46	24	19	48	84	121	173	274	389	423
BLACK---MALE----	8,970	347	42	33	35	120	201	161	241	323	485	622
FEMALE--	8,691	288	44	24	19	45	82	114	167	270	378	403
GEORGIA -----	64,485	1,146	215	98	148	470	671	653	858	1,312	1,942	2,439
WHITE-----MALE----	22,855	314	88	31	51	221	319	266	314	469	693	923
FEMALE--	23,947	221	41	27	28	90	76	111	167	271	407	531
ALL OTHER--MALE----	8,876	356	46	16	42	123	194	173	233	352	470	609
FEMALE--	8,807	255	40	24	27	36	82	103	144	220	372	376
BLACK---MALE----	8,650	341	45	16	41	117	189	165	224	345	464	599
FEMALE--	8,598	242	38	24	27	36	78	94	142	215	366	362

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All causes												
COLORADO -----	1,199	1,223	1,460	1,939	2,771	3,669	4,144	3,885	2,609	1,101	187	1
WHITE-----MALE----	668	663	763	1,013	1,416	1,777	1,857	1,447	800	254	18	-
FEMALE--	438	470	601	791	1,208	1,756	2,133	2,341	1,749	830	165	1
ALL OTHER--MALE----	56	51	55	70	69	66	77	39	24	1	-	-
FEMALE--	37	39	41	65	78	70	77	58	36	16	4	-
BLACK---MALE-----	42	37	42	54	48	41	50	21	13	1	-	-
FEMALE--	24	22	27	49	45	42	50	43	28	12	3	-
CONNECTICUT -----	946	1,199	1,350	1,862	2,848	4,080	5,024	4,833	3,248	1,331	280	4
WHITE-----MALE----	457	605	667	978	1,433	1,931	2,221	1,773	926	262	30	1
FEMALE--	354	434	502	704	1,220	1,917	2,575	2,902	2,220	1,035	237	3
ALL OTHER--MALE----	80	96	95	90	97	109	102	57	31	7	-	-
FEMALE--	55	64	86	90	98	123	126	101	71	27	13	-
BLACK---MALE-----	73	87	84	82	89	102	93	53	26	5	-	-
FEMALE--	44	59	80	85	89	117	113	96	67	25	13	-
DELAWARE -----	285	359	421	550	787	1,024	1,116	893	537	212	58	-
WHITE-----MALE----	102	158	196	264	363	455	454	323	138	31	3	-
FEMALE--	98	112	130	188	299	433	533	498	344	158	44	-
ALL OTHER--MALE----	43	47	59	53	63	59	51	29	15	5	1	-
FEMALE--	42	42	36	45	62	77	78	43	40	18	10	-
BLACK---MALE-----	41	46	58	49	60	57	48	28	13	5	1	-
FEMALE--	40	40	36	41	58	76	76	42	39	17	9	-
DISTRICT OF COLUMBIA ---	360	345	371	413	553	742	732	608	425	185	48	21
WHITE-----MALE----	34	23	31	43	58	79	100	70	61	19	1	7
FEMALE--	15	25	20	29	37	69	103	108	105	58	17	1
ALL OTHER--MALE----	210	191	187	184	255	280	222	146	63	22	6	9
FEMALE--	101	106	133	157	203	314	307	284	196	86	24	4
BLACK---MALE-----	209	191	184	184	253	278	217	144	59	22	6	9
FEMALE--	100	104	132	155	201	309	304	283	195	84	24	4
FLORIDA -----	5,727	6,935	8,665	11,912	17,923	23,901	26,945	24,700	16,092	6,216	1,129	51
WHITE-----MALE----	2,988	3,627	4,399	6,061	9,276	11,851	12,350	9,938	5,152	1,561	190	27
FEMALE--	1,601	2,134	2,827	4,130	6,822	10,069	12,797	13,357	10,117	4,257	834	10
ALL OTHER--MALE----	666	702	778	933	945	997	754	531	256	74	18	11
FEMALE--	472	472	661	788	880	984	1,044	874	567	324	87	3
BLACK---MALE-----	638	668	742	887	894	954	725	511	249	64	17	11
FEMALE--	455	450	631	737	846	938	1,005	838	547	321	86	3
GEORGIA -----	3,234	3,655	4,250	5,332	6,734	8,138	8,676	7,601	4,806	1,738	357	12
WHITE-----MALE----	1,269	1,483	1,763	2,231	2,838	3,166	3,063	2,076	996	250	27	4
FEMALE--	712	906	1,159	1,585	2,277	3,191	3,901	4,066	2,885	1,091	204	-
ALL OTHER--MALE----	754	740	787	830	806	813	710	475	236	86	20	5
FEMALE--	499	526	541	686	813	968	1,002	984	689	311	106	3
BLACK---MALE-----	737	720	767	804	784	791	699	466	226	85	20	5
FEMALE--	491	514	529	660	787	949	977	969	679	310	106	3

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All causes												
HAWAII -----	8,394	106	19	4	13	42	66	59	84	120	185	323
WHITE-----MALE----	1,259	17	4	-	1	4	15	13	15	26	37	79
FEMALE--	1,080	6	1	-	-	6	6	5	4	4	24	25
ALL OTHER--MALE----	3,357	46	8	3	10	26	33	30	42	58	84	141
FEMALE--	2,698	37	6	1	2	6	12	11	23	32	40	78
BLACK---MALE----	38	1	-	-	-	1	3	2	2	1	1	2
FEMALE--	17	3	-	-	-	-	-	-	1	-	-	4
IDAHO -----	9,753	129	27	15	30	97	94	81	75	126	200	252
WHITE-----MALE----	4,883	73	11	9	16	63	63	58	45	79	107	154
FEMALE--	4,683	52	16	6	14	25	23	18	23	41	81	90
ALL OTHER--MALE----	96	2	-	-	-	5	7	3	3	4	7	3
FEMALE--	91	2	-	-	-	4	1	2	4	2	5	5
BLACK---MALE----	13	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	9	1	-	-	-	-	-	1	-	-	-	-
ILLINOIS -----	105,430	1,413	228	135	184	606	897	780	1,050	1,468	2,306	3,126
WHITE-----MALE----	41,771	475	77	50	75	306	432	354	477	667	984	1,383
FEMALE--	46,118	379	62	38	47	126	122	125	213	321	568	791
ALL OTHER--MALE----	9,004	314	48	24	44	138	263	226	229	293	464	556
FEMALE--	8,537	245	41	23	18	36	80	75	131	187	290	396
BLACK---MALE----	8,380	292	45	22	41	129	253	214	216	284	443	524
FEMALE--	7,982	223	39	21	18	32	76	71	120	181	281	378
INDIANA -----	55,198	650	121	73	77	330	447	404	466	805	1,112	1,615
WHITE-----MALE----	24,467	292	44	33	52	200	259	216	250	443	621	856
FEMALE--	26,194	223	50	28	15	85	80	100	139	238	350	500
ALL OTHER--MALE----	2,423	70	20	7	6	39	91	67	51	73	86	158
FEMALE--	2,114	65	7	5	4	6	17	21	26	51	55	101
BLACK---MALE----	2,373	69	20	5	6	39	90	66	50	72	85	155
FEMALE--	2,054	63	7	5	2	6	16	19	22	48	55	98
IOWA -----	27,791	212	46	37	43	129	140	109	140	303	390	551
WHITE-----MALE----	12,803	106	26	16	25	91	101	72	89	190	224	314
FEMALE--	14,460	89	16	17	15	28	28	30	41	99	145	213
ALL OTHER--MALE----	281	11	2	2	2	6	10	5	7	7	11	12
FEMALE--	247	6	2	2	1	4	1	2	3	7	10	12
BLACK---MALE----	227	8	1	2	2	6	6	4	5	5	10	10
FEMALE--	187	6	1	-	1	2	1	1	1	4	7	9
KANSAS -----	24,647	287	62	27	43	166	188	136	187	280	472	623
WHITE-----MALE----	10,998	130	30	10	22	96	122	91	104	147	253	360
FEMALE--	12,154	95	20	14	14	47	24	28	50	95	156	201
ALL OTHER--MALE----	786	38	7	2	4	21	35	9	24	19	40	38
FEMALE--	709	24	5	1	3	2	7	8	9	19	23	24
BLACK---MALE----	675	34	7	2	3	17	25	8	20	17	32	32
FEMALE--	613	23	3	1	3	2	6	8	9	16	19	20

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All causes												
HAWAII -----	356	423	446	603	832	1,160	1,233	1,185	739	311	85	-
WHITE-----MALE----	88	79	79	100	125	159	184	138	74	21	1	-
FEMALE--	46	55	43	56	92	145	176	181	128	66	11	-
ALL OTHER--MALE----	123	174	185	251	353	481	464	456	291	84	14	-
FEMALE--	99	115	139	196	262	375	409	410	246	140	59	-
BLACK---MALE----	4	5	4	3	3	2	3	1	-	-	-	-
FEMALE--	1	-	-	1	2	-	3	1	1	-	-	-
IDAHO -----	347	420	528	683	938	1,300	1,547	1,502	960	327	75	-
WHITE-----MALE----	215	261	302	392	516	678	767	647	323	89	15	-
FEMALE--	119	148	213	272	409	608	754	843	632	236	60	-
ALL OTHER--MALE----	7	7	6	9	3	6	15	4	3	2	-	-
FEMALE--	6	4	7	10	10	8	11	8	2	-	-	-
BLACK---MALE----	1	-	1	3	-	-	1	2	2	-	-	-
FEMALE--	-	-	1	1	-	1	4	-	-	-	-	-
ILLINOIS -----	3,973	4,771	5,890	7,544	10,807	14,443	15,991	15,015	9,969	3,962	870	2
WHITE-----MALE----	1,768	2,154	2,640	3,347	4,942	6,489	6,515	5,210	2,602	695	129	-
FEMALE--	1,056	1,420	1,908	2,570	4,050	5,915	7,714	8,553	6,540	2,960	639	1
ALL OTHER--MALE----	690	698	752	865	961	927	744	463	232	59	13	1
FEMALE--	459	499	590	762	854	1,112	1,018	789	595	248	89	-
BLACK---MALE----	650	647	700	806	894	844	680	423	206	53	13	1
FEMALE--	434	465	563	716	795	1,028	941	726	556	233	85	-
INDIANA -----	2,069	2,423	3,176	4,196	5,990	7,784	8,496	7,750	4,803	2,001	409	1
WHITE-----MALE----	1,085	1,273	1,692	2,223	3,030	3,696	3,619	2,844	1,267	414	58	-
FEMALE--	692	891	1,151	1,578	2,458	3,572	4,387	4,518	3,345	1,470	324	-
ALL OTHER--MALE----	189	150	185	235	265	265	240	147	52	21	5	1
FEMALE--	103	109	148	160	237	251	250	241	139	96	22	-
BLACK---MALE----	184	149	178	226	258	263	237	144	51	20	5	1
FEMALE--	101	108	147	157	227	243	246	235	135	93	21	-
IOWA -----	758	885	1,273	1,789	2,835	3,685	4,578	4,586	3,491	1,435	376	-
WHITE-----MALE----	424	511	706	1,056	1,568	1,958	2,144	1,799	1,045	292	46	-
FEMALE--	296	341	525	689	1,199	1,665	2,386	2,747	2,432	1,137	322	-
ALL OTHER--MALE----	22	24	23	32	37	32	19	11	2	1	3	-
FEMALE--	16	9	19	12	31	30	29	29	12	5	5	-
BLACK---MALE----	17	18	18	31	29	27	15	10	1	1	1	-
FEMALE--	12	8	14	8	22	22	23	25	10	5	5	-
KANSAS -----	777	987	1,140	1,671	2,383	3,305	3,882	3,820	2,740	1,194	277	-
WHITE-----MALE----	434	525	626	890	1,212	1,668	1,720	1,468	799	255	36	-
FEMALE--	271	365	405	645	1,009	1,490	2,000	2,228	1,862	910	225	-
ALL OTHER--MALE----	43	54	69	66	90	75	74	41	25	9	3	-
FEMALE--	29	43	40	70	72	72	88	83	54	20	13	-
BLACK---MALE----	37	44	61	56	77	68	61	39	23	9	3	-
FEMALE--	22	36	29	59	65	63	76	74	49	17	13	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 4

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All causes												
KENTUCKY -----	39,861	325	83	58	66	205	303	320	392	600	926	1,235
WHITE-----MALE----	18,209	164	42	23	37	125	202	190	222	325	512	708
FEMALE--	18,941	111	27	29	21	62	69	94	130	208	297	400
ALL OTHER--MALE----	1,382	24	10	4	8	14	23	23	27	44	65	73
FEMALE--	1,329	26	4	2	-	4	9	13	13	23	52	54
BLACK---MALE-----	1,335	22	10	2	8	13	21	22	27	44	63	73
FEMALE--	1,295	26	4	1	-	3	9	13	11	23	49	52
LOUISIANA -----	41,757	643	130	81	92	349	435	478	499	796	1,147	1,471
WHITE-----MALE----	14,070	138	41	27	36	140	140	160	154	286	394	531
FEMALE--	14,461	101	33	17	18	65	61	78	83	144	209	264
ALL OTHER--MALE----	6,749	243	30	23	25	105	177	168	178	232	312	384
FEMALE--	6,477	161	26	14	13	39	57	72	84	134	232	292
BLACK---MALE-----	6,628	234	29	23	25	104	175	165	172	223	304	376
FEMALE--	6,369	156	26	12	12	39	57	71	83	131	229	290
MAINE -----	12,421	84	10	12	12	59	61	47	90	110	213	296
WHITE-----MALE----	5,866	39	6	4	6	39	44	35	63	55	132	179
FEMALE--	6,443	37	4	8	6	16	16	12	25	51	76	110
ALL OTHER--MALE----	62	4	-	-	-	1	1	-	2	2	5	3
FEMALE--	50	4	-	-	-	3	-	-	-	2	-	4
BLACK---MALE-----	25	3	-	-	-	-	1	-	1	1	3	2
FEMALE--	10	3	-	-	-	1	-	-	-	-	-	1
MARYLAND -----	43,839	594	98	63	73	271	374	392	492	850	1,251	1,567
WHITE-----MALE----	15,106	139	28	14	17	97	132	121	158	264	380	546
FEMALE--	16,547	109	17	17	16	41	50	42	63	132	220	281
ALL OTHER--MALE----	6,336	175	30	14	27	108	150	170	175	279	402	454
FEMALE--	5,850	171	23	18	13	25	42	59	96	175	249	286
BLACK---MALE-----	6,019	166	28	14	25	106	143	159	166	272	392	445
FEMALE--	5,559	167	20	17	13	23	38	56	94	166	243	274
MASSACHUSETTS -----	56,754	405	61	34	73	177	269	326	433	717	1,102	1,414
WHITE-----MALE----	24,507	173	24	14	38	117	168	192	232	383	597	802
FEMALE--	29,416	139	24	16	22	31	67	75	124	237	375	458
ALL OTHER--MALE----	1,461	51	6	3	6	21	28	44	53	61	76	101
FEMALE--	1,370	42	7	1	7	8	6	15	24	36	54	53
BLACK---MALE-----	1,163	44	4	2	5	17	22	40	45	51	68	82
FEMALE--	1,102	35	2	1	5	3	3	10	19	29	44	41
MICHIGAN -----	86,424	1,069	169	112	153	445	605	583	819	1,234	2,017	2,779
WHITE-----MALE----	35,561	379	69	39	58	234	302	283	378	570	914	1,259
FEMALE--	37,686	267	48	35	50	99	99	92	174	323	539	708
ALL OTHER--MALE----	6,773	241	26	27	26	88	160	155	184	213	317	488
FEMALE--	6,404	182	26	11	19	24	44	53	83	128	247	324
BLACK---MALE-----	6,370	227	24	25	25	83	151	146	174	197	300	458
FEMALE--	6,025	174	26	10	16	22	40	50	74	125	237	310

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All causes												
KENTUCKY -----	1,658	2,059	2,537	3,350	4,407	5,506	5,815	5,242	3,273	1,230	269	2
WHITE-----MALE----	942	1,174	1,403	1,798	2,362	2,635	2,432	1,768	874	237	32	2
FEMALE--	544	722	954	1,307	1,781	2,535	3,072	3,197	2,249	914	218	-
ALL OTHER--MALE----	102	105	100	124	144	173	137	108	48	23	3	-
FEMALE--	70	58	80	121	120	163	174	169	102	56	16	-
BLACK---MALE----	101	98	93	117	140	168	136	107	45	22	3	-
FEMALE--	68	56	78	119	117	158	171	167	100	54	16	-
LOUISIANA -----	1,986	2,228	2,759	3,317	4,552	5,606	5,685	4,805	3,253	1,205	240	-
WHITE-----MALE----	715	795	1,065	1,266	1,859	2,150	1,977	1,322	675	186	13	-
FEMALE--	401	505	697	923	1,406	2,035	2,427	2,399	1,768	690	137	-
ALL OTHER--MALE----	524	526	561	591	646	701	546	406	241	106	24	-
FEMALE--	346	402	436	537	641	720	735	678	569	223	66	-
BLACK---MALE----	517	515	551	576	638	690	540	403	240	104	24	-
FEMALE--	340	397	426	528	622	705	728	670	561	220	66	-
MAINE -----	366	506	646	955	1,317	1,762	1,991	1,904	1,313	543	124	-
WHITE-----MALE----	232	286	390	546	733	939	947	707	352	114	18	-
FEMALE--	126	211	249	396	575	812	1,032	1,189	957	429	106	-
ALL OTHER--MALE----	4	5	4	8	5	7	4	4	3	-	-	-
FEMALE--	4	4	3	5	4	4	8	4	1	-	-	-
BLACK---MALE----	2	1	1	2	1	2	1	2	2	-	-	-
FEMALE--	1	-	-	-	-	1	1	2	-	-	-	-
MARYLAND -----	1,909	2,145	2,584	3,262	4,614	6,074	6,459	5,610	3,519	1,350	285	3
WHITE-----MALE----	684	774	941	1,309	1,909	2,342	2,408	1,798	783	233	27	2
FEMALE--	413	526	690	919	1,589	2,364	2,891	2,903	2,181	889	194	-
ALL OTHER--MALE----	481	482	555	563	556	675	491	321	160	50	17	1
FEMALE--	331	363	398	471	560	693	669	588	395	178	47	-
BLACK---MALE----	469	466	525	530	521	636	455	294	149	44	13	1
FEMALE--	319	347	375	436	529	650	639	557	374	176	46	-
MASSACHUSETTS -----	1,842	2,238	2,518	3,658	5,665	7,884	9,540	9,069	6,172	2,534	619	4
WHITE-----MALE----	1,001	1,217	1,339	1,956	2,928	3,900	4,189	3,160	1,568	431	76	2
FEMALE--	664	847	987	1,479	2,444	3,679	5,063	5,669	4,453	2,036	526	1
ALL OTHER--MALE----	110	106	108	121	169	143	117	76	46	12	2	1
FEMALE--	67	68	84	102	124	162	171	164	105	55	15	-
BLACK---MALE----	82	87	91	83	135	111	91	54	37	9	2	1
FEMALE--	54	56	63	84	109	136	131	131	84	49	13	-
MICHIGAN -----	3,524	3,972	4,826	6,220	9,295	12,286	13,232	12,184	7,422	2,839	637	2
WHITE-----MALE----	1,590	1,871	2,222	2,997	4,429	5,521	5,450	4,278	2,024	593	100	1
FEMALE--	996	1,243	1,640	2,137	3,494	5,187	6,411	6,855	4,810	2,019	460	-
ALL OTHER--MALE----	538	493	548	560	711	773	604	395	164	48	13	1
FEMALE--	400	365	416	526	661	805	767	656	424	179	64	-
BLACK---MALE----	507	467	501	525	670	731	570	372	158	45	13	1
FEMALE--	378	340	395	483	610	748	720	626	404	175	62	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 5

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All causes												
MINNESOTA -----	37,735	361	63	39	67	190	246	215	264	422	643	911
WHITE-----MALE----	17,444	162	33	16	35	113	142	123	144	239	379	510
FEMALE--	18,823	119	21	15	21	43	57	46	73	118	175	304
ALL OTHER--MALE----	841	52	4	6	5	25	37	39	35	38	54	55
FEMALE--	627	28	5	2	6	9	10	7	12	27	35	42
BLACK---MALE-----	451	31	1	5	2	9	26	20	17	23	32	37
FEMALE--	301	15	1	1	1	2	5	3	8	13	19	22
MISSISSIPPI -----	28,259	445	97	50	60	200	314	287	346	560	767	967
WHITE-----MALE----	9,272	82	27	12	15	73	116	104	120	193	271	314
FEMALE--	9,600	78	19	9	12	30	30	42	56	102	126	191
ALL OTHER--MALE----	4,681	168	31	19	23	74	118	93	109	156	215	272
FEMALE--	4,706	117	20	10	10	23	50	48	61	109	155	190
BLACK---MALE-----	4,617	165	31	19	23	69	117	93	107	153	212	262
FEMALE--	4,646	115	20	10	8	23	50	47	60	108	154	185
MISSOURI -----	54,982	558	110	66	87	375	415	354	489	773	1,159	1,495
WHITE-----MALE----	23,371	212	42	24	37	193	221	181	263	394	586	734
FEMALE--	25,833	159	41	27	26	87	85	77	112	208	329	457
ALL OTHER--MALE----	2,949	103	15	12	16	73	92	76	75	113	133	179
FEMALE--	2,829	84	12	3	8	22	17	20	39	58	111	125
BLACK---MALE-----	2,832	100	15	12	15	69	87	68	71	110	128	173
FEMALE--	2,709	84	10	3	7	20	16	19	37	56	105	120
MONTANA -----	8,265	74	12	21	14	36	60	53	69	106	168	221
WHITE-----MALE----	3,996	34	4	11	7	18	35	37	40	53	99	123
FEMALE--	3,856	29	2	8	6	9	10	9	18	29	54	68
ALL OTHER--MALE----	233	7	2	2	1	6	12	6	7	17	11	16
FEMALE--	180	4	4	-	-	3	3	1	4	7	4	14
BLACK---MALE-----	9	-	-	-	-	-	1	-	-	2	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	15,174	168	31	23	24	91	92	74	110	162	270	344
WHITE-----MALE----	6,844	83	14	9	11	54	62	37	65	93	163	178
FEMALE--	7,703	61	13	12	10	24	21	23	38	54	83	123
ALL OTHER--MALE----	335	16	4	2	-	9	6	12	5	4	14	27
FEMALE--	292	8	-	-	3	4	3	2	2	11	10	16
BLACK---MALE-----	258	10	1	2	-	8	5	10	4	3	10	20
FEMALE--	217	4	-	-	2	1	2	2	2	8	10	15
NEVADA -----	16,285	180	42	28	28	82	157	134	209	300	440	622
WHITE-----MALE----	8,020	78	18	13	16	42	91	72	113	159	246	343
FEMALE--	6,673	55	13	10	5	20	30	31	55	83	122	195
ALL OTHER--MALE----	854	29	8	1	5	17	26	23	25	34	39	44
FEMALE--	738	18	3	4	2	3	10	8	16	24	33	40
BLACK---MALE-----	574	28	6	1	4	13	18	16	17	19	30	30
FEMALE--	485	15	3	3	1	3	5	6	11	15	27	28

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All causes												
MINNESOTA -----	1,185	1,388	1,810	2,441	3,608	4,940	5,995	6,223	4,362	1,927	435	-
WHITE-----MALE----	685	790	1,020	1,352	1,998	2,610	2,817	2,488	1,329	404	55	-
FEMALE--	402	500	680	977	1,479	2,199	3,076	3,641	2,996	1,506	375	-
ALL OTHER--MALE----	69	62	72	56	68	62	48	36	12	5	1	-
FEMALE--	29	36	38	56	63	69	54	58	25	12	4	-
BLACK---MALE-----	40	37	35	23	40	32	21	12	7	-	1	-
FEMALE--	10	16	16	30	35	32	24	27	13	6	2	-
MISSISSIPPI -----	1,267	1,393	1,854	2,385	3,022	3,580	3,752	3,552	2,262	854	241	4
WHITE-----MALE----	440	525	707	951	1,240	1,343	1,262	921	441	101	13	1
FEMALE--	262	310	479	614	912	1,250	1,546	1,748	1,191	471	122	-
ALL OTHER--MALE----	338	328	374	423	433	434	428	353	206	64	20	2
FEMALE--	227	230	294	397	437	553	516	530	424	218	86	1
BLACK---MALE-----	330	323	370	415	428	432	427	352	203	64	20	2
FEMALE--	218	225	292	391	430	546	510	527	424	218	84	1
MISSOURI -----	1,965	2,352	3,020	4,062	5,725	7,519	8,336	7,975	5,492	2,206	444	5
WHITE-----MALE----	1,005	1,242	1,543	2,048	2,863	3,517	3,584	2,753	1,437	424	64	4
FEMALE--	631	777	1,088	1,525	2,296	3,298	4,173	4,701	3,739	1,651	346	-
ALL OTHER--MALE----	207	186	205	259	296	342	251	190	93	29	4	-
FEMALE--	122	147	184	230	270	362	328	331	223	102	30	1
BLACK---MALE-----	199	182	197	249	280	329	247	181	89	27	4	-
FEMALE--	117	140	173	215	253	347	317	326	215	98	30	1
MONTANA -----	268	348	461	540	831	1,115	1,359	1,274	844	317	74	-
WHITE-----MALE----	160	194	256	305	489	560	667	564	259	67	14	-
FEMALE--	78	128	169	201	299	519	654	689	574	243	60	-
ALL OTHER--MALE----	17	16	22	20	23	16	16	13	3	-	-	-
FEMALE--	13	10	14	14	20	20	22	8	8	7	-	-
BLACK---MALE-----	-	1	1	-	2	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	1	-	-	-
NEBRASKA -----	456	524	657	991	1,536	2,043	2,356	2,435	1,724	859	204	-
WHITE-----MALE----	261	290	368	546	801	1,042	1,088	920	532	199	28	-
FEMALE--	142	188	245	385	671	921	1,220	1,475	1,176	650	168	-
ALL OTHER--MALE----	31	19	23	33	39	43	25	15	3	4	1	-
FEMALE--	22	27	21	27	25	37	23	25	13	6	7	-
BLACK---MALE-----	25	13	15	27	33	35	19	12	2	3	1	-
FEMALE--	16	20	15	16	18	25	15	24	11	4	7	-
NEVADA -----	780	985	1,221	1,569	2,001	2,400	2,240	1,682	850	283	44	8
WHITE-----MALE----	419	537	702	845	1,094	1,225	1,049	647	241	56	8	6
FEMALE--	257	334	376	559	707	1,025	1,058	936	563	206	32	1
ALL OTHER--MALE----	66	65	83	83	98	77	70	32	19	9	-	1
FEMALE--	38	49	60	82	102	73	63	67	27	12	4	-
BLACK---MALE-----	41	46	51	54	64	55	39	23	13	5	-	1
FEMALE--	22	34	32	52	63	45	41	46	22	7	4	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 6

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All causes												
NEW HAMPSHIRE -----	352	426	508	761	1,028	1,363	1,520	1,546	986	359	96	-
WHITE-----MALE----	209	280	305	456	544	679	683	578	284	69	17	-
FEMALE--	136	143	194	295	470	679	832	963	696	288	79	-
ALL OTHER--MALE----	5	2	6	7	8	3	3	3	2	1	-	-
FEMALE--	2	1	3	3	6	2	2	2	4	1	-	-
BLACK---MALE-----	4	2	3	3	6	1	-	-	-	-	-	-
FEMALE--	1	1	-	1	2	-	2	1	3	-	-	-
NEW JERSEY -----	2,726	3,152	3,911	5,068	7,816	10,450	12,016	10,960	7,227	2,713	558	16
WHITE-----MALE----	1,265	1,398	1,792	2,311	3,621	4,625	4,929	3,810	1,979	501	68	5
FEMALE--	725	989	1,240	1,755	3,066	4,638	6,037	6,338	4,760	1,996	434	1
ALL OTHER--MALE----	427	464	505	548	609	594	422	282	115	47	7	9
FEMALE--	309	301	374	454	520	593	628	530	373	169	49	1
BLACK---MALE-----	381	417	446	498	550	521	366	242	101	41	7	9
FEMALE--	279	275	345	417	464	540	563	484	347	161	47	1
NEW MEXICO -----	625	639	788	1,043	1,399	1,839	1,951	1,953	1,196	447	102	11
WHITE-----MALE----	362	349	423	590	741	883	907	774	382	83	20	3
FEMALE--	181	210	276	355	562	827	915	1,053	743	342	71	4
ALL OTHER--MALE----	55	46	48	51	58	61	66	58	26	6	2	4
FEMALE--	27	34	41	47	38	68	63	68	45	16	9	-
BLACK---MALE-----	14	8	8	11	12	20	14	14	6	1	1	-
FEMALE--	2	10	8	12	6	17	17	16	4	3	2	-
NEW YORK -----	6,215	7,069	8,681	11,267	15,972	21,541	23,874	22,969	15,773	6,402	1,521	32
WHITE-----MALE----	2,808	3,138	3,908	5,049	7,305	9,440	9,634	7,973	4,213	1,226	204	17
FEMALE--	1,676	2,150	2,728	3,932	6,135	9,131	11,609	13,007	10,359	4,616	1,141	4
ALL OTHER--MALE----	994	997	1,081	1,202	1,285	1,416	1,093	618	318	113	25	8
FEMALE--	737	784	964	1,084	1,247	1,554	1,538	1,371	883	447	151	3
BLACK---MALE-----	883	881	916	1,026	1,103	1,186	903	509	252	95	21	7
FEMALE--	665	729	873	973	1,112	1,392	1,351	1,203	776	402	134	3
NORTH CAROLINA -----	3,006	3,587	4,334	5,869	7,902	9,921	10,176	9,027	5,646	2,006	410	13
WHITE-----MALE----	1,281	1,569	1,930	2,622	3,503	4,072	3,753	2,712	1,219	307	41	8
FEMALE--	749	990	1,276	1,781	2,655	3,877	4,649	4,808	3,491	1,339	262	1
ALL OTHER--MALE----	596	614	676	803	905	941	748	516	264	82	18	3
FEMALE--	380	414	452	663	839	1,031	1,026	991	672	278	89	1
BLACK---MALE-----	573	583	633	762	854	892	719	494	255	82	17	3
FEMALE--	357	388	419	614	789	987	972	955	658	273	87	1
NORTH DAKOTA -----	167	204	254	387	581	755	954	1,108	748	329	68	-
WHITE-----MALE----	90	118	148	225	335	423	472	475	246	89	8	-
FEMALE--	62	71	85	139	219	315	466	619	497	238	60	-
ALL OTHER--MALE----	8	11	11	8	15	10	8	5	2	1	-	-
FEMALE--	7	4	10	15	12	7	8	9	3	1	-	-
BLACK---MALE-----	-	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All causes												
OHIO -----	108,027	1,161	184	108	134	473	638	593	877	1,304	2,173	2,956
WHITE-----MALE----	45,606	437	81	46	66	266	366	316	454	687	1,115	1,520
FEMALE--	50,500	336	55	37	40	101	140	138	241	384	639	895
ALL OTHER--MALE----	5,965	219	22	17	19	85	108	100	111	132	245	307
FEMALE--	5,956	169	26	8	9	21	24	39	71	101	174	234
BLACK---MALE----	5,794	212	21	17	19	83	100	97	107	129	236	301
FEMALE--	5,795	165	26	8	9	19	22	37	71	98	171	229
OKLAHOMA -----	34,682	366	76	57	76	221	269	246	305	538	718	1,042
WHITE-----MALE----	15,034	139	34	24	41	119	160	140	159	264	363	529
FEMALE--	15,824	115	22	21	17	46	46	51	74	167	211	310
ALL OTHER--MALE----	1,890	61	11	6	10	43	52	37	46	61	78	114
FEMALE--	1,934	51	9	6	8	13	11	18	26	46	66	89
BLACK---MALE----	1,010	38	3	5	7	19	36	20	22	28	49	63
FEMALE--	1,124	31	4	5	5	5	6	10	11	22	39	44
OREGON -----	30,158	246	39	37	41	130	173	197	234	369	540	832
WHITE-----MALE----	14,204	130	15	18	23	87	129	121	143	239	306	482
FEMALE--	14,969	98	23	18	14	35	31	53	71	107	200	296
ALL OTHER--MALE----	505	8	-	1	3	7	10	19	14	14	19	29
FEMALE--	480	10	1	-	1	1	3	4	6	9	15	25
BLACK---MALE----	212	4	-	-	1	4	3	3	3	6	5	15
FEMALE--	171	4	1	-	-	-	2	-	5	1	6	7
PENNSYLVANIA -----	129,729	1,033	180	123	147	545	802	686	869	1,534	2,302	3,256
WHITE-----MALE----	55,278	394	81	55	71	317	467	381	457	778	1,168	1,641
FEMALE--	61,897	331	55	45	38	120	130	138	197	430	694	946
ALL OTHER--MALE----	6,285	177	23	16	22	85	165	122	143	205	240	421
FEMALE--	6,269	131	21	7	16	23	40	45	72	121	200	248
BLACK---MALE----	5,989	168	22	13	22	80	156	114	137	195	226	403
FEMALE--	6,005	123	17	6	16	18	37	39	70	117	196	238
RHODE ISLAND -----	10,021	86	16	7	6	34	50	59	66	114	189	257
WHITE-----MALE----	4,433	26	8	5	2	20	31	32	41	71	104	151
FEMALE--	5,204	41	6	2	4	13	15	18	18	31	70	81
ALL OTHER--MALE----	210	9	1	-	-	1	4	6	4	1	7	18
FEMALE--	174	10	1	-	-	-	-	3	3	11	8	7
BLACK---MALE----	168	7	-	-	-	1	3	4	3	1	6	17
FEMALE--	133	5	-	-	-	-	-	3	2	10	7	7
SOUTH CAROLINA -----	36,612	496	66	53	82	248	344	383	435	720	1,030	1,379
WHITE-----MALE----	12,990	122	26	18	30	115	151	148	178	263	388	478
FEMALE--	12,829	88	14	16	22	49	45	65	73	148	183	267
ALL OTHER--MALE----	5,606	158	15	9	20	59	116	113	120	176	275	398
FEMALE--	5,187	128	11	10	10	25	32	57	64	133	184	236
BLACK---MALE----	5,554	157	14	9	20	57	112	111	118	174	272	397
FEMALE--	5,115	127	9	9	10	24	30	56	63	132	180	232

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 7

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All causes												
OHIO -----	4,023	4,563	5,983	8,126	12,206	16,031	17,207	15,236	9,645	3,635	771	-
WHITE-----MALE----	2,049	2,259	2,971	3,996	5,999	7,404	6,971	5,298	2,579	622	104	-
FEMALE--	1,276	1,601	2,122	2,978	4,817	7,105	8,872	8,912	6,488	2,737	586	-
ALL OTHER--MALE----	405	392	508	630	721	725	610	363	162	69	15	-
FEMALE--	293	311	382	522	669	797	754	663	416	207	66	-
BLACK---MALE-----	390	383	493	608	704	704	594	356	157	68	15	-
FEMALE--	281	303	368	505	651	773	735	644	410	206	64	-
OKLAHOMA -----	1,344	1,619	2,056	2,730	3,638	4,829	5,107	4,757	3,187	1,236	264	1
WHITE-----MALE----	663	813	1,095	1,354	1,855	2,305	2,167	1,654	860	265	30	1
FEMALE--	437	565	681	1,045	1,432	2,109	2,544	2,739	2,120	883	189	-
ALL OTHER--MALE----	148	139	160	182	183	191	175	118	55	17	3	-
FEMALE--	96	102	120	149	168	224	221	246	152	71	42	-
BLACK---MALE-----	74	73	76	102	94	92	96	61	37	12	3	-
FEMALE--	54	59	68	81	104	128	119	151	90	54	34	-
OREGON -----	1,147	1,275	1,595	2,029	3,026	4,205	4,967	4,708	2,986	1,171	211	-
WHITE-----MALE----	667	698	881	1,061	1,585	2,102	2,311	1,901	973	304	28	-
FEMALE--	409	522	651	876	1,326	1,975	2,542	2,716	1,964	859	183	-
ALL OTHER--MALE----	38	30	38	50	58	58	55	37	15	2	-	-
FEMALE--	33	25	25	42	57	70	59	54	34	6	-	-
BLACK---MALE-----	20	14	12	28	28	27	18	14	6	1	-	-
FEMALE--	9	10	3	13	23	27	20	26	12	2	-	-
PENNSYLVANIA -----	4,308	5,050	6,349	8,834	14,015	19,328	22,046	20,183	12,528	4,665	928	18
WHITE-----MALE----	2,175	2,531	3,103	4,441	6,990	9,166	9,326	7,317	3,392	902	114	11
FEMALE--	1,341	1,739	2,296	3,287	5,643	8,649	11,329	11,812	8,481	3,478	716	2
ALL OTHER--MALE----	469	436	523	605	709	728	605	355	165	50	19	2
FEMALE--	323	344	427	501	673	785	786	699	490	235	79	3
BLACK---MALE-----	446	410	502	579	678	696	576	337	160	50	17	2
FEMALE--	309	323	414	477	643	762	752	662	476	231	77	2
RHODE ISLAND -----	305	335	460	648	994	1,436	1,708	1,600	1,112	443	91	5
WHITE-----MALE----	167	186	236	355	558	718	761	579	295	75	7	5
FEMALE--	108	130	195	270	393	669	906	995	801	356	82	-
ALL OTHER--MALE----	24	15	19	10	24	29	18	11	6	2	1	-
FEMALE--	6	4	10	13	19	20	23	15	10	10	1	-
BLACK---MALE-----	17	11	16	9	21	25	13	5	6	2	1	-
FEMALE--	6	3	9	5	14	16	16	11	9	9	1	-
SOUTH CAROLINA -----	1,711	2,117	2,443	3,130	3,963	5,126	5,136	4,092	2,549	891	215	3
WHITE-----MALE----	632	852	1,017	1,305	1,629	2,035	1,770	1,158	537	114	23	1
FEMALE--	357	518	628	869	1,249	1,845	2,180	2,067	1,474	568	104	-
ALL OTHER--MALE----	448	467	475	551	573	595	517	307	159	34	20	1
FEMALE--	274	280	323	405	512	651	669	560	379	175	68	1
BLACK---MALE-----	444	463	465	546	568	592	516	305	159	34	20	1
FEMALE--	271	272	316	396	505	644	664	558	377	173	66	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All causes												
SOUTH DAKOTA -----	6,923	78	14	11	24	41	59	41	53	80	112	163
WHITE-----MALE----	3,303	34	6	4	9	24	31	19	19	39	59	95
FEMALE--	3,156	18	1	5	6	6	13	9	16	22	24	40
ALL OTHER--MALE----	264	18	4	1	5	8	11	10	13	12	19	18
FEMALE--	200	8	3	1	4	3	4	3	5	7	10	10
BLACK--MALE----	11	-	-	-	-	-	2	1	-	1	-	2
FEMALE--	5	1	1	-	-	-	-	-	-	-	-	-
TENNESSEE -----	55,151	681	108	52	89	324	473	467	611	941	1,393	1,866
WHITE-----MALE----	22,786	210	37	20	44	178	241	227	295	414	673	889
FEMALE--	23,854	193	35	12	22	69	74	102	138	267	387	515
ALL OTHER--MALE----	4,213	149	25	11	11	55	107	100	120	169	191	273
FEMALE--	4,298	129	11	9	12	22	51	38	58	91	142	189
BLACK--MALE----	4,125	143	25	11	10	54	101	97	116	165	185	266
FEMALE--	4,217	126	11	8	12	22	49	34	56	88	140	185
TEXAS -----	152,779	2,171	533	270	339	1,165	1,524	1,527	1,783	2,679	4,068	5,330
WHITE-----MALE----	65,969	942	239	128	161	683	956	869	975	1,432	2,120	2,805
FEMALE--	66,371	695	192	92	103	284	271	342	414	653	1,073	1,433
ALL OTHER--MALE----	10,333	302	60	28	39	145	213	208	259	372	504	651
FEMALE--	10,106	232	42	22	36	53	84	108	135	222	371	441
BLACK--MALE----	9,553	283	55	24	37	121	199	187	238	344	465	609
FEMALE--	9,468	208	38	18	31	46	73	101	125	208	352	411
UTAH -----	12,662	232	49	26	35	127	153	134	190	211	296	430
WHITE-----MALE----	6,119	117	26	15	29	78	106	85	112	135	178	240
FEMALE--	6,154	105	20	10	5	39	30	45	63	65	104	158
ALL OTHER--MALE----	221	5	2	1	-	6	10	3	10	4	7	14
FEMALE--	168	5	1	-	1	4	7	1	5	7	7	18
BLACK--MALE----	55	3	-	-	-	-	-	-	5	3	2	7
FEMALE--	35	-	-	-	-	-	2	-	-	1	1	6
VERMONT -----	5,201	35	5	8	8	26	34	33	33	63	90	131
WHITE-----MALE----	2,425	17	3	3	5	15	25	21	17	35	54	78
FEMALE--	2,754	18	2	5	3	11	8	12	14	25	35	52
ALL OTHER--MALE----	16	-	-	-	-	-	1	-	2	2	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
BLACK--MALE----	7	-	-	-	-	-	1	-	1	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	56,280	747	102	59	81	295	419	407	538	868	1,346	1,851
WHITE-----MALE----	20,923	224	39	19	26	128	198	194	228	369	546	781
FEMALE--	22,914	156	31	15	28	60	74	60	118	206	330	445
ALL OTHER--MALE----	6,324	200	21	12	13	80	107	103	111	176	281	379
FEMALE--	6,119	167	11	13	14	27	40	50	81	117	189	246
BLACK--MALE----	5,964	193	21	9	13	76	100	95	100	169	264	356
FEMALE--	5,785	158	10	12	12	26	36	44	71	111	182	227

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 8

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All causes												
SOUTH DAKOTA -----	207	249	321	466	646	923	1,098	1,059	796	383	99	-
WHITE-----MALE----	115	149	160	260	373	525	554	443	269	99	17	-
FEMALE--	59	58	118	152	241	378	524	592	513	279	82	-
ALL OTHER--MALE----	22	28	25	21	15	12	9	9	3	1	-	-
FEMALE--	11	14	18	33	17	8	11	15	11	4	-	-
BLACK---MALE----	1	2	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	1	-	-	-	-
TENNESSEE -----	2,414	2,887	3,465	4,644	5,855	7,317	7,910	7,125	4,560	1,670	296	3
WHITE-----MALE----	1,139	1,467	1,814	2,321	2,802	3,187	3,120	2,306	1,053	314	32	3
FEMALE--	751	908	1,098	1,572	2,179	3,186	3,908	4,074	3,020	1,159	185	-
ALL OTHER--MALE----	300	288	319	396	454	444	356	254	128	48	15	-
FEMALE--	224	224	234	355	420	500	526	491	359	149	64	-
BLACK---MALE----	296	284	313	387	441	440	351	249	128	48	15	-
FEMALE--	218	217	231	345	408	496	515	486	357	149	64	-
TEXAS -----	6,715	7,775	9,257	11,948	15,963	20,382	21,103	19,426	12,904	4,858	1,026	33
WHITE-----MALE----	3,443	3,881	4,635	5,845	7,758	9,281	8,723	6,555	3,396	977	139	26
FEMALE--	1,964	2,522	3,164	4,269	6,151	8,791	10,336	11,200	8,315	3,399	703	5
ALL OTHER--MALE----	762	799	810	994	1,051	1,145	877	589	369	123	31	2
FEMALE--	546	573	648	840	1,003	1,165	1,167	1,082	824	359	153	-
BLACK---MALE----	714	733	745	933	980	1,054	797	545	342	116	30	2
FEMALE--	517	530	597	779	936	1,098	1,085	1,019	795	350	151	-
UTAH -----	444	537	651	795	1,162	1,604	1,954	1,904	1,228	427	71	2
WHITE-----MALE----	257	297	353	445	610	847	934	758	382	97	16	2
FEMALE--	161	215	267	315	527	718	979	1,120	837	323	48	-
ALL OTHER--MALE----	18	13	18	22	13	27	23	12	6	4	3	-
FEMALE--	8	12	13	13	12	12	18	14	3	3	4	-
BLACK---MALE----	6	1	7	3	1	9	3	3	1	-	1	-
FEMALE--	1	2	4	3	4	2	5	2	1	1	-	-
VERMONT -----	181	217	244	371	550	691	850	784	577	227	43	-
WHITE-----MALE----	105	119	140	211	311	363	374	284	199	40	6	-
FEMALE--	76	96	103	157	238	327	473	499	376	187	37	-
ALL OTHER--MALE----	-	2	1	1	1	-	3	-	1	-	-	-
FEMALE--	-	-	-	2	-	1	-	1	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
VIRGINIA -----	2,384	2,791	3,405	4,516	6,011	7,890	8,403	7,395	4,592	1,798	378	4
WHITE-----MALE----	1,004	1,223	1,512	1,928	2,601	3,154	3,114	2,255	1,081	265	33	1
FEMALE--	651	798	1,013	1,437	2,096	3,181	3,813	3,988	2,849	1,304	260	1
ALL OTHER--MALE----	412	447	511	643	693	764	689	416	199	49	16	2
FEMALE--	317	323	369	508	621	791	787	736	463	180	69	-
BLACK---MALE----	396	417	462	606	651	731	655	392	193	48	15	2
FEMALE--	298	311	346	460	581	749	755	707	448	173	68	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All causes												
WASHINGTON -----	1,665	1,919	2,419	3,171	4,491	6,093	7,309	6,590	4,264	1,665	320	-
WHITE-----MALE----	904	1,028	1,313	1,688	2,317	2,933	3,301	2,637	1,301	378	57	-
FEMALE--	592	698	890	1,227	1,887	2,812	3,696	3,733	2,852	1,233	247	-
ALL OTHER--MALE----	101	115	132	127	151	161	157	94	51	18	3	-
FEMALE--	68	78	84	129	136	187	155	126	60	36	13	-
BLACK---MALE-----	41	61	53	52	51	55	72	22	11	1	1	-
FEMALE--	22	26	31	37	42	68	51	42	24	13	3	-
WEST VIRGINIA -----	802	924	1,265	1,648	2,460	3,069	3,224	2,946	1,818	662	151	-
WHITE-----MALE----	488	541	704	912	1,309	1,535	1,399	1,068	477	132	14	-
FEMALE--	262	351	519	690	1,074	1,453	1,747	1,798	1,283	503	127	-
ALL OTHER--MALE----	34	19	24	18	35	35	36	24	18	8	3	-
FEMALE--	18	13	18	28	42	46	42	56	40	19	7	-
BLACK---MALE-----	34	19	22	17	34	35	35	22	17	8	3	-
FEMALE--	18	10	18	28	41	46	42	55	39	19	7	-
WISCONSIN -----	1,485	1,812	2,264	3,094	4,721	6,272	7,456	7,523	5,081	2,079	471	1
WHITE-----MALE----	822	1,009	1,272	1,680	2,616	3,319	3,472	2,901	1,573	442	63	-
FEMALE--	498	669	826	1,199	1,881	2,743	3,815	4,498	3,429	1,597	401	1
ALL OTHER--MALE----	103	91	101	119	102	96	80	43	26	7	2	-
FEMALE--	62	43	65	96	122	114	89	81	53	33	5	-
BLACK---MALE-----	80	74	78	93	79	76	64	30	20	7	2	-
FEMALE--	48	36	47	74	93	89	65	60	45	29	5	-
WYOMING -----	177	170	237	292	415	530	593	577	354	131	32	-
WHITE-----MALE----	101	102	136	161	234	285	292	227	114	25	7	-
FEMALE--	60	58	89	123	172	236	294	340	240	103	24	-
ALL OTHER--MALE----	9	7	5	3	4	6	5	5	-	-	-	-
FEMALE--	7	3	7	5	5	3	2	5	-	3	1	-
BLACK---MALE-----	1	-	1	1	2	1	1	2	-	-	-	-
FEMALE--	1	1	2	2	-	1	-	2	-	-	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
I. Certain infectious and parasitic diseases (A00-B99)												
UNITED STATES -	60,336	563	225	98	110	197	334	775	1,870	3,451	4,483	4,817
WHITE-----MALE----	22,722	182	89	39	39	61	85	207	613	1,360	1,830	2,090
FEMALE--	20,530	152	70	35	29	50	65	108	225	403	570	726
ALL OTHER--MALE----	9,831	122	38	14	22	45	86	246	642	1,101	1,345	1,377
FEMALE--	7,253	107	28	10	20	41	98	214	390	587	738	624
BLACK---MALE-----	9,074	111	33	11	19	39	80	235	609	1,054	1,298	1,307
FEMALE--	6,671	92	22	10	18	35	93	205	382	569	703	597
ALABAMA -----	1,211	20	3	3	1	1	2	14	44	66	69	73
WHITE-----MALE----	348	2	1	-	-	1	1	2	9	20	21	24
FEMALE--	393	7	-	2	-	-	-	2	4	2	5	14
ALL OTHER--MALE----	242	5	1	1	-	-	-	7	17	30	30	24
FEMALE--	228	6	1	-	1	-	1	3	14	14	13	11
BLACK---MALE-----	241	5	1	1	-	-	-	7	17	29	30	24
FEMALE--	227	6	1	-	1	-	1	3	14	14	13	11
ALASKA -----	58	1	-	2	1	-	1	-	1	2	5	5
WHITE-----MALE----	29	1	-	2	1	-	1	-	1	2	2	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	843	27	10	3	3	6	3	10	25	42	69	79
WHITE-----MALE----	449	11	2	2	-	1	2	6	19	20	50	58
FEMALE--	280	9	4	-	2	2	-	3	5	8	5	8
ALL OTHER--MALE----	66	4	2	1	1	1	1	-	-	8	10	6
FEMALE--	48	3	2	-	-	2	-	1	1	6	4	7
BLACK---MALE-----	25	2	-	-	-	-	-	-	-	4	5	4
FEMALE--	15	-	1	-	-	-	-	-	1	2	2	3
ARKANSAS -----	719	5	2	-	2	2	5	7	15	22	31	36
WHITE-----MALE----	291	1	1	-	-	1	1	1	5	9	15	21
FEMALE--	267	-	-	-	1	1	1	-	2	1	6	7
ALL OTHER--MALE----	86	1	-	-	-	-	2	3	4	10	6	4
FEMALE--	75	3	1	-	1	-	1	3	4	2	4	4
BLACK---MALE-----	85	1	-	-	-	-	2	3	4	10	6	4
FEMALE--	74	3	1	-	1	-	1	3	4	2	4	4
CALIFORNIA -----	4,353	36	13	14	5	23	25	73	188	329	465	539
WHITE-----MALE----	2,225	18	7	7	1	10	13	36	122	227	286	336
FEMALE--	1,183	11	3	5	-	7	4	14	18	40	49	87
ALL OTHER--MALE----	609	1	2	-	2	3	4	12	37	50	99	84
FEMALE--	336	6	1	2	2	3	4	11	11	12	31	32
BLACK---MALE-----	406	1	1	-	1	2	3	10	27	43	85	66
FEMALE--	189	3	1	2	1	1	3	9	9	10	24	28

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

I. Certain infectious and parasitic diseases (A00-B99)

UNITED STATES -	4,154	3,244	3,190	3,760	5,022	6,499	6,694	5,856	3,557	1,213	220	4
WHITE-----MALE----	1,804	1,384	1,242	1,474	2,019	2,622	2,562	1,865	901	233	20	1
FEMALE--	724	784	967	1,328	1,966	2,782	3,185	3,215	2,195	801	150	-
ALL OTHER--MALE----	1,105	702	554	501	528	510	405	284	152	37	12	3
FEMALE--	521	374	427	457	509	585	542	492	309	142	38	-
BLACK---MALE-----	1,031	651	504	439	449	439	347	245	127	32	11	3
FEMALE--	487	338	380	391	438	518	490	452	282	133	36	-
ALABAMA -----	79	60	76	103	111	140	115	123	78	25	5	-
WHITE-----MALE----	32	15	24	32	35	41	42	29	14	2	1	-
FEMALE--	13	16	23	34	47	55	50	59	41	17	2	-
ALL OTHER--MALE----	23	15	17	17	12	17	5	10	9	1	1	-
FEMALE--	11	14	12	20	17	27	18	25	14	5	1	-
BLACK---MALE-----	23	15	17	17	12	17	5	10	9	1	1	-
FEMALE--	11	14	12	20	16	27	18	25	14	5	1	-
ALASKA -----	8	4	2	2	4	4	9	4	3	-	-	-
WHITE-----MALE----	5	2	-	1	2	-	5	2	-	-	-	-
FEMALE--	1	1	2	-	-	1	2	2	2	-	-	-
ALL OTHER--MALE----	2	1	-	-	2	3	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	69	56	41	59	66	82	89	61	37	4	2	-
WHITE-----MALE----	46	41	24	26	33	45	28	21	14	-	-	-
FEMALE--	10	9	14	23	27	32	56	38	21	2	2	-
ALL OTHER--MALE----	9	4	-	8	3	3	1	2	1	1	-	-
FEMALE--	4	2	3	2	3	2	4	-	1	1	-	-
BLACK---MALE-----	4	1	-	3	2	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	1	1	-	-	1	-	-	-
ARKANSAS -----	38	33	43	48	72	85	98	97	55	19	4	-
WHITE-----MALE----	16	14	21	17	31	43	38	30	19	7	-	-
FEMALE--	7	11	8	27	28	32	49	46	28	9	3	-
ALL OTHER--MALE----	11	6	6	1	8	5	3	11	3	1	1	-
FEMALE--	4	2	8	3	5	5	8	10	5	2	-	-
BLACK---MALE-----	11	6	6	1	7	5	3	11	3	1	1	-
FEMALE--	4	1	8	3	5	5	8	10	5	2	-	-
CALIFORNIA -----	472	327	254	257	287	335	287	233	139	45	7	-
WHITE-----MALE----	277	178	117	105	109	129	110	77	48	12	-	-
FEMALE--	80	71	79	86	109	152	129	125	77	30	7	-
ALL OTHER--MALE----	88	57	33	34	36	22	23	14	8	-	-	-
FEMALE--	27	21	25	32	33	32	25	17	6	3	-	-
BLACK---MALE-----	68	35	19	13	14	5	8	3	2	-	-	-
FEMALE--	18	11	11	14	15	12	8	6	2	1	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
I. Certain infectious and parasitic diseases (A00-B99)												
COLORADO -----	568	6	2	-	2	2	2	8	18	28	42	49
WHITE-----MALE----	284	5	-	-	-	1	2	6	9	16	31	25
FEMALE--	230	1	1	-	2	1	-	2	3	6	7	17
ALL OTHER--MALE----	32	-	1	-	-	-	-	-	5	5	2	7
FEMALE--	22	-	-	-	-	-	-	-	1	1	2	-
BLACK---MALE----	21	-	1	-	-	-	-	-	4	4	2	4
FEMALE--	13	-	-	-	-	-	-	-	1	1	2	-
CONNECTICUT -----	897	5	2	1	2	2	3	3	17	43	60	71
WHITE-----MALE----	357	1	1	1	-	-	1	2	7	21	15	30
FEMALE--	391	1	-	-	2	-	1	-	5	10	18	14
ALL OTHER--MALE----	93	1	1	-	-	1	1	1	3	5	19	21
FEMALE--	56	2	-	-	-	1	-	-	2	7	8	6
BLACK---MALE----	87	-	1	-	-	1	1	-	3	5	19	21
FEMALE--	54	2	-	-	-	1	-	-	2	7	8	6
DELAWARE -----	234	1	-	-	-	-	-	-	6	21	18	21
WHITE-----MALE----	66	-	-	-	-	-	-	-	-	6	2	8
FEMALE--	76	-	-	-	-	-	-	-	-	2	3	2
ALL OTHER--MALE----	50	1	-	-	-	-	-	-	6	6	8	7
FEMALE--	42	-	-	-	-	-	-	-	-	7	5	4
BLACK---MALE----	50	1	-	-	-	-	-	-	6	6	8	7
FEMALE--	42	-	-	-	-	-	-	-	-	7	5	4
DISTRICT OF COLUMBIA ---	374	5	1	-	1	2	5	11	27	44	57	51
WHITE-----MALE----	24	1	-	-	-	-	-	-	2	5	4	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	195	1	1	-	1	2	-	7	17	28	32	39
FEMALE--	144	3	-	-	-	-	5	4	8	11	19	12
BLACK---MALE----	194	1	1	-	1	2	-	7	17	28	31	39
FEMALE--	143	3	-	-	-	-	5	4	8	11	19	12
FLORIDA -----	4,357	31	8	10	5	13	31	73	197	368	462	435
WHITE-----MALE----	1,738	6	1	3	3	5	3	21	47	145	175	196
FEMALE--	1,219	11	2	2	1	2	2	8	22	43	44	47
ALL OTHER--MALE----	797	6	3	2	1	2	11	16	65	98	148	125
FEMALE--	603	8	2	3	-	4	15	28	63	82	95	67
BLACK---MALE----	788	6	3	2	1	2	11	16	65	97	145	125
FEMALE--	593	8	2	3	-	4	15	28	62	82	95	66
GEORGIA -----	2,354	25	8	2	2	7	24	45	108	185	224	203
WHITE-----MALE----	586	8	3	1	-	1	3	7	19	37	59	54
FEMALE--	606	3	2	-	-	2	1	2	8	14	13	16
ALL OTHER--MALE----	672	9	1	-	1	2	9	19	59	91	94	102
FEMALE--	490	5	2	1	1	2	11	17	22	43	58	31
BLACK---MALE----	657	8	-	-	1	2	8	19	57	90	93	102
FEMALE--	487	5	2	1	1	2	11	17	22	43	58	31

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
I. Certain infectious and parasitic diseases (A00-B99)												
COLORADO -----	39	24	35	40	49	60	60	60	30	11	1	-
WHITE-----MALE----	21	15	16	18	22	28	28	24	12	5	-	-
FEMALE--	12	8	17	15	21	31	26	35	18	6	1	-
ALL OTHER--MALE----	3	-	1	2	2	1	3	-	-	-	-	-
FEMALE--	3	1	1	5	4	-	3	1	-	-	-	-
BLACK---MALE-----	3	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	3	-	1	1	1	-	3	-	-	-	-	-
CONNECTICUT -----	36	38	44	66	68	116	110	113	72	21	4	-
WHITE-----MALE----	17	17	19	33	30	52	40	46	22	2	-	-
FEMALE--	9	12	14	23	29	57	67	62	46	18	3	-
ALL OTHER--MALE----	9	6	8	5	5	1	1	3	2	-	-	-
FEMALE--	1	3	3	5	4	6	2	2	2	1	1	-
BLACK---MALE-----	7	6	7	5	4	1	1	3	2	-	-	-
FEMALE--	1	2	3	5	3	6	2	2	2	1	1	-
DELAWARE -----	25	10	10	16	20	25	27	20	10	4	-	-
WHITE-----MALE----	7	2	4	5	6	7	9	7	3	-	-	-
FEMALE--	7	3	3	8	8	10	8	12	6	4	-	-
ALL OTHER--MALE----	8	3	1	2	3	2	2	1	-	-	-	-
FEMALE--	3	2	2	1	3	6	8	-	1	-	-	-
BLACK---MALE-----	8	3	1	2	3	2	2	1	-	-	-	-
FEMALE--	3	2	2	1	3	6	8	-	1	-	-	-
DISTRICT OF COLUMBIA ---	50	15	8	12	14	16	21	19	9	6	-	-
WHITE-----MALE----	5	1	1	-	-	1	1	1	2	-	-	-
FEMALE--	-	-	-	1	-	1	1	4	2	-	-	-
ALL OTHER--MALE----	32	10	5	4	4	-	7	4	1	-	-	-
FEMALE--	13	4	2	7	10	14	12	10	4	6	-	-
BLACK---MALE-----	32	10	5	4	4	-	7	4	1	-	-	-
FEMALE--	13	4	2	6	10	14	12	10	4	6	-	-
FLORIDA -----	290	255	235	226	318	398	373	345	195	81	8	-
WHITE-----MALE----	129	110	90	101	136	177	167	131	69	21	2	-
FEMALE--	39	48	57	55	117	169	178	199	118	49	6	-
ALL OTHER--MALE----	88	65	46	40	33	31	8	5	1	3	-	-
FEMALE--	34	32	42	30	32	21	20	10	7	8	-	-
BLACK---MALE-----	88	63	46	39	33	30	8	5	1	2	-	-
FEMALE--	34	31	42	27	32	19	19	10	6	8	-	-
GEORGIA -----	157	130	132	147	178	200	229	195	113	29	10	1
WHITE-----MALE----	45	44	28	35	59	61	60	46	14	1	1	-
FEMALE--	23	23	41	48	61	75	97	95	59	20	3	-
ALL OTHER--MALE----	61	40	35	35	34	24	28	16	8	2	1	1
FEMALE--	28	23	28	29	24	40	44	38	32	6	5	-
BLACK---MALE-----	59	40	34	34	32	22	28	16	8	2	1	1
FEMALE--	28	23	28	27	24	40	43	38	32	6	5	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
I. Certain infectious and parasitic diseases (A00-B99)												
HAWAII -----	241	3	1	1	-	1	1	3	5	8	5	19
WHITE-----MALE----	47	-	-	-	-	-	-	1	1	4	1	8
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	102	2	-	1	-	-	1	1	3	3	3	8
FEMALE--	68	1	1	-	-	1	-	1	1	1	1	2
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	115	1	1	-	1	1	-	1	2	2	8	9
WHITE-----MALE----	55	1	-	-	-	1	-	1	-	2	4	8
FEMALE--	55	-	1	-	1	-	-	-	1	-	3	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,971	33	10	4	6	10	12	34	79	132	171	184
WHITE-----MALE----	964	9	3	2	2	1	4	4	16	50	57	65
FEMALE--	1,019	7	4	1	1	3	-	4	5	16	24	23
ALL OTHER--MALE----	562	11	2	-	3	3	3	18	37	47	61	61
FEMALE--	426	6	1	1	-	3	5	8	21	19	29	35
BLACK---MALE----	540	10	2	-	3	3	2	18	36	46	61	60
FEMALE--	410	6	1	1	-	2	5	7	20	19	28	35
INDIANA -----	1,164	15	3	2	2	6	6	10	20	41	53	61
WHITE-----MALE----	490	4	1	1	2	3	1	3	11	20	26	38
FEMALE--	501	7	2	1	-	-	5	3	5	5	15	13
ALL OTHER--MALE----	96	1	-	-	-	3	-	4	1	14	8	5
FEMALE--	77	3	-	-	-	-	-	-	3	2	4	5
BLACK---MALE----	94	1	-	-	-	3	-	4	1	13	8	4
FEMALE--	76	3	-	-	-	-	-	-	3	2	4	5
IOWA -----	398	9	2	-	2	1	3	1	3	13	11	10
WHITE-----MALE----	184	4	2	-	2	-	1	-	1	9	8	6
FEMALE--	197	5	-	-	-	1	2	1	-	2	3	3
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	433	10	5	1	1	1	1	4	8	12	20	22
WHITE-----MALE----	193	8	1	-	-	-	-	2	3	7	16	14
FEMALE--	191	1	2	1	-	1	1	1	2	3	3	4
ALL OTHER--MALE----	27	1	1	-	-	-	-	-	2	1	1	3
FEMALE--	22	-	1	-	1	-	-	1	1	1	-	1
BLACK---MALE----	26	1	1	-	-	-	-	-	2	1	1	3
FEMALE--	21	-	-	-	1	-	-	1	1	1	-	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

I. Certain infectious and parasitic diseases (A00-B99)

HAWAII -----	21	13	13	17	27	32	22	19	19	9	2	-
WHITE-----MALE----	7	3	1	5	3	3	6	3	1	-	-	-
FEMALE--	3	2	1	2	3	-	3	4	2	2	1	-
ALL OTHER--MALE----	4	6	4	6	14	17	10	5	11	3	-	-
FEMALE--	7	2	7	4	7	12	3	7	5	4	1	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	8	6	7	7	14	22	11	9	1	1	-
WHITE-----MALE----	2	6	-	3	2	8	10	4	3	-	-	-
FEMALE--	-	1	5	4	5	6	12	7	6	1	1	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ILLINOIS -----	158	135	163	200	267	361	402	337	188	73	12	-
WHITE-----MALE----	55	41	54	72	95	138	129	110	41	15	1	-
FEMALE--	26	26	49	63	91	148	192	168	116	45	7	-
ALL OTHER--MALE----	47	40	33	37	45	35	38	26	11	4	-	-
FEMALE--	30	28	27	28	36	40	43	33	20	9	4	-
BLACK---MALE----	44	38	32	35	42	33	36	24	11	4	-	-
FEMALE--	29	27	24	28	34	39	42	32	18	9	4	-
INDIANA -----	57	60	61	93	119	139	179	134	72	25	6	-
WHITE-----MALE----	25	28	31	41	51	65	73	43	19	4	-	-
FEMALE--	12	17	18	39	55	64	94	79	45	17	5	-
ALL OTHER--MALE----	13	9	9	6	6	5	6	5	1	-	-	-
FEMALE--	7	6	3	7	7	5	6	7	7	4	1	-
BLACK---MALE----	13	9	9	6	6	5	6	5	1	-	-	-
FEMALE--	7	6	3	7	6	5	6	7	7	4	1	-
IOWA -----	23	20	19	19	42	46	59	63	32	17	3	-
WHITE-----MALE----	12	11	8	13	23	26	27	21	7	3	-	-
FEMALE--	7	7	11	5	19	19	31	40	25	14	2	-
ALL OTHER--MALE----	2	1	-	1	-	-	-	1	-	-	1	-
FEMALE--	2	1	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	1	1	-	1	-	-	-	1	-	-	-	-
FEMALE--	2	1	-	-	-	1	1	1	-	-	-	-
KANSAS -----	21	18	19	23	45	58	58	49	43	12	2	-
WHITE-----MALE----	11	8	6	11	16	34	29	13	11	3	-	-
FEMALE--	9	6	8	9	25	23	24	28	30	9	1	-
ALL OTHER--MALE----	1	3	3	2	2	1	3	2	1	-	-	-
FEMALE--	-	1	2	1	2	-	2	6	1	-	1	-
BLACK---MALE----	1	3	3	2	1	1	3	2	1	-	-	-
FEMALE--	-	1	2	1	2	-	2	6	1	-	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
I. Certain infectious and parasitic diseases (A00-B99)												
KENTUCKY -----	873	2	6	-	1	3	3	11	20	25	54	48
WHITE-----MALE----	374	-	4	-	-	3	2	5	6	7	30	27
FEMALE--	389	-	-	-	1	-	1	3	8	6	7	12
ALL OTHER--MALE----	60	-	-	-	-	-	-	1	5	9	12	7
FEMALE--	50	2	2	-	-	-	-	2	1	3	5	2
BLACK---MALE-----	58	-	-	-	-	-	-	1	5	9	12	7
FEMALE--	50	2	2	-	-	-	-	2	1	3	5	2
LOUISIANA -----	1,426	14	4	3	2	6	13	36	64	102	109	124
WHITE-----MALE----	375	2	1	1	1	-	-	5	12	24	29	41
FEMALE--	354	1	-	1	-	2	4	1	2	3	6	9
ALL OTHER--MALE----	388	10	2	1	1	1	3	15	28	48	44	44
FEMALE--	309	1	1	-	-	3	6	15	22	27	30	30
BLACK---MALE-----	386	10	2	1	1	1	3	15	28	48	44	43
FEMALE--	307	1	1	-	-	3	6	15	22	27	30	30
MAINE -----	185	-	1	-	-	-	-	1	3	3	5	10
WHITE-----MALE----	87	-	1	-	-	-	-	-	2	2	5	7
FEMALE--	95	-	-	-	-	-	-	1	-	1	-	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,839	8	8	2	3	3	9	33	59	126	183	162
WHITE-----MALE----	439	3	1	-	1	-	-	2	9	13	19	27
FEMALE--	458	-	3	1	-	1	3	3	7	2	13	9
ALL OTHER--MALE----	572	1	3	1	1	-	5	16	20	74	94	99
FEMALE--	370	4	1	-	1	2	1	12	23	37	57	27
BLACK---MALE-----	563	1	3	1	1	-	5	15	19	74	94	99
FEMALE--	356	4	1	-	1	2	1	12	23	37	57	26
MASSACHUSETTS -----	1,488	8	2	-	4	2	8	11	22	64	85	107
WHITE-----MALE----	652	2	1	-	2	1	4	2	12	32	46	55
FEMALE--	671	4	1	-	1	1	2	1	6	15	19	28
ALL OTHER--MALE----	98	1	-	-	1	-	1	5	3	10	10	19
FEMALE--	67	1	-	-	-	-	1	3	1	7	10	5
BLACK---MALE-----	84	1	-	-	1	-	1	5	3	9	9	19
FEMALE--	59	1	-	-	-	-	-	2	1	7	10	5
MICHIGAN -----	1,551	14	6	2	1	4	8	11	31	66	104	121
WHITE-----MALE----	514	4	2	2	-	3	2	4	11	16	40	45
FEMALE--	521	3	1	-	-	-	1	-	3	9	14	24
ALL OTHER--MALE----	310	3	2	-	1	1	3	6	11	31	33	36
FEMALE--	206	4	1	-	-	-	2	1	6	10	17	16
BLACK---MALE-----	298	3	2	-	1	-	3	6	10	29	32	35
FEMALE--	194	4	1	-	-	-	2	1	5	10	17	15

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

I. Certain infectious and parasitic diseases (A00-B99)

KENTUCKY -----	30	44	52	83	92	98	119	97	58	20	6	1
WHITE-----MALE----	18	23	24	39	38	44	46	34	16	6	1	1
FEMALE--	5	17	21	34	45	47	66	59	40	12	5	-
ALL OTHER--MALE----	4	2	3	4	2	4	4	2	1	-	-	-
FEMALE--	3	2	4	6	7	3	3	2	1	2	-	-
BLACK---MALE----	4	2	2	3	2	4	4	2	1	-	-	-
FEMALE--	3	2	4	6	7	3	3	2	1	2	-	-
LOUISIANA -----	95	85	62	88	113	120	150	135	78	18	5	-
WHITE-----MALE----	27	29	15	27	38	30	49	27	16	1	-	-
FEMALE--	10	12	15	30	29	51	59	63	39	13	4	-
ALL OTHER--MALE----	37	31	22	15	20	20	25	15	4	1	1	-
FEMALE--	21	13	10	16	26	19	17	30	19	3	-	-
BLACK---MALE----	37	30	22	15	20	20	25	15	4	1	1	-
FEMALE--	21	13	10	16	25	19	17	29	19	3	-	-
MAINE -----	4	12	13	10	18	31	28	22	13	8	3	-
WHITE-----MALE----	2	5	8	6	10	10	12	9	5	3	-	-
FEMALE--	1	6	5	4	8	21	16	13	8	5	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	130	98	93	92	147	191	197	172	96	22	5	-
WHITE-----MALE----	28	21	23	34	52	64	62	48	28	4	-	-
FEMALE--	14	12	15	23	52	73	84	83	47	11	2	-
ALL OTHER--MALE----	59	38	36	18	24	31	28	14	8	-	2	-
FEMALE--	29	27	19	17	19	23	23	27	13	7	1	-
BLACK---MALE----	59	38	35	18	22	29	27	13	8	-	2	-
FEMALE--	28	25	19	15	15	22	21	27	12	7	1	-
MASSACHUSETTS -----	94	56	78	90	122	194	212	166	112	45	6	-
WHITE-----MALE----	56	31	41	48	52	87	94	58	20	7	1	-
FEMALE--	22	17	28	31	60	97	109	101	85	38	5	-
ALL OTHER--MALE----	12	6	6	5	5	5	5	1	3	-	-	-
FEMALE--	4	2	3	6	5	5	4	6	4	-	-	-
BLACK---MALE----	11	6	5	2	2	3	4	-	3	-	-	-
FEMALE--	4	2	1	5	5	3	4	6	3	-	-	-
MICHIGAN -----	111	89	84	113	145	176	168	162	96	32	7	-
WHITE-----MALE----	40	28	25	37	53	56	58	57	26	4	1	-
FEMALE--	15	21	28	44	53	73	73	77	56	21	5	-
ALL OTHER--MALE----	44	29	19	18	19	21	17	10	6	-	-	-
FEMALE--	12	11	12	14	20	26	20	18	8	7	1	-
BLACK---MALE----	41	29	19	18	18	20	16	10	6	-	-	-
FEMALE--	12	11	11	13	17	24	18	17	8	7	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
I. Certain infectious and parasitic diseases (A00-B99)												
MINNESOTA -----	457	4	2	1	-	5	3	4	7	20	18	30
WHITE-----MALE----	213	-	-	1	-	2	1	2	3	7	14	16
FEMALE--	186	2	1	-	-	-	-	-	1	3	1	5
ALL OTHER--MALE----	36	1	1	-	-	3	2	2	3	6	-	7
FEMALE--	22	1	-	-	-	-	-	-	-	4	3	2
BLACK---MALE----	22	1	1	-	-	2	1	1	2	4	-	6
FEMALE--	9	-	-	-	-	-	-	-	-	2	1	2
MISSISSIPPI -----	833	12	7	1	3	2	13	24	42	58	55	54
WHITE-----MALE----	221	3	3	-	-	-	1	2	5	18	16	13
FEMALE--	207	-	2	-	1	-	1	2	2	4	3	6
ALL OTHER--MALE----	234	7	2	1	1	2	7	9	24	26	24	24
FEMALE--	171	2	-	-	1	-	4	11	11	10	12	11
BLACK---MALE----	232	7	2	1	1	2	7	9	24	26	24	23
FEMALE--	169	2	-	-	1	-	4	11	11	10	12	11
MISSOURI -----	1,034	5	8	1	2	3	2	7	37	56	51	65
WHITE-----MALE----	432	2	6	-	-	1	1	-	11	35	29	36
FEMALE--	423	1	1	1	1	1	1	3	7	3	8	11
ALL OTHER--MALE----	103	1	-	-	-	-	-	3	12	15	10	8
FEMALE--	76	1	1	-	1	-	-	1	7	3	4	10
BLACK---MALE----	102	1	-	-	-	-	-	3	12	15	10	8
FEMALE--	73	1	-	-	-	1	-	1	7	3	4	10
MONTANA -----	113	1	2	-	-	-	-	2	-	5	8	5
WHITE-----MALE----	47	-	-	-	-	-	-	2	-	1	4	2
FEMALE--	54	1	-	-	-	-	-	-	-	1	4	1
ALL OTHER--MALE----	8	-	1	-	-	-	-	-	-	2	-	2
FEMALE--	4	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	212	1	2	-	1	-	2	2	8	6	14	11
WHITE-----MALE----	99	1	1	-	-	-	1	-	5	5	8	3
FEMALE--	94	-	1	-	1	-	1	1	1	-	5	4
ALL OTHER--MALE----	14	-	-	-	-	-	-	1	2	1	1	3
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	12	-	-	-	-	-	-	1	2	1	1	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
NEVADA -----	552	5	2	1	-	1	3	1	11	19	28	25
WHITE-----MALE----	278	2	1	-	-	1	-	-	7	10	11	15
FEMALE--	205	1	1	1	-	-	1	1	-	1	4	9
ALL OTHER--MALE----	41	1	-	-	-	-	1	-	2	5	9	1
FEMALE--	28	1	-	-	-	-	1	-	2	3	4	-
BLACK---MALE----	33	1	-	-	-	-	1	-	1	2	8	1
FEMALE--	18	1	-	-	-	-	-	-	2	3	3	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

I. Certain infectious and parasitic diseases (A00-B99)

MINNESOTA -----	29	18	23	30	30	62	66	54	35	12	4	-
WHITE-----MALE----	24	7	12	13	13	34	28	25	7	4	-	-
FEMALE--	4	9	8	13	15	26	31	27	28	8	4	-
ALL OTHER--MALE----	1	1	2	2	1	1	2	1	-	-	-	-
FEMALE--	-	1	1	2	1	1	5	1	-	-	-	-
BLACK---MALE----	1	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	2	-	-	-	-	-
MISSISSIPPI -----	47	29	47	49	73	80	86	79	48	22	2	-
WHITE-----MALE----	15	6	18	14	25	26	28	20	8	-	-	-
FEMALE--	7	6	12	17	22	26	32	31	21	11	1	-
ALL OTHER--MALE----	14	10	9	9	16	12	10	14	10	3	-	-
FEMALE--	11	7	8	9	10	16	16	14	9	8	1	-
BLACK---MALE----	14	10	8	9	16	12	10	14	10	3	-	-
FEMALE--	11	7	8	9	9	16	15	14	9	8	1	-
MISSOURI -----	64	57	44	64	98	123	111	115	91	29	1	-
WHITE-----MALE----	30	26	20	32	42	50	49	34	20	8	-	-
FEMALE--	16	21	11	23	46	57	54	73	65	18	1	-
ALL OTHER--MALE----	12	6	6	5	5	7	4	5	4	-	-	-
FEMALE--	6	4	7	4	5	9	4	3	2	3	-	-
BLACK---MALE----	12	6	6	5	5	7	4	4	4	-	-	-
FEMALE--	6	4	7	4	5	8	4	3	2	3	-	-
MONTANA -----	6	2	6	7	11	12	18	16	8	4	-	-
WHITE-----MALE----	4	2	2	4	6	7	6	6	1	-	-	-
FEMALE--	1	-	4	2	4	4	11	10	7	4	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEBRASKA -----	13	11	10	12	24	30	28	23	7	4	3	-
WHITE-----MALE----	9	7	4	5	10	12	16	8	3	1	-	-
FEMALE--	3	2	5	6	13	15	12	14	4	3	3	-
ALL OTHER--MALE----	1	1	1	1	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	1	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	1	-	-	-	-
NEVADA -----	35	35	39	43	70	85	59	60	18	10	2	-
WHITE-----MALE----	22	17	19	23	36	43	31	29	6	5	-	-
FEMALE--	6	13	15	16	27	38	28	28	10	3	2	-
ALL OTHER--MALE----	4	2	4	2	4	1	-	2	1	2	-	-
FEMALE--	3	3	1	2	3	3	-	1	1	-	-	-
BLACK---MALE----	4	2	4	2	2	1	-	1	1	2	-	-
FEMALE--	2	2	-	-	2	2	-	1	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
I. Certain infectious and parasitic diseases (A00-B99)												
OHIO -----	2,217	16	8	6	3	6	6	16	39	69	97	106
WHITE-----MALE----	876	7	5	1	1	3	3	3	21	30	42	55
FEMALE--	941	5	3	5	1	2	1	4	5	11	19	21
ALL OTHER--MALE----	208	1	-	-	1	-	1	4	10	19	26	20
FEMALE--	192	3	-	-	-	1	1	5	3	9	10	10
BLACK---MALE----	203	1	-	-	1	-	1	4	10	19	25	18
FEMALE--	191	3	-	-	-	1	1	5	3	9	10	10
OKLAHOMA -----	687	11	2	1	3	3	2	7	18	29	34	41
WHITE-----MALE----	291	5	1	1	2	1	2	5	10	17	17	16
FEMALE--	296	4	1	-	-	1	-	1	4	4	10	12
ALL OTHER--MALE----	54	2	-	-	1	1	-	4	7	7	4	9
FEMALE--	46	-	-	-	-	-	-	1	-	1	3	4
BLACK---MALE----	31	2	-	-	1	1	-	2	3	3	4	5
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	2
OREGON -----	471	6	3	-	-	-	1	2	11	26	24	37
WHITE-----MALE----	249	2	2	-	-	-	1	2	8	21	17	24
FEMALE--	192	3	1	-	-	-	-	-	2	2	6	7
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	1	2	1	3
FEMALE--	14	1	-	-	-	-	-	-	-	1	-	3
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	3,813	19	13	6	7	7	12	20	55	132	160	221
WHITE-----MALE----	1,358	6	8	-	4	4	1	6	12	49	58	76
FEMALE--	1,569	2	4	5	1	1	5	4	13	17	24	35
ALL OTHER--MALE----	484	6	1	1	1	-	2	6	19	43	52	79
FEMALE--	402	5	-	-	1	2	4	4	11	23	26	31
BLACK---MALE----	466	5	1	1	1	-	2	6	18	43	51	75
FEMALE--	394	5	-	-	1	2	4	4	11	23	26	31
RHODE ISLAND -----	219	1	-	1	-	2	-	2	2	9	9	15
WHITE-----MALE----	96	-	-	-	-	-	-	-	1	4	4	7
FEMALE--	100	-	-	1	-	2	-	2	-	2	1	5
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	1	-	2	3
FEMALE--	10	1	-	-	-	-	-	-	-	3	2	-
BLACK---MALE----	12	-	-	-	-	-	-	-	1	-	2	3
FEMALE--	7	-	-	-	-	-	-	-	-	3	1	-
SOUTH CAROLINA -----	1,071	15	-	1	2	4	7	32	44	76	106	87
WHITE-----MALE----	312	3	-	1	1	-	1	3	8	21	30	20
FEMALE--	253	2	-	-	1	1	1	5	1	7	8	8
ALL OTHER--MALE----	296	3	-	-	-	1	4	13	21	27	47	46
FEMALE--	210	7	-	-	-	2	1	11	14	21	21	13
BLACK---MALE----	293	3	-	-	-	1	4	13	21	27	46	45
FEMALE--	208	7	-	-	-	2	1	11	14	21	21	13

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

I. Certain infectious and parasitic diseases (A00-B99)

OHIO -----	110	117	114	165	244	304	308	258	169	53	3	-
WHITE-----MALE----	51	48	49	65	108	130	122	75	46	10	1	-
FEMALE--	30	45	39	67	97	127	155	158	108	37	1	-
ALL OTHER--MALE----	20	11	12	12	23	19	12	8	8	1	-	-
FEMALE--	9	13	14	21	16	28	19	17	7	5	1	-
BLACK---MALE-----	20	11	12	11	23	18	12	8	8	1	-	-
FEMALE--	9	13	14	21	16	28	19	16	7	5	1	-
OKLAHOMA -----	54	35	44	52	61	84	67	71	46	17	5	-
WHITE-----MALE----	24	15	25	20	28	47	17	25	11	1	1	-
FEMALE--	23	12	13	23	29	30	41	41	31	14	2	-
ALL OTHER--MALE----	4	3	2	6	1	3	4	2	-	1	-	-
FEMALE--	3	5	4	3	3	4	5	3	4	1	2	-
BLACK---MALE-----	2	2	1	4	-	2	1	-	-	1	-	-
FEMALE--	1	2	3	1	2	3	3	3	2	1	2	-
OREGON -----	50	28	30	31	26	54	51	54	30	7	-	-
WHITE-----MALE----	34	19	16	15	17	22	22	16	11	-	-	-
FEMALE--	10	7	11	14	9	29	29	37	18	7	-	-
ALL OTHER--MALE----	5	-	1	2	-	-	-	-	1	-	-	-
FEMALE--	1	2	2	-	-	3	-	1	-	-	-	-
BLACK---MALE-----	3	-	1	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA -----	185	188	185	233	392	506	586	489	283	100	14	-
WHITE-----MALE----	76	65	71	92	155	209	223	155	60	28	-	-
FEMALE--	28	56	58	77	165	221	297	297	189	60	10	-
ALL OTHER--MALE----	52	38	27	34	32	41	27	12	6	3	2	-
FEMALE--	29	29	29	30	40	35	39	25	28	9	2	-
BLACK---MALE-----	50	37	25	32	30	40	27	12	5	3	2	-
FEMALE--	27	28	29	30	39	34	37	25	27	9	2	-
RHODE ISLAND -----	14	9	7	7	23	29	34	31	18	5	1	-
WHITE-----MALE----	9	7	4	2	15	12	17	10	4	-	-	-
FEMALE--	2	1	1	4	8	15	16	21	13	5	1	-
ALL OTHER--MALE----	3	1	1	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	1	-	1	1	-	-	-	-	-
BLACK---MALE-----	2	1	1	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
SOUTH CAROLINA -----	76	53	69	66	83	107	103	80	43	11	5	1
WHITE-----MALE----	24	20	19	21	32	39	34	21	13	1	-	-
FEMALE--	14	12	15	16	27	30	38	37	19	8	3	-
ALL OTHER--MALE----	24	15	21	18	8	15	16	11	4	1	-	1
FEMALE--	14	6	14	11	16	23	15	11	7	1	2	-
BLACK---MALE-----	24	15	20	18	8	15	16	11	4	1	-	1
FEMALE--	14	5	13	11	16	23	15	11	7	1	2	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
I. Certain infectious and parasitic diseases (A00-B99)												
SOUTH DAKOTA -----	99	-	1	-	-	-	-	-	-	1	5	4
WHITE-----MALE----	49	-	1	-	-	-	-	-	-	-	3	1
FEMALE--	37	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,119	14	5	-	2	4	17	23	44	82	83	87
WHITE-----MALE----	382	3	2	-	1	1	-	6	9	24	30	38
FEMALE--	389	9	2	-	-	1	2	1	2	9	12	17
ALL OTHER--MALE----	218	2	1	-	-	-	4	11	25	38	29	24
FEMALE--	130	-	-	-	1	2	11	5	8	11	12	8
BLACK---MALE----	216	2	1	-	-	-	4	11	25	38	29	23
FEMALE--	129	-	-	-	1	2	11	5	8	11	12	8
TEXAS -----	4,165	47	23	10	7	15	39	72	170	284	348	382
WHITE-----MALE----	1,802	23	11	5	4	7	17	33	77	152	179	220
FEMALE--	1,408	17	6	2	2	2	7	9	20	27	51	67
ALL OTHER--MALE----	572	5	4	1	-	3	11	15	53	76	77	69
FEMALE--	383	2	2	2	1	3	4	15	20	29	41	26
BLACK---MALE----	548	5	4	1	-	2	11	15	52	74	77	68
FEMALE--	367	2	2	2	1	3	4	14	20	28	39	26
UTAH -----	207	3	2	-	1	1	3	-	2	5	10	16
WHITE-----MALE----	87	2	-	-	1	-	2	-	1	2	6	7
FEMALE--	109	-	2	-	-	1	1	-	-	2	3	8
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	5	1	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	87	1	-	-	-	1	-	-	-	2	4	5
WHITE-----MALE----	50	-	-	-	-	-	-	-	-	1	4	4
FEMALE--	36	1	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,647	21	3	3	6	6	5	14	39	71	105	102
WHITE-----MALE----	506	6	1	-	1	1	1	4	9	23	29	32
FEMALE--	540	6	1	2	3	2	1	1	-	5	8	14
ALL OTHER--MALE----	329	6	1	-	1	2	1	3	21	32	42	36
FEMALE--	272	3	-	1	1	1	2	6	9	11	26	20
BLACK---MALE----	310	5	1	-	1	2	1	2	19	32	39	33
FEMALE--	253	2	-	1	1	1	2	5	9	11	25	19

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

I. Certain infectious and parasitic diseases (A00-B99)

SOUTH DAKOTA -----	4	-	6	9	11	13	16	16	10	3	-	-
WHITE-----MALE----	1	-	4	4	8	7	8	8	4	-	-	-
FEMALE--	-	-	1	2	3	6	7	7	6	3	-	-
ALL OTHER--MALE----	3	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	73	57	56	72	89	112	136	96	48	18	1	-
WHITE-----MALE----	22	22	24	24	36	38	57	26	14	4	1	-
FEMALE--	13	14	21	36	40	57	63	53	26	11	-	-
ALL OTHER--MALE----	20	13	8	5	9	9	7	8	4	1	-	-
FEMALE--	18	8	3	7	4	8	9	9	4	2	-	-
BLACK---MALE----	20	13	8	5	9	8	7	8	4	1	-	-
FEMALE--	18	8	3	7	3	8	9	9	4	2	-	-
TEXAS -----	297	234	237	253	297	393	393	344	220	80	20	-
WHITE-----MALE----	148	125	100	104	128	148	151	107	51	8	4	-
FEMALE--	45	57	82	103	130	180	193	188	146	62	12	-
ALL OTHER--MALE----	70	30	36	22	19	36	17	18	7	2	1	-
FEMALE--	34	22	19	24	20	29	32	31	16	8	3	-
BLACK---MALE----	68	30	33	20	17	34	14	16	4	2	1	-
FEMALE--	34	20	17	22	19	29	31	29	14	8	3	-
UTAH -----	25	8	10	17	16	24	28	20	11	4	1	-
WHITE-----MALE----	15	4	2	6	5	14	11	8	1	-	-	-
FEMALE--	10	3	6	10	11	10	15	12	10	4	1	-
ALL OTHER--MALE----	-	1	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	3	10	5	11	8	14	14	4	1	1	-
WHITE-----MALE----	1	2	6	3	8	4	8	8	1	-	-	-
FEMALE--	2	1	4	2	3	4	6	6	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	87	81	79	112	143	216	200	197	106	42	9	-
WHITE-----MALE----	28	26	23	35	51	82	74	49	22	9	-	-
FEMALE--	23	23	26	32	52	80	69	100	59	26	7	-
ALL OTHER--MALE----	24	18	16	24	25	24	22	22	8	-	1	-
FEMALE--	12	14	14	21	15	30	35	26	17	7	1	-
BLACK---MALE----	22	18	14	24	22	23	21	22	8	-	1	-
FEMALE--	11	13	13	17	15	27	33	25	15	7	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Intestinal infectious diseases (A00-A09)

UNITED STATES -	37	30	54	77	165	244	339	299	191	75	10	-
WHITE-----MALE----	14	14	19	29	71	102	114	89	49	12	-	-
FEMALE--	21	12	24	33	82	127	199	201	131	56	10	-
ALL OTHER--MALE----	1	2	2	6	8	8	11	5	1	2	-	-
FEMALE--	1	2	9	9	4	7	15	4	10	5	-	-
BLACK---MALE-----	1	2	2	4	8	4	8	3	1	2	-	-
FEMALE--	1	2	7	8	4	7	13	4	8	3	-	-
ALABAMA -----	-	-	-	5	2	2	6	4	5	1	-	-
WHITE-----MALE----	-	-	-	2	1	-	3	-	2	1	-	-
FEMALE--	-	-	-	2	1	2	3	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	-	-	-	2	2	3	4	3	1	-	-
WHITE-----MALE----	2	-	-	-	1	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ARKANSAS -----	-	1	1	1	2	2	7	8	4	-	-	-
WHITE-----MALE----	-	-	1	1	2	-	3	2	1	-	-	-
FEMALE--	-	1	-	-	-	2	4	5	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	5	5	6	12	25	31	40	34	22	7	3	-
WHITE-----MALE----	2	3	1	4	9	9	10	13	5	-	-	-
FEMALE--	2	1	3	4	15	20	26	21	14	6	3	-
ALL OTHER--MALE----	1	1	-	2	1	2	2	-	-	-	-	-
FEMALE--	-	-	2	2	-	-	2	-	3	1	-	-
BLACK---MALE-----	1	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	1	-	1	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Intestinal infectious diseases (A00-A09)

COLORADO -----	-	-	1	1	1	2	2	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	2	2	-	-	1	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	1	2	4	12	5	3	1	-	-
WHITE-----MALE----	-	-	-	-	-	3	4	2	1	-	-	-
FEMALE--	-	-	-	-	2	1	8	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
DELAWARE -----	-	-	-	-	-	1	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	3	1	5	6	16	15	23	19	9	8	1	-
WHITE-----MALE----	2	-	2	3	7	8	7	4	2	1	-	-
FEMALE--	1	1	1	2	8	6	13	15	7	6	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	-	1	-	-
FEMALE--	-	-	2	-	-	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	1	-	-	1	-	-
FEMALE--	-	-	2	-	-	1	2	-	-	-	-	-
GEORGIA -----	-	1	1	-	1	3	4	3	3	-	-	-
WHITE-----MALE----	-	1	1	-	1	2	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	3	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intestinal infectious diseases (A00-A09)												
OHIO -----	4	4	5	5	16	27	31	25	19	6	1	-
WHITE-----MALE----	2	2	3	-	6	13	12	3	2	1	-	-
FEMALE--	2	2	2	3	9	12	18	20	17	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	2	-	-	-	-
OKLAHOMA -----	-	-	-	-	3	6	3	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	3	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	4	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OREGON -----	1	-	1	1	1	1	3	5	4	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	2	-	-	-
FEMALE--	1	-	1	1	1	-	3	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	2	7	3	18	24	34	19	18	6	-	-
WHITE-----MALE----	-	-	2	3	7	11	12	6	4	2	-	-
FEMALE--	3	1	4	-	11	12	21	13	14	3	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-
RHODE ISLAND -----	-	-	-	-	3	2	1	4	2	1	-	-
WHITE-----MALE----	-	-	-	-	3	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	2	1	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	2	-	5	2	6	3	1	-	-	-
WHITE-----MALE----	-	-	1	-	2	-	3	-	-	-	-	-
FEMALE--	1	1	1	-	3	1	3	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	------------------	----------------

Intestinal infectious diseases (A00-A09)

SOUTH DAKOTA -----	-	-	-	-	-	-	2	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	1	3	4	1	8	9	4	4	-	-
WHITE-----MALE----	-	-	-	2	1	-	5	3	2	-	-	-
FEMALE--	-	-	1	1	2	1	2	5	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	1	-	-
TEXAS -----	1	2	3	4	5	8	12	11	5	4	-	-
WHITE-----MALE----	1	2	2	-	3	2	3	-	2	-	-	-
FEMALE--	-	-	1	4	2	5	8	11	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
UTAH -----	1	-	-	-	2	-	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	-	-	3	4	5	10	4	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	3	2	2	-	-	-
FEMALE--	1	-	-	-	1	4	1	8	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	1	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85-89 YEARS 90-94 YEARS 95-99 YEARS 100 YEARS & OVER AGE NOT STATED

Cholera (A00)

Table with columns for state (SOUTH DAKOTA, TENNESSEE, TEXAS, UTAH, VERMONT, VIRGINIA) and race/sex (WHITE, ALL OTHER, BLACK, MALE, FEMALE) and rows for age groups (50-54 to 100+).

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other intestinal infectious diseases (A01-A08)												
UNITED STATES -	34	27	54	75	159	234	329	288	185	74	10	-
WHITE-----MALE----	14	12	19	28	68	95	112	86	48	12	-	-
FEMALE--	19	11	24	32	80	124	191	193	126	55	10	-
ALL OTHER--MALE----	1	2	2	6	8	8	11	5	1	2	-	-
FEMALE--	-	2	9	9	3	7	15	4	10	5	-	-
BLACK---MALE-----	1	2	2	4	8	4	8	3	1	2	-	-
FEMALE--	-	2	7	8	3	7	13	4	8	3	-	-
ALABAMA -----	-	-	-	5	2	2	6	4	5	1	-	-
WHITE-----MALE----	-	-	-	2	1	-	3	-	2	1	-	-
FEMALE--	-	-	-	2	1	2	3	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	-	-	-	2	1	2	4	3	1	-	-
WHITE-----MALE----	2	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ARKANSAS -----	-	-	1	1	2	2	7	8	4	-	-	-
WHITE-----MALE----	-	-	1	1	2	-	3	2	1	-	-	-
FEMALE--	-	-	-	-	-	2	4	5	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	4	5	6	12	25	30	38	33	22	7	3	-
WHITE-----MALE----	2	3	1	4	9	9	10	12	5	-	-	-
FEMALE--	1	1	3	4	15	19	24	21	14	6	3	-
ALL OTHER--MALE----	1	1	-	2	1	2	2	-	-	-	-	-
FEMALE--	-	-	2	2	-	-	2	-	3	1	-	-
BLACK---MALE-----	1	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	1	-	1	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other intestinal infectious diseases (A01-A08)												
COLORADO -----	-	-	1	1	1	2	2	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	2	2	-	-	1	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	1	2	4	10	5	3	1	-	-
WHITE-----MALE----	-	-	-	-	-	3	4	2	1	-	-	-
FEMALE--	-	-	-	-	2	1	6	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
DELAWARE -----	-	-	-	-	-	1	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	3	1	5	6	16	15	23	18	9	8	1	-
WHITE-----MALE----	2	-	2	3	7	8	7	4	2	1	-	-
FEMALE--	1	1	1	2	8	6	13	14	7	6	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	-	1	-	-
FEMALE--	-	-	2	-	-	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	1	-	-	1	-	-
FEMALE--	-	-	2	-	-	1	2	-	-	-	-	-
GEORGIA -----	-	-	1	-	1	2	4	3	3	-	-	-
WHITE-----MALE----	-	-	1	-	1	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	3	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other intestinal infectious diseases (A01-A08)												
OHIO -----	4	4	5	5	16	27	31	24	17	6	1	-
WHITE-----MALE----	2	2	3	-	6	13	12	3	2	1	-	-
FEMALE--	2	2	2	3	9	12	18	19	15	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	2	-	-	-	-
OKLAHOMA -----	-	-	-	-	3	6	3	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	3	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	4	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OREGON -----	1	-	1	1	1	1	3	5	4	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	2	-	-	-
FEMALE--	1	-	1	1	1	-	3	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	2	7	3	17	24	33	19	17	6	-	-
WHITE-----MALE----	-	-	2	3	6	11	12	6	4	2	-	-
FEMALE--	3	1	4	-	11	12	20	13	13	3	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-
RHODE ISLAND -----	-	-	-	-	2	2	1	4	2	1	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	2	1	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	2	-	5	2	6	3	1	-	-	-
WHITE-----MALE----	-	-	1	-	2	-	3	-	-	-	-	-
FEMALE--	1	1	1	-	3	1	3	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other intestinal infectious diseases (A01-A08)

SOUTH DAKOTA -----	-	-	-	-	-	-	2	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	1	2	4	-	8	9	4	4	-	-
WHITE-----MALE----	-	-	-	2	1	-	5	3	2	-	-	-
FEMALE--	-	-	1	-	2	-	2	5	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	1	-	-
TEXAS -----	1	2	3	4	4	8	12	11	5	4	-	-
WHITE-----MALE----	1	2	2	-	3	2	3	-	2	-	-	-
FEMALE--	-	-	1	4	1	5	8	11	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
UTAH -----	1	-	-	-	2	-	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	-	-	3	4	5	10	4	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	3	2	2	-	-	-
FEMALE--	1	-	-	-	1	4	1	8	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	1	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85-89 YEARS 90-94 YEARS 95-99 YEARS 100 YEARS & OVER AGE NOT STATED

Typhoid fever (A01.0)

Table with columns for state (HAWAII, IDAHO, ILLINOIS, INDIANA, IOWA, KANSAS), race/sex (WHITE-MALE, FEMALE, ALL OTHER-MALE, FEMALE, BLACK-MALE, FEMALE), and age groups (50-54 to 100+). All cells contain dashes, indicating zero deaths.

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Paratyphoid fevers and other salmonella infections (A01.1-A01.4,A02)

COLORADO -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	-	-	-	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85-89 YEARS 90-94 YEARS 95-99 YEARS 100 YEARS & OVER AGE NOT STATED

Paratyphoid fevers and other salmonella infections (A01.1-A01.4,A02)

Table with columns for state (HAWAII, IDAHO, ILLINOIS, INDIANA, IOWA, KANSAS), race/sex (WHITE MALE, FEMALE, ALL OTHER MALE, FEMALE, BLACK MALE, FEMALE), and age groups (50-54 to 100+). Data values are mostly dashes, with some '1' in the 60-64 age group for Illinois.

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Paratyphoid fevers and other salmonella infections (A01.1-A01.4,A02)

SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	1	1	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	1	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85-89 YEARS 90-94 YEARS 95-99 YEARS 100 YEARS & OVER AGE NOT STATED

Shigellosis (A03)

Table with columns for state (NEW HAMPSHIRE, NEW JERSEY, NEW MEXICO, NEW YORK, NORTH CAROLINA, NORTH DAKOTA), race (WHITE, ALL OTHER, BLACK), and sex (MALE, FEMALE). Rows show death counts for Shigellosis (A03) across various age groups (50-54 to 100+ years) and states.

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX 50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85-89 YEARS 90-94 YEARS 95-99 YEARS 100 YEARS & OVER AGE NOT STATED

Amebiasis (A06)

Table with columns for cause of death, race, sex, and age groups. Rows include: UNITED STATES - (1 death in 50-54 age group, male); WHITE - (1 death in 50-54 age group, male); FEMALE - (1 death in 75-79 age group); ALL OTHER - (1 death in 75-79 age group); BLACK - (1 death in 75-79 age group); ALABAMA, ALASKA, ARIZONA, ARKANSAS, CALIFORNIA (all with 1 death in 50-54 age group, male).

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intestinal infections due to other specified organisms (A04,A07-A08)												
UNITED STATES -	30	25	53	71	156	227	319	282	181	74	10	-
WHITE-----MALE----	10	10	19	26	66	92	107	85	48	12	-	-
FEMALE--	19	11	23	32	80	120	188	188	124	55	10	-
ALL OTHER--MALE----	1	2	2	5	7	8	11	5	1	2	-	-
FEMALE--	-	2	9	8	3	7	13	4	8	5	-	-
BLACK---MALE-----	1	2	2	4	7	4	8	3	1	2	-	-
FEMALE--	-	2	7	8	3	7	11	4	6	3	-	-
ALABAMA -----	-	-	-	5	2	2	6	4	4	1	-	-
WHITE-----MALE----	-	-	-	2	1	-	3	-	2	1	-	-
FEMALE--	-	-	-	2	1	2	3	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	-	-	-	2	1	2	4	3	1	-	-
WHITE-----MALE----	2	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ARKANSAS -----	-	-	1	1	2	2	6	8	4	-	-	-
WHITE-----MALE----	-	-	1	1	2	-	2	2	1	-	-	-
FEMALE--	-	-	-	-	-	2	4	5	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	2	4	6	8	25	28	36	33	22	7	3	-
WHITE-----MALE----	-	2	1	2	9	8	9	12	5	-	-	-
FEMALE--	1	1	3	4	15	18	23	21	14	6	3	-
ALL OTHER--MALE----	1	1	-	1	1	2	2	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	2	-	3	1	-	-
BLACK---MALE-----	1	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	1	-	1	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intestinal infections due to other specified organisms (A04,A07-A08)												
OHIO -----	4	4	5	5	16	27	30	24	17	6	1	-
WHITE-----MALE----	2	2	3	-	6	13	11	3	2	1	-	-
FEMALE--	2	2	2	3	9	12	18	19	15	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	2	-	-	-	-
OKLAHOMA -----	-	-	-	-	2	6	2	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	4	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	1	1	1	1	3	5	4	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	2	-	-	-
FEMALE--	1	-	1	1	1	-	3	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	2	7	3	17	22	33	17	17	6	-	-
WHITE-----MALE----	-	-	2	3	6	10	12	6	4	2	-	-
FEMALE--	3	1	4	-	11	11	20	11	13	3	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-
RHODE ISLAND -----	-	-	-	-	2	2	1	4	2	1	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	2	1	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	2	-	5	2	6	3	1	-	-	-
WHITE-----MALE----	-	-	1	-	2	-	3	-	-	-	-	-
FEMALE--	1	1	1	-	3	1	3	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Intestinal infections due to other specified organisms (A04,A07-A08)

SOUTH DAKOTA -----	-	-	-	-	-	-	2	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	1	2	4	-	8	9	4	4	-	-
WHITE-----MALE----	-	-	-	2	1	-	5	3	2	-	-	-
FEMALE--	-	-	1	-	2	-	2	5	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	1	-	-
TEXAS -----	-	1	3	4	4	8	11	10	5	4	-	-
WHITE-----MALE----	-	1	2	-	3	2	-	2	-	-	-	-
FEMALE--	-	-	1	4	1	5	8	10	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
UTAH -----	1	-	-	-	2	-	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	-	-	2	4	5	9	3	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	3	2	2	-	-	-
FEMALE--	1	-	-	-	1	4	1	7	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX 50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85-89 YEARS 90-94 YEARS 95-99 YEARS 100 YEARS & OVER AGE NOT STATED

Diarrhea and gastroenteritis of infectious origin (A09)

Table with columns for state (MINNESOTA, MISSISSIPPI, MISSOURI, MONTANA, NEBRASKA, NEVADA), race (WHITE, ALL OTHER, BLACK), and sex (MALE, FEMALE). Rows show death counts for various age groups (50-54 to 100+ years) and 'AGE NOT STATED'.

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Tuberculosis (A16-A19)

UNITED STATES -	47	63	53	60	92	102	104	85	30	10	-	1
WHITE-----MALE----	16	29	22	24	29	38	31	22	11	4	-	1
FEMALE--	6	6	10	14	23	35	36	37	10	3	-	-
ALL OTHER--MALE----	20	18	16	16	29	15	16	12	7	1	-	-
FEMALE--	5	10	5	6	11	14	21	14	2	2	-	-
BLACK---MALE-----	19	16	11	13	17	7	7	5	6	1	-	-
FEMALE--	4	7	4	6	8	9	12	6	2	2	-	-
ALABAMA -----	1	1	1	2	2	2	4	2	1	1	-	-
WHITE-----MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	-	1	-	-
BLACK---MALE-----	1	-	1	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	-	1	-	-
ALASKA -----	-	-	-	-	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	2	2	1	-	1	3	1	1	-	-	-
WHITE-----MALE----	-	2	2	1	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	2	1	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	6	13	11	10	14	15	16	15	4	1	-	-
WHITE-----MALE----	2	6	4	7	3	5	4	3	-	1	-	-
FEMALE--	2	3	2	1	2	4	3	3	4	-	-	-
ALL OTHER--MALE----	1	3	3	2	6	2	5	4	-	-	-	-
FEMALE--	1	1	2	-	3	4	4	5	-	-	-	-
BLACK---MALE-----	1	1	1	1	2	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Tuberculosis (A16-A19)												
COLORADO -----	6	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	10	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
FLORIDA -----	31	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
GEORGIA -----	29	-	-	-	-	-	-	-	1	-	-	5
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Tuberculosis (A16-A19)

COLORADO -----	-	-	-	1	-	-	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	5	-	-	1	2	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	5	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
FLORIDA -----	4	4	6	3	6	4	2	-	-	-	-	-
WHITE-----MALE----	3	2	6	-	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	3	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
GEORGIA -----	4	2	4	1	3	3	1	4	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	1	-	1	-	1	2	-	1	1	-	-	-
ALL OTHER--MALE----	1	2	3	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	1	2	2	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Tuberculosis (A16-A19)												
KENTUCKY -----	18	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	17	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
MAINE -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	13	-	-	-	-	-	-	1	-	-	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
MASSACHUSETTS -----	12	-	-	-	-	-	-	-	-	2	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	31	-	-	-	-	1	-	-	1	1	-	3
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	1	-	2
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	1	-	2

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Tuberculosis (A16-A19)

KENTUCKY -----	1	-	3	1	2	1	1	5	-	-	-	1
WHITE-----MALE----	-	-	1	-	-	-	-	3	-	-	-	1
FEMALE--	-	-	1	1	2	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	4	1	1	3	1	2	2	-	-	-	-
WHITE-----MALE----	1	2	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	3	2	3	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	1	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	3	2	1	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	1	-	2	5	5	3	4	2	1	-	-
WHITE-----MALE----	-	-	-	1	2	1	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	2	2	-	-	-
ALL OTHER--MALE----	1	1	-	-	2	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	1	-	-	1	-	-
BLACK---MALE----	1	1	-	-	2	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	1	-	-	1	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Tuberculosis (A16-A19)												
OHIO -----	1	2	1	3	3	3	1	4	2	-	-	-
WHITE-----MALE----	-	-	-	3	2	1	-	2	1	-	-	-
FEMALE--	1	-	1	-	1	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
OKLAHOMA -----	-	2	-	-	1	1	1	2	1	-	-	-
WHITE-----MALE----	-	1	-	-	1	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
OREGON -----	-	1	-	-	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	3	3	3	6	2	-	1	1	-	-	-
WHITE-----MALE----	-	2	2	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	3	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	2	-	-	-	1	-	-	-
FEMALE--	-	-	1	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	1	1	1	-	-	-	-	-	-
RHODE ISLAND -----	-	-	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	2	-	-	1	2	-	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Tuberculosis (A16-A19)												
SOUTH DAKOTA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	2	2	2	3	7	-	1	-	-	-
WHITE-----MALE----	-	1	1	1	-	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	4	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	2	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
TEXAS -----	9	5	3	10	11	15	8	7	2	3	-	-
WHITE-----MALE----	5	3	-	6	7	7	2	-	1	-	-	-
FEMALE--	1	-	1	3	1	7	6	5	1	3	-	-
ALL OTHER--MALE----	3	-	1	1	2	-	-	1	-	-	-	-
FEMALE--	-	2	1	-	1	1	-	1	-	-	-	-
BLACK---MALE----	3	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	1	1	-	1	-	-	-	-
UTAH -----	-	-	-	1	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	-	2	1	4	4	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	2	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Respiratory tuberculosis (A16)												
UNITED STATES -	34	51	45	47	68	82	84	71	28	7	-	1
WHITE-----MALE----	14	26	22	18	24	34	25	17	10	3	-	1
FEMALE--	2	4	5	11	16	25	30	29	9	2	-	-
ALL OTHER--MALE----	15	15	15	13	21	12	13	12	7	1	-	-
FEMALE--	3	6	3	5	7	11	16	13	2	1	-	-
BLACK---MALE-----	15	14	10	10	13	6	6	5	6	1	-	-
FEMALE--	2	4	3	5	4	7	9	5	2	1	-	-
ALABAMA -----	1	1	1	2	1	-	3	2	1	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
BLACK---MALE-----	1	-	1	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
ALASKA -----	-	-	-	-	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	2	2	1	-	1	2	1	-	-	-	-
WHITE-----MALE----	-	2	2	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	2	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	5	11	8	9	11	12	14	15	3	1	-	-
WHITE-----MALE----	2	6	4	6	3	4	4	3	4	1	-	-
FEMALE--	1	2	1	1	2	3	3	3	3	-	-	-
ALL OTHER--MALE----	1	2	3	2	4	2	4	4	-	-	-	-
FEMALE--	1	1	-	-	2	3	3	5	-	-	-	-
BLACK---MALE-----	1	1	1	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Respiratory tuberculosis (A16)

COLORADO -----	-	-	-	1	-	-	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	4	-	-	1	2	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	4	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
FLORIDA -----	3	4	6	3	6	4	2	-	-	-	-	-
WHITE-----MALE----	3	2	6	-	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	3	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
GEORGIA -----	2	2	3	1	2	3	-	4	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	2	2	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	2	1	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Respiratory tuberculosis (A16)												
KENTUCKY -----	14	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	14	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
MAINE -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	10	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
MASSACHUSETTS -----	9	-	-	-	-	-	-	-	-	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	27	-	-	-	-	1	-	-	1	1	-	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	1	-	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Respiratory tuberculosis (A16)

KENTUCKY -----	1	-	3	-	1	1	1	4	-	-	-	1
WHITE-----MALE----	-	-	1	-	-	-	-	3	-	-	-	1
FEMALE--	-	-	1	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	3	1	1	1	1	2	2	-	-	-	-
WHITE-----MALE----	1	2	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	1	2	3	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	2	2	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	-	-	2	5	5	3	3	2	1	-	-
WHITE-----MALE----	-	-	-	1	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	2	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	1	-	-
BLACK---MALE----	1	-	-	-	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	1	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Respiratory tuberculosis (A16)

OHIO -----	-	1	-	2	3	3	1	3	2	-	-	-
WHITE-----MALE----	-	-	-	2	2	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OKLAHOMA -----	-	1	-	-	1	1	1	2	1	-	-	-
WHITE-----MALE----	-	1	-	-	1	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
OREGON -----	-	-	-	-	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	3	3	1	2	-	-	-	1	-	-	-
WHITE-----MALE----	-	2	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	1	-	-	1	2	-	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other tuberculosis (A17-A19)												
UNITED STATES -	13	12	8	13	24	20	20	14	2	3	-	-
WHITE-----MALE----	2	3	-	6	5	4	6	5	1	1	-	-
FEMALE--	4	2	5	3	7	10	6	8	1	1	-	-
ALL OTHER--MALE----	5	3	1	3	8	3	3	-	-	-	-	-
FEMALE--	2	4	2	1	4	3	5	1	-	1	-	-
BLACK---MALE-----	4	2	1	3	4	1	1	-	-	-	-	-
FEMALE--	2	3	1	1	4	2	3	1	-	1	-	-
ALABAMA -----	-	-	-	-	1	2	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	2	3	1	3	3	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	2	-	1	1	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other tuberculosis (A17-A19)												
COLORADO -----	1	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	6	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other tuberculosis (A17-A19)

COLORADO -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	2	-	1	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 134

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other tuberculosis (A17-A19)

SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	1	-	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	2	2	1	1	-	2	1	3	-	1	-	-
WHITE-----MALE----	1	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	2	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
UTAH -----	-	-	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	-	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Zoonotic and other bacterial diseases (A20-A49)												
UNITED STATES -	33,884	360	132	43	60	105	92	111	208	341	554	894
WHITE-----MALE----	12,047	120	55	19	28	41	29	39	61	128	205	318
FEMALE--	15,113	93	42	16	17	32	25	33	62	89	159	276
ALL OTHER--MALE----	3,074	76	17	5	6	14	24	19	41	60	92	160
FEMALE--	3,650	71	18	3	9	18	14	20	44	64	98	140
BLACK---MALE-----	2,756	69	14	3	4	13	20	14	37	55	82	140
FEMALE--	3,373	63	14	3	7	16	9	17	41	59	87	130
ALABAMA -----	801	11	2	2	1	-	1	3	7	7	10	19
WHITE-----MALE----	220	2	1	-	-	-	1	-	1	3	4	3
FEMALE--	325	2	-	1	-	-	-	2	3	-	2	8
ALL OTHER--MALE----	100	2	1	1	-	-	-	-	-	1	2	4
FEMALE--	156	5	-	-	1	-	-	1	3	3	2	4
BLACK---MALE-----	100	2	1	1	-	-	-	-	-	1	2	4
FEMALE--	155	5	-	-	1	-	-	1	3	3	2	4
ALASKA -----	27	-	-	2	-	-	1	-	-	1	1	3
WHITE-----MALE----	12	-	-	2	-	-	1	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	416	14	6	1	1	1	1	3	2	5	14	18
WHITE-----MALE----	169	4	-	1	-	-	-	1	1	2	5	12
FEMALE--	187	5	3	-	1	-	-	1	1	-	2	1
ALL OTHER--MALE----	31	4	1	-	-	-	1	-	-	-	4	1
FEMALE--	29	1	2	-	-	1	-	1	-	3	3	4
BLACK---MALE-----	9	2	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	1	-	-	-	-	-	-	-	1	1
ARKANSAS -----	515	2	1	-	2	2	3	1	-	5	7	10
WHITE-----MALE----	193	-	-	-	-	1	1	-	-	2	3	3
FEMALE--	229	-	-	-	1	1	1	-	-	1	3	4
ALL OTHER--MALE----	44	-	-	-	-	-	1	1	-	2	-	-
FEMALE--	49	2	1	-	1	-	-	-	-	-	1	3
BLACK---MALE-----	43	-	-	-	-	-	1	1	-	2	-	-
FEMALE--	49	2	1	-	1	-	-	-	-	-	1	3
CALIFORNIA -----	1,016	19	7	6	2	8	4	8	7	12	29	47
WHITE-----MALE----	419	11	2	4	-	4	2	4	4	8	17	26
FEMALE--	459	6	3	1	-	3	1	2	3	4	7	15
ALL OTHER--MALE----	69	-	1	-	1	-	-	-	-	-	4	5
FEMALE--	69	2	1	1	1	1	1	2	-	-	1	1
BLACK---MALE-----	33	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	42	1	1	1	-	-	-	1	-	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 136

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Zoonotic and other bacterial diseases (A20-A49)

UNITED STATES -	1,219	1,470	1,816	2,533	3,740	5,222	5,574	5,033	3,115	1,066	196	-
WHITE-----MALE----	445	539	700	990	1,505	2,096	2,130	1,598	778	203	20	-
FEMALE--	376	497	631	937	1,469	2,216	2,654	2,743	1,918	699	129	-
ALL OTHER--MALE----	206	238	233	306	387	419	336	254	136	33	12	-
FEMALE--	192	196	252	300	379	491	454	438	283	131	35	-
BLACK---MALE-----	186	225	215	275	339	378	303	231	114	28	11	-
FEMALE--	174	181	237	279	347	450	428	412	262	124	33	-
ALABAMA -----	32	41	56	87	95	119	98	113	70	22	5	-
WHITE-----MALE----	13	8	19	26	28	34	34	29	12	1	1	-
FEMALE--	10	14	16	28	39	46	45	52	39	16	2	-
ALL OTHER--MALE----	5	8	10	16	11	15	5	10	7	1	1	-
FEMALE--	4	11	11	17	17	24	14	22	12	4	1	-
BLACK---MALE-----	5	8	10	16	11	15	5	10	7	1	1	-
FEMALE--	4	11	11	17	16	24	14	22	12	4	1	-
ALASKA -----	3	1	-	-	2	1	7	3	2	-	-	-
WHITE-----MALE----	1	1	-	-	1	-	4	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	16	24	23	40	38	57	68	48	31	3	2	-
WHITE-----MALE----	7	11	14	13	18	31	20	18	11	-	-	-
FEMALE--	4	8	7	18	17	23	44	29	19	2	2	-
ALL OTHER--MALE----	2	3	-	7	2	2	1	1	1	1	-	-
FEMALE--	3	2	2	2	1	1	3	-	-	-	-	-
BLACK---MALE-----	1	1	-	3	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	-	-	-	-	-
ARKANSAS -----	18	24	28	35	62	76	86	83	48	18	4	-
WHITE-----MALE----	7	8	12	10	25	40	33	26	16	6	-	-
FEMALE--	6	10	6	22	25	28	45	40	24	9	3	-
ALL OTHER--MALE----	3	5	3	1	8	4	3	8	3	1	1	-
FEMALE--	2	1	7	2	4	4	5	9	5	2	-	-
BLACK---MALE-----	3	5	3	1	7	4	3	8	3	1	1	-
FEMALE--	2	1	7	2	4	4	5	9	5	2	-	-
CALIFORNIA -----	46	34	50	74	98	153	149	142	86	32	3	-
WHITE-----MALE----	18	15	19	32	41	54	67	49	32	10	-	-
FEMALE--	15	13	24	31	35	81	68	76	48	20	3	-
ALL OTHER--MALE----	6	3	4	8	13	6	5	8	5	-	-	-
FEMALE--	7	3	3	3	9	12	9	9	1	2	-	-
BLACK---MALE-----	5	1	2	5	5	2	5	2	1	-	-	-
FEMALE--	6	3	2	3	6	6	6	4	1	1	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 137

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Zoonotic and other bacterial diseases (A20-A49)												
COLORADO -----	313	4	1	-	2	2	1	2	4	4	5	11
WHITE-----MALE----	130	3	-	-	-	1	1	2	2	1	3	3
FEMALE--	165	1	-	-	2	1	-	-	1	2	2	8
ALL OTHER--MALE----	9	-	1	-	-	-	-	-	1	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	6	-	1	-	-	-	-	-	1	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	572	5	2	1	1	1	-	1	2	6	5	12
WHITE-----MALE----	217	1	1	1	-	-	-	1	-	2	-	6
FEMALE--	305	1	-	-	1	-	-	-	2	4	3	4
ALL OTHER--MALE----	23	1	1	-	-	1	-	-	-	-	2	1
FEMALE--	27	2	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	20	-	1	-	-	1	-	-	-	-	2	1
FEMALE--	26	2	-	-	-	-	-	-	-	-	-	1
DELAWARE -----	132	1	-	-	-	-	-	-	-	4	2	4
WHITE-----MALE----	41	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	61	-	-	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	11	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE-----	11	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	1	-	1
DISTRICT OF COLUMBIA ---	103	4	1	-	-	-	1	-	1	-	2	4
WHITE-----MALE----	5	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	22	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	66	3	-	-	-	-	1	-	-	-	1	4
BLACK---MALE-----	22	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	66	3	-	-	-	-	1	-	-	-	1	4
FLORIDA -----	1,833	19	4	2	3	7	1	3	8	19	30	54
WHITE-----MALE----	771	4	1	1	2	4	-	2	3	6	12	26
FEMALE--	804	6	1	1	1	2	-	1	1	5	8	17
ALL OTHER--MALE----	115	5	1	-	-	-	-	-	-	5	7	6
FEMALE--	143	4	1	-	-	1	1	-	4	3	3	5
BLACK---MALE-----	112	5	1	-	-	-	-	-	-	5	7	6
FEMALE--	138	4	1	-	-	1	1	-	4	3	3	5
GEORGIA -----	1,361	18	6	2	1	3	7	6	16	24	37	48
WHITE-----MALE----	328	6	3	1	-	1	1	1	2	2	10	12
FEMALE--	517	2	-	-	-	1	-	-	5	6	3	11
ALL OTHER--MALE----	225	7	1	-	1	-	5	2	7	5	11	13
FEMALE--	291	3	2	1	-	1	1	3	2	11	13	12
BLACK---MALE-----	216	7	-	-	1	-	4	2	6	5	11	13
FEMALE--	290	3	2	1	-	1	1	3	2	11	13	12

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Zoonotic and other bacterial diseases (A20-A49)												
COLORADO -----	12	10	23	21	34	44	45	49	28	10	1	-
WHITE-----MALE----	4	4	10	11	15	16	20	20	10	4	-	-
FEMALE--	7	5	12	8	15	27	20	29	18	6	1	-
ALL OTHER--MALE----	1	-	-	1	1	1	2	-	-	-	-	-
FEMALE--	-	1	1	1	3	-	3	-	-	-	-	-
BLACK---MALE-----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	3	-	-	-	-	-
CONNECTICUT -----	15	16	27	42	51	104	93	102	64	19	3	-
WHITE-----MALE----	8	7	11	16	22	44	35	41	19	2	-	-
FEMALE--	5	8	11	19	23	53	55	56	42	16	2	-
ALL OTHER--MALE----	1	1	3	3	2	1	1	3	2	-	-	-
FEMALE--	1	-	2	4	4	6	2	2	1	1	1	-
BLACK---MALE-----	-	1	2	3	2	1	1	3	2	-	-	-
FEMALE--	1	-	2	4	3	6	2	2	1	1	1	-
DELAWARE -----	10	5	7	13	13	21	23	16	9	4	-	-
WHITE-----MALE----	4	1	3	5	5	5	7	6	2	-	-	-
FEMALE--	5	3	2	7	5	9	7	9	6	4	-	-
ALL OTHER--MALE----	-	-	1	-	3	2	2	1	-	-	-	-
FEMALE--	1	1	1	1	-	5	7	-	1	-	-	-
BLACK---MALE-----	-	-	1	-	3	2	2	1	-	-	-	-
FEMALE--	1	1	1	1	-	5	7	-	1	-	-	-
DISTRICT OF COLUMBIA ---	6	5	2	8	6	14	17	17	9	6	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	2	-	-	-
FEMALE--	3	-	-	1	-	1	1	4	2	-	-	-
ALL OTHER--MALE----	3	1	2	2	1	-	6	4	1	-	-	-
FEMALE--	3	3	-	5	5	12	10	9	4	6	-	-
BLACK---MALE-----	3	1	2	2	1	-	6	4	1	-	-	-
FEMALE--	3	3	-	5	5	12	10	9	4	6	-	-
FLORIDA -----	52	83	92	125	199	304	291	291	171	68	7	-
WHITE-----MALE----	26	40	35	63	85	132	136	111	61	19	2	-
FEMALE--	13	24	37	33	73	131	136	166	104	39	5	-
ALL OTHER--MALE----	8	9	7	12	19	24	4	5	1	2	-	-
FEMALE--	5	10	13	17	22	17	15	9	5	8	-	-
BLACK---MALE-----	8	8	7	12	19	23	4	5	1	1	-	-
FEMALE--	5	10	13	15	22	15	14	9	5	8	-	-
GEORGIA -----	60	68	94	112	147	172	212	182	108	28	10	-
WHITE-----MALE----	15	20	20	26	47	51	55	40	13	1	1	-
FEMALE--	20	22	36	40	53	61	90	90	55	19	3	-
ALL OTHER--MALE----	14	16	17	27	26	22	25	15	8	2	1	-
FEMALE--	11	10	21	19	21	38	42	37	32	6	5	-
BLACK---MALE-----	13	16	17	26	24	20	25	15	8	2	1	-
FEMALE--	11	10	21	19	21	38	41	37	32	6	5	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Zoonotic and other bacterial diseases (A20-A49)												
HAWAII -----	174	2	1	1	-	-	1	1	1	1	1	7
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	77	1	-	1	-	-	1	1	-	1	1	4
FEMALE--	56	1	1	-	-	-	-	-	1	-	-	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	67	1	-	-	1	1	-	-	-	-	1	1
WHITE-----MALE----	27	1	-	-	-	1	-	-	-	-	-	1
FEMALE--	39	-	-	-	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,048	22	9	1	3	5	4	9	14	24	35	46
WHITE-----MALE----	675	6	3	-	2	1	2	3	2	10	13	9
FEMALE--	817	5	4	1	-	2	-	2	2	8	9	13
ALL OTHER--MALE----	274	8	2	-	1	2	2	1	3	2	7	13
FEMALE--	282	3	-	-	-	-	-	3	7	4	6	11
BLACK---MALE----	263	7	2	-	1	2	1	1	3	2	7	13
FEMALE--	273	3	-	-	-	-	-	3	6	4	5	11
INDIANA -----	828	9	2	1	1	2	3	3	6	9	14	16
WHITE-----MALE----	324	2	-	1	1	1	-	1	-	6	6	6
FEMALE--	400	5	2	-	-	-	3	1	4	1	6	6
ALL OTHER--MALE----	45	-	-	-	-	1	-	1	1	-	-	2
FEMALE--	59	2	-	-	-	-	-	1	1	2	2	2
BLACK---MALE----	45	-	-	-	-	1	-	1	1	-	-	2
FEMALE--	58	2	-	-	-	-	-	-	1	2	2	2
IOWA -----	291	8	1	-	2	1	2	1	-	5	2	4
WHITE-----MALE----	123	4	1	-	2	-	-	-	-	3	1	1
FEMALE--	157	4	-	-	-	1	2	1	-	1	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	295	4	2	-	1	-	-	1	2	4	3	4
WHITE-----MALE----	120	3	1	-	-	-	-	1	-	1	-	3
FEMALE--	146	1	1	-	-	-	-	-	1	2	3	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	1	-	-	-	1	1	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	1	-	-	-	1	1	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Zoonotic and other bacterial diseases (A20-A49)												
HAWAII -----	13	8	10	14	23	26	19	18	17	8	2	-
WHITE-----MALE----	3	1	-	3	1	3	6	3	1	-	-	-
FEMALE--	1	2	1	2	3	-	3	4	1	1	1	-
ALL OTHER--MALE----	3	3	4	5	13	12	9	5	10	3	-	-
FEMALE--	6	2	5	4	6	11	1	6	5	4	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	4	5	5	5	9	17	7	9	1	-	-
WHITE-----MALE----	-	3	-	1	2	5	9	1	3	-	-	-
FEMALE--	-	1	4	4	3	4	8	6	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ILLINOIS -----	75	84	120	157	229	303	358	305	168	67	10	-
WHITE-----MALE----	25	28	36	57	83	122	118	103	36	15	1	-
FEMALE--	15	19	41	49	72	113	166	149	102	39	6	-
ALL OTHER--MALE----	18	20	21	27	41	32	36	23	11	4	-	-
FEMALE--	17	17	22	24	33	36	38	30	19	9	3	-
BLACK---MALE----	17	20	21	25	39	31	34	22	11	4	-	-
FEMALE--	16	17	21	24	33	35	37	29	17	9	3	-
INDIANA -----	22	33	47	73	102	118	156	121	60	24	6	-
WHITE-----MALE----	8	15	27	32	46	54	61	37	16	4	-	-
FEMALE--	6	10	12	33	45	54	83	72	36	16	5	-
ALL OTHER--MALE----	5	4	5	4	5	5	6	5	1	-	-	-
FEMALE--	3	4	3	4	6	5	6	7	7	4	1	-
BLACK---MALE----	5	4	5	4	5	5	6	5	1	-	-	-
FEMALE--	3	4	3	4	5	5	6	7	7	4	1	-
IOWA -----	15	13	14	14	36	39	46	48	26	13	1	-
WHITE-----MALE----	7	6	6	9	19	21	22	15	5	1	-	-
FEMALE--	5	6	8	4	17	17	24	31	21	12	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	1	-	-	1	-
FEMALE--	2	1	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	2	1	-	-	-	1	-	1	-	-	-	-
KANSAS -----	14	11	12	14	33	50	49	39	38	12	2	-
WHITE-----MALE----	7	4	4	8	11	31	25	9	9	3	-	-
FEMALE--	6	5	5	5	19	18	20	22	28	9	1	-
ALL OTHER--MALE----	1	1	1	-	1	1	2	2	-	-	-	-
FEMALE--	-	1	2	1	2	-	2	6	1	-	1	-
BLACK---MALE----	1	1	1	-	-	1	2	2	-	-	-	-
FEMALE--	-	1	2	1	2	-	2	6	1	-	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Zoonotic and other bacterial diseases (A20-A49)												
KENTUCKY -----	622	1	4	-	1	2	1	4	5	3	11	17
WHITE-----MALE----	246	-	3	-	-	2	1	2	1	1	4	6
FEMALE--	325	-	-	-	1	-	-	1	4	2	6	9
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	33	1	1	-	-	-	-	1	-	-	1	1
BLACK---MALE-----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	33	1	1	-	-	-	-	1	-	-	1	1
LOUISIANA -----	786	11	1	-	2	5	2	2	11	10	15	25
WHITE-----MALE----	190	1	-	-	1	-	-	2	3	2	4	7
FEMALE--	293	1	-	-	-	2	1	-	1	2	1	6
ALL OTHER--MALE----	146	8	-	-	1	1	1	-	5	3	3	4
FEMALE--	157	1	1	-	-	2	-	-	2	3	7	8
BLACK---MALE-----	145	8	-	-	1	1	1	-	5	3	3	3
FEMALE--	156	1	1	-	-	2	-	-	2	3	7	8
MAINE -----	129	-	1	-	-	-	-	1	-	1	-	1
WHITE-----MALE----	57	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	72	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,029	5	4	1	1	2	4	2	9	12	22	26
WHITE-----MALE----	307	1	-	-	1	-	-	-	-	2	1	9
FEMALE--	372	-	3	1	-	1	2	1	2	-	4	2
ALL OTHER--MALE----	166	-	-	-	-	-	1	1	3	4	6	11
FEMALE--	184	4	1	-	-	1	1	-	4	6	11	4
BLACK---MALE-----	162	-	-	-	-	1	1	1	3	4	6	11
FEMALE--	176	4	1	-	-	1	1	-	4	6	11	4
MASSACHUSETTS -----	999	3	-	-	3	2	3	4	1	8	9	24
WHITE-----MALE----	411	1	-	-	2	1	-	2	1	3	7	11
FEMALE--	523	1	-	-	1	1	1	-	-	3	1	12
ALL OTHER--MALE----	28	-	-	-	-	-	1	1	-	1	-	1
FEMALE--	37	1	-	-	-	-	1	1	-	1	1	-
BLACK---MALE-----	21	-	-	-	-	-	1	1	-	1	-	1
FEMALE--	31	1	-	-	-	-	-	-	-	1	1	-
MICHIGAN -----	936	7	3	1	-	2	2	2	9	10	13	26
WHITE-----MALE----	295	3	1	1	-	2	1	1	4	3	6	6
FEMALE--	386	1	-	-	-	-	-	-	1	2	2	10
ALL OTHER--MALE----	121	1	1	-	-	-	-	1	1	3	2	7
FEMALE--	134	2	1	-	-	-	1	-	3	2	3	3
BLACK---MALE-----	118	1	1	-	-	-	-	1	-	3	2	7
FEMALE--	124	2	1	-	-	-	1	-	2	2	3	3

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Zoonotic and other bacterial diseases (A20-A49)												
KENTUCKY -----	14	30	36	64	79	86	111	81	48	19	5	-
WHITE-----MALE----	8	14	15	29	31	40	42	27	14	5	1	-
FEMALE--	3	13	17	29	39	39	63	51	32	12	4	-
ALL OTHER--MALE----	-	2	1	3	2	4	3	1	1	-	-	-
FEMALE--	3	1	3	3	7	3	3	2	1	2	-	-
BLACK---MALE-----	-	2	-	2	2	4	3	1	1	-	-	-
FEMALE--	3	1	3	3	7	3	3	2	1	2	-	-
LOUISIANA -----	35	40	34	59	82	101	131	126	73	16	5	-
WHITE-----MALE----	6	11	11	18	23	22	40	24	14	1	-	-
FEMALE--	9	9	9	19	23	44	53	61	37	11	4	-
ALL OTHER--MALE----	11	15	6	10	15	19	24	14	4	1	1	-
FEMALE--	9	5	8	12	21	16	14	27	18	3	-	-
BLACK---MALE-----	11	15	6	10	15	19	24	14	4	1	1	-
FEMALE--	9	5	8	12	21	16	14	26	18	3	-	-
MAINE -----	3	6	10	8	12	26	23	18	11	5	3	-
WHITE-----MALE----	2	3	6	5	8	9	10	6	4	2	-	-
FEMALE--	1	3	4	3	4	17	13	12	7	3	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	42	51	56	73	113	167	170	154	89	21	5	-
WHITE-----MALE----	13	12	15	30	44	54	56	42	24	3	-	-
FEMALE--	9	7	10	20	40	66	71	75	45	11	2	-
ALL OTHER--MALE----	9	13	19	12	15	26	23	14	7	-	2	-
FEMALE--	11	19	12	11	14	21	20	23	13	7	1	-
BLACK---MALE-----	9	13	19	12	14	25	22	13	7	-	2	-
FEMALE--	11	17	12	10	12	20	19	23	12	7	1	-
MASSACHUSETTS -----	40	37	52	74	101	161	187	145	99	40	6	-
WHITE-----MALE----	19	20	27	40	46	72	82	49	20	7	1	-
FEMALE--	13	15	22	25	48	81	97	90	74	33	5	-
ALL OTHER--MALE----	6	1	1	3	3	4	5	-	1	-	-	-
FEMALE--	2	1	2	6	4	4	3	6	4	-	-	-
BLACK---MALE-----	5	1	1	2	1	2	4	-	1	-	-	-
FEMALE--	2	1	1	5	4	3	3	6	3	-	-	-
MICHIGAN -----	34	47	51	78	99	147	143	140	86	29	7	-
WHITE-----MALE----	8	9	13	27	41	47	47	45	25	4	1	-
FEMALE--	8	14	21	27	35	60	64	68	49	19	5	-
ALL OTHER--MALE----	13	17	9	12	8	18	13	10	5	-	-	-
FEMALE--	5	7	8	12	15	22	19	17	7	6	1	-
BLACK---MALE-----	13	17	9	12	8	17	12	10	5	-	-	-
FEMALE--	5	7	7	11	13	20	17	16	7	6	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Zoonotic and other bacterial diseases (A20-A49)												
MINNESOTA -----	245	3	1	-	-	3	1	2	1	2	3	6
WHITE-----MALE----	97	-	-	-	-	1	1	1	-	1	1	1
FEMALE--	126	1	-	-	-	-	-	-	1	1	-	2
ALL OTHER--MALE----	13	1	1	-	-	2	-	1	-	-	-	2
FEMALE--	9	1	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	6	1	1	-	-	2	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
MISSISSIPPI -----	503	8	3	-	-	-	3	2	5	6	5	15
WHITE-----MALE----	140	3	1	-	-	-	-	-	1	1	1	4
FEMALE--	164	-	1	-	-	-	1	1	2	1	2	1
ALL OTHER--MALE----	98	3	1	-	-	-	1	-	1	3	1	4
FEMALE--	101	2	-	-	-	-	1	1	1	1	1	6
BLACK---MALE----	97	3	1	-	-	-	1	-	1	3	1	4
FEMALE--	100	2	-	-	-	-	1	1	1	1	1	6
MISSOURI -----	636	3	7	-	2	3	-	2	5	9	15	17
WHITE-----MALE----	242	1	5	-	-	1	-	-	2	7	7	6
FEMALE--	297	-	1	-	1	1	-	1	1	1	2	6
ALL OTHER--MALE----	42	1	-	-	-	-	-	1	-	-	3	1
FEMALE--	55	1	1	-	1	1	-	-	2	1	3	4
BLACK---MALE----	42	1	-	-	-	-	-	1	-	-	3	1
FEMALE--	53	1	-	-	-	1	-	-	2	1	3	4
MONTANA -----	76	1	-	-	-	-	-	1	-	-	1	2
WHITE-----MALE----	30	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	43	1	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	140	-	1	-	1	-	1	-	1	3	3	4
WHITE-----MALE----	59	-	1	-	-	-	-	-	1	3	-	1
FEMALE--	74	-	-	-	1	-	1	-	-	-	3	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	401	5	2	-	-	1	1	1	3	1	10	11
WHITE-----MALE----	192	2	1	-	-	1	-	-	1	-	4	5
FEMALE--	175	1	1	-	-	-	-	1	-	-	3	6
ALL OTHER--MALE----	16	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	18	1	-	-	-	-	1	-	2	-	2	-
BLACK---MALE----	15	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	10	1	-	-	-	-	-	-	2	-	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Zoonotic and other bacterial diseases (A20-A49)

MINNESOTA -----	5	8	10	16	20	38	47	41	26	8	4	-
WHITE-----MALE----	3	3	4	7	7	20	20	19	6	2	-	-
FEMALE--	1	5	6	7	12	16	23	21	20	6	4	-
ALL OTHER--MALE----	1	-	-	1	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	2	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
MISSISSIPPI -----	20	19	32	42	64	61	76	73	46	22	1	-
WHITE-----MALE----	8	4	10	12	22	19	26	20	8	-	-	-
FEMALE--	2	5	8	14	20	20	26	28	20	11	1	-
ALL OTHER--MALE----	4	4	9	9	14	9	10	13	9	3	-	-
FEMALE--	6	6	5	7	8	13	14	12	9	8	-	-
BLACK---MALE----	4	4	8	9	14	9	10	13	9	3	-	-
FEMALE--	6	6	5	7	8	13	13	12	9	8	-	-
MISSOURI -----	23	34	27	43	68	93	97	89	79	20	-	-
WHITE-----MALE----	6	17	10	17	31	37	41	29	19	6	-	-
FEMALE--	10	12	6	17	30	41	48	53	54	12	-	-
ALL OTHER--MALE----	1	2	5	5	4	7	4	4	4	-	-	-
FEMALE--	6	3	6	4	3	8	4	3	2	2	-	-
BLACK---MALE----	1	2	5	5	4	7	4	4	4	-	-	-
FEMALE--	6	3	6	4	3	8	4	3	2	2	-	-
MONTANA -----	1	2	5	5	10	11	14	12	8	3	-	-
WHITE-----MALE----	-	2	2	2	6	7	5	4	1	-	-	-
FEMALE--	1	-	3	2	4	3	9	8	7	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEBRASKA -----	4	5	6	10	18	24	26	19	7	4	3	-
WHITE-----MALE----	3	2	1	4	7	9	15	8	3	1	-	-
FEMALE--	1	1	5	6	10	13	11	10	4	3	3	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	1	-	-	-	-
NEVADA -----	16	22	32	29	57	79	53	50	17	9	2	-
WHITE-----MALE----	7	10	14	14	32	41	27	23	5	5	-	-
FEMALE--	6	10	14	13	22	34	26	24	10	2	2	-
ALL OTHER--MALE----	2	-	3	1	1	1	-	2	1	2	-	-
FEMALE--	1	2	1	1	2	3	-	1	1	-	-	-
BLACK---MALE----	2	-	3	1	1	1	-	1	1	2	-	-
FEMALE--	1	1	-	-	1	2	-	1	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Zoonotic and other bacterial diseases (A20-A49)												
OHIO -----	1,542	11	6	3	2	5	3	3	10	15	24	32
WHITE-----MALE----	585	6	4	-	1	2	3	-	5	4	9	14
FEMALE--	716	1	2	3	1	2	-	1	4	5	8	13
ALL OTHER--MALE----	102	1	-	-	-	-	-	1	1	5	1	1
FEMALE--	139	3	-	-	-	1	-	1	-	1	6	4
BLACK---MALE----	101	1	-	-	-	-	-	1	1	5	1	1
FEMALE--	138	3	-	-	-	1	-	1	-	1	6	4
OKLAHOMA -----	442	9	1	-	3	2	-	-	2	2	8	12
WHITE-----MALE----	156	4	-	-	2	1	-	-	-	1	3	3
FEMALE--	233	4	1	-	-	-	-	-	1	-	4	5
ALL OTHER--MALE----	20	1	-	-	1	1	-	-	1	1	-	2
FEMALE--	33	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	12	1	-	-	1	1	-	-	-	1	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	223	5	3	-	-	-	-	2	-	2	5	7
WHITE-----MALE----	92	2	2	-	-	-	-	2	-	1	1	4
FEMALE--	120	2	1	-	-	-	-	-	-	-	4	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	2,736	12	7	3	4	6	6	3	12	13	32	57
WHITE-----MALE----	969	4	4	-	3	4	1	1	3	7	11	18
FEMALE--	1,299	1	2	2	-	1	3	2	3	3	11	17
ALL OTHER--MALE----	203	4	1	1	-	-	2	-	4	1	5	13
FEMALE--	265	3	-	-	1	1	-	-	2	2	5	9
BLACK---MALE----	194	3	1	1	-	-	2	-	4	1	5	12
FEMALE--	259	3	-	-	1	1	-	-	2	2	5	9
RHODE ISLAND -----	145	1	-	1	-	1	-	-	1	2	1	4
WHITE-----MALE----	62	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	76	-	-	1	-	1	-	-	-	1	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	567	11	-	-	1	3	2	8	6	11	12	13
WHITE-----MALE----	176	3	-	-	1	-	1	2	4	1	3	2
FEMALE--	184	2	-	-	-	-	-	4	-	4	2	3
ALL OTHER--MALE----	98	2	-	-	-	1	-	1	1	3	4	5
FEMALE--	109	4	-	-	-	2	1	1	1	3	3	3
BLACK---MALE----	97	2	-	-	-	1	-	1	1	3	4	5
FEMALE--	108	4	-	-	-	2	1	1	1	3	3	3

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Zoonotic and other bacterial diseases (A20-A49)												
OHIO -----	61	68	80	127	198	238	253	217	139	45	2	-
WHITE-----MALE----	25	25	35	49	86	99	100	67	41	9	1	-
FEMALE--	19	32	26	53	79	98	127	128	83	31	-	-
ALL OTHER--MALE----	11	4	9	8	19	14	10	8	8	1	-	-
FEMALE--	6	7	10	17	14	27	16	14	7	4	1	-
BLACK---MALE-----	11	4	9	7	19	14	10	8	8	1	-	-
FEMALE--	6	7	10	17	14	27	16	13	7	4	1	-
OKLAHOMA -----	15	22	33	40	44	66	58	62	41	17	5	-
WHITE-----MALE----	1	8	19	14	16	38	14	21	9	1	1	-
FEMALE--	11	8	10	20	25	24	38	37	29	14	2	-
ALL OTHER--MALE----	1	1	1	3	1	1	2	2	-	1	-	-
FEMALE--	2	5	3	3	2	3	4	2	3	1	2	-
BLACK---MALE-----	-	1	1	2	-	1	1	-	-	1	-	-
FEMALE--	-	2	2	1	1	2	2	2	1	1	2	-
OREGON -----	11	9	12	17	17	34	34	35	24	6	-	-
WHITE-----MALE----	5	5	7	7	10	13	15	10	8	-	-	-
FEMALE--	5	2	4	10	7	19	19	24	15	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	2	1	-	-	2	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA -----	81	119	120	178	325	440	512	448	260	84	14	-
WHITE-----MALE----	34	37	50	73	129	182	190	141	55	22	-	-
FEMALE--	19	46	44	58	132	190	259	271	173	52	10	-
ALL OTHER--MALE----	10	16	11	23	27	38	25	12	5	3	2	-
FEMALE--	18	20	15	24	37	30	38	24	27	7	2	-
BLACK---MALE-----	9	15	11	21	26	37	25	12	4	3	2	-
FEMALE--	16	20	15	24	36	30	36	24	26	7	2	-
RHODE ISLAND -----	2	4	5	4	19	26	30	26	13	4	1	-
WHITE-----MALE----	2	3	3	1	12	11	16	8	3	-	-	-
FEMALE--	-	1	1	3	7	13	13	18	10	4	1	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
SOUTH CAROLINA -----	31	30	37	49	61	88	79	71	39	11	4	-
WHITE-----MALE----	11	12	8	14	24	34	25	19	11	1	-	-
FEMALE--	8	7	8	13	19	24	30	32	18	8	2	-
ALL OTHER--MALE----	6	8	9	12	7	12	12	10	4	1	-	-
FEMALE--	6	3	12	10	11	18	12	10	6	1	2	-
BLACK---MALE-----	6	8	8	12	7	12	12	10	4	1	-	-
FEMALE--	6	3	11	10	11	18	12	10	6	1	2	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Zoonotic and other bacterial diseases (A20-A49)												
SOUTH DAKOTA -----	72	-	1	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	34	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	548	8	2	-	2	1	-	2	4	5	10	16
WHITE-----MALE----	195	1	2	-	1	-	-	1	1	3	3	5
FEMALE--	244	6	-	-	-	-	-	-	-	-	4	3
ALL OTHER--MALE----	57	1	-	-	-	-	-	1	2	1	3	5
FEMALE--	52	-	-	-	1	1	-	-	1	1	-	3
BLACK--MALE----	57	1	-	-	-	-	-	1	2	1	3	5
FEMALE--	52	-	-	-	1	1	-	-	1	1	-	3
TEXAS -----	2,109	32	11	3	4	8	12	2	13	23	43	82
WHITE-----MALE----	796	18	7	2	2	4	6	-	3	12	19	42
FEMALE--	970	10	2	-	2	1	2	2	5	8	15	23
ALL OTHER--MALE----	163	4	-	-	-	1	3	-	4	2	8	10
FEMALE--	180	-	2	1	-	2	1	-	1	1	1	7
BLACK--MALE----	152	4	-	-	-	-	3	-	4	2	8	10
FEMALE--	175	-	2	1	-	2	1	-	1	1	-	7
UTAH -----	119	-	1	-	1	1	1	-	1	2	3	3
WHITE-----MALE----	43	-	-	-	1	-	1	-	-	-	1	1
FEMALE--	72	-	1	-	-	1	-	-	-	1	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
BLACK--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	54	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,135	15	2	2	-	4	4	4	2	11	26	28
WHITE-----MALE----	359	3	1	-	-	1	1	1	2	5	7	10
FEMALE--	444	5	-	2	-	2	1	-	-	4	3	6
ALL OTHER--MALE----	161	6	1	-	-	-	1	1	-	-	7	7
FEMALE--	171	1	-	-	-	1	1	2	-	2	9	5
BLACK--MALE----	150	5	1	-	-	-	1	1	-	-	5	6
FEMALE--	162	1	-	-	-	1	1	2	-	2	8	4

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Zoonotic and other bacterial diseases (A20-A49)

SOUTH DAKOTA -----	2	-	3	7	7	11	13	15	8	2	-	-
WHITE-----MALE----	-	-	1	3	4	6	7	8	3	-	-	-
FEMALE--	-	-	1	2	3	5	6	6	5	2	-	-
ALL OTHER--MALE----	2	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	24	25	31	41	57	87	101	78	41	12	1	-
WHITE-----MALE----	6	9	13	14	26	31	44	20	11	3	1	-
FEMALE--	7	8	11	22	24	43	43	42	23	8	-	-
ALL OTHER--MALE----	6	6	5	1	4	6	6	7	3	-	-	-
FEMALE--	5	2	2	4	3	7	8	9	4	1	-	-
BLACK---MALE----	6	6	5	1	4	6	6	7	3	-	-	-
FEMALE--	5	2	2	4	3	7	8	9	4	1	-	-
TEXAS -----	70	106	130	159	200	306	321	300	196	69	19	-
WHITE-----MALE----	26	48	62	66	84	118	124	99	43	7	4	-
FEMALE--	22	35	41	63	92	136	156	159	131	53	12	-
ALL OTHER--MALE----	10	11	17	14	11	29	15	15	7	1	1	-
FEMALE--	12	12	10	16	13	23	26	27	15	8	2	-
BLACK---MALE----	10	11	17	12	10	28	13	14	4	1	1	-
FEMALE--	12	11	10	16	13	23	26	25	14	8	2	-
UTAH -----	8	4	5	7	12	16	25	19	7	3	-	-
WHITE-----MALE----	2	2	1	3	4	10	9	8	-	-	-	-
FEMALE--	6	2	4	4	8	6	15	11	7	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	2	9	4	8	6	10	9	2	1	1	-
WHITE-----MALE----	-	1	5	2	5	3	5	5	1	-	-	-
FEMALE--	1	1	4	2	3	3	5	4	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	34	51	56	84	121	189	183	172	98	41	8	-
WHITE-----MALE----	12	15	18	27	45	73	64	45	20	9	-	-
FEMALE--	14	20	19	24	39	68	66	84	55	26	6	-
ALL OTHER--MALE----	6	9	8	18	24	22	20	22	8	-	1	-
FEMALE--	2	7	11	15	13	26	33	21	15	6	1	-
BLACK---MALE----	4	9	7	18	21	21	20	22	8	-	1	-
FEMALE--	2	7	10	15	13	24	31	21	13	6	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Septicemia (A40-A41)												
UNITED STATES -	32,238	312	108	29	40	57	76	96	185	309	520	837
WHITE-----MALE----	11,371	100	46	14	18	22	24	33	52	115	194	286
FEMALE--	14,435	71	34	11	11	15	21	28	56	76	146	261
ALL OTHER--MALE----	2,936	74	14	3	4	9	20	17	37	55	87	153
FEMALE--	3,496	67	14	1	7	11	11	18	40	63	93	137
BLACK---MALE-----	2,635	67	12	1	2	9	16	13	33	51	77	133
FEMALE--	3,245	59	10	1	6	10	6	15	37	58	83	128
ALABAMA -----	771	10	1	1	1	-	1	2	6	6	10	19
WHITE-----MALE----	207	1	-	-	-	-	1	-	-	2	4	3
FEMALE--	314	2	-	1	-	-	-	2	3	-	2	8
ALL OTHER--MALE----	98	2	1	-	-	-	-	-	-	1	2	4
FEMALE--	152	5	-	-	1	-	-	-	3	3	2	4
BLACK---MALE-----	98	2	1	-	-	-	-	-	-	1	2	4
FEMALE--	151	5	-	-	1	-	-	-	3	3	2	4
ALASKA -----	25	-	-	2	-	-	1	-	-	1	1	3
WHITE-----MALE----	11	-	-	2	-	-	1	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	383	11	5	1	1	1	1	3	1	5	13	16
WHITE-----MALE----	154	3	-	1	-	-	-	1	-	2	5	10
FEMALE--	170	3	2	-	1	-	-	1	1	-	1	1
ALL OTHER--MALE----	31	4	1	-	-	-	1	-	-	-	4	1
FEMALE--	28	1	2	-	-	1	-	1	-	3	3	4
BLACK---MALE-----	9	2	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	1	-	-	-	-	-	-	-	1	1
ARKANSAS -----	499	2	-	-	2	1	3	1	-	5	7	10
WHITE-----MALE----	183	-	-	-	-	1	1	-	-	2	3	3
FEMALE--	224	-	-	-	1	-	1	-	-	1	3	4
ALL OTHER--MALE----	44	-	-	-	-	-	1	1	-	2	-	-
FEMALE--	48	2	-	-	1	-	-	-	-	-	1	3
BLACK---MALE-----	43	-	-	-	-	-	1	1	-	2	-	-
FEMALE--	48	2	-	-	1	-	-	-	-	-	1	3
CALIFORNIA -----	854	13	2	3	2	2	4	4	5	7	25	40
WHITE-----MALE----	354	8	-	2	-	-	2	2	4	4	15	21
FEMALE--	384	3	2	1	-	2	1	-	1	3	6	13
ALL OTHER--MALE----	60	-	-	-	1	-	-	-	-	-	3	5
FEMALE--	56	2	-	-	1	-	1	2	-	-	1	1
BLACK---MALE-----	27	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	32	1	-	-	-	-	-	1	-	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 208

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Septicemia (A40-A41)												
UNITED STATES -	1,140	1,392	1,719	2,409	3,589	5,000	5,351	4,856	3,001	1,020	192	-
WHITE-----MALE----	409	502	658	937	1,441	1,995	2,034	1,541	737	193	20	-
FEMALE--	356	478	602	893	1,406	2,128	2,551	2,638	1,859	668	126	-
ALL OTHER--MALE----	195	226	220	290	376	407	326	247	132	32	12	-
FEMALE--	180	186	239	289	366	470	440	430	273	127	34	-
BLACK---MALE-----	176	213	204	261	330	368	295	225	111	27	11	-
FEMALE--	163	172	225	271	336	433	418	405	255	122	32	-
ALABAMA -----	30	39	54	85	91	116	96	109	68	21	5	-
WHITE-----MALE----	12	7	18	26	26	33	33	27	12	1	1	-
FEMALE--	10	13	16	26	37	45	44	51	37	15	2	-
ALL OTHER--MALE----	5	8	10	16	11	14	5	10	7	1	1	-
FEMALE--	3	11	10	17	17	24	14	21	12	4	1	-
BLACK---MALE-----	5	8	10	16	11	14	5	10	7	1	1	-
FEMALE--	3	11	10	17	16	24	14	21	12	4	1	-
ALASKA -----	3	-	-	-	1	1	7	3	2	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	4	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	15	21	18	38	36	50	66	46	30	3	2	-
WHITE-----MALE----	6	10	13	12	17	28	18	17	11	-	-	-
FEMALE--	4	7	3	17	16	19	44	28	18	2	2	-
ALL OTHER--MALE----	2	3	-	7	2	2	1	1	1	1	-	-
FEMALE--	3	1	2	2	1	1	3	-	-	-	-	-
BLACK---MALE-----	1	1	-	3	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	-	-	-	-	-
ARKANSAS -----	16	24	28	34	61	73	83	82	45	18	4	-
WHITE-----MALE----	5	8	12	9	25	37	31	26	14	6	-	-
FEMALE--	6	10	6	22	24	28	44	39	23	9	3	-
ALL OTHER--MALE----	3	5	3	1	8	4	3	8	3	1	1	-
FEMALE--	2	1	7	2	4	4	5	9	5	2	-	-
BLACK---MALE-----	3	5	3	1	7	4	3	8	3	1	1	-
FEMALE--	2	1	7	2	4	4	5	9	5	2	-	-
CALIFORNIA -----	38	24	46	63	89	133	127	126	73	25	3	-
WHITE-----MALE----	17	11	19	30	38	46	55	45	28	7	-	-
FEMALE--	11	10	22	22	31	72	58	64	42	17	3	-
ALL OTHER--MALE----	4	2	3	8	12	6	5	8	3	-	-	-
FEMALE--	6	1	2	3	8	9	9	9	-	1	-	-
BLACK---MALE-----	3	-	1	5	5	2	5	2	-	-	-	-
FEMALE--	5	1	1	3	5	4	6	4	-	1	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 209

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Septicemia (A40-A41)												
COLORADO -----	297	4	1	-	2	1	1	2	4	3	5	11
WHITE-----MALE----	124	3	-	-	-	-	1	2	2	1	3	3
FEMALE--	155	1	-	-	2	1	-	-	1	1	2	8
ALL OTHER--MALE----	9	-	1	-	-	-	-	-	1	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	1	-	-	-	-	-	1	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	552	5	2	1	1	-	-	1	2	5	5	11
WHITE-----MALE----	209	1	1	1	-	-	-	1	-	1	-	6
FEMALE--	298	1	-	-	1	-	-	-	2	4	3	3
ALL OTHER--MALE----	21	1	1	-	-	-	-	-	-	-	2	1
FEMALE--	24	2	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	18	-	1	-	-	-	-	-	-	-	2	1
FEMALE--	23	2	-	-	-	-	-	-	-	-	-	1
DELAWARE -----	128	1	-	-	-	-	-	-	-	4	2	3
WHITE-----MALE----	39	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	59	-	-	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	11	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	11	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	1	-	1
DISTRICT OF COLUMBIA ---	100	4	1	-	-	-	1	-	1	-	2	4
WHITE-----MALE----	5	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	21	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	64	3	-	-	-	-	1	-	-	-	1	4
BLACK---MALE----	21	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	64	3	-	-	-	-	1	-	-	-	1	4
FLORIDA -----	1,729	17	3	1	3	2	-	2	7	18	28	47
WHITE-----MALE----	726	3	1	-	2	2	-	2	3	6	12	22
FEMALE--	762	6	1	1	1	-	-	-	1	4	7	16
ALL OTHER--MALE----	108	5	-	-	-	-	-	-	-	5	6	5
FEMALE--	133	3	1	-	-	-	-	-	3	3	3	4
BLACK---MALE----	105	5	-	-	-	-	-	-	-	5	6	5
FEMALE--	130	3	1	-	-	-	-	-	3	3	3	4
GEORGIA -----	1,313	17	6	1	1	2	6	6	14	21	35	46
WHITE-----MALE----	312	6	3	1	-	1	1	1	2	2	9	11
FEMALE--	502	2	-	-	-	-	-	-	5	4	3	11
ALL OTHER--MALE----	217	6	1	-	1	-	5	2	5	4	11	12
FEMALE--	282	3	2	-	-	1	-	3	2	11	12	12
BLACK---MALE----	208	6	-	-	1	-	4	2	4	4	11	12
FEMALE--	281	3	2	-	-	1	-	3	2	11	12	12

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Septicemia (A40-A41)												
COLORADO -----	12	10	23	21	30	41	42	45	28	10	1	-
WHITE-----MALE----	4	4	10	11	12	15	19	20	10	4	-	-
FEMALE--	7	5	12	8	14	25	18	25	18	6	1	-
ALL OTHER--MALE----	1	-	-	1	1	1	2	-	-	-	-	-
FEMALE--	-	1	1	1	3	-	3	-	-	-	-	-
BLACK---MALE-----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	3	-	-	-	-	-
CONNECTICUT -----	15	14	25	40	51	98	92	99	63	19	3	-
WHITE-----MALE----	8	6	10	15	22	42	35	40	18	2	-	-
FEMALE--	5	7	11	18	23	51	54	55	42	16	2	-
ALL OTHER--MALE----	1	1	3	3	2	1	1	2	2	-	-	-
FEMALE--	1	-	1	4	4	4	2	2	1	1	1	-
BLACK---MALE-----	-	1	2	3	2	1	1	2	2	-	-	-
FEMALE--	1	-	1	4	3	4	2	2	1	1	1	-
DELAWARE -----	10	5	6	13	13	21	22	16	9	3	-	-
WHITE-----MALE----	4	1	2	5	5	5	7	6	2	-	-	-
FEMALE--	5	3	2	7	5	9	6	9	6	3	-	-
ALL OTHER--MALE----	-	-	1	-	3	2	2	1	-	-	-	-
FEMALE--	1	1	1	1	-	5	7	-	1	-	-	-
BLACK---MALE-----	-	-	1	-	3	2	2	1	-	-	-	-
FEMALE--	1	1	1	1	-	5	7	-	1	-	-	-
DISTRICT OF COLUMBIA ---	6	5	1	7	6	13	17	17	9	6	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	2	-	-	-
FEMALE--	3	-	-	1	-	1	1	4	2	-	-	-
ALL OTHER--MALE----	3	1	1	2	1	-	6	4	1	-	-	-
FEMALE--	3	3	-	4	5	11	10	9	4	6	-	-
BLACK---MALE-----	3	1	1	2	1	-	6	4	1	-	-	-
FEMALE--	3	3	-	4	5	11	10	9	4	6	-	-
FLORIDA -----	50	76	86	117	189	290	274	280	166	67	6	-
WHITE-----MALE----	24	37	34	59	81	123	129	105	61	18	2	-
FEMALE--	13	23	33	31	68	128	126	161	99	39	4	-
ALL OTHER--MALE----	8	8	7	11	18	23	4	5	1	2	-	-
FEMALE--	5	8	12	16	22	16	15	9	5	8	-	-
BLACK---MALE-----	8	7	7	11	18	22	4	5	1	1	-	-
FEMALE--	5	8	12	15	22	15	14	9	5	8	-	-
GEORGIA -----	58	66	88	108	142	168	207	177	108	26	10	-
WHITE-----MALE----	14	19	17	22	44	51	53	40	13	1	1	-
FEMALE--	19	22	34	40	52	58	89	87	55	18	3	-
ALL OTHER--MALE----	14	16	16	27	26	22	24	15	8	1	1	-
FEMALE--	11	9	21	19	20	37	41	35	32	6	5	-
BLACK---MALE-----	13	16	16	26	24	20	24	15	8	1	1	-
FEMALE--	11	9	21	19	20	37	40	35	32	6	5	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 210

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Septicemia (A40-A41)												
HAWAII -----	164	2	1	1	-	-	1	1	1	1	1	7
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	72	1	-	1	-	-	1	1	-	1	1	4
FEMALE--	54	1	1	-	-	-	-	-	1	-	-	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	61	1	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	24	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	36	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,968	19	7	1	2	3	4	8	14	23	34	43
WHITE-----MALE----	647	5	3	-	2	-	2	3	2	10	13	8
FEMALE--	782	3	3	1	-	1	-	1	2	7	9	12
ALL OTHER--MALE----	264	8	1	-	-	2	2	1	3	2	6	12
FEMALE--	275	3	-	-	-	-	-	3	7	4	6	11
BLACK---MALE----	253	7	1	-	-	2	1	1	3	2	6	12
FEMALE--	267	3	-	-	-	-	-	3	6	4	5	11
INDIANA -----	795	9	1	-	1	2	2	3	4	7	12	16
WHITE-----MALE----	309	2	-	-	1	1	-	1	-	5	5	6
FEMALE--	387	5	1	-	-	-	2	1	4	-	5	6
ALL OTHER--MALE----	43	-	-	-	-	1	-	1	-	-	-	2
FEMALE--	56	2	-	-	-	-	-	-	-	2	2	2
BLACK---MALE----	43	-	-	-	-	1	-	1	-	-	-	2
FEMALE--	55	2	-	-	-	-	-	-	-	2	2	2
IOWA -----	279	7	1	-	2	-	2	1	-	5	1	4
WHITE-----MALE----	119	3	1	-	2	-	-	-	-	3	1	1
FEMALE--	149	4	-	-	-	-	2	1	-	1	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	283	4	1	-	1	-	-	1	2	4	3	4
WHITE-----MALE----	114	3	1	-	-	-	-	1	-	1	-	3
FEMALE--	140	1	-	-	-	-	-	-	1	2	3	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	1	-	-	-	1	1	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	1	-	-	-	1	1	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Septicemia (A40-A41)												
HAWAII -----	11	8	9	13	22	26	17	18	16	6	2	-
WHITE-----MALE----	3	1	-	2	1	3	6	3	-	-	-	-
FEMALE--	1	2	1	2	3	-	3	4	1	-	1	-
ALL OTHER--MALE----	2	3	3	5	12	12	7	5	10	3	-	-
FEMALE--	5	2	5	4	6	11	1	6	5	3	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	3	5	5	5	8	16	7	8	1	-	-
WHITE-----MALE----	-	2	-	1	2	4	9	1	3	-	-	-
FEMALE--	-	1	4	4	3	4	7	6	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ILLINOIS -----	68	81	116	147	219	291	353	295	164	66	10	-
WHITE-----MALE----	20	27	34	53	80	118	117	100	34	15	1	-
FEMALE--	14	17	40	46	67	107	164	144	100	38	6	-
ALL OTHER--MALE----	18	20	21	25	40	32	35	21	11	4	-	-
FEMALE--	16	17	21	23	32	34	37	30	19	9	3	-
BLACK---MALE----	17	20	21	23	38	31	33	20	11	4	-	-
FEMALE--	15	17	21	23	32	33	36	29	17	9	3	-
INDIANA -----	22	33	44	72	99	114	151	116	59	23	5	-
WHITE-----MALE----	8	15	24	31	45	52	59	35	15	4	-	-
FEMALE--	6	10	12	33	44	53	81	69	36	15	4	-
ALL OTHER--MALE----	5	4	5	4	5	4	6	5	1	-	-	-
FEMALE--	3	4	3	4	5	5	5	7	7	4	1	-
BLACK---MALE----	5	4	5	4	5	4	6	5	1	-	-	-
FEMALE--	3	4	3	4	4	5	5	7	7	4	1	-
IOWA -----	15	13	14	14	35	35	46	45	26	12	1	-
WHITE-----MALE----	7	6	6	9	19	19	22	14	5	1	-	-
FEMALE--	5	6	8	4	16	15	24	29	21	11	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	1	-	-	1	-
FEMALE--	2	1	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	2	1	-	-	-	1	-	1	-	-	-	-
KANSAS -----	11	10	12	14	32	49	47	38	36	12	2	-
WHITE-----MALE----	4	4	4	8	11	30	23	9	9	3	-	-
FEMALE--	6	4	5	5	18	18	20	21	26	9	1	-
ALL OTHER--MALE----	1	1	1	-	1	1	2	2	-	-	-	-
FEMALE--	-	1	2	1	2	-	2	6	1	-	1	-
BLACK---MALE----	1	1	1	-	-	1	2	2	-	-	-	-
FEMALE--	-	1	2	1	2	-	2	6	1	-	1	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 211

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Septicemia (A40-A41)												
KENTUCKY -----	606	1	4	-	1	2	1	3	5	3	8	16
WHITE-----MALE----	238	-	3	-	-	2	1	1	1	1	3	6
FEMALE--	317	-	-	-	1	-	-	1	4	2	4	8
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	33	1	1	-	-	-	-	1	-	-	1	1
BLACK---MALE-----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	33	1	1	-	-	-	-	1	-	-	1	1
LOUISIANA -----	758	9	-	-	-	3	1	2	11	10	14	22
WHITE-----MALE----	182	1	-	-	-	-	-	2	3	2	4	5
FEMALE--	281	-	-	-	-	-	1	-	1	2	1	5
ALL OTHER--MALE----	142	7	-	-	-	1	-	-	5	3	3	4
FEMALE--	153	1	-	-	-	2	-	-	2	3	6	8
BLACK---MALE-----	141	7	-	-	-	1	-	-	5	3	3	3
FEMALE--	152	1	-	-	-	2	-	-	2	3	6	8
MAINE -----	122	-	-	-	-	-	-	1	-	1	-	1
WHITE-----MALE----	51	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	71	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	986	5	4	1	1	1	3	2	8	12	21	23
WHITE-----MALE----	294	1	-	-	1	-	-	-	-	2	1	8
FEMALE--	361	-	3	1	-	1	1	1	2	-	4	2
ALL OTHER--MALE----	158	-	-	-	-	-	1	1	3	4	6	10
FEMALE--	173	4	1	-	-	-	1	-	3	6	10	3
BLACK---MALE-----	154	-	-	-	-	-	1	1	3	4	6	10
FEMALE--	165	4	1	-	-	-	1	-	3	6	10	3
MASSACHUSETTS -----	956	3	-	-	2	1	3	4	-	7	7	22
WHITE-----MALE----	391	1	-	-	2	1	-	2	-	3	6	11
FEMALE--	502	1	-	-	-	-	1	-	-	2	1	10
ALL OTHER--MALE----	27	-	-	-	-	-	1	1	-	1	-	1
FEMALE--	36	1	-	-	-	-	1	1	-	1	-	-
BLACK---MALE-----	20	-	-	-	-	-	1	1	-	1	-	1
FEMALE--	30	1	-	-	-	-	-	-	-	1	-	-
MICHIGAN -----	885	7	3	1	-	1	2	2	9	7	13	26
WHITE-----MALE----	277	3	1	1	-	1	1	1	4	1	6	6
FEMALE--	366	1	-	-	-	-	-	-	1	2	2	10
ALL OTHER--MALE----	114	1	1	-	-	-	-	1	1	2	2	7
FEMALE--	128	2	1	-	-	-	1	-	3	2	3	3
BLACK---MALE-----	111	1	1	-	-	-	-	1	-	2	2	7
FEMALE--	119	2	1	-	-	-	1	-	2	2	3	3

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Septicemia (A40-A41)												
KENTUCKY -----	13	29	35	62	77	86	110	80	47	18	5	-
WHITE-----MALE----	7	14	14	27	30	40	42	26	14	5	1	-
FEMALE--	3	12	17	29	38	39	62	51	31	11	4	-
ALL OTHER--MALE----	-	2	1	3	2	4	3	1	1	-	-	-
FEMALE--	3	1	3	3	7	3	3	2	1	2	-	-
BLACK---MALE-----	-	2	-	2	2	4	3	1	1	-	-	-
FEMALE--	3	1	3	3	7	3	3	2	1	2	-	-
LOUISIANA -----	34	39	34	56	79	99	128	124	72	16	5	-
WHITE-----MALE----	6	11	11	17	22	22	38	24	13	1	-	-
FEMALE--	9	8	9	17	21	44	52	59	37	11	4	-
ALL OTHER--MALE----	11	15	6	10	15	18	24	14	4	1	1	-
FEMALE--	8	5	8	12	21	15	14	27	18	3	-	-
BLACK---MALE-----	11	15	6	10	15	18	24	14	4	1	1	-
FEMALE--	8	5	8	12	21	15	14	26	18	3	-	-
MAINE -----	2	6	10	8	10	25	22	18	10	5	3	-
WHITE-----MALE----	1	3	6	5	6	8	9	6	4	2	-	-
FEMALE--	1	3	4	3	4	17	13	12	6	3	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	41	49	51	71	107	160	167	150	85	19	5	-
WHITE-----MALE----	13	12	15	29	39	52	54	41	23	3	-	-
FEMALE--	9	7	9	19	40	62	71	73	43	11	2	-
ALL OTHER--MALE----	8	12	17	12	14	26	22	13	7	-	2	-
FEMALE--	11	18	10	11	14	20	20	23	12	5	1	-
BLACK---MALE-----	8	12	17	12	13	25	21	12	7	-	2	-
FEMALE--	11	16	10	10	12	19	19	23	11	5	1	-
MASSACHUSETTS -----	39	36	50	72	99	154	178	141	94	38	6	-
WHITE-----MALE----	19	19	26	39	46	67	75	48	18	7	1	-
FEMALE--	12	15	21	25	46	79	95	87	71	31	5	-
ALL OTHER--MALE----	6	1	1	2	3	4	5	-	1	-	-	-
FEMALE--	2	1	2	6	4	4	3	6	4	-	-	-
BLACK---MALE-----	5	1	1	1	1	2	4	-	1	-	-	-
FEMALE--	2	1	1	5	4	3	3	6	3	-	-	-
MICHIGAN -----	31	43	47	72	95	143	136	133	80	27	7	-
WHITE-----MALE----	8	9	11	25	39	45	45	43	22	4	1	-
FEMALE--	7	13	20	25	34	58	61	64	46	17	5	-
ALL OTHER--MALE----	12	15	9	10	8	18	12	10	5	-	-	-
FEMALE--	4	6	7	12	14	22	18	16	7	6	1	-
BLACK---MALE-----	12	15	9	10	8	17	11	10	5	-	-	-
FEMALE--	4	6	6	11	12	20	17	15	7	6	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Septicemia (A40-A41)												
MINNESOTA -----	228	3	1	-	-	1	1	2	1	1	2	5
WHITE-----MALE----	89	-	-	-	-	-	1	1	-	1	-	-
FEMALE--	119	1	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	11	1	1	-	-	1	-	1	-	-	-	2
FEMALE--	9	1	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	5	1	1	-	-	1	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
MISSISSIPPI -----	491	7	2	-	-	-	2	2	5	5	5	14
WHITE-----MALE----	138	2	1	-	-	-	-	-	1	1	1	3
FEMALE--	158	-	-	-	-	-	-	1	2	1	2	1
ALL OTHER--MALE----	96	3	1	-	-	-	1	-	1	2	1	4
FEMALE--	99	2	-	-	-	-	1	1	1	1	1	6
BLACK---MALE----	95	3	1	-	-	-	1	-	1	2	1	4
FEMALE--	98	2	-	-	-	-	1	1	1	1	1	6
MISSOURI -----	602	3	5	-	-	2	-	2	4	8	14	15
WHITE-----MALE----	223	1	4	-	-	-	-	-	1	6	6	4
FEMALE--	286	-	-	-	-	1	-	1	1	1	2	6
ALL OTHER--MALE----	39	1	-	-	-	-	-	1	-	-	3	1
FEMALE--	54	1	1	-	-	1	-	-	2	1	3	4
BLACK---MALE----	39	1	-	-	-	-	-	1	-	-	3	1
FEMALE--	53	1	-	-	-	1	-	-	2	1	3	4
MONTANA -----	71	1	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	41	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	132	-	1	-	-	-	1	-	1	3	3	4
WHITE-----MALE----	56	-	1	-	-	-	-	-	1	3	-	1
FEMALE--	70	-	-	-	-	-	1	-	-	-	3	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	391	5	2	-	-	-	1	1	3	1	10	10
WHITE-----MALE----	187	2	1	-	-	-	-	-	1	-	4	4
FEMALE--	171	1	1	-	-	-	-	1	-	-	3	6
ALL OTHER--MALE----	16	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	17	1	-	-	-	-	1	-	2	-	2	-
BLACK---MALE----	15	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	9	1	-	-	-	-	-	-	2	-	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Septicemia (A40-A41)												
MINNESOTA -----	5	7	8	15	19	36	45	38	26	8	4	-
WHITE-----MALE----	3	2	3	7	7	19	19	18	6	2	-	-
FEMALE--	1	5	5	6	11	16	22	19	20	6	4	-
ALL OTHER--MALE----	1	-	-	1	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	2	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
MISSISSIPPI -----	20	19	32	40	64	59	75	72	45	22	1	-
WHITE-----MALE----	8	4	10	12	22	19	26	20	8	-	-	-
FEMALE--	2	5	8	12	20	20	25	27	20	11	1	-
ALL OTHER--MALE----	4	4	9	9	14	8	10	13	9	3	-	-
FEMALE--	6	6	5	7	8	12	14	12	8	8	-	-
BLACK---MALE----	4	4	8	9	14	8	10	13	9	3	-	-
FEMALE--	6	6	5	7	8	12	13	12	8	8	-	-
MISSOURI -----	23	30	25	40	68	89	95	85	75	19	-	-
WHITE-----MALE----	6	14	9	16	31	35	41	27	17	5	-	-
FEMALE--	10	12	5	17	30	39	46	51	52	12	-	-
ALL OTHER--MALE----	1	1	5	3	4	7	4	4	4	-	-	-
FEMALE--	6	3	6	4	3	8	4	3	2	2	-	-
BLACK---MALE----	1	1	5	3	4	7	4	4	4	-	-	-
FEMALE--	6	3	6	4	3	8	4	3	2	2	-	-
MONTANA -----	1	1	5	5	10	11	13	11	8	3	-	-
WHITE-----MALE----	-	1	2	2	6	7	5	3	1	-	-	-
FEMALE--	1	-	3	2	4	3	8	8	7	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEBRASKA -----	4	5	4	10	16	22	26	19	6	4	3	-
WHITE-----MALE----	3	2	-	4	6	9	15	8	2	1	-	-
FEMALE--	1	1	4	6	10	11	11	10	4	3	3	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	-	-	-
NEVADA -----	15	22	32	28	57	78	50	48	17	9	2	-
WHITE-----MALE----	6	10	14	14	32	40	27	22	5	5	-	-
FEMALE--	6	10	14	12	22	34	23	24	10	2	2	-
ALL OTHER--MALE----	2	-	3	1	1	1	-	2	1	2	-	-
FEMALE--	1	2	1	1	2	3	-	1	1	-	-	-
BLACK---MALE----	2	-	3	1	1	1	-	1	1	2	-	-
FEMALE--	1	1	-	-	1	2	-	-	-	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 214

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Septicemia (A40-A41)												
OHIO -----	1,452	9	6	-	1	2	1	2	8	12	23	27
WHITE-----MALE----	547	5	4	-	1	1	1	-	3	4	9	11
FEMALE--	673	-	2	-	-	-	-	1	4	2	7	11
ALL OTHER--MALE----	97	1	-	-	-	-	-	-	1	5	1	1
FEMALE--	135	3	-	-	-	1	-	1	-	1	6	4
BLACK---MALE-----	96	1	-	-	-	-	-	-	1	5	1	1
FEMALE--	134	3	-	-	-	1	-	1	-	1	6	4
OKLAHOMA -----	425	8	1	-	2	2	-	-	2	2	8	12
WHITE-----MALE----	150	4	-	-	1	1	-	-	-	1	3	3
FEMALE--	224	3	1	-	-	-	-	-	1	-	4	5
ALL OTHER--MALE----	20	1	-	-	1	1	-	-	1	1	-	2
FEMALE--	31	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE-----	12	1	-	-	1	1	-	-	-	1	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	207	1	3	-	-	-	-	1	-	1	4	6
WHITE-----MALE----	85	-	2	-	-	-	-	1	-	1	1	3
FEMALE--	113	-	1	-	-	-	-	-	-	-	3	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	2,649	11	6	1	2	5	6	3	12	12	31	55
WHITE-----MALE----	932	3	3	-	1	3	1	1	3	6	11	17
FEMALE--	1,260	1	2	-	-	1	3	2	3	3	11	16
ALL OTHER--MALE----	198	4	1	1	-	-	2	-	4	1	4	13
FEMALE--	259	3	-	-	1	1	-	-	2	2	5	9
BLACK---MALE-----	190	3	1	1	-	-	2	-	4	1	4	12
FEMALE--	253	3	-	-	1	1	-	-	2	2	5	9
RHODE ISLAND -----	136	1	-	1	-	-	-	-	1	2	1	4
WHITE-----MALE----	58	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	72	-	-	1	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	543	8	-	-	1	2	2	7	6	10	12	13
WHITE-----MALE----	168	2	-	-	1	-	1	2	4	1	3	2
FEMALE--	176	1	-	-	-	-	-	3	-	4	2	3
ALL OTHER--MALE----	94	2	-	-	-	-	-	1	1	2	4	5
FEMALE--	105	3	-	-	-	2	1	1	1	3	3	3
BLACK---MALE-----	93	2	-	-	-	-	-	1	1	2	4	5
FEMALE--	104	3	-	-	-	2	1	1	1	3	3	3

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Septicemia (A40-A41)												
OHIO -----	53	64	74	123	189	228	239	210	137	42	2	-
WHITE-----MALE----	20	23	32	47	82	95	93	66	41	8	1	-
FEMALE--	17	31	24	51	76	93	121	122	82	29	-	-
ALL OTHER--MALE----	10	4	9	8	18	14	9	8	7	1	-	-
FEMALE--	6	6	9	17	13	26	16	14	7	4	1	-
BLACK---MALE-----	10	4	9	7	18	14	9	8	7	1	-	-
FEMALE--	6	6	9	17	13	26	16	13	7	4	1	-
OKLAHOMA -----	15	22	32	39	44	62	54	61	39	15	5	-
WHITE-----MALE----	1	8	18	14	16	35	13	21	9	1	1	-
FEMALE--	11	8	10	19	25	23	36	36	28	12	2	-
ALL OTHER--MALE----	1	1	1	3	1	1	2	2	-	1	-	-
FEMALE--	2	5	3	3	2	3	3	2	2	1	2	-
BLACK---MALE-----	-	1	1	2	-	1	1	-	-	1	-	-
FEMALE--	-	2	2	1	1	2	1	2	1	1	2	-
OREGON -----	11	9	12	16	16	33	33	34	22	5	-	-
WHITE-----MALE----	5	5	7	7	9	13	14	10	7	-	-	-
FEMALE--	5	2	4	9	7	18	19	23	15	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	1	-	-	2	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA -----	77	114	119	170	316	427	497	435	254	82	14	-
WHITE-----MALE----	32	33	49	68	125	176	187	138	54	21	-	-
FEMALE--	19	46	44	57	129	183	248	262	169	51	10	-
ALL OTHER--MALE----	10	15	11	22	25	38	25	12	5	3	2	-
FEMALE--	16	20	15	23	37	30	37	23	26	7	2	-
BLACK---MALE-----	9	14	11	21	24	37	25	12	4	3	2	-
FEMALE--	14	20	15	23	36	30	35	23	25	7	2	-
RHODE ISLAND -----	2	4	4	4	18	24	28	24	13	4	1	-
WHITE-----MALE----	2	3	2	1	12	10	15	7	3	-	-	-
FEMALE--	-	1	1	3	6	12	13	17	10	4	1	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
SOUTH CAROLINA -----	29	29	37	49	58	86	76	68	37	10	3	-
WHITE-----MALE----	11	12	8	14	22	33	24	18	9	1	-	-
FEMALE--	7	6	8	13	18	24	30	30	18	7	2	-
ALL OTHER--MALE----	6	8	9	12	7	11	11	10	4	1	-	-
FEMALE--	5	3	12	10	11	18	11	10	6	1	1	-
BLACK---MALE-----	6	8	8	12	7	11	11	10	4	1	-	-
FEMALE--	5	3	11	10	11	18	11	10	6	1	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Septicemia (A40-A41)												
SOUTH DAKOTA -----	70	-	1	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	34	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	495	6	1	-	-	-	-	2	3	4	10	14
WHITE-----MALE----	165	-	1	-	-	-	-	1	-	2	3	4
FEMALE--	226	5	-	-	-	-	-	-	-	-	4	3
ALL OTHER--MALE----	54	1	-	-	-	-	-	1	2	1	3	4
FEMALE--	50	-	-	-	-	-	-	-	1	1	-	3
BLACK---MALE----	54	1	-	-	-	-	-	1	2	1	3	4
FEMALE--	50	-	-	-	-	-	-	-	1	1	-	3
TEXAS -----	2,003	26	10	2	2	4	8	2	11	23	39	80
WHITE-----MALE----	759	15	6	1	1	3	5	-	2	12	17	40
FEMALE--	926	7	2	-	1	1	2	2	5	8	14	23
ALL OTHER--MALE----	149	4	-	-	-	-	1	-	3	2	7	10
FEMALE--	169	-	2	1	-	-	-	-	1	1	1	7
BLACK---MALE----	140	4	-	-	-	-	1	-	3	2	7	10
FEMALE--	165	-	2	1	-	-	-	-	1	1	-	7
UTAH -----	112	-	1	-	-	1	-	-	1	2	2	3
WHITE-----MALE----	39	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	70	-	1	-	-	1	-	-	-	1	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	49	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,098	14	2	2	-	4	4	3	2	10	25	27
WHITE-----MALE----	344	3	1	-	-	1	1	-	2	5	6	10
FEMALE--	428	4	-	2	-	2	1	-	-	3	3	6
ALL OTHER--MALE----	160	6	1	-	-	-	1	1	-	-	7	7
FEMALE--	166	1	-	-	-	1	1	2	-	2	9	4
BLACK---MALE----	149	5	1	-	-	-	1	1	-	-	5	6
FEMALE--	159	1	-	-	-	1	1	2	-	2	8	4

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Septicemia (A40-A41)												
SOUTH DAKOTA -----	2	-	3	7	7	11	11	15	8	2	-	-
WHITE-----MALE----	-	-	1	3	4	6	7	8	3	-	-	-
FEMALE--	-	-	1	2	3	5	4	6	5	2	-	-
ALL OTHER--MALE----	2	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	23	24	24	35	52	80	94	75	36	11	1	-
WHITE-----MALE----	6	8	9	11	22	27	39	18	10	3	1	-
FEMALE--	7	8	9	19	23	40	41	41	19	7	-	-
ALL OTHER--MALE----	5	6	4	1	4	6	6	7	3	-	-	-
FEMALE--	5	2	2	4	3	7	8	9	4	1	-	-
BLACK---MALE----	5	6	4	1	4	6	6	7	3	-	-	-
FEMALE--	5	2	2	4	3	7	8	9	4	1	-	-
TEXAS -----	65	100	125	151	192	293	310	283	191	67	19	-
WHITE-----MALE----	25	46	60	61	82	115	121	94	42	7	4	-
FEMALE--	20	34	41	62	87	128	148	149	129	51	12	-
ALL OTHER--MALE----	9	8	15	13	11	28	15	14	7	1	1	-
FEMALE--	11	12	9	15	12	22	26	26	13	8	2	-
BLACK---MALE----	9	8	15	12	10	27	13	13	4	1	1	-
FEMALE--	11	11	9	15	12	22	26	24	13	8	2	-
UTAH -----	7	3	5	6	12	16	24	19	7	3	-	-
WHITE-----MALE----	2	1	1	3	4	10	8	8	-	-	-	-
FEMALE--	5	2	4	3	8	6	15	11	7	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	9	4	6	5	10	9	2	1	1	-
WHITE-----MALE----	-	-	5	2	3	2	5	5	1	-	-	-
FEMALE--	-	1	4	2	3	3	5	4	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	31	49	56	80	117	183	180	167	96	38	8	-
WHITE-----MALE----	11	14	18	25	43	69	63	44	19	9	-	-
FEMALE--	13	19	19	23	37	67	65	80	55	23	6	-
ALL OTHER--MALE----	5	9	8	18	24	22	20	22	8	-	1	-
FEMALE--	2	7	11	14	13	25	32	21	14	6	1	-
BLACK---MALE----	3	9	7	18	21	21	20	22	8	-	1	-
FEMALE--	2	7	10	14	13	23	31	21	12	6	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44,A48-A49)

UNITED STATES -	75	66	92	116	143	215	221	169	112	44	4	-
WHITE-----MALE----	34	32	41	51	61	100	95	56	40	9	-	-
FEMALE--	18	13	29	39	58	83	102	99	58	30	3	-
ALL OTHER--MALE----	11	11	12	16	11	11	10	6	4	1	-	-
FEMALE--	12	10	10	10	13	21	14	8	10	4	1	-
BLACK---MALE-----	10	11	10	14	9	9	8	5	3	1	-	-
FEMALE--	11	9	9	7	11	17	10	7	7	2	1	-
ALABAMA -----	2	2	1	2	4	3	2	4	2	1	-	-
WHITE-----MALE----	1	1	1	-	2	1	1	2	-	-	-	-
FEMALE--	-	1	-	2	2	1	1	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALASKA -----	-	1	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	3	5	2	2	7	2	2	1	-	-	-
WHITE-----MALE----	1	1	1	1	1	3	2	1	-	-	-	-
FEMALE--	-	1	4	1	1	4	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	-	-	1	1	3	2	1	3	-	-	-
WHITE-----MALE----	2	-	-	1	-	3	2	-	2	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	7	9	3	9	9	19	22	15	13	6	-	-
WHITE-----MALE----	1	4	-	2	3	8	12	4	4	2	-	-
FEMALE--	3	2	2	7	4	8	10	11	6	3	-	-
ALL OTHER--MALE----	2	1	1	-	1	-	-	-	2	-	-	-
FEMALE--	1	2	-	-	1	3	-	-	1	1	-	-
BLACK---MALE-----	2	1	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	2	-	-	1	2	-	-	1	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44,A48-A49)												
COLORADO -----	15	-	-	-	-	1	-	-	-	1	-	-
WHITE-----MALE----	5	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	18	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	4	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	91	2	-	-	-	-	1	-	1	-	2	7
WHITE-----MALE----	41	1	-	-	-	-	-	-	-	-	-	4
FEMALE--	35	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	9	1	-	-	-	-	1	-	1	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	1	-	-	-	-	1	-	1	-	-	1
GEORGIA -----	44	1	-	-	-	-	1	-	1	3	2	2
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	13	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	7	1	-	-	-	-	-	-	1	1	-	1
FEMALE--	8	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	7	1	-	-	-	-	-	-	1	1	-	1
FEMALE--	8	-	-	-	-	-	1	-	-	-	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44,A48-A49)

COLORADO -----	-	-	-	-	3	3	3	4	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	2	2	2	-	6	1	3	1	-	-	-
WHITE-----MALE----	-	1	1	1	-	2	-	1	1	-	-	-
FEMALE--	-	1	-	1	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	-	-	-	-
DELAWARE -----	-	-	1	-	-	-	1	-	-	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
FLORIDA -----	2	6	6	7	9	14	17	10	5	1	1	-
WHITE-----MALE----	2	3	1	4	3	9	7	6	-	1	-	-
FEMALE--	-	-	4	1	5	3	10	4	5	-	1	-
ALL OTHER--MALE----	-	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	2	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	-	-	-	-	-	-	-
GEORGIA -----	2	2	6	4	4	4	5	5	-	2	-	-
WHITE-----MALE----	1	1	3	4	3	-	2	-	-	-	-	-
FEMALE--	1	-	2	-	-	3	1	3	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	1	-	-
FEMALE--	-	1	-	-	1	1	1	2	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	1	-	-
FEMALE--	-	1	-	-	1	1	1	2	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44,A48-A49)												
KENTUCKY -----	1	1	1	2	2	-	1	1	1	1	-	-
WHITE-----MALE----	1	-	1	2	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	1	-	3	3	2	3	2	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	2	-	1	-	-	-
FEMALE--	-	1	-	2	2	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
MAINE -----	1	-	-	-	2	1	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	2	5	2	6	7	3	4	4	2	-	-
WHITE-----MALE----	-	-	-	1	5	2	2	1	1	-	-	-
FEMALE--	-	-	1	1	-	4	-	2	2	-	-	-
ALL OTHER--MALE----	1	1	2	-	1	-	1	1	-	-	-	-
FEMALE--	-	1	2	-	-	1	-	1	2	-	-	-
BLACK---MALE----	1	1	2	-	1	-	1	1	-	-	-	-
FEMALE--	-	1	2	-	-	1	-	-	1	2	-	-
MASSACHUSETTS -----	1	1	2	2	2	7	9	4	5	2	-	-
WHITE-----MALE----	-	1	1	1	-	5	7	1	2	-	-	-
FEMALE--	1	-	1	-	2	2	2	3	3	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	3	4	5	4	4	7	7	6	2	-	-
WHITE-----MALE----	-	-	2	2	2	2	2	2	3	-	-	-
FEMALE--	1	-	1	1	1	2	3	4	3	2	-	-
ALL OTHER--MALE----	1	2	-	2	-	-	1	-	-	-	-	-
FEMALE--	1	1	1	-	1	-	1	1	-	-	-	-
BLACK---MALE----	1	2	-	2	-	-	1	-	-	-	-	-
FEMALE--	1	1	1	-	1	-	-	1	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44,A48-A49)

MINNESOTA -----	-	1	2	1	1	2	2	3	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	1	1	1	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	-	-	-	2	-	2	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
MISSOURI -----	-	4	2	3	-	3	2	3	4	1	-	-
WHITE-----MALE----	-	3	1	1	-	2	-	2	2	1	-	-
FEMALE--	-	-	1	-	-	1	2	1	2	-	-	-
ALL OTHER--MALE----	-	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA -----	-	1	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	2	-	2	2	-	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
NEVADA -----	1	-	-	1	-	1	3	2	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44,A48-A49)												
OHIO -----	7	4	6	4	9	10	13	7	2	3	-	-
WHITE-----MALE----	5	2	3	2	4	4	6	1	-	1	-	-
FEMALE--	1	1	2	2	3	5	6	6	1	2	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	1	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	1	1	-	1	1	-	-	-	-	-	-
OKLAHOMA -----	-	-	1	1	-	4	4	1	2	2	-	-
WHITE-----MALE----	-	-	1	-	-	3	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	1	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OREGON -----	-	-	-	1	1	1	1	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	4	1	7	9	13	15	12	6	2	-	-
WHITE-----MALE----	2	3	1	4	4	6	3	2	1	1	-	-
FEMALE--	-	-	-	1	3	7	11	9	4	1	-	-
ALL OTHER--MALE----	-	1	-	1	2	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	1	1	1	-	-	-
BLACK---MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	1	1	1	-	-	-
RHODE ISLAND -----	-	-	1	-	1	2	2	2	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	2	1	-	-	3	2	3	3	2	1	1	-
WHITE-----MALE----	-	-	-	-	2	1	1	1	2	-	-	-
FEMALE--	1	1	-	-	1	-	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44,A48-A49)

SOUTH DAKOTA -----	-	-	-	-	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	1	6	5	5	7	7	3	5	1	-	-
WHITE-----MALE----	-	1	4	3	4	4	5	2	1	-	-	-
FEMALE--	-	-	2	2	1	3	2	1	4	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	5	5	4	8	7	12	11	17	5	2	-	-
WHITE-----MALE----	1	2	1	5	2	3	3	5	1	-	-	-
FEMALE--	2	-	-	1	4	8	8	10	2	2	-	-
ALL OTHER--MALE----	1	3	2	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	1	1	1	-	1	2	-	-	-
BLACK---MALE-----	1	3	2	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	1	1	1	-	1	1	-	-	-
UTAH -----	1	1	-	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	-	-	2	1	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	2	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	1	-	4	4	6	3	5	2	3	-	-
WHITE-----MALE----	1	-	-	2	2	4	1	1	1	-	-	-
FEMALE--	1	1	-	1	2	1	1	4	-	3	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	1	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS 45-49 YEARS

Infections with a predominately sexual mode of transmission (A50-A64)

Table with columns for state (HAWAII, IDAHO, ILLINOIS, INDIANA, IOWA, KANSAS), race/sex (WHITE-MALE, FEMALE, ALL OTHER-MALE, FEMALE, BLACK-MALE, FEMALE), and age groups (ALL AGES, UNDER 1 YEAR, 1-4 YEARS, 5-9 YEARS, 10-14 YEARS, 15-19 YEARS, 20-24 YEARS, 25-29 YEARS, 30-34 YEARS, 35-39 YEARS, 40-44 YEARS, 45-49 YEARS). Data values are mostly dashes, with some '1's in the ALL AGES column for ILLINOIS.

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85-89 YEARS 90-94 YEARS 95-99 YEARS 100 YEARS & OVER AGE NOT STATED

Infections with a predominately sexual mode of transmission (A50-A64)

Table with columns for state (HAWAII, IDAHO, ILLINOIS, INDIANA, IOWA, KANSAS), race/sex (WHITE-MALE, FEMALE, ALL OTHER-MALE, FEMALE, BLACK-MALE, FEMALE), and age groups (50-54 to 100+). Data is represented by dashes (-) for most cells, with some numerical values (1) in the 95-99 and 100+ age groups for Illinois.

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85-89 YEARS 90-94 YEARS 95-99 YEARS 100 YEARS & OVER AGE NOT STATED

Neurosyphilis (A52.1-A52.3)

Table with columns for state (MINNESOTA, MISSISSIPPI, MISSOURI, MONTANA, NEBRASKA, NEVADA), race/sex (WHITE, ALL OTHER, BLACK, MALE, FEMALE), and age groups (50-54 to 100+). All cells contain dashes (-).

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85-89 YEARS 90-94 YEARS 95-99 YEARS 100 YEARS & OVER AGE NOT STATED

Lyme disease (A69.2)

Table with columns for age groups (50-54 to 100+ years) and rows for states (Alabama, Arizona, Arkansas, California) and the United States, broken down by race and sex. Data points are sparse, with '1' appearing in the 60-64 age group for the United States and White Males.

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE

TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85-89 YEARS 90-94 YEARS 95-99 YEARS 100 YEARS & OVER AGE NOT STATED

Typhus fever (A75)

Table with columns for cause of death (Typhus fever (A75)), race/sex categories (e.g., UNITED STATES - WHITE---MALE---), and age groups (50-54 to 100+). All data points are dashes (-).

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85-89 YEARS 90-94 YEARS 95-99 YEARS 100 YEARS & OVER AGE NOT STATED

All other infections caused by spirochetes, chlamydia or rickettsia (A65-A68,A69.0-A69.1,A69.8-A69.9,A70-A74,A77-A79)

Table with columns for state (MINNESOTA, MISSISSIPPI, MISSOURI, MONTANA, NEBRASKA, NEVADA), race (WHITE, ALL OTHER, BLACK), and sex (MALE, FEMALE). Rows show death counts for various age groups (50-54 to 100+ years) and 'AGE NOT STATED'.

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral diseases (A80-B34)												
UNITED STATES -	20,938	121	66	44	35	73	214	616	1,588	2,980	3,756	3,639
WHITE-----MALE----	8,512	38	23	15	8	13	45	145	528	1,181	1,543	1,628
FEMALE--	3,125	34	18	15	6	14	32	66	150	284	370	390
ALL OTHER--MALE----	6,172	27	17	8	11	26	56	222	585	1,010	1,217	1,161
FEMALE--	3,129	22	8	6	10	20	81	183	325	505	626	460
BLACK---MALE-----	5,871	25	15	7	10	23	56	216	560	974	1,183	1,117
FEMALE--	2,931	18	6	6	10	19	81	180	323	495	605	447
ALABAMA -----	311	8	1	1	-	1	1	10	35	56	56	48
WHITE-----MALE----	90	-	-	-	-	1	-	2	7	16	17	18
FEMALE--	32	4	-	1	-	-	-	-	1	2	3	4
ALL OTHER--MALE----	131	3	-	-	-	-	-	6	17	28	25	19
FEMALE--	58	1	1	-	-	-	1	2	10	10	11	7
BLACK---MALE-----	130	3	-	-	-	-	-	6	17	27	25	19
FEMALE--	58	1	1	-	-	-	1	2	10	10	11	7
ALASKA -----	23	1	-	-	1	-	-	-	1	1	3	1
WHITE-----MALE----	14	1	-	-	1	-	-	-	1	1	2	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	314	9	4	2	2	4	1	6	19	33	50	56
WHITE-----MALE----	224	6	2	1	-	1	1	5	15	17	42	43
FEMALE--	49	1	1	-	1	2	-	1	3	6	1	6
ALL OTHER--MALE----	29	-	1	1	1	1	-	-	-	8	6	4
FEMALE--	12	2	-	-	-	-	-	-	1	2	1	3
BLACK---MALE-----	14	-	-	-	-	-	-	-	-	4	4	4
FEMALE--	5	-	-	-	-	-	-	-	1	1	1	2
ARKANSAS -----	139	3	1	-	-	-	2	6	11	15	22	25
WHITE-----MALE----	70	1	1	-	-	-	-	1	5	6	12	17
FEMALE--	19	-	-	-	-	-	-	-	2	-	3	3
ALL OTHER--MALE----	32	1	-	-	-	-	1	2	3	7	4	4
FEMALE--	18	1	-	-	-	-	1	3	1	2	3	1
BLACK---MALE-----	32	1	-	-	-	-	1	2	3	7	4	4
FEMALE--	17	1	-	-	-	-	1	3	1	2	3	1
CALIFORNIA -----	2,579	9	3	6	3	10	17	54	173	304	398	446
WHITE-----MALE----	1,503	5	3	2	1	2	9	24	116	212	247	283
FEMALE--	432	3	-	3	-	4	2	10	13	33	33	61
ALL OTHER--MALE----	449	-	-	-	1	3	3	12	35	49	90	74
FEMALE--	195	1	-	1	1	1	3	8	9	10	28	28
BLACK---MALE-----	337	-	-	-	1	2	3	10	26	43	79	59
FEMALE--	126	1	-	1	1	1	3	8	9	9	23	26

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 325

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral diseases (A80-B34)												
UNITED STATES -	2,622	1,456	1,011	770	671	545	362	201	117	40	8	3
WHITE-----MALE----	1,220	692	390	299	274	211	145	75	28	11	-	-
FEMALE--	253	208	215	217	232	237	162	107	78	29	8	-
ALL OTHER--MALE----	844	411	273	144	81	43	26	4	3	-	-	3
FEMALE--	305	145	133	110	84	54	29	15	8	-	-	-
BLACK---MALE-----	798	385	253	124	65	37	17	1	2	-	-	3
FEMALE--	294	130	112	78	53	37	20	12	5	-	-	-
ALABAMA -----	42	13	15	3	5	8	5	2	1	-	-	-
WHITE-----MALE----	16	2	3	-	1	4	3	-	-	-	-	-
FEMALE--	3	2	5	1	3	2	-	1	-	-	-	-
ALL OTHER--MALE----	17	7	6	-	1	2	-	-	-	-	-	-
FEMALE--	6	2	1	2	-	-	2	1	1	-	-	-
BLACK---MALE-----	17	7	6	-	1	2	-	-	-	-	-	-
FEMALE--	6	2	1	2	-	-	2	1	1	-	-	-
ALASKA -----	4	3	2	2	1	2	-	1	-	-	-	-
WHITE-----MALE----	3	1	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	1	2	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	44	21	10	12	16	12	6	6	1	-	-	-
WHITE-----MALE----	33	21	7	8	10	7	3	1	1	-	-	-
FEMALE--	4	-	3	3	5	4	3	5	-	-	-	-
ALL OTHER--MALE----	6	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	15	4	13	8	7	3	-	3	-	1	-	-
WHITE-----MALE----	5	3	8	3	4	2	-	1	-	1	-	-
FEMALE--	1	-	1	4	3	1	-	1	-	-	-	-
ALL OTHER--MALE----	7	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	1	-	-	-	1	-	-	-	-
BLACK---MALE-----	7	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	1	-	-	-	1	-	-	-	-
CALIFORNIA -----	362	235	151	125	105	83	52	21	16	5	1	-
WHITE-----MALE----	227	135	77	49	41	37	19	6	7	1	-	-
FEMALE--	48	43	41	35	33	27	19	12	7	4	1	-
ALL OTHER--MALE----	72	42	19	19	13	6	8	2	1	-	-	-
FEMALE--	15	15	14	22	18	13	6	1	1	-	-	-
BLACK---MALE-----	57	30	13	7	5	1	1	-	-	-	-	-
FEMALE--	12	8	5	8	6	4	1	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral diseases (A80-B34)												
COLORADO -----	198	2	1	-	-	-	1	6	11	22	37	35
WHITE-----MALE----	125	2	-	-	-	-	1	4	7	13	28	20
FEMALE--	45	-	1	-	-	-	-	2	1	4	5	8
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	2	4	2	7
FEMALE--	10	-	-	-	-	-	-	-	1	1	2	-
BLACK---MALE----	13	-	-	-	-	-	-	-	2	3	2	4
FEMALE--	7	-	-	-	-	-	-	-	1	1	2	-
CONNECTICUT -----	245	-	-	-	-	1	1	2	14	36	53	55
WHITE-----MALE----	102	-	-	-	-	-	1	1	6	19	15	22
FEMALE--	51	-	-	-	-	-	-	-	3	6	14	9
ALL OTHER--MALE----	66	-	-	-	-	-	-	1	3	4	16	20
FEMALE--	26	-	-	-	-	1	-	-	2	7	8	4
BLACK---MALE----	64	-	-	-	-	-	-	-	3	4	16	20
FEMALE--	25	-	-	-	-	1	-	-	2	7	8	4
DELAWARE -----	86	-	-	-	-	-	-	-	6	16	15	16
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	5	1	5
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	6	5	8	7
FEMALE--	20	-	-	-	-	-	-	-	-	6	5	3
BLACK---MALE----	38	-	-	-	-	-	-	-	6	5	8	7
FEMALE--	20	-	-	-	-	-	-	-	-	6	5	3
DISTRICT OF COLUMBIA ---	248	-	-	-	1	2	4	11	25	43	53	45
WHITE-----MALE----	17	-	-	-	-	-	-	-	2	4	4	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	161	-	-	-	1	2	-	7	15	28	31	37
FEMALE--	69	-	-	-	-	-	4	4	8	11	17	8
BLACK---MALE----	161	-	-	-	1	2	-	7	15	28	31	37
FEMALE--	69	-	-	-	-	-	4	4	8	11	17	8
FLORIDA -----	2,168	8	4	7	1	6	28	67	183	335	421	365
WHITE-----MALE----	822	1	-	2	-	1	3	18	44	133	160	162
FEMALE--	266	4	1	1	-	-	2	6	18	34	34	27
ALL OTHER--MALE----	649	1	2	1	1	2	9	16	65	92	137	115
FEMALE--	431	2	1	3	-	3	14	27	56	76	90	61
BLACK---MALE----	643	1	2	1	1	2	9	16	65	91	134	115
FEMALE--	428	2	1	3	-	3	14	27	55	76	90	60
GEORGIA -----	868	5	1	-	1	2	17	38	88	156	183	139
WHITE-----MALE----	219	1	-	-	-	-	2	5	16	33	47	38
FEMALE--	50	1	1	-	-	-	1	2	3	6	10	3
ALL OTHER--MALE----	414	1	-	-	-	1	4	17	51	86	81	80
FEMALE--	185	2	-	-	1	1	10	14	18	31	45	18
BLACK---MALE----	410	1	-	-	-	1	4	17	50	85	80	80
FEMALE--	183	2	-	-	1	1	10	14	18	31	45	18

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 326

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral diseases (A80-B34)												
COLORADO -----	25	12	7	12	11	8	3	3	2	-	-	-
WHITE-----MALE----	15	9	4	6	5	6	1	2	2	-	-	-
FEMALE--	5	3	2	3	6	2	2	1	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	3	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	19	21	13	16	7	1	1	2	2	1	-	-
WHITE-----MALE----	9	10	5	10	2	1	-	1	-	-	-	-
FEMALE--	3	3	2	4	2	-	1	1	2	1	-	-
ALL OTHER--MALE----	7	5	5	2	3	-	-	-	-	-	-	-
FEMALE--	-	3	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	5	5	2	2	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	14	3	2	3	5	3	2	-	1	-	-	-
WHITE-----MALE----	2	1	-	-	1	2	1	-	1	-	-	-
FEMALE--	2	-	1	1	2	1	-	-	1	-	-	-
ALL OTHER--MALE----	8	2	-	2	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	2	-	1	-	-	-	-	-
BLACK---MALE----	8	2	-	2	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	2	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ---	39	10	6	2	3	2	2	-	-	-	-	-
WHITE-----MALE----	5	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	24	9	3	2	1	-	1	-	-	-	-	-
FEMALE--	10	1	2	-	2	2	-	-	-	-	-	-
BLACK---MALE----	24	9	3	2	1	-	1	-	-	-	-	-
FEMALE--	10	1	2	-	2	2	-	-	-	-	-	-
FLORIDA -----	224	152	112	71	72	48	34	20	9	1	-	-
WHITE-----MALE----	95	61	39	24	33	20	14	10	2	-	-	-
FEMALE--	23	20	12	12	21	20	15	10	5	1	-	-
ALL OTHER--MALE----	78	52	35	24	11	6	2	-	-	-	-	-
FEMALE--	28	19	26	11	7	2	3	-	2	-	-	-
BLACK---MALE----	78	51	35	23	11	6	2	-	-	-	-	-
FEMALE--	28	19	26	11	7	2	3	-	1	-	-	-
GEORGIA -----	89	53	25	28	19	15	5	3	-	-	-	1
WHITE-----MALE----	28	21	6	7	8	3	2	2	-	-	-	-
FEMALE--	2	-	-	5	4	8	3	1	-	-	-	-
ALL OTHER--MALE----	45	20	14	6	5	2	-	-	-	-	-	1
FEMALE--	14	12	5	10	2	2	-	-	-	-	-	-
BLACK---MALE----	44	20	14	6	5	2	-	-	-	-	-	1
FEMALE--	14	12	5	8	2	2	-	-	-	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 327

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral diseases (A80-B34)												
HAWAII -----	49	-	-	-	-	1	-	2	4	7	4	11
WHITE-----MALE----	25	-	-	-	-	-	-	1	1	4	1	8
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	3	2	2	3
FEMALE--	9	-	-	-	-	1	-	1	-	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	27	-	1	-	-	-	-	-	2	2	5	6
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	2	3	5
FEMALE--	8	-	1	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	715	8	1	3	2	3	8	24	62	104	129	127
WHITE-----MALE----	229	2	-	2	-	-	2	1	13	39	44	52
FEMALE--	111	2	-	-	1	1	-	2	3	7	13	9
ALL OTHER--MALE----	258	2	-	-	1	-	1	17	33	44	51	45
FEMALE--	117	2	1	1	-	2	5	4	13	14	21	21
BLACK---MALE----	253	2	-	-	1	-	1	17	32	43	51	45
FEMALE--	112	2	1	1	-	2	5	3	13	14	21	21
INDIANA -----	235	3	1	1	1	3	2	6	14	31	34	40
WHITE-----MALE----	119	1	1	-	1	1	1	2	11	14	19	28
FEMALE--	54	1	-	1	-	-	1	1	1	3	5	6
ALL OTHER--MALE----	45	-	-	-	-	2	-	3	-	14	8	3
FEMALE--	17	1	-	-	-	-	-	-	2	-	2	3
BLACK---MALE----	43	-	-	-	-	2	-	3	-	13	8	2
FEMALE--	17	1	-	-	-	-	-	-	2	-	2	3
IOWA -----	56	-	1	-	-	-	-	-	3	7	9	6
WHITE-----MALE----	38	-	1	-	-	-	-	-	1	6	7	5
FEMALE--	14	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	101	6	3	1	-	1	-	2	6	8	15	17
WHITE-----MALE----	56	5	-	-	-	-	-	-	3	6	14	11
FEMALE--	27	-	1	1	-	1	-	1	1	1	-	3
ALL OTHER--MALE----	15	1	1	-	-	-	-	-	2	1	1	2
FEMALE--	3	-	1	-	-	-	-	1	-	-	-	1
BLACK---MALE----	15	1	1	-	-	-	-	-	2	1	1	2
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral diseases (A80-B34)												
KENTUCKY -----	173	1	2	-	-	1	1	6	13	21	41	26
WHITE-----MALE----	88	-	1	-	-	1	-	2	4	6	24	19
FEMALE--	33	-	-	-	-	-	1	2	3	3	1	2
ALL OTHER--MALE----	37	-	-	-	-	-	-	1	5	9	12	4
FEMALE--	15	1	1	-	-	-	-	1	1	3	4	1
BLACK---MALE-----	37	-	-	-	-	-	-	1	5	9	12	4
FEMALE--	15	1	1	-	-	-	-	1	1	3	4	1
LOUISIANA -----	572	-	3	3	-	1	11	32	53	91	93	95
WHITE-----MALE----	161	-	1	1	-	-	-	3	9	22	25	31
FEMALE--	42	-	-	1	-	-	3	-	1	1	5	3
ALL OTHER--MALE----	229	-	2	1	-	2	15	23	45	40	39	39
FEMALE--	140	-	-	-	-	1	6	14	20	23	23	22
BLACK---MALE-----	228	-	2	1	-	2	15	23	45	40	39	39
FEMALE--	139	-	-	-	-	1	6	14	20	23	23	22
MAINE -----	33	-	-	-	-	-	-	-	3	2	4	7
WHITE-----MALE----	18	-	-	-	-	-	-	-	2	2	4	4
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	703	2	2	1	1	1	5	30	50	109	157	134
WHITE-----MALE----	97	1	-	-	-	-	-	2	9	11	18	17
FEMALE--	46	-	-	-	-	-	1	2	5	1	8	7
ALL OTHER--MALE----	389	1	2	1	-	4	15	17	67	87	88	88
FEMALE--	171	-	-	-	1	1	-	11	19	30	44	22
BLACK---MALE-----	385	1	2	1	-	4	14	16	67	87	88	88
FEMALE--	167	-	-	-	1	1	-	11	19	30	44	21
MASSACHUSETTS -----	369	5	2	-	1	-	3	7	20	52	75	79
WHITE-----MALE----	193	1	1	-	-	-	3	-	10	28	38	40
FEMALE--	89	3	1	-	-	-	-	1	6	12	18	16
ALL OTHER--MALE----	59	1	-	-	1	-	-	4	3	6	10	18
FEMALE--	28	-	-	-	-	-	-	2	1	6	9	5
BLACK---MALE-----	57	1	-	-	1	-	-	4	3	6	9	18
FEMALE--	27	-	-	-	-	-	-	2	1	6	9	5
MICHIGAN -----	453	2	2	-	-	1	5	9	21	47	88	82
WHITE-----MALE----	152	1	1	-	-	1	-	3	7	8	33	35
FEMALE--	82	1	-	-	-	-	1	-	2	6	11	10
ALL OTHER--MALE----	164	-	1	-	-	-	3	5	10	26	30	27
FEMALE--	55	-	-	-	-	-	1	1	2	7	14	10
BLACK---MALE-----	157	-	1	-	-	-	3	5	10	24	29	27
FEMALE--	53	-	-	-	-	-	1	1	2	7	14	9

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral diseases (A80-B34)												
KENTUCKY -----	13	10	10	13	5	3	2	2	2	1	-	-
WHITE-----MALE----	8	6	6	8	2	-	-	-	-	1	-	-
FEMALE--	2	3	2	3	3	3	1	2	2	-	-	-
ALL OTHER--MALE----	3	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	-	-	-	-
LOUISIANA -----	56	38	23	23	22	10	11	4	2	1	-	-
WHITE-----MALE----	19	15	4	7	13	3	6	1	1	-	-	-
FEMALE--	1	2	3	9	3	3	3	2	1	1	-	-
ALL OTHER--MALE----	26	14	14	4	3	1	-	-	-	-	-	-
FEMALE--	10	7	2	3	3	3	2	1	-	-	-	-
BLACK---MALE----	26	13	14	4	3	1	-	-	-	-	-	-
FEMALE--	10	7	2	3	2	3	2	1	-	-	-	-
MAINE -----	1	5	-	1	2	3	-	2	-	3	-	-
WHITE-----MALE----	-	2	-	-	-	1	-	2	-	1	-	-
FEMALE--	-	2	-	1	2	2	-	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	85	41	30	14	15	16	7	2	1	-	-	-
WHITE-----MALE----	14	5	6	2	3	7	1	1	-	-	-	-
FEMALE--	3	3	3	2	2	4	4	1	-	-	-	-
ALL OTHER--MALE----	50	25	16	4	7	3	1	-	1	-	-	-
FEMALE--	18	8	5	6	3	2	1	-	-	-	-	-
BLACK---MALE----	50	25	15	4	6	3	1	-	1	-	-	-
FEMALE--	17	8	5	5	2	2	1	-	-	-	-	-
MASSACHUSETTS -----	47	17	20	8	7	11	7	2	4	2	-	-
WHITE-----MALE----	34	10	12	4	1	6	3	2	-	-	-	-
FEMALE--	5	1	3	4	6	5	3	-	3	2	-	-
ALL OTHER--MALE----	6	5	4	-	-	-	-	-	1	-	-	-
FEMALE--	2	1	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	6	5	3	-	-	-	-	-	1	-	-	-
FEMALE--	2	1	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	67	32	20	24	24	12	8	4	4	1	-	-
WHITE-----MALE----	26	14	5	6	4	2	4	2	-	-	-	-
FEMALE--	6	3	5	11	12	6	2	1	4	1	-	-
ALL OTHER--MALE----	29	11	8	5	6	1	2	-	-	-	-	-
FEMALE--	6	4	2	2	2	3	-	1	-	-	-	-
BLACK---MALE----	26	11	8	5	5	1	2	-	-	-	-	-
FEMALE--	6	4	2	2	1	3	-	1	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral diseases (A80-B34)												
MINNESOTA -----	127	-	1	-	-	1	1	2	6	16	15	22
WHITE-----MALE----	74	-	-	-	-	1	-	1	3	5	13	14
FEMALE--	25	-	1	-	-	-	-	-	-	2	1	2
ALL OTHER--MALE----	20	-	-	-	-	-	1	1	3	5	-	5
FEMALE--	8	-	-	-	-	-	-	-	-	4	1	1
BLACK---MALE----	16	-	-	-	-	-	1	1	2	4	-	5
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	1
MISSISSIPPI -----	271	1	2	1	1	1	8	21	36	50	47	34
WHITE-----MALE----	70	-	1	-	-	-	-	2	4	16	12	9
FEMALE--	21	-	-	-	1	-	-	1	-	3	1	2
ALL OTHER--MALE----	121	1	1	1	-	1	5	9	23	22	23	18
FEMALE--	59	-	-	-	-	-	3	9	9	9	11	5
BLACK---MALE----	120	1	1	1	-	1	5	9	23	22	23	17
FEMALE--	58	-	-	-	-	-	3	9	9	9	11	5
MISSOURI -----	269	1	1	1	-	-	2	5	32	46	32	45
WHITE-----MALE----	136	-	1	-	-	-	1	-	9	27	20	28
FEMALE--	58	1	-	1	-	-	1	2	6	2	5	4
ALL OTHER--MALE----	58	-	-	-	-	-	-	2	12	15	6	7
FEMALE--	17	-	-	-	-	-	-	1	5	2	1	6
BLACK---MALE----	58	-	-	-	-	-	-	2	12	15	6	7
FEMALE--	16	-	-	-	-	-	-	1	5	2	1	6
MONTANA -----	25	-	2	-	-	-	-	1	-	4	7	1
WHITE-----MALE----	12	-	-	-	-	-	-	1	-	1	4	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	3	-
ALL OTHER--MALE----	3	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	51	1	-	-	-	-	1	2	7	3	10	5
WHITE-----MALE----	30	1	-	-	-	-	1	-	4	2	7	1
FEMALE--	10	-	-	-	-	-	-	1	1	-	2	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	1	2	1	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	10	-	-	-	-	-	-	1	2	1	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
NEVADA -----	121	-	-	-	-	-	2	-	8	17	18	12
WHITE-----MALE----	72	-	-	-	-	-	-	-	6	9	7	9
FEMALE--	18	-	-	-	-	-	1	-	-	1	1	3
ALL OTHER--MALE----	22	-	-	-	-	-	1	-	2	4	8	-
FEMALE--	9	-	-	-	-	-	-	-	-	3	2	-
BLACK---MALE----	16	-	-	-	-	-	1	-	1	1	7	-
FEMALE--	7	-	-	-	-	-	-	-	-	3	2	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 331

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral diseases (A80-B34)												
OHIO -----	399	3	1	3	1	1	3	11	29	51	67	68
WHITE-----MALE----	192	1	-	1	-	1	-	3	16	26	30	40
FEMALE--	80	2	1	2	-	-	1	2	1	4	8	4
ALL OTHER--MALE----	91	-	-	-	1	-	1	2	9	13	25	19
FEMALE--	36	-	-	-	-	-	1	4	3	8	4	5
BLACK---MALE----	88	-	-	-	1	-	1	2	9	13	24	17
FEMALE--	36	-	-	-	-	-	1	4	3	8	4	5
OKLAHOMA -----	189	1	-	1	-	1	2	5	16	26	24	27
WHITE-----MALE----	112	-	-	1	-	-	2	4	10	16	13	12
FEMALE--	41	-	-	-	-	1	-	1	3	4	6	6
ALL OTHER--MALE----	27	1	-	-	-	-	-	-	3	5	3	7
FEMALE--	9	-	-	-	-	-	-	-	-	1	2	2
BLACK---MALE----	15	1	-	-	-	-	-	-	2	2	3	4
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	165	1	-	-	-	-	1	-	11	23	17	23
WHITE-----MALE----	119	-	-	-	-	-	1	-	8	20	15	15
FEMALE--	33	1	-	-	-	-	-	-	2	2	1	5
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	765	4	4	2	1	1	5	15	39	115	123	149
WHITE-----MALE----	267	-	2	-	1	-	-	5	8	39	42	47
FEMALE--	122	-	2	2	-	-	2	2	8	14	13	17
ALL OTHER--MALE----	258	2	-	-	-	-	-	5	15	42	47	64
FEMALE--	118	2	-	-	-	1	3	3	8	20	21	21
BLACK---MALE----	251	2	-	-	-	-	-	5	14	42	46	61
FEMALE--	118	2	-	-	-	1	3	3	8	20	21	21
RHODE ISLAND -----	48	-	-	-	-	1	-	2	1	6	8	11
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	2	4	6
FEMALE--	12	-	-	-	-	1	-	2	-	1	-	4
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	6	-	-	-	-	-	-	-	-	3	2	-
BLACK---MALE----	6	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	5	-	-	-	-	-	-	-	-	3	1	-
SOUTH CAROLINA -----	405	1	-	1	-	-	5	24	38	63	92	63
WHITE-----MALE----	98	-	-	1	-	-	-	1	4	19	27	15
FEMALE--	37	-	-	-	-	-	1	1	1	3	6	4
ALL OTHER--MALE----	183	1	-	-	-	-	4	12	20	23	42	35
FEMALE--	87	-	-	-	-	-	-	10	13	18	17	9
BLACK---MALE----	181	1	-	-	-	-	4	12	20	23	41	34
FEMALE--	86	-	-	-	-	-	-	10	13	18	17	9

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 331

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral diseases (A80-B34)												
OHIO -----	38	29	17	17	16	20	11	6	6	1	-	-
WHITE-----MALE----	21	16	8	8	9	6	4	1	1	-	-	-
FEMALE--	5	5	5	7	3	13	7	4	5	1	-	-
ALL OTHER--MALE----	9	5	2	1	3	1	-	-	-	-	-	-
FEMALE--	3	3	2	1	1	-	-	1	-	-	-	-
BLACK---MALE----	9	5	2	1	3	1	-	-	-	-	-	-
FEMALE--	3	3	2	1	1	-	-	1	-	-	-	-
OKLAHOMA -----	36	8	8	9	9	7	3	5	1	-	-	-
WHITE-----MALE----	23	5	5	4	7	6	1	2	1	-	-	-
FEMALE--	10	2	2	2	1	-	1	2	-	-	-	-
ALL OTHER--MALE----	2	1	1	3	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	1	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	1	-	-	-	-
OREGON -----	32	14	11	8	4	9	2	7	1	1	-	-
WHITE-----MALE----	25	9	6	6	4	5	1	4	-	-	-	-
FEMALE--	3	5	4	1	-	3	1	3	1	1	-	-
ALL OTHER--MALE----	4	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	97	57	40	30	23	20	25	5	2	8	-	-
WHITE-----MALE----	40	22	13	10	11	7	15	1	-	4	-	-
FEMALE--	5	8	4	9	9	10	8	4	1	4	-	-
ALL OTHER--MALE----	42	19	13	7	1	-	1	-	-	-	-	-
FEMALE--	10	8	10	4	2	3	1	-	1	-	-	-
BLACK---MALE----	41	19	12	7	1	-	1	-	-	-	-	-
FEMALE--	10	8	10	4	2	3	1	-	1	-	-	-
RHODE ISLAND -----	10	5	1	1	1	-	1	-	-	-	-	-
WHITE-----MALE----	7	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	40	18	19	10	8	11	8	3	-	-	-	1
WHITE-----MALE----	10	6	4	2	3	4	2	-	-	-	-	-
FEMALE--	5	2	2	1	2	4	3	2	-	-	-	-
ALL OTHER--MALE----	17	7	11	6	1	2	1	-	-	-	-	1
FEMALE--	8	3	2	1	2	1	2	1	-	-	-	-
BLACK---MALE----	17	7	11	6	1	2	1	-	-	-	-	1
FEMALE--	8	2	2	1	2	1	2	1	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral diseases (A80-B34)												
SOUTH DAKOTA -----	15	-	-	-	-	-	-	-	-	1	2	2
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	445	6	1	-	-	2	16	21	39	75	69	66
WHITE-----MALE----	140	2	-	-	-	1	-	5	7	21	26	31
FEMALE--	89	3	-	-	-	-	2	1	2	9	7	11
ALL OTHER--MALE----	147	1	1	-	-	-	4	10	23	35	24	19
FEMALE--	69	-	-	-	-	1	10	5	7	10	12	5
BLACK---MALE----	146	1	1	-	-	-	4	10	23	35	24	18
FEMALE--	68	-	-	-	-	1	10	5	7	10	12	5
TEXAS -----	1,650	7	6	5	2	5	26	63	146	247	294	273
WHITE-----MALE----	833	1	2	2	1	2	10	29	68	137	153	161
FEMALE--	270	4	2	2	-	-	5	6	14	12	34	40
ALL OTHER--MALE----	372	1	2	1	-	2	8	14	47	71	68	54
FEMALE--	175	1	-	-	1	1	3	14	17	27	39	18
BLACK---MALE----	363	1	2	1	-	2	8	14	46	69	68	53
FEMALE--	167	1	-	-	1	1	3	14	17	26	39	18
UTAH -----	55	2	1	-	-	-	1	-	-	3	5	8
WHITE-----MALE----	28	1	-	-	-	-	1	-	-	2	3	5
FEMALE--	21	-	1	-	-	-	-	-	-	1	2	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	19	-	-	-	-	-	-	-	-	2	4	3
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	1	4	2
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	396	3	-	1	4	2	1	9	37	59	74	71
WHITE-----MALE----	114	1	-	-	1	-	-	2	7	17	20	20
FEMALE--	43	-	-	-	1	-	-	1	-	1	4	8
ALL OTHER--MALE----	154	-	-	-	1	2	-	2	21	32	33	28
FEMALE--	85	2	-	1	1	-	1	4	9	9	17	15
BLACK---MALE----	148	-	-	-	1	2	-	1	19	32	32	26
FEMALE--	77	1	-	1	1	-	1	3	9	9	17	15

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral diseases (A80-B34)												
SOUTH DAKOTA -----	2	-	2	2	3	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	2	1	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	44	21	15	18	20	15	11	4	1	1	-	-
WHITE-----MALE----	14	9	4	3	7	5	2	2	-	1	-	-
FEMALE--	3	3	8	10	10	8	9	2	1	-	-	-
ALL OTHER--MALE----	14	6	3	3	2	2	-	-	-	-	-	-
FEMALE--	13	3	-	2	1	-	-	-	-	-	-	-
BLACK---MALE----	14	6	3	3	2	2	-	-	-	-	-	-
FEMALE--	13	3	-	2	-	-	-	-	-	-	-	-
TEXAS -----	195	110	82	48	49	38	28	15	8	3	-	-
WHITE-----MALE----	105	65	27	21	18	9	12	5	4	1	-	-
FEMALE--	16	19	31	18	22	21	11	8	3	2	-	-
ALL OTHER--MALE----	53	18	16	5	4	5	2	1	-	-	-	-
FEMALE--	21	8	8	4	5	3	3	1	1	-	-	-
BLACK---MALE----	52	18	13	5	4	5	1	1	-	-	-	-
FEMALE--	21	7	6	3	4	3	2	1	-	-	-	-
UTAH -----	10	4	5	6	2	3	2	-	1	1	1	-
WHITE-----MALE----	9	2	1	3	-	-	1	-	-	-	-	-
FEMALE--	1	1	2	2	2	3	-	-	1	1	1	-
ALL OTHER--MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	1	1	-	1	1	1	2	1	-	-	-
WHITE-----MALE----	1	1	1	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	47	26	19	15	5	9	6	6	1	-	1	-
WHITE-----MALE----	16	10	4	6	2	4	3	1	-	-	-	-
FEMALE--	6	3	6	2	2	2	2	3	1	-	1	-
ALL OTHER--MALE----	17	8	7	2	-	-	1	-	-	-	-	-
FEMALE--	8	5	2	5	1	3	-	2	-	-	-	-
BLACK---MALE----	17	8	7	2	-	-	1	-	-	-	-	-
FEMALE--	7	4	2	2	1	2	-	2	-	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 352

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS 45-49 YEARS

Arthropod-borne viral encephalitis (A83-A84,A85.2)

Table with columns for cause of death, race, and sex, and rows for age groups (All Ages, Under 1 Year, 1-4 Years, 5-9 Years, 10-14 Years, 15-19 Years, 20-24 Years, 25-29 Years, 30-34 Years, 35-39 Years, 40-44 Years, 45-49 Years). Rows include United States and states: Alabama, Alaska, Arizona, Arkansas, California.

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 356

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85-89 YEARS 90-94 YEARS 95-99 YEARS 100 YEARS & OVER AGE NOT STATED

Arthropod-borne viral encephalitis (A83-A84,A85.2)

Table with columns for state (MINNESOTA, MISSISSIPPI, MISSOURI, MONTANA, NEBRASKA, NEVADA), race (WHITE, ALL OTHER, BLACK), and sex (MALE, FEMALE). Rows show death counts for each category across age groups.

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85-89 YEARS 90-94 YEARS 95-99 YEARS 100 YEARS & OVER AGE NOT STATED

Other and unspecified arthropod-borne viral and hemorrhagic fevers (A90-A94,A96-A99)

Table with columns for cause of death, race, sex, and age groups. Rows include: UNITED STATES - WHITE MALE, WHITE FEMALE, ALL OTHER MALE, ALL OTHER FEMALE, BLACK MALE, BLACK FEMALE; ALABAMA; ALASKA; ARIZONA; ARKANSAS; CALIFORNIA.

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85-89 YEARS 90-94 YEARS 95-99 YEARS 100 YEARS & OVER AGE NOT STATED

Other and unspecified arthropod-borne viral and hemorrhagic fevers (A90-A94,A96-A99)

Table with columns for state (Kentucky, Louisiana, Maine, Maryland, Massachusetts, Michigan) and rows for race/sex combinations (White-Male, White-Female, All Other-Male, All Other-Female, Black-Male, Black-Female). All data points are dashes (-).

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE

TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX 50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85-89 YEARS 90-94 YEARS 95-99 YEARS 100 YEARS & OVER AGE NOT STATED

Smallpox (B03)

Table with columns for state (HAWAII, IDAHO, ILLINOIS, INDIANA, IOWA, KANSAS), race (WHITE, ALL OTHER, BLACK), sex (MALE, FEMALE), and age groups (50-54 to 100+ years). All cells contain dashes, indicating zero deaths.

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85-89 YEARS 90-94 YEARS 95-99 YEARS 100 YEARS & OVER AGE NOT STATED

Measles (B05)

Table with columns for state (Kentucky, Louisiana, Maine, Maryland, Massachusetts, Michigan) and race/sex categories (White, All Other, Black, Male, Female) and rows for age groups (50-54 to 100+ years).

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral hepatitis (B15-B19)												
UNITED STATES -	959	586	428	407	429	375	238	120	41	5	-	1
WHITE-----MALE----	580	319	189	170	161	143	98	41	10	2	-	-
FEMALE--	154	128	142	144	180	179	107	63	24	3	-	-
ALL OTHER--MALE----	157	87	48	37	28	13	9	1	3	-	-	1
FEMALE--	68	52	49	56	60	40	24	15	4	-	-	-
BLACK---MALE-----	128	65	36	18	16	9	4	-	2	-	-	1
FEMALE--	60	38	31	29	30	26	15	12	2	-	-	-
ALABAMA -----	12	5	6	-	3	6	5	2	1	-	-	-
WHITE-----MALE----	10	-	2	-	1	3	3	-	-	-	-	-
FEMALE--	1	1	3	-	2	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	3	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	2	1	1	-	-	-
BLACK---MALE-----	-	3	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	2	1	1	-	-	-
ALASKA -----	2	3	-	1	1	1	-	-	-	-	-	-
WHITE-----MALE----	2	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	28	9	5	8	10	6	5	3	-	-	-	-
WHITE-----MALE----	24	9	3	4	5	5	3	-	-	-	-	-
FEMALE--	3	-	2	3	4	1	2	3	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	9	3	7	5	4	3	-	2	-	-	-	-
WHITE-----MALE----	1	2	5	2	2	2	-	-	-	-	-	-
FEMALE--	1	-	1	2	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	5	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	1	-	-	-	1	-	-	-	-
BLACK---MALE-----	5	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	1	-	-	-	-
CALIFORNIA -----	171	122	89	81	76	61	34	15	9	1	-	-
WHITE-----MALE----	106	62	39	21	24	23	11	5	6	-	-	-
FEMALE--	37	30	30	28	26	22	13	8	2	1	-	-
ALL OTHER--MALE----	24	18	9	13	10	3	4	1	1	-	-	-
FEMALE--	4	12	11	19	16	13	6	1	-	-	-	-
BLACK---MALE-----	16	7	4	2	3	-	-	-	-	-	-	-
FEMALE--	1	5	3	6	4	4	1	-	-	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 425

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral hepatitis (B15-B19)												
COLORADO -----	84	-	-	-	-	-	-	-	1	4	10	14
WHITE-----MALE----	49	-	-	-	-	-	-	-	1	1	6	8
FEMALE--	30	-	-	-	-	-	-	-	-	3	4	5
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	36	-	-	-	-	-	-	-	1	1	-	10
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	1	-	5
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	2
DELAWARE -----	14	-	-	-	-	-	-	-	-	2	2	3
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	22	-	-	-	-	-	-	-	-	3	1	5
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	10	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	10	-	-	-	-	-	-	-	-	2	-	1
FLORIDA -----	439	-	-	-	-	-	-	4	8	14	43	78
WHITE-----MALE----	254	-	-	-	-	-	-	1	3	10	26	53
FEMALE--	131	-	-	-	-	-	-	2	3	3	11	15
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	1	-	6	7
FEMALE--	17	-	-	-	-	-	-	1	1	1	-	3
BLACK---MALE----	35	-	-	-	-	-	-	-	1	-	6	7
FEMALE--	14	-	-	-	-	-	-	1	-	1	-	2
GEORGIA -----	117	-	-	-	-	-	-	2	-	2	19	22
WHITE-----MALE----	52	-	-	-	-	-	-	1	-	-	9	12
FEMALE--	29	-	-	-	-	-	-	-	-	-	6	3
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	2	3	6
FEMALE--	14	-	-	-	-	-	-	1	-	-	1	1
BLACK---MALE----	19	-	-	-	-	-	-	-	-	1	2	6
FEMALE--	12	-	-	-	-	-	-	1	-	-	1	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral hepatitis (B15-B19)												
COLORADO -----	18	8	6	8	6	4	3	2	-	-	-	-
WHITE-----MALE----	13	6	3	4	2	3	1	1	-	-	-	-
FEMALE--	4	2	2	2	4	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	4	5	4	6	2	-	1	1	1	-	-	-
WHITE-----MALE----	3	3	1	6	-	-	-	1	-	-	-	-
FEMALE--	-	1	1	-	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	1	1	1	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ---	4	3	-	2	2	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	-	2	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	1	2	-	2	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	2	1	-	-	-	-	-	-
FLORIDA -----	80	39	26	28	46	31	24	14	3	1	-	-
WHITE-----MALE----	48	24	17	17	23	13	12	7	-	-	-	-
FEMALE--	16	9	8	9	18	17	10	7	2	1	-	-
ALL OTHER--MALE----	13	5	1	1	2	1	-	-	-	-	-	-
FEMALE--	3	1	-	1	3	-	2	-	1	-	-	-
BLACK---MALE----	13	4	1	-	2	1	-	-	-	-	-	-
FEMALE--	3	1	-	1	3	-	2	-	-	-	-	-
GEORGIA -----	19	13	7	11	8	9	3	2	-	-	-	-
WHITE-----MALE----	12	8	3	3	3	-	-	1	-	-	-	-
FEMALE--	1	-	-	4	4	7	3	1	-	-	-	-
ALL OTHER--MALE----	5	1	3	1	-	1	-	-	-	-	-	-
FEMALE--	1	4	1	3	1	1	-	-	-	-	-	-
BLACK---MALE----	4	1	3	1	-	1	-	-	-	-	-	-
FEMALE--	1	4	1	1	1	1	-	-	-	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 427

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral hepatitis (B15-B19)												
KENTUCKY -----	6	6	4	10	5	3	1	1	-	-	-	-
WHITE-----MALE----	5	3	2	7	2	-	-	-	-	-	-	-
FEMALE--	1	2	1	1	3	3	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	-	-	-	-
BLACK--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	-	-	-	-
LOUISIANA -----	16	16	11	14	15	4	10	4	2	-	-	-
WHITE-----MALE----	10	7	4	4	8	2	5	1	1	-	-	-
FEMALE--	1	2	3	7	3	-	3	2	1	-	-	-
ALL OTHER--MALE----	5	3	3	2	1	1	-	-	-	-	-	-
FEMALE--	-	4	1	1	3	1	2	1	-	-	-	-
BLACK--MALE----	5	2	3	2	1	1	-	-	-	-	-	-
FEMALE--	-	4	1	1	2	1	2	1	-	-	-	-
MAINE -----	-	3	-	-	1	2	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	21	7	10	6	4	8	3	-	1	-	-	-
WHITE-----MALE----	7	3	3	1	2	3	1	-	-	-	-	-
FEMALE--	1	2	1	1	1	3	2	-	-	-	-	-
ALL OTHER--MALE----	7	1	5	1	-	-	-	-	1	-	-	-
FEMALE--	6	1	1	3	1	2	-	-	-	-	-	-
BLACK--MALE----	7	1	4	1	-	-	-	-	1	-	-	-
FEMALE--	5	1	1	2	-	2	-	-	-	-	-	-
MASSACHUSETTS -----	18	8	8	3	5	8	4	1	3	-	-	-
WHITE-----MALE----	13	5	5	1	1	3	2	1	-	-	-	-
FEMALE--	4	1	2	2	4	5	1	-	2	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	-	-	-
BLACK--MALE----	1	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	31	17	8	16	19	6	5	3	1	-	-	-
WHITE-----MALE----	16	9	3	6	4	1	3	2	-	-	-	-
FEMALE--	4	-	3	9	10	2	1	-	1	-	-	-
ALL OTHER--MALE----	8	6	2	1	4	1	1	-	-	-	-	-
FEMALE--	3	2	-	-	1	2	-	1	-	-	-	-
BLACK--MALE----	6	6	2	1	3	1	1	-	-	-	-	-
FEMALE--	3	2	-	-	-	2	-	1	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral hepatitis (B15-B19)												
OHIO -----	19	16	8	11	8	15	7	3	-	-	-	-
WHITE-----MALE----	9	9	2	6	5	4	2	1	-	-	-	-
FEMALE--	3	3	3	4	1	11	5	1	-	-	-	-
ALL OTHER--MALE----	4	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	3	2	2	1	1	-	-	1	-	-	-	-
BLACK---MALE----	4	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	3	2	2	1	1	-	-	1	-	-	-	-
OKLAHOMA -----	19	2	4	3	7	5	1	4	-	-	-	-
WHITE-----MALE----	12	2	3	1	5	5	-	1	-	-	-	-
FEMALE--	5	-	1	1	1	-	1	2	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
OREGON -----	24	12	5	7	2	6	1	4	1	-	-	-
WHITE-----MALE----	21	8	1	5	2	4	-	1	-	-	-	-
FEMALE--	-	4	3	1	-	2	1	3	1	-	-	-
ALL OTHER--MALE----	3	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	35	29	15	16	15	10	16	3	1	1	-	-
WHITE-----MALE----	19	14	6	8	7	3	9	-	-	1	-	-
FEMALE--	3	6	3	5	6	5	6	3	-	-	-	-
ALL OTHER--MALE----	9	6	1	1	-	-	-	-	-	-	-	-
FEMALE--	4	3	5	2	2	2	1	-	1	-	-	-
BLACK---MALE----	8	6	1	1	-	-	-	-	-	-	-	-
FEMALE--	4	3	5	2	2	2	1	-	1	-	-	-
RHODE ISLAND -----	5	4	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	14	9	4	6	3	8	3	3	-	-	-	1
WHITE-----MALE----	8	4	3	2	1	4	-	-	-	-	-	-
FEMALE--	4	1	1	1	1	3	2	2	-	-	-	-
ALL OTHER--MALE----	1	2	-	2	-	1	-	-	-	-	-	1
FEMALE--	1	2	-	1	1	-	1	1	-	-	-	-
BLACK---MALE----	1	2	-	2	-	1	-	-	-	-	-	1
FEMALE--	1	1	-	1	1	-	1	1	-	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 431

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Viral hepatitis (B15-B19)

SOUTH DAKOTA -----	-	-	2	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	16	8	7	9	16	12	8	2	-	1	-	-
WHITE-----MALE----	8	5	2	2	5	5	2	1	-	1	-	-
FEMALE--	2	3	4	5	8	7	6	1	-	-	-	-
ALL OTHER--MALE----	2	-	1	1	2	-	-	-	-	-	-	-
FEMALE--	4	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	1	2	-	-	-	-	-	-	-
FEMALE--	4	-	-	1	-	-	-	-	-	-	-	-
TEXAS -----	70	52	54	29	36	33	19	8	5	-	-	-
WHITE-----MALE----	38	32	20	14	12	9	8	3	1	-	-	-
FEMALE--	11	14	26	13	20	19	7	4	3	-	-	-
ALL OTHER--MALE----	10	2	5	-	-	2	1	-	-	-	-	-
FEMALE--	11	4	3	2	4	3	3	1	1	-	-	-
BLACK---MALE----	10	2	3	-	-	2	-	-	-	-	-	-
FEMALE--	11	3	2	1	3	3	2	1	-	-	-	-
UTAH -----	7	2	5	4	1	2	2	-	-	-	-	-
WHITE-----MALE----	6	1	1	2	-	-	1	-	-	-	-	-
FEMALE--	1	-	2	1	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	20	11	7	7	2	9	3	2	-	-	-	-
WHITE-----MALE----	9	8	2	2	1	4	3	-	-	-	-	-
FEMALE--	3	1	4	1	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	7	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	4	-	3	-	2	-	-	-	-
BLACK---MALE----	7	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	2	-	2	-	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 433

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease (B20-B24)												
UNITED STATES -	14,175	10	13	17	21	42	183	584	1,517	2,741	3,126	2,511
WHITE-----MALE----	5,135	2	-	5	2	2	33	136	492	1,059	1,179	924
FEMALE--	1,036	1	3	2	2	4	21	55	131	216	227	173
ALL OTHER--MALE----	5,455	5	8	6	10	19	51	218	575	983	1,139	1,018
FEMALE--	2,549	2	2	4	7	17	78	175	319	483	581	396
BLACK---MALE-----	5,328	5	8	5	10	18	51	212	555	955	1,116	1,001
FEMALE--	2,516	2	2	4	7	16	78	172	319	477	571	392
ALABAMA -----	214	-	-	-	-	-	1	10	33	50	44	28
WHITE-----MALE----	42	-	-	-	-	-	-	2	5	12	9	7
FEMALE--	6	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	120	-	-	-	-	-	-	6	17	28	23	17
FEMALE--	46	-	-	-	-	-	1	2	10	10	11	4
BLACK---MALE-----	119	-	-	-	-	-	-	6	17	27	23	17
FEMALE--	46	-	-	-	-	-	1	2	10	10	11	4
ALASKA -----	7	-	-	-	-	-	-	-	1	1	2	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	156	1	-	2	1	1	1	5	19	31	35	23
WHITE-----MALE----	112	1	-	1	-	1	1	5	15	15	29	15
FEMALE--	14	-	-	-	1	-	-	-	3	6	1	1
ALL OTHER--MALE----	23	-	-	1	-	-	-	-	-	8	5	4
FEMALE--	7	-	-	-	-	-	-	-	1	2	-	3
BLACK---MALE-----	13	-	-	-	-	-	-	-	-	4	3	4
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	2
ARKANSAS -----	64	1	-	-	-	-	2	5	9	15	13	8
WHITE-----MALE----	26	-	-	-	-	-	-	1	3	6	5	4
FEMALE--	3	-	-	-	-	-	-	-	2	-	1	-
ALL OTHER--MALE----	23	-	-	-	-	-	1	2	3	7	4	3
FEMALE--	12	1	-	-	-	-	1	2	1	2	3	1
BLACK---MALE-----	23	-	-	-	-	-	1	2	3	7	4	3
FEMALE--	12	1	-	-	-	-	1	2	1	2	3	1
CALIFORNIA -----	1,505	-	-	1	2	5	13	54	165	278	311	271
WHITE-----MALE----	975	-	-	-	-	1	7	24	111	199	195	170
FEMALE--	106	-	-	1	-	2	1	10	11	22	15	19
ALL OTHER--MALE----	326	-	-	-	1	1	3	12	34	47	77	60
FEMALE--	98	-	-	-	1	1	2	8	9	10	24	22
BLACK---MALE-----	291	-	-	-	1	1	3	10	26	42	73	54
FEMALE--	94	-	-	-	1	1	2	8	9	9	22	22

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 433

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease (B20-B24)												
UNITED STATES -	1,609	821	496	258	126	68	20	5	3	2	-	2
WHITE-----MALE----	616	350	157	82	58	27	6	2	1	2	-	-
FEMALE--	79	56	37	20	3	4	-	1	1	-	-	-
ALL OTHER--MALE----	683	323	221	105	47	28	12	2	-	-	-	2
FEMALE--	231	92	81	51	18	9	2	-	1	-	-	-
BLACK---MALE-----	667	319	214	104	46	28	11	1	-	-	-	2
FEMALE--	230	91	79	47	17	9	2	-	1	-	-	-
ALABAMA -----	30	7	7	2	1	1	-	-	-	-	-	-
WHITE-----MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	17	4	6	-	1	1	-	-	-	-	-	-
FEMALE--	5	1	-	2	-	-	-	-	-	-	-	-
BLACK---MALE-----	17	4	6	-	1	1	-	-	-	-	-	-
FEMALE--	5	1	-	2	-	-	-	-	-	-	-	-
ALASKA -----	2	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	16	12	5	-	3	1	-	-	-	-	-	-
WHITE-----MALE----	9	12	4	-	3	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	5	1	5	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	1	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	182	103	53	33	17	12	3	-	1	1	-	-
WHITE-----MALE----	115	71	35	21	12	10	2	-	1	1	-	-
FEMALE--	10	5	6	3	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	46	24	10	6	3	1	1	-	-	-	-	-
FEMALE--	11	3	2	3	2	-	-	-	-	-	-	-
BLACK---MALE-----	40	23	9	5	2	1	1	-	-	-	-	-
FEMALE--	11	3	2	2	2	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease (B20-B24)												
COLORADO -----	93	-	-	-	-	-	1	5	10	17	26	21
WHITE-----MALE----	63	-	-	-	-	-	1	3	6	12	21	12
FEMALE--	8	-	-	-	-	-	-	2	1	-	1	3
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	2	4	2	6
FEMALE--	6	-	-	-	-	-	-	-	1	1	2	-
BLACK---MALE----	13	-	-	-	-	-	-	-	2	3	2	4
FEMALE--	6	-	-	-	-	-	-	-	1	1	2	-
CONNECTICUT -----	193	-	-	-	-	1	-	2	12	35	51	44
WHITE-----MALE----	76	-	-	-	-	-	-	1	5	18	15	16
FEMALE--	34	-	-	-	-	-	-	-	2	6	12	7
ALL OTHER--MALE----	62	-	-	-	-	-	-	1	3	4	16	19
FEMALE--	21	-	-	-	-	1	-	-	2	7	8	2
BLACK---MALE----	61	-	-	-	-	-	-	-	3	4	16	19
FEMALE--	21	-	-	-	-	1	-	-	2	7	8	2
DELAWARE -----	67	-	-	-	-	-	-	-	6	14	13	13
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	3	1	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	6	5	7	7
FEMALE--	19	-	-	-	-	-	-	-	-	6	5	3
BLACK---MALE----	37	-	-	-	-	-	-	-	6	5	7	7
FEMALE--	19	-	-	-	-	-	-	-	-	6	5	3
DISTRICT OF COLUMBIA ---	223	-	-	-	1	2	4	11	25	40	51	40
WHITE-----MALE----	15	-	-	-	-	-	-	-	2	4	3	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	148	-	-	-	1	2	-	7	15	27	30	33
FEMALE--	59	-	-	-	-	-	4	4	8	9	17	7
BLACK---MALE----	148	-	-	-	1	2	-	7	15	27	30	33
FEMALE--	59	-	-	-	-	-	4	4	8	9	17	7
FLORIDA -----	1,664	1	3	4	1	4	28	63	175	317	378	286
WHITE-----MALE----	541	-	-	-	-	-	3	17	41	122	134	109
FEMALE--	105	1	-	-	-	-	2	4	15	30	23	11
ALL OTHER--MALE----	609	-	2	1	1	1	9	16	64	92	131	108
FEMALE--	409	-	1	3	-	3	14	26	55	73	90	58
BLACK---MALE----	605	-	2	1	1	1	9	16	64	91	128	108
FEMALE--	409	-	1	3	-	3	14	26	55	73	90	58
GEORGIA -----	722	1	-	-	-	2	16	36	88	153	163	115
WHITE-----MALE----	150	-	-	-	-	-	1	4	16	32	38	24
FEMALE--	15	-	-	-	-	-	1	2	3	6	3	-
ALL OTHER--MALE----	392	1	-	-	-	1	4	17	51	84	78	74
FEMALE--	165	-	-	-	-	1	10	13	18	31	44	17
BLACK---MALE----	391	1	-	-	-	1	4	17	50	84	78	74
FEMALE--	165	-	-	-	-	1	10	13	18	31	44	17

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Human immunodeficiency virus (HIV) disease (B20-B24)

COLORADO -----	6	4	1	-	-	2	-	-	-	-	-	-
WHITE-----MALE----	2	3	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	14	15	8	8	3	-	-	-	-	-	-	-
WHITE-----MALE----	6	7	3	4	1	-	-	-	-	-	-	-
FEMALE--	2	2	1	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	5	4	2	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	5	4	2	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	13	3	1	2	2	-	-	-	-	-	-	-
WHITE-----MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	2	-	2	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	2	-	-	-	-	-	-	-
BLACK---MALE----	8	2	-	2	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	2	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	34	6	6	-	1	1	1	-	-	-	-	-
WHITE-----MALE----	5	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	22	6	3	-	1	-	1	-	-	-	-	-
FEMALE--	7	-	2	-	-	1	-	-	-	-	-	-
BLACK---MALE----	22	6	3	-	1	-	1	-	-	-	-	-
FEMALE--	7	-	2	-	-	1	-	-	-	-	-	-
FLORIDA -----	144	109	79	37	22	9	3	-	1	-	-	-
WHITE-----MALE----	47	36	18	4	9	1	-	-	-	-	-	-
FEMALE--	7	8	2	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	65	47	34	22	9	5	2	-	-	-	-	-
FEMALE--	25	18	25	10	4	2	1	-	1	-	-	-
BLACK---MALE----	65	47	34	22	9	5	2	-	-	-	-	-
FEMALE--	25	18	25	10	4	2	1	-	1	-	-	-
GEORGIA -----	67	39	15	14	8	4	-	-	-	-	-	1
WHITE-----MALE----	16	12	-	3	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	40	19	11	5	5	1	-	-	-	-	-	1
FEMALE--	11	8	4	6	1	1	-	-	-	-	-	-
BLACK---MALE----	40	19	11	5	5	1	-	-	-	-	-	1
FEMALE--	11	8	4	6	1	1	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease (B20-B24)												
HAWAII -----	26	-	-	-	-	1	-	2	3	6	1	4
WHITE-----MALE----	16	-	-	-	-	-	-	1	-	4	-	4
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	3	2	1	-
FEMALE--	2	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	12	-	1	-	-	-	-	-	1	2	3	3
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	4	-	1	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	518	-	-	1	1	2	8	23	62	98	111	94
WHITE-----MALE----	152	-	-	-	-	-	2	1	13	36	35	30
FEMALE--	27	-	-	-	-	-	-	1	3	5	7	4
ALL OTHER--MALE----	244	-	-	-	1	-	1	17	33	43	50	42
FEMALE--	95	-	-	1	-	2	5	4	13	14	19	18
BLACK---MALE----	241	-	-	-	1	-	1	17	32	42	50	42
FEMALE--	94	-	-	1	-	2	5	3	13	14	19	18
INDIANA -----	119	-	-	-	-	1	2	6	13	29	24	23
WHITE-----MALE----	68	-	-	-	-	-	1	2	11	14	13	19
FEMALE--	11	-	-	-	-	-	1	1	-	2	3	1
ALL OTHER--MALE----	33	-	-	-	-	1	-	3	-	13	7	1
FEMALE--	7	-	-	-	-	-	-	-	2	-	1	2
BLACK---MALE----	33	-	-	-	-	1	-	3	-	13	7	1
FEMALE--	7	-	-	-	-	-	-	-	2	-	1	2
IOWA -----	18	-	-	-	-	-	-	-	2	5	4	3
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	5	3	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	39	-	-	-	-	-	-	1	5	6	12	8
WHITE-----MALE----	28	-	-	-	-	-	-	-	2	5	11	5
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	2	1	1	2
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	2	1	1	2
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease (B20-B24)												
KENTUCKY -----	90	-	-	-	-	-	1	6	9	20	28	12
WHITE-----MALE----	43	-	-	-	-	-	-	2	3	6	14	9
FEMALE--	7	-	-	-	-	-	1	2	1	2	-	-
ALL OTHER--MALE----	32	-	-	-	-	-	-	1	5	9	11	2
FEMALE--	8	-	-	-	-	-	-	1	-	3	3	1
BLACK---MALE----	32	-	-	-	-	-	-	1	5	9	11	2
FEMALE--	8	-	-	-	-	-	-	1	-	3	3	1
LOUISIANA -----	404	-	2	2	-	-	9	32	52	81	70	69
WHITE-----MALE----	88	-	-	1	-	-	-	3	9	17	16	20
FEMALE--	4	-	-	-	-	-	1	-	-	1	2	-
ALL OTHER--MALE----	198	-	2	1	-	-	2	15	23	41	34	33
FEMALE--	114	-	-	-	-	-	6	14	20	22	18	16
BLACK---MALE----	198	-	2	1	-	-	2	15	23	41	34	33
FEMALE--	114	-	-	-	-	-	6	14	20	22	18	16
MAINE -----	14	-	-	-	-	-	-	-	3	1	3	3
WHITE-----MALE----	9	-	-	-	-	-	-	-	2	1	3	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	572	-	1	-	1	1	5	27	49	102	143	112
WHITE-----MALE----	49	-	-	-	-	-	-	2	9	10	12	4
FEMALE--	20	-	-	-	-	-	1	1	4	1	6	5
ALL OTHER--MALE----	359	-	1	-	-	-	4	15	17	65	83	83
FEMALE--	144	-	-	-	1	1	-	9	19	26	42	20
BLACK---MALE----	357	-	1	-	-	-	4	14	16	65	83	83
FEMALE--	144	-	-	-	1	1	-	9	19	26	42	20
MASSACHUSETTS -----	249	-	-	-	1	-	2	7	18	46	65	62
WHITE-----MALE----	129	-	-	-	-	-	2	-	8	27	31	28
FEMALE--	43	-	-	-	-	-	-	1	6	8	16	11
ALL OTHER--MALE----	53	-	-	-	1	-	-	4	3	6	9	18
FEMALE--	24	-	-	-	-	-	-	2	1	5	9	5
BLACK---MALE----	53	-	-	-	1	-	-	4	3	6	9	18
FEMALE--	24	-	-	-	-	-	-	2	1	5	9	5
MICHIGAN -----	255	-	-	-	-	-	3	9	19	39	70	46
WHITE-----MALE----	64	-	-	-	-	-	-	3	6	6	22	12
FEMALE--	17	-	-	-	-	-	-	-	2	2	6	2
ALL OTHER--MALE----	133	-	-	-	-	-	2	5	9	25	30	24
FEMALE--	41	-	-	-	-	-	1	1	2	6	12	8
BLACK---MALE----	129	-	-	-	-	-	2	5	9	23	29	24
FEMALE--	41	-	-	-	-	-	1	1	2	6	12	8

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease (B20-B24)												
KENTUCKY -----	7	3	3	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	3	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	40	22	12	5	5	3	-	-	-	-	-	-
WHITE-----MALE----	9	8	-	1	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	21	11	11	2	2	-	-	-	-	-	-	-
FEMALE--	10	3	1	2	-	2	-	-	-	-	-	-
BLACK---MALE----	21	11	11	2	2	-	-	-	-	-	-	-
FEMALE--	10	3	1	2	-	2	-	-	-	-	-	-
MAINE -----	1	2	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	62	33	18	7	6	4	1	-	-	-	-	-
WHITE-----MALE----	6	2	3	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	43	24	11	3	6	3	1	-	-	-	-	-
FEMALE--	12	7	4	3	-	-	-	-	-	-	-	-
BLACK---MALE----	43	24	11	3	6	3	1	-	-	-	-	-
FEMALE--	12	7	4	3	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	29	8	8	2	-	1	-	-	-	-	-	-
WHITE-----MALE----	21	4	5	2	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	4	3	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	4	3	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	34	14	11	5	3	1	1	-	-	-	-	-
WHITE-----MALE----	9	4	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	3	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	21	5	6	3	2	-	1	-	-	-	-	-
FEMALE--	3	2	2	2	1	1	-	-	-	-	-	-
BLACK---MALE----	20	5	6	3	2	-	1	-	-	-	-	-
FEMALE--	3	2	2	2	1	1	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease (B20-B24)												
MINNESOTA -----	53	-	-	-	-	-	1	2	6	11	9	14
WHITE-----MALE----	34	-	-	-	-	-	-	1	3	4	8	9
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	14	-	-	-	-	-	1	1	3	4	-	4
FEMALE--	4	-	-	-	-	-	-	-	-	3	-	1
BLACK---MALE----	12	-	-	-	-	-	1	1	2	3	-	4
FEMALE--	3	-	-	-	-	-	-	-	-	2	-	1
MISSISSIPPI -----	202	-	1	1	-	1	8	19	34	46	39	24
WHITE-----MALE----	33	-	-	-	-	-	-	1	4	12	9	2
FEMALE--	6	-	-	-	-	-	-	-	-	3	-	1
ALL OTHER--MALE----	114	-	1	1	-	1	5	9	22	22	21	17
FEMALE--	49	-	-	-	-	-	3	9	8	9	9	4
BLACK---MALE----	113	-	1	1	-	1	5	9	22	22	21	16
FEMALE--	49	-	-	-	-	-	3	9	8	9	9	4
MISSOURI -----	147	-	-	-	-	-	-	5	31	41	24	22
WHITE-----MALE----	67	-	-	-	-	-	-	-	8	22	16	9
FEMALE--	13	-	-	-	-	-	-	2	6	2	1	-
ALL OTHER--MALE----	52	-	-	-	-	-	-	2	12	15	6	7
FEMALE--	15	-	-	-	-	-	-	1	5	2	1	6
BLACK---MALE----	52	-	-	-	-	-	-	2	12	15	6	7
FEMALE--	15	-	-	-	-	-	-	1	5	2	1	6
MONTANA -----	5	-	-	-	-	-	-	-	-	2	3	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	3	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	33	-	-	-	-	-	1	2	7	3	9	1
WHITE-----MALE----	21	-	-	-	-	-	1	-	4	2	6	-
FEMALE--	4	-	-	-	-	-	-	1	1	-	2	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	2	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	1	2	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
NEVADA -----	76	-	-	-	-	-	1	-	7	16	16	4
WHITE-----MALE----	44	-	-	-	-	-	-	-	6	8	6	3
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	19	-	-	-	-	-	1	-	1	4	7	-
FEMALE--	8	-	-	-	-	-	-	-	-	3	2	-
BLACK---MALE----	15	-	-	-	-	-	1	-	1	1	6	-
FEMALE--	7	-	-	-	-	-	-	-	-	3	2	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease (B20-B24)												
OHIO -----	207	1	-	-	1	-	3	11	26	43	47	39
WHITE-----MALE----	104	1	-	-	-	-	-	3	13	22	19	24
FEMALE--	9	-	-	-	-	-	1	2	1	1	2	1
ALL OTHER--MALE----	72	-	-	-	1	-	1	2	9	12	23	12
FEMALE--	22	-	-	-	-	-	1	4	3	8	3	2
BLACK---MALE-----	70	-	-	-	1	-	1	2	9	12	22	11
FEMALE--	22	-	-	-	-	-	1	4	3	8	3	2
OKLAHOMA -----	99	-	-	-	-	-	2	4	16	22	12	17
WHITE-----MALE----	61	-	-	-	-	-	2	4	10	15	7	7
FEMALE--	14	-	-	-	-	-	-	-	3	2	2	4
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	3	4	2	6
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE-----	12	-	-	-	-	-	-	-	2	2	2	4
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	63	-	-	-	-	-	-	-	9	20	11	9
WHITE-----MALE----	51	-	-	-	-	-	-	-	7	19	9	6
FEMALE--	8	-	-	-	-	-	-	-	2	1	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	496	2	2	1	1	-	2	12	36	106	103	107
WHITE-----MALE----	141	-	-	-	1	-	-	3	7	35	30	27
FEMALE--	49	-	2	1	-	-	1	1	7	12	12	9
ALL OTHER--MALE----	228	1	-	-	-	-	-	5	14	41	44	57
FEMALE--	78	1	-	-	-	-	1	3	8	18	17	14
BLACK---MALE-----	225	1	-	-	-	-	-	5	14	41	43	56
FEMALE--	78	1	-	-	-	-	1	3	8	18	17	14
RHODE ISLAND -----	30	-	-	-	-	-	-	1	1	5	7	8
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	2	3	4
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	6	-	-	-	-	-	-	-	-	3	2	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	5	-	-	-	-	-	-	-	-	3	1	-
SOUTH CAROLINA -----	310	-	-	1	-	-	4	23	38	61	77	46
WHITE-----MALE----	56	-	-	1	-	-	-	1	4	18	19	7
FEMALE--	12	-	-	-	-	-	1	1	1	2	3	1
ALL OTHER--MALE----	164	-	-	-	-	-	3	11	20	23	39	29
FEMALE--	78	-	-	-	-	-	-	10	13	18	16	9
BLACK---MALE-----	162	-	-	-	-	-	3	11	20	23	38	28
FEMALE--	78	-	-	-	-	-	-	10	13	18	16	9

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Human immunodeficiency virus (HIV) disease (B20-B24)

OHIO -----	16	11	3	1	3	2	-	-	-	-	-	-
WHITE-----MALE----	11	6	3	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	3	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	3	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	13	4	1	4	1	1	1	1	-	-	-	-
WHITE-----MALE----	10	2	-	2	1	-	-	1	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	2	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
OREGON -----	7	1	5	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	3	1	5	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	61	26	24	9	2	-	1	1	-	-	-	-
WHITE-----MALE----	21	8	6	1	1	-	-	1	-	-	-	-
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	33	13	12	6	1	-	1	-	-	-	-	-
FEMALE--	5	5	5	1	-	-	-	-	-	-	-	-
BLACK---MALE----	33	13	11	6	1	-	1	-	-	-	-	-
FEMALE--	5	5	5	1	-	-	-	-	-	-	-	-
RHODE ISLAND -----	5	1	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	26	9	15	4	3	1	2	-	-	-	-	-
WHITE-----MALE----	2	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	5	11	4	1	1	1	-	-	-	-	-
FEMALE--	7	1	2	-	1	-	1	-	-	-	-	-
BLACK---MALE----	16	5	11	4	1	1	1	-	-	-	-	-
FEMALE--	7	1	2	-	1	-	1	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease (B20-B24)												
SOUTH DAKOTA -----	4	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	277	1	-	-	-	-	14	20	37	65	55	34
WHITE-----MALE----	65	-	-	-	-	-	-	5	6	16	17	9
FEMALE--	16	-	-	-	-	-	1	-	1	5	3	4
ALL OTHER--MALE----	136	1	-	-	-	-	3	10	23	35	23	17
FEMALE--	60	-	-	-	-	-	10	5	7	9	12	4
BLACK---MALE----	136	1	-	-	-	-	3	10	23	35	23	17
FEMALE--	60	-	-	-	-	-	10	5	7	9	12	4
TEXAS -----	1,055	1	-	1	-	3	22	57	140	225	229	150
WHITE-----MALE----	532	-	-	1	-	-	9	27	66	122	120	78
FEMALE--	72	-	-	-	-	-	2	6	12	8	15	14
ALL OTHER--MALE----	324	1	-	-	-	2	8	12	45	70	59	45
FEMALE--	127	-	-	-	-	1	3	12	17	25	35	13
BLACK---MALE----	321	1	-	-	-	2	8	12	45	69	59	45
FEMALE--	126	-	-	-	-	1	3	12	17	25	35	13
UTAH -----	12	-	-	-	-	-	-	-	-	2	3	2
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	-	-	-	-	-	-	-	-	-	2	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	275	-	-	-	3	2	1	9	36	56	65	50
WHITE-----MALE----	62	-	-	-	-	-	-	2	7	16	16	11
FEMALE--	8	-	-	-	1	-	-	1	-	-	-	3
ALL OTHER--MALE----	137	-	-	-	1	2	-	2	20	31	33	22
FEMALE--	68	-	-	-	1	-	1	4	9	9	16	14
BLACK---MALE----	133	-	-	-	1	2	-	1	18	31	32	22
FEMALE--	67	-	-	-	1	-	1	3	9	9	16	14

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 440

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease (B20-B24)												
SOUTH DAKOTA -----	2	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	28	12	5	4	-	2	-	-	-	-	-	-
WHITE-----MALE----	6	3	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	6	2	2	-	2	-	-	-	-	-	-
FEMALE--	9	3	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	12	6	2	2	-	2	-	-	-	-	-	-
FEMALE--	9	3	-	1	-	-	-	-	-	-	-	-
TEXAS -----	123	56	24	14	5	3	1	1	-	-	-	-
WHITE-----MALE----	66	31	5	5	2	-	-	-	-	-	-	-
FEMALE--	5	5	3	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	42	16	11	5	3	3	1	1	-	-	-	-
FEMALE--	10	4	5	2	-	-	-	-	-	-	-	-
BLACK---MALE----	41	16	10	5	3	3	1	1	-	-	-	-
FEMALE--	10	4	4	2	-	-	-	-	-	-	-	-
UTAH -----	3	1	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	22	13	11	5	1	-	1	-	-	-	-	-
WHITE-----MALE----	4	2	2	2	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	7	6	2	-	-	1	-	-	-	-	-
FEMALE--	6	4	2	1	1	-	-	-	-	-	-	-
BLACK---MALE----	10	7	6	2	-	-	1	-	-	-	-	-
FEMALE--	6	4	2	1	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)												
UNITED STATES -	5,553	6	9	6	7	19	78	245	602	1,070	1,214	1,020
WHITE-----MALE----	2,051	1	-	2	-	2	16	70	201	415	473	392
FEMALE--	474	1	3	1	1	2	9	23	59	109	99	75
ALL OTHER--MALE----	2,055	3	5	2	2	8	28	80	209	373	435	385
FEMALE--	973	1	1	1	4	7	25	72	133	173	207	168
BLACK---MALE-----	2,001	3	5	2	2	8	28	77	200	361	425	381
FEMALE--	962	1	1	1	4	7	25	72	133	171	205	166
ALABAMA -----	68	-	-	-	-	-	-	5	10	19	11	10
WHITE-----MALE----	12	-	-	-	-	-	-	2	1	6	1	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	41	-	-	-	-	-	-	3	4	12	7	5
FEMALE--	12	-	-	-	-	-	-	-	5	1	2	3
BLACK---MALE-----	40	-	-	-	-	-	-	3	4	11	7	5
FEMALE--	12	-	-	-	-	-	-	-	5	1	2	3
ALASKA -----	3	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	73	1	-	-	1	1	-	2	6	11	21	12
WHITE-----MALE----	52	1	-	-	-	1	-	2	5	5	17	8
FEMALE--	8	-	-	-	1	-	-	-	1	4	-	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	4	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	2
ARKANSAS -----	25	-	-	-	-	-	1	4	4	4	6	1
WHITE-----MALE----	10	-	-	-	-	-	-	1	-	3	3	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	1	1	2	1	-	1
FEMALE--	6	-	-	-	-	-	-	2	1	-	2	-
BLACK---MALE-----	7	-	-	-	-	-	1	1	2	1	-	1
FEMALE--	6	-	-	-	-	-	-	2	1	-	2	-
CALIFORNIA -----	628	-	-	1	-	1	5	26	75	111	128	124
WHITE-----MALE----	391	-	-	-	-	1	3	12	47	76	78	77
FEMALE--	53	-	-	1	-	-	1	4	7	11	6	11
ALL OTHER--MALE----	146	-	-	-	-	-	-	5	17	19	39	27
FEMALE--	38	-	-	-	-	-	1	5	4	5	5	9
BLACK---MALE-----	130	-	-	-	-	-	-	4	13	18	39	23
FEMALE--	37	-	-	-	-	-	1	5	4	5	5	9

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)												
UNITED STATES -	629	314	170	82	52	21	6	1	1	-	-	1
WHITE-----MALE----	231	135	53	23	22	11	3	1	-	-	-	-
FEMALE--	36	25	18	9	2	2	-	-	-	-	-	-
ALL OTHER--MALE----	272	118	71	32	20	8	3	-	-	-	-	1
FEMALE--	90	36	28	18	8	-	-	-	1	-	-	-
BLACK---MALE-----	261	117	68	32	20	8	2	-	-	-	-	1
FEMALE--	90	35	27	16	7	-	-	-	1	-	-	-
ALABAMA -----	6	1	4	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	1	4	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	1	4	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	10	6	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	5	6	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	4	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	65	43	23	10	10	5	1	-	-	-	-	-
WHITE-----MALE----	37	28	13	7	7	4	1	-	-	-	-	-
FEMALE--	4	3	4	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	20	11	5	2	1	-	-	-	-	-	-	-
FEMALE--	4	1	1	1	2	-	-	-	-	-	-	-
BLACK---MALE-----	16	10	4	2	1	-	-	-	-	-	-	-
FEMALE--	4	1	1	-	2	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)												
COLORADO -----	27	-	-	-	-	-	-	2	5	8	5	6
WHITE-----MALE----	19	-	-	-	-	-	-	1	3	6	5	3
FEMALE--	3	-	-	-	-	-	-	1	1	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	2	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	1	2	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	90	-	-	-	-	1	-	2	5	16	24	19
WHITE-----MALE----	41	-	-	-	-	-	-	1	3	11	10	8
FEMALE--	13	-	-	-	-	-	-	-	1	1	3	2
ALL OTHER--MALE----	27	-	-	-	-	-	-	1	1	1	7	9
FEMALE--	9	-	-	-	-	1	-	-	-	3	4	-
BLACK---MALE----	26	-	-	-	-	-	-	-	1	1	7	9
FEMALE--	9	-	-	-	-	1	-	-	-	3	4	-
DELAWARE -----	25	-	-	-	-	-	-	-	2	3	6	8
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	2	2	3	6
FEMALE--	6	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	15	-	-	-	-	-	-	-	2	2	3	6
FEMALE--	6	-	-	-	-	-	-	-	-	1	2	1
DISTRICT OF COLUMBIA ---	92	-	-	-	-	2	2	7	9	17	21	16
WHITE-----MALE----	6	-	-	-	-	-	-	-	1	2	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	61	-	-	-	-	2	-	4	3	11	14	13
FEMALE--	24	-	-	-	-	-	2	3	5	4	5	3
BLACK---MALE----	61	-	-	-	-	2	-	4	3	11	14	13
FEMALE--	24	-	-	-	-	-	2	3	5	4	5	3
FLORIDA -----	528	1	2	1	1	1	10	25	63	119	104	92
WHITE-----MALE----	172	-	-	-	-	-	2	7	15	43	34	37
FEMALE--	38	1	-	-	-	-	2	-	5	17	8	1
ALL OTHER--MALE----	196	-	1	-	1	-	4	8	21	34	41	38
FEMALE--	122	-	1	1	-	1	2	10	22	25	21	16
BLACK---MALE----	194	-	1	-	1	-	4	8	21	33	40	38
FEMALE--	122	-	1	1	-	1	2	10	22	25	21	16
GEORGIA -----	300	1	-	-	-	2	6	15	32	59	71	50
WHITE-----MALE----	68	-	-	-	-	-	1	2	7	12	21	13
FEMALE--	10	-	-	-	-	-	-	1	1	6	2	-
ALL OTHER--MALE----	157	1	-	-	-	1	3	8	15	29	33	30
FEMALE--	65	-	-	-	-	1	2	4	9	12	15	7
BLACK---MALE----	156	1	-	-	-	1	3	8	14	29	33	30
FEMALE--	65	-	-	-	-	1	2	4	9	12	15	7

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)												
HAWAII -----	4	-	-	-	-	-	-	-	2	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	2	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	5	-	1	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	203	-	-	-	-	1	4	6	26	37	42	40
WHITE-----MALE----	60	-	-	-	-	-	1	-	8	16	16	8
FEMALE--	12	-	-	-	-	-	-	1	2	2	3	1
ALL OTHER--MALE----	88	-	-	-	-	-	1	4	12	13	16	19
FEMALE--	43	-	-	-	-	1	2	1	4	6	7	12
BLACK---MALE----	87	-	-	-	-	-	1	4	11	13	16	19
FEMALE--	43	-	-	-	-	1	2	1	4	6	7	12
INDIANA -----	46	-	-	-	-	-	1	3	7	9	7	9
WHITE-----MALE----	21	-	-	-	-	-	1	2	5	3	4	5
FEMALE--	6	-	-	-	-	-	-	1	-	1	1	1
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	5	2	1
FEMALE--	5	-	-	-	-	-	-	-	2	-	-	2
BLACK---MALE----	14	-	-	-	-	-	-	-	-	5	2	1
FEMALE--	5	-	-	-	-	-	-	-	2	-	-	2
IOWA -----	7	-	-	-	-	-	-	-	-	2	2	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	21	-	-	-	-	-	-	1	2	3	5	6
WHITE-----MALE----	15	-	-	-	-	-	-	-	1	3	4	3
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)												
KENTUCKY -----	36	-	-	-	-	-	1	2	2	9	9	8
WHITE-----MALE----	15	-	-	-	-	-	-	1	-	1	4	7
FEMALE--	4	-	-	-	-	-	1	-	1	1	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	1	6	4	1
FEMALE--	3	-	-	-	-	-	-	1	-	1	1	-
BLACK---MALE----	14	-	-	-	-	-	-	-	1	6	4	1
FEMALE--	3	-	-	-	-	-	-	1	-	1	1	-
LOUISIANA -----	152	-	2	2	-	-	4	17	19	30	23	25
WHITE-----MALE----	33	-	-	1	-	-	-	1	5	8	4	7
FEMALE--	2	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	78	-	2	1	-	-	1	7	8	14	9	14
FEMALE--	39	-	-	-	-	-	3	9	6	8	8	4
BLACK---MALE----	78	-	2	1	-	-	1	7	8	14	9	14
FEMALE--	39	-	-	-	-	-	3	9	6	8	8	4
MAINE -----	6	-	-	-	-	-	-	-	1	-	-	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	217	-	1	-	-	1	3	10	18	42	52	37
WHITE-----MALE----	18	-	-	-	-	-	-	-	2	5	4	1
FEMALE--	9	-	-	-	-	-	-	1	3	-	1	3
ALL OTHER--MALE----	126	-	1	-	-	-	3	5	5	23	28	24
FEMALE--	64	-	-	-	-	1	-	4	8	14	19	9
BLACK---MALE----	126	-	1	-	-	-	3	5	5	23	28	24
FEMALE--	64	-	-	-	-	1	-	4	8	14	19	9
MASSACHUSETTS -----	102	-	-	-	-	-	-	4	5	24	24	29
WHITE-----MALE----	57	-	-	-	-	-	-	-	3	13	13	15
FEMALE--	17	-	-	-	-	-	-	1	1	4	6	5
ALL OTHER--MALE----	18	-	-	-	-	-	-	2	-	4	3	6
FEMALE--	10	-	-	-	-	-	-	1	1	3	2	3
BLACK---MALE----	18	-	-	-	-	-	-	2	-	4	3	6
FEMALE--	10	-	-	-	-	-	-	1	1	3	2	3
MICHIGAN -----	86	-	-	-	-	-	-	4	5	12	26	12
WHITE-----MALE----	22	-	-	-	-	-	-	2	3	2	5	4
FEMALE--	10	-	-	-	-	-	-	-	-	1	5	1
ALL OTHER--MALE----	38	-	-	-	-	-	-	1	1	6	12	4
FEMALE--	16	-	-	-	-	-	-	1	1	3	4	3
BLACK---MALE----	35	-	-	-	-	-	-	1	1	5	11	4
FEMALE--	16	-	-	-	-	-	-	1	1	3	4	3

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)												
MINNESOTA -----	22	-	-	-	-	-	1	1	3	3	4	6
WHITE-----MALE----	16	-	-	-	-	-	-	1	2	1	4	4
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	1	1	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	1	-	1	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
MISSISSIPPI -----	79	-	1	1	-	-	3	9	11	18	17	11
WHITE-----MALE----	11	-	-	-	-	-	-	1	1	4	2	1
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	45	-	1	1	-	-	3	2	8	10	8	8
FEMALE--	19	-	-	-	-	-	-	6	2	2	7	1
BLACK---MALE----	45	-	1	1	-	-	3	2	8	10	8	8
FEMALE--	19	-	-	-	-	-	-	6	2	2	7	1
MISSOURI -----	61	-	-	-	-	-	-	4	11	16	7	11
WHITE-----MALE----	31	-	-	-	-	-	-	-	3	11	4	8
FEMALE--	8	-	-	-	-	-	-	2	3	1	-	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	2	4	4	2	3
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	20	-	-	-	-	-	-	2	4	4	2	3
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
MONTANA -----	3	-	-	-	-	-	-	-	-	1	2	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	17	-	-	-	-	-	-	1	3	3	2	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	1	2	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	2	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
NEVADA -----	25	-	-	-	-	-	1	-	3	8	2	2
WHITE-----MALE----	16	-	-	-	-	-	-	-	2	4	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	1	2	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)												
OHIO -----	63	-	-	-	-	-	1	4	3	14	23	11
WHITE-----MALE----	31	-	-	-	-	-	-	2	3	6	10	7
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	22	-	-	-	-	-	1	1	-	4	11	2
FEMALE--	7	-	-	-	-	-	-	1	-	4	1	1
BLACK---MALE----	21	-	-	-	-	-	1	1	-	4	10	2
FEMALE--	7	-	-	-	-	-	-	1	-	4	1	1
OKLAHOMA -----	42	-	-	-	-	-	2	2	6	10	8	8
WHITE-----MALE----	27	-	-	-	-	-	2	2	3	7	5	4
FEMALE--	5	-	-	-	-	-	-	-	2	-	2	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	1	3	1	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	1	1	1	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	27	-	-	-	-	-	-	-	4	10	2	3
WHITE-----MALE----	21	-	-	-	-	-	-	-	3	9	2	2
FEMALE--	6	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	161	1	2	-	-	-	-	1	11	34	39	37
WHITE-----MALE----	46	-	-	-	-	-	-	-	2	10	12	11
FEMALE--	19	-	2	-	-	-	-	-	3	4	6	2
ALL OTHER--MALE----	72	-	-	-	-	-	-	-	3	15	17	19
FEMALE--	24	1	-	-	-	-	-	1	3	5	4	5
BLACK---MALE----	70	-	-	-	-	-	-	-	3	15	16	19
FEMALE--	24	1	-	-	-	-	-	1	3	5	4	5
RHODE ISLAND -----	16	-	-	-	-	-	-	-	1	3	4	4
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	3	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	3	1	-
SOUTH CAROLINA -----	105	-	-	-	-	-	2	6	13	22	24	19
WHITE-----MALE----	20	-	-	-	-	-	-	-	1	8	5	4
FEMALE--	5	-	-	-	-	-	-	1	-	1	2	1
ALL OTHER--MALE----	51	-	-	-	-	-	2	2	6	5	12	11
FEMALE--	29	-	-	-	-	-	-	3	6	8	5	3
BLACK---MALE----	50	-	-	-	-	-	2	2	6	5	11	11
FEMALE--	29	-	-	-	-	-	-	3	6	8	5	3

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)												
SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	104	-	-	-	-	-	6	7	18	22	23	9
WHITE-----MALE----	28	-	-	-	-	-	-	3	3	5	9	4
FEMALE--	7	-	-	-	-	-	-	-	1	3	1	-
ALL OTHER--MALE----	44	-	-	-	-	-	1	1	10	11	9	4
FEMALE--	25	-	-	-	-	-	5	3	4	3	4	1
BLACK---MALE----	44	-	-	-	-	-	1	1	10	11	9	4
FEMALE--	25	-	-	-	-	-	5	3	4	3	4	1
TEXAS -----	492	1	-	1	-	2	12	28	64	100	108	72
WHITE-----MALE----	246	-	-	1	-	-	4	17	29	49	59	38
FEMALE--	39	-	-	-	-	-	2	3	6	4	8	8
ALL OTHER--MALE----	149	1	-	-	-	1	4	3	21	35	29	18
FEMALE--	58	-	-	-	-	1	2	5	8	12	12	8
BLACK---MALE----	148	1	-	-	-	1	4	3	21	35	29	18
FEMALE--	57	-	-	-	-	1	2	5	8	12	12	8
UTAH -----	3	-	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	100	-	-	-	-	2	1	5	13	21	21	22
WHITE-----MALE----	23	-	-	-	-	-	-	2	3	5	6	4
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	53	-	-	-	-	2	-	1	7	13	10	11
FEMALE--	21	-	-	-	-	-	1	1	3	3	5	6
BLACK---MALE----	52	-	-	-	-	2	-	1	6	13	10	11
FEMALE--	21	-	-	-	-	-	1	1	3	3	5	6

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms (B21)												
COLORADO -----	10	-	-	-	-	-	-	-	1	1	3	3
WHITE-----MALE----	8	-	-	-	-	-	-	-	1	1	3	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	7	-	-	-	-	-	-	-	1	1	2	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
DELAWARE -----	1	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	14	-	-	-	-	-	-	1	2	3	3	3
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	2	2	2	3
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	12	-	-	-	-	-	-	1	2	2	2	3
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
FLORIDA -----	127	-	-	-	-	-	1	8	9	15	25	27
WHITE-----MALE----	58	-	-	-	-	-	-	3	2	8	16	14
FEMALE--	2	-	-	-	-	-	2	-	2	-	-	-
ALL OTHER--MALE----	38	-	-	-	-	-	-	2	2	4	5	6
FEMALE--	29	-	-	-	-	-	1	3	3	3	4	7
BLACK---MALE----	38	-	-	-	-	-	-	2	2	4	5	6
FEMALE--	29	-	-	-	-	-	1	3	3	3	4	7
GEORGIA -----	46	-	-	-	-	-	-	3	5	10	7	7
WHITE-----MALE----	21	-	-	-	-	-	-	-	1	5	3	5
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	4	5	3	2
FEMALE--	6	-	-	-	-	-	-	2	-	-	1	-
BLACK---MALE----	18	-	-	-	-	-	-	-	4	5	3	2
FEMALE--	6	-	-	-	-	-	-	2	-	-	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms (B21)

COLORADO -----	-	2	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	16	8	9	5	3	1	-	-	-	-	-	-
WHITE-----MALE----	5	5	4	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	2	3	3	1	1	-	-	-	-	-	-
FEMALE--	2	1	2	2	1	-	-	-	-	-	-	-
BLACK---MALE-----	9	2	3	3	1	1	-	-	-	-	-	-
FEMALE--	2	1	2	2	1	-	-	-	-	-	-	-
GEORGIA -----	7	3	1	1	2	-	-	-	-	-	-	-
WHITE-----MALE----	5	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
BLACK---MALE-----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms (B21)												
SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	19	-	-	-	-	-	-	1	3	5	2	5
WHITE-----MALE----	9	-	-	-	-	-	-	1	2	3	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	1
TEXAS -----	60	-	-	-	-	-	-	2	6	12	17	14
WHITE-----MALE----	38	-	-	-	-	-	-	-	4	10	11	9
FEMALE--	7	-	-	-	-	-	-	1	-	-	1	3
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	2	2	5	1
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	13	-	-	-	-	-	-	-	2	2	5	1
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	1
UTAH -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	33	-	-	-	-	-	-	1	5	5	8	3
WHITE-----MALE----	12	-	-	-	-	-	-	-	2	1	3	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	-	3	4	-
FEMALE--	9	-	-	-	-	-	-	-	3	1	1	1
BLACK---MALE----	11	-	-	-	-	-	-	-	-	3	4	-
FEMALE--	9	-	-	-	-	-	-	-	3	1	1	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms (B21)

SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	-	2	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	4	3	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	3	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in other specified diseases (B22)												
UNITED STATES -	1,418	-	1	5	4	3	14	58	164	298	274	230
WHITE-----MALE----	602	-	-	1	-	-	2	19	66	138	109	106
FEMALE--	82	-	-	1	-	1	-	3	12	16	17	12
ALL OTHER--MALE----	509	-	1	2	1	1	6	23	55	104	104	83
FEMALE--	225	-	-	1	3	1	6	13	31	40	44	29
BLACK---MALE-----	494	-	1	2	1	1	6	22	54	100	102	80
FEMALE--	221	-	-	1	3	1	6	13	31	39	43	28
ALABAMA -----	23	-	-	-	-	-	-	1	3	3	4	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	1	3	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	13	-	-	-	-	-	-	1	1	3	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	8	-	-	-	-	-	-	-	1	1	2	2
WHITE-----MALE----	5	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	215	-	-	-	1	2	-	6	19	44	39	43
WHITE-----MALE----	147	-	-	-	-	-	-	4	17	32	25	27
FEMALE--	14	-	-	-	-	1	-	-	1	3	2	3
ALL OTHER--MALE----	42	-	-	-	-	1	-	1	1	9	9	11
FEMALE--	12	-	-	-	1	-	-	1	-	-	3	2
BLACK---MALE-----	35	-	-	-	-	1	-	-	1	6	8	10
FEMALE--	11	-	-	-	1	-	-	1	-	-	2	2

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in other specified diseases (B22)												
COLORADO -----	11	-	-	-	-	-	-	1	-	1	3	3
WHITE-----MALE----	9	-	-	-	-	-	-	1	-	1	3	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	26	-	-	-	-	-	-	-	2	3	5	9
WHITE-----MALE----	11	-	-	-	-	-	-	-	1	2	1	3
FEMALE--	4	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	1	-	2	4
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	9	-	-	-	-	-	-	-	1	-	2	4
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
DELAWARE -----	9	-	-	-	-	-	-	-	-	2	3	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	2	1
DISTRICT OF COLUMBIA ---	21	-	-	-	-	-	-	1	3	3	2	6
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	2	2	-	3
FEMALE--	10	-	-	-	-	-	-	1	1	1	1	3
BLACK---MALE----	8	-	-	-	-	-	-	-	2	2	-	3
FEMALE--	10	-	-	-	-	-	-	1	1	1	1	3
FLORIDA -----	158	-	1	-	-	-	4	7	18	36	34	25
WHITE-----MALE----	60	-	-	-	-	-	1	3	6	18	12	6
FEMALE--	10	-	-	-	-	-	-	2	2	2	3	2
ALL OTHER--MALE----	56	-	1	-	-	-	1	1	8	11	13	11
FEMALE--	32	-	-	-	-	-	2	3	2	5	6	6
BLACK---MALE----	55	-	1	-	-	-	1	1	8	11	12	11
FEMALE--	32	-	-	-	-	-	2	3	2	5	6	6
GEORGIA -----	64	-	-	-	-	-	2	3	12	17	8	7
WHITE-----MALE----	11	-	-	-	-	-	-	-	2	3	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	35	-	-	-	-	-	-	3	6	10	5	6
FEMALE--	17	-	-	-	-	-	2	-	3	4	2	1
BLACK---MALE----	35	-	-	-	-	-	-	3	6	10	5	6
FEMALE--	17	-	-	-	-	-	2	-	3	4	2	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in other specified diseases (B22)												
KENTUCKY -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	6	1	2	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
MAINE -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5	4	4	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	2	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	4	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	1	-	3	1	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in other specified diseases (B22)												
OHIO -----	31	-	-	-	1	-	-	1	5	6	6	6
WHITE-----MALE----	15	-	-	-	-	-	-	-	1	4	1	6
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	1	-	-	-	3	-	4	-
FEMALE--	4	-	-	-	-	-	-	-	1	2	1	-
BLACK---MALE----	11	-	-	-	1	-	-	-	3	-	4	-
FEMALE--	4	-	-	-	-	-	-	-	1	2	1	-
OKLAHOMA -----	9	-	-	-	-	-	-	1	3	1	-	2
WHITE-----MALE----	6	-	-	-	-	-	-	1	2	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	15	-	-	-	-	-	-	-	1	4	2	4
WHITE-----MALE----	14	-	-	-	-	-	-	-	1	4	2	3
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	42	-	-	1	-	-	1	2	5	12	5	6
WHITE-----MALE----	16	-	-	-	-	-	-	1	3	5	1	3
FEMALE--	3	-	-	1	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	2	6	3	2
FEMALE--	5	-	-	-	-	-	1	1	-	1	-	1
BLACK---MALE----	18	-	-	-	-	-	-	-	2	6	3	2
FEMALE--	5	-	-	-	-	-	1	1	-	1	-	1
RHODE ISLAND -----	4	-	-	-	-	-	-	1	-	1	-	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	30	-	-	-	-	-	-	3	4	6	8	3
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	1	2	3	4	1
FEMALE--	7	-	-	-	-	-	-	2	1	1	2	-
BLACK---MALE----	14	-	-	-	-	-	-	1	2	3	4	1
FEMALE--	7	-	-	-	-	-	-	2	1	1	2	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in other specified diseases (B22)												
OHIO -----	3	2	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	1	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	2	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	2	3	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	1	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	3	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in other specified diseases (B22)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	22	-	-	-	-	-	-	4	1	6	7	2
WHITE-----MALE----	7	-	-	-	-	-	-	1	1	2	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	3	-	2	4	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	11	-	-	-	-	-	-	3	-	2	4	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
TEXAS -----	127	-	-	-	-	-	4	4	22	35	20	15
WHITE-----MALE----	70	-	-	-	-	-	1	4	9	23	8	10
FEMALE--	5	-	-	-	-	-	-	-	1	2	-	1
ALL OTHER--MALE----	32	-	-	-	-	-	2	-	6	7	7	3
FEMALE--	20	-	-	-	-	-	1	-	6	3	5	1
BLACK---MALE----	31	-	-	-	-	-	2	-	6	7	7	3
FEMALE--	20	-	-	-	-	-	1	-	6	3	5	1
UTAH -----	5	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	19	-	-	-	1	-	-	-	2	3	7	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	2	2	5	-
FEMALE--	4	-	-	-	1	-	-	-	-	-	2	-
BLACK---MALE----	12	-	-	-	-	-	-	-	2	2	5	-
FEMALE--	4	-	-	-	1	-	-	-	-	-	2	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)												
UNITED STATES -	3,471	2	1	5	8	7	53	143	339	655	756	621
WHITE-----MALE----	1,042	-	-	2	1	-	10	17	92	215	234	183
FEMALE--	269	-	-	-	1	1	7	15	30	57	62	49
ALL OTHER--MALE----	1,444	2	1	2	6	3	8	59	142	254	282	274
FEMALE--	716	-	-	1	-	3	28	52	75	129	178	115
BLACK---MALE-----	1,414	2	1	1	6	3	8	59	136	247	278	269
FEMALE--	704	-	-	1	-	2	28	50	75	127	174	114
ALABAMA -----	55	-	-	-	-	-	-	2	9	10	18	7
WHITE-----MALE----	8	-	-	-	-	-	-	-	1	2	3	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	33	-	-	-	-	-	-	1	6	5	9	6
FEMALE--	14	-	-	-	-	-	-	1	2	3	6	-
BLACK---MALE-----	33	-	-	-	-	-	-	1	6	5	9	6
FEMALE--	14	-	-	-	-	-	-	1	2	3	6	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	31	-	-	2	-	-	-	2	4	9	5	4
WHITE-----MALE----	21	-	-	1	-	-	-	2	3	4	4	3
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	7	-	-	1	-	-	-	-	-	4	1	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ARKANSAS -----	14	-	-	-	-	-	1	1	2	3	1	2
WHITE-----MALE----	5	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	-	2	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	7	-	-	-	-	-	-	1	-	2	1	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
CALIFORNIA -----	359	-	-	-	1	2	4	11	47	70	74	57
WHITE-----MALE----	221	-	-	-	-	-	2	5	30	46	49	30
FEMALE--	23	-	-	-	-	1	-	2	2	5	4	4
ALL OTHER--MALE----	80	-	-	-	1	-	1	2	10	15	10	16
FEMALE--	35	-	-	-	-	1	1	2	5	4	11	7
BLACK---MALE-----	73	-	-	-	1	-	1	2	8	14	10	15
FEMALE--	34	-	-	-	-	1	1	2	5	3	11	7

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 470

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)												
COLORADO -----	16	-	-	-	-	-	1	1	-	-	4	5
WHITE-----MALE----	8	-	-	-	-	-	1	1	-	-	1	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	52	-	-	-	-	-	-	-	3	12	16	10
WHITE-----MALE----	12	-	-	-	-	-	-	-	1	3	2	2
FEMALE--	14	-	-	-	-	-	-	-	1	5	4	4
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	1	3	6	3
FEMALE--	6	-	-	-	-	-	-	-	-	1	4	1
BLACK---MALE----	20	-	-	-	-	-	-	-	1	3	6	3
FEMALE--	6	-	-	-	-	-	-	-	-	1	4	1
DELAWARE -----	21	-	-	-	-	-	-	-	1	6	4	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	1	3	3	-
FEMALE--	6	-	-	-	-	-	-	-	-	2	1	1
BLACK---MALE----	12	-	-	-	-	-	-	-	1	3	3	-
FEMALE--	6	-	-	-	-	-	-	-	-	2	1	1
DISTRICT OF COLUMBIA ---	51	-	-	-	1	-	2	1	6	9	11	7
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	36	-	-	-	1	-	-	1	4	7	5	6
FEMALE--	13	-	-	-	-	-	2	-	1	1	6	1
BLACK---MALE----	36	-	-	-	1	-	-	1	4	7	5	6
FEMALE--	13	-	-	-	-	-	2	-	1	1	6	1
FLORIDA -----	414	-	-	2	-	1	5	11	34	64	104	73
WHITE-----MALE----	120	-	-	-	-	-	-	-	8	27	33	26
FEMALE--	35	-	-	-	-	-	-	4	3	7	7	5
ALL OTHER--MALE----	151	-	-	1	-	1	1	1	10	18	35	24
FEMALE--	108	-	-	1	-	-	4	6	13	12	29	18
BLACK---MALE----	151	-	-	1	-	1	1	1	10	18	35	24
FEMALE--	108	-	-	1	-	-	4	6	13	12	29	18
GEORGIA -----	198	-	-	-	-	-	7	9	21	42	52	30
WHITE-----MALE----	26	-	-	-	-	-	-	1	2	5	7	4
FEMALE--	2	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	112	-	-	-	-	-	1	4	13	26	25	19
FEMALE--	58	-	-	-	-	-	5	4	5	11	20	7
BLACK---MALE----	112	-	-	-	-	-	1	4	13	26	25	19
FEMALE--	58	-	-	-	-	-	5	4	5	11	20	7

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)												
COLORADO -----	3	-	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	6	1	3	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	1	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	6	1	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	8	3	2	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	3	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	7	3	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
FLORIDA -----	40	31	29	7	9	3	1	-	-	-	-	-
WHITE-----MALE----	7	7	7	1	4	-	-	-	-	-	-	-
FEMALE--	4	2	2	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	18	18	12	5	4	2	1	-	-	-	-	-
FEMALE--	11	4	8	1	1	-	-	-	-	-	-	-
BLACK---MALE-----	18	18	12	5	4	2	1	-	-	-	-	-
FEMALE--	11	4	8	1	1	-	-	-	-	-	-	-
GEORGIA -----	13	11	4	4	2	2	-	-	-	-	-	1
WHITE-----MALE----	3	3	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	7	3	1	2	1	-	-	-	-	-	1
FEMALE--	1	1	1	2	-	1	-	-	-	-	-	-
BLACK---MALE-----	9	7	3	1	2	1	-	-	-	-	-	1
FEMALE--	1	1	1	2	-	1	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)												
KENTUCKY -----	17	-	-	-	-	-	-	1	2	6	5	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	3	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	1	2	2	3	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	8	-	-	-	-	-	-	1	2	2	3	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
LOUISIANA -----	47	-	-	-	-	-	-	4	6	9	5	8
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	4	3	5	2	3
FEMALE--	12	-	-	-	-	-	-	-	3	3	2	2
BLACK---MALE----	25	-	-	-	-	-	-	4	3	5	2	3
FEMALE--	12	-	-	-	-	-	-	-	3	3	2	2
MAINE -----	3	-	-	-	-	-	-	-	-	-	3	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	124	-	-	-	-	-	1	7	8	23	32	22
WHITE-----MALE----	8	-	-	-	-	-	-	1	1	2	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	86	-	-	-	-	-	1	3	4	16	19	20
FEMALE--	28	-	-	-	-	-	-	3	3	5	9	2
BLACK---MALE----	85	-	-	-	-	-	1	3	3	16	19	20
FEMALE--	28	-	-	-	-	-	-	3	3	5	9	2
MASSACHUSETTS -----	72	-	-	-	-	-	2	2	9	13	18	15
WHITE-----MALE----	36	-	-	-	-	-	2	-	2	7	10	7
FEMALE--	14	-	-	-	-	-	-	-	4	2	4	4
ALL OTHER--MALE----	14	-	-	-	-	-	-	1	3	2	-	4
FEMALE--	8	-	-	-	-	-	-	1	-	2	4	-
BLACK---MALE----	14	-	-	-	-	-	-	1	3	2	-	4
FEMALE--	8	-	-	-	-	-	-	1	-	2	4	-
MICHIGAN -----	53	-	-	-	-	-	1	2	2	7	9	12
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	33	-	-	-	-	-	-	2	1	6	4	6
FEMALE--	11	-	-	-	-	-	1	-	1	-	3	3
BLACK---MALE----	33	-	-	-	-	-	-	2	1	6	4	6
FEMALE--	11	-	-	-	-	-	1	-	1	-	3	3

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)												
KENTUCKY -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	7	4	3	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	3	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	1	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	4	1	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	15	7	6	2	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	4	4	1	-	-	1	-	-	-	-	-
FEMALE--	2	2	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	13	4	4	1	-	-	1	-	-	-	-	-
FEMALE--	2	2	1	1	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	8	2	2	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	5	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	9	5	3	-	1	1	1	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	2	2	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	8	2	2	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)												
MINNESOTA -----	10	-	-	-	-	-	-	1	2	3	1	3
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	1	2	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	5	-	-	-	-	-	-	1	1	2	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
MISSISSIPPI -----	56	-	-	-	-	-	4	6	9	10	10	7
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	2	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	37	-	-	-	-	-	1	4	8	7	6	6
FEMALE--	13	-	-	-	-	-	3	2	1	1	2	1
BLACK---MALE----	36	-	-	-	-	-	1	4	8	7	6	5
FEMALE--	13	-	-	-	-	-	3	2	1	1	2	1
MISSOURI -----	25	-	-	-	-	-	-	-	7	6	7	3
WHITE-----MALE----	10	-	-	-	-	-	-	-	1	3	4	1
FEMALE--	4	-	-	-	-	-	-	-	2	1	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	3	1	2	1
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	3	1	2	1
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	1
MONTANA -----	1	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	7	-	-	-	-	-	1	1	1	-	2	-
WHITE-----MALE----	5	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	22	-	-	-	-	-	-	-	3	5	6	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	3	1	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	2	3	-
FEMALE--	4	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	3	-
FEMALE--	4	-	-	-	-	-	-	-	-	2	1	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 475

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)												
OHIO -----	61	-	-	-	-	-	1	2	9	14	9	14
WHITE-----MALE----	27	-	-	-	-	-	-	-	4	6	2	7
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	3	6	5	6
FEMALE--	8	-	-	-	-	-	1	2	1	2	1	1
BLACK---MALE----	24	-	-	-	-	-	-	-	3	6	5	6
FEMALE--	8	-	-	-	-	-	1	2	1	2	1	1
OKLAHOMA -----	13	-	-	-	-	-	-	1	1	2	1	-
WHITE-----MALE----	9	-	-	-	-	-	-	1	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	6	-	-	-	-	-	-	-	-	1	2	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	105	1	-	-	1	-	-	4	5	23	13	24
WHITE-----MALE----	30	-	-	-	1	-	-	1	1	9	3	5
FEMALE--	7	-	-	-	-	-	-	-	1	4	2	-
ALL OTHER--MALE----	54	1	-	-	-	-	-	2	3	7	8	15
FEMALE--	14	-	-	-	-	-	-	1	-	3	-	4
BLACK---MALE----	54	1	-	-	-	-	-	2	3	7	8	15
FEMALE--	14	-	-	-	-	-	-	1	-	3	-	4
RHODE ISLAND -----	6	-	-	-	-	-	-	-	-	1	2	2
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	82	-	-	1	-	-	1	8	11	16	14	15
WHITE-----MALE----	7	-	-	1	-	-	-	-	1	4	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	47	-	-	-	-	-	1	4	7	6	9	10
FEMALE--	25	-	-	-	-	-	-	4	3	5	3	5
BLACK---MALE----	46	-	-	-	-	-	1	4	7	6	9	9
FEMALE--	25	-	-	-	-	-	-	4	3	5	3	5

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)												
OHIO -----	6	2	1	1	1	1	-	-	-	-	-	-
WHITE-----MALE----	5	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	3	2	-	1	-	1	-	1	-	-	-	-
WHITE-----MALE----	3	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OREGON -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	15	9	7	3	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	2	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	4	3	3	-	-	-	-	-	-	-	-
FEMALE--	2	3	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	4	3	3	-	-	-	-	-	-	-	-
FEMALE--	2	3	1	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	3	4	-	2	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	2	2	-	1	1	1	-	-	-	-	-
FEMALE--	2	-	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	3	2	2	-	1	1	1	-	-	-	-	-
FEMALE--	2	-	2	-	1	-	-	-	-	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 476

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)												
SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	61	1	-	-	-	-	3	5	6	12	13	8
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	3	2	-
FEMALE--	4	-	-	-	-	-	1	-	1	1	1	1
ALL OTHER--MALE----	38	1	-	-	-	-	1	4	6	7	7	5
FEMALE--	12	-	-	-	-	-	1	1	-	1	3	2
BLACK---MALE----	38	1	-	-	-	-	1	4	6	7	7	5
FEMALE--	12	-	-	-	-	-	1	1	-	1	3	2
TEXAS -----	210	-	-	-	-	-	4	13	28	43	40	28
WHITE-----MALE----	91	-	-	-	-	-	3	3	11	18	18	14
FEMALE--	11	-	-	-	-	-	-	2	3	1	2	1
ALL OTHER--MALE----	78	-	-	-	-	-	1	4	12	17	10	12
FEMALE--	30	-	-	-	-	-	-	4	2	7	10	1
BLACK---MALE----	77	-	-	-	-	-	1	4	12	16	10	12
FEMALE--	30	-	-	-	-	-	-	4	2	7	10	1
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	72	-	-	-	2	-	-	1	9	12	16	17
WHITE-----MALE----	11	-	-	-	-	-	-	-	2	2	4	3
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	34	-	-	-	1	-	-	-	4	8	7	7
FEMALE--	24	-	-	-	-	-	-	1	3	2	5	6
BLACK---MALE----	32	-	-	-	1	-	-	-	3	8	6	7
FEMALE--	23	-	-	-	-	-	-	-	3	2	5	6

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified human immunodeficiency virus (HIV) disease (B24)												
UNITED STATES -	2,771	2	2	1	2	11	33	105	318	554	656	481
WHITE-----MALE----	960	1	-	-	1	-	5	21	95	192	245	163
FEMALE--	151	-	-	-	-	-	3	9	20	30	37	26
ALL OTHER--MALE----	1,130	-	1	-	1	6	8	45	133	205	243	229
FEMALE--	530	1	1	1	-	5	17	30	70	127	131	63
BLACK---MALE-----	1,110	-	1	-	1	5	8	44	130	200	240	225
FEMALE--	525	1	1	1	-	5	17	30	70	126	128	63
ALABAMA -----	49	-	-	-	-	-	1	2	10	12	6	7
WHITE-----MALE----	11	-	-	-	-	-	-	-	2	2	1	3
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	1	5	5	4	4
FEMALE--	13	-	-	-	-	-	1	1	3	5	1	-
BLACK---MALE-----	25	-	-	-	-	-	-	1	5	5	4	4
FEMALE--	13	-	-	-	-	-	1	1	3	5	1	-
ALASKA -----	3	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	35	-	-	-	-	-	1	1	7	8	6	4
WHITE-----MALE----	25	-	-	-	-	-	1	1	5	3	6	2
FEMALE--	3	-	-	-	-	-	-	-	2	1	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	3	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	22	1	-	-	-	-	-	-	3	7	6	3
WHITE-----MALE----	9	-	-	-	-	-	-	-	2	2	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	3	3	1
FEMALE--	5	1	-	-	-	-	-	-	-	2	1	1
BLACK---MALE-----	8	-	-	-	-	-	-	-	1	3	3	1
FEMALE--	5	1	-	-	-	-	-	-	-	2	1	1
CALIFORNIA -----	178	-	-	-	-	-	4	6	11	29	41	31
WHITE-----MALE----	119	-	-	-	-	-	2	3	7	24	23	23
FEMALE--	11	-	-	-	-	-	-	2	-	2	3	1
ALL OTHER--MALE----	37	-	-	-	-	-	2	1	4	2	11	4
FEMALE--	11	-	-	-	-	-	-	-	-	1	4	3
BLACK---MALE-----	35	-	-	-	-	-	2	1	3	2	10	4
FEMALE--	10	-	-	-	-	-	-	-	-	1	3	3

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified human immunodeficiency virus (HIV) disease (B24)												
COLORADO -----	29	-	-	-	-	-	-	1	4	7	11	4
WHITE-----MALE----	19	-	-	-	-	-	-	-	2	4	9	3
FEMALE--	2	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	2	-	1
FEMALE--	3	-	-	-	-	-	-	-	1	1	1	-
BLACK--MALE----	4	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	1	1	1	-
CONNECTICUT -----	18	-	-	-	-	-	-	-	1	3	4	4
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	3	-	-	-	-	-	-	-	1	2	-	-
BLACK--MALE----	5	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	3	-	-	-	-	-	-	-	1	2	-	-
DELAWARE -----	11	-	-	-	-	-	-	-	3	3	-	2
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	3	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	3	-	-
BLACK--MALE----	6	-	-	-	-	-	-	-	3	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	3	-	-
DISTRICT OF COLUMBIA ---	45	-	-	-	-	-	-	1	5	8	14	8
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	31	-	-	-	-	-	-	1	4	5	9	8
FEMALE--	10	-	-	-	-	-	-	-	1	2	4	-
BLACK--MALE----	31	-	-	-	-	-	-	1	4	5	9	8
FEMALE--	10	-	-	-	-	-	-	-	1	2	4	-
FLORIDA -----	437	-	-	1	-	2	8	12	51	83	111	69
WHITE-----MALE----	131	-	-	-	-	-	-	4	10	26	39	26
FEMALE--	20	-	-	-	-	-	-	-	3	4	5	3
ALL OTHER--MALE----	168	-	-	-	-	-	3	4	23	25	37	29
FEMALE--	118	-	-	1	-	2	5	4	15	28	30	11
BLACK--MALE----	167	-	-	-	-	-	3	4	23	25	36	29
FEMALE--	118	-	-	1	-	2	5	4	15	28	30	11
GEORGIA -----	114	-	-	-	-	-	1	6	18	25	25	21
WHITE-----MALE----	24	-	-	-	-	-	-	1	4	7	6	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	70	-	-	-	-	-	-	2	13	14	12	17
FEMALE--	19	-	-	-	-	-	1	3	1	4	6	2
BLACK--MALE----	70	-	-	-	-	-	-	2	13	14	12	17
FEMALE--	19	-	-	-	-	-	1	3	1	4	6	2

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified human immunodeficiency virus (HIV) disease (B24)												
KENTUCKY -----	17	-	-	-	-	-	-	3	2	2	5	-
WHITE-----MALE----	9	-	-	-	-	-	-	1	2	1	2	-
FEMALE--	3	-	-	-	-	-	-	2	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	139	-	-	-	-	-	4	8	18	31	30	25
WHITE-----MALE----	25	-	-	-	-	-	-	1	2	6	8	5
FEMALE--	2	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	61	-	-	-	-	-	-	3	7	17	15	11
FEMALE--	51	-	-	-	-	-	3	4	9	7	7	9
BLACK---MALE----	61	-	-	-	-	-	-	3	7	17	15	11
FEMALE--	51	-	-	-	-	-	3	4	9	7	7	9
MAINE -----	3	-	-	-	-	-	-	-	2	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	138	-	-	-	-	-	-	7	15	21	36	35
WHITE-----MALE----	11	-	-	-	-	-	-	-	3	3	4	-
FEMALE--	6	-	-	-	-	-	-	-	1	1	2	1
ALL OTHER--MALE----	91	-	-	-	-	-	-	6	5	14	23	27
FEMALE--	30	-	-	-	-	-	-	1	6	3	7	7
BLACK---MALE----	90	-	-	-	-	-	-	5	5	14	23	27
FEMALE--	30	-	-	-	-	-	-	1	6	3	7	7
MASSACHUSETTS -----	40	-	-	-	1	-	-	-	3	6	13	11
WHITE-----MALE----	21	-	-	-	-	-	-	-	2	6	4	5
FEMALE--	6	-	-	-	-	-	-	-	1	-	4	1
ALL OTHER--MALE----	11	-	-	-	1	-	-	-	-	-	4	4
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	11	-	-	-	1	-	-	-	-	-	4	4
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
MICHIGAN -----	67	-	-	-	-	-	1	1	8	13	24	11
WHITE-----MALE----	18	-	-	-	-	-	-	1	1	1	10	3
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	38	-	-	-	-	-	1	-	7	8	9	7
FEMALE--	9	-	-	-	-	-	-	-	-	3	4	1
BLACK---MALE----	37	-	-	-	-	-	1	-	7	7	9	7
FEMALE--	9	-	-	-	-	-	-	-	-	3	4	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified human immunodeficiency virus (HIV) disease (B24)												
OHIO -----	34	1	-	-	-	-	1	3	7	4	7	4
WHITE-----MALE----	18	1	-	-	-	-	-	1	5	1	4	1
FEMALE--	3	-	-	-	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	2	3	3
FEMALE--	2	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE-----	10	-	-	-	-	-	-	-	1	2	3	2
FEMALE--	2	-	-	-	-	-	-	1	1	-	-	-
OKLAHOMA -----	27	-	-	-	-	-	-	-	5	5	3	5
WHITE-----MALE----	14	-	-	-	-	-	-	-	3	4	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	2	-	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	9	-	-	-	-	-	-	-	2	3	4	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	2	3	3	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	146	-	-	-	-	-	-	5	12	32	32	31
WHITE-----MALE----	34	-	-	-	-	-	-	1	1	7	8	6
FEMALE--	13	-	-	-	-	-	-	1	2	4	1	4
ALL OTHER--MALE----	68	-	-	-	-	-	-	3	4	12	12	17
FEMALE--	31	-	-	-	-	-	-	-	5	9	11	4
BLACK---MALE-----	67	-	-	-	-	-	-	3	4	12	12	16
FEMALE--	31	-	-	-	-	-	-	-	5	9	11	4
RHODE ISLAND -----	3	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	72	-	-	-	-	-	1	6	8	16	24	6
WHITE-----MALE----	14	-	-	-	-	-	-	1	1	3	7	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	40	-	-	-	-	-	-	4	4	9	11	4
FEMALE--	17	-	-	-	-	-	-	1	3	4	6	1
BLACK---MALE-----	40	-	-	-	-	-	-	4	4	9	11	4
FEMALE--	17	-	-	-	-	-	-	1	3	4	6	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified human immunodeficiency virus (HIV) disease (B24)												
SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	71	-	-	-	-	-	5	3	9	20	10	10
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	3	4	3
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	37	-	-	-	-	-	1	2	7	13	2	5
FEMALE--	17	-	-	-	-	-	4	1	2	4	3	-
BLACK---MALE----	37	-	-	-	-	-	1	2	7	13	2	5
FEMALE--	17	-	-	-	-	-	4	1	2	4	3	-
TEXAS -----	166	-	-	-	-	1	2	10	20	35	44	21
WHITE-----MALE----	87	-	-	-	-	-	1	3	13	22	24	7
FEMALE--	10	-	-	-	-	-	-	-	2	1	4	1
ALL OTHER--MALE----	52	-	-	-	-	1	1	5	4	9	8	11
FEMALE--	17	-	-	-	-	-	-	2	1	3	8	2
BLACK---MALE----	52	-	-	-	-	1	1	5	4	9	8	11
FEMALE--	17	-	-	-	-	-	-	2	1	3	8	2
UTAH -----	3	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	51	-	-	-	-	-	-	2	7	15	13	8
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	7	3	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	7	5	7	4
FEMALE--	10	-	-	-	-	-	-	2	-	3	3	1
BLACK---MALE----	26	-	-	-	-	-	-	-	7	5	7	4
FEMALE--	10	-	-	-	-	-	-	2	-	3	3	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS 45-49 YEARS

All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)

CAUSE OF DEATH	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
UNITED STATES -	857	84	52	21	13	20	17	11	13	31	32	22
WHITE-----MALE----	358	29	22	7	5	7	9	3	9	8	19	10
FEMALE--	371	23	15	11	4	7	5	3	3	11	7	9
ALL OTHER--MALE----	60	15	9	1	1	4	2	2	1	5	3	1
FEMALE--	68	17	6	2	3	2	1	3	-	7	3	2
BLACK---MALE-----	47	14	7	1	-	3	2	2	-	4	3	1
FEMALE--	53	13	4	2	3	2	1	3	-	5	2	2
ALABAMA -----	13	4	1	1	-	-	-	-	-	2	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	5	2	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALASKA -----	3	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	27	8	4	-	1	1	-	1	-	-	2	-
WHITE-----MALE----	13	5	2	-	-	-	-	-	-	-	1	-
FEMALE--	8	1	1	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	14	2	1	-	-	-	-	1	2	-	1	-
WHITE-----MALE----	9	1	1	-	-	-	-	-	2	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	98	8	3	2	1	4	2	-	1	-	5	4
WHITE-----MALE----	44	5	3	-	1	1	1	-	1	-	5	2
FEMALE--	44	2	-	1	-	1	-	-	-	-	-	2
ALL OTHER--MALE----	6	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	4	1	-	1	-	-	1	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	1	-	1	-	-	1	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS 45-49 YEARS

All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)

COLORADO -----	15	1	1	-	-	-	-	1	-	1	1	-
WHITE-----MALE----	9	1	-	-	-	-	-	1	-	-	1	-
FEMALE--	5	-	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	10	-	-	-	-	-	-	-	1	-	2	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	48	4	1	3	-	2	-	-	-	2	-	1
WHITE-----MALE----	22	1	-	2	-	1	-	-	-	-	-	-
FEMALE--	21	2	1	1	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	3	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
GEORGIA -----	18	4	1	-	1	-	1	-	-	-	1	1
WHITE-----MALE----	9	1	-	-	-	-	1	-	-	-	-	1
FEMALE--	5	1	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	-	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)

KENTUCKY -----	14	1	2	-	-	1	-	-	-	-	2	-
WHITE-----MALE----	5	-	1	-	-	1	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
LOUISIANA -----	11	-	1	1	-	-	1	-	-	1	1	-
WHITE-----MALE----	5	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	20	1	1	-	-	-	-	2	-	2	1	-
WHITE-----MALE----	5	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	2	-	2	1	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	2	-	2	1	-
MASSACHUSETTS -----	24	4	2	-	-	-	1	-	1	-	-	1
WHITE-----MALE----	10	1	1	-	-	-	1	-	1	-	-	-
FEMALE--	12	2	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	22	1	2	-	-	1	2	-	-	2	1	-
WHITE-----MALE----	7	1	1	-	-	1	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	3	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 492

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85-89 YEARS 90-94 YEARS 95-99 YEARS 100 YEARS & OVER AGE NOT STATED

All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)

Table with columns for state (NEW HAMPSHIRE, NEW JERSEY, NEW MEXICO, NEW YORK, NORTH CAROLINA, NORTH DAKOTA) and rows for race/sex combinations (WHITE-MALE, FEMALE, ALL OTHER-MALE, FEMALE, BLACK-MALE, FEMALE). Columns represent age groups from 50-54 to 100+ years.

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)												
OHIO -----	2	2	5	5	5	2	3	2	1	-	-	-
WHITE-----MALE----	-	1	2	2	3	1	1	-	1	-	-	-
FEMALE--	2	1	2	3	2	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	3	1	3	2	1	-	-	-	1	-	-	-
WHITE-----MALE----	1	1	2	1	1	-	-	-	1	-	-	-
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	1	1	1	-	1	1	2	-	1	-	-
WHITE-----MALE----	1	-	-	1	-	1	1	2	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	2	1	4	6	6	6	1	-	3	-	-
WHITE-----MALE----	-	-	1	-	3	1	4	-	-	1	-	-
FEMALE--	-	2	-	3	3	4	2	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	2	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)												
UNITED STATES -	3,104	65	6	9	11	13	22	36	53	102	143	231
WHITE-----MALE----	1,332	17	1	3	3	3	9	17	19	43	68	125
FEMALE--	1,158	21	2	4	4	4	6	8	10	26	33	49
ALL OTHER--MALE----	332	16	2	1	3	4	5	4	11	19	31	38
FEMALE--	282	11	1	1	1	2	2	7	13	14	11	19
BLACK---MALE----	265	15	2	1	3	3	4	4	9	16	28	34
FEMALE--	222	9	1	1	1	-	2	5	12	12	8	16
ALABAMA -----	49	-	-	-	-	-	-	-	-	2	2	4
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
ALASKA -----	5	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	80	3	-	-	-	1	1	1	4	4	4	4
WHITE-----MALE----	37	-	-	-	-	-	1	-	3	1	3	2
FEMALE--	34	3	-	-	-	-	-	1	1	2	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	31	-	-	-	-	-	-	-	3	1	2	1
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	7	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	7	-	-	-	-	-	-	-	2	-	-	-
CALIFORNIA -----	429	7	1	1	-	3	2	6	6	10	32	39
WHITE-----MALE----	194	2	-	-	-	2	1	4	2	6	19	24
FEMALE--	147	2	-	1	-	-	1	1	2	2	7	9
ALL OTHER--MALE----	51	1	1	-	-	-	-	-	1	1	4	4
FEMALE--	37	2	-	-	-	1	-	1	1	1	2	2
BLACK---MALE----	22	1	1	-	-	-	-	-	1	-	3	3
FEMALE--	12	1	-	-	-	-	-	-	-	1	1	2

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)												
UNITED STATES -	227	222	253	315	349	381	304	234	102	20	6	-
WHITE-----MALE----	108	109	108	131	138	173	140	79	35	3	-	-
FEMALE--	67	60	87	126	159	165	128	125	58	13	3	-
ALL OTHER--MALE----	34	32	30	27	22	25	14	9	5	-	-	-
FEMALE--	18	21	28	31	30	18	22	21	4	4	3	-
BLACK---MALE----	27	23	23	22	19	13	10	5	4	-	-	-
FEMALE--	14	18	20	19	25	15	16	18	3	4	3	-
ALABAMA -----	4	5	4	6	7	9	2	2	1	1	-	-
WHITE-----MALE----	3	4	2	3	4	3	1	-	-	-	-	-
FEMALE--	-	-	2	3	3	4	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	1	-	-	-	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	1	-	-	-	2	-	1	-	-	-	-
ALASKA -----	1	-	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	9	6	6	10	9	9	2	1	-	-	-
WHITE-----MALE----	3	7	1	4	4	4	3	-	1	-	-	-
FEMALE--	2	1	4	2	5	4	6	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	4	2	-	4	1	4	4	2	3	-	-	-
WHITE-----MALE----	3	2	-	3	-	1	1	1	2	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	3	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	3	-	-	-	-	-
CALIFORNIA -----	53	40	36	35	45	52	30	20	11	-	-	-
WHITE-----MALE----	28	19	16	13	15	24	10	5	4	-	-	-
FEMALE--	13	11	9	15	24	20	13	13	4	-	-	-
ALL OTHER--MALE----	8	8	7	2	3	6	3	-	2	-	-	-
FEMALE--	4	2	4	5	3	2	4	2	1	-	-	-
BLACK---MALE----	4	2	3	-	1	1	1	-	1	-	-	-
FEMALE--	-	-	1	2	2	1	-	1	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)												
COLORADO -----	41	-	-	-	-	-	-	-	2	2	-	3
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	15	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	48	-	-	-	1	-	2	-	1	1	2	4
WHITE-----MALE----	27	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	16	-	-	-	1	-	1	-	-	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
DELAWARE -----	9	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	12	-	-	-	-	-	-	-	1	1	1	2
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	208	3	-	1	1	-	2	3	4	12	10	14
WHITE-----MALE----	90	-	-	-	1	-	-	1	-	6	3	7
FEMALE--	75	1	-	-	-	-	-	1	1	3	2	3
ALL OTHER--MALE----	23	-	-	1	-	-	2	-	-	-	4	3
FEMALE--	20	2	-	-	-	-	-	1	3	3	1	1
BLACK---MALE----	23	-	-	1	-	-	2	-	-	-	4	3
FEMALE--	19	2	-	-	-	-	-	1	3	3	1	1
GEORGIA -----	77	1	-	-	-	2	-	1	3	5	4	10
WHITE-----MALE----	25	1	-	-	-	-	-	1	1	2	2	2
FEMALE--	22	-	-	-	-	1	-	-	-	2	-	1
ALL OTHER--MALE----	20	-	-	-	-	1	-	-	1	-	2	6
FEMALE--	10	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	20	-	-	-	-	1	-	-	1	-	2	6
FEMALE--	10	-	-	-	-	-	-	-	1	1	-	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)												
COLORADO -----	2	2	4	5	3	6	8	4	-	-	-	-
WHITE-----MALE----	2	2	2	1	2	4	4	1	-	-	-	-
FEMALE--	-	-	2	3	-	2	3	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	-	4	7	7	7	3	3	3	-	1	-
WHITE-----MALE----	-	-	3	7	5	4	1	2	2	-	-	-
FEMALE--	1	-	1	-	2	3	2	1	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	2	-	-	2	-	-	2	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	1	3	-	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	1	-	-	-	-
FLORIDA -----	7	14	20	20	24	27	21	15	6	4	-	-
WHITE-----MALE----	3	6	8	10	9	15	10	6	4	1	-	-
FEMALE--	2	3	7	7	12	10	10	8	2	3	-	-
ALL OTHER--MALE----	2	3	4	1	1	1	1	-	-	-	-	-
FEMALE--	-	2	1	2	2	1	-	1	-	-	-	-
BLACK---MALE----	2	3	4	1	1	1	1	-	-	-	-	-
FEMALE--	-	2	1	1	2	1	-	1	-	-	-	-
GEORGIA -----	4	6	8	6	8	7	7	3	1	1	-	-
WHITE-----MALE----	-	2	1	2	3	4	2	2	-	-	-	-
FEMALE--	-	1	4	3	3	3	1	1	1	1	-	-
ALL OTHER--MALE----	1	2	1	1	2	-	3	-	-	-	-	-
FEMALE--	3	1	2	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	2	1	1	2	-	3	-	-	-	-	-
FEMALE--	3	1	2	-	-	-	1	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)												
KENTUCKY -----	2	4	2	2	6	4	3	3	1	-	-	-
WHITE-----MALE----	2	3	2	1	5	3	3	2	1	-	-	-
FEMALE--	-	1	-	1	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	3	3	3	5	4	5	4	2	2	-	-	-
WHITE-----MALE----	1	1	-	1	1	3	1	-	1	-	-	-
FEMALE--	-	-	2	2	2	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	1	1	-	1	2	-	-	-	-
BLACK---MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	1	1	-	1	2	-	-	-	-
MAINE -----	-	-	3	1	1	-	1	1	1	-	-	-
WHITE-----MALE----	-	-	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	6	5	4	12	3	7	8	2	-	-	-
WHITE-----MALE----	1	4	2	1	2	1	4	2	1	-	-	-
FEMALE--	1	2	1	1	9	1	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	1	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	3	-	-	-	-	-
BLACK---MALE----	-	-	1	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	3	-	-	-	-	-
MASSACHUSETTS -----	6	2	6	4	5	12	8	4	1	-	-	-
WHITE-----MALE----	2	1	2	2	3	6	6	1	-	-	-	-
FEMALE--	4	1	3	-	-	5	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	1	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN -----	8	8	8	9	11	5	7	4	2	-	-	-
WHITE-----MALE----	6	4	5	3	3	1	5	2	-	-	-	-
FEMALE--	1	4	1	5	3	4	1	2	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	3	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	1	-	-	-
BLACK---MALE----	1	-	1	1	3	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	1	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)												
MINNESOTA -----	5	1	6	11	2	13	7	6	2	-	-	-
WHITE-----MALE----	3	-	3	5	2	5	4	2	-	-	-	-
FEMALE--	2	1	2	5	-	8	2	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	3	-	2	1	2	2	2	3	1	-	1	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	1	1	2	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	1	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	1	-	-	1	-
MISSOURI -----	1	4	3	5	16	9	4	6	2	2	-	-
WHITE-----MALE----	-	3	3	4	7	5	3	2	-	-	-	-
FEMALE--	1	-	-	1	8	4	1	4	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
MONTANA -----	2	-	-	-	1	-	1	1	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	1	-	-	3	5	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	3	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	2	2	1	2	3	1	1	1	1	-	-
WHITE-----MALE----	-	1	2	1	-	-	1	-	1	-	-	-
FEMALE--	-	1	-	-	1	3	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 502

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)												
OHIO -----	6	14	11	12	11	16	11	6	3	1	-	-
WHITE-----MALE----	3	5	3	5	5	11	6	2	1	-	-	-
FEMALE--	3	6	5	3	5	4	2	4	2	-	-	-
ALL OTHER--MALE----	-	1	1	3	1	1	-	-	-	-	-	-
FEMALE--	-	2	2	1	-	-	3	-	-	1	-	-
BLACK---MALE----	-	1	1	3	1	1	-	-	-	-	-	-
FEMALE--	-	2	2	1	-	-	3	-	-	1	-	-
OKLAHOMA -----	3	3	3	3	4	4	2	1	2	-	-	-
WHITE-----MALE----	-	1	1	2	2	2	-	-	1	-	-	-
FEMALE--	2	2	1	1	2	2	1	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
OREGON -----	6	4	6	5	4	8	12	6	1	-	-	-
WHITE-----MALE----	4	4	3	2	3	2	6	1	1	-	-	-
FEMALE--	1	-	2	2	1	6	6	5	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	7	15	19	20	19	14	16	2	2	-	-
WHITE-----MALE----	2	4	4	6	8	9	5	6	1	-	-	-
FEMALE--	1	1	6	9	10	7	9	9	1	1	-	-
ALL OTHER--MALE----	-	1	3	3	2	2	-	-	-	-	-	-
FEMALE--	1	1	2	1	-	1	-	1	-	1	-	-
BLACK---MALE----	-	1	2	3	2	2	-	-	-	-	-	-
FEMALE--	1	-	2	1	-	-	-	1	-	1	-	-
RHODE ISLAND -----	2	-	-	2	-	-	2	1	3	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	3	8	7	9	5	7	3	3	-	1	-
WHITE-----MALE----	3	1	4	5	3	1	3	2	2	-	-	-
FEMALE--	-	2	3	2	3	1	2	-	-	-	1	-
ALL OTHER--MALE----	1	-	1	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	3	2	1	-	1	-	-	-
BLACK---MALE----	1	-	1	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	3	2	1	-	1	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)												
SOUTH DAKOTA -----	-	-	1	-	1	2	-	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	9	6	8	6	6	8	5	1	-	-	-
WHITE-----MALE----	2	3	5	4	2	2	3	1	1	-	-	-
FEMALE--	3	3	1	3	4	3	4	4	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	2	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	2	-	1	-	1	-	-	-	-	-	-
TEXAS -----	22	11	19	30	32	26	21	11	9	1	1	-
WHITE-----MALE----	11	7	9	11	16	12	10	3	1	-	-	-
FEMALE--	6	3	8	15	13	11	10	5	8	1	-	-
ALL OTHER--MALE----	4	1	2	1	2	2	-	1	-	-	-	-
FEMALE--	1	-	-	3	1	1	1	2	-	-	1	-
BLACK---MALE----	3	1	2	1	2	1	-	1	-	-	-	-
FEMALE--	1	-	-	2	1	1	1	2	-	-	1	-
UTAH -----	6	-	-	3	-	3	1	1	1	-	-	-
WHITE-----MALE----	4	-	-	-	-	3	1	-	-	-	-	-
FEMALE--	2	-	-	3	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	1	-	2	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	3	4	11	13	9	2	8	3	1	-	-
WHITE-----MALE----	-	1	1	2	2	3	2	1	-	-	-	-
FEMALE--	2	-	1	5	10	5	-	4	2	-	-	-
ALL OTHER--MALE----	1	1	1	3	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	1	1	-	3	1	1	-	-
BLACK---MALE----	1	1	-	3	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	1	1	-	2	1	1	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Mycoses (B35-B49)

UNITED STATES -	64	77	94	114	124	172	103	89	33	7	1	-
WHITE-----MALE----	27	35	38	45	44	82	49	30	9	1	-	-
FEMALE--	21	22	29	40	52	64	36	40	20	3	-	-
ALL OTHER--MALE----	10	12	14	17	14	15	6	7	3	-	-	-
FEMALE--	6	8	13	12	14	11	12	12	1	3	1	-
BLACK---MALE-----	9	9	13	16	11	10	5	3	3	-	-	-
FEMALE--	6	8	10	7	12	9	9	12	1	3	1	-
ALABAMA -----	-	4	1	4	-	5	-	2	1	-	-	-
WHITE-----MALE----	-	3	1	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	3	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	5	4	2	8	4	6	2	-	-	-	-
WHITE-----MALE----	1	5	1	2	3	2	2	-	-	-	-	-
FEMALE--	2	-	2	-	4	2	4	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	-	-	1	1	2	3	-	-	-	-	-
WHITE-----MALE----	2	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	-	-	-	-
CALIFORNIA -----	7	8	9	5	11	20	12	11	2	-	-	-
WHITE-----MALE----	5	3	4	2	4	12	3	3	1	-	-	-
FEMALE--	2	1	2	1	5	7	4	7	1	-	-	-
ALL OTHER--MALE----	-	4	2	-	2	1	2	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	3	1	-	-	-	-
BLACK---MALE-----	-	1	2	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 YEARS & OVER	AGE NOT STATED
Mycoses (B35-B49)												
COLORADO -----	-	-	2	3	-	2	3	1	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	2	3	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	2	4	1	5	1	1	3	-	-	-
WHITE-----MALE----	-	-	1	4	-	2	-	1	2	-	-	-
FEMALE--	1	-	1	-	1	3	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	-	2	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	3	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
FLORIDA -----	-	8	7	5	8	10	9	6	2	1	-	-
WHITE-----MALE----	-	4	3	2	3	5	5	2	1	-	-	-
FEMALE--	-	1	1	1	3	4	4	4	1	1	-	-
ALL OTHER--MALE----	-	2	2	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	2	2	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
GEORGIA -----	2	4	1	3	3	2	2	3	-	-	-	-
WHITE-----MALE----	-	2	-	-	1	2	-	2	-	-	-	-
FEMALE--	-	1	-	2	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	1	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Mycoses (B35-B49)

KENTUCKY -----	1	3	-	1	4	1	2	2	-	-	-	-
WHITE-----MALE----	1	2	-	1	4	1	2	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	1	-	2	1	2	2	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	1	-	-	1	-	-	-	-	-
MAINE -----	-	-	2	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	2	3	3	8	1	2	3	-	-	-	-
WHITE-----MALE----	1	2	1	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	5	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	3	-	-	-	-
BLACK---MALE----	-	-	-	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	3	-	-	-	-
MASSACHUSETTS -----	4	1	3	-	2	7	6	3	-	-	-	-
WHITE-----MALE----	2	-	1	-	-	3	4	1	-	-	-	-
FEMALE--	2	1	2	-	-	3	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN -----	1	2	1	5	6	2	3	1	1	-	-	-
WHITE-----MALE----	1	1	1	3	3	-	1	1	-	-	-	-
FEMALE--	-	1	-	1	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	2	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Mycoses (B35-B49)

OHIO -----	3	4	5	6	3	9	4	2	1	1	-	-
WHITE-----MALE----	2	1	1	3	2	6	1	1	-	-	-	-
FEMALE--	1	2	2	-	1	3	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	3	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	2	-	-	1	-	-
BLACK---MALE----	-	-	1	3	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	2	-	-	1	-	-
OKLAHOMA -----	-	-	2	1	3	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	1	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	3	6	6	7	12	5	6	-	1	-	-
WHITE-----MALE----	1	2	1	1	1	6	2	2	-	-	-	-
FEMALE--	1	-	2	3	5	4	3	3	-	1	-	-
ALL OTHER--MALE----	-	1	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	1	-	1	-	-	-	-
BLACK---MALE----	-	1	1	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	2	1	-	-	-	1	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	2	5	3	3	2	6	2	-	-	-	-
WHITE-----MALE----	2	-	3	2	1	-	3	1	-	-	-	-
FEMALE--	-	2	1	1	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 512

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Mycoses (B35-B49)

SOUTH DAKOTA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	3	2	5	3	6	4	3	-	-	-	-
WHITE-----MALE----	2	2	2	3	1	2	1	1	-	-	-	-
FEMALE--	1	1	-	1	2	3	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
TEXAS -----	3	2	5	8	7	10	5	4	1	-	1	-
WHITE-----MALE----	-	1	-	3	4	7	4	1	-	-	-	-
FEMALE--	2	1	3	4	1	1	1	1	1	-	-	-
ALL OTHER--MALE----	1	-	2	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	1	-
BLACK---MALE----	1	-	2	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	1	-
UTAH -----	1	-	-	1	-	1	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	2	1	9	5	5	1	2	3	1	-	-
WHITE-----MALE----	-	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	1	5	4	3	-	1	2	-	-	-
ALL OTHER--MALE----	-	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	1	-	1	1	1	-	-
BLACK---MALE----	-	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	1	1	1	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Protozoal diseases (B50-B64)												
UNITED STATES -	277	2	-	3	1	-	7	12	16	28	20	26
WHITE-----MALE----	116	1	-	2	-	-	1	5	6	11	10	8
FEMALE--	82	1	-	-	-	-	2	1	3	8	1	5
ALL OTHER--MALE----	41	-	-	-	1	-	3	2	2	3	6	8
FEMALE--	38	-	-	1	-	-	1	4	5	6	3	5
BLACK---MALE-----	36	-	-	-	1	-	3	2	1	2	5	8
FEMALE--	35	-	-	1	-	-	1	4	5	5	3	5
ALABAMA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	-	-	-	-	-	-	-	-	2	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	20	-	-	-	-	-	1	1	1	2	2	1
WHITE-----MALE----	12	-	-	-	-	-	1	1	1	1	2	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85-89 YEARS 90-94 YEARS 95-99 YEARS 100 YEARS & OVER AGE NOT STATED

Trypanosomiasis (B56-B57)

Table with columns for state (MINNESOTA, MISSISSIPPI, MISSOURI, MONTANA, NEBRASKA, NEVADA) and race/sex categories (WHITE, ALL OTHER, BLACK, MALE, FEMALE). All data points are dashes (-).

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS 45-49 YEARS

Trypanosomiasis (B56-B57)

Table with columns for state (SOUTH DAKOTA, TENNESSEE, TEXAS, UTAH, VERMONT, VIRGINIA) and race/sex (WHITE-MALE, FEMALE, ALL OTHER-MALE, FEMALE, BLACK-MALE, FEMALE) and rows for age groups (ALL AGES, UNDER 1 YEAR, 1-4 YEARS, 5-9 YEARS, 10-14 YEARS, 15-19 YEARS, 20-24 YEARS, 25-29 YEARS, 30-34 YEARS, 35-39 YEARS, 40-44 YEARS, 45-49 YEARS). All cells contain dashes (-).

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumocystosis (B59)												
UNITED STATES -	245	2	-	1	-	-	6	12	16	23	15	24
WHITE-----MALE----	105	1	-	1	-	-	1	5	6	9	9	8
FEMALE--	76	1	-	-	-	-	2	1	3	5	1	4
ALL OTHER--MALE----	34	-	-	-	-	-	3	2	2	3	4	7
FEMALE--	30	-	-	-	-	-	-	4	5	6	1	5
BLACK---MALE-----	30	-	-	-	-	-	3	2	1	2	3	7
FEMALE--	27	-	-	-	-	-	-	4	5	5	1	5
ALABAMA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	20	-	-	-	-	-	1	1	1	2	2	1
WHITE-----MALE----	12	-	-	-	-	-	1	1	1	1	2	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85-89 YEARS 90-94 YEARS 95-99 YEARS 100 YEARS & OVER AGE NOT STATED

Helminthiases (B65-B83)

Table with columns for state (MINNESOTA, MISSISSIPPI, MISSOURI, MONTANA, NEBRASKA, NEVADA) and rows for race/sex combinations (WHITE MALE, WHITE FEMALE, ALL OTHER MALE, ALL OTHER FEMALE, BLACK MALE, BLACK FEMALE). All cells contain dashes (-).

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS 45-49 YEARS

Schistosomiasis (bilharziasis) (B65)

Table with columns for state (OHIO, OKLAHOMA, OREGON, PENNSYLVANIA, RHODE ISLAND, SOUTH CAROLINA) and race/sex (WHITE MALE, WHITE FEMALE, ALL OTHER MALE, ALL OTHER FEMALE, BLACK MALE, BLACK FEMALE) and rows for age groups (ALL AGES, UNDER 1 YEAR, 1-4 YEARS, 5-9 YEARS, 10-14 YEARS, 15-19 YEARS, 20-24 YEARS, 25-29 YEARS, 30-34 YEARS, 35-39 YEARS, 40-44 YEARS, 45-49 YEARS). All cells contain dashes.

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE

TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85-89 YEARS 90-94 YEARS 95-99 YEARS 100 YEARS & OVER AGE NOT STATED

Schistosomiasis (bilharziasis) (B65)

Table with columns for state (OHIO, OKLAHOMA, OREGON, PENNSYLVANIA, RHODE ISLAND, SOUTH CAROLINA), race (WHITE, ALL OTHER, BLACK), and sex (MALE, FEMALE). Rows show death counts for various age groups (50-54 to 100+ years) and an 'AGE NOT STATED' category. All values are dashes (-).

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85-89 YEARS 90-94 YEARS 95-99 YEARS 100 YEARS & OVER AGE NOT STATED

Schistosomiasis (bilharziasis) (B65)

Table with columns for state (SOUTH DAKOTA, TENNESSEE, TEXAS, UTAH, VERMONT, VIRGINIA) and race/sex categories (WHITE, ALL OTHER, BLACK, MALE, FEMALE) and rows for age groups (50-54 to 100+).

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS 45-49 YEARS

Other and unspecified helminthiases (B66-B83)

Table with columns for state (WASHINGTON, WEST VIRGINIA, WISCONSIN, WYOMING), race/sex (WHITE-MALE, FEMALE, ALL OTHER-MALE, FEMALE, BLACK-MALE, FEMALE), and age groups (ALL AGES, UNDER 1 YEAR, 1-4 YEARS, 5-9 YEARS, 10-14 YEARS, 15-19 YEARS, 20-24 YEARS, 25-29 YEARS, 30-34 YEARS, 35-39 YEARS, 40-44 YEARS, 45-49 YEARS). Data values are mostly 1 or -.

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Sequelae of tuberculosis (B90)

UNITED STATES -	2	6	4	6	16	18	24	23	5	-	-	-
WHITE-----MALE----	-	2	1	1	6	6	11	8	1	-	-	-
FEMALE--	1	2	1	3	7	7	10	11	2	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	3	1	-	1	-	-	-
FEMALE--	1	1	1	2	3	2	2	4	1	-	-	-
BLACK---MALE-----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	1	-	-	-	-
ALABAMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	2	2	2	4	6	3	2	3	-	-	-
WHITE-----MALE----	-	1	-	-	-	2	1	-	1	-	-	-
FEMALE--	-	1	1	1	3	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	1	-	1	1	1	1	1	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Sequelae of tuberculosis (B90)												
OHIO -----	1	-	-	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	4	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	1	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)

UNITED STATES -	124	94	86	122	123	112	119	80	46	12	5	-
WHITE-----MALE----	69	53	36	53	46	42	55	23	16	2	-	-
FEMALE--	28	19	33	48	58	60	50	50	27	9	3	-
ALL OTHER--MALE----	18	14	9	6	6	5	7	2	1	-	-	-
FEMALE--	9	8	8	15	13	5	7	5	2	1	2	-
BLACK---MALE----	13	9	5	4	6	1	5	2	1	-	-	-
FEMALE--	6	7	4	11	12	4	6	5	2	1	2	-
ALABAMA -----	3	1	1	1	4	4	1	-	-	1	-	-
WHITE-----MALE----	2	1	-	1	2	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	2	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	3	1	3	1	3	2	-	-	-	-	-
WHITE-----MALE----	2	1	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	1	1	2	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	-	1	-	2	1	1	2	-	-	-
WHITE-----MALE----	1	1	-	1	-	1	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CALIFORNIA -----	41	25	21	21	21	17	8	5	3	-	-	-
WHITE-----MALE----	22	14	11	9	6	6	2	2	-	-	-	-
FEMALE--	9	6	3	8	12	7	6	3	2	-	-	-
ALL OTHER--MALE----	7	4	5	2	1	3	-	-	1	-	-	-
FEMALE--	3	1	2	2	2	1	-	-	-	-	-	-
BLACK---MALE----	4	1	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	1	2	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS 45-49 YEARS

All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)

COLORADO -----	13	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	17	-	-	-	1	-	1	-	1	-	-	2
WHITE-----MALE----	11	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	5	-	-	-	1	-	1	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	78	-	-	1	-	-	-	-	-	2	3	7
WHITE-----MALE----	33	-	-	-	-	-	-	-	-	1	-	5
FEMALE--	37	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	4	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	33	-	-	-	-	-	-	-	1	4	2	4
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 616

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)

KENTUCKY -----	-	1	1	1	1	3	1	-	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	2	1	1	2	2	2	2	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-
MAINE -----	-	-	-	-	-	-	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	4	-	1	3	1	3	3	2	-	-	-
WHITE-----MALE----	-	2	-	1	-	-	2	1	1	-	-	-
FEMALE--	1	2	-	-	3	1	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	-	1	1	-	1	2	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	7	3	4	2	2	2	3	-	1	-	-	-
WHITE-----MALE----	5	2	2	-	-	-	3	-	-	-	-	-
FEMALE--	1	1	1	2	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85-89 YEARS 90-94 YEARS 95-99 YEARS 100 YEARS & OVER AGE NOT STATED

All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)

MINNESOTA -----	2	-	2	3	-	-	1	1	-	-	-	-
WHITE-----MALE----	2	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	1	-	-	-	1	-	1	1	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	1	-
MISSOURI -----	-	3	-	1	5	3	1	3	1	2	-	-
WHITE-----MALE----	-	2	-	1	3	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	2	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
MONTANA -----	2	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	-	-	-	2	2	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85-89 YEARS 90-94 YEARS 95-99 YEARS 100 YEARS & OVER AGE NOT STATED

All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)

OHIO -----	1	7	1	5	8	4	2	1	1	-	-	-
WHITE-----MALE----	1	3	-	2	3	3	1	-	1	-	-	-
FEMALE--	-	2	-	2	4	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	-	-	-	-
OKLAHOMA -----	2	1	1	2	1	2	2	1	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	1	-	-	-
FEMALE--	1	1	-	1	1	1	1	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
OREGON -----	4	3	4	4	1	3	5	5	1	-	-	-
WHITE-----MALE----	3	3	2	1	-	-	4	1	1	-	-	-
FEMALE--	-	-	1	2	1	3	1	4	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	3	4	10	6	5	7	6	1	1	-	-
WHITE-----MALE----	1	2	2	2	3	2	3	3	-	-	-	-
FEMALE--	-	1	1	6	2	2	4	3	1	-	-	-
ALL OTHER--MALE----	-	-	1	2	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	1	2	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
RHODE ISLAND -----	1	-	-	2	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	2	4	5	-	1	1	1	-	1	-
WHITE-----MALE----	1	-	-	3	2	-	-	1	-	-	-	-
FEMALE--	-	-	2	1	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	1	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85-89 YEARS 90-94 YEARS 95-99 YEARS 100 YEARS & OVER AGE NOT STATED

All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)

SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	3	2	1	1	-	-	2	1	-	-	-
WHITE-----MALE----	-	-	1	1	1	-	-	-	1	-	-	-
FEMALE--	1	1	1	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
TEXAS -----	11	6	8	17	14	8	11	4	6	1	-	-
WHITE-----MALE----	7	5	6	6	7	1	5	-	1	-	-	-
FEMALE--	2	1	2	8	6	7	5	4	5	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	3	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	1	-	-	-	-	-
UTAH -----	4	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	1	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	1	-	1	2	4	-	4	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	2	-	1	-	-	-	-
FEMALE--	1	-	-	-	2	2	-	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
II. Neoplasms (C00-D48)												
UNITED STATES -	567,444	117	478	545	568	779	1,027	1,449	2,696	5,622	11,313	19,503
WHITE-----MALE----	254,235	44	213	214	221	372	489	578	979	1,925	4,017	7,570
FEMALE--	237,677	47	188	211	211	248	324	549	1,114	2,477	4,830	7,814
ALL OTHER--MALE----	39,575	13	46	65	85	95	121	149	231	485	1,063	1,980
FEMALE--	35,957	13	31	55	51	64	93	173	372	735	1,403	2,139
BLACK---MALE-----	33,204	8	33	49	66	75	91	110	171	383	864	1,658
FEMALE--	30,123	9	20	44	43	50	67	138	296	602	1,193	1,772
ALABAMA -----	10,039	6	6	4	6	15	20	20	45	99	228	335
WHITE-----MALE----	4,049	2	2	1	2	4	7	4	10	34	65	117
FEMALE--	3,559	2	2	3	3	1	7	10	20	34	83	98
ALL OTHER--MALE----	1,314	2	2	-	-	6	3	2	5	13	33	62
FEMALE--	1,117	-	-	-	1	4	3	4	10	18	47	58
BLACK---MALE-----	1,300	2	2	-	-	6	3	2	5	13	32	61
FEMALE--	1,103	-	-	-	1	3	3	4	10	18	46	58
ALASKA -----	709	-	2	-	-	3	1	5	1	7	26	43
WHITE-----MALE----	279	-	1	-	-	-	-	1	1	-	6	17
FEMALE--	246	-	1	-	-	-	1	3	-	3	12	13
ALL OTHER--MALE----	110	-	-	-	-	2	-	-	-	1	5	8
FEMALE--	74	-	-	-	-	1	-	1	-	3	3	5
BLACK---MALE-----	17	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
ARIZONA -----	9,415	4	7	11	12	22	21	22	52	102	187	292
WHITE-----MALE----	4,641	1	4	3	7	10	11	9	23	34	72	138
FEMALE--	4,265	1	3	6	4	8	6	8	26	52	95	124
ALL OTHER--MALE----	249	2	-	1	-	1	4	4	2	7	8	11
FEMALE--	260	-	-	1	1	3	-	1	1	9	12	19
BLACK---MALE-----	110	-	-	1	-	-	-	-	1	4	3	7
FEMALE--	107	-	-	1	-	2	-	1	-	3	6	11
ARKANSAS -----	6,210	-	5	2	2	7	7	15	29	70	128	206
WHITE-----MALE----	2,966	-	2	2	1	3	-	5	10	30	37	78
FEMALE--	2,446	-	2	-	1	3	7	6	14	21	64	75
ALL OTHER--MALE----	429	-	1	-	-	-	-	2	1	9	12	30
FEMALE--	369	-	-	-	-	1	-	2	4	10	15	23
BLACK---MALE-----	414	-	1	-	-	-	-	2	1	9	12	29
FEMALE--	361	-	-	-	-	1	-	2	4	10	15	22
CALIFORNIA -----	55,095	15	78	84	76	99	129	167	336	668	1,157	2,028
WHITE-----MALE----	23,349	2	29	36	26	59	66	70	120	218	411	739
FEMALE--	23,093	10	35	35	32	27	40	64	145	292	483	825
ALL OTHER--MALE----	4,491	-	7	5	14	7	15	14	31	66	121	200
FEMALE--	4,162	3	7	8	4	6	8	19	40	92	142	264
BLACK---MALE-----	2,163	-	3	3	8	1	4	6	10	26	63	92
FEMALE--	2,005	1	3	3	1	1	1	8	18	44	67	133

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 622

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
II. Neoplasms (C00-D48)												
UNITED STATES -	30,778	40,380	51,096	65,172	84,420	92,159	77,940	51,782	22,801	6,035	776	8
WHITE-----MALE----	12,841	17,922	23,816	31,190	40,989	43,696	35,313	21,735	8,099	1,804	204	4
FEMALE--	12,071	15,605	19,335	24,467	33,046	38,441	34,847	25,342	12,523	3,550	437	-
ALL OTHER--MALE----	3,071	3,747	4,432	5,273	5,686	5,454	4,066	2,287	933	249	41	3
FEMALE--	2,795	3,106	3,513	4,242	4,699	4,568	3,714	2,418	1,246	432	94	1
BLACK---MALE-----	2,615	3,193	3,714	4,519	4,822	4,554	3,369	1,890	767	211	39	3
FEMALE--	2,290	2,612	2,953	3,533	3,912	3,838	3,127	2,032	1,112	393	86	1
ALABAMA -----												
WHITE-----MALE----	229	303	412	587	716	623	494	316	99	22	-	-
FEMALE--	183	242	321	418	499	591	484	349	149	56	4	-
ALL OTHER--MALE----	104	133	111	197	171	164	148	99	44	11	4	-
FEMALE--	100	84	88	126	152	138	109	96	49	26	4	-
BLACK---MALE-----	103	132	111	195	170	160	146	98	44	11	4	-
FEMALE--	99	83	87	123	150	135	109	96	48	26	4	-
ALASKA -----												
WHITE-----MALE----	23	26	36	35	41	39	38	11	3	-	1	-
FEMALE--	20	16	22	30	39	36	32	16	2	-	-	-
ALL OTHER--MALE----	7	8	8	19	16	15	12	5	3	1	-	-
FEMALE--	4	13	9	5	10	8	5	3	4	-	-	-
BLACK---MALE-----	1	3	2	3	-	3	2	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	-	-	-	-	-
ARIZONA -----												
WHITE-----MALE----	198	311	420	593	687	867	676	390	157	26	3	1
FEMALE--	224	307	360	440	596	721	641	405	185	45	8	-
ALL OTHER--MALE----	21	21	31	30	37	38	15	14	1	1	-	-
FEMALE--	18	25	29	36	40	26	23	6	8	2	-	-
BLACK---MALE-----	10	5	16	16	19	13	2	12	-	1	-	-
FEMALE--	8	16	7	8	17	6	15	2	4	-	-	-
ARKANSAS -----												
WHITE-----MALE----	157	225	287	425	470	522	357	239	92	17	6	1
FEMALE--	127	163	223	297	339	366	341	246	120	27	4	-
ALL OTHER--MALE----	24	38	35	55	53	55	46	41	22	5	-	-
FEMALE--	27	39	32	27	43	46	38	26	23	11	2	-
BLACK---MALE-----	23	37	33	53	50	51	45	41	22	5	-	-
FEMALE--	27	38	30	26	41	45	38	26	23	11	2	-
CALIFORNIA -----												
WHITE-----MALE----	1,201	1,609	2,108	2,692	3,509	4,040	3,299	2,116	788	186	24	1
FEMALE--	1,264	1,510	1,829	2,374	3,178	3,818	3,323	2,312	1,145	311	41	-
ALL OTHER--MALE----	307	411	476	576	647	637	530	285	112	24	6	-
FEMALE--	360	360	386	478	558	535	443	284	124	31	10	-
BLACK---MALE-----	153	203	253	322	318	274	248	116	46	9	5	-
FEMALE--	171	189	200	248	262	237	195	136	69	14	4	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
II. Neoplasms (C00-D48)												
COLORADO -----	6,309	4	7	6	6	9	14	22	41	86	152	246
WHITE-----MALE----	2,965	1	2	2	3	6	8	12	19	35	58	113
FEMALE--	3,011	3	5	3	1	3	6	10	17	47	79	117
ALL OTHER--MALE----	167	-	-	-	2	-	-	-	1	2	9	9
FEMALE--	166	-	-	1	-	-	-	-	4	2	6	7
BLACK---MALE-----	125	-	-	-	1	-	-	-	1	2	8	6
FEMALE--	109	-	-	1	-	-	-	-	1	1	4	5
CONNECTICUT -----	7,292	1	1	7	4	7	10	13	28	81	125	191
WHITE-----MALE----	3,294	-	-	4	2	3	5	4	12	33	43	71
FEMALE--	3,515	1	1	2	2	3	4	7	10	34	65	98
ALL OTHER--MALE----	237	-	-	1	-	1	1	2	3	7	3	10
FEMALE--	246	-	-	-	-	-	-	-	3	7	14	12
BLACK---MALE-----	217	-	-	-	-	1	1	1	2	6	3	10
FEMALE--	221	-	-	-	-	-	-	-	3	6	13	9
DELAWARE -----	1,828	-	1	1	2	1	6	-	7	12	37	56
WHITE-----MALE----	801	-	1	-	-	-	3	-	4	5	13	18
FEMALE--	751	-	-	-	1	1	1	-	1	5	14	23
ALL OTHER--MALE----	131	-	-	1	-	-	-	-	-	-	3	4
FEMALE--	145	-	-	-	1	-	2	-	2	2	7	11
BLACK---MALE-----	125	-	-	1	-	-	-	-	-	-	2	4
FEMALE--	138	-	-	-	1	-	2	-	2	1	7	11
DISTRICT OF COLUMBIA ---	1,352	-	2	1	1	2	1	1	9	16	35	55
WHITE-----MALE----	163	-	-	1	1	1	-	1	1	3	1	2
FEMALE--	158	-	-	-	-	1	-	-	2	-	1	4
ALL OTHER--MALE----	528	-	1	-	-	-	-	-	2	2	15	26
FEMALE--	503	-	1	-	-	-	1	-	4	11	18	23
BLACK---MALE-----	524	-	1	-	-	-	-	-	2	2	15	26
FEMALE--	495	-	1	-	-	-	1	-	4	11	18	23
FLORIDA -----	40,143	4	22	29	31	48	54	74	150	345	707	1,152
WHITE-----MALE----	19,577	2	17	7	13	17	27	30	47	116	266	489
FEMALE--	16,814	2	4	12	11	21	16	25	73	145	287	448
ALL OTHER--MALE----	2,029	-	1	6	6	5	3	9	10	31	59	113
FEMALE--	1,723	-	-	4	1	5	8	10	20	53	95	102
BLACK---MALE-----	1,928	-	1	6	6	5	3	8	10	30	55	104
FEMALE--	1,632	-	-	4	1	5	7	9	19	53	90	96
GEORGIA -----	14,197	2	16	19	9	16	36	51	90	186	381	607
WHITE-----MALE----	5,532	1	11	9	1	5	13	24	31	50	114	204
FEMALE--	5,003	-	3	4	4	4	10	13	22	68	118	183
ALL OTHER--MALE----	1,952	1	2	1	1	4	8	6	10	24	60	106
FEMALE--	1,710	-	-	5	3	3	5	8	27	44	89	114
BLACK---MALE-----	1,899	1	2	1	1	4	8	6	10	24	58	102
FEMALE--	1,651	-	-	5	3	3	4	8	26	43	85	106

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 623

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
II. Neoplasms (C00-D48)												
COLORADO -----	387	414	546	681	920	974	850	595	252	91	6	-
WHITE-----MALE----	179	185	253	346	450	484	408	263	98	40	-	-
FEMALE--	183	196	260	283	426	447	407	320	145	48	5	-
ALL OTHER--MALE----	12	16	18	25	25	27	13	3	5	-	-	-
FEMALE--	13	17	15	27	19	16	22	9	4	3	1	-
BLACK---MALE-----	9	13	14	20	17	19	9	2	4	-	-	-
FEMALE--	6	8	13	24	8	9	16	7	3	3	-	-
CONNECTICUT -----	361	503	555	721	1,021	1,242	1,147	815	355	95	9	-
WHITE-----MALE----	146	215	258	361	520	595	520	346	124	32	-	-
FEMALE--	179	231	236	305	447	591	565	445	223	58	8	-
ALL OTHER--MALE----	15	31	36	29	28	28	28	12	2	-	-	-
FEMALE--	21	26	25	26	26	28	34	12	6	5	1	-
BLACK---MALE-----	14	31	32	24	26	28	26	11	1	-	-	-
FEMALE--	15	24	24	25	23	25	32	10	6	5	1	-
DELAWARE -----	85	149	165	206	277	317	258	157	74	16	1	-
WHITE-----MALE----	34	67	67	107	142	147	110	54	23	6	-	-
FEMALE--	38	51	63	68	95	138	119	81	43	8	1	-
ALL OTHER--MALE----	5	16	21	14	18	18	18	8	3	2	-	-
FEMALE--	8	15	14	17	22	14	11	14	5	-	-	-
BLACK---MALE-----	5	16	21	14	17	17	16	8	2	2	-	-
FEMALE--	6	14	14	16	21	14	11	13	5	-	-	-
DISTRICT OF COLUMBIA ---	76	99	126	137	187	216	172	142	60	11	3	-
WHITE-----MALE----	6	6	13	15	21	30	26	19	14	2	-	-
FEMALE--	10	12	11	12	19	21	33	22	9	1	-	-
ALL OTHER--MALE----	39	49	53	61	85	80	52	46	13	4	-	-
FEMALE--	21	32	49	49	62	85	61	55	24	4	3	-
BLACK---MALE-----	39	49	52	61	85	79	52	45	12	4	-	-
FEMALE--	20	31	48	49	61	82	60	55	24	4	3	-
FLORIDA -----	1,877	2,600	3,410	4,518	6,299	6,884	5,940	3,833	1,671	453	40	2
WHITE-----MALE----	846	1,273	1,704	2,276	3,278	3,567	2,903	1,822	715	148	13	1
FEMALE--	726	998	1,297	1,742	2,493	2,851	2,683	1,797	891	269	23	-
ALL OTHER--MALE----	156	204	225	276	305	266	193	115	32	12	1	1
FEMALE--	149	125	184	224	223	200	161	99	33	24	3	-
BLACK---MALE-----	147	196	209	266	290	250	187	110	32	11	1	1
FEMALE--	140	116	174	204	216	193	153	95	31	23	3	-
GEORGIA -----	1,005	1,238	1,432	1,820	2,064	1,995	1,695	982	425	111	17	-
WHITE-----MALE----	346	474	595	801	917	817	680	300	113	23	3	-
FEMALE--	314	398	421	563	717	761	659	465	213	55	8	-
ALL OTHER--MALE----	190	205	257	263	237	243	189	96	34	14	1	-
FEMALE--	155	161	159	193	193	174	167	121	65	19	5	-
BLACK---MALE-----	187	199	248	255	231	234	187	93	33	14	1	-
FEMALE--	152	154	154	182	188	169	163	120	62	19	5	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
II. Neoplasms (C00-D48)												
HAWAII -----	2,072	-	4	1	2	4	5	8	15	15	42	95
WHITE-----MALE----	332	-	2	-	-	-	-	-	-	2	4	14
FEMALE--	264	-	1	-	-	-	1	1	1	-	7	10
ALL OTHER--MALE----	825	-	1	1	2	3	2	3	7	6	18	37
FEMALE--	651	-	-	-	-	1	2	4	7	7	13	34
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
IDAHO -----	2,145	-	1	1	2	4	1	9	11	16	36	71
WHITE-----MALE----	1,131	-	-	-	1	2	-	5	6	11	14	34
FEMALE--	978	-	1	1	1	2	-	4	4	5	21	37
ALL OTHER--MALE----	15	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	21	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	25,399	6	27	28	20	39	51	65	118	222	458	904
WHITE-----MALE----	10,950	3	11	11	8	17	27	23	33	71	148	324
FEMALE--	10,385	2	10	10	8	13	11	23	56	103	193	354
ALL OTHER--MALE----	2,084	1	2	4	4	5	9	9	10	20	48	104
FEMALE--	1,980	-	4	3	-	4	4	10	19	28	69	122
BLACK---MALE----	1,918	-	2	3	3	5	9	7	8	20	41	92
FEMALE--	1,842	-	3	3	-	3	3	8	16	27	65	109
INDIANA -----	13,117	-	13	10	13	20	23	34	52	140	220	465
WHITE-----MALE----	6,378	-	7	5	8	14	16	14	19	54	96	201
FEMALE--	5,695	-	4	4	4	5	4	15	25	68	103	198
ALL OTHER--MALE----	548	-	2	1	-	1	2	3	1	4	11	31
FEMALE--	496	-	-	-	1	-	1	2	7	14	10	35
BLACK---MALE----	532	-	2	1	-	1	2	3	1	4	11	30
FEMALE--	479	-	-	-	1	-	1	1	5	12	10	33
IOWA -----	6,570	-	3	8	3	6	12	10	22	56	104	177
WHITE-----MALE----	3,291	-	2	2	3	6	9	3	10	25	50	73
FEMALE--	3,155	-	1	5	-	-	3	7	11	30	49	98
ALL OTHER--MALE----	65	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	59	-	-	1	-	-	-	-	-	1	4	4
BLACK---MALE----	52	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	40	-	-	-	-	-	-	-	-	1	4	3
KANSAS -----	5,595	2	2	2	7	12	9	9	24	32	114	167
WHITE-----MALE----	2,745	1	1	1	4	7	5	6	6	10	51	75
FEMALE--	2,487	-	1	-	3	4	2	3	15	19	48	80
ALL OTHER--MALE----	212	-	-	1	-	1	-	-	2	2	5	7
FEMALE--	151	1	-	-	-	-	2	-	1	1	10	5
BLACK---MALE----	181	-	-	1	-	1	-	-	1	2	3	5
FEMALE--	123	1	-	-	-	-	1	-	1	1	7	5

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
II. Neoplasms (C00-D48)												
HAWAII -----	123	153	168	219	296	348	283	200	70	20	1	-
WHITE-----MALE----	25	23	28	39	59	53	49	21	12	1	-	-
FEMALE--	16	22	14	18	38	41	40	33	15	6	-	-
ALL OTHER--MALE----	37	62	68	92	106	147	111	84	31	7	-	-
FEMALE--	45	46	58	70	93	107	83	62	12	6	1	-
BLACK---MALE----	1	1	2	2	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
IDAHO -----	118	154	198	247	305	337	329	195	90	17	3	-
WHITE-----MALE----	64	87	102	145	163	175	176	100	41	5	-	-
FEMALE--	49	63	92	96	137	159	150	94	47	12	3	-
ALL OTHER--MALE----	2	2	2	2	-	2	2	-	1	-	-	-
FEMALE--	3	2	2	4	5	1	1	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,335	1,793	2,324	2,832	3,748	4,084	3,613	2,385	1,030	287	30	-
WHITE-----MALE----	559	740	1,016	1,260	1,743	1,878	1,657	991	335	84	11	-
FEMALE--	488	673	844	1,039	1,434	1,630	1,560	1,178	569	171	16	-
ALL OTHER--MALE----	148	206	258	289	318	298	191	100	53	7	-	-
FEMALE--	140	174	206	244	253	278	205	116	73	25	3	-
BLACK---MALE----	132	189	237	266	295	285	175	96	46	7	-	-
FEMALE--	125	159	195	231	233	262	194	110	69	24	3	-
INDIANA -----	733	942	1,247	1,579	2,018	2,078	1,698	1,126	522	165	19	-
WHITE-----MALE----	329	448	657	865	1,063	1,003	806	516	196	53	8	-
FEMALE--	320	409	491	583	807	928	774	550	296	99	8	-
ALL OTHER--MALE----	54	44	52	72	77	83	62	34	11	2	1	-
FEMALE--	30	41	47	59	71	64	56	26	19	11	2	-
BLACK---MALE----	52	43	47	69	75	82	62	34	10	2	1	-
FEMALE--	29	40	47	58	70	63	54	25	19	9	2	-
IOWA -----	292	337	506	760	991	1,068	1,038	752	329	81	15	-
WHITE-----MALE----	124	174	254	441	531	567	520	349	123	19	6	-
FEMALE--	159	153	237	301	436	485	512	393	205	61	9	-
ALL OTHER--MALE----	4	5	6	14	13	10	4	5	-	-	-	-
FEMALE--	5	5	9	4	11	6	2	5	1	1	-	-
BLACK---MALE----	3	4	3	13	10	10	2	4	-	-	-	-
FEMALE--	2	4	5	3	7	3	2	4	1	1	-	-
KANSAS -----	245	379	440	642	819	929	815	568	289	79	10	-
WHITE-----MALE----	122	185	223	341	427	486	393	263	116	19	3	-
FEMALE--	105	155	175	246	339	400	386	281	162	56	7	-
ALL OTHER--MALE----	8	21	26	28	37	28	24	15	5	2	-	-
FEMALE--	10	18	16	27	16	15	12	9	6	2	-	-
BLACK---MALE----	7	18	21	23	32	28	18	14	5	2	-	-
FEMALE--	5	14	11	21	15	14	11	8	6	2	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
II. Neoplasms (C00-D48)												
KENTUCKY -----	9,595	2	4	11	5	9	12	26	43	104	209	334
WHITE-----MALE----	4,828	1	1	6	2	4	5	13	22	41	73	152
FEMALE--	4,119	1	3	5	3	4	6	10	19	54	103	155
ALL OTHER--MALE----	343	-	-	-	-	1	-	1	1	4	17	10
FEMALE--	305	-	-	-	-	1	1	2	1	5	16	17
BLACK---MALE-----	328	-	-	-	-	-	-	1	1	4	16	10
FEMALE--	292	-	-	-	-	-	1	2	1	5	14	16
LOUISIANA -----	9,720	-	9	15	8	26	28	33	44	114	229	353
WHITE-----MALE----	3,662	-	3	4	1	7	8	8	14	30	60	110
FEMALE--	3,152	-	5	6	2	7	8	12	15	36	74	112
ALL OTHER--MALE----	1,593	-	1	4	1	5	8	5	6	19	43	60
FEMALE--	1,313	-	-	1	4	7	4	8	9	29	52	71
BLACK---MALE-----	1,561	-	1	4	1	5	8	5	5	17	39	60
FEMALE--	1,293	-	-	1	4	7	4	8	9	29	51	71
MAINE -----	3,125	-	2	3	1	2	5	4	15	29	60	102
WHITE-----MALE----	1,627	-	2	-	-	1	3	4	7	10	22	44
FEMALE--	1,466	-	-	3	1	1	2	-	8	19	38	56
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
MARYLAND -----	10,626	2	13	18	14	10	13	28	58	124	218	398
WHITE-----MALE----	3,980	-	7	6	2	5	4	7	21	31	59	117
FEMALE--	3,863	1	2	3	2	3	3	6	14	42	83	123
ALL OTHER--MALE----	1,438	-	2	2	7	2	3	9	14	15	32	72
FEMALE--	1,345	1	2	7	3	-	3	6	9	36	44	86
BLACK---MALE-----	1,338	-	2	2	6	2	2	6	12	13	29	68
FEMALE--	1,254	1	2	6	3	-	3	6	8	33	42	81
MASSACHUSETTS -----	14,125	2	8	8	14	9	18	38	57	120	251	406
WHITE-----MALE----	6,627	1	4	4	9	6	6	17	21	50	98	186
FEMALE--	6,829	-	3	3	4	3	10	15	24	59	132	178
ALL OTHER--MALE----	335	1	1	-	-	-	1	4	7	5	10	22
FEMALE--	334	-	-	1	1	-	1	2	5	6	11	20
BLACK---MALE-----	263	1	1	-	-	-	1	3	6	2	8	17
FEMALE--	249	-	-	1	1	-	1	1	3	3	6	15
MICHIGAN -----	20,163	2	10	23	18	29	34	40	77	186	427	709
WHITE-----MALE----	8,993	-	3	9	7	15	15	17	26	59	152	286
FEMALE--	8,387	2	5	6	5	9	10	13	34	95	186	287
ALL OTHER--MALE----	1,467	-	-	6	3	2	7	4	4	15	39	74
FEMALE--	1,316	-	2	2	3	3	2	6	13	17	50	62
BLACK---MALE-----	1,366	-	-	4	3	2	4	4	3	14	36	66
FEMALE--	1,223	-	2	2	2	3	2	6	12	16	45	59

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
II. Neoplasms (C00-D48)												
KENTUCKY -----	579	763	1,014	1,250	1,480	1,515	1,099	728	316	79	13	-
WHITE-----MALE----	293	412	543	662	838	795	534	296	109	23	3	-
FEMALE--	243	310	412	501	562	610	501	381	178	50	8	-
ALL OTHER--MALE----	18	27	33	54	44	61	33	22	15	2	-	-
FEMALE--	25	14	26	33	36	49	31	29	14	4	2	-
BLACK---MALE-----	18	24	31	52	42	58	32	22	15	2	-	-
FEMALE--	23	13	24	31	35	49	31	28	14	3	2	-
LOUISIANA -----	624	747	983	1,153	1,427	1,524	1,172	760	345	117	9	-
WHITE-----MALE----	211	261	386	468	598	660	461	266	82	23	1	-
FEMALE--	176	195	278	339	450	507	426	298	146	55	5	-
ALL OTHER--MALE----	140	152	192	196	229	206	151	102	49	23	1	-
FEMALE--	97	139	127	150	150	151	134	94	68	16	2	-
BLACK---MALE-----	136	148	187	193	225	203	149	102	49	23	1	-
FEMALE--	96	137	125	146	146	150	131	93	67	16	2	-
MAINE -----	137	201	260	358	444	533	469	323	137	35	5	-
WHITE-----MALE----	79	109	153	203	242	291	250	149	42	14	2	-
FEMALE--	55	88	104	150	198	239	215	171	94	21	3	-
ALL OTHER--MALE----	2	3	3	3	2	-	2	2	1	-	-	-
FEMALE--	1	1	-	2	2	3	2	1	-	-	-	-
BLACK---MALE-----	1	-	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
MARYLAND -----	622	791	988	1,225	1,615	1,746	1,379	865	365	121	13	-
WHITE-----MALE----	203	268	376	498	687	694	525	332	103	31	4	-
FEMALE--	187	248	290	391	551	691	578	380	194	65	6	-
ALL OTHER--MALE----	118	151	189	188	195	192	136	71	26	13	1	-
FEMALE--	114	124	133	148	182	169	140	82	42	12	2	-
BLACK---MALE-----	112	144	180	172	179	183	124	66	24	12	-	-
FEMALE--	107	116	124	137	173	152	132	73	41	12	2	-
MASSACHUSETTS -----	731	961	1,070	1,430	2,035	2,371	2,200	1,487	690	193	26	-
WHITE-----MALE----	332	459	532	725	1,048	1,170	1,025	625	238	61	10	-
FEMALE--	334	432	466	635	894	1,130	1,117	821	430	123	16	-
ALL OTHER--MALE----	34	37	39	42	50	31	26	12	11	2	-	-
FEMALE--	31	33	33	28	43	40	32	29	11	7	-	-
BLACK---MALE-----	23	30	30	31	41	24	25	10	8	2	-	-
FEMALE--	23	27	20	20	37	33	21	21	9	7	-	-
MICHIGAN -----	1,124	1,490	1,875	2,264	3,082	3,331	2,739	1,791	724	161	27	-
WHITE-----MALE----	427	674	828	1,093	1,471	1,591	1,226	770	263	54	7	-
FEMALE--	439	566	736	842	1,186	1,380	1,223	848	404	97	14	-
ALL OTHER--MALE----	148	129	162	175	237	194	144	89	28	5	2	-
FEMALE--	110	121	149	154	188	166	146	84	29	5	4	-
BLACK---MALE-----	136	120	144	164	225	185	137	85	28	4	2	-
FEMALE--	102	112	138	143	175	155	134	79	27	5	4	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
II. Neoplasms (C00-D48)												
MINNESOTA -----	9,243	-	8	7	9	12	21	21	54	76	130	289
WHITE-----MALE----	4,612	-	3	3	2	6	10	8	24	33	60	138
FEMALE--	4,318	-	4	3	5	5	9	10	21	36	59	132
ALL OTHER--MALE----	179	-	1	-	2	-	2	3	3	2	8	6
FEMALE--	134	-	-	1	-	1	-	-	6	5	3	13
BLACK--MALE----	98	-	-	-	1	-	2	2	3	1	3	5
FEMALE--	62	-	-	-	-	-	-	-	3	3	2	5
MISSISSIPPI -----	6,031	3	5	3	4	4	13	26	31	66	140	242
WHITE-----MALE----	2,308	1	1	1	1	2	7	8	9	16	35	63
FEMALE--	1,796	2	2	-	-	-	-	9	6	20	30	72
ALL OTHER--MALE----	1,066	-	2	-	3	2	1	3	6	13	34	55
FEMALE--	861	-	-	2	-	-	5	6	10	17	41	52
BLACK--MALE----	1,056	-	2	-	3	2	1	3	6	13	34	54
FEMALE--	846	-	-	2	-	-	5	6	10	17	41	52
MISSOURI -----	12,669	2	11	13	8	22	27	34	55	104	242	430
WHITE-----MALE----	5,798	-	3	5	2	6	12	14	21	42	90	163
FEMALE--	5,559	1	8	8	4	9	12	14	23	42	109	189
ALL OTHER--MALE----	677	1	-	-	1	5	2	5	2	10	18	41
FEMALE--	635	-	-	-	1	2	1	1	9	10	25	37
BLACK--MALE----	645	1	-	-	1	4	2	4	2	9	16	38
FEMALE--	602	-	-	-	1	1	1	1	9	9	21	35
MONTANA -----	2,010	-	-	6	-	-	4	5	9	10	29	56
WHITE-----MALE----	1,012	-	-	2	-	-	2	1	4	5	13	23
FEMALE--	904	-	-	4	-	-	2	3	5	3	15	28
ALL OTHER--MALE----	55	-	-	-	-	-	-	1	-	2	-	3
FEMALE--	39	-	-	-	-	-	-	-	-	-	1	2
BLACK--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3,466	-	1	2	2	6	3	6	11	39	66	89
WHITE-----MALE----	1,701	-	-	1	2	2	1	2	4	12	31	38
FEMALE--	1,624	-	1	1	-	3	2	4	7	21	30	45
ALL OTHER--MALE----	75	-	-	-	-	1	-	-	-	-	2	2
FEMALE--	66	-	-	-	-	-	-	-	-	6	3	4
BLACK--MALE----	65	-	-	-	-	1	-	-	-	-	2	2
FEMALE--	48	-	-	-	-	-	-	-	-	3	3	4
NEVADA -----	3,887	1	4	7	5	-	9	9	19	30	73	143
WHITE-----MALE----	1,916	1	2	1	3	-	5	6	7	11	30	54
FEMALE--	1,621	-	2	5	1	-	3	2	8	16	34	65
ALL OTHER--MALE----	189	-	-	-	1	-	1	-	1	2	2	10
FEMALE--	161	-	-	1	-	-	-	1	3	1	7	14
BLACK--MALE----	121	-	-	-	1	-	-	-	1	1	-	10
FEMALE--	111	-	-	1	-	-	-	1	2	1	6	11

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 626

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
II. Neoplasms (C00-D48)												
MINNESOTA -----	440	598	793	955	1,320	1,537	1,349	996	470	140	18	-
WHITE-----MALE----	215	286	414	494	726	819	652	480	192	42	5	-
FEMALE--	194	277	346	421	557	686	675	497	274	94	13	-
ALL OTHER--MALE----	24	23	22	24	16	15	15	8	2	3	-	-
FEMALE--	7	12	11	16	21	17	7	11	2	1	-	-
BLACK---MALE-----	16	16	8	10	11	11	5	3	1	-	-	-
FEMALE--	-	6	7	8	8	9	3	6	2	-	-	-
MISSISSIPPI -----	389	462	624	808	903	822	757	453	206	64	6	-
WHITE-----MALE----	139	185	241	343	411	353	289	132	56	14	1	-
FEMALE--	97	115	175	220	261	262	242	185	75	23	-	-
ALL OTHER--MALE----	84	96	126	144	129	111	127	79	37	13	1	-
FEMALE--	69	66	82	101	102	96	99	57	38	14	4	-
BLACK---MALE-----	79	95	126	143	127	111	127	79	37	13	1	-
FEMALE--	67	63	82	97	100	94	98	56	38	14	4	-
MISSOURI -----	679	909	1,159	1,541	1,868	1,981	1,677	1,217	536	137	17	-
WHITE-----MALE----	297	439	563	769	929	976	743	485	199	36	4	-
FEMALE--	281	360	469	609	759	829	799	628	307	89	10	-
ALL OTHER--MALE----	59	64	73	84	96	93	63	47	9	3	1	-
FEMALE--	42	46	54	79	84	83	72	57	21	9	2	-
BLACK---MALE-----	56	61	69	80	91	91	63	46	7	3	1	-
FEMALE--	39	44	51	72	81	80	70	56	20	9	2	-
MONTANA -----	70	116	190	219	290	339	301	234	110	21	1	-
WHITE-----MALE----	38	50	95	117	164	179	156	122	35	6	-	-
FEMALE--	27	60	84	88	109	149	133	108	70	15	1	-
ALL OTHER--MALE----	3	4	6	10	9	4	8	3	2	-	-	-
FEMALE--	2	2	5	4	8	7	4	1	3	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	160	216	244	390	545	557	505	370	188	63	3	-
WHITE-----MALE----	83	112	121	213	302	279	250	163	60	25	-	-
FEMALE--	64	89	109	156	223	260	245	199	125	38	2	-
ALL OTHER--MALE----	7	5	6	13	16	9	8	5	-	-	1	-
FEMALE--	6	10	8	8	4	9	2	3	3	-	-	-
BLACK---MALE-----	6	4	4	11	13	9	7	5	-	-	1	-
FEMALE--	3	9	5	5	2	8	1	3	2	-	-	-
NEVADA -----	200	288	439	525	598	666	493	260	98	17	2	1
WHITE-----MALE----	93	126	227	262	322	345	244	136	35	5	1	-
FEMALE--	90	136	160	207	220	283	210	111	58	9	1	-
ALL OTHER--MALE----	8	14	32	32	31	21	24	6	2	1	-	1
FEMALE--	9	12	20	24	25	17	15	7	3	2	-	-
BLACK---MALE-----	2	12	18	24	20	15	11	4	-	1	-	1
FEMALE--	5	7	10	19	15	12	12	5	3	1	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 628

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
II. Neoplasms (C00-D48)												
OHIO -----	25,439	7	16	17	19	26	43	57	113	232	496	829
WHITE-----MALE----	11,633	3	10	8	8	15	21	27	47	90	195	326
FEMALE--	10,998	4	5	6	3	8	14	23	55	116	231	374
ALL OTHER--MALE----	1,496	-	1	3	6	3	7	1	4	7	26	57
FEMALE--	1,312	-	-	-	2	-	1	6	7	19	44	72
BLACK---MALE----	1,446	-	1	3	6	3	7	1	4	7	25	55
FEMALE--	1,265	-	-	-	2	-	-	6	7	18	43	71
OKLAHOMA -----	7,607	3	5	5	10	12	13	24	30	89	158	252
WHITE-----MALE----	3,599	-	1	2	4	7	7	11	10	25	59	114
FEMALE--	3,228	1	2	2	3	3	6	8	12	49	73	105
ALL OTHER--MALE----	397	1	2	-	3	1	-	3	2	4	11	15
FEMALE--	383	1	-	1	-	1	-	2	6	11	15	18
BLACK---MALE----	223	-	-	-	3	-	-	-	-	1	4	11
FEMALE--	217	1	-	1	-	1	-	1	3	6	12	6
OREGON -----	7,259	1	5	8	7	11	14	20	27	61	108	226
WHITE-----MALE----	3,631	-	1	2	5	7	9	7	16	33	40	105
FEMALE--	3,413	1	4	6	1	3	4	11	11	24	63	115
ALL OTHER--MALE----	111	-	-	-	1	1	-	-	-	2	2	3
FEMALE--	104	-	-	-	-	-	1	2	-	2	3	3
BLACK---MALE----	46	-	-	-	1	1	-	-	-	1	1	2
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	30,708	4	9	26	31	23	39	54	99	238	491	897
WHITE-----MALE----	14,055	3	2	12	14	11	23	22	41	76	176	382
FEMALE--	13,802	1	6	10	12	7	10	20	40	127	249	399
ALL OTHER--MALE----	1,421	-	-	3	4	3	3	7	10	11	31	51
FEMALE--	1,430	-	1	1	1	2	3	5	8	24	35	65
BLACK---MALE----	1,354	-	-	2	4	2	2	6	10	9	29	46
FEMALE--	1,358	-	1	1	1	2	3	4	8	21	34	58
RHODE ISLAND -----	2,458	-	4	2	2	2	5	5	8	16	59	81
WHITE-----MALE----	1,198	-	2	2	-	1	2	5	5	7	27	34
FEMALE--	1,168	-	1	-	2	1	3	-	2	6	29	37
ALL OTHER--MALE----	56	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	36	-	1	-	-	-	-	-	1	3	2	5
BLACK---MALE----	44	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	27	-	-	-	-	-	-	-	1	2	2	5
SOUTH CAROLINA -----	8,445	3	6	5	10	12	12	23	45	86	199	321
WHITE-----MALE----	3,378	1	5	2	6	5	4	4	14	18	41	85
FEMALE--	2,754	-	-	2	2	3	5	11	13	26	63	90
ALL OTHER--MALE----	1,299	-	-	1	2	-	2	4	8	16	45	71
FEMALE--	1,014	2	1	-	-	4	1	4	10	26	50	75
BLACK---MALE----	1,292	-	-	1	2	-	2	4	8	16	44	71
FEMALE--	989	2	-	-	-	3	1	4	10	25	48	73

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
II. Neoplasms (C00-D48)												
OHIO -----	1,325	1,766	2,204	2,917	3,999	4,391	3,513	2,197	982	258	32	-
WHITE-----MALE----	589	819	1,070	1,453	1,987	2,063	1,592	905	336	60	9	-
FEMALE--	563	735	845	1,091	1,575	1,855	1,617	1,130	567	164	17	-
ALL OTHER--MALE----	97	117	161	219	235	249	157	82	45	18	1	-
FEMALE--	76	95	128	154	202	224	147	80	34	16	5	-
BLACK---MALE-----	90	114	154	213	231	240	150	80	43	18	1	-
FEMALE--	69	91	124	144	198	217	143	77	34	16	5	-
OKLAHOMA -----	418	539	725	929	1,147	1,241	986	669	251	91	10	-
WHITE-----MALE----	183	247	385	470	562	647	457	286	89	32	1	-
FEMALE--	177	215	254	369	474	495	452	331	139	49	9	-
ALL OTHER--MALE----	29	43	50	47	60	49	43	23	9	2	-	-
FEMALE--	29	34	36	43	51	50	34	29	14	8	-	-
BLACK---MALE-----	23	21	24	29	31	24	31	12	7	2	-	-
FEMALE--	18	18	22	24	32	23	18	17	7	7	-	-
OREGON -----	398	500	598	769	1,071	1,181	1,100	739	313	92	10	-
WHITE-----MALE----	183	241	317	386	556	623	555	362	142	39	2	-
FEMALE--	189	245	266	353	486	525	519	360	167	52	8	-
ALL OTHER--MALE----	10	4	13	17	16	21	10	9	2	-	-	-
FEMALE--	16	10	2	13	13	12	16	8	2	1	-	-
BLACK---MALE-----	5	2	2	8	5	11	4	2	1	-	-	-
FEMALE--	3	4	-	3	6	4	4	1	1	1	-	-
PENNSYLVANIA -----	1,458	1,976	2,522	3,335	4,744	5,325	4,659	3,082	1,347	313	35	1
WHITE-----MALE----	638	909	1,156	1,660	2,353	2,593	2,143	1,275	467	93	6	-
FEMALE--	616	810	1,066	1,342	1,942	2,311	2,205	1,617	792	198	22	-
ALL OTHER--MALE----	102	131	155	184	234	209	158	86	28	8	2	1
FEMALE--	102	126	145	149	215	212	153	104	60	14	5	-
BLACK---MALE-----	95	125	150	175	226	201	151	82	28	8	2	1
FEMALE--	97	111	140	140	204	206	149	101	58	14	5	-
RHODE ISLAND -----	107	141	185	270	362	443	373	234	115	40	4	-
WHITE-----MALE----	54	77	82	140	202	221	171	109	43	13	1	-
FEMALE--	44	58	96	122	144	210	193	119	71	27	3	-
ALL OTHER--MALE----	7	6	4	4	8	10	8	3	-	-	-	-
FEMALE--	2	-	3	4	8	2	1	3	1	-	-	-
BLACK---MALE-----	5	4	2	3	7	9	7	1	-	-	-	-
FEMALE--	2	-	2	2	7	1	1	1	1	-	-	-
SOUTH CAROLINA -----	501	707	858	1,069	1,262	1,341	1,041	574	273	77	20	-
WHITE-----MALE----	177	284	368	494	568	591	408	202	79	18	4	-
FEMALE--	133	208	271	294	404	458	378	227	123	36	7	-
ALL OTHER--MALE----	120	133	133	168	183	163	146	73	24	4	3	-
FEMALE--	71	82	86	113	107	129	109	72	47	19	6	-
BLACK---MALE-----	119	132	130	168	182	163	146	73	24	4	3	-
FEMALE--	70	79	83	110	103	128	107	72	46	19	6	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
II. Neoplasms (C00-D48)												
SOUTH DAKOTA -----	1,622	-	2	-	-	3	2	4	6	17	22	40
WHITE-----MALE----	864	-	1	-	-	3	1	1	1	7	4	23
FEMALE--	683	-	-	-	-	-	1	3	5	8	12	15
ALL OTHER--MALE----	35	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	40	-	1	-	-	-	-	-	-	1	4	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	12,453	3	7	7	13	9	18	31	60	148	287	475
WHITE-----MALE----	5,774	3	1	2	5	6	8	9	23	42	104	204
FEMALE--	4,811	-	3	1	4	2	6	15	21	68	118	171
ALL OTHER--MALE----	939	-	2	1	1	1	3	2	6	15	29	50
FEMALE--	929	-	1	3	3	-	1	5	10	23	36	50
BLACK---MALE----	917	-	2	1	-	1	3	1	5	14	27	47
FEMALE--	903	-	1	3	3	-	1	5	10	22	35	48
TEXAS -----	34,221	11	51	42	53	73	94	128	194	375	857	1,363
WHITE-----MALE----	15,729	3	29	20	20	36	52	50	67	147	327	572
FEMALE--	13,890	4	16	16	22	23	26	55	86	153	351	518
ALL OTHER--MALE----	2,426	2	3	2	4	12	7	9	12	36	78	133
FEMALE--	2,176	2	3	4	7	2	9	14	29	39	101	140
BLACK---MALE----	2,225	2	2	2	2	11	7	9	12	31	66	116
FEMALE--	2,010	-	2	2	6	2	8	13	23	36	95	125
UTAH -----	2,389	1	7	5	1	6	6	8	26	20	52	78
WHITE-----MALE----	1,252	-	5	2	-	5	3	3	12	12	21	34
FEMALE--	1,057	1	1	3	1	1	2	5	12	7	25	42
ALL OTHER--MALE----	49	-	1	-	-	-	-	-	-	-	4	1
FEMALE--	31	-	-	-	-	-	1	-	2	1	2	1
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1,289	-	2	2	4	2	2	4	6	16	17	39
WHITE-----MALE----	667	-	1	-	2	2	1	2	-	4	7	21
FEMALE--	618	-	1	2	2	-	1	2	6	11	9	18
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	13,654	6	8	13	20	12	25	32	76	137	304	550
WHITE-----MALE----	5,409	3	1	4	7	5	6	13	22	43	100	161
FEMALE--	5,285	1	5	6	7	5	6	9	27	47	120	210
ALL OTHER--MALE----	1,560	1	1	3	4	2	7	5	8	21	32	97
FEMALE--	1,400	1	1	-	2	-	6	5	19	26	52	82
BLACK---MALE----	1,450	1	1	2	4	2	6	5	5	20	28	89
FEMALE--	1,290	1	-	-	1	-	5	3	17	23	48	73

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
II. Neoplasms (C00-D48)												
SOUTH DAKOTA -----	73	82	123	198	223	266	246	181	91	40	3	-
WHITE-----MALE----	38	49	60	109	134	158	134	85	41	15	-	-
FEMALE--	31	23	51	73	84	101	107	92	49	25	3	-
ALL OTHER--MALE----	2	5	7	6	2	4	2	2	-	-	-	-
FEMALE--	2	5	5	10	3	3	3	2	1	-	-	-
BLACK---MALE-----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
TENNESSEE -----	784	957	1,251	1,591	1,911	1,860	1,501	1,001	416	106	17	-
WHITE-----MALE----	338	479	654	818	921	894	689	408	137	24	5	-
FEMALE--	302	334	416	539	725	707	613	475	219	64	8	-
ALL OTHER--MALE----	78	74	107	124	147	133	98	45	15	6	2	-
FEMALE--	66	70	74	110	118	126	101	73	45	12	2	-
BLACK---MALE-----	77	73	105	124	141	133	96	44	15	6	2	-
FEMALE--	64	68	74	103	115	123	98	71	45	12	2	-
TEXAS -----	2,022	2,710	3,320	4,017	4,975	5,260	4,210	2,772	1,298	349	47	-
WHITE-----MALE----	926	1,193	1,618	1,920	2,472	2,530	2,036	1,169	420	111	11	-
FEMALE--	745	1,060	1,233	1,503	1,882	2,147	1,751	1,361	722	192	24	-
ALL OTHER--MALE----	191	264	263	338	347	322	219	103	63	14	4	-
FEMALE--	160	193	206	256	274	261	204	139	93	32	8	-
BLACK---MALE-----	171	244	242	322	323	295	194	94	63	13	4	-
FEMALE--	150	177	186	235	250	249	191	129	91	32	8	-
UTAH -----	127	184	234	234	311	365	343	238	116	25	2	-
WHITE-----MALE----	55	93	125	128	166	212	185	122	58	10	1	-
FEMALE--	68	87	95	96	136	142	146	114	58	14	1	-
ALL OTHER--MALE----	2	3	8	7	6	8	8	-	-	1	-	-
FEMALE--	2	1	6	3	3	3	4	2	-	-	-	-
BLACK---MALE-----	1	-	4	1	1	4	-	-	-	-	-	-
FEMALE--	-	1	2	1	-	-	2	-	-	-	-	-
VERMONT -----	71	91	95	132	199	196	189	134	66	20	2	-
WHITE-----MALE----	36	47	54	71	111	105	98	61	36	7	1	-
FEMALE--	35	44	41	59	88	91	91	73	30	13	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	826	1,089	1,332	1,622	1,969	2,153	1,770	1,119	448	126	17	-
WHITE-----MALE----	308	449	560	685	872	885	718	396	142	28	1	-
FEMALE--	297	386	482	551	694	855	731	536	223	78	9	-
ALL OTHER--MALE----	114	134	154	208	227	240	171	88	37	5	1	-
FEMALE--	107	120	136	178	176	173	150	99	46	15	6	-
BLACK---MALE-----	110	120	136	191	216	227	165	82	34	5	1	-
FEMALE--	97	115	125	156	160	164	141	95	45	15	6	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms (C00-C97)												
UNITED STATES -	553,768	66	420	493	515	732	972	1,389	2,605	5,466	11,103	19,199
WHITE-----MALE----	248,146	24	189	195	203	360	464	549	944	1,861	3,922	7,421
FEMALE--	231,505	30	164	192	190	227	308	525	1,076	2,417	4,759	7,706
ALL OTHER--MALE----	38,929	7	40	58	77	87	113	145	222	470	1,044	1,956
FEMALE--	35,188	5	27	48	45	58	87	170	363	718	1,378	2,116
BLACK---MALE----	32,679	3	30	43	59	68	85	107	163	370	847	1,642
FEMALE--	29,491	3	18	37	37	45	64	135	292	589	1,175	1,753
ALABAMA -----	9,801	1	6	3	6	14	19	19	42	95	222	328
WHITE-----MALE----	3,961	-	2	1	2	4	7	4	9	33	64	114
FEMALE--	3,460	1	2	2	3	1	7	9	20	31	81	95
ALL OTHER--MALE----	1,290	-	2	-	-	6	2	2	5	13	31	62
FEMALE--	1,090	-	-	-	1	3	3	4	8	18	46	57
BLACK---MALE----	1,276	-	2	-	-	6	2	2	5	13	30	61
FEMALE--	1,077	-	-	-	1	3	3	4	8	18	45	57
ALASKA -----	689	-	2	-	-	3	1	5	1	7	26	43
WHITE-----MALE----	267	-	1	-	-	-	-	1	1	-	6	17
FEMALE--	242	-	1	-	-	-	1	3	-	3	12	13
ALL OTHER--MALE----	107	-	-	-	-	2	-	-	-	1	5	8
FEMALE--	73	-	-	-	-	1	-	1	-	3	3	5
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
ARIZONA -----	9,143	3	6	8	12	20	21	21	51	96	181	285
WHITE-----MALE----	4,496	-	4	2	7	10	11	8	23	34	70	133
FEMALE--	4,156	1	2	4	4	6	6	8	25	47	94	123
ALL OTHER--MALE----	240	2	-	1	-	1	4	4	2	6	7	11
FEMALE--	251	-	-	1	1	3	-	1	1	9	10	18
BLACK---MALE----	105	-	-	1	-	-	-	-	1	4	3	7
FEMALE--	104	-	-	1	-	2	-	1	-	3	6	11
ARKANSAS -----	6,092	-	5	2	2	7	7	15	28	67	127	202
WHITE-----MALE----	2,911	-	2	2	1	3	-	5	9	29	37	75
FEMALE--	2,395	-	2	-	1	3	7	6	14	20	63	75
ALL OTHER--MALE----	423	-	1	-	-	-	-	2	1	8	12	29
FEMALE--	363	-	-	-	-	1	-	2	4	10	15	23
BLACK---MALE----	408	-	1	-	-	-	-	2	1	8	12	28
FEMALE--	355	-	-	-	-	1	-	2	4	10	15	22
CALIFORNIA -----	53,924	10	72	81	70	97	122	160	323	653	1,127	1,997
WHITE-----MALE----	22,868	1	27	35	25	59	63	66	116	213	396	728
FEMALE--	22,572	7	33	35	29	26	38	62	140	283	472	815
ALL OTHER--MALE----	4,421	-	6	4	12	6	14	14	29	66	118	195
FEMALE--	4,063	2	6	7	4	6	7	18	38	91	141	259
BLACK---MALE----	2,130	-	3	2	6	1	4	6	8	26	61	90
FEMALE--	1,961	-	3	2	1	1	1	7	18	43	67	130

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 631

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms (C00-C97)												
UNITED STATES -	30,363	39,827	50,396	64,172	82,846	89,967	75,478	49,680	21,660	5,684	727	8
WHITE-----MALE----	12,648	17,679	23,476	30,684	40,191	42,585	34,197	20,922	7,722	1,710	196	4
FEMALE--	11,911	15,372	19,076	24,089	32,440	37,535	33,688	24,214	11,850	3,330	406	-
ALL OTHER--MALE----	3,046	3,711	4,378	5,216	5,608	5,366	3,978	2,218	906	241	39	3
FEMALE--	2,758	3,065	3,466	4,183	4,607	4,481	3,615	2,326	1,182	403	86	1
BLACK---MALE-----	2,593	3,164	3,669	4,468	4,754	4,486	3,296	1,843	745	204	37	3
FEMALE--	2,257	2,577	2,913	3,483	3,842	3,765	3,043	1,960	1,056	367	79	1
ALABAMA -----	605	752	919	1,302	1,511	1,486	1,195	827	328	109	12	-
WHITE-----MALE----	224	299	405	575	706	609	479	307	96	21	-	-
FEMALE--	181	239	318	409	488	580	465	329	144	51	4	-
ALL OTHER--MALE----	103	132	108	194	167	163	143	98	44	11	4	-
FEMALE--	97	82	88	124	150	134	108	93	44	26	4	-
BLACK---MALE-----	102	131	108	192	166	159	141	97	44	11	4	-
FEMALE--	96	81	87	121	148	131	108	93	43	26	4	-
ALASKA -----	53	62	74	87	102	95	82	32	12	1	1	-
WHITE-----MALE----	23	25	35	33	39	38	34	10	3	-	1	-
FEMALE--	19	16	22	30	39	35	31	15	2	-	-	-
ALL OTHER--MALE----	7	8	8	19	14	15	12	4	3	1	-	-
FEMALE--	4	13	9	5	10	7	5	3	4	-	-	-
BLACK---MALE-----	1	3	2	3	-	3	2	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	-	-	-	-	-
ARIZONA -----	450	653	819	1,076	1,324	1,606	1,321	779	328	72	10	1
WHITE-----MALE----	190	305	413	578	663	838	660	371	147	25	3	1
FEMALE--	221	304	348	433	589	706	623	389	172	44	7	-
ALL OTHER--MALE----	21	19	29	30	36	37	15	13	1	1	-	-
FEMALE--	18	25	29	35	36	25	23	6	8	2	-	-
BLACK---MALE-----	10	3	15	16	18	13	2	11	-	1	-	-
FEMALE--	8	16	7	8	15	5	15	2	4	-	-	-
ARKANSAS -----	327	457	574	792	893	971	761	540	249	55	10	1
WHITE-----MALE----	154	223	285	421	464	513	347	234	87	15	4	1
FEMALE--	123	158	222	291	334	357	333	240	117	25	4	-
ALL OTHER--MALE----	23	38	35	54	53	55	46	40	22	4	-	-
FEMALE--	27	38	32	26	42	46	35	26	23	11	2	-
BLACK---MALE-----	22	37	33	52	50	51	45	40	22	4	-	-
FEMALE--	27	37	30	25	40	45	35	26	23	11	2	-
CALIFORNIA -----	3,095	3,835	4,754	6,039	7,769	8,847	7,396	4,803	2,077	521	75	1
WHITE-----MALE----	1,182	1,587	2,087	2,653	3,462	3,954	3,208	2,048	754	180	23	1
FEMALE--	1,253	1,486	1,813	2,343	3,122	3,742	3,230	2,212	1,102	291	38	-
ALL OTHER--MALE----	305	407	471	571	640	627	525	273	110	23	5	-
FEMALE--	355	355	383	472	545	524	433	270	111	27	9	-
BLACK---MALE-----	153	201	252	319	312	271	245	112	46	8	4	-
FEMALE--	169	187	198	244	257	231	193	129	63	13	4	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 632

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms (C00-C97)												
COLORADO -----	6,145	3	5	6	6	7	14	22	40	80	150	240
WHITE-----MALE----	2,887	1	1	2	3	4	8	12	19	32	57	112
FEMALE--	2,936	2	4	3	1	3	6	10	16	44	78	113
ALL OTHER--MALE----	163	-	-	-	2	-	-	-	1	2	9	8
FEMALE--	159	-	-	1	-	-	-	-	4	2	6	7
BLACK---MALE-----	123	-	-	-	1	-	-	-	1	2	8	6
FEMALE--	107	-	-	1	-	-	-	-	1	1	4	5
CONNECTICUT -----	7,093	-	1	6	3	7	10	13	26	79	123	188
WHITE-----MALE----	3,202	-	-	3	2	3	5	4	11	32	42	69
FEMALE--	3,419	-	1	2	1	3	4	7	9	34	65	97
ALL OTHER--MALE----	233	-	-	1	-	1	1	2	3	7	2	10
FEMALE--	239	-	-	-	-	-	-	-	3	6	14	12
BLACK---MALE-----	213	-	-	-	-	1	1	1	2	6	2	10
FEMALE--	216	-	-	-	-	-	-	-	3	6	13	9
DELAWARE -----	1,786	-	1	1	2	-	5	-	7	12	36	56
WHITE-----MALE----	784	-	1	-	-	-	2	-	4	5	13	18
FEMALE--	730	-	-	-	1	-	1	-	1	5	13	23
ALL OTHER--MALE----	130	-	-	1	-	-	-	-	-	-	3	4
FEMALE--	142	-	-	-	1	-	2	-	2	2	7	11
BLACK---MALE-----	124	-	-	1	-	-	-	-	-	-	2	4
FEMALE--	135	-	-	-	1	-	2	-	2	1	7	11
DISTRICT OF COLUMBIA ---	1,327	-	2	1	1	1	1	1	9	15	34	54
WHITE-----MALE----	159	-	-	1	1	1	-	1	1	3	1	2
FEMALE--	156	-	-	-	-	-	-	-	2	-	1	4
ALL OTHER--MALE----	520	-	1	-	-	-	-	-	2	2	14	26
FEMALE--	492	-	1	-	-	-	1	-	4	10	18	22
BLACK---MALE-----	516	-	1	-	-	-	-	-	2	2	14	26
FEMALE--	484	-	1	-	-	-	1	-	4	10	18	22
FLORIDA -----	39,090	3	20	27	28	44	49	70	144	339	696	1,133
WHITE-----MALE----	19,077	1	15	7	12	17	23	28	44	115	260	479
FEMALE--	16,343	2	4	10	10	19	15	24	70	143	282	442
ALL OTHER--MALE----	1,986	-	1	6	5	4	3	8	10	30	59	111
FEMALE--	1,684	-	-	4	1	4	8	10	20	51	95	101
BLACK---MALE-----	1,888	-	1	6	5	4	3	7	10	29	55	102
FEMALE--	1,593	-	-	4	1	4	7	9	19	51	90	95
GEORGIA -----	13,818	-	11	18	7	14	32	49	90	182	373	595
WHITE-----MALE----	5,374	-	8	8	1	5	12	24	31	49	111	200
FEMALE--	4,865	-	2	4	3	4	8	11	22	66	116	178
ALL OTHER--MALE----	1,913	-	1	1	-	3	7	6	10	23	59	103
FEMALE--	1,666	-	-	5	3	2	5	8	27	44	87	114
BLACK---MALE-----	1,860	-	1	1	-	3	7	6	10	23	57	99
FEMALE--	1,607	-	-	5	3	2	4	8	26	43	83	106

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 632

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms (C00-C97)												
COLORADO -----	382	412	536	666	907	952	822	570	234	85	6	-
WHITE-----MALE----	177	183	248	338	442	472	391	257	89	39	-	-
FEMALE--	180	196	255	278	422	438	397	304	137	44	5	-
ALL OTHER--MALE----	12	16	18	24	25	27	13	2	4	-	-	-
FEMALE--	13	17	15	26	18	15	21	7	4	2	1	-
BLACK---MALE-----	9	13	14	19	17	19	9	2	3	-	-	-
FEMALE--	6	8	13	24	8	9	15	7	3	2	-	-
CONNECTICUT -----	357	495	547	703	1,005	1,201	1,116	776	337	92	8	-
WHITE-----MALE----	145	211	252	352	512	571	507	332	117	32	-	-
FEMALE--	176	229	234	296	443	574	547	421	213	55	8	-
ALL OTHER--MALE----	15	29	36	29	28	28	28	11	2	-	-	-
FEMALE--	21	26	25	26	22	28	34	12	5	5	-	-
BLACK---MALE-----	14	29	32	24	26	28	26	10	1	-	-	-
FEMALE--	15	24	24	25	20	25	32	10	5	5	-	-
DELAWARE -----	84	149	160	203	274	308	256	150	66	15	1	-
WHITE-----MALE----	34	67	65	105	141	140	110	52	21	6	-	-
FEMALE--	37	51	61	68	93	136	117	77	38	7	1	-
ALL OTHER--MALE----	5	16	20	14	18	18	18	8	3	2	-	-
FEMALE--	8	15	14	16	22	14	11	13	4	-	-	-
BLACK---MALE-----	5	16	20	14	17	17	16	8	2	2	-	-
FEMALE--	6	14	14	15	21	14	11	12	4	-	-	-
DISTRICT OF COLUMBIA ---	76	99	122	137	182	214	168	138	59	11	2	-
WHITE-----MALE----	6	6	12	15	20	30	26	18	13	2	-	-
FEMALE--	10	12	11	12	19	21	32	22	9	1	-	-
ALL OTHER--MALE----	39	49	53	61	83	79	50	44	13	4	-	-
FEMALE--	21	32	46	49	60	84	60	54	24	4	2	-
BLACK---MALE-----	39	49	52	61	83	78	50	43	12	4	-	-
FEMALE--	20	31	45	49	59	81	59	54	24	4	2	-
FLORIDA -----	1,847	2,563	3,352	4,452	6,178	6,684	5,751	3,664	1,579	426	39	2
WHITE-----MALE----	833	1,261	1,675	2,246	3,210	3,452	2,820	1,752	674	140	12	1
FEMALE--	716	979	1,274	1,714	2,449	2,779	2,590	1,706	842	250	23	-
ALL OTHER--MALE----	153	200	222	273	302	256	188	110	31	12	1	1
FEMALE--	145	123	181	219	217	197	153	96	32	24	3	-
BLACK---MALE-----	144	192	206	263	287	241	183	106	31	11	1	1
FEMALE--	136	114	171	199	210	190	145	92	30	23	3	-
GEORGIA -----	985	1,210	1,409	1,790	2,012	1,948	1,630	934	409	103	17	-
WHITE-----MALE----	338	462	582	787	894	800	644	284	109	22	3	-
FEMALE--	307	388	414	557	697	740	641	441	207	51	8	-
ALL OTHER--MALE----	187	203	255	258	233	239	182	95	33	14	1	-
FEMALE--	153	157	158	188	188	169	163	114	60	16	5	-
BLACK---MALE-----	184	197	246	250	227	230	180	92	32	14	1	-
FEMALE--	150	150	153	177	183	164	159	113	57	16	5	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 633

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms (C00-C97)												
HAWAII -----	2,024	-	3	1	2	4	4	8	13	14	42	94
WHITE-----MALE----	325	-	2	-	-	-	-	-	-	2	4	14
FEMALE--	256	-	1	-	-	-	1	1	-	-	7	10
ALL OTHER--MALE----	807	-	-	1	2	3	2	3	6	5	18	37
FEMALE--	636	-	-	-	-	1	1	4	7	7	13	33
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
IDAHO -----	2,093	-	1	1	2	4	1	9	11	16	36	71
WHITE-----MALE----	1,097	-	-	-	1	2	-	5	6	11	14	34
FEMALE--	960	-	1	1	1	2	-	4	4	5	21	37
ALL OTHER--MALE----	15	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	21	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	24,778	4	21	25	19	37	49	65	114	215	452	882
WHITE-----MALE----	10,676	1	8	10	7	17	27	23	32	68	147	313
FEMALE--	10,106	2	8	8	8	11	10	23	53	102	190	346
ALL OTHER--MALE----	2,054	1	2	4	4	5	8	9	10	18	47	103
FEMALE--	1,942	-	3	3	-	4	4	10	19	27	68	120
BLACK---MALE----	1,890	-	2	3	3	5	8	7	8	18	40	91
FEMALE--	1,807	-	3	3	-	3	3	8	16	26	64	107
INDIANA -----	12,831	-	13	10	13	19	21	34	50	140	219	454
WHITE-----MALE----	6,251	-	7	5	8	14	15	14	18	54	96	195
FEMALE--	5,555	-	4	4	4	4	4	15	24	68	102	194
ALL OTHER--MALE----	540	-	2	1	-	1	1	3	1	4	11	31
FEMALE--	485	-	-	-	1	-	1	2	7	14	10	34
BLACK---MALE----	524	-	2	1	-	1	1	3	1	4	11	30
FEMALE--	468	-	-	-	1	-	1	1	5	12	10	32
IOWA -----	6,404	-	3	7	3	6	12	10	21	56	103	177
WHITE-----MALE----	3,200	-	2	2	3	6	9	3	9	25	49	73
FEMALE--	3,080	-	1	4	-	-	3	7	11	30	49	98
ALL OTHER--MALE----	65	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	59	-	-	1	-	-	-	-	-	1	4	4
BLACK---MALE----	52	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	40	-	-	-	-	-	-	-	1	4	4	3
KANSAS -----	5,448	2	2	1	7	12	9	9	24	31	112	163
WHITE-----MALE----	2,676	1	1	1	4	7	5	6	6	10	51	75
FEMALE--	2,417	-	1	-	3	4	2	3	15	19	47	76
ALL OTHER--MALE----	209	-	-	-	-	1	-	-	2	2	5	7
FEMALE--	146	1	-	-	-	-	2	-	1	-	9	5
BLACK---MALE----	178	-	-	-	-	1	-	-	1	2	3	5
FEMALE--	119	1	-	-	-	-	1	-	1	-	6	5

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms (C00-C97)												
HAWAII -----	123	152	165	217	288	340	273	191	69	20	1	-
WHITE-----MALE----	25	23	26	39	56	52	48	21	12	1	-	-
FEMALE--	16	22	14	18	37	38	38	32	15	6	-	-
ALL OTHER--MALE----	37	62	68	90	106	143	106	80	31	7	-	-
FEMALE--	45	45	57	70	89	107	81	58	11	6	1	-
BLACK---MALE----	1	1	2	2	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
IDAHO -----	115	154	196	243	296	329	317	190	82	16	3	-
WHITE-----MALE----	62	87	102	143	156	168	169	97	36	4	-	-
FEMALE--	48	63	90	94	135	158	145	92	44	12	3	-
ALL OTHER--MALE----	2	2	2	2	-	2	2	-	1	-	-	-
FEMALE--	3	2	2	4	5	1	1	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,320	1,778	2,291	2,799	3,665	3,987	3,497	2,283	972	276	27	-
WHITE-----MALE----	549	734	1,001	1,240	1,706	1,830	1,604	947	318	83	11	-
FEMALE--	485	669	832	1,029	1,398	1,589	1,507	1,124	535	164	13	-
ALL OTHER--MALE----	147	206	256	287	315	294	184	99	49	6	-	-
FEMALE--	139	169	202	243	246	274	202	113	70	23	3	-
BLACK---MALE----	131	189	235	264	292	281	169	95	43	6	-	-
FEMALE--	124	154	192	230	227	258	191	107	66	22	3	-
INDIANA -----	723	931	1,237	1,553	1,991	2,037	1,640	1,078	492	157	19	-
WHITE-----MALE----	324	439	652	851	1,047	987	776	499	190	52	8	-
FEMALE--	316	407	487	572	798	905	750	521	275	93	8	-
ALL OTHER--MALE----	54	44	52	71	76	83	60	32	10	2	1	-
FEMALE--	29	41	46	59	70	62	54	26	17	10	2	-
BLACK---MALE----	52	43	47	68	74	82	60	32	9	2	1	-
FEMALE--	28	40	46	58	69	61	52	25	17	8	2	-
IOWA -----	289	334	497	748	977	1,041	1,001	721	312	71	15	-
WHITE-----MALE----	122	173	250	434	524	548	499	333	113	17	6	-
FEMALE--	158	151	232	296	429	477	496	378	198	53	9	-
ALL OTHER--MALE----	4	5	6	14	13	10	4	5	-	-	-	-
FEMALE--	5	5	9	4	11	6	2	5	1	1	-	-
BLACK---MALE----	3	4	3	13	10	10	2	4	-	-	-	-
FEMALE--	2	4	5	3	7	3	2	4	1	1	-	-
KANSAS -----	239	372	436	628	804	907	793	537	275	75	10	-
WHITE-----MALE----	119	179	221	331	418	475	382	252	111	18	3	-
FEMALE--	103	154	173	243	333	389	375	264	153	53	7	-
ALL OTHER--MALE----	7	21	26	28	37	28	24	14	5	2	-	-
FEMALE--	10	18	16	26	16	15	12	7	6	2	-	-
BLACK---MALE----	6	18	21	23	32	28	18	13	5	2	-	-
FEMALE--	5	14	11	21	15	14	11	6	6	2	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 634

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms (C00-C97)												
KENTUCKY -----	9,358	-	4	9	5	9	12	25	42	102	207	333
WHITE-----MALE----	4,724	-	1	6	2	4	5	12	21	40	72	152
FEMALE--	3,996	-	3	3	3	4	6	10	19	54	102	154
ALL OTHER--MALE----	339	-	-	-	-	1	-	1	1	3	17	10
FEMALE--	299	-	-	-	-	-	1	2	1	5	16	17
BLACK---MALE-----	324	-	-	-	-	-	-	1	1	3	16	10
FEMALE--	286	-	-	-	-	-	1	2	1	5	14	16
LOUISIANA -----	9,517	-	7	14	8	21	26	32	41	112	223	350
WHITE-----MALE----	3,579	-	2	4	1	7	7	8	12	28	58	108
FEMALE--	3,083	-	4	6	2	7	7	11	14	36	72	112
ALL OTHER--MALE----	1,570	-	1	4	1	2	8	5	6	19	42	60
FEMALE--	1,285	-	-	-	4	5	4	8	9	29	51	70
BLACK---MALE-----	1,538	-	1	4	1	2	8	5	5	17	38	60
FEMALE--	1,265	-	-	-	4	5	4	8	9	29	50	70
MAINE -----	3,045	-	2	3	1	2	5	4	15	29	59	99
WHITE-----MALE----	1,591	-	2	-	-	1	3	4	7	10	22	43
FEMALE--	1,422	-	-	3	1	1	2	-	8	19	37	54
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
MARYLAND -----	10,322	1	10	16	11	9	12	27	54	118	211	394
WHITE-----MALE----	3,861	-	5	6	1	4	4	7	18	29	57	117
FEMALE--	3,742	-	2	3	2	3	2	6	14	40	80	122
ALL OTHER--MALE----	1,408	-	1	2	6	2	3	9	13	13	32	71
FEMALE--	1,311	1	2	5	2	-	3	5	9	36	42	84
BLACK---MALE-----	1,311	-	1	2	5	2	2	6	11	11	29	67
FEMALE--	1,220	1	2	4	2	-	3	5	8	33	40	79
MASSACHUSETTS -----	13,750	1	8	8	13	9	17	34	56	113	247	399
WHITE-----MALE----	6,456	1	4	4	8	6	5	14	21	43	96	181
FEMALE--	6,637	-	3	3	4	3	10	14	23	59	131	176
ALL OTHER--MALE----	327	-	1	-	-	-	1	4	7	5	10	22
FEMALE--	330	-	-	1	1	-	1	2	5	6	10	20
BLACK---MALE-----	255	-	1	-	-	-	1	3	6	2	8	17
FEMALE--	246	-	-	1	1	-	1	1	3	3	6	15
MICHIGAN -----	19,689	1	10	23	16	28	32	38	72	181	424	702
WHITE-----MALE----	8,778	-	3	9	7	15	14	16	24	55	150	282
FEMALE--	8,166	1	5	6	3	8	9	13	33	94	186	284
ALL OTHER--MALE----	1,446	-	-	6	3	2	7	3	3	15	39	74
FEMALE--	1,299	-	2	2	3	3	2	6	12	17	49	62
BLACK---MALE-----	1,346	-	-	4	3	2	4	3	2	14	36	66
FEMALE--	1,208	-	2	2	2	3	2	6	12	16	44	59

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 634

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms (C00-C97)												
KENTUCKY -----	574	751	991	1,230	1,452	1,470	1,058	700	296	76	12	-
WHITE-----MALE----	290	409	533	652	823	779	511	286	100	23	3	-
FEMALE--	242	301	401	492	549	583	485	364	167	47	7	-
ALL OTHER--MALE----	17	27	33	53	44	60	33	22	15	2	-	-
FEMALE--	25	14	24	33	36	48	29	28	14	4	2	-
BLACK---MALE-----	17	24	31	51	42	57	32	22	15	2	-	-
FEMALE--	23	13	22	31	35	48	29	27	14	3	2	-
LOUISIANA -----	613	738	972	1,134	1,397	1,496	1,147	730	335	112	9	-
WHITE-----MALE----	206	258	381	459	582	649	450	256	80	22	1	-
FEMALE--	172	191	277	334	442	497	417	284	139	54	5	-
ALL OTHER--MALE----	138	151	190	191	228	204	149	99	49	22	1	-
FEMALE--	97	138	124	150	145	146	131	91	67	14	2	-
BLACK---MALE-----	134	147	185	188	224	201	147	99	49	22	1	-
FEMALE--	96	136	122	146	141	145	128	90	66	14	2	-
MAINE -----	135	200	258	352	438	516	451	310	128	33	5	-
WHITE-----MALE----	79	109	151	200	238	281	240	147	38	14	2	-
FEMALE--	53	87	104	147	196	232	207	160	89	19	3	-
ALL OTHER--MALE----	2	3	3	3	2	-	2	2	1	-	-	-
FEMALE--	1	1	-	2	2	3	2	1	-	-	-	-
BLACK---MALE-----	1	-	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
MARYLAND -----	612	774	975	1,204	1,562	1,696	1,341	824	342	117	12	-
WHITE-----MALE----	198	264	373	486	661	671	513	316	97	31	3	-
FEMALE--	185	240	285	386	535	673	559	356	181	62	6	-
ALL OTHER--MALE----	116	149	187	186	190	188	132	71	24	12	1	-
FEMALE--	113	121	130	146	176	164	137	81	40	12	2	-
BLACK---MALE-----	110	142	178	171	175	179	121	66	22	11	-	-
FEMALE--	106	113	121	135	167	147	129	72	39	12	2	-
MASSACHUSETTS -----	725	935	1,054	1,401	1,998	2,311	2,117	1,440	656	184	24	-
WHITE-----MALE----	329	444	520	711	1,028	1,142	995	609	227	59	9	-
FEMALE--	331	422	464	621	877	1,098	1,068	791	407	117	15	-
ALL OTHER--MALE----	34	37	37	42	50	31	23	11	11	1	-	-
FEMALE--	31	32	33	27	43	40	31	29	11	7	-	-
BLACK---MALE-----	23	30	28	31	41	24	22	9	8	1	-	-
FEMALE--	23	26	20	19	37	33	20	21	9	7	-	-
MICHIGAN -----	1,111	1,477	1,856	2,236	3,019	3,257	2,630	1,716	687	148	25	-
WHITE-----MALE----	422	667	819	1,078	1,429	1,564	1,182	739	244	52	7	-
FEMALE--	433	561	730	829	1,169	1,337	1,168	811	388	86	12	-
ALL OTHER--MALE----	148	129	159	175	233	192	136	87	28	5	2	-
FEMALE--	108	120	148	154	188	164	144	79	27	5	4	-
BLACK---MALE-----	136	120	142	164	221	183	129	83	28	4	2	-
FEMALE--	100	112	137	143	175	153	132	74	25	5	4	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms (C00-C97)												
MINNESOTA -----	8,967	-	6	6	8	12	18	18	52	72	129	281
WHITE-----MALE----	4,474	-	3	2	2	6	9	6	24	32	60	131
FEMALE--	4,186	-	3	3	4	5	7	10	19	33	58	131
ALL OTHER--MALE----	174	-	-	-	2	-	2	2	3	2	8	6
FEMALE--	133	-	-	1	-	1	-	-	6	5	3	13
BLACK--MALE----	97	-	-	-	1	-	2	2	3	1	3	5
FEMALE--	61	-	-	-	-	-	-	-	3	3	2	5
MISSISSIPPI -----	5,958	3	4	2	4	4	12	26	31	65	139	241
WHITE-----MALE----	2,284	1	-	1	1	2	7	8	9	16	35	62
FEMALE--	1,765	2	2	-	-	-	-	9	6	20	29	72
ALL OTHER--MALE----	1,056	-	2	-	3	2	1	3	6	12	34	55
FEMALE--	853	-	-	1	-	-	4	6	10	17	41	52
BLACK--MALE----	1,046	-	2	-	3	2	1	3	6	12	34	54
FEMALE--	838	-	-	1	-	-	4	6	10	17	41	52
MISSOURI -----	12,365	-	11	12	8	22	27	31	54	99	237	428
WHITE-----MALE----	5,659	-	3	4	2	6	12	14	20	40	88	162
FEMALE--	5,413	-	8	8	4	9	12	12	23	39	108	188
ALL OTHER--MALE----	671	-	-	-	1	5	2	4	2	10	17	41
FEMALE--	622	-	-	-	1	2	1	1	9	10	24	37
BLACK--MALE----	639	-	-	-	1	4	2	3	2	9	15	38
FEMALE--	590	-	-	-	1	1	1	1	9	9	21	35
MONTANA -----	1,956	-	-	6	-	-	4	4	9	10	28	53
WHITE-----MALE----	994	-	-	2	-	-	2	1	4	5	13	21
FEMALE--	872	-	-	4	-	-	2	2	5	3	14	27
ALL OTHER--MALE----	52	-	-	-	-	-	-	1	-	2	-	3
FEMALE--	38	-	-	-	-	-	-	-	-	-	1	2
BLACK--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3,389	-	1	2	2	6	2	6	11	38	64	89
WHITE-----MALE----	1,666	-	-	1	2	2	-	2	4	12	29	38
FEMALE--	1,583	-	1	1	-	3	2	4	7	20	30	45
ALL OTHER--MALE----	74	-	-	-	-	1	-	-	-	-	2	2
FEMALE--	66	-	-	-	-	-	-	-	-	6	3	4
BLACK--MALE----	65	-	-	-	-	1	-	-	-	-	2	2
FEMALE--	48	-	-	-	-	-	-	-	-	3	3	4
NEVADA -----	3,815	1	4	6	5	-	8	8	19	29	73	140
WHITE-----MALE----	1,889	1	2	1	3	-	4	6	7	11	30	53
FEMALE--	1,585	-	2	4	1	-	3	1	8	15	34	63
ALL OTHER--MALE----	181	-	-	-	1	-	1	-	1	2	2	10
FEMALE--	160	-	-	1	-	-	-	1	3	1	7	14
BLACK--MALE----	117	-	-	-	1	-	-	-	1	1	-	10
FEMALE--	111	-	-	1	-	-	-	1	2	1	6	11

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 635

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms (C00-C97)												
MINNESOTA -----	436	590	780	936	1,290	1,494	1,304	950	438	130	17	-
WHITE-----MALE----	214	281	406	483	711	792	628	456	183	40	5	-
FEMALE--	191	275	341	414	542	670	654	476	251	87	12	-
ALL OTHER--MALE----	24	22	22	24	16	15	15	7	2	2	-	-
FEMALE--	7	12	11	15	21	17	7	11	2	1	-	-
BLACK---MALE----	16	15	8	10	11	11	5	3	1	-	-	-
FEMALE--	-	6	7	7	8	9	3	6	2	-	-	-
MISSISSIPPI -----	386	462	618	798	896	807	746	444	202	62	6	-
WHITE-----MALE----	138	185	238	341	409	347	281	132	56	14	1	-
FEMALE--	96	115	173	215	258	257	241	177	72	21	-	-
ALL OTHER--MALE----	84	96	125	141	129	109	125	78	37	13	1	-
FEMALE--	68	66	82	101	100	94	99	57	37	14	4	-
BLACK---MALE----	79	95	125	140	127	109	125	78	37	13	1	-
FEMALE--	66	63	82	97	98	92	98	56	37	14	4	-
MISSOURI -----	677	896	1,144	1,518	1,833	1,933	1,616	1,169	508	127	15	-
WHITE-----MALE----	296	433	554	759	910	951	711	468	189	33	4	-
FEMALE--	280	353	463	600	744	807	774	599	290	83	9	-
ALL OTHER--MALE----	59	64	73	82	96	93	62	47	9	3	1	-
FEMALE--	42	46	54	77	83	82	69	55	20	8	1	-
BLACK---MALE----	56	61	69	78	91	91	62	46	7	3	1	-
FEMALE--	39	44	51	70	80	79	67	54	19	8	1	-
MONTANA -----	67	114	188	216	283	335	289	225	104	20	1	-
WHITE-----MALE----	36	50	95	117	158	178	152	121	34	5	-	-
FEMALE--	26	58	82	86	108	147	126	101	65	15	1	-
ALL OTHER--MALE----	3	4	6	9	9	3	8	2	2	-	-	-
FEMALE--	2	2	5	4	8	7	3	1	3	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	158	216	240	386	537	543	490	359	177	59	3	-
WHITE-----MALE----	83	112	119	211	297	271	243	157	60	23	-	-
FEMALE--	62	89	107	154	221	254	237	194	114	36	2	-
ALL OTHER--MALE----	7	5	6	13	15	9	8	5	-	-	1	-
FEMALE--	6	10	8	8	4	9	2	3	3	-	-	-
BLACK---MALE----	6	4	4	11	13	9	7	5	-	-	1	-
FEMALE--	3	9	5	5	2	8	1	3	2	-	-	-
NEVADA -----	198	283	430	521	587	658	476	254	95	17	2	1
WHITE-----MALE----	93	124	225	262	317	340	236	135	33	5	1	-
FEMALE--	89	134	155	204	216	280	202	107	57	9	1	-
ALL OTHER--MALE----	7	13	30	31	30	21	23	5	2	1	-	1
FEMALE--	9	12	20	24	24	17	15	7	3	2	-	-
BLACK---MALE----	2	12	17	23	19	15	10	4	-	1	-	1
FEMALE--	5	7	10	19	15	12	12	5	3	1	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms (C00-C97)												
OHIO -----	24,804	6	15	16	17	23	40	54	109	225	485	814
WHITE-----MALE----	11,345	2	10	7	7	15	20	25	44	86	187	318
FEMALE--	10,708	4	4	6	2	6	13	22	55	114	229	367
ALL OTHER--MALE----	1,463	-	1	3	6	2	6	1	4	7	25	57
FEMALE--	1,288	-	-	-	2	-	1	6	6	18	44	72
BLACK---MALE----	1,418	-	1	3	6	2	6	1	4	7	24	55
FEMALE--	1,243	-	-	-	2	-	-	6	6	18	43	71
OKLAHOMA -----	7,411	1	5	5	9	12	12	23	29	85	157	248
WHITE-----MALE----	3,524	-	1	2	4	7	7	11	10	23	58	111
FEMALE--	3,120	1	2	2	2	3	5	7	11	47	73	104
ALL OTHER--MALE----	393	-	2	-	3	1	-	3	2	4	11	15
FEMALE--	374	-	-	1	-	1	-	2	6	11	15	18
BLACK---MALE----	223	-	-	-	3	-	-	-	-	1	4	11
FEMALE--	213	-	-	1	-	1	-	1	3	6	12	6
OREGON -----	7,057	1	5	7	7	11	14	19	27	59	105	219
WHITE-----MALE----	3,540	-	1	2	5	7	9	7	16	32	39	101
FEMALE--	3,310	1	4	5	1	3	4	10	11	24	61	112
ALL OTHER--MALE----	108	-	-	-	1	1	-	-	-	2	2	3
FEMALE--	99	-	-	-	-	-	1	-	-	1	3	3
BLACK---MALE----	45	-	-	-	1	1	-	-	-	1	1	2
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	29,914	1	5	24	25	21	35	50	97	233	480	884
WHITE-----MALE----	13,692	1	2	12	12	10	20	19	41	73	171	371
FEMALE--	13,417	-	3	9	9	6	9	19	38	126	245	398
ALL OTHER--MALE----	1,400	-	-	2	3	3	3	7	10	11	30	51
FEMALE--	1,405	-	-	1	1	2	3	5	8	23	34	64
BLACK---MALE----	1,333	-	-	1	3	2	2	6	10	9	28	46
FEMALE--	1,335	-	-	1	1	2	3	4	8	20	33	57
RHODE ISLAND -----	2,398	-	4	2	1	2	5	4	8	16	59	81
WHITE-----MALE----	1,164	-	2	2	-	1	2	4	5	7	27	34
FEMALE--	1,143	-	1	-	1	1	3	-	2	6	29	37
ALL OTHER--MALE----	55	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	36	-	1	-	-	-	-	-	1	3	2	5
BLACK---MALE----	44	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	27	-	-	-	-	-	-	-	1	2	2	5
SOUTH CAROLINA -----	8,272	1	5	2	7	11	12	21	43	85	195	320
WHITE-----MALE----	3,304	1	4	1	4	5	4	3	14	18	40	84
FEMALE--	2,699	-	-	1	1	3	5	10	12	26	62	90
ALL OTHER--MALE----	1,282	-	-	-	2	-	2	4	7	16	43	71
FEMALE--	987	-	1	-	-	3	1	4	10	25	50	75
BLACK---MALE----	1,275	-	-	-	2	-	2	4	7	16	42	71
FEMALE--	962	-	-	-	-	2	1	4	10	24	48	73

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms (C00-C97)												
OHIO -----	1,302	1,743	2,174	2,869	3,929	4,290	3,392	2,092	933	246	30	-
WHITE-----MALE----	581	809	1,054	1,431	1,955	2,008	1,539	865	318	55	9	-
FEMALE--	551	726	836	1,067	1,549	1,816	1,556	1,072	538	160	15	-
ALL OTHER--MALE----	95	115	158	218	228	244	154	77	43	18	1	-
FEMALE--	75	93	126	153	197	222	143	78	34	13	5	-
BLACK---MALE----	88	112	151	212	225	236	148	76	42	18	1	-
FEMALE--	69	89	122	143	193	215	139	75	34	13	5	-
OKLAHOMA -----	410	537	712	919	1,126	1,197	957	640	237	80	10	-
WHITE-----MALE----	177	247	381	465	554	628	443	280	85	29	1	-
FEMALE--	176	213	245	364	465	474	437	309	129	42	9	-
ALL OTHER--MALE----	29	43	50	47	58	48	43	23	9	2	-	-
FEMALE--	28	34	36	43	49	47	34	28	14	7	-	-
BLACK---MALE----	23	21	24	29	31	24	31	12	7	2	-	-
FEMALE--	17	18	22	24	31	23	18	17	7	6	-	-
OREGON -----	391	492	589	761	1,054	1,147	1,058	707	295	81	8	-
WHITE-----MALE----	178	237	313	380	547	607	532	355	137	33	2	-
FEMALE--	187	241	262	351	478	507	504	337	154	47	6	-
ALL OTHER--MALE----	10	4	12	17	16	21	9	8	2	-	-	-
FEMALE--	16	10	2	13	13	12	13	7	2	1	-	-
BLACK---MALE----	5	2	2	8	5	11	3	2	1	-	-	-
FEMALE--	3	4	-	3	6	4	3	1	1	1	-	-
PENNSYLVANIA -----	1,435	1,935	2,474	3,283	4,646	5,192	4,533	2,950	1,286	290	34	1
WHITE-----MALE----	629	890	1,135	1,631	2,310	2,519	2,086	1,219	449	86	6	-
FEMALE--	604	788	1,046	1,323	1,893	2,258	2,140	1,544	751	186	22	-
ALL OTHER--MALE----	102	131	151	183	228	205	157	85	28	7	2	1
FEMALE--	100	126	142	146	215	210	150	102	58	11	4	-
BLACK---MALE----	95	125	146	174	220	197	150	81	28	7	2	1
FEMALE--	95	111	137	138	204	204	146	100	56	11	4	-
RHODE ISLAND -----	104	140	181	265	359	429	359	225	111	39	4	-
WHITE-----MALE----	53	77	79	137	201	209	161	107	42	13	1	-
FEMALE--	42	57	95	120	142	209	189	112	68	26	3	-
ALL OTHER--MALE----	7	6	4	4	8	9	8	3	-	-	-	-
FEMALE--	2	-	3	4	8	2	1	3	1	-	-	-
BLACK---MALE----	5	4	2	3	7	9	7	1	-	-	-	-
FEMALE--	2	-	2	2	7	1	1	1	1	-	-	-
SOUTH CAROLINA -----	497	696	853	1,050	1,243	1,317	1,006	558	259	72	19	-
WHITE-----MALE----	176	279	365	486	555	578	393	198	76	16	4	-
FEMALE--	133	206	271	288	399	450	364	222	115	34	7	-
ALL OTHER--MALE----	118	132	133	166	183	161	144	70	24	4	2	-
FEMALE--	70	79	84	110	106	128	105	68	44	18	6	-
BLACK---MALE----	117	131	130	166	182	161	144	70	24	4	2	-
FEMALE--	69	76	81	107	102	127	103	68	43	18	6	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms (C00-C97)												
SOUTH DAKOTA -----	1,590	-	2	-	-	3	2	4	6	17	21	40
WHITE-----MALE----	847	-	1	-	-	3	1	1	1	7	4	23
FEMALE--	669	-	-	-	-	-	1	3	5	8	12	15
ALL OTHER--MALE----	35	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	39	-	1	-	-	-	-	-	-	1	3	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	12,229	2	5	6	13	8	16	31	60	145	283	473
WHITE-----MALE----	5,662	2	1	1	5	5	6	9	23	40	104	203
FEMALE--	4,721	-	1	1	4	2	6	15	21	67	115	171
ALL OTHER--MALE----	930	-	2	1	1	1	3	2	6	15	28	49
FEMALE--	916	-	1	3	3	-	1	5	10	23	36	50
BLACK---MALE----	908	-	2	1	-	1	3	1	5	14	26	46
FEMALE--	890	-	1	3	3	-	1	5	10	22	35	48
TEXAS -----	33,488	6	44	36	49	69	91	123	191	363	845	1,344
WHITE-----MALE----	15,392	1	26	16	18	34	51	47	66	141	319	562
FEMALE--	13,568	3	12	14	22	21	25	53	84	150	349	513
ALL OTHER--MALE----	2,389	2	3	2	4	12	7	9	12	35	78	130
FEMALE--	2,139	-	3	4	5	2	8	14	29	37	99	139
BLACK---MALE----	2,193	2	2	2	2	11	7	9	12	30	66	115
FEMALE--	1,975	-	2	2	4	2	7	13	23	34	93	124
UTAH -----	2,313	1	6	4	1	6	6	7	23	20	50	77
WHITE-----MALE----	1,214	-	4	2	-	5	3	3	9	12	19	33
FEMALE--	1,020	1	1	2	1	1	2	4	12	7	25	42
ALL OTHER--MALE----	48	-	1	-	-	-	-	-	-	-	4	1
FEMALE--	31	-	-	-	-	-	1	-	2	1	2	1
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1,249	-	2	2	3	1	2	4	6	16	16	37
WHITE-----MALE----	642	-	1	-	1	1	1	2	-	4	6	19
FEMALE--	603	-	1	2	2	-	1	2	6	11	9	18
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	13,345	3	6	11	18	12	24	31	75	135	298	543
WHITE-----MALE----	5,287	1	1	3	6	5	6	12	22	42	97	160
FEMALE--	5,148	-	3	5	7	5	6	9	26	46	117	207
ALL OTHER--MALE----	1,537	1	1	3	4	2	7	5	8	21	32	94
FEMALE--	1,373	1	1	-	1	-	5	5	19	26	52	82
BLACK---MALE----	1,431	1	1	2	4	2	6	5	5	20	28	88
FEMALE--	1,264	1	-	-	-	-	4	3	17	23	48	73

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 638

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms (C00-C97)												
SOUTH DAKOTA -----	73	81	123	195	219	261	239	177	86	38	3	-
WHITE-----MALE----	38	48	60	107	130	155	133	83	39	13	-	-
FEMALE--	31	23	51	72	84	99	101	90	46	25	3	-
ALL OTHER--MALE----	2	5	7	6	2	4	2	2	-	-	-	-
FEMALE--	2	5	5	10	3	3	3	2	1	-	-	-
BLACK---MALE-----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
TENNESSEE -----	777	943	1,240	1,565	1,881	1,825	1,470	965	403	101	17	-
WHITE-----MALE----	334	473	648	804	900	873	679	391	133	23	5	-
FEMALE--	300	327	412	532	718	697	594	458	212	60	8	-
ALL OTHER--MALE----	77	73	106	122	147	132	98	44	15	6	2	-
FEMALE--	66	70	74	107	116	123	99	72	43	12	2	-
BLACK---MALE-----	76	72	104	122	141	132	96	43	15	6	2	-
FEMALE--	64	68	74	100	113	120	96	70	43	12	2	-
TEXAS -----	2,001	2,681	3,285	3,960	4,900	5,143	4,079	2,673	1,238	326	41	-
WHITE-----MALE----	918	1,180	1,602	1,887	2,435	2,470	1,976	1,123	406	104	10	-
FEMALE--	736	1,045	1,217	1,485	1,850	2,103	1,691	1,314	683	178	20	-
ALL OTHER--MALE----	190	263	260	334	345	312	212	102	59	14	4	-
FEMALE--	157	193	206	254	270	258	200	134	90	30	7	-
BLACK---MALE-----	170	243	239	318	321	286	189	93	59	13	4	-
FEMALE--	147	177	186	233	246	246	187	124	88	30	7	-
UTAH -----	125	182	225	227	302	355	332	227	111	24	2	-
WHITE-----MALE----	55	91	119	125	161	207	180	118	57	10	1	-
FEMALE--	66	87	92	92	132	137	141	107	54	13	1	-
ALL OTHER--MALE----	2	3	8	7	6	8	7	-	-	1	-	-
FEMALE--	2	1	6	3	3	3	4	2	-	-	-	-
BLACK---MALE-----	1	-	4	1	1	4	-	-	-	-	-	-
FEMALE--	-	1	2	1	-	-	2	-	-	-	-	-
VERMONT -----	68	89	95	128	194	193	184	130	61	16	2	-
WHITE-----MALE----	35	47	54	68	109	103	93	58	33	6	1	-
FEMALE--	33	42	41	58	85	90	91	72	28	10	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	809	1,078	1,312	1,595	1,932	2,110	1,717	1,074	427	120	15	-
WHITE-----MALE----	298	445	548	672	854	869	699	381	139	26	1	-
FEMALE--	291	383	478	542	678	836	705	512	208	76	8	-
ALL OTHER--MALE----	113	132	151	206	226	235	168	87	35	5	1	-
FEMALE--	107	118	135	175	174	170	145	94	45	13	5	-
BLACK---MALE-----	109	119	133	189	215	222	162	82	32	5	1	-
FEMALE--	97	113	124	154	158	161	136	90	44	13	5	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 640

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
UNITED STATES -	7,702	-	-	2	2	10	19	19	37	93	190	427
WHITE-----MALE----	4,183	-	-	1	-	1	6	10	13	37	93	227
FEMALE--	2,186	-	-	-	1	6	8	4	10	18	30	69
ALL OTHER--MALE----	973	-	-	-	-	2	3	2	10	24	48	98
FEMALE--	360	-	-	1	1	2	3	4	4	14	19	33
BLACK---MALE-----	782	-	-	-	-	1	1	1	4	14	32	80
FEMALE--	283	-	-	1	-	-	2	1	-	10	16	26
ALABAMA -----	121	-	-	-	-	-	-	-	3	1	1	9
WHITE-----MALE----	66	-	-	-	-	-	-	-	1	-	1	4
FEMALE--	30	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	1	1	-	3
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	22	-	-	-	-	-	-	-	1	1	-	3
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	15	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	118	-	-	-	-	-	1	1	1	1	3	10
WHITE-----MALE----	81	-	-	-	-	-	1	1	1	-	1	10
FEMALE--	36	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	89	-	-	-	-	-	-	1	-	1	1	7
WHITE-----MALE----	54	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	20	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	13	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	853	-	-	-	-	1	5	1	7	13	30	51
WHITE-----MALE----	424	-	-	-	-	-	2	1	-	5	15	25
FEMALE--	268	-	-	-	-	1	2	-	2	3	5	10
ALL OTHER--MALE----	108	-	-	-	-	-	1	-	4	3	8	9
FEMALE--	53	-	-	-	-	-	-	-	1	2	2	7
BLACK---MALE-----	53	-	-	-	-	-	-	-	1	1	1	5
FEMALE--	26	-	-	-	-	-	-	-	-	1	2	6

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
UNITED STATES -	649	861	879	893	1,019	1,004	783	502	240	67	5	1
WHITE-----MALE----	400	525	537	509	594	529	391	213	77	18	2	-
FEMALE--	97	139	160	211	287	371	329	250	145	48	3	-
ALL OTHER--MALE----	121	162	148	122	102	69	36	19	6	-	-	1
FEMALE--	31	35	34	51	36	35	27	20	12	1	-	-
BLACK---MALE-----	100	142	122	100	87	54	26	12	5	-	-	1
FEMALE--	24	31	24	42	30	28	23	13	11	1	-	-
ALABAMA -----	11	13	10	23	12	12	13	7	4	2	-	-
WHITE-----MALE----	8	6	6	13	6	5	7	6	2	1	-	-
FEMALE--	-	-	2	8	4	6	3	1	2	1	-	-
ALL OTHER--MALE----	3	6	2	2	1	-	3	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	-	-	-
BLACK---MALE-----	3	6	2	2	1	-	3	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	-	-	-
ALASKA -----	-	2	2	4	1	2	3	1	-	-	-	-
WHITE-----MALE----	-	1	1	2	-	1	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	2	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	14	11	8	16	19	13	8	4	3	-	-
WHITE-----MALE----	3	12	9	5	9	15	7	6	1	-	-	-
FEMALE--	2	2	2	3	7	4	6	2	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	8	6	9	15	11	10	9	8	3	-	-	-
WHITE-----MALE----	8	3	3	10	10	5	4	4	1	-	-	-
FEMALE--	-	2	1	4	1	3	5	2	1	-	-	-
ALL OTHER--MALE----	-	1	3	1	-	2	-	2	1	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	3	1	-	2	-	2	1	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	67	87	87	109	118	128	74	42	22	11	-	-
WHITE-----MALE----	38	51	45	57	58	62	36	17	8	4	-	-
FEMALE--	13	24	19	22	40	53	33	20	14	7	-	-
ALL OTHER--MALE----	10	10	18	18	11	9	3	4	-	-	-	-
FEMALE--	6	2	5	12	9	4	2	1	-	-	-	-
BLACK---MALE-----	5	6	11	12	5	6	-	-	-	-	-	-
FEMALE--	1	1	1	6	7	1	-	-	-	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 641

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
COLORADO -----	5	7	11	12	13	4	10	5	2	-	-	-
WHITE-----MALE----	4	6	9	8	9	2	9	-	1	-	-	-
FEMALE--	1	1	2	3	4	2	1	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	4	6	16	11	13	11	16	6	5	1	-	-
WHITE-----MALE----	4	5	13	8	11	6	8	2	2	-	-	-
FEMALE--	-	1	1	2	1	4	7	4	3	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
DELAWARE -----	1	4	2	3	3	1	2	1	1	-	-	-
WHITE-----MALE----	1	3	1	2	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	4	5	2	4	-	3	-	2	-	-	-	-
WHITE-----MALE----	2	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	2	5	2	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	5	2	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
FLORIDA -----	44	68	65	71	98	89	73	44	15	6	-	1
WHITE-----MALE----	32	45	42	33	63	45	39	14	5	3	-	-
FEMALE--	5	11	15	28	26	39	32	28	9	3	-	-
ALL OTHER--MALE----	7	11	4	5	7	2	-	1	1	-	-	1
FEMALE--	-	1	4	5	2	3	2	1	-	-	-	-
BLACK---MALE----	6	11	2	5	7	1	-	1	1	-	-	1
FEMALE--	-	1	3	5	2	2	2	-	-	-	-	-
GEORGIA -----	20	24	26	22	20	32	21	13	7	2	-	-
WHITE-----MALE----	5	13	12	12	8	10	6	5	3	1	-	-
FEMALE--	-	3	5	5	4	17	12	7	3	1	-	-
ALL OTHER--MALE----	10	7	8	2	7	4	1	-	-	-	-	-
FEMALE--	5	1	1	3	1	1	2	1	1	-	-	-
BLACK---MALE----	10	7	7	2	6	4	1	-	-	-	-	-
FEMALE--	5	1	-	3	1	1	2	1	1	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 643

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
KENTUCKY -----	13	19	13	10	21	17	13	10	3	1	-	-
WHITE-----MALE----	10	15	8	8	10	14	4	6	1	-	-	-
FEMALE--	2	2	3	1	8	2	9	4	2	1	-	-
ALL OTHER--MALE----	-	2	2	1	2	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	2	2	1	2	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
LOUISIANA -----	9	18	18	20	23	18	17	6	3	3	-	-
WHITE-----MALE----	3	8	9	8	11	8	8	2	1	-	-	-
FEMALE--	-	1	1	7	5	4	8	3	2	3	-	-
ALL OTHER--MALE----	5	8	7	3	5	5	1	1	-	-	-	-
FEMALE--	1	1	1	2	2	1	-	-	-	-	-	-
BLACK---MALE----	4	8	7	3	5	5	1	1	-	-	-	-
FEMALE--	1	1	1	2	2	1	-	-	-	-	-	-
MAINE -----	6	4	9	4	4	3	5	6	-	1	-	-
WHITE-----MALE----	4	3	7	3	2	3	3	3	-	-	-	-
FEMALE--	1	1	2	1	2	-	2	3	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	14	19	13	13	18	21	13	11	5	2	1	-
WHITE-----MALE----	6	4	6	7	11	12	6	3	2	1	1	-
FEMALE--	-	2	-	1	2	6	4	5	2	1	-	-
ALL OTHER--MALE----	4	11	6	4	3	2	2	1	1	-	-	-
FEMALE--	4	2	1	1	2	1	1	2	-	-	-	-
BLACK---MALE----	4	11	5	4	3	2	2	1	1	-	-	-
FEMALE--	3	2	1	1	2	1	1	2	-	-	-	-
MASSACHUSETTS -----	12	25	25	10	24	22	26	12	9	1	-	-
WHITE-----MALE----	7	18	19	7	10	12	11	8	5	-	-	-
FEMALE--	4	5	4	3	13	9	15	3	4	1	-	-
ALL OTHER--MALE----	-	1	2	-	1	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	2	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	22	24	32	27	32	44	28	13	6	-	2	-
WHITE-----MALE----	16	15	19	16	22	23	15	5	3	-	-	-
FEMALE--	1	3	5	7	6	18	11	7	3	-	2	-
ALL OTHER--MALE----	5	4	8	2	3	2	1	-	-	-	-	-
FEMALE--	-	2	-	2	1	1	1	1	-	-	-	-
BLACK---MALE----	5	3	7	2	2	2	1	-	-	-	-	-
FEMALE--	-	2	-	2	1	1	1	1	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
MINNESOTA -----	12	11	5	15	20	20	9	8	4	4	-	-
WHITE-----MALE----	6	9	3	10	13	12	7	2	3	1	-	-
FEMALE--	5	2	-	5	7	7	2	5	1	3	-	-
ALL OTHER--MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	16	9	13	19	10	7	12	3	3	1	-	-
WHITE-----MALE----	8	5	5	12	5	4	5	-	-	-	-	-
FEMALE--	2	1	6	1	3	-	4	3	1	-	-	-
ALL OTHER--MALE----	5	3	2	4	2	3	1	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	2	-	2	1	-	-
BLACK---MALE----	4	3	2	4	2	3	1	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	2	-	2	1	-	-
MISSOURI -----	16	15	17	13	18	17	12	8	3	-	-	-
WHITE-----MALE----	11	10	9	6	14	7	5	2	-	-	-	-
FEMALE--	3	2	5	4	3	9	7	6	3	-	-	-
ALL OTHER--MALE----	2	2	3	2	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	2	3	2	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
MONTANA -----	1	1	2	2	2	4	4	2	1	1	-	-
WHITE-----MALE----	1	-	2	-	1	2	1	2	-	-	-	-
FEMALE--	-	-	-	2	1	2	2	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3	3	2	4	5	4	5	4	5	1	-	-
WHITE-----MALE----	2	3	2	3	3	4	3	2	-	-	-	-
FEMALE--	-	-	-	1	2	-	2	2	5	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	1	8	6	6	6	8	6	2	2	-	-	-
WHITE-----MALE----	-	4	5	5	5	2	3	1	1	-	-	-
FEMALE--	1	3	1	1	1	6	1	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 646

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
OHIO -----	295	-	-	-	-	1	-	2	2	3	6	11
WHITE-----MALE----	172	-	-	-	-	-	-	2	1	2	4	6
FEMALE--	83	-	-	-	-	1	-	-	1	-	-	4
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	30	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
OKLAHOMA -----	96	-	-	-	-	-	-	-	-	1	3	3
WHITE-----MALE----	52	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	114	-	-	-	-	-	-	1	1	-	-	5
WHITE-----MALE----	65	-	-	-	-	-	-	1	1	-	-	4
FEMALE--	44	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	365	-	-	-	1	-	-	1	2	4	9	12
WHITE-----MALE----	219	-	-	-	-	-	-	-	1	2	4	11
FEMALE--	100	-	-	-	1	-	-	-	-	-	2	-
ALL OTHER--MALE----	31	-	-	-	-	-	-	1	1	1	2	1
FEMALE--	15	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	27	-	-	-	-	-	-	1	1	-	2	-
FEMALE--	13	-	-	-	-	-	-	-	-	1	1	-
RHODE ISLAND -----	32	-	-	-	-	-	1	-	-	1	1	1
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	142	-	-	-	-	-	-	1	2	2	3	8
WHITE-----MALE----	61	-	-	-	-	-	-	1	1	-	-	2
FEMALE--	24	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	50	-	-	-	-	-	-	-	-	1	2	6
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	50	-	-	-	-	-	-	-	-	1	2	6
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 646

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
OHIO -----	32	41	31	36	33	39	21	20	13	4	-	-
WHITE-----MALE----	26	28	16	17	23	22	9	11	4	1	-	-
FEMALE--	3	8	7	11	7	13	10	6	9	3	-	-
ALL OTHER--MALE----	2	4	8	7	3	2	1	3	-	-	-	-
FEMALE--	1	1	-	1	-	2	1	-	-	-	-	-
BLACK---MALE----	2	4	7	7	3	1	1	2	-	-	-	-
FEMALE--	1	1	-	1	-	2	1	-	-	-	-	-
OKLAHOMA -----	7	9	16	5	17	12	7	11	3	1	1	-
WHITE-----MALE----	3	5	12	5	10	7	3	5	1	1	-	-
FEMALE--	2	2	-	-	7	4	4	6	2	-	1	-
ALL OTHER--MALE----	2	2	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	10	14	6	19	16	16	15	8	3	-	-	-
WHITE-----MALE----	5	11	4	12	7	7	6	5	2	-	-	-
FEMALE--	5	2	1	6	8	9	9	2	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	27	44	33	45	52	42	45	37	8	3	-	-
WHITE-----MALE----	18	24	22	30	39	23	26	16	2	1	-	-
FEMALE--	6	9	7	9	10	14	16	19	5	2	-	-
ALL OTHER--MALE----	3	9	4	1	2	3	2	1	-	-	-	-
FEMALE--	-	2	-	5	1	2	1	1	1	-	-	-
BLACK---MALE----	3	9	3	1	2	2	2	1	-	-	-	-
FEMALE--	-	2	-	5	-	2	1	1	-	-	-	-
RHODE ISLAND -----	1	1	6	3	5	6	2	2	2	-	-	-
WHITE-----MALE----	1	1	4	2	4	3	1	1	1	-	-	-
FEMALE--	-	-	1	1	1	3	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	13	21	17	23	16	17	9	6	3	1	-	-
WHITE-----MALE----	5	11	6	14	4	9	3	4	1	-	-	-
FEMALE--	1	2	3	1	4	5	2	1	2	1	-	-
ALL OTHER--MALE----	7	7	8	7	8	3	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	3	1	1	-	-	-	-
BLACK---MALE----	7	7	8	7	8	3	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	3	1	1	-	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 647

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
SOUTH DAKOTA -----	-	1	2	1	2	4	4	2	1	1	-	-
WHITE-----MALE----	-	-	1	-	1	2	2	1	-	-	-	-
FEMALE--	-	1	1	-	1	2	2	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	21	23	24	22	28	15	15	12	10	1	-	-
WHITE-----MALE----	17	11	17	13	17	8	8	3	3	-	-	-
FEMALE--	-	2	3	2	6	6	6	8	7	1	-	-
ALL OTHER--MALE----	3	8	4	5	4	-	1	1	-	-	-	-
FEMALE--	1	2	-	2	1	1	-	-	-	-	-	-
BLACK---MALE----	3	7	4	5	4	-	1	1	-	-	-	-
FEMALE--	1	2	-	2	1	1	-	-	-	-	-	-
TEXAS -----	59	60	76	54	59	61	43	22	13	-	-	-
WHITE-----MALE----	34	38	46	30	30	31	26	12	3	-	-	-
FEMALE--	13	11	14	15	18	23	14	9	8	-	-	-
ALL OTHER--MALE----	10	11	11	5	6	6	-	-	1	-	-	-
FEMALE--	2	-	5	4	5	1	3	1	1	-	-	-
BLACK---MALE----	9	11	10	5	6	5	-	-	1	-	-	-
FEMALE--	2	-	3	4	5	1	3	1	1	-	-	-
UTAH -----	4	5	5	3	2	4	4	3	-	-	-	-
WHITE-----MALE----	3	3	5	2	1	3	3	1	-	-	-	-
FEMALE--	1	1	-	1	1	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	4	3	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	3	2	1	-	1	-	-	-
FEMALE--	-	-	1	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	14	22	25	27	20	25	21	8	3	-	-	-
WHITE-----MALE----	10	14	10	12	13	9	12	4	2	-	-	-
FEMALE--	-	2	7	9	3	11	7	3	1	-	-	-
ALL OTHER--MALE----	2	5	5	6	4	1	2	-	-	-	-	-
FEMALE--	2	1	3	-	-	4	-	1	-	-	-	-
BLACK---MALE----	2	5	4	5	4	1	2	-	-	-	-	-
FEMALE--	2	1	3	-	-	4	-	1	-	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 658

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of tongue (C01-C02)												
UNITED STATES -	1,818	-	-	-	1	2	3	11	17	28	51	110
WHITE-----MALE----	1,014	-	-	-	-	-	1	6	9	11	25	57
FEMALE--	555	-	-	-	-	2	1	4	6	7	12	28
ALL OTHER--MALE----	177	-	-	-	-	-	1	-	1	8	9	21
FEMALE--	72	-	-	-	1	-	-	1	1	2	5	4
BLACK---MALE-----	150	-	-	-	-	-	-	-	-	5	6	20
FEMALE--	49	-	-	-	-	-	-	-	-	2	4	4
ALABAMA -----	17	-	-	-	-	-	-	-	-	-	-	4
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	28	-	-	-	-	-	1	1	1	-	-	2
WHITE-----MALE----	20	-	-	-	-	-	1	1	1	-	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	18	-	-	-	-	-	-	1	-	-	-	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	229	-	-	-	-	-	2	1	3	5	9	14
WHITE-----MALE----	117	-	-	-	-	-	-	1	-	2	6	7
FEMALE--	73	-	-	-	-	-	1	-	1	1	-	5
ALL OTHER--MALE----	24	-	-	-	-	-	1	-	1	1	2	-
FEMALE--	15	-	-	-	-	-	-	-	1	1	1	2
BLACK---MALE-----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	2

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Of tongue (C01-C02)

UNITED STATES -	173	222	204	194	225	231	180	116	43	6	1	-
WHITE-----MALE----	117	149	131	117	141	115	84	39	11	1	-	-
FEMALE--	28	41	36	43	62	99	80	73	27	5	1	-
ALL OTHER--MALE----	22	28	30	20	16	9	10	1	1	-	-	-
FEMALE--	6	4	7	14	6	8	6	3	4	-	-	-
BLACK---MALE-----	21	26	27	15	14	8	6	1	1	-	-	-
FEMALE--	4	2	5	9	4	6	4	2	3	-	-	-
ALABAMA -----	2	1	1	1	4	3	-	1	-	-	-	-
WHITE-----MALE----	2	1	1	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	2	3	1	7	7	2	1	-	-	-	-
WHITE-----MALE----	-	2	3	1	3	5	1	-	-	-	-	-
FEMALE--	-	-	-	-	4	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	1	4	2	1	2	3	1	-	-	-
WHITE-----MALE----	1	1	-	3	2	1	-	2	-	-	-	-
FEMALE--	-	-	1	1	-	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	23	25	19	27	22	34	21	15	6	3	-	-
WHITE-----MALE----	12	15	11	13	14	16	11	7	1	1	-	-
FEMALE--	5	8	4	5	6	15	7	8	5	2	-	-
ALL OTHER--MALE----	4	1	4	6	1	1	2	-	-	-	-	-
FEMALE--	2	1	-	3	1	2	1	-	-	-	-	-
BLACK---MALE-----	3	1	4	3	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Of tongue (C01-C02)

COLORADO -----	2	1	2	4	5	-	2	1	-	-	-	-
WHITE-----MALE----	2	1	1	4	3	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	-	2	3	4	5	4	2	2	-	-	-
WHITE-----MALE----	3	-	1	2	3	3	3	1	1	-	-	-
FEMALE--	-	-	-	1	-	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	1	1	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	1	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	13	14	11	16	27	14	16	11	3	-	-	-
WHITE-----MALE----	11	14	10	5	20	7	10	2	1	-	-	-
FEMALE--	-	-	-	10	4	6	6	9	2	-	-	-
ALL OTHER--MALE----	2	-	1	1	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	3	8	4	3	4	11	5	1	2	-	-	-
WHITE-----MALE----	1	5	-	3	1	5	-	-	1	-	-	-
FEMALE--	-	-	1	-	3	6	4	1	1	-	-	-
ALL OTHER--MALE----	2	2	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	2	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of tongue (C01-C02)												
KENTUCKY -----	2	5	5	3	4	2	2	-	-	-	-	-
WHITE-----MALE----	1	4	4	2	2	2	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
LOUISIANA -----	3	3	6	2	5	3	5	2	2	-	-	-
WHITE-----MALE----	1	2	3	1	1	1	3	-	1	-	-	-
FEMALE--	-	-	-	1	3	2	2	2	1	-	-	-
ALL OTHER--MALE----	1	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
MAINE -----	-	3	2	2	1	-	1	1	-	1	-	-
WHITE-----MALE----	-	2	2	1	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	5	4	4	2	6	3	4	-	-	-	-
WHITE-----MALE----	3	1	2	3	2	3	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	3	1	2	-	-	-	-
ALL OTHER--MALE----	-	3	2	-	-	-	2	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	3	2	-	-	-	2	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	-	-	-
MASSACHUSETTS -----	2	9	6	3	4	10	12	2	2	-	-	-
WHITE-----MALE----	1	7	4	3	3	5	4	1	-	-	-	-
FEMALE--	1	2	1	-	1	5	8	1	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	7	6	7	7	6	10	9	1	-	-	-	-
WHITE-----MALE----	5	5	5	5	5	5	3	-	-	-	-	-
FEMALE--	1	1	1	1	1	3	5	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of tongue (C01-C02)												
SOUTH DAKOTA -----	-	-	2	1	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	6	3	4	4	4	3	1	-	-	-	-
WHITE-----MALE----	5	3	2	2	3	3	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	3	1	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	3	1	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	14	11	22	10	8	13	8	12	4	-	-	-
WHITE-----MALE----	7	8	14	8	4	4	5	3	-	-	-	-
FEMALE--	5	2	3	-	3	7	2	8	3	-	-	-
ALL OTHER--MALE----	1	1	4	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	2	-	1	1	1	1	-	-	-
BLACK---MALE-----	1	1	4	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	1	1	1	1	-	-	-
UTAH -----	2	2	1	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	1	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	5	10	3	2	7	8	1	1	-	-	-
WHITE-----MALE----	4	4	5	-	1	1	3	1	1	-	-	-
FEMALE--	-	1	3	2	-	4	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	2	-	-	2	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	2	-	-	2	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Of pharynx (C10-C13,C14.0)

UNITED STATES -	284	371	415	394	428	405	291	177	67	17	-	1
WHITE-----MALE----	154	214	243	215	256	228	155	85	25	6	-	-
FEMALE--	35	51	73	92	102	119	102	73	38	11	-	-
ALL OTHER--MALE----	76	88	78	73	52	41	19	11	3	-	-	1
FEMALE--	19	18	21	14	18	17	15	8	1	-	-	-
BLACK---MALE-----	60	75	57	57	43	29	15	7	2	-	-	1
FEMALE--	14	17	15	12	15	13	13	6	1	-	-	-
ALABAMA -----	7	8	5	14	4	4	7	2	2	1	-	-
WHITE-----MALE----	4	2	3	5	4	2	5	1	1	1	-	-
FEMALE--	-	-	1	7	-	2	-	1	1	-	-	-
ALL OTHER--MALE----	3	5	1	2	-	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	5	1	2	-	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	2	2	2	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	8	4	5	5	8	3	4	2	2	-	-
WHITE-----MALE----	2	7	3	3	4	8	1	4	-	-	-	-
FEMALE--	-	1	1	2	1	-	2	-	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	7	4	6	9	6	6	7	2	1	-	-	-
WHITE-----MALE----	7	2	2	6	5	3	4	-	-	-	-	-
FEMALE--	-	2	-	2	1	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	3	1	-	2	-	2	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	3	1	-	2	-	2	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	29	30	41	41	48	52	24	14	2	2	-	-
WHITE-----MALE----	15	19	20	23	21	26	13	6	2	-	-	-
FEMALE--	5	6	7	6	15	19	10	6	-	2	-	-
ALL OTHER--MALE----	5	5	11	9	6	5	-	2	-	-	-	-
FEMALE--	4	-	3	3	6	2	1	-	-	-	-	-
BLACK---MALE-----	2	1	6	6	1	2	-	-	-	-	-	-
FEMALE--	1	-	-	1	5	-	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Of pharynx (C10-C13,C14.0)

COLORADO -----	3	2	6	8	6	1	2	3	-	-	-	-
WHITE-----MALE----	2	2	5	4	5	1	2	-	-	-	-	-
FEMALE--	1	-	1	3	1	-	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	5	10	5	6	4	2	4	1	-	-	-
WHITE-----MALE----	1	4	10	3	5	2	1	1	1	-	-	-
FEMALE--	-	1	-	1	1	1	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	1	1	1	-	-	1	-	-	-
WHITE-----MALE----	-	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	3	-	3	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	3	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	3	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
FLORIDA -----	16	33	34	34	38	39	27	15	7	1	-	1
WHITE-----MALE----	8	18	17	16	20	18	15	5	2	-	-	-
FEMALE--	3	9	10	13	13	19	11	10	4	1	-	-
ALL OTHER--MALE----	5	6	3	3	4	1	-	-	1	-	-	1
FEMALE--	-	-	4	2	1	1	1	-	-	-	-	-
BLACK---MALE----	4	6	2	3	4	-	-	-	1	-	-	1
FEMALE--	-	-	3	2	1	1	1	-	-	-	-	-
GEORGIA -----	13	11	13	10	12	10	12	3	1	1	-	-
WHITE-----MALE----	4	7	8	5	4	2	5	2	1	1	-	-
FEMALE--	-	1	-	3	1	3	5	1	-	-	-	-
ALL OTHER--MALE----	5	3	5	1	6	4	1	-	-	-	-	-
FEMALE--	4	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	5	3	4	1	5	4	1	-	-	-	-	-
FEMALE--	4	-	-	1	1	1	1	-	-	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 670

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of pharynx (C10-C13,C14.0)												
KENTUCKY -----	6	5	6	-	7	10	4	4	1	-	-	-
WHITE-----MALE----	5	3	3	-	3	8	1	3	-	-	-	-
FEMALE--	1	-	2	-	3	1	3	1	1	-	-	-
ALL OTHER--MALE----	-	2	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	6	11	7	11	12	10	7	3	-	-	-	-
WHITE-----MALE----	2	4	3	4	9	4	3	2	-	-	-	-
FEMALE--	-	-	1	4	1	2	3	1	-	-	-	-
ALL OTHER--MALE----	4	6	3	2	2	3	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	3	6	3	2	2	3	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
MAINE -----	2	-	5	-	1	3	1	1	-	-	-	-
WHITE-----MALE----	1	-	4	-	-	3	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	10	10	8	6	13	9	3	3	1	2	-	-
WHITE-----MALE----	3	1	4	2	8	6	2	-	-	1	-	-
FEMALE--	-	1	-	1	-	3	-	1	1	1	-	-
ALL OTHER--MALE----	3	7	3	3	3	-	-	1	-	-	-	-
FEMALE--	4	1	1	-	2	-	1	1	-	-	-	-
BLACK---MALE----	3	7	2	3	3	-	-	1	-	-	-	-
FEMALE--	3	1	1	-	2	-	1	1	-	-	-	-
MASSACHUSETTS -----	5	11	12	5	11	5	6	6	4	-	-	-
WHITE-----MALE----	3	6	9	3	5	2	4	3	3	-	-	-
FEMALE--	1	3	2	2	6	2	2	2	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	9	6	15	10	10	13	6	8	-	-	-	-
WHITE-----MALE----	5	5	8	5	8	9	5	4	-	-	-	-
FEMALE--	-	-	2	4	1	4	-	4	-	-	-	-
ALL OTHER--MALE----	4	1	5	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	4	1	4	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Of pharynx (C10-C13,C14.0)

MINNESOTA -----	7	4	2	7	6	6	3	4	-	1	-	-
WHITE-----MALE----	2	2	1	5	4	4	2	1	-	1	-	-
FEMALE--	4	2	-	2	2	2	1	2	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	9	5	5	14	8	5	7	2	2	-	-	-
WHITE-----MALE----	4	2	1	9	3	3	3	-	-	-	-	-
FEMALE--	-	1	3	1	3	-	2	2	1	-	-	-
ALL OTHER--MALE----	4	2	1	4	2	2	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	4	2	1	4	2	2	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	1	-	-	-
MISSOURI -----	7	4	7	7	5	4	3	1	-	-	-	-
WHITE-----MALE----	5	2	5	3	5	2	1	-	-	-	-	-
FEMALE--	-	-	2	1	-	2	2	1	-	-	-	-
ALL OTHER--MALE----	2	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
MONTANA -----	-	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	1	2	4	2	-	3	-	1	-	-	-
WHITE-----MALE----	1	1	2	3	2	-	3	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	2	2	2	4	3	4	2	-	-	-	-
WHITE-----MALE----	-	-	2	2	3	-	2	1	-	-	-	-
FEMALE--	-	1	-	-	1	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Of pharynx (C10-C13,C14.0)												
OHIO -----	101	-	-	-	-	1	-	-	-	-	4	7
WHITE-----MALE----	62	-	-	-	-	-	-	-	-	-	2	5
FEMALE--	21	-	-	-	-	1	-	-	-	-	-	2
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	42	-	-	-	-	-	-	-	-	-	2	2
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	35	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	141	-	-	-	-	-	-	1	-	2	2	8
WHITE-----MALE----	88	-	-	-	-	-	-	-	-	1	1	7
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	14	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	79	-	-	-	-	-	-	1	-	1	2	5
WHITE-----MALE----	31	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	31	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 673

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of pharynx (C10-C13,C14.0)												
OHIO -----	6	20	11	7	7	16	8	7	5	2	-	-
WHITE-----MALE----	6	14	5	3	6	10	4	6	1	-	-	-
FEMALE--	-	2	1	2	1	3	3	-	4	2	-	-
ALL OTHER--MALE----	-	3	5	2	-	1	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	3	5	2	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	-	-	-	-
OKLAHOMA -----	3	2	7	4	6	8	2	3	2	1	-	-
WHITE-----MALE----	-	1	4	4	3	5	1	3	-	1	-	-
FEMALE--	1	-	-	-	3	2	1	-	2	-	-	-
ALL OTHER--MALE----	2	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	3	3	1	8	6	5	4	3	2	-	-	-
WHITE-----MALE----	2	3	1	5	4	2	1	2	1	-	-	-
FEMALE--	1	-	-	3	2	3	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	7	13	12	18	21	18	20	15	4	-	-	-
WHITE-----MALE----	4	7	9	14	16	9	11	7	2	-	-	-
FEMALE--	1	4	1	3	3	6	9	6	2	-	-	-
ALL OTHER--MALE----	2	1	2	-	1	2	-	1	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	1	-	-	-	-
BLACK---MALE----	2	1	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	1	-	-	-	-
RHODE ISLAND -----	-	-	4	2	1	3	-	1	1	-	-	-
WHITE-----MALE----	-	-	2	1	1	3	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	8	13	11	11	10	11	5	-	1	-	-	-
WHITE-----MALE----	1	7	5	5	4	6	-	-	-	-	-	-
FEMALE--	1	2	2	-	2	3	2	-	1	-	-	-
ALL OTHER--MALE----	6	4	4	5	4	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
BLACK---MALE----	6	4	4	5	4	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 674

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Of pharynx (C10-C13,C14.0)

SOUTH DAKOTA -----	-	1	-	-	1	-	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	9	11	6	12	6	9	3	2	1	-	-
WHITE-----MALE----	6	3	8	4	7	4	7	1	2	-	-	-
FEMALE--	-	-	2	-	2	1	1	1	-	1	-	-
ALL OTHER--MALE----	2	4	1	1	3	-	1	1	-	-	-	-
FEMALE--	-	2	-	1	-	1	-	-	-	-	-	-
BLACK--MALE----	2	3	1	1	3	-	1	1	-	-	-	-
FEMALE--	-	2	-	1	-	1	-	-	-	-	-	-
TEXAS -----	30	29	30	25	35	24	22	6	5	-	-	-
WHITE-----MALE----	19	18	15	9	18	13	13	5	3	-	-	-
FEMALE--	5	4	8	11	9	8	8	1	2	-	-	-
ALL OTHER--MALE----	5	7	5	4	3	3	-	-	-	-	-	-
FEMALE--	1	-	2	1	5	-	1	-	-	-	-	-
BLACK--MALE----	4	7	4	4	3	2	-	-	-	-	-	-
FEMALE--	1	-	2	1	5	-	1	-	-	-	-	-
UTAH -----	2	3	4	1	1	2	2	-	-	-	-	-
WHITE-----MALE----	2	2	4	1	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	10	10	12	14	12	6	4	1	-	-	-
WHITE-----MALE----	3	7	3	3	9	5	3	1	1	-	-	-
FEMALE--	-	1	3	5	3	6	3	2	-	-	-	-
ALL OTHER--MALE----	1	2	3	4	2	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	1	-	-	-	-
BLACK--MALE----	1	2	2	3	2	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	1	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85-89 YEARS 90-94 YEARS 95-99 YEARS 100 YEARS & OVER AGE NOT STATED

Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)

UNITED STATES -	189	261	255	299	358	358	304	197	125	41	3	-
WHITE-----MALE----	126	155	159	173	191	178	147	81	36	10	2	-
FEMALE--	34	47	51	74	121	151	145	100	80	30	1	-
ALL OTHER--MALE----	23	46	39	29	34	19	7	7	2	-	-	-
FEMALE--	6	13	6	23	12	10	5	9	7	1	-	-
BLACK---MALE-----	19	41	37	28	30	17	5	4	2	-	-	-
FEMALE--	6	12	4	21	11	9	5	5	7	1	-	-
ALABAMA -----	1	4	3	8	4	5	5	4	2	1	-	-
WHITE-----MALE----	1	3	1	7	1	2	1	4	1	-	-	-
FEMALE--	-	-	1	1	2	2	3	-	1	1	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE-----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALASKA -----	-	-	-	1	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	3	4	2	4	4	8	3	2	1	-	-
WHITE-----MALE----	1	2	3	1	2	2	5	2	1	-	-	-
FEMALE--	2	1	1	1	2	2	3	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	2	2	3	3	-	3	1	-	-	-
WHITE-----MALE----	-	-	1	1	3	1	-	2	1	-	-	-
FEMALE--	-	-	-	1	2	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	15	30	27	39	45	42	27	12	14	6	-	-
WHITE-----MALE----	11	15	14	21	21	20	10	3	5	3	-	-
FEMALE--	3	10	8	9	18	19	16	6	9	3	-	-
ALL OTHER--MALE----	1	4	3	3	4	3	1	2	-	-	-	-
FEMALE--	-	1	2	6	2	-	-	1	-	-	-	-
BLACK---MALE-----	-	4	1	3	3	3	-	-	-	-	-	-
FEMALE--	-	1	1	4	2	-	-	-	-	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 677

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)

COLORADO -----	-	4	3	-	2	3	6	1	2	-	-	-
WHITE-----MALE----	-	3	3	-	1	1	6	-	1	-	-	-
FEMALE--	-	1	-	-	1	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	4	3	3	2	10	-	2	-	-	-
WHITE-----MALE----	-	1	2	3	3	1	4	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	5	-	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	2	1	1	1	-	2	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	2	1	1	-	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	2	2	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	15	21	20	21	33	35	28	18	5	5	-	-
WHITE-----MALE----	13	13	15	12	23	19	13	7	2	3	-	-
FEMALE--	2	2	5	5	9	14	15	9	3	2	-	-
ALL OTHER--MALE----	-	5	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	3	1	2	-	1	-	-	-	-
BLACK---MALE----	-	5	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	3	1	1	-	-	-	-	-	-
GEORGIA -----	4	5	9	9	4	11	4	8	4	1	-	-
WHITE-----MALE----	-	1	4	4	3	3	1	3	1	-	-	-
FEMALE--	-	2	4	2	-	8	3	4	2	1	-	-
ALL OTHER--MALE----	3	2	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	-	1	1	-	-	-
BLACK---MALE----	3	2	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	-	1	1	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)

KENTUCKY -----	5	9	2	7	9	5	7	5	2	1	-	-
WHITE-----MALE----	4	8	1	6	5	4	3	2	1	-	-	-
FEMALE--	-	1	1	1	4	1	4	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	4	4	7	6	5	5	1	1	3	-	-
WHITE-----MALE----	-	2	2	3	1	3	2	-	-	-	-	-
FEMALE--	-	1	-	2	1	-	3	-	1	3	-	-
ALL OTHER--MALE----	-	1	2	1	3	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	2	1	3	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
MAINE -----	4	1	2	2	2	-	2	4	-	-	-	-
WHITE-----MALE----	3	1	1	2	2	-	1	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	4	1	3	3	6	7	4	4	-	1	-
WHITE-----MALE----	-	2	-	2	1	3	4	2	2	-	1	-
FEMALE--	-	1	-	-	2	-	3	2	1	-	-	-
ALL OTHER--MALE----	1	1	1	1	-	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	1	1	-	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MASSACHUSETTS -----	5	5	7	2	9	7	8	2	3	1	-	-
WHITE-----MALE----	3	5	6	1	2	5	3	2	2	-	-	-
FEMALE--	2	-	1	1	6	2	5	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	5	12	10	10	16	21	13	4	5	-	1	-
WHITE-----MALE----	5	5	6	6	9	9	7	1	2	-	-	-
FEMALE--	-	2	2	2	4	11	6	2	3	-	1	-
ALL OTHER--MALE----	-	3	2	1	2	1	-	-	-	-	-	-
FEMALE--	-	2	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	2	2	1	1	1	-	-	-	-	-	-
FEMALE--	-	2	-	1	1	-	-	1	-	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 682

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)

OHIO -----	10	13	13	20	17	16	7	7	5	2	-	-
WHITE-----MALE----	6	12	8	10	11	7	3	1	1	1	-	-
FEMALE--	2	-	4	6	4	8	4	5	4	1	-	-
ALL OTHER--MALE----	1	1	1	3	2	1	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	3	2	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
OKLAHOMA -----	4	3	4	-	6	3	3	5	1	-	-	-
WHITE-----MALE----	3	1	4	-	3	1	1	1	1	-	-	-
FEMALE--	1	1	-	-	3	2	2	4	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	3	6	1	6	5	10	9	2	-	-	-	-
WHITE-----MALE----	1	4	1	4	-	5	4	1	-	-	-	-
FEMALE--	2	1	-	2	5	5	5	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	14	14	17	13	14	14	21	16	3	2	-	-
WHITE-----MALE----	10	9	10	7	10	7	13	8	-	1	-	-
FEMALE--	4	1	5	2	3	5	6	8	3	1	-	-
ALL OTHER--MALE----	-	3	2	1	1	1	2	-	-	-	-	-
FEMALE--	-	1	-	3	-	1	-	-	-	-	-	-
BLACK---MALE----	-	3	2	1	1	1	2	-	-	-	-	-
FEMALE--	-	1	-	3	-	1	-	-	-	-	-	-
RHODE ISLAND -----	1	1	2	-	2	-	2	1	-	-	-	-
WHITE-----MALE----	1	1	2	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	4	6	6	5	3	2	5	2	1	-	-
WHITE-----MALE----	3	2	1	3	-	-	1	3	1	-	-	-
FEMALE--	-	-	1	1	2	2	-	1	1	1	-	-
ALL OTHER--MALE----	1	1	4	2	3	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	1	1	4	2	3	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85-89 YEARS 90-94 YEARS 95-99 YEARS 100 YEARS & OVER AGE NOT STATED

Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)

SOUTH DAKOTA -----	-	-	-	-	1	4	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	7	7	10	11	12	5	3	8	8	-	-	-
WHITE-----MALE----	6	4	7	6	7	1	-	2	1	-	-	-
FEMALE--	-	2	1	2	3	4	3	6	7	-	-	-
ALL OTHER--MALE----	1	1	2	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	2	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
TEXAS -----	14	18	23	19	16	24	12	3	4	-	-	-
WHITE-----MALE----	7	10	16	13	8	14	8	3	-	-	-	-
FEMALE--	3	5	3	4	6	8	3	-	3	-	-	-
ALL OTHER--MALE----	4	3	2	1	2	2	-	-	1	-	-	-
FEMALE--	-	-	2	1	-	-	1	-	-	-	-	-
BLACK---MALE----	4	3	2	1	2	2	-	-	1	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
UTAH -----	-	-	-	1	1	2	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	3	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	7	5	10	4	6	7	3	1	-	-	-
WHITE-----MALE----	3	3	2	7	3	3	6	2	-	-	-	-
FEMALE--	-	-	1	2	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	1	3	2	1	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	1	3	2	1	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	2	-	-	-	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 685

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of digestive organs (C15-C26)												
UNITED STATES -	130,982	5	19	8	10	34	71	167	432	1,108	2,222	4,495
WHITE-----MALE----	59,748	3	6	1	4	15	26	62	180	491	982	2,184
FEMALE--	50,817	2	9	2	4	8	27	58	132	316	671	1,190
ALL OTHER--MALE----	10,811	-	2	3	-	4	12	28	67	177	331	693
FEMALE--	9,606	-	2	2	2	7	6	19	53	124	238	428
BLACK---MALE-----	8,511	-	2	2	-	2	8	18	48	131	257	553
FEMALE--	7,883	-	1	1	2	3	4	13	38	95	193	350
ALABAMA -----	2,095	-	-	-	-	-	1	-	8	28	51	72
WHITE-----MALE----	794	-	-	-	-	-	-	-	-	8	18	30
FEMALE--	687	-	-	-	-	-	1	-	3	7	11	19
ALL OTHER--MALE----	321	-	-	-	-	-	-	-	2	8	9	18
FEMALE--	293	-	-	-	-	-	-	-	3	5	13	5
BLACK---MALE-----	319	-	-	-	-	-	-	-	2	8	9	18
FEMALE--	290	-	-	-	-	-	-	-	3	5	12	5
ALASKA -----	187	-	-	-	-	-	-	-	-	1	5	12
WHITE-----MALE----	71	-	-	-	-	-	-	-	-	-	1	7
FEMALE--	55	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	-	1	2	5
FEMALE--	23	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2,140	-	-	-	-	-	2	2	3	20	38	62
WHITE-----MALE----	1,094	-	-	-	-	-	-	-	1	10	21	37
FEMALE--	901	-	-	-	-	-	1	2	1	6	13	18
ALL OTHER--MALE----	76	-	-	-	-	-	1	-	-	3	1	4
FEMALE--	69	-	-	-	-	-	-	-	1	1	3	3
BLACK---MALE-----	24	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	1,385	-	-	-	-	1	-	2	3	13	21	56
WHITE-----MALE----	620	-	-	-	-	-	-	2	1	5	10	22
FEMALE--	553	-	-	-	-	1	-	-	2	4	7	16
ALL OTHER--MALE----	98	-	-	-	-	-	-	-	-	2	3	9
FEMALE--	114	-	-	-	-	-	-	-	-	2	1	9
BLACK---MALE-----	95	-	-	-	-	-	-	-	-	2	3	8
FEMALE--	113	-	-	-	-	-	-	-	-	2	1	9
CALIFORNIA -----	13,474	-	3	1	1	6	7	19	41	141	256	497
WHITE-----MALE----	5,905	-	-	1	-	2	4	8	19	60	115	249
FEMALE--	4,948	-	3	-	1	1	2	6	10	41	75	116
ALL OTHER--MALE----	1,447	-	-	-	-	1	1	3	8	31	43	78
FEMALE--	1,174	-	-	-	-	2	-	2	4	9	23	54
BLACK---MALE-----	581	-	-	-	-	-	-	-	1	12	19	32
FEMALE--	526	-	-	-	-	1	-	-	1	2	6	27

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 685

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Malignant neoplasms of digestive organs (C15-C26)

UNITED STATES -	7,310	8,996	11,357	14,731	18,922	20,955	18,652	13,151	6,399	1,716	220	2
WHITE-----MALE----	3,721	4,646	5,939	7,481	9,343	9,858	7,887	4,723	1,779	373	42	2
FEMALE--	1,945	2,492	3,326	4,642	6,774	8,352	8,590	7,093	3,917	1,131	136	-
ALL OTHER--MALE----	1,030	1,145	1,260	1,496	1,465	1,342	967	510	220	49	10	-
FEMALE--	614	713	832	1,112	1,340	1,403	1,208	825	483	163	32	-
BLACK---MALE----	822	935	983	1,204	1,145	1,054	751	387	162	38	9	-
FEMALE--	500	589	700	877	1,068	1,135	1,003	704	433	144	30	-
ALABAMA -----	122	176	179	272	315	290	247	209	83	37	5	-
WHITE-----MALE----	54	75	86	98	151	103	89	61	16	5	-	-
FEMALE--	17	42	54	79	82	106	105	95	44	20	2	-
ALL OTHER--MALE----	30	40	24	60	39	37	25	16	9	2	2	-
FEMALE--	21	19	15	35	43	44	28	37	14	10	1	-
BLACK---MALE----	30	40	24	59	39	37	25	15	9	2	2	-
FEMALE--	21	19	15	33	43	44	28	37	14	10	1	-
ALASKA -----	14	19	18	31	30	24	21	10	2	-	-	-
WHITE-----MALE----	8	9	8	9	10	8	9	2	-	-	-	-
FEMALE--	4	4	5	10	8	10	7	6	1	-	-	-
ALL OTHER--MALE----	2	2	2	10	7	2	2	2	1	-	-	-
FEMALE--	-	4	3	2	5	4	3	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARIZONA -----	99	144	190	244	301	368	344	199	100	18	6	-
WHITE-----MALE----	57	81	106	151	165	186	147	85	39	6	2	-
FEMALE--	32	49	67	81	110	159	182	109	56	11	4	-
ALL OTHER--MALE----	5	9	13	7	11	14	4	2	1	1	-	-
FEMALE--	5	5	4	5	15	9	11	3	4	-	-	-
BLACK---MALE----	3	-	4	2	5	3	-	1	-	1	-	-
FEMALE--	2	2	-	-	5	1	6	-	2	-	-	-
ARKANSAS -----	96	100	124	161	180	231	164	133	75	21	4	-
WHITE-----MALE----	50	44	71	90	87	106	66	42	21	2	1	-
FEMALE--	27	34	39	54	67	98	76	73	42	11	2	-
ALL OTHER--MALE----	12	13	6	11	11	12	7	8	3	1	-	-
FEMALE--	7	9	8	6	15	15	15	10	9	7	1	-
BLACK---MALE----	12	13	5	11	11	11	7	8	3	1	-	-
FEMALE--	7	9	8	6	14	15	15	10	9	7	1	-
CALIFORNIA -----	775	906	1,146	1,553	1,978	2,121	1,959	1,265	643	137	18	1
WHITE-----MALE----	381	450	575	708	892	954	786	466	199	31	4	1
FEMALE--	212	232	314	492	704	771	875	636	361	87	9	-
ALL OTHER--MALE----	110	150	155	190	203	201	160	72	38	3	-	-
FEMALE--	72	74	102	163	179	195	138	91	45	16	5	-
BLACK---MALE----	43	62	68	82	85	74	71	21	11	-	-	-
FEMALE--	29	39	50	73	75	79	60	49	26	6	3	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of digestive organs (C15-C26)												
COLORADO -----	1,436	-	-	-	-	-	-	-	4	18	28	65
WHITE-----MALE----	721	-	-	-	-	-	-	-	4	7	13	34
FEMALE--	625	-	-	-	-	-	-	-	-	10	11	25
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	-	-	3	4
FEMALE--	50	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	30	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	30	-	-	-	-	-	-	-	-	-	1	2
CONNECTICUT -----	1,758	-	-	-	-	-	1	-	3	19	18	49
WHITE-----MALE----	836	-	-	-	-	-	-	-	2	12	11	25
FEMALE--	785	-	-	-	-	-	1	-	-	4	5	19
ALL OTHER--MALE----	65	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	72	-	-	-	-	-	-	-	-	2	2	3
BLACK---MALE----	58	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	65	-	-	-	-	-	-	-	-	2	1	2
DELAWARE -----	396	-	-	-	-	-	-	-	1	1	7	9
WHITE-----MALE----	187	-	-	-	-	-	-	-	1	-	3	6
FEMALE--	143	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	34	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	30	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	1	1
DISTRICT OF COLUMBIA ---	346	-	-	-	-	-	-	-	2	2	4	16
WHITE-----MALE----	37	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	142	-	-	-	-	-	-	-	1	1	-	9
FEMALE--	144	-	-	-	-	-	-	-	1	-	4	5
BLACK---MALE----	139	-	-	-	-	-	-	-	1	1	-	9
FEMALE--	140	-	-	-	-	-	-	-	1	-	4	5
FLORIDA -----	9,309	-	2	-	-	3	3	9	23	71	135	259
WHITE-----MALE----	4,638	-	1	-	-	1	1	1	8	29	54	133
FEMALE--	3,626	-	-	-	-	1	2	3	7	22	32	66
ALL OTHER--MALE----	597	-	1	-	-	-	-	3	4	12	29	38
FEMALE--	448	-	-	-	-	1	-	2	4	8	20	22
BLACK---MALE----	551	-	1	-	-	-	-	2	4	12	27	34
FEMALE--	427	-	-	-	-	1	-	1	4	8	20	20
GEORGIA -----	3,033	-	-	-	1	2	1	6	17	43	74	136
WHITE-----MALE----	1,107	-	-	-	-	1	-	1	7	13	21	47
FEMALE--	941	-	-	-	-	-	1	3	3	10	17	27
ALL OTHER--MALE----	501	-	-	-	-	1	-	2	3	9	17	38
FEMALE--	484	-	-	-	1	-	-	-	4	11	19	24
BLACK---MALE----	474	-	-	-	-	1	-	2	3	9	16	35
FEMALE--	470	-	-	-	1	-	-	-	4	11	16	24

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Malignant neoplasms of digestive organs (C15-C26)

COLORADO -----	96	101	127	162	232	195	190	129	67	22	-	-
WHITE-----MALE----	64	49	72	98	118	96	85	50	23	8	-	-
FEMALE--	29	34	47	54	99	91	91	77	43	14	-	-
ALL OTHER--MALE----	2	9	4	5	7	4	2	-	-	-	-	-
FEMALE--	1	9	4	5	8	4	12	2	1	-	-	-
BLACK---MALE-----	1	8	1	4	6	2	2	-	-	-	-	-
FEMALE--	-	3	3	4	4	2	8	2	1	-	-	-
CONNECTICUT -----	87	117	126	183	232	294	272	214	111	29	3	-
WHITE-----MALE----	48	56	67	100	126	152	109	86	31	11	-	-
FEMALE--	28	41	41	63	96	128	144	119	77	16	3	-
ALL OTHER--MALE----	5	11	10	12	4	6	8	4	1	-	-	-
FEMALE--	6	9	8	8	6	8	11	5	2	2	-	-
BLACK---MALE-----	5	11	10	8	4	6	7	4	-	-	-	-
FEMALE--	4	8	8	7	6	7	11	5	2	2	-	-
DELAWARE -----	13	31	34	53	66	63	59	40	16	3	-	-
WHITE-----MALE----	6	17	17	32	41	29	19	12	2	2	-	-
FEMALE--	3	6	6	15	15	30	31	19	12	1	-	-
ALL OTHER--MALE----	2	4	6	3	4	3	6	2	1	-	-	-
FEMALE--	2	4	5	3	6	1	3	7	1	-	-	-
BLACK---MALE-----	2	4	6	3	4	3	6	2	-	-	-	-
FEMALE--	2	4	5	3	6	1	3	6	1	-	-	-
DISTRICT OF COLUMBIA ---	20	31	33	36	41	59	46	33	16	6	1	-
WHITE-----MALE----	1	1	1	5	4	9	6	4	3	1	-	-
FEMALE--	4	1	-	-	3	2	9	2	1	-	-	-
ALL OTHER--MALE----	9	16	20	18	19	20	12	10	4	3	-	-
FEMALE--	6	13	12	13	15	28	19	17	8	2	1	-
BLACK---MALE-----	9	16	19	18	19	19	12	10	3	3	-	-
FEMALE--	6	13	12	13	15	25	18	17	8	2	1	-
FLORIDA -----	462	615	725	1,029	1,494	1,563	1,389	931	448	138	9	1
WHITE-----MALE----	247	349	406	549	798	823	652	390	155	37	3	1
FEMALE--	127	165	217	341	547	603	642	485	269	93	4	-
ALL OTHER--MALE----	54	68	62	95	78	77	42	22	9	3	-	-
FEMALE--	34	33	40	44	71	60	53	34	15	5	2	-
BLACK---MALE-----	49	62	54	89	73	72	40	20	9	3	-	-
FEMALE--	33	30	38	39	70	59	50	33	14	5	2	-
GEORGIA -----	221	256	315	370	395	429	368	237	124	31	7	-
WHITE-----MALE----	81	112	119	169	168	165	117	53	30	3	-	-
FEMALE--	49	50	83	90	110	135	155	118	67	19	4	-
ALL OTHER--MALE----	54	61	70	64	54	63	35	22	6	2	-	-
FEMALE--	37	33	43	47	63	66	61	44	21	7	3	-
BLACK---MALE-----	53	59	65	59	52	59	33	21	5	2	-	-
FEMALE--	37	32	43	45	60	65	58	43	21	7	3	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Malignant neoplasms of digestive organs (C15-C26)

HAWAII -----	35	37	40	69	93	101	75	68	17	9	-	-
WHITE-----MALE----	6	6	3	14	10	14	12	2	2	1	-	-
FEMALE--	1	4	-	4	8	6	7	15	1	-	-	-
ALL OTHER--MALE----	14	18	28	33	44	43	27	29	8	5	-	-
FEMALE--	14	9	9	18	31	38	29	22	6	3	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	32	35	49	54	65	67	62	39	17	2	1	-
WHITE-----MALE----	20	23	26	33	40	32	29	18	7	-	-	-
FEMALE--	9	12	23	16	22	34	31	21	10	2	1	-
ALL OTHER--MALE----	2	-	-	2	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	3	3	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	323	410	555	631	899	990	926	611	305	87	13	-
WHITE-----MALE----	147	199	278	303	440	429	389	225	71	18	6	-
FEMALE--	73	114	142	201	289	422	437	323	194	61	6	-
ALL OTHER--MALE----	59	63	82	72	92	53	41	24	13	1	-	-
FEMALE--	44	34	53	55	78	86	59	39	27	7	1	-
BLACK---MALE----	47	55	73	63	80	47	36	23	11	1	-	-
FEMALE--	36	32	51	52	72	80	54	37	24	7	1	-
INDIANA -----	183	211	245	332	415	465	418	261	146	50	6	-
WHITE-----MALE----	104	115	159	189	217	228	194	90	48	16	1	-
FEMALE--	57	75	65	115	163	203	196	154	86	29	4	-
ALL OTHER--MALE----	19	12	12	18	14	18	15	7	2	-	-	-
FEMALE--	3	9	9	10	21	16	13	10	10	5	1	-
BLACK---MALE----	17	12	10	18	13	18	15	7	2	-	-	-
FEMALE--	3	8	9	10	21	16	12	10	10	4	1	-
IOWA -----	80	67	119	174	229	239	246	185	109	26	3	-
WHITE-----MALE----	44	43	67	114	113	128	118	77	30	3	-	-
FEMALE--	32	24	48	54	108	105	125	104	79	22	3	-
ALL OTHER--MALE----	4	-	1	6	5	3	1	3	-	-	-	-
FEMALE--	-	-	3	-	3	3	2	1	-	1	-	-
BLACK---MALE----	3	-	1	6	2	3	1	2	-	-	-	-
FEMALE--	-	-	1	-	2	1	2	1	-	1	-	-
KANSAS -----	59	75	113	144	169	189	179	151	59	28	3	-
WHITE-----MALE----	35	44	55	90	102	111	72	55	18	4	-	-
FEMALE--	16	22	44	43	58	70	98	92	39	23	3	-
ALL OTHER--MALE----	4	5	9	9	6	5	7	1	1	-	-	-
FEMALE--	4	4	5	2	3	3	2	3	1	1	-	-
BLACK---MALE----	4	4	6	6	5	5	6	1	1	-	-	-
FEMALE--	3	4	4	2	3	3	2	3	1	1	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of digestive organs (C15-C26)												
KENTUCKY -----	1,929	-	-	-	-	1	-	3	9	18	47	80
WHITE-----MALE----	949	-	-	-	-	1	-	-	8	9	24	38
FEMALE--	825	-	-	-	-	-	-	3	1	7	14	30
ALL OTHER--MALE----	79	-	-	-	-	-	-	-	-	1	6	4
FEMALE--	76	-	-	-	-	-	-	-	-	1	3	8
BLACK---MALE----	72	-	-	-	-	-	-	-	-	1	5	4
FEMALE--	72	-	-	-	-	-	-	-	-	1	3	8
LOUISIANA -----	2,166	-	-	-	-	2	1	4	10	21	40	85
WHITE-----MALE----	819	-	-	-	-	-	-	2	6	7	15	29
FEMALE--	622	-	-	-	-	1	1	-	1	4	10	21
ALL OTHER--MALE----	407	-	-	-	-	-	-	-	1	5	9	21
FEMALE--	318	-	-	-	-	1	-	2	2	5	6	14
BLACK---MALE----	392	-	-	-	-	-	-	-	1	3	7	21
FEMALE--	311	-	-	-	-	1	-	2	2	5	6	14
MAINE -----	704	-	-	-	-	-	2	1	1	5	8	17
WHITE-----MALE----	375	-	-	-	-	-	1	1	1	2	3	10
FEMALE--	315	-	-	-	-	-	1	-	-	3	5	7
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2,497	-	-	-	1	-	1	3	6	22	45	100
WHITE-----MALE----	930	-	-	-	-	-	-	1	2	3	12	27
FEMALE--	815	-	-	-	-	-	-	-	1	5	15	25
ALL OTHER--MALE----	388	-	-	-	-	-	1	2	2	7	9	29
FEMALE--	364	-	-	-	1	-	-	-	1	7	9	19
BLACK---MALE----	357	-	-	-	-	-	1	1	2	7	9	26
FEMALE--	327	-	-	-	1	-	-	-	-	4	8	18
MASSACHUSETTS -----	3,373	-	1	-	1	-	1	3	11	23	42	97
WHITE-----MALE----	1,685	-	-	-	1	-	-	1	6	10	24	54
FEMALE--	1,491	-	1	-	-	-	1	1	-	7	14	29
ALL OTHER--MALE----	102	-	-	-	-	-	-	-	4	4	3	11
FEMALE--	95	-	-	-	-	-	-	-	1	2	1	3
BLACK---MALE----	73	-	-	-	-	-	-	-	3	1	1	9
FEMALE--	62	-	-	-	-	-	-	-	-	1	-	3
MICHIGAN -----	4,488	-	-	-	-	2	1	3	14	36	76	152
WHITE-----MALE----	2,063	-	-	-	-	1	-	-	6	16	41	83
FEMALE--	1,761	-	-	-	-	1	1	1	5	8	23	41
ALL OTHER--MALE----	344	-	-	-	-	-	-	1	2	6	5	21
FEMALE--	320	-	-	-	-	-	-	1	1	6	7	7
BLACK---MALE----	321	-	-	-	-	-	-	1	1	5	5	19
FEMALE--	300	-	-	-	-	-	-	1	1	6	7	7

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of digestive organs (C15-C26)												
KENTUCKY -----	124	150	177	238	258	311	220	177	91	23	2	-
WHITE-----MALE----	75	96	101	137	145	142	90	52	28	3	-	-
FEMALE--	40	44	59	83	97	142	114	115	57	17	2	-
ALL OTHER--MALE----	2	8	9	14	7	15	5	4	4	-	-	-
FEMALE--	7	2	8	4	9	12	11	6	2	3	-	-
BLACK---MALE-----	2	6	8	13	7	13	5	4	4	-	-	-
FEMALE--	6	2	7	3	9	12	11	6	2	2	-	-
LOUISIANA -----	156	167	215	229	312	343	276	185	81	36	3	-
WHITE-----MALE----	65	68	95	96	116	145	97	62	12	4	-	-
FEMALE--	33	24	49	55	87	106	102	71	35	19	3	-
ALL OTHER--MALE----	40	48	49	46	62	49	39	23	11	4	-	-
FEMALE--	18	27	22	32	47	43	38	29	23	9	-	-
BLACK---MALE-----	39	47	47	44	61	47	37	23	11	4	-	-
FEMALE--	18	27	22	29	45	43	38	28	22	9	-	-
MAINE -----	29	42	56	79	96	124	124	68	41	9	2	-
WHITE-----MALE----	16	27	39	44	53	71	69	26	7	4	1	-
FEMALE--	12	13	15	32	40	52	54	41	34	5	1	-
ALL OTHER--MALE----	1	2	2	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
MARYLAND -----	159	177	246	310	339	376	336	218	113	41	4	-
WHITE-----MALE----	58	76	106	127	148	146	124	67	24	9	-	-
FEMALE--	39	23	52	92	93	138	134	109	59	27	3	-
ALL OTHER--MALE----	37	49	53	47	48	41	40	14	7	1	1	-
FEMALE--	25	29	35	44	50	51	38	28	23	4	-	-
BLACK---MALE-----	34	46	50	42	44	39	35	13	7	1	-	-
FEMALE--	24	27	33	39	44	44	36	23	22	4	-	-
MASSACHUSETTS -----	179	203	246	340	431	573	565	397	191	59	10	-
WHITE-----MALE----	103	119	154	196	245	298	264	150	48	11	1	-
FEMALE--	59	60	77	126	158	251	282	236	135	45	9	-
ALL OTHER--MALE----	10	15	9	10	12	11	7	2	3	-	-	-
FEMALE--	7	9	6	8	16	13	12	9	5	3	-	-
BLACK---MALE-----	6	13	6	5	10	9	7	1	2	-	-	-
FEMALE--	7	5	1	4	13	10	6	5	4	3	-	-
MICHIGAN -----	244	329	369	505	656	747	685	441	177	42	9	-
WHITE-----MALE----	106	177	193	254	308	368	295	162	39	12	2	-
FEMALE--	62	93	108	170	253	301	304	236	122	28	4	-
ALL OTHER--MALE----	50	28	37	39	55	40	36	16	6	1	1	-
FEMALE--	26	31	31	42	40	38	50	27	10	1	2	-
BLACK---MALE-----	44	27	35	36	52	38	35	15	6	1	1	-
FEMALE--	25	29	30	37	37	36	46	26	9	1	2	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of digestive organs (C15-C26)												
MINNESOTA -----	88	112	171	201	282	342	332	249	124	29	6	-
WHITE-----MALE----	57	62	98	120	164	192	138	103	34	6	-	-
FEMALE--	22	43	65	73	109	146	183	139	87	23	6	-
ALL OTHER--MALE----	9	6	7	6	2	2	7	1	1	-	-	-
FEMALE--	-	1	1	2	7	2	4	6	2	-	-	-
BLACK---MALE-----	5	5	3	3	-	2	3	1	-	-	-	-
FEMALE--	-	-	-	1	2	-	1	4	2	-	-	-
MISSISSIPPI -----	114	97	133	173	184	177	180	122	54	16	2	-
WHITE-----MALE----	45	38	42	72	76	72	52	37	8	2	-	-
FEMALE--	18	19	28	41	59	52	59	47	20	7	-	-
ALL OTHER--MALE----	34	26	39	36	26	26	31	18	6	3	1	-
FEMALE--	17	14	24	24	23	27	38	20	20	4	1	-
BLACK---MALE-----	30	25	39	35	26	26	31	18	6	3	1	-
FEMALE--	17	13	24	24	22	26	38	19	20	4	1	-
MISSOURI -----	145	192	221	322	385	437	372	289	137	50	7	-
WHITE-----MALE----	75	105	117	179	194	213	156	102	39	9	2	-
FEMALE--	38	56	78	103	157	176	179	152	86	36	5	-
ALL OTHER--MALE----	23	21	17	21	19	23	15	15	3	-	-	-
FEMALE--	9	10	9	19	15	25	22	20	9	5	-	-
BLACK---MALE-----	22	20	15	21	19	23	15	15	3	-	-	-
FEMALE--	7	10	8	17	15	24	21	20	9	5	-	-
MONTANA -----	13	26	38	38	60	64	70	68	22	4	1	-
WHITE-----MALE----	6	18	25	20	34	35	34	31	5	2	-	-
FEMALE--	3	8	11	15	21	27	29	37	16	2	1	-
ALL OTHER--MALE----	3	-	-	1	2	1	5	-	1	-	-	-
FEMALE--	1	-	2	2	3	1	2	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	35	40	41	74	123	127	140	100	66	12	1	-
WHITE-----MALE----	26	26	19	36	72	65	71	25	18	4	-	-
FEMALE--	8	12	19	33	45	58	67	75	45	8	1	-
ALL OTHER--MALE----	-	1	2	4	4	3	1	-	-	-	-	-
FEMALE--	1	1	1	1	2	1	1	-	3	-	-	-
BLACK---MALE-----	-	1	2	3	4	3	1	-	-	-	-	-
FEMALE--	1	1	1	-	1	1	1	-	2	-	-	-
NEVADA -----	48	47	103	102	127	135	121	62	23	8	1	-
WHITE-----MALE----	32	28	62	54	67	69	59	27	5	1	-	-
FEMALE--	14	14	32	32	49	57	50	32	16	6	1	-
ALL OTHER--MALE----	-	2	6	11	8	5	7	-	1	-	-	-
FEMALE--	2	3	3	5	3	4	5	3	1	1	-	-
BLACK---MALE-----	-	2	3	8	5	4	1	-	-	-	-	-
FEMALE--	1	2	2	4	2	2	4	3	1	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 691

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of digestive organs (C15-C26)												
OHIO -----	5,631	1	-	-	1	3	-	4	18	38	86	161
WHITE-----MALE----	2,627	1	-	-	-	1	-	3	10	21	45	88
FEMALE--	2,281	-	-	-	1	2	-	1	8	13	27	44
ALL OTHER--MALE----	369	-	-	-	-	-	-	-	-	1	8	17
FEMALE--	354	-	-	-	-	-	-	-	-	3	6	12
BLACK---MALE----	348	-	-	-	-	-	-	-	-	1	7	17
FEMALE--	342	-	-	-	-	-	-	-	-	3	6	11
OKLAHOMA -----	1,563	-	-	-	-	-	1	2	4	13	28	41
WHITE-----MALE----	741	-	-	-	-	-	-	1	3	6	12	24
FEMALE--	620	-	-	-	-	-	1	1	-	7	10	12
ALL OTHER--MALE----	111	-	-	-	-	-	-	-	-	-	5	4
FEMALE--	91	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	68	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	49	-	-	-	-	-	-	-	1	-	1	1
OREGON -----	1,594	-	-	-	-	-	-	1	3	13	14	51
WHITE-----MALE----	866	-	-	-	-	-	-	-	2	9	8	30
FEMALE--	662	-	-	-	-	-	-	1	1	2	5	18
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	33	-	-	-	-	-	-	-	-	1	-	3
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	7,178	-	-	-	-	-	1	5	13	44	104	204
WHITE-----MALE----	3,368	-	-	-	-	-	1	2	7	23	50	116
FEMALE--	3,063	-	-	-	-	-	-	2	4	17	41	61
ALL OTHER--MALE----	372	-	-	-	-	-	-	1	1	3	9	14
FEMALE--	375	-	-	-	-	-	-	-	1	1	4	13
BLACK---MALE----	349	-	-	-	-	-	-	-	1	2	8	13
FEMALE--	351	-	-	-	-	-	-	-	1	1	4	10
RHODE ISLAND -----	619	-	1	-	-	-	-	1	2	7	13	17
WHITE-----MALE----	280	-	-	-	-	-	-	1	1	4	8	11
FEMALE--	315	-	1	-	-	-	-	-	1	1	4	4
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	2	1	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	1	1	1
SOUTH CAROLINA -----	1,904	-	1	-	-	-	3	3	11	18	44	80
WHITE-----MALE----	738	-	1	-	-	-	1	1	6	3	10	28
FEMALE--	564	-	-	-	-	-	-	2	1	3	8	18
ALL OTHER--MALE----	331	-	-	-	-	-	2	-	3	7	14	18
FEMALE--	271	-	-	-	-	-	-	-	1	5	12	16
BLACK---MALE----	329	-	-	-	-	-	2	-	3	7	14	18
FEMALE--	265	-	-	-	-	-	-	-	1	5	12	15

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Malignant neoplasms of digestive organs (C15-C26)												
OHIO -----	305	405	468	589	859	982	823	533	274	73	8	-
WHITE-----MALE----	158	211	251	320	420	478	367	171	72	8	2	-
FEMALE--	102	135	131	180	325	386	376	316	181	52	1	-
ALL OTHER--MALE----	29	39	49	57	57	52	30	16	8	5	1	-
FEMALE--	16	20	37	32	57	66	50	30	13	8	4	-
BLACK---MALE-----	24	38	46	53	55	52	25	16	8	5	1	-
FEMALE--	16	18	37	30	55	63	48	30	13	8	4	-
OKLAHOMA -----	85	115	146	172	223	248	224	165	72	23	1	-
WHITE-----MALE----	36	55	91	89	116	129	90	62	24	3	-	-
FEMALE--	35	30	33	62	83	90	112	88	40	15	1	-
ALL OTHER--MALE----	10	17	11	11	16	14	15	6	2	-	-	-
FEMALE--	4	13	11	10	8	15	7	9	6	5	-	-
BLACK---MALE-----	9	8	6	8	9	9	10	1	2	-	-	-
FEMALE--	2	5	6	5	3	6	5	5	4	5	-	-
OREGON -----	88	96	142	143	244	245	256	183	85	27	3	-
WHITE-----MALE----	58	62	91	84	137	136	126	75	36	10	2	-
FEMALE--	20	32	47	52	95	98	121	104	48	17	1	-
ALL OTHER--MALE----	2	1	4	5	6	5	5	3	-	-	-	-
FEMALE--	8	1	-	2	6	6	4	1	1	-	-	-
BLACK---MALE-----	-	1	1	2	-	2	1	-	-	-	-	-
FEMALE--	3	-	-	-	2	2	1	-	1	-	-	-
PENNSYLVANIA -----	319	438	565	779	1,078	1,213	1,105	802	405	87	16	-
WHITE-----MALE----	175	236	299	424	555	583	476	284	116	20	1	-
FEMALE--	85	142	192	264	405	517	544	459	259	58	13	-
ALL OTHER--MALE----	38	31	35	57	58	58	36	25	3	3	-	-
FEMALE--	21	29	39	34	60	55	49	34	27	6	2	-
BLACK---MALE-----	34	30	32	55	56	56	34	22	3	3	-	-
FEMALE--	19	24	38	28	57	53	48	33	27	6	2	-
RHODE ISLAND -----	24	37	44	66	91	97	95	85	26	12	1	-
WHITE-----MALE----	14	24	22	33	47	38	38	34	3	2	-	-
FEMALE--	8	13	19	31	39	56	57	48	22	10	1	-
ALL OTHER--MALE----	1	-	2	1	2	2	-	1	-	-	-	-
FEMALE--	1	-	1	1	3	1	-	2	1	-	-	-
BLACK---MALE-----	1	-	1	1	2	2	-	-	-	-	-	-
FEMALE--	1	-	1	1	3	1	-	1	1	-	-	-
SOUTH CAROLINA -----	125	136	190	234	257	311	243	148	84	15	1	-
WHITE-----MALE----	43	60	94	100	116	131	83	42	18	1	-	-
FEMALE--	24	27	44	55	72	102	90	73	36	9	-	-
ALL OTHER--MALE----	41	35	29	50	41	44	30	11	6	-	-	-
FEMALE--	17	14	23	29	28	34	40	22	24	5	1	-
BLACK---MALE-----	41	35	28	50	40	44	30	11	6	-	-	-
FEMALE--	17	13	22	28	27	34	40	22	23	5	1	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 692

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of digestive organs (C15-C26)												
SOUTH DAKOTA -----	399	-	-	-	-	-	-	-	1	3	3	10
WHITE-----MALE----	220	-	-	-	-	-	-	-	-	1	1	5
FEMALE--	160	-	-	-	-	-	-	-	1	1	1	4
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2,679	1	-	-	-	-	1	5	11	33	53	117
WHITE-----MALE----	1,161	1	-	-	-	-	-	1	3	11	20	56
FEMALE--	1,015	-	-	-	-	-	-	3	4	11	21	34
ALL OTHER--MALE----	250	-	-	-	-	-	1	-	3	8	10	18
FEMALE--	253	-	-	-	-	-	-	1	1	3	2	9
BLACK---MALE----	240	-	-	-	-	-	1	-	3	8	9	17
FEMALE--	244	-	-	-	-	-	-	1	1	3	2	9
TEXAS -----	8,037	1	3	1	3	4	8	17	32	72	186	355
WHITE-----MALE----	3,878	-	2	-	1	4	5	5	8	35	91	203
FEMALE--	2,946	1	1	1	2	-	1	7	18	21	54	83
ALL OTHER--MALE----	658	-	-	-	-	-	-	4	2	9	32	39
FEMALE--	555	-	-	-	-	-	2	1	4	7	9	30
BLACK---MALE----	576	-	-	-	-	-	-	4	2	7	23	34
FEMALE--	510	-	-	-	-	-	2	1	3	6	9	25
UTAH -----	517	-	1	-	-	-	-	2	3	1	9	22
WHITE-----MALE----	283	-	1	-	-	-	-	1	2	1	4	15
FEMALE--	208	-	-	-	-	-	-	1	1	-	4	6
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	267	-	-	-	-	-	-	2	1	3	3	8
WHITE-----MALE----	139	-	-	-	-	-	-	1	-	1	1	6
FEMALE--	127	-	-	-	-	-	-	1	1	2	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3,031	-	-	-	1	1	2	5	12	24	57	121
WHITE-----MALE----	1,248	-	-	-	1	1	-	3	3	7	20	49
FEMALE--	1,012	-	-	-	-	-	1	-	3	7	14	21
ALL OTHER--MALE----	413	-	-	-	-	-	1	2	2	6	12	34
FEMALE--	358	-	-	-	-	-	-	-	4	4	11	17
BLACK---MALE----	368	-	-	-	-	-	1	2	2	5	11	32
FEMALE--	325	-	-	-	-	-	-	-	2	3	9	15

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 692

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Malignant neoplasms of digestive organs (C15-C26)

SOUTH DAKOTA -----	23	22	26	55	69	62	49	38	29	8	1	-
WHITE-----MALE----	16	16	18	34	44	29	27	15	13	1	-	-
FEMALE--	7	4	6	15	23	31	21	22	16	7	1	-
ALL OTHER--MALE----	-	1	2	4	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	2	2	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	165	191	256	326	380	404	318	262	120	32	4	-
WHITE-----MALE----	91	99	130	153	166	172	131	95	25	6	1	-
FEMALE--	42	59	79	104	140	158	132	132	72	21	3	-
ALL OTHER--MALE----	21	20	25	28	41	34	24	12	4	1	-	-
FEMALE--	11	13	22	41	33	40	31	23	19	4	-	-
BLACK---MALE----	20	20	25	28	36	34	23	11	4	1	-	-
FEMALE--	11	12	22	37	32	37	31	23	19	4	-	-
TEXAS -----	513	657	772	899	1,090	1,220	1,033	704	370	88	9	-
WHITE-----MALE----	288	337	421	463	572	581	499	248	89	24	2	-
FEMALE--	130	181	230	279	380	486	417	378	220	50	6	-
ALL OTHER--MALE----	64	84	77	93	80	77	49	25	18	4	1	-
FEMALE--	31	55	44	64	58	76	68	53	43	10	-	-
BLACK---MALE----	51	71	70	89	71	65	44	23	18	3	1	-
FEMALE--	29	51	37	57	49	74	62	52	43	10	-	-
UTAH -----	27	31	62	51	57	85	73	60	26	6	1	-
WHITE-----MALE----	18	18	37	35	24	51	34	29	12	-	1	-
FEMALE--	9	11	20	12	30	29	36	30	14	5	-	-
ALL OTHER--MALE----	-	2	4	4	3	4	1	-	-	1	-	-
FEMALE--	-	-	1	-	-	1	2	1	-	-	-	-
BLACK---MALE----	-	-	2	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
VERMONT -----	18	12	23	27	49	36	37	31	14	3	-	-
WHITE-----MALE----	9	7	15	17	28	16	19	12	7	-	-	-
FEMALE--	9	5	8	10	21	20	18	19	7	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	199	246	276	382	428	473	381	278	100	39	6	-
WHITE-----MALE----	102	127	126	163	179	210	139	88	23	7	-	-
FEMALE--	35	60	77	106	134	160	160	151	56	23	4	-
ALL OTHER--MALE----	38	33	46	61	68	60	30	11	8	1	-	-
FEMALE--	24	26	27	52	47	43	52	28	13	8	2	-
BLACK---MALE----	37	31	33	52	63	53	29	9	7	1	-	-
FEMALE--	22	25	26	44	40	41	47	28	13	8	2	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 694

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of esophagus (C15)												
UNITED STATES -	916	1,114	1,440	1,765	2,014	1,941	1,366	757	317	56	7	1
WHITE-----MALE----	624	741	985	1,200	1,350	1,290	867	420	135	17	2	1
FEMALE--	94	119	183	255	364	451	384	280	152	36	5	-
ALL OTHER--MALE----	163	199	212	236	203	133	75	32	18	1	-	-
FEMALE--	35	55	60	74	97	67	40	25	12	2	-	-
BLACK---MALE-----	141	176	191	204	178	119	67	27	13	1	-	-
FEMALE--	31	49	54	70	88	58	35	24	10	2	-	-
ALABAMA -----	16	28	19	31	38	20	20	6	2	2	-	-
WHITE-----MALE----	7	12	8	17	25	10	8	2	-	-	-	-
FEMALE--	1	1	4	2	6	5	7	3	1	2	-	-
ALL OTHER--MALE----	7	12	6	9	3	5	4	-	-	-	-	-
FEMALE--	1	3	1	3	4	-	1	1	1	-	-	-
BLACK---MALE-----	7	12	6	9	3	5	4	-	-	-	-	-
FEMALE--	1	3	1	3	4	-	1	1	1	-	-	-
ALASKA -----	1	4	-	5	3	3	1	-	-	-	-	-
WHITE-----MALE----	-	4	-	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	3	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	13	23	30	28	40	21	20	9	4	-	-
WHITE-----MALE----	9	7	17	21	24	26	13	13	8	2	-	-
FEMALE--	1	5	5	8	4	10	8	6	1	2	-	-
ALL OTHER--MALE----	-	1	1	1	-	4	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	12	6	16	15	24	20	4	8	-	-	-	-
WHITE-----MALE----	7	3	10	12	15	10	3	2	-	-	-	-
FEMALE--	1	-	3	2	5	8	-	4	-	-	-	-
ALL OTHER--MALE----	2	1	1	1	3	1	-	1	-	-	-	-
FEMALE--	2	2	2	-	1	1	1	1	-	-	-	-
BLACK---MALE-----	2	1	1	1	3	1	-	1	-	-	-	-
FEMALE--	2	2	2	-	1	1	1	1	-	-	-	-
CALIFORNIA -----	78	109	135	164	202	175	140	67	36	7	-	-
WHITE-----MALE----	52	79	97	99	137	114	83	41	19	-	-	-
FEMALE--	10	12	20	31	36	50	47	22	11	7	-	-
ALL OTHER--MALE----	14	13	14	24	19	7	6	3	5	-	-	-
FEMALE--	2	5	4	10	10	4	4	1	1	-	-	-
BLACK---MALE-----	5	3	7	12	11	6	4	1	3	-	-	-
FEMALE--	2	2	3	8	6	2	1	1	1	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Of esophagus (C15)												
COLORADO -----	8	11	16	18	19	23	22	9	3	-	-	-
WHITE-----MALE----	7	9	9	16	13	18	17	7	2	-	-	-
FEMALE--	1	-	6	2	5	5	3	2	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CONNECTICUT -----	12	11	15	28	33	34	20	20	4	1	-	-
WHITE-----MALE----	9	8	9	19	22	23	12	13	-	1	-	-
FEMALE--	3	1	1	4	7	9	7	7	4	-	-	-
ALL OTHER--MALE----	-	1	4	4	1	1	1	-	-	-	-	-
FEMALE--	-	1	1	1	3	1	-	-	-	-	-	-
BLACK---MALE----	-	1	4	2	1	1	1	-	-	-	-	-
FEMALE--	-	1	1	1	3	-	-	-	-	-	-	-
DELAWARE -----	1	3	3	11	6	9	4	3	2	-	-	-
WHITE-----MALE----	-	2	1	10	4	6	-	2	1	-	-	-
FEMALE--	-	-	1	-	-	2	3	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	1	2	1	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	1	-	1	2	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ---	4	4	7	9	6	7	2	2	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	4	5	6	4	3	2	2	-	-	-	-
FEMALE--	-	-	1	2	2	2	-	-	-	-	-	-
BLACK---MALE----	4	4	5	6	4	3	2	2	-	-	-	-
FEMALE--	-	-	1	2	2	1	-	-	-	-	-	-
FLORIDA -----	60	78	98	116	150	153	117	57	30	5	1	1
WHITE-----MALE----	39	51	78	83	109	109	71	41	12	2	-	1
FEMALE--	6	13	10	16	27	33	36	16	17	3	1	-
ALL OTHER--MALE----	12	11	9	14	6	10	6	-	1	-	-	-
FEMALE--	3	3	1	3	8	1	4	-	-	-	-	-
BLACK---MALE----	12	10	9	14	6	10	6	-	1	-	-	-
FEMALE--	3	2	1	3	8	1	4	-	-	-	-	-
GEORGIA -----	30	37	40	56	44	38	26	7	3	1	-	-
WHITE-----MALE----	14	21	18	30	28	21	15	2	-	-	-	-
FEMALE--	1	1	3	5	5	3	6	2	2	-	-	-
ALL OTHER--MALE----	10	13	17	16	9	12	2	-	-	1	-	-
FEMALE--	5	2	2	5	2	2	3	3	1	-	-	-
BLACK---MALE----	10	13	17	16	9	12	2	-	-	1	-	-
FEMALE--	5	2	2	5	2	2	3	3	1	-	-	-

