

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Total of all cities of 100,000 or more								
Number								
Low birthweight	103,091	56,314	39,695	614	6,468	27,369	29,421	38,853
Care beginning in first trimester	951,685	664,311	212,288	5,736	69,350	303,226	365,466	205,546
Late or no care	57,466	32,964	20,750	639	3,113	22,850	10,511	20,096
Percent								
Low birthweight	8.4	6.8	13.2	7.4	7.4	6.6	6.9	13.4
Care beginning in first trimester	80.1	82.4	73.4	71.0	82.3	76.1	88.2	73.4
Late or no care	4.8	4.1	7.2	7.9	3.7	5.7	2.5	7.2
Abilene, Texas								
Number								
Low birthweight	145	123	18	-	4	50	73	18
Care beginning in first trimester	1,463	1,319	99	7	38	372	950	96
Late or no care	62	52	9	-	1	37	15	9
Percent								
Low birthweight	7.8	7.4	*	*	*	9.0	6.6	*
Care beginning in first trimester	79.2	79.6	71.2	*	88.4	67.3	85.7	70.6
Late or no care	3.4	3.1	*	*	*	6.7	*	*
Akron, Ohio								
Number								
Low birthweight	319	156	154	4	5	4	153	152
Care beginning in first trimester	2,881	1,947	855	10	69	48	1,904	848
Late or no care	73	31	38	1	3	4	27	38
Percent								
Low birthweight	9.7	7.3	14.6	*	*	*	7.3	14.5
Care beginning in first trimester	88.6	91.4	83.3	*	83.1	82.8	91.6	83.3
Late or no care	2.2	1.5	3.7	*	*	*	1.3	3.7

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Albany, New York								
Number								
Low birthweight	122	48	70	-	4	11	29	68
Care beginning in first trimester	936	535	361	2	38	73	282	351
Late or no care	85	28	53	-	4	6	15	52
Percent								
Low birthweight	9.6	7.4	12.4	*	*	*	8.6	12.3
Care beginning in first trimester	74.2	82.9	64.1	*	76.0	68.9	84.9	63.9
Late or no care	6.7	4.3	9.4	*	*	*	*	9.5
Albuquerque, New Mexico								
Number								
Low birthweight	644	567	32	25	20	353	217	32
Care beginning in first trimester	5,547	4,988	148	251	160	2,919	2,091	139
Late or no care	465	398	19	40	8	304	95	18
Percent								
Low birthweight	8.1	8.0	13.1	5.8	9.3	8.0	8.0	13.9
Care beginning in first trimester	73.6	74.5	65.8	61.4	77.3	70.7	80.5	66.2
Late or no care	6.2	5.9	*	9.8	*	7.4	3.7	*
Alexandria city, Virginia								
Number								
Low birthweight	205	128	61	1	15	30	100	60
Care beginning in first trimester	1,833	1,287	385	3	158	278	1,016	377
Late or no care	234	131	89	1	13	83	51	87
Percent								
Low birthweight	7.8	7.3	9.5	*	*	5.2	8.4	9.5
Care beginning in first trimester	70.9	73.7	60.7	*	78.2	48.2	86.2	60.5
Late or no care	9.0	7.5	14.0	*	*	14.4	4.3	14.0

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Allentown, Pennsylvania								
Number								
Low birthweight	138	114	19	1	4	48	63	18
Care beginning in first trimester	1,087	983	73	9	22	404	571	67
Late or no care	50	39	9	-	2	23	15	8
Percent								
Low birthweight	8.3	7.8	*	*	*	7.2	8.0	*
Care beginning in first trimester	81.1	82.5	68.9	*	68.8	76.4	87.6	70.5
Late or no care	3.7	3.3	*	*	*	4.3	*	*
Amarillo, Texas								
Number								
Low birthweight	254	215	25	3	11	87	129	25
Care beginning in first trimester	2,482	2,294	123	17	48	801	1,500	118
Late or no care	105	89	14	1	1	53	36	14
Percent								
Low birthweight	8.3	7.7	13.2	*	*	8.2	7.4	13.7
Care beginning in first trimester	81.3	82.3	65.4	*	82.8	75.4	86.6	65.2
Late or no care	3.4	3.2	*	*	*	5.0	2.1	*
Anaheim, California								
Number								
Low birthweight	381	309	16	-	56	228	81	16
Care beginning in first trimester	5,660	4,858	115	8	679	3,661	1,205	111
Late or no care	139	118	7	-	14	91	28	7
Percent								
Low birthweight	5.8	5.5	*	*	7.3	5.3	6.1	*
Care beginning in first trimester	86.7	86.4	82.1	*	89.7	85.1	90.5	82.2
Late or no care	2.1	2.1	*	*	*	2.1	2.1	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Anchorage, coext. with Anchorage city, Alaska								
Number								
Low birthweight	260	164	39	33	24	25	132	33
Care beginning in first trimester	3,514	2,485	237	485	307	318	2,104	205
Late or no care	134	68	12	33	21	14	57	11
Percent								
Low birthweight	6.2	5.7	13.2	5.4	5.9	6.4	5.5	13.1
Care beginning in first trimester	86.1	88.5	83.5	80.8	78.5	84.6	89.0	84.7
Late or no care	3.3	2.4	*	5.5	5.4	*	2.4	*
Ann Arbor, Michigan								
Number								
Low birthweight	85	55	18	1	11	3	50	18
Care beginning in first trimester	1,223	886	108	2	227	48	824	103
Late or no care	24	15	6	-	3	2	11	6
Percent								
Low birthweight	6.3	5.7	*	*	*	*	5.6	*
Care beginning in first trimester	92.1	93.5	77.7	*	95.0	81.4	94.5	76.9
Late or no care	1.8	*	*	*	*	*	*	*
Arlington, Texas								
Number								
Low birthweight	452	294	125	1	32	133	154	124
Care beginning in first trimester	4,702	3,600	751	14	337	1,253	2,310	726
Late or no care	340	260	59	1	20	184	78	57
Percent								
Low birthweight	7.4	6.3	12.5	*	7.5	6.7	5.8	12.8
Care beginning in first trimester	77.9	78.2	75.6	*	81.2	64.8	87.6	75.7
Late or no care	5.6	5.6	5.9	*	4.8	9.5	3.0	5.9

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Arlington, Virginia								
Number								
Low birthweight	169	121	25	-	23	46	76	24
Care beginning in first trimester	2,158	1,705	180	1	272	480	1,225	179
Late or no care	217	143	40	2	32	107	37	40
Percent								
Low birthweight	5.9	5.4	8.9	*	6.5	5.4	5.5	8.6
Care beginning in first trimester	76.1	77.3	65.2	*	77.5	56.3	90.3	65.1
Late or no care	7.6	6.5	14.5	*	9.1	12.6	2.7	14.5
Atlanta, Georgia								
Number								
Low birthweight	986	272	687	4	23	109	147	679
Care beginning in first trimester	6,819	3,105	3,435	14	265	1,091	1,847	3,364
Late or no care	391	121	265	2	3	99	22	265
Percent								
Low birthweight	10.6	7.0	13.4	*	7.7	6.2	7.5	13.5
Care beginning in first trimester	79.2	84.8	74.0	*	94.0	69.6	95.8	73.8
Late or no care	4.5	3.3	5.7	*	*	6.3	1.1	5.8
Aurora, Colorado								
Number								
Low birthweight	482	349	103	3	27	153	199	102
Care beginning in first trimester	4,218	3,440	531	21	226	1,247	2,230	512
Late or no care	303	248	33	4	18	190	61	32
Percent								
Low birthweight	8.6	7.6	14.5	*	9.2	7.5	7.7	14.8
Care beginning in first trimester	76.8	76.9	77.4	53.8	77.9	61.9	89.0	77.1
Late or no care	5.5	5.5	4.8	*	*	9.4	2.4	4.8

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Austin, Texas</b>								
Number								
Low birthweight	885	692	132	2	59	402	293	128
Care beginning in first trimester	9,945	8,374	893	15	663	3,963	4,424	872
Late or no care	632	555	61	-	16	495	61	60
Percent								
Low birthweight	6.9	6.4	11.0	*	8.0	6.6	6.1	11.0
Care beginning in first trimester	78.7	78.1	75.9	*	91.8	66.2	92.9	76.1
Late or no care	5.0	5.2	5.2	*	*	8.3	1.3	5.2
<b>Bakersfield, California</b>								
Number								
Low birthweight	469	376	77	2	14	226	152	76
Care beginning in first trimester	5,375	4,753	426	26	170	2,580	2,191	417
Late or no care	187	161	22	-	4	104	56	22
Percent								
Low birthweight	6.5	5.9	12.8	*	*	6.2	5.5	12.9
Care beginning in first trimester	82.9	83.1	80.4	78.8	83.7	81.4	85.4	80.2
Late or no care	2.9	2.8	4.2	*	*	3.3	2.2	4.2
<b>Baltimore city, Maryland</b>								
Number								
Low birthweight	1,293	262	1,012	4	15	16	244	1,009
Care beginning in first trimester	7,191	2,453	4,582	23	133	161	2,285	4,575
Late or no care	635	124	500	1	10	18	103	495
Percent								
Low birthweight	13.2	8.9	15.2	*	*	*	9.1	15.2
Care beginning in first trimester	75.6	84.9	71.3	71.9	81.1	70.0	86.4	71.4
Late or no care	6.7	4.3	7.8	*	*	*	3.9	7.7

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Baton Rouge, Louisiana								
Number								
Low birthweight	534	145	376	-	13	7	138	376
Care beginning in first trimester	3,875	1,757	1,990	9	119	80	1,676	1,990
Late or no care	182	28	153	-	1	5	23	153
Percent								
Low birthweight	11.0	7.6	13.4	*	*	*	7.6	13.4
Care beginning in first trimester	79.9	92.3	71.0	*	87.5	80.0	93.0	71.0
Late or no care	3.8	1.5	5.5	*	*	*	1.3	5.5
Beaumont, Texas								
Number								
Low birthweight	163	70	91	-	2	15	55	91
Care beginning in first trimester	1,338	681	620	1	36	186	497	612
Late or no care	95	34	58	-	3	9	25	57
Percent								
Low birthweight	9.7	8.7	11.0	*	*	*	9.4	11.1
Care beginning in first trimester	80.9	86.4	75.8	*	78.3	86.9	86.4	75.6
Late or no care	5.7	4.3	7.1	*	*	*	4.3	7.0
Berkeley, California								
Number								
Low birthweight	51	33	15	-	3	6	27	15
Care beginning in first trimester	995	689	147	4	155	133	558	145
Late or no care	10	5	4	-	1	-	4	4
Percent								
Low birthweight	4.9	4.6	*	*	*	*	4.6	*
Care beginning in first trimester	95.4	96.0	91.9	*	96.3	94.3	96.5	91.8
Late or no care	*	*	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Birmingham, Alabama								
Number								
Low birthweight	517	86	430	-	1	9	77	430
Care beginning in first trimester	3,151	898	2,217	4	32	101	796	2,215
Late or no care	269	58	209	1	1	21	36	209
Percent								
Low birthweight	12.0	7.7	13.7	*	*	*	8.2	13.7
Care beginning in first trimester	73.4	80.5	70.7	*	86.5	57.7	84.9	70.6
Late or no care	6.3	5.2	6.7	*	*	12.0	3.8	6.7
Boise City, Idaho								
Number								
Low birthweight	193	183	3	-	7	26	149	3
Care beginning in first trimester	2,499	2,381	20	15	83	157	2,122	19
Late or no care	67	63	2	1	1	13	48	2
Percent								
Low birthweight	5.9	5.9	*	*	*	10.5	5.5	*
Care beginning in first trimester	87.9	88.1	76.9	*	89.2	74.8	88.9	*
Late or no care	2.4	2.3	*	*	*	*	2.0	*
Boston, Massachusetts								
Number								
Low birthweight	699	322	343	1	33	133	216	315
Care beginning in first trimester	7,055	3,986	2,541	7	521	1,536	2,850	2,120
Late or no care	276	100	155	-	21	54	57	144
Percent								
Low birthweight	8.5	7.2	10.9	*	5.4	7.5	7.0	11.7
Care beginning in first trimester	86.5	90.1	81.5	*	86.5	86.6	92.3	79.7
Late or no care	3.4	2.3	5.0	*	3.5	3.0	1.8	5.4



Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Bridgeport, Connecticut								
Number								
Low birthweight	211	107	92	-	12	78	31	90
Care beginning in first trimester	1,809	1,075	636	7	91	714	375	621
Late or no care	69	33	31	-	5	24	7	31
Percent								
Low birthweight	9.3	8.0	11.3	*	*	8.7	6.9	11.3
Care beginning in first trimester	82.1	82.8	81.0	*	80.5	82.4	84.3	80.9
Late or no care	3.1	2.5	3.9	*	*	2.8	*	4.0
Bronx borough, Bronx county, New York								
Number								
Low birthweight	2,145	998	1,050	3	94	1,051	117	870
Care beginning in first trimester	15,793	8,745	6,496	9	543	8,661	1,483	5,066
Late or no care	1,365	575	741	-	49	663	71	582
Percent								
Low birthweight	9.3	8.4	10.2	*	12.1	8.5	6.3	11.0
Care beginning in first trimester	74.3	76.9	71.1	*	73.8	74.8	83.5	71.1
Late or no care	6.4	5.1	8.1	*	6.7	5.7	4.0	8.2
Brooklyn borough, Kings county, New York								
Number								
Low birthweight	3,446	1,381	1,803	1	261	713	757	1,687
Care beginning in first trimester	27,401	14,622	10,265	9	2,505	6,820	8,515	9,413
Late or no care	2,221	794	1,246	-	181	485	389	1,135
Percent								
Low birthweight	8.6	6.6	11.8	*	7.0	7.6	5.9	12.1
Care beginning in first trimester	75.2	79.3	70.3	*	73.9	77.1	80.6	70.2
Late or no care	6.1	4.3	8.5	*	5.3	5.5	3.7	8.5

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Buffalo, New York								
Number								
Low birthweight	415	183	221	6	5	42	144	220
Care beginning in first trimester	2,855	1,844	948	22	41	276	1,583	934
Late or no care	534	219	298	10	7	84	137	296
Percent								
Low birthweight	9.5	7.6	12.0	*	*	9.0	7.3	12.1
Care beginning in first trimester	70.7	79.4	58.8	52.4	66.1	65.4	82.5	58.6
Late or no care	13.2	9.4	18.5	*	*	19.9	7.1	18.6
Cedar Rapids, Iowa								
Number								
Low birthweight	111	91	12	-	8	4	87	12
Care beginning in first trimester	1,747	1,619	76	7	45	53	1,567	76
Late or no care	33	24	6	-	3	2	22	6
Percent								
Low birthweight	5.8	5.2	*	*	*	*	5.1	*
Care beginning in first trimester	91.9	92.7	80.0	*	86.5	91.4	92.7	80.0
Late or no care	1.7	1.4	*	*	*	*	1.3	*
Charlotte, North Carolina								
Number								
Low birthweight	922	436	447	4	35	106	330	447
Care beginning in first trimester	8,928	5,818	2,733	19	358	1,219	4,611	2,716
Late or no care	316	160	145	2	9	107	53	145
Percent								
Low birthweight	8.8	6.7	12.9	*	8.2	6.4	6.7	13.0
Care beginning in first trimester	85.7	89.2	79.3	*	84.0	74.2	94.3	79.3
Late or no care	3.0	2.5	4.2	*	*	6.5	1.1	4.2

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Chattanooga, Tennessee								
Number								
Low birthweight	329	141	174	-	14	28	113	174
Care beginning in first trimester	2,011	1,229	709	4	69	99	1,131	709
Late or no care	122	76	45	-	1	47	29	45
Percent								
Low birthweight	13.0	9.5	18.1	*	*	13.5	8.8	18.1
Care beginning in first trimester	80.7	83.8	75.5	*	83.1	47.6	89.6	75.6
Late or no care	4.9	5.2	4.8	*	*	22.6	2.3	4.8
Chesapeake city, Virginia								
Number								
Low birthweight	228	133	93	-	2	4	128	92
Care beginning in first trimester	2,416	1,663	678	7	68	59	1,599	673
Late or no care	58	26	29	1	2	1	25	29
Percent								
Low birthweight	8.3	7.4	10.8	*	*	*	7.4	10.8
Care beginning in first trimester	88.1	92.5	78.7	*	91.9	85.5	92.7	78.8
Late or no care	2.1	1.4	3.4	*	*	*	1.4	3.4
Chicago, Illinois								
Number								
Low birthweight	4,973	2,040	2,755	7	171	1,289	763	2,742
Care beginning in first trimester	37,413	22,743	13,214	36	1,420	14,222	8,577	13,145
Late or no care	2,496	954	1,450	2	90	716	245	1,441
Percent								
Low birthweight	10.0	7.1	14.8	*	8.6	6.9	7.4	14.8
Care beginning in first trimester	78.3	82.2	72.5	87.8	78.2	78.9	88.0	72.5
Late or no care	5.2	3.4	8.0	*	5.0	4.0	2.5	8.0

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Chula Vista, California								
Number								
Low birthweight	224	173	23	-	28	134	40	23
Care beginning in first trimester	3,137	2,601	155	15	366	2,013	611	147
Late or no care	110	103	3	-	4	88	15	3
Percent								
Low birthweight	6.1	5.6	13.5	*	6.9	5.5	5.8	14.2
Care beginning in first trimester	85.4	84.3	90.6	*	91.5	83.0	89.1	90.7
Late or no care	3.0	3.3	*	*	*	3.6	*	*
Cincinnati, Ohio								
Number								
Low birthweight	650	229	416	-	5	9	220	416
Care beginning in first trimester	4,573	2,444	2,024	9	96	67	2,383	2,014
Late or no care	917	299	598	1	19	38	262	596
Percent								
Low birthweight	11.0	7.9	14.4	*	*	*	7.9	14.5
Care beginning in first trimester	77.5	84.5	70.4	*	80.7	53.6	85.9	70.3
Late or no care	15.5	10.3	20.8	*	*	30.4	9.4	20.8
Cleveland, Ohio								
Number								
Low birthweight	946	315	624	1	6	62	252	623
Care beginning in first trimester	6,509	2,877	3,525	17	90	549	2,335	3,508
Late or no care	364	121	241	1	1	26	96	240
Percent								
Low birthweight	11.7	9.1	13.8	*	*	8.9	9.1	13.8
Care beginning in first trimester	81.2	83.8	79.1	*	83.3	79.1	85.0	79.1
Late or no care	4.5	3.5	5.4	*	*	3.7	3.5	5.4

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Colorado Springs, Colorado								
Number								
Low birthweight	641	520	87	6	28	132	398	84
Care beginning in first trimester	5,493	4,785	403	51	254	929	3,923	381
Late or no care	334	270	40	10	14	102	173	38
Percent								
Low birthweight	9.2	8.7	14.6	*	8.6	9.9	8.4	14.9
Care beginning in first trimester	79.0	80.3	68.4	63.0	78.4	70.1	83.1	68.0
Late or no care	4.8	4.5	6.8	*	*	7.7	3.7	6.8
Columbus, Georgia								
Number								
Low birthweight	276	92	181	-	3	10	84	179
Care beginning in first trimester	1,838	850	946	3	39	93	765	937
Late or no care	152	49	95	1	7	12	38	95
Percent								
Low birthweight	10.5	8.1	12.8	*	*	*	8.3	12.7
Care beginning in first trimester	73.3	76.9	70.4	*	69.6	65.5	78.4	70.5
Late or no care	6.1	4.4	7.1	*	*	*	3.9	7.1
Columbus, Ohio								
Number								
Low birthweight	998	496	467	2	33	33	460	458
Care beginning in first trimester	7,941	5,082	2,479	15	365	336	4,742	2,438
Late or no care	587	279	288	1	19	38	229	280
Percent								
Low birthweight	9.3	7.7	12.4	*	7.2	6.3	7.9	12.4
Care beginning in first trimester	84.5	88.1	77.6	*	88.6	74.2	89.5	77.6
Late or no care	6.2	4.8	9.0	*	*	8.4	4.3	8.9

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Concord, California								
Number								
Low birthweight	113	83	7	-	23	31	54	5
Care beginning in first trimester	1,526	1,288	49	7	182	492	758	42
Late or no care	48	45	2	-	1	28	16	1
Percent								
Low birthweight	6.4	5.6	*	*	11.2	5.0	6.7	*
Care beginning in first trimester	87.4	87.5	83.1	*	88.3	79.0	93.9	82.4
Late or no care	2.8	3.1	*	*	*	4.5	*	*
Corpus Christi, Texas								
Number								
Low birthweight	388	348	35	-	5	251	98	34
Care beginning in first trimester	3,857	3,630	157	12	58	2,548	1,088	146
Late or no care	176	164	10	-	2	143	21	10
Percent								
Low birthweight	8.4	8.0	17.9	*	*	8.0	8.1	18.7
Care beginning in first trimester	83.8	83.9	80.5	*	89.2	81.5	89.8	80.2
Late or no care	3.8	3.8	*	*	*	4.6	1.7	*
Dallas, Texas								
Number								
Low birthweight	2,028	1,231	746	4	47	880	356	738
Care beginning in first trimester	17,189	13,018	3,620	27	524	8,926	4,090	3,584
Late or no care	1,249	882	335	7	25	745	134	330
Percent								
Low birthweight	8.0	6.5	13.3	*	7.0	6.3	7.4	13.3
Care beginning in first trimester	76.3	77.0	73.1	57.4	84.2	73.0	87.4	73.1
Late or no care	5.5	5.2	6.8	*	4.0	6.1	2.9	6.7

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Dayton, Ohio								
Number								
Low birthweight	336	134	199	2	1	5	129	199
Care beginning in first trimester	2,373	1,322	1,017	4	30	52	1,271	1,016
Late or no care	100	27	72	-	1	-	27	72
Percent								
Low birthweight	11.5	8.9	14.6	*	*	*	8.9	14.6
Care beginning in first trimester	81.4	87.4	74.8	*	81.1	81.3	87.7	74.8
Late or no care	3.4	1.8	5.3	*	*	*	1.9	5.3
Denver, coext. with Denver city, Colorado								
Number								
Low birthweight	1,068	847	174	8	39	500	358	165
Care beginning in first trimester	7,823	6,637	795	65	326	3,461	3,243	759
Late or no care	832	704	97	8	23	620	89	94
Percent								
Low birthweight	9.4	8.7	14.9	*	9.2	8.4	9.3	14.7
Care beginning in first trimester	70.7	70.4	70.5	61.3	79.5	59.1	88.7	70.1
Late or no care	7.5	7.5	8.6	*	5.6	10.6	2.4	8.7
Des Moines, Iowa								
Number								
Low birthweight	261	200	45	1	15	30	172	44
Care beginning in first trimester	3,002	2,567	280	15	140	353	2,221	276
Late or no care	111	80	22	4	5	17	65	22
Percent								
Low birthweight	7.4	6.8	12.4	*	*	6.4	6.9	12.3
Care beginning in first trimester	85.9	87.2	77.8	*	83.3	76.1	89.2	77.7
Late or no care	3.2	2.7	6.1	*	*	*	2.6	6.2

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Detroit, Michigan								
Number								
Low birthweight	2,029	226	1,783	2	18	84	132	1,779
Care beginning in first trimester	9,683	1,727	7,845	15	96	694	1,004	7,815
Late or no care	1,568	239	1,317	-	12	106	129	1,313
Percent								
Low birthweight	13.3	8.2	14.4	*	*	6.5	9.4	14.4
Care beginning in first trimester	65.2	65.1	65.3	*	59.6	55.1	73.9	65.2
Late or no care	10.6	9.0	11.0	*	*	8.4	9.5	11.0
District of Columbia								
Number								
Low birthweight	924	163	743	2	16	58	106	737
Care beginning in first trimester	4,861	1,940	2,794	7	120	545	1,405	2,766
Late or no care	513	86	412	1	14	45	41	410
Percent								
Low birthweight	12.1	6.3	15.3	*	*	6.5	6.3	15.3
Care beginning in first trimester	74.4	84.2	68.7	*	77.4	70.9	90.8	68.7
Late or no care	7.9	3.7	10.1	*	*	5.9	2.7	10.2
Durham, North Carolina								
Number								
Low birthweight	351	117	215	2	17	55	62	215
Care beginning in first trimester	3,052	1,657	1,187	15	193	632	1,024	1,181
Late or no care	75	19	56	-	-	13	6	55
Percent								
Low birthweight	10.0	6.5	14.5	*	*	7.7	5.8	14.6
Care beginning in first trimester	89.0	94.7	81.3	*	94.6	92.5	96.2	81.3
Late or no care	2.2	*	3.8	*	*	*	*	3.8



Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
El Monte, California								
Number								
Low birthweight	162	142	-	-	20	136	4	-
Care beginning in first trimester	2,354	2,068	5	9	272	2,007	66	4
Late or no care	71	64	-	-	7	60	4	-
Percent								
Low birthweight	6.0	6.0	*	*	6.7	5.9	*	*
Care beginning in first trimester	87.6	87.1	*	*	91.6	87.1	88.0	*
Late or no care	2.6	2.7	*	*	*	2.6	*	*
El Paso, Texas								
Number								
Low birthweight	1,012	966	36	-	10	876	89	34
Care beginning in first trimester	7,770	7,491	190	17	72	6,640	857	180
Late or no care	1,695	1,681	7	3	4	1,639	42	6
Percent								
Low birthweight	7.8	7.7	15.2	*	*	7.6	7.9	15.2
Care beginning in first trimester	64.5	64.0	80.9	*	75.0	62.3	81.6	81.1
Late or no care	14.1	14.4	*	*	*	15.4	4.0	*
Elizabeth, New Jersey								
Number								
Low birthweight	189	104	82	-	3	80	26	79
Care beginning in first trimester	1,184	850	300	1	33	678	205	267
Late or no care	245	157	84	-	4	133	27	82
Percent								
Low birthweight	8.9	6.9	14.6	*	*	6.3	8.6	15.3
Care beginning in first trimester	62.1	62.6	59.5	*	71.7	60.6	71.9	58.0
Late or no care	12.8	11.6	16.7	*	*	11.9	9.5	17.8

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Erie, Pennsylvania</b>								
Number								
Low birthweight	145	106	37	-	2	7	96	36
Care beginning in first trimester	1,285	1,065	210	3	7	77	972	207
Late or no care	84	54	30	-	-	6	45	29
Percent								
Low birthweight	9.0	8.3	11.3	*	*	*	8.3	11.1
Care beginning in first trimester	80.8	84.5	66.0	*	*	75.5	85.5	65.9
Late or no care	5.3	4.3	9.4	*	*	*	4.0	9.2
<b>Escondido, California</b>								
Number								
Low birthweight	157	140	5	1	11	81	55	5
Care beginning in first trimester	1,891	1,734	36	5	116	936	777	34
Late or no care	120	111	2	1	6	88	21	2
Percent								
Low birthweight	5.7	5.6	*	*	*	5.3	5.8	*
Care beginning in first trimester	75.6	75.2	78.3	*	82.9	68.0	86.6	77.3
Late or no care	4.8	4.8	*	*	*	6.4	2.3	*
<b>Eugene, Oregon</b>								
Number								
Low birthweight	101	93	3	1	4	10	83	3
Care beginning in first trimester	1,401	1,328	15	17	41	116	1,211	14
Late or no care	61	56	2	-	3	10	46	2
Percent								
Low birthweight	5.8	5.7	*	*	*	*	5.6	*
Care beginning in first trimester	81.0	81.8	*	*	66.1	74.8	82.4	*
Late or no care	3.5	3.4	*	*	*	*	3.1	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Evansville, Indiana</b>								
Number								
Low birthweight	223	170	47	-	6	4	167	47
Care beginning in first trimester	1,770	1,543	203	3	21	28	1,516	202
Late or no care	60	37	21	2	-	1	36	21
Percent								
Low birthweight	10.7	9.6	16.8	*	*	*	9.6	16.9
Care beginning in first trimester	86.4	88.6	73.8	*	80.8	82.4	88.7	73.7
Late or no care	2.9	2.1	7.6	*	*	*	2.1	7.7
<b>Fayette, coext. with Lexington-Fayette, Kentucky</b>								
Number								
Low birthweight	300	222	71	-	7	25	197	71
Care beginning in first trimester	2,972	2,419	461	6	86	145	2,276	459
Late or no care	154	114	40	-	-	59	54	40
Percent								
Low birthweight	8.1	7.5	11.5	*	*	8.4	7.3	11.5
Care beginning in first trimester	82.7	83.8	76.6	*	86.9	48.5	87.9	76.5
Late or no care	4.3	4.0	6.6	*	*	19.7	2.1	6.7
<b>Flint, Michigan</b>								
Number								
Low birthweight	335	90	241	-	4	1	88	241
Care beginning in first trimester	1,950	971	948	4	27	35	931	947
Late or no care	138	34	104	-	-	1	33	104
Percent								
Low birthweight	12.7	7.7	16.8	*	*	*	7.9	16.9
Care beginning in first trimester	74.3	83.6	66.5	*	79.4	76.1	83.6	66.6
Late or no care	5.3	2.9	7.3	*	*	*	3.0	7.3

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Fort Lauderdale, Florida								
Number								
Low birthweight	329	103	220	2	4	32	72	219
Care beginning in first trimester	2,462	1,253	1,166	7	36	414	861	1,144
Late or no care	200	57	138	-	5	34	24	137
Percent								
Low birthweight	10.0	6.9	12.6	*	*	5.7	7.5	12.8
Care beginning in first trimester	75.6	84.8	67.8	*	72.0	75.3	90.2	67.6
Late or no care	6.1	3.9	8.0	*	*	6.2	2.5	8.1
Fort Wayne, Indiana								
Number								
Low birthweight	377	250	116	-	11	25	225	116
Care beginning in first trimester	3,410	2,845	492	4	69	284	2,562	491
Late or no care	212	121	83	-	8	18	103	83
Percent								
Low birthweight	8.7	7.3	14.3	*	*	6.3	7.4	14.3
Care beginning in first trimester	78.5	82.7	61.0	*	73.4	71.2	84.3	60.9
Late or no care	4.9	3.5	10.3	*	*	*	3.4	10.3
Fort Worth, Texas								
Number								
Low birthweight	963	638	302	1	22	360	278	296
Care beginning in first trimester	8,742	6,818	1,607	21	296	3,495	3,321	1,594
Late or no care	796	578	201	3	14	429	149	201
Percent								
Low birthweight	8.5	7.3	13.9	*	6.3	7.3	7.2	13.7
Care beginning in first trimester	77.4	77.9	74.2	77.8	84.3	71.1	86.5	74.2
Late or no care	7.0	6.6	9.3	*	*	8.7	3.9	9.4

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Fremont, California								
Number								
Low birthweight	201	85	9	3	104	25	61	8
Care beginning in first trimester	2,838	1,159	75	11	1,593	419	746	72
Late or no care	55	22	1	-	32	16	6	1
Percent								
Low birthweight	6.4	6.6	*	*	5.9	5.1	7.6	*
Care beginning in first trimester	90.6	90.6	90.4	*	90.6	86.9	93.1	90.0
Late or no care	1.8	1.7	*	*	1.8	*	*	*
Fresno, California								
Number								
Low birthweight	657	452	111	9	85	315	141	108
Care beginning in first trimester	7,789	6,268	629	68	824	4,186	2,109	615
Late or no care	239	199	17	5	18	160	41	17
Percent								
Low birthweight	7.2	6.2	15.0	*	8.1	6.3	6.1	14.9
Care beginning in first trimester	85.5	86.3	86.2	78.2	79.6	83.8	91.7	86.0
Late or no care	2.6	2.7	*	*	*	3.2	1.8	*
Fullerton, California								
Number								
Low birthweight	95	76	2	-	17	42	35	2
Care beginning in first trimester	1,674	1,397	36	2	239	845	556	33
Late or no care	32	28	-	-	4	20	8	-
Percent								
Low birthweight	5.1	4.8	*	*	*	4.3	5.9	*
Care beginning in first trimester	89.9	89.5	87.8	*	92.6	86.9	93.6	89.2
Late or no care	1.7	1.8	*	*	*	2.1	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Garden Grove, California								
Number								
Low birthweight	172	99	3	-	70	77	22	3
Care beginning in first trimester	2,525	1,596	24	2	903	1,172	420	24
Late or no care	66	48	1	-	17	35	13	1
Percent								
Low birthweight	5.9	5.3	*	*	7.0	5.6	4.5	*
Care beginning in first trimester	87.2	85.6	88.9	*	90.1	85.2	86.8	92.3
Late or no care	2.3	2.6	*	*	*	2.5	*	*
Garland, Texas								
Number								
Low birthweight	276	207	45	-	24	110	97	45
Care beginning in first trimester	2,779	2,226	311	9	233	1,167	1,059	304
Late or no care	148	123	18	-	7	79	44	18
Percent								
Low birthweight	7.3	6.7	10.2	*	8.5	6.2	7.5	10.4
Care beginning in first trimester	78.9	78.6	74.9	*	87.9	74.4	83.8	74.9
Late or no care	4.2	4.3	*	*	*	5.0	3.5	*
Gary, Indiana								
Number								
Low birthweight	218	25	192	1	-	6	19	192
Care beginning in first trimester	1,177	177	999	-	1	44	136	993
Late or no care	129	19	110	-	-	9	12	108
Percent								
Low birthweight	12.6	9.3	13.2	*	*	*	*	13.2
Care beginning in first trimester	69.3	68.6	69.5	*	*	57.1	72.7	69.5
Late or no care	7.6	*	7.6	*	*	*	*	7.6

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Glendale, Arizona								
Number								
Low birthweight	353	301	36	7	9	131	171	33
Care beginning in first trimester	3,872	3,494	184	57	137	1,233	2,260	170
Late or no care	187	168	8	8	3	128	38	8
Percent								
Low birthweight	7.3	7.0	14.6	*	*	7.3	6.8	14.3
Care beginning in first trimester	81.3	81.8	75.7	68.7	83.0	70.1	90.0	75.2
Late or no care	3.9	3.9	*	*	*	7.3	1.5	*
Glendale, California								
Number								
Low birthweight	146	112	3	-	31	40	70	3
Care beginning in first trimester	1,844	1,445	30	3	366	532	915	29
Late or no care	22	17	-	-	5	6	10	-
Percent								
Low birthweight	7.3	7.1	*	*	7.8	6.9	7.1	*
Care beginning in first trimester	92.6	92.6	90.9	*	92.9	91.7	93.2	90.6
Late or no care	1.1	*	*	*	*	*	*	*
Grand Rapids, Michigan								
Number								
Low birthweight	318	189	125	-	4	42	148	125
Care beginning in first trimester	2,998	2,348	561	5	84	539	1,815	550
Late or no care	174	114	59	-	1	50	65	58
Percent								
Low birthweight	8.0	6.3	14.4	*	*	5.1	6.8	14.7
Care beginning in first trimester	76.9	79.6	67.1	*	81.6	65.8	84.6	67.2
Late or no care	4.5	3.9	7.1	*	*	6.1	3.0	7.1

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Greensboro, North Carolina								
Number								
Low birthweight	254	79	163	1	11	17	63	162
Care beginning in first trimester	2,248	1,213	946	9	80	237	979	943
Late or no care	58	19	34	-	5	10	9	34
Percent								
Low birthweight	9.8	5.9	14.5	*	*	*	6.0	14.5
Care beginning in first trimester	86.9	89.9	84.2	*	76.9	78.5	93.1	84.3
Late or no care	2.2	*	3.0	*	*	*	*	3.0
Hampton city, Virginia								
Number								
Low birthweight	190	61	121	3	5	3	58	121
Care beginning in first trimester	1,559	780	718	7	54	66	713	714
Late or no care	74	18	54	1	1	1	17	54
Percent								
Low birthweight	9.9	6.9	12.6	*	*	*	7.2	12.6
Care beginning in first trimester	80.9	87.6	74.5	*	84.4	83.5	87.9	74.5
Late or no care	3.8	*	5.6	*	*	*	*	5.6
Hartford, Connecticut								
Number								
Low birthweight	249	143	103	1	2	132	13	101
Care beginning in first trimester	1,618	847	737	8	26	710	147	724
Late or no care	127	95	28	1	3	76	22	26
Percent								
Low birthweight	11.2	11.1	11.7	*	*	12.2	*	11.7
Care beginning in first trimester	74.3	67.2	84.9	*	63.4	67.0	69.0	85.1
Late or no care	5.8	7.5	3.2	*	*	7.2	10.3	3.1



Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Hayward, California</b>								
Number								
Low birthweight	192	112	31	-	49	82	32	31
Care beginning in first trimester	2,547	1,674	275	13	585	1,240	462	263
Late or no care	82	54	6	-	22	38	14	6
Percent								
Low birthweight	6.3	5.6	10.0	*	7.1	5.4	6.2	10.4
Care beginning in first trimester	84.9	83.9	89.9	*	85.8	82.3	89.5	89.5
Late or no care	2.7	2.7	*	*	3.2	2.5	*	*
<b>Hialeah, Florida</b>								
Number								
Low birthweight	165	154	9	1	1	145	16	3
Care beginning in first trimester	2,407	2,280	98	15	14	2,161	179	52
Late or no care	28	25	1	2	-	25	1	1
Percent								
Low birthweight	6.2	6.2	*	*	*	6.1	*	*
Care beginning in first trimester	90.9	91.2	88.3	*	*	91.0	90.4	89.7
Late or no care	1.1	1.0	*	*	*	1.1	*	*
<b>Hollywood, Florida</b>								
Number								
Low birthweight	178	111	66	-	1	50	62	64
Care beginning in first trimester	1,748	1,251	433	24	40	515	762	404
Late or no care	131	77	50	3	1	45	33	48
Percent								
Low birthweight	8.3	7.5	11.3	*	*	7.7	7.2	11.7
Care beginning in first trimester	82.6	85.2	75.4	77.4	90.9	80.0	89.1	75.0
Late or no care	6.2	5.2	8.7	*	*	7.0	3.9	8.9

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Honolulu, Hawaii								
Number								
Low birthweight	407	60	21	1	325	35	52	18
Care beginning in first trimester	3,903	850	126	25	2,902	349	727	117
Late or no care	120	8	-	-	112	8	6	-
Percent								
Low birthweight	8.9	6.4	15.2	*	9.3	8.6	6.6	*
Care beginning in first trimester	88.8	92.7	92.6	92.6	87.5	89.5	93.3	92.9
Late or no care	2.7	*	*	*	3.4	*	*	*
Houston, Texas								
Number								
Low birthweight	3,386	1,982	1,216	1	187	1,453	529	1,210
Care beginning in first trimester	33,325	23,987	7,113	29	2,196	17,437	6,575	7,069
Late or no care	1,817	1,349	425	3	40	1,163	181	425
Percent								
Low birthweight	7.7	6.2	12.8	*	7.5	6.0	6.8	12.8
Care beginning in first trimester	78.8	78.1	78.3	67.4	90.1	74.8	88.4	78.3
Late or no care	4.3	4.4	4.7	*	1.6	5.0	2.4	4.7
Huntington Beach, California								
Number								
Low birthweight	126	107	1	-	18	27	80	1
Care beginning in first trimester	2,286	2,010	9	3	264	526	1,472	8
Late or no care	27	24	-	-	3	12	11	-
Percent								
Low birthweight	5.2	5.0	*	*	*	4.4	5.3	*
Care beginning in first trimester	93.8	93.8	*	*	93.6	86.1	97.0	*
Late or no care	1.1	1.1	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Huntsville, Alabama								
Number								
Low birthweight	198	86	110	1	1	5	81	110
Care beginning in first trimester	1,636	1,008	580	9	39	50	960	579
Late or no care	59	19	40	-	-	6	13	40
Percent								
Low birthweight	10.2	7.8	13.9	*	*	*	7.8	14.0
Care beginning in first trimester	84.2	91.3	73.5	*	100.0	69.4	92.8	73.5
Late or no care	3.0	*	5.1	*	*	*	*	5.1
Independence, Missouri								
Number								
Low birthweight	120	97	14	2	7	4	93	14
Care beginning in first trimester	1,356	1,247	59	19	31	75	1,176	58
Late or no care	29	23	1	2	3	5	18	1
Percent								
Low birthweight	7.6	6.7	*	*	*	*	6.9	*
Care beginning in first trimester	87.7	88.0	85.5	*	77.5	79.8	88.6	85.3
Late or no care	1.9	1.6	*	*	*	*	*	*
Indianapolis, Indiana								
Number								
Low birthweight	1,208	703	488	4	13	81	624	487
Care beginning in first trimester	10,760	7,741	2,810	23	186	745	7,015	2,795
Late or no care	544	291	233	1	19	109	185	232
Percent								
Low birthweight	8.7	7.3	12.0	*	*	6.1	7.5	12.1
Care beginning in first trimester	77.7	80.8	70.2	79.3	75.9	57.2	84.5	70.2
Late or no care	3.9	3.0	5.8	*	*	8.4	2.2	5.8

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Inglewood, California								
Number								
Low birthweight	180	110	64	-	6	106	3	64
Care beginning in first trimester	2,203	1,527	640	4	32	1,508	39	618
Late or no care	49	33	15	-	1	32	-	15
Percent								
Low birthweight	6.8	5.9	8.7	*	*	5.8	*	9.0
Care beginning in first trimester	87.9	87.6	89.0	*	82.1	87.6	90.7	88.9
Late or no care	2.0	1.9	*	*	*	1.9	*	*
Irvine, California								
Number								
Low birthweight	108	61	5	2	40	9	51	5
Care beginning in first trimester	1,663	1,039	21	3	600	148	880	20
Late or no care	13	6	-	-	7	-	5	-
Percent								
Low birthweight	6.2	5.6	*	*	6.3	*	5.6	*
Care beginning in first trimester	96.0	96.3	95.5	*	95.5	92.5	97.1	95.2
Late or no care	*	*	*	*	*	*	*	*
Irving, Texas								
Number								
Low birthweight	278	192	49	-	37	126	64	49
Care beginning in first trimester	2,845	2,164	292	10	379	1,279	881	289
Late or no care	151	126	14	1	10	98	28	14
Percent								
Low birthweight	7.1	6.3	12.3	*	8.0	6.3	5.9	12.4
Care beginning in first trimester	79.8	78.4	80.4	*	88.3	73.9	85.8	80.3
Late or no care	4.2	4.6	*	*	*	5.7	2.7	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Jackson, Mississippi								
Number								
Low birthweight	409	44	364	-	1	3	41	364
Care beginning in first trimester	2,302	433	1,851	4	14	13	420	1,851
Late or no care	125	5	119	1	-	3	2	118
Percent								
Low birthweight	13.7	8.9	14.7	*	*	*	8.6	14.7
Care beginning in first trimester	77.6	88.0	75.5	*	*	*	88.6	75.5
Late or no care	4.2	*	4.9	*	*	*	*	4.8
Jacksonville, Florida								
Number								
Low birthweight	1,066	476	551	3	36	43	438	549
Care beginning in first trimester	9,369	5,913	3,016	36	404	488	5,444	2,999
Late or no care	341	123	204	4	10	21	102	203
Percent								
Low birthweight	9.3	7.0	13.1	*	7.5	7.2	7.1	13.2
Care beginning in first trimester	85.9	90.2	78.3	85.7	88.2	85.3	90.7	78.2
Late or no care	3.1	1.9	5.3	*	*	3.7	1.7	5.3
Jersey City, New Jersey								
Number								
Low birthweight	398	135	175	2	86	81	52	173
Care beginning in first trimester	2,722	1,265	856	4	597	781	512	820
Late or no care	265	104	117	-	44	54	49	117
Percent								
Low birthweight	10.3	7.8	13.3	*	10.4	7.4	7.8	13.6
Care beginning in first trimester	73.9	76.6	68.9	*	76.2	74.6	80.0	68.6
Late or no care	7.2	6.3	9.4	*	5.6	5.2	7.7	9.8

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Kansas City, Kansas								
Number								
Low birthweight	193	105	82	-	6	38	69	80
Care beginning in first trimester	2,069	1,423	597	10	39	538	881	589
Late or no care	125	69	46	1	9	40	29	45
Percent								
Low birthweight	7.4	6.0	10.4	*	*	5.3	6.7	10.3
Care beginning in first trimester	79.9	81.8	76.7	*	63.9	75.7	85.9	76.7
Late or no care	4.8	4.0	5.9	*	*	5.6	2.8	5.9
Kansas City, Missouri								
Number								
Low birthweight	619	291	320	2	6	45	245	318
Care beginning in first trimester	5,935	3,932	1,809	29	165	705	3,228	1,793
Late or no care	219	74	136	2	7	21	51	132
Percent								
Low birthweight	8.4	6.4	12.3	*	*	4.9	6.8	12.3
Care beginning in first trimester	86.2	89.8	79.4	82.9	84.6	82.9	91.5	79.5
Late or no care	3.2	1.7	6.0	*	*	2.5	1.4	5.9
Knoxville, Tennessee								
Number								
Low birthweight	266	194	69	-	3	6	187	69
Care beginning in first trimester	2,388	1,952	367	10	59	50	1,904	367
Late or no care	129	81	40	1	7	14	67	40
Percent								
Low birthweight	9.2	8.5	13.6	*	*	*	8.5	13.6
Care beginning in first trimester	83.6	86.1	72.7	*	83.1	61.7	87.0	72.7
Late or no care	4.5	3.6	7.9	*	*	*	3.1	7.9

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Lakewood, Colorado								
Number								
Low birthweight	156	139	3	3	11	39	103	2
Care beginning in first trimester	1,580	1,463	31	17	69	344	1,132	28
Late or no care	45	39	1	3	2	29	11	1
Percent								
Low birthweight	8.3	8.0	*	*	*	8.5	8.0	*
Care beginning in first trimester	85.8	86.2	77.5	*	88.5	76.4	89.6	77.8
Late or no care	2.4	2.3	*	*	*	6.4	*	*
Lansing, Michigan								
Number								
Low birthweight	199	115	74	1	9	15	99	74
Care beginning in first trimester	1,934	1,438	408	8	80	174	1,259	407
Late or no care	73	37	35	-	1	5	30	35
Percent								
Low birthweight	8.6	6.9	13.5	*	*	*	6.9	13.6
Care beginning in first trimester	84.6	87.3	76.3	*	85.1	78.0	89.0	76.4
Late or no care	3.2	2.2	6.5	*	*	*	2.1	6.6
Laredo, Texas								
Number								
Low birthweight	427	425	1	-	1	412	13	1
Care beginning in first trimester	4,227	4,207	3	2	15	4,136	72	3
Late or no care	422	422	-	-	-	422	-	-
Percent								
Low birthweight	7.4	7.4	*	*	*	7.3	*	*
Care beginning in first trimester	73.7	73.7	*	*	*	73.4	94.7	*
Late or no care	7.4	7.4	*	*	*	7.5	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Las Vegas, Nevada								
Number								
Low birthweight	1,021	732	192	9	88	295	434	178
Care beginning in first trimester	10,661	8,540	1,072	124	925	3,227	5,324	1,023
Late or no care	834	662	114	12	46	490	161	107
Percent								
Low birthweight	7.1	6.4	12.0	*	7.4	5.8	6.9	11.7
Care beginning in first trimester	78.2	78.8	71.4	76.5	81.3	67.8	87.6	71.5
Late or no care	6.1	6.1	7.6	*	4.0	10.3	2.6	7.5
Lincoln, Nebraska								
Number								
Low birthweight	216	184	17	2	13	7	176	17
Care beginning in first trimester	2,947	2,688	85	28	146	152	2,511	84
Late or no care	86	68	9	5	4	14	55	9
Percent								
Low birthweight	6.2	5.9	*	*	*	*	6.1	*
Care beginning in first trimester	85.1	86.6	64.4	63.6	79.8	74.5	87.3	64.1
Late or no care	2.5	2.2	*	*	*	*	1.9	*
Little Rock, Arkansas								
Number								
Low birthweight	294	90	197	-	7	14	77	197
Care beginning in first trimester	2,442	1,225	1,138	5	74	108	1,119	1,138
Late or no care	135	46	85	-	4	19	27	85
Percent								
Low birthweight	10.1	6.6	13.6	*	*	*	6.4	13.6
Care beginning in first trimester	84.3	89.4	79.1	*	88.1	66.3	92.5	79.1
Late or no care	4.7	3.4	5.9	*	*	*	2.2	5.9



Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Livonia, Michigan								
Number								
Low birthweight	62	53	2	-	7	2	50	2
Care beginning in first trimester	971	921	12	1	37	24	884	8
Late or no care	14	13	-	-	1	1	11	-
Percent								
Low birthweight	6.0	5.5	*	*	*	*	5.4	*
Care beginning in first trimester	95.9	96.1	*	*	94.9	92.3	96.5	*
Late or no care	*	*	*	*	*	*	*	*
Long Beach, California								
Number								
Low birthweight	581	324	154	6	97	230	91	153
Care beginning in first trimester	6,982	5,037	1,017	16	912	3,656	1,406	1,001
Late or no care	329	241	52	-	36	217	23	51
Percent								
Low birthweight	7.1	5.5	12.7	*	8.8	5.2	6.0	12.8
Care beginning in first trimester	85.7	86.4	84.6	*	83.4	84.0	93.2	84.5
Late or no care	4.0	4.1	4.3	*	3.3	5.0	1.5	4.3
Los Angeles, California								
Number								
Low birthweight	4,376	3,298	759	8	311	2,591	701	745
Care beginning in first trimester	55,332	45,850	5,179	84	4,219	36,473	9,495	4,997
Late or no care	1,377	1,154	147	5	71	1,046	113	140
Percent								
Low birthweight	6.8	6.2	12.1	*	6.7	6.0	6.9	12.3
Care beginning in first trimester	88.1	88.2	85.1	81.6	90.8	86.6	94.5	85.1
Late or no care	2.2	2.2	2.4	*	1.5	2.5	1.1	2.4

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Louisville, Kentucky								
Number								
Low birthweight	679	357	308	-	14	17	341	307
Care beginning in first trimester	6,405	4,424	1,767	20	194	182	4,246	1,761
Late or no care	158	68	85	1	4	12	57	84
Percent								
Low birthweight	9.5	7.4	14.5	*	*	*	7.4	14.5
Care beginning in first trimester	89.5	92.3	82.9	74.1	95.1	80.9	92.7	83.0
Late or no care	2.2	1.4	4.0	*	*	*	1.2	4.0
Lowell, Massachusetts								
Number								
Low birthweight	150	84	11	-	55	28	50	10
Care beginning in first trimester	1,313	909	100	2	302	231	697	77
Late or no care	68	33	12	-	23	14	21	8
Percent								
Low birthweight	8.7	7.6	*	*	11.3	9.2	6.0	*
Care beginning in first trimester	78.0	84.2	76.3	*	64.1	77.5	85.9	80.2
Late or no care	4.0	3.1	*	*	4.9	*	2.6	*
Lubbock, Texas								
Number								
Low birthweight	351	290	55	1	5	176	114	55
Care beginning in first trimester	2,452	2,202	210	5	35	854	1,342	209
Late or no care	213	173	37	2	1	119	54	36
Percent								
Low birthweight	10.7	10.1	15.7	*	*	13.3	7.4	15.8
Care beginning in first trimester	76.0	77.8	61.4	*	77.8	65.9	87.7	61.5
Late or no care	6.6	6.1	10.8	*	*	9.2	3.5	10.6

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Macon, Georgia</b>								
Number								
Low birthweight	246	48	198	-	-	3	46	196
Care beginning in first trimester	1,689	527	1,141	1	20	35	493	1,137
Late or no care	37	7	30	-	-	2	5	30
Percent								
Low birthweight	12.6	7.9	14.9	*	*	*	8.1	14.8
Care beginning in first trimester	88.2	89.2	87.7	*	95.2	89.7	89.0	87.7
Late or no care	1.9	*	2.3	*	*	*	*	2.3
<b>Madison, Wisconsin</b>								
Number								
Low birthweight	204	139	45	5	15	22	117	45
Care beginning in first trimester	2,556	2,079	251	20	206	238	1,850	248
Late or no care	73	39	21	4	9	14	26	21
Percent								
Low birthweight	6.8	5.9	12.8	*	*	6.4	5.8	12.9
Care beginning in first trimester	85.3	88.5	71.9	55.6	78.9	69.2	91.7	71.7
Late or no care	2.4	1.7	6.0	*	*	*	1.3	6.1
<b>Manhattan borough, New York county, New York</b>								
Number								
Low birthweight	1,655	1,080	427	2	146	549	579	371
Care beginning in first trimester	15,285	10,871	2,726	14	1,674	4,661	6,767	2,114
Late or no care	1,017	485	436	-	96	450	126	342
Percent								
Low birthweight	8.3	8.1	10.1	*	6.0	8.2	7.7	11.4
Care beginning in first trimester	79.1	83.7	67.6	*	73.2	71.8	91.9	68.3
Late or no care	5.3	3.7	10.8	*	4.2	6.9	1.7	11.1

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Memphis, Tennessee</b>								
Number								
Low birthweight	1,345	209	1,114	2	20	40	169	1,114
Care beginning in first trimester	7,631	2,160	5,287	13	171	266	1,902	5,286
Late or no care	1,170	336	819	1	14	213	123	819
Percent								
Low birthweight	12.0	7.0	14.0	*	9.0	5.9	7.3	14.0
Care beginning in first trimester	68.6	73.0	66.8	*	78.1	39.9	82.6	66.8
Late or no care	10.5	11.4	10.3	*	*	32.0	5.3	10.3
<b>Mesa, Arizona</b>								
Number								
Low birthweight	508	452	32	11	13	161	294	32
Care beginning in first trimester	6,562	6,113	134	167	148	1,854	4,236	123
Late or no care	301	273	8	15	5	169	103	8
Percent								
Low birthweight	6.3	6.0	18.7	*	*	6.1	6.1	20.6
Care beginning in first trimester	82.3	82.7	79.3	72.0	83.1	71.6	88.6	79.4
Late or no care	3.8	3.7	*	*	*	6.5	2.2	*
<b>Mesquite, Texas</b>								
Number								
Low birthweight	153	112	35	-	6	37	74	35
Care beginning in first trimester	1,583	1,270	247	4	62	403	866	247
Late or no care	58	45	12	-	1	20	25	12
Percent								
Low birthweight	7.8	7.1	11.3	*	*	6.7	7.2	11.3
Care beginning in first trimester	83.2	83.0	82.1	*	92.5	77.9	85.5	82.1
Late or no care	3.0	2.9	*	*	*	3.9	2.5	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Miami, Florida</b>								
Number								
Low birthweight	1,272	486	758	13	15	461	74	717
Care beginning in first trimester	11,474	6,429	4,751	169	125	5,933	929	4,467
Late or no care	384	127	251	5	1	122	25	235
Percent								
Low birthweight	9.4	6.8	12.5	*	*	6.9	7.3	12.5
Care beginning in first trimester	85.5	90.4	79.9	76.5	88.7	89.5	91.8	79.6
Late or no care	2.9	1.8	4.2	*	*	1.8	2.5	4.2
<b>Milwaukee, Wisconsin</b>								
Number								
Low birthweight	1,077	365	666	10	36	121	249	664
Care beginning in first trimester	8,388	4,454	3,507	85	342	1,473	3,010	3,489
Late or no care	680	234	425	8	13	122	117	420
Percent								
Low birthweight	9.6	6.7	13.1	*	7.4	5.9	7.2	13.1
Care beginning in first trimester	75.1	81.3	68.8	75.2	70.5	71.5	86.9	68.8
Late or no care	6.1	4.3	8.3	*	*	5.9	3.4	8.3
<b>Minneapolis, Minnesota</b>								
Number								
Low birthweight	480	238	191	21	30	75	160	189
Care beginning in first trimester	4,324	2,909	1,033	114	268	577	2,323	1,019
Late or no care	344	152	137	30	25	91	56	134
Percent								
Low birthweight	7.3	5.8	10.6	9.3	6.3	6.2	5.6	10.6
Care beginning in first trimester	70.6	76.0	62.3	57.3	60.8	49.9	87.6	62.4
Late or no care	5.6	4.0	8.3	15.1	5.7	7.9	2.1	8.2

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Mobile, Alabama								
Number								
Low birthweight	354	109	239	2	4	5	104	239
Care beginning in first trimester	2,565	1,308	1,219	4	34	30	1,279	1,218
Late or no care	113	20	91	-	2	-	20	91
Percent								
Low birthweight	11.3	7.6	14.5	*	*	*	7.4	14.5
Care beginning in first trimester	81.8	91.4	73.6	*	79.1	88.2	91.6	73.6
Late or no care	3.6	1.4	5.5	*	*	*	1.4	5.5
Modesto, California								
Number								
Low birthweight	313	255	17	3	38	116	142	14
Care beginning in first trimester	3,281	2,936	107	19	219	1,474	1,470	102
Late or no care	154	140	4	1	9	88	52	3
Percent								
Low birthweight	7.6	7.0	*	*	13.1	5.9	8.3	*
Care beginning in first trimester	81.8	82.5	75.9	*	76.8	77.6	87.5	77.9
Late or no care	3.8	3.9	*	*	*	4.6	3.1	*
Montgomery, Alabama								
Number								
Low birthweight	320	81	235	-	4	3	77	235
Care beginning in first trimester	2,592	1,148	1,404	6	34	52	1,099	1,403
Late or no care	113	26	85	-	2	9	16	85
Percent								
Low birthweight	10.1	6.5	12.5	*	*	*	6.6	12.5
Care beginning in first trimester	81.6	92.1	74.6	*	85.0	68.4	93.7	74.6
Late or no care	3.6	2.1	4.5	*	*	*	*	4.5

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Moreno Valley, California</b>								
Number								
Low birthweight	158	93	56	1	8	67	27	54
Care beginning in first trimester	2,051	1,532	397	12	110	1,079	467	381
Late or no care	83	53	18	2	10	36	18	16
Percent								
Low birthweight	6.4	5.1	11.7	*	*	5.2	4.8	11.8
Care beginning in first trimester	83.7	84.0	84.1	*	78.6	84.1	84.1	84.1
Late or no care	3.4	2.9	*	*	*	2.8	*	*
<b>Nashville-Davidson, Tennessee</b>								
Number								
Low birthweight	781	415	340	1	25	46	369	340
Care beginning in first trimester	7,260	4,842	2,125	18	275	579	4,272	2,116
Late or no care	246	123	114	1	8	53	70	114
Percent								
Low birthweight	9.1	7.4	13.0	*	7.9	4.7	7.9	13.0
Care beginning in first trimester	85.1	86.4	82.0	*	87.0	59.3	92.0	82.0
Late or no care	2.9	2.2	4.4	*	*	5.4	1.5	4.4
<b>New Haven, Connecticut</b>								
Number								
Low birthweight	197	81	107	2	7	46	36	105
Care beginning in first trimester	1,501	841	589	5	66	480	363	566
Late or no care	53	25	27	-	1	17	7	25
Percent								
Low birthweight	10.2	7.7	13.6	*	*	7.2	8.6	13.9
Care beginning in first trimester	81.8	83.6	79.2	*	85.7	79.7	89.4	79.1
Late or no care	2.9	2.5	3.6	*	*	*	*	3.5

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
New York, New York								
Number								
Low birthweight	10,070	4,798	4,228	7	1,037	3,019	2,117	3,835
Care beginning in first trimester	85,396	50,377	24,913	65	10,041	27,769	25,616	21,654
Late or no care	6,913	3,061	3,019	-	833	2,531	891	2,621
Percent								
Low birthweight	8.4	7.1	11.3	*	7.2	7.6	6.5	11.8
Care beginning in first trimester	76.0	79.5	70.6	84.4	73.5	73.5	85.8	70.7
Late or no care	6.2	4.8	8.6	*	6.1	6.7	3.0	8.6
Newark, New Jersey								
Number								
Low birthweight	605	163	432	1	9	118	49	418
Care beginning in first trimester	2,574	1,252	1,280	1	41	941	352	1,228
Late or no care	723	191	521	1	10	169	27	505
Percent								
Low birthweight	12.2	7.7	15.8	*	*	7.0	9.8	15.9
Care beginning in first trimester	55.4	63.4	49.3	*	55.4	60.3	73.5	49.1
Late or no care	15.6	9.7	20.1	*	*	10.8	5.6	20.2
Newport News city, Virginia								
Number								
Low birthweight	305	122	179	-	4	14	108	178
Care beginning in first trimester	2,698	1,418	1,194	5	81	127	1,296	1,184
Late or no care	107	33	74	-	-	7	25	74
Percent								
Low birthweight	9.5	7.8	11.7	*	*	*	7.6	11.7
Care beginning in first trimester	84.4	90.1	78.1	*	90.0	84.1	90.8	78.1
Late or no care	3.3	2.1	4.8	*	*	*	1.8	4.9



Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Norfolk city, Virginia								
Number								
Low birthweight	409	131	267	1	10	13	119	266
Care beginning in first trimester	3,180	1,552	1,532	4	92	157	1,381	1,511
Late or no care	187	50	130	2	5	12	38	129
Percent								
Low birthweight	10.2	7.4	12.5	*	*	*	7.6	12.6
Care beginning in first trimester	78.9	87.6	71.7	*	82.9	80.1	88.4	71.6
Late or no care	4.6	2.8	6.1	*	*	*	2.4	6.1
Oakland, California								
Number								
Low birthweight	602	215	306	1	80	140	77	303
Care beginning in first trimester	5,901	3,166	1,861	25	849	2,050	1,125	1,842
Late or no care	112	52	48	1	11	46	7	47
Percent								
Low birthweight	8.9	6.0	14.0	*	8.5	5.8	6.5	14.0
Care beginning in first trimester	90.7	92.3	87.8	86.2	91.7	90.3	96.2	87.8
Late or no care	1.7	1.5	2.3	*	*	2.0	*	2.2
Oceanside, California								
Number								
Low birthweight	219	175	30	2	12	80	96	29
Care beginning in first trimester	2,604	2,236	160	17	191	1,096	1,137	149
Late or no care	114	101	5	-	8	68	35	5
Percent								
Low birthweight	6.2	5.8	13.2	*	*	5.4	6.3	13.6
Care beginning in first trimester	80.8	81.5	76.9	*	77.0	78.4	84.7	76.8
Late or no care	3.5	3.7	*	*	*	4.9	2.6	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Oklahoma City, Oklahoma								
Number								
Low birthweight	715	421	227	32	35	119	300	227
Care beginning in first trimester	5,948	4,378	1,100	227	243	1,128	3,255	1,091
Late or no care	550	378	96	54	22	196	186	96
Percent								
Low birthweight	9.0	7.3	14.8	8.8	11.0	7.0	7.4	14.9
Care beginning in first trimester	75.8	77.2	72.9	63.4	78.1	66.5	81.7	72.9
Late or no care	7.0	6.7	6.4	15.1	7.1	11.6	4.7	6.4
Omaha, Nebraska								
Number								
Low birthweight	497	336	134	13	14	64	269	133
Care beginning in first trimester	5,070	4,188	714	44	124	644	3,527	705
Late or no care	270	176	82	6	6	67	108	82
Percent								
Low birthweight	7.8	6.6	12.6	*	*	6.4	6.6	12.7
Care beginning in first trimester	79.5	82.1	67.8	63.8	80.0	64.2	86.4	67.7
Late or no care	4.2	3.4	7.8	*	*	6.7	2.6	7.9
Ontario, California								
Number								
Low birthweight	186	151	25	1	9	119	34	23
Care beginning in first trimester	2,603	2,364	142	6	91	1,928	440	136
Late or no care	133	120	8	-	5	99	19	8
Percent								
Low birthweight	5.6	5.0	14.0	*	*	4.8	6.5	13.5
Care beginning in first trimester	79.2	79.2	78.9	*	82.7	78.1	84.3	79.5
Late or no care	4.0	4.0	*	*	*	4.0	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Orange, California								
Number								
Low birthweight	133	111	4	1	17	71	40	4
Care beginning in first trimester	1,771	1,573	24	5	169	879	696	22
Late or no care	57	56	-	-	1	43	13	-
Percent								
Low birthweight	6.5	6.0	*	*	*	6.5	5.3	*
Care beginning in first trimester	86.5	85.8	82.8	*	94.4	80.8	93.2	81.5
Late or no care	2.8	3.1	*	*	*	4.0	*	*
Orlando, Florida								
Number								
Low birthweight	697	359	311	1	26	145	216	309
Care beginning in first trimester	6,220	4,078	1,815	17	310	1,618	2,480	1,796
Late or no care	265	109	143	3	10	49	62	141
Percent								
Low birthweight	9.3	7.7	12.9	*	7.4	7.6	7.8	12.9
Care beginning in first trimester	83.8	87.7	75.7	*	88.1	84.8	89.7	75.6
Late or no care	3.6	2.3	6.0	*	*	2.6	2.2	5.9
Orleans, coext. with New Orleans city, Louisiana								
Number								
Low birthweight	978	92	876	1	9	12	81	875
Care beginning in first trimester	5,815	1,232	4,440	4	139	134	1,114	4,429
Late or no care	356	31	320	-	5	9	23	319
Percent								
Low birthweight	13.5	6.9	15.2	*	*	*	6.9	15.3
Care beginning in first trimester	80.5	93.0	77.4	*	86.9	81.7	94.2	77.4
Late or no care	4.9	2.3	5.6	*	*	*	1.9	5.6

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Overland Park, Kansas								
Number								
Low birthweight	116	99	5	1	11	8	90	4
Care beginning in first trimester	1,991	1,763	54	32	142	104	1,632	51
Late or no care	28	28	-	-	-	11	17	-
Percent								
Low birthweight	5.5	5.3	*	*	*	*	5.3	*
Care beginning in first trimester	94.5	94.6	91.5	97.0	94.0	73.8	96.3	91.1
Late or no care	1.3	1.5	*	*	*	*	*	*
Oxnard, California								
Number								
Low birthweight	226	208	2	-	16	161	27	2
Care beginning in first trimester	3,401	3,133	71	17	180	2,578	350	63
Late or no care	109	105	1	-	3	91	6	1
Percent								
Low birthweight	5.8	5.8	*	*	*	5.4	7.1	*
Care beginning in first trimester	87.4	87.1	91.0	*	89.6	86.5	92.6	92.6
Late or no care	2.8	2.9	*	*	*	3.1	*	*
Pasadena, California								
Number								
Low birthweight	161	125	30	-	6	73	54	27
Care beginning in first trimester	1,984	1,538	207	6	233	868	669	195
Late or no care	54	42	9	-	3	34	8	9
Percent								
Low birthweight	6.9	7.0	11.2	*	*	6.8	7.5	10.8
Care beginning in first trimester	89.4	90.0	82.1	*	92.5	85.6	96.1	82.3
Late or no care	2.4	2.5	*	*	*	3.4	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Pasadena, Texas</b>								
Number								
Low birthweight	182	178	2	-	2	128	50	2
Care beginning in first trimester	2,201	2,142	29	6	24	1,543	599	29
Late or no care	119	114	3	-	2	83	30	3
Percent								
Low birthweight	6.6	6.6	*	*	*	6.5	6.7	*
Care beginning in first trimester	80.7	80.6	76.3	*	88.9	80.0	82.3	76.3
Late or no care	4.4	4.3	*	*	*	4.3	4.1	*
<b>Paterson, New Jersey</b>								
Number								
Low birthweight	310	139	160	2	9	143	22	131
Care beginning in first trimester	1,827	1,063	714	4	46	1,046	223	508
Late or no care	323	165	145	1	12	154	42	112
Percent								
Low birthweight	10.4	8.3	13.2	*	*	8.5	6.6	15.0
Care beginning in first trimester	62.8	65.1	60.1	*	58.2	64.0	67.6	59.3
Late or no care	11.1	10.1	12.2	*	*	9.4	12.7	13.1
<b>Peoria, Illinois</b>								
Number								
Low birthweight	150	70	76	1	3	7	65	75
Care beginning in first trimester	1,569	1,022	477	2	68	47	977	475
Late or no care	79	17	58	1	3	3	15	58
Percent								
Low birthweight	7.8	6.1	11.1	*	*	*	6.0	11.0
Care beginning in first trimester	82.4	89.2	69.9	*	93.2	73.4	89.8	70.2
Late or no care	4.1	*	8.5	*	*	*	*	8.6

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Philadelphia, coext. with Phila. city, Pennsylvania								
Number								
Low birthweight	2,376	693	1,561	4	118	249	452	1,533
Care beginning in first trimester	14,445	6,665	6,976	46	758	1,767	4,966	6,788
Late or no care	1,375	401	899	7	68	177	231	879
Percent								
Low birthweight	11.2	7.9	14.1	*	9.5	9.4	7.2	14.2
Care beginning in first trimester	73.5	79.9	68.7	73.0	68.2	70.9	83.9	68.7
Late or no care	7.0	4.8	8.9	*	6.1	7.1	3.9	8.9
Phoenix, Arizona								
Number								
Low birthweight	1,775	1,535	151	50	39	971	559	150
Care beginning in first trimester	17,891	16,157	871	455	408	9,274	6,862	836
Late or no care	1,826	1,658	82	69	17	1,460	190	77
Percent								
Low birthweight	7.0	6.7	12.2	6.7	7.8	6.6	7.1	12.7
Care beginning in first trimester	72.3	72.3	73.1	62.1	84.5	63.9	88.1	73.1
Late or no care	7.4	7.4	6.9	9.4	*	10.1	2.4	6.7
Pittsburgh, Pennsylvania								
Number								
Low birthweight	405	169	230	2	4	5	162	215
Care beginning in first trimester	3,367	2,042	1,181	5	139	53	1,960	1,134
Late or no care	113	38	74	-	1	2	35	69
Percent								
Low birthweight	10.3	7.5	15.4	*	*	*	7.5	15.2
Care beginning in first trimester	88.4	91.8	83.0	*	90.3	80.3	92.1	83.4
Late or no care	3.0	1.7	5.2	*	*	*	1.6	5.1

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Plano, Texas								
Number								
Low birthweight	301	219	28	-	54	30	190	27
Care beginning in first trimester	3,137	2,465	135	13	524	385	2,078	133
Late or no care	127	99	13	1	14	27	71	13
Percent								
Low birthweight	8.1	7.5	14.8	*	9.2	5.6	8.0	14.5
Care beginning in first trimester	86.8	87.1	75.0	*	89.4	78.1	89.0	75.1
Late or no care	3.5	3.5	*	*	*	5.5	3.0	*
Pomona, California								
Number								
Low birthweight	227	190	30	-	7	178	13	29
Care beginning in first trimester	2,655	2,368	168	3	116	2,167	205	165
Late or no care	87	79	2	2	4	71	8	2
Percent								
Low birthweight	7.1	6.7	14.2	*	*	6.9	*	14.0
Care beginning in first trimester	83.6	83.9	80.4	*	85.3	84.0	82.3	80.9
Late or no care	2.7	2.8	*	*	*	2.8	*	*
Portland, Oregon								
Number								
Low birthweight	481	363	65	9	44	63	301	63
Care beginning in first trimester	6,560	5,341	486	72	661	796	4,546	471
Late or no care	305	239	24	6	36	69	164	23
Percent								
Low birthweight	6.0	5.6	10.3	*	5.4	5.4	5.6	10.3
Care beginning in first trimester	81.3	82.0	76.8	72.7	80.7	67.9	85.1	76.8
Late or no care	3.8	3.7	3.8	*	4.4	5.9	3.1	3.8

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Portsmouth city, Virginia								
Number								
Low birthweight	167	46	121	-	-	2	44	121
Care beginning in first trimester	1,223	559	651	-	13	31	531	646
Late or no care	76	26	49	-	1	1	25	49
Percent								
Low birthweight	10.5	6.9	13.4	*	*	*	7.0	13.5
Care beginning in first trimester	77.0	83.8	72.0	*	*	86.1	83.8	71.9
Late or no care	4.8	3.9	5.4	*	*	*	3.9	5.5
Providence, Rhode Island								
Number								
Low birthweight	239	140	71	6	22	95	40	66
Care beginning in first trimester	2,372	1,744	441	37	150	1,103	583	396
Late or no care	31	18	10	1	2	11	5	9
Percent								
Low birthweight	8.6	7.0	13.1	*	10.8	7.4	6.4	13.5
Care beginning in first trimester	89.3	91.1	87.0	82.2	79.8	89.7	93.9	86.7
Late or no care	1.2	*	*	*	*	*	*	*
Queens borough, Queens county, New York								
Number								
Low birthweight	2,408	1,048	851	1	508	618	457	815
Care beginning in first trimester	22,173	12,274	4,877	21	5,001	6,804	5,775	4,547
Late or no care	2,133	1,096	544	-	493	885	240	515
Percent								
Low birthweight	7.8	6.3	12.2	*	7.1	6.0	6.6	12.5
Care beginning in first trimester	74.3	75.8	72.4	95.5	72.7	69.2	85.2	72.3
Late or no care	7.2	6.8	8.1	*	7.2	9.0	3.5	8.2



Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Raleigh, North Carolina								
Number								
Low birthweight	481	260	199	1	21	58	203	197
Care beginning in first trimester	4,307	2,954	1,113	7	233	500	2,464	1,101
Late or no care	224	123	98	1	2	93	30	98
Percent								
Low birthweight	9.0	7.3	13.0	*	8.4	6.3	7.7	13.0
Care beginning in first trimester	81.2	83.8	73.2	*	93.2	54.5	94.2	73.1
Late or no care	4.2	3.5	6.4	*	*	10.1	1.1	6.5
Rancho Cucamonga, California								
Number								
Low birthweight	58	44	11	-	3	21	24	10
Care beginning in first trimester	791	653	63	1	74	291	364	61
Late or no care	39	32	4	-	3	14	18	4
Percent								
Low birthweight	6.0	5.4	*	*	*	5.3	5.7	*
Care beginning in first trimester	81.6	81.0	80.8	*	89.2	74.2	87.7	80.3
Late or no care	4.0	4.0	*	*	*	*	*	*
Reno, Nevada								
Number								
Low birthweight	245	211	9	6	19	88	122	9
Care beginning in first trimester	2,557	2,272	60	54	171	812	1,470	58
Late or no care	97	77	3	1	16	37	39	3
Percent								
Low birthweight	7.8	7.6	*	*	*	8.1	7.2	*
Care beginning in first trimester	82.7	83.2	77.9	77.1	79.5	75.7	88.1	78.4
Late or no care	3.1	2.8	*	*	*	3.4	2.3	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Richmond city, Virginia								
Number								
Low birthweight	376	60	309	4	3	12	47	306
Care beginning in first trimester	2,348	906	1,405	3	34	101	803	1,398
Late or no care	209	49	159	-	1	29	19	157
Percent								
Low birthweight	12.0	5.5	15.5	*	*	*	5.3	15.5
Care beginning in first trimester	75.0	82.7	70.5	*	89.5	50.2	89.9	70.6
Late or no care	6.7	4.5	8.0	*	*	14.4	*	7.9
Riverside, California								
Number								
Low birthweight	322	264	35	3	20	170	96	34
Care beginning in first trimester	4,929	4,369	315	30	215	2,886	1,517	300
Late or no care	192	168	15	3	6	127	40	15
Percent								
Low birthweight	5.5	5.1	9.1	*	7.6	4.9	5.5	9.3
Care beginning in first trimester	84.2	84.5	82.0	76.9	82.4	83.3	87.1	81.7
Late or no care	3.3	3.2	*	*	*	3.7	2.3	*
Rochester, New York								
Number								
Low birthweight	333	120	205	-	8	41	79	205
Care beginning in first trimester	2,247	1,268	908	6	65	333	925	899
Late or no care	353	130	212	1	10	45	86	211
Percent								
Low birthweight	9.0	6.6	11.7	*	*	7.2	6.3	11.8
Care beginning in first trimester	71.6	79.3	62.8	*	73.9	72.7	81.7	62.7
Late or no care	11.2	8.1	14.7	*	*	9.8	7.6	14.7

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Rockford, Illinois								
Number								
Low birthweight	269	153	106	1	9	27	127	105
Care beginning in first trimester	2,133	1,656	412	2	63	330	1,330	408
Late or no care	135	78	54	-	3	33	45	54
Percent								
Low birthweight	9.7	7.4	17.2	*	*	5.6	8.0	17.2
Care beginning in first trimester	77.6	80.6	67.3	*	77.8	69.5	84.0	67.2
Late or no care	4.9	3.8	8.8	*	*	6.9	2.8	8.9
Sacramento, California								
Number								
Low birthweight	839	459	217	8	155	211	259	208
Care beginning in first trimester	8,747	5,810	1,423	87	1,427	2,565	3,346	1,372
Late or no care	480	287	98	6	89	159	131	96
Percent								
Low birthweight	7.5	6.3	11.7	*	7.6	6.3	6.4	11.7
Care beginning in first trimester	78.5	80.7	78.4	75.7	71.0	77.7	83.2	78.5
Late or no care	4.3	4.0	5.4	*	4.4	4.8	3.3	5.5
Salem, Oregon								
Number								
Low birthweight	149	135	6	5	3	45	90	6
Care beginning in first trimester	2,064	1,944	23	33	64	558	1,385	22
Late or no care	139	118	1	4	16	51	66	1
Percent								
Low birthweight	5.3	5.1	*	*	*	5.2	5.1	*
Care beginning in first trimester	73.2	74.1	65.7	63.5	57.7	64.1	79.2	64.7
Late or no care	4.9	4.5	*	*	*	5.9	3.8	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Salinas, California								
Number								
Low birthweight	203	185	2	1	15	158	27	2
Care beginning in first trimester	2,992	2,817	35	7	133	2,336	482	32
Late or no care	138	133	3	-	2	117	16	3
Percent								
Low birthweight	5.6	5.4	*	*	*	5.5	5.0	*
Care beginning in first trimester	82.9	82.9	89.7	*	82.6	81.5	90.3	88.9
Late or no care	3.8	3.9	*	*	*	4.1	*	*
Salt Lake City, Utah								
Number								
Low birthweight	413	376	11	7	19	113	263	11
Care beginning in first trimester	4,262	3,941	68	43	210	785	3,148	64
Late or no care	362	298	15	18	31	135	160	15
Percent								
Low birthweight	6.9	6.9	*	*	*	7.7	6.7	*
Care beginning in first trimester	74.2	75.8	59.1	47.8	62.7	56.6	82.8	58.7
Late or no care	6.3	5.7	*	*	9.3	9.7	4.2	*
San Antonio, Texas								
Number								
Low birthweight	1,796	1,591	174	2	29	1,186	399	171
Care beginning in first trimester	18,661	17,251	1,059	16	335	12,063	5,089	1,021
Late or no care	651	593	49	-	9	496	91	48
Percent								
Low birthweight	8.2	7.8	13.3	*	7.6	8.2	7.1	13.5
Care beginning in first trimester	85.8	85.9	82.7	*	90.3	83.8	91.5	82.5
Late or no care	3.0	3.0	3.8	*	*	3.4	1.6	3.9

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
San Bernardino, California								
Number								
Low birthweight	353	237	106	1	9	180	59	104
Care beginning in first trimester	3,349	2,658	563	17	111	2,016	657	546
Late or no care	231	188	33	1	9	151	36	33
Percent								
Low birthweight	7.7	6.5	13.6	*	*	6.4	6.9	13.8
Care beginning in first trimester	76.4	76.7	75.1	*	76.6	76.2	78.7	74.9
Late or no care	5.3	5.4	4.4	*	*	5.7	4.3	4.5
San Diego, California								
Number								
Low birthweight	1,157	774	164	5	214	445	334	160
Care beginning in first trimester	15,627	11,861	1,179	66	2,521	6,288	5,630	1,149
Late or no care	652	508	62	3	79	436	74	60
Percent								
Low birthweight	6.2	5.5	10.9	*	7.4	5.5	5.5	11.0
Care beginning in first trimester	85.2	85.1	80.7	79.5	87.8	78.8	93.4	80.9
Late or no care	3.6	3.6	4.2	*	2.8	5.5	1.2	4.2
San Francisco, coext. with San Fran. city, Califor								
Number								
Low birthweight	611	301	114	4	192	121	184	110
Care beginning in first trimester	7,129	4,238	533	24	2,334	1,446	2,815	517
Late or no care	229	108	50	2	69	88	26	47
Percent								
Low birthweight	7.4	6.3	15.8	*	7.2	6.5	6.1	15.7
Care beginning in first trimester	87.2	88.6	76.0	80.0	87.8	78.9	94.2	76.0
Late or no care	2.8	2.3	7.1	*	2.6	4.8	0.9	6.9

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
San Jose, California								
Number								
Low birthweight	942	574	28	2	338	377	195	27
Care beginning in first trimester	13,634	8,893	348	36	4,357	5,488	3,356	332
Late or no care	511	376	15	2	118	323	51	14
Percent								
Low birthweight	5.7	5.3	6.3	*	6.6	5.3	5.3	6.4
Care beginning in first trimester	83.0	82.0	79.3	75.0	85.6	77.2	91.3	79.2
Late or no care	3.1	3.5	*	*	2.3	4.5	1.4	*
Santa Ana, California								
Number								
Low birthweight	470	434	5	1	30	396	37	5
Care beginning in first trimester	7,210	6,723	41	7	439	6,252	472	39
Late or no care	225	216	4	-	5	205	9	4
Percent								
Low birthweight	5.5	5.5	*	*	6.1	5.3	7.2	*
Care beginning in first trimester	85.0	84.8	78.8	*	89.8	84.3	91.7	79.6
Late or no care	2.7	2.7	*	*	*	2.8	*	*
Santa Clarita, California								
Number								
Low birthweight	13	12	1	-	-	2	9	1
Care beginning in first trimester	205	170	11	-	24	49	122	10
Late or no care	2	1	1	-	-	-	1	1
Percent								
Low birthweight	*	*	*	*	*	*	*	*
Care beginning in first trimester	91.5	91.9	*	*	92.3	89.1	93.8	*
Late or no care	*	*	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Santa Rosa, California								
Number								
Low birthweight	131	111	6	4	10	53	57	6
Care beginning in first trimester	2,263	2,052	43	19	149	880	1,175	38
Late or no care	72	64	1	3	4	42	20	1
Percent								
Low birthweight	4.9	4.6	*	*	*	4.7	4.4	*
Care beginning in first trimester	86.2	86.4	91.5	*	85.6	80.1	91.8	90.5
Late or no care	2.7	2.7	*	*	*	3.8	1.6	*
Savannah, Georgia								
Number								
Low birthweight	296	59	230	1	6	6	53	230
Care beginning in first trimester	1,838	764	1,020	9	45	68	707	1,015
Late or no care	162	35	122	2	3	5	31	122
Percent								
Low birthweight	11.4	6.2	14.6	*	*	*	6.2	14.7
Care beginning in first trimester	72.0	81.9	65.9	*	77.6	68.7	83.3	66.0
Late or no care	6.3	3.8	7.9	*	*	*	3.7	7.9
Scottsdale, Arizona								
Number								
Low birthweight	206	178	13	6	9	33	145	13
Care beginning in first trimester	2,347	2,124	39	91	93	247	1,879	34
Late or no care	84	75	-	9	-	40	35	-
Percent								
Low birthweight	7.6	7.3	*	*	*	8.3	7.1	*
Care beginning in first trimester	87.2	88.3	81.3	67.4	91.2	63.3	93.2	79.1
Late or no care	3.1	3.1	*	*	*	10.3	1.7	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Seattle, Washington								
Number								
Low birthweight	418	243	97	6	72	31	208	94
Care beginning in first trimester	5,348	3,815	570	66	897	561	3,203	554
Late or no care	169	91	30	7	41	33	54	27
Percent								
Low birthweight	6.0	5.1	10.9	*	5.7	4.0	5.4	10.8
Care beginning in first trimester	86.9	89.8	77.2	77.6	82.5	79.5	92.0	77.3
Late or no care	2.7	2.1	4.1	*	3.8	4.7	1.6	3.8
Shreveport, Louisiana								
Number								
Low birthweight	405	83	319	-	3	4	79	319
Care beginning in first trimester	2,506	1,089	1,383	3	31	54	1,035	1,383
Late or no care	131	18	113	-	-	1	17	113
Percent								
Low birthweight	12.6	6.9	16.2	*	*	*	6.9	16.2
Care beginning in first trimester	78.3	90.8	70.4	*	88.6	87.1	91.0	70.4
Late or no care	4.1	*	5.8	*	*	*	*	5.8
Simi Valley, California								
Number								
Low birthweight	94	87	1	-	6	23	61	1
Care beginning in first trimester	1,441	1,294	17	5	125	327	904	15
Late or no care	27	24	1	-	2	12	12	-
Percent								
Low birthweight	6.1	6.2	*	*	*	6.1	6.4	*
Care beginning in first trimester	93.1	93.0	*	*	94.7	87.0	95.7	*
Late or no care	1.7	1.7	*	*	*	*	*	*



Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Sioux Falls, South Dakota								
Number								
Low birthweight	147	136	2	9	-	6	130	2
Care beginning in first trimester	1,602	1,490	29	43	40	52	1,438	28
Late or no care	73	53	5	15	-	3	50	5
Percent								
Low birthweight	7.2	7.4	*	*	*	*	7.4	*
Care beginning in first trimester	78.1	80.9	48.3	44.3	78.4	62.7	81.5	48.3
Late or no care	3.6	2.9	*	*	*	*	2.8	*
South Bend, Indiana								
Number								
Low birthweight	170	94	72	1	3	18	77	72
Care beginning in first trimester	1,637	1,237	370	4	26	235	1,003	369
Late or no care	122	56	63	1	2	17	40	62
Percent								
Low birthweight	7.8	6.1	12.2	*	*	*	6.3	12.3
Care beginning in first trimester	76.2	80.8	64.6	*	65.0	73.4	82.6	64.9
Late or no care	5.7	3.7	11.0	*	*	*	3.3	10.9
Spokane, Washington								
Number								
Low birthweight	221	192	11	9	9	15	175	10
Care beginning in first trimester	2,751	2,459	79	91	122	132	2,308	74
Late or no care	66	52	3	7	4	3	49	3
Percent								
Low birthweight	6.9	6.8	*	*	*	*	6.6	*
Care beginning in first trimester	88.2	88.6	85.9	78.4	91.0	88.0	88.6	86.0
Late or no care	2.1	1.9	*	*	*	*	1.9	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Springfield, Illinois								
Number								
Low birthweight	173	120	51	1	1	3	118	50
Care beginning in first trimester	1,643	1,318	290	3	32	29	1,292	288
Late or no care	52	22	29	1	-	-	22	29
Percent								
Low birthweight	9.1	8.1	12.9	*	*	*	8.2	12.7
Care beginning in first trimester	87.1	90.2	74.9	*	91.4	87.9	90.3	74.8
Late or no care	2.8	1.5	7.5	*	*	*	1.5	7.5
Springfield, Massachusetts								
Number								
Low birthweight	226	173	48	-	5	112	65	44
Care beginning in first trimester	1,707	1,305	355	1	46	698	620	342
Late or no care	96	62	29	1	4	46	16	29
Percent								
Low birthweight	9.4	9.7	8.9	*	*	10.7	8.5	8.5
Care beginning in first trimester	75.1	77.1	70.3	*	63.9	71.1	84.8	70.5
Late or no care	4.2	3.7	5.7	*	*	4.7	*	6.0
Springfield, Missouri								
Number								
Low birthweight	122	108	9	2	3	2	106	9
Care beginning in first trimester	1,698	1,593	57	12	36	50	1,545	56
Late or no care	42	38	4	-	-	6	32	4
Percent								
Low birthweight	6.3	6.0	*	*	*	*	6.1	*
Care beginning in first trimester	88.3	89.0	74.0	*	81.8	75.8	89.6	73.7
Late or no care	2.2	2.1	*	*	*	*	1.9	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
St. Louis city, Missouri								
Number								
Low birthweight	607	143	453	1	10	9	134	453
Care beginning in first trimester	4,156	1,676	2,366	10	104	102	1,573	2,366
Late or no care	229	28	197	1	3	-	28	197
Percent								
Low birthweight	11.5	7.5	14.0	*	*	*	7.5	14.0
Care beginning in first trimester	82.5	91.1	77.0	*	90.4	86.4	91.5	77.0
Late or no care	4.5	1.5	6.4	*	*	*	1.6	6.4
St. Paul, Minnesota								
Number								
Low birthweight	386	196	101	8	81	42	152	100
Care beginning in first trimester	3,516	2,383	538	54	541	395	1,992	527
Late or no care	229	79	65	13	72	37	43	65
Percent								
Low birthweight	7.5	6.4	10.5	*	8.0	6.4	6.3	10.6
Care beginning in first trimester	74.9	83.6	63.6	65.1	59.0	69.7	87.0	63.5
Late or no care	4.9	2.8	7.7	*	7.9	6.5	1.9	7.8
St. Petersburg, Florida								
Number								
Low birthweight	328	172	146	-	10	10	162	146
Care beginning in first trimester	2,667	1,776	753	4	134	147	1,631	750
Late or no care	136	73	57	1	5	12	60	57
Percent								
Low birthweight	9.8	8.1	14.0	*	*	*	8.4	14.1
Care beginning in first trimester	79.8	83.7	72.2	*	78.8	72.8	84.8	72.3
Late or no care	4.1	3.4	5.5	*	*	*	3.1	5.5

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Stamford, Connecticut								
Number								
Low birthweight	138	81	41	2	14	22	59	40
Care beginning in first trimester	1,536	1,201	208	2	125	354	844	207
Late or no care	22	12	9	-	1	5	7	9
Percent								
Low birthweight	7.5	5.7	14.6	*	*	4.7	6.3	14.3
Care beginning in first trimester	89.8	91.4	80.0	*	93.3	82.1	95.9	79.9
Late or no care	1.3	*	*	*	*	*	*	*
Staten Island borough, Richmond county, New York								
Number								
Low birthweight	416	291	97	-	28	88	207	92
Care beginning in first trimester	4,744	3,865	549	12	318	823	3,076	514
Late or no care	177	111	52	-	14	48	65	47
Percent								
Low birthweight	7.3	6.5	12.4	*	7.4	8.2	6.0	12.6
Care beginning in first trimester	85.8	88.1	72.1	*	86.2	78.2	91.0	72.4
Late or no care	3.2	2.5	6.8	*	*	4.6	1.9	6.6
Sterling Heights, Michigan								
Number								
Low birthweight	118	96	4	-	18	5	88	3
Care beginning in first trimester	1,258	1,097	46	4	111	18	1,059	45
Late or no care	28	26	-	-	2	1	22	-
Percent								
Low birthweight	7.8	7.3	*	*	*	*	7.1	*
Care beginning in first trimester	91.4	91.5	92.0	*	90.2	*	91.6	93.8
Late or no care	2.0	2.2	*	*	*	*	1.9	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Stockton, California								
Number								
Low birthweight	386	240	68	2	76	154	86	67
Care beginning in first trimester	3,988	2,786	449	33	720	1,817	1,013	432
Late or no care	386	271	55	2	58	223	51	55
Percent								
Low birthweight	6.7	6.0	9.8	*	7.1	5.6	6.7	10.0
Care beginning in first trimester	70.7	71.9	67.1	78.6	68.3	67.8	81.0	66.7
Late or no care	6.8	7.0	8.2	*	5.5	8.3	4.1	8.5
Sunnyvale, California								
Number								
Low birthweight	150	63	5	-	82	26	36	5
Care beginning in first trimester	2,000	965	34	2	999	368	558	31
Late or no care	23	15	-	-	8	8	5	-
Percent								
Low birthweight	6.8	6.0	*	*	7.6	6.3	6.1	*
Care beginning in first trimester	91.8	91.7	79.1	*	92.5	88.9	95.1	77.5
Late or no care	1.1	*	*	*	*	*	*	*
Syracuse, New York								
Number								
Low birthweight	202	99	95	1	7	16	83	95
Care beginning in first trimester	1,591	948	519	34	90	85	866	516
Late or no care	141	62	71	3	5	18	44	70
Percent								
Low birthweight	9.0	7.9	11.5	*	*	*	7.5	11.6
Care beginning in first trimester	72.0	76.9	63.3	72.3	81.1	58.2	79.2	63.5
Late or no care	6.4	5.0	8.7	*	*	*	4.0	8.6

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Tacoma, Washington</b>								
Number								
Low birthweight	263	161	58	12	32	19	142	58
Care beginning in first trimester	2,442	1,819	289	76	258	289	1,529	282
Late or no care	159	105	22	9	23	28	78	21
Percent								
Low birthweight	6.9	5.9	11.6	*	7.2	*	6.4	11.8
Care beginning in first trimester	76.7	79.0	73.9	59.4	71.5	71.9	80.4	73.8
Late or no care	5.0	4.6	5.6	*	6.4	7.0	4.1	5.5
<b>Tallahassee, Florida</b>								
Number								
Low birthweight	222	86	127	2	7	5	81	127
Care beginning in first trimester	1,927	1,045	799	3	80	63	984	797
Late or no care	32	8	24	-	-	1	7	24
Percent								
Low birthweight	10.4	7.7	13.4	*	*	*	7.8	13.5
Care beginning in first trimester	91.0	95.1	85.8	*	95.2	90.0	95.4	85.9
Late or no care	1.5	*	2.6	*	*	*	*	2.6
<b>Tampa, Florida</b>								
Number								
Low birthweight	737	401	314	-	22	147	255	309
Care beginning in first trimester	7,055	4,958	1,821	11	265	1,761	3,238	1,781
Late or no care	181	104	70	1	6	58	48	68
Percent								
Low birthweight	8.9	7.2	13.3	*	7.3	7.2	7.2	13.4
Care beginning in first trimester	87.4	90.6	79.4	*	92.0	86.7	92.8	79.3
Late or no care	2.2	1.9	3.1	*	*	2.9	1.4	3.0

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Tempe, Arizona								
Number								
Low birthweight	146	109	12	10	15	41	67	12
Care beginning in first trimester	1,712	1,440	75	82	115	526	922	70
Late or no care	94	79	1	3	11	49	29	1
Percent								
Low birthweight	6.8	6.1	*	*	*	5.5	6.3	*
Care beginning in first trimester	81.3	81.0	90.4	75.9	82.7	72.4	87.5	89.7
Late or no care	4.5	4.4	*	*	*	6.7	2.8	*
Thousand Oaks, California								
Number								
Low birthweight	70	54	-	-	16	20	34	-
Care beginning in first trimester	899	806	5	2	86	243	560	5
Late or no care	3	2	-	-	1	1	1	-
Percent								
Low birthweight	7.2	6.2	*	*	*	7.3	5.8	*
Care beginning in first trimester	93.5	93.6	*	*	93.5	88.7	96.1	*
Late or no care	*	*	*	*	*	*	*	*
Toledo, Ohio								
Number								
Low birthweight	447	250	191	3	3	23	227	191
Care beginning in first trimester	4,337	3,174	1,066	21	76	309	2,885	1,053
Late or no care	114	42	70	-	2	12	30	70
Percent								
Low birthweight	8.9	7.1	13.8	*	*	5.9	7.2	14.0
Care beginning in first trimester	87.3	91.2	77.4	87.5	88.4	80.1	92.5	77.5
Late or no care	2.3	1.2	5.1	*	*	*	1.0	5.2

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Topeka, Kansas								
Number								
Low birthweight	172	129	33	7	3	21	106	33
Care beginning in first trimester	1,840	1,533	236	48	23	246	1,265	235
Late or no care	36	24	10	1	1	9	16	9
Percent								
Low birthweight	8.5	7.7	12.2	*	*	7.0	7.8	12.4
Care beginning in first trimester	90.6	91.2	87.4	94.1	82.1	82.6	92.9	88.0
Late or no care	1.8	1.4	*	*	*	*	*	*
Torrance, California								
Number								
Low birthweight	113	71	11	-	31	37	32	11
Care beginning in first trimester	1,851	1,210	81	3	557	618	594	78
Late or no care	30	19	3	-	8	10	9	3
Percent								
Low birthweight	5.5	5.3	*	*	5.1	5.3	5.0	*
Care beginning in first trimester	91.4	91.2	86.2	*	92.8	88.5	94.1	87.6
Late or no care	1.5	*	*	*	*	*	*	*
Tucson, Arizona								
Number								
Low birthweight	826	725	53	25	23	407	319	50
Care beginning in first trimester	8,218	7,428	260	271	259	3,756	3,642	224
Late or no care	982	891	32	36	23	649	230	29
Percent								
Low birthweight	7.2	7.0	14.0	6.3	6.6	7.2	6.9	15.2
Care beginning in first trimester	72.8	72.9	70.1	69.8	74.2	67.9	79.1	69.1
Late or no care	8.7	8.7	8.6	9.3	6.6	11.7	5.0	9.0



Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Tulsa, Oklahoma								
Number								
Low birthweight	570	333	199	25	13	36	297	199
Care beginning in first trimester	4,424	3,313	742	242	127	522	2,798	738
Late or no care	533	331	146	43	13	102	230	146
Percent								
Low birthweight	8.6	7.0	15.9	6.3	*	3.6	7.8	15.9
Care beginning in first trimester	67.3	69.7	59.4	60.8	73.8	52.7	74.1	59.3
Late or no care	8.1	7.0	11.7	10.8	*	10.3	6.1	11.7
Vallejo, California								
Number								
Low birthweight	142	54	50	-	38	34	21	49
Care beginning in first trimester	1,375	654	330	10	381	359	307	321
Late or no care	99	40	38	-	21	31	14	36
Percent								
Low birthweight	7.6	6.1	10.6	*	7.6	6.6	5.5	10.6
Care beginning in first trimester	75.0	75.8	70.7	*	77.4	71.1	81.6	70.4
Late or no care	5.4	4.6	8.1	*	4.3	6.1	*	7.9
Virginia Beach city, Virginia								
Number								
Low birthweight	439	234	175	3	27	23	212	166
Care beginning in first trimester	5,484	3,977	1,211	10	286	329	3,644	1,184
Late or no care	126	59	54	1	12	8	54	53
Percent								
Low birthweight	7.1	5.4	11.8	*	8.0	5.9	5.4	11.4
Care beginning in first trimester	88.8	91.8	81.3	*	84.4	85.0	92.3	81.3
Late or no care	2.0	1.4	3.6	*	*	*	1.4	3.6

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Waco, Texas								
Number								
Low birthweight	192	128	62	-	2	61	67	61
Care beginning in first trimester	1,540	1,225	296	1	18	483	742	288
Late or no care	159	111	44	-	4	81	30	44
Percent								
Low birthweight	8.1	6.9	12.2	*	*	7.1	6.8	12.2
Care beginning in first trimester	64.7	66.5	57.9	*	*	55.8	75.9	57.6
Late or no care	6.7	6.0	8.6	*	*	9.4	3.1	8.8
Warren, Michigan								
Number								
Low birthweight	125	107	10	-	8	5	99	9
Care beginning in first trimester	1,472	1,293	76	6	97	29	1,234	74
Late or no care	30	24	3	-	3	1	23	3
Percent								
Low birthweight	7.2	7.1	*	*	*	*	6.9	*
Care beginning in first trimester	88.2	89.0	86.4	*	80.2	82.9	88.9	86.0
Late or no care	1.8	1.7	*	*	*	*	1.7	*
Waterbury, Connecticut								
Number								
Low birthweight	146	105	40	-	1	50	56	37
Care beginning in first trimester	1,301	1,036	224	5	36	428	626	199
Late or no care	61	42	17	-	2	25	20	13
Percent								
Low birthweight	9.0	8.3	12.9	*	*	8.8	7.7	13.4
Care beginning in first trimester	82.1	83.8	74.9	*	85.7	78.1	87.8	75.1
Late or no care	3.8	3.4	*	*	*	4.6	2.8	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Wichita, Kansas								
Number								
Low birthweight	516	354	132	5	25	64	291	131
Care beginning in first trimester	5,416	4,423	663	64	266	613	3,803	661
Late or no care	156	101	48	3	4	42	57	48
Percent								
Low birthweight	8.1	6.9	15.6	*	7.8	7.2	6.9	15.5
Care beginning in first trimester	86.7	88.0	79.8	84.2	85.0	73.6	90.9	79.8
Late or no care	2.5	2.0	5.8	*	*	5.0	1.4	5.8
Winston-Salem, North Carolina								
Number								
Low birthweight	341	163	172	-	6	74	90	171
Care beginning in first trimester	2,791	1,799	933	6	53	679	1,121	931
Late or no care	91	59	32	-	-	50	8	32
Percent								
Low birthweight	10.7	8.0	15.9	*	*	8.5	7.6	15.8
Care beginning in first trimester	87.7	88.1	86.5	*	91.4	78.5	95.2	86.5
Late or no care	2.9	2.9	3.0	*	*	5.8	*	3.0
Worcester, Massachusetts								
Number								
Low birthweight	220	166	43	-	11	64	110	35
Care beginning in first trimester	2,371	1,917	292	3	159	521	1,444	244
Late or no care	26	19	3	1	3	8	12	2
Percent								
Low birthweight	8.6	8.1	13.2	*	*	11.2	7.2	12.8
Care beginning in first trimester	92.5	93.4	89.6	*	88.8	91.1	94.2	89.1
Late or no care	1.0	*	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2001

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Yonkers, New York								
Number								
Low birthweight	211	136	64	-	11	80	57	62
Care beginning in first trimester	1,880	1,386	373	1	120	632	771	357
Late or no care	253	169	71	1	12	120	48	71
Percent								
Low birthweight	7.5	6.8	10.2	*	*	7.4	6.0	10.3
Care beginning in first trimester	69.3	70.3	63.8	*	79.5	59.6	82.6	63.3
Late or no care	9.3	8.6	12.1	*	*	11.3	5.1	12.6

- Quantity zero.

\* Figure does not meet standards of reliability or precision; based on fewer than 20 births in the numerator.

(1) Data not shown for non-Hispanic births of other races and births with origin not stated.

(2) Includes Aleuts and Eskimos.

NOTES: Race and Hispanic origin are reported separately on birth certificates. Race categories are consistent with the 1977 Office of Management and Budget standards. See Technical Appendix.