

Table 1-25. Number and Percent of Births of Low Birthweight and Percent of Women Beginning Prenatal Care in First Trimester and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1997

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin(1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								

Total of 196 cities of 100,000 or more

Number								
Low birthweight	101,314	53,364	41,694	526	5,730	23,757	29,862	40,492
Care beginning in first trimester	903,541	627,519	210,802	4,943	60,277	255,996	373,592	202,676
Late or no care	58,944	32,232	22,894	577	3,241	20,702	11,846	22,113
Percent								
Low birthweight	8.5	6.7	13.4	7.1	7.3	6.6	6.8	13.6
Care beginning in first trimester	78.9	81.6	71.7	69.9	80.3	74.1	87.5	71.7
Late or no care	5.1	4.2	7.8	8.2	4.3	6.0	2.8	7.8

Abilene, Texas

Number								
Low birthweight	133	118	12	-	3	42	76	12
Care beginning in first trimester	1,411	1,277	101	-	33	302	977	100
Late or no care	86	66	18	-	2	32	34	18
Percent								
Low birthweight	7.2	7.2	*	*	*	9.2	6.4	*
Care beginning in first trimester	76.5	77.5	66.0	*	78.6	66.4	81.8	65.8
Late or no care	4.7	4.0	*	*	*	7.0	2.8	*

Akron, Ohio

Number

Low birthweight	359	205	149	-	5	8	197	149
Care beginning in first trimester	2,959	2,043	847	7	62	41	2,003	843
Late or no care	158	80	76	-	2	1	78	75

Percent

Low birthweight	10.1	8.7	13.5	*	*	*	8.5	13.6
Care beginning in first trimester	83.5	86.8	76.7	*	81.6	85.4	86.8	76.6
Late or no care	4.5	3.4	6.9	*	*	*	3.4	6.8

Albany, New York

Number

Low birthweight	149	70	76	-	3	11	32	61
Care beginning in first trimester	1,077	644	399	3	31	64	380	330
Late or no care	69	21	44	1	3	2	8	32

Percent

Low birthweight	11.3	9.4	14.5	*	*	*	7.7	14.6
Care beginning in first trimester	82.5	87.5	76.6	*	73.8	82.1	91.3	79.3
Late or no care	5.3	2.9	8.4	*	*	*	*	7.7

Albuquerque, New Mexico

Number

Low birthweight	614	535	38	22	19	314	227	36
Care beginning in first trimester	5,158	4,726	126	180	126	2,590	2,163	119
Late or no care	411	361	19	23	8	254	113	16

Percent

Low birthweight	8.2	7.9	17.8	7.1	*	7.9	7.9	18.0
Care beginning in first trimester	73.8	74.6	64.0	63.6	71.2	70.1	80.5	65.0
Late or no care	5.9	5.7	*	8.1	*	6.9	4.2	*

Alexandria city, Virginia

Number

Low birthweight	164	81	68	-	15	23	57	68
Care beginning in first trimester	1,707	1,176	418	2	111	248	926	414
Late or no care	163	72	82	1	8	44	29	81

Percent

Low birthweight	7.2	5.6	10.0	*	*	5.6	5.6	10.2
Care beginning in first trimester	77.5	83.6	64.3	*	77.6	61.7	92.2	64.4

Late or no care	7.4	5.1	12.6	*	*	10.9	2.9	12.6
-----------------	-----	-----	------	---	---	------	-----	------

Allentown, Pennsylvania

Number

Low birthweight	166	141	20	1	4	58	83	19
Care beginning in first trimester	1,328	1,176	107	6	39	396	777	100
Late or no care	76	67	7	-	2	28	38	7

Percent

Low birthweight	10.0	9.7	13.4	*	*	10.8	9.1	*
Care beginning in first trimester	83.8	84.5	77.5	*	81.3	77.5	88.7	78.1
Late or no care	4.8	4.8	*	*	*	5.5	4.3	*

Amarillo, Texas

Number

Low birthweight	319	274	38	1	6	91	184	37
Care beginning in first trimester	2,218	2,045	123	14	36	597	1,448	123
Late or no care	149	125	21	-	3	76	48	21

Percent

Low birthweight	11.0	10.4	19.8	*	*	9.9	10.6	19.6
Care beginning in first trimester	76.4	77.5	64.1	*	69.2	65.1	84.0	65.1
Late or no care	5.1	4.7	10.9	*	*	8.3	2.8	11.1

Anaheim, California

Number

Low birthweight	374	304	17	3	50	222	84	16
Care beginning in first trimester	5,440	4,692	126	16	606	3,319	1,384	123
Late or no care	285	257	6	1	21	208	49	6

Percent

Low birthweight	5.3	5.0	*	*	6.9	5.0	5.2	*
Care beginning in first trimester	78.2	77.6	78.3	*	83.8	74.7	85.7	78.3
Late or no care	4.1	4.3	*	*	2.9	4.7	3.0	*

Anchorage, coext. with Anchorage city, Alaska

Number

Low birthweight	254	166	40	35	13	27	141	40
Care beginning in first trimester	3,536	2,660	269	399	208	303	2,418	264

Late or no care	122	60	12	33	17	11	48	12
Percent								
Low birthweight	6.1	5.4	12.8	6.9	*	7.2	5.1	13.1
Care beginning in first trimester	85.6	87.4	86.8	78.9	76.5	80.6	88.1	87.1
Late or no care	3.0	2.0	*	6.5	*	*	1.7	*

Ann Arbor, Michigan

Number								
Low birthweight	81	48	18	-	15	5	43	17
Care beginning in first trimester	1,097	804	127	6	160	30	711	120
Late or no care	29	20	6	-	3	2	16	6
Percent								
Low birthweight	5.9	4.8	*	*	*	*	4.9	*
Care beginning in first trimester	91.9	91.9	87.0	*	96.4	83.3	92.5	86.3
Late or no care	2.4	2.3	*	*	*	*	*	*

Arlington, Texas

Number								
Low birthweight	397	270	91	2	34	68	201	91
Care beginning in first trimester	4,380	3,473	582	17	308	879	2,598	576
Late or no care	259	191	49	3	16	111	81	48
Percent								
Low birthweight	7.3	6.3	11.6	*	9.0	5.4	6.7	11.7
Care beginning in first trimester	80.9	82.0	74.8	*	82.4	70.3	86.9	74.7
Late or no care	4.8	4.5	6.3	*	*	8.9	2.7	6.2

Arlington, Virginia

Number								
Low birthweight	171	118	41	-	12	43	74	41
Care beginning in first trimester	2,109	1,686	246	4	173	465	1,220	237
Late or no care	132	91	29	-	12	54	36	28
Percent								
Low birthweight	6.4	5.7	11.5	*	*	5.9	5.5	11.8
Care beginning in first trimester	80.1	82.0	69.9	*	78.6	65.1	91.0	69.3
Late or no care	5.0	4.4	8.2	*	*	7.6	2.7	8.2

Atlanta, Georgia

Number									
Low birthweight	912	151	741	-	20	40	108	739	
Care beginning in first trimester	6,697	2,311	4,221	13	152	606	1,665	4,195	
Late or no care	394	77	311	-	6	54	21	308	
Percent									
Low birthweight	10.8	5.6	13.4	*	10.5	4.7	6.1	13.5	
Care beginning in first trimester	81.1	87.6	77.9	*	80.9	72.7	94.9	78.0	
Late or no care	4.8	2.9	5.7	*	*	6.5	1.2	5.7	

Aurora, Colorado

Number									
Low birthweight	415	302	93	2	18	71	229	93	
Care beginning in first trimester	3,760	3,058	497	24	181	648	2,427	487	
Late or no care	154	108	33	4	9	56	54	33	
Percent									
Low birthweight	9.4	8.6	14.8	*	*	8.1	8.6	15.1	
Care beginning in first trimester	86.1	87.5	80.0	70.6	84.6	74.3	91.7	80.2	
Late or no care	3.5	3.1	5.3	*	*	6.4	2.0	5.4	

Austin, Texas

Number									
Low birthweight	714	537	144	2	31	272	264	144	
Care beginning in first trimester	8,533	7,158	903	22	450	3,231	3,931	887	
Late or no care	409	333	66	-	10	273	61	65	
Percent									
Low birthweight	6.8	6.2	11.9	*	6.2	6.1	6.2	12.1	
Care beginning in first trimester	81.8	82.3	75.0	81.5	90.5	72.7	92.1	75.0	
Late or no care	3.9	3.8	5.5	*	*	6.1	1.4	5.5	

Bakersfield, California

Number									
Low birthweight	438	342	71	2	23	178	166	70	
Care beginning in first trimester	5,114	4,504	416	45	149	2,243	2,256	409	
Late or no care	288	245	32	5	6	155	90	32	

Percent								
Low birthweight	6.5	5.7	12.3	*	12.6	5.7	5.9	12.3
Care beginning in first trimester	78.6	78.7	75.5	77.6	84.7	74.3	83.7	75.2
Late or no care	4.4	4.3	5.8	*	*	5.1	3.3	5.9
Baltimore city, Maryland								
Number								
Low birthweight	1,380	196	1,175	1	8	4	191	1,164
Care beginning in first trimester	6,122	2,098	3,945	14	65	80	2,015	3,917
Late or no care	451	73	377	-	1	12	63	376
Percent								
Low birthweight	14.1	7.4	16.8	*	*	*	7.6	16.9
Care beginning in first trimester	78.7	87.9	74.4	*	89.0	71.4	88.6	74.4
Late or no care	5.8	3.1	7.1	*	*	*	2.8	7.1
Baton Rouge, Louisiana								
Number								
Low birthweight	567	128	426	-	13	8	120	426
Care beginning in first trimester	3,900	1,896	1,886	2	116	58	1,840	1,885
Late or no care	198	25	171	-	2	2	23	171
Percent								
Low birthweight	11.5	6.2	15.5	*	*	*	6.0	15.6
Care beginning in first trimester	78.8	91.4	68.7	*	90.6	82.9	91.7	68.7
Late or no care	4.0	1.2	6.2	*	*	*	1.1	6.2
Beaumont, Texas								
Number								
Low birthweight	162	66	94	1	1	17	49	94
Care beginning in first trimester	1,488	739	691	1	57	152	587	690
Late or no care	66	17	48	-	1	5	12	48
Percent								
Low birthweight	9.3	7.9	11.2	*	*	*	7.7	11.2
Care beginning in first trimester	85.8	88.9	82.2	*	93.4	78.8	91.9	82.2
Late or no care	3.8	*	5.7	*	*	*	*	5.7
Berkeley, California								

Number								
Low birthweight	74	37	31	-	6	9	24	28
Care beginning in first trimester	924	594	195	3	132	128	414	163
Late or no care	18	5	12	-	1	2	2	12
Percent								
Low birthweight	7.5	6.0	13.7	*	*	*	5.6	14.4
Care beginning in first trimester	93.7	95.8	86.7	*	97.1	95.5	96.3	84.9
Late or no care	*	*	*	*	*	*	*	*

Birmingham, Alabama

Number								
Low birthweight	533	81	448	1	3	9	73	446
Care beginning in first trimester	3,344	998	2,316	4	26	40	959	2,314
Late or no care	179	48	131	-	-	8	40	131
Percent								
Low birthweight	12.4	7.0	14.3	*	*	*	6.7	14.3
Care beginning in first trimester	78.1	87.3	74.6	*	86.7	70.2	88.2	74.5
Late or no care	4.2	4.2	4.2	*	*	*	3.7	4.2

Boise City, Idaho

Number								
Low birthweight	158	147	1	-	10	13	126	1
Care beginning in first trimester	2,112	2,017	16	11	68	126	1,779	14
Late or no care	104	91	1	5	7	13	73	1
Percent								
Low birthweight	5.7	5.6	*	*	*	*	5.5	*
Care beginning in first trimester	80.7	81.0	*	*	77.3	65.6	82.5	*
Late or no care	4.0	3.7	*	*	*	*	3.4	*

Boston, Massachusetts

Number								
Low birthweight	709	279	380	2	48	134	187	333
Care beginning in first trimester	6,518	3,448	2,518	14	538	1,384	2,444	2,124
Late or no care	316	121	172	-	23	66	60	160
Percent								

Low birthweight	9.2	7.1	12.0	*	7.5	8.1	7.0	12.2
Care beginning in first trimester	85.2	88.9	80.6	*	85.0	84.8	91.9	79.0
Late or no care	4.1	3.1	5.5	*	3.6	4.0	2.3	5.9

Bridgeport, Connecticut

Number

Low birthweight	222	114	94	2	12	71	43	92
Care beginning in first trimester	1,554	936	556	4	58	558	370	545
Late or no care	74	35	32	-	7	24	10	32

Percent

Low birthweight	9.6	8.5	11.0	*	*	8.6	8.5	11.0
Care beginning in first trimester	79.0	81.5	77.1	*	63.7	79.1	85.1	77.1
Late or no care	3.8	3.0	4.4	*	*	3.4	*	4.5

Bronx borough, Bronx county, New York

Number

Low birthweight	2,212	994	1,151	1	66	1,065	130	927
Care beginning in first trimester	12,811	6,502	5,799	9	501	6,705	1,339	4,161
Late or no care	1,517	682	775	1	59	749	105	593

Percent

Low birthweight	9.9	8.8	11.2	*	8.3	9.0	6.9	12.1
Care beginning in first trimester	70.3	71.9	68.4	*	72.3	70.0	78.7	68.1
Late or no care	8.3	7.5	9.1	*	8.5	7.8	6.2	9.7

Brooklyn borough, Kings county, New York

Number

Low birthweight	3,621	1,436	1,973	-	212	736	792	1,813
Care beginning in first trimester	23,409	12,326	9,114	5	1,964	5,885	7,224	8,022
Late or no care	2,788	1,178	1,264	-	346	706	516	1,184

Percent

Low birthweight	9.1	7.1	12.1	*	6.9	8.0	6.5	12.4
Care beginning in first trimester	71.4	73.7	68.5	*	70.8	71.5	76.1	67.7
Late or no care	8.5	7.0	9.5	*	12.5	8.6	5.4	10.0

Buffalo, New York

Number

Low birthweight	490	233	248	-	9	33	57	235
Care beginning in first trimester	3,313	2,071	1,166	10	66	226	689	1,108
Late or no care	360	149	203	1	7	33	51	199

Percent

Low birthweight	10.2	8.8	12.3	*	*	10.0	6.5	12.2
Care beginning in first trimester	73.3	80.7	63.2	*	72.5	71.1	81.3	63.0
Late or no care	8.0	5.8	11.0	*	*	10.4	6.0	11.3

Cedar Rapids, Iowa

Number

Low birthweight	93	80	9	-	4	-	80	9
Care beginning in first trimester	1,475	1,361	68	1	45	24	1,337	68
Late or no care	36	32	3	1	-	1	31	3

Percent

Low birthweight	5.6	5.2	*	*	*	*	5.3	*
Care beginning in first trimester	88.3	88.7	81.9	*	90.0	82.8	88.7	82.9
Late or no care	2.2	2.1	*	*	*	*	2.1	*

Charlotte, North Carolina

Number

Low birthweight	830	384	421	1	24	33	352	420
Care beginning in first trimester	7,613	4,917	2,394	21	281	428	4,494	2,390
Late or no care	220	72	137	-	11	17	56	135

Percent

Low birthweight	9.5	7.2	13.9	*	7.0	6.0	7.4	13.9
Care beginning in first trimester	87.6	92.7	79.2	80.8	82.6	79.1	94.2	79.2
Late or no care	2.5	1.4	4.5	*	*	*	1.2	4.5

Chattanooga, Tennessee

Number

Low birthweight	240	100	136	-	4	5	93	136
Care beginning in first trimester	1,687	1,072	582	3	30	18	1,049	581
Late or no care	129	55	72	-	2	21	34	72

Percent

Low birthweight	10.5	7.5	14.8	*	*	*	7.3	14.9
Care beginning in first trimester	75.8	82.1	66.1	*	81.1	*	84.6	66.1

Late or no care	5.8	4.2	8.2	*	*	35.0	2.7	8.2
Chesapeake city, Virginia								
Number								
Low birthweight	220	115	98	2	5	1	114	98
Care beginning in first trimester	2,358	1,687	614	6	51	46	1,642	612
Late or no care	67	22	44	-	1	1	21	44
Percent								
Low birthweight	8.1	6.2	12.1	*	*	*	6.4	12.2
Care beginning in first trimester	87.0	91.9	76.0	*	86.4	88.5	92.0	75.9
Late or no care	2.5	1.2	5.4	*	*	*	1.2	5.5
Chicago, Illinois								
Number								
Low birthweight	5,274	1,918	3,178	6	172	1,188	735	3,170
Care beginning in first trimester	37,570	21,488	14,492	42	1,548	12,602	8,944	14,422
Late or no care	3,307	1,194	2,020	5	88	915	284	2,013
Percent								
Low birthweight	10.3	6.9	14.8	*	8.7	6.9	7.0	14.9
Care beginning in first trimester	75.2	79.6	68.9	66.7	82.7	74.6	87.8	68.9
Late or no care	6.6	4.4	9.6	*	4.7	5.4	2.8	9.6
Chula Vista, California								
Number								
Low birthweight	188	142	20	1	25	114	27	20
Care beginning in first trimester	2,381	1,960	130	14	277	1,502	476	118
Late or no care	136	125	4	-	7	105	20	4
Percent								
Low birthweight	6.3	5.7	12.8	*	7.9	5.9	4.8	14.2
Care beginning in first trimester	80.5	79.4	83.3	*	87.4	77.7	85.6	83.7
Late or no care	4.6	5.1	*	*	*	5.4	3.6	*
Cincinnati, Ohio								
Number								
Low birthweight	621	192	424	1	4	6	186	424
Care beginning in first trimester	4,550	2,359	2,113	9	69	53	2,319	2,100

Late or no care	448	124	324	-	-	11	113	324
Percent								
Low birthweight	11.1	7.2	14.8	*	*	*	7.2	14.9
Care beginning in first trimester	81.5	89.0	74.2	*	93.2	74.6	89.4	74.0
Late or no care	8.0	4.7	11.4	*	*	*	4.4	11.4
Cleveland, Ohio								
Number								
Low birthweight	1,087	323	756	1	7	60	259	692
Care beginning in first trimester	6,835	3,194	3,541	13	87	446	2,729	3,302
Late or no care	904	230	663	2	9	39	189	618
Percent								
Low birthweight	11.5	8.0	14.3	*	*	9.5	7.6	13.9
Care beginning in first trimester	73.2	79.2	68.4	*	75.7	70.5	80.7	68.3
Late or no care	9.7	5.7	12.8	*	*	6.2	5.6	12.8
Colorado Springs, Colorado								
Number								
Low birthweight	600	481	75	6	38	92	397	72
Care beginning in first trimester	5,373	4,699	419	47	208	696	4,034	404
Late or no care	222	172	37	6	7	38	137	35
Percent								
Low birthweight	9.4	8.8	13.3	*	14.8	10.5	8.5	13.3
Care beginning in first trimester	84.2	85.5	74.6	74.6	80.9	79.6	86.5	74.8
Late or no care	3.5	3.1	6.6	*	*	4.3	2.9	6.5
Columbus, Georgia								
Number								
Low birthweight	277	97	176	-	4	5	93	175
Care beginning in first trimester	1,906	957	915	-	34	50	916	907
Late or no care	139	36	99	-	4	5	32	98
Percent								
Low birthweight	10.6	7.9	13.0	*	*	*	8.0	13.1
Care beginning in first trimester	75.6	80.7	71.2	*	69.4	73.5	81.1	71.1
Late or no care	5.5	3.0	7.7	*	*	*	2.8	7.7

Columbus, Ohio

Number								
Low birthweight	998	550	420	3	25	16	534	420
Care beginning in first trimester	8,885	6,242	2,381	27	235	192	6,056	2,372
Late or no care	1,071	603	418	4	46	35	569	416
Percent								
Low birthweight	9.1	7.5	12.9	*	8.0	*	7.5	13.0
Care beginning in first trimester	81.5	85.1	73.9	79.4	75.3	70.1	85.6	73.9
Late or no care	9.8	8.2	13.0	*	14.7	12.8	8.0	13.0

Concord, California

Number								
Low birthweight	98	78	6	-	14	24	56	5
Care beginning in first trimester	1,472	1,232	51	11	178	424	820	50
Late or no care	84	59	5	2	18	33	27	5
Percent								
Low birthweight	5.5	5.2	*	*	*	4.3	5.9	*
Care beginning in first trimester	83.8	84.4	81.0	*	80.2	78.5	88.0	80.6
Late or no care	4.8	4.0	*	*	*	6.1	2.9	*

Corpus Christi, Texas

Number								
Low birthweight	340	301	31	2	6	212	89	31
Care beginning in first trimester	3,866	3,616	161	11	78	2,372	1,252	158
Late or no care	174	163	9	1	1	135	28	9
Percent								
Low birthweight	7.1	6.7	15.3	*	*	6.9	6.3	15.6
Care beginning in first trimester	81.9	81.8	80.9	*	87.6	78.3	89.6	80.6
Late or no care	3.7	3.7	*	*	*	4.5	2.0	*

Dallas, Texas

Number								
Low birthweight	1,843	1,065	725	3	50	693	368	710
Care beginning in first trimester	16,366	11,786	4,019	25	536	7,215	4,514	3,889
Late or no care	1,167	797	329	5	36	606	186	321

Percent								
Low birthweight	8.1	6.6	12.8	*	7.3	6.4	6.9	12.9
Care beginning in first trimester	74.8	74.9	73.7	56.8	80.8	69.4	86.0	73.5
Late or no care	5.3	5.1	6.0	*	5.4	5.8	3.5	6.1
Dayton, Ohio								
Number								
Low birthweight	323	129	191	-	3	2	127	191
Care beginning in first trimester	2,340	1,400	912	3	25	22	1,380	911
Late or no care	153	54	99	-	-	3	52	98
Percent								
Low birthweight	10.6	7.8	14.1	*	*	*	7.8	14.2
Care beginning in first trimester	76.7	84.3	67.4	*	92.6	57.9	84.8	67.5
Late or no care	5.0	3.3	7.3	*	*	*	3.2	7.3
Denver, coext. with Denver city, Colorado								
Number								
Low birthweight	924	708	165	18	33	405	316	159
Care beginning in first trimester	7,047	5,985	755	78	229	2,808	3,219	728
Late or no care	579	479	65	15	20	384	101	64
Percent								
Low birthweight	9.9	9.0	16.5	*	11.0	9.4	8.7	16.4
Care beginning in first trimester	76.4	76.6	76.1	65.0	77.6	65.9	89.1	75.7
Late or no care	6.3	6.1	6.6	*	6.8	9.0	2.8	6.7
Des Moines, Iowa								
Number								
Low birthweight	255	206	37	-	12	25	172	33
Care beginning in first trimester	2,810	2,443	230	13	124	197	2,158	200
Late or no care	130	102	23	1	4	31	69	22
Percent								
Low birthweight	7.5	7.1	10.8	*	*	8.0	6.9	10.9
Care beginning in first trimester	83.9	85.6	70.8	*	81.0	64.2	88.0	69.2
Late or no care	3.9	3.6	7.1	*	*	10.1	2.8	7.6
Detroit, Michigan								

Number								
Low birthweight	2,101	223	1,859	1	18	54	143	1,819
Care beginning in first trimester	10,391	1,851	8,381	19	140	469	1,252	8,290
Late or no care	1,061	141	906	3	11	45	82	896
Percent								
Low birthweight	12.6	8.2	13.6	*	*	6.6	8.6	13.5
Care beginning in first trimester	70.1	76.0	68.9	*	71.8	69.7	79.7	68.9
Late or no care	7.2	5.8	7.4	*	*	6.7	5.2	7.4
District of Columbia								
Number								
Low birthweight	1,064	117	937	-	10	43	73	917
Care beginning in first trimester	4,446	1,370	2,990	-	86	336	1,031	2,930
Late or no care	819	122	690	-	7	66	54	671
Percent								
Low birthweight	13.4	5.9	16.1	*	*	6.2	5.7	16.2
Care beginning in first trimester	66.6	81.0	61.4	*	75.4	63.2	89.3	61.5
Late or no care	12.3	7.2	14.2	*	*	12.4	4.7	14.1
Durham, North Carolina								
Number								
Low birthweight	317	80	225	1	11	17	63	225
Care beginning in first trimester	2,399	1,159	1,138	10	92	222	942	1,135
Late or no care	94	21	72	-	1	8	13	72
Percent								
Low birthweight	11.2	6.4	15.3	*	*	*	6.3	15.4
Care beginning in first trimester	85.1	93.0	77.8	*	94.8	85.4	95.0	77.8
Late or no care	3.3	1.7	4.9	*	*	*	*	4.9
El Monte, California								
Number								
Low birthweight	163	142	1	-	20	136	6	1
Care beginning in first trimester	2,350	2,056	9	1	284	1,983	73	9
Late or no care	80	75	-	1	4	74	2	-
Percent								

Low birthweight	5.8	5.7	*	*	6.4	5.7	*	*
Care beginning in first trimester	83.9	83.0	*	*	91.0	82.9	84.9	*
Late or no care	2.9	3.0	*	*	*	3.1	*	*

El Paso, Texas

Number

Low birthweight	949	902	35	2	10	799	103	34
Care beginning in first trimester	8,332	8,009	226	17	80	6,953	1,060	218
Late or no care	1,310	1,291	17	-	2	1,252	43	13

Percent

Low birthweight	7.2	7.1	11.9	*	*	7.0	7.7	12.1
Care beginning in first trimester	66.0	65.6	77.9	*	79.2	63.7	81.7	78.4
Late or no care	10.4	10.6	*	*	*	11.5	3.3	*

Elizabeth, New Jersey

Number

Low birthweight	194	84	106	-	4	66	21	102
Care beginning in first trimester	1,322	934	350	1	37	710	251	321
Late or no care	172	86	84	-	2	65	20	82

Percent

Low birthweight	9.9	6.4	17.8	*	*	6.4	6.3	18.4
Care beginning in first trimester	68.6	71.7	60.8	*	80.4	70.2	76.5	60.0
Late or no care	8.9	6.6	14.6	*	*	6.4	6.1	15.3

Erie, Pennsylvania

Number

Low birthweight	140	106	34	-	-	7	99	34
Care beginning in first trimester	1,274	1,094	167	-	13	51	1,041	167
Late or no care	128	79	49	-	-	15	63	49

Percent

Low birthweight	8.1	7.6	11.0	*	*	*	7.6	11.0
Care beginning in first trimester	75.3	79.3	56.6	*	*	59.3	80.6	56.8
Late or no care	7.6	5.7	16.6	*	*	*	4.9	16.7

Escondido, California

Number

Low birthweight	130	111	10	2	7	65	46	10
Care beginning in first trimester	1,964	1,804	40	17	103	924	883	37
Late or no care	216	207	3	-	6	171	36	3

Percent

Low birthweight	4.8	4.4	*	*	*	4.5	4.4	*
Care beginning in first trimester	73.0	72.2	75.5	*	83.7	63.5	84.4	74.0
Late or no care	8.0	8.3	*	*	*	11.8	3.4	*

Eugene, Oregon

Number

Low birthweight	97	93	2	-	2	9	84	2
Care beginning in first trimester	1,275	1,176	23	13	63	82	1,097	22
Late or no care	92	83	2	-	7	6	77	2

Percent

Low birthweight	5.8	6.1	*	*	*	*	5.9	*
Care beginning in first trimester	76.6	77.0	71.9	*	73.3	69.5	77.6	71.0
Late or no care	5.5	5.4	*	*	*	*	5.4	*

Evansville, Indiana

Number

Low birthweight	152	115	34	1	2	3	112	34
Care beginning in first trimester	1,557	1,360	178	4	15	19	1,344	177
Late or no care	74	51	22	-	1	3	48	22

Percent

Low birthweight	8.1	7.2	13.1	*	*	*	7.1	13.2
Care beginning in first trimester	83.1	85.5	68.5	*	*	*	85.7	68.6
Late or no care	3.9	3.2	8.5	*	*	*	3.1	8.5

Fayette, coext. with Lexington-Fayette, Kentucky

Number

Low birthweight	259	192	58	3	6	11	182	58
Care beginning in first trimester	2,849	2,398	386	4	61	49	2,349	385
Late or no care	94	56	35	-	3	8	48	35

Percent

Low birthweight	7.8	7.0	11.2	*	*	*	6.8	11.2
Care beginning in first trimester	87.2	89.6	75.1	*	83.6	64.5	90.2	75.2

Late or no care	2.9	2.1	6.8	*	*	*	1.8	6.8
Flint, Michigan								
Number								
Low birthweight	347	130	216	-	1	1	125	216
Care beginning in first trimester	2,325	1,170	1,126	2	27	33	1,113	1,125
Late or no care	122	32	90	-	-	3	28	90
Percent								
Low birthweight	11.9	9.6	14.1	*	*	*	9.7	14.1
Care beginning in first trimester	79.7	86.8	73.1	*	93.1	91.7	86.6	73.1
Late or no care	4.2	2.4	5.8	*	*	*	2.2	5.8
Fort Lauderdale, Florida								
Number								
Low birthweight	336	127	207	-	2	38	90	206
Care beginning in first trimester	2,979	1,592	1,351	2	34	365	1,233	1,344
Late or no care	145	47	95	-	3	19	29	94
Percent								
Low birthweight	9.0	6.9	11.3	*	*	8.4	6.5	11.3
Care beginning in first trimester	81.3	87.4	74.8	*	89.5	80.8	89.3	75.0
Late or no care	4.0	2.6	5.3	*	*	*	2.1	5.2
Fort Wayne, Indiana								
Number								
Low birthweight	335	220	105	-	10	13	205	105
Care beginning in first trimester	3,010	2,428	516	4	62	142	2,278	516
Late or no care	166	89	76	-	1	8	81	75
Percent								
Low birthweight	8.9	7.6	13.5	*	*	*	7.7	13.7
Care beginning in first trimester	82.5	86.4	68.1	*	81.6	74.0	87.4	68.5
Late or no care	4.5	3.2	10.0	*	*	*	3.1	10.0
Fort Worth, Texas								
Number								
Low birthweight	770	482	261	2	25	221	261	261
Care beginning in first trimester	7,094	5,424	1,421	18	231	2,427	3,003	1,411

Late or no care	752	541	194	3	14	401	142	193
Percent								
Low birthweight	8.1	6.7	13.3	*	8.3	6.0	7.4	13.4
Care beginning in first trimester	74.9	75.5	72.4	*	77.5	65.9	85.5	72.5
Late or no care	7.9	7.5	9.9	*	*	10.9	4.0	9.9
Fremont, California								
Number								
Low birthweight	174	85	9	-	80	29	56	9
Care beginning in first trimester	2,783	1,530	103	8	1,142	417	1,116	100
Late or no care	53	27	5	-	21	13	14	5
Percent								
Low birthweight	5.6	5.0	*	*	6.3	6.1	4.6	*
Care beginning in first trimester	90.4	91.0	82.4	*	90.5	88.0	92.2	82.0
Late or no care	1.7	1.6	*	*	1.7	*	*	*
Fresno, California								
Number								
Low birthweight	636	459	96	5	76	305	160	94
Care beginning in first trimester	7,221	5,570	593	64	994	3,536	2,067	584
Late or no care	340	263	45	2	30	196	69	42
Percent								
Low birthweight	7.1	6.7	12.5	*	6.1	6.7	6.6	12.5
Care beginning in first trimester	80.5	80.9	77.0	83.1	80.3	78.4	85.7	77.5
Late or no care	3.8	3.8	5.8	*	2.4	4.3	2.9	5.6
Fullerton, California								
Number								
Low birthweight	101	81	5	-	15	41	40	5
Care beginning in first trimester	1,583	1,306	41	9	227	696	614	38
Late or no care	46	39	1	-	6	29	10	1
Percent								
Low birthweight	5.3	5.1	*	*	*	4.6	5.8	*
Care beginning in first trimester	84.2	82.9	85.4	*	92.3	77.9	89.2	84.4
Late or no care	2.4	2.5	*	*	*	3.2	*	*

Garden Grove, California

Number								
Low birthweight	186	126	5	2	53	94	33	5
Care beginning in first trimester	2,452	1,644	24	5	779	1,060	590	22
Late or no care	99	72	3	2	22	57	14	3
Percent								
Low birthweight	6.2	6.2	*	*	5.9	6.9	4.9	*
Care beginning in first trimester	82.6	81.0	77.4	*	86.7	77.9	87.7	75.9
Late or no care	3.3	3.5	*	*	2.4	4.2	*	*

Garland, Texas

Number								
Low birthweight	222	163	45	-	14	65	97	44
Care beginning in first trimester	2,643	2,138	305	10	190	798	1,335	300
Late or no care	161	139	16	1	5	78	61	13
Percent								
Low birthweight	6.2	5.6	10.7	*	*	5.2	5.9	10.8
Care beginning in first trimester	76.1	75.9	74.4	*	81.2	66.2	83.2	75.6
Late or no care	4.6	4.9	*	*	*	6.5	3.8	*

Gary, Indiana

Number								
Low birthweight	235	33	201	-	1	11	23	200
Care beginning in first trimester	1,212	227	979	2	4	73	157	976
Late or no care	165	21	144	-	-	8	13	144
Percent								
Low birthweight	12.4	9.7	13.0	*	*	*	10.1	13.0
Care beginning in first trimester	64.6	67.8	63.8	*	*	63.5	69.8	63.8
Late or no care	8.8	6.3	9.4	*	*	*	*	9.4

Glendale, Arizona

Number								
Low birthweight	281	245	19	6	11	87	158	19
Care beginning in first trimester	3,503	3,205	137	54	107	811	2,408	130
Late or no care	151	140	4	1	6	86	51	4

Percent								
Low birthweight	6.7	6.4	*	*	*	7.7	5.8	*
Care beginning in first trimester	83.8	83.9	82.5	75.0	87.7	72.3	88.8	82.8
Late or no care	3.6	3.7	*	*	*	7.7	1.9	*
Glendale, California								
Number								
Low birthweight	136	111	6	-	19	50	63	4
Care beginning in first trimester	2,037	1,623	32	6	376	675	951	28
Late or no care	43	32	2	-	9	18	14	2
Percent								
Low birthweight	5.9	6.0	*	*	*	6.3	6.0	*
Care beginning in first trimester	88.4	87.9	88.9	*	90.2	84.9	90.1	87.5
Late or no care	1.9	1.7	*	*	*	*	*	*
Grand Rapids, Michigan								
Number								
Low birthweight	300	171	118	4	7	39	119	117
Care beginning in first trimester	2,716	2,169	475	15	57	369	1,715	466
Late or no care	184	95	86	2	1	31	52	85
Percent								
Low birthweight	7.6	5.8	13.2	*	*	6.7	5.5	13.3
Care beginning in first trimester	70.7	75.3	55.4	*	74.0	64.6	80.3	55.1
Late or no care	4.8	3.3	10.0	*	*	5.4	2.4	10.1
Greensboro, North Carolina								
Number								
Low birthweight	277	96	167	2	12	8	88	167
Care beginning in first trimester	2,541	1,412	1,011	12	106	133	1,285	1,006
Late or no care	73	15	52	-	6	3	12	52
Percent								
Low birthweight	9.4	6.3	13.3	*	*	*	6.4	13.3
Care beginning in first trimester	87.0	92.8	80.6	*	80.9	82.1	94.0	80.6
Late or no care	2.5	*	4.1	*	*	*	*	4.2
Hampton city, Virginia								

Number								
Low birthweight	152	43	106	-	3	3	40	106
Care beginning in first trimester	1,636	933	655	3	45	40	897	652
Late or no care	68	20	48	-	-	3	18	47
Percent								
Low birthweight	7.4	4.0	11.8	*	*	*	3.9	11.8
Care beginning in first trimester	80.2	86.3	72.8	*	83.3	71.4	87.1	72.8
Late or no care	3.3	1.9	5.3	*	*	*	*	5.2
Hartford, Connecticut								
Number								
Low birthweight	266	127	134	-	5	110	17	120
Care beginning in first trimester	1,718	892	786	3	37	723	160	748
Late or no care	40	21	19	-	-	19	2	16
Percent								
Low birthweight	11.9	10.0	14.5	*	*	10.5	*	13.9
Care beginning in first trimester	89.1	86.3	92.5	*	88.1	85.7	90.4	93.3
Late or no care	2.1	2.0	*	*	*	*	*	*
Hayward, California								
Number								
Low birthweight	204	104	48	2	50	70	37	48
Care beginning in first trimester	2,443	1,608	340	15	480	1,070	558	330
Late or no care	74	49	5	-	20	35	14	5
Percent								
Low birthweight	7.1	5.5	12.3	*	9.0	5.5	5.7	12.7
Care beginning in first trimester	87.1	86.4	89.0	*	87.9	85.7	87.7	88.7
Late or no care	2.6	2.6	*	*	3.7	2.8	*	*
Hialeah, Florida								
Number								
Low birthweight	162	155	6	-	1	124	33	2
Care beginning in first trimester	2,104	2,035	54	-	15	1,684	383	24
Late or no care	35	34	1	-	-	23	10	1
Percent								

Low birthweight	6.7	6.7	*	*	*	6.5	7.6	*
Care beginning in first trimester	87.8	88.0	81.8	*	*	87.9	88.9	70.6
Late or no care	1.5	1.5	*	*	*	1.2	*	*

Hollywood, Florida

Number

Low birthweight	189	107	68	2	12	47	64	64
Care beginning in first trimester	1,680	1,236	360	19	65	406	851	337
Late or no care	112	58	49	2	3	24	38	45

Percent

Low birthweight	9.0	7.3	13.0	*	*	9.4	6.4	13.0
Care beginning in first trimester	80.8	84.7	69.0	*	89.0	81.9	85.6	68.8
Late or no care	5.4	4.0	9.4	*	*	4.8	3.8	9.2

Honolulu, Hawaii

Number

Low birthweight	315	50	12	3	250	31	43	11
Care beginning in first trimester	3,812	977	148	26	2,661	319	847	142
Late or no care	188	31	3	-	154	14	26	2

Percent

Low birthweight	7.0	4.6	*	*	7.7	8.0	4.7	*
Care beginning in first trimester	86.6	91.6	89.2	92.9	84.7	84.6	92.5	89.9
Late or no care	4.3	2.9	*	*	4.9	*	2.8	*

Houston, Texas

Number

Low birthweight	3,253	1,809	1,282	2	160	1,263	552	1,273
Care beginning in first trimester	31,786	22,415	7,428	26	1,917	14,933	7,519	7,386
Late or no care	1,511	1,054	410	3	44	882	172	408

Percent

Low birthweight	7.8	6.2	12.9	*	7.2	6.1	6.4	12.9
Care beginning in first trimester	79.5	79.4	77.9	66.7	87.8	75.4	88.9	77.9
Late or no care	3.8	3.7	4.3	*	2.0	4.5	2.0	4.3

Huntington Beach, California

Number

Low birthweight	128	114	-	-	14	33	82	-
Care beginning in first trimester	2,331	2,057	22	9	243	534	1,526	21
Late or no care	36	31	1	1	3	12	20	1

Percent

Low birthweight	4.9	4.9	*	*	*	5.0	5.0	*
Care beginning in first trimester	90.0	89.5	95.7	*	93.8	80.5	93.1	95.5
Late or no care	1.4	1.3	*	*	*	*	1.2	*

Huntsville, Alabama

Number

Low birthweight	206	89	113	-	4	2	87	113
Care beginning in first trimester	1,945	1,191	705	5	44	25	1,167	704
Late or no care	56	20	36	-	-	1	19	36

Percent

Low birthweight	9.3	6.9	12.9	*	*	*	6.9	13.0
Care beginning in first trimester	87.7	92.0	80.8	*	93.6	86.2	92.1	80.8
Late or no care	2.5	1.5	4.1	*	*	*	*	4.1

Independence, Missouri

Number

Low birthweight	99	92	3	3	1	1	90	3
Care beginning in first trimester	1,289	1,228	39	7	15	35	1,194	39
Late or no care	56	48	4	-	4	1	47	4

Percent

Low birthweight	6.3	6.2	*	*	*	*	6.2	*
Care beginning in first trimester	83.5	83.9	76.5	*	*	72.9	84.3	76.5
Late or no care	3.6	3.3	*	*	*	*	3.3	*

Indianapolis, Indiana

Number

Low birthweight	1,283	759	506	3	15	37	722	505
Care beginning in first trimester	10,165	7,659	2,329	13	164	256	7,402	2,326
Late or no care	455	224	227	-	4	28	196	227

Percent

Low birthweight	9.6	7.9	14.1	*	*	8.5	7.9	14.1
Care beginning in first trimester	79.1	83.3	67.9	*	78.8	61.4	84.3	67.9

Late or no care	3.5	2.4	6.6	*	*	6.7	2.2	6.6
Inglewood, California								
Number								
Low birthweight	201	102	99	-	-	94	9	98
Care beginning in first trimester	2,256	1,589	626	2	39	1,555	48	614
Late or no care	73	44	25	-	4	41	3	25
Percent								
Low birthweight	7.2	5.2	12.7	*	*	5.0	*	12.8
Care beginning in first trimester	82.6	83.4	81.5	*	72.2	83.5	82.8	81.3
Late or no care	2.7	2.3	3.3	*	*	2.2	*	3.3
Irvine, California								
Number								
Low birthweight	112	71	6	3	32	16	56	6
Care beginning in first trimester	1,535	1,096	42	4	393	170	929	40
Late or no care	13	7	-	-	6	-	7	-
Percent								
Low birthweight	6.8	6.1	*	*	7.5	*	5.8	*
Care beginning in first trimester	94.3	94.9	89.4	*	93.3	88.1	96.3	88.9
Late or no care	*	*	*	*	*	*	*	*
Irving, Texas								
Number								
Low birthweight	211	149	45	1	16	66	83	45
Care beginning in first trimester	2,655	2,101	278	11	265	894	1,199	273
Late or no care	123	104	11	1	7	58	45	10
Percent								
Low birthweight	6.2	5.5	12.5	*	*	5.1	5.9	12.8
Care beginning in first trimester	80.6	79.8	79.4	*	88.6	71.9	86.9	79.8
Late or no care	3.7	3.9	*	*	*	4.7	3.3	*
Jackson, Mississippi								
Number								
Low birthweight	416	47	368	-	1	-	47	367
Care beginning in first trimester	2,430	616	1,783	-	31	13	601	1,780

Late or no care	184	14	170	-	-	1	13	170
Percent								
Low birthweight	12.8	6.7	14.6	*	*	*	6.9	14.6
Care beginning in first trimester	75.0	88.6	71.1	*	91.2	*	88.9	71.0
Late or no care	5.7	*	6.8	*	*	*	*	6.8
Jacksonville, Florida								
Number								
Low birthweight	1,028	450	537	-	41	20	431	536
Care beginning in first trimester	8,825	5,930	2,551	24	320	329	5,635	2,521
Late or no care	322	121	190	1	10	11	111	189
Percent								
Low birthweight	9.1	6.5	13.9	*	10.4	5.1	6.5	14.0
Care beginning in first trimester	84.4	89.4	74.0	88.9	89.4	88.4	89.5	73.9
Late or no care	3.1	1.8	5.5	*	*	*	1.8	5.5
Jersey City, New Jersey								
Number								
Low birthweight	446	150	241	-	55	117	43	229
Care beginning in first trimester	2,679	1,195	969	4	511	904	408	845
Late or no care	334	94	199	1	40	80	28	181
Percent								
Low birthweight	11.4	9.2	15.2	*	7.8	9.3	8.2	16.2
Care beginning in first trimester	71.2	76.5	64.0	*	75.3	74.0	82.3	62.7
Late or no care	8.9	6.0	13.1	*	5.9	6.6	5.6	13.4
Kansas City, Kansas								
Number								
Low birthweight	273	145	124	2	2	18	127	124
Care beginning in first trimester	2,030	1,327	655	12	36	283	1,043	654
Late or no care	150	78	66	-	6	32	46	66
Percent								
Low birthweight	10.3	8.7	13.7	*	*	*	10.1	13.7
Care beginning in first trimester	77.2	79.9	72.8	*	65.5	69.4	83.2	72.8
Late or no care	5.7	4.7	7.3	*	*	7.8	3.7	7.3

Kansas City, Missouri

Number								
Low birthweight	697	335	349	3	10	42	294	345
Care beginning in first trimester	6,146	4,217	1,776	27	126	407	3,802	1,762
Late or no care	255	115	133	1	6	24	89	133
Percent								
Low birthweight	9.1	6.8	13.8	*	*	7.3	6.8	13.7
Care beginning in first trimester	85.3	88.9	78.4	77.1	76.8	76.8	90.5	78.3
Late or no care	3.5	2.4	5.9	*	*	4.5	2.1	5.9

Knoxville, Tennessee

Number								
Low birthweight	244	181	55	1	7	4	177	55
Care beginning in first trimester	2,217	1,795	357	6	59	37	1,759	357
Late or no care	76	52	22	-	2	2	50	22
Percent								
Low birthweight	9.5	8.9	12.1	*	*	*	8.9	12.1
Care beginning in first trimester	87.0	88.5	79.7	*	90.8	88.1	88.5	79.7
Late or no care	3.0	2.6	4.9	*	*	*	2.5	4.9

Lakewood, Colorado

Number								
Low birthweight	152	142	5	1	4	29	114	5
Care beginning in first trimester	1,518	1,432	16	19	51	240	1,195	16
Late or no care	46	42	2	1	1	14	28	2
Percent								
Low birthweight	8.8	8.7	*	*	*	9.4	8.6	*
Care beginning in first trimester	87.7	88.0	*	*	82.3	77.4	90.5	*
Late or no care	2.7	2.6	*	*	*	*	2.1	*

Lansing, Michigan

Number								
Low birthweight	195	131	57	-	7	24	104	57
Care beginning in first trimester	2,142	1,540	516	9	77	199	1,250	512
Late or no care	52	32	18	-	2	9	20	16

Percent								
Low birthweight	8.1	7.7	9.6	*	*	9.9	7.7	9.8
Care beginning in first trimester	90.5	91.3	88.7	*	86.5	84.0	93.4	89.2
Late or no care	2.2	1.9	*	*	*	*	1.5	*
Laredo, Texas								
Number								
Low birthweight	327	325	-	-	2	319	5	-
Care beginning in first trimester	3,145	3,126	-	-	19	3,041	85	-
Late or no care	647	645	2	-	-	645	-	1
Percent								
Low birthweight	6.7	6.7	*	*	*	6.7	*	*
Care beginning in first trimester	64.1	64.0	*	*	*	63.5	89.5	*
Late or no care	13.2	13.2	*	*	*	13.5	*	*
Las Vegas, Nevada								
Number								
Low birthweight	932	665	179	5	83	203	457	176
Care beginning in first trimester	8,612	7,047	817	91	657	2,088	4,965	790
Late or no care	642	515	92	9	26	329	179	89
Percent								
Low birthweight	8.1	7.2	14.5	*	9.9	6.1	7.8	14.7
Care beginning in first trimester	78.3	79.1	69.4	77.8	83.3	65.7	86.6	69.3
Late or no care	5.8	5.8	7.8	*	3.3	10.4	3.1	7.8
Lincoln, Nebraska								
Number								
Low birthweight	225	195	16	4	10	6	187	16
Care beginning in first trimester	2,526	2,332	68	22	104	87	2,222	65
Late or no care	94	67	18	1	8	7	59	18
Percent								
Low birthweight	7.5	7.1	*	*	*	*	7.3	*
Care beginning in first trimester	83.8	85.5	58.6	62.9	76.5	69.0	86.3	58.0
Late or no care	3.1	2.5	*	*	*	*	2.3	*
Little Rock, Arkansas								

Number								
Low birthweight	290	111	173	-	6	6	105	173
Care beginning in first trimester	2,087	1,143	910	5	29	49	1,094	905
Late or no care	167	35	132	-	-	11	24	132
Percent								
Low birthweight	10.3	8.1	12.2	*	*	*	8.1	12.3
Care beginning in first trimester	78.6	88.6	68.7	*	87.9	69.0	89.7	68.6
Late or no care	6.3	2.7	10.0	*	*	*	2.0	10.0

Livonia, Michigan

Number								
Low birthweight	76	73	-	-	3	1	69	-
Care beginning in first trimester	1,017	991	5	2	19	21	951	5
Late or no care	14	13	1	-	-	-	13	1
Percent								
Low birthweight	6.9	6.9	*	*	*	*	6.8	*
Care beginning in first trimester	94.3	94.8	*	*	*	87.5	95.0	*
Late or no care	*	*	*	*	*	*	*	*

Long Beach, California

Number								
Low birthweight	653	392	169	4	88	263	132	166
Care beginning in first trimester	6,880	4,755	1,164	32	929	3,279	1,516	1,142
Late or no care	421	280	84	2	55	237	45	83
Percent								
Low birthweight	7.4	6.5	11.1	*	7.0	6.1	7.6	11.1
Care beginning in first trimester	78.9	80.1	77.5	80.0	74.9	76.9	88.1	77.5
Late or no care	4.8	4.7	5.6	*	4.4	5.6	2.6	5.6

Los Angeles, California

Number								
Low birthweight	4,485	3,257	907	7	314	2,603	665	887
Care beginning in first trimester	55,637	45,774	5,816	96	3,951	36,145	9,794	5,649
Late or no care	2,105	1,740	257	8	100	1,587	157	253
Percent								

Low birthweight	6.6	5.8	12.5	*	6.9	5.7	6.2	12.5
Care beginning in first trimester	82.6	82.5	80.7	76.8	87.7	80.2	92.2	80.6
Late or no care	3.1	3.1	3.6	*	2.2	3.5	1.5	3.6
Louisville, Kentucky								
Number								
Low birthweight	610	329	260	1	20	5	325	260
Care beginning in first trimester	5,581	3,947	1,504	17	113	79	3,874	1,500
Late or no care	169	60	107	-	2	3	58	107
Percent								
Low birthweight	9.4	7.5	13.1	*	15.4	*	7.6	13.2
Care beginning in first trimester	85.6	89.9	76.0	*	86.3	73.1	90.3	75.9
Late or no care	2.6	1.4	5.4	*	*	*	1.4	5.4
Lowell, Massachusetts								
Number								
Low birthweight	132	85	6	1	40	25	59	6
Care beginning in first trimester	1,289	971	71	2	245	247	745	51
Late or no care	83	46	10	-	27	13	36	5
Percent								
Low birthweight	7.9	7.3	*	*	10.0	7.6	6.7	*
Care beginning in first trimester	77.1	83.1	68.9	*	61.7	74.6	85.2	78.5
Late or no care	5.0	3.9	*	*	6.8	*	4.1	*
Lubbock, Texas								
Number								
Low birthweight	303	244	52	-	7	117	127	51
Care beginning in first trimester	2,433	2,145	234	7	47	884	1,261	233
Late or no care	120	99	20	-	1	73	27	19
Percent								
Low birthweight	9.6	8.8	15.6	*	*	9.2	8.6	15.4
Care beginning in first trimester	81.5	82.5	72.7	*	85.5	73.4	90.2	72.8
Late or no care	4.0	3.8	6.2	*	*	6.1	1.9	*
Macon, Georgia								
Number								

Low birthweight	255	43	211	-	1	2	40	211
Care beginning in first trimester	1,607	559	1,024	3	21	19	539	1,023
Late or no care	87	16	71	-	-	1	15	71

Percent

Low birthweight	12.8	6.8	15.9	*	*	*	6.6	15.9
Care beginning in first trimester	81.0	89.0	77.1	*	91.3	*	89.2	77.0
Late or no care	4.4	*	5.3	*	*	*	*	5.3

Madison, Wisconsin

Number

Low birthweight	182	124	45	1	12	7	117	45
Care beginning in first trimester	2,289	1,889	220	9	171	133	1,760	216
Late or no care	60	31	17	-	12	4	28	17

Percent

Low birthweight	6.9	5.9	14.2	*	*	*	6.0	14.4
Care beginning in first trimester	86.2	90.4	69.2	*	74.3	82.6	90.9	69.0
Late or no care	2.3	1.5	*	*	*	*	1.4	*

Manhattan borough, New York county, New York

Number

Low birthweight	1,629	880	624	1	124	512	428	491
Care beginning in first trimester	12,118	7,495	3,111	6	1,506	3,866	4,384	1,865
Late or no care	981	423	496	1	61	421	122	348

Percent

Low birthweight	8.4	7.6	11.0	*	5.8	7.4	7.2	13.9
Care beginning in first trimester	75.7	81.0	64.7	*	77.4	69.0	89.0	63.4
Late or no care	6.1	4.6	10.3	*	3.1	7.5	2.5	11.8

Memphis, Tennessee

Number

Low birthweight	1,353	233	1,103	2	15	16	217	1,103
Care beginning in first trimester	8,108	2,593	5,362	6	147	151	2,446	5,359
Late or no care	947	124	812	2	9	50	76	810

Percent

Low birthweight	12.0	7.6	13.8	*	*	*	7.8	13.8
Care beginning in first trimester	72.9	85.3	67.9	*	78.6	57.0	87.9	67.9

Late or no care	8.5	4.1	10.3	*	*	18.9	2.7	10.3
-----------------	-----	-----	------	---	---	------	-----	------

Mesa, Arizona

Number

Low birthweight	395	352	26	8	9	112	244	21
Care beginning in first trimester	5,077	4,771	109	104	93	1,182	3,585	101
Late or no care	271	242	13	14	2	130	108	13

Percent

Low birthweight	6.2	5.9	16.0	*	*	6.4	5.8	13.9
Care beginning in first trimester	80.3	80.8	68.6	74.3	80.2	69.7	85.3	67.3
Late or no care	4.3	4.1	*	*	*	7.7	2.6	*

Mesquite, Texas

Number

Low birthweight	132	103	21	-	8	26	78	21
Care beginning in first trimester	1,489	1,267	168	4	50	267	998	165
Late or no care	79	65	13	1	-	17	48	12

Percent

Low birthweight	7.2	6.6	9.9	*	*	7.4	6.5	10.1
Care beginning in first trimester	82.0	82.1	80.4	*	87.7	76.5	83.8	80.9
Late or no care	4.4	4.2	*	*	*	*	4.0	*

Miami, Florida

Number

Low birthweight	1,283	541	729	5	8	478	92	704
Care beginning in first trimester	10,965	6,424	4,391	46	104	5,603	1,091	4,175
Late or no care	575	216	350	4	5	188	41	342

Percent

Low birthweight	9.0	6.9	11.8	*	*	7.0	7.0	11.9
Care beginning in first trimester	78.1	82.7	72.2	64.8	81.9	82.1	84.0	71.9
Late or no care	4.1	2.8	5.8	*	*	2.8	3.2	5.9

Milwaukee, Wisconsin

Number

Low birthweight	1,087	355	694	12	26	115	247	688
Care beginning in first trimester	8,297	4,377	3,544	81	295	1,108	3,299	3,525

Late or no care	616	183	398	13	22	87	100	396
Percent								
Low birthweight	10.1	7.0	13.6	*	6.0	8.1	6.7	13.5
Care beginning in first trimester	77.3	86.3	69.2	69.8	68.3	77.7	89.4	69.2
Late or no care	5.7	3.6	7.8	*	5.1	6.1	2.7	7.8
Minneapolis, Minnesota								
Number								
Low birthweight	480	230	192	23	35	31	181	191
Care beginning in first trimester	3,922	2,662	904	118	238	226	2,079	893
Late or no care	460	196	190	38	36	69	119	190
Percent								
Low birthweight	7.9	6.3	11.6	8.5	7.0	5.8	6.7	11.7
Care beginning in first trimester	70.4	78.4	60.1	49.4	55.3	45.7	82.7	59.9
Late or no care	8.3	5.8	12.6	15.9	8.4	13.9	4.7	12.7
Mobile, Alabama								
Number								
Low birthweight	359	95	262	-	2	4	91	262
Care beginning in first trimester	2,557	1,244	1,262	7	44	20	1,228	1,260
Late or no care	193	31	157	-	5	6	27	155
Percent								
Low birthweight	10.8	6.8	14.2	*	*	*	6.6	14.2
Care beginning in first trimester	77.0	88.6	68.3	*	74.6	66.7	89.1	68.3
Late or no care	5.8	2.2	8.5	*	*	*	2.0	8.4
Modesto, California								
Number								
Low birthweight	261	207	23	-	31	104	102	23
Care beginning in first trimester	2,864	2,531	98	38	197	1,137	1,406	93
Late or no care	133	118	6	1	8	70	48	6
Percent								
Low birthweight	7.1	6.5	17.7	*	10.8	6.7	6.1	18.7
Care beginning in first trimester	78.3	79.3	76.6	70.4	69.1	73.4	84.6	76.9
Late or no care	3.6	3.7	*	*	*	4.5	2.9	*

Montgomery, Alabama

Number								
Low birthweight	306	83	222	-	1	3	82	220
Care beginning in first trimester	2,567	1,173	1,354	7	33	22	1,153	1,351
Late or no care	180	24	155	-	1	1	23	155
Percent								
Low birthweight	9.5	6.5	11.7	*	*	*	6.5	11.6
Care beginning in first trimester	79.9	91.5	71.8	*	89.2	71.0	92.0	71.7
Late or no care	5.6	1.9	8.2	*	*	*	1.8	8.2

Moreno Valley, California

Number								
Low birthweight	197	117	64	1	15	75	42	63
Care beginning in first trimester	1,790	1,297	367	13	113	784	531	362
Late or no care	79	55	19	-	5	34	21	19
Percent								
Low birthweight	8.6	7.1	13.3	*	*	7.2	6.7	13.3
Care beginning in first trimester	79.9	81.0	77.8	*	76.9	77.7	86.3	78.0
Late or no care	3.5	3.4	*	*	*	3.4	3.4	*

Nashville-Davidson, Tennessee

Number								
Low birthweight	776	389	369	2	16	23	367	368
Care beginning in first trimester	7,230	4,888	2,105	9	228	288	4,604	2,101
Late or no care	243	114	122	1	6	21	93	122
Percent								
Low birthweight	9.5	7.2	14.8	*	*	5.7	7.3	14.8
Care beginning in first trimester	89.0	90.6	85.3	*	89.8	71.1	92.2	85.3
Late or no care	3.0	2.1	4.9	*	*	5.2	1.9	5.0

New Haven, Connecticut

Number								
Low birthweight	193	71	119	-	3	44	28	105
Care beginning in first trimester	1,216	657	511	3	45	325	319	470
Late or no care	58	29	27	1	1	20	10	24

Percent

Low birthweight	10.8	7.9	14.1	*	*	8.9	7.2	13.9
Care beginning in first trimester	78.2	83.3	72.2	*	84.9	78.1	89.1	74.1
Late or no care	3.7	3.7	3.8	*	*	4.8	*	3.8

New York, New York

Number

Low birthweight	10,483	4,794	4,735	5	949	3,044	2,099	4,165
Care beginning in first trimester	73,807	41,556	23,816	45	8,390	22,659	21,959	19,463
Late or no care	6,942	3,082	3,008	2	850	2,426	997	2,572

Percent

Low birthweight	8.8	7.4	11.7	*	7.3	7.8	6.7	12.4
Care beginning in first trimester	73.9	76.8	69.7	80.4	72.9	70.0	83.5	69.5
Late or no care	7.0	5.7	8.8	*	7.4	7.5	3.8	9.2

Newark, New Jersey

Number

Low birthweight	689	153	526	3	7	149	18	512
Care beginning in first trimester	2,805	1,234	1,524	1	46	1,031	273	1,447
Late or no care	803	176	622	-	5	163	27	605

Percent

Low birthweight	13.5	7.9	17.1	*	*	8.9	*	17.3
Care beginning in first trimester	57.1	65.6	51.5	*	69.7	63.3	74.2	51.1
Late or no care	16.3	9.4	21.0	*	*	10.0	7.3	21.3

Newport News city, Virginia

Number

Low birthweight	274	106	158	1	9	5	101	158
Care beginning in first trimester	2,499	1,479	938	5	77	93	1,394	931
Late or no care	110	24	83	1	2	1	23	83

Percent

Low birthweight	9.0	6.3	12.3	*	*	*	6.4	12.4
Care beginning in first trimester	82.0	88.4	73.3	*	89.5	86.1	88.6	73.1
Late or no care	3.6	1.4	6.5	*	*	*	1.5	6.5

Norfolk city, Virginia

Number								
Low birthweight	419	130	271	1	17	11	119	271
Care beginning in first trimester	2,998	1,562	1,332	5	99	102	1,470	1,322
Late or no care	201	53	143	1	4	5	48	143
Percent								
Low birthweight	10.7	7.1	14.1	*	*	*	6.9	14.2
Care beginning in first trimester	77.3	85.8	69.7	*	71.2	79.7	86.3	69.6
Late or no care	5.2	2.9	7.5	*	*	*	2.8	7.5
Oakland, California								
Number								
Low birthweight	572	154	350	2	66	103	46	341
Care beginning in first trimester	5,403	2,519	2,042	29	813	1,555	882	1,975
Late or no care	163	57	88	3	15	43	14	86
Percent								
Low birthweight	8.9	5.3	13.9	*	6.9	5.6	4.8	13.9
Care beginning in first trimester	86.0	89.1	82.4	80.6	86.5	86.1	94.1	82.2
Late or no care	2.6	2.0	3.6	*	*	2.4	*	3.6
Oceanside, California								
Number								
Low birthweight	242	183	31	-	28	87	97	31
Care beginning in first trimester	2,484	2,058	208	19	199	787	1,286	201
Late or no care	302	256	22	1	23	197	62	22
Percent								
Low birthweight	6.7	6.2	9.5	*	9.1	6.5	5.8	9.9
Care beginning in first trimester	68.8	69.7	65.0	*	64.4	59.4	77.9	65.3
Late or no care	8.4	8.7	6.9	*	7.4	14.9	3.8	7.1
Oklahoma City, Oklahoma								
Number								
Low birthweight	673	453	183	20	17	77	376	181
Care beginning in first trimester	4,689	3,554	809	146	180	324	3,225	800
Late or no care	287	163	72	40	12	37	122	71
Percent								

Low birthweight	9.0	8.3	12.7	6.3	*	7.1	8.6	12.7
Care beginning in first trimester	79.2	82.2	71.5	57.3	84.1	65.2	84.4	71.6
Late or no care	4.8	3.8	6.4	15.7	*	7.4	3.2	6.4

Omaha, Nebraska

Number

Low birthweight	455	328	117	5	5	38	290	116
Care beginning in first trimester	4,778	3,969	695	33	81	440	3,478	690
Late or no care	185	119	57	8	1	27	90	56

Percent

Low birthweight	8.0	7.2	12.2	*	*	6.3	7.5	12.2
Care beginning in first trimester	84.3	87.2	72.4	58.9	81.8	73.0	89.4	72.5
Late or no care	3.3	2.6	5.9	*	*	4.5	2.3	5.9

Ontario, California

Number

Low birthweight	210	174	30	-	6	137	37	29
Care beginning in first trimester	2,399	2,123	172	7	97	1,620	511	168
Late or no care	164	149	10	1	4	118	31	9

Percent

Low birthweight	6.4	5.9	14.0	*	*	5.9	5.8	13.8
Care beginning in first trimester	73.3	72.6	80.0	*	76.4	70.6	80.3	80.0
Late or no care	5.0	5.1	*	*	*	5.1	4.9	*

Orange, California

Number

Low birthweight	131	113	1	-	17	71	42	1
Care beginning in first trimester	1,857	1,667	14	5	171	833	835	13
Late or no care	99	91	1	-	7	75	15	1

Percent

Low birthweight	5.8	5.6	*	*	*	6.5	4.6	*
Care beginning in first trimester	83.0	82.8	*	*	86.8	76.1	90.8	*
Late or no care	4.4	4.5	*	*	*	6.8	*	*

Orlando, Florida

Number

Low birthweight	609	363	228	-	18	128	235	227
Care beginning in first trimester	5,172	3,613	1,284	13	262	1,131	2,496	1,270
Late or no care	247	102	140	-	5	38	64	140

Percent

Low birthweight	9.6	8.7	12.3	*	*	9.5	8.3	12.4
Care beginning in first trimester	82.6	87.4	70.3	*	90.0	84.3	88.8	70.3
Late or no care	3.9	2.5	7.7	*	*	2.8	2.3	7.7

Orleans, coext. with New Orleans city, Louisiana

Number

Low birthweight	1,009	102	892	-	15	13	90	891
Care beginning in first trimester	5,971	1,319	4,486	10	156	158	1,180	4,476
Late or no care	448	22	420	-	6	7	17	419

Percent

Low birthweight	13.0	7.1	14.6	*	*	*	7.0	14.6
Care beginning in first trimester	77.2	91.6	73.6	*	85.2	87.8	92.0	73.6
Late or no care	5.8	1.5	6.9	*	*	*	*	6.9

Overland Park, Kansas

Number

Low birthweight	99	94	2	-	3	2	88	2
Care beginning in first trimester	1,797	1,689	27	4	77	60	1,604	26
Late or no care	13	12	-	-	1	2	10	-

Percent

Low birthweight	5.2	5.3	*	*	*	*	5.2	*
Care beginning in first trimester	96.1	96.3	87.1	*	96.3	89.6	96.6	86.7
Late or no care	*	*	*	*	*	*	*	*

Oxnard, California

Number

Low birthweight	213	193	7	-	13	158	25	7
Care beginning in first trimester	3,017	2,761	62	10	184	2,252	373	59
Late or no care	86	76	6	-	4	69	5	5

Percent

Low birthweight	6.0	5.9	*	*	*	5.9	6.1	*
Care beginning in first trimester	85.1	85.3	80.5	*	84.8	84.2	90.5	81.9

Late or no care	2.4	2.3	*	*	*	2.6	*	*
Pasadena, California								
Number								
Low birthweight	206	131	48	1	26	85	45	47
Care beginning in first trimester	2,072	1,530	273	5	264	855	680	264
Late or no care	67	49	15	1	2	39	11	15
Percent								
Low birthweight	8.4	7.2	13.9	*	9.1	7.8	6.1	14.0
Care beginning in first trimester	86.0	86.1	80.1	*	92.6	81.3	93.0	79.8
Late or no care	2.8	2.8	*	*	*	3.7	*	*
Pasadena, Texas								
Number								
Low birthweight	182	175	4	1	2	105	69	4
Care beginning in first trimester	2,029	1,972	26	7	24	1,222	750	25
Late or no care	96	93	3	-	-	66	27	3
Percent								
Low birthweight	7.0	6.9	*	*	*	6.5	7.6	*
Care beginning in first trimester	79.9	79.7	78.8	*	96.0	77.0	84.6	78.1
Late or no care	3.8	3.8	*	*	*	4.2	3.0	*
Paterson, New Jersey								
Number								
Low birthweight	278	110	159	-	9	117	23	126
Care beginning in first trimester	2,111	1,174	876	3	58	1,135	281	633
Late or no care	206	91	111	1	3	86	23	93
Percent								
Low birthweight	9.4	6.9	12.5	*	*	7.6	6.3	13.3
Care beginning in first trimester	73.2	75.3	70.4	*	75.3	74.7	78.5	68.5
Late or no care	7.1	5.8	8.9	*	*	5.7	6.4	10.1
Peoria, Illinois								
Number								
Low birthweight	157	80	75	1	1	1	79	75
Care beginning in first trimester	1,475	1,009	421	3	42	31	980	419

Late or no care	72	27	42	-	3	3	24	42
Percent								
Low birthweight	8.7	7.0	12.4	*	*	*	7.2	12.5
Care beginning in first trimester	81.4	87.8	69.7	*	77.8	64.6	88.8	69.6
Late or no care	4.0	2.3	7.0	*	*	*	2.2	7.0

Philadelphia, coext. with Phila. city, Pennsylvania

Number								
Low birthweight	2,447	695	1,667	6	79	246	471	1,631
Care beginning in first trimester	15,405	7,470	7,211	45	679	1,702	5,784	7,080
Late or no care	1,890	494	1,316	2	78	152	341	1,298
Percent								
Low birthweight	11.1	7.4	14.6	*	7.2	10.1	6.7	14.5
Care beginning in first trimester	72.5	81.6	65.5	73.8	65.7	72.3	84.6	65.5
Late or no care	8.9	5.4	12.0	*	7.5	6.5	5.0	12.0

Phoenix, Arizona

Number								
Low birthweight	1,589	1,360	161	35	33	722	638	158
Care beginning in first trimester	16,077	14,499	823	391	364	6,645	7,865	792
Late or no care	1,789	1,586	126	60	17	1,231	349	125
Percent								
Low birthweight	7.0	6.7	13.0	5.4	7.1	6.6	6.9	13.3
Care beginning in first trimester	72.5	73.0	68.3	60.2	80.5	62.2	85.5	68.1
Late or no care	8.1	8.0	10.5	9.2	*	11.5	3.8	10.7

Pittsburgh, Pennsylvania

Number								
Low birthweight	449	192	248	2	7	3	188	245
Care beginning in first trimester	3,922	2,530	1,241	14	137	36	2,482	1,226
Late or no care	190	60	124	-	6	2	57	121
Percent								
Low birthweight	9.7	6.9	14.9	*	*	*	6.9	14.9
Care beginning in first trimester	85.8	91.6	75.7	*	89.5	70.6	92.0	75.7
Late or no care	4.2	2.2	7.6	*	*	*	2.1	7.5

Plano, Texas

Number								
Low birthweight	211	161	11	-	39	24	136	11
Care beginning in first trimester	2,912	2,473	112	9	318	311	2,141	111
Late or no care	62	53	5	1	3	26	26	5
Percent								
Low birthweight	6.6	5.9	*	*	11.4	5.8	6.0	*
Care beginning in first trimester	92.2	92.2	84.2	*	94.6	78.1	94.9	84.1
Late or no care	2.0	2.0	*	*	*	6.5	1.2	*

Pomona, California

Number								
Low birthweight	219	163	43	2	11	146	20	41
Care beginning in first trimester	2,514	2,178	206	7	123	1,953	233	202
Late or no care	121	101	14	-	6	92	11	12
Percent								
Low birthweight	6.8	5.8	15.9	*	*	5.8	6.8	15.6
Care beginning in first trimester	78.1	78.0	76.6	*	83.1	77.7	79.5	77.4
Late or no care	3.8	3.6	*	*	*	3.7	*	*

Portland, Oregon

Number								
Low birthweight	429	317	66	4	42	34	284	65
Care beginning in first trimester	5,837	4,711	529	71	526	496	4,215	523
Late or no care	241	182	25	5	29	46	135	25
Percent								
Low birthweight	6.0	5.6	10.0	*	6.1	4.6	5.8	9.9
Care beginning in first trimester	82.2	83.3	80.6	71.7	76.2	67.4	85.7	80.6
Late or no care	3.4	3.2	3.8	*	4.2	6.3	2.7	3.9

Portsmouth city, Virginia

Number								
Low birthweight	173	52	120	1	-	1	51	119
Care beginning in first trimester	1,257	628	610	3	16	27	606	608
Late or no care	102	10	91	-	1	1	10	90

Percent								
Low birthweight	10.4	7.3	12.8	*	*	*	7.4	12.8
Care beginning in first trimester	75.4	88.1	65.5	*	*	87.1	88.1	65.4
Late or no care	6.1	*	9.8	*	*	*	*	9.7
Providence, Rhode Island								
Number								
Low birthweight	248	164	53	9	22	90	57	33
Care beginning in first trimester	1,763	1,288	290	46	139	695	503	231
Late or no care	64	35	20	1	8	14	17	16
Percent								
Low birthweight	9.5	8.8	11.4	*	9.6	8.4	9.0	9.3
Care beginning in first trimester	82.8	84.1	80.1	80.7	78.1	83.2	86.4	79.4
Late or no care	3.0	2.3	5.5	*	*	*	*	*
Queens borough, Queens county, New York								
Number								
Low birthweight	2,543	1,131	881	2	529	658	464	838
Care beginning in first trimester	20,672	11,275	5,208	19	4,170	5,585	5,705	4,860
Late or no care	1,490	707	418	-	365	520	190	398
Percent								
Low birthweight	8.1	6.5	11.7	*	7.9	6.6	6.3	11.9
Care beginning in first trimester	75.3	76.2	76.2	*	72.0	68.0	86.2	76.0
Late or no care	5.4	4.8	6.1	*	6.3	6.3	2.9	6.2
Raleigh, North Carolina								
Number								
Low birthweight	358	163	184	-	11	25	139	183
Care beginning in first trimester	3,624	2,420	1,064	6	134	227	2,196	1,061
Late or no care	140	56	77	-	7	30	26	77
Percent								
Low birthweight	8.2	6.0	12.7	*	*	6.8	5.9	12.6
Care beginning in first trimester	83.9	89.3	73.6	*	85.4	63.6	93.1	73.6
Late or no care	3.2	2.1	5.3	*	*	8.4	1.1	5.3
Rancho Cucamonga, California								

Number								
Low birthweight	87	66	12	-	9	20	46	12
Care beginning in first trimester	1,347	1,149	94	2	102	463	688	91
Late or no care	50	42	5	-	3	29	13	5
Percent								
Low birthweight	5.2	4.7	*	*	*	3.3	5.7	*
Care beginning in first trimester	81.2	81.4	78.3	*	81.6	76.8	84.8	77.8
Late or no care	3.0	3.0	*	*	*	4.8	*	*

Reno, Nevada

Number								
Low birthweight	192	162	11	4	15	52	110	10
Care beginning in first trimester	2,367	2,126	58	37	146	686	1,446	56
Late or no care	88	67	7	3	11	28	39	6
Percent								
Low birthweight	6.6	6.2	*	*	*	5.7	6.5	*
Care beginning in first trimester	83.5	84.2	76.3	80.4	78.1	79.0	86.7	78.9
Late or no care	3.1	2.7	*	*	*	3.2	2.3	*

Richmond city, Virginia

Number								
Low birthweight	404	81	320	1	2	5	78	319
Care beginning in first trimester	2,551	990	1,518	5	38	49	946	1,515
Late or no care	178	30	145	1	2	3	27	145
Percent								
Low birthweight	12.4	7.4	15.1	*	*	*	7.6	15.1
Care beginning in first trimester	78.8	90.7	72.6	*	79.2	67.1	92.4	72.6
Late or no care	5.5	2.7	6.9	*	*	*	2.6	6.9

Riverside, California

Number								
Low birthweight	379	294	62	1	22	178	115	62
Care beginning in first trimester	4,430	3,879	320	28	203	2,278	1,624	310
Late or no care	303	259	30	3	11	177	80	30
Percent								

Low birthweight	6.6	5.9	14.3	*	8.7	5.8	5.8	14.9
Care beginning in first trimester	77.9	78.2	74.6	66.7	80.9	75.2	82.6	75.2
Late or no care	5.3	5.2	7.0	*	*	5.8	4.1	7.3

Rochester, New York

Number

Low birthweight	438	184	244	1	9	50	114	227
Care beginning in first trimester	2,813	1,679	1,034	13	87	384	1,120	952
Late or no care	273	115	151	-	7	39	72	144

Percent

Low birthweight	10.5	8.3	13.4	*	*	8.9	7.9	13.5
Care beginning in first trimester	75.4	82.6	65.9	*	76.3	74.9	84.5	65.9
Late or no care	7.3	5.7	9.6	*	*	7.6	5.4	10.0

Rockford, Illinois

Number

Low birthweight	261	168	90	1	2	23	146	89
Care beginning in first trimester	1,939	1,551	337	2	49	195	1,359	334
Late or no care	101	63	36	1	1	14	49	36

Percent

Low birthweight	9.8	8.2	16.6	*	*	7.3	8.4	16.5
Care beginning in first trimester	76.2	79.2	64.8	*	77.8	64.1	82.0	64.6
Late or no care	4.0	3.2	6.9	*	*	*	3.0	7.0

Sacramento, California

Number

Low birthweight	802	384	251	9	158	160	233	243
Care beginning in first trimester	7,433	4,865	1,261	81	1,226	1,723	3,216	1,227
Late or no care	621	393	103	12	113	199	200	99

Percent

Low birthweight	7.6	5.8	13.7	*	8.2	6.1	5.7	13.6
Care beginning in first trimester	71.7	74.5	70.0	64.3	64.2	67.0	79.2	70.0
Late or no care	6.0	6.0	5.7	*	5.9	7.7	4.9	5.7

Salem, Oregon

Number

Low birthweight	148	135	5	3	5	31	105	5
Care beginning in first trimester	2,024	1,902	20	38	64	397	1,510	19
Late or no care	125	108	4	7	6	59	52	4

Percent

Low birthweight	5.8	5.7	*	*	*	4.9	6.0	*
Care beginning in first trimester	79.6	79.9	69.0	74.5	77.1	62.7	86.1	*
Late or no care	4.9	4.5	*	*	*	9.3	3.0	*

Salinas, California

Number

Low birthweight	182	164	1	1	16	136	28	1
Care beginning in first trimester	2,484	2,314	29	5	136	1,818	503	27
Late or no care	167	160	2	1	4	143	16	2

Percent

Low birthweight	5.5	5.3	*	*	*	5.4	4.8	*
Care beginning in first trimester	75.6	75.4	67.4	*	81.0	72.9	86.9	67.5
Late or no care	5.1	5.2	*	*	*	5.7	*	*

Salt Lake City, Utah

Number

Low birthweight	436	384	14	7	31	78	305	14
Care beginning in first trimester	4,557	4,227	49	50	231	597	3,631	46
Late or no care	335	258	13	25	39	131	127	13

Percent

Low birthweight	7.4	7.2	*	*	8.5	7.0	7.2	*
Care beginning in first trimester	77.6	79.3	60.5	49.0	64.0	54.1	85.8	59.7
Late or no care	5.7	4.8	*	24.5	10.8	11.9	3.0	*

San Antonio, Texas

Number

Low birthweight	1,556	1,338	190	-	28	1,034	304	189
Care beginning in first trimester	18,270	16,851	1,083	16	320	11,827	5,036	1,062
Late or no care	588	517	59	1	11	433	85	58

Percent

Low birthweight	7.2	6.8	13.9	*	7.7	7.3	5.5	14.2
Care beginning in first trimester	85.3	85.6	79.7	*	89.4	83.3	91.6	79.8

Late or no care	2.7	2.6	4.3	*	*	3.0	1.5	4.4
San Bernardino, California								
Number								
Low birthweight	329	207	109	2	11	140	69	107
Care beginning in first trimester	2,986	2,306	539	25	116	1,653	669	526
Late or no care	273	221	39	4	9	163	59	38
Percent								
Low birthweight	7.7	6.3	14.2	*	*	5.8	7.6	14.2
Care beginning in first trimester	72.0	72.1	71.2	71.4	73.4	71.1	75.0	71.0
Late or no care	6.6	6.9	5.2	*	*	7.0	6.6	5.1
San Diego, California								
Number								
Low birthweight	1,098	718	193	2	185	370	347	190
Care beginning in first trimester	14,968	11,100	1,411	67	2,390	5,315	5,841	1,382
Late or no care	928	720	107	9	92	617	112	103
Percent								
Low birthweight	5.9	5.2	10.3	*	6.5	4.9	5.4	10.4
Care beginning in first trimester	81.1	81.0	77.1	74.4	84.4	71.9	91.3	77.3
Late or no care	5.0	5.3	5.9	*	3.2	8.4	1.7	5.8
San Francisco, coext. with San Fran. city, California								
Number								
Low birthweight	542	264	82	1	195	123	142	80
Care beginning in first trimester	7,057	3,932	606	17	2,502	1,506	2,448	590
Late or no care	244	122	57	2	63	82	39	57
Percent								
Low birthweight	6.6	5.8	10.1	*	6.9	6.4	5.4	10.1
Care beginning in first trimester	86.6	87.1	76.3	*	88.8	78.7	93.3	75.9
Late or no care	3.0	2.7	7.2	*	2.2	4.3	1.5	7.3
San Jose, California								
Number								
Low birthweight	943	618	55	9	261	374	251	53
Care beginning in first trimester	13,212	9,319	433	54	3,406	5,366	3,947	414

Late or no care	493	360	19	6	108	295	68	17
Percent								
Low birthweight	5.8	5.5	9.7	*	6.2	5.4	5.8	9.8
Care beginning in first trimester	83.9	84.3	79.3	78.3	83.7	79.5	91.7	79.9
Late or no care	3.1	3.3	*	*	2.7	4.4	1.6	*
Santa Ana, California								
Number								
Low birthweight	449	403	15	-	31	366	36	14
Care beginning in first trimester	6,952	6,466	54	4	428	5,906	564	48
Late or no care	369	357	2	-	10	346	11	2
Percent								
Low birthweight	5.1	4.9	*	*	6.1	4.8	5.6	*
Care beginning in first trimester	79.0	78.7	77.1	*	84.3	77.8	89.2	76.2
Late or no care	4.2	4.3	*	*	*	4.6	*	*
Santa Clarita, California								
Number								
Low birthweight	11	7	1	2	1	3	4	1
Care beginning in first trimester	158	132	4	3	19	27	106	3
Late or no care	2	2	-	-	-	-	2	-
Percent								
Low birthweight	*	*	*	*	*	*	*	*
Care beginning in first trimester	93.5	93.0	*	*	*	84.4	95.5	*
Late or no care	*	*	*	*	*	*	*	*
Santa Rosa, California								
Number								
Low birthweight	127	107	8	5	7	35	73	8
Care beginning in first trimester	2,020	1,842	46	33	99	586	1,264	43
Late or no care	48	40	2	2	4	21	17	2
Percent								
Low birthweight	5.3	4.9	*	*	*	4.6	5.2	*
Care beginning in first trimester	89.1	89.4	80.7	82.5	90.0	84.2	92.1	81.1
Late or no care	2.1	1.9	*	*	*	3.0	*	*

Savannah, Georgia

Number								
Low birthweight	290	77	210	-	3	5	73	209
Care beginning in first trimester	2,031	830	1,164	3	34	45	790	1,158
Late or no care	118	39	77	-	2	6	33	77
Percent								
Low birthweight	10.9	7.8	13.0	*	*	*	7.9	13.0
Care beginning in first trimester	78.0	85.7	73.3	*	77.3	72.6	86.6	73.2
Late or no care	4.5	4.0	4.8	*	*	*	3.6	4.9

Scottsdale, Arizona

Number								
Low birthweight	171	152	2	9	8	17	133	2
Care beginning in first trimester	2,173	2,005	24	76	68	220	1,776	22
Late or no care	44	36	-	5	3	15	17	-
Percent								
Low birthweight	7.0	6.8	*	*	*	*	6.9	*
Care beginning in first trimester	90.4	91.0	92.3	75.2	91.9	78.3	93.1	91.7
Late or no care	1.8	1.6	*	*	*	*	*	*

Seattle, Washington

Number								
Low birthweight	433	282	73	5	73	35	232	67
Care beginning in first trimester	5,055	3,665	505	63	822	280	3,254	469
Late or no care	153	81	28	8	36	18	62	28
Percent								
Low birthweight	6.3	6.0	9.1	*	5.7	7.7	5.9	9.1
Care beginning in first trimester	87.2	90.1	79.4	72.4	81.7	77.3	91.4	78.4
Late or no care	2.6	2.0	4.4	*	3.6	*	1.7	4.7

Shreveport, Louisiana

Number								
Low birthweight	411	72	331	1	7	1	72	330
Care beginning in first trimester	2,466	1,074	1,354	7	31	24	1,056	1,350
Late or no care	187	35	148	-	4	3	32	148

Percent								
Low birthweight	12.9	6.0	17.0	*	*	*	6.1	17.0
Care beginning in first trimester	77.2	89.8	69.4	*	77.5	77.4	90.2	69.3
Late or no care	5.9	2.9	7.6	*	*	*	2.7	7.6
Simi Valley, California								
Number								
Low birthweight	102	91	1	1	9	30	60	-
Care beginning in first trimester	1,452	1,330	12	6	104	337	964	11
Late or no care	27	27	-	-	-	17	10	-
Percent								
Low birthweight	6.5	6.3	*	*	*	7.6	5.9	*
Care beginning in first trimester	92.1	91.9	*	*	93.7	85.8	94.5	*
Late or no care	1.7	1.9	*	*	*	*	*	*
Sioux Falls, South Dakota								
Number								
Low birthweight	101	87	8	6	-	2	86	8
Care beginning in first trimester	1,503	1,406	32	43	22	25	1,384	32
Late or no care	48	26	8	11	3	2	24	8
Percent								
Low birthweight	5.7	5.4	*	*	*	*	5.5	*
Care beginning in first trimester	85.3	87.9	61.5	57.3	62.9	58.1	88.7	62.7
Late or no care	2.7	1.6	*	*	*	*	1.5	*
South Bend, Indiana								
Number								
Low birthweight	173	108	64	-	1	20	89	63
Care beginning in first trimester	1,466	1,107	331	4	24	155	952	330
Late or no care	95	53	39	1	2	19	36	37
Percent								
Low birthweight	9.1	7.9	12.5	*	*	9.1	7.8	12.4
Care beginning in first trimester	76.9	81.3	65.2	*	82.8	70.5	83.2	65.3
Late or no care	5.0	3.9	7.7	*	*	*	3.1	7.3
Spokane, Washington								

Number								
Low birthweight	217	189	7	13	8	3	184	7
Care beginning in first trimester	2,691	2,496	53	68	74	80	2,410	53
Late or no care	98	84	8	3	3	3	81	7
Percent								
Low birthweight	6.8	6.4	*	*	*	*	6.5	*
Care beginning in first trimester	88.3	88.7	77.9	84.0	85.1	86.0	88.8	79.1
Late or no care	3.2	3.0	*	*	*	*	3.0	*
Springfield, Illinois								
Number								
Low birthweight	164	97	65	-	2	2	95	65
Care beginning in first trimester	1,532	1,259	243	1	29	22	1,240	240
Late or no care	52	24	27	-	1	1	23	27
Percent								
Low birthweight	9.0	6.8	18.0	*	*	*	6.7	18.3
Care beginning in first trimester	84.7	88.7	68.8	*	85.3	84.6	88.7	69.0
Late or no care	2.9	1.7	7.6	*	*	*	1.6	7.8
Springfield, Massachusetts								
Number								
Low birthweight	221	153	66	-	2	96	58	65
Care beginning in first trimester	1,739	1,310	375	4	50	595	725	363
Late or no care	125	80	38	-	7	49	33	36
Percent								
Low birthweight	9.5	9.1	11.9	*	*	11.4	6.8	12.1
Care beginning in first trimester	76.5	78.7	71.0	*	64.9	71.9	85.5	70.6
Late or no care	5.5	4.8	7.2	*	*	5.9	3.9	7.0
Springfield, Missouri								
Number								
Low birthweight	145	124	13	5	3	-	124	13
Care beginning in first trimester	1,788	1,693	52	12	31	39	1,654	52
Late or no care	47	39	4	1	3	6	34	4
Percent								

Low birthweight	7.0	6.4	*	*	*	*	6.5	*
Care beginning in first trimester	86.5	87.1	76.5	*	73.8	70.9	87.5	76.5
Late or no care	2.3	2.0	*	*	*	*	1.8	*

St. Louis city, Missouri

Number

Low birthweight	673	154	501	1	17	4	150	501
Care beginning in first trimester	4,176	1,643	2,435	4	94	62	1,583	2,433
Late or no care	360	56	296	-	8	5	51	296

Percent

Low birthweight	11.7	8.0	13.6	*	*	*	8.2	13.6
Care beginning in first trimester	74.3	86.6	68.0	*	69.1	71.3	87.3	68.0
Late or no care	6.4	3.0	8.3	*	*	*	2.8	8.3

St. Paul, Minnesota

Number

Low birthweight	358	206	90	7	55	37	168	88
Care beginning in first trimester	3,173	2,315	417	33	408	256	2,022	406
Late or no care	275	95	58	7	115	24	69	56

Percent

Low birthweight	7.4	6.8	12.3	*	5.3	8.1	6.7	12.3
Care beginning in first trimester	71.7	82.7	64.7	52.4	44.5	64.2	85.6	64.4
Late or no care	6.2	3.4	9.0	*	12.5	6.0	2.9	8.9

St. Petersburg, Florida

Number

Low birthweight	340	166	154	3	17	15	151	154
Care beginning in first trimester	2,726	1,894	713	9	110	131	1,767	710
Late or no care	134	56	68	1	9	3	53	68

Percent

Low birthweight	10.2	7.7	14.9	*	*	*	7.6	14.9
Care beginning in first trimester	81.4	87.9	69.0	*	75.3	79.4	88.6	69.0
Late or no care	4.0	2.6	6.6	*	*	*	2.7	6.6

Stamford, Connecticut

Number

Low birthweight	133	84	44	-	5	17	63	43
Care beginning in first trimester	1,406	1,102	224	2	78	235	784	205
Late or no care	39	25	11	-	3	17	7	9

Percent

Low birthweight	7.5	6.3	13.0	*	*	*	7.2	14.2
Care beginning in first trimester	83.7	86.8	70.9	*	84.8	66.0	94.8	72.2
Late or no care	2.3	2.0	*	*	*	*	*	*

Staten Island borough, Richmond county, New York

Number

Low birthweight	478	353	106	1	18	73	285	96
Care beginning in first trimester	4,797	3,958	584	6	249	618	3,307	555
Late or no care	166	92	55	-	19	30	64	49

Percent

Low birthweight	8.4	7.7	13.2	*	*	9.2	7.6	12.7
Care beginning in first trimester	88.8	91.2	77.9	*	82.2	82.2	92.8	78.6
Late or no care	3.1	2.1	7.3	*	*	4.0	1.8	6.9

Sterling Heights, Michigan

Number

Low birthweight	111	105	2	-	4	3	96	2
Care beginning in first trimester	1,300	1,193	15	2	90	21	1,117	14
Late or no care	18	18	-	-	-	-	16	-

Percent

Low birthweight	7.3	7.6	*	*	*	*	7.5	*
Care beginning in first trimester	92.5	92.4	*	*	92.8	95.5	92.5	*
Late or no care	*	*	*	*	*	*	*	*

Stockton, California

Number

Low birthweight	376	208	90	4	74	119	93	90
Care beginning in first trimester	3,498	2,378	404	38	678	1,371	1,055	391
Late or no care	338	233	42	6	57	177	61	41

Percent

Low birthweight	7.3	6.1	14.3	*	7.0	5.6	6.8	14.7
Care beginning in first trimester	69.7	71.5	67.9	67.9	65.0	66.0	79.9	67.9

Late or no care	6.7	7.0	7.1	*	5.5	8.5	4.6	7.1
Sunnyvale, California								
Number								
Low birthweight	116	61	4	-	51	21	40	4
Care beginning in first trimester	1,792	1,037	47	5	703	354	687	45
Late or no care	33	22	-	-	11	11	10	-
Percent								
Low birthweight	5.8	5.2	*	*	6.6	4.9	5.3	*
Care beginning in first trimester	89.6	88.3	90.4	*	91.7	83.5	91.1	90.0
Late or no care	1.6	1.9	*	*	*	*	*	*
Syracuse, New York								
Number								
Low birthweight	224	102	111	3	8	12	87	108
Care beginning in first trimester	1,736	1,080	571	20	65	100	925	543
Late or no care	116	44	67	2	3	8	35	67
Percent								
Low birthweight	9.6	7.6	12.5	*	*	*	7.7	12.7
Care beginning in first trimester	74.7	81.9	64.3	64.5	74.7	68.5	82.7	63.7
Late or no care	5.0	3.3	7.5	*	*	*	3.1	7.9
Tacoma, Washington								
Number								
Low birthweight	287	202	51	9	25	34	161	48
Care beginning in first trimester	2,557	1,945	313	63	236	209	1,700	301
Late or no care	153	102	20	5	26	23	78	18
Percent								
Low birthweight	7.4	7.2	9.7	*	6.0	9.2	6.7	9.5
Care beginning in first trimester	77.7	79.8	76.2	70.0	66.7	69.4	81.1	76.8
Late or no care	4.6	4.2	4.9	*	7.3	7.6	3.7	*
Tallahassee, Florida								
Number								
Low birthweight	183	70	109	1	3	1	69	109
Care beginning in first trimester	1,770	995	705	3	67	60	935	703

Late or no care	35	5	30	-	-	1	4	30
Percent								
Low birthweight	9.1	6.6	12.2	*	*	*	7.0	12.3
Care beginning in first trimester	88.0	94.8	79.4	*	94.4	92.3	94.9	79.3
Late or no care	1.7	*	3.4	*	*	*	*	3.4
Tampa, Florida								
Number								
Low birthweight	628	303	310	2	13	101	204	304
Care beginning in first trimester	5,789	4,008	1,601	23	157	1,113	2,923	1,570
Late or no care	193	80	106	-	7	33	48	105
Percent								
Low birthweight	9.0	6.6	14.2	*	*	7.6	6.2	14.2
Care beginning in first trimester	83.7	88.2	73.7	95.8	87.2	84.7	89.4	73.7
Late or no care	2.8	1.8	4.9	*	*	2.5	1.5	4.9
Tempe, Arizona								
Number								
Low birthweight	131	111	10	3	7	34	80	7
Care beginning in first trimester	1,747	1,532	52	51	112	412	1,128	49
Late or no care	96	83	4	7	2	60	23	3
Percent								
Low birthweight	6.0	5.9	*	*	*	5.4	6.3	*
Care beginning in first trimester	80.9	81.8	69.3	60.0	89.6	66.5	89.3	71.0
Late or no care	4.4	4.4	*	*	*	9.7	1.8	*
Thousand Oaks, California								
Number								
Low birthweight	75	68	2	-	5	17	51	2
Care beginning in first trimester	1,318	1,234	12	2	70	293	927	10
Late or no care	12	12	-	-	-	8	3	-
Percent								
Low birthweight	5.3	5.1	*	*	*	*	5.3	*
Care beginning in first trimester	92.4	92.2	*	*	95.9	82.3	96.2	*
Late or no care	*	*	*	*	*	*	*	*

Toledo, Ohio

Number								
Low birthweight	492	291	197	1	3	37	257	194
Care beginning in first trimester	4,522	3,473	977	12	60	304	3,168	969
Late or no care	164	89	73	1	1	17	74	71
Percent								
Low birthweight	9.3	7.5	14.7	*	*	9.7	7.3	14.7
Care beginning in first trimester	85.0	89.1	73.0	*	88.2	79.8	89.9	73.4
Late or no care	3.1	2.3	5.5	*	*	*	2.1	5.4

Topeka, Kansas

Number								
Low birthweight	154	112	36	5	1	13	98	35
Care beginning in first trimester	1,756	1,477	224	40	15	146	1,312	216
Late or no care	48	34	13	-	1	9	27	11
Percent								
Low birthweight	7.8	6.9	13.1	*	*	*	6.9	13.2
Care beginning in first trimester	88.9	90.6	81.2	87.0	*	76.8	92.2	81.2
Late or no care	2.4	2.1	*	*	*	*	1.9	*

Torrance, California

Number								
Low birthweight	132	68	15	-	49	34	33	15
Care beginning in first trimester	1,936	1,259	95	9	573	586	676	90
Late or no care	52	42	3	-	7	23	18	3
Percent								
Low birthweight	6.0	4.7	*	*	8.1	4.8	4.4	*
Care beginning in first trimester	88.8	86.9	82.6	*	94.4	82.8	91.0	82.6
Late or no care	2.4	2.9	*	*	*	3.2	*	*

Tucson, Arizona

Number								
Low birthweight	702	621	50	10	21	303	316	49
Care beginning in first trimester	6,321	5,779	226	164	152	2,899	2,900	216
Late or no care	655	594	34	20	7	454	133	33

Percent								
Low birthweight	7.9	7.7	15.2	*	10.1	6.9	8.6	15.6
Care beginning in first trimester	71.7	71.8	69.1	70.4	73.8	65.7	79.5	69.0
Late or no care	7.4	7.4	10.4	8.6	*	10.3	3.6	10.5
Tulsa, Oklahoma								
Number								
Low birthweight	495	299	157	28	11	31	270	155
Care beginning in first trimester	4,487	3,395	741	249	102	284	3,115	732
Late or no care	402	212	140	43	7	47	166	138
Percent								
Low birthweight	7.8	6.6	12.2	6.9	*	6.2	6.7	12.2
Care beginning in first trimester	73.0	77.3	60.6	63.5	74.5	58.3	79.6	60.6
Late or no care	6.5	4.8	11.4	11.0	*	9.7	4.2	11.4
Vallejo, California								
Number								
Low birthweight	116	30	39	-	47	15	16	37
Care beginning in first trimester	1,178	550	295	1	332	239	327	284
Late or no care	101	48	30	1	22	18	29	29
Percent								
Low birthweight	6.8	3.8	8.5	*	10.4	*	*	8.3
Care beginning in first trimester	72.8	73.4	66.9	*	78.5	68.9	77.5	66.8
Late or no care	6.2	6.4	6.8	*	5.2	*	6.9	6.8
Virginia Beach city, Virginia								
Number								
Low birthweight	455	282	149	1	23	12	270	149
Care beginning in first trimester	5,513	4,193	1,010	16	294	253	3,958	999
Late or no care	163	75	78	2	8	4	72	78
Percent								
Low birthweight	7.1	6.0	11.1	*	6.3	*	6.1	11.2
Care beginning in first trimester	86.4	90.0	75.4	*	81.7	84.3	90.4	75.3
Late or no care	2.6	1.6	5.8	*	*	*	1.6	5.9
Waco, Texas								

Number								
Low birthweight	172	110	60	-	2	41	69	59
Care beginning in first trimester	1,493	1,206	274	2	11	399	807	271
Late or no care	167	105	60	1	1	65	40	60
Percent								
Low birthweight	7.6	6.2	12.1	*	*	5.7	6.6	12.0
Care beginning in first trimester	66.0	68.9	55.4	*	*	56.1	77.4	55.4
Late or no care	7.4	6.0	12.1	*	*	9.1	3.8	12.3

Warren, Michigan

Number								
Low birthweight	130	116	12	-	2	1	103	11
Care beginning in first trimester	1,597	1,495	42	7	53	26	1,383	40
Late or no care	27	25	2	-	-	-	23	2
Percent								
Low birthweight	7.1	6.8	*	*	*	*	6.6	*
Care beginning in first trimester	90.7	90.7	87.5	*	94.6	10.0	90.6	87.0
Late or no care	1.5	1.5	*	*	*	*	1.5	*

Waterbury, Connecticut

Number								
Low birthweight	150	99	50	-	1	48	49	48
Care beginning in first trimester	1,124	889	211	3	21	260	618	196
Late or no care	62	36	25	1	-	19	17	23
Percent								
Low birthweight	9.2	8.0	13.7	*	*	10.7	6.3	14.3
Care beginning in first trimester	76.8	79.2	68.3	*	84.0	66.8	85.6	69.0
Late or no care	4.2	3.2	8.1	*	*	*	*	8.1

Wichita, Kansas

Number								
Low birthweight	468	329	107	5	27	33	296	107
Care beginning in first trimester	5,312	4,431	601	46	234	400	4,028	598
Late or no care	133	89	33	4	7	25	64	33
Percent								

Low birthweight	7.5	6.5	13.7	*	9.4	5.7	6.6	13.8
Care beginning in first trimester	85.9	87.5	77.5	75.4	82.4	69.7	89.8	77.6
Late or no care	2.2	1.8	4.3	*	*	4.4	1.4	4.3
Winston-Salem, North Carolina								
Number								
Low birthweight	329	150	174	1	4	35	115	174
Care beginning in first trimester	2,469	1,506	927	5	31	318	1,189	926
Late or no care	102	43	59	-	-	28	15	59
Percent								
Low birthweight	11.5	8.9	15.4	*	*	8.2	9.1	15.4
Care beginning in first trimester	86.8	90.0	82.2	*	81.6	76.1	94.7	82.2
Late or no care	3.6	2.6	5.2	*	*	6.7	*	5.2
Worcester, Massachusetts								
Number								
Low birthweight	204	168	28	-	8	55	117	24
Care beginning in first trimester	1,888	1,598	166	14	110	416	1,213	138
Late or no care	119	85	22	2	10	37	52	18
Percent								
Low birthweight	8.8	8.8	11.7	*	*	9.8	8.3	12.2
Care beginning in first trimester	81.3	83.3	69.2	*	75.3	74.4	86.2	70.4
Late or no care	5.1	4.4	9.2	*	*	6.6	3.7	*
Yonkers, New York								
Number								
Low birthweight	252	153	80	-	19	70	70	75
Care beginning in first trimester	1,701	1,213	353	3	132	488	714	327
Late or no care	419	289	107	-	23	186	103	102
Percent								
Low birthweight	9.5	8.3	12.7	*	*	7.9	7.4	12.7
Care beginning in first trimester	67.2	68.4	60.5	*	77.2	57.1	78.5	60.0
Late or no care	16.6	16.3	18.4	*	13.5	21.8	11.3	18.7

- Quantity zero.

* Figure does not meet standards of reliability or precision.

(1) Data not shown for non-Hispanic births of other races and births with origin not stated.

(2) Includes Aleuts and Eskimos.

