

VITAL STATISTICS OF THE UNITED STATES

1963

VOLUME II—MORTALITY
PART A



U.S. DEPARTMENT OF
HEALTH, EDUCATION, AND WELFARE

ANTHONY J. CELEBREZZE, SECRETARY

PUBLIC HEALTH SERVICE

LUTHER L. TERRY, SURGEON GENERAL

WASHINGTON : 1965

For sale by the Superintendent of Documents, U.S. Government Printing Office
Washington, D.C., 20402 - Price \$3.75

NATIONAL CENTER FOR HEALTH STATISTICS

FORREST E. LINDER, PH. D., *Director*

THEODORE D. WOOLSEY, *Deputy Director*

O. K. SAGEN, PH. D., *Assistant Director*

DIVISION OF VITAL STATISTICS

ROBERT D. GROVE, PH. D., *Chief*

ANDERS S. LUNDE, PH. D., *Assistant Chief*

HUGH CARTER, PH. D., *Marriage and Divorce Statistics Branch*

HELEN CHASE, DR. P. H., *Mortality Statistics Branch*

ARTHUR A. CAMPBELL, *Natality Statistics Branch*

CHARLES R. COUNCIL, *Registration Methods Branch*

ALICE M. HETZEL, *Staff Assistant*

JOHN STORCK, PH. D., *Staff Assistant*

VITAL STATISTICS OF THE UNITED STATES, 1963

VOLUME II—MORTALITY

A brief summary of the contents for each section is listed below for the convenience of the reader. A complete table of contents is shown at the beginning of each section and is identified by a narrow black edge which can be located easily by fanning the pages. Each section is paged independently, using the section number as the identifying prefix.

PART A

Section 1. General Mortality: Tables

Summary tables containing crude, age-specific, and age-adjusted death rates; death rates by cause; maternal mortality. Detailed tabulations of deaths by cause for the United States and each State. Data shown by age, sex, color and race, cause of death, and month.

Section 2. Infant Mortality: Tables

Tabulations of infant deaths and death rates by age, color, sex, cause of death, and by State. Additional frequency tables by month of death, urban and rural and metropolitan and non-metropolitan areas.

Section 3. Fetal Mortality: Tables

Tabulations of numbers of deaths and ratios by age of mother, period of gestation, legitimacy, geographic areas; fetal death rates by plurality. Numbers of deaths by additional characteristics—month, birth order, attendant, birth weight.

Section 4. Accident Mortality: Tables

Deaths from motor vehicle accidents by type of vehicle and from nontransport accidents by place of accident. Figures tabulated by age, color, and sex for the United States and by color and sex for each State.

Section 5. Life Tables

Text discussion of national trends in expectation of life. Abridged life tables and interpolated values of the l_x and d_x by single years of age for the national population by color and sex.

Section 6. Technical Appendix

Text discussion of factors affecting the collection, classification, and interpretation of the mortality statistics in Volume II. Tables containing selected populations used to compute vital rates.

PART B

Section 7. Geographic Detail for Mortality: Tables

Total number of deaths, deaths from selected causes, infant deaths, neonatal deaths, fetal deaths, and selected rates and ratios. Tabulations shown by each State, county, specified urban places, metropolitan and nonmetropolitan counties, urban and rural areas, and standard metropolitan statistical areas.

Section 8. Puerto Rico and Virgin Islands: Tables

Trend of the crude death rate. Frequency tabulations for most variables shown in other sections in Volume II.

SYMBOLS USED IN TABLES

Data not available-----	---
Category not applicable-----	...
Quantity zero-----	-
Quantity more than 0 but less than 0.05-----	0.0
Figure does not meet standards of reliability or precision-----	*

Guide to tables in Section 1

(All data, except for table 27, are for deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted)

TABLE: 1	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16	-17	-18	-19	-20	-21	-22	-23	-24	-25	-26	-27
PAGE: 1	-3	-4	-5	-6	-7	-7	-8	-9	-16	-17	-18	-22	-26	-27	-28	-31	-32	-38	-39	-73	-78	-86	-148	-236	-248	-262	
Geographic area:																											
Abroad (deaths among Armed Forces)-----																											27
Divisions-----										¹ 10	11	12	13	15													
States-----											11	12	13	15	² 16	¹ 17	18	19						24			
United States-----	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	
Years:																											
1900-1963-----	³ 1	³ 2								⁴ 10																	
1915-1963-----															⁵ 14												
1954-1963-----			3					8			11																
1961-1963 (3-year average)-----															15												
1963 only-----				4	5	6	7		9			12	13			16	17	18	19	20	21	22	23	24	25	26	27
Type of entry:																											
Age-adjusted rates-----		2					7																				
Number of deaths-----	1				5							12				16	17	18	19	20	21	22	23	24	25		27
Percentage distribution of deaths by cause-----						6																					
Death rates-----	1	2	3	4		6	7	8	9	10	11		13	14	15					20							26
Characteristics:																											
Age: 10-year age groups-			3						9																		
5-year age groups-				4																			23		25	26	27
Single years of age after 84-----					5																						
Cause of death:																											
Each cause-----																					20						
Selected causes-----							7																				27
258 selected causes--																						21	22	23	24		
60 selected causes---								8	9			12	13												25	26	
15 leading causes						6																					
Maternal causes only-													14	15													
Color ⁶ -----	1	2	3	4	5		7		9				14	15			18		20					24	25	26	
Month-----																	17	18			21						
Race ⁶ -----																			19			22	23				
Sex-----	⁷ 1	2	3	4	5		7		9									18	19	20		22	23	24	25	26	

¹By place of occurrence.
²Both occurrence and residence distributions.
³Entire United States for 1933-1963; death-registration States for 1900-1932.
⁴Data by 5-year averages for 1900-1954 and by single years for 1955-1963.

⁵Entire United States for 1933-1963; birth-registration States for 1915-1932. Data by 5-year averages for 1915-1939 and by single years for 1940-1963.
⁶Reporting of color or race for New Jersey is not complete.
⁷For death rates only.

Guide to tables in Section 2

(All data are for infant deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted)

TABLE: 2	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12
PAGE: 2	-3	-3	-4	-5	-6	-7	-8	-22	-29	-32	-38	-56
Geographic area:												
Divisions-----					5	6						
Metropolitan and nonmetropolitan counties--										10		
States-----					5	6	7	8				12
United States-----	1	2	3	4	5	6	7	8	9	10	11	12
Urban and rural areas-----										10		
Years:												
1915-1963-----	¹ 1											
1954-1963-----			3	4								
1959-1963-----					5	6						
1963 only-----		2					7	8	9	10	11	12
Type of entry:												
Number of infant deaths-----							7	8	9	10	11	12
Infant mortality rates (per 1,000 live births)-----	1				5	6						
Infant mortality rates (per 100,000 live births)-----		2	3	4								
Characteristics:												
Age:												
Under 1 year-----	1	2	3	4	5		7	8	9	10	11	12
Under 28 days-----	1	2	3			6	7	8	9	10	11	12
28 days to 11 months-----									9			12
Detailed age groups (under 1 day-11 months)-----		2	3				7	² 8			11	
Cause of death (55 selected causes)-----				4					9	10	11	12
Color ³ -----	1	2	3		5	6		8		10	11	12
Month-----								8	9			
Race ³ -----							7					
Sex-----		2					7	² 8			11	

¹Entire United States for 1933-1963; birth-registration States for 1915-1932.

²For the United States only.

³Reporting of color or race for New Jersey is not complete.

Guide to tables in Section 3

(All data are for fetal deaths occurring in the United States. Data for geographic areas within the United States are by place of residence unless otherwise noted)

TABLE: 3	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16	-17
PAGE: 3	-3	-4	-4	-5	-5	-6	-8	-9	-12	-14	-16	-18	-20	-23	-24	-25	-28
Geographic area:																	
Divisions-----						6	7										
Metropolitan and nonmetropolitan counties-----						6											
Selected areas-----			¹ 3	² 4													
States-----	³ 1						7	⁴ 8	9		11	12	13			16	17
United States-----	1	2			5	6	7	8	9	10	11	12	13	14	15	16	17
Urban and rural areas-----						6											
Years:																	
1922-1963-----		⁵ 2															
1959-1963-----							7										
1963 only-----	1		3	4	5	6		8	9	10	11	12	13	14	15	16	17
Type of entry:																	
Number of fetal deaths-----	1	2	3	4	5	6		8	9	10	11	12	13	14	15	16	17
Percentage distribution-----			3														
Rates per 1,000 live births plus fetal deaths-----					5												
Ratios (per 1,000 live births)-----		2		4		6	7										
Minimum period required for reporting-----	1																
Characteristics:																	
Age of mother-----			3	4						10	11						
Attendant-----												13					
Color ⁶ -----		2		4	5	6	7		9	10	11	12	13	14	15	16	17
Legitimacy status-----				4													
Month-----								9									
Period of gestation-----	1		3			6							13		15		17
Plural births-----					5									14	15		
Sex-----					5					10				14	15	⁷ 16	⁷ 17
Total-birth order-----										10		12					
Weight at birth-----														14		16	

¹ Combined totals for nine States and New York City which require the reporting of early fetal deaths.

² Combined totals for 34 States which report legitimacy status.

³ By place of occurrence.

⁴ Both occurrence and residence distributions.

⁵ Entire United States for 1933-1963; birth-registration States for 1922-1932.

⁶ Reporting of color for New Jersey is not complete.

⁷ For the United States only.

Guide to tables in Section 4

(Frequencies only. All data are for deaths occurring in the United States. Data for geographic areas within the United States are by place of residence)

	TABLE: 4	-1	-2	-3	-4	-5	-6
	PAGE: 4	-3	-6	-12	-18	-22	-27
Geographic area:							
States-----						5	6
United States-----		1	2	3	4	5	6
Subject matter:							
Motor vehicle accident, by type of vehicle--		1		3		5	
Nontransport accident, by place of accident--			2		4		6
Characteristics:							
Age (5-year age groups)-----				3	4		
Color ¹ -----		1	2			5	6
Detailed accidental causes (E810-E835,E870-E936)-----		1	2				
Race ¹ -----				3	4		
Sex-----		1	2	3	4	5	6

¹Reporting of color or race for New Jersey is not complete.

Guide to tables in Section 5

	TABLE: 5	-1	-2	-3	-4	-5	-6
	PAGE: 5	-3	-4	-5	-6	-7	-8
Years:							
1900-1963-----							16
1963 only-----		1	2	3	4		
Specified years and 1963-----						25	
Type of entry:							
Proportion dying (${}_n q_x$)-----		1	2				
Number surviving (${}_n l_x$)-----		1	2	3		5	
Number dying (${}_n d_x$)-----		1	2				
Stationary population (L_x and T_x)-----		1	2				
Average remaining lifetime (e_x^o)-----		1	2		4	5	
Estimated average length of life (e_0^o)-----							6
Characteristics:							
Age by:							
Single years-----				3	4		
5-year intervals-----		1	2			5	
Sex-color specific ³ -----			2	3	4	5	6
Sex specific-----		1		3	4		6
Color specific ³ -----			2	3	4		6
Total population-----		1		3	4		6

¹Entire United States for 1929-1963; death-registration States for 1900-1928.

²Entire United States for specified years from 1929 to 1963; death-registration States for specified years from 1900 to 1921.

³Reporting of color or race for New Jersey is not complete.

Guide to population tables in Section 6

	TABLE: 6	-2	-3	-4	-5	-6
	PAGE: 6	-16	-17	-17	-18	-18
Geographic area:						
Birth-registration States-----		2				
Death-registration States-----		2				
Divisions-----						16
Puerto Rico-----						16
States-----						16
United States-----		22	33	14	15	16
Years:						
1900-1963-----		52				
1963 ⁶ -----			3	4	5	6
Characteristics:						
Age-----			3	4	5	
Color-----			3	4	5	
Sex-----			3	4	5	

¹ Population exclusive of Armed Forces stationed abroad.

² Population both inclusive and exclusive of Armed Forces stationed abroad.

³ Population inclusive of Armed Forces stationed abroad.

⁴ Resident population of the United States excluding New Jersey. Estimates prepared by the National Center for Health Statistics.

⁵ Enumerated as of April 1, 1940, 1950, 1960, and estimated as of July 1 for all other years.

⁶ Estimated as of July 1, 1963.

Guide to tables in Section 7

(All data are for deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted)

TABLE: 7	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10
PAGE: 7	-3	-60	-77	-94	-114	-368	-372	-384	-548	-553
Geographic area:										
Counties-----	¹ 1							8	9	
Metropolitan and nonmetropolitan counties-----		2	3					8		
Specified urban places-----	1							8		10
Standard metropolitan statistical areas-----				4			7			
States-----	¹ 1	2	3		5	² 6		8	9	
United States-----	1	2	3			6		8	9	
Urban and rural areas-----		2						8		
Type of entry:										
Number of deaths--all ages-----	1	2	3	4	5	6	7	8	9	10
Number of fetal deaths-----	1	2								
Number of infant deaths-----	1	2								
Number of neonatal deaths-----	1	2								
Fetal death ratios (per 1,000 live births)-----		2								
Infant mortality rates (per 1,000 live births)-		2								
Neonatal mortality rates (per 1,000 live births)		2								
Characteristics:										
Age:										
5-year age groups-----					5					
10-year age groups-----			3	4						
Cause of death:										
60 selected causes-----					5	6	7			
Selected causes-----								8		
Specified infective diseases-----									9	10
Color ³ -----	1	2	3	4	5					
Sex-----			3	4	5					

¹Both occurrence and residence distributions.

²By place of occurrence.

³Reporting of color for New Jersey is not complete.

Guide to tables in Section 8

(All data are for deaths occurring in Puerto Rico or the Virgin Islands)

TABLE: 8	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16
PAGE: 8	-3	-3	-4	-8	-12	-12	-13	-14	-14	-15	-16	-17	-17	-17	-18	-18
Geographic area:																
Islands-----								18								
Municipios-----							17									
Puerto Rico-----	1	2	3		5	6	7		9	10	11	12	13	14	15	16
Specified urban place-----								8								
Virgin Islands-----	1	2		4	5	6		8	9	10	11	12	13	14	15	16
Years:																
1940-1963-----	1															
1963 only-----		2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Type of entry:																
Number of deaths--all ages-----	1	2	3	4	5	6	17	18								
Number of fetal deaths-----							7	8				12	13	14	15	16
Number of infant deaths-----							7	8	9	10	211					
Number of neonatal deaths-----							7	8	9	10	11					
Death rates--all ages-----	1															
Characteristics:																
Age of decedent-----			3	4						10						
Age of mother-----												13				
Cause of death:																
60 selected causes-----			3	4												
55 selected causes of infant mortality-----											11					
Motor vehicle accidents-----					5											
Nontransport accidents-----						6										
Color (for Virgin Islands only)--		2		4	5	6		8	9	10	11	12	13	14	15	16
Month-----		2							9			12				
Period of gestation-----																16
Place of accident-----						6										
Sex-----		2	3	4	5	6				10						
Total-birth order-----														14		
Type of motor vehicle involved---					5											
Weight at birth-----																15

¹Both occurrence and residence distributions.

²Number of deaths also shown for the age group 28 days to 11 months.

Section 1. General Mortality

Table	Page
1-1. Deaths by color, and death rates by color and sex: Death-registration States, 1900-1932, and United States, 1933-63 -----	1-3
1-2. Age-adjusted death rates by color and sex: Death-registration States, 1900-1932, and United States, 1933-63-----	1-4
1-3. Death rates by 10-year age groups, color, and sex: United States, 1954-63-----	1-5
1-4. Death rates by 5-year age groups, color, and sex: United States, 1963-----	1-6
1-5. Deaths at ages 85 years and over, by single years of age, color, and sex: United States, 1963-----	1-7
1-6. Mortality from 15 leading causes of death: United States, 1963-----	1-7
1-7. Age-adjusted death rates for specified causes, by color and sex: United States, 1963-----	1-7
1-8. Death rates for 60 selected causes: United States, 1954-63-----	1-8
1-9. Death rates for 60 selected causes, by 10-year age groups, color, and sex: United States, 1963-----	1-9
1-10. Death rates for geographic divisions by place of occurrence: United States, 1900-1963-----	1-16
1-11. Death rates: United States, each division and State, 1954-63-----	1-17
1-12. Deaths from 60 selected causes: United States, each division and State, 1963-----	1-18
1-13. Death rates for 60 selected causes: United States, each division and State, 1963-----	1-22
1-14. Maternal mortality rates by color: Birth-registration States or United States, 1915-63-----	1-26
1-15. Maternal mortality rates by color: United States, each division and State, 1961-63 (3-year average)-----	1-27
1-16. Deaths by State of occurrence distributed according to State of residence: United States and each State, 1963-----	1-28
1-17. Deaths by month and State of occurrence: United States and each State, 1963-----	1-31
1-18. Deaths by month, color, and sex: United States and each State, 1963 -----	1-32
1-19. Deaths by specified race and sex: United States and each State, 1963-----	1-38
1-20. Deaths and death rates for each cause, by color and sex: United States, 1963-----	1-39
1-21. Deaths from 258 selected causes, by month: United States, 1963-----	1-73
1-22. Deaths from 258 selected causes, by specified race and sex: United States, 1963-----	1-78
1-23. Deaths from 258 selected causes, by 5-year age groups, race, and sex: United States, 1963-----	1-86
1-24. Deaths from 258 selected causes, by color and sex: United States and each State, 1963-----	1-148
1-25. Deaths from 60 selected causes, by 5-year age groups, color, and sex: United States, 1963-----	1-236
1-26. Death rates for 60 selected causes, by 5-year age groups, color, and sex: United States, 1963-----	1-248
1-27. Deaths from selected causes among Armed Forces abroad, by 5-year age groups: United States, 1963-----	1-262

SECTION 1 - MORTALITY

Table 1-1. Deaths by Color, and Death Rates by Color and Sex: Death-Registration States, 1900-1932, and United States, 1933-63

(Refers only to deaths occurring within the specified area. Excludes fetal deaths. Rates per 1,000 population residing in area for specified group, enumerated as of April 1 for 1940, 1950, and 1960, and estimated as of July 1 for other years)

AREA AND YEAR	NUMBER			RATE									
	Total	White	Nonwhite	Total			White			Nonwhite			
				Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
UNITED STATES¹													
1963 ²	1,813,549	1,533,015	216,662	9.6	11.1	8.2	9.5	11.0	8.1	10.1	11.5	8.7	
1962	1,756,720	1,488,113	206,583	9.5	10.9	8.1	9.4	10.8	8.0	9.8	11.2	8.5	
1961	1,701,522	1,498,332	203,190	9.3	10.7	7.9	9.3	10.7	7.8	9.6	10.9	8.4	
1960	1,711,982	1,505,335	206,647	9.5	11.0	8.1	9.5	11.0	8.0	10.1	11.5	8.7	
1959	1,656,814	1,460,840	195,974	9.4	10.8	8.0	9.3	10.8	7.9	9.9	11.3	8.6	
1958	1,647,886	1,451,077	196,809	9.5	11.0	8.1	9.4	10.9	8.0	10.3	11.6	9.0	
1957	1,633,128	1,457,652	195,476	9.6	11.1	8.1	9.5	11.0	8.0	10.5	11.9	9.1	
1956	1,564,476	1,380,915	183,561	9.4	10.8	7.9	9.3	10.8	7.8	10.1	11.4	8.8	
1955	1,528,717	1,350,869	177,848	9.3	10.8	7.9	9.2	10.7	7.8	10.0	11.3	8.8	
1954	1,481,091	1,306,989	174,102	9.2	10.7	7.8	9.1	10.6	7.6	10.1	11.4	8.8	
1953	1,517,541	1,335,835	181,706	9.6	11.1	8.1	9.4	11.0	8.0	10.8	12.3	9.4	
1952	1,496,838	1,315,022	181,816	9.6	11.1	8.1	9.4	11.0	8.0	11.0	12.5	9.6	
1951	1,482,099	1,302,969	179,130	9.7	11.1	8.2	9.5	11.0	8.0	11.1	12.5	9.8	
1950	1,452,454	1,276,085	176,369	9.6	11.1	8.2	9.5	10.9	8.0	11.2	12.5	9.9	
1949	1,443,607	1,268,848	174,759	9.7	11.1	8.3	9.5	11.0	8.1	11.2	12.5	10.0	
1948	1,444,337	1,270,589	173,748	9.9	11.3	8.5	9.7	11.2	8.3	11.4	12.7	10.1	
1947	1,445,370	1,274,893	170,477	10.1	11.5	8.7	9.9	11.4	8.5	11.4	12.5	10.3	
1946	1,395,617	1,232,337	163,280	10.0	11.3	8.6	9.8	11.2	8.5	11.1	12.2	10.0	
1945	1,401,719	1,233,889	167,830	10.6	12.6	8.8	10.4	12.5	8.6	11.9	13.5	10.5	
1944	1,411,338	1,238,829	172,509	10.6	12.4	9.0	10.4	12.2	8.8	12.4	13.8	11.1	
1943	1,459,544	1,280,887	178,657	10.9	12.4	9.4	10.7	12.2	9.2	12.8	14.0	11.6	
1942	1,385,187	1,209,944	175,243	10.3	11.7	9.0	10.1	11.4	8.7	12.7	14.0	11.4	
1941	1,397,642	1,213,511	184,131	10.5	11.8	9.2	10.2	11.4	8.9	13.5	14.8	12.2	
1940	1,417,269	1,231,223	186,046	10.8	12.0	9.5	10.4	11.6	9.2	13.8	15.1	12.6	
1939	1,387,897	1,207,078	180,819	10.6	11.7	9.5	10.3	11.3	9.2	13.5	14.7	12.4	
1938	1,381,391	1,195,431	185,960	10.6	11.7	9.6	10.3	11.3	9.2	14.0	15.2	12.9	
1937	1,450,427	1,254,787	195,640	11.3	12.5	10.0	10.8	12.0	9.6	14.9	16.4	13.4	
1936	1,479,228	1,278,579	200,649	11.6	12.7	10.4	11.1	12.3	9.9	15.4	16.9	13.9	
1935	1,392,752	1,207,559	185,193	10.9	12.0	9.9	10.6	11.6	9.5	14.3	15.6	13.0	
1934	1,396,903	1,207,197	189,706	11.1	12.1	10.0	10.6	11.7	9.6	14.8	16.0	13.5	
1933	1,342,106	1,162,398	179,708	10.7	11.6	9.7	10.3	11.2	9.3	14.1	15.1	13.1	
DEATH-REGISTRATION STATES³													
1932	1,293,269	1,122,470	170,799	10.9	11.7	10.0	10.5	11.3	9.6	14.5	15.4	13.5	
1931	1,307,273	1,125,377	181,896	11.1	12.0	10.1	10.6	11.5	9.6	15.5	16.5	14.5	
1930	1,327,240	1,135,984	190,256	11.3	12.3	10.4	10.8	11.7	9.8	16.3	17.4	15.3	
1929	1,369,757	1,175,490	194,267	11.9	12.8	11.0	11.3	12.2	10.4	16.9	18.0	15.8	
1928	1,361,987	1,168,269	193,718	12.0	12.8	11.1	11.4	12.3	10.5	17.1	18.0	16.2	
1927	1,211,627	1,050,359	161,269	11.3	12.1	10.5	10.8	11.6	10.0	16.4	17.2	15.6	
1926	1,257,256	1,093,850	163,406	12.1	12.9	11.3	11.6	12.3	10.8	17.8	18.7	16.9	
1925	1,191,809	1,035,500	156,309	11.7	12.4	10.9	11.1	11.8	10.4	17.4	18.2	16.6	
1924	1,151,076	997,617	153,459	11.6	12.3	10.9	11.0	11.8	10.3	17.1	17.9	16.3	
1923	1,174,065	1,028,101	145,964	12.1	12.7	11.5	11.7	12.3	11.0	16.5	17.0	16.0	
1922	1,085,952	951,452	132,500	11.7	12.3	11.1	11.3	11.9	10.7	15.2	15.7	14.8	
1921	1,009,673	895,593	114,080	11.5	11.9	11.0	11.1	11.6	10.6	15.5	15.7	15.4	
1920	1,118,070	990,859	127,211	13.0	13.4	12.6	12.6	13.0	12.1	17.7	17.8	17.5	
1919	1,072,263	945,436	126,827	12.9	13.5	12.3	12.4	13.0	11.8	17.9	18.1	17.8	
1918	1,430,079	1,282,533	147,546	18.1	19.8	16.4	17.5	19.3	15.8	25.6	26.7	24.4	
1917	981,239	882,735	98,504	14.0	15.0	12.9	13.5	14.6	12.4	20.4	21.4	19.4	
1916	924,971	842,597	82,374	13.8	14.8	12.8	13.4	14.4	12.4	19.1	19.9	18.4	
1915	815,500	762,289	53,211	13.2	14.0	12.3	12.9	13.7	12.0	20.2	20.8	19.5	
1914	810,914	758,600	52,314	13.3	14.2	12.4	13.0	13.9	12.1	20.2	20.9	19.4	
1913	802,909	752,265	50,644	13.8	14.8	12.8	13.5	14.5	12.5	20.3	21.0	19.6	
1912	745,771	709,531	36,240	13.6	14.5	12.7	13.4	14.3	12.4	20.6	21.3	19.7	
1911	749,918	713,244	36,674	13.9	14.7	13.0	13.7	14.5	12.8	21.3	21.9	20.6	
1910	696,856	669,475	27,381	14.7	15.6	13.7	14.5	15.4	13.6	21.7	22.3	21.0	
1909	630,057	603,551	26,506	14.2	15.1	13.4	14.0	14.9	13.2	21.8	22.3	21.2	
1908	587,245	542,800	24,445	14.7	15.5	13.8	14.5	15.3	13.6	22.4	22.8	22.0	
1907	550,245	525,259	24,986	15.9	17.0	14.8	15.7	16.8	14.5	24.3	25.0	23.5	
1906	531,005	506,553	24,452	15.7	16.7	14.7	15.5	16.5	14.4	24.2	24.7	23.6	
1905	345,863	334,344	11,519	15.9	16.7	15.0	15.7	16.5	14.8	25.5	26.8	24.3	
1904	349,855	338,301	11,554	16.4	17.3	15.5	16.2	17.1	15.3	26.1	27.6	24.7	
1903	327,295	316,650	10,645	15.6	16.4	14.8	15.4	16.2	14.6	24.5	25.5	23.4	
1902	318,636	308,550	10,086	15.5	16.4	14.6	15.3	16.2	14.4	23.6	24.8	22.3	
1901	332,203	321,948	10,255	16.4	17.3	15.6	16.2	17.1	15.4	24.3	25.6	23.1	
1900	343,217	332,810	10,407	17.2	17.9	16.5	17.0	17.7	16.3	25.0	25.7	24.4	

¹Alaska included beginning 1959, and Hawaii, 1960.

²Figures by color exclude data for residents of New Jersey; see Technical Appendix.

³Increased in number from 10 States and the District of Columbia in 1900 to the entire conterminous United States in 1933.

SECTION 1 - MORTALITY

Table 1-2. Age-Adjusted Death Rates by Color and Sex: Death-Registration States, 1900-1932, and United States, 1933-63

(Refers only to deaths occurring within the specified area. Excludes fetal deaths. Rates per 1,000 population. Computed by the direct method, using as the standard population the age distribution of the total population of the United States as enumerated in 1940; see Technical Appendix)

AREA AND YEAR	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES ¹									
1963 ²	7.6	9.6	5.8	7.2	9.2	5.5	10.6	12.5	8.9
1962 ²	7.5	9.4	5.8	7.1	9.0	5.4	10.3	12.0	8.7
1961	7.3	9.2	5.7	7.0	8.9	5.4	10.0	11.6	8.6
1960	7.6	9.5	5.9	7.3	9.2	5.6	10.4	12.1	8.9
1959	7.5	9.3	5.9	7.2	9.0	5.5	10.3	11.9	8.8
1958	7.7	9.4	6.0	7.3	9.1	5.7	10.6	12.2	9.2
1957	7.8	9.6	6.1	7.4	9.2	5.8	10.8	12.4	9.4
1956	7.6	9.4	6.0	7.3	9.1	5.7	10.5	11.9	9.1
1955	7.7	9.3	6.1	7.4	9.1	5.7	10.4	11.9	9.1
1954	7.6	9.3	6.1	7.3	9.0	5.8	10.6	12.0	9.2
1953	8.0	9.8	6.4	7.7	9.4	6.1	11.4	13.0	9.9
1952	8.1	9.8	6.6	7.8	9.5	6.2	11.7	13.2	10.2
1951	8.3	9.9	6.7	7.9	9.6	6.3	11.9	13.3	10.5
1950	8.4	10.0	6.9	8.0	9.6	6.5	12.3	13.6	10.9
1949	8.5	10.1	7.0	8.1	9.7	6.6	12.3	13.5	11.1
1948	8.8	10.3	7.3	8.3	10.0	6.8	12.5	13.8	11.2
1947	9.0	10.5	7.5	8.6	10.1	7.1	12.5	13.6	11.4
1946	9.1	10.6	7.7	8.8	10.2	7.3	12.4	13.5	11.3
1945	9.5	11.1	8.0	9.1	10.7	7.5	13.1	14.5	11.9
1944	9.7	11.2	8.3	9.3	10.8	7.8	13.8	14.9	12.6
1943	10.2	11.6	8.7	9.7	11.2	8.2	14.5	15.7	13.4
1942	9.9	11.4	8.5	9.4	10.9	8.0	14.5	15.8	13.3
1941	10.3	11.7	8.9	9.7	11.2	8.3	15.6	16.9	14.3
1940	10.8	12.1	9.4	10.2	11.6	8.8	16.3	17.6	15.0
1939	10.7	12.0	9.5	10.2	11.4	8.9	16.0	17.1	14.9
1938	10.9	12.1	9.7	10.3	11.5	9.1	16.6	17.7	15.5
1937	11.7	13.1	10.3	11.1	12.4	9.7	17.8	19.2	16.3
1936	12.2	13.5	10.8	11.5	12.8	10.1	18.5	20.1	17.0
1935	11.6	12.9	10.4	11.1	12.3	9.8	17.3	18.5	16.1
1934	11.9	13.1	10.7	11.3	12.5	10.0	17.9	19.0	16.7
1933	11.6	12.7	10.5	11.0	12.2	9.9	17.2	18.1	16.4
DEATH-REGISTRATION STATES ³									
1932	11.9	12.9	10.8	11.3	12.3	10.2	17.8	18.6	17.0
1931	12.1	13.2	11.0	11.4	12.5	10.3	19.0	19.9	18.1
1930	12.5	13.5	11.3	11.7	12.8	10.6	20.1	21.0	19.2
1929	13.2	14.2	12.1	12.4	13.5	11.4	21.0	21.9	20.0
1928	13.4	14.4	12.3	12.6	13.6	11.5	20.9	21.7	20.2
1927	12.6	13.5	11.6	11.9	12.8	10.9	19.8	20.4	19.3
1926	13.5	14.3	12.5	12.7	13.6	11.8	21.4	22.1	20.8
1925	13.0	13.8	12.2	12.3	13.2	11.4	20.9	21.4	20.4
1924	12.9	13.7	12.1	12.2	13.1	11.3	20.5	21.1	20.0
1923	13.5	14.2	12.8	12.9	13.7	12.1	19.8	20.0	19.7
1922	13.0	13.7	12.4	12.6	13.3	11.8	18.3	18.4	18.4
1921	12.7	13.2	12.1	12.2	12.7	11.6	18.2	18.0	18.6
1920	14.2	14.7	13.8	13.7	14.2	13.1	20.6	20.4	21.0
1919	14.0	14.6	13.4	13.4	14.1	12.8	20.5	20.3	20.8
1918	19.0	20.9	17.3	18.4	20.2	16.6	28.0	28.9	27.1
1917	15.3	16.5	14.0	14.7	16.0	13.4	23.4	24.1	22.7
1916	15.1	16.2	13.9	14.7	15.8	13.4	22.2	22.6	21.6
1915	14.4	15.4	13.4	14.1	15.1	13.0	23.1	23.5	22.6
1914	14.5	15.6	13.4	14.1	15.2	13.0	22.6	23.3	21.9
1913	15.0	16.1	13.7	14.6	15.8	13.4	22.7	23.3	22.0
1912	14.8	16.0	13.7	14.6	15.7	13.4	23.1	24.0	22.2
1911	15.2	16.2	14.1	14.9	15.9	13.8	23.7	24.4	22.9
1910	15.8	16.9	14.6	15.6	16.7	14.4	24.1	24.8	23.2
1909	15.3	16.3	14.2	15.0	16.1	14.0	24.1	24.8	23.3
1908	15.8	16.8	14.6	15.5	16.6	14.4	24.7	25.3	24.1
1907	17.1	18.4	15.7	16.8	18.2	15.4	26.6	27.5	25.7
1906	16.7	17.9	15.4	16.4	17.6	15.1	26.2	27.0	25.5
1905	16.7	17.8	15.7	16.5	17.6	15.4	26.3	27.7	26.9
1904	17.3	18.4	16.2	17.1	18.1	16.0	29.1	30.7	27.4
1903	16.5	17.4	15.5	16.2	17.2	15.3	27.2	28.5	25.9
1902	16.2	17.2	15.1	16.0	17.0	14.9	25.9	27.5	24.5
1901	17.2	18.2	16.2	17.0	18.0	16.0	28.9	28.4	25.5
1900	17.8	18.6	17.0	17.6	18.4	16.8	27.8	28.7	27.1

¹Alaska included beginning 1959, and Hawaii, 1960.²Figures by color exclude data for residents of New Jersey; see Technical Appendix.³Increased in number from 10 States and the District of Columbia in 1900 to the entire conterminous United States in 1933.

SECTION 1 - MORTALITY

1-5

Table 1-3. Death Rates by 10-Year Age Groups, Color, and Sex: United States, 1954-63

(Refers only to deaths occurring within the United States. Alaska included beginning 1959, and Hawaii, 1960. Excludes fetal deaths. Rates per 1,000 population residing in area for specified group, enumerated as of April 1 for 1960 and estimated as of July 1 for all other years)

YEAR, COLOR, AND SEX	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TOTAL												
1963	9.6	25.4	1.0	0.4	1.1	1.5	3.0	7.5	17.3	38.8	85.2	210.1
1962	9.5	25.3	1.0	0.4	1.0	1.5	3.0	7.4	16.9	38.0	84.3	205.1
1961	9.3	25.3	1.0	0.4	1.0	1.4	2.9	7.3	16.7	37.2	83.6	196.3
1960	9.5	27.0	1.1	0.5	1.1	1.5	3.0	7.6	17.4	38.2	87.5	198.6
1959	9.4	27.5	1.1	0.5	1.1	1.5	2.9	7.4	17.1	37.6	85.8	194.2
1958	9.5	28.1	1.1	0.5	1.1	1.5	3.0	7.5	17.4	38.4	87.9	198.0
1957	9.6	28.0	1.1	0.5	1.2	1.5	3.1	7.6	17.8	39.0	88.1	197.9
1956	9.4	28.2	1.1	0.5	1.2	1.5	3.0	7.5	17.4	38.1	87.9	192.3
1955	9.3	28.5	1.1	0.5	1.2	1.5	3.1	7.6	17.5	38.1	87.9	189.8
1954	9.2	29.3	1.2	0.5	1.1	1.5	3.0	7.8	17.4	37.9	86.0	181.6
MALE												
1963	11.1	28.7	1.1	0.5	1.5	1.9	3.8	9.8	23.2	51.1	100.9	224.6
1962	10.9	28.7	1.0	0.5	1.5	1.9	3.7	9.7	22.7	49.4	98.9	219.0
1961	10.7	28.5	1.1	0.5	1.5	1.8	3.7	9.6	22.4	48.1	97.9	209.1
1960	11.0	30.6	1.2	0.6	1.5	1.9	3.7	9.9	23.1	49.1	101.8	211.9
1959	10.8	31.1	1.2	0.6	1.5	1.9	3.7	9.7	22.8	47.9	99.1	205.4
1958	11.0	31.6	1.2	0.6	1.5	1.9	3.7	9.8	23.0	48.5	101.4	208.5
1957	11.1	31.6	1.2	0.6	1.7	1.9	3.8	9.9	23.5	49.2	101.0	207.3
1956	10.8	32.0	1.2	0.6	1.7	1.9	3.7	9.6	22.9	47.6	100.8	200.5
1955	10.8	32.1	1.2	0.6	1.7	1.9	3.8	9.7	22.6	47.3	100.4	195.9
1954	10.7	33.1	1.3	0.6	1.6	2.0	3.8	9.9	22.5	46.7	98.0	187.4
FEMALE												
1963	8.2	21.9	0.9	0.4	0.6	1.1	2.3	5.2	11.8	28.6	73.4	201.1
1962	8.1	21.8	0.9	0.4	0.6	1.1	2.3	5.2	11.6	28.3	73.3	196.3
1961	7.9	21.9	0.9	0.4	0.6	1.0	2.2	5.1	11.5	27.9	72.7	187.8
1960	8.1	23.2	1.0	0.4	0.6	1.1	2.3	5.3	12.0	28.7	76.3	190.1
1959	8.0	23.8	1.0	0.4	0.6	1.1	2.2	5.2	11.8	28.6	75.5	186.8
1958	8.1	24.5	1.0	0.4	0.6	1.1	2.3	5.4	12.1	29.4	77.4	191.0
1957	8.1	24.3	1.0	0.4	0.7	1.1	2.4	5.5	12.4	30.0	77.8	191.5
1956	7.9	24.3	1.0	0.4	0.7	1.1	2.3	5.3	12.2	29.6	77.5	186.6
1955	7.9	24.7	1.0	0.4	0.7	1.1	2.4	5.4	12.2	29.8	77.9	185.5
1954	7.8	25.3	1.1	0.4	0.7	1.1	2.4	5.7	12.4	29.8	76.3	177.4
WHITE												
1963 ²	9.5	22.3	0.9	0.4	1.0	1.3	2.6	6.8	16.2	37.5	85.8	215.8
1962 ²	9.4	22.3	0.9	0.4	1.0	1.2	2.6	6.8	15.9	36.8	85.1	209.7
1961	9.3	22.4	0.9	0.4	1.0	1.2	2.5	6.7	15.8	36.4	84.7	200.7
1960	9.5	23.6	1.0	0.4	1.0	1.2	2.6	6.9	16.3	37.4	88.3	203.5
1959	9.3	24.0	0.9	0.5	1.0	1.2	2.6	6.8	16.2	36.9	86.8	199.3
1958	9.4	24.5	1.0	0.4	1.0	1.2	2.6	6.9	16.4	37.6	88.9	203.3
1957	9.5	24.6	1.0	0.5	1.1	1.3	2.7	6.9	16.7	38.3	89.1	203.1
1956	9.3	25.0	1.0	0.4	1.1	1.3	2.6	6.8	16.4	37.5	88.9	197.8
1955	9.2	25.3	1.0	0.5	1.1	1.3	2.7	6.9	16.4	37.6	89.1	195.3
1954	9.1	26.1	1.1	0.5	1.0	1.3	2.7	7.0	16.5	37.4	87.1	186.2
WHITE MALE												
1963 ²	11.0	25.3	0.9	0.5	1.4	1.7	3.3	9.2	22.3	49.8	102.0	230.7
1962 ²	10.8	25.4	0.9	0.5	1.4	1.6	3.3	9.1	21.8	48.4	100.2	224.5
1961	10.7	25.5	1.0	0.5	1.4	1.6	3.3	9.0	21.6	47.4	99.6	213.9
1960	11.0	26.9	1.0	0.5	1.4	1.6	3.3	9.3	22.3	48.5	103.0	217.5
1959	10.8	27.4	1.0	0.6	1.5	1.6	3.3	9.1	22.0	47.3	100.5	210.9
1958	10.9	27.7	1.1	0.5	1.5	1.6	3.4	9.2	22.1	47.9	102.7	213.5
1957	11.0	28.0	1.1	0.6	1.6	1.7	3.4	9.2	22.5	48.6	102.4	211.6
1956	10.8	28.5	1.1	0.5	1.6	1.7	3.3	9.0	22.0	47.3	102.3	205.1
1955	10.7	28.8	1.1	0.6	1.6	1.7	3.4	9.1	21.8	47.0	102.0	200.6
1954	10.6	29.7	1.1	0.6	1.5	1.7	3.4	9.2	21.7	46.5	99.4	190.8
WHITE FEMALE												
1963 ²	8.1	19.0	0.8	0.3	0.6	0.9	1.9	4.6	10.5	27.3	73.8	206.6
1962 ²	8.0	19.0	0.8	0.3	0.5	0.9	1.9	4.6	10.4	27.1	73.7	200.4
1961	7.8	19.2	0.8	0.3	0.5	0.8	1.9	4.5	10.3	27.0	73.4	192.0
1960	8.0	20.1	0.9	0.3	0.5	0.9	1.9	4.6	10.8	27.8	77.0	194.8
1959	7.9	20.5	0.8	0.3	0.5	0.9	1.9	4.5	10.7	27.8	76.3	191.8
1958	8.0	21.2	0.9	0.4	0.5	0.9	1.9	4.6	11.0	28.5	78.1	196.5
1957	8.0	21.1	0.9	0.4	0.6	0.9	2.0	4.7	11.3	29.2	78.6	197.3
1956	7.8	21.4	0.9	0.4	0.6	0.9	1.9	4.6	11.1	28.8	78.4	192.7
1955	7.8	21.7	0.9	0.4	0.6	0.9	2.0	4.6	11.2	29.1	78.8	191.6
1954	7.6	22.4	1.0	0.4	0.6	0.9	2.0	4.9	11.4	29.2	77.2	182.8
NONWHITE												
1963 ²	10.1	41.7	1.8	0.6	1.6	3.2	6.5	13.2	27.9	52.9	74.6	145.7
1962 ²	9.8	41.8	1.7	0.6	1.6	3.1	6.3	12.9	27.0	49.7	72.2	144.0
1961	9.6	40.9	1.7	0.6	1.5	3.1	6.2	12.7	26.6	47.1	70.3	142.3
1960	10.1	46.3	1.9	0.6	1.6	3.2	6.3	13.4	27.7	47.8	76.3	139.1
1959	9.9	47.4	1.9	0.7	1.6	3.3	6.3	13.3	27.1	46.1	72.5	131.8
1958	10.3	49.8	2.0	0.6	1.6	3.4	6.2	14.0	28.2	47.8	74.8	134.0
1957	10.5	48.1	2.0	0.7	1.8	3.5	6.5	14.5	29.6	47.6	73.9	132.5
1956	10.1	47.6	1.9	0.7	1.8	3.4	6.4	14.0	29.0	44.9	72.5	126.0
1955	10.0	48.0	2.0	0.7	1.8	3.4	6.4	14.4	28.1	44.4	72.4	122.7
1954	10.1	49.4	2.0	0.7	1.9	3.5	6.6	15.1	28.3	43.3	71.1	121.8

See footnotes at end of table.

SECTION 1 - MORTALITY

Table 1-3. Death Rates by 10-Year Age Groups, Color, and Sex: United States, 1954-63 - Con.

(Refers only to deaths occurring within the United States. Alaska included beginning 1959, and Hawaii, 1960. Excludes fetal deaths. Rates per 1,000 population residing in area for specified group, enumerated as of April 1 for 1960 and estimated as of July 1 for all other years)

YEAR, COLOR, AND SEX	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NONWHITE MALE												
1963 ²	11.5	46.6	1.9	0.7	2.2	4.0	7.6	15.7	31.8	64.2	85.0	161.6
1962 ²	11.2	46.5	1.8	0.7	2.1	3.9	7.4	15.3	30.5	59.4	81.0	161.0
1961	10.9	45.3	1.8	0.7	2.1	3.8	7.2	14.7	30.0	56.2	78.2	155.9
1960	11.5	51.9	2.1	0.8	2.1	3.9	7.3	15.5	31.5	56.6	86.6	152.4
1959	11.3	52.6	2.1	0.8	2.2	4.1	7.2	15.3	31.0	54.5	81.8	144.4
1958	11.6	55.6	2.0	0.7	2.2	4.1	7.0	15.7	32.0	56.1	84.4	156.1
1957	11.9	53.4	2.1	0.8	2.3	4.3	7.3	16.2	33.8	55.6	82.6	155.0
1956	11.4	53.7	2.1	0.8	2.4	4.1	7.0	15.5	32.7	51.8	81.2	144.5
1955	11.3	53.5	2.1	0.8	2.4	4.1	7.2	15.9	31.9	51.6	80.2	137.7
1954	11.4	55.0	2.2	0.8	2.5	4.3	7.2	16.6	32.5	50.1	79.9	143.6
NONWHITE FEMALE												
1963 ²	8.7	36.7	1.6	0.5	1.0	2.5	5.5	11.0	24.2	43.0	65.4	134.0
1962 ²	8.5	37.0	1.5	0.5	1.1	2.4	5.4	10.7	23.7	41.2	64.1	134.8
1961	8.4	36.5	1.6	0.5	1.1	2.5	5.3	10.8	23.4	39.9	62.9	132.0
1960	8.7	40.7	1.7	0.5	1.1	2.6	5.5	11.4	24.1	39.8	67.1	128.7
1959	8.6	42.2	1.7	0.5	1.2	2.6	5.4	11.4	23.4	39.5	64.1	122.3
1958	9.0	44.1	1.9	0.5	1.1	2.8	5.6	12.4	24.7	40.1	66.1	121.7
1957	9.1	42.9	1.8	0.6	1.3	2.8	5.9	12.9	25.6	40.3	65.9	120.3
1956	8.8	41.5	1.8	0.5	1.2	2.7	5.9	12.6	25.3	38.3	64.3	113.3
1955	8.8	42.8	1.9	0.6	1.3	2.8	5.8	12.9	24.4	37.8	64.4	112.1
1954	8.8	43.8	1.9	0.6	1.4	2.9	6.0	13.7	24.3	37.0	62.2	110.5

¹Figures for age not stated included in "Total" but not distributed among age groups.
²Figures by color exclude data for residents of New Jersey; see Technical Appendix.

Table 1-4. Death Rates by 5-Year Age Groups, Color, and Sex: United States, 1963

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Rates per 1,000 estimated midyear population in specified group. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

AGE	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
ALL AGES ¹	9.6	11.1	8.2	9.5	11.0	8.1	10.1	11.5	8.7
Under 1 year	25.4	28.7	21.9	22.3	25.3	19.0	41.7	46.6	36.7
1-4 years	1.0	1.1	0.9	0.9	0.9	0.8	1.8	1.9	1.6
5-9 years	0.5	0.5	0.4	0.4	0.5	0.4	0.6	0.7	0.6
10-14 years	0.4	0.5	0.3	0.4	0.5	0.3	0.6	0.7	0.5
15-19 years	0.9	1.3	0.5	0.9	1.2	0.5	1.2	1.6	0.8
20-24 years	1.2	1.8	0.7	1.1	1.7	0.6	2.1	2.9	1.3
25-29 years	1.3	1.8	0.9	1.1	1.5	0.7	2.8	3.6	2.1
30-34 years	1.6	2.1	1.2	1.4	1.8	1.0	3.7	4.5	3.0
35-39 years	2.4	3.0	1.9	2.1	2.6	1.5	5.3	6.3	4.5
40-44 years	3.7	4.6	2.8	3.2	4.1	2.3	7.7	9.0	6.5
45-49 years	5.8	7.5	4.2	5.3	7.0	3.7	10.4	12.4	8.7
50-54 years	9.3	12.3	6.4	8.5	11.5	5.5	16.4	19.2	13.7
55-59 years	14.1	19.0	9.4	13.2	18.2	8.4	22.4	26.1	18.9
60-64 years	21.0	28.2	14.5	19.7	27.1	12.9	34.7	39.8	30.6
65-69 years	32.4	43.6	22.8	30.7	42.0	21.2	50.1	61.1	40.2
70-74 years	46.8	60.5	35.7	45.8	59.6	34.6	56.3	69.0	46.3
75-79 years	70.6	86.2	58.5	70.5	86.6	58.1	68.8	79.0	59.8
80-84 years	112.4	129.8	100.2	114.5	132.7	102.0	84.7	95.7	75.2
85 years and over	210.1	224.6	201.1	215.8	230.7	206.6	145.7	161.6	134.0

¹Figures for age not stated included in "All Ages" but not distributed among age groups.

SECTION 1 - MORTALITY

Table 1-5. Deaths at Ages 85 Years and Over, by Single Years of Age, Color, and Sex: United States, 1963
(Refers only to deaths occurring within the United States. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

AGE	TOTAL			WHITE		NONWHITE	
	Both sexes	Male	Female	Male	Female	Male	Female
85 YEARS AND OVER-	210,541	86,472	124,069	78,656	114,041	5,332	6,032
85 years-----	33,271	14,815	18,456	13,516	16,990	821	869
86 years-----	30,271	13,319	16,952	12,178	15,661	751	729
87 years-----	28,058	11,984	16,074	10,988	14,873	649	676
88 years-----	24,192	10,140	14,052	9,330	13,053	543	563
89 years-----	20,081	8,268	11,813	7,601	10,913	438	525
90 years-----	17,352	6,939	10,413	6,256	9,570	485	508
91 years-----	15,496	5,312	8,184	4,871	7,659	291	285
92 years-----	11,301	4,231	7,070	3,836	6,505	268	337
93 years-----	9,312	3,490	5,822	3,147	5,327	256	281
94 years-----	6,667	2,419	4,248	2,174	3,906	165	213
95 years-----	5,092	1,765	3,327	1,595	3,019	128	209
96 years-----	3,698	1,280	2,418	1,135	2,173	106	165
97 years-----	2,665	898	1,768	774	1,552	90	156
98 years-----	1,689	541	1,147	456	998	70	115
99 years-----	1,103	347	756	293	659	48	59
100 years-----	800	244	556	190	453	51	83
101 years-----	462	130	332	106	288	20	35
102 years-----	370	132	238	98	175	31	59
103 years-----	223	71	152	40	118	29	33
104 years-----	146	47	99	31	61	14	35
105 years-----	75	27	48	12	30	14	17
106 years-----	54	16	38	8	21	8	17
107 years-----	43	16	27	8	15	8	9
108 years-----	25	8	17	1	6	7	10
109 years-----	23	9	14	4	5	5	9
110 years-----	21	10	11	5	3	5	8
111 years-----	5	2	3	-	1	2	2
112 years-----	8	2	6	-	2	2	4
113 years-----	10	2	8	1	2	1	6
114 years-----	6	1	5	-	2	1	5
115 years-----	2	-	-	-	-	2	-
116 years-----	4	-	4	-	1	-	3
117 years-----	7	3	4	2	1	1	3
118 years-----	5	1	4	4	1	1	3
120 years-----	1	-	1	-	-	-	1
121 years-----	1	-	1	-	-	-	1
122 years-----	2	1	1	-	-	1	1

Table 1-6. Mortality From 15 Leading Causes of Death: United States, 1963
(Refers only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population. Ranked on the basis of the List of 60 Selected Causes of Death. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rank order	CAUSE OF DEATH	Rate	Percent of total deaths
	ALL CAUSES-----	961.9	100.0
1	Diseases of heart-----400-402,410-443	375.4	39.0
2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	151.4	15.7
3	Vascular lesions affecting central nervous system-----330-334	106.7	11.1
4	Accidents-----E800-E962	55.4	5.6
...	Motor vehicle accidents-----E810-E835	25.1	2.4
...	Other accidents-----E800-E802,E840-E962	30.3	3.1
5	Influenza and pneumonia, except pneumonia of newborn-----480-493	37.5	3.9
6	Certain diseases of early infancy-----760-776	35.3	3.5
7	General arteriosclerosis-----450	19.9	2.1
8	Diabetes mellitus-----260	17.2	1.8
9	Other diseases of circulatory system-----451-468	12.9	1.3
10	Other bronchopulmonary diseases-----525-527	12.3	1.3
11	Cirrhosis of liver-----581	11.9	1.2
12	Suicide-----E963,E970-E979	11.0	1.1
13	Congenital malformations-----750-759	11.0	1.1
14	Other hypertensive disease-----444-447	8.7	0.7
15	Ulcer of stomach and duodenum-----540,541	6.5	0.7
...	ALL other causes-----Residual	94.8	9.9

Table 1-7. Age-Adjusted Death Rates for Specified Causes, by Color and Sex: United States, 1963

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Based on age-specific death rates per 100,000 estimated midyear population in specified group. Computed by the direct method using as the standard population the age distribution of the total population of the United States as enumerated in 1940. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

CAUSE OF DEATH	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
ALL CAUSES-----	758.7	956.8	584.0	721.6	921.2	546.0	1,062.3	1,248.6	894.2
Major cardiovascular-renal diseases-----330-334,400-468,592-594	395.1	501.3	302.2	380.1	490.8	283.5	521.8	584.3	466.0
Diseases of cardiovascular system-----330-334,400-468	390.0	495.2	298.0	375.8	485.6	280.1	508.6	569.1	454.5
Vascular lesions affecting central nervous system-----330-334	76.6	82.5	71.6	71.3	77.6	65.9	135.4	135.6	131.5
Diseases of heart-----400-402,410-443	285.3	379.3	202.9	277.9	376.9	192.1	333.9	396.9	286.4
General arteriosclerosis-----450	12.5	13.9	11.5	12.5	13.8	11.4	13.4	14.7	12.3
Chronic and unspecified nephritis and other renal sclerosis-----592-594	5.1	6.2	4.2	4.3	5.3	3.4	13.2	15.1	11.5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	126.6	147.1	109.8	123.7	143.8	107.3	145.2	169.5	124.3
Accidents-----E800-E962	50.9	75.1	27.6	49.1	72.4	26.7	69.2	103.5	36.1
Motor vehicle accidents-----E810-E835	24.3	36.9	12.3	24.4	36.8	12.6	26.5	42.7	11.8
Other accidents-----E800-E802,E840-E962	26.6	38.2	15.5	24.7	35.7	14.1	41.7	60.8	24.3
Influenza and pneumonia, except pneumonia of newborn-----480-493	27.7	34.5	21.8	24.4	30.8	19.0	55.4	66.7	45.1
Diabetes mellitus-----260	13.8	12.5	14.9	12.7	11.9	13.3	23.1	16.6	29.1
Cirrhosis of liver-----581	11.2	15.1	7.7	10.7	14.7	7.2	13.9	17.1	11.0
Tuberculosis, all forms-----001-019	4.3	6.7	2.2	3.4	5.4	1.6	12.8	18.8	7.3

SECTION 1 - MORTALITY

Table 1-8. Death Rates for 60 Selected Causes: United States, 1954-63

(Refers only to deaths occurring within the United States. Alaska included beginning 1959, and Hawaii, 1960. Excludes fetal deaths. Rates per 100,000 population residing in area, enumerated as of April 1 for 1960 and estimated as of July 1 for all other years. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. Deaths are classified according to the Sixth Revision for 1954-57 and according to the Seventh Revision for 1958-63)

CAUSE OF DEATH	1963	1962	1961	1960	1959	1958	1957	1956	1955	1954
ALL CAUSES-----	961.9	945.4	929.6	954.7	938.6	950.8	958.6	935.1	930.4	919.0
Tuberculosis, all forms-----001-019	4.9	5.1	5.4	6.1	6.5	7.1	7.8	8.4	9.1	10.2
Tuberculosis of respiratory system-----001-008	4.6	4.7	5.0	5.6	6.0	6.6	7.3	7.8	8.3	9.3
Tuberculosis, other forms-----010-019	0.4	0.4	0.4	0.4	0.5	0.5	0.6	0.6	0.8	0.8
Syphilis and its sequelae-----020-029	1.4	1.5	1.6	1.6	1.7	2.0	2.2	2.3	2.3	3.0
Dysentery, all forms-----045-048	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.4
Scarlet fever and streptococcal sore throat-----050,051	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2
Diphtheria-----055	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1
Whooping cough-----056	0.1	0.0	0.0	0.1	0.2	0.1	0.2	0.2	0.3	0.2
Meningococcal infections-----057	0.4	0.3	0.3	0.4	0.4	0.4	0.5	0.5	0.6	0.6
Acute poliomyelitis-----080	0.0	0.0	0.0	0.1	0.3	0.1	0.1	0.3	0.6	0.8
Measles-----085	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.3	0.2	0.3
Other infective and parasitic diseases-----030-044,049,052-054,058-074,081-084,086-138	3.2	3.1	3.1	3.2	3.1	3.0	2.8	2.7	2.6	2.7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	151.4	149.9	149.4	149.2	147.3	146.8	148.6	147.8	146.5	145.6
Malignant neoplasm of buccal cavity and pharynx-----140-148	3.5	3.5	3.5	3.4	3.4	3.3	3.4	3.3	3.4	3.3
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary-----150-156A,157-159	49.3	49.5	50.1	50.8	50.7	50.9	51.7	52.4	52.3	53.0
Malignant neoplasm of respiratory system, not specified as secondary-----160-164	24.9	24.0	23.1	22.2	21.2	20.4	19.9	19.2	18.2	17.1
Malignant neoplasm of breast-----170	13.5	13.4	13.4	13.4	13.1	13.1	13.3	13.3	13.4	13.0
Malignant neoplasm of genital organs-----171-179	21.2	21.3	21.4	21.6	21.6	22.1	22.6	22.6	22.8	22.9
Malignant neoplasm of urinary organs-----180,181	7.2	7.2	7.1	7.1	7.1	7.0	7.1	7.0	7.0	6.9
Malignant neoplasm of other and unspecified sites-----156B,165,190-199	17.0	16.6	16.4	16.5	16.2	16.1	16.7	16.3	16.4	16.5
Leukemia and leukemia-----204	7.2	7.0	7.0	7.1	7.0	6.9	6.9	6.8	6.6	6.5
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues-----200-203,205	7.6	7.4	7.4	7.2	7.1	6.9	7.0	6.8	6.5	6.3
Benign neoplasms and neoplasms of unspecified nature-----210-239	2.6	2.5	2.6	2.7	2.8	2.9	3.0	2.9	3.1	3.2
Asthma-----241	2.7	2.6	2.7	3.0	2.8	2.9	3.0	3.6	3.6	3.8
Diabetes mellitus-----260	17.2	16.8	16.4	16.7	15.9	15.9	16.0	15.7	15.5	15.6
Anemias-----290-293	1.8	1.8	1.8	1.9	1.8	1.8	1.8	1.9	1.9	2.0
Meningitis, except meningococcal and tuberculous-----340	1.2	1.2	1.2	1.3	1.3	1.3	1.2	1.2	1.1	1.1
Major cardiovascular-renal diseases-----330-334,400-468,592-594	527.6	521.4	511.5	521.8	515.9	523.5	523.5	510.5	506.0	495.2
Diseases of cardiovascular system-----330-334,400-468	521.7	515.2	505.1	515.1	508.9	515.5	514.6	501.4	496.3	484.6
Vascular lesions affecting central nervous system-----330-334	106.7	106.3	105.4	108.0	108.4	110.1	110.2	106.3	106.0	104.1
Diseases of heart-----400-402,410-443	375.4	370.3	362.4	369.0	363.2	367.7	369.4	361.0	356.5	349.3
Rheumatic fever and chronic rheumatic heart disease-----400-402,410-416	9.8	9.6	9.8	10.3	10.4	10.8	11.8	12.0	12.0	12.1
Arteriosclerotic heart disease, including coronary disease-----420	290.0	283.9	274.4	275.6	268.6	266.2	265.6	255.5	247.0	235.7
Nonrheumatic chronic endocarditis and other myocardial degeneration-----421,422	29.7	29.4	29.8	31.8	31.8	33.8	36.8	37.7	39.9	41.0
Other diseases of heart-----430-434	14.5	13.9	13.8	14.3	13.8	14.2	12.8	12.6	12.6	13.0
Hypertensive heart disease-----440-443	32.4	33.5	34.6	37.0	38.6	42.7	42.5	43.3	45.0	46.6
Other hypertensive disease-----444-447	6.7	6.7	6.7	7.1	7.4	8.0	8.5	6.5	6.8	7.1
General arteriosclerosis-----450	19.9	19.8	19.3	20.0	19.6	19.9	19.5	19.1	19.8	18.8
Other diseases of circulatory system-----451-468	12.9	12.2	11.3	11.0	10.3	9.9	9.0	8.4	7.3	6.4
Chronic and unspecified nephritis and other renal sclerosis-----592-594	6.0	6.1	6.3	6.7	7.0	8.0	8.8	9.1	9.6	10.6
Influenza and pneumonia, except pneumonia of newborn-----480-493	37.5	32.5	30.1	37.3	31.2	33.1	35.8	28.2	27.1	25.4
Influenza-----480-483	3.8	1.8	1.2	4.4	1.6	2.6	4.4	1.4	1.7	1.7
Pneumonia, except pneumonia of newborn-----490-493	33.8	30.4	29.0	32.9	29.6	30.6	31.4	26.8	25.4	23.8
Bronchitis-----500-502	2.9	2.5	2.2	2.4	2.2	2.3	2.1	1.9	1.9	1.8
Other bronchopulmonary diseases-----525-527	12.3	10.8	9.7	9.6	8.5	8.2	8.1	7.0	6.1	5.4
Ulcer of stomach and duodenum-----540,541	6.5	6.6	6.3	6.3	6.0	6.2	6.1	6.0	5.9	5.8
Appendicitis-----550-553	0.9	1.0	1.0	1.0	1.0	1.1	1.2	1.3	1.4	1.4
Hernia and intestinal obstruction-----560,561,570	5.3	5.2	5.0	5.1	5.2	5.1	5.0	5.1	5.3	5.3
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----545,571,572	4.4	4.4	4.3	4.4	4.4	4.5	4.7	4.5	4.7	4.9
Cirrhosis of liver-----581	11.9	11.7	11.3	11.3	10.9	10.8	11.3	10.7	10.2	10.1
Cholelithiasis, cholecystitis, and cholangitis-----584,585	2.5	2.6	2.6	2.6	2.5	2.7	2.9	3.1	3.6	3.5
Acute nephritis, and nephritis with edema including nephrosis-----590,591	0.8	0.8	0.9	0.9	1.0	1.3	1.3	1.4	1.5	1.6
Infections of kidney-----600	4.7	4.7	4.4	4.3	3.9	4.0	3.7	3.4	3.0	2.7
Hyperplasia of prostate-----610	2.3	2.3	2.3	2.5	2.6	2.7	3.0	3.2	3.7	3.8
Deliveries and complications of pregnancy, childbirth, and the puerperium-----640-689	0.8	0.8	0.9	0.9	0.9	0.9	1.0	1.0	1.2	1.3
Abortion-----650-652	0.1	0.2	0.2	0.2	0.2	0.1	0.2	0.1	0.2	0.2
Other complications of pregnancy, childbirth, and the puerperium-----640-649,660-689	0.6	0.6	0.7	0.7	0.7	0.8	0.9	0.9	1.0	1.1
Congenital malformations-----750-759	11.0	11.4	12.0	12.2	12.3	12.4	12.8	12.6	12.5	12.5
Certain diseases of early infancy-----760-776	33.3	34.6	35.9	37.4	38.5	39.8	39.1	38.6	39.0	39.4
Birth injuries, postnatal asphyxia, and atelectasis-----760-762	14.3	15.2	15.8	16.6	17.1	18.2	17.8	17.7	17.8	17.8
Infections of newborn-----763-768	2.3	2.4	2.6	2.7	2.9	3.2	3.0	2.8	2.6	2.7
Other diseases peculiar to early infancy, and immaturity unqualified-----769-776	16.7	16.9	17.5	18.2	18.5	18.4	18.3	18.1	18.6	18.9
Symptoms, senility, and ill-defined conditions-----780-795	11.9	10.6	10.4	11.4	10.8	11.4	11.2	11.3	12.1	12.5
All other diseases-----Residual	28.7	28.1	28.2	29.0	28.8	28.4	26.9	25.9	25.7	25.7
Accidents-----E900-E962	53.4	52.3	50.4	52.3	52.2	52.3	55.9	56.7	56.9	55.9
Motor vehicle accidents-----E910-E935	25.1	22.0	20.8	21.3	21.5	21.3	22.7	23.7	23.4	22.1
Other accidents-----E930-E902, E940-E962	30.3	30.3	29.6	31.0	30.7	30.9	33.2	33.0	33.5	33.8
Suicide-----E963, E970-E979	11.0	10.9	10.4	10.6	10.6	10.7	9.8	10.0	10.2	10.1
Homicide-----E984, E980-E985	4.9	4.9	4.7	4.7	4.6	4.5	4.5	4.6	4.5	4.8

Change 1965
 #but indicators for
 1966

SECTION 1 - MORTALITY

Table 1-9. Death Rates for 60 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1963

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

CAUSE OF DEATH, COLOR, AND SEX	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALL CAUSES-----	961.9	2,537.2	99.5	45.5	105.8	148.4	303.1	747.4	1,726.2	3,865.0	8,521.4	21,012.1
Male-----	1,109.5	2,871.8	107.9	51.5	150.2	191.7	377.3	980.5	2,319.7	5,111.5	10,091.7	22,460.3
Female-----	819.4	2,188.3	90.9	35.1	62.0	106.7	232.7	524.4	1,175.3	2,865.9	7,343.1	20,108.4
White-----	954.3	2,225.4	86.4	40.8	99.1	125.2	262.3	683.1	1,616.0	3,750.2	8,580.4	21,578.6
Male-----	1,102.7	2,535.5	94.4	48.9	142.2	165.8	334.1	917.7	2,228.8	4,979.9	10,204.2	23,066.3
Female-----	810.3	1,902.2	78.0	32.3	56.4	85.5	193.3	457.9	1,048.9	2,728.5	7,379.6	20,659.6
Nonwhite-----	1,007.3	4,168.4	175.8	60.6	157.9	323.0	646.5	1,323.1	2,792.5	5,286.9	7,456.6	14,569.2
Male-----	1,153.8	4,656.4	188.0	68.9	215.5	402.3	759.9	1,567.5	3,182.0	6,421.6	8,503.4	16,157.6
Female-----	869.4	3,672.2	163.7	52.4	102.8	254.8	546.8	1,098.5	2,418.4	4,300.9	6,541.2	13,404.4
Tuberculosis, all forms (001-019)-----	4.9	0.8	0.5	0.1	0.3	1.4	3.7	7.2	12.7	20.4	29.0	39.2
Male-----	7.4	0.8	0.5	0.1	0.4	1.4	4.6	10.7	21.5	35.6	49.1	64.7
Female-----	2.6	0.9	0.5	0.1	0.3	1.4	2.9	3.8	4.6	7.6	13.9	21.7
White-----	4.1	0.5	0.3	0.1	0.2	0.6	2.2	5.4	10.6	17.6	27.0	33.4
Male-----	6.2	0.5	0.2	0.1	0.2	0.7	2.8	8.1	18.2	31.1	45.5	55.4
Female-----	2.0	0.5	0.4	0.0	0.1	0.6	1.7	2.9	3.7	6.5	13.2	19.7
Nonwhite-----	11.0	2.7	1.5	0.2	1.5	6.8	15.6	22.9	35.3	51.8	53.9	93.6
Male-----	15.8	2.5	1.6	0.2	1.6	6.6	19.8	34.9	55.5	65.9	88.5	151.5
Female-----	6.5	2.8	1.5	0.3	1.4	6.9	11.9	11.8	13.8	22.1	23.6	51.1
Tuberculosis of respiratory system (001-008)-----	4.6	0.4	0.2	0.0	0.2	1.2	3.4	6.7	11.9	19.2	27.5	36.6
Male-----	6.9	0.4	0.2	0.0	0.3	1.2	4.3	10.1	20.4	34.1	46.8	62.3
Female-----	2.3	0.3	0.1	0.0	0.2	1.2	2.6	3.5	4.0	6.8	13.0	20.6
White-----	3.9	0.2	0.1	0.0	0.1	0.6	2.1	5.1	10.1	16.7	25.6	32.3
Male-----	5.9	0.2	0.1	0.0	0.2	0.6	2.6	7.7	17.4	29.9	43.6	55.7
Female-----	1.9	0.2	0.1	0.0	0.1	0.5	1.6	2.7	3.3	5.8	12.3	19.0
Nonwhite-----	9.7	1.3	0.6	0.1	1.0	5.7	13.9	20.8	29.5	47.3	50.4	85.9
Male-----	14.3	1.6	0.7	-	1.1	5.3	17.8	32.5	49.2	79.9	83.3	142.4
Female-----	5.3	0.9	0.4	0.1	1.0	6.0	10.5	10.1	10.6	18.8	21.6	44.4
Tuberculosis, other forms (010-019)-----	0.4	0.5	0.3	0.0	0.1	0.2	0.3	0.5	0.9	1.2	1.5	1.6
Male-----	0.4	0.4	0.3	0.1	0.1	0.2	0.3	0.6	1.1	1.6	2.3	2.5
Female-----	0.3	0.6	0.4	0.0	0.1	0.2	0.3	0.6	0.8	0.8	1.0	1.1
White-----	0.2	0.3	0.2	0.0	0.0	0.1	0.1	0.3	0.5	0.9	1.3	1.1
Male-----	0.3	0.3	0.2	0.0	0.1	0.1	0.1	0.4	0.7	1.2	2.0	1.8
Female-----	0.2	0.3	0.3	0.0	0.0	0.0	0.1	0.2	0.4	0.6	0.9	0.7
Nonwhite-----	1.3	1.4	1.0	0.2	0.5	1.1	1.7	2.0	3.8	4.5	3.5	7.7
Male-----	1.5	0.9	0.9	0.2	0.6	1.3	2.0	2.4	4.4	6.0	5.2	9.1
Female-----	1.1	1.9	1.1	0.2	0.4	0.9	1.4	1.7	3.2	3.2	2.0	6.7
Syphilis and its sequelae (020-029)-----	1.4	0.5	0.0	-	0.0	0.1	0.4	1.4	4.7	7.8	9.4	9.0
Male-----	2.1	0.4	-	-	0.0	0.1	0.5	1.9	7.2	13.2	14.7	8.3
Female-----	0.8	0.5	0.0	-	0.0	0.0	0.2	0.9	2.3	3.2	5.5	9.4
White-----	1.1	0.1	-	-	0.0	0.0	0.2	0.8	3.4	6.3	8.7	8.1
Male-----	1.7	0.1	-	-	0.0	0.1	0.2	1.2	5.3	10.9	13.5	8.5
Female-----	0.6	0.1	-	-	-	0.0	0.1	0.5	1.5	2.6	5.2	7.8
Nonwhite-----	3.7	2.2	0.0	-	0.2	0.5	2.2	6.2	18.9	26.0	18.2	19.2
Male-----	5.3	2.2	-	-	0.2	0.8	3.3	7.8	27.0	42.4	26.4	9.1
Female-----	2.3	2.2	0.1	-	0.1	0.3	1.3	4.7	11.1	11.7	11.1	26.7
Dysentery, all forms (045-049)-----	0.2	2.3	0.3	0.1	0.0	0.1	0.0	0.1	0.2	0.1	0.4	1.6
Male-----	0.2	2.2	0.3	0.1	0.0	0.1	0.1	0.1	0.3	0.3	0.5	1.6
Female-----	0.1	2.4	0.2	0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.3	1.6
White-----	0.1	1.1	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.3	1.3
Male-----	0.1	1.1	0.2	0.1	0.0	0.0	0.1	0.1	0.2	0.2	0.4	1.2
Female-----	0.1	1.2	0.1	0.1	-	0.0	0.0	0.1	0.0	0.0	0.3	1.4
Nonwhite-----	0.6	8.6	1.0	0.2	0.1	0.2	0.2	0.1	0.8	0.8	1.3	5.1
Male-----	0.7	8.1	1.1	0.2	-	0.3	0.3	-	1.0	1.5	2.3	6.1
Female-----	0.5	9.2	0.9	0.1	0.1	0.2	0.1	0.3	0.5	0.2	0.5	4.4
Scarlet fever and streptococcal sore throat (050,051)-----	0.1	0.2	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.2	0.6
Male-----	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.5
Female-----	0.1	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.6
White-----	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.7
Male-----	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.2	0.6
Female-----	0.0	0.2	0.1	0.0	0.0	0.0	-	0.0	0.1	0.1	0.2	0.7
Nonwhite-----	0.1	0.9	0.2	0.2	0.1	-	0.1	0.1	-	-	-	-
Male-----	0.1	0.6	0.2	0.3	-	-	0.2	0.2	-	-	-	-
Female-----	0.1	1.3	0.2	0.2	0.2	-	0.1	0.1	-	-	-	-
Diphtheria (055)-----	0.0	0.1	0.1	0.0	0.0	-	-	0.0	0.0	0.0	-	-
Male-----	0.0	0.1	0.1	0.0	0.0	-	-	0.0	0.0	0.0	-	-
Female-----	0.0	0.1	0.1	0.1	0.0	-	-	-	-	-	-	-
White-----	0.0	0.0	0.0	0.0	-	-	-	0.0	0.0	0.0	-	-
Male-----	0.0	-	0.1	0.0	-	-	-	0.0	0.0	0.0	-	-
Female-----	0.0	0.1	-	0.0	-	-	-	-	0.0	-	-	-
Nonwhite-----	0.1	0.3	0.4	0.1	0.0	-	-	-	0.1	-	-	-
Male-----	0.1	0.6	0.5	0.1	0.1	-	-	-	-	-	-	-
Female-----	0.1	-	0.4	0.3	-	-	-	-	0.1	-	-	-
Whooping cough (056)-----	0.1	2.2	0.2	0.0	-	-	-	-	-	-	-	-
Male-----	0.1	2.0	0.1	0.0	-	-	-	-	-	-	-	-
Female-----	0.1	2.3	0.2	-	-	-	-	-	-	-	-	-
White-----	0.0	1.2	0.0	-	-	-	-	-	-	-	-	-
Male-----	0.0	1.1	0.0	-	-	-	-	-	-	-	-	-
Female-----	0.0	1.4	0.1	-	-	-	-	-	-	-	-	-
Nonwhite-----	0.3	7.2	0.8	0.0	-	-	-	-	-	-	-	-
Male-----	0.3	6.9	0.6	0.0	-	-	-	-	-	-	-	-
Female-----	0.3	7.6	1.0	-	-	-	-	-	-	-	-	-

¹Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-9. Death Rates for 60 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1963-Con. (Refers only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

CAUSE OF DEATH, COLOR, AND SEX	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Meningococcal infections (057)-----	0.4	5.0	1.6	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.2
Male-----	0.4	5.2	1.6	0.2	0.4	0.0	0.1	0.1	0.1	0.2	0.1	-
Female-----	0.4	4.8	1.5	0.2	0.1	0.1	0.1	0.2	0.1	0.1	0.3	0.3
White-----	0.4	5.0	1.5	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.3	0.1
Male-----	0.4	5.2	1.5	0.2	0.4	0.0	0.1	0.1	0.1	0.1	0.2	-
Female-----	0.3	4.6	1.5	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.3	0.2
Nonwhite-----	0.6	5.7	2.0	0.4	0.4	0.1	0.2	0.5	0.2	0.1	-	1.3
Male-----	0.5	5.3	2.0	0.4	0.6	-	0.2	0.2	0.3	-	-	-
Female-----	0.6	6.0	1.9	0.4	0.2	0.2	0.1	0.4	0.1	0.2	-	2.2
Acute poliomyelitis (080)-----	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-
Male-----	0.0	0.2	0.1	0.0	0.0	0.1	0.0	0.0	0.0	-	-	-
Female-----	0.0	0.1	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-
White-----	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-
Male-----	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-
Female-----	0.0	0.1	-	0.0	0.0	0.0	0.0	-	-	-	-	-
Nonwhite-----	0.0	-	0.1	-	-	0.2	-	-	-	-	-	-
Male-----	0.0	-	0.2	-	-	0.3	-	-	-	-	-	-
Female-----	0.0	-	0.1	-	-	0.1	-	-	-	-	-	-
Measles (085)-----	0.2	1.9	1.0	0.3	0.0	0.0	0.0	0.0	-	0.0	0.0	-
Male-----	0.2	1.6	1.0	0.2	0.0	0.0	0.0	0.0	-	-	-	-
Female-----	0.2	2.2	1.0	0.3	0.1	0.0	0.0	0.0	-	0.0	0.0	-
White-----	0.2	1.4	0.9	0.3	0.0	0.0	0.0	0.0	-	0.0	0.0	-
Male-----	0.2	1.4	0.8	0.2	0.0	0.0	0.0	0.0	-	-	-	-
Female-----	0.2	1.4	0.9	0.3	0.0	0.0	0.0	-	-	0.0	0.0	-
Nonwhite-----	0.4	4.7	1.8	0.2	0.1	0.0	-	0.0	-	-	-	-
Male-----	0.4	2.8	2.2	0.2	-	-	-	-	-	-	-	-
Female-----	0.4	6.6	1.5	0.2	0.1	0.1	-	0.1	-	-	-	-
Other infective and parasitic diseases (030-044,049,052-054, 058-074,081-084,086-138)-----	3.2	19.4	2.7	0.9	1.0	1.4	1.9	3.0	5.2	8.5	13.4	26.2
Male-----	3.6	21.6	2.8	1.0	1.1	1.4	1.9	3.4	6.2	11.0	16.1	30.9
Female-----	2.9	17.1	2.5	0.9	0.9	1.4	1.9	2.7	4.2	6.5	11.4	23.3
White-----	2.9	16.0	2.5	0.9	0.8	1.1	1.5	2.6	4.6	8.1	13.2	26.8
Male-----	3.2	18.0	2.6	1.0	1.0	1.2	1.4	3.0	5.5	10.5	15.8	31.1
Female-----	2.6	13.9	2.3	0.8	0.7	1.0	1.6	2.3	3.8	6.1	11.3	24.1
Nonwhite-----	5.6	39.3	3.9	1.4	2.0	3.5	4.7	7.4	10.6	14.8	16.6	23.1
Male-----	6.1	42.5	4.2	1.2	1.9	2.9	4.8	8.2	13.2	18.9	19.5	30.3
Female-----	5.2	36.1	3.7	1.5	2.1	4.0	4.6	6.6	8.1	11.3	14.1	17.8
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)-----	151.4	6.4	10.0	6.9	8.4	18.8	59.5	176.7	399.7	740.4	1,090.4	1,525.2
Male-----	166.6	7.5	11.2	7.5	10.0	18.2	49.8	174.2	468.4	950.9	1,379.5	1,883.9
Female-----	136.7	5.3	8.9	6.2	6.9	19.4	68.8	179.0	335.9	565.1	873.5	1,301.5
White-----	153.6	6.6	10.4	7.1	8.6	18.1	55.7	167.9	396.4	728.0	1,108.2	1,564.5
Male-----	168.5	7.9	11.7	7.8	10.2	18.0	46.8	164.3	454.0	930.6	1,394.1	1,925.5
Female-----	139.3	5.3	9.1	6.4	7.0	18.1	64.3	171.4	323.8	559.6	887.7	1,341.5
Nonwhite-----	125.2	5.7	7.9	5.3	7.5	24.1	88.5	244.7	504.1	816.4	835.4	1,007.7
Male-----	142.5	5.6	8.4	5.2	8.7	19.3	74.8	257.3	577.5	1,090.8	1,082.2	1,327.3
Female-----	108.9	5.7	7.4	5.3	6.4	28.3	100.4	233.0	433.7	577.1	619.6	773.3
Malignant neoplasm of buccal cavity and pharynx (140-148)-----	3.5	-	0.0	0.0	0.1	0.2	1.1	5.4	11.0	15.2	20.7	35.7
Male-----	5.3	-	0.0	0.1	0.1	0.5	1.5	8.4	18.5	26.1	35.0	57.7
Female-----	1.6	-	0.0	0.0	0.1	0.1	0.8	2.6	4.0	6.2	10.0	22.0
White-----	3.5	-	0.1	0.0	0.1	0.2	1.0	5.1	10.8	15.2	21.3	36.4
Male-----	5.4	-	0.0	0.0	0.1	0.2	1.3	7.9	18.2	26.2	35.8	59.9
Female-----	1.7	-	0.1	0.0	0.1	0.1	0.7	2.4	4.0	6.1	10.5	22.5
Nonwhite-----	2.9	-	0.0	0.1	0.2	0.4	2.4	8.0	13.3	14.8	12.1	16.7
Male-----	4.5	-	0.1	0.1	0.3	0.8	3.4	12.4	22.0	25.3	19.5	24.2
Female-----	1.4	-	-	0.0	0.1	0.1	1.5	4.0	4.9	7.4	5.5	11.1
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary (150-156A,157-159)-----	49.3	0.4	0.2	0.1	0.6	2.4	11.3	42.9	120.5	266.9	449.9	659.6
Male-----	54.4	0.4	0.3	0.1	0.6	2.6	12.2	50.0	146.0	332.4	526.6	720.8
Female-----	44.4	0.4	0.2	0.1	0.5	2.2	10.3	36.1	96.8	212.5	392.4	621.4
White-----	49.7	0.4	0.3	0.1	0.5	2.2	10.2	39.2	113.8	260.0	454.0	676.0
Male-----	54.1	0.4	0.3	0.1	0.6	2.4	10.9	45.1	136.9	320.9	530.0	733.7
Female-----	45.5	0.4	0.2	0.1	0.5	2.1	9.5	33.6	92.2	209.3	397.8	640.4
Nonwhite-----	41.4	0.5	0.0	0.1	1.0	3.6	19.6	72.7	174.1	306.2	335.9	428.2
Male-----	51.1	0.3	-	0.1	1.2	4.2	22.6	92.1	216.2	409.9	412.6	545.5
Female-----	32.1	0.6	0.1	0.2	0.8	3.1	17.0	55.0	133.6	215.8	268.8	342.2
Malignant neoplasm of respiratory system, not specified as secondary (160-164)-----	24.9	0.2	0.0	0.0	0.2	1.2	8.5	35.2	88.8	135.9	116.8	91.5
Male-----	43.0	0.3	0.0	0.0	0.2	1.8	12.9	58.7	161.7	262.8	221.1	160.5
Female-----	7.5	0.2	0.0	0.0	0.1	0.7	4.4	12.6	21.1	30.2	36.5	48.5
White-----	25.4	0.2	0.0	0.0	0.2	1.1	7.8	33.6	87.8	135.6	117.7	92.8
Male-----	43.7	0.2	0.0	0.0	0.2	1.6	11.6	55.6	160.5	262.9	223.5	162.5
Female-----	7.6	0.1	0.0	0.0	0.1	0.6	4.1	12.5	20.5	29.8	39.1	49.8
Nonwhite-----	19.8	0.5	-	0.0	0.2	2.0	15.2	47.2	92.5	128.1	93.3	67.9
Male-----	34.5	0.6	-	0.0	0.2	2.9	24.5	84.1	163.5	236.7	163.2	115.2
Female-----	6.0	0.3	-	0.0	0.1	1.2	7.0	13.3	24.4	33.3	32.2	33.3
Malignant neoplasm of breast (170)-----	13.5	0.0	-	0.0	0.1	1.8	10.3	26.2	38.3	51.2	68.5	116.5
Male-----	0.3	-	-	-	0.0	0.0	0.1	0.3	0.7	1.6	2.2	4.7
Female-----	26.2	0.1	-	0.0	0.1	3.6	19.9	51.0	73.1	92.4	118.2	186.2
White-----	13.8	0.0	-	-	0.1	1.7	9.7	26.0	38.0	51.6	69.7	119.5
Male-----	0.3	-	-	-	0.0	0.0	0.1	0.3	0.7	1.6	2.1	4.7
Female-----	27.0	0.1	-	-	0.1	3.3	19.0	50.6	72.5	93.3	120.0	180.4
Nonwhite-----	9.5	0.2	-	0.0	0.1	3.0	13.5	25.3	35.7	40.2	44.0	87.9
Male-----	0.3	-	-	-	-	-	0.2	0.5	1.1	1.7	2.3	3.0
Female-----	16.2	0.3	-	0.1	0.1	5.6	25.1	50.0	69.0	73.8	80.4	115.6

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - MORTALITY

1-11

Table 1-9. Death Rates for 60 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1963--Con.

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

CAUSE OF DEATH, COLOR, AND SEX	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--Con.												
Malignant neoplasm of genital organs (171-179)-----	21.2	0.0	0.1	0.1	0.9	3.4	10.0	22.9	47.2	100.9	184.0	274.1
Male----	17.7	-	0.2	0.1	0.9	1.7	1.6	3.7	23.1	107.0	277.3	504.2
Female----	24.6	0.1	0.1	0.2	0.8	5.0	17.9	41.3	69.6	95.8	114.0	130.5
White-----	20.8	0.1	0.2	0.2	0.9	3.0	8.8	21.0	43.0	94.9	182.7	275.5
Male----	17.5	-	0.2	0.1	1.0	1.8	1.7	3.1	19.8	97.3	275.6	508.2
Female----	24.0	0.1	0.1	0.2	0.8	4.2	15.7	38.2	64.5	92.8	113.8	131.7
Nonwhite-----	24.0	-	0.1	0.1	0.6	6.2	18.7	39.0	88.2	169.6	198.9	266.7
Male----	19.6	-	-	-	0.1	0.3	1.5	8.8	56.3	215.6	297.1	446.5
Female----	28.2	-	0.2	0.2	1.1	11.4	33.7	66.8	118.8	129.4	113.1	133.3
Malignant neoplasm of urinary organs (180,181)-----	7.2	0.4	0.7	0.3	0.1	0.3	1.3	6.2	17.0	39.3	65.3	95.7
Male----	9.8	0.4	0.8	0.3	0.1	0.3	1.7	8.7	25.6	60.4	97.5	131.9
Female----	4.7	0.4	0.6	0.3	0.1	0.2	0.9	3.8	9.0	21.6	41.1	75.1
White-----	7.5	0.4	0.7	0.3	0.1	0.3	1.1	5.9	16.7	39.5	66.7	93.4
Male----	10.2	0.5	0.8	0.3	0.1	0.3	1.5	8.4	25.5	61.3	100.2	137.5
Female----	4.8	0.3	0.6	0.3	0.1	0.2	0.8	3.5	8.5	21.4	41.9	75.9
Nonwhite-----	4.5	0.3	0.6	0.3	0.1	0.3	2.0	8.7	18.7	30.8	33.8	38.5
Male----	5.8	-	0.8	0.2	0.2	0.3	2.9	11.6	23.2	43.4	43.7	51.5
Female----	3.3	0.6	0.3	0.4	-	0.3	1.3	6.1	14.3	19.7	25.1	28.9
Malignant neoplasm of other and unspecified sites (156B, 165,190-199)-----	17.0	2.0	3.1	2.3	2.7	4.2	9.1	22.4	44.4	69.8	98.7	157.3
Male----	18.7	2.4	3.3	2.5	3.1	4.9	10.2	26.1	52.9	82.8	111.3	175.8
Female----	15.4	1.7	2.9	2.1	2.2	3.4	8.0	18.9	36.5	58.9	89.2	147.0
White-----	17.5	2.1	3.2	2.3	2.7	4.2	9.2	21.8	44.0	69.0	101.0	165.1
Male----	19.3	2.4	3.4	2.5	3.2	5.0	10.3	25.7	52.9	82.0	114.1	181.8
Female----	15.8	1.8	3.0	2.1	2.2	3.4	8.0	18.1	35.7	58.3	91.4	154.7
Nonwhite-----	13.1	1.7	2.7	1.9	2.3	4.0	8.9	26.2	48.0	77.2	72.9	80.8
Male----	14.3	2.5	2.8	1.9	2.5	4.9	9.0	29.4	52.0	89.3	82.8	90.9
Female----	12.0	0.9	2.6	2.0	2.2	3.3	8.8	23.3	44.2	66.7	64.3	73.3
Leukemia and aleukemia (204)-----	7.2	2.6	5.1	3.2	2.0	2.3	3.2	5.7	12.8	27.7	46.6	57.9
Male----	8.4	3.1	5.7	3.3	2.6	2.6	3.5	6.6	16.1	36.4	61.7	84.9
Female----	5.9	2.0	4.5	3.0	1.4	1.9	3.0	4.9	9.7	20.4	35.3	41.0
White-----	7.5	2.7	5.4	3.4	2.0	2.2	3.1	5.7	12.8	28.3	48.9	61.1
Male----	8.8	3.4	6.1	3.5	2.6	2.5	3.3	6.6	16.3	37.3	64.6	89.7
Female----	6.2	2.0	4.7	3.2	1.5	1.9	3.0	4.8	9.7	20.8	37.2	43.5
Nonwhite-----	4.6	1.9	3.7	2.0	1.9	2.3	3.7	5.9	12.9	20.5	20.9	19.2
Male----	5.4	1.9	3.7	1.9	2.9	2.8	4.1	6.1	15.4	26.6	28.2	27.3
Female----	3.9	1.9	3.7	2.0	0.9	1.8	3.3	5.7	10.6	15.2	14.6	13.3
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)-----	7.6	0.7	0.7	0.8	1.9	3.1	4.8	9.7	19.8	33.5	40.0	37.0
Male----	8.9	0.8	0.8	1.2	2.3	4.0	6.1	11.6	23.7	41.4	46.9	45.5
Female----	6.4	0.6	0.5	0.4	1.5	2.2	3.5	7.9	16.2	27.0	34.8	31.8
White-----	7.9	0.7	0.6	0.8	2.0	3.2	4.7	9.6	19.7	33.9	41.3	38.6
Male----	9.1	0.9	0.8	1.2	2.4	4.1	6.1	11.5	23.3	41.2	48.4	48.4
Female----	6.8	0.5	0.4	0.4	1.6	2.3	3.5	7.8	16.4	27.8	36.1	32.6
Nonwhite-----	5.3	0.6	0.8	0.7	1.2	2.3	4.6	10.5	20.7	29.0	23.6	21.8
Male----	7.0	0.3	1.1	1.0	1.2	3.1	6.6	12.3	27.7	44.2	32.8	21.2
Female----	3.7	0.9	0.5	0.4	1.2	1.5	2.9	8.9	13.9	15.8	15.6	22.2
Benign neoplasms and neoplasms of unspecified nature (210-239)-----	2.6	3.1	0.5	0.6	0.7	1.1	2.2	3.8	5.8	8.1	11.9	20.0
Male----	2.5	3.5	0.6	0.6	0.8	1.0	1.5	2.9	6.2	9.2	13.2	19.7
Female----	2.7	2.6	0.5	0.5	0.7	1.1	2.8	4.6	5.5	7.2	10.9	20.1
White-----	2.5	3.2	0.5	0.5	0.7	0.9	1.8	3.4	5.6	7.9	11.9	20.5
Male----	2.5	3.6	0.5	0.6	0.7	0.9	1.5	2.8	6.3	9.2	13.4	20.5
Female----	2.6	2.7	0.5	0.5	0.6	0.9	2.1	4.1	5.1	6.9	10.8	20.5
Nonwhite-----	3.2	2.2	0.7	0.7	1.0	2.0	5.1	6.5	8.1	10.6	12.6	16.7
Male----	2.4	2.8	0.9	0.7	1.0	1.3	2.2	4.6	5.8	9.2	13.2	15.2
Female----	4.0	1.6	0.5	0.8	1.1	2.5	7.6	8.2	10.4	11.9	12.1	17.8
Asthma (241)-----	2.7	0.6	0.4	0.2	0.4	0.7	1.4	3.3	7.5	12.3	15.4	15.8
Male----	3.4	0.6	0.4	0.3	0.3	0.5	1.0	3.6	10.4	19.6	24.5	22.9
Female----	2.0	0.6	0.4	0.2	0.5	1.0	1.7	2.9	4.8	6.2	8.5	11.3
White-----	2.6	0.5	0.3	0.2	0.3	0.5	1.0	2.9	7.2	12.3	15.8	16.6
Male----	3.4	0.5	0.3	0.2	0.3	0.7	3.3	10.2	19.7	25.3	24.6	24.6
Female----	1.8	0.4	0.2	0.2	0.3	0.7	1.3	2.5	4.5	6.2	8.8	11.6
Nonwhite-----	3.5	1.6	1.1	0.6	1.3	2.6	4.1	7.3	10.5	13.6	12.6	10.3
Male----	3.9	1.6	1.1	0.7	1.4	1.9	3.3	7.2	13.0	20.6	19.5	12.1
Female----	3.2	1.6	1.1	0.5	1.3	3.3	4.8	7.3	8.1	7.6	6.5	8.9
Diabetes mellitus (260)-----	17.2	0.4	0.2	0.3	0.9	2.6	5.0	12.1	37.5	95.1	165.9	206.6
Male----	14.2	0.3	0.1	0.2	0.7	3.0	5.5	11.8	33.3	80.4	144.9	204.9
Female----	20.1	0.4	0.2	0.4	1.1	2.2	4.4	12.3	41.4	107.3	181.8	207.6
White-----	16.7	0.3	0.2	0.3	0.8	2.4	4.1	9.9	32.3	90.0	166.0	209.9
Male----	14.2	0.3	0.1	0.2	0.6	2.8	5.0	10.9	30.9	77.5	147.0	206.2
Female----	19.2	0.2	0.2	0.4	0.9	2.0	3.2	9.0	33.6	100.4	180.4	212.1
Nonwhite-----	19.8	0.9	0.3	0.3	1.6	4.5	12.2	32.6	86.2	139.0	141.3	151.3
Male----	13.9	0.6	0.2	0.3	1.1	4.7	10.1	21.4	53.4	104.0	108.0	163.6
Female----	25.4	1.3	0.3	0.3	2.1	3.9	14.1	42.8	117.7	169.5	170.4	142.2
Anemias (290-295)-----	1.8	3.0	1.1	0.4	0.5	0.4	0.5	1.0	2.2	6.7	16.3	39.7
Male----	1.8	2.9	1.2	0.3	0.6	0.4	0.5	0.8	2.3	7.9	17.3	42.1
Female----	1.9	3.1	0.9	0.5	0.5	0.4	0.5	1.2	2.1	5.7	15.6	38.2
White-----	1.6	1.5	0.5	0.3	0.3	0.2	0.3	0.8	2.0	6.4	16.9	41.7
Male----	1.6	1.2	0.5	0.2	0.3	0.2	0.4	0.7	2.1	7.6	17.9	43.7
Female----	1.7	1.9	0.4	0.4	0.3	0.1	0.3	0.9	1.8	5.5	16.2	40.4
Nonwhite-----	3.1	10.5	4.1	1.3	2.1	2.3	2.0	2.6	4.6	8.7	11.0	20.5
Male----	3.2	11.9	4.9	1.2	2.3	2.2	2.1	1.8	3.9	9.7	11.5	27.3
Female----	3.0	9.2	3.3	1.5	1.9	2.3	1.9	3.3	5.1	7.8	10.6	15.6
Meningitis, except meningococcal and tuberculous (340)-----	1.2	21.3	2.8	0.4	0.2	0.3	0.5	0.6	1.2	1.5	2.2	2.6
Male----	1.4	23.2	3.2	0.4	0.3	0.3	0.6	0.9	1.4	1.8	2.4	2.1
Female----	1.0	19.2	2.3	0.3	0.1	0.3	0.4	0.4	0.9	1.2	2.0	2.9
White-----	1.0	17.4	2.2	0.3	0.1	0.2	0.3	0.5	1.0	1.2	1.9	2.6
Male----	1.2	19.7	2.6	0.4	0.2	0.3	0.4	0.8	1.2	1.6	2.2	2.3
Female----	0.8	15.0	1.9	0.3	0.1	0.2	0.2	0.3	0.8	1.0	1.6	2.7
Nonwhite-----	3.1	42.5	5.5	0.7	0.7	0.6	1.7	1.7	3.2	4.4	5.6	3.8
Male----	3.4	43.1	6.6	0.7	1.0	0.4	2.2	1.7	4.1	5.0	5.2	-
Female----	2.8	41.8	4.5	0.7	0.5	0.8	1.3	1.7	2.4	3.9	6.0	6.7

¹Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-9. Death Rates for 60 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1963-Con. (Refers only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

CAUSE OF DEATH, COLOR, AND SEX	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Hernia and intestinal obstruction (580,561,570)	5.3	22.3	0.5	0.1	0.2	0.5	1.2	3.2	8.4	21.2	53.1	117.7
Male	5.1	27.6	0.7	0.2	0.2	0.4	1.0	3.0	9.1	23.7	53.6	106.6
Female	5.4	15.8	0.3	0.1	0.2	0.6	1.4	3.4	7.6	19.2	52.7	124.5
White	5.3	22.0	0.4	0.1	0.2	0.3	1.0	2.8	7.6	20.6	54.3	122.6
Male	5.0	25.6	0.6	0.1	0.2	0.2	0.8	2.7	8.3	23.1	54.2	109.1
Female	5.5	17.2	0.2	0.1	0.2	0.4	1.1	2.9	7.0	18.4	54.4	131.3
Nonwhite	5.3	24.5	0.7	0.2	0.4	1.4	2.9	7.0	16.2	29.6	39.7	84.1
Male	5.7	33.4	0.9	0.3	0.4	1.3	2.3	6.2	17.5	32.0	46.0	84.8
Female	4.9	15.5	0.5	0.1	0.4	1.4	3.5	7.8	15.0	27.5	34.2	46.9
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)	4.4	51.4	3.0	0.3	0.4	0.6	1.2	2.6	5.3	12.4	26.7	67.1
Male	4.4	57.5	3.1	0.3	0.4	0.7	1.4	2.9	6.1	13.4	27.0	53.8
Female	4.3	45.0	3.0	0.2	0.4	0.6	0.9	2.3	4.6	11.6	30.1	75.4
White	3.9	29.1	2.4	0.2	0.4	0.6	1.1	2.6	5.2	12.4	29.5	68.3
Male	3.9	32.9	2.5	0.3	0.3	0.7	1.4	2.9	6.2	13.3	27.8	54.5
Female	3.9	25.1	2.3	0.2	0.4	0.6	0.9	2.2	4.4	11.7	30.8	76.8
Nonwhite	7.9	171.1	6.8	0.4	0.5	0.8	1.3	3.1	5.6	12.0	17.2	50.0
Male	8.7	192.2	6.4	0.4	0.7	0.8	1.7	2.9	5.2	14.1	14.9	42.4
Female	7.2	149.7	7.2	0.5	0.4	0.8	1.0	3.4	6.0	10.2	19.1	55.6
Cirrhosis of liver (581)	11.9	0.9	0.1	0.1	0.3	3.3	12.7	29.9	36.4	37.5	29.6	26.1
Male	15.7	1.0	0.1	0.1	0.2	3.6	15.3	38.2	52.4	57.8	42.7	34.5
Female	8.3	0.9	0.2	0.1	0.3	3.0	10.2	21.9	21.6	20.6	19.7	20.9
White	11.8	0.7	0.1	0.1	0.2	2.1	10.9	29.2	36.2	39.2	30.4	27.5
Male	15.7	0.8	0.1	0.1	0.2	2.5	15.2	37.7	52.4	59.1	43.8	37.2
Female	8.0	0.7	0.2	0.1	0.3	1.6	8.8	20.9	21.2	20.8	20.5	21.6
Nonwhite	11.5	1.9	0.2	0.2	0.5	11.8	25.1	35.0	34.1	25.8	15.5	14.1
Male	13.9	1.9	0.2	0.2	0.4	11.3	32.0	39.4	45.9	37.5	23.6	15.2
Female	9.3	1.9	0.1	0.3	0.7	12.2	21.0	27.1	21.8	15.6	8.5	13.3
Cholelithiasis, cholecystitis, and cholangitis (584,585)	2.5	0.0	-	-	0.1	0.2	0.5	1.2	4.1	12.2	29.2	63.1
Male	2.1	-	-	-	0.0	0.1	0.4	1.1	3.7	11.8	27.3	56.1
Female	2.9	0.1	-	-	0.1	0.3	0.7	1.3	4.5	12.5	30.7	67.4
White	2.6	0.0	-	-	0.1	0.2	0.5	1.2	4.2	12.3	30.5	66.0
Male	2.2	-	-	-	0.0	0.1	0.4	1.1	4.0	12.2	28.9	60.7
Female	3.0	0.1	-	-	0.1	0.3	0.6	1.3	4.3	12.4	31.6	72.5
Nonwhite	1.2	-	-	-	0.1	0.4	0.9	1.3	3.6	9.9	11.5	17.9
Male	0.8	-	-	-	0.1	0.2	0.5	1.1	1.4	6.9	10.3	18.2
Female	1.6	-	-	-	0.1	0.7	1.3	1.4	5.7	12.6	12.6	17.8
Acute nephritis, and nephritis with edema including nephrosis (590,591)	0.8	0.4	0.4	0.3	0.3	0.4	0.6	0.8	1.4	2.4	3.9	8.2
Male	0.9	0.6	0.4	0.3	0.3	0.4	0.6	1.0	1.8	2.9	4.8	11.7
Female	0.7	0.3	0.3	0.3	0.4	0.3	0.5	0.6	1.0	1.9	3.2	6.0
White	0.6	0.4	0.2	0.2	0.3	0.3	0.4	0.6	1.2	1.9	3.5	8.2
Male	0.7	0.5	0.3	0.2	0.3	0.4	0.6	0.8	1.5	2.3	4.4	11.4
Female	0.6	0.2	0.2	0.2	0.3	0.2	0.4	0.5	0.9	1.6	2.9	6.2
Nonwhite	1.6	0.8	1.2	0.6	0.8	0.9	1.8	1.9	3.4	7.2	7.5	11.5
Male	1.8	1.3	1.1	0.7	0.6	0.6	2.2	2.4	4.2	9.4	9.2	18.2
Female	1.4	0.3	1.3	0.5	1.1	1.2	1.5	1.3	2.6	5.2	6.0	6.7
Infections of kidney (600)	4.7	0.9	0.2	0.1	0.3	0.9	1.8	3.9	8.8	20.5	45.9	106.8
Male	4.7	1.3	0.2	0.1	0.3	0.7	1.4	3.2	8.5	23.9	54.5	136.1
Female	4.8	0.4	0.2	0.2	0.4	1.2	2.1	4.6	9.2	17.7	39.5	91.7
White	4.4	0.8	0.2	0.1	0.3	0.7	1.2	2.9	7.1	18.2	44.5	110.2
Male	4.3	1.1	0.2	0.1	0.2	0.6	0.9	2.5	6.8	20.6	52.4	136.4
Female	4.5	0.4	0.2	0.2	0.3	0.9	1.4	3.3	7.5	16.2	39.6	94.0
Nonwhite	7.8	1.6	0.2	0.1	0.6	2.4	6.8	12.9	27.1	48.7	63.3	110.3
Male	8.0	2.8	0.2	0.1	0.4	1.5	5.5	10.3	27.0	62.3	80.5	145.5
Female	7.6	0.3	0.2	0.2	0.7	3.2	7.9	15.3	27.1	36.8	48.2	84.4
Hypertrophy of prostate (610)	2.3	-	-	-	-	-	0.0	0.2	1.9	10.0	35.1	92.7
Male	4.6	-	-	-	-	-	0.0	0.3	3.9	22.0	81.9	241.3
White	2.2	-	-	-	-	-	-	0.1	1.4	8.6	33.8	94.1
Male	4.5	-	-	-	-	-	-	0.2	2.9	19.0	79.4	246.3
Nonwhite	2.8	-	-	-	-	-	0.1	0.6	6.6	25.2	53.1	87.2
Male	5.7	-	-	-	-	-	0.3	1.2	13.4	54.1	113.8	206.1
Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	0.8	-	-	0.0	1.5	2.8	1.8	0.0	-	-	-	-
Female	1.5	-	-	0.0	2.9	5.4	3.5	0.1	-	-	-	-
White	0.5	-	-	-	1.0	1.7	1.2	0.0	-	-	-	-
Female	1.0	-	-	-	1.9	3.4	2.3	0.1	-	-	-	-
Nonwhite	2.9	-	-	0.1	5.1	10.2	7.1	0.1	-	-	-	-
Female	5.6	-	-	0.3	9.9	19.0	13.4	0.3	-	-	-	-
Abortion (650-652)	0.1	-	-	0.0	0.3	0.6	0.3	0.0	-	-	-	-
Female	0.3	-	-	0.0	0.5	1.2	0.5	0.0	-	-	-	-
White	0.1	-	-	-	0.2	0.4	0.2	0.0	-	-	-	-
Female	0.2	-	-	-	0.4	0.8	0.3	0.0	-	-	-	-
Nonwhite	0.5	-	-	0.0	0.9	2.0	1.1	-	-	-	-	-
Female	1.0	-	-	0.1	1.7	3.6	2.0	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-649,660-689)	0.6	-	-	0.0	1.2	2.1	1.5	0.0	-	-	-	-
Female	1.2	-	-	0.0	2.4	4.2	2.9	0.1	-	-	-	-
White	0.4	-	-	-	0.8	1.3	1.0	0.0	-	-	-	-
Female	0.8	-	-	-	1.6	2.5	1.9	0.1	-	-	-	-
Nonwhite	2.4	-	-	0.1	4.2	8.2	6.1	0.1	-	-	-	-
Female	4.6	-	-	0.2	8.2	15.4	11.4	0.3	-	-	-	-
Congenital malformations (750-759)	11.0	357.8	10.8	2.8	2.6	2.0	2.2	3.1	3.0	2.9	2.7	4.2
Male	12.1	381.9	10.4	3.0	3.0	2.2	2.6	3.3	3.0	3.3	3.4	5.7
Female	10.0	332.7	11.3	2.5	2.2	1.9	1.9	2.9	2.9	2.6	2.1	3.2
White	10.8	367.4	10.3	2.8	2.5	2.0	2.2	3.0	3.0	3.0	2.8	4.5
Male	11.8	389.3	10.1	3.1	2.9	2.1	2.5	3.2	3.0	3.4	3.5	6.5
Female	9.8	344.5	10.5	2.5	2.1	1.9	1.8	2.8	3.0	2.7	2.3	3.3
Nonwhite	13.0	305.9	13.9	2.8	2.8	2.4	2.6	3.9	3.2	2.0	1.1	1.3
Male	14.3	333.4	12.7	3.0	2.9	2.8	2.7	3.7	3.5	2.7	1.1	-
Female	11.8	274.1	15.0	2.7	2.7	2.0	2.6	4.1	2.8	1.3	1.0	2.2

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - MORTALITY

Table 1-9. Death Rates for 60 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1963-Con. (Refers only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

CAUSE OF DEATH, COLOR, AND SEX	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Certain diseases of early infancy (760-776)-----	33.3	1,537.8	0.1	0.0	0.0	-	-	-	-	-	-	-
Male-----	39.8	1,773.4	0.1	0.0	0.0	-	-	-	-	-	-	-
Female-----	26.9	1,292.1	0.0	0.0	0.0	-	-	-	-	-	-	-
White-----	28.4	1,376.0	0.0	0.0	0.0	-	-	-	-	-	-	-
Male-----	34.3	1,598.0	0.1	0.0	0.0	-	-	-	-	-	-	-
Female-----	22.7	1,143.2	-	0.0	0.0	-	-	-	-	-	-	-
Nonwhite-----	69.6	2,352.8	0.2	-	-	-	-	-	-	-	-	-
Male-----	81.8	2,665.9	0.3	-	-	-	-	-	-	-	-	-
Female-----	58.1	2,036.8	0.1	-	-	-	-	-	-	-	-	-
Birth injuries, postnatal asphyxia, and atelectasis (760-762)-	14.3	659.8	-	0.0	-	-	-	-	-	-	-	-
Male-----	17.4	775.0	-	0.0	-	-	-	-	-	-	-	-
Female-----	11.2	539.7	-	-	-	-	-	-	-	-	-	-
White-----	12.7	615.7	-	0.0	-	-	-	-	-	-	-	-
Male-----	15.7	730.0	-	0.0	-	-	-	-	-	-	-	-
Female-----	9.8	495.7	-	-	-	-	-	-	-	-	-	-
Nonwhite-----	25.1	847.6	-	-	-	-	-	-	-	-	-	-
Male-----	29.5	961.9	-	-	-	-	-	-	-	-	-	-
Female-----	20.9	732.0	-	-	-	-	-	-	-	-	-	-
Infections of newborn (763-768)-----	2.3	108.2	-	-	-	-	-	-	-	-	-	-
Male-----	2.8	123.7	-	-	-	-	-	-	-	-	-	-
Female-----	1.9	92.0	-	-	-	-	-	-	-	-	-	-
White-----	1.7	82.4	-	-	-	-	-	-	-	-	-	-
Male-----	2.0	93.8	-	-	-	-	-	-	-	-	-	-
Female-----	1.4	70.4	-	-	-	-	-	-	-	-	-	-
Nonwhite-----	7.2	244.3	-	-	-	-	-	-	-	-	-	-
Male-----	8.7	282.2	-	-	-	-	-	-	-	-	-	-
Female-----	5.9	206.0	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to early infancy, and immaturity, unqualified (769-776)-----	16.7	769.8	0.1	0.0	0.0	-	-	-	-	-	-	-
Male-----	19.7	874.7	0.1	0.0	0.0	-	-	-	-	-	-	-
Female-----	13.7	660.4	0.0	0.0	0.0	-	-	-	-	-	-	-
White-----	14.0	678.0	0.0	0.0	0.0	-	-	-	-	-	-	-
Male-----	16.6	774.2	0.1	0.0	0.0	-	-	-	-	-	-	-
Female-----	11.4	577.1	-	0.0	0.0	-	-	-	-	-	-	-
Nonwhite-----	37.3	1,260.8	0.2	-	-	-	-	-	-	-	-	-
Male-----	43.6	1,421.9	0.3	-	-	-	-	-	-	-	-	-
Female-----	31.3	1,097.8	0.1	-	-	-	-	-	-	-	-	-
Symptoms, senility, and ill-defined conditions (780-795)-----	11.9	62.2	2.4	0.6	1.5	2.9	5.8	11.1	20.4	36.5	74.8	296.9
Male-----	14.2	70.0	2.6	0.6	1.8	3.2	6.9	15.0	28.5	51.3	95.4	328.6
Female-----	9.7	53.9	2.2	0.6	1.1	2.6	4.7	7.3	12.8	24.2	59.3	277.1
White-----	8.9	31.0	1.2	0.4	1.2	1.9	4.0	8.2	14.7	26.7	61.8	257.4
Male-----	10.9	35.1	1.3	0.4	1.5	2.1	5.0	11.6	22.3	39.6	78.9	278.6
Female-----	7.1	26.6	1.1	0.4	0.8	1.8	3.1	4.8	7.7	15.9	49.1	244.4
Nonwhite-----	36.3	235.1	9.4	1.5	3.7	10.0	21.0	40.6	82.7	164.2	262.5	829.5
Male-----	42.1	267.2	10.4	1.8	4.2	12.2	24.2	50.5	97.9	201.0	315.2	924.2
Female-----	30.9	202.5	8.5	1.3	3.2	8.2	18.2	31.5	69.1	132.0	218.1	760.0
All other diseases (Residual)-----	28.7	64.2	8.9	4.3	5.7	9.2	17.5	30.5	54.7	101.4	181.5	400.6
Male-----	32.0	72.4	9.5	4.3	6.8	9.8	19.0	36.8	66.9	127.7	214.9	433.8
Female-----	25.6	55.7	8.4	4.2	4.5	8.7	16.0	24.4	43.4	79.6	156.4	379.9
White-----	28.0	58.1	8.6	4.1	5.1	7.2	14.4	27.8	52.1	99.6	185.0	415.0
Male-----	31.2	65.6	9.1	4.2	6.2	7.6	16.0	34.1	64.1	125.2	219.0	444.9
Female-----	25.0	50.2	8.0	4.1	3.9	6.8	12.9	21.7	41.0	78.4	159.9	396.6
Nonwhite-----	34.6	99.1	10.5	5.0	10.0	24.1	43.2	56.7	82.0	125.2	155.5	298.7
Male-----	39.0	111.3	11.6	4.7	11.1	26.4	45.2	65.2	96.3	159.8	187.4	387.9
Female-----	30.5	86.7	9.4	5.4	8.9	22.2	41.4	48.9	68.2	95.0	127.6	233.3
Accidents (E800-E962)-----	53.4	86.2	31.1	18.3	57.3	45.1	43.0	51.4	62.5	89.9	205.1	634.9
Male-----	74.1	95.7	35.7	25.1	93.0	74.7	68.0	79.1	95.7	123.4	234.7	627.8
Female-----	33.4	78.4	26.3	11.3	22.1	16.7	19.2	24.8	33.5	62.1	182.8	639.4
White-----	52.3	72.0	27.6	16.9	57.7	42.7	40.5	49.2	60.1	87.5	208.3	664.7
Male-----	72.2	80.3	32.2	23.5	93.1	70.7	65.4	75.5	90.1	119.9	238.9	657.8
Female-----	33.0	65.3	22.8	10.1	22.5	15.2	18.5	23.9	32.5	60.5	185.8	669.0
Nonwhite-----	65.5	180.8	52.2	27.5	58.9	68.0	68.9	78.3	92.1	122.0	187.0	350.0
Male-----	94.6	165.6	57.8	36.2	98.9	114.2	115.8	125.4	138.7	168.7	196.6	339.4
Female-----	38.1	156.0	46.7	18.9	20.7	28.2	27.7	35.1	47.4	61.2	141.2	357.8
Motor vehicle accidents (E810-E835)-----	23.1	7.9	10.0	8.1	40.1	27.0	21.9	23.6	27.0	33.4	44.5	39.8
Male-----	34.2	7.5	11.5	10.6	63.4	43.8	33.7	34.7	38.7	47.9	69.9	71.9
Female-----	12.4	8.2	8.5	5.4	17.2	10.8	10.7	13.0	16.2	21.3	25.4	19.8
White-----	23.4	8.5	9.9	8.0	41.8	26.5	21.4	23.3	26.7	33.4	45.6	40.6
Male-----	34.4	8.1	11.2	10.4	65.6	42.7	32.4	34.0	37.9	47.3	72.2	72.7
Female-----	12.7	8.9	8.7	5.4	18.1	10.6	10.9	13.0	16.4	21.8	26.2	20.8
Nonwhite-----	23.4	5.5	11.6	9.1	31.8	34.3	29.2	31.0	33.3	36.1	31.9	33.3
Male-----	36.7	5.6	14.7	12.2	52.9	57.9	49.6	48.1	51.3	58.3	50.0	63.6
Female-----	11.0	5.4	8.6	6.0	11.6	13.9	11.3	15.3	16.1	16.7	16.1	11.1
Other accidents (E800-E802, E840-E862)-----	30.3	78.4	21.0	10.3	17.2	18.2	21.0	27.7	35.4	56.5	160.6	595.1
Male-----	39.9	86.2	24.2	14.5	29.6	30.9	34.2	44.4	54.9	75.5	164.8	555.8
Female-----	21.0	70.2	17.8	5.9	5.0	5.9	8.5	11.8	17.3	40.7	157.4	619.6
White-----	28.9	63.5	17.6	9.0	15.9	16.2	19.1	25.9	33.4	54.1	162.5	624.1
Male-----	37.8	72.2	21.0	13.1	27.6	28.0	31.1	41.5	52.2	72.6	166.8	585.0
Female-----	20.3	54.4	14.1	4.7	4.4	4.6	7.6	10.9	16.0	38.6	159.5	648.2
Nonwhite-----	42.0	155.3	40.6	18.4	27.1	33.7	39.7	47.3	58.8	85.9	133.1	316.7
Male-----	57.9	180.0	43.1	23.9	46.0	56.3	66.2	77.3	87.5	110.4	146.6	275.8
Female-----	27.1	150.6	38.1	12.9	9.0	14.3	16.4	19.7	31.3	64.5	125.1	346.7
Suicide (E963, E970-E979)-----	11.0	0.3	6.0	11.8	16.0	21.1	23.6	22.4	25.4	24.6
Male-----	16.5	0.5	9.0	16.6	22.4	30.7	37.3	38.3	49.4	55.8
Female-----	5.8	0.1	3.1	7.2	9.9	11.9	10.9	9.1	7.4	5.0
White-----	11.9	0.3	6.2	12.2	17.1	22.8	25.4	23.4	26.9	25.9
Male-----	17.8	0.5	9.2	16.9	23.6	33.0	40.2	40.3	52.6	59.5
Female-----	6.3	0.1	3.1	7.5	10.9	12.9	11.2	9.5	7.7	5.1
Nonwhite-----	5.0	0.3	5.0	10.0	9.1	7.9	7.4	11.1	9.7	7.7
Male-----	7.9	0.3	7.5	15.9	14.9	13.6	12.7	18.1	19.0	12.1
Female-----	2.2	0.2	2.6	5.0	4.0	2.7	2.3	5.0	1.5	4.4

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - MORTALITY

Table 1-9. Death Rates for 60 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1963-Con.
(Refers only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

CAUSE OF DEATH, COLOR, AND SEX	Total ¹	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years
		1 year	years	years	years	years	years	years	years	years	years	and over
Homicide (E864, E880-E885)-----	4.9	5.0	1.1	0.6	5.8	10.2	8.8	6.2	4.5	2.9	2.8	2.4
Male-----	7.5	5.0	1.2	0.6	9.0	16.1	13.8	9.7	7.4	4.5	4.0	3.6
Female-----	2.4	5.0	1.1	0.5	2.6	4.5	4.1	2.8	1.8	1.7	1.9	1.6
White-----	2.7	4.2	1.0	0.5	2.8	4.8	4.3	3.5	2.9	2.3	2.3	2.2
Male-----	3.9	4.2	1.1	0.5	4.2	7.3	6.4	5.1	4.4	3.4	3.2	2.9
Female-----	1.5	4.1	0.9	0.4	1.4	2.3	2.2	1.9	1.4	1.3	1.7	1.8
Nonwhite-----	22.0	9.0	1.8	1.4	27.7	51.5	48.3	31.6	21.2	11.6	7.8	5.1
Male-----	35.7	9.4	1.8	1.5	45.2	87.7	81.2	54.7	37.5	17.9	12.6	12.1
Female-----	9.1	8.5	1.9	1.3	10.9	20.3	19.6	10.5	5.5	6.1	3.5	-

¹Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-10. Death Rates for Geographic Divisions by Place of Occurrence: United States, 1900-1963

(Excludes fetal deaths. Prior to 1933, data for death-registration States only. Rates per 1,000 population in each area; enumerated as of April 1 for 1940, 1950, and 1960 and estimated as of July 1 for all other years. Average rates computed from 5-year totals of deaths occurring in the area and corresponding population. Rates are shown for each division from the period when the division as a whole became part of the area)

YEAR	United States ¹	GEOGRAPHIC DIVISION								
		New England	Middle Atlantic	East North Central	West North Central	South Atlantic	East South Central	West South Central	Mountain	Pacific ¹
1963-----	9.6	10.5	10.5	9.8	10.4	9.3	10.0	8.7	7.9	8.5
1962-----	9.5	10.6	10.4	9.5	10.2	9.1	9.6	8.7	7.9	8.4
1961-----	9.3	10.5	10.3	9.3	9.9	8.9	9.3	8.3	7.8	8.4
1960-----	9.5	10.6	10.4	9.5	10.2	9.2	9.6	8.7	8.2	8.7
1959-----	9.4	10.4	10.4	9.4	10.1	8.9	9.3	8.4	8.2	8.5
1958-----	9.5	10.8	10.4	9.5	10.1	9.0	9.7	8.6	8.1	8.6
1957-----	9.6	10.7	10.5	9.7	10.2	9.0	9.5	8.6	8.3	8.8
1956-----	9.4	10.5	10.2	9.5	9.8	8.8	9.1	8.4	8.2	8.8
1955-----	9.3	10.6	10.2	9.4	9.7	8.6	9.0	8.0	8.2	8.9
1950-54-----	9.5	10.5	10.3	9.8	10.1	8.8	9.1	8.3	8.7	9.2
1945-49-----	10.0	11.0	10.9	10.3	10.5	9.1	9.4	8.6	9.7	9.9
1940-44-----	10.6	11.8	11.5	10.9	10.6	9.9	9.9	9.0	10.4	10.9
1935-39-----	11.0	11.8	11.2	11.1	10.6	11.1	10.8	9.9	11.3	11.7
1930-34-----	11.0	11.8	11.3	10.9	10.4	11.4	10.8	---	11.1	11.2
1925-29-----	11.7	12.4	12.4	11.6	---	---	11.7	---	---	11.6
1920-24-----	12.0	13.0	12.8	11.5	---	---	---	---	---	12.0
1915-19-----	14.5	16.0	15.8	---	---	---	---	---	---	---
1910-14-----	13.8	15.4	15.0	---	---	---	---	---	---	---
1905-09-----	15.2	16.2	---	---	---	---	---	---	---	---
1900-1904-----	16.2	16.8	---	---	---	---	---	---	---	---

¹Alaska included beginning 1959, and Hawaii, 1960.

SECTION 1 - MORTALITY

1-17

Table 1-11. Death Rates: United States, Each Division and State, 1954-63

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Rates per 1,000 population in each area, enumerated as of April 1 for 1960 and estimated as of July 1 for all other years)

DIVISION AND STATE	1963	1962	1961	1960	1959	1958	1957	1956	1955	1954
UNITED STATES ¹ -----	9.6	9.5	9.3	9.5	9.4	9.5	9.6	9.4	9.3	9.2
GEOGRAPHIC DIVISIONS:										
New England-----	10.6	10.6	10.5	10.6	10.4	10.8	10.7	10.5	10.6	10.2
Middle Atlantic-----	10.6	10.4	10.4	10.5	10.4	10.4	10.6	10.3	10.3	10.0
East North Central-----	9.8	9.6	9.4	9.6	9.5	9.6	9.8	9.5	9.5	9.4
West North Central-----	10.3	10.1	9.9	10.1	10.0	10.1	10.2	9.7	9.6	9.7
South Atlantic-----	9.2	9.0	8.8	9.1	8.8	8.9	8.9	8.6	8.5	8.4
East South Central-----	9.9	9.6	9.3	9.5	9.3	9.7	9.5	9.1	9.0	8.9
West South Central-----	8.7	8.7	8.8	8.7	8.4	8.6	8.6	8.4	8.0	8.2
Mountain-----	7.8	7.8	7.6	8.1	8.0	8.0	8.1	8.0	8.0	8.1
Pacific-----	8.5	8.4	8.4	8.7	8.5	8.6	8.8	8.8	8.9	8.7
NEW ENGLAND:										
Maine-----	11.2	11.3	10.9	11.1	11.3	11.1	10.8	10.8	10.9	10.7
New Hampshire-----	11.5	10.9	11.0	11.0	11.3	11.3	11.7	11.4	11.6	11.1
Vermont-----	11.6	11.3	11.1	11.4	11.3	11.3	11.7	11.7	11.3	10.7
Massachusetts-----	10.7	10.9	11.0	11.0	10.7	11.3	11.1	10.9	10.9	10.5
Rhode Island-----	10.7	10.4	10.3	10.5	10.3	10.3	10.1	10.0	10.6	10.0
Connecticut-----	9.6	9.5	9.3	9.4	9.3	9.5	9.6	9.4	9.5	9.1
MIDDLE ATLANTIC:										
New York-----	10.5	10.4	10.4	10.6	10.6	10.5	10.5	10.3	10.4	10.1
New Jersey-----	9.9	9.8	9.8	9.8	9.7	9.8	10.0	9.7	9.9	9.6
Pennsylvania-----	11.1	10.8	10.6	10.7	10.6	10.7	10.9	10.5	10.4	10.0
EAST NORTH CENTRAL:										
Ohio-----	9.6	9.5	9.3	9.6	9.4	9.6	9.7	9.5	9.5	9.3
Indiana-----	10.3	9.9	9.6	9.7	9.6	9.7	9.8	9.6	9.6	9.4
Illinois-----	10.6	10.4	10.1	10.2	10.1	10.3	10.6	10.2	10.1	10.0
Michigan-----	8.9	8.7	8.5	8.7	8.6	8.6	8.8	8.6	8.7	8.6
Wisconsin-----	9.8	9.5	9.3	9.7	9.6	9.7	9.7	9.5	9.5	9.4
WEST NORTH CENTRAL:										
Minnesota-----	9.4	9.2	9.0	9.3	9.2	9.3	9.5	9.1	9.0	9.0
Iowa-----	10.5	10.3	10.1	10.4	10.4	10.3	10.3	9.8	10.0	9.8
Missouri-----	11.7	11.4	10.9	11.2	11.0	11.2	11.3	10.7	10.4	10.8
North Dakota-----	8.7	8.6	8.2	8.6	8.6	8.6	9.0	8.5	8.6	8.3
South Dakota-----	9.1	9.1	9.0	9.7	9.4	9.5	9.4	9.0	8.9	8.8
Nebraska-----	10.1	9.9	9.7	10.0	9.9	9.9	9.9	9.5	9.5	9.6
Kansas-----	10.0	9.8	9.6	9.7	9.5	9.5	9.6	9.3	9.1	9.5
SOUTH ATLANTIC:										
Delaware-----	9.3	9.1	8.9	9.4	9.0	9.5	9.2	9.0	9.6	9.5
Maryland-----	9.2	8.8	8.8	9.0	8.8	9.1	9.2	8.9	8.8	8.6
District of Columbia-----	11.6	11.3	11.3	11.5	11.6	11.8	11.8	11.3	10.6	10.2
Virginia-----	8.5	8.4	8.3	8.7	8.4	8.5	8.6	8.4	8.4	8.3
West Virginia-----	10.9	10.4	10.0	9.7	9.5	9.6	9.7	9.1	8.9	8.5
North Carolina-----	8.5	8.3	8.0	8.4	8.0	8.2	8.0	7.7	7.6	7.7
South Carolina-----	8.8	8.4	8.4	8.7	8.4	8.6	8.4	8.3	8.3	8.1
Georgia-----	9.1	8.8	8.6	9.0	8.6	8.8	8.9	8.6	8.5	8.5
Florida-----	9.9	9.7	9.3	9.7	9.2	9.4	9.2	9.1	8.9	9.0
EAST SOUTH CENTRAL:										
Kentucky-----	10.3	9.9	9.6	9.9	9.6	9.9	10.0	9.6	9.5	9.3
Tennessee-----	9.7	9.3	9.1	9.2	9.0	9.3	9.1	8.7	8.5	8.5
Alabama-----	9.6	9.3	8.9	9.3	9.0	9.3	9.1	8.9	8.6	8.7
Mississippi-----	10.2	10.1	9.6	10.0	9.8	10.3	9.8	9.5	9.4	9.4
WEST SOUTH CENTRAL:										
Arkansas-----	10.5	10.2	9.7	10.0	9.6	9.9	9.6	9.3	8.8	8.7
Louisiana-----	9.1	9.0	8.8	9.1	8.8	9.2	9.0	8.6	8.3	8.5
Oklahoma-----	9.8	9.8	9.6	9.8	9.6	9.6	9.4	9.2	8.8	9.1
Texas-----	8.0	8.0	7.7	8.1	7.8	7.9	8.0	7.9	7.6	7.7
MOUNTAIN:										
Montana-----	9.4	9.2	9.1	9.7	9.8	9.4	9.7	9.9	9.7	9.7
Idaho-----	8.3	8.0	8.1	8.1	8.3	8.1	8.2	8.0	8.0	8.2
Wyoming-----	8.4	8.3	7.8	8.5	8.2	8.1	8.3	8.1	8.0	8.3
Colorado-----	8.2	8.5	8.2	8.7	8.7	8.7	8.7	8.5	8.6	8.7
New Mexico-----	6.7	6.5	6.5	6.9	6.7	6.9	7.2	6.9	7.1	7.0
Arizona-----	7.6	7.5	7.4	7.8	7.6	7.6	7.8	7.5	7.7	7.7
Utah-----	6.7	6.6	6.5	6.8	6.8	6.9	7.0	6.8	6.8	6.9
Nevada-----	8.0	7.8	8.3	8.9	8.6	8.6	8.2	8.1	8.4	8.5
PACIFIC:										
Washington-----	9.0	9.1	9.0	9.3	9.3	9.2	9.3	9.1	9.4	9.3
Oregon-----	9.9	9.5	9.5	9.5	9.6	9.0	9.2	9.1	9.3	9.1
California-----	8.4	8.3	8.4	8.6	8.3	8.5	8.7	8.8	8.7	8.6
Alaska ² -----	5.4	5.4	5.4	5.8	5.1	5.2	5.4	5.5	5.4	5.6
Hawaii ³ -----	5.3	5.1	5.2	5.6	5.4	5.3	5.9	5.6	6.0	5.9

¹Excludes Alaska prior to 1959 and Hawaii prior to 1960.²Figures for 1954-58 are by place of occurrence.³Figures for 1954-58 are by place of occurrence.

Table 1-12. Deaths From 60 Selected Causes:

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths, Num-

DIVISION AND STATE		Total	Tuberculosis, all forms (001-019)	Tuberculosis of respiratory system (011-008)	Tuberculosis, other forms (010-019)	Syphilis and its sequelae (020-029)	Dysentery, all forms (045-046)	Scarlet fever and streptococcal sore throat (050, 051)	Diphtheria (055)	Whooping cough (056)	Meningococcal infections (057)	Acute poliomyelitis (060)	Measles (065)	Other infective and parasitic diseases (Residual)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-203)	Malignant neoplasms of buccal cavity and pharynx (140-148)	Malignant neoplasms of digestive organs and peritoneum, not specified as secondary (150-156, 157-159)
1	UNITED STATES----	1,813,549	9,511	8,608	703	2,666	294	102	45	115	733	41	364	6,062	285,362	6,509	92,914
GEOGRAPHIC DIVISIONS:																	
2	New England-----	113,722	440	405	35	155	2	4	1	1	46	-	5	359	18,845	484	6,601
3	Middle Atlantic-----	376,484	2,156	2,031	125	487	9	9	1	5	101	9	34	917	64,045	1,374	22,514
4	East North Central-----	366,317	1,615	1,498	117	426	18	19	3	10	131	3	81	993	59,336	1,345	20,062
5	West North Central-----	161,695	506	472	34	212	12	12	9	12	49	1	36	477	25,470	502	8,531
6	South Atlantic-----	256,131	1,451	1,321	130	448	52	15	11	27	150	10	56	1,125	36,866	963	10,827
7	East South Central-----	122,830	961	885	76	157	36	15	5	5	68	9	32	520	16,470	378	4,778
8	West South Central-----	158,067	1,021	945	76	358	86	20	9	35	68	3	41	834	23,743	548	7,018
9	Mountain-----	59,765	379	358	41	112	47	2	1	9	23	3	40	219	8,175	124	2,506
10	Pacific-----	198,540	782	713	69	311	32	3	3	5	97	3	39	618	32,412	790	10,078
NEW ENGLAND:																	
11	Maine-----	11,042	36	33	-	13	-	1	-	-	-	-	-	40	1,664	30	581
12	New Hampshire-----	7,185	14	14	-	11	-	-	-	-	-	-	-	22	1,171	28	399
13	Vermont-----	4,537	19	18	1	4	-	-	-	-	-	-	-	15	674	8	224
14	Massachusetts-----	55,809	251	230	21	80	-	2	1	1	20	-	-	175	9,204	256	3,287
15	Rhode Island-----	9,492	34	31	3	16	-	-	-	-	7	-	-	27	1,606	45	580
16	Connecticut-----	25,677	86	79	7	31	2	-	-	-	12	-	-	80	4,526	117	1,580
MIDDLE ATLANTIC:																	
17	New York-----	186,059	1,049	995	54	232	4	2	-	-	50	4	14	451	32,164	697	11,328
18	New Jersey-----	65,872	363	331	32	85	4	5	2	1	15	1	5	159	11,607	240	4,110
19	Pennsylvania-----	126,553	744	706	39	190	1	5	1	4	36	4	15	307	20,274	437	7,078
EAST NORTH CENTRAL:																	
20	Ohio-----	97,994	441	417	24	180	2	3	-	-	34	-	18	290	15,709	366	5,242
21	Indiana-----	48,459	233	202	21	87	-	-	-	4	31	1	7	133	7,498	171	2,450
22	Illinois-----	107,758	529	485	45	67	13	7	3	-	22	-	10	214	17,678	412	6,144
23	Michigan-----	72,441	312	289	23	77	1	2	-	-	29	-	1	27	238	12,070	270
24	Wisconsin-----	39,665	111	107	4	35	2	2	-	-	15	1	19	118	6,391	126	2,285
WEST NORTH CENTRAL:																	
25	Minnesota-----	32,766	94	87	7	22	1	1	4	2	11	-	8	112	5,371	94	1,917
26	Iowa-----	29,287	51	48	3	31	4	4	-	-	5	-	5	76	4,775	80	1,609
27	Missouri-----	50,560	266	252	14	90	3	3	1	6	10	-	10	128	7,770	183	2,475
28	North Dakota-----	5,511	12	10	2	4	-	-	2	-	2	-	-	5	21	849	18
29	South Dakota-----	6,675	27	22	5	5	2	1	1	1	3	-	-	28	1,003	17	304
30	Nebraska-----	14,681	15	14	1	9	2	2	1	1	6	1	7	47	2,358	36	856
31	Kansas-----	22,213	41	39	2	51	-	1	-	1	12	-	1	65	3,344	74	1,048
SOUTH ATLANTIC:																	
32	Delaware-----	4,451	28	25	3	14	-	1	-	-	-	-	-	7	685	10	199
33	Maryland-----	30,238	245	224	21	68	7	-	-	1	12	-	4	123	4,865	118	1,467
34	District of Columbia-----	9,248	98	87	11	14	-	1	1	-	2	-	-	42	1,424	63	485
35	Virginia-----	36,943	219	199	20	46	6	-	-	-	34	-	6	138	5,117	113	1,456
36	West Virginia-----	19,439	153	151	2	36	2	1	-	-	11	2	7	57	2,683	60	904
37	North Carolina-----	40,581	185	156	29	67	10	1	-	3	7	21	1	7	1,83	5,062	132
38	South Carolina-----	21,739	122	112	10	40	8	3	4	5	16	-	11	108	2,619	67	753
39	Georgia-----	37,718	152	138	14	67	14	3	5	8	19	2	11	223	4,916	143	1,391
40	Florida-----	55,794	249	229	20	96	5	4	1	2	35	5	10	244	9,495	257	2,869
EAST SOUTH CENTRAL:																	
41	Kentucky-----	31,745	269	250	19	47	4	3	1	2	19	1	13	129	4,353	109	1,311
42	Tennessee-----	35,699	297	279	18	33	9	5	3	2	25	2	7	149	5,115	128	1,467
43	Alabama-----	32,031	282	252	30	42	8	3	4	2	17	3	4	148	4,049	91	1,102
44	Mississippi-----	23,355	113	104	9	35	15	4	-	5	7	3	8	94	2,953	50	898
WEST SOUTH CENTRAL:																	
45	Arkansas-----	19,551	141	121	20	39	7	2	1	6	6	1	5	75	2,785	57	859
46	Louisiana-----	30,995	222	213	9	105	12	5	3	9	25	-	7	193	4,580	111	1,381
47	Oklahoma-----	24,474	152	144	8	42	2	2	-	2	9	-	4	86	3,694	69	1,125
48	Texas-----	83,047	506	467	39	172	65	11	5	18	28	2	25	480	12,684	311	3,653
MOUNTAIN:																	
49	Montana-----	6,621	27	21	6	11	3	-	-	-	4	-	-	16	893	8	293
50	Idaho-----	5,886	18	16	2	13	-	-	-	-	1	-	2	17	819	12	251
51	Wyoming-----	2,832	4	2	2	6	-	-	-	-	2	-	-	6	389	7	117
52	Colorado-----	16,149	63	58	5	24	5	1	1	1	2	-	4	61	2,226	29	704
53	New Mexico-----	6,846	70	61	9	21	15	-	-	2	5	-	7	24	840	18	260
54	Arizona-----	11,900	152	139	13	21	25	1	-	5	5	2	24	49	1,704	27	492
55	Utah-----	6,584	25	22	3	8	3	-	-	2	-	-	2	26	907	18	266
56	Nevada-----	2,947	20	19	1	8	-	-	-	1	2	1	1	20	397	5	122
PACIFIC:																	
57	Washington-----	27,560	84	70	14	43	4	-	-	-	12	-	2	71	4,319	111	1,362
58	Oregon-----	18,025	59	56	3	23	-	-	-	1	3	-	2	41	2,853	47	895
59	California-----	147,970	599	552	47	239	27	2	3	4	77	3	22	488	24,459	607	7,535
60	Alaska-----	1,329	21	18	3	2	1	1	-	-	2	-	13	4	149	3	39
61	Hawaii-----	3,656	19	17	2	4	-	-	-	-	3	-	-	14	632	2	257

SECTION 1 - MORTALITY

United States, Each Division and State, 1963

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Malignant neoplasm of respiratory system, not specified as secondary (150-164)	Malignant neoplasm of breast (170)	Malignant neoplasm of genital organs (171-179)	Malignant neoplasm of urinary organs (180,181)	Malignant neoplasm of other and unspecified sites (156B,165,190-199)	Leukemia and leukemia (204)	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-205,206)	Benign neoplasms and neoplasms of unspecified nature (210-239)	Asthma (241)	Diabetes mellitus (260)	Anemias (280-293)	Meningitis, except meningococcal and tuberculous (340)	Major cardiovascular-renal diseases (350-354,400-468,592-594)	Diseases of cardiovascular system (350-354,400-468)	Vascular lesions affecting central nervous system (350-354)	Diseases of heart (400-402,410-443)	Rheumatic fever and chronic rheumatic heart disease (400-402,410-416)	Arteriosclerotic heart disease including coronary disease (420)	Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)	
46,973	25,401	39,983	13,583	32,086	13,507	14,407	4,905	5,058	32,465	3,409	2,343	994,747	983,504	201,166	707,830	16,619	546,813	55,978	1
2,915	1,852	2,374	813	2,016	809	881	344	283	2,108	193	113	65,718	65,109	12,074	47,804	1,159	39,721	2,399	2
10,470	6,170	7,920	3,152	6,858	2,607	2,980	1,221	871	7,571	596	390	214,084	212,015	34,570	163,139	4,292	129,958	12,286	3
9,570	5,373	8,492	2,985	5,773	2,678	3,078	980	983	207,646	677	407	207,646	205,506	41,054	148,079	3,621	117,212	10,392	4
3,587	2,225	3,777	1,281	2,754	1,417	1,366	363	493	2,724	335	146	91,699	90,750	20,817	62,487	1,375	49,171	5,073	5
6,510	3,074	5,609	1,612	4,806	1,692	1,773	746	731	4,071	578	404	135,439	133,581	30,057	93,160	1,863	65,807	9,351	6
4,711	1,329	2,836	643	2,127	852	816	297	382	1,771	244	188	64,556	63,542	16,617	42,237	686	29,650	3,509	7
2,308	1,607	3,484	1,048	3,032	1,306	1,192	368	468	2,674	352	289	81,138	79,820	18,599	55,556	790	41,833	3,768	8
1,221	714	1,146	385	1,047	513	510	203	273	894	121	124	28,220	27,856	5,731	19,604	745	15,362	1,293	9
5,681	2,857	4,345	1,564	3,673	1,633	1,791	573	594	2,660	313	282	106,267	105,325	21,647	75,764	2,088	58,099	7,907	10
266	165	246	81	158	81	76	32	41	180	15	7	6,597	6,534	1,287	4,734	92	3,688	418	11
195	125	158	60	108	54	54	13	21	160	15	4	4,209	4,172	800	2,937	69	2,405	147	12
99	60	100	39	74	36	34	12	11	60	7	6	2,609	2,591	457	1,871	37	1,518	150	13
1,397	889	1,159	472	971	363	420	155	138	947	100	60	32,270	31,982	5,899	23,611	593	19,698	1,113	14
266	182	181	58	177	64	73	28	28	260	17	12	5,605	5,532	843	4,350	89	3,771	132	15
702	431	530	203	528	211	224	104	44	501	39	24	14,428	14,298	2,788	10,301	279	8,641	459	16
5,326	3,184	3,788	1,567	3,412	1,321	1,543	567	434	3,451	261	207	105,124	104,173	16,048	81,583	2,204	67,357	4,592	17
1,940	1,148	1,442	617	1,123	465	522	162	122	1,363	123	74	36,353	35,976	5,729	28,023	725	21,917	2,581	18
3,204	1,838	2,690	968	2,323	821	915	392	315	2,757	212	109	72,607	71,866	12,793	53,533	1,363	40,684	5,113	19
2,617	1,398	2,243	759	1,567	734	783	245	258	2,241	184	116	55,359	54,787	11,379	38,814	1,040	29,784	3,046	20
1,175	651	1,170	331	814	340	386	100	140	1,024	95	50	27,496	27,188	6,111	18,702	459	14,446	1,307	21
2,909	1,690	2,500	916	1,438	780	889	251	238	1,848	164	112	63,055	62,459	10,664	47,459	957	38,342	3,336	22
2,058	1,060	1,678	619	1,256	508	680	188	251	2,050	160	81	39,175	38,682	8,129	27,416	808	22,189	1,441	23
811	574	901	340	698	316	340	106	96	829	74	48	22,801	22,410	4,771	15,688	357	12,451	1,262	24
610	507	741	290	591	288	333	83	85	593	73	35	18,376	18,236	4,333	12,494	322	10,159	749	25
681	421	697	248	500	268	271	52	76	505	54	19	17,122	17,001	4,167	11,355	236	8,983	917	26
1,284	654	1,176	384	844	394	376	114	147	798	90	46	28,674	28,313	6,209	19,739	412	15,087	1,888	27
90	69	117	50	91	58	52	9	23	86	15	5	3,012	2,987	663	2,104	43	1,719	122	28
117	101	148	59	117	74	48	16	30	102	11	7	3,665	3,635	793	2,554	57	2,022	192	29
284	197	348	114	240	155	128	29	58	260	38	9	8,304	8,238	1,942	5,722	126	4,449	536	30
521	276	550	146	371	180	178	60	74	380	54	25	12,546	12,340	2,710	8,519	179	6,752	669	31
135	67	116	37	69	25	27	17	14	114	18	4	2,411	2,381	423	1,733	34	1,163	245	32
899	487	656	211	629	198	240	129	73	648	59	36	16,243	16,091	2,404	12,571	263	7,459	2,708	33
229	147	214	54	123	51	58	30	31	134	26	17	4,478	4,429	823	3,143	78	1,989	418	34
885	444	785	228	709	238	261	98	102	478	89	61	19,773	19,479	4,297	13,625	253	9,666	1,461	35
167	167	394	110	362	123	129	51	78	324	32	22	10,754	10,623	2,146	7,642	159	5,779	621	36
814	441	852	208	780	275	257	141	120	657	85	59	21,642	21,356	5,208	14,532	262	10,315	1,090	37
396	217	468	104	371	129	114	58	36	336	31	44	11,474	11,286	2,893	7,573	135	5,132	613	38
859	397	617	197	659	241	233	85	105	516	90	75	19,553	19,197	5,539	12,175	205	8,687	929	39
1,872	727	1,337	463	1,104	412	454	137	172	864	138	88	29,111	28,759	6,324	20,166	474	15,617	1,266	40
712	396	719	199	495	216	196	81	143	571	63	42	17,366	17,131	3,996	11,775	202	8,509	925	41
875	395	874	186	653	266	271	79	101	433	63	43	15,184	14,896	5,000	12,499	215	9,128	1,147	42
640	347	720	150	582	202	215	86	75	443	61	53	16,507	16,260	4,487	10,648	166	7,254	834	43
484	181	523	108	397	168	134	51	43	324	57	50	11,479	11,255	3,134	7,315	103	4,759	603	44
436	193	450	116	404	163	107	36	42	280	49	28	10,536	10,324	2,593	7,042	100	5,229	421	45
899	335	661	191	586	205	211	97	104	702	81	72	16,001	15,770	3,350	11,413	119	6,365	796	46
626	274	557	199	459	200	185	52	94	394	56	31	13,207	12,985	3,165	8,886	136	7,046	496	47
2,347	1,005	1,816	542	1,583	738	689	183	228	1,298	168	158	41,594	40,741	9,491	28,215	435	21,193	2,055	48
129	67	117	41	117	58	63	19	26	123	17	9	3,394	3,354	693	2,339	83	1,735	203	49
105	69	111	44	124	60	43	21	14	108	12	6	3,111	3,062	647	2,173	61	1,733	136	50
55	33	62	27	46	21	21	9	9	45	2	6	1,313	1,302	284	908	31	892	74	51
343	185	295	107	269	146	148	63	59	161	29	24	8,126	8,048	1,641	5,593	213	4,531	298	52
111	64	126	27	123	61	50	39	27	113	10	19	2,686	2,631	609	1,757	68	1,274	152	53
309	159	247	88	182	98	102	34	119	171	27	49	5,144	5,073	985	3,648	125	2,970	215	54
93	93	132	45	142	51	67	10	12	110	15	5	3,104	3,104	650	2,238	128	1,663	156	55
76	44	56	16	44	18	16	8	7	43	9	6	1,300	1,282	222	948	36	764	59	56
692	375	652	216	439	227	255	74	88	478	50	43	15,367	15,237	3,276	10,741	254	8,539	751	57
480	242	405	127	336	154	167	53	59	271	25	25	10,101	10,020	2,328	6,883	191	5,564	355	58
1,357	2,196	3,212	1,203	2,821	1,195	1,333	437	425	1,										

SECTION 1 - MORTALITY

Table 1-12. Deaths From 60 Selected Causes:

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Num-

DIVISION AND STATE	Other diseases of heart (430-434)	Hypertensive heart disease (440-443)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-456)	Chronic and unspecified nephritis and other renal sclerosis (592-594)	Influenza and pneumonia, except pneumonia of newborn (480-485)	Influenza (480-485)	Pneumonia, except pneumonia of newborn (490-493)	Bronchitis (500-502)	Other bronchopulmonary diseases (505-507)	Ulcer of stomach and duodenum (540-541)	Appendicitis (550-553)	Hernia and intestinal obstruction (560,561,570)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (545,571,572)	Cirrhosis of liver (581)
1 UNITED STATES-----	27,323	61,097	12,694	37,429	24,365	11,243	70,761	7,083	63,678	5,462	23,205	12,161	1,749	9,917	8,246	22,456
GEOGRAPHIC DIVISIONS:																
2 New England-----	1,176	3,349	836	2,682	1,713	609	4,742	214	4,528	402	1,301	841	88	613	432	1,464
3 Middle Atlantic-----	3,721	12,882	2,388	7,190	4,728	2,069	15,961	641	13,320	1,049	3,557	2,684	355	1,957	1,544	5,864
4 East North Central-----	4,694	11,960	2,963	8,807	4,603	2,140	13,025	1,444	11,581	1,085	4,513	2,613	581	2,020	1,456	4,289
5 West North Central-----	2,529	4,339	1,093	4,203	2,150	949	6,225	677	5,548	461	1,997	1,051	170	977	642	1,346
6 South Atlantic-----	4,908	11,231	2,081	4,459	3,824	1,858	11,405	1,739	9,666	795	3,529	1,459	225	1,402	1,334	2,485
7 East South Central-----	2,750	5,642	1,013	2,369	1,306	994	5,969	1,232	4,737	306	1,417	666	119	802	694	794
8 West South Central-----	4,205	4,960	1,007	2,728	1,930	1,318	6,290	714	5,576	505	2,133	848	164	931	1,019	1,446
9 Mountain-----	1,004	1,200	341	1,189	991	364	2,635	186	2,449	261	1,381	442	78	384	347	730
10 Pacific-----	2,136	5,534	972	3,802	3,140	942	6,509	236	6,273	598	3,372	1,557	169	1,031	778	4,037
NEW ENGLAND:																
11 Maine-----	135	401	84	276	153	63	406	37	369	32	131	74	16	76	39	88
12 New Hampshire-----	67	249	53	296	86	37	233	35	198	32	80	54	5	26	24	61
13 Vermont-----	38	128	40	151	72	18	200	18	182	19	78	31	3	22	17	24
14 Massachusetts-----	608	1,599	380	1,227	865	288	2,646	77	2,569	205	641	445	39	308	214	775
15 Rhode Island-----	89	269	90	137	112	73	228	7	223	27	93	68	7	65	34	116
16 Connecticut-----	239	703	189	595	425	130	1,029	42	987	87	280	169	18	116	104	380
MIDDLE ATLANTIC:																
17 New York-----	1,257	6,173	1,171	3,254	2,117	951	7,739	230	7,509	614	1,655	1,469	172	933	770	3,442
18 New Jersey-----	674	2,126	381	1,065	778	377	1,908	66	1,842	170	571	431	55	319	262	1,028
19 Pennsylvania-----	1,790	4,583	836	2,871	1,833	741	4,314	345	3,969	265	1,331	784	128	705	512	1,394
EAST NORTH CENTRAL:																
20 Ohio-----	1,298	3,646	764	2,485	1,345	552	3,123	502	2,621	357	1,359	676	87	570	378	1,143
21 Indiana-----	702	1,788	404	1,419	532	328	1,696	273	1,423	105	700	303	46	281	198	417
22 Illinois-----	1,495	3,329	968	2,217	1,151	576	4,493	224	4,269	293	1,038	756	121	511	439	1,419
23 Michigan-----	904	2,074	537	1,647	953	493	2,247	231	2,016	223	1,049	592	90	423	292	954
24 Wisconsin-----	495	1,123	290	1,039	622	191	1,466	214	1,252	107	367	286	37	235	149	356
WEST NORTH CENTRAL:																
25 Minnesota-----	395	869	174	794	441	140	1,214	90	1,124	95	393	240	27	194	126	313
26 Iowa-----	473	746	242	868	369	121	1,062	104	958	82	378	170	24	170	113	180
27 Missouri-----	848	1,504	363	1,310	692	361	2,125	268	1,857	125	647	289	61	334	185	467
28 North Dakota-----	119	101	32	112	76	25	226	15	211	18	54	29	4	24	28	35
29 South Dakota-----	150	153	34	160	94	30	236	23	213	20	64	37	10	39	27	49
30 Nebraska-----	248	363	86	312	176	66	586	76	510	56	161	121	19	69	61	119
31 Kansas-----	316	603	162	647	302	208	776	101	675	67	300	155	25	147	102	183
SOUTH ATLANTIC:																
32 Delaware-----	68	223	28	123	74	30	153	10	143	9	75	29	3	22	30	52
33 Maryland-----	441	1,700	156	499	461	152	1,080	116	964	101	402	178	24	182	117	423
34 District of Columbia-----	81	577	67	144	252	49	488	18	470	34	123	76	9	74	46	262
35 Virginia-----	591	1,654	335	693	529	294	1,748	333	1,415	134	490	182	33	197	171	296
36 West Virginia-----	327	756	214	386	235	131	952	195	757	76	280	102	19	98	60	165
37 North Carolina-----	915	1,950	375	659	562	308	1,942	378	1,564	111	428	221	31	200	218	266
38 South Carolina-----	447	1,246	166	409	245	188	1,195	295	900	44	242	97	19	99	163	128
39 Georgia-----	805	1,549	319	633	531	356	2,037	262	1,775	119	507	235	38	211	221	281
40 Florida-----	1,233	1,576	421	913	935	352	1,810	132	1,678	167	982	339	49	319	308	613
EAST SOUTH CENTRAL:																
41 Kentucky-----	750	1,389	220	776	364	235	1,647	360	1,287	78	394	200	25	167	171	243
42 Tennessee-----	564	1,445	337	675	385	288	1,832	343	1,489	105	458	246	36	162	158	245
43 Alabama-----	813	1,581	248	544	333	247	1,379	280	1,099	66	341	148	39	153	163	203
44 Mississippi-----	623	1,227	208	374	224	224	1,111	249	862	57	224	72	19	120	202	103
WEST SOUTH CENTRAL:																
45 Arkansas-----	569	723	151	331	207	212	842	144	698	49	235	117	21	108	86	115
46 Louisiana-----	687	1,446	168	450	389	231	1,260	119	1,141	100	395	131	34	195	156	287
47 Oklahoma-----	605	603	152	509	273	222	835	105	730	49	334	149	27	157	127	234
48 Texas-----	2,344	2,188	536	1,438	1,061	653	3,353	346	3,007	307	1,174	451	82	471	650	810
MOUNTAIN:																
49 Montana-----	169	149	31	201	90	40	251	30	221	25	119	42	6	32	23	76
50 Idaho-----	99	144	22	136	84	49	220	41	179	23	83	40	9	38	27	45
51 Wyoming-----	57	54	7	56	47	11	100	7	93	26	52	24	4	18	7	39
52 Colorado-----	240	311	97	354	363	78	903	34	869	66	328	128	23	118	71	192
53 New Mexico-----	148	115	51	119	95	55	327	36	291	17	154	48	8	49	62	93
54 Arizona-----	132	206	84	186	170	71	528	25	503	72	475	88	21	79	119	176
55 Utah-----	114	177	29	91	96	42	220	11	209	22	107	51	3	32	33	61
56 Nevada-----	45	44	20	46	46	18	85	2	84	10	63	21	4	18	5	48
PACIFIC:																
57 Washington-----	426	771	125	684	411	130	977	61	916	79	427	207	13	140	121	295
58 Oregon-----	252	521	66	475	268	81	666	40	626	69	309	131	10	95	59	185
59 California-----	1,383	4,010	742	2,582	2,394	675	4,674	115	4,559	440	2,567	1,173	143	776	577	3,488
60 Alaska-----	36	10	6	19	12	7	74	17	57	6	12	12	-	6	6	20
61 Hawaii-----	39	222	33	42	55	49	118	3	115	4	57	34	3	14	16	49

SECTION 1 - MORTALITY

United States, Each Division and State, 1963—Con.

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Cholelithiasis, cholecystitis, and cholangitis (584,585)	Acute nephritis, and nephritis with edema including nephrosis (590,591)	Infections of kidney (600)	Hyperplasia of prostate (610)	Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	Abortion (650-652)	Other complications of pregnancy, childbirth, and the puerperium (640-649,650-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Birth injuries, postnatal asphyxia, and atelectasis (760-762)	Infections of newborn (765-768)	Other diseases peculiar to early infancy and immaturity, unspecified (769-776)	Symptoms, senility, and ill-defined conditions (780-785)	All other diseases (Residual)	Accidents (E800-E962)	Motor vehicle accidents (E810-E835)	Other accidents (E900-E902, E940-E962)	Suicide (E963, E970-E979)	Homicide (E984, E990-E995)	
4,676	1,434	8,952	4,248	1,466	280	1,186	20,817	62,688	26,889	4,408	31,391	22,420	54,150	100,669	43,564	57,105	20,825	9,225	1
296	52	514	218	35	5	30	1,157	3,247	1,350	164	1,733	523	3,259	4,679	1,619	3,060	1,040	202	2
998	217	1,655	845	274	74	200	3,750	10,668	4,670	618	5,380	4,119	10,644	15,210	5,454	9,756	3,327	1,195	3
1,052	288	1,588	953	235	48	187	4,272	11,991	5,919	703	5,369	1,742	9,865	18,428	8,314	10,114	3,924	1,367	4
489	146	666	409	73	9	64	1,697	4,688	1,956	285	2,447	1,467	4,993	9,432	4,193	5,239	1,738	470	5
535	235	1,573	526	284	45	239	3,136	10,478	4,165	847	5,466	4,534	8,293	16,331	7,243	9,088	3,058	2,333	6
274	160	780	342	175	15	160	1,434	4,824	1,666	461	2,697	4,704	3,686	7,997	3,559	4,438	1,111	1,094	7
377	158	933	390	199	34	165	2,013	6,802	2,644	675	3,483	3,185	5,119	11,094	4,903	6,191	1,641	1,308	8
200	43	290	153	55	7	48	885	2,795	1,084	202	1,509	1,366	2,350	5,096	2,279	2,817	1,097	342	9
455	135	953	412	136	43	93	2,473	6,995	3,235	453	3,307	780	5,941	12,402	6,000	6,402	3,899	914	10
30	9	54	25	3	-	3	112	332	145	17	170	57	266	514	194	320	127	20	11
19	2	22	20	2	-	2	80	199	75	15	109	74	194	305	132	173	74	15	12
20	-	26	13	1	-	1	54	141	64	11	66	48	116	222	110	112	61	3	13
138	28	266	92	17	4	13	495	1,458	601	74	783	194	1,607	2,299	714	1,585	438	100	14
30	3	35	20	5	1	4	132	279	126	11	142	23	267	341	103	238	65	13	15
59	10	111	48	7	-	7	284	839	339	36	463	127	809	998	366	632	275	51	16
501	63	903	449	159	45	114	1,861	5,431	2,348	347	2,736	1,619	4,573	7,346	2,498	4,848	1,621	705	17
172	46	275	131	50	12	38	673	2,113	1,100	125	888	240	1,645	2,582	973	1,609	584	193	18
325	88	477	265	65	17	48	1,216	3,324	1,422	146	1,756	2,260	4,426	5,282	1,983	3,299	1,122	297	19
243	80	467	238	57	9	48	1,199	3,108	1,401	152	1,555	649	2,930	4,844	2,056	2,788	1,073	347	20
127	50	210	98	26	5	21	541	1,564	684	91	789	242	1,394	2,953	1,360	1,593	504	140	21
282	89	473	293	66	9	57	1,072	3,410	2,139	286	985	348	2,253	4,649	2,009	2,640	1,045	518	22
240	49	266	213	67	24	43	959	2,637	1,210	117	1,310	251	2,081	4,011	2,002	2,009	845	290	23
160	20	172	111	19	1	18	501	1,272	485	57	730	252	1,207	1,971	887	1,084	457	72	24
122	15	121	83	5	-	5	416	1,008	417	29	562	148	1,100	1,863	852	1,011	368	46	25
85	19	106	73	8	-	8	305	731	328	44	359	75	951	1,598	740	858	357	40	26
108	58	229	126	33	3	30	404	1,379	562	104	713	856	1,444	2,758	1,143	1,615	502	264	27
19	7	16	15	2	2	2	72	240	104	20	116	30	170	599	203	196	68	9	28
24	2	31	11	3	2	2	71	240	85	16	139	85	225	515	220	295	75	12	29
58	12	55	43	6	1	4	175	445	201	29	215	78	388	912	381	531	141	29	30
73	33	108	58	16	3	13	254	645	259	43	343	195	715	1,387	654	753	249	70	31
15	3	20	13	3	2	1	45	179	86	13	80	12	144	245	85	160	40	25	32
67	19	116	51	20	3	17	431	1,237	451	92	694	120	1,045	1,549	620	929	363	200	33
15	3	100	23	14	3	14	84	475	227	27	221	171	345	442	99	343	78	68	34
68	29	220	70	43	2	37	499	1,701	666	116	919	478	1,278	2,315	940	1,375	558	265	35
36	29	69	44	18	2	16	219	540	252	50	238	511	584	1,153	435	718	169	99	36
71	47	273	88	60	8	52	522	1,612	740	147	925	945	1,350	2,829	1,416	1,413	502	416	37
40	43	141	59	40	3	35	267	843	368	81	484	615	610	1,678	757	921	178	278	38
66	37	263	90	50	15	37	487	1,682	608	175	899	691	1,210	2,734	1,248	1,486	451	474	39
157	39	371	97	36	6	30	582	1,909	767	136	1,006	992	1,727	3,386	1,643	1,743	739	518	40
82	41	194	87	24	2	22	381	1,034	377	95	562	302	1,011	2,024	842	1,182	332	201	41
98	40	235	123	38	5	33	419	1,266	489	89	698	870	1,063	2,134	990	1,144	357	267	42
56	42	192	69	69	6	63	377	1,340	466	133	741	1,686	1,016	2,247	1,049	1,198	295	363	43
38	37	159	63	44	2	42	257	1,184	334	144	706	1,846	596	1,592	678	914	127	263	44
47	16	105	48	23	3	20	206	638	234	71	333	659	529	1,363	581	782	164	141	45
61	29	204	57	40	7	33	367	1,625	629	200	796	204	990	2,086	810	1,276	286	270	46
84	27	155	78	15	1	14	247	740	277	51	412	566	862	1,636	712	924	203	122	47
185	86	468	207	121	23	98	1,133	3,799	1,504	353	1,942	1,756	2,738	6,009	2,800	3,209	988	775	48
14	3	26	24	2	-	2	77	220	83	12	125	211	258	532	227	305	117	21	49
19	5	16	16	4	-	4	82	218	63	13	142	72	201	523	205	318	78	25	50
11	2	14	4	2	-	2	39	151	67	5	79	39	120	312	140	172	68	9	51
61	15	84	33	13	1	12	209	690	275	51	364	109	621	1,167	495	672	357	95	52
24	5	24	15	10	1	10	140	481	194	38	249	365	276	707	342	365	107	58	53
48	4	82	35	19	5	14	177	573	202	59	312	189	459	933	440	493	210	61	54
17	4	32	16	4	1	3	115	277	147	8	122	332	280	604	270	334	79	24	55
6	5	12	10	1	-	1	46	165	53	16	116	49	135	318	160	158	71	31	56
64	19	104	47	10	3	7	328	788	348	38	402	212	909	1,651	685	966	441	93	57
37	12	88	46	6	3	3	170	455	192	30	233	113	534	1,223	589	634	265	57	58
345	99	746	313	112	37	75	1,863	5,332	2,551	360	2,421	375	4,334	9,020	4,586	4,434	3,072	731	59
1	2	4	2	5	5	5	30	137	42	6	99	54	54	276	46	230	34	20	60
8	3	31	4	3	-	3	82	283	102	19	162	26	110	232	94	138	87	13	61

SECTION 1 - MORTALITY

Table 1-13. Death Rates for 60 Selected Causes:

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated mid-

DIVISION AND STATE		Total	Tuberculosis, all forms (001-019)	Tuberculosis of respiratory system (001-008)	Tuberculosis, other forms (010-019)	Syphilis and its sequelae (020-029)	Dysentery, all forms (045-048)	Scarlet fever and streptococcal sore throat (050, 051)	Diphtheria (055)	Whooping cough (056)	Meningococcal infections (057)	Acute poliomyelitis (080)	Measles (085)	Other infective and parasitic diseases (Residual)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	Malignant neoplasm of buccal cavity and pharynx (140-148)	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary (150-158, 157, 159)
1	UNITED STATES----	961.8	4.9	4.6	0.4	1.4	0.2	0.1	0.0	0.1	0.4	0.0	0.2	3.2	151.4	3.5	49.3
GEOGRAPHIC DIVISIONS:																	
2	New England-----	1,056.0	4.1	3.8	0.3	1.4	0.0	0.0	0.0	0.0	0.4	-	0.0	3.3	175.0	4.5	61.3
3	Middle Atlantic-----	1,057.5	6.1	5.7	0.4	1.4	0.0	0.0	0.0	0.0	0.3	0.0	0.1	2.6	179.9	3.9	63.2
4	East North Central-----	984.0	4.3	4.0	0.3	1.1	0.0	0.1	0.0	0.0	0.4	0.0	0.2	2.7	159.4	3.8	53.9
5	West North Central-----	1,032.3	3.2	3.0	0.2	1.4	0.1	0.1	0.1	0.1	0.3	0.0	0.2	3.0	162.6	3.2	54.5
6	South Atlantic-----	924.5	5.2	4.8	0.5	1.6	0.2	0.1	0.0	0.1	0.5	0.0	0.2	4.1	133.1	3.5	39.1
7	East South Central-----	988.6	7.7	7.1	0.6	1.3	0.3	0.1	0.0	0.1	0.5	0.1	0.3	4.2	132.6	3.0	38.5
8	West South Central-----	873.9	5.6	5.2	0.4	2.0	0.5	0.1	0.0	0.2	0.4	0.0	0.2	4.6	131.3	3.0	36.8
9	Mountain-----	781.8	5.0	4.4	0.5	1.5	0.6	0.0	0.0	0.1	0.3	0.0	0.5	2.9	106.9	1.6	32.8
10	Pacific-----	848.2	3.3	3.0	0.3	1.3	0.1	0.0	0.0	0.0	0.4	0.0	0.2	2.6	138.5	3.4	43.1
NEW ENGLAND:																	
11	Maine-----	1,124.4	3.7	3.4	0.3	1.3	-	0.1	-	-	0.4	-	0.1	4.1	169.5	3.1	57.1
12	New Hampshire-----	1,145.9	2.2	2.2	-	1.8	-	0.2	-	-	0.5	-	-	3.5	166.8	4.5	62.0
13	Vermont-----	1,158.2	4.9	4.6	0.3	1.0	-	-	-	-	-	-	0.8	3.8	172.8	2.1	57.4
14	Massachusetts-----	1,069.5	4.8	4.4	0.4	1.5	-	0.0	0.0	0.0	0.4	-	-	3.4	176.4	4.9	63.0
15	Rhode Island-----	1,072.5	3.8	3.5	0.3	1.8	-	-	-	-	-	-	0.1	3.1	181.5	5.1	63.3
16	Connecticut-----	963.1	3.2	3.0	0.3	1.2	0.1	-	-	-	0.5	-	-	3.0	169.8	4.4	59.3
MIDDLE ATLANTIC:																	
17	New York-----	1,050.7	5.9	5.6	0.3	1.3	0.0	0.0	-	-	0.3	0.0	0.1	2.5	181.6	3.9	64.0
18	New Jersey-----	987.2	5.6	5.1	0.5	1.0	0.1	0.1	0.0	0.0	0.2	0.0	0.1	2.5	179.4	3.7	63.5
19	Pennsylvania-----	1,107.8	6.5	6.2	0.3	1.7	0.0	0.0	0.0	0.0	0.3	0.0	0.1	2.7	177.5	3.8	62.0
EAST NORTH CENTRAL:																	
20	Ohio-----	963.3	4.3	4.1	0.2	1.8	0.0	0.0	-	0.1	0.3	-	0.2	2.9	154.4	3.6	51.5
21	Indiana-----	1,032.4	4.8	4.3	0.4	1.4	-	0.1	-	0.1	0.7	0.0	0.1	2.8	159.5	3.6	52.2
22	Illinois-----	1,058.3	5.2	4.7	0.4	0.7	0.1	0.1	0.0	-	0.2	-	0.1	2.1	173.6	4.0	60.3
23	Michigan-----	892.6	3.8	3.6	0.3	0.9	0.0	0.0	-	-	0.4	0.0	0.3	2.9	148.7	3.3	48.6
24	Wisconsin-----	976.7	2.7	2.6	0.1	0.9	0.0	0.0	-	-	0.4	0.0	0.5	2.9	157.4	3.1	56.3
WEST NORTH CENTRAL:																	
25	Minnesota-----	936.2	2.7	2.5	0.2	0.6	0.0	0.0	0.1	0.1	0.3	-	0.2	3.2	153.5	2.7	54.8
26	Iowa-----	1,053.5	1.8	1.7	0.1	1.1	0.1	0.1	-	0.0	0.2	-	0.2	2.7	171.8	2.9	57.9
27	Missouri-----	1,168.2	6.1	5.8	0.3	2.1	0.1	0.1	0.0	0.1	0.2	-	0.2	3.0	179.5	4.2	57.2
28	North Dakota-----	869.2	1.9	1.6	0.3	0.6	-	0.2	0.3	-	0.3	-	0.8	3.3	133.9	2.8	47.9
29	South Dakota-----	905.7	3.7	3.0	0.7	0.7	0.3	-	0.1	0.1	0.4	-	-	3.8	136.1	2.3	43.7
30	Nebraska-----	1,005.5	1.0	1.0	0.1	0.6	0.1	0.1	0.1	0.1	0.4	0.1	0.5	3.2	161.5	2.5	58.6
31	Kansas-----	998.3	1.8	1.8	0.1	2.3	-	0.1	-	0.0	0.5	-	0.0	2.9	150.3	3.3	47.1
SOUTH ATLANTIC:																	
32	Delaware-----	930.9	5.9	5.3	0.6	2.9	-	0.2	-	0.2	-	-	-	1.5	143.9	2.1	41.8
33	Maryland-----	919.4	7.4	6.8	0.6	2.1	0.2	0.2	-	0.0	0.4	-	0.1	3.7	147.9	3.6	44.6
34	District of Columbia-----	1,158.9	12.3	10.9	1.4	1.8	-	0.1	0.1	-	0.3	-	-	5.3	178.4	7.9	60.8
35	Virginia-----	853.0	5.1	4.6	0.5	1.1	0.1	0.0	-	-	0.8	-	0.1	3.2	118.1	2.6	33.6
36	West Virginia-----	1,093.3	8.6	8.5	0.1	2.0	0.1	0.1	-	0.2	0.6	0.1	0.4	3.2	150.9	3.4	50.8
37	North Carolina-----	852.5	3.9	3.3	0.6	1.4	0.2	0.0	-	0.1	0.4	0.0	0.1	3.8	106.3	2.8	27.4
38	South Carolina-----	875.5	4.9	4.5	0.4	1.6	0.3	0.1	0.2	0.2	0.6	-	0.4	4.3	105.5	2.7	30.3
39	Georgia-----	911.1	3.7	3.3	0.3	1.6	0.3	0.1	0.1	0.2	0.5	0.0	0.3	5.4	118.7	3.5	33.6
40	Florida-----	987.2	4.4	4.1	0.4	1.7	0.1	0.1	0.0	0.0	0.6	0.1	0.2	4.3	168.0	4.5	50.8
EAST SOUTH CENTRAL:																	
41	Kentucky-----	1,025.7	8.7	8.1	0.6	1.5	0.1	0.1	0.0	0.1	0.6	0.0	0.4	4.2	140.6	3.5	42.4
42	Tennessee-----	966.4	8.0	7.6	0.5	0.9	0.2	0.1	-	0.1	0.7	0.1	0.2	4.0	138.5	3.5	39.7
43	Alabama-----	957.0	8.4	7.5	0.9	1.3	0.2	0.1	0.1	0.1	0.5	0.1	0.1	4.4	121.0	2.7	32.9
44	Mississippi-----	1,019.9	4.9	4.5	0.4	1.5	0.7	0.2	-	0.2	0.3	0.1	0.3	4.1	129.0	2.2	39.2
WEST SOUTH CENTRAL:																	
45	Arkansas-----	1,052.3	7.6	6.5	1.1	2.1	0.4	0.1	0.1	0.3	0.3	0.1	0.3	4.0	149.9	3.1	46.2
46	Louisiana-----	906.8	6.5	6.2	0.3	3.1	0.4	0.1	0.1	0.3	0.7	-	0.2	5.6	134.0	3.2	40.4
47	Oklahoma-----	984.1	6.1	5.8	0.3	1.7	0.1	0.1	-	0.1	0.4	-	0.2	3.5	148.5	2.8	45.2
48	Texas-----	804.5	4.9	4.5	0.4	1.7	0.6	0.1	0.0	0.2	0.3	0.0	0.2	4.6	122.9	3.0	35.4
MOUNTAIN:																	
49	Montana-----	936.5	3.8	3.0	0.8	1.6	0.4	-	-	-	0.6	-	-	2.3	126.3	1.1	41.4
50	Idaho-----	825.5	2.5	2.2	0.3	1.8	-	-	-	-	0.1	-	0.3	2.4	114.9	1.7	35.2
51	Wyoming-----	840.4	1.2	0.6	0.6	1.8	-	-	-	-	0.6	-	-	1.8	115.4	2.1	34.7
52	Colorado-----	823.5	3.2	3.0	0.3	1.2	0.2	0.1	0.1	0.1	0.1	-	0.2	3.1	113.5	1.5	35.9
53	New Mexico-----	672.5	6.9	6.0	0.9	2.1	1.3	-	-	-	0.2	-	0.7	2.4	82.5	1.8	25.5
54	Arizona-----	763.3	9.7	8.9	0.8	1.3	1.6	0.1	-	-	0.3	0.1	1.5	3.1	109.3	1.7	31.6
55	Utah-----	669.8	2.5	2.2	0.3	0.8	0.3	-	-	-	0.2	-	0.2	2.6	92.3	1.8	27.1
56	Nevada-----	800.8	5.4	5.2	0.3	2.2	-	-	-	0.3	0.5	0.3	0.3	5.4	107.9	1.4	33.2
PACIFIC:																	
57	Washington-----	903.6	2.8	2.3	0.5	1.4	0.1	-	-	-	0.4	-	0.1	2.3	141.6	3.6	44.3
58	Oregon-----	987.1	3.2	3.1	0.2	1.3	-	-	-	0.1	0.2	-	0.1	2.2	156.2	2.6	49.0
59	California-----	841.2	3.4	3.1	0.3	1.4	0.2	0.0	0.0	0.0	0.4	0.0	0.1	2.8	139.1	3.5	42.8
60	Alaska-----	535.9	8.5	7.3	1.2	0.8	0.4	0.4	-	-	0.8	-	5.2	1.6	60.1	1.2	15.7
61	Hawaii-----	526.8	2.7	2.4	0.3	0.6	-	-	-	-	0.4	-	-	2.0	91.1	3.2	37.0

SECTION 1 - MORTALITY

United States, Each Division and State, 1963

year population in each area. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Malignant neoplasm of respiratory system, not specified as secondary (160-164)	Malignant neoplasm of breast (170)	Malignant neoplasm of genital organs (171-175)	Malignant neoplasm of urinary organs (180,181)	Malignant neoplasm of other and unspecified sites. (165,165, 190-199)	Leukemia and leukemia (204)	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)	Benign neoplasms and neoplasms of unspecified nature (210-239)	Asthma (241)	Diabetes mellitus (250)	Anemias (290-293)	Meningitis, except meningococcal and tuberculous (340)	Major cardiovascular-renal diseases (330-334,400-469,392-394)	Diseases of cardiovascular system (350-354,400-466)	Vascular lesions affecting central nervous system (330-334)	Diseases of heart (400-402,410-443)	Rheumatic fever and chronic rheumatic heart disease (400-402, 410-416)	Arteriosclerotic heart disease, including coronary disease (420)	Nonrheumatic chronic endocarditis and other myocardial degeneration (451,452)	
24.9	13.5	21.2	7.2	17.0	7.2	7.6	2.6	2.7	17.2	1.8	1.2	527.6	521.7	106.7	375.4	6.8	290.0	29.7	1
27.1	17.2	22.0	8.5	18.7	7.5	8.2	3.2	2.6	19.6	1.8	1.0	610.3	604.6	112.1	445.9	10.8	368.8	22.3	2
29.4	17.3	22.2	8.9	19.3	7.3	8.4	3.1	2.4	21.3	1.7	1.1	601.3	595.5	97.1	458.2	12.1	365.0	34.5	3
25.7	14.4	22.8	8.0	15.5	7.2	8.3	2.4	2.6	21.5	1.8	1.1	557.8	552.0	110.3	397.8	9.7	314.9	27.9	4
22.9	14.2	24.1	8.3	17.6	9.0	8.8	2.3	5.1	17.4	2.1	0.9	585.4	579.4	132.9	398.9	8.8	315.9	32.4	5
23.5	11.1	20.2	5.8	17.3	6.1	6.4	2.7	2.6	14.7	2.1	1.5	488.9	482.3	108.5	336.3	6.7	237.5	35.8	6
21.8	10.7	22.8	5.2	17.1	6.9	6.6	2.4	2.9	14.3	2.0	1.5	519.4	511.4	135.7	359.9	5.5	258.6	28.2	7
23.8	10.0	19.3	5.8	16.8	7.2	6.6	2.0	2.6	14.8	1.9	1.6	448.6	441.3	102.8	307.2	4.4	231.3	20.8	8
16.0	9.3	15.0	5.2	13.7	6.7	6.7	2.7	5.6	11.7	1.6	1.6	359.1	364.4	75.0	256.4	9.7	200.9	16.9	9
24.3	12.2	18.6	6.7	15.7	7.0	7.7	2.4	2.5	11.4	1.3	1.2	454.0	450.0	92.5	325.7	8.9	248.2	35.8	10
27.1	16.8	25.1	8.2	16.1	8.2	7.7	3.3	4.2	18.3	1.5	0.7	671.8	665.4	131.1	482.1	9.4	375.6	42.6	11
31.1	19.9	25.2	9.6	17.2	8.6	8.6	2.1	5.3	25.5	2.4	0.6	671.3	665.4	127.6	468.4	11.0	385.6	25.4	12
25.4	15.4	25.6	10.0	19.0	9.2	8.7	3.1	2.8	15.4	1.8	1.5	669.0	664.4	117.2	479.7	9.5	389.2	39.5	13
28.6	17.0	22.2	9.0	18.6	7.0	8.0	3.0	2.8	18.1	1.9	1.1	618.4	612.9	113.1	452.5	11.4	377.5	21.3	14
30.1	20.6	20.5	8.6	20.0	7.2	8.2	3.2	3.2	29.4	1.9	1.4	633.3	625.1	95.3	491.5	10.1	426.1	14.9	15
26.3	16.2	19.9	7.6	19.8	7.9	8.4	3.9	1.7	18.8	1.5	0.9	541.2	536.3	104.6	386.4	10.5	324.1	16.5	16
30.1	18.0	21.4	8.8	19.3	7.5	8.7	3.2	2.5	19.5	1.5	1.2	593.7	588.3	90.6	460.7	12.4	380.4	25.9	17
30.0	17.7	22.3	9.5	17.4	7.2	8.1	2.5	1.9	21.1	1.9	1.1	561.9	556.0	88.5	433.1	11.2	338.7	39.9	18
28.0	16.1	23.5	8.5	20.3	7.2	8.0	3.4	2.8	24.1	1.9	1.0	635.6	629.1	112.0	468.6	11.9	356.1	44.8	19
25.7	13.7	22.0	7.5	15.4	7.2	7.7	2.4	2.5	22.0	1.8	1.1	544.0	538.6	111.9	381.5	10.2	292.8	29.9	20
25.0	13.9	24.9	7.1	17.3	7.2	8.2	2.1	3.0	21.8	2.0	1.1	585.8	578.8	130.2	398.4	9.8	307.8	27.8	21
28.6	16.6	24.6	9.0	14.1	7.7	8.7	2.5	2.3	18.1	1.6	1.1	619.1	613.4	104.7	466.1	9.4	376.6	32.8	22
25.4	13.1	20.7	7.6	15.5	6.3	8.4	2.3	3.1	25.3	2.0	1.0	482.7	476.6	100.2	337.8	10.0	273.4	17.8	23
20.0	14.1	22.2	8.4	17.2	7.8	8.4	2.6	2.4	20.4	1.8	1.2	556.5	551.8	117.5	385.3	8.8	306.6	31.1	24
17.4	14.5	21.2	8.3	16.9	8.2	9.5	2.4	2.4	16.9	2.1	1.0	525.0	521.0	123.8	357.0	9.2	290.3	21.4	25
24.5	15.1	25.1	8.9	18.0	9.6	9.7	1.9	2.7	18.2	1.9	0.7	615.9	611.5	149.9	408.5	9.5	323.1	33.0	26
29.7	15.1	27.2	8.9	19.5	9.1	8.7	2.6	3.4	18.4	2.1	1.1	682.5	654.2	143.5	456.1	8.5	348.6	43.6	27
14.2	10.9	18.5	7.9	14.4	9.1	8.2	1.4	3.6	13.6	2.4	0.8	475.1	471.1	104.6	331.9	6.8	271.1	19.2	28
15.9	13.7	20.1	8.0	15.9	10.0	6.5	2.2	4.1	13.8	1.5	0.9	497.3	493.2	107.6	346.5	7.7	274.4	26.1	29
19.5	13.5	23.8	7.8	16.4	10.8	8.8	2.0	4.0	17.8	2.6	0.6	568.8	564.2	135.0	391.9	8.6	304.7	36.7	30
25.4	12.4	24.7	6.6	16.7	8.1	8.0	2.7	3.3	17.1	2.4	1.1	563.9	554.6	121.8	382.9	8.0	305.5	30.1	31
28.4	14.1	24.4	7.8	14.5	5.3	5.7	3.6	2.9	23.9	3.8	0.8	506.5	500.2	88.9	364.1	7.1	244.3	51.5	32
27.3	14.2	19.3	6.4	19.1	6.0	7.3	3.9	2.2	19.7	1.8	1.1	493.9	489.2	73.1	382.2	8.0	226.8	82.3	33
28.7	18.4	26.8	6.8	15.4	6.4	7.3	3.8	3.9	16.8	3.3	2.1	561.2	555.0	103.1	393.9	9.8	249.2	52.4	34
20.4	10.3	18.1	5.3	16.4	5.5	6.0	2.3	2.4	11.0	2.1	1.4	456.5	449.8	99.2	314.6	5.8	223.2	33.7	35
25.0	9.4	21.6	6.2	20.4	6.9	7.3	2.9	4.4	18.2	1.8	1.2	604.8	597.5	120.7	429.8	8.9	325.0	34.9	36
17.1	9.3	17.9	4.4	16.4	5.8	5.4	3.0	2.5	13.8	1.8	1.2	454.7	448.2	109.4	305.3	5.9	216.7	22.9	37
15.9	8.7	18.8	4.2	14.9	5.2	4.6	2.3	1.4	13.5	2.1	1.8	462.1	454.5	116.5	305.0	5.4	206.7	24.7	38
20.2	9.6	19.7	4.8	15.9	5.8	5.6	2.1	2.5	12.5	1.9	1.8	472.3	463.7	133.8	294.1	5.0	209.8	22.4	39
33.1	12.9	23.7	8.2	19.5	7.3	8.0	2.4	3.0	15.3	2.4	1.5	515.1	508.8	111.9	356.6	8.4	276.3	22.4	40
25.0	12.8	23.2	6.4	16.0	7.0	6.3	2.6	4.6	18.4	2.0	1.4	561.1	553.5	129.1	380.5	6.5	274.9	29.9	41
23.7	10.7	23.7	5.0	17.7	7.2	7.3	2.1	2.7	11.7	1.7	1.2	519.3	511.5	135.4	358.4	5.8	247.1	31.1	42
19.1	10.4	21.5	4.5	17.4	6.0	6.4	2.6	2.2	13.2	1.8	1.6	493.2	485.8	134.1	318.1	5.0	216.7	24.9	43
21.1	8.3	22.8	4.7	17.3	7.3	5.9	2.2	1.9	14.1	2.5	2.2	501.3	491.5	136.9	319.4	4.5	207.8	26.3	44
25.5	10.4	24.2	6.2	21.7	8.8	5.8	1.9	2.3	15.1	2.6	1.5	567.1	555.7	139.6	379.0	5.4	281.4	22.7	45
26.3	9.8	19.3	5.6	17.1	8.0	6.2	2.8	3.0	20.5	2.4	2.1	468.1	461.4	98.0	333.9	3.5	244.7	23.3	46
25.2	11.0	22.4	8.0	18.5	6.0	7.4	2.1	3.8	15.8	2.3	1.2	531.0	522.1	127.3	357.3	5.5	283.3	19.9	47
22.7	9.7	17.6	5.3	15.3	7.1	6.7	1.8	2.2	12.6	1.6	1.5	401.0	394.7	91.9	275.3	4.2	205.3	19.9	48
18.2	9.5	16.5	5.8	16.5	8.2	8.9	2.7	3.7	17.4	2.4	1.3	480.1	474.4	98.0	330.8	11.7	245.4	28.7	49
14.7	9.7	15.6	6.2	17.4	8.4	6.0	2.9	2.0	15.1	1.7	0.8	436.3	429.5	90.7	304.8	8.6	243.1	19.1	50
16.3	9.8	18.4	8.0	13.6	6.2	6.2	2.7	2.7	13.4	0.6	1.8	399.6	386.4	84.3	269.4	9.2	205.3	22.0	51
17.5	9.4	15.0	5.5	13.7	7.4	7.5	3.2	3.0	9.2	1.5	1.2	414.4	410.4	85.7	285.2	10.9	231.1	15.2	52
10.9	6.3	12.4	2.7	12.1	6.0	4.9	3.8	2.7	11.1	1.0	1.9	263.8	258.4	59.8	172.6	6.7	125.1	14.9	53
19.8	10.2	15.8	5.6	11.7	6.3	6.5	2.8	7.6	11.0	1.7	3.1	330.0	325.4	63.2	234.0	8.0	190.5	13.8	54
9.5	9.5	13.4	4.6	14.4	5.2	6.8	1.0	1.2	11.2	1.5	0.5	320.0	315.8	66.1	227.7	13.0	169.2	15.9	55
20.7	12.0	15.2	4.3	12.0	4.9	4.3	2.2	1.9	11.7	2.4	1.6	353.3	348.4	60.3	257.6	9.8	207.6	16.0	56
22.7	12.3	21.4	7.1	14.4	7.4	8.4	2.4	2.9	15.7	1.6	1.4	503.8	499.6	107.4	352.2	6.3	280.0	24.6	57
25.3	13.3	22.2	7.0	18.4	8.4	9.1	2.9	3.2	14.8	1.4	1.4	533.2	548.7	127.5	376.9	10.5	304.7	19.4	58
24.8	12.5	18.3	6.8	18.0	7.6	7.6	2.4	2.4	10.3	1.3	1.1	447.7	443.9	89.1	322.3	9.1	244.4	36.2	59
12.9	4.8	4.8	2.8	12.5	2.8	2.4	1.2	2.0	2.8	0.8	2.4	144.4	141.5	27.8	98.6	4.0	72.2	4.0	60
17.3	4.6	9.2	1.6	6.6	7.2	4.3	0.9	2.4	12.5	1.0	0.9	242.7	235.6	43.9	172.9	5.0	119.2	11.1	61

Table 1-13. Death Rates for 60 Selected Causes:

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated mid-

DIVISION AND STATE	Other diseases of heart (430-434)	Hypertensive heart disease (440-443)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-466)	Chronic and unspecified nephritis and other renal sclerosis (592-594)	Influenza and pneumonia, except pneumonia of newborn (460-465)	Influenza (460-463)	Pneumonia, except pneumonia of newborn (490-493)	Bronchitis (500-502)	Other bronchopulmonary diseases (525-527)	Ulcer of stomach and duodenum (540-541)	Appendicitis (550-553)	Hernia and intestinal obstruction (560-561, 570)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543, 571, 572)	Cirrhosis of liver (581)
1 UNITED STATES-----	14.5	32.4	6.7	19.9	12.9	6.0	37.5	3.8	33.8	2.9	12.3	6.5	0.9	5.3	4.4	11.9
GEOGRAPHIC DIVISIONS:																
2 New England-----	10.9	31.1	7.8	24.9	15.9	5.7	44.0	2.0	42.0	3.7	12.1	7.8	0.8	5.7	4.0	13.6
3 Middle Atlantic-----	10.5	32.2	6.7	20.2	13.3	5.8	39.2	1.9	37.4	2.9	10.0	7.5	1.0	5.5	4.3	16.5
4 East North Central-----	13.1	32.1	8.0	23.7	12.4	5.7	35.0	3.9	31.1	2.9	12.1	7.0	1.0	5.4	3.9	11.5
5 West North Central-----	16.1	27.7	7.0	25.8	13.7	6.1	39.7	4.3	35.4	2.9	12.7	6.7	1.1	6.2	4.1	8.6
6 South Atlantic-----	17.7	40.5	7.5	16.1	13.8	6.7	41.2	6.3	34.9	2.9	12.7	5.3	0.8	5.1	4.8	9.0
7 East South Central-----	22.1	45.4	8.2	19.1	10.5	8.0	48.0	9.9	38.1	2.5	11.4	5.4	1.0	4.8	5.6	6.4
8 West South Central-----	23.2	27.4	5.6	15.1	10.7	7.3	34.8	3.9	30.8	2.8	11.8	4.7	0.9	5.1	5.6	8.0
9 Mountain-----	13.1	15.7	4.5	15.6	13.0	4.8	34.5	2.4	32.0	3.4	18.1	5.8	1.0	5.0	4.5	9.5
10 Pacific-----	9.1	23.6	4.2	16.2	13.4	4.0	27.8	1.0	28.8	2.6	14.4	6.7	0.7	4.4	3.5	17.2
NEW ENGLAND:																
11 Maine-----	13.7	40.8	8.6	28.1	15.6	6.4	41.3	3.8	37.6	3.3	13.3	7.5	1.6	7.7	4.0	9.0
12 New Hampshire-----	10.7	39.7	8.5	47.2	13.7	5.9	37.2	5.6	31.6	5.1	12.8	8.6	0.8	4.1	3.8	12.9
13 Vermont-----	9.7	32.8	10.3	38.7	18.5	4.6	51.3	4.6	46.7	4.9	19.5	7.9	0.8	5.6	4.4	6.2
14 Massachusetts-----	11.7	30.6	7.3	23.5	16.6	5.5	50.7	1.5	49.2	3.9	12.3	8.5	0.7	5.9	4.1	14.9
15 Rhode Island-----	10.1	30.4	10.2	15.5	12.7	8.2	25.8	0.6	25.2	3.1	10.5	7.7	0.8	7.3	3.8	13.1
16 Connecticut-----	9.0	26.4	7.1	22.3	15.9	4.9	38.6	1.6	37.0	3.3	10.5	6.3	0.7	4.4	3.9	14.3
MIDDLE ATLANTIC:																
17 New York-----	7.1	34.9	6.6	18.4	12.0	5.4	43.7	1.3	42.4	3.5	9.3	8.3	1.0	5.3	4.3	19.4
18 New Jersey-----	10.4	32.9	5.9	16.5	12.0	5.8	29.5	1.0	28.5	2.6	8.8	6.7	0.9	4.9	4.0	15.9
19 Pennsylvania-----	15.7	40.1	7.3	25.1	16.0	6.5	37.8	3.0	34.7	2.3	11.7	6.9	1.1	6.2	4.5	12.2
EAST NORTH CENTRAL:																
20 Ohio-----	12.8	35.8	7.5	24.4	13.2	5.4	30.7	4.9	25.8	3.5	13.4	6.6	0.9	5.6	3.7	11.2
21 Indiana-----	15.0	38.1	8.6	30.2	11.3	7.0	36.1	5.8	30.3	2.2	14.9	6.5	1.0	6.0	4.2	8.9
22 Illinois-----	14.7	32.7	9.5	21.8	11.3	5.7	44.1	2.2	41.9	2.9	10.2	7.4	1.2	5.0	4.3	13.9
23 Michigan-----	11.1	25.6	6.6	20.3	11.7	6.1	27.7	2.8	24.8	2.7	12.9	7.3	1.1	5.2	3.6	11.6
24 Wisconsin-----	12.2	27.7	7.1	25.6	15.3	4.7	36.1	5.3	30.8	2.6	9.0	7.0	0.9	5.8	3.7	8.8
WEST NORTH CENTRAL:																
25 Minnesota-----	11.3	24.8	5.0	22.7	12.6	4.0	34.7	2.6	32.1	2.7	11.2	6.9	0.8	5.5	3.6	8.9
26 Iowa-----	17.0	26.8	8.7	31.2	13.3	4.4	38.2	3.7	34.5	2.9	13.6	6.1	0.9	6.1	4.1	6.5
27 Missouri-----	19.6	34.8	8.4	30.3	16.0	8.3	49.1	6.2	42.9	2.9	14.9	6.9	1.4	7.7	4.3	10.6
28 North Dakota-----	18.8	15.9	5.0	17.7	12.0	3.9	35.6	2.4	35.3	2.8	8.5	4.6	0.6	3.8	4.4	5.5
29 South Dakota-----	17.6	20.8	4.6	21.7	12.8	4.1	32.0	3.1	28.9	2.7	6.7	5.0	1.4	5.3	3.7	6.6
30 Nebraska-----	17.0	24.9	5.9	21.4	12.1	4.5	40.1	5.2	34.9	3.8	11.0	8.3	1.3	4.7	4.2	8.2
31 Kansas-----	14.2	27.1	7.3	29.1	13.6	9.3	34.9	4.5	30.3	3.0	13.5	7.0	1.1	6.6	4.6	8.2
SOUTH ATLANTIC:																
32 Delaware-----	14.3	46.8	5.9	25.8	15.5	6.3	32.1	2.1	30.0	1.9	15.8	6.1	0.6	4.6	6.3	10.9
33 Maryland-----	13.4	51.7	4.7	15.2	14.0	4.6	32.8	3.5	29.3	3.1	12.2	5.4	0.7	5.5	3.6	12.9
34 District of Columbia-----	10.2	72.3	8.4	18.0	31.6	6.1	61.2	2.3	58.9	4.3	15.4	9.5	1.1	9.3	5.8	32.8
35 Virginia-----	13.6	38.2	7.7	16.0	12.2	6.8	40.4	7.7	32.7	3.1	11.3	4.2	0.8	4.5	3.9	6.8
36 West Virginia-----	18.4	42.5	12.0	21.7	13.2	7.4	53.5	11.0	42.6	4.3	15.7	5.7	1.1	5.5	3.4	9.3
37 North Carolina-----	19.2	41.0	7.9	13.8	11.8	6.4	40.8	7.9	32.9	2.3	9.0	4.6	0.7	4.2	4.6	5.6
38 South Carolina-----	18.0	50.2	6.7	16.5	9.9	7.6	48.1	11.9	36.2	1.8	9.7	3.9	0.8	4.0	6.6	5.2
39 Georgia-----	19.4	37.4	7.7	15.3	12.8	8.6	49.2	6.3	42.9	2.9	12.2	5.7	0.9	5.1	5.3	6.8
40 Florida-----	21.8	27.9	7.4	16.2	16.5	6.2	32.0	2.3	29.7	3.0	17.4	6.0	0.9	5.6	5.4	10.8
EAST SOUTH CENTRAL:																
41 Kentucky-----	24.2	44.9	7.1	25.1	11.8	7.6	53.2	11.6	41.6	2.5	12.7	6.5	0.8	5.4	5.5	7.9
42 Tennessee-----	15.3	39.1	9.1	18.3	10.4	7.8	49.6	9.3	40.3	2.8	12.4	6.7	1.0	4.4	4.3	6.6
43 Alabama-----	24.3	47.2	7.4	16.3	9.9	7.4	41.2	8.4	32.8	2.0	10.2	4.4	1.2	4.6	4.9	6.1
44 Mississippi-----	27.2	53.6	9.1	16.3	9.8	9.8	48.5	10.9	37.6	2.5	9.8	3.1	0.8	5.2	8.8	4.5
WEST SOUTH CENTRAL:																
45 Arkansas-----	30.6	38.9	8.1	17.8	11.1	11.4	45.3	7.8	37.6	2.6	12.6	6.3	1.1	5.8	4.6	6.2
46 Louisiana-----	20.1	42.3	4.9	13.2	11.4	6.8	36.9	3.5	33.4	2.9	11.6	3.8	1.0	5.7	4.6	8.4
47 Oklahoma-----	24.3	24.2	6.1	20.5	11.0	8.9	33.6	4.2	29.4	2.0	13.4	6.0	1.1	6.3	5.1	9.4
48 Texas-----	22.7	21.2	5.2	13.9	10.3	6.3	32.5	3.4	29.1	3.0	11.4	4.4	0.8	4.6	6.3	7.8
MOUNTAIN:																
49 Montana-----	23.9	21.1	4.4	28.4	12.7	5.7	35.5	4.2	31.3	3.5	16.8	5.9	0.8	4.5	3.3	10.7
50 Idaho-----	13.9	20.2	3.1	19.1	11.8	6.9	30.9	5.8	25.1	3.2	11.6	5.6	1.3	5.3	3.8	6.3
51 Wyoming-----	16.9	16.0	2.1	16.6	13.9	3.3	29.7	2.1	27.6	7.7	15.4	7.1	1.2	5.3	2.1	11.6
52 Colorado-----	12.2	15.9	4.9	18.1	18.5	4.0	46.0	1.7	44.3	3.4	16.7	6.5	1.2	6.0	3.6	9.8
53 New Mexico-----	14.3	11.3	5.0	11.7	9.3	5.4	32.1	3.5	28.6	1.7	15.1	4.7	0.8	4.8	6.1	9.1
54 Arizona-----	8.5	13.2	5.4	11.9	10.9	4.6	33.9	1.6	32.3	4.6	30.5	5.6	1.3	5.1	7.6	11.3
55 Utah-----	11.6	18.0	3.0	9.3	9.8	4.3	22.4	1.1	21.3	2.2	10.9	5.2	0.3	3.3	3.4	6.2
56 Nevada-----	12.2	12.0	5.4	12.5	12.5	4.9	23.4	0.5	22.8	2.7	17.1	5.7	1.1	4.9	1.4	13.0
PACIFIC:																
57 Washington-----	14.0	25.3	4.1	22.4	13.5	4.3	32.0	2.0	30.0	2.6	14.0	6.8	0.4	4.6	4.0	9.7
58 Oregon-----	13.8	28.5	3.6	26.0	14.7	4.4	36.5	2.2	34.3	3.8	16.9	7.2	0.5	5.2	3.2	10.1
59 California-----	7.9	22.8	4.2	14.7	13.6	3.8	26.6	0.7	25.9	2.5	14.6	6.7	0.8	4.4	3.3	19.8
60 Alaska-----	14.5	4.0	2.4	7.7	4.8	2.8	29.8	6.9	23.0	2.4	4.8	4.8	-	2.4	2.4	8.1
61 Hawaii-----	5.6	32.0	4.8	6.1	7.9	7.1	17.0	0.4	16.6	0.6	8.2	4.9	0.4	2.0	2.3	7.1

SECTION 1 - MORTALITY

United States, Each Division and State, 1963—Con.

year population in each area. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Cholelithiasis, cholecystitis, and cholangitis (584, 585)	Acute nephritis, and nephritis with signs including nephrosis (590, 591)	Infections of kidney (600)	Hypertension of prostate (610)	Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	Abortion (650-652)	Other complications of pregnancy, childbirth, and the puerperium (640-649, 660-689)	Congenital malformations (700-759)	Certain diseases of early infancy (760-776)	Birth injuries, postnatal (cephalic), and osteotaxia (760-762)	Infections of newborn (763-768)	Other diseases peculiar to early infancy, and immaturity, unqualified (769-776)	Symptoms, senility, and ill-defined conditions (780-795)	All other diseases (Residual)	Accidents (E800-E862)	Motor vehicle accidents (E810-E835)	Other accidents (E900-E902, E940-E962)	Suicide (E963, E970-E979)	Homicide (E984, E990-E995)	
2.5	0.6	4.7	2.3	0.8	0.1	0.6	11.0	33.3	14.3	2.3	16.7	11.9	28.7	53.4	23.1	30.3	11.0	4.9	1
2.7	0.5	4.8	2.0	0.3	0.0	0.3	10.7	30.2	12.5	1.5	16.1	4.9	30.3	43.4	15.0	26.4	9.7	1.9	2
2.8	0.5	4.6	2.4	0.9	0.2	0.5	10.5	30.5	13.7	1.7	15.1	11.8	29.9	42.7	15.3	27.4	9.3	3.4	3
2.8	0.3	4.3	2.5	0.5	0.1	0.5	11.5	32.2	15.9	1.9	14.4	4.7	26.5	49.5	22.3	27.2	10.5	3.7	4
5.1	0.9	4.5	2.6	0.5	0.1	0.4	10.8	29.9	12.5	1.8	15.6	9.4	31.9	60.2	26.8	33.4	11.1	3.0	5
1.1	0.9	5.7	1.9	1.0	0.2	0.9	11.3	37.8	15.0	3.1	19.7	15.4	29.9	58.9	26.1	32.8	11.0	8.4	6
2.5	1.3	6.3	2.9	1.4	0.1	1.3	11.5	38.8	15.4	3.7	21.7	37.9	29.7	64.4	28.6	35.7	8.9	8.8	7
2.1	0.9	5.2	2.2	1.1	0.2	0.9	11.1	37.6	14.6	3.7	19.3	17.6	28.3	61.3	27.1	34.2	9.1	7.2	8
2.6	0.6	3.8	2.0	0.7	0.1	0.6	11.6	36.6	14.2	2.6	19.7	17.9	29.8	66.7	29.8	36.8	14.2	4.5	9
1.9	0.6	4.1	1.8	0.6	0.2	0.4	10.6	29.9	13.8	1.9	14.1	3.3	25.4	53.0	25.6	27.4	16.7	3.9	10
3.1	0.9	5.5	2.5	0.3	-	0.3	11.4	33.8	14.8	1.7	17.3	5.8	27.1	52.3	19.8	32.6	12.9	2.0	11
3.0	0.3	3.5	3.2	0.3	-	0.3	12.8	31.7	12.0	2.4	17.4	11.8	30.9	48.6	21.1	27.6	11.8	2.4	12
5.1	-	6.7	3.3	0.3	-	0.3	13.8	36.2	16.4	2.8	16.9	12.3	29.7	56.9	28.2	28.7	15.6	0.8	13
2.6	0.5	5.1	1.8	0.3	0.1	0.2	9.5	27.9	11.5	1.4	15.0	10.0	30.8	44.1	13.7	30.4	7.4	1.9	14
3.4	0.3	4.0	2.3	0.6	0.1	0.5	14.9	31.5	14.2	1.2	16.0	2.6	30.2	38.5	11.6	26.9	7.3	1.5	15
2.2	0.4	4.2	1.8	0.3	-	0.3	10.7	31.4	12.7	1.4	17.4	4.8	30.3	37.4	13.7	23.7	10.3	1.9	16
2.8	0.5	5.1	2.5	0.9	0.3	0.6	10.5	30.7	13.3	2.0	15.5	9.1	25.8	41.5	14.1	27.4	9.2	4.0	17
2.7	0.7	4.3	2.0	0.8	0.2	0.6	10.4	32.7	17.0	1.9	13.7	3.7	25.4	39.9	15.0	24.9	9.0	3.0	18
2.8	0.8	4.2	2.3	0.6	0.1	0.4	10.6	29.1	12.4	1.3	15.4	19.8	38.7	46.2	17.4	28.9	9.6	2.6	19
2.4	0.8	4.6	2.3	0.6	0.1	0.5	11.8	30.6	13.8	1.5	15.3	6.4	28.8	47.6	20.2	27.4	10.5	3.4	20
2.7	1.1	4.5	2.1	0.6	0.1	0.4	11.5	33.3	14.6	1.9	16.8	5.2	29.7	62.9	29.0	33.9	10.7	3.0	21
2.8	0.9	4.6	2.9	0.6	0.1	0.6	10.5	33.5	21.0	2.8	9.7	3.4	22.1	45.7	19.7	25.9	10.3	5.1	22
3.0	0.6	3.3	2.6	0.8	0.3	0.5	11.8	32.5	14.9	1.4	16.1	3.1	25.6	49.4	24.7	24.8	10.4	3.6	23
3.9	0.5	4.2	2.7	0.5	0.0	0.4	12.3	31.3	11.9	1.4	18.0	6.2	29.7	48.5	21.8	26.7	11.3	1.8	24
3.5	0.4	3.5	2.4	0.1	-	0.1	11.9	28.8	11.9	0.8	16.1	4.2	31.4	53.2	24.3	28.9	10.5	1.3	25
3.1	0.7	3.8	2.6	0.3	-	0.3	11.0	26.3	11.8	1.6	12.9	2.7	34.2	57.5	26.6	30.9	12.1	1.4	26
2.5	1.3	5.3	2.9	0.8	0.1	0.7	9.3	31.9	13.0	2.4	16.5	19.8	33.4	63.7	26.4	37.3	11.6	6.1	27
3.0	1.1	2.5	2.4	0.3	0.3	0.3	11.4	37.9	16.4	3.2	18.3	4.7	26.8	62.9	32.0	30.9	10.7	1.4	28
3.3	0.3	4.2	1.5	0.4	0.1	0.3	9.6	32.6	11.5	2.2	18.9	11.5	30.5	69.9	29.9	40.0	9.9	1.6	29
4.0	0.8	3.8	2.9	0.4	0.1	0.3	12.0	30.5	13.8	2.0	14.7	5.3	26.6	62.5	26.1	36.4	9.7	2.0	30
3.3	1.5	4.9	2.6	0.7	0.1	0.6	11.4	29.0	11.6	1.9	15.4	8.8	32.1	62.3	29.4	32.9	11.2	3.1	31
3.2	0.6	4.2	2.7	0.6	0.4	0.2	9.5	37.6	18.1	2.7	16.8	2.5	30.3	51.5	17.9	35.6	8.4	5.3	32
2.0	0.6	3.5	1.6	0.6	0.1	0.5	13.1	37.6	15.7	2.8	21.1	3.6	31.8	47.1	18.9	28.2	11.0	6.1	33
1.9	0.4	12.5	2.9	1.8	-	1.8	10.5	59.5	28.4	3.4	27.7	21.4	43.2	55.4	12.4	43.0	9.8	11.0	34
1.6	0.7	5.1	1.6	1.0	0.1	0.9	11.5	39.3	15.4	2.7	21.2	11.0	29.5	53.8	21.7	31.7	12.4	6.8	35
2.0	1.6	3.9	2.5	1.0	0.1	0.9	12.3	30.4	14.2	2.8	13.4	28.7	32.8	64.8	24.5	40.4	9.5	5.6	36
1.5	1.0	5.7	1.8	1.3	0.2	1.1	11.0	38.1	15.5	3.1	19.4	19.9	28.4	59.4	29.7	29.7	10.5	8.7	37
1.6	1.2	5.7	2.0	1.6	0.2	1.4	10.8	38.0	14.8	3.7	19.5	24.7	24.6	67.6	30.5	37.1	7.2	9.2	38
1.6	0.9	6.4	2.2	1.2	0.3	0.9	11.8	40.6	14.7	4.2	21.7	16.7	29.2	66.0	30.1	35.9	10.9	11.4	39
2.8	0.7	6.6	1.7	0.6	0.1	0.5	10.3	33.8	13.6	2.4	17.8	17.6	30.6	59.9	29.1	30.8	13.1	9.2	40
2.6	1.3	6.3	2.8	0.8	0.1	0.7	12.3	33.4	12.2	3.1	18.2	9.8	32.7	65.4	27.2	39.2	10.7	6.5	41
2.7	1.1	6.4	3.3	1.0	0.1	0.9	11.3	34.3	13.2	2.4	18.6	23.6	28.8	57.8	26.8	31.0	9.7	7.2	42
1.7	1.3	5.7	2.1	2.1	0.2	1.9	11.3	40.0	13.9	4.0	22.1	50.4	30.4	67.1	31.3	35.8	8.8	10.8	43
1.7	1.6	6.9	2.8	1.9	0.1	1.8	11.2	51.7	14.6	6.3	30.8	80.6	26.0	69.5	29.6	39.9	5.5	11.5	44
2.5	0.9	5.7	2.6	1.2	0.2	1.1	11.1	34.3	12.6	3.8	17.9	35.5	28.5	73.4	31.3	42.1	8.8	7.6	45
1.8	0.8	6.0	1.7	1.2	0.2	1.0	10.7	47.5	16.4	5.9	23.3	6.0	29.0	61.0	23.7	37.3	8.4	7.9	46
3.4	1.1	6.2	3.1	0.6	0.0	0.6	9.9	29.8	11.1	2.1	16.6	22.8	34.7	65.8	28.6	37.2	6.2	4.9	47
1.8	0.8	4.5	2.0	1.2	0.2	0.9	11.6	36.8	14.6	3.4	18.8	17.0	26.5	58.2	27.1	31.1	9.6	7.5	48
2.0	0.4	3.7	3.4	0.3	-	0.3	10.9	31.1	11.7	1.7	17.7	29.8	36.5	75.2	32.1	43.1	16.5	3.0	49
2.7	0.7	2.2	2.2	0.6	-	0.6	11.5	30.6	8.8	1.8	19.9	10.1	28.2	73.4	28.8	44.6	10.9	3.5	50
3.3	0.6	4.2	1.2	0.6	-	0.6	11.6	44.8	14.9	1.5	23.4	11.6	35.6	32.6	41.5	51.0	20.2	2.7	51
3.1	0.8	4.3	1.7	0.7	0.1	0.6	10.7	35.2	19.0	2.6	18.6	5.6	31.7	59.5	25.2	34.3	18.2	4.7	52
2.4	0.5	2.4	1.5	1.0	-	1.0	13.8	47.2	19.1	5.7	24.5	35.9	27.1	69.4	33.6	35.9	10.5	5.7	53
3.1	0.3	5.3	2.2	1.2	0.3	0.9	11.4	36.8	13.0	3.8	20.0	12.1	29.4	59.8	29.2	31.6	13.5	5.2	54
1.7	0.4	3.3	1.6	0.4	0.1	0.3	11.7	28.2	15.0	0.8	12.4	33.8	28.5	61.4	27.5	34.0	8.0	2.4	55
1.6	1.4	3.3	2.7	0.3	-	0.3	12.5	50.3	14.4	4.3	31.5	13.5	36.7	86.4	43.5	42.9	19.3	8.4	56
2.1	0.6	3.4	1.5	0.3	0.1	0.2	10.8	25.8	11.4	1.2	13.2	7.0	29.8	54.1	22.5	31.7	14.5	3.0	57
2.0	0.7	3.7	2.5	0.3	0.2	0.2	9.3	24.9	10.5	1.8	12.8	6.2	29.2	37.0	32.3	34.7	14.5	3.1	58
2.0	0.6	4.2	1.8	0.6	0.4	0.4	10.6	30.3	14.5	2.0	15.8	2.1	24.8	51.3	26.1	25.2	17.5	4.2	59
0.4	0.8	1.6	0.8	2.0	-	2.0	12.1	55.2	16.9	2.4	35.9	21.8	21.8	111.3	18.5	82.7	13.7	6.1	60
1.2	0.4	4.5	0.6	0.4	-	0.4	11.8	40.8	14.7	2.7	23.3	3.7	15.9	33.4	13.5	19.9	12.5	1.9	61

SECTION 1 - MORTALITY

Table 1-14. Maternal Mortality Rates by Color: Birth-Registration States or United States, 1915-63

(Refers only to deaths occurring within the specified area. Alaska included beginning 1959, and Hawaii, 1960. Prior to 1933, data are for birth-registration States only. Rates per 100,000 live births in specified group. Deaths are classified according to the International Lists used at the time; for discussion of comparability, see Technical Appendix)

YEAR	Total	White	Nonwhite	YEAR	Total	White	Nonwhite
1963 ¹	35.8	24.0	96.9	1948	116.6	69.4	301.0
1962 ¹	35.2	25.8	95.9	1947	134.5	108.6	334.6
1961	36.9	24.9	101.3	1946	156.7	130.7	358.9
1960	37.1	26.0	97.9	1945	207.2	172.1	454.8
1959	37.4	25.8	102.1	1944	227.9	189.4	508.0
1958	37.6	26.3	101.8	1943	245.2	210.5	509.9
1957	41.0	27.5	118.3	1942	258.7	221.8	544.0
1956	40.9	28.7	110.7	1941	316.5	266.0	678.1
1955	47.0	32.8	130.3	1940	376.0	319.8	775.5
1954	52.4	37.2	143.8	1935-39	493.9	439.9	875.5
1953	61.1	44.1	166.1	1930-34 ²	636.0	575.4	1,080.7
1952	67.8	48.9	188.1	1925-29	668.6	615.0	1,163.7
1951	75.0	54.9	201.3	1920-24	689.5	649.2	1,134.3
1950	83.3	61.1	221.6	1915-19	727.9	700.3	1,253.5
1949	90.3	68.1	234.8				

¹Figures by color exclude data for residents of New Jersey; see Technical Appendix.
²For 1932-34, Mexicans are included with "Nonwhite."

SECTION 1 - MORTALITY

1-27

Table 1-15. Maternal Mortality Rates by Color: United States, Each Division and State, 1961-63 (3-Year Average)

(By place of residence. Refers only to deaths occurring within the United States. Rates per 100,000 live births in specified group, 1961-63)

DIVISION AND STATE	Total	White	Nonwhite	DIVISION AND STATE	Total	White	Nonwhite
UNITED STATES ¹	35.9	24.2	98.1	SOUTH ATLANTIC:			
GEOGRAPHIC DIVISIONS:				Delaware	31.7	21.6	71.8
New England	20.8	18.8	64.7	Maryland	31.1	18.3	75.7
Middle Atlantic ¹	38.4	26.4	121.5	District of Columbia	64.3	5.7	88.4
East North Central	29.2	22.7	79.7	Virginia	44.7	25.1	105.6
West North Central	22.8	19.8	67.7	West Virginia	50.0	44.1	165.8
South Atlantic	47.1	24.0	102.7	North Carolina	50.5	22.1	112.6
East South Central	61.0	31.5	132.3	South Carolina	65.2	18.4	131.2
West South Central	43.7	30.5	92.6	Georgia	49.6	28.0	89.3
Mountain	32.0	26.8	92.3	Florida	42.7	21.2	102.7
Pacific	26.6	21.5	61.7	EAST SOUTH CENTRAL:			
NEW ENGLAND:				Kentucky	44.9	36.1	138.9
Maine	21.9	20.7	112.6	Tennessee	44.8	31.1	93.2
New Hampshire	33.4	33.6	-	Alabama	74.8	27.1	155.3
Vermont	14.6	14.6	-	Mississippi	84.1	29.3	131.9
Massachusetts	19.4	17.2	71.7	WEST SOUTH CENTRAL:			
Rhode Island	12.7	9.5	88.6	Arkansas	49.1	24.9	108.5
Connecticut	23.6	21.2	51.9	Louisiana	41.9	21.4	73.5
MIDDLE ATLANTIC:				Oklahoma	33.5	23.7	92.5
New York	46.3	32.0	131.5	Texas	45.6	35.1	105.2
New Jersey	34.8	-	-	MOUNTAIN:			
Pennsylvania	28.2	19.3	99.6	Montana	20.0	13.0	103.6
EAST NORTH CENTRAL:				Idaho	31.1	31.7	-
Ohio	24.5	19.8	64.0	Wyoming	24.8	21.5	110.9
Indiana	31.7	24.6	111.1	Colorado	26.0	25.6	37.3
Illinois	28.0	21.5	60.3	New Mexico	51.8	48.3	77.7
Michigan	36.2	25.7	120.9	Arizona	38.4	24.5	111.2
Wisconsin	26.0	23.8	77.7	Utah	24.5	21.1	158.2
WEST NORTH CENTRAL:				Nevada	22.9	13.0	97.3
Minnesota	11.2	11.0	20.2	PACIFIC:			
Iowa	17.0	17.3	-	Washington	18.3	17.3	35.2
Missouri	34.4	29.3	66.3	Oregon	19.2	16.1	105.9
North Dakota	27.3	24.2	97.6	California	28.4	22.8	70.6
South Dakota	25.2	21.1	72.6	Alaska	56.8	19.5	133.9
Nebraska	20.7	17.6	81.9	Hawaii	20.6	24.4	18.9
Kansas	27.0	21.5	104.7				

¹Figures by color exclude data for residents of New Jersey for 1962 and 1963; see Technical Appendix.*miss cal. equal in length*

Table 1-16. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1963

(Unit of residence is defined as the county or county equivalent of which the decedent was a resident)

STATE OF OCCURRENCE	All deaths occurring in State	Deaths of residents occurring in county of residence	Total deaths of nonresidents	Deaths of intra-state nonresidents	DEATHS OF INTERSTATE NONRESIDENTS BY STATE OF RESIDENCE													
					Total	Ala.	Alaska	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D.C.	Fla.	Ga.	Hawaii	Idaho
UNITED STATES-----	1,813,549	1,500,128	313,421	254,068	59,353	1,011	92	532	1,088	1,969	418	883	233	993	2,177	1,019	40	531
Alabama-----	31,807	26,796	5,011	4,224	787	...	-	1	10	5	1	2	-	1	197	188	-	-
Alaska-----	1,294	1,044	250	193	57	-	...	1	-	7	2	-	-	-	1	-	-	-
Arizona-----	12,274	10,578	1,696	790	906	5	1	...	8	222	25	1	-	-	11	-	-	11
Arkansas-----	19,488	14,933	4,555	3,530	1,025	12	-	1	...	19	3	-	-	-	6	4	-	-
California-----	147,868	132,235	15,631	13,766	1,865	14	8	177	15	...	45	17	1	5	36	9	25	27
Colorado-----	16,645	12,029	4,616	3,702	914	3	2	30	1	66	...	5	-	-	12	3	1	8
Connecticut-----	25,402	22,239	3,163	2,555	608	-	-	1	-	8	1	...	-	3	31	2	-	-
Delaware-----	4,616	3,773	843	425	418	1	-	-	-	-	-	-	...	5	10	-	-	-
District of Columbia-----	10,635	8,255	2,380	...	2,380	9	-	3	3	24	-	6	6	...	41	29	-	1
Florida-----	57,064	48,511	8,553	5,106	3,447	141	1	3	8	31	5	85	9	19	...	248	2	-
Georgia-----	38,066	28,949	9,117	7,750	1,367	254	1	1	4	7	2	2	3	-	314	...	-	1
Hawaii-----	3,719	3,449	270	167	103	-	-	-	-	44	1	1	-	-	5	1	...	-
Idaho-----	5,622	4,482	1,140	873	267	-	-	4	1	27	6	-	-	-	-	-	-	...
Illinois-----	106,304	91,820	14,484	11,981	2,503	11	3	19	29	112	14	10	-	2	122	13	-	2
Indiana-----	48,064	39,696	8,368	6,729	1,626	8	-	2	5	18	4	2	-	-	48	4	1	1
Iowa-----	29,307	22,646	6,661	5,421	1,240	2	-	6	7	36	11	1	-	3	17	1	-	1
Kansas-----	21,913	17,296	4,617	3,451	1,166	2	-	8	13	44	43	1	-	1	4	3	-	1
Kentucky-----	31,600	25,046	6,554	5,207	1,347	8	-	2	4	9	-	-	-	-	19	12	-	2
Louisiana-----	31,268	23,711	7,557	6,729	828	46	1	-	112	19	5	-	-	-	35	13	1	-
Maine-----	11,034	9,145	1,889	1,546	343	1	-	-	-	4	1	33	-	2	12	1	-	-
Maryland-----	30,175	21,507	8,668	6,651	2,017	3	1	2	1	8	2	9	94	691	46	10	1	1
Massachusetts-----	55,809	46,751	9,058	7,800	1,258	3	-	-	-	14	-	210	-	5	46	5	1	-
Michigan-----	71,875	60,495	11,380	10,271	1,109	12	-	6	17	30	2	3	-	1	94	5	-	-
Minnesota-----	33,408	25,553	7,855	6,170	1,685	1	5	2	4	45	7	6	-	2	33	9	-	2
Mississippi-----	23,407	18,677	4,730	3,666	704	186	-	2	36	2	3	-	-	3	39	17	-	-
Missouri-----	51,147	37,870	13,277	10,804	2,473	5	1	11	113	58	18	1	-	2	19	9	1	3
Montana-----	6,549	5,128	1,421	1,220	201	1	1	1	1	15	4	-	-	2	1	1	-	9
Nebraska-----	14,668	11,325	3,343	2,684	659	2	-	3	1	32	25	-	-	1	4	2	-	-
Nevada-----	3,118	2,449	669	210	459	1	-	11	1	286	5	1	-	4	1	-	-	26
New Hampshire-----	7,219	5,803	1,416	830	586	-	-	-	-	3	-	11	1	1	15	-	-	-
New Jersey-----	62,386	52,156	10,230	8,365	1,865	1	-	3	3	5	-	36	17	15	92	4	-	-
New Mexico-----	6,875	5,343	1,532	1,028	504	2	-	83	5	47	41	-	1	-	8	1	2	-
New York-----	185,762	163,394	22,368	19,132	3,236	15	-	6	1	50	6	281	8	25	219	12	1	1
North Carolina-----	40,795	32,179	8,616	7,410	1,206	14	-	1	1	9	3	12	1	14	118	62	1	-
North Dakota-----	5,505	3,737	1,768	1,367	401	-	1	1	-	8	2	1	-	-	-	-	-	-
Ohio-----	97,718	83,618	14,100	11,736	2,364	6	-	9	3	38	8	9	2	5	134	7	-	2
Oklahoma-----	23,858	19,163	4,695	4,157	538	3	-	12	61	38	9	-	-	-	3	3	-	-
Oregon-----	17,940	14,685	3,255	2,652	603	-	23	8	2	148	2	1	1	-	3	-	-	82
Pennsylvania-----	125,961	108,635	17,326	14,816	2,510	4	-	8	3	28	3	13	78	22	87	6	-	-
Rhode Island-----	9,538	8,225	1,313	909	404	-	-	-	-	5	1	87	-	-	9	1	-	-
South Carolina-----	21,351	17,714	3,637	3,101	536	8	-	1	-	2	2	5	1	5	48	76	-	-
South Dakota-----	6,698	4,574	2,124	1,652	472	-	-	1	-	13	14	-	-	-	2	2	-	2
Tennessee-----	37,259	29,605	7,654	5,069	2,585	180	-	3	464	15	3	-	-	3	59	203	1	1
Texas-----	83,582	68,360	15,022	13,284	1,758	27	-	48	144	124	17	5	1	4	69	28	-	4
Utah-----	6,821	5,462	1,359	923	436	2	3	35	1	69	25	-	1	-	1	-	-	124
Vermont-----	4,535	3,607	928	595	333	-	-	-	-	2	-	16	-	-	7	-	-	-
Virginia-----	36,284	23,358	12,906	11,464	1,442	9	1	3	1	22	1	10	6	124	49	21	1	-
Washington-----	27,714	23,966	3,748	2,907	841	2	37	3	2	93	2	-	1	1	1	-	-	213
West Virginia-----	19,758	14,639	5,119	3,588	1,531	1	-	-	-	6	-	-	1	25	22	3	-	-
Wisconsin-----	39,567	33,298	6,269	5,119	1,150	4	1	4	2	24	3	-	-	1	24	-	1	-
Wyoming-----	2,859	2,219	640	350	290	2	-	6	1	28	41	-	-	-	2	-	-	6

SECTION 1 - MORTALITY

Table 1-16. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1963—Con.

(Unit of residence is defined as the county or county equivalent of which the decedent was a resident)

STATE OF OCCURRENCE	DEATHS OF INTERSTATE NONRESIDENTS BY STATE OF RESIDENCE—Con.																			
	Ill.	Ind.	Iowa	Kans.	Ky.	La.	Maine	Ma.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.	
UNITED STATES-----	3,957	2,021	1,220	1,466	1,492	555	351	2,080	1,258	1,675	1,043	1,012	1,886	273	672	288	552	3,351	475	
Alabama-----	20	7	1	3	11	18	-	-	5	24	-	108	4	-	1	-	-	2	-	
Alaska-----	2	1	1	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-	
Arizona-----	70	22	32	15	5	-	-	-	3	40	19	5	25	10	18	18	3	10	65	
Arkansas-----	44	10	8	22	1	37	-	-	-	11	3	28	203	-	1	-	-	2	1	
California-----	117	30	45	36	10	16	5	12	31	65	52	7	50	21	25	163	4	29	25	
Colorado-----	55	10	18	110	3	6	-	4	2	11	16	-	38	14	88	6	-	10	73	
Connecticut-----	4	1	2	-	1	-	17	6	92	1	3	-	1	-	1	-	10	37	-	
Delaware-----	-	1	-	2	-	-	-	118	-	3	-	-	-	-	-	-	-	3	120	
District of Columbia-----	19	8	4	3	10	5	2	1,242	10	11	6	3	6	2	2	-	-	5	29	
Florida-----	246	130	32	5	39	14	36	57	164	262	49	20	22	2	7	3	22	224	3	
Georgia-----	15	8	-	2	15	1	2	8	9	16	1	9	4	-	-	-	-	1	11	
Hawaii-----	4	2	-	1	-	1	1	1	2	4	1	-	-	-	-	-	-	-	2	
Idaho-----	2	1	-	2	-	-	-	-	1	3	-	-	-	19	3	11	-	-	2	
Illinois-----	698	141	18	77	7	1	8	12	169	46	24	358	8	16	1	1	1	26	5	
Indiana-----	621	7	206	-	1	5	4	237	5	5	2	21	2	3	1	3	5	5	3	
Iowa-----	473	6	19	3	1	-	3	2	7	84	1	146	2	211	3	-	-	6	7	
Kansas-----	27	6	19	1	1	-	-	3	5	12	5	634	2	55	1	1	1	2	7	
Kentucky-----	76	417	2	4	6	-	8	7	39	1	10	1	-	1	-	-	1	2	-	
Louisiana-----	12	9	1	5	4	...	4	3	7	4	175	11	1	1	-	-	80	11	2	
Maine-----	-	1	-	1	-	...	-	105	1	1	1	1	-	-	-	-	-	11	2	
Maryland-----	10	10	5	3	10	6	3	...	10	13	1	5	6	2	1	1	1	80	4	
Massachusetts-----	11	2	-	-	1	1	97	17	...	9	2	2	2	1	1	1	259	47	-	
Michigan-----	147	108	7	3	19	5	2	7	8	...	5	7	20	1	3	1	-	7	1	
Minnesota-----	127	32	246	17	5	1	-	3	4	67	...	2	30	30	33	2	-	11	2	
Mississippi-----	36	9	3	6	4	162	-	1	2	12	1	...	16	-	2	-	-	1	1	
Missouri-----	912	28	94	851	14	6	1	6	2	14	14	11	...	2	32	3	-	5	5	
Montana-----	3	1	2	1	-	-	-	-	-	4	11	-	1	...	1	1	-	1	1	
Nebraska-----	24	5	289	102	1	2	-	-	-	3	8	-	23	1	...	4	-	1	1	
Nevada-----	6	-	4	3	-	3	2	1	4	6	2	1	-	2	4	...	-	2	2	
New Hampshire-----	2	-	1	-	1	-	119	-	190	3	-	-	-	-	-	-	...	16	-	
New Jersey-----	12	1	3	2	5	2	9	39	35	13	1	-	2	1	1	-	11	...	2	
New Mexico-----	18	9	5	15	3	3	-	1	1	5	3	4	12	4	6	1	1	-	...	
New York-----	37	10	7	9	10	2	21	42	149	41	12	2	6	4	7	1	17	1,389	3	
North Carolina-----	14	5	-	1	13	3	3	13	13	8	2	3	3	-	1	-	-	18	5	
North Dakota-----	3	1	2	2	-	-	-	-	-	254	1	1	1	26	-	-	-	2	2	
Ohio-----	66	301	9	6	396	2	3	13	8	330	4	5	17	1	2	1	1	21	2	
Oklahoma-----	15	6	10	107	2	7	-	4	2	4	6	2	49	-	6	-	-	4	12	
Oregon-----	3	2	7	-	-	1	2	1	4	8	-	-	3	9	5	6	-	1	-	
Pennsylvania-----	30	9	1	6	6	2	6	155	22	23	2	-	6	-	2	-	1	1,097	-	
Rhode Island-----	1	1	-	-	1	-	3	251	-	-	-	-	-	-	-	-	3	3	-	
South Carolina-----	5	4	-	-	5	3	2	11	10	3	-	1	2	1	1	-	-	12	-	
South Dakota-----	9	-	89	10	-	-	-	-	-	1	96	-	8	19	77	1	-	-	2	
Tennessee-----	42	27	5	1	353	12	-	1	4	28	4	549	67	-	1	-	-	7	1	
Texas-----	43	24	23	40	7	204	4	6	17	32	15	25	44	1	12	5	3	11	228	
Utah-----	5	1	3	3	-	-	1	1	1	1	1	-	3	8	4	48	1	2	4	
Vermont-----	1	-	-	-	-	-	4	-	44	1	-	-	-	-	-	-	114	17	-	
Virginia-----	14	19	5	2	38	8	4	101	23	12	5	3	8	-	-	1	2	45	1	
Washington-----	13	2	3	7	1	3	-	1	2	10	14	1	6	44	3	3	1	-	1	
West Virginia-----	9	8	-	-	210	-	-	171	2	8	-	-	1	-	1	1	-	12	-	
Wisconsin-----	527	25	82	5	-	3	1	2	1	99	258	-	11	3	1	-	-	2	2	
Wyoming-----	5	3	8	4	1	3	-	3	-	4	3	-	5	36	35	1	-	3	4	

SECTION 1 - MORTALITY

Table 1-16. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1963-Con.

(Unit of residence is defined as the county or county equivalent of which the decedent was a resident)

STATE OF OCCURRENCE	DEATHS OF INTERSTATE NONRESIDENTS BY STATE OF RESIDENCE—Con.																			All deaths of residents of State
	N.Y.	N.C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
UNITED STATES-----	3,533	992	407	2,640	1,154	688	3,102	358	924	449	1,025	1,423	199	315	2,121	687	1,212	1,248	263	1,813,549
Alabama-----	8	6	-	15	7	-	5	1	14	1	90	18	3	-	6	-	2	2	-	32,031
Alaska-----	-	-	-	-	1	-	2	-	-	-	-	-	-	-	2	26	-	-	-	1,329
Arizona-----	41	1	4	20	22	23	22	2	1	10	5	43	12	1	6	19	2	25	5	11,900
Arkansas-----	3	7	2	9	315	1	4	-	2	1	56	198	5	-	1	2	-	-	-	19,551
California-----	114	5	7	75	26	152	40	5	3	6	11	101	41	2	6	109	4	27	9	147,970
Colorado-----	31	3	7	19	23	5	15	-	3	14	5	60	23	-	3	8	4	8	89	16,149
Connecticut-----	310	1	1	7	-	1	23	23	3	-	-	3	-	8	5	-	-	-	1	25,677
Delaware-----	14	3	-	3	-	-	114	-	-	-	1	1	-	-	15	-	2	1	-	4,431
District of Columbia-----	58	31	-	19	3	2	62	4	23	2	16	7	1	1	633	3	23	3	-	9,248
Florida-----	672	62	-	261	6	4	235	21	24	4	47	20	3	19	71	11	31	66	1	55,794
Georgia-----	48	75	-	32	2	1	17	-	359	1	96	12	-	-	21	3	3	5	1	37,718
Hawaii-----	7	-	-	2	-	6	5	-	2	1	-	2	-	-	1	5	-	-	1	3,656
Idaho-----	-	-	2	-	1	52	-	-	-	3	-	6	29	-	-	81	-	-	1	5,886
Illinois-----	62	4	3	72	14	2	38	3	3	4	56	32	-	1	10	11	7	227	1	107,758
Indiana-----	7	5	-	284	3	1	21	2	1	1	19	14	-	1	4	5	12	20	1	48,459
Iowa-----	3	-	4	10	5	4	8	4	-	61	4	5	-	-	2	4	1	70	3	29,287
Kansas-----	5	-	3	10	187	5	5	-	-	2	3	33	-	-	2	7	1	7	1	22,213
Kentucky-----	8	17	-	265	5	4	21	-	3	-	198	6	2	1	60	2	118	2	-	31,745
Louisiana-----	15	6	-	6	10	-	8	1	3	-	7	280	1	-	5	3	1	3	-	30,995
Maine-----	39	3	1	2	-	-	19	5	1	-	1	2	-	4	8	-	-	-	-	11,042
Maryland-----	81	44	-	29	1	1	349	2	10	1	10	8	-	2	277	4	154	4	-	30,238
Massachusetts-----	184	3	-	21	1	-	27	227	-	-	4	7	-	32	8	3	-	7	-	55,809
Michigan-----	33	7	3	234	4	-	33	1	4	1	26	19	-	-	10	2	6	205	2	72,441
Minnesota-----	21	3	234	19	15	5	7	2	-	153	7	23	2	-	3	16	-	442	5	32,766
Mississippi-----	2	2	1	12	7	-	4	-	5	-	88	24	1	-	8	1	-	5	-	23,355
Missouri-----	23	4	-	25	66	2	10	-	3	6	31	36	-	-	2	5	1	16	2	50,560
Montana-----	2	-	38	1	-	14	1	-	-	8	-	6	4	-	26	1	8	30	8	6,621
Nebraska-----	5	1	2	2	8	5	4	-	-	66	1	3	3	-	1	5	-	3	17	14,691
Nevada-----	13	-	-	3	4	13	4	-	-	1	2	6	22	1	-	7	2	2	1	2,947
New Hampshire-----	34	2	-	1	-	-	5	10	-	-	-	-	-	169	-	-	1	1	-	7,185
New Jersey-----	779	9	1	18	-	-	689	4	4	-	2	5	-	4	25	1	6	3	-	63,872
New Mexico-----	13	1	-	10	23	9	3	1	1	1	1	145	5	-	5	4	2	3	2	6,846
New York-----	...	21	1	70	7	8	559	15	9	1	8	20	-	60	37	6	13	7	-	186,059
North Carolina-----	68	...	-	18	2	-	24	4	375	-	87	8	-	3	258	3	12	3	-	40,591
North Dakota-----	1	-	...	3	1	3	2	-	-	65	1	6	-	-	-	9	-	5	-	5,511
Ohio-----	79	9	2	...	9	2	333	2	3	1	24	20	-	-	17	4	430	18	-	97,994
Oklahoma-----	3	4	1	2	...	4	5	-	-	3	2	136	-	-	2	2	3	5	-	24,474
Oregon-----	3	1	6	-	2	...	2	-	2	1	-	8	5	-	-	248	-	-	1	18,025
Pennsylvania-----	382	16	-	328	1	3	...	7	7	-	5	5	1	1	34	1	95	4	-	126,553
Rhode Island-----	24	3	-	2	-	-	5	...	-	-	-	1	-	2	-	-	-	-	-	9,492
South Carolina-----	52	218	-	11	1	-	17	-	...	-	7	3	-	-	13	-	6	-	-	21,739
South Dakota-----	2	-	67	3	-	4	1	-	-	...	3	5	-	-	7	-	-	4	28	6,675
Tennessee-----	13	85	-	26	5	-	15	1	20	3	...	27	-	-	341	3	8	4	-	35,639
Texas-----	36	9	5	28	351	10	24	1	9	9	15	...	1	-	11	9	8	13	4	85,047
Utah-----	2	-	-	-	4	5	1	-	-	3	1	11	...	-	1	8	1	1	52	6,584
Vermont-----	111	-	-	2	-	-	8	4	-	-	-	-	-	...	1	-	1	-	-	4,517
Virginia-----	98	313	-	41	2	3	77	4	24	-	77	10	-	2	...	1	247	4	-	36,943
Washington-----	4	-	4	5	-	324	5	-	1	4	1	7	7	-	2	...	1	5	1	27,560
West Virginia-----	7	7	-	602	3	-	215	2	-	-	5	4	2	1	200	1	...	1	-	19,439
Wisconsin-----	11	1	4	12	6	1	5	-	1	3	2	13	-	-	2	3	39,685
Wyoming-----	2	-	4	1	1	8	4	-	1	8	-	13	28	-	4	-	-	-	...	2,832

SECTION 1 - MORTALITY

1-31

Table 1-17. Deaths by Month and State of Occurrence: United States and Each State, 1963

(Excludes fetal deaths)

AREA	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES-----	1,813,549	165,843	161,099	176,287	147,674	145,954	143,523	144,493	137,149	135,854	145,083	144,206	166,404
Alabama-----	31,807	3,043	3,133	3,163	2,590	2,471	2,434	2,354	2,358	2,343	2,489	2,426	3,003
Alaska-----	1,294	102	94	115	98	113	121	127	137	91	103	95	98
Arizona-----	12,274	1,102	1,005	1,340	1,075	985	979	964	915	893	922	988	1,106
Arkansas-----	19,488	1,743	1,774	1,998	1,581	1,554	1,534	1,425	1,525	1,433	1,492	1,537	1,892
California-----	147,866	13,618	11,467	13,086	12,410	12,277	11,675	11,763	11,888	12,090	11,872	12,111	13,609
Colorado-----	16,645	1,541	1,299	1,550	1,399	1,353	1,326	1,390	1,266	1,272	1,367	1,340	1,542
Connecticut-----	25,402	2,344	2,350	2,409	2,016	2,068	2,038	2,075	1,879	1,891	1,975	2,057	2,300
Delaware-----	4,616	408	522	380	315	353	393	409	343	308	380	379	426
District of Columbia-----	10,635	1,036	969	931	825	857	813	855	791	846	846	884	982
Florida-----	57,064	5,241	5,326	5,867	4,753	4,496	4,391	4,235	4,329	3,985	4,322	4,584	5,535
Georgia-----	38,066	3,568	3,610	3,799	3,030	2,985	2,864	2,793	3,014	2,781	2,958	3,106	3,558
Hawaii-----	3,719	358	301	314	290	322	310	309	329	288	325	268	325
Idaho-----	5,622	472	444	495	515	456	440	486	470	444	442	458	500
Illinois-----	106,304	9,662	9,544	10,676	8,561	8,528	8,528	8,182	7,703	8,127	8,575	8,615	9,803
Indiana-----	48,034	4,293	4,087	4,984	3,964	3,864	3,801	3,668	3,606	3,673	3,819	3,923	4,282
Iowa-----	29,307	2,575	2,519	2,893	2,472	2,414	2,421	2,357	2,192	2,241	2,324	2,354	2,745
Kansas-----	21,913	2,103	1,906	2,107	1,703	1,806	1,740	1,857	1,689	1,637	1,726	1,728	1,931
Kentucky-----	31,600	2,923	3,186	3,445	2,497	2,419	2,429	2,374	2,269	2,218	2,426	2,518	2,896
Louisiana-----	31,268	2,870	2,736	3,162	2,449	2,424	2,430	2,468	2,471	2,234	2,497	2,454	3,073
Maine-----	11,064	973	849	1,132	903	944	881	940	855	826	853	874	1,004
Maryland-----	30,175	3,055	2,985	2,610	2,432	2,341	2,264	2,496	2,140	2,168	2,438	2,413	2,833
Massachusetts-----	55,809	5,120	4,952	5,749	4,686	4,441	4,227	4,784	4,118	3,987	4,485	4,138	5,122
Michigan-----	7,875	6,506	6,011	7,015	5,749	5,878	6,068	5,700	5,431	5,566	5,727	5,764	6,460
Minnesota-----	33,408	3,033	2,599	3,064	2,790	2,793	2,754	2,676	2,568	2,593	2,693	2,781	3,074
Mississippi-----	23,047	2,199	2,136	2,482	1,681	1,810	1,816	1,608	1,750	1,674	1,783	1,804	2,304
Missouri-----	51,147	4,637	4,759	5,047	4,009	4,129	4,162	4,118	3,875	3,542	4,045	4,012	4,812
Montana-----	6,549	532	513	638	561	556	507	520	563	515	514	558	572
Nebraska-----	14,668	1,344	1,187	1,383	1,211	1,167	1,193	1,252	1,108	1,064	1,194	1,213	1,352
Nevada-----	3,118	265	235	277	252	251	245	241	287	253	264	266	282
New Hampshire-----	7,219	642	551	717	599	580	543	647	572	568	577	565	658
New Jersey-----	62,386	5,693	5,673	5,638	5,130	4,999	4,948	5,348	4,732	4,614	5,087	4,833	5,691
New Mexico-----	6,875	623	577	612	556	547	565	541	531	532	572	577	642
New York-----	185,762	17,286	16,768	17,063	15,054	14,972	15,188	15,643	13,753	14,049	15,282	14,564	16,340
North Carolina-----	40,795	3,607	4,101	3,764	3,261	3,266	3,069	3,090	3,076	3,067	3,327	3,302	3,875
North Dakota-----	5,505	483	447	515	477	525	422	444	424	393	457	432	486
Ohio-----	97,718	8,616	9,078	9,568	7,806	7,906	7,769	7,772	7,229	7,419	7,989	7,788	8,778
Oklahoma-----	23,858	2,304	2,187	2,420	1,968	1,812	1,783	1,920	1,845	1,709	1,886	1,615	2,209
Oregon-----	17,940	1,613	1,533	1,713	1,549	1,521	1,443	1,504	1,410	1,419	1,456	1,423	1,556
Pennsylvania-----	125,961	11,268	11,937	12,470	10,474	10,072	9,962	10,044	9,139	9,184	10,051	10,080	11,280
Rhode Island-----	9,538	921	865	934	774	725	797	775	669	705	770	737	868
South Carolina-----	21,351	1,979	2,291	2,089	1,664	1,589	1,558	1,547	1,655	1,570	1,688	1,669	2,052
South Dakota-----	6,698	547	510	680	626	552	510	517	511	534	520	567	624
Tennessee-----	37,259	3,289	3,333	4,193	3,052	2,948	2,848	2,763	2,795	2,685	2,949	2,937	3,467
Texas-----	85,382	8,017	7,021	8,237	6,346	6,545	6,404	6,667	6,676	6,140	6,572	6,608	7,949
Utah-----	6,621	595	439	579	578	585	529	647	586	528	618	540	597
Vermont-----	4,535	410	396	437	398	374	363	410	335	336	352	385	349
Virginia-----	36,264	3,288	3,781	3,543	2,613	2,858	2,769	2,728	2,626	2,647	2,869	2,867	3,476
Washington-----	27,714	2,484	2,179	2,467	2,428	2,446	2,201	2,193	2,105	2,109	2,341	2,283	2,478
West Virginia-----	19,758	1,769	2,000	2,086	1,591	1,590	1,514	1,522	1,493	1,459	1,530	1,444	1,770
Wisconsin-----	39,567	3,532	3,521	4,200	3,279	3,235	3,215	3,099	2,900	2,980	3,088	3,121	3,697
Wyoming-----	2,659	231	215	251	244	242	240	256	238	234	246	221	241

Type too small

SECTION 1 - MORTALITY

1-37

Table 1-18. Deaths by Month, Color, and Sex: United States and Each State, 1963—Con.

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WYOMING-----	2,832	229	229	256	240	236	235	227	226	228	243	227	256
Male-----	1,792	141	141	164	162	151	159	136	146	142	151	134	165
Female--	1,040	88	88	92	78	85	76	91	80	86	92	93	91
White-----	2,754	225	221	247	237	232	226	223	221	221	234	215	252
Male-----	1,741	138	135	159	159	150	152	133	145	137	147	125	161
Female--	1,013	87	86	88	78	82	74	90	76	84	87	90	91
Nonwhite-----	78	4	8	9	3	4	9	4	5	7	9	12	4
Male-----	51	3	6	5	3	1	7	3	1	5	4	9	4
Female--	27	1	2	4	-	3	2	1	4	2	5	3	-

SECTION 1 - MORTALITY

Table 1-19. Deaths by Specified Race and Sex: United States and Each State, 1963

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Figures by specified race for the United States exclude data for residents of New Jersey; see Technical Appendix)

AREA	ALL RACES			WHITE		NEGRO		INDIAN		CHINESE		JAPANESE		OTHER RACES	
	Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
UNITED STATES-----	1,813,549	1,027,686	785,863	871,994	661,021	112,708	92,180	2,750	2,132	1,427	302	1,546	793	1,975	849
Alabama-----	32,051	18,101	13,950	11,986	8,486	6,112	5,443	2	-	1	-	-	-	-	1
Alaska-----	1,329	886	443	376	237	16	8	77	76	-	-	2	-	172	122
Arizona-----	11,900	7,404	4,496	6,558	3,956	347	160	488	376	6	3	-	-	5	1
Arkansas-----	19,551	11,559	7,992	8,938	5,812	2,609	2,173	1	2	4	1	-	-	7	4
California-----	147,970	84,369	63,601	78,298	59,622	4,324	3,366	172	121	518	142	588	260	469	90
Colorado-----	16,149	9,248	6,901	8,977	6,679	228	194	13	9	2	1	21	13	7	5
Connecticut-----	25,677	14,070	11,607	15,461	11,173	565	430	3	-	5	1	2	-	14	3
Delaware-----	4,431	2,425	2,008	1,954	1,655	458	353	1	-	-	-	-	-	-	-
District of Columbia-----	9,248	4,942	4,306	2,310	2,205	2,604	2,092	2	-	21	1	3	1	2	7
Florida-----	55,794	33,361	22,433	27,871	18,211	5,460	4,211	10	7	7	-	4	1	9	3
Georgia-----	37,718	21,260	16,458	14,308	10,326	6,948	6,131	2	-	-	-	-	-	2	1
Hawaii-----	3,686	2,319	1,367	632	442	18	7	-	4	143	74	659	414	387	396
Idaho-----	5,886	3,560	2,326	3,500	2,289	9	3	36	31	-	-	-	-	2	-
Illinois-----	107,758	60,832	46,926	54,348	41,738	6,322	5,141	18	15	81	6	48	16	17	10
Indiana-----	48,459	27,135	21,524	25,446	19,940	1,676	1,377	3	1	4	1	2	1	4	4
Iowa-----	29,287	16,503	12,784	16,335	12,653	163	121	2	8	2	-	-	-	1	2
Kansas-----	22,213	12,496	9,717	11,844	9,168	635	534	14	13	-	-	-	-	3	2
Kentucky-----	31,745	18,180	13,565	16,298	12,049	1,890	1,516	1	-	1	-	-	-	-	-
Louisiana-----	30,995	17,685	13,310	11,342	7,845	6,314	5,450	11	11	4	2	3	1	11	1
Maine-----	11,042	6,187	4,855	6,168	4,837	10	-	7	8	-	-	-	-	2	1
Maryland-----	30,238	16,921	13,317	13,491	10,746	3,397	2,562	6	-	11	4	2	1	14	4
Massachusetts-----	55,809	29,451	26,558	28,697	25,842	594	459	4	4	73	2	1	-	82	51
Michigan-----	72,441	41,878	30,563	38,219	27,666	3,580	2,862	57	27	11	-	1	4	10	4
Minnesota-----	32,766	19,093	13,673	18,846	13,553	143	72	89	46	8	-	4	1	3	1
Mississippi-----	23,355	13,582	9,373	7,278	4,865	6,087	5,094	9	12	6	1	-	-	2	1
Missouri-----	50,560	28,345	22,215	25,422	19,818	2,903	2,392	5	-	3	1	4	1	8	3
Montana-----	6,621	4,125	2,496	3,955	2,361	19	7	145	127	2	-	3	-	1	1
Nebraska-----	14,681	8,483	6,198	8,238	6,013	209	149	29	33	1	-	4	2	2	1
Nevada-----	2,947	1,885	1,062	1,753	959	84	65	38	37	1	-	3	1	6	-
New Hampshire-----	7,185	3,939	3,246	3,933	3,239	6	4	-	-	-	-	-	-	1	1
New Jersey ⁵ -----	63,872	35,286	28,586	---	---	---	---	---	---	---	---	---	---	---	---
New Mexico-----	6,846	4,099	2,747	3,735	2,468	74	75	285	202	3	-	-	-	1	1
New York-----	186,059	101,744	84,515	92,894	77,200	8,346	6,988	92	51	333	33	43	15	36	28
North Carolina-----	40,581	23,495	17,086	16,695	11,711	6,614	5,258	180	115	3	-	-	1	3	1
North Dakota-----	5,511	3,433	2,078	3,361	2,018	3	3	66	56	-	-	1	1	2	-
Ohio-----	97,994	54,760	43,234	50,133	39,580	4,578	3,638	5	3	27	3	5	2	12	8
Oklahoma-----	24,474	14,273	10,201	12,868	9,062	1,081	842	319	296	3	-	1	-	1	1
Oregon-----	18,025	10,727	7,298	10,522	7,165	85	66	54	50	31	5	20	10	5	2
Pennsylvania-----	126,553	70,514	56,039	65,015	51,625	5,354	4,337	4	2	25	3	7	2	109	70
Rhode Island-----	9,492	5,037	4,455	4,902	4,356	114	92	3	2	10	1	-	-	8	4
South Carolina-----	21,739	12,307	9,432	7,521	5,239	4,781	4,190	4	2	1	-	-	-	-	1
South Dakota-----	6,675	4,078	2,597	3,881	2,453	7	5	190	138	-	-	-	-	-	-
Tennessee-----	35,899	20,333	15,366	16,319	11,974	4,010	3,390	-	-	1	1	-	-	3	1
Texas-----	83,047	48,080	34,967	40,893	29,092	7,146	5,658	9	4	17	6	7	4	8	3
Utah-----	6,584	3,799	2,785	3,716	2,739	30	13	26	28	5	-	20	5	2	-
Vermont-----	4,517	2,509	2,008	2,503	2,006	5	2	-	-	1	-	-	-	-	-
Virginia-----	36,943	21,124	15,819	15,707	11,690	5,403	4,123	-	5	6	-	2	1	6	-
Washington-----	27,560	16,241	11,319	15,675	10,992	246	172	156	110	42	8	69	29	53	8
West Virginia-----	19,439	11,499	7,940	10,748	7,451	750	489	-	-	-	-	-	-	1	-
Wisconsin-----	39,665	22,534	17,131	22,112	16,802	329	245	86	82	3	-	1	1	3	1
Wyoming-----	2,832	1,782	1,040	1,741	1,013	22	9	25	17	1	1	3	-	-	-

¹Includes 161 deaths among Aleuts and Eskimos. (In addition there were 5 deaths among Aleuts and Eskimos residing in other States.)
²Includes 116 deaths among Aleuts and Eskimos. (In addition there were 4 deaths among Aleuts and Eskimos residing in other States.)
³Includes 400 deaths among Hawaiians and Part-Hawaiians. (In addition there were 14 deaths among Hawaiians and Part-Hawaiians residing in other States.)
⁴Includes 292 deaths among Hawaiians and Part-Hawaiians. (In addition there were 5 deaths among Hawaiians and Part-Hawaiians residing in other States.)
⁵Figures by color are not shown because reporting was incomplete; see Technical Appendix.

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1963

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

SEVENTH REVISION OF INTERNATIONAL LIST, 1955		NUMBER								RATE							
		Total			White		Nonwhite			Total			White		Nonwhite		
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
	ALL CAUSES-----	1,813,549	1,027,686	785,863	871,994	661,021	120,406	96,256	961.9	1,109.5	819.4	1,102.7	810.3	1,153.8	869.4		
	I. Infective and parasitic diseases																
001-008	Tuberculosis of respiratory system-----	8,608	6,427	2,181	4,689	1,510	1,488	590	4.6	6.9	2.3	5.9	1.9	14.3	5.3		
001	Respiratory tuberculosis with mention of occupational disease of lung-----	370	370	-	321	-	36	-	0.2	0.4	-	0.4	-	0.3	-		
002	Pulmonary tuberculosis-----	7,793	5,783	2,010	4,180	1,389	1,377	543	4.1	6.2	2.1	5.3	1.7	13.2	4.9		
A	Active-----	7,158	5,317	1,841	3,796	1,246	1,311	520	3.8	5.7	1.9	4.8	1.5	12.6	4.7		
B	Inactive-----	635	466	169	384	143	66	23	0.3	0.5	0.2	0.5	0.2	0.6	0.2		
003	Pleural tuberculosis-----	215	112	103	84	83	22	18	0.1	0.1	0.1	0.1	0.1	0.2	0.2		
.0	Pleurisy specified as tuberculous-----	30	19	11	14	5	4	6	0.0	0.0	0.0	0.0	0.0	0.0	0.1		
.1	Pleurisy with effusion without mention of cause-----	185	93	92	70	78	18	12	0.1	0.1	0.1	0.1	0.1	0.2	0.1		
004	Primary tuberculosis complex with symptoms-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
005	Tracheobronchial glandular tuberculosis with symptoms-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
006	Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
007	Other respiratory tuberculosis-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
008	Tuberculosis, unspecified site-----	225	160	65	102	35	53	29	0.1	0.2	0.1	0.1	0.0	0.5	0.3		
A	Active-----	207	149	58	91	28	53	29	0.1	0.2	0.1	0.1	0.0	0.5	0.3		
B	Inactive-----	18	11	7	11	7	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
010-019	Tuberculosis, other forms-----	703	408	295	234	153	157	127	0.4	0.4	0.3	0.3	0.2	1.5	1.1		
010	Tuberculosis of meninges and central nervous system-----	188	98	90	49	39	44	48	0.1	0.1	0.1	0.1	0.0	0.4	0.4		
011	Tuberculosis of intestines, peritoneum, and mesenteric glands-----	60	35	25	17	16	17	8	0.0	0.0	0.0	0.0	0.0	0.2	0.1		
012	Tuberculosis of bones and joints, active or unspecified-----	65	40	25	32	18	7	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
.0	Active or unspecified tuberculosis of vertebral column-----	57	35	22	29	16	5	6	0.0	0.0	0.0	0.0	0.0	0.0	0.1		
.1	Active or unspecified tuberculosis of hip-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-		
.2	Active or unspecified tuberculosis of knee-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
.3	Active or unspecified tuberculosis of other and unspecified bones and joints-----	5	3	2	1	1	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
013	Late effects of tuberculosis of bones and joints-----	3	1	2	1	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
.0	Late effects of tuberculosis of vertebral column-----	2	-	2	-	1	-	1	0.0	-	0.0	-	0.0	-	0.0		
.1	Late effects of tuberculosis of hip-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Late effects of tuberculosis of knee-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Late effects of tuberculosis of other and unspecified bones and joints-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
014	Tuberculosis of skin and subcutaneous cellular tissue-----	4	3	1	2	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
.0	Primary tuberculosis of skin-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Erythema nodosum specified as tuberculous-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Lupus-----	4	3	1	2	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
.3	Other tuberculosis of skin and subcutaneous cellular tissue-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
015	Tuberculosis of lymphatic system-----	8	6	2	2	2	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
016	Tuberculosis of genitourinary system-----	101	57	44	52	36	5	6	0.1	0.1	0.0	0.1	0.0	0.0	0.1		
017	Tuberculosis of adrenal glands-----	22	14	8	9	4	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
018	Tuberculosis of other organs-----	26	19	7	10	1	8	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
.0	Tuberculosis of eye-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Tuberculosis of ear-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Other-----	26	19	7	10	1	8	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
019	Disseminated tuberculosis-----	226	135	91	60	35	69	49	0.1	0.1	0.1	0.1	0.0	0.7	0.4		
.0	Acute miliary tuberculosis specified as nonpulmonary-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Acute miliary tuberculosis, unspecified-----	9	5	4	3	1	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.2	Other forms of disseminated tuberculosis-----	217	130	87	57	34	67	46	0.1	0.1	0.1	0.1	0.0	0.6	0.4		

SECTION 1- MORTALITY

1000

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1963-Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER								RATE							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
I. Infective and parasitic diseases--Con.																	
020-029	Syphilis and its sequelae-----	2,666	1,904	762	1,307	496	548	250	1.4	2.1	0.8	1.7	0.6	5.3	2.3		
020	Congenital syphilis-----	31	14	17	6	7	8	9	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
.0	Interstitial keratitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Juvenile neurosyphilis-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.2	Other congenital syphilis-----	29	13	16	5	6	8	9	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
021	Early syphilis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.0	Primary syphilis, except extragenital chancre-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Extragenital chancre-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Secondary syphilis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Early syphilis, relapse following treatment-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Early syphilis, unspecified stage-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
022	Aneurysm of aorta-----	1,441	1,029	412	823	304	179	98	0.8	1.1	0.4	1.0	0.4	1.7	0.9		
023	Other cardiovascular syphilis-----	767	544	223	275	109	255	110	0.4	0.6	0.2	0.3	0.1	2.4	1.0		
024	Tabes dorsalis-----	54	46	8	38	6	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
025	General paralysis of insane-----	121	82	39	59	33	23	6	0.1	0.1	0.0	0.1	0.0	0.2	0.1		
026	Other syphilis of central nervous system-----	191	145	46	84	28	59	17	0.1	0.2	0.0	0.1	0.0	0.6	0.2		
027	Other forms of late syphilis-----	34	22	12	10	6	11	6	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
028	Latent syphilis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.0	Early latent-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Late latent-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
029	Syphilis, unqualified-----	27	22	5	12	3	9	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
030-039	Gonococcal infection and other venereal diseases-----	35	21	14	8	3	12	11	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
030	Acute or unspecified gonorrhoea-----	8	3	5	1	1	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
031	Chronic gonococcal infection of genitourinary system-----	3	1	2	1	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
032	Gonococcal infection of joint-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
033	Gonococcal infection of eye-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
034	Gonococcal infection of other sites-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
035	Late effects of gonococcal infection-----	11	11	-	5	-	5	-	0.0	0.0	-	0.0	-	0.0	-		
036	Chancroid-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
037	Lymphogranuloma venereum-----	11	6	5	1	-	5	5	0.0	0.0	0.0	0.0	-	0.0	0.0		
038	Granuloma inguinale, venereal-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0		
039	Other and unspecified venereal diseases-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
040-049	Infectious diseases commonly arising in intestinal tract--	439	248	191	160	103	85	86	0.2	0.3	0.2	0.2	0.1	0.8	0.8		
040	Typhoid fever-----	21	13	8	8	3	5	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
041	Paratyphoid fever-----	7	3	4	3	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
042	Other Salmonella infections-----	65	36	29	28	18	8	11	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
.0	Without food as vehicle of infection-----	62	35	27	27	16	8	11	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
.1	With food as vehicle of infection-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
043	Cholera-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
044	Bruceellosis (undulant fever)-----	5	4	1	4	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
045	Bacillary dysentery-----	134	70	64	35	28	35	36	0.1	0.1	0.1	0.0	0.0	0.3	0.3		
.0	Flexner-Boyd group-----	11	6	5	2	2	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.1	Schmitz-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Shiga-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0		
.3	Sonne-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.4	Bacillary, other and unspecified-----	119	62	57	31	25	31	32	0.1	0.1	0.1	0.0	0.0	0.3	0.3		
046	Amebiasis-----	92	63	29	41	18	20	10	0.0	0.1	0.0	0.1	0.0	0.2	0.1		
.0	Without mention of liver abscess-----	65	43	22	26	13	15	8	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
.1	With liver abscess-----	27	20	7	15	5	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
047	Other protozoal dysentery-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
048	Unspecified forms of dysentery-----	68	38	30	22	16	15	14	0.0	0.0	0.0	0.0	0.0	0.1	0.1		

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1963-Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER								RATE					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
I. Infective and parasitic diseases-Con.															
Infectious diseases commonly arising in intestinal tract-Con.															
049	Food poisoning (infection and intoxication)-----	47	21	26	19	17	2	9	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.0	Staphylococcal-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.1	Botulism-----	14	7	7	7	7	-	-	0.0	0.0	0.0	0.0	0.0	-	
.2	Unspecified-----	32	13	19	11	10	2	9	0.0	0.0	0.0	0.0	0.0	0.0	
050-064	Other bacterial diseases-----	3,648	2,017	1,631	1,504	1,196	462	398	1.9	2.2	1.7	1.9	1.5	4.4	3.6
050	Scarlet fever-----	11	6	5	3	4	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
051	Streptococcal sore throat-----	91	44	47	29	31	13	14	0.0	0.0	0.0	0.0	0.0	0.1	0.1
052	Erysipelas-----	16	5	11	5	8	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
053	Septicemia and pyemia-----	2,359	1,321	1,038	1,009	792	276	220	1.3	1.4	1.1	1.3	1.0	2.6	2.0
.0	Streptococcus-----	81	47	34	41	28	6	5	0.0	0.1	0.0	0.1	0.0	0.1	0.0
.1	Staphylococcus-----	270	157	113	126	96	23	13	0.1	0.2	0.1	0.2	0.1	0.2	0.1
.2	Pneumococcus-----	42	24	18	14	15	9	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.3	Other specified organism-----	175	116	59	91	51	22	7	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.4	Organism unspecified-----	1,791	977	814	737	602	216	193	0.9	1.1	0.8	0.9	0.7	2.1	1.7
054	Bacterial toxemia-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
055	Diphtheria-----	45	25	20	15	6	9	13	0.0	0.0	0.0	0.0	0.0	0.1	0.1
056	Whooping cough-----	115	52	63	20	27	31	36	0.1	0.1	0.1	0.0	0.0	0.3	0.3
.0	Without mention of pneumonia-----	46	19	27	7	12	12	15	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.1	With pneumonia-----	69	33	36	13	15	19	21	0.0	0.0	0.0	0.0	0.0	0.2	0.2
057	Meningococcal infections-----	733	396	337	319	263	67	69	0.4	0.4	0.4	0.4	0.3	0.6	0.6
.0	Meningococcal meningitis-----	354	196	158	157	117	35	38	0.2	0.2	0.2	0.2	0.1	0.3	0.3
.1	Acute and unspecified meningococemia-----	374	197	177	160	144	32	31	0.2	0.2	0.2	0.2	0.2	0.3	0.3
.2	Chronic meningococemia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other forms of meningococcal infection-----	5	3	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
058	Plague-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
.0	Bubonic-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
.1	Pneumonic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
059	Tularemia-----	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-
060	Leprosy-----	3	2	1	1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Lepromatous leprosy-----	3	2	1	1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Neuroleprosy-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Mixed-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
061	Tetanus-----	210	127	83	72	46	55	36	0.1	0.1	0.1	0.1	0.1	0.5	0.3
062	Anthrax-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
063	Gas gangrene-----	48	29	19	23	12	6	6	0.0	0.0	0.0	0.0	0.0	0.1	0.1
064	Other bacterial diseases-----	12	5	7	4	6	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Epidemic arthritic erythema-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Rat-bite fever due to Streptobacillus moniliformis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Glanders-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Melioidosis-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.4	Other-----	11	4	7	3	6	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
070-074	Spirochetal diseases, except syphilis-----	15	11	4	7	1	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
070	Vincent's infection-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
071	Relapsing fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Louse-borne-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Tick-borne-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
072	Leptospirosis-----	14	11	3	7	-	4	3	0.0	0.0	0.0	0.0	-	0.0	0.0
.0	Leptospirosis icterohaemorrhagica (Weil's disease)-----	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	0.0
.1	Other and unspecified-----	12	9	3	6	-	3	3	0.0	0.0	0.0	0.0	-	0.0	0.0
073	Yaws-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1963-Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER								RATE					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
I. Infective and parasitic diseases--Con.															
Typhus and other rickettsial diseases--Con.															
107	Typhus, unspecified-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
108	Other rickettsial diseases-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria-----	7	5	2	4	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
110	Vivax malaria (benign tertian)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
111	Malariae malaria (quartan)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
112	Falciparum malaria (malignant tertian)-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
113	Ovale malaria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
114	Mixed malarial infections-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
115	Blackwater fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
116	Other and unspecified forms of malaria-----	6	4	2	3	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
117	Recurrent induced malaria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
120-138	Other infective and parasitic diseases-----	776	472	304	343	189	117	110	0.4	0.5	0.3	0.4	0.2	1.1	1.0
120	Leishmaniasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Visceral (kala-azar)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Cutaneous (Oriental sore)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Mucocutaneous (American)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Trypanosomiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	African (sleeping sickness)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	South American (Chagas' disease)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Other protozoal diseases-----	6	6	-	6	-	-	-	0.0	0.0	-	0.0	-	-	-
.0	Coccidiosis-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Toxoplasmosis-----	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-
.2	Other-----	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-
123	Schistosomiasis-----	4	3	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Vesical (S. haematobium)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Intestinal (S. mansoni)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Oriental (S. japonicum)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other and unspecified schistosomiasis-----	4	3	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
124	Other trematode infestation-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.0	Clonorchiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Paragonimiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
125	Hydatid disease-----	10	6	4	5	2	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
126	Other cestode infestation-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
127	Filariasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
128	Trichinosis-----	5	3	2	2	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
129	Ancylostomiasis-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
130	Infestation with worms of other, mixed, and unspecified type-----	36	17	19	5	4	12	15	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.0	Ascariasis-----	30	13	17	3	4	10	13	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.1	Oxyuriasis-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.2	Mixed intestinal helminth infestation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other-----	5	3	2	1	-	2	2	0.0	0.0	0.0	0.0	-	0.0	0.0
131	Dermatophytosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
132	Actinomycosis-----	35	29	6	23	6	6	-	0.0	0.0	0.0	0.0	0.0	0.1	-
133	Coccidioidomycosis-----	71	47	24	32	18	14	6	0.0	0.1	0.0	0.0	0.0	0.1	0.1
134	Other fungus infections-----	344	227	117	199	89	26	25	0.2	0.2	0.1	0.3	0.1	0.2	0.2
.0	Blastomycosis-----	24	15	9	14	2	1	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.1	Cryptococcosis (torulosis)-----	73	47	26	43	17	3	8	0.0	0.1	0.0	0.1	0.0	0.0	0.1
.2	Histoplasmosis-----	70	53	17	50	13	3	4	0.0	0.1	0.0	0.1	0.0	0.0	0.0
.3	Moniliasis-----	105	65	40	54	34	11	5	0.1	0.1	0.0	0.1	0.0	0.1	0.0
.4	Sporotrichosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Other-----	72	47	25	38	23	8	1	0.0	0.1	0.0	0.0	0.0	0.1	0.0

SECTION 1- MORTALITY

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1963-Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER								RATE					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
I. Infective and parasitic diseases-Con.															
Other infective and parasitic diseases-Con.															
135	Scabies-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136	Pediculosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Other arthropod infestation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
138	Other infective and parasitic diseases-----	261	131	130	66	66	58	62	0.1	0.1	0.1	0.1	0.1	0.6	0.6
.0	Sarcoid of Boeck-----	239	117	122	56	60	55	60	0.1	0.1	0.1	0.1	0.1	0.5	0.5
.1	Other-----	22	14	8	10	6	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
II. Neoplasms															
140-148	Malignant neoplasm of buccal cavity and pharynx-----	6,508	4,935	1,573	4,273	1,370	473	152	3.5	5.3	1.6	5.4	1.7	4.5	1.4
140	Malignant neoplasm of lip-----	180	153	27	148	19	3	6	0.1	0.2	0.0	0.2	0.0	0.0	0.1
.0	Upper lip-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Lower lip-----	50	42	8	41	8	1	-	0.0	0.0	0.0	0.1	0.0	0.0	-
.8	Both lips-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Lip, unspecified (including commissure)-----	125	108	17	104	9	2	6	0.1	0.1	0.0	0.1	0.0	0.0	0.1
141	Malignant neoplasm of tongue-----	1,575	1,186	389	1,010	346	125	27	0.8	1.3	0.4	1.3	0.4	1.2	0.2
.0	Base of tongue-----	141	117	24	104	20	10	1	0.1	0.1	0.0	0.1	0.0	0.1	0.0
.7	Other specified parts of tongue-----	44	32	12	27	12	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.8	Multiple parts of tongue-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Part unspecified-----	1,390	1,037	353	879	314	111	26	0.7	1.1	0.4	1.1	0.4	1.1	0.2
142	Malignant neoplasm of salivary gland-----	619	389	230	360	209	17	13	0.3	0.4	0.2	0.5	0.3	0.2	0.1
.0	Parotid gland-----	475	294	181	271	160	12	13	0.3	0.3	0.2	0.3	0.2	0.1	0.1
.7	Other salivary gland-----	91	61	30	57	30	3	-	0.0	0.1	0.0	0.1	0.0	0.0	-
.8	Multiple salivary glands-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Gland unspecified-----	53	34	19	32	19	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
143	Malignant neoplasm of floor of mouth-----	480	375	105	318	89	39	13	0.3	0.4	0.1	0.4	0.1	0.4	0.1
144	Malignant neoplasm of other parts of mouth, and of mouth, unspecified-----	968	689	279	582	245	75	28	0.5	0.7	0.3	0.7	0.3	0.7	0.3
145	Malignant neoplasm of oral mesopharynx-----	555	455	100	392	90	42	8	0.3	0.5	0.1	0.5	0.1	0.4	0.1
.0	Tonsil (excluding pillars)-----	495	404	91	345	82	39	7	0.3	0.4	0.1	0.4	0.1	0.4	0.1
.7	Other specified parts of mesopharynx-----	57	49	8	45	7	3	1	0.0	0.1	0.0	0.1	0.0	0.0	0.0
.8	Multiple parts of mesopharynx-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
.9	Part unspecified-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
146	Malignant neoplasm of nasopharynx-----	542	405	137	343	119	49	12	0.3	0.4	0.1	0.4	0.1	0.5	0.1
147	Malignant neoplasm of hypopharynx-----	372	311	61	273	52	32	8	0.2	0.3	0.1	0.3	0.1	0.3	0.1
148	Malignant neoplasm of pharynx, unspecified-----	1,217	972	245	847	201	91	37	0.6	1.0	0.3	1.1	0.2	0.9	0.3
150-159	Malignant neoplasm of digestive organs and peritoneum-----	94,023	50,931	43,092	43,261	37,592	5,409	3,602	49.9	55.0	44.9	54.7	46.1	51.8	32.5
150	Malignant neoplasm of esophagus-----	5,153	3,965	1,188	2,942	916	813	215	2.7	4.3	1.2	3.7	1.1	7.8	1.9
151	Malignant neoplasm of stomach-----	19,300	11,896	7,404	9,687	6,214	1,730	870	10.2	12.8	7.7	12.3	7.6	16.6	7.9
152	Malignant neoplasm of small intestine, including duodenum-----	759	388	371	341	317	26	34	0.4	0.4	0.4	0.4	0.4	0.2	0.3
.0	Duodenum-----	238	134	104	119	88	10	11	0.1	0.1	0.1	0.2	0.1	0.1	0.1
.7	Other specified parts of small intestine-----	252	121	131	110	115	6	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.8	Multiple parts of small intestine-----	3	3	-	2	-	1	-	0.0	0.0	-	0.0	-	0.0	-
.9	Part unspecified-----	266	130	136	110	114	9	13	0.1	0.1	0.1	0.1	0.1	0.1	0.1
153	Malignant neoplasm of large intestine, except rectum-----	30,616	13,932	16,684	12,374	14,872	917	1,062	16.2	15.0	17.4	15.6	18.2	8.8	9.6
.0	Cecum, appendix, and ascending colon-----	4,528	2,000	2,528	1,797	2,300	116	133	2.4	2.2	2.6	2.3	2.8	1.1	1.2
.1	Transverse colon, including hepatic and splenic flexures-----	1,611	714	897	629	806	47	47	0.9	0.8	0.9	0.8	1.0	0.5	0.4
.2	Descending colon-----	1,223	563	660	500	588	36	41	0.6	0.6	0.7	0.6	0.7	0.3	0.4
.3	Sigmoid colon-----	6,111	2,914	3,197	2,632	2,880	141	163	3.2	3.1	3.3	3.3	3.5	1.4	1.5
.7	Multiple parts of large intestine-----	72	33	39	32	36	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.8	Large intestine (including colon), part unspecified-----	15,428	6,989	8,439	6,145	7,457	526	617	8.2	7.5	8.8	7.8	9.1	5.0	5.6
.9	Intestinal tract, part unspecified-----	1,643	719	924	639	805	50	61	0.9	0.8	1.0	0.8	1.0	0.5	0.6
154	Malignant neoplasm of rectum-----	10,469	5,864	4,605	5,156	4,057	401	326	5.6	6.3	4.8	6.5	5.0	3.8	2.9

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1963-Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LIST, 1955		NUMBER								RATE					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
II. Neoplasms-Con.															
155	Malignant neoplasm of digestive organs, etc.-Con.														
	Malignant neoplasm of biliary passages and of liver (stated to be primary site)-----	6,324	2,803	3,521	2,358	3,177	330	212	3.4	3.0	3.7	3.0	3.9	3.2	1.9
.0	Liver-----	1,975	1,319	656	1,025	575	247	57	1.0	1.4	0.7	1.3	0.7	2.4	0.5
.1	Gallbladder and extrahepatic gall ducts, including ampulla of Vater-----	4,346	1,483	2,863	1,332	2,600	83	155	2.3	1.6	3.0	1.7	3.2	0.8	1.4
.8	Multiple sites-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
156	Malignant neoplasm of liver (secondary and unspecified)-----	4,331	2,269	2,062	1,894	1,755	290	205	2.3	2.4	2.2	2.4	2.2	2.8	1.9
A	Not stated whether primary or secondary-----	3,222	1,699	1,523	1,419	1,285	218	162	1.7	1.8	1.6	1.8	1.6	2.1	1.5
B	Secondary-----	1,109	570	539	475	470	72	43	0.6	0.6	0.6	0.6	0.6	0.7	0.4
157	Malignant neoplasm of pancreas-----	15,326	8,944	6,382	7,770	5,547	808	580	8.1	9.7	6.7	9.8	6.8	7.7	5.2
158	Malignant neoplasm of peritoneum-----	806	419	387	378	338	24	31	0.4	0.5	0.4	0.5	0.4	0.2	0.3
159	Malignant neoplasm of unspecified digestive organs-----	939	451	488	361	399	70	67	0.5	0.5	0.5	0.5	0.5	0.7	0.6
160-165	Malignant neoplasm of respiratory system-----	48,193	40,606	7,587	35,264	6,570	3,656	714	25.6	43.8	7.9	44.6	8.1	35.0	6.4
160	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses-----	536	323	213	273	182	39	28	0.3	0.3	0.2	0.3	0.2	0.4	0.3
.0	Nose (internal) and nasal cavities-----	113	71	42	65	40	2	2	0.1	0.1	0.0	0.1	0.0	0.0	0.0
.1	Eustachian tube and middle ear-----	20	9	11	8	10	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Maxillary sinus-----	322	194	128	157	103	31	23	0.2	0.2	0.1	0.2	0.1	0.3	0.2
.7	Other specified sinus (accessory)-----	48	33	15	30	15	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.8	Multiple sites-----	6	3	3	2	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.9	Site unspecified-----	27	13	14	11	11	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
161	Malignant neoplasm of larynx-----	2,549	2,276	273	1,952	218	211	42	1.4	2.5	0.3	2.5	0.3	2.0	0.4
162	Malignant neoplasm of bronchus and trachea, and of lung specified as primary-----	18,999	16,522	2,477	14,380	2,175	1,547	216	10.1	17.8	2.6	18.2	2.7	14.8	2.0
.0	Trachea-----	100	66	34	61	32	2	2	0.1	0.1	0.0	0.1	0.0	0.0	0.0
.1	Bronchus and lung-----	18,868	16,437	2,431	14,303	2,132	1,542	213	10.0	17.7	2.5	18.1	2.6	14.8	1.9
.2	Pleura-----	26	14	12	13	11	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.8	Multiple sites-----	5	5	-	3	-	2	-	0.0	0.0	-	0.0	-	0.0	-
163	Malignant neoplasm of lung, unspecified as to whether primary or secondary-----	24,569	20,458	4,111	17,751	3,555	1,779	376	13.0	22.1	4.3	22.4	4.4	17.0	3.4
164	Malignant neoplasm of mediastinum-----	320	238	82	206	73	23	7	0.2	0.3	0.1	0.3	0.1	0.2	0.1
165	Malignant neoplasm of thoracic organs (secondary)-----	1,220	789	431	702	367	57	45	0.6	0.9	0.4	0.9	0.4	0.5	0.4
170-181	Malignant neoplasm of breast and genitourinary organs-----	78,967	25,793	53,174	22,153	45,430	2,677	5,500	41.9	27.8	55.4	28.0	55.7	25.7	49.7
170	Malignant neoplasm of breast-----	25,401	262	25,139	221	21,985	27	2,020	13.5	0.3	26.2	0.3	27.0	0.3	18.2
171	Malignant neoplasm of cervix uteri-----	8,250	...	8,250	...	6,322	...	1,654	4.4	...	8.6	...	7.8	...	14.9
172	Malignant neoplasm of corpus uteri-----	1,445	...	1,445	...	1,222	...	176	0.8	...	1.5	...	1.5	...	1.6
173	Malignant neoplasm of other parts of uterus, including chorionepithelioma-----	51	...	51	...	35	...	15	0.0	...	0.1	...	0.0	...	0.1
174	Malignant neoplasm of uterus, unspecified-----	4,401	...	4,401	...	3,618	...	606	2.3	...	4.6	...	4.4	...	5.5
175	Malignant neoplasm of ovary, fallopian tube, and broad ligament-----	8,507	...	8,507	...	7,569	...	558	4.5	...	8.9	...	9.3	...	5.0
.0	Ovary-----	8,404	...	8,404	...	7,481	...	545	4.5	...	8.8	...	9.2	...	4.9
.1	Fallopian tube and broad ligament-----	86	...	86	...	73	...	12	0.0	...	0.1	...	0.1	...	0.1
.8	Multiple sites-----	10	...	10	...	9	...	-	0.0	...	0.0	...	0.0	...	-
.9	Site unspecified-----	7	...	7	...	6	...	1	0.0	...	0.0	...	0.0	...	0.0
176	Malignant neoplasm of other and unspecified female genital organs-----	920	...	920	...	777	...	108	0.5	...	1.0	...	1.0	...	1.0
.0	Vulva-----	550	...	550	...	461	...	67	0.3	...	0.6	...	0.6	...	0.6
.1	Vagina-----	304	...	304	...	260	...	32	0.2	...	0.3	...	0.3	...	0.3
.7	Other specified sites-----	14	...	14	...	10	...	4	0.0	...	0.0	...	0.0	...	0.0
.8	Multiple sites-----	12	...	12	...	11	...	-	0.0	...	0.0	...	0.0	...	0.0
.9	Site unspecified-----	40	...	40	...	35	...	5	0.0	...	0.0	...	0.0	...	0.0
177	Malignant neoplasm of prostate-----	15,446	15,446	...	12,992	...	1,956	...	8.2	16.7	...	16.4	...	18.7	...
178	Malignant neoplasm of testis-----	662	662	...	618	...	26	...	0.4	0.7	...	0.8	...	0.2	...

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1963-Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER								RATE					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
II. Neoplasms-Con.															
179	Malignant neoplasm of breast and genitourinary organs-Con.														
	Malignant neoplasm of other and unspecified male genital organs-----	301	301	...	226	...	63	...	0.2	0.3	...	0.3	...	0.6	...
.0	Penis-----	261	261	...	194	...	56	...	0.1	0.3	...	0.2	...	0.5	...
.1	Scrotum-----	21	21	...	16	...	4	...	0.0	0.0	...	0.0	...	0.0	...
.7	Other specified sites-----	14	14	...	13	...	1	...	0.0	0.0	...	0.0	...	0.0	...
.8	Multiple sites-----	3	3	...	1	...	2	...	0.0	0.0	...	0.0	...	0.0	...
.9	Site unspecified-----	2	2	...	2	...	-	...	0.0	0.0	...	0.0	...	-	...
180	Malignant neoplasm of kidney-----	5,394	3,434	1,960	3,078	1,757	212	117	2.9	3.7	2.0	3.9	2.2	2.0	1.1
181	Malignant neoplasm of bladder and other urinary organs-----	8,189	5,688	2,501	5,018	2,145	393	246	4.3	6.1	2.6	6.3	2.6	3.8	2.2
.0	Bladder-----	8,032	5,617	2,415	4,970	2,074	372	236	4.3	6.1	2.5	6.3	2.5	3.6	2.1
.7	Other urinary organs-----	147	66	81	43	68	21	9	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.8	Multiple sites-----	10	5	5	5	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
190-199	Malignant neoplasm of other and unspecified sites-----	29,757	15,973	13,784	14,068	12,059	1,361	1,244	15.8	17.2	14.4	17.8	14.8	13.0	11.2
190	Malignant melanoma of skin-----	2,480	1,368	1,112	1,286	1,041	27	29	1.3	1.5	1.2	1.6	1.3	0.3	0.3
.0	Lips-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
.1	Eyelids, including canthi-----	5	3	2	3	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Ear and external auricular canal-----	14	9	5	7	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Other and unspecified parts of face-----	92	61	31	59	29	1	-	0.0	0.1	0.0	0.1	0.0	0.0	-
.4	Scalp and neck-----	105	60	45	57	42	-	-	0.1	0.1	0.0	0.1	0.1	-	-
.5	Trunk-----	267	163	104	150	97	2	-	0.1	0.2	0.1	0.2	0.1	0.0	-
.6	Upper limb-----	151	86	65	82	58	1	3	0.1	0.1	0.1	0.1	0.1	0.0	0.0
.7	Lower limb-----	290	112	178	102	160	5	7	0.2	0.1	0.2	0.1	0.2	0.0	0.1
.8	Multiple sites-----	12	6	6	6	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Site unspecified-----	1,542	868	674	820	641	18	19	0.8	0.9	0.7	1.0	0.8	0.2	0.2
191	Other malignant neoplasm of skin-----	1,913	1,221	692	1,109	625	73	50	1.0	1.3	0.7	1.4	0.8	0.7	0.5
.0	Lips-----	96	89	7	83	6	3	1	0.1	0.1	0.0	0.1	0.0	0.0	0.0
.1	Eyelids, including canthi-----	17	9	8	9	7	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	Ear and external auricular canal-----	74	58	16	58	15	-	1	0.0	0.1	0.0	0.1	0.0	-	0.0
.3	Other and unspecified parts of face-----	666	414	252	384	241	15	5	0.4	0.4	0.3	0.5	0.3	0.1	0.0
.4	Scalp and neck-----	249	176	73	164	65	6	5	0.1	0.2	0.1	0.2	0.1	0.1	0.0
.5	Trunk-----	236	100	136	78	110	16	22	0.1	0.1	0.1	0.1	0.1	0.2	0.2
.6	Upper limb-----	52	31	21	31	19	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.7	Lower limb-----	69	41	28	22	24	14	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.8	Multiple sites-----	35	27	8	24	8	3	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Site unspecified-----	419	276	143	256	130	16	11	0.2	0.3	0.1	0.3	0.2	0.2	0.1
192	Malignant neoplasm of eye-----	359	194	165	176	154	11	6	0.2	0.2	0.2	0.2	0.2	0.1	0.1
193	Malignant neoplasm of brain and other parts of nervous system-----	6,888	4,017	2,871	3,619	2,571	244	178	3.7	4.3	3.0	4.6	3.2	2.3	1.6
.0	Brain-----	5,544	3,251	2,293	2,929	2,063	194	131	2.9	3.5	2.4	3.7	2.5	1.9	1.2
.1	Spinal cord-----	141	86	55	78	45	7	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.2	Meninges-----	51	26	25	24	21	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Peripheral nerves-----	50	29	21	24	20	5	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.4	Sympathetic nervous system-----	342	183	159	160	143	16	13	0.2	0.2	0.2	0.2	0.2	0.2	0.1
.8	Multiple sites-----	14	8	6	8	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Site unspecified-----	746	434	312	396	273	20	24	0.4	0.5	0.3	0.5	0.3	0.2	0.2
194	Malignant neoplasm of thyroid gland-----	1,021	354	667	302	569	38	56	0.5	0.4	0.7	0.4	0.7	0.4	0.5
195	Malignant neoplasm of other endocrine glands-----	421	264	157	232	135	19	15	0.2	0.3	0.2	0.3	0.2	0.2	0.1
.0	Suprarenal gland-----	296	189	107	167	95	12	6	0.2	0.2	0.1	0.2	0.1	0.1	0.1
.1	Parathyroid gland-----	6	2	4	2	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Thymus-----	71	40	31	35	27	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Pituitary gland and craniopharyngeal duct-----	23	16	7	14	5	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.4	Pineal gland-----	13	10	3	8	2	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.7	Other specified glands-----	12	7	5	6	2	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.8	Multiple glands-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1963-Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER								RATE					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
II. Neoplasms-Con.															
Malignant neoplasm of other and unspecified sites-Con.															
196	Malignant neoplasm of bone-----	1,780	1,037	743	898	630	97	80	0.9	1.1	0.8	1.1	0.8	0.9	0.7
.0	Bones of the skull and face-----	265	163	102	139	86	18	11	0.1	0.2	0.1	0.2	0.1	0.2	0.1
.1	Lower jaw bone-----	186	120	66	99	51	15	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.2	Vertebral column (excluding sacrum and coccyx)-----	293	173	120	150	106	11	9	0.2	0.2	0.1	0.2	0.1	0.1	0.1
.3	Ribs, sternum, and clavicle-----	58	39	19	37	17	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.4	Long bones of upper limb, and scapula-----	82	44	38	40	32	2	6	0.0	0.0	0.0	0.1	0.0	0.0	0.1
.5	Upper limb, short bones-----	2	1	1	1	-	-	-	0.0	0.0	0.0	0.0	-	-	-
.6	Pelvic bones, sacrum, coccyx-----	136	82	54	75	46	4	4	0.1	0.1	0.1	0.1	-	-	0.0
.7	Lower limb, long bones-----	342	189	153	163	127	21	20	0.2	0.2	0.2	0.2	0.2	0.2	0.2
.8	Lower limb, short bones-----	24	14	10	11	9	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Multiple sites and site unspecified-----	392	212	180	183	156	23	18	0.2	0.2	0.2	0.2	0.2	0.2	0.2
197	Malignant neoplasm of connective tissue-----	1,119	615	504	533	437	63	55	0.6	0.7	0.5	0.7	0.5	0.6	0.5
.0	Head, face, and neck-----	54	34	20	30	14	4	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Trunk-----	231	121	110	106	94	10	13	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.2	Upper limb (including shoulder)-----	78	48	30	39	25	7	3	0.0	0.1	0.0	0.0	0.0	0.1	0.0
.3	Lower limb (including hip)-----	251	135	116	115	102	15	11	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.8	Multiple sites-----	8	5	3	5	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Site unspecified-----	497	272	225	238	199	27	23	0.3	0.3	0.2	0.3	0.2	0.3	0.2
198	Secondary and unspecified malignant neoplasm of lymph nodes-----	189	120	69	106	59	8	6	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.0	Head, face, and neck-----	91	66	25	59	19	3	4	0.0	0.1	0.0	0.1	0.0	0.0	0.0
.1	Intrathoracic-----	6	4	2	4	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	Intra-abdominal-----	18	6	12	6	11	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Axillary and upper limb-----	8	7	1	5	1	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.4	Inguinal and lower limb-----	18	10	8	10	7	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.7	Other specified sites-----	2	-	2	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.8	Multiple sites-----	6	5	1	4	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Site unspecified-----	40	22	18	18	18	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
199	Malignant neoplasm of other and unspecified sites-----	13,587	6,783	6,804	5,807	5,838	781	769	7.2	7.3	7.1	7.3	7.2	7.5	6.9
A	Of other specified sites, not specified as secondary-----	1,001	627	374	552	320	49	38	0.5	0.7	0.4	0.7	0.4	0.5	0.3
B	Primary site not indicated-----	12,586	6,156	6,430	5,255	5,518	732	731	6.7	6.6	6.7	6.6	6.8	7.0	6.6
200-205	Neoplasms of lymphatic and hematopoietic tissues-----	27,914	16,050	11,864	14,183	10,600	1,299	845	14.8	17.3	12.4	17.9	13.0	12.4	7.6
200	Lymphosarcoma and reticulosarcoma-----	6,777	3,794	2,983	3,389	2,721	262	140	3.6	4.1	3.1	4.3	3.3	2.5	1.3
.0	Reticulum cell sarcoma-----	1,725	962	763	848	697	73	42	0.9	1.0	0.8	1.1	0.9	0.7	0.4
.1	Lymphosarcoma-----	3,764	2,152	1,612	1,939	1,473	133	70	2.0	2.3	1.7	2.5	1.8	1.3	0.6
.2	Other primary malignant neoplasms of lymphoid tissue-----	1,288	680	608	602	551	56	28	0.7	0.7	0.6	0.8	0.7	0.5	0.3
201	Hodgkin's disease-----	3,278	2,009	1,269	1,787	1,135	155	77	1.7	2.2	1.3	2.3	1.4	1.5	0.7
202	Other forms of lymphoma (reticulosis)-----	1,102	651	451	574	405	59	26	0.6	0.7	0.5	0.7	0.5	0.6	0.2
.0	Giant follicular lymphomas (Brill-Symmers' disease)-----	118	61	57	56	54	4	2	0.1	0.1	0.1	0.1	0.1	0.0	0.0
.1	Other-----	984	590	394	518	351	55	24	0.5	0.6	0.4	0.7	0.4	0.5	0.2
203	Multiple myeloma (plasmocytoma)-----	3,182	1,747	1,435	1,443	1,232	253	162	1.7	1.9	1.5	1.8	1.5	2.4	1.5
204	Leukemia and leukemia-----	13,507	7,807	5,700	6,954	5,089	565	434	7.2	8.4	5.9	8.8	6.2	5.4	3.9
.0	Lymphatic leukemia-----	3,165	1,930	1,235	1,716	1,109	141	87	1.7	2.1	1.3	2.2	1.4	1.4	0.8
.1	Myeloid leukemia-----	2,156	1,181	975	1,063	871	82	71	1.1	1.3	1.0	1.3	1.1	0.8	0.6
.2	Monocytic leukemia-----	1,077	609	468	550	425	40	37	0.6	0.7	0.5	0.7	0.5	0.4	0.3
.3	Acute leukemia-----	5,776	3,303	2,473	2,932	2,214	234	179	3.1	3.6	2.6	3.7	2.7	2.2	1.6
.4	Other and unspecified leukemia-----	1,333	784	549	693	470	68	60	0.7	0.8	0.6	0.9	0.6	0.7	0.5
205	Mycosis fungoides-----	68	42	26	36	18	5	6	0.0	0.0	0.0	0.0	0.0	0.0	0.1
210-229	Benign neoplasm-----	2,446	988	1,458	861	1,094	100	307	1.3	1.1	1.5	1.1	1.3	1.0	2.8
210	Benign neoplasm of buccal cavity and pharynx-----	6	1	5	-	4	1	1	0.0	0.0	0.0	-	0.0	0.0	0.0
211	Benign neoplasm of other parts of digestive system-----	249	133	116	116	102	14	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1
212	Benign neoplasm of respiratory system-----	140	97	43	81	40	11	3	0.1	0.1	0.0	0.1	0.0	0.1	0.0
213	Benign neoplasm of breast-----	7	-	7	-	5	-	2	0.0	-	0.0	-	0.0	-	0.0
214	Uterine fibroma-----	277	...	277	...	118	...	145	0.1	...	0.3	...	0.1	...	1.3
215	Other benign neoplasm of uterus-----	41	...	41	...	36	...	4	0.0	...	0.0	...	0.0	...	0.0

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1963-Con.

1-48

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER								RATE							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
II. Neoplasms--Con.																	
Benign neoplasm--Con.																	
216	Benign neoplasm of ovary-----	144	...	144	...	117	...	22	0.1	...	0.2	...	0.1	...	0.2		
217	Benign neoplasm of other female genital organs-----	6	...	6	...	5	...	1	0.0	...	0.0	...	0.0	...	0.0		
218	Benign neoplasm of male genital organs-----	1	1	...	1	0.0	0.0	...	0.0		
219	Benign neoplasm of kidney and other urinary organs-----	34	22	12	20	8	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
220	Benign melanoma of skin-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
221	Pilonidal cyst-----	6	1	5	1	4	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
222	Other benign neoplasm of skin-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
223	Benign neoplasm of brain and other parts of nervous system-----	945	426	519	379	427	36	71	0.5	0.5	0.5	0.5	0.5	0.3	0.6		
224	Benign neoplasm of endocrine glands-----	316	151	165	122	126	23	31	0.2	0.2	0.2	0.2	0.2	0.2	0.3		
225	Benign neoplasm of bone and cartilage-----	16	7	9	7	7	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0		
226	Lipoma-----	23	14	9	12	9	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
227	Other benign neoplasm of muscular and connective tissue-----	55	31	24	29	22	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
228	Hemangioma and lymphangioma-----	121	67	54	60	46	7	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
229	Benign neoplasm of other and unspecified organs and tissues---	56	36	20	32	16	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
230-239	Neoplasm of unspecified nature-----	2,459	1,292	1,167	1,101	1,002	147	131	1.3	1.4	1.2	1.4	1.2	1.4	1.2		
230	Neoplasm of unspecified nature of digestive organs-----	262	120	142	103	120	13	15	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
231	Neoplasm of unspecified nature of respiratory organs-----	260	184	76	158	66	18	8	0.1	0.2	0.1	0.2	0.2	0.2	0.1		
232	Neoplasm of unspecified nature of breast-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
233	Neoplasm of unspecified nature of uterus-----	7	...	7	...	5	...	2	0.0	...	0.0	...	0.0	...	0.0		
234	Neoplasm of unspecified nature of ovary-----	16	...	16	...	13	...	3	0.0	...	0.0	...	0.0	...	0.0		
235	Neoplasm of unspecified nature of other female genital organs-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-		
236	Neoplasm of unspecified nature of other genitourinary organs---	103	64	39	53	30	8	8	0.1	0.1	0.0	0.1	0.0	0.1	0.1		
237	Neoplasm of unspecified nature of brain and other parts of nervous system-----	1,516	796	720	679	628	91	74	0.8	0.9	0.8	0.9	0.8	0.9	0.7		
238	Neoplasm of unspecified nature of skin and musculoskeletal system-----	23	13	10	8	9	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
239	Neoplasm of unspecified nature of other and unspecified organs	270	115	155	100	129	14	20	0.1	0.1	0.2	0.1	0.2	0.1	0.2		
III. Allergic, endocrine system, metabolic, and nutritional diseases																	
240-245	Allergic disorders-----	5,164	3,225	1,939	2,732	1,532	413	364	2.7	3.5	2.0	3.5	1.9	4.0	3.3		
240	Hay fever-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
241	Asthma-----	5,058	3,160	1,898	2,677	1,501	403	355	2.7	3.4	2.0	3.4	1.8	3.9	3.2		
242	Angioneurotic edema-----	14	10	4	9	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
243	Urticaria-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
244	Allergic eczema-----	3	3	-	2	-	1	-	0.0	0.0	-	0.0	-	0.0	-		
245	Other allergic disorders-----	85	50	35	42	26	8	8	0.0	0.1	0.0	0.1	0.0	0.1	0.1		
250-254	Diseases of thyroid gland-----	875	184	691	152	564	25	100	0.5	0.2	0.7	0.2	0.7	0.2	0.9		
250	Simple goiter-----	50	11	39	9	27	2	11	0.0	0.0	0.0	0.0	0.0	0.0	0.1		
251	Nontoxic nodular goiter-----	36	7	29	6	19	-	7	0.0	0.0	0.0	0.0	0.0	-	0.1		
252	Thyrototoxicosis with or without goiter-----	447	90	357	68	283	16	64	0.2	0.1	0.4	0.1	0.3	0.2	0.6		
.0	Toxic diffuse goiter-----	423	85	338	66	269	13	60	0.2	0.1	0.4	0.1	0.3	0.1	0.5		
.1	Toxic nodular goiter-----	24	5	19	2	14	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
253	Myxedema and cretinism-----	301	72	229	65	205	7	13	0.2	0.1	0.2	0.1	0.3	0.1	0.1		
254	Other diseases of thyroid gland-----	41	4	37	4	30	-	5	0.0	0.0	0.0	0.0	0.0	-	0.0		
260	Diabetes mellitus-----	32,465	13,183	19,282	11,203	15,633	1,455	2,811	17.2	14.2	20.1	14.2	19.2	13.9	25.4		
270-277	Diseases of other endocrine glands-----	1,030	481	549	379	438	83	88	0.5	0.5	0.6	0.5	0.5	0.8	0.8		
270	Disorders of pancreatic internal secretion other than diabetes mellitus-----	77	45	32	29	26	16	6	0.0	0.0	0.0	0.0	0.0	0.2	0.1		

SECTION 1- MORTALITY

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1963-Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER								RATE					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
III. Allergic, endocrine system, metabolic, and nutritional diseases-Con.															
Diseases of other endocrine glands-Con.															
271	Diseases of parathyroid gland-----	58	18	40	14	30	4	8	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.0	Hyperparathyroidism-----	44	16	28	12	21	4	6	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.1	Hypoparathyroidism-----	13	2	11	2	8	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	Other and unspecified-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	0.0
272	Diseases of pituitary gland-----	258	130	128	96	93	32	28	0.1	0.1	0.1	0.1	0.1	0.3	0.3
273	Diseases of thymus gland-----	124	70	54	55	41	12	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1
274	Diseases of adrenal glands-----	427	189	238	163	200	14	32	0.2	0.2	0.2	0.2	0.2	0.1	0.3
275	Ovarian dysfunction-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
276	Testicular dysfunction-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
277	Polyglandular dysfunction and other diseases of endocrine glands-----	85	29	56	22	47	5	5	0.0	0.0	0.1	0.0	0.1	0.0	0.0
280-289	Avitaminoses and other metabolic diseases-----	3,893	1,904	1,989	1,546	1,569	299	368	2.1	2.1	2.1	2.0	1.9	2.9	3.3
280	Beriberi-----	29	18	11	16	9	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
281	Pellagra-----	31	7	24	5	15	2	9	0.0	0.0	0.0	0.0	0.0	0.0	0.1
282	Scurvy-----	3	3	-	2	-	1	-	0.0	0.0	-	0.0	-	0.0	-
283	Active rickets-----	2	2	-	-	-	2	-	0.0	0.0	-	-	-	0.0	-
284	Late effects of rickets-----	-	-	-	-	-	-	-	0.0	0.0	-	-	-	0.0	-
285	Osteomalacia-----	10	2	8	2	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-
286	Other avitaminoses and nutritional deficiency states-----	1,569	747	822	556	639	170	157	0.8	0.8	0.9	0.7	0.8	1.6	1.4
.0	Steatorrhea and spruce-----	40	19	21	17	19	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Vitamin A deficiency-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Vitamin B deficiency, except beriberi and pellagra-----	3	1	2	1	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.3	Vitamin C deficiency, except scurvy-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Vitamin D deficiency, except rickets and osteomalacia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Malnutrition, unqualified-----	1,397	666	731	494	568	151	139	0.7	0.7	0.8	0.6	0.7	1.4	1.3
.6	Kwashiorkor (protein malnutrition)-----	14	4	10	3	6	1	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.7	Other and multiple deficiency states-----	115	57	58	41	45	16	12	0.1	0.1	0.1	0.1	0.1	0.2	0.1
287	Obesity, not specified as of endocrine origin-----	1,233	521	712	460	570	43	132	0.7	0.6	0.7	0.6	0.7	0.4	1.2
288	Gout-----	117	105	12	90	9	12	1	0.1	0.1	0.0	0.1	0.0	0.1	0.0
289	Other metabolic diseases-----	899	499	400	415	321	67	67	0.5	0.5	0.4	0.5	0.4	0.6	0.6
.0	Lipidosis (disturbance of lipid metabolism)-----	168	88	80	79	73	7	6	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	Amyloidosis-----	140	86	54	69	40	15	12	0.1	0.1	0.1	0.1	0.0	0.1	0.1
.2	Other-----	591	325	266	267	208	45	49	0.3	0.4	0.3	0.3	0.3	0.4	0.4
IV. Diseases of the blood and blood-forming organs															
290-299	Diseases of blood and blood-forming organs-----	5,315	2,677	2,638	2,172	2,153	409	404	2.8	2.9	2.8	2.7	2.6	3.9	3.6
290	Pernicious and other hyperchromic anemias-----	494	196	298	181	270	11	21	0.3	0.2	0.3	0.2	0.3	0.1	0.2
.0	Pernicious anemia-----	439	170	269	156	247	10	16	0.2	0.2	0.3	0.2	0.3	0.1	0.1
.1	Subacute combined degeneration of spinal cord-----	13	7	6	7	5	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	Other hyperchromic anemias-----	42	19	23	18	18	1	4	0.0	0.0	0.0	0.0	0.0	-	0.0
291	Iron deficiency anemias (hypochromic anemias)-----	162	73	89	55	70	17	15	0.1	0.1	0.1	0.1	0.1	0.0	0.0
292	Other anemias of specified type-----	1,802	927	875	672	639	215	199	1.0	1.0	0.9	0.8	0.8	2.1	1.8
.0	Familial acholuric jaundice-----	138	56	82	45	68	7	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	Acute hemolytic anemia-----	29	10	19	10	14	-	3	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	Other hemolytic anemias-----	76	29	47	26	39	3	6	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.3	Leuko-erythroblastic anemia-----	313	190	123	171	103	11	16	0.2	0.2	0.1	0.2	0.1	0.1	0.1
.4	Aplastic anemia-----	895	457	438	401	400	34	27	0.5	0.5	0.5	0.5	0.5	0.3	0.2
.5	Nonregenerative anemia-----	29	17	12	16	11	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.6	Sickle cell anemia-----	317	166	151	2	1	158	140	0.2	0.2	0.2	0.0	0.0	1.5	1.3
.7	Other specified anemias-----	5	2	3	1	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
293	Anemia of unspecified type-----	951	438	513	335	397	87	102	0.5	0.5	0.5	0.4	0.5	0.8	0.9
294	Polycythemia-----	490	280	210	247	196	17	9	0.3	0.3	0.2	0.3	0.2	0.2	0.1
295	Hemophilia-----	85	84	1	72	1	7	-	0.0	0.1	0.0	0.1	0.0	0.1	-
296	Purpura and other hemorrhagic conditions-----	650	297	353	269	310	22	38	0.3	0.3	0.4	0.3	0.4	0.2	0.3
297	Agranulocytosis-----	183	90	93	86	87	4	2	0.1	0.1	0.1	0.1	0.1	0.0	0.0

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1963-Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER								RATE							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
IV. Diseases of the blood and blood-forming organs--Con.																	
Diseases of blood and blood-forming organs--Con.																	
298	Diseases of spleen-----	249	135	114	120	100	12	9	0.1	0.1	0.1	0.2	0.1	0.1	0.1		
.0	Hepatolienal fibrosis-----	128	72	56	65	47	4	6	0.1	0.1	0.1	0.1	0.1	0.0	0.1		
.1	Other-----	121	63	58	55	53	8	3	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
299	Other diseases of blood and blood-forming organs-----	249	157	92	135	83	17	9	0.1	0.2	0.1	0.2	0.1	0.2	0.1		
V. Mental, psychoneurotic, and personality disorders																	
300-309	Psychoses-----	1,446	807	639	652	567	120	61	0.8	0.9	0.7	0.8	0.7	1.1	0.6		
300	Schizophrenic disorders (dementia praecox)-----	125	55	70	45	59	8	11	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
.0	Simple type-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
.1	Hebephrenic type-----	5	2	3	2	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
.2	Catatonic type-----	37	11	26	9	22	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.3	Paranoid type-----	28	13	15	11	13	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.4	Acute schizophrenic-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
.5	Latent schizophrenia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.6	Schizo-affective psychosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.7	Other and unspecified-----	53	28	25	22	21	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
301	Manic-depressive reaction-----	33	6	27	6	24	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0		
.0	Manic and circular-----	11	3	8	3	7	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
.1	Depressive-----	11	1	10	1	9	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.2	Other-----	11	2	9	2	8	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
302	Involuntional melancholia-----	16	5	11	5	10	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
303	Paranoia and paranoid states-----	1	1	-	-	-	-	1	0.0	0.0	-	-	-	0.0	-		
304	Senile psychosis-----	315	112	203	98	190	13	11	0.2	0.1	0.2	0.1	0.2	0.1	0.1		
305	Presentile psychosis-----	125	51	74	46	70	4	2	0.1	0.1	0.1	0.1	0.1	0.0	0.0		
307	Alcoholic psychosis-----	439	399	40	315	26	57	12	0.2	0.4	0.0	0.4	0.0	0.5	0.1		
309	Other and unspecified psychoses-----	392	178	214	137	188	37	22	0.2	0.2	0.2	0.2	0.2	0.4	0.2		
310-318	Psychoneurotic disorders-----	89	28	61	24	52	3	4	0.0	0.0	0.1	0.0	0.1	0.0	0.0		
310	Anxiety reaction without mention of somatic symptoms-----	6	2	4	2	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
311	Hysterical reaction without mention of anxiety reaction-----	42	12	30	10	25	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
312	Phobic reaction-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
313	Obsessive-compulsive reaction-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
314	Neurotic-depressive reaction-----	10	6	4	6	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
315	Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system-----	3	-	3	-	2	-	1	0.0	-	0.0	-	0.0	-	0.0		
.0	Neurocirculatory asthenia-----	2	-	2	-	1	-	1	0.0	-	0.0	-	0.0	-	0.0		
.1	Other heart manifestations specified as of psychogenic origin-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Other circulatory manifestations of psychogenic origin-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
316	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system-----	7	1	6	1	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.0	Mucous colitis specified as of psychogenic origin-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Irritability of colon specified as of psychogenic origin-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Gastric neuroses-----	3	-	3	-	3	-	-	0.0	-	0.0	-	0.0	-	-		
.3	Other digestive manifestations specified as of psychogenic origin-----	4	1	3	1	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
317	Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-		
.0	Psychogenic reactions affecting respiratory system-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-		
.1	Psychogenic reactions affecting genitourinary system-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Pruritus of psychogenic origin-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Other cutaneous neuroses-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Psychogenic reactions affecting musculoskeletal system-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.5	Psychogenic reactions affecting other systems-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1963-Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LIST, 1955		NUMBER								RATE					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	V. Mental, psychoneurotic, and personality disorders—Con.														
318	Psychoneurotic disorders, other, mixed, and unspecified types—	19	7	12	5	9	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Hypochondriacal reaction—	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.1	Depersonalization—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Occupational neurosis—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Asthenic reaction—	6	3	3	2	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.4	Mixed—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Of other and unspecified types—	12	3	9	2	7	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
320-326	Disorders of character, behavior, and intelligence—	3,121	2,278	843	1,720	610	502	215	1.7	2.5	0.9	2.2	0.7	4.8	1.9
320	Pathological personality—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Schizoid personality—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Paranoid personality—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Cyclothymic personality—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Inadequate personality—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Antisocial personality—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Asocial personality—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Sexual deviation—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Other and unspecified—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
321	Immature personality—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Emotional instability—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Passive dependency—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Aggressiveness—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Enuresis characterizing immature personality—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Other symptomatic habits except speech impediments—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Other and unspecified—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
322	Alcoholism—	2,432	1,858	574	1,410	388	406	173	1.3	2.0	0.6	1.8	0.5	3.9	1.6
.0	Acute—	787	580	207	410	143	155	63	0.4	0.6	0.2	0.5	0.2	1.5	0.6
.1	Chronic—	1,053	814	239	649	157	149	73	0.6	0.9	0.2	0.8	0.2	1.4	0.7
.2	Unspecified—	592	464	128	351	88	102	37	0.3	0.5	0.1	0.4	0.1	1.0	0.3
323	Other drug addiction—	186	145	41	73	24	66	17	0.1	0.2	0.0	0.1	0.0	0.6	0.2
324	Primary childhood behavior disorders—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
325	Mental deficiency—	503	275	228	237	198	30	25	0.3	0.3	0.2	0.3	0.2	0.3	0.2
.0	Idiocy—	10	7	3	5	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.1	Imbecility—	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Moron—	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
.3	Borderline intelligence—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Mongolism—	271	143	128	121	109	16	17	0.1	0.2	0.1	0.2	0.1	0.2	0.2
.5	Other and unspecified types—	218	124	94	110	84	13	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1
326	Other and unspecified character, behavior, and intelligence disorders—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Specific learning defects—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Stammering and stuttering of nonorganic origin—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other speech impediments of nonorganic origin—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Acute situational maladjustment—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Other and unspecified—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	VI. Diseases of the nervous system and sense organs														
330-334	Vascular lesions affecting central nervous system—	201,166	94,239	106,927	79,458	90,464	12,186	13,329	106.7	101.7	111.5	100.5	110.9	116.8	120.4
330	Subarachnoid hemorrhage—	7,869	3,512	4,357	2,831	3,477	576	745	4.2	3.8	4.5	3.6	4.3	5.5	6.7
331	Cerebral hemorrhage—	110,632	51,784	58,848	43,169	49,127	7,318	8,174	58.7	55.9	61.4	54.6	60.2	70.1	73.8
332	Cerebral embolism and thrombosis—	63,246	30,019	33,227	25,942	28,887	3,114	3,157	33.5	32.4	34.6	32.8	35.4	29.8	28.5
333	Spasm of cerebral arteries—	8	6	2	6	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
334	Other and ill-defined vascular lesions affecting central nervous system—	19,411	8,918	10,493	7,510	8,972	1,178	1,252	10.3	9.6	10.9	9.5	11.0	11.3	11.3

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1963-Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER								RATE							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
	VI. Diseases of the nervous system and sense organs-Con.																
340-345	Inflammatory diseases of central nervous system-----	5,025	2,656	2,369	2,052	1,800	519	489	2.7	2.9	2.5	2.6	2.2	5.0	4.4		
340	Meningitis, except meningococcal and tuberculous-----	2,343	1,343	1,000	938	661	359	311	1.2	1.4	1.0	1.2	0.8	3.4	2.8		
.0	H. influenzae-----	429	247	182	187	132	52	43	0.2	0.3	0.2	0.2	0.2	0.5	0.4		
.1	Pneumococcus-----	502	287	215	195	133	81	72	0.3	0.3	0.2	0.2	0.2	0.8	0.7		
.2	Due to other specified organism-----	258	144	114	114	90	22	21	0.1	0.2	0.1	0.1	0.1	0.2	0.2		
.3	With no organism specified as cause-----	1,154	665	489	442	306	204	175	0.6	0.7	0.5	0.6	0.4	2.0	1.6		
341	Phlebitis and thrombophlebitis of intracranial venous sinuses-----	47	29	18	24	12	5	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
342	Intra cranial and intraspinal abscess-----	262	174	88	135	63	35	22	0.1	0.2	0.1	0.2	0.1	0.3	0.2		
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)-----	359	182	177	147	134	32	37	0.2	0.2	0.2	0.2	0.2	0.3	0.3		
344	Late effects of intracranial abscess or pyogenic infection-----	531	297	234	230	178	56	47	0.3	0.3	0.2	0.3	0.2	0.5	0.4		
A	Hydrocephalus not otherwise specified-----	294	168	126	120	87	41	30	0.2	0.2	0.1	0.2	0.1	0.4	0.3		
B	Other late effects of intracranial abscess or pyogenic infection-----	237	129	108	110	91	15	17	0.1	0.1	0.1	0.1	0.1	0.1	0.2		
345	Multiple sclerosis-----	1,483	631	852	578	752	32	67	0.8	0.7	0.9	0.7	0.9	0.3	0.6		
350-357	Other diseases of central nervous system-----	8,955	5,060	3,895	4,264	3,351	653	423	4.7	5.5	4.1	5.4	4.1	6.3	3.8		
350	Paralysis agitans-----	2,944	1,580	1,364	1,475	1,279	54	34	1.6	1.7	1.4	1.9	1.6	0.5	0.3		
351	Cerebral spastic infantile paralysis-----	730	402	328	326	272	65	50	0.4	0.4	0.3	0.4	0.3	0.6	0.5		
352	Other cerebral paralysis-----	542	298	244	239	185	56	55	0.3	0.3	0.3	0.3	0.2	0.5	0.5		
353	Epilepsy-----	1,975	1,178	797	810	593	328	185	1.0	1.3	0.8	1.0	0.7	3.1	1.7		
.0	Petit mal-----	6	-	6	-	4	-	2	0.0	-	0.0	-	0.0	-	0.0		
.1	Grand mal-----	386	213	173	149	133	55	34	0.2	0.2	0.2	0.2	0.2	0.5	0.3		
.2	Status epilepticus-----	519	319	200	208	137	102	60	0.3	0.3	0.2	0.3	0.2	1.0	0.5		
.3	Other and unspecified-----	1,064	646	418	453	319	171	89	0.6	0.7	0.4	0.6	0.4	1.6	0.8		
354	Migraine-----	2	-	2	-	1	-	1	0.0	-	0.0	-	0.0	-	0.0		
355	Other diseases of brain-----	1,118	592	526	510	467	68	51	0.6	0.6	0.5	0.6	0.6	0.7	0.5		
356	Motor neuron disease and muscular atrophy-----	1,409	874	535	795	479	56	30	0.7	0.9	0.6	1.0	0.6	0.5	0.3		
.0	Progressive muscular atrophy-----	142	76	66	69	61	6	2	0.1	0.1	0.1	0.1	0.1	0.1	0.0		
.1	Amyotrophic lateral sclerosis-----	1,191	757	434	690	392	45	22	0.6	0.8	0.5	0.9	0.5	0.4	0.2		
.2	Spinal type of muscular atrophy-----	63	34	29	31	22	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.3	Other and unspecified manifestations-----	13	7	6	5	4	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
357	Other diseases of spinal cord-----	235	136	99	109	75	26	17	0.1	0.1	0.1	0.1	0.1	0.2	0.2		
360-369	Diseases of nerves and peripheral ganglia-----	253	123	130	105	111	13	14	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
360	Facial paralysis-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
361	Trigeminal neuralgia-----	21	8	13	7	13	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
362	Brachial neuritis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
363	Sciatica-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
364	Polyn neuritis and polyradiculitis-----	165	77	88	66	77	9	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
365	Erythredema polyn neuritica-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
366	Other and unspecified forms of neuralgia and neuritis-----	23	9	14	9	8	-	5	0.0	0.0	0.0	0.0	0.0	-	0.0		
367	Other diseases of cranial nerves-----	5	5	-	3	-	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
368	Other diseases of peripheral nerves except autonomic-----	22	14	8	10	6	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
369	Diseases of peripheral autonomic nervous system-----	12	7	5	7	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
370-379	Inflammatory diseases of eye-----	10	6	4	5	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
370	Conjunctivitis and ophthalmia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
371	Blepharitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
372	Hordeolum (sty)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
373	Iritis-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
374	Keratitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
375	Choroiditis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
376	Other inflammation of uveal tract-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-		
377	Inflammation of optic nerve and retina-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
378	Inflammation of lachrymal glands and ducts-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
379	Other inflammatory diseases of eye-----	7	4	3	3	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1963-Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LIST, 1955		NUMBER								RATE							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
VI. Diseases of the nervous system and sense organs-Con.																	
380-389	Other diseases and conditions of eye-----	44	17	27	14	20	2	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1		
380	Refractive errors-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
381	Corneal ulcer-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
382	Corneal opacity-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
383	Pterygium-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
384	Strabismus-----	2	-	2	-	1	-	1	0.0	-	0.0	-	0.0	-	0.0		
385	Cataract-----	25	11	14	10	11	-	3	0.0	0.0	0.0	0.0	0.0	-	0.0		
386	Detachment of retina-----	3	-	3	-	3	-	-	0.0	-	0.0	-	0.0	-	-		
387	Glaucoma-----	3	2	1	2	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0		
388	Other diseases of eye-----	11	4	7	2	5	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
389	Blindness-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.0	Blindness, both eyes, specifically defined-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Blindness, both eyes, not specifically defined-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Blindness, one eye, specifically defined-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Blindness, one eye, not specifically defined-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
390-398	Diseases of ear and mastoid process-----	272	157	115	115	79	39	32	0.1	0.2	0.1	0.1	0.1	0.4	0.3		
390	Otitis externa-----	3	2	1	2	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0		
391	Otitis media without mention of mastoiditis-----	200	113	87	78	58	34	27	0.1	0.1	0.1	0.1	0.1	0.3	0.2		
.0	Acute-----	45	24	21	11	11	13	9	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
.1	Chronic-----	20	13	7	12	6	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
.2	Unspecified-----	135	76	59	55	41	21	17	0.1	0.1	0.1	0.1	0.1	0.2	0.2		
392	Otitis media with mastoiditis-----	20	13	7	12	4	-	3	0.0	0.0	0.0	0.0	0.0	-	0.0		
.0	Acute-----	2	2	-	1	-	-	-	0.0	0.0	0.0	0.0	-	-	-		
.1	Chronic-----	11	8	3	8	1	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0		
.2	Unspecified-----	7	3	4	3	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
393	Mastoiditis without mention of otitis media-----	37	24	13	18	11	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.0	Acute-----	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.1	Chronic-----	17	9	8	5	6	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.2	Unspecified-----	16	12	4	10	4	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
394	Other inflammatory diseases of ear-----	1	1	-	1	-	-	-	0.0	0.0	0.0	0.0	-	-	-		
395	Ménière's disease-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
396	Other diseases of ear and mastoid process-----	8	2	6	2	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
397	Deaf mutism-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
398	Other deafness-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.0	Deafness, both ears-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Deafness, one ear, and partial deafness in other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Deafness, one ear-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Impairment of hearing, one or both ears-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
VII. Diseases of the circulatory system																	
400-402	Rheumatic fever-----	552	302	250	228	168	63	67	0.3	0.3	0.3	0.3	0.2	0.6	0.6		
400	Rheumatic fever without mention of heart involvement-----	32	13	19	11	10	2	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1		
401	Rheumatic fever with heart involvement-----	513	287	226	215	154	61	59	0.3	0.3	0.2	0.3	0.2	0.6	0.5		
.0	Active rheumatic pericarditis-----	140	85	55	69	40	15	12	0.1	0.1	0.1	0.1	0.0	0.1	0.1		
.1	Active rheumatic endocarditis-----	37	21	16	17	10	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.2	Active rheumatic myocarditis-----	35	21	14	13	6	8	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
.3	Active rheumatic fever with other and multiple types of heart involvement-----	301	160	141	116	98	34	36	0.2	0.2	0.1	0.1	0.1	0.3	0.3		
402	Chorea-----	7	2	5	2	4	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
.0	Without mention of heart involvement-----	6	2	4	2	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
.1	With heart involvement-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	0.0		

SECTION 1- MORTALITY

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1963-Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER								RATE					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
VII. Diseases of the circulatory system-Con.															
410-416	Chronic rheumatic heart disease-----	16,067	7,421	8,646	6,538	7,591	584	655	8.5	8.0	9.0	8.3	9.3	5.6	5.9
410	Diseases of mitral valve-----	6,158	2,540	3,618	2,263	3,233	191	229	3.3	2.7	3.8	2.9	4.0	1.8	2.1
411	Disease of aortic valve specified as rheumatic-----	1,990	1,418	572	1,277	501	84	45	1.1	1.5	0.6	1.6	0.6	0.8	0.4
412	Disease of tricuspid valve-----	18	9	9	8	9	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
413	Diseases of pulmonary valve specified as rheumatic-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
414	Other endocarditis specified as rheumatic-----	810	372	438	332	393	29	28	0.4	0.4	0.5	0.4	0.5	0.3	0.3
415	Other myocarditis specified as rheumatic-----	301	120	181	105	165	12	13	0.2	0.1	0.2	0.1	0.2	0.1	0.1
416	Other heart disease specified as rheumatic-----	6,789	2,962	3,827	2,553	3,289	267	340	3.6	3.2	4.0	3.2	4.0	2.6	3.1
420-422	Arteriosclerotic and degenerative heart disease-----	602,791	362,591	240,200	323,442	211,139	24,910	18,802	319.7	391.5	250.5	409.0	258.8	238.7	169.8
420	Arteriosclerotic heart disease, including coronary disease----	546,813	334,974	211,839	300,246	186,947	21,774	15,929	290.0	361.6	220.9	379.7	229.2	208.6	143.9
.0	Arteriosclerotic heart disease so described-----	242,119	132,451	109,668	117,436	96,933	8,757	7,193	128.4	143.0	114.4	148.5	118.8	83.9	65.0
.1	Heart disease specified as involving coronary arteries-----	304,298	202,275	102,023	182,602	89,889	12,981	8,715	161.4	218.4	106.4	230.9	110.2	124.4	78.7
.2	Angina pectoris without mention of coronary disease-----	396	248	148	208	125	36	21	0.2	0.3	0.2	0.3	0.2	0.3	0.2
421	Chronic endocarditis not specified as rheumatic-----	4,085	2,359	1,726	1,995	1,489	302	213	2.2	2.5	1.8	2.5	1.8	2.9	1.9
.0	Of mitral valve, specified as nonrheumatic-----	190	73	117	57	102	12	15	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	Of aortic valve, not specified as rheumatic-----	2,177	1,431	746	1,243	663	141	70	1.2	1.5	0.8	1.6	0.8	1.4	0.6
.2	Of tricuspid valve, specified as nonrheumatic-----	2	1	1	-	1	1	-	0.0	0.0	0.0	-	0.0	0.0	-
.3	Of pulmonary valve, not specified as rheumatic-----	81	56	25	48	22	6	2	0.0	0.1	0.0	0.1	0.0	0.1	0.0
.4	Other and ill-defined, not specified as rheumatic-----	1,635	798	837	647	701	142	126	0.9	0.9	0.9	0.8	0.9	1.4	1.1
422	Other myocardial degeneration-----	51,893	25,258	26,635	21,201	22,703	2,834	2,660	27.5	27.3	27.8	26.8	27.8	27.2	24.0
.0	Fatty degeneration-----	43	17	26	13	21	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	With arteriosclerosis-----	41,377	19,949	21,428	16,913	18,318	2,124	2,044	21.9	21.5	22.3	21.4	22.5	20.4	18.5
.2	Other-----	10,473	5,292	5,181	4,275	4,364	707	614	5.6	5.7	5.4	5.4	5.3	6.8	5.5
430-434	Other diseases of heart-----	27,323	15,343	11,980	12,429	9,561	2,571	2,088	14.5	16.6	12.5	15.7	11.7	24.6	18.9
430	Acute and subacute endocarditis-----	764	455	309	375	252	70	51	0.4	0.5	0.3	0.5	0.3	0.7	0.5
.0	Acute and subacute bacterial endocarditis-----	720	437	283	362	235	65	44	0.4	0.5	0.3	0.5	0.3	0.6	0.4
.1	Other acute endocarditis-----	44	18	26	13	17	5	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1
431	Acute myocarditis not specified as rheumatic-----	1,122	642	480	516	375	113	91	0.6	0.7	0.5	0.7	0.5	1.1	0.8
432	Acute pericarditis specified as nonrheumatic-----	93	50	43	40	35	8	6	0.0	0.1	0.0	0.1	0.0	0.1	0.1
433	Functional disease of heart-----	7,142	3,526	3,616	3,122	3,164	338	360	3.8	3.8	3.8	3.9	3.9	3.2	3.3
.0	Heart block-----	2,890	1,529	1,361	1,325	1,140	178	195	1.5	1.7	1.4	1.7	1.4	1.7	1.8
.1	Other disorders of heart rhythm-----	4,224	1,979	2,245	1,785	2,016	154	163	2.2	2.1	2.3	2.3	2.5	1.5	1.5
.2	Other functional diseases of heart-----	28	18	10	12	8	6	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
434	Other and unspecified diseases of heart-----	18,202	10,670	7,532	8,376	5,735	2,042	1,580	9.7	11.5	7.9	10.6	7.0	19.6	14.3
.0	Kyphoscoliotic heart disease-----	183	64	119	54	113	7	4	0.1	0.1	0.1	0.1	0.1	0.1	0.0
.1	Congestive heart failure-----	9,592	5,006	4,586	3,975	3,660	854	757	5.1	5.4	4.8	5.0	4.5	8.2	6.8
.2	Left ventricular failure-----	613	353	260	292	209	46	40	0.3	0.4	0.3	0.4	0.3	0.4	0.4
.3	Other disease of heart-----	342	221	121	173	95	41	21	0.2	0.2	0.1	0.2	0.1	0.4	0.2
.4	Unspecified disease of heart-----	7,472	5,026	2,446	3,882	1,658	1,094	758	4.0	5.4	2.6	4.9	2.0	10.5	6.8
440-443	Hypertensive heart disease-----	61,097	26,332	34,765	19,068	26,108	6,374	7,421	32.4	28.4	36.2	24.1	32.0	61.1	67.0
440	Essential benign hypertensive heart disease-----	555	203	352	162	289	41	62	0.3	0.2	0.4	0.2	0.4	0.4	0.6
441	Essential malignant hypertensive heart disease-----	625	338	288	178	172	150	113	0.3	0.4	0.3	0.2	0.2	1.4	1.0
442	Hypertensive heart disease with arteriolar nephrosclerosis-----	13,697	6,693	7,004	5,388	5,634	1,126	1,167	7.3	7.2	7.3	6.8	6.9	10.8	10.5
443	Other and unspecified hypertensive heart disease-----	46,219	19,098	27,121	13,340	20,013	5,057	6,079	24.5	20.6	28.3	16.9	24.5	48.5	54.9
444-447	Other hypertensive disease-----	12,694	6,383	6,311	4,852	4,992	1,333	1,136	6.7	6.9	6.6	6.1	6.1	12.8	10.3
444	Essential benign hypertension-----	3,371	1,251	2,120	936	1,695	275	367	1.8	1.4	2.2	1.2	2.1	2.6	3.3
445	Essential malignant hypertension-----	1,938	1,063	875	531	501	499	358	1.0	1.1	0.9	0.7	0.6	4.8	3.2
446	Hypertension with arteriolar nephrosclerosis-----	7,199	3,987	3,212	3,326	2,714	539	395	3.8	4.3	3.3	4.2	3.3	3.2	3.6
447	Other hypertensive disease without mention of heart-----	186	82	104	59	82	20	16	0.1	0.1	0.1	0.1	0.1	0.2	0.1

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1963-Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LIST, 1955		NUMBER								RATE							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
VII. Diseases of the circulatory system-Con.																	
450-456	Diseases of arteries-----	51,082	26,331	24,751	23,483	22,045	2,070	1,938	27.1	28.4	25.8	29.7	27.0	19.8	17.5		
450	General arteriosclerosis-----	37,429	17,152	20,277	15,294	18,286	1,400	1,384	19.9	18.5	21.1	19.3	22.4	13.4	12.5		
.0	Without mention of gangrene-----	34,875	15,782	19,093	14,090	17,249	1,269	1,277	18.5	17.0	19.9	17.8	21.1	12.2	11.5		
.1	With mention of gangrene as a consequence-----	2,554	1,370	1,184	1,204	1,037	131	107	1.4	1.5	1.2	1.5	1.3	1.3	1.0		
451	Aortic aneurysm, nonsyphilitic, and dissecting aneurysm-----	10,158	7,370	2,788	6,634	2,438	472	245	5.4	8.0	2.9	8.4	3.0	4.5	2.2		
452	Other aneurysm, except of heart and aorta-----	650	360	290	306	222	46	57	0.3	0.4	0.3	0.4	0.3	0.4	0.5		
453	Peripheral vascular disease-----	216	154	62	127	51	20	10	0.1	0.2	0.1	0.2	0.1	0.2	0.1		
.0	Raynaud's disease-----	19	8	11	8	8	-	3	0.0	0.0	0.0	0.0	0.0	-	0.0		
.1	Thromboangiitis obliterans-----	112	93	19	80	17	8	1	0.1	0.1	0.0	0.1	0.0	0.1	0.0		
.2	Chilblains-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
.3	Other-----	84	53	31	39	25	12	6	0.0	0.1	0.0	0.0	0.0	0.1	0.1		
454	Arterial embolism and thrombosis-----	989	580	409	520	360	43	35	0.5	0.6	0.4	0.7	0.4	0.4	0.3		
455	Gangrene of unspecified cause-----	248	135	113	107	79	26	26	0.1	0.1	0.1	0.1	0.1	0.2	0.2		
456	Other diseases of arteries-----	1,392	580	812	495	609	63	181	0.7	0.6	0.8	0.6	0.7	0.6	1.6		
460-468	Diseases of veins and other diseases of circulatory system	10,732	5,510	5,222	4,558	4,379	805	693	5.7	5.9	5.4	5.8	5.4	7.7	6.3		
460	Varicose veins of lower extremities-----	280	100	180	83	150	13	26	0.1	0.1	0.2	0.1	0.2	0.1	0.2		
461	Hemorrhoids-----	44	31	13	24	9	6	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
462	Varicose veins of other specified sites-----	391	247	144	220	128	22	13	0.2	0.3	0.2	0.3	0.2	0.2	0.1		
.0	Varicocele-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Varicose veins of esophagus-----	353	227	126	203	111	20	12	0.2	0.2	0.1	0.3	0.1	0.2	0.1		
.2	Other-----	38	20	18	17	17	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
463	Phlebitis and thrombophlebitis of lower extremities-----	1,275	618	657	523	571	77	63	0.7	0.7	0.7	0.7	0.7	0.7	0.6		
464	Phlebitis and thrombophlebitis of other sites-----	973	445	528	375	446	60	72	0.5	0.5	0.6	0.5	0.5	0.6	0.7		
465	Pulmonary embolism and infarction-----	4,882	2,617	2,265	2,132	1,859	394	326	2.6	2.8	2.4	2.7	2.3	3.8	2.9		
466	Other venous embolism and thrombosis-----	2,144	1,029	1,115	862	961	151	134	1.1	1.1	1.2	1.1	1.2	1.4	1.2		
467	Other diseases of circulatory system-----	694	405	289	327	229	76	51	0.4	0.4	0.3	0.4	0.3	0.7	0.5		
.0	Hypotension-----	72	32	40	20	31	12	8	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
.1	Diseases of capillaries-----	48	27	21	26	18	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.2	Other and unspecified circulatory diseases-----	574	346	228	281	180	63	42	0.3	0.4	0.2	0.4	0.2	0.6	0.4		
468	Certain diseases of lymph nodes and lymph channels-----	49	18	31	12	26	6	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
.0	Chronic lymphadenitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Nonspecific mesenteric lymphadenitis-----	16	9	7	6	6	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.2	Lymphadenitis, unqualified-----	15	4	11	3	11	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.3	Noninfective diseases of lymphatic channels-----	18	5	13	3	9	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
VIII. Diseases of the respiratory system																	
470-475	Acute upper respiratory infections-----	867	467	400	332	279	122	115	0.5	0.5	0.4	0.4	0.3	1.2	1.0		
470	Acute nasopharyngitis (common cold)-----	75	43	32	17	10	25	22	0.0	0.0	0.0	0.0	0.0	0.2	0.2		
471	Acute sinusitis-----	24	15	9	10	7	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
472	Acute pharyngitis-----	111	60	51	49	40	9	10	0.1	0.1	0.1	0.1	0.0	0.1	0.1		
.0	Sore throat, unqualified-----	6	2	4	2	2	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0		
.1	Other-----	105	58	47	47	38	9	8	0.1	0.1	0.0	0.1	0.0	0.1	0.1		
473	Acute tonsillitis-----	47	23	24	17	18	6	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
474	Acute laryngitis and tracheitis-----	229	122	107	83	74	34	30	0.1	0.1	0.1	0.1	0.1	0.3	0.3		
475	Acute upper respiratory infections of multiple or unspecified sites-----	381	204	177	156	130	43	46	0.2	0.2	0.2	0.2	0.2	0.4	0.4		
480-483	Influenza-----	7,083	3,584	3,499	2,730	2,620	818	849	3.8	3.9	3.6	3.5	3.2	7.8	7.7		
480	Influenza with pneumonia-----	4,195	2,152	2,043	1,584	1,489	545	544	2.2	2.3	2.1	2.0	1.8	5.2	4.9		
481	Influenza with other respiratory manifestations, and influenza unqualified-----	2,677	1,342	1,335	1,080	1,033	249	284	1.4	1.4	1.4	1.4	1.3	2.4	2.6		
482	Influenza with digestive manifestations, but without respiratory symptoms-----	129	56	73	44	62	12	11	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
483	Influenza with nervous manifestations, but without digestive or respiratory symptoms-----	82	34	48	22	36	12	10	0.0	0.0	0.1	0.0	0.0	0.1	0.1		

SECTION 1- MORTALITY

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1963-Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LIST, 1955		NUMBER						RATE							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
IX. Diseases of the digestive system-Con.															
Diseases of buccal cavity and esophagus-Con.															
530	Dental caries-Con.														
.2	With periapical abscess-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.3	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531	Abscesses of supporting structures of teeth-----	10	4	6	3	3	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Pericoronal-----	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
.1	Periodontal (parietal)-----	1	1	-	1	-	-	-	0.0	0.0	-	-	-	-	-
.2	Other and unspecified-----	9	3	6	2	3	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
532	Other inflammatory diseases of supporting structures of teeth-----	20	9	11	9	8	-	3	0.0	0.0	0.0	0.0	0.0	-	0.0
.0	Gingivitis, except ulcerative-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Periodontitis (pyorrhea, inflammatory)-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Periodontosis (pyorrhea, degenerative)-----	1	1	-	1	-	-	-	0.0	0.0	-	-	-	-	-
.3	Other-----	16	7	9	7	6	-	3	0.0	0.0	0.0	0.0	-	-	0.0
533	Disorders of occlusion, eruption, and tooth development-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Malocclusion-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Disorders of first dentition-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Impacted teeth-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Unerupted teeth-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Partially erupted teeth-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Congenital anomalies of teeth-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Chronic dental fluorosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
534	Toothache from unspecified cause-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
535	Other diseases of teeth and supporting structures-----	30	17	13	15	11	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
536	Stomatitis-----	7	5	2	5	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
537	Diseases of salivary glands-----	155	55	100	53	94	2	4	0.1	0.1	0.1	0.1	0.1	0.0	0.0
538	Other diseases of buccal cavity-----	45	19	26	12	22	7	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0
539	Diseases of esophagus-----	744	477	267	426	228	38	31	0.4	0.5	0.3	0.5	0.3	0.4	0.3
.0	Functional disorders of esophagus-----	33	17	16	16	16	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Other-----	711	460	251	410	212	37	31	0.4	0.5	0.3	0.5	0.3	0.4	0.3
540-545	Diseases of stomach and duodenum-----	13,579	9,674	3,905	8,520	3,435	801	341	7.2	10.4	4.1	10.8	4.2	7.7	3.1
540	Ulcer of stomach-----	6,330	4,390	1,940	3,813	1,708	407	162	3.4	4.7	2.0	4.8	2.1	3.9	1.5
.0	Without mention of perforation-----	4,239	2,928	1,311	2,559	1,150	262	117	2.2	3.2	1.4	3.2	1.4	2.5	1.1
.1	With perforation-----	2,091	1,462	629	1,254	558	145	45	1.1	1.6	0.7	1.6	0.7	1.4	0.4
541	Ulcer of duodenum-----	5,831	4,389	1,442	3,944	1,283	297	116	3.1	4.7	1.5	5.0	1.6	2.8	1.0
.0	Without mention of perforation-----	3,776	2,890	886	2,629	791	163	71	2.0	3.1	0.9	3.3	1.0	1.6	0.6
.1	With perforation-----	2,055	1,499	556	1,315	492	134	45	1.1	1.6	0.6	1.7	0.6	1.3	0.4
542	Gastrojejunal ulcer-----	244	185	59	161	52	14	5	0.1	0.2	0.1	0.2	0.1	0.1	0.0
.0	Without mention of perforation-----	178	135	43	118	40	9	3	0.1	0.1	0.0	0.1	0.0	0.1	0.0
.1	With perforation-----	66	50	16	43	12	5	2	0.0	0.1	0.0	0.1	0.0	0.0	0.0
543	Gastritis and duodenitis-----	451	251	200	210	171	31	24	0.2	0.3	0.2	0.3	0.2	0.3	0.2
544	Disorders of function of stomach-----	126	58	68	39	49	16	17	0.1	0.1	0.1	0.0	0.1	0.2	0.2
.0	Disorders of gastric secretion-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
.1	Disorders of gastric motility-----	78	35	43	26	33	7	8	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.2	Other-----	46	21	25	11	16	9	9	0.0	0.0	0.0	0.0	0.0	0.1	0.1
545	Other diseases of stomach and duodenum-----	597	401	196	353	172	36	17	0.3	0.4	0.2	0.4	0.2	0.3	0.2
550-553	Appendicitis-----	1,749	1,066	683	862	542	172	118	0.9	1.2	0.7	1.1	0.7	1.6	1.1
550	Acute appendicitis-----	1,595	980	615	793	486	158	110	0.8	1.1	0.6	1.0	0.6	1.5	1.0
.0	Without mention of peritonitis-----	150	98	52	84	44	12	6	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	With peritonitis-----	1,445	882	563	709	442	146	104	0.8	1.0	0.6	0.9	0.5	1.4	0.9
551	Appendicitis, unqualified-----	139	78	61	63	49	13	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1
552	Other appendicitis-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
553	Other diseases of appendix-----	12	7	5	5	5	1	-	0.0	0.0	0.0	0.0	0.0	-	-

SECTION 1- MORTALITY

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1963-Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LIST, 1955		NUMBER								RATE					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
IX. Diseases of the digestive system--Con.															
560,561	Hernia of abdominal cavity-----	3,484	1,805	1,679	1,526	1,469	208	140	1.8	1.9	1.8	1.9	1.8	2.0	1.3
560	Hernia of abdominal cavity without mention of obstruction-----	1,353	761	592	665	524	76	45	0.7	0.8	0.6	0.8	0.6	0.7	0.4
.0	Inguinal-----	126	118	8	96	7	18	1	0.1	0.1	0.0	0.1	0.0	0.2	0.0
.1	Femoral-----	14	8	6	7	6	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.2	Umbilical-----	230	125	105	103	84	20	19	0.1	0.1	0.1	0.1	0.1	0.2	0.2
.3	Ventral (incisional)-----	143	54	89	49	74	4	9	0.1	0.1	0.1	0.1	0.1	0.0	0.1
.4	Of other specified site-----	745	380	365	350	337	22	14	0.4	0.4	0.4	0.4	0.4	0.2	0.1
.5	Of unspecified site-----	95	76	19	60	16	11	2	0.1	0.1	0.0	0.1	0.0	0.1	0.0
561	Hernia of abdominal cavity with obstruction-----	2,131	1,044	1,087	861	945	132	95	1.1	1.1	1.1	1.1	1.2	1.3	0.9
.0	Inguinal-----	601	479	122	370	111	84	8	0.3	0.5	0.1	0.5	0.1	0.8	0.1
.1	Femoral-----	295	77	218	71	203	3	8	0.2	0.1	0.2	0.1	0.2	0.0	0.1
.2	Umbilical-----	230	67	163	58	124	6	30	0.1	0.1	0.2	0.1	0.2	0.1	0.3
.3	Ventral (incisional)-----	370	80	290	67	252	8	24	0.2	0.1	0.3	0.1	0.3	0.1	0.2
.4	Of other specified site-----	278	121	157	109	141	7	9	0.1	0.1	0.2	0.1	0.2	0.1	0.1
.5	Of unspecified site-----	357	220	137	186	114	24	16	0.2	0.2	0.1	0.2	0.1	0.2	0.1
570-578	Other diseases of intestines and peritoneum-----	18,718	9,180	9,538	7,358	7,823	1,558	1,432	9.9	9.9	9.9	9.3	9.6	14.9	12.9
570	Intestinal obstruction without mention of hernia-----	6,433	2,919	3,514	2,448	3,013	391	403	3.4	3.2	3.7	3.1	3.7	3.7	3.6
.0	Intussusception-----	129	87	42	62	33	21	9	0.1	0.1	0.0	0.1	0.0	0.2	0.1
.1	Paralytic ileus-----	323	168	155	141	140	20	12	0.2	0.2	0.2	0.2	0.2	0.2	0.1
.2	Mesenteric infarction-----	2,279	1,072	1,207	939	1,091	99	85	1.2	1.2	1.3	1.2	1.3	0.9	0.8
.3	Volvulus-----	965	512	453	412	367	82	63	0.5	0.6	0.5	0.5	0.4	0.8	0.6
.4	Impaction of intestine-----	201	74	127	65	110	7	11	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.5	Other-----	2,536	1,006	1,530	829	1,272	162	223	1.3	1.1	1.6	1.0	1.6	1.6	2.0
571	Gastroenteritis and colitis, except ulcerative, age 4 weeks and over-----	4,025	2,130	1,895	1,293	1,210	790	640	2.1	2.3	2.0	1.6	1.5	7.6	5.8
.0	Ages between 4 weeks and 2 years-----	2,370	1,348	1,022	667	491	656	511	1.3	1.5	1.1	0.8	0.6	6.3	4.6
.1	Ages 2 years and over-----	1,655	782	873	626	719	134	129	0.9	0.8	0.9	0.8	0.9	1.3	1.2
572	Chronic enteritis and ulcerative colitis-----	3,770	1,712	2,058	1,564	1,834	85	132	2.0	1.8	2.1	2.0	2.2	0.8	1.2
.0	Regional enteritis-----	188	101	87	93	75	6	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	Diverticulitis-----	2,606	1,134	1,472	1,047	1,330	45	76	1.4	1.2	1.5	1.3	1.6	0.4	0.7
.2	Ulcerative colitis-----	882	432	450	388	391	25	37	0.5	0.5	0.5	0.5	0.5	0.2	0.3
.3	Other-----	94	45	49	36	38	9	11	0.0	0.0	0.1	0.0	0.0	0.1	0.1
573	Functional disorders of intestines-----	30	11	19	10	16	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Constipation-----	3	-	3	-	2	-	1	0.0	-	0.0	-	0.0	-	0.0
.1	Mucous colitis-----	6	2	4	2	2	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	Irritability of colon-----	7	3	4	2	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Other-----	14	6	8	6	8	-	-	0.0	0.0	0.0	0.0	0.0	-	-
574	Anal fissure and fistula-----	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
575	Abscess of anal and rectal regions-----	103	70	33	52	24	17	9	0.1	0.1	0.0	0.1	0.0	0.2	0.1
576	Peritonitis-----	762	390	372	319	305	57	60	0.4	0.4	0.4	0.4	0.4	0.5	0.5
577	Peritoneal adhesion-----	59	20	39	17	30	2	8	0.0	0.0	0.0	0.0	0.0	0.0	0.1
578	Other diseases of intestines and peritoneum-----	3,532	1,926	1,606	1,653	1,389	215	177	1.9	2.1	1.7	2.1	1.7	2.1	1.6
580-587	Diseases of liver, gallbladder, and pancreas-----	33,172	19,577	13,595	16,866	11,502	1,906	1,513	17.6	21.1	14.2	21.3	14.1	18.3	13.7
580	Acute and subacute yellow atrophy of liver-----	427	184	243	156	194	24	42	0.2	0.2	0.3	0.2	0.2	0.2	0.4
581	Cirrhosis of liver-----	22,456	14,511	7,945	12,406	6,545	1,450	1,027	11.9	15.7	8.3	15.7	8.0	13.9	9.3
.0	Without mention of alcoholism-----	15,009	9,440	5,569	8,089	4,656	902	625	8.0	10.2	5.8	10.2	5.7	8.6	5.6
.1	With alcoholism-----	7,447	5,071	2,376	4,317	1,889	548	402	4.0	5.5	2.5	5.5	2.3	5.3	3.6
582	Suppurative hepatitis and liver abscess-----	145	92	53	76	42	13	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1
583	Other diseases of liver-----	969	488	481	415	399	63	68	0.5	0.5	0.5	0.5	0.5	0.6	0.6
584	Cholelithiasis-----	2,927	1,150	1,777	1,077	1,598	37	100	1.6	1.2	1.9	1.4	2.0	0.4	0.9
585	Cholecystitis and cholangitis, without mention of calculi-----	1,749	754	995	690	881	45	76	0.9	0.8	1.0	0.9	1.1	0.4	0.7
586	Other diseases of gallbladder and biliary ducts-----	1,245	536	709	501	650	23	42	0.7	0.6	0.7	0.6	0.8	0.2	0.4

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1963-Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER						RATE							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
IX. Diseases of the digestive system—Con.															
Diseases of liver, gallbladder, and pancreas—Con.															
587	Diseases of pancreas-----	3,254	1,862	1,392	1,545	1,193	251	150	1.7	2.0	1.5	2.0	1.5	2.4	1.4
.0	Acute pancreatitis-----	2,139	1,266	873	1,029	731	191	110	1.1	1.4	0.9	1.3	0.9	1.8	1.0
.1	Chronic pancreatitis-----	266	174	92	134	77	36	14	0.1	0.2	0.1	0.2	0.1	0.3	0.1
A	Other diseases of pancreas, except fibrocystic disease-----	121	75	46	58	38	12	8	0.1	0.1	0.0	0.1	0.0	0.1	0.1
B	Fibrocystic disease of pancreas-----	728	347	381	324	347	12	18	0.4	0.4	0.4	0.4	0.4	0.1	0.2
X. Diseases of the genitourinary system															
590-594	Nephritis and nephrosis-----	12,677	7,027	5,650	5,286	4,154	1,528	1,286	6.7	7.6	5.9	6.7	5.1	14.6	11.6
590	Acute nephritis-----	695	386	309	261	215	108	87	0.4	0.4	0.3	0.3	0.3	1.0	0.8
591	Nephritis with edema, including nephrosis-----	739	419	320	325	242	82	68	0.4	0.5	0.3	0.4	0.3	0.8	0.6
592	Chronic nephritis-----	8,277	4,620	3,657	3,510	2,714	965	787	4.4	5.0	3.8	4.4	3.3	9.2	7.1
593	Nephritis not specified as acute or chronic-----	2,821	1,512	1,309	1,114	943	362	331	1.5	1.6	1.4	1.4	1.2	3.5	3.0
59	Other renal sclerosis-----	145	90	55	76	40	11	13	0.1	0.1	0.1	0.1	0.0	0.1	0.1
600-609	Other diseases of urinary system-----	12,919	6,658	6,261	5,222	4,988	1,241	1,063	6.9	7.2	6.5	6.6	6.1	11.9	9.6
600	Infections of kidney-----	8,952	4,325	4,627	3,361	3,639	837	840	4.7	4.7	4.8	4.3	4.5	8.0	7.6
.0	Pyelitis, pyelocystitis, and pyelonephritis-----	8,730	4,214	4,516	3,276	3,548	813	825	4.6	4.5	4.7	4.1	4.3	7.8	7.5
.1	Abscess of kidney and perirenal tissue-----	140	67	73	48	62	18	7	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.2	Other-----	82	44	38	37	29	6	8	0.0	0.0	0.0	0.0	0.0	0.1	0.1
601	Hydronephrosis-----	283	172	111	137	90	28	19	0.2	0.2	0.1	0.2	0.1	0.3	0.2
602	Calculi of kidney and ureter-----	1,253	628	625	543	521	62	71	0.7	0.7	0.7	0.7	0.6	0.6	0.6
603	Other diseases of kidney and ureter-----	902	506	396	388	313	104	68	0.5	0.5	0.4	0.5	0.4	1.0	0.6
604	Calculi of other parts of urinary system-----	91	75	16	65	16	9	-	0.0	0.1	0.0	0.1	0.0	0.1	-
605	Cystitis-----	397	206	191	173	160	27	26	0.2	0.2	0.2	0.2	0.2	0.3	0.2
606	Other diseases of bladder-----	279	208	71	158	61	44	7	0.1	0.2	0.1	0.2	0.1	0.4	0.1
607	Urethritis (nonvenereal)-----	13	8	5	5	5	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
608	Stricture of urethra-----	204	191	13	112	10	74	3	0.1	0.2	0.0	0.1	0.0	0.7	0.0
609	Other diseases of urethra-----	545	339	206	280	173	53	29	0.3	0.4	0.2	0.4	0.2	0.5	0.3
610-617	Diseases of male genital organs-----	4,785	4,785	...	3,961	...	686	...	2.5	5.2	...	5.0	...	6.6	...
610	Hyperplasia of prostate-----	4,248	4,248	...	3,523	...	594	...	2.3	4.6	...	4.5	...	5.7	...
611	Prostatitis-----	253	253	...	207	...	44	...	0.1	0.3	...	0.3	...	0.4	...
612	Other diseases of prostate-----	178	178	...	160	...	15	...	0.1	0.2	...	0.2	...	0.1	...
613	Hydrocele-----	7	7	...	5	...	1	...	0.0	0.0	...	0.0	...	0.0	...
614	Orchitis and epididymitis-----	17	17	...	12	...	5	...	0.0	0.0	...	0.0	...	0.0	...
615	Redundant prepuce and phimosis-----	5	5	...	4	...	1	...	0.0	0.0	...	0.0	...	0.0	...
616	Sterility, male-----	-	-	...	-	...	-	...	-	-	...	-	...	-	...
617	Other diseases of male genital organs-----	77	77	...	50	...	26	...	0.0	0.1	...	0.1	...	0.2	...
620-626	Diseases of breast, ovary, fallopian tube, and parametrium	278	-	278	-	156	-	114	0.1	-	0.3	-	0.2	-	1.0
620	Chronic cystic disease of breast-----	2	-	2	-	1	-	1	0.0	-	0.0	-	0.0	-	0.0
621	Other diseases of breast-----	12	-	12	-	10	-	1	0.0	-	0.0	-	0.0	-	0.0
.0	Acute mastitis not associated with lactation-----	4	-	4	-	3	-	1	0.0	-	0.0	-	0.0	-	0.0
.1	Hypertrophy of breast-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other-----	8	-	8	-	7	-	0.0	-	0.0	-	0.0	-	0.0	-
622	Acute salpingitis and oophoritis-----	12	...	12	...	3	...	9	0.0	...	0.0	...	0.0	...	0.1
623	Chronic salpingitis and oophoritis-----	4	...	4	...	2	...	2	0.0	...	0.0	...	0.0	...	0.0
624	Salpingitis and oophoritis, unqualified-----	84	...	84	...	36	...	45	0.0	...	0.1	...	0.0	...	0.4
625	Other diseases of ovary and fallopian tube-----	20	...	20	...	17	...	3	0.0	...	0.0	...	0.0	...	0.0
626	Diseases of parametrium and pelvic peritoneum (female)-----	144	...	144	...	87	...	53	0.1	...	0.2	...	0.1	...	0.5
630-637	Diseases of uterus and other female genital organs-----	401	...	401	...	303	...	88	0.2	...	0.4	...	0.4	...	0.8
630	Infective disease of uterus, vagina, and vulva-----	35	...	35	...	23	...	12	0.0	...	0.0	...	0.0	...	0.1
.0	Cervicitis-----	3	...	3	...	2	...	1	0.0	...	0.0	...	0.0	...	0.0
.1	Other infective diseases of uterus-----	29	...	29	...	19	...	10	0.0	...	0.0	...	0.0	...	0.1
.2	Vaginitis and vulvitis-----	3	...	3	...	2	...	1	0.0	...	0.0	...	0.0	...	0.0

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1963-Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER						RATE							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
X. Diseases of the genitourinary system-Con.															
Diseases of uterus and other female genital organs-Con.															
631	Uterovaginal prolapse-----	87	...	87	...	79	...	5	0.0	...	0.1	...	0.1	...	0.0
632	Malposition of uterus-----	6	...	6	...	5	...	1	0.0	...	0.0	...	0.0	...	0.0
633	Other diseases of uterus-----	193	...	193	...	141	...	45	0.1	...	0.2	...	0.2	...	0.4
634	Disorders of menstruation-----	35	...	35	...	23	...	12	0.0	...	0.0	...	0.0	...	0.1
635	Menopausal symptoms-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
636	Sterility, female-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
637	Other diseases of female genital organs-----	44	...	44	...	31	...	13	0.0	...	0.0	...	0.0	...	0.1
.0	Leukorrhea-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.1	Other-----	44	...	44	...	31	...	13	0.0	...	0.0	...	0.0	...	0.1
XI. Deliveries and complications of pregnancy, childbirth, and the puerperium															
640-649	Complications of pregnancy-----	468	...	468	...	240	...	215	0.2	...	0.5	...	0.3	...	1.9
640	Pyelitis and pyelonephritis of pregnancy-----	11	...	11	...	7	...	3	0.0	...	0.0	...	0.0	...	0.0
641	Other infections of genitourinary tract during pregnancy-----	5	...	5	...	3	...	2	0.0	...	0.0	...	0.0	...	0.0
642	Toxemias of pregnancy-----	254	...	254	...	123	...	124	0.1	...	0.3	...	0.2	...	1.1
.0	Hypertensive disease arising during pregnancy-----	20	...	20	...	5	...	14	0.0	...	0.0	...	0.0	...	0.1
.1	Renal disease arising during pregnancy-----	21	...	21	...	13	...	8	0.0	...	0.0	...	0.0	...	0.1
.2	Preeclampsia of pregnancy-----	30	...	30	...	16	...	13	0.0	...	0.0	...	0.0	...	0.1
.3	Eclampsia of pregnancy-----	102	...	102	...	46	...	54	0.1	...	0.1	...	0.1	...	0.5
.4	Hyperemesis gravidarum-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
.5	Other-----	80	...	80	...	42	...	35	0.0	...	0.1	...	0.1	...	0.3
643	Placenta previa-----	2	...	2	...	1	...	-	0.0	...	0.0	...	0.0	...	-
644	Other hemorrhage of pregnancy-----	3	...	3	...	2	...	1	0.0	...	0.0	...	0.0	...	0.0
645	Ectopic pregnancy-----	96	...	96	...	35	...	58	0.1	...	0.1	...	0.0	...	0.5
.0	Without mention of sepsis-----	87	...	87	...	31	...	54	0.0	...	0.1	...	0.0	...	0.5
.1	With sepsis-----	9	...	9	...	4	...	4	0.0	...	0.0	...	0.0	...	0.0
646	Anemia of pregnancy-----	4	...	4	...	3	...	1	0.0	...	0.0	...	0.0	...	0.0
647	Pregnancy with malposition of fetus in uterus-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
648	Other complications arising from pregnancy-----	93	...	93	...	66	...	26	0.0	...	0.1	...	0.1	...	0.2
.0	Threatened abortion-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.1	Hydatidiform mole-----	2	...	2	...	2	...	-	0.0	...	0.0	...	0.0	...	-
.2	Placental abnormalities not classified elsewhere-----	10	...	10	...	7	...	3	0.0	...	0.0	...	0.0	...	0.0
.3	Other-----	81	...	81	...	57	...	23	0.0	...	0.1	...	0.1	...	0.2
650-652	Abortion-----	280	...	280	...	161	...	107	0.1	...	0.3	...	0.2	...	1.0
650	Abortion without mention of sepsis or toxemia-----	66	...	66	...	42	...	23	0.0	...	0.1	...	0.1	...	0.2
.0	Spontaneous or unspecified-----	29	...	29	...	15	...	14	0.0	...	0.0	...	0.0	...	0.1
.1	Induced for medical or legal indications-----	2	...	2	...	2	...	-	0.0	...	0.0	...	0.0	...	-
.2	Induced for other reasons-----	35	...	35	...	25	...	9	0.0	...	0.0	...	0.0	...	0.1
.3	Other-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
651	Abortion with sepsis-----	201	...	201	...	113	...	78	0.1	...	0.2	...	0.1	...	0.7
.0	Spontaneous or unspecified-----	122	...	122	...	59	...	55	0.1	...	0.1	...	0.1	...	0.5
.1	Induced for medical or legal indications-----	3	...	3	...	3	...	-	0.0	...	0.0	...	0.0	...	-
.2	Induced for other reasons-----	74	...	74	...	49	...	23	0.0	...	0.1	...	0.1	...	0.2
.3	Other-----	2	...	2	...	2	...	-	0.0	...	0.0	...	0.0	...	-
652	Abortion with toxemia, without mention of sepsis-----	13	...	13	...	6	...	6	0.0	...	0.0	...	0.0	...	0.1
.0	Spontaneous or unspecified-----	8	...	8	...	5	...	3	0.0	...	0.0	...	0.0	...	0.0
.1	Induced for medical or legal indications-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.2	Induced for other reasons-----	5	...	5	...	1	...	3	0.0	...	0.0	...	0.0	...	0.0
.3	Other-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
660	Delivery without mention of complication-----	48	...	48	...	23	...	22	0.0	...	0.1	...	0.0	...	0.2

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1963-Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER								RATE					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
XI. Deliveries and complications of pregnancy, childbirth, and the puerperium-Con.															
670-678	Delivery with specified complication-----	467	...	467	...	264	...	187	0.2	...	0.5	...	0.3	...	1.7
670	Delivery complicated by placenta previa or antepartum hemorrhage-----	99	...	99	...	55	...	42	0.1	...	0.1	...	0.1	...	0.4
671	Delivery complicated by retained placenta-----	23	...	23	...	7	...	15	0.0	...	0.0	...	0.0	...	0.1
672	Delivery complicated by other postpartum hemorrhage-----	121	...	121	...	66	...	52	0.1	...	0.1	...	0.1	...	0.5
673	Delivery complicated by abnormality of bony pelvis-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
674	Delivery complicated by disproportion or malposition of fetus-----	33	...	33	...	18	...	12	0.0	...	0.0	...	0.0	...	0.1
675	Delivery complicated by prolonged labor of other origin-----	9	...	9	...	5	...	3	0.0	...	0.0	...	0.0	...	0.0
676	Delivery with laceration of perineum, without mention of other laceration-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
677	Delivery with other trauma-----	82	...	82	...	49	...	29	0.0	...	0.1	...	0.1	...	0.3
678	Delivery with other complications of childbirth-----	100	...	100	...	64	...	34	0.1	...	0.1	...	0.1	...	0.3
680-689	Complications of the puerperium-----	203	...	203	...	109	...	88	0.1	...	0.2	...	0.1	...	0.8
680	Puerperal urinary infection without other sepsis-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
681	Sepsis of childbirth and the puerperium-----	57	...	57	...	32	...	25	0.0	...	0.1	...	0.0	...	0.2
682	Puerperal phlebitis and thrombosis-----	39	...	39	...	22	...	15	0.0	...	0.0	...	0.0	...	0.1
683	Pyrexia of unknown origin during the puerperium-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
684	Puerperal pulmonary embolism-----	52	...	52	...	24	...	26	0.0	...	0.1	...	0.0	...	0.2
685	Puerperal eclampsia-----	17	...	17	...	7	...	9	0.0	...	0.0	...	0.0	...	0.1
686	Other forms of puerperal toxemia-----	9	...	9	...	5	...	4	0.0	...	0.0	...	0.0	...	0.0
687	Cerebral hemorrhage in the puerperium-----	9	...	9	...	6	...	2	0.0	...	0.0	...	0.0	...	0.0
688	Other and unspecified complication of the puerperium-----	20	...	20	...	13	...	7	0.0	...	0.0	...	0.0	...	0.1
.0	Anemia of puerperium-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	0.0
.1	Puerperal psychosis-----	1	...	1	...	-	...	1	0.0	...	0.0	...	-	...	0.0
.2	Sudden death from unknown cause in the puerperium-----	3	...	3	...	1	...	2	0.0	...	0.0	...	0.0	...	0.0
.3	Other-----	15	...	15	...	11	...	4	0.0	...	0.0	...	0.0	...	0.0
689	Mastitis and other disorders of lactation-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
XII. Diseases of the skin and cellular tissue															
690-698	Infections of skin and subcutaneous tissue-----	503	284	219	233	177	45	36	0.3	0.3	0.2	0.3	0.2	0.4	0.3
690	Boil and carbuncle-----	58	36	22	33	21	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Of face-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	0.0
.1	Of neck-----	4	4	-	4	-	-	-	0.0	0.0	-	0.0	-	-	-
.2	Of trunk-----	7	5	2	4	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Of upper arm and forearm-----	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.4	Of hand-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Of buttock-----	5	1	4	1	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.6	Of other parts of lower extremity-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.7	Of other and multiple sites-----	23	13	10	12	10	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.8	Of unspecified site-----	10	8	2	7	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
691	Cellulitis of finger and toe-----	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
692	Other cellulitis and abscess without mention of lymphangitis--	348	196	152	159	124	31	24	0.2	0.2	0.2	0.2	0.2	0.3	0.2
.0	Of head and neck-----	48	23	25	15	22	7	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.1	Of trunk-----	86	54	32	45	22	8	9	0.0	0.1	0.0	0.1	0.0	0.1	0.1
.2	Of upper arm and forearm-----	26	16	10	12	9	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Of hand, except fingers-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.4	Of leg-----	102	64	38	52	32	10	6	0.1	0.1	0.0	0.1	0.0	0.1	0.1
.5	Of foot, except toes-----	14	8	6	7	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.6	Of other, multiple, and unspecified sites-----	70	30	40	27	32	3	6	0.0	0.0	0.0	0.0	0.0	0.0	0.1
693	Other cellulitis and abscess with lymphangitis-----	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Of head and neck-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Of trunk-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Of upper arm and forearm-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-

SECTION 1- MORTALITY

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1963-Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER								RATE							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
XII. Diseases of the skin and cellular tissue-Con.																	
Infections of skin and subcutaneous tissue-Con.																	
693	Other cellulitis and abscess with lymphangitis-Con.	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Of hand, except fingers-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Of leg-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
.5	Of foot, except toes-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
.6	Of other, multiple, and unspecified sites-----	1	-	-	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
694	Acute lymphadenitis-----	2	-	2	-	1	-	1	0.0	-	0.0	-	0.0	-	0.0		
695	Impetigo-----	5	3	2	1	2	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
696	Infectious warts-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-		
697	Molluscum contagiosum-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
698	Other local infections of skin and subcutaneous tissue-----	80	45	35	36	23	9	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
700-716	Other diseases of skin and subcutaneous tissue-----	1,618	512	1,106	396	862	94	208	0.9	0.6	1.2	0.5	1.1	0.9	1.9		
700	Seborrheic dermatitis-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
701	Eczema-----	2	1	1	1	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0		
702	Occupational dermatitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.0	Due to plants-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Due to oils and greases-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Due to solvents-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Due to drugs-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Due to other chemicals-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.5	Due to radiation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.6	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
703	Other dermatitis-----	28	10	18	6	11	3	6	0.0	0.0	0.0	0.0	0.0	0.0	0.1		
.0	Due to plants-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Due to oils and greases-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Due to solvents-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Due to drugs-----	6	2	4	1	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.4	Due to other chemicals-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.5	Due to radiation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.6	Due to other specified agents-----	6	1	5	-	4	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.7	Unqualified-----	16	7	9	5	4	2	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
704	Pemphigus-----	147	61	86	48	72	9	11	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
.0	Dermatitis herpetiformis-----	8	4	4	2	4	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.1	Other-----	139	57	82	46	68	7	11	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
705	Erythematous conditions-----	384	106	278	87	198	14	69	0.2	0.1	0.3	0.1	0.2	0.1	0.6		
.0	Toxic erythema-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Erythema multiforme (erythema iris)-----	30	13	17	12	11	-	6	0.0	0.0	0.0	0.0	0.0	-	0.1		
.2	Erythema nodosum-----	1	1	-	-	-	-	-	0.0	0.0	-	-	-	-	-		
.3	Rosacea-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Lupus erythematosus-----	297	60	237	50	167	7	59	0.2	0.1	0.2	0.1	0.2	0.1	0.5		
.5	Other and unqualified-----	56	32	24	25	20	7	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
706	Psoriasis and similar disorders-----	22	11	11	11	9	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
.0	Psoriasis-----	22	11	11	11	9	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
.1	Parapsoriasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Pityriasis rosea-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Other and unspecified pityriasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
707	Lichen planus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
708	Pruritus and related conditions-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-		
.0	Pruritus ani-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Pruritus of genital organs-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Prurigo-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Lichenification and lichen simplex chronicus-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-		
.4	Dermatitis factitia (artefacta)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.5	Other pruritic conditions-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
709	Corns and callosities-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1963-Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER						RATE							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
XII. Diseases of the skin and cellular tissue-Con.															
Other diseases of skin and subcutaneous tissue-Con.															
710	Other hypertrophic and atrophic conditions of skin-----	503	149	354	112	287	30	59	0.3	0.2	0.4	0.1	0.4	0.3	0.5
.0	Scleroderma and dermatomyositis-----	501	148	353	112	286	29	59	0.3	0.2	0.4	0.1	0.4	0.3	0.5
.1	Keratoderma-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Hereditary edema of legs (Milroy's disease)-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.3	Striae atrophicae-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Keloid scar-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Other hypertrophic and atrophic conditions of skin-----	1	1	-	-	-	-	1	0.0	0.0	-	-	-	0.0	-
711	Other dermatoses-----	1	1	-	-	-	-	1	0.0	0.0	-	-	-	0.0	-
712	Diseases of nail-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
713	Diseases of hair and hair follicles-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
714	Diseases of sweat and sebaceous glands-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Diseases of sweat glands-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Acne-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other diseases of sebaceous glands-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
715	Chronic ulcer of skin-----	519	166	353	124	280	37	61	0.3	0.2	0.4	0.2	0.3	0.4	0.6
716	Other diseases of skin-----	5	3	2	3	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
XIII. Diseases of the bones and organs of movement															
720-727	Arthritis and rheumatism, except rheumatic fever-----	2,052	720	1,332	640	1,189	57	97	1.1	0.8	1.4	0.8	1.5	0.5	0.9
720	Acute arthritis due to pyogenic organisms-----	41	22	19	18	16	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
721	Acute nonpyogenic arthritis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
722	Rheumatoid arthritis and allied conditions-----	1,329	448	881	409	796	25	56	0.7	0.5	0.9	0.5	1.0	0.2	0.5
.0	Rheumatoid arthritis-----	1,299	425	874	389	790	24	56	0.7	0.5	0.9	0.5	1.0	0.2	0.5
.1	Spondylitis ankylopoietica-----	30	23	7	20	6	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Chronic rheumatoid nodular fibrositis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
723	Osteoarthritis (arthrosis) and allied conditions-----	314	111	203	100	179	6	15	0.2	0.1	0.2	0.1	0.2	0.1	0.1
.0	Osteoarthritis (arthrosis)-----	285	91	194	82	171	5	14	0.2	0.1	0.2	0.1	0.2	0.0	0.1
.1	Spondylitis osteoarthritis (spondylarthrosis)-----	29	20	9	18	8	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Adult osteochondrosis of spine-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
724	Other specified forms of arthritis-----	14	5	9	4	6	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
725	Arthritis, unspecified-----	314	112	202	93	179	16	16	0.2	0.1	0.2	0.1	0.2	0.2	0.1
726	Muscular rheumatism-----	33	21	12	15	8	5	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Lumbago-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.1	Myofibrosis of humeroscapular region-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Torticollis not specified as congenital, psychogenic, or traumatic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other muscular rheumatism, fibrositis, and myalgia-----	32	21	11	15	7	5	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
727	Rheumatism, unspecified-----	7	1	6	1	5	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
730-738	Osteomyelitis and other diseases of bone and joint-----	703	344	359	285	319	41	26	0.4	0.4	0.4	0.4	0.4	0.4	0.2
730	Osteomyelitis and periostitis-----	192	116	76	92	66	18	7	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.0	Acute osteomyelitis-----	12	5	7	5	6	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.1	Chronic osteomyelitis-----	53	32	21	26	19	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Unspecified osteomyelitis-----	126	79	47	61	41	15	4	0.1	0.1	0.0	0.1	0.1	0.1	0.0
.3	Periostitis without mention of osteomyelitis-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
731	Osteitis deformans-----	119	61	58	51	44	4	7	0.1	0.1	0.1	0.1	0.1	0.0	0.1
732	Osteochondrosis-----	3	2	1	2	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
733	Other diseases of bone-----	282	99	183	88	175	9	6	0.1	0.1	0.2	0.1	0.2	0.1	0.1
734	Internal derangement of knee joint-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
735	Displacement of intervertebral disk-----	58	36	22	29	19	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
736	Affection of sacroiliac joint-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
737	Ankylosis of joint-----	13	8	5	5	4	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Of spine-----	9	5	4	3	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Of shoulder-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Of elbow-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-

SECTION 1- MORTALITY

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1963-Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER								RATE							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
XIII. Diseases of the bones and organs of movement--Con.																	
Arthritis and rheumatism, except rheumatic fever--Con.																	
Ankylosis of joint--Con.																	
737	Of wrist-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Of finger-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Of hip-----	2	1	1	-	1	1	1	0.0	0.0	0.0	-	-	0.0	0.0		
.5	Of knee-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.6	Of ankle-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.7	Of other and multiple sites-----	2	2	-	-	2	-	-	0.0	0.0	-	-	-	-	-		
.8	Of unspecified site-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.9	Other diseases of joint-----	34	20	14	16	11	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
738	Other diseases of joint-----	34	20	14	16	11	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
740-749	Other diseases of musculoskeletal system-----	1,017	621	396	560	343	40	38	0.5	0.7	0.4	0.7	0.4	0.4	0.3		
740	Bunion-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-		
741	Synovitis, bursitis, and tenosynovitis without mention of occupational origin-----	4	-	4	-	4	-	-	0.0	-	0.0	-	0.0	-	-		
742	Synovitis, bursitis, and tenosynovitis of occupation origin-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
743	Infective myositis and other inflammatory diseases of tendon and fascia-----	6	5	1	3	1	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
744	Other diseases of muscle, tendon, and fascia-----	897	565	332	511	283	35	36	0.5	0.6	0.3	0.6	0.3	0.3	0.3		
.0	Myasthenia gravis-----	255	110	145	95	119	10	22	0.1	0.1	0.2	0.1	0.1	0.1	0.2		
.1	Inborn defect of muscle-----	606	434	172	397	149	23	14	0.3	0.5	0.2	0.5	0.2	0.2	0.1		
.2	Other-----	36	21	15	19	15	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
745	Curvature of spine-----	87	37	50	33	46	2	2	0.0	0.0	0.1	0.0	0.1	0.0	0.0		
746	Flatfoot-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
747	Hallux valgus and varus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
748	Clubfoot-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
749	Other deformities-----	19	13	6	12	6	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
XIV. Congenital malformations																	
750-759	Congenital malformations-----	20,817	11,209	9,608	9,344	8,008	1,490	1,302	11.0	12.1	10.0	11.8	9.8	14.3	11.8		
750	Monstrosity-----	1,167	439	728	398	666	30	38	0.6	0.5	0.8	0.5	0.8	0.3	0.3		
751	Spina bifida and meningocele-----	1,546	684	862	606	777	51	60	0.8	0.7	0.9	0.8	1.0	0.5	0.5		
A	Without mention of hydrocephalus-----	691	304	387	258	341	35	33	0.4	0.3	0.4	0.3	0.4	0.3	0.3		
B	With mention of hydrocephalus-----	855	380	475	348	436	16	27	0.5	0.4	0.5	0.4	0.5	0.2	0.2		
752	Congenital hydrocephalus-----	1,213	674	539	550	436	108	87	0.6	0.7	0.6	0.7	0.5	1.0	0.8		
753	Other congenital malformations of nervous system and sense organs-----	758	385	373	320	316	51	51	0.4	0.4	0.4	0.4	0.4	0.5	0.5		
.0	Congenital cataract-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
.1	Other-----	757	385	372	320	315	51	51	0.4	0.4	0.4	0.4	0.4	0.5	0.5		
754	Congenital malformations of circulatory system-----	10,465	5,771	4,694	4,798	3,818	778	720	5.6	6.2	4.9	6.1	4.7	7.5	6.5		
.0	Tetralogy of Fallot-----	571	298	273	249	226	37	38	0.3	0.3	0.3	0.3	0.3	0.4	0.3		
.1	Patent ductus arteriosus (Botalli)-----	349	166	183	131	139	26	38	0.2	0.2	0.2	0.2	0.2	0.2	0.3		
.2	Interventricular septal defect-----	813	410	403	334	332	60	57	0.4	0.4	0.4	0.4	0.4	0.6	0.5		
.3	Interauricular septal defect-----	542	236	306	198	256	30	42	0.3	0.3	0.3	0.3	0.3	0.3	0.4		
.4	Fibroelastosis cordis-----	452	240	212	170	139	65	70	0.2	0.3	0.2	0.2	0.2	0.6	0.6		
.5	Other and unspecified malformations of heart-----	5,843	3,268	2,575	2,695	2,091	460	395	3.1	3.5	2.7	3.4	2.6	4.4	3.6		
.6	Coarctation of aorta-----	311	187	124	168	102	13	15	0.2	0.2	0.1	0.2	0.1	0.1	0.1		
.7	Other circulatory malformations-----	1,584	966	618	853	533	87	65	0.8	1.0	0.6	1.1	0.7	0.8	0.6		
755	Cleft palate and harelip-----	56	30	26	27	19	3	6	0.0	0.0	0.0	0.0	0.0	0.0	0.1		
756	Congenital malformations of digestive system-----	1,663	973	690	781	549	162	115	0.9	1.1	0.7	1.0	0.7	1.6	1.0		
.0	Congenital hypertrophic pyloric stenosis-----	77	57	20	41	14	14	6	0.0	0.1	0.0	0.1	0.0	0.1	0.1		
.1	Imperforate anus-----	136	97	39	74	30	19	9	0.1	0.1	0.0	0.1	0.0	0.2	0.1		
.2	Other-----	1,450	819	631	666	505	129	100	0.8	0.9	0.7	0.8	0.6	1.2	0.9		
757	Congenital malformations of genitourinary system-----	1,729	1,024	705	860	614	121	69	0.9	1.1	0.7	1.1	0.8	1.2	0.6		
.0	Undescended testicle-----	2	-	-	-	-	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.1	Polycystic disease of kidney-----	1,086	591	495	505	438	57	44	0.6	0.6	0.5	0.6	0.5	0.5	0.4		
.2	Congenital malformations of external genital organs-----	11	6	5	5	5	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
.3	Other-----	630	425	205	348	171	63	25	0.3	0.5	0.2	0.4	0.2	0.6	0.2		

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1963-Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER								RATE							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
XIV. Congenital malformations—Con.																	
Congenital malformations—Con.																	
758	Congenital malformations of bone and joint-----	345	190	155	159	133	26	21	0.2	0.2	0.2	0.2	0.2	0.2	0.2		
.0	Congenital dislocation of hip-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.1	Chondrodystrophy-----	65	27	38	22	30	5	8	0.0	0.0	0.0	0.0	0.0	0.0	0.1		
.2	Congenital malformations of skull-----	76	48	28	35	26	10	2	0.0	0.1	0.0	0.0	0.0	0.1	0.0		
.3	Brittle bones-----	65	35	30	27	27	7	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
.4	Cervical rib-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.5	Congenital abnormalities of lumbosacral region-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.6	Other congenital malformations of bone and joint-----	134	77	57	72	48	4	8	0.1	0.1	0.1	0.1	0.1	0.0	0.1		
759	Other and unspecified congenital malformations not elsewhere classified-----	1,875	1,039	836	845	680	160	135	1.0	1.1	0.9	1.1	0.8	1.5	1.2		
.0	Of respiratory system-----	511	295	216	240	174	42	38	0.3	0.3	0.2	0.3	0.2	0.4	0.3		
.1	Of skin-----	30	18	12	12	9	6	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
.2	Of muscle-----	195	117	78	102	69	11	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
.3	Other and unspecified-----	1,139	609	530	491	428	101	86	0.6	0.7	0.6	0.6	0.5	1.0	0.8		
XV. Certain diseases of early infancy																	
760-769	Birth injuries, asphyxia, and infections of newborn-----	32,038	19,115	12,923	14,285	9,387	4,071	3,044	17.0	20.6	13.5	18.1	11.5	39.0	27.5		
760	Intracranial and spinal injury at birth-----	2,679	1,687	992	1,258	715	369	253	1.4	1.8	1.0	1.6	0.9	3.5	2.3		
.0	Without mention of immaturity-----	1,582	1,008	574	757	434	212	143	0.8	1.1	0.6	1.0	0.5	2.0	1.3		
.5	With immaturity-----	1,097	679	418	501	301	157	110	0.6	0.7	0.4	0.6	0.4	1.5	1.0		
761	Other birth injury-----	6,276	3,705	2,571	3,038	2,101	550	403	3.3	4.0	2.7	3.8	2.6	5.3	3.6		
.0	Without mention of immaturity-----	1,838	1,047	791	779	604	232	168	1.0	1.1	0.8	1.0	0.7	2.2	1.5		
.5	With immaturity-----	4,438	2,658	1,780	2,259	1,497	318	235	2.4	2.9	1.9	2.9	1.8	3.0	2.1		
762	Postnatal asphyxia and atelectasis-----	17,934	10,730	7,204	8,086	5,200	2,159	1,657	9.5	11.6	7.5	10.2	6.4	20.7	15.0		
.0	Without mention of immaturity-----	4,923	2,983	1,940	2,278	1,411	564	424	2.6	3.2	2.0	2.9	1.7	5.4	3.8		
.5	With immaturity-----	13,011	7,747	5,264	5,808	3,789	1,595	1,233	6.9	8.4	5.5	7.3	4.6	15.3	11.1		
763	Pneumonia of newborn-----	3,181	1,872	1,309	1,190	826	446	1.7	2.0	1.4	1.5	1.5	1.0	6.0	4.0		
.0	Without mention of immaturity-----	2,304	1,351	953	853	593	450	334	1.2	1.5	1.0	1.1	0.7	4.3	3.0		
.5	With immaturity-----	877	521	356	337	233	172	112	0.5	0.6	0.4	0.4	0.3	1.6	1.0		
764	Diarrhea of newborn-----	386	216	170	90	76	123	91	0.2	0.2	0.2	0.1	0.1	1.2	0.8		
.0	Without mention of immaturity-----	320	182	138	75	64	105	71	0.2	0.2	0.1	0.1	0.1	1.0	0.6		
.5	With immaturity-----	66	34	32	15	12	18	20	0.0	0.0	0.0	0.0	0.0	0.2	0.2		
765	Ophthalmia neonatorum-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.0	Without mention of immaturity-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.5	With immaturity-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
766	Pemphigus neonatorum-----	13	9	4	8	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.0	Without mention of immaturity-----	12	9	3	8	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.5	With immaturity-----	1	-	-	-	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
767	Umbilical sepsis-----	72	38	34	16	17	20	17	0.0	0.0	0.0	0.0	0.0	0.2	0.2		
.0	Without mention of immaturity-----	62	34	28	15	14	18	14	0.0	0.0	0.0	0.0	0.0	0.2	0.1		
.5	With immaturity-----	10	4	6	1	3	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
768	Other sepsis of newborn-----	756	438	318	287	216	137	96	0.4	0.5	0.3	0.4	0.3	1.3	0.9		
.0	Without mention of immaturity-----	433	260	173	172	121	80	48	0.2	0.3	0.2	0.2	0.1	0.8	0.4		
.5	With immaturity-----	323	178	145	115	95	57	48	0.2	0.2	0.2	0.1	0.1	0.5	0.4		
769	Neonatal disorders arising from certain diseases of the mother during pregnancy-----	741	420	321	312	233	90	80	0.4	0.5	0.3	0.4	0.3	0.9	0.7		
.0-.4	Without mention of immaturity-----	275	168	107	122	70	39	35	0.1	0.2	0.1	0.2	0.1	0.4	0.3		
.0	Attributed to "toxemia of pregnancy"-----	88	48	40	28	19	17	20	0.0	0.1	0.0	0.0	0.0	0.2	0.2		
.1	Attributed to maternal diabetes-----	92	58	34	51	26	5	7	0.0	0.1	0.0	0.1	0.0	0.0	0.1		
.2	Attributed to maternal rubella-----	3	3	-	1	-	2	-	0.0	0.0	-	0.0	-	0.0	-		
.3	Attributed to toxoplasmosis-----	23	16	7	13	6	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.4	Attributed to other or unspecified diseases of the mother during pregnancy-----	69	43	26	29	19	13	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1		

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1963-Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER								RATE					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	XVI. Symptoms, senility, and ill-defined conditions--Con.														
	Symptoms referable to systems or organs--Con.														
782	Symptoms referable to cardiovascular and lymphatic system-----	2,137	1,296	841	1,039	642	255	193	1.1	1.4	0.9	1.3	0.8	2.4	1.7
.0	Precordial pain-----	3	2	1	-	-	2	1	0.0	0.0	0.0	-	-	0.0	0.0
.1	Palpitation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Tachycardia-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.3	Pallor and cyanosis (not of newborn)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Acute heart failure, undefined-----	2,024	1,238	786	1,001	603	235	177	1.1	1.3	0.8	1.3	0.7	2.3	1.6
.5	Syncope or collapse-----	2	1	1	-	1	1	-	0.0	0.0	0.0	-	0.0	0.0	0.0
.6	Edema and dropsy (not of newborn)-----	8	4	4	2	2	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.7	Enlargement of lymph node-----	2	1	1	-	-	1	1	0.0	0.0	0.0	-	-	0.0	0.0
.8	Splenomegaly-----	3	2	1	-	-	2	-	0.0	0.0	0.0	-	0.0	0.0	0.0
.9	Shock without mention of trauma-----	94	47	47	35	35	12	12	0.0	0.1	0.0	0.0	0.0	0.1	0.1
783	Symptoms referable to respiratory system-----	196	124	72	89	52	33	19	0.1	0.1	0.1	0.1	0.1	0.3	0.2
.0	Epistaxis-----	19	12	7	8	4	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Hemoptysis-----	161	99	62	72	45	25	16	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.2	Dyspnea-----	2	1	1	-	1	1	-	0.0	0.0	0.0	-	0.0	0.0	0.0
.3	Cough-----	2	1	1	-	1	1	-	0.0	0.0	0.0	-	0.0	0.0	0.0
.4	Excess of sputum-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Change in voice-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Stridor-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Pain in chest-----	12	11	1	9	1	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
784	Symptoms referable to upper gastrointestinal tract-----	263	154	109	124	97	18	10	0.1	0.2	0.1	0.2	0.1	0.2	0.1
.0	Anorexia-----	1	-	1	-	-	1	-	0.0	-	0.0	-	-	-	0.0
.1	Nausea and vomiting-----	25	15	10	10	7	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Pylorospasm-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Heartburn-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Dysphagia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Hematemesis-----	237	139	98	114	90	13	6	0.1	0.2	0.1	0.1	0.1	0.1	0.1
.6	Excessive salivation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Hiccough-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Eructation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
785	Symptoms referable to abdomen and lower gastrointestinal tract-----	133	65	68	43	48	22	19	0.1	0.1	0.1	0.1	0.1	0.2	0.2
.0	Abdominal swelling (not referable to any particular organ)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Hepatomegaly-----	7	5	2	4	-	1	2	0.0	0.0	0.0	0.0	-	0.0	0.0
.2	Jaundice (not of newborn)-----	27	17	10	9	9	8	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.3	Ascites-----	8	3	5	3	4	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.4	Flatulence-----	1	1	-	1	-	-	-	0.0	0.0	0.0	0.0	-	-	-
.5	Abdominal pain-----	21	6	15	6	10	-	4	0.0	0.0	0.0	0.0	0.0	-	0.0
.6	Diarrhea, age 2 years and over-----	65	31	34	18	23	13	11	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.7	Incontinence of feces-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Melena (age 1 year and over)-----	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Visible peristalsis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
786	Symptoms referable to genitourinary system-----	30	22	8	15	6	7	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.0	Pain referable to urinary system-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Retention of urine-----	16	15	1	10	1	5	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Incontinence of urine-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Frequency of micturition-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Polyuria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Oliguria, anuria (not of newborn)-----	11	5	6	4	4	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.6	Priapism-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	0.0
.7	Pain referable to genital organs, including dyspareunia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
787	Symptoms referable to limbs and back-----	3	2	1	1	-	1	1	0.0	0.0	0.0	0.0	-	0.0	0.0
.0	Transient paralysis of limb, cause unknown-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Pain in limb-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Swelling of limb-----	2	1	1	1	-	-	1	0.0	0.0	0.0	0.0	-	0.0	0.0
.3	Pain in joint-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Swelling of joint-----	1	1	-	-	-	-	-	0.0	0.0	-	-	-	-	-
.5	Pain in back-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Difficulty in walking-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Abnormality of gait-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1963-Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LIST, 1955		NUMBER						RATE							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
XVI. Symptoms, senility, and ill-defined conditions—Con. Symptoms referable to systems or organs—Con.															
788	Other general symptoms-----	179	77	102	50	75	26	24	0.1	0.1	0.1	0.1	0.1	0.2	0.2
.0	Dehydration-----	46	13	33	9	22	4	11	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.1	Excessive sweating-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Rash-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Subcutaneous nodules-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Loss of weight-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Tetany-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.6	Acidosis-----	10	5	5	2	4	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.7	Alkalosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Pyrexia of unknown origin-----	98	46	52	30	40	15	10	0.1	0.0	0.1	0.0	0.0	0.1	0.1
.9	Other specified symptoms not classifiable elsewhere-----	22	12	10	8	7	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
789	Abnormal urinary constituents of unspecified cause-----	11	8	3	5	3	3	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Albuminuria, unqualified-----	1	1	-	1	-	-	-	0.0	0.0	-	-	-	-	-
.1	Albuminuria, orthostatic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Pyuria and bacteriuria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Chyluria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Hematuria-----	9	6	3	3	3	3	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.5	Hemoglobinuria-----	1	1	-	1	-	-	-	0.0	0.0	-	-	-	-	-
.6	Glycosuria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Acetonuria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
790-795	Senility and ill-defined diseases-----	19,262	11,271	7,991	7,168	4,761	3,992	3,138	10.2	12.2	8.3	9.1	5.8	38.3	28.3
790	Nervousness and debility-----	66	35	31	30	28	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Nervousness-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Debility and undue fatigue-----	65	34	31	29	28	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Depression-----	1	1	-	1	-	-	-	0.0	0.0	-	-	-	-	-
791	Headache-----	5	1	-	1	-	-	-	0.0	0.0	-	-	-	-	-
792	Uremia-----	695	423	272	295	213	119	56	0.4	0.5	0.3	0.4	0.3	1.1	0.5
794	Senility without mention of psychosis-----	2,441	995	1,446	722	1,123	262	295	1.3	1.1	1.5	0.9	1.4	2.5	2.7
795	Ill-defined and unknown causes of mortality-----	16,055	9,814	6,241	6,118	3,397	3,605	2,783	8.5	10.6	6.5	7.7	4.2	34.5	25.1
.0	Other ill-defined conditions-----	1,834	1,153	681	782	427	347	244	1.0	1.2	0.7	1.0	0.5	3.3	2.2
.2	Sudden death (cause unknown)-----	904	564	340	354	200	193	127	0.5	0.6	0.4	0.4	0.2	1.8	1.1
.3	Found dead (cause unknown)-----	381	247	134	169	75	75	58	0.2	0.3	0.1	0.2	0.1	0.7	0.5
.4	Died without sign of disease-----	6,928	4,388	2,540	2,748	1,285	1,631	1,253	3.7	4.7	2.6	3.5	1.6	15.6	11.3
.5	Other unknown and unspecified causes-----	6,008	3,462	2,546	2,065	1,410	1,359	1,101	3.2	3.7	2.7	2.6	1.7	13.0	9.9
XVII. Accidents, poisonings, and violence															
E800-E802	Railway accidents-----	887	785	102	610	73	151	24	0.5	0.8	0.1	0.8	0.1	1.4	0.2
E800	Railway accident involving railroad employee-----	160	160	-	150	-	7	-	0.1	0.2	-	0.2	-	0.1	-
E801	Railway accident involving passenger-----	9	8	1	6	-	-	-	0.0	0.0	0.0	0.0	-	-	-
E802	Railway accident involving other and unspecified person-----	718	617	101	454	73	144	24	0.4	0.7	0.1	0.6	0.1	1.4	0.2
E810-E825	Motor vehicle traffic accidents-----	42,574	30,953	11,621	26,527	10,167	3,736	1,187	22.6	33.4	12.1	33.5	12.5	35.8	10.7
E810	Motor vehicle traffic accident involving collision with railway train-----	1,385	1,006	379	915	364	81	14	0.7	1.1	0.4	1.2	0.4	0.8	0.1
E811	Motor vehicle traffic accident involving collision with streetcar-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
E812	Motor vehicle traffic accident to pedestrian-----	7,535	5,336	2,199	4,081	1,739	1,073	388	4.0	5.8	2.3	5.2	2.1	10.3	3.5
E813	Motor vehicle traffic accident to pedal cyclist-----	527	462	65	402	57	52	7	0.3	0.5	0.1	0.5	0.1	0.5	0.1
E814	Motor vehicle traffic accident to rider or passenger of motorcycle in collision with nonmotor vehicle or object-----	43	40	3	36	3	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E815	Motor vehicle traffic accident to rider or passenger of motorcycle in collision with other motor vehicle-----	544	512	32	490	31	20	1	0.3	0.6	0.0	0.6	0.0	0.2	0.0
E816	Other motor vehicle traffic accident involving two or more motor vehicles-----	15,319	10,154	5,165	8,984	4,686	956	373	8.1	11.0	5.4	11.4	5.7	9.2	3.4

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1963-Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER								RATE					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
XVII. Accidents, poisonings, and violence--Con.															
Motor vehicle traffic accidents--Con.															
E817	Motor vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E818	Motor vehicle traffic accident involving collision with animal or animal-drawn vehicle-----	63	45	18	38	16	7	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0
E819	Motor vehicle traffic accident involving collision with fixed or unspecified object-----	1,813	1,444	369	1,243	305	162	57	1.0	1.6	0.4	1.6	0.4	1.6	0.5
E820	Motor vehicle traffic accident while boarding and alighting---	42	20	22	19	21	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E821	Motor vehicle traffic accident to rider of motorcycle without antecedent collision-----	279	255	24	232	23	12	-	0.1	0.3	0.0	0.3	0.0	0.1	-
E822	Motor vehicle traffic accident involving overturning in roadway-----	1,251	1,005	246	877	214	123	29	0.7	1.1	0.3	1.1	0.3	1.2	0.3
E823	Motor vehicle traffic accident involving running off roadway--	9,618	7,638	1,980	6,589	1,719	864	198	5.1	8.2	2.1	8.3	2.1	8.3	1.8
E824	Other noncollision motor vehicle traffic accident-----	843	644	199	544	165	90	33	0.4	0.7	0.2	0.7	0.2	0.9	0.3
E825	Motor vehicle traffic accident of unspecified nature-----	3,311	2,391	920	2,076	824	292	85	1.8	2.6	1.0	2.6	1.0	2.8	0.8
E830-E835	Motor vehicle nontraffic accidents-----	990	762	228	659	196	90	29	0.5	0.8	0.2	0.8	0.2	0.9	0.3
E830	Motor vehicle nontraffic accident to pedestrian-----	584	427	157	362	135	53	19	0.3	0.5	0.2	0.5	0.2	0.5	0.2
E831	Motor vehicle nontraffic accident to pedal cyclist-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
E832	Motor vehicle nontraffic accident to rider or passenger of motorcycle-----	16	15	1	15	1	-	-	0.0	0.0	0.0	0.0	-	-	-
E833	Other motor vehicle nontraffic accident involving two or more motor vehicles-----	19	16	3	15	3	1	-	0.0	0.0	0.0	0.0	-	-	-
E834	Motor vehicle nontraffic accident while boarding and alighting	22	13	9	13	9	-	-	0.0	0.0	0.0	0.0	-	-	-
E835	Motor vehicle nontraffic accident of other and unspecified nature-----	348	290	58	253	48	36	10	0.2	0.3	0.1	0.3	0.1	0.3	0.1
E840-E845	Other road vehicle accidents-----	296	201	95	173	89	27	2	0.2	0.2	0.1	0.2	0.1	0.3	0.0
E840	Streetcar accident to pedestrian-----	10	9	1	9	1	-	-	0.0	0.0	0.0	0.0	-	-	-
E841	Other streetcar accident, except collision with motor vehicle-	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
E842	Accident to pedestrian caused by pedal cycle-----	10	7	3	7	1	-	1	0.0	0.0	0.0	0.0	-	-	0.0
E843	Accident to rider of pedal cycle not involving collision with motor vehicle-----	69	53	16	47	14	5	-	0.0	0.1	0.0	0.1	0.0	0.0	-
E844	Accident to pedestrian caused by other nonmotor road vehicle--	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E845	Other nonmotor road vehicle accidents-----	202	128	74	107	72	21	1	0.1	0.1	0.1	0.1	0.1	0.2	0.0
E850-E858	Water transport accidents-----	1,416	1,282	134	1,083	114	169	16	0.8	1.4	0.1	1.4	0.1	1.6	0.1
E850	Submersion of occupant of small boat-----	1,136	1,026	110	866	90	138	16	0.6	1.1	0.1	1.1	0.1	1.3	0.1
E851	Other water transport injury by submersion-----	108	104	4	91	4	12	-	0.1	0.1	0.0	0.1	0.0	0.1	-
E852	Fall on stairs and ladders in water transport-----	6	6	-	5	-	1	-	0.0	0.0	-	0.0	-	0.0	-
E853	Other falls from one level to another in water transport-----	25	24	1	18	1	5	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E854	Falls on same level in water transport-----	4	3	1	2	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E855	Unspecified falls in water transport-----	13	12	1	11	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E856	Machinery accident in water transport-----	10	10	-	6	-	4	-	0.0	0.0	-	0.0	-	0.0	-
E857	Other specified accidents in water transport-----	111	95	16	82	16	7	-	0.1	0.1	0.0	0.1	0.0	0.1	-
E858	Water transport accident of unspecified cause-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E860-E866	Aircraft accidents-----	1,294	1,107	187	1,059	177	17	4	0.7	1.2	0.2	1.3	0.2	0.2	0.0
E860	Accident to personnel in military aircraft-----	227	226	1	215	1	7	-	0.1	0.2	0.0	0.3	0.0	0.1	-
E861	Injury to occupant by accident to commercial "transport" aircraft-----	172	115	57	104	51	-	1	0.1	0.1	0.1	0.1	-	-	0.0
E862	Other injury in commercial "transport" aircraft-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E863	Injury to occupant by accident to other specified aircraft-----	355	307	48	301	45	3	2	0.2	0.3	0.1	0.4	0.1	0.1	0.0
E864	Aircraft accident at airfield to person not in aircraft-----	6	6	-	6	-	-	-	0.0	0.0	-	0.0	-	-	-
E865	Aircraft accident elsewhere to person not in aircraft-----	15	9	6	9	6	-	-	0.0	0.0	0.0	0.0	-	-	-
E866	Other and unspecified aircraft accidents-----	519	444	75	424	74	7	1	0.3	0.5	0.1	0.5	0.1	0.1	0.0

SECTION 1- MORTALITY

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1963-Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER						RATE							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
XVII. Accidents, poisonings, and violence-Con.															
E870-E888	Accidental poisoning by solid and liquid substances-----	2,061	1,193	868	838	663	323	174	1.1	1.3	0.9	1.1	0.8	3.1	1.6
E870	Accidental poisoning by morphine and other opium derivatives--	103	92	11	60	5	30	6	0.1	0.1	0.0	0.1	0.0	0.3	0.1
E871	Accidental poisoning by barbituric acid and derivatives-----	465	178	287	170	267	5	9	0.2	0.2	0.3	0.2	0.3	0.0	0.1
E872	Accidental poisoning by aspirin and salicylates-----	204	107	97	81	66	25	29	0.1	0.1	0.1	0.1	0.1	0.2	0.3
E873	Accidental poisoning by bromides-----	7	4	3	4	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E874	Accidental poisoning by other analgesic and soporific drugs---	344	237	107	147	86	78	19	0.2	0.3	0.1	0.2	0.1	0.7	0.2
E875	Accidental poisoning by sulfonamides-----	8	4	4	4	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
E876	Accidental poisoning by strychnine-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E877	Accidental poisoning by belladonna, hyosine, and atropine---	152	70	82	48	63	19	18	0.1	0.1	0.1	0.1	0.1	0.2	0.2
E878	Accidental poisoning by other and unspecified drugs-----	9	5	4	5	2	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
E879	Accidental poisoning by noxious foodstuffs-----	224	169	55	105	32	63	21	0.1	0.2	0.1	0.1	0.0	0.6	0.2
E880	Accidental poisoning by alcohol-----	57	36	21	22	14	14	6	0.0	0.0	0.0	0.0	0.0	0.1	0.1
E881	Accidental poisoning by petroleum products-----	45	32	13	19	6	10	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1
E882	Accidental poisoning by industrial solvents-----	61	42	19	28	17	13	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalies-----	5	4	1	4	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E884	Accidental poisoning by mercury and its compounds-----	85	40	45	16	9	20	25	0.0	0.0	0.0	0.0	0.0	0.2	0.2
E885	Accidental poisoning by lead and its compounds-----	23	15	8	10	8	5	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E886	Accidental poisoning by arsenic and antimony, and their compounds-----	5	3	2	2	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E887	Accidental poisoning by fluorides-----	261	153	108	111	79	40	29	0.1	0.2	0.1	0.1	0.1	0.4	0.3
E888	Accidental poisoning by other and unspecified solid and liquid substances-----	1,489	1,094	395	920	303	139	73	0.8	1.2	0.4	1.2	0.4	1.3	0.7
E890-E895	Accidental poisoning by gases and vapors-----	359	231	128	186	95	37	27	0.2	0.2	0.1	0.2	0.1	0.4	0.2
E890	Accidental poisoning by utility (illuminating) gas-----	676	521	155	453	124	51	21	0.4	0.6	0.2	0.6	0.2	0.5	0.2
E891	Accidental poisoning by motor vehicle exhaust gas-----	302	213	89	179	65	28	21	0.2	0.2	0.1	0.2	0.1	0.3	0.2
E892	Accidental poisoning by other carbon monoxide gas-----	4	4	-	4	-	-	-	0.0	0.0	-	0.0	-	-	-
E893	Accidental poisoning by cyanide gas-----	127	110	17	88	14	19	3	0.1	0.1	0.0	0.1	0.0	0.2	0.0
E894	Accidental poisoning by other specified gases and vapors---	21	15	6	10	5	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E895	Accidental poisoning by unspecified gases and vapors---	19,335	9,622	9,713	8,374	8,875	918	512	10.3	10.4	10.1	10.6	10.9	8.8	4.6
E900-E904	Accidental falls-----	2,088	1,281	807	1,092	726	140	49	1.1	1.4	0.8	1.4	0.9	1.3	0.4
E900	Fall on stairs-----	349	323	26	290	25	15	-	0.2	0.3	0.0	0.4	0.0	0.1	-
E901	Fall from ladders-----	3,222	2,218	1,004	1,841	862	310	98	1.7	2.4	1.0	2.3	1.1	3.0	0.9
E902	Other falls from one level to another-----	5,581	2,379	3,202	2,143	3,008	169	136	3.0	2.6	3.3	2.7	3.7	1.6	1.2
E903	Fall on same level-----	8,095	3,421	4,674	3,008	4,254	284	229	4.3	3.7	4.9	3.8	5.2	2.7	2.1
E904	Unspecified falls-----	28,270	20,557	7,713	15,981	5,441	4,110	2,065	15.0	22.2	8.0	20.2	6.7	39.4	18.7
E910-E936	Other accidents-----	1,533	1,453	80	1,243	71	187	7	0.8	1.6	0.1	1.6	0.1	1.8	0.1
E910	Blow from falling or projected object or missile-----	66	65	1	57	1	8	-	0.0	0.1	0.0	0.1	0.0	0.1	-
E911	Accident caused by vehicle-----	1,965	1,890	75	1,698	72	162	2	1.0	2.0	0.1	2.1	0.1	1.6	0.0
E912	Accident caused by machinery-----	128	94	34	68	29	25	4	0.1	0.1	0.0	0.1	0.0	0.2	0.0
E913	Accident caused by cutting and piercing instruments-----	878	814	64	739	60	62	3	0.5	0.9	0.1	0.9	0.1	0.6	0.0
E914	Accident caused by electric current-----	55	52	3	49	3	2	-	0.0	0.1	0.0	0.1	0.0	0.0	-
E915	Accident caused by explosion of pressure vessel-----	8,172	4,690	3,482	3,353	2,253	1,210	1,125	4.3	5.1	3.6	4.2	2.8	11.6	10.2
E916	Accident caused by fire and explosion of combustible material-	374	215	159	161	109	46	45	0.2	0.2	0.2	0.2	0.1	0.4	0.4
E917	Accident caused by hot substance, corrosive liquid, and steam-	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
E918	Accident caused by radiation-----	2,263	1,968	295	1,585	206	355	87	1.2	2.1	0.3	2.0	0.3	3.4	0.8
E919	Accident caused by firearm-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E920	Foreign body entering eye and adnexa-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E921	Inhalation and ingestion of food causing obstruction or suffocation-----	1,603	959	644	758	490	166	126	0.9	1.0	0.7	1.0	0.6	1.6	1.1

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1963-Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTIS, 1955		NUMBER								RATE							
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
XVII. Accidents, poisonings, and violence-Con.																	
Other accidents-Con.																	
E922	Inhalation and ingestion of other object causing obstruction or suffocation-----	346	220	126	172	103	41	20	0.2	0.2	0.1	0.2	0.1	0.4	0.2		
E923	Foreign body entering other orifices-----	990	577	413	441	304	127	104	0.5	0.6	0.4	0.6	0.4	1.2	0.9		
E924	Accidental mechanical suffocation in bed and cradle-----	865	486	379	333	233	133	137	0.5	0.5	0.4	0.4	0.3	1.3	1.2		
E925	Accidental mechanical suffocation in other and unspecified circumstances-----	530	406	124	331	91	63	28	0.3	0.4	0.1	0.4	0.1	0.6	0.3		
E926	Lack of care of infants under 1 year of age-----	11	8	3	2	1	6	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
E927	Accidents caused by bites and stings of venomous animals and insects-----	39	28	11	23	8	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
E928	Other accidents caused by animals-----	119	92	27	80	25	12	2	0.1	0.1	0.0	0.1	0.0	0.1	0.0		
E929	Accidental drowning-----	5,103	4,209	894	3,116	723	997	148	2.7	4.5	0.9	3.9	0.9	9.6	1.3		
E930	High and low air pressure-----	5	5	-	5	-	-	-	0.0	0.0	-	0.0	-	-	-		
E931	Excessive heat and insolation-----	196	150	46	109	32	34	11	0.1	0.2	0.0	0.1	0.0	0.3	0.1		
E932	Excessive cold-----	457	340	117	220	75	118	40	0.2	0.4	0.1	0.3	0.1	1.1	0.4		
E933	Hunger, thirst, and exposure-----	174	117	57	80	32	35	24	0.1	0.1	0.1	0.1	0.0	0.3	0.2		
E934	Cataclysm-----	93	60	33	52	24	7	8	0.0	0.1	0.0	0.1	0.0	0.1	0.1		
E935	Lightning-----	165	123	42	99	29	22	13	0.1	0.1	0.0	0.1	0.0	0.2	0.1		
E936	Other and unspecified accidents-----	2,139	1,535	604	1,207	467	287	126	1.1	1.7	0.6	1.5	0.6	2.8	1.1		
E940-E946	Complications due to nontherapeutic medical and surgical procedures-----	171	95	76	74	53	18	19	0.1	0.1	0.1	0.1	0.1	0.2	0.2		
E940	Generalized vaccinia following vaccination-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
E941	Postvaccinal encephalitis-----	7	5	2	3	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
E942	Other complications of smallpox vaccination-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-		
E943	Postimmunization jaundice and hepatitis-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
E944	Other complications of prophylactic inoculation-----	7	5	2	5	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
E945	Complications of anesthesia for nontherapeutic purpose-----	9	4	5	3	4	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
E946	Other complications due to nontherapeutic medical and surgical procedures-----	146	79	67	62	46	14	17	0.1	0.1	0.1	0.1	0.1	0.1	0.2		
E950-E959	Therapeutic misadventure and late complications of therapeutic procedures-----	1,153	508	645	426	542	69	82	0.6	0.5	0.7	0.5	0.7	0.7	0.7		
E950	Therapeutic misadventure in surgical treatment-----	620	271	349	228	292	40	42	0.3	0.3	0.4	0.3	0.4	0.4	0.4		
E951	Therapeutic misadventure in infusion or transfusion-----	113	57	56	49	45	4	11	0.1	0.1	0.1	0.1	0.1	0.0	0.1		
E952	Therapeutic misadventure in local applications-----	12	3	9	2	8	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
E953	Therapeutic misadventure in administration of drugs or biologicals-----	179	83	96	69	82	10	13	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
E954	Therapeutic misadventure in anesthesia-----	47	21	26	16	20	5	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
E955	Other and unspecified therapeutic misadventure-----	57	33	24	29	19	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
E956	Late complication of surgical operation-----	102	33	69	27	60	5	6	0.1	0.0	0.1	0.0	0.1	0.0	0.1		
E957	Late complication of amputation stump-----	5	3	2	2	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
E958	Late complication of irradiation-----	10	-	10	-	10	-	-	0.0	-	0.0	-	0.0	-	-		
E959	Late complications of other forms of treatment-----	8	4	4	4	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
E960-E965	Late effects of injury and poisoning-----	777	517	260	398	222	108	31	0.4	0.6	0.3	0.5	0.3	1.0	0.3		
E960	Late effect of motor vehicle accident-----	133	99	34	80	27	17	7	0.1	0.1	0.0	0.1	0.0	0.2	0.1		
E961	Late effect of accidental poisoning-----	17	12	5	10	2	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
E962	Late effect of other accidental injury-----	583	369	214	276	189	85	18	0.3	0.4	0.2	0.3	0.2	0.8	0.2		
E963	Late effect of self-inflicted injury-----	6	3	3	3	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
E964	Late effect of injury purposely inflicted by another person (not in war)-----	9	5	4	2	1	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
E965	Late effects of injuries due to war operations-----	29	29	-	27	-	1	-	0.0	0.0	-	0.0	-	0.0	-		

Table 1-20. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1963-Con.

(See headnote at beginning of table)

SEVENTH REVISION OF INTERNATIONAL LISTIS, 1955		NUMBER								RATE					
Number	Cause of death	Total			White		Nonwhite		Total			White		Nonwhite	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
XVII. Accidents, poisonings, and violence-Con.															
E970-E979	Suicide-----	20,819	15,273	5,546	14,048	5,114	829	244	11.0	16.5	5.8	17.8	6.3	7.9	2.2
E970	Suicide from poisoning by analgesic and soporific substances--	2,666	914	1,752	858	1,686	29	38	1.4	1.0	1.8	1.1	2.1	0.3	0.3
A	By morphine and other opium derivatives-----	7	1	6	1	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-
B	By barbituric acid and derivatives-----	1,997	696	1,301	658	1,256	21	25	1.1	0.8	1.4	0.8	1.5	0.2	0.2
C	By acetylsalicylic acid-----	37	15	22	14	21	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
D	By methyl salicylate-----	9	7	2	6	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E	By other salicylates-----	30	7	23	6	23	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
F	By bromides-----	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
G	By antipyretic substances, not elsewhere classified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H	By other analgesic and soporific substances-----	484	154	330	143	313	4	11	0.3	0.2	0.3	0.2	0.4	0.0	0.1
M	By unspecified drugs-----	98	32	66	28	63	3	1	0.1	0.0	0.1	0.0	0.1	0.0	0.0
E971	Suicide from poisoning by other solid and liquid substances---	733	388	345	342	297	39	32	0.4	0.4	0.4	0.4	0.4	0.4	0.3
A	By strychnine-----	45	28	17	28	16	-	-	0.0	0.0	0.0	0.0	0.0	-	-
B	By phenol compounds-----	17	13	4	13	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
C	By lye and potash-----	70	31	39	26	30	5	9	0.0	0.0	0.0	0.0	0.0	0.0	0.1
D	By cresol compounds-----	3	1	2	-	2	1	-	0.0	0.0	0.0	-	0.0	0.0	-
E	By mercury and its compounds-----	3	1	2	-	2	1	-	0.0	0.0	0.0	-	0.0	0.0	-
F	By arsenic and its compounds-----	89	53	36	44	34	8	1	0.0	0.1	0.0	0.1	0.0	0.1	0.0
G	By fluorides-----	33	7	26	5	16	2	9	0.0	0.0	0.0	0.0	0.0	0.0	0.1
H	By other and unspecified solid and liquid substances-----	473	254	219	226	193	22	13	0.3	0.3	0.2	0.3	0.2	0.2	0.1
E972	Suicide from poisoning by gases in domestic use-----	175	107	68	90	61	8	1	0.1	0.1	0.1	0.1	0.1	0.1	0.0
E973	Suicide from poisoning by other gases-----	2,211	1,770	441	1,675	413	28	5	1.2	1.9	0.5	2.1	0.5	0.3	0.0
A	By motor vehicle exhaust gas-----	2,092	1,665	427	1,574	400	27	5	1.1	1.8	0.4	2.0	0.5	0.3	0.0
B	By other motor exhaust gas-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
C	By other carbon monoxide-----	98	88	10	84	9	1	-	0.1	0.1	0.0	0.0	0.1	0.0	-
D	By other poisonous gases-----	19	15	4	15	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E974	Suicide by hanging and strangulation-----	3,057	2,364	693	2,098	610	146	29	1.6	2.6	0.7	2.7	0.7	1.4	0.3
E975	Suicide by submersion (drowning)-----	576	327	249	276	233	42	11	0.3	0.4	0.3	0.3	0.3	0.4	0.1
E976	Suicide by firearm and explosive-----	9,595	8,251	1,344	7,735	1,249	404	77	5.1	8.9	1.4	9.8	1.5	3.9	0.7
E977	Suicide by cutting and piercing instruments-----	417	327	90	287	82	25	4	0.2	0.4	0.1	0.4	0.1	0.2	0.0
E978	Suicide by jumping from high place-----	791	506	285	408	235	76	32	0.4	0.5	0.3	0.5	0.3	0.7	0.3
E979	Suicide by other and unspecified means-----	598	319	279	279	248	32	15	0.3	0.3	0.3	0.4	0.3	0.3	0.1
E980-E985	Homicide (not in war)-----	9,216	6,916	2,300	3,058	1,238	3,727	1,000	4.9	7.5	2.4	3.9	1.5	35.7	9.0
E980	Nonaccidental poisoning by another person-----	46	24	22	19	17	5	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E981	Assault by firearm and explosive-----	5,126	3,958	1,168	1,828	645	2,076	504	2.7	4.3	1.2	2.3	0.8	19.9	4.6
E982	Assault by cutting and piercing instruments-----	1,990	1,592	398	477	147	1,125	239	1.1	1.7	0.4	0.5	0.2	10.8	2.2
E983	Assault by other means-----	1,787	1,077	710	671	429	384	251	0.9	1.2	0.7	0.8	0.5	3.7	2.3
E984	Injury by intervention of police-----	246	244	2	111	-	129	2	0.1	0.3	0.0	0.1	-	1.2	0.0
E985	Execution-----	21	21	-	12	-	8	-	0.0	0.0	-	0.0	-	0.1	-
E990-E999	Injury resulting from operations of war-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990	Injury due to war operations by gas and chemicals-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E991	Injury due to war operations by gunshot-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E992	Injury due to war operations by grenade and landmine-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E993	Injury due to war operations by bomb-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E994	Injury due to war operations by marine mine, depth charge, and torpedo-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E995	Injury due to war operations by explosion of artillery shell-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E996	Injury due to war operations by explosion of undetermined origin-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E997	Injury due to war operations by aircraft destruction-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E998	Injury due to war operations by other and unspecified means-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	Injury due to war operations but occurring after cessation of hostilities-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-

SECTION 1 - MORTALITY

1-73

Table 1-21. Deaths From 258 Selected Causes, by Month: United States, 1963

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ALL CAUSES-----	1,813,549	165,843	161,099	176,297	147,674	145,934	143,523	144,493	137,149	135,854	145,093	144,206	166,404
I. Infective and parasitic diseases-----	19,733	1,908	1,931	2,039	1,663	1,639	1,539	1,526	1,428	1,427	1,577	1,439	1,617
Tuberculosis, all forms-----001-019	9,311	928	920	958	782	775	717	743	673	649	757	666	743
Tuberculosis of respiratory system-----001-008	8,608	868	855	899	723	704	654	683	610	591	701	631	689
Tuberculosis of meninges and central nervous system-----010	188	14	16	15	20	19	19	16	15	21	14	6	13
Tuberculosis of intestines, peritoneum, and mesenteric glands-----011	60	3	12	9	6	3	2	4	7	4	2	3	5
Tuberculosis of bones and joints-----012,013	68	8	2	5	9	9	5	8	4	6	7	2	3
Tuberculosis of other organs and systems-----014-018	161	14	18	11	12	20	15	14	14	9	10	15	11
Disseminated tuberculosis-----019	226	21	17	19	12	20	22	18	23	18	23	11	22
Syphilis and its sequelae-----020-029	2,666	254	249	262	224	224	221	185	183	223	210	212	219
Congenital syphilis-----020	51	3	1	6	5	2	2	2	2	2	1	2	3
Early syphilis-----021	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurysm of aorta-----022	1,441	119	132	127	125	115	124	96	117	124	128	118	116
Other cardiovascular syphilis-----023	767	61	81	69	62	72	63	56	55	65	57	64	62
Tabes dorsalis-----024	54	5	3	9	3	6	6	5	2	8	4	2	1
General paralysis of insane-----025	121	20	10	14	9	8	8	11	9	10	6	4	12
Other syphilis of central nervous system-----026	191	21	15	26	15	19	11	12	15	12	11	18	16
All other syphilis-----027-029	61	5	7	11	5	2	7	3	3	2	3	4	9
Gonococcal infection-----030-035	23	3	1	3	1	3	3	2	2	1	-	3	1
Typhoid fever-----040	21	-	5	3	-	1	2	2	4	-	4	2	-
Paratyphoid fever and other Salmonella infections-----041,042	72	8	4	2	6	8	7	8	8	7	5	6	3
Cholera-----043	-	-	-	-	-	-	-	-	-	-	-	-	-
Brucellosis (undulant fever)-----044	5	-	-	-	-	-	-	-	-	1	1	2	1
Dysentery, all forms-----045-048	294	25	14	17	21	21	29	25	36	24	31	27	24
Food poisoning (infection and intoxication)-----049	47	5	1	1	2	5	6	2	4	5	11	2	3
Scarlet fever-----050	11	-	-	-	-	-	-	-	-	-	1	1	2
Streptococcal sore throat-----051	81	11	11	13	3	2	7	8	12	1	6	3	13
Erysipelas-----052	16	3	1	-	-	5	1	-	1	1	1	3	2
Septicemia and pyemia-----053	2,359	221	214	214	181	161	185	182	190	205	169	198	209
Diphtheria-----055	45	2	6	4	2	5	3	2	5	5	4	4	5
Whooping cough-----056	115	10	5	8	12	9	6	10	17	12	12	10	4
Meningococcal infections-----057	733	65	65	98	66	59	44	49	36	44	56	42	69
Plague-----058	1	-	-	-	-	-	-	-	-	-	-	-	1
Leprosy-----060	3	1	1	-	-	-	-	-	-	-	-	-	-
Tetanus-----061	210	16	12	8	17	22	22	26	19	14	20	8	8
Anthrax-----062	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis-----080	41	2	1	-	1	3	-	7	7	5	5	5	9
Late effects of acute poliomyelitis-----081	135	12	16	18	9	12	7	15	5	11	10	11	9
Acute infectious encephalitis-----082	532	46	47	81	43	47	32	33	37	40	38	37	51
Late effects of acute infectious encephalitis-----083	87	16	4	8	8	7	6	5	5	8	5	7	8
Smallpox-----084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles-----085	364	31	42	51	58	65	52	20	6	5	7	5	22
Yellow fever-----091	-	-	-	-	-	-	-	-	-	-	-	-	-
Infectious hepatitis-----092	652	71	92	89	70	69	65	66	65	56	67	73	71
Rabies-----094	2	-	-	-	-	-	-	1	-	1	-	-	-
Tick-borne typhus-----104	16	1	-	-	1	3	4	4	1	-	1	-	1
All other rickettsial diseases-----100-103,105-108	3	-	-	-	-	1	1	-	-	-	-	-	-
Malaria-----110-117	7	-	-	-	-	-	-	-	-	-	-	-	-
Schistosomiasis-----123	4	-	2	-	2	-	-	1	-	-	1	-	1
Hydatid disease-----125	10	-	-	-	-	-	2	-	1	-	-	-	1
Filariasis-----127	1	-	-	1	1	-	-	2	-	3	2	-	1
Ancylostomiasis-----129	1	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases due to helminths-----124,126,128,130	44	3	4	4	4	4	2	5	3	1	9	2	3
All other infective and parasitic diseases-----036-039,054,059,063-074,086-090,093,095,096,120-122,131-138	1,612	154	194	195	136	127	118	122	100	100	131	98	137
II. Neoplasms-----	290,267	25,022	22,741	24,727	23,378	24,101	24,186	24,106	23,994	23,801	24,557	24,107	25,557
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	285,362	24,599	22,378	24,282	22,961	23,711	23,784	23,698	23,585	23,405	24,145	23,698	25,116
Malignant neoplasm of buccal cavity and pharynx-----140-148	6,508	594	530	549	517	524	522	475	570	546	568	558	555
Of lip-----140	180	13	16	23	13	17	14	10	15	15	15	20	9
Of tongue-----141	1,575	167	124	129	104	122	130	128	139	154	123	159	136
Of other and unspecified parts of buccal cavity-----142-144	2,067	182	174	178	161	181	176	138	164	182	182	170	179
Of pharynx-----145-148	2,686	232	216	219	239	204	202	199	252	215	248	229	231
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary-----150-156A,157-159	92,914	8,158	7,175	7,780	7,469	7,822	7,782	7,797	7,857	7,792	7,790	7,529	7,963
Of esophagus-----150	5,153	430	414	446	410	409	420	468	438	408	443	424	443
Of stomach-----151	19,300	1,719	1,529	1,619	1,538	1,631	1,636	1,561	1,636	1,622	1,631	1,548	1,630
Of small intestine, including duodenum-----152	759	69	77	67	51	61	61	62	76	65	58	56	56
Of large intestine, except rectum-----153	30,616	2,662	2,305	2,602	2,442	2,584	2,520	2,641	2,596	2,550	2,536	2,476	2,702
Cecum, appendix, and ascending colon-----153.0	4,528	420	367	387	336	399	410	373	363	345	350	401	377
Transverse colon, including hepatic and splenic flexures-----153.1	1,611	142	123	133	149	122	138	145	121	145	119	122	152
Descending colon-----153.2	1,223	111	104	112	99	112	97	107	87	101	100	93	100
Sigmoid colon-----153.3	6,111	544	468	532	479	531	457	530	503	520	491	466	570
Multiple parts of large intestine-----153.7	72	7	2	9	4	7	8	6	9	4	7	7	2
Large intestine (including colon), part unspecified-----153.8	15,428	1,298	1,103	1,299	1,258	1,278	1,274	1,320	1,368	1,307	1,327	1,248	1,348
Intestinal tract, part unspecified-----153.9	1,643	140	138	130	117	135	140	160	145	128	142	119	153
Of rectum-----154	10,469	915	831	850	884	879	881	833	838	887	908	852	911
Of biliary passages and of liver (stated to be primary site)-----155	6,324	599	517	519	488	510	564	535	528	561	486	512	505
Liver-----155.0	1,975	200	152	160	161	144	200	165	170	167	140	157	159
Other and multiple sites of biliary passages-----155.1,155.8	4,349	399	365	359	327	366	364	370	358	394	346	355	346
Of liver not stated whether primary or secondary-----156A	3,222	262	244	283	253	270	260	279	265	260	306	256	283
Of pancreas-----157	15,326	1,346	1,133	1,230	1,265	1,339	1,299	1,264	1,339	1,267	1,279	1,274	1,291
Of peritoneum and of unspecified digestive organs-----158,159	1,745	156	125	164	138	139	141	154	140	172	143	131	142

Table 1-21. Deaths From 258 Selected Causes, by Month: United States, 1963-Con.

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
II. Neoplasms-Con.													
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-Con.													
Malignant neoplasm of respiratory system, not specified as secondary-----160-164	46,973	4,012	3,724	3,962	3,804	3,865	3,977	3,862	3,790	3,754	4,008	3,970	4,265
Of larynx-----161	2,549	198	229	247	200	192	210	239	205	200	203	201	225
Of bronchus and trachea, and of lung specified as primary-----162	18,999	1,665	1,518	1,656	1,568	1,575	1,617	1,498	1,521	1,497	1,634	1,532	1,718
Of lung, unspecified as to whether primary or secondary-----163	24,569	2,065	1,907	1,981	1,970	2,046	2,077	2,046	1,993	1,972	2,085	2,179	2,238
Of other parts of respiratory system-----160,164	856	84	70	78	66	52	73	79	71	65	76	58	84
Malignant neoplasm of breast-----170	25,401	2,203	1,974	2,196	1,946	2,137	2,093	2,142	2,020	2,141	2,150	2,166	2,233
Malignant neoplasm of genital organs-----171-179	39,983	3,416	3,135	3,430	3,206	3,286	3,368	3,276	3,261	3,302	3,270	3,348	3,685
Of cervix uteri-----171	8,250	696	665	690	687	635	691	709	679	680	705	688	725
Of other and unspecified parts of uterus-----172-174	5,897	493	469	511	451	501	505	494	478	504	453	502	536
Of ovary, fallopian tube, and broad ligament-----175	8,507	721	653	709	684	713	727	708	710	734	695	669	786
Of other and unspecified female genital organs-----176	9,220	79	69	82	74	80	68	53	77	88	77	77	96
Of prostate-----177	15,446	1,353	1,203	1,354	1,246	1,275	1,301	1,225	1,227	1,215	1,264	1,327	1,456
Of all other and unspecified male genital organs-----178,179	963	74	76	84	64	82	76	89	90	81	76	85	86
Malignant neoplasm of urinary organs-----180,181	13,583	1,182	1,061	1,213	1,104	1,086	1,137	1,065	1,159	1,123	1,139	1,168	1,176
Of kidney-----180	5,394	488	417	463	435	423	438	449	425	465	456	474	461
Of bladder and other urinary organs-----181	8,189	694	634	750	669	663	699	616	714	658	683	694	715
Malignant neoplasm of other and unspecified sites-----156B,165,190-199	32,086	2,670	2,564	2,688	2,690	2,692	2,579	2,708	2,658	2,573	2,777	2,754	2,753
Of skin-----190,191	4,393	352	357	356	375	356	398	392	360	330	412	346	369
Of eye-----192	359	34	32	30	30	35	24	24	21	32	20	39	38
Of brain and other parts of nervous system-----193	6,888	634	562	566	562	600	543	563	532	560	591	591	594
Of thyroid gland-----194	1,021	99	78	101	85	78	65	76	75	84	104	77	77
Of bone-----196	1,780	140	165	146	174	134	148	142	163	127	156	147	139
Of connective tissue-----197	1,119	95	84	100	102	97	89	75	104	88	87	101	97
Of other specified sites, not stated to be secondary-----195,199A	1,422	128	96	153	112	109	100	109	119	116	142	118	120
Of unspecified sites-----156B,165,198,199B	15,104	1,188	1,130	1,236	1,250	1,283	1,198	1,318	1,283	1,245	1,285	1,288	1,340
Leukemia and aleukemia-----204	13,507	1,171	1,076	1,219	1,051	1,117	1,117	1,135	1,118	1,047	1,177	1,095	1,184
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues-----200-203,205	14,407	1,193	1,149	1,245	1,174	1,182	1,209	1,238	1,172	1,147	1,266	1,130	1,302
Lymphosarcoma and reticulosarcoma-----200	6,777	550	538	593	574	563	570	590	567	529	553	550	600
Hodgkin's disease-----201	3,278	284	243	292	273	274	289	282	249	250	296	237	309
Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	4,352	359	368	360	327	345	350	366	356	368	417	343	393
Benign neoplasms and neoplasms of unspecified nature-210-239	4,905	423	363	445	417	390	402	408	399	396	412	409	441
Benign neoplasms of female genital organs-----214-217	468	41	31	52	39	31	39	42	36	40	43	38	36
Benign neoplasm of brain and other parts of nervous system-----223	945	93	80	85	80	74	86	91	73	65	72	63	85
Other benign neoplasms-----210-213,218-222,224-229	1,033	87	63	115	92	79	88	78	92	81	81	88	89
Neoplasm of unspecified nature of female genital organs-----233-235	24	-	1	3	2	1	4	1	1	3	4	-	4
Neoplasm of unspecified nature of brain and other parts of nervous system-----237	1,516	124	111	103	135	125	109	134	122	134	118	148	153
Other neoplasms of unspecified nature-----230-232,236,238,239	919	78	77	87	87	80	80	62	75	73	94	72	76
III. Allergic, endocrine system, metabolic, and nutritional diseases-----													
Asthma-----241	5,058	496	516	617	388	405	369	381	323	318	386	392	467
Nontoxic goiter-----250,251	86	9	6	16	6	7	11	4	5	5	2	9	6
Thyrotoxicosis with or without goiter-----252	447	46	52	42	46	40	36	28	27	37	34	30	29
All other diseases of thyroid gland-----253,254	342	31	33	30	24	25	31	24	39	21	23	28	33
Diabetes mellitus-----260	32,465	2,979	2,666	3,088	2,656	2,542	2,609	2,645	2,473	2,437	2,519	2,609	3,002
Diseases of thymus gland-----273	124	21	9	12	12	6	8	2	10	9	11	11	11
Diseases of adrenal glands-----274	427	36	35	48	27	26	35	37	35	33	31	40	46
Pellagra-----281	31	2	4	4	2	2	3	3	1	1	3	1	5
Other avitaminoses and nutritional deficiency states-----280,282-286	1,613	167	163	175	122	138	106	110	124	111	131	134	132
All other allergic, endocrine, and metabolic diseases-----240,242-245,270-272,275-277,287-289	2,834	252	281	247	231	228	223	212	209	206	255	237	253
IV. Diseases of the blood and blood-forming organs---													
Anemias-----290-293	3,409	319	310	302	282	305	259	267	274	273	271	246	301
Pernicious and other hyperchromic anemias-----290	494	44	39	48	41	47	43	47	43	33	29	36	44
Anemias of other and unspecified type-----291-293	2,915	275	271	254	241	258	216	220	231	240	242	210	257
Purpura and other hemorrhagic conditions-----296	650	52	64	54	52	63	51	56	52	44	51	56	55
Other diseases of blood and blood-forming organs-----294,295,297-299	1,256	104	104	116	110	116	89	88	105	98	110	95	121
V. Mental, psychoneurotic, and personality disorders-													
Senile psychosis-----304	315	25	26	34	27	21	28	28	23	18	29	19	37
Alcoholic psychosis-----307	439	40	30	52	36	29	27	41	47	28	33	33	43
Other psychoses-----300-303,305,306,308,309	692	68	61	67	52	57	66	52	56	42	54	58	59
Alcoholism-----322	2,432	248	213	198	200	196	182	169	217	171	201	174	263
Mental deficiency-----325	503	45	55	47	40	42	46	33	32	42	37	44	40
Other disorders of personality-----310-321,323,324,326	275	12	13	19	15	24	34	23	36	25	36	12	26
VI. Diseases of the nervous system and sense organs--													
Vascular lesions affecting central nervous system-----330-334	201,166	18,929	17,767	19,621	16,563	16,213	16,104	16,061	14,766	14,629	15,839	15,909	18,765
Subarachnoid hemorrhage-----330	7,869	709	641	665	682	683	621	592	630	574	668	666	738
Cerebral hemorrhage-----331	110,334	10,334	9,823	10,760	9,170	8,964	8,772	8,764	8,192	8,019	8,675	8,804	10,355
Cerebral embolism and thrombosis-----332	63,246	5,995	5,550	6,246	5,143	5,034	5,181	5,075	4,603	4,679	4,960	4,919	5,851
Other vascular lesions affecting central nervous system-----333,334	19,419	1,891	1,753	1,950	1,568	1,532	1,520	1,630	1,341	1,357	1,536	1,520	1,821

SECTION 1 - MORTALITY

1-75

Table 1-21. Deaths From 258 Selected Causes, by Month: United States, 1963—Con.

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VI. Diseases of the nervous system and sense organs—Con.													
Meningitis, except meningococcal and tuberculous-----	340	266	223	250	188	200	153	145	132	125	213	201	247
Multiple sclerosis-----	345	1,483	124	142	132	113	118	112	126	143	109	127	127
Paralysis agitans-----	350	2,944	273	220	310	225	240	289	200	211	214	212	275
Cerebral spastic infantile paralysis-----	351	730	89	71	66	70	37	50	38	49	57	67	80
Epilepsy-----	355	1,975	182	141	208	175	154	158	139	168	155	170	193
Inflammatory diseases of eye-----	370-379	10	1	2	2	1	-	2	-	1	-	-	1
Cataract-----	385	25	1	2	2	3	1	-	2	3	4	4	2
Glaucoma-----	387	3	-	1	1	1	-	-	-	-	-	-	-
Otitis media and mastoiditis-----	391-393	257	23	34	27	21	17	21	10	17	17	27	26
Other diseases of nervous system and sense organs-----	341-344, 352, 354-369, 380-384, 386, 388-390, 394-398	4,789	419	443	416	376	348	375	404	375	384	377	412
VII. Diseases of the circulatory system-----													
Diseases of heart-----	400-402, 410-443	707,830	66,707	64,383	68,847	58,532	57,398	55,556	55,419	51,447	51,891	55,943	55,720
Rheumatic fever-----	400-402	552	67	45	64	48	45	47	38	50	34	32	53
Chronic rheumatic heart disease-----	410-416	16,067	1,572	1,466	1,632	1,278	1,296	1,317	1,199	1,147	1,192	1,326	1,272
Diseases of mitral valve-----	410	6,158	579	555	652	465	490	501	464	436	470	509	507
Diseases of aortic valve specified as rheumatic-----	411	1,990	190	180	200	176	160	155	151	148	145	164	148
Diseases of pulmonary valve and other endocarditis, specified as rheumatic-----	413, 414	811	82	77	88	68	66	59	62	44	45	72	66
Other rheumatic heart diseases-----	412, 415, 416	7,108	721	654	692	569	580	602	522	519	532	581	551
Arteriosclerotic heart disease, including													
coronary disease-----	420	546,813	51,018	48,964	52,364	45,243	44,474	42,943	43,033	40,150	40,445	43,309	43,467
Arteriosclerotic heart disease so described-----	420.0	242,119	22,558	22,643	24,479	20,200	19,465	19,013	18,896	17,202	17,547	18,822	18,888
Heart disease specified as involving													
coronary arteries-----	420.1	304,298	28,417	26,289	27,855	25,013	24,971	23,899	24,098	22,909	22,975	24,460	24,566
Angina pectoris without mention of													
coronary disease-----	420.2	396	43	32	30	30	38	31	39	39	23	27	33
Chronic endocarditis not specified as rheumatic-----	421	4,085	406	376	405	300	346	346	307	274	288	313	331
Of mitral valve, specified as nonrheumatic-----	421.0	190	21	18	26	16	20	17	15	9	10	10	17
Of aortic valve, not specified as rheumatic-----	421.1	2,177	230	187	192	168	181	178	171	165	158	164	186
Of other valves, not specified as													
rheumatic-----	421.2, 421.4	1,718	155	171	187	116	146	151	121	100	117	141	135
Other myocardial degeneration-----	422	51,893	5,110	5,112	5,388	4,325	4,213	3,933	4,020	3,528	3,589	4,014	3,881
With arteriosclerosis-----	422.1	41,377	4,068	4,027	4,226	3,420	3,375	3,136	3,233	2,853	2,869	3,222	3,103
Without mention of arteriosclerosis-----	422.0, 422.2	10,516	1,042	1,085	1,162	905	838	797	787	695	720	792	788
Other diseases of heart-----	430-434	27,323	2,538	2,619	2,804	2,278	2,070	2,037	2,081	2,085	2,018	2,126	2,161
Acute and subacute endocarditis-----	430	784	73	59	55	73	58	63	61	60	60	67	85
Acute myocarditis and acute pericarditis, not													
specified as rheumatic-----	431, 432	1,215	114	138	111	109	96	89	80	93	107	95	81
Functional disease of heart-----	433	7,142	589	615	702	597	544	511	566	554	588	585	626
Other and unspecified diseases of heart-----	434	18,202	1,752	1,807	1,936	1,499	1,572	1,374	1,378	1,263	1,263	1,379	1,389
Hypertensive heart disease-----	440-443	61,097	5,996	5,803	6,190	5,060	4,853	4,933	4,743	4,213	4,325	4,823	4,565
Hypertensive heart disease with arteriolar													
nephrosclerosis-----	442	13,697	1,319	1,210	1,517	1,137	1,112	1,152	1,071	967	925	1,102	968
Other hypertensive heart disease-----	440, 441, 443	47,400	4,677	4,593	4,673	3,923	3,741	3,781	3,672	3,246	3,400	3,721	3,597
Other hypertensive disease-----	444-447	12,694	1,304	1,108	1,264	1,032	1,066	1,023	962	901	847	973	1,021
Hypertension with arteriolar nephrosclerosis-----	446	7,199	765	621	739	587	624	537	544	504	488	543	590
Essential hypertension and other hypertensive disease													
without mention of heart-----	444, 445, 447	5,485	539	487	525	445	442	486	418	397	359	430	431
Diseases of arteries-----	450-456	51,082	4,696	4,605	5,238	4,301	4,129	3,916	3,987	3,758	3,766	3,942	3,991
General arteriosclerosis-----	450	37,429	3,486	3,511	4,007	3,141	3,007	2,833	2,991	2,676	2,677	2,805	2,812
Aortic aneurysm, nonsyphilitic, and dissecting													
aneurysm-----	451	10,158	909	799	943	865	814	779	719	615	602	669	692
Gangrene of unspecified cause-----	455	248	23	20	22	20	20	17	27	15	13	15	31
Other arterial diseases-----	452-454, 456	3,247	268	273	266	275	288	287	250	252	274	253	262
Diseases of veins and other diseases of													
circulatory system-----	460-468	10,732	936	984	1,059	882	840	789	813	853	805	920	867
VIII. Diseases of the respiratory system-----													
Acute upper respiratory infections-----	470-475	867	112	120	110	58	61	32	46	37	61	63	104
Influenza-----	480-483	7,083	373	1,967	3,308	586	159	52	45	34	61	109	133
Pneumonia, except pneumonia of newborn-----	490-493	63,678	6,913	8,395	9,450	5,065	3,963	3,805	3,871	3,572	3,503	4,238	4,544
Lobar pneumonia-----	490	9,911	1,107	1,387	1,516	803	604	571	578	496	512	667	671
Bronchopneumonia-----	491	36,286	3,879	4,629	5,176	2,925	2,294	2,240	2,363	2,068	2,061	2,449	2,571
Primary atypical pneumonia-----	492	5,812	617	817	889	442	389	346	312	252	340	380	428
Pneumonia, other and unspecified-----	493	11,669	1,310	1,562	1,869	885	676	648	616	556	590	742	874
Acute bronchitis-----	500	1,139	136	162	162	96	75	48	48	47	68	84	78
Bronchitis, chronic and unqualified-----	501, 502	4,323	433	509	565	342	311	288	320	246	237	335	315
Hypertrophy of tonsils and adenoids-----	510	115	13	6	14	18	9	15	3	4	12	5	10
Empyema and abscess of lung-----	518, 521	911	85	94	105	74	66	67	65	57	64	66	79
Pleurisy-----	519	172	16	17	19	14	12	14	9	9	18	11	16
Other chronic interstitial pneumonia-----	525	4,302	471	459	459	370	325	305	273	260	291	338	343
Bronchiectasis-----	526	2,125	217	222	264	191	162	155	151	157	134	153	139
Other diseases of lung and pleural cavity-----	527	16,778	1,552	1,679	1,982	1,339	1,244	1,285	1,151	1,150	1,176	1,358	1,334
Emphysema without mention of bronchitis-----	527.1	15,120	1,379	1,499	1,791	1,204	1,149	1,156	1,040	1,018	1,059	1,229	1,200
All other diseases of lung and pleural cavity-----	527.0, 527.2	1,658	173	180	191	155	95	109	111	132	117	129	134
Other respiratory diseases-----	511-517, 520, 522-524	3,765	370	400	378	324	290	266	261	255	268	304	295
IX. Diseases of the digestive system-----													
Diseases of teeth and supporting structures-----	530-535	65	6	7	5	5	7	6	5	8	2	5	6
Ulcer of stomach-----	540	6,330	601	548	592	496	554	506	506	460	521	528	511
Ulcer of duodenum-----	541	5,831	525	552	593	480	499	439	430	411	439	471	499
Gastritis and duodenitis-----	543	451	47	36	42	32	45	34	42	30	29	44	35
Appendicitis-----	550-553	1,749	125	141	127	132	146	163	169	174	131	141	139
Hernia and intestinal obstruction-----	560, 561, 570	9,917	916	831	868	832	843	808	830	822	773	781	808
Gastroenteritis and colitis, except ulcerative,													
age 4 weeks and over-----	571	4,025	428	393	333	219	244	276	296	297	345	406	357

Table 1-21. Deaths From 258 Selected Causes, by Month: United States, 1963—Con.

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
IX. Diseases of the digestive system—Con.													
Chronic enteritis and ulcerative colitis-----572	3,770	331	321	305	307	305	313	321	308	321	325	288	325
Cirrhosis of liver-----581	22,456	2,053	1,855	1,995	1,811	1,772	1,745	1,815	1,747	1,769	1,968	1,883	2,067
Without mention of alcoholism-----581.0	15,009	1,367	1,229	1,350	1,236	1,214	1,130	1,213	1,180	1,182	1,294	1,248	1,406
With alcoholism-----581.1	7,447	686	606	645	575	558	615	602	567	587	674	635	661
Cholelithiasis, cholecystitis, and cholangitis-----584,585	4,676	375	380	413	395	388	418	409	405	367	416	365	345
Fibrocystic disease of pancreas-----587B	728	67	57	78	62	55	61	54	53	45	73	65	58
Other diseases of digestive system-----536-539, 542,544,545,573-580,582,583,586,587.0,587.1,587A	11,720	990	986	1,082	953	976	977	961	920	929	929	956	1,061
X. Diseases of the genitourinary system-----													
Nephritis and nephrosis-----590-594													
Acute nephritis-----590	12,677	1,191	1,162	1,280	1,027	1,049	982	1,032	982	927	1,006	998	1,041
Chronic nephritis-----591	695	68	58	74	85	60	50	51	59	53	53	49	55
Nephritis with edema, including nephrosis-----591	739	62	67	73	57	71	56	56	58	50	69	59	61
Chronic and unspecified nephritis and other renal sclerosis-----592-594	11,243	1,061	1,037	1,133	905	918	876	925	865	824	884	890	925
Infections of kidney-----600	9,982	841	745	845	749	702	723	770	662	634	729	717	835
Calculi of urinary system-----602,604	1,344	140	105	126	120	115	112	111	116	90	109	98	104
Other diseases of urinary system-----601,603,605-609	2,623	245	206	252	203	237	191	220	242	203	189	205	230
Hyperplasia of prostate-----610	4,248	397	365	427	351	350	337	366	319	350	343	337	338
Diseases of breast-----620,621	14	4	-	1	-	2	3	-	1	2	-	1	-
Other diseases of genital organs-----611-617,622-637	1,202	90	107	118	106	119	98	104	100	96	79	78	105
XI. Deliveries and complications of pregnancy, childbirth, and the puerperium-----													
Sepsis of pregnancy, childbirth, and puerperium-----640,641,681,682,684													
Toxemia of pregnancy and puerperium, except abortion with toxemia-----642,685,686	164	21	12	9	13	18	5	19	19	7	20	10	11
Hemorrhage of pregnancy and childbirth-----643,644,670-672	280	16	18	20	27	23	18	26	29	28	24	24	27
Ectopic pregnancy-----645	248	20	16	23	10	22	25	24	25	19	31	14	19
Abortion without mention of sepsis or toxemia-----645	96	7	8	8	7	7	6	6	13	7	11	6	10
Abortion with sepsis-----650	66	4	9	9	9	2	3	3	9	8	7	1	2
Abortion with toxemia, without mention of sepsis-----651	201	20	20	17	21	15	13	18	18	20	11	13	12
Other complications of pregnancy, childbirth, and puerperium, and delivery without mention of complication-----646-649,660,673-680,683,687-689	13	2	1	-	2	1	-	2	1	1	-	1	2
XII. Diseases of the skin and cellular tissue-----													
Infections of skin and subcutaneous tissue-----690-698													
Other diseases of skin and subcutaneous tissue-----700-716	2,121	186	176	208	187	180	178	174	167	146	181	158	180
XIII. Diseases of the bones and organs of movement---													
Arthritis and spondylitis-----720-725													
Muscular rheumatism and rheumatism unspecified-----726,727	2,012	197	191	212	170	167	138	170	134	163	146	133	191
Osteomyelitis and periostitis-----730	40	1	3	1	4	3	1	6	4	-	3	4	10
Ankylosis and acquired musculoskeletal deformities-----737,745-749	192	22	20	16	11	12	19	19	17	16	14	9	17
Inborn defect of muscle-----744.1	121	7	11	10	9	15	5	17	9	7	6	11	16
Other diseases of musculoskeletal system-----731-736,738-744.0,744.2	606	62	74	44	46	45	34	38	43	52	45	53	70
XIV. Congenital malformations-----													
Spina bifida and meningocele-----751													
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	20,817	1,945	1,721	1,837	1,678	1,683	1,715	1,681	1,663	1,590	1,807	1,639	1,850
Congenital malformations of circulatory system-----754	1,546	158	124	121	125	136	137	130	103	130	133	116	133
Other congenital malformations-----750,755-759	1,971	194	157	177	157	146	150	152	137	145	172	173	211
XV. Certain diseases of early infancy-----													
Symptoms, senility, and ill-defined conditions---													
Senility without mention of psychosis-----794													
Symptoms, ill-defined, and unknown causes-----780-793,795	62,688	5,040	4,841	5,067	5,014	5,543	5,338	5,704	5,573	5,316	5,388	5,005	5,059
XVI. Symptoms, senility, and ill-defined conditions---													
Senility without mention of psychosis-----794													
Symptoms, ill-defined, and unknown causes-----780-793,795	22,420	2,118	2,109	2,225	1,708	1,686	1,656	1,674	1,643	1,570	1,672	1,908	2,451
XVII. Accidents, poisonings, and violence-----													
Accidents-----E800-E862													
Railway accidents-----E800-E802	100,669	7,939	7,272	8,202	7,495	8,000	8,777	9,178	9,121	8,243	8,270	8,550	9,622
Motor vehicle accidents-----E810-E835	887	64	61	66	71	69	84	111	88	72	85	54	62
Motor vehicle traffic accidents-----E810-E825	43,564	2,695	2,647	3,283	3,180	3,485	3,714	3,942	4,321	4,032	4,009	4,069	4,187
Motor vehicle traffic accident involving collision with railway train-----E810	42,574	2,641	2,603	3,217	3,113	3,386	3,610	3,825	4,196	3,928	3,908	4,012	4,135
Motor vehicle traffic accident to pedestrian-----E812	1,385	130	115	100	83	82	68	67	100	154	108	149	229
Other motor vehicle traffic accidents involving collision-----E811,E813-E819	7,535	567	496	609	586	559	575	572	641	638	750	772	770
Motor vehicle noncollision traffic accidents-----E820-E824	18,310	1,044	1,130	1,406	1,287	1,487	1,643	1,814	1,875	1,672	1,615	1,619	1,718
Motor vehicle traffic accident of unspecified nature-----E825	12,053	709	699	864	903	1,022	1,076	1,053	1,264	1,137	1,125	1,151	1,030
Motor vehicle nontraffic accidents-----E830-E835	3,311	191	163	236	254	236	248	319	316	327	310	321	388
Other road vehicle accidents-----E840-E845	990	54	44	66	67	99	104	117	125	104	101	57	52
Water transport accidents-----E850-E858	296	13	15	11	19	28	39	32	40	34	29	20	16
Aircraft accidents-----E860-E866	1,416	45	43	125	132	184	200	188	163	129	73	61	53
Accidental poisoning by solid and liquid substances-----E870-E888	1,294	107	112	102	104	98	93	125	111	89	80	101	172
Accidental poisoning by gases and vapors-----E890-E895	2,061	178	164	178	152	171	178	193	185	171	125	182	194
Accidental falls-----E900-E904	1,489	283	182	158	61	68	59	42	39	55	67	161	315
Fall from one level to another-----E900-E902	19,335	1,752	1,693	1,804	1,507	1,498	1,524	1,586	1,548	1,559	1,651	1,502	1,711
Fall on same level-----E903	5,659	433	445	467	448	447	479	522	556	495	522	448	419
Unspecified falls-----E904	5,581	580	522	567	450	441	403	427	376	429	456	397	533
Unspecified falls-----E904	8,095	739	728	770	609	610	642	637	656	635	673	657	759

SECTION 1 - MORTALITY

1-77

Table 1-21. Deaths From 258 Selected Causes, by Month: United States, 1963-Con.

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
XVII. Accidents, poisonings, and violence-Con.													
Accidents-Con.													
Blow from falling or projected object or missile-----E910	1,533	122	92	132	121	147	132	139	145	126	143	120	114
Accident caused by machinery-----E912	1,965	110	71	130	175	203	198	200	220	195	219	156	90
Accident caused by electric current-----E914	878	35	26	55	61	74	121	142	129	79	73	52	31
Accident caused by fire and explosion of combustible material-----E916	8,172	1,171	1,053	864	659	526	336	349	357	357	490	813	1,197
Accident caused by hot substance, corrosive liquid, steam, and radiation-----E917, E918	375	53	38	32	37	28	28	33	23	24	22	27	30
Accident caused by firearm-----E919	2,263	171	150	157	142	148	155	163	199	192	227	296	263
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921, E922	1,949	161	153	152	148	153	157	149	147	163	171	163	212
Accidental drowning-----E929	5,103	116	136	283	349	552	1,055	1,061	732	333	220	125	141
Excessive heat and insolation-----E931	196	2	2	1	3	4	44	74	37	23	3	-	3
Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late compli- cations of therapeutic procedures-----E940-E959	1,324	131	100	122	108	112	102	102	113	107	115	95	117
All other accidents-----E911, E913, E915, E920, E923-E928, E930, E932-E936, E960-E962	6,569	710	534	547	466	452	559	547	524	505	468	533	724
Suicide-----E963, E970-E979													
Suicide by poisoning-----E970-E973	20,825	1,621	1,601	1,849	1,817	1,831	1,750	1,782	1,801	1,645	1,769	1,664	1,685
Suicide by hanging and strangulation-----E974	5,785	427	440	465	507	521	452	451	506	446	554	514	502
Suicide by firearm and explosive-----E976	3,057	231	217	256	304	279	280	276	267	245	249	241	212
Suicide by all other means-----E963, E975, E977-E979	9,595	775	766	919	803	841	789	800	817	758	773	735	819
	2,388	188	178	209	203	190	229	255	211	196	193	174	162
Homicide-----E964, E980-E985													
Assault by firearm and explosive-----E981	9,225	645	646	744	705	752	797	674	662	845	822	735	798
Assault by cutting and piercing instruments-----E982	5,126	354	353	409	386	422	461	459	447	471	453	440	471
Assault by other means-----E964, E980, E983	1,990	132	144	163	125	181	156	215	204	196	170	146	158
Injury by intervention of police-----E984	1,642	138	126	145	176	126	156	178	182	154	172	131	158
Execution-----E985	246	17	21	20	18	23	21	20	28	24	25	18	11
	21	4	2	7	-	-	3	2	1	-	2	-	-
Injury resulting from operations of war-----E965, E990-E999	29	-	4	3	3	1	2	4	-	2	3	3	4

Table I-22. Deaths From 258 Selected Causes,

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the

Inter- mediate List number ¹	CAUSE OF DEATH	ALL RACES		
		Total	Male	Female
1	ALL CAUSES-----	1,813,549	1,027,686	785,863
2	I. Infective and parasitic diseases-----	19,733	12,924	6,809
3	Tuberculosis, all forms-----001-019	9,311	6,835	2,476
4 A 1	Tuberculosis of respiratory system-----001-008	8,608	6,427	2,181
5 A 2	Tuberculosis of meninges and central nervous system-----010	188	98	90
6 A 3	Tuberculosis of intestines, peritoneum, and mesenteric glands-----011	60	35	25
7 A 4	Tuberculosis of bones and joints-----012,013	69	41	27
8 A 5 pt.	Tuberculosis of other organs and systems-----014-018	161	99	62
9 A 5 pt.	Disseminated tuberculosis-----019	226	135	91
10	Syphilis and its sequelae-----020-029	2,666	1,904	762
11 A 6	Congenital syphilis-----020	31	14	17
12 A 7	Early syphilis-----021	-	-	-
13 A 10 pt.	Aneurysm of aorta-----022	1,441	1,029	412
14 A 10 pt.	Other cardiovascular syphilis-----023	767	544	223
15 A 8	Tabes dorsalis-----024	54	46	8
16 A 9	General paralysis of insane-----025	121	82	39
17 A 10 pt.	Other syphilis of central nervous system-----026	191	145	46
18 A 10 pt.	All other syphilis-----027-029	61	44	17
19 A 11	Gonococcal infection-----030-035	23	15	8
20 A 12	Typhoid fever-----040	21	13	8
21 A 13	Paratyphoid fever and other Salmonella infections-----041,042	72	39	33
22 A 14	Cholera-----043	-	-	-
23 A 15	Brucellosis (undulant fever)-----044	5	4	1
24 A 16	Dysentery, all forms-----045-048	294	171	123
25 A 43 pt.	Food poisoning (infection and intoxication)-----049	47	21	26
26 A 17	Scarlet fever-----050	11	6	5
27 A 18	Streptococcal sore throat-----051	91	44	47
28 A 19	Erysipelas-----052	16	5	11
29 A 20	Septicemia and pyemia-----053	2,359	1,321	1,038
30 A 21	Diphtheria-----055	45	25	20
31 A 22	Whooping cough-----056	115	52	63
32 A 23	Meningococcal infections-----057	733	396	337
33 A 24	Plague-----058	1	1	-
34 A 25	Leprosy-----060	3	2	1
35 A 26	Tetanus-----061	210	127	83
36 A 27	Anthrax-----062	-	-	-
37 A 28	Acute poliomyelitis-----080	41	27	14
38 A 30 pt.	Late effects of acute poliomyelitis-----081	135	67	68
39 A 29	Acute infectious encephalitis-----082	532	268	264
40 A 30 pt.	Late effects of acute infectious encephalitis-----083	87	43	44
41 A 31	Smallpox-----084	-	-	-
42 A 32	Measles-----085	364	171	193
43 A 33	Yellow fever-----091	-	-	-
44 A 34	Infectious hepatitis-----092	852	394	458
45 A 35	Rabies-----094	2	-	2
46 A 36 pt.	Tick-borne typhus-----104	16	7	9
47 A 36 pt.	All other rickettsial diseases-----100-103,105-108	7	2	1
48 A 37	Malaria-----110-117	3	5	2
49 A 38	Schistosomiasis-----123	4	3	1
50 A 39	Hydatid disease-----125	10	6	4
51 A 40	Filariasis-----127	-	-	-
52 A 41	Ancylostomiasis-----129	1	1	-
53 A 42	Other diseases due to helminths-----124,126,128,130	44	22	22
54 A 43 pt.	All other infective and parasitic diseases-----036-039,054,059,063-074,086-090,093,095,096,120-122,151-158	1,612	927	685
55	II. Neoplasms-----	290,267	156,568	133,699
56	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	285,362	154,288	131,074
57 A 44	Malignant neoplasm of buccal cavity and pharynx-----140-148	6,505	4,935	1,573
58	Of lip-----140	180	153	27
59	Of tongue-----141	1,575	1,186	389
60	Of other and unspecified parts of buccal cavity-----142-144	2,067	1,453	614
61	Of pharynx-----145-148	2,686	2,143	543
62	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary-----150-156A,157-159	92,914	50,361	42,553
63 A 45	Of esophagus-----150	5,153	3,985	1,168
64 A 46	Of stomach-----151	19,300	11,896	7,404
65 A 47 pt.	Of small intestine, including duodenum-----152	759	588	171
66 A 47 pt.	Of large intestine, except rectum-----153	30,816	13,952	16,864
67	Cecum, appendix, and ascending colon-----153.0	4,528	2,000	2,528
68	Transverse colon, including hepatic and splenic flexures-----153.1	1,611	714	897
69	Descending colon-----153.2	1,223	563	660
70	Sigmoid colon-----153.3	6,111	2,914	3,197
71	Multiple parts of large intestine-----153.7	72	33	39
72	Large intestine (including colon), part unspecified-----153.8	15,428	6,989	8,439
73	Intestinal tract, part unspecified-----153.9	1,643	719	924
74 A 48	Of rectum-----154	10,469	5,864	4,605
75 A 57 pt.	Of biliary passages and of liver (stated to be primary site)-----155	6,324	2,803	3,521
76	Liver-----155.0	1,975	1,319	656
77	Other and multiple sites of biliary passages-----155.1,155.8	4,349	1,484	2,865
78 A 57 pt.	Of liver not stated whether primary or secondary-----156	3,222	1,699	1,523
79 A 57 pt.	Of pancreas-----157	15,326	8,944	6,382
80 A 57 pt.	Of peritoneum and of unspecified digestive organs-----158,159	1,745	870	875
81	Malignant neoplasm of respiratory system, not specified as secondary-----160-164	46,973	39,817	7,156
82 A 49	Of larynx-----161	2,549	2,276	273
83 A 50 pt.	Of bronchus and trachea, and of lung specified as primary-----162	18,999	16,522	2,477
84 A 50 pt.	Of lung, unspecified as to whether primary or secondary-----163	24,569	20,458	4,111
85 A 57 pt.	Of other parts of respiratory system-----160,164	856	561	295
86 A 51	Malignant neoplasm of breast-----170	25,401	262	25,139

¹See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1957.

Table 1-22. Deaths From 258 Selected Causes,

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the

Inter- mediate List number ¹	CAUSE OF DEATH	ALL RACES		
		Total	Male	Female
	II. Neoplasms--Con.			
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--Con.			
1	Malignant neoplasm of genital organs-----171-179	39,993	16,409	23,574
2	A 52 Of cervix uteri-----171	8,250	...	8,250
3	A 53 Of other and unspecified parts of uterus-----172-174	5,897	...	5,897
4	A 57 pt. Of ovary, fallopian tube, and broad ligament-----175	8,507	...	8,507
5	A 57 pt. Of other and unspecified female genital organs-----176	920	...	920
6	A 54 Of prostate-----177	15,446
7	A 57 pt. Of all other and unspecified male genital organs-----178,179	965
8	A 57 pt. Malignant neoplasm of urinary organs-----180,181	13,583	9,122	4,461
9	Of kidney-----180	5,394	3,434	1,960
10	Of bladder and other urinary organs-----181	8,189	5,688	2,501
11	Malignant neoplasm of other and unspecified sites-----156B,165,190-199	32,086	17,332	14,754
12	A 55 Of skin-----190,191	4,393	2,589	1,804
13	A 57 pt. Of eye-----192	359	194	165
14	A 57 pt. Of brain and other parts of nervous system-----193	6,888	4,017	2,871
15	A 57 pt. Of thyroid gland-----194	1,021	554	467
16	A 56 pt. Of bone-----196	1,780	1,037	743
17	A 56 pt. Of connective tissue-----197	1,119	615	504
18	A 57 pt. Of other specified sites, not stated to be secondary-----195,199A	1,422	821	601
19	A 57 pt. Of unspecified sites-----156B,165,198,199B	15,104	7,635	7,469
20	A 58 Leukemia and aleukemia-----204	13,507	7,807	5,700
21	A 59 Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues-----200-203,205	14,407	8,243	6,164
22	Lymphosarcoma and reticulosarcoma-----200	5,777	3,784	2,993
23	Hodgkin's disease-----201	3,278	2,009	1,269
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	4,352	2,440	1,912
25	A 60 Benign neoplasms and neoplasms of unspecified nature-----210-239	4,905	2,280	2,625
26	Benign neoplasms of female genital organs-----214-217	468	...	468
27	Benign neoplasm of brain and other parts of nervous system-----223	945	426	519
28	Other benign neoplasms-----210-213,218-222,224-229	1,033	562	471
29	Neoplasm of unspecified nature of female genital organs-----233-235	24	...	24
30	Neoplasm of unspecified nature of brain and other parts of nervous system-----237	1,516	796	720
31	Other neoplasms of unspecified nature-----230-232,236,238,239	919	496	423
32	III. Allergic, endocrine system, metabolic, and nutritional diseases-----	43,427	18,977	24,450
33	A 66 pt. Asthma-----241	5,058	3,160	1,898
34	A 61 Nontoxic goiter-----250,251	86	18	68
35	A 62 Thyrotoxicosis with or without goiter-----252	447	90	357
36	A 66 pt. All other diseases of thyroid gland-----253,254	342	76	266
37	A 63 Diabetes mellitus-----260	32,465	13,183	19,282
38	A 66 pt. Diseases of thymus gland-----273	124	70	54
39	A 66 pt. Diseases of adrenal glands-----274	427	189	238
40	A 64 pt. Pellagra-----281	31	7	24
41	A 64 pt. Other avitaminoses and nutritional deficiency states-----280,282-286	1,613	772	841
42	A 66 pt. All other allergic, endocrine, and metabolic diseases-----240,242-245,270-272,275-277,287-289	2,834	1,412	1,422
43	IV. Diseases of the blood and blood-forming organs-----	5,315	2,677	2,638
44	A 65 Anemias-----290-293	3,409	1,634	1,775
45	Pernicious and other hyperchromic anemias-----290	494	196	298
46	Anemias of other and unspecified type-----291-293	2,915	1,438	1,477
47	A 66 pt. Purpura and other hemorrhagic conditions-----296	650	297	353
48	A 66 pt. Other diseases of blood and blood-forming organs-----294,295,297-299	1,256	746	510
49	V. Mental, psychoneurotic, and personality disorders-----	4,656	3,113	1,543
50	A 67 pt. Senile psychosis-----304	315	112	203
51	A 67 pt. Alcoholic psychosis-----307	439	399	40
52	A 67 pt. Other psychoses-----300-303,305,306,308,309	692	296	396
53	A 68 pt. Alcoholism-----322	2,432	1,858	574
54	A 69 Mental deficiency-----325	503	275	228
55	A 68 pt. Other disorders of personality-----310-321,323,324,326	275	173	102
56	VI. Diseases of the nervous system and sense organs-----	215,725	102,258	113,467
57	A 70 Vascular lesions affecting central nervous system-----330-334	201,166	94,239	106,927
58	Subarachnoid hemorrhage-----330	7,869	3,512	4,357
59	Cerebral hemorrhage-----331	110,632	51,784	58,848
60	Cerebral embolism and thrombosis-----332	63,246	30,019	33,227
61	Other vascular lesions affecting central nervous system-----333,334	19,419	8,924	10,495
62	A 71 Meningitis, except meningococcal and tuberculous-----340	2,343	1,343	1,000
63	A 72 Multiple sclerosis-----345	1,483	631	852
64	A 78 pt. Paralysis agitans-----350	2,944	1,580	1,364
65	A 78 pt. Cerebral spastic infantile paralysis-----351	730	402	328
66	A 73 Epilepsy-----353	1,975	1,178	797
67	A 74 Inflammatory diseases of eye-----370-379	10	6	4
68	A 75 Cataract-----385	25	11	14
69	A 76 Glaucoma-----387	3	2	1
70	A 77 Otitis media and mastoiditis-----391-393	257	150	107
71	A 78 pt. Other diseases of nervous system and sense organs-----341-344,352,354-369,380-384,386,388-390,394-398	4,789	2,716	2,073
72	VII. Diseases of the circulatory system-----	782,338	450,213	332,125
73	Diseases of heart-----400-402,410-443	707,830	411,989	295,841
74	A 79 Rheumatic fever-----400-402	552	302	250
75	A 80 Chronic rheumatic heart disease-----410-416	16,067	7,421	8,646
76	Diseases of mitral valve-----410	6,158	2,540	3,618
77	Diseases of aortic valve specified as rheumatic-----411	1,990	1,418	572
78	Diseases of pulmonary valve and other endocarditis, specified as rheumatic-----413,414	811	372	439
79	Other rheumatic heart diseases-----412,415,416	7,108	3,091	4,017

¹See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1957.

SECTION 1 - MORTALITY

by Specified Race and Sex: United States, 1963-Con.

Seventh Revision of the International Lists, 1955. Figures by specified race exclude data for residents of New Jersey; see Technical Appendix)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			OTHER RACES			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
33,379	13,836	19,543	5,021	2,000	3,021	62	15	47	19	5	14	32	13	19	28	12	16	1
6,322	...	6,322	1,605	...	1,605	23	...	23	5	...	5	10	...	10	11	...	11	2
4,875	...	4,875	773	...	773	14	...	14	3	...	3	2	3
7,569	...	7,569	535	...	535	10	...	10	6	...	6	3	4
777	...	777	108	...	108	5
12,992	12,992	...	1,914	1,914	...	13	13	...	5	13	13	...	11	11	...	6
844	844	...	86	86	...	2	2	...	7	1	1	...	7
11,998	8,086	3,902	924	579	345	14	7	7	7	5	2	9	6	3	14	8	6	8
4,835	3,078	1,757	311	199	112	8	6	2	4	1	1	2	1	1	4	3	1	9
7,163	5,018	2,145	613	380	233	6	1	5	3	2	1	7	5	2	10	5	5	10
28,141	15,245	12,896	2,680	1,411	1,269	53	21	32	27	21	6	24	13	11	38	24	14	11
4,061	2,395	1,666	168	92	76	3	1	2	4	4	-	2	2	-	2	1	1	12
330	176	154	15	10	5	1	-	-	1	-	-	-	-	-	1	1	-	13
6,190	3,619	2,571	395	228	167	11	5	6	1	-	-	1	5	3	2	10	8	2
871	302	569	85	35	48	2	-	2	4	3	1	1	-	1	4	-	4	15
1,528	898	630	175	96	79	1	1	-	-	-	-	-	-	-	1	-	-	16
970	533	437	115	61	54	1	1	-	-	-	-	1	1	-	1	-	-	17
1,239	784	455	116	66	50	1	-	1	-	-	-	1	-	-	3	2	1	18
12,952	6,538	6,414	1,613	823	790	33	13	20	18	14	4	14	7	7	16	12	4	19
12,043	6,954	5,089	915	514	401	18	12	6	8	4	4	26	14	12	32	21	11	20
12,740	7,229	5,511	1,065	670	395	14	9	5	20	17	3	23	21	2	23	17	6	21
6,110	3,389	2,721	361	227	134	6	5	1	11	10	1	12	10	2	12	10	2	22
2,822	1,787	1,035	215	140	75	2	2	-	3	3	-	7	7	-	5	3	2	23
3,708	2,053	1,655	489	303	186	6	2	4	6	4	2	4	4	-	6	4	2	24
4,058	1,862	2,096	654	234	420	9	3	6	7	4	3	6	2	4	9	4	5	25
276	...	276	171	...	171	-	...	-	-	...	-	-	...	-	1	26
806	379	427	98	31	67	-	-	-	3	1	2	2	2	-	4	2	2	27
873	482	391	121	62	59	2	-	2	2	2	-	3	-	-	-	-	-	28
19	...	19	5	...	5	-	...	-	-	...	-	-	...	-	-	29
1,307	679	628	155	88	67	5	2	3	1	-	1	1	-	1	3	1	2	30
777	422	355	104	53	51	2	1	1	1	1	-	-	-	-	1	1	-	31
35,748	16,012	19,736	5,665	2,091	3,574	155	68	87	52	40	12	60	32	28	74	44	30	32
4,178	2,677	1,501	725	381	344	7	3	4	6	5	1	9	8	1	11	6	5	33
61	15	46	18	2	16	2	-	2	-	-	-	-	-	-	-	-	-	34
351	68	283	78	14	64	1	1	-	-	-	-	-	-	-	1	1	-	35
304	69	235	25	7	18	-	-	-	-	-	-	-	-	-	-	-	-	36
26,836	11,203	15,633	4,011	1,324	2,687	123	55	68	41	31	10	39	16	23	52	29	23	37
96	55	41	20	11	9	1	1	-	-	-	-	-	-	-	-	-	-	38
363	163	200	41	13	28	5	1	4	-	-	-	-	-	-	-	-	-	39
20	5	15	11	2	9	-	-	-	-	-	-	-	-	-	-	-	-	40
1,230	576	654	314	161	153	7	3	4	2	2	-	7	5	2	4	4	4	41
2,309	1,181	1,128	422	176	246	9	4	5	3	2	1	5	3	2	6	4	2	42
4,325	2,172	2,153	779	387	392	13	5	8	6	4	2	3	2	1	12	11	1	43
2,619	1,243	1,376	644	316	328	9	3	6	5	3	2	2	2	-	7	6	1	44
451	181	270	31	11	20	1	-	1	-	-	-	-	-	-	-	-	-	45
2,168	1,062	1,106	613	305	308	8	3	5	5	3	2	2	2	-	7	6	1	46
579	269	310	56	19	37	2	1	1	-	-	-	-	-	-	2	2	-	47
1,127	660	467	79	52	27	2	1	1	1	1	-	1	-	1	3	3	-	48
3,625	2,386	1,229	841	583	258	45	29	16	5	4	1	3	1	2	11	8	3	49
288	98	190	22	12	10	1	-	1	-	-	-	-	-	-	1	1	-	50
341	315	26	69	57	12	-	-	-	-	-	-	-	-	-	-	-	-	51
590	239	351	81	46	35	2	2	-	-	-	-	3	1	2	2	1	1	52
1,798	1,410	388	532	375	157	39	25	14	1	1	-	-	-	-	7	5	2	53
435	237	198	49	26	23	2	1	1	3	2	1	-	-	-	1	1	-	54
173	97	76	88	67	21	1	1	-	1	1	-	-	-	-	-	-	-	55
181,841	86,013	95,828	26,640	12,749	13,891	367	168	199	134	106	28	314	204	110	253	186	67	56
169,922	79,458	90,464	24,575	11,592	12,983	292	133	159	130	103	27	293	190	103	225	168	57	57
6,308	2,831	3,477	1,246	537	709	19	5	14	17	11	6	24	11	13	15	12	3	58
92,296	43,169	49,127	14,938	6,962	7,976	176	82	94	76	61	15	171	113	58	131	100	31	59
54,829	25,942	28,887	6,034	2,958	3,076	67	34	33	30	25	5	80	54	26	60	43	17	60
16,489	7,516	8,973	2,357	1,135	1,222	30	12	18	7	6	1	18	12	6	19	13	6	61
1,599	938	661	617	333	284	41	21	20	1	1	2	2	1	1	9	3	6	62
1,330	578	752	95	29	66	-	-	-	-	-	-	3	2	1	1	1	-	63
2,754	1,475	1,279	76	45	31	2	1	1	-	-	-	8	6	2	2	2	-	64
598	326	272	108	63	45	6	2	4	-	-	-	1	-	1	-	-	-	65
1,403	810	593	499	319	180	8	3	5	1	1	-	1	1	-	4	4	-	66
8	5	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	67
21	10	11	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	68
2	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	69
181	108	73	65	37	28	3	1	2	-	-	-	-	-	-	2	1	1	70
4,023	2,303	1,720	599	330	269	15	7	8	2	1	1	6	4	2	10	7	3	71
680,581	394,598	285,983	68,308	36,489	31,819	960	551	409	616	539	77	758	498	260	868	633	235	72
616,272	361,705	254,567	60,841	32,467	28,174	854	493	361	570	-	67	677	452	225	793	587	206	73
396	228	168	121	60	61	5	1	4	-	-	2	2	-	2	2	2	-	74
14,129	6,538	7,591	1,169	550	619	26	13	13	9	6	3	15	8	7	20	7	13	75
5,498	2,853	2,645	395	184	211	11	2	9	2	1	1	7	3	4	5	1	4	76
1,778	1,277	501	117	75	42	4	4	-	2	2	-	4	2	2	2	1	1	77
726	332	394	112	26	26	2	1	1	1	1	-	1	1	-	1	1	1	78
6,129	2,666	3,463	605	265	340	9	6	3	4	2	2	3	2	1	12	5	7	79

Table 1-22. Deaths From 258 Selected Causes,

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the

Inter- mediate List number ¹	CAUSE OF DEATH	ALL RACES		
		Total	Male	Female
	VII. Diseases of the circulatory system--Con.			
	Diseases of heart--Con.			
1	A 81 pt. Arteriosclerotic heart disease, including coronary disease-----420	546,813	334,974	211,839
2	Arteriosclerotic heart disease so described-----420.0	242,119	132,451	109,668
3	Heart disease specified as involving coronary arteries-----420.1	304,298	202,275	102,023
4	Angina pectoris without mention of coronary disease-----420.2	396	248	148
5	A 81 pt. Chronic endocarditis not specified as rheumatic-----421	4,085	2,359	1,726
6	Of mitral valve, specified as nonrheumatic-----421.0	190	73	117
7	Of aortic valve, not specified as rheumatic-----421.1	2,177	1,431	746
8	Of other valves, not specified as rheumatic-----421.2-421.4	1,718	855	863
9	A 81 pt. Other myocardial degeneration-----422	51,895	25,258	26,635
10	With arteriosclerosis-----422.1	41,377	19,949	21,428
11	Without mention of arteriosclerosis-----422.0,422.2	10,518	5,309	5,207
12	A 82 Other diseases of heart-----430-434	27,323	15,343	11,980
13	Acute and subacute endocarditis-----430	764	455	309
14	Acute myocarditis and acute pericarditis, not specified as rheumatic-----431,432	1,215	692	523
15	Functional disease of heart-----433	7,142	3,526	3,616
16	Other and unspecified diseases of heart-----434	18,202	10,670	7,532
17	A 83 Hypertensive heart disease-----440-443	61,097	28,332	32,765
18	Hypertensive heart disease with arteriolar nephrosclerosis-----442	13,697	6,693	7,004
19	Other hypertensive heart disease-----440,441,443	47,400	19,639	27,761
20	A 84 Other hypertensive disease-----444-447	12,694	6,393	6,311
21	Hypertension with arteriolar nephrosclerosis-----446	7,199	3,987	3,212
22	Essential hypertension and other hypertensive disease without mention of heart-----444,445,447	5,495	2,396	3,099
23	A 85 Diseases of arteries-----450-456	51,082	26,531	24,751
24	General arteriosclerosis-----450	37,429	17,152	20,277
25	Aortic aneurysm, nonsyphilitic, and dissecting aneurysm-----451	10,158	7,370	2,788
26	Gangrene of unspecified cause-----455	248	135	113
27	Other arterial diseases-----452-454,456	3,247	1,674	1,573
28	A 86 Diseases of veins and other diseases of circulatory system-----460-468	10,732	5,510	5,222
29	VIII. Diseases of the respiratory system-----	105,278	66,008	39,270
30	A 87 Acute upper respiratory infections-----470-475	867	467	400
31	A 88 Influenza-----480-483	7,065	3,584	3,499
32	Pneumonia, except pneumonia of newborn-----490-493	63,679	35,985	27,693
33	A 89 Lobar pneumonia-----490	9,811	5,943	3,868
34	A 90 Bronchopneumonia-----491	36,286	20,439	15,847
35	A 91 pt. Primary atypical pneumonia-----492	5,812	3,176	2,636
36	A 91 pt. Pneumonia, other and unspecified-----493	11,669	6,427	5,242
37	A 92 Acute bronchitis-----500	1,139	668	471
38	A 93 Bronchitis, chronic and unqualified-----501,502	4,323	3,279	1,044
39	A 94 Hypertrophy of tonsils and adenoids-----510	115	67	48
40	A 95 Empyema and abscess of lung-----518,521	911	662	249
41	A 96 Pleurisy-----519	172	112	60
42	A 97 pt. Other chronic interstitial pneumonia-----525	4,302	2,889	1,413
43	A 97 pt. Bronchiectasis-----526	2,125	1,401	724
44	A 97 pt. Other diseases of lung and pleural cavity-----527	16,778	14,227	2,551
45	Emphysema without mention of bronchitis-----527.1	15,120	13,183	1,937
46	All other diseases of lung and pleural cavity-----527.0,527.2	1,658	1,044	614
47	A 97 pt. Other respiratory diseases-----511-517,520,522-524	3,785	2,667	1,118
48	IX. Diseases of the digestive system-----	71,718	41,890	29,828
49	A 98 Diseases of teeth and supporting structures-----530-535	65	32	33
50	A 99 Ulcer of stomach-----540	6,330	4,390	1,940
51	A 100 Ulcer of duodenum-----541	5,821	4,389	1,442
52	A 101 Gastritis and duodenitis-----543	451	251	200
53	A 102 Appendicitis-----550-553	1,749	1,066	683
54	A 103 Hernia and intestinal obstruction-----560,561,570	9,917	4,724	5,193
55	A 104 pt. Gastroenteritis and colitis, except ulcerative, age 4 weeks and over-----571	4,025	2,130	1,895
56	A 104 pt. Chronic enteritis and ulcerative colitis-----572	3,770	1,712	2,058
57	A 105 Cirrhosis of liver-----581	22,456	14,511	7,945
58	Without mention of alcoholism-----581.0	15,009	9,440	5,569
59	With alcoholism-----581.1	7,447	5,071	2,376
60	A 106 Cholelithiasis, cholecystitis, and cholangitis-----584,585	4,676	1,904	2,772
61	A 107 pt. Fibrocystic disease of pancreas-----587B	728	347	381
62	A 107 pt. Other diseases of digestive system-----536-539,542,544,545,573-580,582,583,586,587.0,587.1,587A	11,720	6,434	5,286
63	X. Diseases of the genitourinary system-----	31,060	18,470	12,590
64	Nephritis and nephrosis-----590-594	12,677	7,027	5,650
65	A 108 Acute nephritis-----590	695	386	309
66	A 109 pt. Nephritis with edema, including nephrosis-----591	739	419	320
67	A 109 pt. Chronic and unspecified nephritis and other renal sclerosis-----592-594	11,243	6,222	5,021
68	A 110 Infections of kidney-----600	8,952	4,325	4,627
69	A 111 Calculi of urinary system-----602,604	1,344	703	641
70	A 114 pt. Other diseases of urinary system-----601,603,605-609	2,623	1,630	993
71	A 112 Hyperplasia of prostate-----610	4,248	4,248	...
72	A 113 Diseases of breast-----620,621	14	-	14
73	A 114 pt. Other diseases of genital organs-----611-617,622-637	1,202	537	665
74	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium-----	1,466	...	1,466
75	A 115 Sepsis of pregnancy, childbirth, and puerperium-----640,641,681,682,684	164	...	164
76	A 116 pt. Toxemias of pregnancy and puerperium, except abortion with toxemia-----642,685,686	280	...	280
77	A 117 Hemorrhage of pregnancy and childbirth-----643,644,670-672	248	...	248
78	A 120 pt. Ectopic pregnancy-----645	96	...	96
79	A 118 Abortion without mention of sepsis or toxemia-----650	66	...	66
80	A 119 Abortion with sepsis-----651	201	...	201
81	A 116 pt. Abortion with toxemia, without mention of sepsis-----652	13	...	13
82	A 120 pt. Other complications of pregnancy, childbirth, and puerperium, and delivery without mention of complication-----646-649,660,673-680,683,687-689	398	...	398

¹See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1957.

SECTION 1 - MORTALITY

1-83

by Specified Race and Sex: United States, 1963--Con.

Seventh Revision of the International Lists, 1955. Figures by specified race exclude data for residents of New Jersey; see Technical Appendix)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			OTHER RACES			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
487,193	300,246	186,947	35,660	20,272	15,388	578	357	221	450	400	50	497	341	146	528	404	124	1
214,369	117,436	96,933	15,043	8,099	6,944	229	124	105	194	175	21	223	163	60	261	198	63	2
272,491	182,810	89,889	20,560	12,173	8,423	349	233	116	256	227	29	264	178	86	267	206	61	3
333	208	125	57	36	21	-	-	-	-	-	-	-	-	-	-	-	-	4
3,484	1,995	1,489	502	291	211	4	3	1	1	1	-	3	3	-	5	4	1	5
159	57	102	27	12	15	-	-	-	-	-	-	-	-	-	-	-	-	6
1,806	1,243	663	208	139	69	1	-	1	-	-	-	1	1	-	1	1	-	7
1,419	655	724	1	287	140	3	3	-	-	1	-	2	2	-	4	3	-	8
43,904	21,201	22,703	5,302	2,710	2,592	56	23	33	34	32	2	53	32	21	49	37	12	9
35,231	16,913	18,318	4,016	2,023	1,993	40	17	23	29	27	2	44	28	16	39	29	10	10
8,673	4,288	4,385	1,286	687	599	16	6	10	5	5	-	9	4	5	10	8	2	11
21,990	12,429	9,561	4,463	2,443	2,020	117	64	53	18	18	-	16	14	2	45	32	13	12
627	375	252	117	67	50	1	1	-	-	-	-	-	-	-	3	2	-	13
966	556	410	210	117	93	3	-	3	1	1	-	1	1	-	3	2	-	14
6,286	3,122	3,164	660	310	350	21	14	7	4	4	-	8	7	1	5	3	-	15
14,111	8,376	5,735	3,476	1,949	1,527	92	49	43	13	13	-	7	6	1	34	25	9	16
45,176	19,068	26,108	13,424	6,141	7,283	68	32	36	58	46	12	101	54	47	144	101	43	17
11,022	5,388	5,634	2,235	1,082	1,143	15	6	9	10	8	2	19	10	9	14	10	4	18
34,154	13,680	20,474	11,189	5,049	6,140	53	26	27	48	38	10	82	44	38	130	91	39	19
9,844	4,852	4,992	2,403	1,295	1,108	17	8	9	9	6	3	23	15	8	17	9	8	20
6,040	3,326	2,714	895	518	377	13	7	6	6	4	2	10	4	6	10	6	4	21
3,804	1,526	2,278	1,508	777	731	4	1	3	3	2	1	13	11	2	7	3	4	22
45,528	23,483	22,045	3,807	1,948	1,859	65	33	32	29	24	5	55	31	24	52	34	18	23
33,580	15,294	18,286	2,676	1,337	1,339	46	23	23	13	10	3	28	17	11	21	13	8	24
9,072	6,634	2,438	647	421	226	11	7	4	14	13	1	21	13	8	24	18	6	25
186	107	79	51	26	25	1	-	-	-	-	-	-	-	-	-	-	-	26
2,690	1,448	1,242	433	164	269	7	3	4	2	1	1	6	1	5	7	3	4	27
8,937	4,558	4,379	1,457	779	678	24	17	7	4	6	2	3	-	3	6	3	3	28
86,264	54,678	31,586	15,236	8,906	6,330	527	283	244	95	84	11	146	113	33	187	123	64	29
611	332	279	218	111	107	12	7	5	1	1	-	2	1	1	4	2	2	30
5,350	2,730	2,620	1,616	791	825	34	16	18	2	2	-	1	1	-	14	8	6	31
50,484	28,376	22,108	10,688	6,150	4,538	401	209	192	58	52	6	87	70	17	118	72	46	32
7,611	4,549	3,062	1,891	1,136	755	63	36	30	10	8	2	6	6	-	16	9	7	33
29,284	16,415	12,869	5,382	3,080	2,302	159	87	72	37	34	3	62	51	11	47	35	12	34
4,557	2,497	2,060	1,000	542	458	37	17	20	5	4	1	12	8	4	26	12	14	35
9,032	4,915	4,117	2,415	1,392	1,023	142	72	70	6	6	-	7	5	2	29	16	13	36
923	549	374	169	88	81	5	4	1	1	1	-	3	1	2	4	3	1	37
3,857	2,943	914	309	218	91	6	1	5	6	5	1	4	4	-	5	3	2	38
91	50	41	12	8	4	2	2	-	-	-	-	-	-	-	1	1	-	39
688	501	187	169	128	41	5	2	3	1	1	-	2	-	2	3	3	-	40
131	87	44	26	16	10	1	-	-	-	-	-	-	-	-	1	-	-	41
3,584	2,436	1,148	546	322	224	22	17	5	6	3	3	12	6	6	8	7	1	42
1,928	1,264	664	110	73	37	8	6	2	2	1	1	7	5	2	7	4	3	43
15,316	13,059	2,257	994	766	228	26	16	10	14	14	-	23	22	1	21	19	2	44
13,993	12,218	1,775	709	597	112	14	9	5	14	14	-	18	18	-	17	15	2	45
1,323	841	482	285	169	116	12	7	5	-	-	-	5	4	1	4	4	-	46
3,301	2,351	950	379	235	144	5	3	2	4	4	-	-	2	2	1	1	-	47
60,798	35,656	25,142	7,575	4,269	3,306	390	180	210	123	111	12	99	63	36	99	73	26	48
53	28	25	11	3	8	-	-	-	-	-	-	1	1	-	-	-	-	49
5,521	3,813	1,708	515	371	144	9	3	6	15	13	2	14	10	4	16	10	6	50
5,227	3,944	1,283	377	267	110	7	5	2	12	11	1	7	6	1	10	8	2	51
381	210	171	49	27	22	3	1	2	-	-	-	2	2	-	1	1	-	52
1,404	862	542	265	156	109	15	9	6	6	4	2	2	1	1	2	2	-	53
8,456	3,974	4,482	1,084	566	518	23	9	14	11	9	2	14	7	7	10	8	2	54
2,503	1,293	1,210	1,314	723	591	102	61	41	-	-	-	6	3	3	8	3	5	55
3,398	1,564	1,834	203	78	125	8	3	5	1	1	-	4	2	2	1	1	-	56
18,951	12,406	6,545	2,215	1,295	920	149	57	92	56	55	1	22	15	7	35	28	7	57
12,745	8,089	4,656	1,376	800	576	69	29	40	41	40	1	17	12	5	24	21	3	58
6,206	4,317	1,889	839	495	344	80	28	52	15	15	-	5	3	2	11	7	4	59
4,246	1,767	2,479	206	57	149	35	16	19	7	5	2	6	2	4	4	2	2	60
671	324	347	28	11	17	2	1	1	-	-	-	-	-	-	-	-	-	61
9,987	5,471	4,516	1,308	715	593	37	15	22	15	13	2	21	14	7	12	10	2	62
24,070	14,469	9,601	5,705	3,271	2,434	123	65	58	59	41	18	58	34	24	61	44	17	63
9,440	5,286	4,154	2,677	1,439	1,238	53	30	23	31	22	9	28	18	10	25	19	6	64
476	261	215	188	105	83	4	3	1	1	-	1	2	-	2	-	-	-	65
567	325	242	146	78	68	2	2	-	-	-	-	-	-	-	1	1	-	66
8,397	4,700	3,697	2,343	1,256	1,087	47	25	22	30	22	8	25	17	8	24	18	6	67
7,000	3,561	3,639	1,577	790	787	44	15	29	11	5	6	20	10	10	25	17	8	68
1,145	608	537	131	63	66	2	2	2	5	4	1	3	2	1	1	1	-	69
2,065	1,253	812	464	317	147	10	8	2	4	3	1	4	2	2	3	3	-	70
3,523	3,523	...	571	571	...	9	9	...	7	7	...	2	2	...	5	5	...	71
11	11	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	72
886	438	448	283	91	192	5	1	4	1	-	1	1	-	1	2	-	2	73
797	...	797	587	...	587	21	...	21	-	...	-	3	...	3	8	...	8	74
88	...	88	66	...	66	4	...	4	-	...	-	-	...	-	1	...	1	75
135	...	135	102	...	102	3	...	3	-	...	-	-	...	-	1	...	1	76
131	...	131	102	...	102	4	...	4	-	...	-	-	...	-	4	...	4	77
35	...	35	58	...	58	-	...	-	-	...	-	-	...	-	-	...	-	78
42	...	42	22	...	22	1	...	1	-	...	-	-	...	-	-	...	-	79
113	...	113	76	...	76	-	...	-	-	...	-	2	...	2	-	...	-	80
6	...	6	6	...	6	-	...	-	-	...	-	-	...	-	-	...	-	81
247	...	247	124	...	124	9	...	9	-	...	-	1	...	1	2	...	2	82

Table 1-22. Deaths From 258 Selected Causes,

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the

Inter- mediate List number ¹	CAUSE OF DEATH	ALL RACES		
		Total	Male	Female
1	XII. Diseases of the skin and cellular tissue-----	2,121	796	1,325
2	A 121 Infections of skin and subcutaneous tissue-----890-898	503	284	219
3	A 126 pt. Other diseases of skin and subcutaneous tissue-----700-716	1,618	512	1,106
4	XIII. Diseases of the bones and organs of movement-----	3,772	1,685	2,087
5	A 122 Arthritis and spondylitis-----720-725	2,012	699	1,314
6	A 123 Muscular rheumatism and rheumatism unspecified-----726,727	40	22	18
7	A 124 Osteomyelitis and periostitis-----730	192	116	76
8	A 125 Ankylosis and acquired musculoskeletal deformities-----737,745-749	121	59	62
9	A 126 pt. Inborn defect of muscle-----744.1	606	434	172
10	A 126 pt. Other diseases of musculoskeletal system-----731-736,738-744.0,744.2	801	356	445
11	XIV. Congenital malformations-----	20,817	11,209	9,608
12	A 127 Spina bifida and meningocele-----751	1,546	684	862
13	A 129 pt. Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	1,971	1,059	912
14	A 128 Congenital malformations of circulatory system-----754	10,465	5,771	4,694
15	A 129 pt. Other congenital malformations-----750,755-759	6,835	3,695	3,140
16	A 130-A135 XV. Certain diseases of early infancy-----	62,688	36,902	25,786
17	XVI. Symptoms, senility, and ill-defined conditions-----	22,420	13,131	9,289
18	A 136 Senility without mention of psychosis-----794	2,441	995	1,446
19	A 137 Symptoms, ill-defined, and unknown causes-----780-793,795	19,979	12,136	7,843
20	XVII. Accidents, poisonings, and violence-----	130,748	60,865	39,883
21	Accidents-----E900-E962	100,669	69,639	32,030
22	AE 139 pt. Railway accidents-----E900-E902	887	785	102
23	AE 139 Motor vehicle accidents-----E910-E935	43,564	31,715	11,849
24	Motor vehicle traffic accidents-----E910-E925	42,574	30,953	11,621
25	Motor vehicle traffic accident involving collision with railway train-----E910	1,385	1,006	379
26	Motor vehicle traffic accident to pedestrian-----E912	7,535	5,336	2,199
27	Other motor vehicle traffic accidents involving collision-----E911,E913-E919	18,310	12,668	5,652
28	Motor vehicle noncollision traffic accidents-----E920-E924	12,033	9,562	2,471
29	Motor vehicle traffic accident of unspecified nature-----E925	3,311	2,391	920
30	Motor vehicle nontraffic accidents-----E930-E935	990	762	228
31	AE 139 pt. Other road vehicle accidents-----E940-E945	296	201	95
32	AE 139 pt. Water transport accidents-----E950-E958	1,416	1,282	134
33	AE 139 pt. Aircraft accidents-----E960-E966	1,294	1,107	187
34	AE 140 pt. Accidental poisoning by solid and liquid substances-----E970-E989	2,061	1,193	868
35	AE 140 pt. Accidental poisoning by gases and vapors-----E990-E995	1,489	1,094	395
36	AE 141 Accidental falls-----E900-E904	19,335	9,622	9,713
37	Fall from one level to another-----E900-E902	5,659	3,822	1,837
38	Fall on same level-----E903	5,581	2,579	3,002
39	Unspecified falls-----E904	8,095	3,421	4,674
40	AE 147 pt. Blow from falling or projected object or missile-----E910	1,533	1,453	80
41	AE 142 Accident caused by machinery-----E912	1,965	1,890	75
42	AE 147 pt. Accident caused by electric current-----E914	879	814	64
43	AE 143 Accident caused by fire and explosion of combustible material-----E916	8,172	4,690	3,482
44	AE 144 Accident caused by hot substance, corrosive liquid, steam, and radiation-----E917,E918	375	216	159
45	AE 145 Accident caused by firearm-----E919	2,263	1,968	295
46	AE 147 pt. Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	1,949	1,179	770
47	AE 146 Accidental drowning-----E929	5,103	4,209	894
48	AE 147 pt. Excessive heat and insolation-----E931	196	150	46
49	AE 147 pt. Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures-----E940-E959	1,324	603	721
50	AE 147 pt. All other accidents-----E911,E913,E915,E920,E923-E928,E930,E932-E936,E960-E962	6,569	4,468	2,101
51	AE 148 Suicide-----E963,E970-E979	20,825	15,276	5,549
52	Suicide by poisoning-----E970-E973	5,785	3,179	2,606
53	Suicide by hanging and strangulation-----E974	3,057	2,364	693
54	Suicide by firearm and explosive-----E976	9,595	8,251	1,344
55	Suicide by all other means-----E963,E975,E977-E979	2,388	1,482	906
56	AE 149 Homicide-----E964,E980-E985	9,225	6,921	2,304
57	Assault by firearm and explosive-----E981	5,126	3,958	1,168
58	Assault by cutting and piercing instruments-----E982	1,990	1,592	398
59	Assault by other means-----E964,E980,E983	1,842	1,106	736
60	Injury by intervention of police-----E984	246	244	2
61	Execution-----E985	21	21	-
62	AE 150 Injury resulting from operations of war-----E965,E990-E999	29	29	-

¹See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1957.

SECTION 1 - MORTALITY

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of

CAUSE OF DEATH, RACE, AND SEX		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	ALL CAUSES.....	1,813,549	103,390	6,710	4,153	3,136	2,572	119,961	9,051	7,473	13,949
2	MALE.....	1,027,686	59,734	3,654	2,332	1,732	1,422	68,874	5,271	4,684	9,770
3	FEMALE.....	785,863	43,656	3,056	1,821	1,404	1,150	51,087	3,780	2,789	4,179
4	WHITE.....MALE.....	871,994	42,969	2,542	1,687	1,266	1,088	49,552	4,150	3,739	8,076
5	FEMALE.....	661,021	30,758	2,069	1,262	1,030	851	35,970	2,852	2,163	3,308
6	NEGRO.....MALE.....	112,708	13,919	922	553	379	272	16,045	885	768	1,335
7	FEMALE.....	92,180	10,905	821	465	305	250	12,746	757	488	710
8	OTHER.....MALE.....	7,698	988	94	41	33	24	1,180	78	60	129
9	FEMALE.....	4,076	699	87	39	28	22	875	57	60	46
10	I. INFECTIVE AND PARASITIC DISEASES.....	19,733	1,325	449	300	185	122	2,381	438	213	226
11	MALE.....	12,924	715	247	156	93	64	1,275	238	102	132
12	FEMALE.....	6,809	610	202	144	92	58	1,106	200	111	94
13	WHITE.....MALE.....	9,430	474	169	107	67	47	864	201	67	107
14	FEMALE.....	4,834	378	140	97	68	47	730	147	81	63
15	NEGRO.....MALE.....	2,800	197	57	41	20	12	327	33	25	22
16	FEMALE.....	1,627	189	49	34	20	9	301	47	24	23
17	OTHER.....MALE.....	268	32	12	7	3	3	57	2	6	2
18	FEMALE.....	154	38	10	10	4	1	63	2	5	3
19	TUBERCULOSIS, ALL FORMS.....001-019	9,311	34	32	33	13	3	115	13	17	31
20	MALE.....	6,835	17	18	16	5	-	56	8	8	15
21	FEMALE.....	2,476	17	14	17	8	3	59	5	9	16
22	WHITE.....MALE.....	4,923	9	7	7	1	-	24	7	4	10
23	FEMALE.....	1,663	8	9	10	3	2	32	4	2	7
24	NEGRO.....MALE.....	1,497	8	6	8	3	-	25	-	2	5
25	FEMALE.....	646	8	4	4	4	1	21	1	4	8
26	OTHER.....MALE.....	148	-	2	1	-	-	3	1	1	-
27	FEMALE.....	71	1	1	3	1	-	6	-	3	1
28	TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	8,608	15	11	10	4	-	40	5	6	21
29	MALE.....	6,427	9	6	5	2	-	22	3	1	12
30	FEMALE.....	2,181	6	5	5	2	-	18	2	5	9
31	WHITE.....MALE.....	4,689	4	2	2	-	-	8	3	1	8
32	FEMALE.....	1,510	3	3	4	-	-	10	2	2	3
33	NEGRO.....MALE.....	1,362	5	4	3	2	-	14	-	-	4
34	FEMALE.....	536	3	2	-	2	-	7	-	-	5
35	OTHER.....MALE.....	126	-	-	-	-	-	1	-	-	-
36	FEMALE.....	54	-	-	1	-	-	-	-	3	1
37	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	188	12	18	19	7	3	59	7	5	6
38	MALE.....	98	7	9	8	3	-	27	5	3	2
39	FEMALE.....	90	5	9	11	4	3	32	2	2	4
40	WHITE.....MALE.....	49	4	3	5	1	-	13	4	1	2
41	FEMALE.....	39	1	6	6	1	2	16	1	-	2
42	NEGRO.....MALE.....	33	3	2	2	1	-	8	-	-	-
43	FEMALE.....	40	4	2	3	2	1	12	1	2	2
44	OTHER.....MALE.....	11	-	2	1	-	-	3	1	1	-
45	FEMALE.....	8	-	1	2	1	-	4	-	-	-
46	TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	60	1	-	-	-	-	1	1	1	-
47	MALE.....	35	-	-	-	-	-	-	-	1	-
48	FEMALE.....	25	1	-	-	-	-	1	1	-	-
49	WHITE.....MALE.....	17	-	-	-	-	-	-	-	1	-
50	FEMALE.....	16	-	-	-	-	-	-	1	-	-
51	NEGRO.....MALE.....	16	-	-	-	-	-	-	-	-	-
52	FEMALE.....	6	-	-	-	-	-	-	-	-	-
53	OTHER.....MALE.....	1	-	-	-	-	-	-	-	-	-
54	FEMALE.....	2	1	-	-	-	-	1	-	-	-
55	TUBERCULOSIS OF BONES AND JOINTS.....012,013	68	1	-	-	1	-	2	-	-	2
56	MALE.....	41	1	-	-	-	-	1	-	-	-
57	FEMALE.....	27	-	-	-	1	-	-	-	-	2
58	WHITE.....MALE.....	33	1	-	-	-	-	1	-	-	-
59	FEMALE.....	19	-	-	-	1	-	1	-	-	2
60	NEGRO.....MALE.....	7	-	-	-	-	-	-	-	-	-
61	FEMALE.....	6	-	-	-	-	-	-	-	-	-
62	OTHER.....MALE.....	-	-	-	-	-	-	-	-	-	-
63	FEMALE.....	2	-	-	-	-	-	-	-	-	-
64	TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	161	-	1	2	-	-	3	-	1	-
65	MALE.....	99	-	1	2	-	-	3	-	1	-
66	FEMALE.....	62	-	-	-	-	-	-	-	-	-
67	WHITE.....MALE.....	75	-	-	-	-	-	-	-	1	-
68	FEMALE.....	44	-	-	-	-	-	-	-	-	-
69	NEGRO.....MALE.....	18	-	-	2	-	-	2	-	-	-
70	FEMALE.....	13	-	-	-	-	-	-	-	-	-
71	OTHER.....MALE.....	2	-	-	-	-	-	-	-	-	-
72	FEMALE.....	1	-	-	-	-	-	-	-	-	-
73	DISSEMINATED TUBERCULOSIS.....019	226	5	2	2	1	-	10	-	4	2
74	MALE.....	135	-	2	1	-	-	3	-	2	1
75	FEMALE.....	91	5	-	1	1	-	7	-	2	1
76	WHITE.....MALE.....	60	-	2	-	-	-	2	-	-	-
77	FEMALE.....	35	4	-	-	1	-	5	-	-	-
78	NEGRO.....MALE.....	61	-	-	1	-	-	1	-	2	1
79	FEMALE.....	45	1	-	1	-	-	2	-	2	1
80	OTHER.....MALE.....	8	-	-	-	-	-	-	-	-	-
81	FEMALE.....	4	-	-	-	-	-	-	-	-	-
82	SYPHILIS AND ITS SEQUELAE.....020-029	2,666	19	1	-	-	-	20	-	-	2
83	MALE.....	1,904	9	-	-	-	-	9	-	-	1
84	FEMALE.....	762	10	1	-	-	-	11	-	-	1
85	WHITE.....MALE.....	1,307	2	-	-	-	-	2	-	-	-
86	FEMALE.....	456	2	-	-	-	-	2	-	-	-
87	NEGRO.....MALE.....	528	6	-	-	-	-	6	-	-	1
88	FEMALE.....	245	6	1	-	-	-	7	-	-	1
89	OTHER.....MALE.....	20	1	-	-	-	-	1	-	-	-
90	FEMALE.....	5	1	-	-	-	-	1	-	-	-

SECTION 1 - MORTALITY

Age Groups, Race, and Sex: United States, 1963

the International Lists, 1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey; see Technical Appendix)

Table with 17 columns representing age groups (20-24 years to 100 and over) and 'Not stated'. Rows list various categories with numerical values. The table is organized into a grid with 17 columns and approximately 100 rows of data.

SECTION 1 - MORTALITY

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of

CAUSE OF DEATH, RACE, AND SEX		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041-042	72	16	5	3	-	-	24	1	-	1
2	MALE.....	39	6	3	2	-	-	11	1	-	-
3	FEMALE.....	33	10	2	1	-	-	13	-	-	1
4	WHITE.....	31	2	2	2	-	-	6	1	-	-
5	FEMALE.....	20	4	1	1	-	-	6	-	-	-
6	NEGRO.....	5	2	1	-	-	-	3	-	-	-
7	FEMALE.....	10	5	1	-	-	-	6	-	-	1
8	OTHER.....	3	2	-	-	-	-	2	-	-	-
9	MALE.....	2	1	-	-	-	-	1	-	-	-
10	FEMALE.....	2	1	-	-	-	-	1	-	-	-
11	CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
12	MALE.....	-	-	-	-	-	-	-	-	-	-
13	FEMALE.....	-	-	-	-	-	-	-	-	-	-
14	WHITE.....	-	-	-	-	-	-	-	-	-	-
15	FEMALE.....	-	-	-	-	-	-	-	-	-	-
16	NEGRO.....	-	-	-	-	-	-	-	-	-	-
17	FEMALE.....	-	-	-	-	-	-	-	-	-	-
18	OTHER.....	-	-	-	-	-	-	-	-	-	-
19	MALE.....	-	-	-	-	-	-	-	-	-	-
20	FEMALE.....	-	-	-	-	-	-	-	-	-	-
21	BRUCELLOSIS.....044	5	-	-	-	-	-	-	-	-	-
22	MALE.....	4	-	-	-	-	-	-	-	-	-
23	FEMALE.....	1	-	-	-	-	-	-	-	-	-
24	WHITE.....	4	-	-	-	-	-	-	-	-	-
25	FEMALE.....	1	-	-	-	-	-	-	-	-	-
26	NEGRO.....	1	-	-	-	-	-	-	-	-	-
27	FEMALE.....	-	-	-	-	-	-	-	-	-	-
28	OTHER.....	-	-	-	-	-	-	-	-	-	-
29	MALE.....	-	-	-	-	-	-	-	-	-	-
30	FEMALE.....	-	-	-	-	-	-	-	-	-	-
31	DYSENTERY, ALL FORMS.....045-048	294	94	12	16	7	8	137	24	7	4
32	MALE.....	171	46	9	9	3	7	74	11	6	3
33	FEMALE.....	123	48	3	7	4	1	63	13	1	1
34	WHITE.....	98	19	3	4	3	5	34	8	3	3
35	FEMALE.....	62	19	1	2	1	-	23	10	1	-
36	NEGRO.....	49	16	5	3	-	2	26	2	2	-
37	FEMALE.....	45	19	1	4	3	1	28	3	-	1
38	OTHER.....	21	10	1	2	-	-	13	1	1	-
39	MALE.....	15	10	1	1	-	-	12	-	-	-
40	FEMALE.....	15	10	1	1	-	-	12	-	-	-
41	FOOD POISONING, INFECTION AND INTOXICATION.....049	47	3	1	-	1	1	6	1	1	-
42	MALE.....	21	1	-	-	-	-	1	1	-	-
43	FEMALE.....	26	2	1	-	1	1	5	-	1	-
44	WHITE.....	19	1	-	-	-	-	1	1	-	-
45	FEMALE.....	17	2	-	-	-	1	3	-	1	-
46	NEGRO.....	2	-	-	-	-	-	-	-	-	-
47	FEMALE.....	8	-	1	-	1	-	2	-	-	-
48	OTHER.....	-	-	-	-	-	-	-	-	-	-
49	MALE.....	1	-	-	-	-	-	-	-	-	-
50	FEMALE.....	1	-	-	-	-	-	-	-	-	-
51	SCARLET FEVER.....050	11	1	1	-	1	2	5	2	1	-
52	MALE.....	6	1	1	-	1	1	3	1	1	-
53	FEMALE.....	5	1	-	-	-	-	2	1	-	-
54	WHITE.....	3	-	1	-	-	-	1	1	-	-
55	FEMALE.....	4	-	-	-	-	1	1	1	-	-
56	NEGRO.....	2	-	-	-	-	1	1	-	1	-
57	FEMALE.....	1	1	-	-	-	-	1	-	-	-
58	OTHER.....	-	-	-	-	-	-	-	-	-	-
59	MALE.....	1	-	-	-	-	-	-	-	-	-
60	FEMALE.....	-	-	-	-	-	-	-	-	-	-
61	STREPTOCOCCAL SORE THROAT.....051	91	9	3	5	1	1	19	10	8	5
62	MALE.....	44	3	2	1	1	-	7	5	5	3
63	FEMALE.....	47	6	1	4	-	1	12	5	3	2
64	WHITE.....	29	1	1	1	1	-	4	2	2	3
65	FEMALE.....	31	3	1	3	-	-	7	2	2	1
66	NEGRO.....	13	2	1	-	-	-	3	3	3	-
67	FEMALE.....	13	2	-	1	-	1	4	3	1	1
68	OTHER.....	-	-	-	-	-	-	-	-	-	-
69	MALE.....	1	1	-	-	-	-	1	-	-	-
70	FEMALE.....	1	1	-	-	-	-	-	-	-	-
71	ERYSIPELAS.....052	16	-	-	-	-	-	-	-	1	-
72	MALE.....	5	-	-	-	-	-	-	-	1	-
73	FEMALE.....	11	-	-	-	-	-	-	-	-	-
74	WHITE.....	5	-	-	-	-	-	-	-	-	-
75	FEMALE.....	8	-	-	-	-	-	-	-	-	-
76	NEGRO.....	1	-	-	-	-	-	-	-	1	-
77	FEMALE.....	1	-	-	-	-	-	-	-	-	-
78	OTHER.....	1	-	-	-	-	-	-	-	-	-
79	MALE.....	1	-	-	-	-	-	-	-	-	-
80	FEMALE.....	1	-	-	-	-	-	-	-	-	-
81	SEPTICEMIA AND PYEMIA.....053	2,359	363	72	42	24	9	510	51	19	26
82	MALE.....	1,321	210	40	23	12	5	290	29	6	15
83	FEMALE.....	1,038	153	32	19	12	4	220	22	13	11
84	WHITE.....	1,009	135	29	14	8	4	190	23	4	8
85	FEMALE.....	792	99	23	13	9	4	148	15	9	7
86	NEGRO.....	257	69	9	9	3	-	90	6	-	7
87	FEMALE.....	212	52	6	5	2	-	65	5	4	2
88	OTHER.....	19	3	1	-	1	1	6	-	1	-
89	MALE.....	8	2	1	-	1	-	4	1	-	-
90	FEMALE.....	8	2	1	-	1	-	4	1	-	-
91	DIPHTHERIA.....055	45	3	1	5	7	3	19	16	2	1
92	MALE.....	25	2	1	2	5	3	13	7	1	-
93	FEMALE.....	20	1	-	3	2	-	6	9	1	1
94	WHITE.....	15	-	-	2	2	1	5	6	1	-
95	FEMALE.....	6	1	-	-	-	-	1	2	1	-
96	NEGRO.....	8	2	1	-	2	2	7	-	-	-
97	FEMALE.....	12	-	-	2	2	-	4	7	-	-
98	OTHER.....	1	-	-	-	1	-	1	-	-	-
99	MALE.....	1	-	-	1	-	-	1	-	-	-
100	FEMALE.....	1	-	-	1	-	-	1	-	-	-
101	MALE.....	1	-	-	1	-	-	1	-	-	-
102	FEMALE.....	1	-	-	1	-	-	1	-	-	-

SECTION 1 - MORTALITY

Age Groups, Race, and Sex: United States, 1963-Con.

the International Lists, 1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey; see Technical Appendix

Table with columns for age groups (20-24 to 100 and over) and rows for various categories, with data values ranging from 0 to over 1,000.

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1 MALIGNANT NEOPLASMS, ETC.—CON.										
2 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES—CON.										
3 OF BONE.....196	1,780	2	3	5	2	4	16	42	113	151
4 MALE.....	1,037	2	2	2	1	2	9	22	63	97
5 FEMALE.....	743	-	1	3	1	2	7	20	50	54
6 WHITE.....MALE.....	898	-	2	2	1	2	7	18	58	85
7 FEMALE.....	630	-	-	2	1	2	5	14	41	49
8 NEGRO.....MALE.....	96	1	-	-	-	-	1	2	5	11
9 FEMALE.....	79	-	1	-	-	-	2	3	9	4
10 OTHER.....MALE.....	1	1	-	-	-	-	1	-	-	-
11 FEMALE.....	1	-	-	-	-	-	-	-	-	-
12 OF CONNECTIVE TISSUE.....197	1,119	3	5	3	10	7	28	36	18	33
13 MALE.....	615	2	4	2	6	1	15	21	7	15
14 FEMALE.....	504	1	1	1	4	6	13	15	11	18
15 WHITE.....MALE.....	533	2	4	2	4	1	13	19	7	13
16 FEMALE.....	437	-	1	1	4	4	10	12	7	12
17 NEGRO.....MALE.....	61	-	-	-	2	-	2	2	2	2
18 FEMALE.....	54	1	-	-	-	2	3	-	-	5
19 OTHER.....MALE.....	2	-	-	-	-	-	-	-	-	-
20 FEMALE.....	1	-	-	-	-	-	-	1	-	-
21 OF OTHER SPECIFIED SITES, NOT STATED TO BE SECONDARY.....195,199A	1,422	11	5	12	11	6	45	20	8	21
22 MALE.....	891	7	3	5	6	3	24	11	6	12
23 FEMALE.....	531	4	2	7	5	3	21	9	2	9
24 WHITE.....MALE.....	784	7	3	4	5	3	22	9	6	11
25 FEMALE.....	455	4	2	5	5	1	17	9	1	8
26 NEGRO.....MALE.....	66	-	-	-	-	-	-	2	-	1
27 FEMALE.....	50	-	-	1	-	1	2	-	-	1
28 OTHER.....MALE.....	2	-	-	-	-	-	-	-	-	-
29 FEMALE.....	3	-	-	-	-	1	1	-	1	-
30 OF UNSPECIFIED SITES.....156B,165,198,199B	15,104	7	9	14	4	7	41	16	15	31
31 MALE.....	7,635	4	4	7	2	4	21	9	7	14
32 FEMALE.....	7,469	3	5	7	2	3	20	7	8	17
33 WHITE.....MALE.....	6,538	2	3	6	2	4	17	9	6	11
34 FEMALE.....	6,414	3	3	7	2	3	18	6	8	15
35 NEGRO.....MALE.....	823	2	1	1	-	-	4	-	1	1
36 FEMALE.....	790	-	2	-	-	-	2	1	-	2
37 OTHER.....MALE.....	46	-	-	-	-	-	-	-	-	-
38 FEMALE.....	35	-	-	-	-	-	-	-	-	-
39 LEUKEMIA AND ALEUKEMIA.....204	13,507	104	132	170	254	298	958	794	419	332
40 MALE.....	7,807	65	73	93	145	173	549	412	235	213
41 FEMALE.....	5,700	39	59	77	109	125	409	382	184	119
42 WHITE.....MALE.....	6,954	58	61	85	129	148	481	363	205	180
43 FEMALE.....	5,089	32	41	65	98	113	349	336	157	108
44 NEGRO.....MALE.....	514	6	9	5	12	14	46	25	19	25
45 FEMALE.....	401	6	13	9	9	10	47	26	15	8
46 OTHER.....MALE.....	51	-	1	-	1	4	6	3	3	2
47 FEMALE.....	33	-	2	2	-	1	5	4	7	-
48 LYMPHOSARCOMA, ETC.....200-203,205	14,407	28	27	23	34	25	137	160	149	218
49 MALE.....	8,243	17	14	11	30	17	89	120	111	130
50 FEMALE.....	6,164	11	13	12	4	8	48	40	38	88
51 WHITE.....MALE.....	7,229	16	9	9	24	15	73	105	96	115
52 FEMALE.....	5,511	8	11	8	4	7	38	32	35	74
53 NEGRO.....MALE.....	670	1	5	1	2	2	11	13	11	6
54 FEMALE.....	395	3	1	3	-	1	8	7	3	13
55 OTHER.....MALE.....	64	-	-	-	3	-	3	1	-	2
56 FEMALE.....	16	-	-	1	-	-	1	-	-	-
57 LYMPHOSARCOMA AND RETICULOSARCOMA.....200	6,777	8	10	13	25	21	77	123	91	92
58 MALE.....	3,794	6	4	6	22	14	52	92	68	61
59 FEMALE.....	2,983	2	6	7	3	7	25	31	23	31
60 WHITE.....MALE.....	3,389	6	3	5	17	12	43	80	61	56
61 FEMALE.....	2,721	1	5	4	3	6	19	24	21	25
62 NEGRO.....MALE.....	227	-	1	1	2	2	6	10	5	2
63 FEMALE.....	134	1	-	3	-	1	5	6	2	6
64 OTHER.....MALE.....	35	-	-	-	3	-	3	1	-	-
65 FEMALE.....	6	-	-	-	-	-	-	-	-	-
66 HODGKINS DISEASE.....201	3,278	-	1	-	1	-	2	22	50	110
67 MALE.....	2,009	-	1	-	1	-	2	15	38	58
68 FEMALE.....	1,269	-	-	-	-	-	-	7	12	52
69 WHITE.....MALE.....	1,787	-	-	-	1	-	1	14	32	49
70 FEMALE.....	1,135	-	-	-	-	-	-	6	11	44
71 NEGRO.....MALE.....	140	-	1	-	-	-	1	1	4	4
72 FEMALE.....	75	-	-	-	-	-	-	1	1	7
73 OTHER.....MALE.....	15	-	-	-	-	-	-	-	-	1
74 FEMALE.....	2	-	-	-	-	-	-	-	-	-
75 OT. NEOPLASMS OF LYMPHATIC & HEMATOPOIETIC TISSUES.....202,203,205	4,352	20	16	10	8	4	58	15	8	16
76 MALE.....	2,440	11	9	5	7	3	35	13	5	11
77 FEMALE.....	1,912	9	7	5	1	1	23	2	3	5
78 WHITE.....MALE.....	2,053	10	6	4	6	3	29	11	3	10
79 FEMALE.....	1,655	7	6	4	1	1	19	2	3	5
80 NEGRO.....MALE.....	303	1	3	-	-	-	4	2	2	-
81 FEMALE.....	186	2	1	-	-	-	3	-	-	-
82 OTHER.....MALE.....	14	-	-	-	-	-	-	-	-	1
83 FEMALE.....	8	-	-	1	-	-	1	-	-	-
84 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	4,905	125	29	25	14	23	216	113	99	102
85 MALE.....	2,280	73	12	14	8	14	121	64	53	55
86 FEMALE.....	2,625	52	17	11	6	9	95	49	46	47
87 WHITE.....MALE.....	1,962	61	7	13	5	12	98	55	42	45
88 FEMALE.....	2,096	44	14	8	6	8	80	37	37	40
89 NEGRO.....MALE.....	234	9	4	1	2	2	18	7	10	5
90 FEMALE.....	420	4	3	2	-	-	9	11	9	5
91 OTHER.....MALE.....	13	-	1	-	1	-	2	1	-	1
92 FEMALE.....	18	1	-	-	-	1	2	-	-	1

SECTION 1 - MORTALITY

Age Groups, Race, and Sex: United States, 1963-Con.

the International Lists, 1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey; see Technical Appendix)

Table with 18 columns representing age groups (20-24 years to 100 and over) and one column for 'Not stated'. The table contains numerical data points for each age group across various categories.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of

Table with columns: CAUSE OF DEATH, RACE, AND SEX; Total; Under 1 year; 1 year; 2 years; 3 years; 4 years; Under 5 years; 5-9 years; 10-14 years; 15-19 years. Rows include Diabetes Mellitus, Diseases of Thymus Gland, Diseases of Adrenal Glands, Pellagra, Other Avitaminoses and Nutritional Deficiency States, All Other Allergic, Endocrine, and Metabolic Diseases, IV. Diseases of the Blood and Blood-Forming Organs, Anemias, Pernicious and Other Hyperchromic Anemias, and Anemias of Other and Unspecified Type.

SECTION 1 - MORTALITY

1-113

Age Groups, Race, and Sex: United States, 1963-Con.

The International Lists, 1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated
14	21	22	22	24	24	41	43	47	75	60	50	45	21	7	3	-	1
5	6	9	9	7	13	17	19	20	39	30	19	18	12	3	-	-	2
9	15	13	13	17	11	24	24	27	36	30	31	27	9	4	3	-	3
5	5	8	7	7	11	14	13	18	38	30	19	18	12	3	-	-	4
7	11	10	11	13	7	21	21	26	34	28	29	27	9	4	3	-	5
-	1	-	-	-	2	2	3	2	1	-	-	-	-	-	-	-	6
2	4	2	2	3	4	3	3	1	2	1	1	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
20	16	22	22	48	62	84	126	133	155	149	141	86	35	8	-	-	11
13	10	18	17	32	34	60	81	84	87	74	65	41	17	1	-	-	12
7	6	4	5	16	28	24	45	49	68	75	76	45	13	7	-	-	13
12	8	17	15	25	32	51	73	72	78	68	61	40	16	1	-	-	14
7	6	4	5	14	21	22	41	46	63	71	71	44	16	7	-	-	15
-	-	1	1	6	2	5	5	6	5	3	2	1	16	1	-	-	16
-	-	-	-	1	6	2	3	1	1	1	4	1	-	-	-	-	17
-	-	-	-	1	6	2	3	1	1	1	4	1	-	-	-	-	18
-	-	-	-	1	1	1	-	1	1	-	-	-	-	-	-	-	19
-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
104	125	191	356	415	499	525	481	372	330	247	214	166	130	60	18	1	22
83	88	133	243	300	359	384	366	272	247	155	114	60	45	19	4	1	23
21	37	58	113	140	141	115	100	83	83	92	100	106	85	41	14	1	24
48	40	67	153	205	279	308	312	227	205	135	98	57	42	16	4	2	25
9	19	30	55	80	101	108	106	84	73	83	96	95	80	41	13	1	26
29	42	59	73	78	69	64	40	34	29	16	13	3	3	2	-	-	27
9	14	25	54	26	35	26	7	14	4	7	2	10	4	-	1	-	28
1	2	2	7	4	4	3	6	4	5	-	-	-	-	-	-	-	29
2	4	2	2	1	2	4	1	-	1	-	-	-	1	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	3	4	15	53	61	66	71	32	9	1	33
-	-	-	-	-	-	-	2	1	7	20	23	22	26	9	7	1	34
-	-	-	-	-	-	-	1	-	8	33	38	44	45	23	7	1	35
-	-	-	-	-	-	-	-	-	1	17	19	21	24	8	2	-	36
-	-	-	-	-	-	-	-	-	7	30	36	40	42	23	7	1	37
-	-	-	-	-	-	-	-	-	2	2	4	1	2	1	-	-	38
-	-	-	-	-	-	-	-	-	1	3	-	4	2	-	-	-	39
-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	6	18	61	63	67	68	59	39	29	16	6	7	-	-	-	-	42
-	4	18	54	56	61	64	52	36	28	15	5	6	-	-	-	-	43
-	2	-	7	7	6	4	7	3	1	1	1	1	-	-	-	-	44
-	2	9	35	41	50	54	43	33	23	14	5	6	-	-	-	-	45
-	-	-	2	3	5	3	7	2	1	1	1	-	-	-	-	-	46
-	2	6	15	10	8	6	8	1	1	-	-	-	-	-	-	-	47
-	2	-	5	2	1	1	-	1	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
10	11	11	16	15	24	48	78	85	65	75	82	78	51	25	8	-	52
7	5	6	10	9	14	17	35	40	31	38	31	25	14	8	2	-	53
3	6	5	6	6	10	10	31	45	37	37	51	53	37	17	6	-	54
7	2	5	9	5	10	14	27	30	24	33	25	23	13	7	2	-	55
1	3	3	4	5	2	26	39	38	30	35	49	47	35	17	5	-	56
-	3	-	1	3	2	2	6	7	8	7	5	5	3	5	2	-	57
2	2	2	2	-	1	4	3	6	1	1	2	2	2	-	-	-	58
-	-	-	-	-	1	-	-	-	-	-	1	5	2	-	1	-	59
-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
28	59	118	247	312	383	391	318	216	200	90	46	7	5	-	-	-	63
25	43	82	158	220	272	293	264	184	174	79	44	5	3	-	-	-	64
3	16	36	89	92	111	98	54	32	26	11	2	2	2	-	-	-	65
13	40	100	148	208	230	230	152	147	68	39	5	3	-	-	-	-	66
1	6	16	41	66	75	71	50	25	23	8	2	2	2	-	-	-	67
10	23	39	45	61	58	56	24	25	20	9	3	-	-	-	-	-	68
-	7	17	45	22	32	21	3	6	2	2	-	-	-	-	-	-	69
-	2	2	7	4	3	3	4	3	4	-	-	-	-	-	-	-	70
2	3	2	2	-	2	4	1	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
17	8	10	16	10	8	13	8	7	5	5	6	2	1	-	-	-	73
11	3	6	9	7	5	5	5	1	1	1	3	1	1	-	-	-	74
6	5	6	7	7	3	5	5	6	4	4	3	1	-	-	-	-	75
10	2	4	6	7	5	8	5	1	1	1	3	1	1	-	-	-	76
5	4	4	5	3	3	5	3	5	4	3	3	1	-	-	-	-	77
-	1	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	78
1	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
49	41	34	16	15	17	5	15	21	16	8	13	6	2	3	1	-	82
40	33	21	12	8	7	2	8	10	6	2	8	1	1	2	-	-	83
9	8	13	4	7	10	3	7	11	6	5	5	1	1	1	-	-	84
18	17	7	2	4	6	2	7	10	4	2	7	1	1	1	1	-	85
2	6	7	3	3	9	3	6	11	8	6	5	4	1	1	1	-	86
19	13	14	10	4	1	-	-	-	1	-	1	-	-	1	-	-	87
6	2	6	1	2	1	-	1	-	-	-	-	1	-	-	-	-	88
1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
542	723	1,080	1,842	3,087	4,481	7,089	10,099	14,685	22,114	31,681	38,254	36,907	25,436	10,484	2,465	338	77
289	375	548	903	1,512	2,236	3,867	5,692	8,058	11,832	16,108	18,111	15,748	9,960	3,707	734	98	35
253	348	532	939	1,575	2,245	3,222	4,407	6,627	10,282	15,573	20,143	21,159	15,476	6,777	1,731	240	42
207	278	381	616	1,017	1,559	2,731	4,272	6,191	9,455	13,717	16,164	14,321	9,195	3,376	654	65	16
194	237	359	578	969	1,497	2,101	3,038	4,625	7,971	13,086	17,916	19,423	14,407	6,305	1,545	177	25
68	79	142	259	424	598	984	1,194	1,822	1,921	1,822	1,365	973	483	234	57	29	15
54	99	152	326	533	647	1,000	1,208	1,769	1,938	1,921	1,586	1,115	623	293	135	57	109
3	6	3	8	8	11	25	63	70	80	84	105	78	51	11	8	1	101
1	5	8	3	12	26	18	18	43	33	53	48	43	28	14	4	1	102

SECTION 1 - MORTALITY

Age Groups, Race, and Sex: United States, 1963-Con.

the International Lists, 1955. For complete category titles, see table 1-22. Figures by race-exclude data for residents of New Jersey; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	1
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	2
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	3
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	4
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	5
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	6
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	7
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	8
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	9
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	10
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	11
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	12
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	13
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	14
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	15
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	16
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	17
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	18
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	19
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	20
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	21
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	22
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	23
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	24
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	25
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	26
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	27
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	28
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	29
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	30
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	31
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	32
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	33
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	34
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	35
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	36
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	37
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	38
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	39
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	40
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	41
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	42
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	43
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	44
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	45
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	46
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	47
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	48
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	49
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	50
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	51
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	52
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	53
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	54
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	55
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	56
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	57
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	58
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	59
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	60
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	61
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	62
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	63
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	64
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	65
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	66
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	67
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	68
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	69
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	70
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	71
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	72
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	73
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	74
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	75
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	76
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	77
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	78
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	79
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	80
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	81
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	82
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	83
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	84
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	85
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	86
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	87
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	88
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	89
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	90
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	91
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	92
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	93
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	94
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	95
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	96
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	97
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	98
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	99
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	100
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	101
-	1	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	102

SECTION I - MORTALITY

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of

CAUSE OF DEATH, RACE, AND SEX		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	HEART DISEASE--CON.										
2	HYPERTENSIVE HEART DISEASE--CON.										
3	HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	13,697	-	-	-	-	-	-	1	2	2
4	MALE.....	6,693	-	-	-	-	-	-	1	1	-
5	FEMALE.....	7,004	-	-	-	-	-	-	-	1	2
6	WHITE.....	5,388	-	-	-	-	-	1	1	-	-
7	MALE.....	5,634	-	-	-	-	-	-	-	-	-
8	FEMALE.....	1,092	-	-	-	-	-	-	-	-	-
9	NEGRO.....	1,143	-	-	-	-	-	-	-	1	2
10	MALE.....	34	-	-	-	-	-	-	-	-	-
11	FEMALE.....	24	-	-	-	-	-	-	-	-	-
12	OTHER.....										
13	MALE.....										
14	FEMALE.....										
15	OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	47,400	-	-	-	-	-	-	-	2	12
16	MALE.....	19,639	-	-	-	-	-	-	-	1	3
17	FEMALE.....	27,761	-	-	-	-	-	-	-	1	9
18	WHITE.....	13,680	-	-	-	-	-	-	-	1	1
19	MALE.....	20,474	-	-	-	-	-	-	-	1	4
20	FEMALE.....	5,049	-	-	-	-	-	-	-	-	2
21	NEGRO.....	6,140	-	-	-	-	-	-	-	-	3
22	MALE.....	199	-	-	-	-	-	-	-	-	-
23	FEMALE.....	114	-	-	-	-	-	-	-	-	-
24	OTHER.....										
25	MALE.....										
26	FEMALE.....										
27	OTHER HYPERTENSIVE DISEASE.....444-447	12,694	2	-	-	-	2	4	1	4	10
28	MALE.....	6,383	1	-	-	-	2	3	-	-	6
29	FEMALE.....	6,311	1	-	-	-	1	1	1	4	4
30	WHITE.....	4,852	-	-	-	-	2	2	-	-	3
31	MALE.....	4,992	1	-	-	-	-	1	1	4	3
32	FEMALE.....	1,295	1	-	-	-	-	1	-	-	2
33	NEGRO.....	1,108	-	-	-	-	-	-	-	-	1
34	MALE.....	38	-	-	-	-	-	-	-	-	-
35	FEMALE.....	28	-	-	-	-	-	-	-	-	-
36	OTHER.....										
37	MALE.....										
38	FEMALE.....										
39	HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	7,199	1	-	-	-	-	1	-	2	3
40	MALE.....	3,987	1	-	-	-	-	1	-	-	2
41	FEMALE.....	3,212	-	-	-	-	-	-	-	2	1
42	WHITE.....	3,326	-	-	-	-	-	-	-	2	1
43	MALE.....	2,714	-	-	-	-	-	-	-	2	-
44	FEMALE.....	518	1	-	-	-	-	1	-	-	-
45	NEGRO.....	377	-	-	-	-	-	-	-	-	1
46	MALE.....	21	-	-	-	-	-	-	-	-	-
47	FEMALE.....	18	-	-	-	-	-	-	-	-	-
48	OTHER.....										
49	MALE.....										
50	FEMALE.....										
51	ESSENTIAL HYPERTENSION AND OTHER HYPERTENSIVE DISEASE WITHOUT MENTION OF HEART.....444,445,447	5,495	1	-	-	-	2	3	1	2	7
52	MALE.....	2,396	-	-	-	-	2	2	-	-	4
53	FEMALE.....	3,099	1	-	-	-	1	1	1	2	3
54	WHITE.....	1,526	-	-	-	-	2	2	-	-	2
55	MALE.....	2,278	1	-	-	-	1	1	1	2	3
56	FEMALE.....	777	-	-	-	-	-	-	-	-	2
57	NEGRO.....	731	-	-	-	-	-	-	-	-	-
58	MALE.....	17	-	-	-	-	-	-	-	-	-
59	FEMALE.....	10	-	-	-	-	-	-	-	-	-
60	OTHER.....										
61	MALE.....										
62	FEMALE.....										
63	DISEASES OF ARTERIES.....450-456	51,082	10	4	1	-	-	15	9	33	62
64	MALE.....	26,331	3	3	1	-	-	7	4	10	12
65	FEMALE.....	24,751	7	1	-	-	-	8	5	23	50
66	WHITE.....	23,483	3	2	1	-	-	6	3	8	11
67	MALE.....	22,045	4	-	-	-	-	4	4	15	30
68	FEMALE.....	1,948	-	1	-	-	-	1	-	1	1
69	NEGRO.....	1,859	2	-	-	-	-	2	1	6	18
70	MALE.....	122	-	-	-	-	-	-	1	-	-
71	FEMALE.....	79	1	-	-	-	-	1	-	1	2
72	OTHER.....										
73	MALE.....										
74	FEMALE.....										
75	GENERAL ARTERIOSCLEROSIS.....450	37,429	1	-	-	-	-	1	-	-	1
76	MALE.....	17,152	1	-	-	-	-	1	-	-	-
77	FEMALE.....	20,277	-	-	-	-	-	-	-	-	1
78	WHITE.....	15,294	1	-	-	-	-	1	-	-	-
79	MALE.....	18,286	-	-	-	-	-	-	-	-	1
80	FEMALE.....	1,337	-	-	-	-	-	-	-	-	-
81	NEGRO.....	1,339	-	-	-	-	-	-	-	-	-
82	MALE.....	63	-	-	-	-	-	-	-	-	-
83	FEMALE.....	45	-	-	-	-	-	-	-	-	-
84	AORTIC ANEURYSM, NONSYPHILITIC, AND DISSECTING ANEURYSM.....451	10,158	-	-	-	-	-	-	1	2	4
85	MALE.....	7,370	-	-	-	-	-	-	1	1	3
86	FEMALE.....	2,788	-	-	-	-	-	-	-	1	1
87	WHITE.....	6,634	-	-	-	-	-	-	1	1	2
88	MALE.....	2,438	-	-	-	-	-	-	-	1	1
89	FEMALE.....	421	-	-	-	-	-	-	-	-	1
90	NEGRO.....	226	-	-	-	-	-	-	-	-	-
91	MALE.....	51	-	-	-	-	-	-	-	-	-
92	FEMALE.....	19	-	-	-	-	-	-	-	-	-
93	GANGRENE OF UNSPECIFIED CAUSE.....455	248	1	-	-	-	-	1	-	-	-
94	MALE.....	135	1	-	-	-	-	1	-	-	-
95	FEMALE.....	113	-	-	-	-	-	-	-	-	-
96	WHITE.....	107	1	-	-	-	-	1	-	-	-
97	MALE.....	79	-	-	-	-	-	-	-	-	-
98	FEMALE.....	26	-	-	-	-	-	-	-	-	-
99	NEGRO.....	25	-	-	-	-	-	-	-	-	-
100	MALE.....	1	-	-	-	-	-	-	-	-	-
101	FEMALE.....										
102	OTHER ARTERIAL DISEASES.....452-454,456	3,247	8	4	1	-	-	13	8	31	57
	MALE.....	1,674	1	3	1	-	-	5	3	9	9
	FEMALE.....	1,573	7	1	-	-	-	8	5	22	48
	WHITE.....	1,448	1	2	1	-	-	4	2	7	9
	MALE.....	1,242	4	-	-	-	-	4	4	14	28
	FEMALE.....	164	-	1	-	-	-	1	-	1	-
	NEGRO.....	269	2	-	-	-	-	2	1	6	18
	MALE.....	8	-	-	-	-	-	-	1	-	-
	FEMALE.....	14	1	-	-	-	-	1	-	1	2

SECTION 1 - MORTALITY

Age Groups, Race, and Sex: United States, 1963-Con.

the International Lists, 1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey; see Technical Appendix)

Table with 18 columns representing age groups (20-24 years to 100 and over) and a 'Not stated' column. The rows contain numerical data for each age group, with values generally increasing with age. The table is organized into 18 columns and approximately 100 rows.

SECTION I - MORTALITY

Age Groups, Race, and Sex: United States, 1963-Con.

the International Lists, 1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey; see Technical Appendix)

Table with 18 columns: 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 and over, Not stated. The table contains numerical data for each age group across various categories.

SECTION 1 - MORTALITY

Age Groups, Race, and Sex: United States, 1963-Con.

the International Lists, 1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
318	522	1,055	2,095	3,331	4,877	6,201	6,619	7,054	8,000	8,107	7,589	5,557	3,411	1,194	262	29	18	1
159	275	574	1,201	1,981	2,970	3,944	4,383	4,594	5,086	4,835	4,187	2,639	1,394	482	81	13	2	2
159	247	481	894	1,350	1,907	2,257	2,236	2,460	2,914	3,272	3,402	2,918	2,017	712	181	16	9	3
116	181	377	852	1,549	2,488	3,370	3,783	3,938	4,502	4,353	3,828	2,452	1,308	448	69	8	4	4
127	138	277	651	1,004	1,537	1,836	1,857	2,067	2,536	2,928	3,138	2,748	1,892	677	169	12	5	5
33	71	160	272	334	340	380	405	399	368	260	184	86	42	18	7	4	7	7
26	84	166	179	266	270	284	260	277	256	200	140	80	61	17	8	3	2	8
5	8	10	16	17	22	28	31	46	33	45	33	28	16	6	1	1	1	9
2	15	21	19	25	15	28	16	17	12	21	13	10	7	-	-	-	-	10
3	3	1	3	5	6	6	4	7	8	2	4	3	2	-	-	-	-	11
1	1	1	2	2	2	3	3	3	5	2	3	1	1	-	-	-	-	12
2	2	-	1	1	2	3	3	4	3	-	-	-	-	-	-	-	-	13
1	1	-	2	2	2	2	3	2	2	1	3	-	1	-	-	-	-	14
2	1	-	1	2	1	3	1	2	3	-	1	-	1	-	-	-	-	15
1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
20	28	55	110	198	293	470	542	725	873	927	927	613	341	126	18	4	2	21
13	20	37	66	135	219	353	424	556	646	650	626	353	177	62	9	1	2	22
7	8	18	44	63	74	117	118	169	227	277	301	260	164	64	9	3	1	23
9	17	24	49	107	173	300	356	462	565	588	564	332	169	62	9	1	1	24
5	7	10	35	47	60	93	99	142	194	250	283	248	154	59	9	3	1	25
4	3	12	21	35	43	61	43	61	47	37	28	6	5	-	-	-	-	26
2	1	7	4	11	7	16	15	19	22	15	6	4	3	-	-	-	-	27
-	-	-	1	2	1	3	3	7	5	6	6	1	-	-	-	-	-	28
-	-	1	-	-	-	1	2	3	3	5	6	6	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
12	30	60	115	185	323	425	493	674	793	833	821	563	326	101	13	3	2	32
7	27	45	91	141	248	334	402	540	627	653	611	364	189	63	6	2	2	33
5	3	15	24	44	75	91	91	134	166	180	210	199	137	38	7	1	1	34
4	18	38	74	113	211	290	357	479	573	603	568	346	178	61	6	2	1	35
5	2	11	19	39	59	76	73	112	152	158	198	192	126	37	7	1	1	36
3	6	4	12	22	24	30	27	34	38	22	16	10	5	-	-	-	-	37
1	1	3	4	7	14	11	15	15	9	15	7	1	5	1	-	-	-	38
-	-	-	1	1	1	2	1	6	3	6	5	2	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
7	2	11	18	19	22	29	45	26	49	42	54	53	20	14	4	-	-	42
4	-	7	12	10	14	21	33	16	32	28	31	22	4	2	3	-	-	43
1	-	4	6	9	8	12	10	10	17	14	23	31	16	12	1	-	-	44
2	-	7	9	11	15	28	28	12	28	28	28	20	2	1	3	-	-	45
2	-	2	3	7	7	10	10	16	11	22	31	14	12	1	-	-	-	46
2	-	3	1	3	3	6	3	1	2	-	1	1	1	1	-	-	-	47
2	-	2	1	2	1	1	1	1	1	3	-	-	1	-	-	-	-	48
-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	49
-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	50
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
28	35	30	51	65	73	95	146	151	178	218	223	130	83	24	4	1	1	52
17	17	16	28	46	47	60	94	97	116	143	135	73	39	13	2	1	1	53
13	18	14	23	19	26	35	52	54	62	75	88	57	44	11	2	-	-	54
11	13	13	19	34	39	42	66	74	99	125	116	65	37	10	1	-	-	55
10	10	10	19	9	20	24	39	39	52	69	77	50	41	11	2	-	-	56
1	1	2	8	8	7	14	26	19	15	9	16	5	1	1	-	-	-	57
3	5	3	4	6	5	8	10	12	9	4	8	5	2	1	-	-	-	58
1	2	1	1	1	1	1	1	1	1	1	2	1	1	1	-	-	-	59
-	1	1	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	60
30	36	71	112	180	259	429	607	764	1,019	1,389	1,490	1,288	829	265	77	8	4	61
12	15	28	39	82	109	202	322	399	525	698	657	545	297	93	15	6	2	62
18	21	43	73	98	150	227	285	365	494	691	835	743	532	172	62	2	2	63
7	6	17	28	59	84	160	248	323	443	635	589	494	275	82	11	4	-	64
14	15	26	61	54	112	166	225	296	417	598	772	692	502	163	59	1	-	65
4	5	10	8	19	24	37	63	58	57	61	51	25	14	5	3	1	2	66
2	2	13	11	36	33	49	56	63	63	39	26	16	2	2	1	-	-	67
-	-	1	-	-	-	1	2	2	2	9	-	4	3	-	-	-	-	68
-	-	-	-	-	-	-	3	3	-	1	2	1	3	-	-	-	-	69
18	11	20	33	41	46	73	82	104	148	180	225	181	163	62	20	2	1	70
10	5	6	17	25	23	38	46	57	70	100	98	71	61	21	6	1	1	71
8	6	14	16	23	23	35	36	47	78	80	127	110	102	41	14	1	1	72
6	3	4	15	19	17	31	38	47	53	79	85	66	55	19	6	1	1	73
3	4	11	13	12	28	28	38	38	67	70	109	104	98	37	12	1	1	74
8	2	2	6	4	4	4	7	7	15	15	8	3	5	1	1	-	-	75
3	2	3	3	2	8	6	6	9	8	3	13	5	4	3	2	-	-	76
1	-	-	-	-	-	1	-	-	1	1	1	-	-	1	-	-	-	77
-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	78
42	50	46	66	106	186	208	272	344	442	548	550	440	256	109	22	-	-	79
22	28	26	35	68	99	114	154	175	215	244	235	148	74	32	3	-	-	80
20	22	20	31	38	87	94	118	169	227	304	319	292	182	77	19	-	-	81
21	24	23	31	65	93	100	138	162	197	223	220	137	68	29	3	-	-	82
19	19	18	27	33	75	81	99	140	200	282	285	278	168	65	16	-	-	83
-	3	2	3	2	6	3	12	6	12	11	5	6	1	1	-	-	-	84
1	2	-	-	-	4	9	10	16	15	14	14	4	7	5	3	-	-	85
-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	86
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	87
48	176	549	1,178	1,929	2,924	3,485	3,184	2,787	2,540	1,715	1,046	500	212	38	10	2	5	88
23	94	298	696	1,132	1,777	2,233	2,198	1,937	1,830	1,149	669	289	109	17	7	2	1	89
25	82	251	482	797	1,147	1,252	986	850	710	566	377	211	103	21	3	2	4	90
19	55	182	476	880	1,501	1,942	1,935	1,676	1,646	1,055	608	267	105	16	6	1	1	91
14	26	128	336	604	951	1,035	847	734	632	511	351	200	94	21	3	1	2	92
4	31	94	171	189	181	170	155	129	93	34	20	8	1	1	1	-	-	93

SECTION 1 - MORTALITY

Age Groups, Race, and Sex: United States, 1963-Con.

the International Lists, 1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
36	104	326	673	1,114	1,719	2,163	2,067	1,944	1,834	1,363	858	442	192	35	9	2	1	
19	49	183	395	636	1,028	1,386	1,376	1,308	1,259	864	519	249	97	15	6	-	2	
17	55	143	278	478	691	777	691	636	575	499	339	193	95	20	3	2	3	
17	31	111	271	492	863	1,200	1,201	1,131	1,133	790	470	231	93	14	5	-	6	
12	19	71	203	361	582	638	590	550	513	453	314	183	88	20	3	1	7	
2	16	57	99	106	105	106	99	84	67	25	14	5	1	1	1	-	8	
4	28	60	54	92	69	81	55	50	27	21	10	3	5	-	-	-	9	
1	1	1	4	8	8	13	16	19	7	10	9	2	2	-	-	-	10	
6	7	6	6	4	5	7	2	7	2	3	2	-	-	-	-	1	11	
12	72	223	505	815	1,205	1,322	1,117	843	705	352	188	58	20	3	1	-	12	
4	45	115	301	496	749	847	822	629	571	285	150	40	12	2	1	-	13	
8	27	108	204	319	456	475	295	214	135	67	38	18	8	1	-	-	14	
2	24	71	205	388	638	742	734	545	513	265	138	36	12	2	1	-	15	
2	7	57	133	243	369	397	257	184	119	58	37	17	6	1	-	-	16	
2	15	37	72	83	76	64	56	45	26	9	6	3	-	-	-	-	17	
4	14	39	57	51	66	47	28	19	12	5	1	1	-	-	-	-	18	
1	2	5	6	2	9	6	6	8	7	1	-	1	-	-	-	-	19	
1	5	9	8	13	8	11	-	-	1	-	-	1	-	-	-	-	20	
15	17	27	53	77	92	172	255	421	604	776	839	689	433	166	30	3	1	
2	3	7	17	27	39	81	111	181	259	347	347	265	145	63	8	-	21	
13	14	20	36	50	59	91	144	240	345	429	492	424	288	103	22	3	2	
1	3	5	14	23	35	68	107	169	236	321	329	249	139	61	7	-	22	
13	10	14	25	38	44	76	114	209	299	381	454	397	275	102	20	3	1	
-	-	1	1	3	3	7	2	6	13	9	5	4	2	1	-	-	23	
-	2	4	6	9	6	7	17	21	28	21	11	8	5	1	1	-	24	
1	1	1	2	1	-	1	1	1	-	6	3	6	3	-	-	-	25	
1	1	2	1	1	-	2	2	2	3	6	4	2	1	-	-	-	26	
18	6	1	-	4	-	-	1	-	-	1	-	-	-	-	-	-	27	
11	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	28	
7	4	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	29	
11	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	30	
6	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	31	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41	
77	128	184	356	522	653	809	988	1,051	1,346	1,476	1,410	1,097	746	289	64	6	2	
40	61	103	198	310	393	505	595	633	761	819	775	509	298	116	22	2	4	
37	67	81	158	212	260	304	393	418	585	657	635	588	448	173	42	4	1	
26	37	64	137	236	322	419	506	532	657	715	718	476	279	102	17	1	4	
29	40	47	114	157	196	247	322	345	504	597	586	553	419	170	40	2	1	
11	20	33	52	62	53	66	68	77	76	61	34	18	8	7	3	1	4	
8	23	29	35	49	49	50	54	58	62	36	31	22	12	2	2	2	4	
2	1	1	-	2	2	2	3	4	6	7	6	5	4	1	1	-	5	
-	2	-	1	4	5	1	5	2	1	5	3	-	3	-	-	-	5	
384	454	576	781	1,047	1,283	1,707	2,157	2,508	3,330	4,015	4,264	3,820	2,516	985	246	40	14	
201	256	254	356	487	640	924	1,232	1,431	2,021	2,535	2,749	2,499	1,603	631	152	17	8	
183	198	322	425	560	643	783	925	1,077	1,309	1,480	1,515	1,321	913	354	94	23	6	
147	202	173	236	326	436	622	891	1,008	1,479	1,984	2,311	2,173	1,438	551	138	11	3	
127	130	186	243	325	433	488	640	769	985	1,205	1,289	1,185	833	311	81	11	5	
46	39	62	104	144	173	256	246	249	265	213	163	91	59	64	13	6	5	
47	57	120	159	201	173	258	246	249	265	213	163	91	59	64	13	6	5	
3	5	8	5	9	9	14	15	14	14	23	21	11	5	3	-	-	60	
3	3	5	9	9	5	12	8	14	14	9	5	7	5	3	-	-	61	
272	321	336	459	572	717	928	1,059	1,028	1,244	1,391	1,355	1,154	805	295	78	13	6	
161	214	185	268	316	420	553	646	572	659	781	738	608	398	148	33	3	3	
111	107	151	191	256	297	375	413	456	585	610	617	546	407	147	43	10	3	
118	170	126	183	219	288	373	489	411	476	593	607	506	346	118	30	3	6	
83	69	91	112	157	201	221	276	313	412	475	511	471	363	123	36	1	6	
36	33	47	73	85	111	148	134	120	153	155	102	82	46	27	5	2	3	
21	31	51	69	87	80	134	117	121	144	112	82	54	33	15	5	8	1	
2	4	6	3	4	5	10	8	13	6	9	9	4	1	-	-	-	71	
2	2	3	5	5	1	6	2	5	6	-	1	3	2	-	-	-	72	
22	28	22	26	39	32	47	41	54	62	65	45	51	27	10	4	-	73	
11	18	10	11	22	18	32	29	31	36	35	26	23	10	5	1	-	74	
11	10	12	15	17	14	15	12	23	26	30	19	28	17	5	3	-	75	
7	16	7	6	12	8	24	21	22	23	27	22	18	5	5	1	-	76	
6	3	7	8	11	11	11	9	16	18	23	16	25	14	5	3	-	77	
4	1	3	5	7	9	5	5	6	7	6	3	5	5	-	-	-	78	
4	7	5	6	6	3	2	3	7	7	6	1	3	3	-	-	-	79	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80	
21	16	15	39	34	42	44	70	65	60	80	74	34	28	11	2	-	81	
9	10	8	19	23	26	27	43	39	34	45	45	14	18	9	2	-	82	
12	6	7	20	11	16	17	27	26	26	35	29	20	10	2	-	-	83	
7	9	6	12	15	16	25	34	30	19	35	36	12	18	8	2	-	84	
8	3	6	15	8	11	12	23	21	21	28	21	15	10	2	-	-	85	
2	1	2	7	7	9	1	7	8	12	8	6	1	-	-	-	-	86	
4	3	1	4	3	3	5	5	4	4	7	-	2	-	-	-	-	87	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
229	277	299	394	499	643	837	948	909	1,122	1,246	1,236	1,069	750	274	72	13	6	
141	186	167	238	271	376	494	574	502	589	701	667	571	370	134	32	3	3	
88	91	132	156	228	267	343	374	407	533	545	569	498	380	140	40	10	3	
104	145	113	165	192	264	324	434	359	434	531	549	476	323	105	27	3	3	
69	63	78	89	138	179	198	244	276	373	424	474	431	339	116	33	1	2	
30	31	42	61	71	93	142	121	105	131	141	93	76	41	26	5	-	94	
13</																		

SECTION 1 - MORTALITY

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
OTHER DISEASES OF MUSCULOSKELETAL SYSTEM.....731-736,738-744,0,744,2	801	29	2	4	2	-	37	9	7	10
MALE.....	356	17	2	1	1	-	21	2	4	2
FEMALE.....	445	12	-	3	1	-	16	7	3	8
WHITE.....MALE.....	305	15	1	-	1	-	17	2	2	2
FEMALE.....	390	12	-	2	-	-	14	3	2	5
NEGRO.....MALE.....	35	2	1	1	-	-	4	3	2	-
FEMALE.....	37	-	-	1	1	-	2	3	1	3
OTHER.....MALE.....	-	-	-	-	-	-	-	-	-	-
FEMALE.....	3	-	-	-	-	-	-	1	-	-
XIV. CONGENITAL MALFORMATIONS.....	20,817	14,581	873	447	272	211	16,384	634	429	415
MALE.....	11,209	7,943	425	234	130	91	8,823	341	247	241
FEMALE.....	9,608	6,638	448	213	142	120	7,561	293	182	174
WHITE.....MALE.....	9,344	6,603	345	182	105	74	7,309	280	212	202
FEMALE.....	8,008	5,570	341	156	112	92	6,271	235	154	137
NEGRO.....MALE.....	1,357	966	67	42	18	16	1,109	44	28	25
FEMALE.....	1,198	798	85	42	23	22	970	43	18	31
OTHER.....MALE.....	133	101	5	5	3	1	115	6	1	-
FEMALE.....	104	68	7	3	2	1	81	6	2	1
SPINA BIFIDA AND MENINGOCELE.....751	1,546	1,337	79	23	17	13	1,469	25	18	11
MALE.....	684	583	33	13	7	6	642	15	10	5
FEMALE.....	862	754	46	10	10	7	827	10	8	6
WHITE.....MALE.....	606	512	29	13	7	6	567	13	10	4
FEMALE.....	777	677	42	10	10	7	746	8	8	5
NEGRO.....MALE.....	44	39	3	-	-	-	42	2	-	-
FEMALE.....	55	49	2	-	-	-	51	2	-	1
OTHER.....MALE.....	7	7	-	-	-	-	7	-	-	-
FEMALE.....	5	4	1	-	-	-	5	-	-	-
CONGENITAL HYDROCEPHALUS, ETC.....752,753	1,971	1,237	181	125	73	41	1,657	117	66	41
MALE.....	1,059	659	99	74	35	21	888	66	37	20
FEMALE.....	912	578	82	51	38	20	769	51	29	21
WHITE.....MALE.....	870	538	87	56	29	16	726	57	28	16
FEMALE.....	752	488	63	35	32	18	636	40	24	14
NEGRO.....MALE.....	146	90	9	16	3	2	123	7	9	3
FEMALE.....	128	71	14	12	5	2	104	11	4	5
OTHER.....MALE.....	13	9	1	-	2	-	12	1	-	-
FEMALE.....	10	8	1	-	1	-	10	-	-	-
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	10,465	7,060	454	245	148	131	8,038	415	265	299
MALE.....	5,771	4,030	215	120	69	52	4,486	213	152	172
FEMALE.....	4,694	3,030	239	125	79	79	3,552	202	113	127
WHITE.....MALE.....	4,798	3,340	163	93	54	44	3,696	172	130	169
FEMALE.....	3,818	2,473	173	93	58	55	2,852	162	98	101
NEGRO.....MALE.....	710	497	44	21	12	7	581	29	15	16
FEMALE.....	665	423	57	24	15	18	537	27	9	22
OTHER.....MALE.....	68	49	4	3	1	1	58	3	1	-
FEMALE.....	55	33	4	1	1	1	40	6	2	1
OTHER CONGENITAL MALFORMATIONS.....750,755-759	6,835	4,947	159	54	34	26	5,220	77	80	64
MALE.....	3,695	2,671	78	27	19	12	2,807	47	48	44
FEMALE.....	3,140	2,276	81	27	15	14	2,413	30	32	20
WHITE.....MALE.....	3,070	2,213	66	20	15	8	2,322	38	44	33
FEMALE.....	2,661	1,932	63	18	12	12	2,037	25	24	17
NEGRO.....MALE.....	457	340	11	5	3	4	363	6	4	6
FEMALE.....	350	255	12	6	3	2	278	3	5	3
OTHER.....MALE.....	45	36	-	2	-	-	38	2	-	-
FEMALE.....	34	23	1	2	-	-	26	-	-	-
XV. CERTAIN DISEASES OF EARLY INFANCY.....	62,688	62,664	4	6	2	-	62,676	5	4	2
MALE.....	36,902	36,887	3	6	2	-	36,898	2	1	-
FEMALE.....	25,786	25,777	1	-	-	-	25,778	3	3	2
WHITE.....MALE.....	27,112	27,102	3	2	1	-	27,108	2	1	-
FEMALE.....	18,694	18,486	-	-	-	-	18,486	3	2	-
NEGRO.....MALE.....	7,996	7,992	-	3	1	-	7,996	-	-	-
FEMALE.....	6,111	6,110	1	-	-	-	6,111	-	-	-
OTHER.....MALE.....	539	539	-	-	-	-	539	-	-	-
FEMALE.....	323	323	-	-	-	-	323	-	-	-
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS.....	22,420	2,533	194	95	64	46	2,932	114	102	184
MALE.....	13,131	1,457	111	52	35	22	1,677	64	46	117
FEMALE.....	9,289	1,076	83	43	29	24	1,255	50	56	67
WHITE.....MALE.....	8,608	596	46	20	14	10	686	37	31	88
FEMALE.....	5,756	430	30	20	10	11	501	28	38	47
NEGRO.....MALE.....	4,193	820	58	30	20	10	938	21	14	24
FEMALE.....	3,302	608	47	21	18	10	704	20	15	19
OTHER.....MALE.....	198	35	7	2	1	-	45	6	-	1
FEMALE.....	123	32	5	1	1	2	41	-	-	-
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	2,441	-	-	-	-	-	-	-	-	-
MALE.....	995	-	-	-	-	-	-	-	-	-
FEMALE.....	1,446	-	-	-	-	-	-	-	-	-
WHITE.....MALE.....	722	-	-	-	-	-	-	-	-	-
FEMALE.....	1,123	-	-	-	-	-	-	-	-	-
NEGRO.....MALE.....	252	-	-	-	-	-	-	-	-	-
FEMALE.....	289	-	-	-	-	-	-	-	-	-
OTHER.....MALE.....	10	-	-	-	-	-	-	-	-	-
FEMALE.....	12	-	-	-	-	-	-	-	-	-
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	19,979	2,533	194	95	64	46	2,932	114	102	184
MALE.....	12,136	1,457	111	52	35	22	1,677	64	46	117
FEMALE.....	7,843	1,076	83	43	29	24	1,255	50	56	67
WHITE.....MALE.....	7,886	596	46	20	14	10	686	37	31	88
FEMALE.....	4,633	430	30	20	10	11	501	28	38	47
NEGRO.....MALE.....	3,941	820	58	30	20	10	938	21	14	24
FEMALE.....	3,019	608	47	21	18	10	704	20	15	19
OTHER.....MALE.....	188	35	7	2	1	-	45	6	-	1
FEMALE.....	111	32	5	1	1	2	41	-	-	-

SECTION 1 - MORTALITY

Age Groups, Race, and Sex: United States, 1963--Con.

the International Lists, 1955. For complete category titles, see table 1-22. Figures by race exclude data for residents of New Jersey; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated
10	13	12	25	23	35	40	53	66	74	89	106	87	65	32	7	1	-
2	7	7	9	12	27	22	22	38	35	41	43	29	21	10	1	1	-
8	6	5	16	11	8	18	31	28	39	48	63	58	44	22	6	1	-
2	6	5	6	8	19	20	18	32	31	37	40	27	21	8	1	1	-
4	5	5	12	9	7	11	26	24	37	42	60	54	41	22	2	1	-
3	1	-	2	3	2	2	3	4	3	2	3	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
293	227	218	248	300	323	341	262	227	191	140	81	59	31	10	-	1	3
166	114	120	139	166	182	160	133	107	96	74	44	32	17	4	-	1	2
127	113	98	109	134	141	181	129	120	95	66	37	27	14	6	-	-	1
141	100	95	118	144	155	134	117	91	86	68	41	29	17	4	-	1	1
113	93	85	87	110	118	151	118	107	86	63	35	26	12	6	-	-	1
21	12	19	18	13	14	20	11	9	6	4	1	1	-	-	-	-	2
13	17	9	14	18	17	21	9	11	4	-	1	1	1	-	-	-	-
-	-	2	-	1	1	1	2	3	-	1	-	-	-	-	-	-	-
-	1	1	3	-	2	4	-	1	1	1	-	-	-	-	-	-	-
7	3	3	2	2	2	1	1	1	1	-	-	-	-	-	-	-	-
4	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-
3	2	2	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-
4	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
3	2	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	15	8	10	14	13	7	3	-	1	-	-	-	-	-	-	-	-
10	9	2	7	5	9	4	2	-	-	-	-	-	-	-	-	-	-
9	6	6	3	9	4	3	1	-	1	-	-	-	-	-	-	-	-
9	7	2	6	5	8	4	2	-	-	-	-	-	-	-	-	-	-
7	6	5	2	9	4	3	1	-	1	-	-	-	-	-	-	-	-
1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
219	163	161	137	152	137	136	100	77	76	48	18	16	4	1	-	-	3
123	80	88	77	84	69	53	48	44	34	24	11	8	3	-	-	-	2
96	83	73	60	68	68	83	52	42	24	7	8	8	1	1	-	-	1
106	70	67	72	75	60	47	41	37	33	23	11	8	3	-	-	-	1
85	65	64	47	54	58	73	48	31	39	23	7	8	1	1	-	-	1
14	8	15	4	6	6	4	5	4	1	-	-	-	-	-	-	-	2
10	16	6	8	10	7	8	2	2	1	-	-	-	-	-	-	-	-
-	-	2	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-
-	1	-	2	-	-	1	-	1	1	-	-	-	-	-	-	-	-
48	46	46	99	132	171	197	158	149	113	92	63	43	27	9	-	-	1
29	24	29	54	76	102	103	82	62	62	50	33	24	14	4	-	-	1
19	22	17	45	56	69	94	76	87	51	42	30	19	13	5	-	-	-
22	22	25	39	63	85	83	73	53	39	45	30	21	14	4	-	-	1
18	20	15	37	46	56	74	69	76	45	40	28	18	11	5	-	-	-
6	2	4	13	7	8	16	6	5	5	4	1	1	-	-	-	-	-
1	1	1	5	8	10	13	7	9	3	-	1	1	1	-	-	-	-
-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
-	-	1	1	-	2	3	-	1	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
228	280	362	565	846	994	1,384	1,511	1,830	2,066	2,094	2,043	1,868	1,485	983	378	129	62
137	150	202	312	507	643	921	1,040	1,212	1,360	1,282	1,158	981	725	368	128	44	47
91	130	160	253	339	351	453	471	618	686	812	885	887	760	615	250	85	15
88	88	104	200	319	408	653	724	814	933	844	733	647	557	287	88	18	31
53	79	91	133	199	206	252	248	327	366	509	631	690	611	501	187	50	9
42	50	88	104	177	216	256	298	373	402	378	293	225	147	75	36	24	12
35	44	65	108	126	133	191	210	287	309	290	236	180	138	99	55	33	5
1	3	4	5	2	11	13	9	15	15	15	11	16	14	4	3	2	3
-	2	1	8	5	7	6	5	1	3	8	11	7	7	5	4	1	1
-	-	-	-	-	-	-	4	10	24	79	272	430	599	522	237	83	2
-	-	-	-	-	-	-	2	6	12	42	100	190	248	165	78	27	1
-	-	-	-	-	-	-	2	4	12	37	79	148	351	357	159	56	1
-	-	-	-	-	-	-	2	2	2	17	47	87	207	147	60	12	-
-	-	-	-	-	-	-	-	-	-	7	42	104	298	306	135	37	-
-	-	-	-	-	-	-	2	4	10	25	53	34	45	15	16	13	1
-	-	-	-	-	-	-	2	4	12	29	35	39	44	41	19	18	1
-	-	-	-	-	-	-	-	-	-	2	1	2	4	1	2	-	-
-	-	-	-	-	-	-	-	-	-	-	1	1	6	-	-	-	-
228	280	362	565	846	994	1,380	1,501	1,806	1,967	1,915	1,771	1,438	886	461	141	46	60
137	150	202	312	507	643	929	1,034	1,200	1,318	1,182	1,034	791	477	203	50	17	46
91	130	160	253	339	351	451	472	606	649	737	737	647	409	258	91	29	14
88	88	104	200	319	408	653	722	812	916	830	757	592	350	140	28	6	31
53	79	91	133	199	206	252	248	327	359	467	527	496	313	195	52	13	9
42	50	88	104	177	216	254	294	363	377	325	259	180	113	60	20	11	11
35	44	65	108	126	133	189	206	275	280	255	197	141	94	58	36	15	4
1	3	4	5	2	11	13	9	15	15	15	11	14	10	3	2	-	3
-	2	1	8	5	7	6	5	1	3	6	10	6	1	5	2	1	1

SECTION 1 - MORTALITY

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1 ACCIDENTS--CON.										
2 BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE.....E910	1,533	9	19	19	21	20	88	54	47	82
3 MALE.....	1,453	4	12	10	14	12	52	40	45	80
4 FEMALE.....	80	5	7	9	7	8	36	14	2	2
5 WHITE.....MALE.....	1,243	2	9	9	12	12	44	37	41	64
6 FEMALE.....	71	5	6	9	7	7	34	12	2	2
7 NEGRO.....MALE.....	176	2	3	1	1	1	7	3	3	10
8 FEMALE.....	6	-	-	-	-	1	1	1	-	-
9 OTHER.....MALE.....	11	-	-	-	-	-	-	-	-	2
10 FEMALE.....	1	-	1	-	-	-	1	-	-	-
11 ACCIDENT CAUSED BY MACHINERY.....E912	1,985	2	23	26	18	21	90	54	63	133
12 MALE.....	1,890	2	12	21	11	19	65	47	57	130
13 FEMALE.....	75	-	11	5	7	2	25	7	6	3
14 WHITE.....MALE.....	1,659	1	11	18	11	18	59	45	51	109
15 FEMALE.....	72	-	11	5	7	2	25	6	6	3
16 NEGRO.....MALE.....	147	1	1	3	-	1	6	1	3	21
17 FEMALE.....	1	-	-	-	-	-	-	-	-	-
18 OTHER.....MALE.....	15	-	-	-	-	-	-	-	2	-
19 FEMALE.....	1	-	-	-	-	-	-	-	-	-
20 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	878	8	18	12	5	3	46	22	41	77
21 MALE.....	814	3	10	10	3	3	29	15	36	76
22 FEMALE.....	64	5	8	2	2	-	17	7	5	1
23 WHITE.....MALE.....	739	3	10	9	3	2	27	14	32	69
24 FEMALE.....	60	5	8	2	2	-	17	6	5	1
25 NEGRO.....MALE.....	59	-	-	1	-	1	2	1	3	3
26 FEMALE.....	3	-	-	-	-	-	-	1	-	-
27 OTHER.....MALE.....	3	-	-	-	-	-	-	-	-	1
28 FEMALE.....	-	-	-	-	-	-	-	-	-	-
29 ACCIDENT CAUSED BY FIRE AND EXPLOSION OF COMBUSTIBLE MATERIAL..E916	8,172	271	288	258	270	253	1,340	548	210	154
30 MALE.....	4,690	135	158	137	123	120	673	225	117	95
31 FEMALE.....	3,482	136	130	121	147	133	667	323	93	59
32 WHITE.....MALE.....	3,353	58	81	82	65	68	354	135	89	76
33 FEMALE.....	2,253	53	69	66	73	72	333	148	56	32
34 NEGRO.....MALE.....	1,159	70	69	52	54	47	292	77	25	12
35 FEMALE.....	1,091	75	58	48	64	59	304	165	33	22
36 OTHER.....MALE.....	51	2	2	2	1	2	12	4	-	3
37 FEMALE.....	34	3	5	3	5	-	13	2	-	3
38 ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	375	36	68	33	15	7	159	5	-	6
39 MALE.....	216	17	38	22	7	4	88	-	-	3
40 FEMALE.....	159	19	30	11	8	3	71	5	-	3
41 WHITE.....MALE.....	161	12	33	10	6	4	65	-	-	3
42 FEMALE.....	109	14	21	6	4	4	46	3	-	2
43 NEGRO.....MALE.....	46	4	4	12	1	-	21	-	-	1
44 FEMALE.....	43	5	7	5	4	2	23	1	-	1
45 OTHER.....MALE.....	1	-	-	-	-	-	-	-	-	-
46 FEMALE.....	2	-	-	-	-	-	-	1	-	-
47 ACCIDENT CAUSED BY FIREARM.....E919	2,263	14	13	18	25	21	91	155	292	402
48 MALE.....	1,968	5	7	10	18	19	59	114	266	360
49 FEMALE.....	295	9	6	8	7	2	32	41	26	42
50 WHITE.....MALE.....	1,585	4	4	6	11	13	38	82	225	285
51 FEMALE.....	206	8	4	7	6	1	26	30	18	30
52 NEGRO.....MALE.....	335	1	2	4	7	6	20	28	32	65
53 FEMALE.....	80	1	2	1	1	1	6	9	8	11
54 OTHER.....MALE.....	20	-	1	-	-	-	1	3	5	5
55 FEMALE.....	7	-	-	-	-	-	-	1	-	1
56 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT, ETC.....E921,E922	1,949	812	104	50	23	14	1,003	48	28	29
57 MALE.....	1,179	476	62	31	15	7	591	28	21	19
58 FEMALE.....	770	336	42	19	8	7	412	20	7	10
59 WHITE.....MALE.....	930	335	44	21	14	7	421	21	14	16
60 FEMALE.....	593	213	33	11	6	3	266	17	5	10
61 NEGRO.....MALE.....	182	115	12	9	-	-	136	6	4	1
62 FEMALE.....	134	95	7	6	2	3	113	2	1	1
63 OTHER.....MALE.....	25	8	2	1	-	-	11	1	3	1
64 FEMALE.....	12	7	-	2	-	-	9	1	-	-
65 ACCIDENTAL DROWNING.....E929	5,103	78	231	216	148	103	776	595	664	890
66 MALE.....	4,209	37	144	150	104	80	515	468	550	815
67 FEMALE.....	894	41	87	66	44	23	261	127	114	75
68 WHITE.....MALE.....	3,116	35	135	137	94	69	470	350	336	575
69 FEMALE.....	723	36	72	61	43	21	233	97	79	61
70 NEGRO.....MALE.....	917	1	7	5	5	7	25	99	194	208
71 FEMALE.....	125	4	11	2	-	1	18	26	26	10
72 OTHER.....MALE.....	80	-	2	2	3	3	10	7	5	12
73 FEMALE.....	23	1	3	1	1	-	6	1	6	4
74 EXCESSIVE HEAT AND INSOLATION.....E931	196	6	3	1	1	-	11	2	3	7
75 MALE.....	150	3	2	-	-	-	5	1	3	7
76 FEMALE.....	46	3	1	1	1	-	6	1	-	-
77 WHITE.....MALE.....	109	-	2	-	-	-	2	1	3	5
78 FEMALE.....	32	2	1	-	-	-	3	-	-	-
79 NEGRO.....MALE.....	27	1	-	-	-	-	-	-	-	2
80 FEMALE.....	7	1	-	-	-	-	1	-	-	-
81 OTHER.....MALE.....	7	2	-	-	-	-	2	-	-	-
82 FEMALE.....	4	-	-	1	1	-	2	-	-	-
83 COMPLICATIONS DUE TO NONTHERAPEUTIC MEDICAL AND SURGICAL										
84 PROCEDURES, THERAPEUTIC MISADVENTURE, ETC.....E940-E959	1,324	42	9	5	6	7	69	12	5	20
85 MALE.....	603	21	4	3	3	3	34	6	4	13
86 FEMALE.....	721	21	5	2	3	4	35	6	1	7
87 WHITE.....MALE.....	509	17	2	2	2	2	25	4	4	10
88 FEMALE.....	595	13	3	2	3	3	24	5	1	7
89 NEGRO.....MALE.....	82	4	1	1	1	1	8	2	-	1
90 FEMALE.....	96	5	2	-	-	-	8	1	-	-
91 OTHER.....MALE.....	5	-	1	-	-	-	1	-	-	-
92 FEMALE.....	5	1	-	-	-	-	1	-	-	-

SECTION 1 - MORTALITY

Table 1-23. Deaths From 258 Selected Causes, by 5-Year

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
ACCIDENTS--CON.										
ALL OTHER ACCIDENTS.....RESIDUAL	6,569	1,687	172	77	50	40	2,026	185	243	198
MALE.....	4,468	962	97	39	36	27	1,161	130	195	158
FEMALE.....	2,101	725	75	38	14	13	865	55	48	40
WHITE.....MALE.....	3,413	668	70	29	28	20	815	107	172	132
FEMALE.....	1,540	454	53	28	13	12	560	44	41	30
NEGRO.....MALE.....	854	254	23	9	7	4	297	18	13	19
FEMALE.....	477	244	20	9	1	1	275	7	5	9
OTHER.....MALE.....	99	13	3	-	1	1	18	3	4	5
FEMALE.....	42	12	1	1	-	-	14	2	2	-
SUICIDE.....E963,E970-E979	20,825	3	101	617
MALE.....	15,276	3	84	468
FEMALE.....	5,549	-	17	149
WHITE.....MALE.....	14,051	1	77	421
FEMALE.....	5,117	-	13	126
NEGRO.....MALE.....	653	2	6	18
FEMALE.....	191	-	1	18
OTHER.....MALE.....	176	-	1	16
FEMALE.....	53	-	3	1
SUICIDE BY POISONING.....E970-E973	5,785	-	6	133
MALE.....	3,179	-	1	76
FEMALE.....	2,606	-	5	57
WHITE.....MALE.....	2,965	-	1	70
FEMALE.....	2,457	-	4	48
NEGRO.....MALE.....	76	-	-	2
FEMALE.....	60	-	1	8
OTHER.....MALE.....	28	-	-	1
FEMALE.....	16	-	-	-
SUICIDE BY HANGING AND STRANGULATION.....E974	3,057	2	51	123
MALE.....	2,364	2	48	110
FEMALE.....	693	-	3	13
WHITE.....MALE.....	2,098	1	42	99
FEMALE.....	610	-	2	9
NEGRO.....MALE.....	81	1	5	2
FEMALE.....	12	-	1	1
OTHER.....MALE.....	65	-	1	5
FEMALE.....	17	-	1	1
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	9,595	1	36	328
MALE.....	8,251	1	31	260
FEMALE.....	1,344	-	5	68
WHITE.....MALE.....	7,735	-	31	232
FEMALE.....	1,249	-	4	59
NEGRO.....MALE.....	348	1	-	13
FEMALE.....	70	-	-	9
OTHER.....MALE.....	56	-	-	9
FEMALE.....	7	-	1	-
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	2,388	-	8	33
MALE.....	1,482	-	4	22
FEMALE.....	906	-	4	11
WHITE.....MALE.....	1,253	-	3	20
FEMALE.....	801	-	3	10
NEGRO.....MALE.....	148	-	1	1
FEMALE.....	49	-	-	-
OTHER.....MALE.....	27	-	-	1
FEMALE.....	13	-	1	-
HOMICIDE.....E964,E980-E985	9,225	203	48	63	31	44	389	124	101	557
MALE.....	6,921	104	26	36	14	24	204	69	55	427
FEMALE.....	2,304	99	22	27	17	20	185	55	46	130
WHITE.....MALE.....	3,060	71	20	27	12	18	148	48	33	190
FEMALE.....	1,239	67	19	18	14	11	129	37	26	68
NEGRO.....MALE.....	3,650	30	5	8	2	4	49	17	22	227
FEMALE.....	965	27	2	7	3	7	46	15	17	55
OTHER.....MALE.....	80	-	-	1	-	-	3	1	-	3
FEMALE.....	38	-	1	1	-	2	4	1	-	3
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	5,126	11	8	10	11	8	48	45	62	321
MALE.....	3,958	7	5	5	6	6	29	26	32	253
FEMALE.....	1,168	4	3	5	5	2	19	19	30	68
WHITE.....MALE.....	1,828	5	4	3	5	5	22	19	21	117
FEMALE.....	645	4	3	3	4	1	15	12	15	35
NEGRO.....MALE.....	2,034	2	1	2	1	-	6	6	11	128
FEMALE.....	489	-	-	2	1	-	3	6	13	31
OTHER.....MALE.....	42	-	-	-	-	-	1	-	-	2
FEMALE.....	15	-	-	-	-	1	1	-	-	1
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	1,990	8	2	4	3	1	18	9	15	130
MALE.....	1,592	4	1	3	2	-	10	4	11	106
FEMALE.....	398	4	1	1	1	1	8	5	4	24
WHITE.....MALE.....	417	3	1	3	2	-	9	3	7	36
FEMALE.....	147	3	1	1	1	1	7	5	3	11
NEGRO.....MALE.....	1,107	1	-	-	-	-	1	-	4	69
FEMALE.....	231	-	-	-	-	-	1	-	1	10
OTHER.....MALE.....	18	-	-	-	-	-	-	-	-	-
FEMALE.....	8	-	-	-	-	-	-	-	-	1
ASSAULT BY OTHER MEANS.....E964,E980,E983	1,842	184	38	49	17	34	322	70	22	66
MALE.....	1,106	93	20	28	6	18	165	39	10	28
FEMALE.....	736	91	18	21	11	16	157	31	12	38
WHITE.....MALE.....	692	63	15	21	5	13	117	26	5	21
FEMALE.....	447	60	15	14	9	9	107	20	8	22
NEGRO.....MALE.....	374	27	4	6	1	4	42	11	3	14
FEMALE.....	243	26	2	5	2	6	41	9	3	6
OTHER.....MALE.....	18	-	-	1	-	-	2	1	-	1
FEMALE.....	15	-	-	1	-	1	3	1	-	1

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision)

CAUSE OF DEATH	UNITED STATES						
	Total			White		Nonwhite	
	Both sexes	Male	Female	Male	Female	Male	Female
ALL CAUSES.....	1,813,549	1,027,686	785,863	871,994	661,021	120,406	96,256
I. INFECTIVE AND PARASITIC DISEASES.....	19,733	12,924	6,809	9,430	4,834	3,068	1,781
TUBERCULOSIS, ALL FORMS.....001-019	9,311	6,835	2,476	4,923	1,663	1,645	717
TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	8,608	6,427	2,181	4,689	1,510	1,488	590
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	188	98	90	49	39	44	48
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	60	35	25	17	16	17	8
TUBERCULOSIS OF BONES AND JOINTS.....012,013	68	41	27	33	19	7	8
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	161	99	62	75	44	20	14
DISSEMINATED TUBERCULOSIS.....019	226	135	91	60	35	69	49
SYPHILIS AND ITS SEQUELAE.....020-029	2,666	1,904	762	1,307	496	548	250
CONGENITAL SYPHILIS.....020	31	14	17	6	7	8	9
EARLY SYPHILIS.....021	-	-	-	-	-	-	-
ANEURYSM OF AORTA.....022	1,441	1,029	412	823	304	179	98
OTHER CARDIOVASCULAR SYPHILIS.....023	767	544	223	275	109	255	110
TABES DORSALIS.....024	54	46	8	38	6	4	2
GENERAL PARALYSIS OF INSANE.....025	121	82	39	59	33	23	6
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	191	145	46	84	28	59	17
ALL OTHER SYPHILIS.....027-029	61	44	17	22	9	20	8
GONOCOCCAL INFECTION.....030-035	23	15	8	7	3	7	5
TYPHOID FEVER.....040	21	13	8	8	3	5	5
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	72	39	33	31	20	8	12
CHOLERA.....043	-	-	-	-	-	-	-
BRUCELLOSIS.....044	5	4	1	4	1	-	-
DYSENTERY, ALL FORMS.....045-048	294	171	123	98	62	70	60
FOOD POISONING, INFECTION AND INTOXICATION.....049	47	21	26	19	17	2	9
SCARLET FEVER.....050	11	6	5	3	4	2	1
STREPTOCOCCAL SORE THROAT.....051	91	44	47	29	31	13	14
ERYSIPELAS.....052	16	5	11	5	8	-	2
SEPTICEMIA AND PYEMIA.....053	2,359	1,321	1,038	1,009	792	276	220
DIPHTHERIA.....055	45	25	20	15	6	9	13
WHOOPING COUGH.....056	115	52	63	20	27	31	36
MENINGOCOCCAL INFECTIONS.....057	733	396	337	319	263	67	69
PLAGUE.....058	1	1	-	-	-	1	-
LEPROSY.....060	3	2	1	1	1	-	-
TETANUS.....061	210	127	83	72	46	55	36
ANTHRAX.....062	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS.....080	41	27	14	21	12	5	2
LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	135	67	68	60	65	5	3
ACUTE INFECTIOUS ENCEPHALITIS.....082	532	268	264	223	221	31	36
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	87	43	44	36	41	5	-
SMALLPOX.....084	-	-	-	-	-	-	-
MEASLES.....085	364	171	193	127	142	42	48
YELLOW FEVER.....091	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS.....092	852	394	458	332	384	49	60
RABIES.....094	2	-	2	-	-	-	-
TICK-BORNE TYPHUS.....104	16	7	9	5	5	2	4
ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	3	2	1	2	1	-	-
MALARIA.....110-117	7	5	2	4	1	-	1
SCHISTOSOMIASIS.....123	4	3	1	2	1	-	-
HYDATID DISEASE.....125	10	6	4	5	2	-	2
FILARIASIS.....127	-	-	-	-	-	-	-
ANCYLOSTOMIASIS.....129	1	1	-	1	-	-	-
OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	44	22	22	9	7	13	15
ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	1,612	927	685	733	507	176	161
II. NEOPLASMS.....	290,267	156,568	133,699	135,164	115,717	15,122	12,495
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	285,362	154,288	131,074	133,202	113,621	14,875	12,057
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	6,508	4,935	1,573	4,273	1,370	473	152
OF LIP.....140	180	153	27	148	19	3	6
OF TONGUE.....141	1,575	1,186	389	1,010	346	125	27
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	2,067	1,453	614	1,260	543	131	54
OF PHARYNX.....145-148	2,686	2,143	543	1,855	462	214	65
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	92,914	50,361	42,553	42,786	37,122	5,337	3,559
OF ESOPHAGUS.....150	5,153	3,965	1,188	2,942	916	813	215
OF STOMACH.....151	19,300	11,896	7,404	9,687	6,214	1,730	870
OF SMALL INTESTINE, INCLUDING DUODENUM.....152	759	388	371	341	317	26	34
OF LARGE INTESTINE, EXCEPT RECTUM.....153	30,616	13,932	16,684	12,374	14,872	917	1,062
CECUM, APPENDIX, AND ASCENDING COLON.....153.0	4,528	2,000	2,528	1,797	2,300	116	133
TRANSVERSE COLON.....153.1	1,611	714	897	629	806	47	47
DESCENDING COLON.....153.2	1,223	563	660	500	588	36	41
SIGMOID COLON.....153.3	6,111	2,914	3,197	2,632	2,880	141	163
MULTIPLE PARTS OF LARGE INTESTINE.....153.7	72	33	39	32	36	1	-
LARGE INTESTINE, PART UNSPECIFIED.....153.8	15,428	6,989	8,439	6,145	7,457	526	617
INTESTINAL TRACT, PART UNSPECIFIED.....153.9	1,643	719	924	639	805	50	61
OF RECTUM.....154	10,469	5,864	4,605	5,156	4,057	401	326
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	6,324	2,803	3,521	2,358	3,177	330	212
LIVER.....155.0	1,975	1,319	656	1,025	575	247	57
OT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	4,349	1,484	2,865	1,333	2,602	83	155
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	3,222	1,699	1,523	1,419	1,285	218	162
OF PANCREAS.....157	15,326	8,944	6,382	7,770	5,547	808	580
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	1,745	870	875	739	737	94	98

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963-Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

ALABAMA					ALASKA				ARIZONA						
Total	White		Nonwhite		Total	White		Nonwhite		Total	White			Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female		Male	Female
32,031	11,986	8,486	6,115	5,444	1,329	619	237	267	206	11,900	6,558	3,956	846	540	1
513	170	81	158	104	44	8	-	17	19	284	130	58	53	43	2
282	109	44	78	51	21	4	-	9	8	152	90	31	18	13	3
252	104	39	71	38	18	4	-	7	7	139	86	30	14	9	4
13	1	1	3	8	1	-	-	1	-	10	4	1	4	1	5
1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	6
4	1	2	1	1	1	-	-	1	1	-	-	-	-	-	7
4	2	-	1	1	1	-	-	1	-	-	-	-	-	-	8
8	-	2	2	4	1	-	-	1	-	2	-	-	-	-	9
42	10	2	22	8	2	1	-	1	-	21	11	4	5	1	10
-	-	-	-	-	-	-	-	-	-	3	1	-	1	1	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
17	6	1	7	3	1	-	-	1	-	12	7	3	2	-	13
16	1	-	11	4	-	-	-	-	-	3	1	1	1	-	14
1	-	-	-	1	1	1	-	-	-	1	1	-	-	-	15
5	3	1	1	1	-	-	-	-	-	2	-	-	-	-	16
1	-	-	2	-	-	-	-	-	-	2	1	-	1	-	17
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	19
1	1	-	1	-	-	-	-	-	-	2	-	-	-	-	20
1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	22
8	2	2	2	2	1	-	-	-	1	25	4	1	13	7	23
5	2	2	-	3	1	-	-	-	1	1	1	-	-	-	24
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	25
3	-	3	-	-	1	-	-	-	1	1	1	-	-	-	26
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	27
59	19	10	22	8	1	1	-	-	-	14	2	6	3	3	28
4	-	-	1	3	-	-	-	-	-	-	-	-	-	-	29
2	-	-	1	1	-	-	-	-	-	5	2	-	1	2	30
17	4	5	3	5	2	1	-	1	-	5	2	-	1	2	31
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	32
-	-	-	11	5	-	-	-	-	-	-	-	-	-	-	33
18	1	1	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
3	2	1	-	-	-	-	-	-	-	2	2	-	-	-	36
3	3	1	-	-	-	-	-	-	-	1	1	-	-	-	37
13	5	1	2	5	-	-	-	-	-	2	1	-	1	-	38
2	1	1	-	-	-	-	-	-	-	1	1	-	-	-	39
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	40
4	-	1	2	1	13	1	-	6	6	24	4	4	4	12	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
9	3	2	3	1	-	-	-	-	-	2	-	-	-	-	44
1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	49
32	8	7	8	9	2	-	-	-	-	24	10	8	4	2	50
4,135	1,581	1,415	577	562	152	66	49	19	18	1,738	923	687	72	56	51
4,049	1,557	1,392	562	538	149	66	48	19	16	1,704	903	677	71	53	52
91	59	21	8	3	3	2	-	-	1	27	21	6	-	-	53
5	3	1	-	1	-	-	-	-	-	-	-	-	-	-	54
19	14	4	1	-	-	-	-	-	-	10	8	2	-	-	55
34	15	14	4	1	1	1	-	-	-	8	5	3	-	-	56
33	27	2	3	1	2	1	-	-	1	9	8	1	-	-	57
1,102	402	382	181	137	39	15	12	9	3	492	246	195	33	18	58
49	25	11	9	4	7	1	5	-	1	29	18	6	4	1	59
269	101	53	71	44	5	3	1	1	-	103	63	26	11	3	60
12	7	3	-	2	-	-	-	-	-	5	2	2	1	-	61
348	113	169	31	35	11	6	2	3	-	122	51	66	3	2	62
43	17	7	2	2	-	-	-	-	-	19	5	13	-	1	63
19	5	12	1	1	1	1	-	-	-	3	2	1	-	-	64
9	2	3	1	3	-	-	-	-	-	2	2	-	-	-	65
45	14	26	2	3	1	1	-	-	-	23	9	13	-	1	66
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	67
214	71	104	18	21	8	3	2	3	-	70	31	36	3	-	68
16	2	7	2	5	1	1	-	-	-	5	2	3	-	-	69
78	27	33	8	10	3	1	1	1	-	59	27	27	3	2	70
76	24	27	18	7	2	-	-	1	1	44	12	20	7	5	71
43	11	14	14	4	1	-	-	-	-	10	7	3	2	-	72
33	13	13	4	3	1	-	-	-	1	34	7	17	5	5	73
40	11	11	10	3	2	-	1	1	-	15	8	6	1	-	74
211	91	67	30	23	6	2	2	1	1	108	59	41	3	5	75
19	3	8	4	4	3	2	2	1	-	7	6	1	-	-	76

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision)

CAUSE OF DEATH	UNITED STATES						
	Total	White		Nonwhite		Male	Female
		Both sexes	Male	Female	Male		
MALIGNANT NEOPLASMS, ETC.—CON.							
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED							
AS SECONDARY.....160-164	46,973	39,817	7,156	34,562	6,203	3,599	669
OF LARYNX.....161	2,549	2,276	273	1,952	218	211	42
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY.....162	18,999	16,522	2,477	14,380	2,175	1,547	216
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	24,569	20,458	4,111	17,751	3,555	1,779	376
OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	856	561	295	479	255	62	35
MALIGNANT NEOPLASM OF BREAST.....170	25,401	262	25,139	221	21,985	27	2,020
MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	39,983	16,409	23,574	13,836	19,543	2,045	3,117
OF CERVIX UTERI.....171	8,250	...	8,250	...	6,322	...	1,654
OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	5,897	...	5,897	...	4,875	...	797
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	8,507	...	8,507	...	7,569	...	558
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	920	...	920	...	777	...	108
OF PROSTATE.....177	15,446	15,446	...	12,992	...	1,956	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	963	963	...	844	...	89	...
MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	13,583	9,122	4,461	8,096	3,902	605	363
OF KIDNEY.....180	5,394	3,434	1,960	3,078	1,757	212	117
OF BLADDER AND OTHER URINARY ORGANS.....181	8,189	5,688	2,501	5,018	2,145	393	246
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	32,086	17,332	14,754	15,245	12,896	1,490	1,332
OF SKIN.....190,191	4,393	2,589	1,804	2,395	1,666	100	79
OF EYE.....192	359	194	165	176	154	11	6
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	6,888	4,017	2,871	3,619	2,571	244	178
OF THYROID GLAND.....194	1,021	354	667	302	38	56	56
OF BONE.....196	1,780	1,037	743	898	630	97	80
OF CONNECTIVE TISSUE.....197	1,119	615	504	533	437	63	55
OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	1,422	891	531	784	455	53	53
OF UNSPECIFIED SITES.....156B,165,198,199B	15,104	7,635	7,469	6,538	6,414	869	825
LEUKEMIA AND ALEUKEMIA.....204	13,507	7,807	5,700	6,954	5,089	565	434
LYMPHOSARCOMA, ETC.....200-203,205	14,407	8,243	6,164	7,229	5,511	734	411
LYMPHOSARCOMA AND RETICULOSARCOMA.....200	6,777	3,794	2,983	3,389	2,721	262	140
HODGKINS DISEASE.....201	3,278	2,009	1,269	1,787	1,135	155	77
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	4,352	2,440	1,912	2,053	1,655	317	194
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE.....210-239	4,905	2,280	2,625	1,962	2,096	247	438
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	468	...	468	...	276	...	172
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS.....223	945	426	519	379	427	36	71
OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	1,033	562	471	482	391	64	64
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS.....233-235	24	...	24	...	19	...	5
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	1,516	796	720	679	628	91	74
OTHER NEOPLASMS OF UNSPEC. NATURE.....230-232,236,238,239	919	496	423	422	355	56	52
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	43,427	18,977	24,450	16,012	19,736	2,275	3,731
ASTHMA.....241	5,058	3,160	1,898	2,677	1,501	403	355
NONTOXIC GOITER.....250,251	86	18	68	46	2	18	18
THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	447	90	357	48	283	16	64
ALL OTHER DISEASES OF THYROID GLAND.....253,254	342	76	266	69	235	7	18
DIABETES MELLITUS.....260	32,465	13,183	19,282	11,203	15,633	1,455	2,811
DISEASES OF THYMUS GLAND.....273	124	70	54	55	41	12	9
DISEASES OF ADRENAL GLANDS.....274	427	189	238	163	200	14	32
PELLAGRA.....281	31	7	24	5	15	2	9
OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	1,613	772	841	576	654	175	159
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS.....RESIDUAL	2,834	1,412	1,422	1,181	1,128	189	256
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	5,315	2,677	2,638	2,172	2,153	409	404
ANEMIAS.....290-293	3,409	1,634	1,775	1,243	1,376	330	337
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	494	196	298	181	270	11	21
ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	2,915	1,438	1,477	1,062	1,106	319	316
PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	650	297	353	269	310	22	38
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS.....RESIDUAL	1,256	746	510	660	467	57	29
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	4,656	3,113	1,543	2,396	1,229	625	280
SENILE PSYCHOSIS.....304	315	112	203	98	190	13	11
ALCOHOLIC PSYCHOSIS.....307	439	399	40	315	26	57	12
OTHER PSYCHOSIS.....300-303,305,306,308,309	692	296	396	239	351	50	38
ALCOHOLISM.....322	2,432	1,858	574	1,410	388	406	173
MENTAL DEFICIENCY.....325	503	275	228	237	198	30	25
OTHER DISORDERS OF PERSONALITY.....RESIDUAL	275	173	102	97	76	69	21
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS...	215,725	102,258	113,467	86,013	95,828	13,413	14,295
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM.....330-334	201,166	94,239	106,927	79,458	90,464	12,186	13,329
SUBARACHNOID HEMORRHAGE.....330	7,869	3,512	4,357	2,831	3,477	576	745
CEREBRAL HEMORRHAGE.....331	110,632	51,784	58,848	43,169	49,127	7,318	8,174
CEREBRAL EMBOLISM AND THROMBOSIS.....332	63,246	30,019	33,227	25,942	28,887	3,114	3,157
OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	19,419	8,924	10,495	7,516	8,973	1,178	1,253
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS.....340	2,343	1,343	1,000	938	661	359	311
MULTIPLE SCLEROSIS.....345	1,483	631	852	578	752	32	67
PARALYSIS AGITANS.....350	2,944	1,580	1,364	1,475	1,279	54	34
CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	730	402	328	326	272	65	50
EPILEPSY.....353	1,975	1,178	797	810	593	328	185
INFLAMMATORY DISEASES OF EYE.....370-379	1,075	6	4	5	3	1	1
CATARACT.....385	25	11	14	10	11	-	3
GLAUCOMA.....387	3	2	1	-	-	-	1
OTITIS MEDIA AND MASTOIDITIS.....391-393	257	150	107	108	73	39	31
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS.....RESIDUAL	4,789	2,716	2,073	2,303	1,720	349	283

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963--Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

Total	ALABAMA				Total	ALASKA				Total	ARIZONA					
	White		Nonwhite			Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female			Male	Female	Male			Female	Male	Female	Male	Female
640	446	69	105	20	32	24	4	4	-	309	257	39	12	1		
28	16	4	7	1	-	-	-	-	-	20	19	1	-	-		
255	181	18	50	6	14	10	3	1	-	140	117	18	5	-		
344	245	43	46	10	17	14	1	2	-	144	117	19	7	1		
13	4	2	3	3	1	-	-	1	-	5	4	1	-	-		
347	1	253	92	12	12	-	10	2	-	159	2	145	-	12		
720	147	296	105	172	12	2	4	1	5	247	100	127	10	10		
239	...	136	...	103	5	1	1	4	4	48	...	44	...	4		
105	...	56	...	49	3	...	2	...	1	36	...	33	...	3		
115	...	98	...	17	1	...	1	42	...	47	...	2		
9	...	6	...	3	-	4	...	3	...	1		
232	137	...	95	...	3	2	...	1	...	106	96	...	10	...		
20	10	...	10	...	-	-	...	-	...	4	4	...	-	...		
150	66	39	24	21	7	4	1	-	2	88	64	20	3	1		
62	31	19	7	5	2	1	-	-	1	39	24	11	3	1		
88	35	20	17	16	5	3	1	-	1	49	40	9	-	-		
582	243	200	79	60	31	11	12	5	3	182	96	73	6	7		
101	55	38	4	4	4	3	1	-	-	35	23	11	-	-		
7	4	1	1	1	1	-	-	-	-	3	2	1	-	-		
127	57	53	13	4	8	2	4	2	-	29	18	10	1	-		
17	5	5	3	4	1	1	-	-	-	7	1	5	-	1		
47	19	16	6	6	1	-	-	-	-	8	3	5	-	-		
19	8	5	4	2	1	1	-	-	-	8	3	3	2	-		
29	12	8	7	2	-	-	-	-	-	12	8	4	-	-		
235	83	74	41	37	17	4	7	3	3	80	38	34	3	5		
202	87	70	27	18	7	4	3	-	-	98	55	39	2	2		
215	106	62	32	15	6	4	4	3	-	102	62	33	5	2		
107	55	30	15	7	3	2	1	-	-	52	31	16	3	2		
48	27	11	7	3	2	2	-	-	-	24	15	9	-	-		
60	24	21	10	5	1	-	1	-	-	26	16	8	2	-		
86	24	23	15	24	3	-	1	-	2	34	20	10	1	3		
16	...	5	...	11	1	...	-	...	-	3	...	2	...	1		
10	2	4	2	2	1	-	-	-	1	8	5	2	1	-		
13	5	5	1	2	-	-	-	-	-	5	3	1	-	1		
2	...	-	...	2	-	...	-	...	-	-	...	-	...	1		
33	12	8	8	5	2	1	-	-	1	15	10	4	-	1		
12	5	1	4	2	-	-	-	-	-	3	2	1	-	-		
651	180	219	77	175	16	7	6	2	1	343	161	142	18	22		
75	23	20	17	15	5	1	4	-	-	119	75	40	3	1		
3	-	1	2	2	-	-	-	-	-	2	1	-	-	-		
12	1	3	2	5	-	-	-	-	-	2	1	1	-	-		
5	1	2	-	-	-	-	-	-	1	7	3	4	-	-		
443	121	163	40	119	7	4	2	1	-	171	59	85	11	16		
5	1	-	1	3	-	-	-	-	-	6	3	2	-	-		
5	-	4	-	1	-	-	-	-	-	-	-	-	-	-		
42	8	8	11	15	2	2	-	-	-	19	8	7	2	2		
61	24	18	4	15	1	-	1	-	-	17	11	3	2	1		
91	26	24	20	21	2	-	1	-	1	49	26	19	3	1		
61	13	12	17	19	2	-	1	-	1	27	11	12	3	1		
3	1	2	-	-	-	-	-	-	-	3	2	1	-	-		
58	12	10	17	19	2	-	1	-	1	24	9	11	3	1		
13	6	7	-	-	-	-	-	-	-	6	4	2	-	-		
17	7	5	3	2	-	-	-	-	-	16	11	5	-	-		
108	41	33	19	15	16	11	-	3	2	39	22	7	6	4		
9	2	6	-	1	-	-	-	-	-	-	-	-	-	-		
5	3	-	2	3	3	3	-	-	-	1	1	-	-	-		
33	11	18	1	3	-	-	-	-	-	5	1	3	1	-		
51	21	6	14	10	12	8	2	2	2	26	16	2	5	3		
9	4	2	2	1	1	-	-	-	-	6	4	1	-	-		
1	-	1	-	-	-	-	-	-	-	1	-	1	-	-		
4,746	1,456	1,474	802	1,014	86	36	18	14	18	1,136	535	507	48	46		
4,487	1,363	1,402	749	973	69	35	13	10	11	985	456	465	33	31		
143	47	53	21	22	4	2	9	5	2	38	13	19	6	-		
2,654	726	780	484	664	36	17	9	5	5	511	235	247	12	17		
1,172	417	421	159	175	18	11	2	2	3	331	162	148	10	11		
518	173	148	85	112	11	5	2	3	1	105	46	51	5	3		
53	17	12	17	7	6	-	2	-	4	49	18	10	10	11		
14	6	5	1	2	2	-	2	-	-	7	3	4	-	-		
24	12	11	-	1	2	-	-	-	-	11	8	2	1	-		
35	14	11	5	5	2	1	-	1	-	12	4	7	-	1		
48	10	11	16	11	3	-	1	-	2	14	9	4	1	-		
1	1	-	-	-	-	-	-	-	-	1	-	1	-	-		
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
5	1	-	1	2	2	-	1	1	1	2	2	-	-	-		
79	32	21	13	13	2	-	-	2	-	55	35	14	3	3		

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision)

CAUSE OF DEATH	UNITED STATES						
	Total			White		Nonwhite	
	Both sexes	Male	Female	Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM.....	782,338	450,213	332,125	394,598	285,983	38,710	32,800
DISEASES OF HEART.....	707,830	411,989	295,841	361,705	254,567	34,502	29,033
RHEUMATIC FEVER.....400-402,410-443	552	302	250	228	168	63	67
CHRONIC RHEUMATIC HEART DISEASE.....400-402	16,067	7,421	8,646	6,538	7,591	584	655
DISEASES OF MITRAL VALVE.....410-416	6,158	2,560	3,618	2,263	3,233	191	229
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	1,990	1,418	572	1,277	501	84	45
DISEASES OF PULMONARY VALVE, ETC.....413,414	811	372	439	332	394	29	28
OTHER RHEUMATIC HEART DISEASES.....412,415,416	7,108	3,091	4,017	2,666	3,463	280	353
ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	546,813	334,974	211,839	300,246	186,947	21,774	15,929
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	242,119	132,451	109,668	117,436	96,933	8,757	7,193
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420.1	304,298	202,275	102,023	182,602	89,889	12,981	8,715
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	396	248	148	208	125	36	21
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	4,085	2,359	1,726	1,995	1,489	302	213
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	190	73	117	57	102	12	15
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	2,177	1,431	746	1,243	663	141	70
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	1,718	855	863	695	724	149	128
OTHER MYOCARDIAL DEGENERATION.....422	51,893	25,258	26,635	21,201	22,703	2,834	2,660
WITH ARTERIOSCLEROSIS.....422.1	41,377	19,949	21,428	16,913	18,318	2,124	2,044
WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	10,516	5,309	5,207	4,288	4,385	710	616
OTHER DISEASES OF HEART.....430-434	27,323	15,343	11,980	12,429	9,561	2,571	2,088
ACUTE AND SUBACUTE ENDOCARDITIS.....430	764	455	309	375	252	70	51
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	1,215	692	523	556	410	121	97
FUNCTIONAL DISEASE OF HEART.....433	7,142	3,526	3,616	3,122	3,164	338	360
OTHER AND UNSPECIFIED DISEASES OF HEART.....434	18,202	10,670	7,532	8,376	5,735	2,042	1,580
HYPERTENSIVE HEART DISEASE.....440-443	61,097	26,332	34,765	19,068	26,108	6,374	7,421
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR							
NEPHROSCLEROSIS.....442	13,697	6,693	7,004	5,388	5,634	1,126	1,167
OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	47,400	19,639	27,761	13,680	20,474	5,248	6,254
OTHER HYPERTENSIVE DISEASE.....444-447	12,694	6,383	6,311	4,852	4,992	1,333	1,136
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	7,199	3,987	3,212	3,326	2,714	539	395
ESSENTIAL HYPERTENSION.....444,445,447	5,495	2,396	3,099	1,526	2,278	794	741
DISEASES OF ARTERIES.....450-456	51,082	26,331	24,751	23,483	22,045	2,070	1,938
GENERAL ARTERIOSCLEROSIS.....450	37,429	17,152	20,277	15,294	18,286	1,400	1,384
AORTIC ANEURYSM, NONSPHILITIC, ETC.....451	10,158	7,370	2,788	6,634	2,438	472	245
GANGRENE OF UNSPECIFIED CAUSE.....455	248	135	113	107	79	26	26
OTHER ARTERIAL DISEASES.....452-454,456	3,247	1,674	1,573	1,448	1,242	172	283
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	10,732	5,510	5,222	4,558	4,379	805	693
VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	105,278	66,008	39,270	54,678	31,586	9,509	6,682
ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	867	467	400	332	279	122	115
INFLUENZA.....480-483	7,083	3,584	3,499	2,730	2,620	818	849
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	63,678	35,985	27,693	28,376	22,108	6,553	4,799
LOBAR PNEUMONIA.....490	9,911	5,943	3,968	4,549	3,062	1,192	794
BRONCHOPNEUMONIA.....491	36,286	20,439	15,847	16,415	12,869	3,287	2,400
PRIMARY ATYPICAL PNEUMONIA.....492	5,812	3,176	2,636	2,497	2,060	583	497
PNEUMONIA, OTHER AND UNSPECIFIED.....493	11,669	6,427	5,242	4,915	4,117	1,491	1,108
ACUTE BRONCHITIS.....500	1,139	668	471	549	374	97	85
BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	4,323	3,279	1,044	2,943	914	231	99
HYPERTROPHY OF TONSILS AND ADENOIDS.....510	115	67	48	50	41	12	4
EMPHYSEMA AND ABSCESS OF LUNG.....518,521	911	662	249	501	187	134	46
PLEURISY.....519	172	112	60	87	44	16	12
OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	4,302	2,889	1,413	2,436	1,148	355	239
BRONCHIECTASIS.....526	2,125	1,401	724	1,264	664	89	45
OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	16,778	14,227	2,551	13,059	2,257	837	241
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	15,120	13,183	1,937	12,218	1,775	653	119
ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY.....527.0,527.2	1,658	1,044	614	841	482	184	122
OTHER RESPIRATORY DISEASES.....RESIDUAL	3,785	2,667	1,118	2,351	950	245	148
IX. DISEASES OF THE DIGESTIVE SYSTEM.....	71,718	41,890	29,828	35,656	25,142	4,696	3,590
DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	65	32	33	28	25	4	8
ULCER OF STOMACH.....540	6,330	4,390	1,940	3,813	1,708	407	162
ULCER OF DUODENUM.....541	5,831	4,389	1,442	3,944	1,283	297	116
GASTRITIS AND DUODENITIS.....543	451	251	200	210	171	31	24
APPENDICITIS.....550-553	1,749	1,066	683	862	542	172	118
HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	9,917	4,724	5,193	3,974	4,482	599	543
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS							
AND OVER.....571	4,025	2,130	1,895	1,293	1,210	790	640
CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	3,770	1,712	2,058	1,564	1,834	85	132
CIRRHOSIS OF LIVER.....581	22,456	14,511	7,945	12,406	6,545	1,450	1,027
WITHOUT MENTION OF ALCOHOLISM.....581.0	15,009	9,440	5,569	8,089	4,656	902	625
WITH ALCOHOLISM.....581.1	7,447	5,071	2,376	4,317	1,889	548	402
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	4,676	1,904	2,772	1,767	2,479	82	176
FIBROCYSTIC DISEASE OF PANCREAS.....587B	728	347	381	324	347	12	18
OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	11,720	6,434	5,286	5,471	4,516	767	626
X. DISEASES OF THE GENITOURINARY SYSTEM.....	31,060	18,470	12,590	14,469	9,601	3,455	2,551
NEPHRITIS AND NEPHROSIS.....590-594	12,677	7,027	5,650	5,286	4,154	1,528	1,286
ACUTE NEPHRITIS.....590	695	386	309	261	215	108	87
NEPHRITIS WITH OEDEMA, INCLUDING NEPHROSIS.....591	739	419	320	325	242	82	68
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	11,243	6,222	5,021	4,700	3,697	1,338	1,311
INFECTIONS OF KIDNEY.....600	8,952	4,325	4,627	3,361	3,639	837	840
CALCULI OF URINARY SYSTEM.....602,604	1,344	703	641	608	537	71	71
OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	2,623	1,630	993	1,253	812	333	152
HYPERPLASIA OF PROSTATE.....610	4,248	4,248	---	3,523	---	594	---
DISEASES OF BREAST.....620,621	14	---	14	---	11	---	2
OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	1,202	537	665	438	448	92	200

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision)

CAUSE OF DEATH	UNITED STATES						
	Total			White		Nonwhite	
	Both sexes	Male	Female	Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	1,466	...	1,466	...	797	...	619
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	164	...	164	...	88	...	71
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC...642,685,686	280	...	280	...	135	...	137
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH...643,644,670-672	248	...	248	...	131	...	110
ECTOPIC PREGNANCY.....645	96	...	96	...	35	...	58
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	66	...	66	...	42	...	23
ABORTION WITH SEPSIS.....651	201	...	201	...	113	...	78
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	13	...	13	...	6	...	6
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	398	...	398	...	247	...	136
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	2,121	796	1,325	629	1,039	139	244
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	503	284	219	233	177	45	36
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	1,618	512	1,106	396	862	94	208
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	3,772	1,685	2,087	1,485	1,851	138	161
ARTHRITIS AND SPONDYLITIS.....720-725	2,012	698	1,314	624	1,176	52	92
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	40	22	18	16	13	5	5
OSTEOMYELITIS AND PERIOSTITIS.....730	192	116	76	92	66	18	7
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	121	59	62	51	57	5	3
INBORN DEFECT OF MUSCLE.....744.1	606	434	172	397	149	23	14
OT. DIS. OF MUSCULOSKELETAL SYS...731-736,738-744.0,744.2	801	356	445	305	390	35	40
XIV. CONGENITAL MALFORMATIONS.....	20,817	11,209	9,608	9,344	8,008	1,490	1,302
SPINA BIFIDA AND MENINGOCELE.....751	1,546	684	862	606	777	51	60
CONGENITAL HYDROCEPHALUS, ETC.....752,753	1,971	1,059	912	870	752	159	138
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	10,465	5,771	4,694	4,798	3,818	778	720
OTHER CONGENITAL MALFORMATIONS.....750,755-759	6,835	3,695	3,140	3,070	2,661	502	384
XV. CERTAIN DISEASES OF EARLY INFANCY.....	62,688	36,902	25,786	27,112	18,494	8,535	6,434
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	22,420	13,131	9,289	8,608	5,756	4,391	3,425
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	2,441	995	1,446	722	1,123	262	295
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	19,979	12,136	7,843	7,886	4,633	4,129	3,130
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	130,748	90,865	39,883	74,228	33,267	14,431	5,462
ACCIDENTS.....E800-E962	100,669	68,639	32,030	57,090	26,911	9,871	4,215
RAILWAY ACCIDENTS.....E800-E802	887	785	102	610	73	151	24
MOTOR VEHICLE ACCIDENTS.....E810-E835	43,564	31,715	11,849	27,186	10,363	3,826	1,216
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	42,574	30,953	11,621	26,527	10,167	3,736	1,187
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	1,385	1,006	379	915	364	81	14
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	7,535	5,336	2,199	4,081	1,739	1,073	388
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	18,310	12,658	5,652	11,194	5,098	1,200	439
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	12,033	9,562	2,471	8,261	2,142	1,090	261
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	3,311	2,391	920	2,076	824	292	85
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	990	762	228	659	196	90	29
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	296	201	95	173	89	27	2
WATER TRANSPORT ACCIDENTS.....E850-E858	1,416	1,282	134	1,083	114	169	16
AIRCRAFT ACCIDENTS.....E860-E866	1,294	1,107	187	1,059	177	17	4
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	2,061	1,193	868	838	663	323	174
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	1,489	1,094	395	920	303	139	73
ACCIDENTAL FALLS.....E900-E904	19,335	9,622	9,713	8,374	8,875	918	512
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	5,659	3,822	1,837	3,223	1,613	465	147
FALL ON SAME LEVEL.....E903	5,581	2,379	3,202	2,143	3,008	169	136
UNSPECIFIED FALLS.....E904	8,095	3,421	4,674	3,008	4,254	284	229
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE...E910	1,533	1,453	80	1,243	71	187	7
ACCIDENT CAUSED BY MACHINERY.....E912	1,965	1,890	75	1,698	72	162	2
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	878	814	64	739	60	62	3
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	8,172	4,690	3,482	3,353	2,253	1,210	1,125
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	375	216	159	161	109	47	45
ACCIDENT CAUSED BY FIREARM.....E919	2,263	1,968	295	1,585	206	355	87
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	1,949	1,179	770	930	593	207	146
ACCIDENTAL DROWNING.....E929	5,103	4,209	894	3,116	723	997	148
EXCESSIVE HEAT AND INSULATION.....E931	196	150	46	109	32	34	11
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	1,324	603	721	500	595	87	101
ALL OTHER ACCIDENTS.....RESIDUAL	6,569	4,468	2,101	3,413	1,540	953	519
SUICIDE.....E963,E970-E979	20,825	15,276	5,549	14,051	5,117	829	244
SUICIDE BY POISONING.....E970-E973	5,785	3,179	2,606	2,965	2,457	104	76
SUICIDE BY HANGING AND STRANGULATION.....E974	3,057	2,364	693	2,098	610	146	29
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	9,595	8,251	1,344	7,735	1,249	404	77
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	2,388	1,482	906	1,253	801	175	62
HOMICIDE.....E964,E980-E985	9,225	6,921	2,304	3,060	1,239	3,730	1,003
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	5,126	3,958	1,168	1,828	645	2,076	504
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	1,990	1,592	398	617	147	1,125	239
ASSAULT BY OTHER MEANS.....E964,E980,E983	1,842	1,106	736	692	447	392	258
INJURY BY INTERVENTION OF POLICE.....E984	246	244	2	111	-	129	2
EXECUTION.....E985	21	21	-	12	-	8	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	29	29	-	27	-	1	-

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963—Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix

ALABAMA					ALASKA					ARIZONA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
69	...	17	...	52	5	...	1	...	4	19	...	10	...	9
8	...	2	...	6	1	...	1	...	-	2	...	-	...	2
16	...	3	...	13	-	...	-	...	-	5	...	3	...	2
19	...	3	...	16	4	...	-	...	4	4	...	2	...	2
3	...	1	...	2	-	...	-	...	-	-	...	-	...	-
2	...	-	...	1	-	...	-	...	-	2	...	1	...	1
3	...	2	...	1	-	...	-	...	-	3	...	3	...	-
1	...	-	...	1	-	...	-	...	-	-	...	-	...	-
17	...	6	...	11	-	...	-	...	-	3	...	1	...	2
42	8	10	8	16	-	-	-	-	-	19	2	15	1	1
10	2	3	2	3	-	-	-	-	-	4	-	3	-	1
32	6	7	6	13	-	-	-	-	-	15	2	12	1	-
80	31	30	11	8	-	-	-	-	-	40	16	23	-	1
46	13	22	6	5	-	-	-	-	-	26	5	21	-	-
1	-	1	2	-	-	-	-	-	-	-	-	-	-	-
3	-	1	2	-	-	-	-	-	-	-	-	-	-	-
4	2	2	1	-	-	-	-	-	-	-	-	-	-	-
13	9	2	1	2	-	-	-	-	-	7	7	-	-	-
13	6	4	2	1	-	-	-	-	-	7	4	2	-	1
377	123	139	73	42	30	9	11	5	5	177	89	57	22	9
39	9	24	2	4	3	-	-	-	-	11	4	5	1	1
38	10	15	11	2	2	1	1	1	1	19	8	8	1	2
190	74	54	35	27	19	6	7	3	3	94	46	31	13	4
110	30	46	25	9	6	2	3	1	2	53	31	13	7	2
1,340	433	301	338	268	137	53	31	31	22	573	256	188	77	52
1,686	403	203	579	501	54	13	7	18	16	189	70	47	47	25
99	16	37	18	28	9	1	2	3	3	20	5	12	-	3
1,587	387	166	561	473	45	12	5	15	13	169	65	35	47	22
2,906	1,395	500	689	322	330	169	47	83	31	1,224	703	279	186	96
2,247	1,090	416	480	261	276	141	34	73	28	933	539	212	139	43
29	14	3	11	1	1	1	-	-	-	11	5	6	4	48
1,049	605	175	193	76	46	28	8	6	4	440	261	108	53	18
1,025	595	171	186	73	43	26	5	2	4	427	257	104	50	16
38	21	15	2	-	-	-	-	-	-	11	6	4	1	-
168	65	27	54	22	6	4	1	1	1	74	45	15	13	53
424	262	78	58	26	15	7	4	1	2	141	92	37	8	4
374	237	44	69	24	22	15	3	1	1	102	52	28	16	3
21	10	7	3	1	3	2	-	-	-	99	62	20	12	5
24	10	4	7	3	3	1	1	1	-	13	4	4	3	2
6	1	3	2	-	2	1	-	-	-	11	3	1	7	-
48	31	8	7	2	56	29	-	22	4	3	2	1	-	-
14	13	1	-	-	29	27	1	1	1	30	25	5	-	60
47	20	12	7	8	8	5	8	5	1	23	11	9	2	61
20	7	5	6	2	5	2	1	1	1	3	2	1	1	63
227	78	108	23	18	16	7	4	1	18	96	56	27	10	64
70	29	23	15	3	10	4	2	3	1	36	27	4	3	65
110	37	63	2	8	3	1	1	1	-	21	13	6	1	66
47	12	22	6	7	3	2	1	-	-	39	16	17	6	67
43	29	1	13	-	2	2	-	-	-	14	9	3	2	68
40	28	3	8	-	4	4	-	-	-	6	5	-	1	69
26	18	-	8	-	-	-	-	-	-	21	16	5	-	70
248	60	38	67	83	30	8	7	10	5	74	39	19	11	71
5	-	1	1	3	3	1	-	-	-	1	74	1	-	72
97	53	6	28	10	10	8	-	-	-	34	27	3	3	73
42	14	8	9	11	5	2	-	-	-	14	7	2	4	74
109	48	11	44	6	25	8	1	11	5	67	33	12	15	75
4	2	-	2	1	1	1	-	-	-	10	5	1	3	76
20	8	7	4	1	2	1	1	-	-	6	2	2	1	77
173	61	26	46	40	34	12	8	9	5	69	31	13	20	78
295	222	51	19	3	34	21	9	2	2	210	129	56	17	79
42	19	21	2	-	6	2	4	-	-	53	26	7	-	80
19	17	-	2	-	-	-	-	-	-	14	5	6	3	81
212	171	25	14	2	26	18	5	1	2	129	94	21	13	82
22	15	5	1	1	2	1	-	-	-	14	4	2	1	83
363	82	33	190	58	20	7	4	8	1	81	35	11	30	84
219	60	25	102	32	15	6	6	6	1	50	24	6	18	85
90	9	4	66	11	4	-	-	-	-	16	3	1	8	86
41	9	4	13	15	1	1	1	1	1	11	4	1	2	87
13	4	-	9	-	-	-	-	-	-	2	-	-	2	88
-	-	-	-	-	-	-	-	-	-	2	-	-	-	89
1	1	-	-	-	-	-	-	-	-	-	-	-	-	90

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after cause of death are category numbers of the Seventh Revision)

CAUSE OF DEATH	ARKANSAS					CALIFORNIA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
1 ALL CAUSES.....	19,551	8,938	5,812	2,621	2,180	147,970	78,298	59,622	6,071	3,979
2										
3										
4										
5										
6 I. INFECTIVE AND PARASITIC DISEASES.....	283	117	62	63	41	1,464	804	448	150	62
7 TUBERCULOSIS, ALL FORMS.....001-019	141	65	31	29	16	599	382	124	74	19
8 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	121	59	27	24	11	552	362	113	63	14
9 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	3	1	-	1	1	14	5	3	6	-
10 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC										
11 GLANDS.....011	2	-	1	-	-	3	1	1	1	-
12 TUBERCULOSIS OF BONES AND JOINTS.....012,013	2	-	1	-	1	4	3	1	-	2
13 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	6	2	2	2	2	10	4	4	-	2
14 DISSEMINATED TUBERCULOSIS.....019	9	3	1	2	3	16	7	2	4	3
15										
16 SYPHILIS AND ITS SEQUELAE.....020-029	39	15	7	13	4	239	131	65	28	15
17 CONGENITAL SYPHILIS.....020	1	-	-	-	1	3	-	1	1	1
18 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
19 ANEURYSM OF AORTA.....022	23	15	5	1	2	131	81	36	9	5
20 OTHER CARDIOVASCULAR SYPHILIS.....023	12	-	1	10	1	66	32	15	11	8
21 TABES DORSALIS.....024	-	-	-	-	-	4	3	-	1	-
22 GENERAL PARALYSIS OF INSANE.....025	-	-	-	-	-	11	2	7	2	-
23 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	2	-	1	1	-	23	13	5	4	1
24 ALL OTHER SYPHILIS.....027-029	1	-	-	1	-	1	-	1	-	-
25										
26 GONOCOCCAL INFECTION.....030-035	-	-	-	-	-	3	2	-	1	-
27 TYPHOID FEVER.....040	1	-	-	-	1	1	1	-	-	-
28 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	-	-	-	-	-	8	4	1	2	1
29 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
30 BRUCELLOSIS.....044	-	-	-	-	-	2	2	-	-	-
31 DYSENTERY, ALL FORMS.....045-048	7	2	1	3	1	27	15	7	3	2
32 FOOD POISONING, INFECTION AND INTOXICATION.....049	1	-	1	-	-	2	1	1	-	-
33 SCARLET FEVER.....050	-	-	-	-	-	-	-	-	-	-
34 STREPTOCOCCAL SORE THROAT.....051	2	1	-	-	-	2	-	-	2	-
35 ERYSIPELAS.....052	-	-	-	-	-	1	1	-	-	-
36 SEPTICEMIA AND PYEMIA.....053	33	10	10	5	8	157	71	70	10	6
37										
38 DIPHTHERIA.....055	1	1	-	-	-	3	-	2	1	-
39 WHOOPING COUGH.....056	6	-	-	2	4	4	2	1	-	1
40 MENINGOCOCCAL INFECTIONS.....057	6	2	1	2	1	77	41	28	5	3
41 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
42 LEPROSY.....060	-	-	-	-	-	-	-	-	-	-
43 TETANUS.....061	4	-	1	2	1	14	4	6	3	1
44 ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-
45 ACUTE POLIOMYELITIS.....080	1	1	-	-	-	3	3	-	-	-
46 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	3	3	-	-	-	19	7	10	1	1
47 ACUTE INFECTIOUS ENCEPHALITIS.....082	5	2	3	-	-	51	23	27	-	1
48 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	-	-	-	-	-	8	2	6	-	-
49 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
50 MEASLES.....085	5	2	1	2	-	22	12	8	2	-
51										
52 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
53 INFECTIOUS HEPATITIS.....092	6	4	1	-	1	77	28	43	4	2
54 RABIES.....094	-	-	-	-	-	-	-	-	-	-
55 TICK-BORNE TYPHUS.....104	-	-	-	-	-	-	-	-	-	-
56 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-
57 MALARIA.....110-117	-	-	-	-	-	-	-	-	-	-
58 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-
59 HYDATID DISEASE.....125	-	-	-	-	-	2	2	-	-	-
60 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
61 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
62 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	1	-	-	1	-	2	1	1	-	-
63 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	21	9	5	4	3	141	69	48	14	10
64										
65 II. NEOPLASMS.....	2,821	1,351	947	279	244	24,896	12,486	10,799	960	651
66										
67 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC										
68 AND HEMATOPOIETIC TISSUES.....140-205	2,785	1,337	930	278	240	24,459	12,292	10,595	941	631
69 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	57	37	14	3	3	607	406	159	35	7
70 OF LIP.....140	1	-	-	1	-	15	13	2	-	-
71 OF TONGUE.....141	9	7	1	-	1	166	111	50	3	2
72 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	21	11	9	-	1	179	111	56	10	2
73 OF PHARYNX.....145-148	26	19	4	2	1	247	171	51	22	3
74										
75 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM,										
76 NOT SPECIFIED AS SECONDARY.....150-156A,157-159	859	362	289	132	76	7,535	3,849	3,180	330	176
77 OF ESOPHAGUS.....150	48	26	7	11	4	424	293	88	33	10
78 OF STOMACH.....151	213	84	56	55	18	1,608	916	543	111	38
79 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	6	3	1	-	2	56	24	32	-	-
80 OF LARGE INTESTINE, EXCEPT RECTUM.....153	236	90	109	20	17	2,343	1,046	1,201	38	58
81 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	21	9	10	1	1	443	196	233	4	10
82 TRANSVERSE COLON.....153.1	13	9	3	1	-	152	57	90	3	2
83 DESCENDING COLON.....153.2	10	5	4	1	-	111	51	56	1	3
84 SIGMOID COLON.....153.3	30	9	18	3	-	586	275	283	11	17
85 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	1	1	-	-	-	8	5	3	-	-
86 LARGE INTESTINE, PART UNSPECIFIED.....153.8	151	54	71	12	14	955	422	491	18	24
87 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	10	3	3	2	2	88	40	45	1	2
88										
89 OF RECTUM.....154	64	29	21	9	5	928	501	381	29	17
90 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	56	22	25	6	3	586	231	292	42	21
91 LIVER.....155.0	21	12	1	6	2	219	110	75	30	6
92 OT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	35	10	24	-	1	367	121	219	12	15
93 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	48	19	17	7	5	149	69	68	11	1
94 OF PANCREAS.....157	158	81	43	20	14	1,310	707	513	64	26
95 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	30	8	10	4	8	131	62	62	2	5

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963-Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

COLORADO					CONNECTICUT					DELAWARE				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
16,149	8,977	6,679	271	222	25,677	13,481	11,173	589	434	4,431	1,964	1,655	459	353
160	117	36	6	1	211	115	71	18	7	51	18	10	17	6
63	51	11	1	-	86	50	21	11	4	28	11	6	8	3
58	47	10	1	-	79	47	18	10	4	25	9	6	7	3
1	-	1	-	-	-	-	-	-	-	1	1	-	-	-
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-
1	1	-	-	-	1	-	1	-	-	-	-	-	-	-
1	1	-	-	-	6	3	2	1	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	1	-	-	1	-
24	16	4	4	-	31	21	8	2	-	14	4	2	7	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	10	3	2	-	20	14	4	2	-	11	4	2	4	1
8	5	1	2	-	8	5	3	-	-	1	-	-	1	-
1	1	-	-	-	2	1	1	-	-	1	-	-	1	-
-	-	-	-	-	1	1	-	-	-	1	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
2	2	-	-	-	2	1	1	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	2	1	-	-	2	1	-	1	-	-	-	-	-	-
1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	1	-	-	1	-
24	19	5	-	-	37	17	17	2	1	3	1	-	1	1
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	1	-	-	-	1
2	2	-	-	-	12	3	8	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	2	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	1	1	-	-	1	-	1	-	-	-	-	-	-	-
5	4	-	-	1	5	4	-	-	-	1	1	-	-	-
1	1	-	-	-	2	1	1	-	-	-	-	-	-	-
4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	3	4	-	-	12	6	6	-	-	2	-	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	10	7	1	-	18	9	7	1	1	-	-	-	-	-
2,289	1,198	1,029	35	27	4,630	2,395	2,091	82	62	702	295	287	61	59
2,226	1,163	1,004	34	25	4,526	2,349	2,040	80	57	685	287	281	60	57
29	22	6	1	-	117	92	18	7	-	10	4	2	2	2
1	-	1	-	-	2	2	-	-	-	-	-	-	-	-
5	4	-	1	-	35	28	3	4	-	4	-	-	1	-
8	6	2	-	-	27	20	6	1	-	4	2	1	-	1
15	12	3	-	-	53	42	9	2	-	5	2	1	1	1
704	368	308	15	13	1,580	834	699	28	19	199	82	86	20	11
23	16	7	-	-	110	86	13	7	4	20	9	3	7	1
146	90	51	2	3	331	192	127	8	4	37	17	16	4	-
9	4	4	1	-	17	10	6	-	1	2	-	2	-	-
234	99	126	3	6	521	216	298	4	3	69	25	36	4	4
35	14	18	2	1	84	37	47	-	-	14	4	8	2	-
13	5	8	-	-	17	5	5	2	1	7	2	4	-	1
7	3	3	-	1	26	14	12	-	-	3	1	2	-	-
31	14	17	-	-	90	37	51	1	1	20	7	10	1	2
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-
132	58	70	1	3	257	105	150	1	1	24	10	12	1	1
16	5	10	-	1	45	17	27	-	1	1	1	-	-	-
68	35	28	4	1	189	103	84	1	1	24	10	10	2	2
55	21	33	1	-	102	45	56	1	-	15	8	5	-	2
15	8	7	-	-	23	13	9	1	-	5	5	-	-	-
40	13	26	1	-	79	32	47	-	-	10	3	5	-	2
22	12	10	-	-	50	24	25	-	-	3	1	2	-	-
133	81	46	3	3	240	147	82	6	5	26	11	10	3	2
14	10	3	1	-	20	11	8	1	-	3	1	2	-	-

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963—Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

COLORADO					CONNECTICUT					DELAWARE				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
343	268	61	11	3	702	578	103	16	5	135	96	20	17	2
10	10	-	-	-	54	47	5	1	1	6	3	2	1	-
122	94	22	6	-	166	141	19	4	2	77	52	12	12	1
202	160	35	5	2	475	386	76	11	2	49	39	5	4	1
9	4	4	-	1	7	4	3	-	-	3	2	1	-	-
185	2	181	-	2	431	5	419	-	7	67	-	54	-	13
295	119	175	-	1	530	206	305	8	11	116	34	53	10	19
68	...	67	...	1	68	...	65	...	3	25	...	14	...	11
30	...	30	...	-	84	...	80	...	4	18	...	15	...	3
69	...	69	...	-	147	...	144	...	3	26	...	21	...	5
9	...	9	...	-	17	...	16	...	1	3	...	3	...	-
113	113	...	-	...	200	192	...	8	...	42	32	...	10	...
6	6	...	-	...	14	14	...	-	...	2	2	...	-	...
107	79	27	-	-	203	133	67	3	-	37	21	12	2	2
43	31	12	-	-	83	48	33	2	-	12	7	5	-	-
64	48	15	-	1	120	85	34	1	-	25	14	7	2	2
269	139	124	3	3	528	282	233	9	4	69	29	31	6	3
30	15	15	-	-	52	31	19	1	1	11	5	6	-	-
3	-	3	-	-	3	1	2	-	-	-	-	-	-	-
60	31	28	-	1	105	59	44	1	1	13	5	6	1	1
4	1	3	-	-	15	6	9	-	-	2	1	-	-	-
14	10	3	1	-	26	14	12	8	-	3	1	2	-	-
12	5	7	-	-	25	15	8	2	-	3	1	2	1	-
8	5	2	-	-	28	13	13	-	-	1	1	-	-	-
138	72	65	2	1	274	143	126	2	2	36	16	15	4	1
146	84	59	2	1	211	116	87	4	4	25	11	8	2	3
148	82	63	2	1	224	103	109	5	7	27	12	12	1	2
73	34	38	1	-	102	45	54	2	1	14	6	7	1	1
33	23	10	-	-	53	25	24	2	2	4	4	-	-	-
42	25	15	1	1	69	33	31	1	4	9	2	5	-	2
63	35	25	1	2	104	46	51	2	5	17	8	6	1	2
2	...	1	...	-	2	...	1	...	1	-	...	-
10	5	5	-	-	15	5	7	1	2	3	1	2	-	-
11	9	1	-	1	12	6	6	-	-	2	1	1	-	-
-	...	-	...	-	2	...	2	-	...	-	...	-
26	14	12	-	-	52	23	26	1	2	8	3	2	1	2
14	7	5	1	1	21	12	9	-	-	4	3	1	-	-
300	130	158	1	11	606	237	345	7	17	146	52	76	5	13
59	35	19	-	5	44	22	17	1	4	14	7	5	1	1
5	1	4	-	-	7	3	4	-	-	-	-	-	-	-
8	1	8	-	-	4	1	2	-	-	1	1	-	-	-
181	71	104	1	5	501	192	294	4	11	114	36	68	3	7
2	1	1	-	-	2	-	1	1	-	2	1	1	-	-
6	3	-	-	-	1	-	1	-	-	2	-	-	-	1
16	7	8	-	1	10	4	6	-	-	4	2	4	-	2
23	12	11	-	-	37	15	20	1	1	8	4	2	1	1
60	25	31	1	3	63	29	31	2	1	22	11	4	4	3
29	9	19	1	-	39	16	21	1	1	18	9	3	3	3
4	1	3	-	-	6	2	4	-	-	1	1	1	-	-
25	8	16	1	-	33	14	17	1	1	17	9	2	3	3
12	6	5	-	1	8	3	4	1	-	1	1	1	-	-
19	10	7	-	2	16	10	6	-	-	3	1	1	1	-
44	26	13	4	1	102	71	23	8	-	10	4	2	3	1
4	1	2	-	1	-	-	-	-	-	-	-	-	-	-
5	3	2	-	-	11	6	4	1	-	-	-	-	-	-
25	17	5	3	-	67	55	8	4	2	9	3	2	3	1
9	5	3	1	-	16	5	9	2	-	1	1	-	-	-
1	-	1	-	-	2	-	2	-	-	-	-	-	-	-
1,795	776	964	26	29	3,022	1,257	1,661	49	55	471	152	226	53	40
1,641	708	889	19	25	2,798	1,148	1,551	42	47	423	138	202	48	35
71	31	35	2	3	128	47	74	4	3	24	10	9	3	2
939	403	515	10	11	1,374	597	720	29	28	223	69	100	30	24
454	207	238	4	5	1,059	421	618	7	13	150	49	79	13	9
177	67	101	3	6	227	83	139	2	3	26	10	14	2	-
24	12	10	1	1	24	11	11	1	1	4	1	2	1	-
12	1	10	1	-	41	14	27	-	-	5	4	5	-	-
31	13	17	-	1	49	21	28	-	-	11	4	7	-	-
8	2	6	-	-	7	4	1	1	1	-	-	-	-	-
16	7	7	2	-	29	17	9	1	2	7	2	2	2	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	6	4	2	1	3	1	1	-	1	6	2	1	1	2
50	27	21	1	1	81	41	33	4	3	15	5	7	2	1

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision)

CAUSE OF DEATH	ARKANSAS					CALIFORNIA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM.....	7,731	3,858	2,340	833	700	62,413	34,264	25,005	1,876	1,268
DISEASES OF HEART.....400-402,410-443	7,042	3,530	2,114	758	640	56,695	31,495	22,374	1,702	1,124
RHEUMATIC FEVER.....400-402	6	4	1	1	—	51	23	24	2	2
CHRONIC RHEUMATIC HEART DISEASE.....410-416	94	55	31	5	3	1,547	670	815	27	35
DISEASES OF MITRAL VALVE.....410	29	16	10	3	—	691	254	412	8	17
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	13	12	1	—	—	274	182	85	4	3
DISEASES OF PULMONARY VALVE, ETC.....413,414	—	—	—	—	—	69	33	34	—	2
OTHER RHEUMATIC HEART DISEASES.....412,415,416	52	27	20	2	3	513	201	284	15	13
ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	5,229	2,848	1,558	470	353	42,990	25,389	15,767	1,185	649
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	1,975	950	723	181	121	19,887	10,665	8,395	488	339
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420.1	3,250	1,896	835	287	232	23,073	14,708	7,358	697	310
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	4	2	—	2	—	30	16	14	—	—
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	39	15	11	8	5	360	200	138	11	11
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	2	1	—	1	—	10	5	5	—	—
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	16	7	5	1	3	277	170	95	8	4
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	21	7	6	6	2	73	25	38	3	7
OTHER MYOCARDIAL DEGENERATION.....422	382	135	147	51	49	6,354	3,079	2,947	185	143
WITH ARTERIOSCLEROSIS.....422.1	286	94	112	40	40	9,844	2,841	2,698	172	133
WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	96	41	35	11	9	510	238	249	13	10
OTHER DISEASES OF HEART.....430-434	569	249	163	91	66	1,383	664	615	61	43
ACUTE AND SUBACUTE ENDOCARDITIS.....430	7	1	4	1	1	83	44	27	7	5
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	12	5	4	1	2	103	43	40	14	6
FUNCTIONAL DISEASE OF HEART.....433	97	39	37	11	10	506	227	259	6	14
OTHER AND UNSPECIFIED DISEASES OF HEART.....434	453	204	118	78	53	691	350	289	34	18
HYPERTENSIVE HEART DISEASE.....440-443	723	224	203	132	164	4,010	1,470	2,068	231	241
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR										
NEPHROSCLEROSIS.....442	165	71	54	20	20	569	242	280	29	18
OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	558	153	149	112	144	3,441	1,228	1,788	202	223
OTHER HYPERTENSIVE DISEASE.....444-447	151	60	39	29	23	742	322	347	39	34
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	84	41	26	13	4	385	194	160	16	15
ESSENTIAL HYPERTENSION.....444,445,447	67	19	13	16	19	357	128	187	23	19
DISEASES OF ARTERIES.....450-456	433	218	150	38	27	4,110	2,033	1,901	101	75
GENERAL ARTERIOSCLEROSIS.....450	331	150	127	32	22	2,582	1,020	1,483	37	42
AORTIC ANEURYSM, NONSYPHILITIC, ETC.....451	59	48	8	2	1	1,219	867	290	51	11
GANGRENE OF UNSPECIFIED CAUSE.....455	5	2	2	1	—	10	4	5	1	—
OTHER ARTERIAL DISEASES.....452-454,456	38	18	13	3	4	299	142	123	12	22
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	105	50	37	8	10	866	414	383	34	35
VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	1,195	555	315	174	151	8,080	4,875	2,564	419	222
ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	14	3	5	2	4	42	15	18	5	4
INFLUENZA.....480-483	144	33	30	37	44	115	49	60	2	4
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	698	290	210	102	96	4,559	2,450	1,718	244	147
LOBAR PNEUMONIA.....490	97	43	18	16	20	688	424	206	34	24
BRONCHOPNEUMONIA.....491	329	145	110	42	32	2,664	1,391	1,076	122	75
PRIMARY ATYPICAL PNEUMONIA.....492	37	14	10	6	7	739	355	277	69	38
PNEUMONIA, OTHER AND UNSPECIFIED.....493	235	88	72	38	37	468	280	159	19	10
ACUTE BRONCHITIS.....500	8	4	2	2	—	109	60	33	10	6
BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	41	29	9	3	—	331	222	91	10	8
HYPERTROPHY OF TONSILS AND ADENOIDS.....510	1	1	—	—	—	10	6	4	—	—
EMPHYEMA AND ABSCESS OF LUNG.....518,521	10	5	1	4	—	77	50	18	6	3
PLEURISY.....519	5	3	2	—	—	11	8	2	1	—
OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	40	23	13	3	1	501	300	142	30	29
BRONCHIECTASIS.....526	28	18	8	1	1	198	115	73	8	2
OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	167	126	25	13	3	1,868	1,476	291	90	11
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	141	116	16	8	1	1,758	1,420	251	79	8
ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY.....527.0,527.2	26	10	9	5	2	110	56	40	11	3
OTHER RESPIRATORY DISEASES.....RESIDUAL	39	20	10	7	2	259	124	114	13	8
IX. DISEASES OF THE DIGESTIVE SYSTEM.....	642	319	196	58	69	7,564	4,165	2,838	339	222
DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	—	—	—	—	—	7	2	4	1	—
ULCER OF STOMACH.....540	61	44	8	8	1	564	329	200	26	9
ULCER OF DUODENUM.....541	56	36	13	6	1	609	432	149	20	8
GASTRITIS AND DUODENITIS.....543	4	4	—	—	—	58	32	24	2	—
APPENDICITIS.....550-553	21	13	2	2	4	143	80	47	8	8
HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	108	36	45	13	14	776	337	381	31	27
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS										
AND OVER.....571	52	14	13	12	13	182	75	80	12	15
CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	30	16	13	—	1	337	157	169	4	7
CIRRHOSIS OF LIVER.....581	115	64	30	7	14	3,488	2,025	1,710	181	112
WITHOUT MENTION OF ALCOHOLISM.....581.0	97	50	29	6	12	1,660	942	589	87	42
WITH ALCOHOLISM.....581.1	18	14	1	1	2	1,828	1,083	581	94	70
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	47	20	21	2	4	345	143	188	6	8
FIBROCYSTIC DISEASE OF PANCREAS.....587B	8	3	4	—	1	66	27	37	2	—
OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	140	69	47	8	16	989	526	389	46	28
X. DISEASES OF THE GENITOURINARY SYSTEM.....	422	167	105	101	49	2,239	1,179	789	149	122
NEPHRITIS AND NEPHROSIS.....590-594	228	85	55	55	33	774	368	297	62	47
ACUTE NEPHRITIS.....590	9	2	4	3	—	36	11	15	6	4
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	7	4	—	3	—	63	31	30	—	2
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	212	79	51	49	33	675	326	252	56	41
INFECTIONS OF KIDNEY.....600	105	39	38	19	9	746	319	334	42	51
CALCULI OF URINARY SYSTEM.....602,604	6	4	2	—	—	105	56	40	5	4
OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	23	6	8	9	—	207	117	73	9	8
HYPERPLASIA OF PROSTATE.....610	48	33	—	15	—	313	288	—	25	—
DISEASES OF BREAST.....620,621	1	—	—	—	—	—	—	—	—	—
OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	11	—	2	3	6	94	31	45	6	12

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963—Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

COLORADO					CONNECTICUT					DELAWARE				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
6,407	3,655	2,612	73	67	11,510	6,248	4,948	169	145	1,958	936	735	157	130
5,593	3,243	2,240	57	53	10,301	5,688	4,343	145	125	1,733	841	645	137	110
7	3	4	-	-	9	7	2	-	-	1	-	-	-	1
206	86	116	1	3	270	111	150	4	5	33	13	15	-	5
82	28	53	-	1	104	32	71	1	-	12	3	7	-	2
25	15	9	-	1	38	26	10	2	-	4	4	-	-	8
14	8	6	-	-	7	2	5	-	-	2	1	-	-	9
85	35	48	1	1	121	51	64	1	5	15	5	8	-	10
4,531	2,753	1,695	45	38	8,641	4,948	3,492	110	91	1,163	621	400	85	57
1,984	1,081	860	21	22	4,897	2,569	2,198	69	61	466	206	196	39	25
2,545	1,670	835	24	16	3,740	2,377	1,292	41	30	696	414	204	46	32
2	2	-	-	-	4	2	2	-	-	1	1	-	-	14
35	24	11	-	-	47	30	16	-	1	13	9	4	-	16
1	-	1	-	-	1	1	-	-	-	1	-	1	-	17
14	9	5	-	-	37	24	13	-	-	6	4	2	-	18
20	15	5	-	-	9	5	3	-	1	6	4	2	-	19
263	122	140	-	1	392	184	199	6	3	232	107	95	15	20
193	92	100	-	1	323	152	175	3	3	203	95	81	13	14
70	30	40	-	-	59	32	24	3	-	29	12	14	2	22
240	119	112	5	4	239	130	92	11	6	68	22	29	9	8
10	8	2	-	1	11	6	5	-	-	1	-	-	-	1
12	4	7	-	1	9	4	7	-	-	3	2	-	-	1
89	37	48	1	3	93	51	33	4	5	23	4	15	3	1
129	70	55	4	-	126	69	50	6	1	41	16	14	6	5
311	136	162	6	7	703	278	392	14	19	223	69	102	28	24
135	71	61	1	2	162	77	81	2	2	47	19	21	6	1
176	65	101	5	5	541	201	311	12	17	176	50	81	22	23
97	39	54	3	1	189	89	91	4	5	28	6	14	5	3
66	30	34	2	-	118	62	50	2	4	15	4	8	3	3
31	9	20	1	1	71	27	41	2	1	13	2	6	2	3
497	260	224	5	8	819	373	429	11	6	160	68	67	12	13
354	163	182	3	6	595	230	356	5	4	123	47	95	11	10
94	70	21	2	1	167	110	52	4	1	22	15	6	1	3
2	1	1	-	-	2	2	-	-	-	1	1	1	-	40
47	26	20	-	1	55	31	21	2	1	13	5	5	-	3
220	113	94	8	5	201	98	85	9	9	37	21	9	3	4
1,377	866	464	27	20	1,462	858	533	54	17	253	123	70	39	21
22	10	6	4	2	6	3	2	-	1	2	1	1	-	46
34	15	19	-	-	42	19	22	1	-	10	1	5	2	2
869	473	360	18	18	987	523	404	45	15	143	53	47	29	14
134	82	45	2	5	121	68	44	5	4	16	6	4	5	1
500	266	214	11	9	542	280	234	20	8	59	25	19	12	3
57	31	24	1	1	94	54	32	7	1	12	5	3	2	2
178	94	77	4	3	230	121	94	13	2	56	17	21	10	8
16	14	2	-	-	20	6	14	-	-	1	-	-	1	54
50	38	12	-	-	67	52	13	2	-	8	6	1	1	55
3	2	4	-	-	1	1	-	-	-	-	-	-	-	56
12	8	4	-	-	14	9	5	-	-	4	1	2	1	57
1	1	-	-	-	10	5	5	-	-	1	1	-	-	58
25	17	7	1	-	67	47	18	1	1	16	11	3	-	2
18	9	9	-	-	35	21	14	-	-	6	6	7	4	61
285	247	34	4	-	178	146	29	3	-	52	40	6	4	1
279	243	33	3	-	155	134	19	2	-	47	36	6	4	2
6	4	1	1	-	23	12	10	1	-	6	4	1	-	1
42	33	9	-	-	35	26	7	2	-	9	4	3	1	1
756	406	325	15	10	1,050	597	408	27	18	179	73	63	24	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
63	39	23	1	-	80	57	23	-	-	19	11	6	1	1
65	45	18	2	-	89	62	24	1	2	10	4	3	2	1
6	3	2	1	-	4	1	3	-	-	-	-	-	-	71
23	15	7	1	-	18	5	12	1	-	3	1	-	1	1
118	56	60	1	1	116	61	50	3	2	22	12	6	2	2
33	15	14	3	1	34	18	9	4	3	18	4	2	6	6
32	14	17	1	1	66	28	36	1	1	12	6	6	-	76
192	104	82	2	4	380	241	121	12	6	52	20	19	10	3
116	56	54	2	4	265	164	95	3	3	38	13	17	7	1
76	48	28	-	-	115	77	26	9	3	14	7	2	3	2
61	25	36	-	-	59	21	37	1	-	15	3	11	-	80
9	7	2	-	-	13	5	8	-	-	2	2	-	-	81
154	83	64	4	3	191	98	85	4	4	26	10	10	2	4
258	151	97	4	6	363	203	142	11	7	74	37	18	12	7
93	50	38	3	2	140	68	58	8	6	33	16	8	3	6
7	4	3	-	-	3	2	1	-	-	2	1	1	-	87
8	7	1	-	-	7	4	4	1	-	1	-	-	-	1
78	39	34	3	2	130	64	53	7	6	30	15	7	3	5
84	39	43	3	2	111	54	57	-	-	20	8	7	4	1
13	8	4	-	-	16	10	6	-	-	2	1	1	1	91
22	14	7	1	-	34	20	13	1	-	4	2	1	1	92
33	33	...	-	-	48	47	...	1	-	13	10	...	3	93
-	-	-	-	-	-	-	-	-	-	-	-	-	-	94
13	7	5	-	1	14	4	8	1	1	2	1	1	-	95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision)

CAUSE OF DEATH	ARKANSAS					CALIFORNIA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	23	...	10	...	13	112	...	84	...	28
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	1	...	-	...	1	8	...	5	...	3
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC...642,685,686	6	...	2	...	4	11	...	9	...	2
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH...643,644,670-672	6	...	2	...	4	13	...	12	...	1
ECTOPIC PREGNANCY.....645	-	...	-	...	-	6	...	4	...	2
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	2	...	-	...	2	13	...	9	...	4
ABORTION WITH SEPSIS.....651	1	...	-	...	1	22	...	17	...	5
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	2	...	1	...	1
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	7	...	6	...	1	37	...	27	...	10
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	18	2	12	1	3	145	51	81	6	7
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	3	1	1	-	1	30	17	12	-	1
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE....700-716	15	1	11	1	2	115	34	69	6	6
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	33	20	9	2	2	305	114	173	9	9
ARTHRITIS AND SPONDYLITIS.....720-725	25	15	6	2	2	161	49	106	2	4
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED....726,727	-	-	-	-	-	4	-	2	1	1
OSTEOMYELITIS AND PERIOSTITIS.....730	-	-	-	-	-	10	2	7	-	1
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	-	-	-	-	-	11	5	5	1	-
INBORN DEFECT OF MUSCLE.....744,1	5	4	1	-	-	52	35	13	3	1
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744,0,744,2	3	1	2	-	-	67	23	40	2	2
XIV. CONGENITAL MALFORMATIONS.....	206	89	70	23	24	1,863	918	741	109	95
SPINA BIFIDA AND MENINGOCELE.....751	11	6	4	-	1	83	30	48	2	3
CONGENITAL HYDROCEPHALUS, ETC.....752,753	23	13	7	1	2	159	77	63	7	12
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	114	44	41	16	13	1,045	505	412	69	59
OTHER CONGENITAL MALFORMATIONS.....750,755-759	58	26	18	6	8	576	306	218	31	21
XV. CERTAIN DISEASES OF EARLY INFANCY.....	638	258	173	118	89	5,332	2,665	1,852	468	347
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	659	202	110	198	149	375	169	176	16	14
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	92	18	19	31	24	114	37	74	1	2
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	567	184	91	167	125	261	132	102	15	12
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	1,668	851	363	327	127	12,825	7,908	3,777	860	280
ACCIDENTS.....E800-E962	1,363	694	310	252	107	9,020	5,644	2,604	573	199
RAILWAY ACCIDENTS.....E800-E802	13	5	1	6	1	81	65	8	8	-
MOTOR VEHICLE ACCIDENTS.....E810-E835	581	339	119	95	28	4,586	2,986	1,214	289	97
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	574	334	118	94	28	4,476	2,906	1,191	282	97
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	28	14	5	7	2	122	92	24	4	2
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	85	33	14	23	15	837	503	228	81	25
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	174	100	45	24	5	2,010	1,282	571	119	38
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	100	69	15	14	2	1,373	942	327	74	30
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	187	118	39	26	4	1,374	87	41	4	2
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	7	5	1	1	-	110	80	23	7	-
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	1	-	-	1	-	37	22	14	1	-
WATER TRANSPORT ACCIDENTS.....E850-E858	14	13	-	1	-	117	89	10	15	3
AIRCRAFT ACCIDENTS.....E860-E866	2	2	-	-	-	170	142	21	5	2
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	24	8	8	3	5	255	124	106	10	15
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	14	8	4	2	-	102	58	27	11	6
ACCIDENTAL FALLS.....E900-E904	168	69	86	8	5	1,402	702	620	60	20
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	22	12	9	1	-	430	291	99	31	9
FALL ON SAME LEVEL.....E903	25	10	12	2	1	563	248	290	19	6
UNSPECIFIED FALLS.....E904	121	47	65	5	4	409	163	231	10	5
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	33	22	-	11	-	104	90	8	6	-
ACCIDENT CAUSED BY MACHINERY.....E912	42	34	4	4	-	120	109	4	7	-
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	11	9	-	2	-	45	40	3	2	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	165	52	37	41	35	451	249	158	30	14
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	2	-	1	1	-	39	13	20	4	2
ACCIDENT CAUSED BY FIREARM.....E919	63	37	4	18	4	108	80	17	11	-
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	24	7	5	5	7	214	122	75	8	9
ACCIDENTAL DROWNING.....E929	88	40	19	24	5	491	347	81	58	5
EXCESSIVE HEAT AND INSOLATION.....E931	1	-	-	-	-	22	11	7	3	1
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	9	2	4	2	1	212	92	100	11	9
ALL OTHER ACCIDENTS.....RESIDUAL	108	47	18	27	16	464	303	111	34	16
SUICIDE.....E963,E970-E979	164	123	29	10	2	3,072	1,918	1,026	99	29
SUICIDE BY POISONING.....E970-E973	19	10	9	-	-	1,432	717	674	28	13
SUICIDE BY HANGING AND STRANGULATION.....E974	7	3	1	2	1	302	212	57	25	8
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	126	103	16	7	-	1,028	807	188	28	5
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	12	7	3	1	1	310	182	107	18	3
HOMICIDE.....E964,E980-E985	141	34	24	65	18	731	344	147	188	52
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	89	23	15	42	9	325	155	61	87	22
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	20	3	-	13	4	160	67	19	60	14
ASSAULT BY OTHER MEANS.....E964,E980,E983	28	8	9	6	5	215	99	67	33	16
INJURY BY INTERVENTION OF POLICE.....E984	4	-	-	4	-	29	21	-	8	-
EXECUTION.....E985	-	-	-	-	-	2	2	-	-	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	-	-	-	-	-	2	2	-	-	-

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963--Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

COLORADO					CONNECTICUT					DELAWARE				
Total	White		.Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
13	...	12	...	1	7	...	5	...	2	3	...	2	...	1
3	...	2	...	1	3	...	2	...	1	1	...	1	...	-
4	...	4	...	-	1	...	1	...	-	-	...	-	...	-
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
1	...	1	...	-	-	...	-	...	-	2	...	1	...	1
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
4	...	4	...	-	2	...	1	...	1	-	...	-	...	-
24	11	11	-	2	27	9	18	-	-	3	1	1	-	1
5	3	2	-	-	8	4	4	-	-	-	-	-	-	-
19	8	9	-	2	19	5	14	-	-	3	1	1	-	1
40	16	24	-	-	51	18	32	1	-	13	5	6	1	1
18	5	13	-	-	20	6	13	1	-	9	4	5	-	-
1	-	1	-	-	2	-	-	-	-	-	-	-	-	-
4	4	-	-	-	2	1	1	-	-	-	-	-	-	-
-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
7	4	3	-	-	12	7	5	-	-	1	-	-	-	1
10	3	7	-	-	14	2	12	-	-	3	1	1	-	1
209	107	95	3	4	284	144	126	6	8	45	20	14	6	5
10	5	5	-	-	31	14	16	-	1	-	-	-	-	-
22	12	9	-	1	34	15	16	3	-	5	3	-	1	1
110	50	54	3	3	117	66	45	-	6	20	13	2	3	2
67	40	27	-	-	102	49	49	3	1	20	4	12	2	2
690	366	283	25	16	838	422	273	84	59	179	75	51	28	25
109	55	51	1	2	127	57	53	9	8	12	6	2	2	2
20	8	12	-	-	11	2	7	1	1	5	2	2	1	-
89	47	39	1	2	116	55	46	8	7	7	4	-	1	2
1,618	1,072	474	50	22	1,324	821	413	62	28	310	156	88	47	19
1,167	767	357	24	19	998	617	310	52	19	245	121	73	35	16
6	5	1	-	-	6	6	-	-	-	2	2	-	-	-
495	343	131	12	9	366	252	91	16	7	85	49	26	7	3
480	332	128	12	8	354	243	89	15	7	84	48	26	7	3
8	8	-	-	-	5	4	-	-	-	2	2	-	-	-
67	42	20	4	1	67	47	18	1	1	22	10	6	3	3
211	139	65	3	4	133	91	30	9	3	25	13	12	-	-
129	101	24	3	1	135	93	34	5	3	16	12	2	2	-
65	42	19	2	2	14	8	6	-	-	19	11	6	2	-
15	11	3	-	1	12	9	2	1	-	1	1	-	-	-
6	4	2	-	-	-	-	-	-	-	-	-	-	-	-
7	4	1	2	-	14	11	1	2	-	1	1	-	-	-
22	20	2	-	-	11	9	1	1	-	12	7	5	-	-
31	15	15	1	-	28	10	8	9	1	3	1	2	-	-
34	26	7	-	1	20	13	7	-	-	3	1	7	1	1
225	115	106	1	3	266	142	118	6	-	52	19	25	4	4
71	44	25	-	2	79	53	25	1	-	14	10	1	2	1
46	24	22	-	-	65	32	32	1	-	5	1	3	1	-
108	47	59	1	1	122	57	61	4	-	33	8	21	1	3
23	22	1	-	-	10	9	1	-	-	5	4	-	1	-
35	34	1	-	-	13	12	1	-	-	3	3	-	-	-
11	11	-	-	-	4	4	-	-	-	-	-	-	-	-
33	17	15	1	-	91	47	29	9	6	16	1	4	7	4
3	3	-	-	-	3	1	2	-	-	2	1	-	-	1
25	22	3	-	-	9	5	2	2	-	2	1	-	1	-
34	20	13	1	-	22	15	7	-	-	9	5	3	1	-
56	43	12	1	-	43	26	10	6	1	18	11	2	5	-
1	-	1	-	-	3	3	-	-	-	-	-	-	-	-
34	16	15	1	2	25	15	8	-	2	7	4	2	-	1
86	47	31	4	4	64	37	24	1	2	25	12	3	8	2
357	255	95	6	1	275	180	90	4	1	40	23	12	5	-
126	71	54	1	-	108	51	55	2	-	9	6	3	-	-
30	25	3	1	1	68	51	17	-	-	5	-	3	2	-
176	147	26	3	0	71	61	10	-	-	18	13	4	1	-
25	12	12	1	-	28	17	8	2	1	8	4	2	2	-
93	49	22	20	2	51	24	13	6	8	25	12	3	7	3
52	29	12	10	1	25	14	4	3	4	15	7	2	5	1
13	4	3	6	-	14	6	3	3	2	6	3	1	1	1
26	14	7	4	1	11	3	6	-	2	4	2	-	1	1
2	2	-	-	-	1	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963--Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

GEORGIA					HAWAII				IDAHO				Total		
Total	White		.Nonwhite		Total	White		Nonwhite		Total	White			Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female		Male	Female
37,718	14,308	10,326	6,952	6,132	3,656	632	442	1,687	895	5,886	3,500	2,289	60	37	1
504	168	88	148	100	40	2	2	25	11	51	36	12	-	3	2
152	61	27	52	12	19	1	1	13	4	18	14	1	-	3	5
138	58	26	44	10	17	1	1	12	3	16	13	1	-	2	6
3	1	-	1	1	-	-	-	-	-	1	-	-	-	1	7
6	1	1	4	-	-	-	-	-	-	-	-	-	-	-	8
1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	9
4	1	-	2	1	1	-	-	1	-	1	1	-	-	-	10
67	14	3	34	16	4	-	-	2	2	13	8	5	-	-	11
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	12
35	10	2	14	9	2	-	-	-	2	10	6	4	-	-	13
24	2	1	17	4	2	-	-	2	-	-	-	-	-	-	14
3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	15
2	-	-	1	2	-	-	-	-	-	3	2	1	-	-	16
2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	17
2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	18
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	19
2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	20
14	2	1	6	5	-	-	-	-	-	-	-	-	-	-	21
1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	22
3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	23
83	27	24	12	20	5	-	1	2	2	5	4	1	-	-	24
5	-	-	2	3	-	-	-	-	-	-	-	-	-	-	25
8	-	1	4	3	-	-	-	-	-	-	-	-	-	-	26
19	8	3	4	4	3	1	-	-	2	1	1	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
9	1	1	4	3	1	-	-	1	-	-	-	-	-	-	29
2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	30
3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	31
18	5	5	5	3	-	-	-	-	-	-	-	-	-	-	32
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	33
11	3	4	1	3	-	-	-	-	-	2	-	2	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
27	9	6	4	8	3	-	-	3	-	2	1	1	-	-	36
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
68	28	12	13	4	4	-	-	3	1	9	7	2	-	-	42
5,001	1,938	1,699	715	649	638	94	75	304	165	840	467	361	8	4	43
4,916	1,914	1,662	707	633	632	91	75	304	162	819	454	354	7	4	44
143	81	37	11	14	22	3	3	15	1	12	9	3	-	-	45
3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	46
32	20	5	5	2	5	1	1	3	-	6	4	2	-	-	47
57	33	17	6	5	5	-	1	4	-	2	1	1	-	-	48
51	26	15	5	5	12	2	1	8	1	4	4	-	-	-	49
1,391	507	467	254	163	257	17	22	156	62	251	139	107	4	1	50
103	32	14	43	14	20	1	2	17	9	29	7	2	-	-	51
314	107	76	83	48	80	2	1	47	30	53	32	17	3	1	52
11	5	2	1	3	2	-	-	2	2	1	1	-	-	-	53
398	123	172	46	57	48	1	9	28	10	81	38	42	1	-	54
38	18	10	5	5	11	-	4	5	2	13	7	6	-	-	55
19	4	9	3	3	1	-	1	-	6	3	3	3	-	-	56
9	2	3	2	2	1	-	1	-	1	1	1	-	-	-	57
77	34	29	7	7	10	-	-	7	3	17	8	9	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
240	63	117	27	33	24	1	3	15	5	41	18	22	1	-	60
15	2	4	2	7	1	-	-	1	-	3	1	2	-	-	61
116	48	46	15	7	32	4	3	19	6	20	11	9	-	-	62
64	16	33	5	10	25	2	2	18	3	17	5	12	-	-	63
28	9	12	5	2	16	2	-	13	3	9	3	-	-	-	64
34	7	21	8	9	9	-	-	5	2	14	2	12	-	-	65
79	28	24	19	8	11	2	1	7	1	7	3	3	-	-	66
273	137	83	40	13	36	4	4	16	12	58	37	21	-	-	67
33	11	17	2	3	3	1	-	2	-	4	3	1	-	-	68

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision)

CAUSE OF DEATH	DISTRICT OF COLUMBIA					FLORIDA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
1 MALIGNANT NEOPLASMS, ETC.—CON.										
2 MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED										
3 AS SECONDARY.....160-164	229	106	17	88	18	1,872	1,454	238	153	27
4 OF LARYNX.....161	21	10	1	10	—	86	65	11	8	2
5 OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY...162	127	54	7	54	12	801	621	95	78	7
6 OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	77	40	9	22	6	957	750	123	67	17
7 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	4	2	—	2	—	28	18	9	—	1
8 MALIGNANT NEOPLASM OF BREAST.....170	147	—	97	—	50	727	3	636	—	87
9										
10 MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	214	42	59	48	65	1,337	448	611	110	168
11 OF CERVIX UTERI.....171	58	...	25	...	33	297	...	205	...	92
12 OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	26	...	11	...	15	179	...	137	...	42
13 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	31	...	20	...	11	268	...	241	...	27
14 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	9	...	3	...	6	35	...	28	...	7
15 OF PROSTATE.....177	68	41	...	47	...	517	417	...	100	...
16 OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	2	1	...	1	...	41	31	...	10	...
17 MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	54	19	10	16	9	463	296	126	27	14
18 OF KIDNEY.....180	24	9	4	8	3	157	86	58	8	5
19 OF BLADDER AND OTHER URINARY ORGANS.....181	30	10	6	8	6	306	210	68	19	9
20										
21 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED										
22 SITES.....156B,165,190-199	123	41	31	26	25	1,104	540	430	58	76
23 OF SKIN.....190,191	8	3	4	1	—	143	87	51	1	4
24 OF EYE.....192	—	—	—	—	—	18	11	5	1	1
25 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	27	10	7	5	5	230	102	102	14	12
26 OF THYROID GLAND.....194	5	1	2	—	2	30	10	17	2	1
27 OF BONE.....196	6	2	—	3	1	48	22	21	1	4
28 OF CONNECTIVE TISSUE.....197	7	4	1	1	1	40	25	10	2	3
29 OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	5	1	2	1	1	58	35	15	4	4
30 OF UNSPECIFIED SITES.....156B,165,198,199B	65	20	15	15	15	537	248	209	33	47
31 LEUKEMIA AND ALEUKEMIA.....200	51	19	11	17	4	412	214	156	18	24
32 LYMPHOSARCOMA, ETC.....200-203,205	58	18	21	9	10	454	234	165	33	22
33 LYMPHOSARCOMA AND RETICULOSARCOMA.....200	28	9	11	5	3	195	107	75	7	6
34 HODGKINS DISEASE.....201	10	4	4	1	1	102	59	28	11	4
35 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC										
36 TISSUES.....202,203,205	20	5	6	3	6	157	68	62	15	12
37										
38 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	30	5	5	3	17	137	54	61	6	16
39 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	6	...	1	...	5	16	...	7	...	9
40 BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	6	—	1	—	5	28	10	15	—	3
41 OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	7	3	2	—	2	29	19	7	2	1
42 UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS.....233-235	—	...	—	...	—	—	...	—	...	—
43 NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	6	1	1	2	2	37	12	23	2	—
44 OTHER NEOPLASMS OF UNSPEC. NATURE.....230-232,236,238,239	5	1	—	1	3	27	13	9	2	3
45										
46 III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND										
47 NUTRITIONAL DISEASES.....	192	38	31	55	68	1,235	456	458	133	188
48										
49 ASTHMA.....241	31	7	3	9	12	172	76	46	29	21
50 NONTOXIC GOITER.....250,251	1	—	—	—	—	1	—	—	—	—
51 THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	1	—	1	—	—	15	6	5	—	4
52 ALL OTHER DISEASES OF THYROID GLAND.....253,254	—	—	—	—	—	18	2	13	—	3
53 DIABETES MELLITUS.....260	134	24	23	38	49	864	310	335	82	137
54 DISEASES OF THYMUS GLAND.....273	—	—	—	—	—	1	—	1	—	—
55 DISEASES OF ADRENAL GLANDS.....274	—	—	—	—	—	28	10	15	2	1
56 PELLAGRA.....281	—	—	—	—	—	—	—	—	—	—
57 OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	8	2	2	2	2	48	22	11	10	5
58 ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS...RESIDUAL	17	5	2	6	4	88	30	32	10	16
59										
60 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	32	7	8	10	7	193	78	55	27	33
61										
62 ANEMIAS.....290-293	26	6	7	8	5	138	46	38	23	31
63 PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	2	—	1	—	—	11	4	4	1	2
64 ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	24	6	6	7	5	127	42	34	22	29
65 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	3	—	1	1	1	24	14	8	—	2
66 OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS.....RESIDUAL	3	1	—	1	1	31	18	9	4	—
67										
68										
69 V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	33	9	10	10	4	172	91	56	15	10
70										
71 SENILE PSYCHOSIS.....304	1	1	—	—	—	20	6	12	2	—
72 ALCOHOLIC PSYCHOSIS.....305	5	1	—	3	1	10	7	3	—	—
73 OTHER PSYCHOSES.....300-303,305,306,308,309	2	—	1	1	—	26	13	9	2	—
74 ALCOHOLISM.....322	20	7	5	5	3	104	60	27	10	7
75 MENTAL DEFICIENCY.....325	4	—	3	1	—	8	3	3	1	1
76 OTHER DISORDERS OF PERSONALITY.....RESIDUAL	1	—	1	—	—	4	2	2	—	—
77										
78										
79 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	892	181	283	202	226	6,736	2,715	2,696	651	674
80										
81 VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM...330-334	823	165	275	177	206	6,324	2,531	2,575	594	624
82 SUBARACHNOID HEMORRHAGE.....330	68	11	13	19	25	293	90	136	27	40
83 CEREBRAL HEMORRHAGE.....331	348	73	117	72	86	3,304	1,281	1,292	347	384
84 CEREBRAL EMBOLISM AND THROMBOSIS.....332	349	70	123	72	84	2,210	943	938	186	143
85 OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	58	11	22	14	11	517	217	209	34	57
86 MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS...340	17	4	2	4	7	86	31	15	20	20
87 MULTIPLE SCLEROSIS.....345	5	—	1	1	3	23	12	9	1	1
88 PARALYSIS AGITANS.....350	5	2	—	1	1	80	45	32	1	2
89 CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	3	—	1	2	—	15	9	3	1	2
90 EPILEPSY.....353	15	1	1	11	2	61	17	14	17	13
91 INFLAMMATORY DISEASES OF EYE.....370-379	—	—	—	—	—	—	—	—	—	—
92 CATARACT.....385	—	—	—	—	—	—	—	—	—	—
93 GLAUCOMA.....387	—	—	—	—	—	—	—	—	—	—
94 OTITIS MEDIA AND MASTOIDITIS.....391-393	—	—	—	—	—	6	1	3	1	1
95 OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS.....RESIDUAL	24	9	2	6	7	141	69	45	16	11

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963-Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

GEORGIA					HAWAII					IDAHO				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
838	554	96	160	28	120	28	4	68	20	105	87	18	-	-
53	34	5	13	1	6	2	-	4	-	5	4	1	-	-
378	263	38	70	7	45	11	1	27	6	40	33	7	-	-
386	248	48	72	18	65	15	3	36	11	58	48	10	-	-
21	9	5	5	2	4	2	-	1	3	2	2	-	-	-
397	3	290	2	102	32	-	11	-	21	69	1	67	-	1
817	211	303	112	191	64	12	16	11	25	111	58	52	1	1
236	...	124	...	112	18	...	4	...	14	27	...	27	...	-
111	...	70	...	41	6	...	3	...	3	7	...	7	...	-
129	...	98	...	31	17	...	9	...	8	16	...	16	...	-
18	...	11	...	7	-	...	-	2	...	2	...	-
308	199	...	109	...	21	11	...	10	...	55	54	...	1	...
15	12	...	3	...	2	1	...	4	4
197	83	69	30	15	11	1	3	5	2	44	30	13	-	1
74	33	28	9	4	3	1	1	2	-	14	8	6	-	-
123	50	41	21	11	8	1	2	3	2	30	22	7	-	1
659	255	241	85	78	46	12	9	12	13	124	68	53	2	1
93	43	35	9	6	7	3	-	4	-	21	7	14	-	-
7	2	4	-	1	1	1	-	1	-	1	1	-	-	-
132	63	53	12	4	15	4	4	3	4	32	21	10	1	-
10	2	5	1	2	4	-	-	-	4	3	2	1	-	-
32	12	9	4	7	-	-	-	-	-	6	4	2	-	-
13	3	5	2	3	2	2	1	-	1	5	3	2	-	-
33	14	8	5	6	3	1	1	1	1	4	3	1	-	-
339	116	122	52	49	14	4	4	3	3	52	27	23	1	1
241	119	77	20	25	50	11	6	19	14	60	32	28	-	-
233	101	82	33	17	30	7	1	18	4	43	30	13	-	-
86	42	32	6	6	18	5	1	9	3	18	11	7	-	-
61	33	17	9	2	9	1	1	7	3	9	6	3	-	-
86	26	33	18	9	3	1	-	2	-	16	13	3	-	-
85	24	37	8	16	6	3	-	-	3	21	13	7	1	-
17	...	9	...	8	-	...	-	...	-	-	...	-	...	-
17	...	7	...	1	3	...	-	...	-	4	...	1	1	-
11	7	1	2	1	1	1	-	-	1	5	3	2	-	-
26	...	-	...	-	-	...	-	...	-	-	...	-	...	-
14	5	14	4	3	1	3	-	-	1	5	4	1	-	-
14	3	6	2	3	1	1	-	-	-	7	4	3	-	-
771	198	229	124	220	125	14	18	46	47	146	66	77	1	2
105	46	14	25	20	17	4	2	6	5	14	11	3	-	-
13	2	5	1	5	1	-	-	-	-	1	-	1	-	-
6	2	2	1	1	1	1	-	-	-	4	2	2	-	-
516	116	169	72	159	87	8	12	29	38	108	45	61	1	1
3	1	1	-	1	-	-	-	-	-	1	-	1	-	-
8	3	3	-	2	-	-	-	-	-	1	-	-	-	-
5	-	1	1	3	-	-	-	-	-	-	-	-	-	-
43	3	13	13	14	10	-	2	6	2	6	3	3	-	-
72	25	21	11	15	9	2	1	4	2	11	5	5	-	-
115	38	29	16	32	10	2	1	7	-	22	12	9	1	-
80	20	20	13	27	7	1	-	6	-	12	8	3	1	-
2	1	1	-	-	-	-	-	-	-	2	2	-	-	-
78	19	19	13	27	7	1	-	6	-	10	6	3	1	-
16	7	4	1	4	1	-	1	-	-	3	1	2	-	-
19	11	5	2	1	2	1	-	1	-	7	3	4	-	-
145	59	23	37	26	7	1	1	3	2	6	3	2	1	-
6	1	2	2	1	1	-	-	1	-	-	-	-	-	-
15	8	-	4	3	-	-	-	-	-	-	-	-	-	-
14	5	3	2	4	3	-	-	1	2	-	-	-	-	-
92	39	13	26	14	3	1	1	1	5	-	3	1	1	-
14	4	4	3	3	-	-	-	-	-	1	-	1	-	-
4	2	1	-	1	-	-	-	-	-	-	-	-	-	-
5,846	1,604	1,817	1,113	1,312	334	36	45	164	89	703	357	336	8	2
5,539	1,509	1,734	1,039	1,257	305	34	42	148	81	647	330	307	8	2
209	60	66	35	48	22	2	5	7	8	8	2	6	-	-
3,400	874	937	700	889	174	11	16	99	48	423	208	207	6	2
1,549	477	594	234	244	78	13	12	33	20	146	78	66	2	-
381	98	137	70	76	31	8	9	9	5	70	42	28	-	-
75	21	17	20	17	6	1	1	2	2	6	3	3	-	-
11	5	5	-	1	2	-	-	1	1	8	4	4	-	-
33	11	19	3	-	6	-	-	4	2	19	9	10	-	-
17	7	4	4	2	1	1	-	-	1	5	3	2	-	-
56	12	7	23	14	6	1	-	4	-	7	5	2	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	-	-	3	-	-	-	-	-	-	-	-	-	-	-
109	37	31	21	20	8	-	1	5	2	11	3	8	-	-

SECTION 1 - MORTALITY

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision)

CAUSE OF DEATH	DISTRICT OF COLUMBIA					FLORIDA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM.....	3,606	1,027	993	812	774	22,435	12,468	7,276	1,478	1,213
DISEASES OF HEART.....400-402,410-443	3,143	921	869	705	648	20,166	11,339	6,478	1,295	1,054
RHEUMATIC FEVER.....400-402	2	-	-	1	1	17	4	8	1	4
CHRONIC RHEUMATIC HEART DISEASE.....410-416	76	21	32	14	9	457	210	206	29	14
DISEASES OF MITRAL VALVE.....410	28	2	15	5	6	177	70	86	15	6
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	15	10	3	2	-	52	39	10	2	1
DISEASES OF PULMONARY VALVE, ETC.....413,414	1	-	-	1	-	14	7	5	2	-
OTHER RHEUMATIC HEART DISEASES.....412,415,416	32	9	14	6	3	214	94	105	6	9
ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	1,989	710	598	379	302	15,617	9,495	4,822	772	528
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	818	256	282	135	145	6,869	3,899	2,418	323	229
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420.1	1,171	454	316	244	157	8,736	5,590	2,402	449	299
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	-	-	-	-	-	12	6	2	4	-
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	18	3	5	5	5	117	64	28	17	8
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	4	1	1	1	1	5	1	2	2	-
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	11	2	3	4	2	75	49	13	10	3
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	3	-	1	-	2	37	14	13	5	5
OTHER MYOCARDIAL DEGENERATION.....422	400	104	108	101	87	1,149	473	475	92	109
WITH ARTERIOSCLEROSIS.....422.0	374	100	101	89	84	920	386	395	63	76
WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	26	4	7	12	3	229	87	80	29	33
OTHER DISEASES OF HEART.....430-434	81	13	14	31	23	1,233	603	387	136	107
ACUTE AND SUBACUTE ENDOCARDITIS.....430	8	-	1	6	1	46	30	4	9	3
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	9	1	-	6	2	208	120	63	16	9
FUNCTIONAL DISEASE OF HEART.....433	20	6	5	3	6	228	107	91	10	20
OTHER AND UNSPECIFIED DISEASES OF HEART.....434	44	6	8	16	14	751	346	229	101	75
HYPERTENSIVE HEART DISEASE.....440-443	577	70	112	174	221	1,576	490	552	252	282
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	78	15	19	24	20	335	133	106	49	47
OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	499	55	93	150	201	1,241	357	446	203	235
OTHER HYPERTENSIVE DISEASE.....444-447	67	4	16	23	24	421	188	116	63	54
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	34	4	8	10	12	264	149	69	29	17
ESSENTIAL HYPERTENSION.....444,445,447	33	-	8	13	12	157	39	47	34	37
DISEASES OF ARTERIES.....450-456	226	70	77	32	47	1,485	774	561	75	75
GENERAL ARTERIOSCLEROSIS.....450	144	37	63	19	25	913	398	418	44	53
AORTIC ANEURYSM, NONSYPHILITIC, ETC.....451	56	29	8	8	11	467	322	110	23	12
GANGRENE OF UNSPECIFIED CAUSE.....452,455	26	4	6	5	11	99	53	31	8	7
OTHER ARTERIAL DISEASES.....452-454,456	170	32	31	52	55	363	167	121	45	30
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	170	32	31	52	55	363	167	121	45	30
VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	680	170	148	229	133	3,132	1,649	740	450	293
ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	2	1	-	1	-	22	5	6	5	6
INFLUENZA.....480-483	18	7	4	5	2	132	29	33	35	35
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	470	98	106	161	105	1,678	715	461	313	189
LOBAR PNEUMONIA.....490	103	27	15	43	18	294	111	56	90	37
BRONCHOPNEUMONIA.....491	285	60	75	82	68	1,085	507	318	157	103
PRIMARY ATYPICAL PNEUMONIA.....492	13	1	4	5	3	185	61	57	35	32
PNEUMONIA, OTHER AND UNSPECIFIED.....493	69	10	12	31	16	114	36	30	31	17
ACUTE BRONCHITIS.....500	6	1	2	2	1	29	13	8	4	4
BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	28	11	6	10	1	138	91	31	10	6
HYPERTROPHY OF TONSILS AND ADENOIDS.....510	1	-	-	1	-	3	2	-	1	-
EMPHYEMA AND ABSCESS OF LUNG.....518,521	15	3	2	8	2	43	21	10	4	8
PLEURISY.....519	5	-	1	3	1	5	2	3	-	-
OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	41	9	5	17	10	150	77	31	22	20
BRONCHIECTASIS.....526	12	5	4	2	2	72	38	27	4	3
OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	70	33	14	18	5	760	615	96	41	8
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	63	33	10	16	4	709	583	81	39	6
ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY.....527.0,527.2	7	-	4	2	1	51	32	15	2	2
OTHER RESPIRATORY DISEASES.....RESIDUAL	12	2	4	2	4	100	41	34	11	14
IX. DISEASES OF THE DIGESTIVE SYSTEM.....	587	142	120	198	127	2,163	1,084	732	201	146
DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	-	-	-	-	-	1	-	-	-	1
ULCER OF STOMACH.....540	47	12	7	22	6	173	112	31	22	8
ULCER OF DUODENUM.....541	29	11	3	8	7	166	124	30	8	4
GASTRITIS AND DUODENITIS.....543	2	1	-	1	-	18	8	7	1	2
APPENDICITIS.....550-553	9	2	1	4	2	49	22	17	8	2
HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	74	15	24	17	18	319	126	145	31	17
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	20	3	1	9	7	176	38	35	52	51
CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	24	2	8	5	9	114	61	46	4	3
CIRRHOSIS OF LIVER.....581	262	76	51	89	46	613	351	201	26	35
WITHOUT MENTION OF ALCOHOLISM.....581.0	187	54	41	59	33	412	240	131	20	21
WITH ALCOHOLISM.....581.1	75	22	10	30	13	201	111	70	6	14
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	15	3	6	1	5	157	63	85	5	4
FIBROCYSTIC DISEASE OF PANCREAS.....587B	2	1	1	-	-	12	5	7	-	-
OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	103	16	18	42	27	365	174	128	44	19
X. DISEASES OF THE GENITOURINARY SYSTEM.....	220	43	33	80	64	1,084	452	324	163	145
NEPHRITIS AND NEPHROSIS.....590-594	52	11	10	17	14	391	137	120	63	71
ACUTE NEPHRITIS.....590	1	-	1	-	-	17	7	4	2	4
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	2	-	-	2	-	22	10	7	2	3
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	49	11	9	15	14	352	120	109	59	64
INFECTIONS OF KIDNEY.....600	100	18	18	30	34	371	137	138	49	47
CALCULI OF URINARY SYSTEM.....602,604	8	2	1	3	2	54	29	13	5	7
OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	24	5	-	13	6	115	50	30	24	11
HYPERPLASIA OF PROSTATE.....610	23	6	-	17	-	97	80	-	17	-
DISEASES OF BREAST.....620,621	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	13	1	4	-	8	56	19	23	5	9

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963—Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix

GEORGIA					HAWAII					IDAHO				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
13,658	5,896	3,813	2,049	1,900	1,330	257	177	599	297	2,415	1,487	915	6	7
12,175	5,410	3,345	1,772	1,648	1,200	231	156	549	264	2,173	1,357	803	6	7
11	2	2	3	4	4	1	1	2	1	2	1	1	1	1
194	70	69	22	33	31	1	5	8	13	61	32	29	—	—
72	31	18	10	12	10	1	3	6	10	21	11	10	—	—
26	15	8	1	2	1	1	1	1	2	14	10	4	—	—
12	5	4	2	1	6	1	—	—	—	14	10	4	—	—
84	19	39	6	20	1	3	—	—	—	4	1	3	—	—
8,687	4,418	2,356	1,068	845	827	192	110	367	158	22	10	12	—	—
2,446	1,084	812	290	260	441	103	60	205	73	1,733	1,130	593	5	5
6,229	3,331	1,540	773	585	386	89	50	163	85	530	304	220	4	2
12	3	4	5	—	—	—	—	—	—	1,202	825	373	1	3
76	26	20	14	16	6	1	—	—	—	1	—	—	—	—
6	1	4	1	—	1	1	—	—	—	18	15	3	—	—
38	20	9	7	2	1	—	—	—	—	2	1	1	—	—
32	5	7	6	14	4	—	—	—	—	5	5	—	—	—
853	313	275	132	133	71	9	9	35	18	11	9	2	—	—
670	259	222	88	101	56	8	7	29	12	118	66	51	1	1
183	54	53	44	32	15	1	2	6	6	48	38	31	1	1
805	253	210	176	166	39	9	6	18	6	99	62	35	—	—
18	3	2	8	5	—	—	—	—	—	3	2	1	—	—
32	7	9	9	7	2	—	—	—	—	5	3	—	—	—
194	63	77	28	26	13	5	—	6	2	29	17	12	—	—
561	180	122	131	128	24	4	5	12	3	62	40	20	—	—
1,549	328	413	357	451	222	14	26	114	68	144	52	92	—	—
341	80	97	79	85	29	1	3	13	12	49	24	25	—	—
1,208	248	316	278	366	193	13	23	101	56	95	28	67	—	—
319	77	64	90	88	33	5	4	12	12	22	12	10	—	—
127	46	30	25	26	17	3	3	5	8	10	8	2	—	—
192	31	34	65	62	16	2	7	4	4	12	4	8	—	—
897	326	310	135	126	92	19	15	38	20	187	104	83	—	—
633	188	242	105	98	42	9	10	16	7	136	64	72	—	—
196	113	51	18	14	39	7	3	19	10	31	26	5	—	—
6	4	—	2	—	1	—	—	—	—	2	2	—	—	—
62	21	17	10	14	10	3	3	3	3	18	12	6	—	—
267	83	94	52	38	5	2	2	—	1	33	14	19	—	—
2,773	999	627	614	533	189	34	15	95	45	357	219	128	7	3
31	7	9	6	9	2	—	—	1	1	10	6	4	—	—
262	72	50	58	82	3	—	—	3	—	41	15	26	—	—
1,775	511	448	446	370	115	16	10	60	29	179	93	77	6	3
275	87	73	67	48	6	—	—	3	8	23	8	14	—	—
685	221	192	144	128	62	12	3	38	9	71	41	26	2	1
196	46	46	55	49	34	2	6	13	13	9	4	5	—	—
619	157	137	180	145	13	2	1	6	4	76	40	32	—	—
27	10	5	3	9	2	—	—	—	—	4	2	2	—	—
92	57	15	11	9	2	—	—	—	—	19	18	1	—	—
1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
23	9	2	10	2	2	—	—	—	—	—	—	—	—	—
2	—	1	1	—	1	—	—	—	—	2	2	—	—	—
79	23	18	24	14	13	2	2	6	3	1	1	—	—	—
41	19	16	4	2	14	2	2	6	4	10	7	3	—	—
387	269	48	44	26	30	14	1	13	2	7	4	3	—	—
294	230	35	12	7	27	12	7	22	2	66	58	8	—	—
33	35	13	22	19	3	2	—	1	2	64	56	8	—	—
53	21	15	7	10	5	—	—	—	—	2	2	—	—	—
1,295	510	378	232	175	143	26	25	56	36	224	130	83	1	6
1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
129	63	29	28	9	22	1	4	8	9	24	15	9	—	—
106	59	20	23	4	12	3	1	6	2	16	11	5	—	—
12	6	1	1	4	1	—	—	—	—	3	2	1	—	—
38	17	4	10	7	3	1	—	1	1	9	9	—	—	—
211	69	79	34	29	14	3	—	7	4	38	19	18	1	—
168	25	21	70	52	8	—	—	—	—	—	—	—	—	—
41	12	21	3	5	7	1	—	2	6	15	9	4	—	—
281	150	74	31	26	49	13	9	9	1	9	6	3	—	—
190	104	53	21	12	40	10	7	20	7	45	27	12	1	5
91	46	21	10	14	9	3	2	18	5	37	24	9	—	—
66	21	40	—	5	8	1	4	2	2	8	3	3	—	—
19	6	13	—	—	3	1	—	—	—	19	6	12	1	1
223	82	76	32	33	16	2	2	8	4	43	24	18	1	—
901	254	226	241	180	101	9	8	52	32	98	67	28	1	2
393	106	76	117	94	52	4	4	32	12	54	36	17	—	—
22	3	4	9	6	1	—	—	—	—	1	1	—	—	—
15	4	3	6	2	2	—	—	—	—	4	3	—	—	—
356	99	69	102	86	49	4	—	2	—	4	3	—	—	—
263	62	103	43	55	31	3	—	30	11	49	32	16	—	—
43	15	19	6	3	6	1	—	13	14	16	8	6	—	—
74	19	21	13	13	7	—	—	2	3	3	2	1	—	—
90	45	—	45	—	4	—	—	3	2	5	3	2	—	—
—	—	—	—	—	7	—	—	—	—	16	16	—	—	—
38	7	7	9	15	1	—	—	—	—	—	—	—	—	—

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision)

CAUSE OF DEATH	ILLINOIS					INDIANA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES.....	107,758	54,346	41,738	6,486	5,188	48,459	25,446	19,940	1,689	1,384
I. INFECTIVE AND PARASITIC DISEASES.....	864	475	199	127	63	471	275	143	34	19
TUBERCULOSIS, ALL FORMS.....001-019	528	291	95	102	40	223	138	49	29	7
TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	483	276	88	89	30	202	126	43	27	6
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	6	1	2	2	1	3	2	1	-	-
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	4	1	-	1	2	3	1	-	1	1
TUBERCULOSIS OF BONES AND JOINTS.....012,013	3	2	-	1	-	4	1	3	-	-
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	9	6	1	1	1	5	4	1	-	-
DISSEMINATED TUBERCULOSIS.....019	23	5	4	8	6	6	4	1	1	-
SYPHILIS AND ITS SEQUELAE.....020-029	67	38	12	11	6	67	48	16	2	1
CONGENITAL SYPHILIS.....020	1	1	-	-	-	1	-	1	-	-
EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA.....022	25	17	3	2	3	43	29	13	-	1
OTHER CARDIOVASCULAR SYPHILIS.....023	27	10	6	8	3	9	6	1	2	-
TABES DORSALIS.....024	5	4	1	-	-	2	1	1	-	-
GENERAL PARALYSIS OF INSANE.....025	6	4	1	1	-	2	2	-	-	-
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	3	2	1	-	-	6	6	-	-	-
ALL OTHER SYPHILIS.....027-029	-	-	-	-	-	4	4	-	-	-
GONOCOCCAL INFECTION.....030-035	1	-	-	-	1	-	-	-	-	-
TYPHOID FEVER.....040	1	-	-	-	1	-	-	-	-	-
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	5	2	2	-	1	-	-	-	-	-
CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS.....044	-	-	-	-	-	-	-	-	-	-
DYSENTERY, ALL FORMS.....045-048	13	7	4	2	-	-	-	-	-	-
FOOD POISONING, INFECTION AND INTOXICATION.....049	-	-	-	-	-	-	-	-	-	-
SCARLET FEVER.....050	2	-	1	1	-	1	-	1	-	-
STREPTOCOCCAL SORE THROAT.....051	5	3	2	-	-	4	2	2	-	-
ERYSIPELAS.....052	-	-	-	-	-	1	-	1	-	-
SEPTICEMIA AND PYEMIA.....053	50	26	18	4	2	46	23	18	-	5
DIPHTHERIA.....055	3	2	1	-	-	-	-	-	-	-
WHOOPING COUGH.....056	-	-	-	-	-	4	1	3	-	-
MENINGOCOCCAL INFECTIONS.....057	22	15	5	1	1	31	17	9	1	4
PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
LEPROSY.....060	-	-	-	-	-	-	-	-	-	-
TETANUS.....061	4	3	1	-	-	3	2	1	-	-
ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS.....080	-	-	-	-	-	1	1	-	-	-
LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	7	3	2	-	2	2	2	-	-	-
ACUTE INFECTIOUS ENCEPHALITIS.....082	22	14	7	-	1	18	8	10	-	-
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	3	1	2	-	-	3	1	2	-	-
SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
MEASLES.....085	10	4	5	1	-	7	3	4	-	-
YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS.....092	61	26	28	3	4	17	7	10	-	-
RABIES.....094	-	-	-	-	-	-	-	-	-	-
TICK-BORNE TYPHUS.....104	-	-	-	-	-	2	-	2	-	-
ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-
MALARIA.....110-117	-	-	-	-	-	-	-	-	-	-
SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-
HYDATID DISEASE.....125	1	-	-	-	1	-	-	-	-	-
FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	-	-	-	-	-	-	-	-	-	-
ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	59	40	14	2	3	41	22	15	2	2
II. NEOPLASMS.....	17,929	8,753	7,547	898	731	7,588	3,769	3,367	227	225
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	17,678	8,659	7,435	882	702	7,488	3,724	3,319	226	219
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	412	318	55	33	6	171	120	38	8	5
OF LIP.....140	10	10	-	-	-	9	7	1	-	1
OF TONGUE.....141	96	65	18	10	3	29	20	8	1	-
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	127	104	16	6	1	56	42	13	1	-
OF PHARYNX.....145-148	179	139	21	17	2	77	51	16	6	4
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	6,144	3,000	2,613	323	208	2,450	1,233	1,079	81	57
OF ESOPHAGUS.....150	337	215	57	53	12	106	67	20	11	8
OF STOMACH.....151	1,209	630	443	88	48	393	242	123	22	6
OF SMALL INTESTINE, INCLUDING DUODENUM.....152	46	22	21	2	1	18	9	8	-	1
OF LARGE INTESTINE, EXCEPT RECTUM.....153	2,098	900	1,065	68	65	887	366	486	18	17
CECUM, APPENDIX, AND ASCENDING COLON.....153.0	316	130	175	6	5	135	64	66	3	2
TRANSVERSE COLON.....153.1	122	52	64	3	3	47	13	34	-	-
DESCENDING COLON.....153.2	107	38	64	-	5	38	17	21	-	-
SIGMOID COLON.....153.3	448	198	226	9	15	171	68	100	2	1
MULTIPLE PARTS OF LARGE INTESTINE.....153.7	8	4	4	-	-	3	1	2	-	-
LARGE INTESTINE, PART UNSPECIFIED.....153.8	1,022	443	495	49	35	445	185	235	13	12
INTESTINAL TRACT, PART UNSPECIFIED.....153.9	75	35	37	1	2	48	18	28	-	2
OF RECTUM.....154	762	390	327	24	21	276	156	107	8	5
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	409	166	212	23	8	174	57	110	3	4
LIVER.....155.0	124	60	48	16	-	46	24	19	2	1
OT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	285	106	164	7	8	128	33	91	1	3
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	246	125	107	10	4	104	58	41	4	1
OF PANCREAS.....157	966	511	357	53	45	443	258	161	12	12
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	71	41	24	2	4	49	20	23	3	3

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963-Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

IOWA					KANSAS					KENTUCKY				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
29,287	16,335	12,653	168	131	22,213	11,844	9,168	652	549	31,745	16,298	12,049	1,882	1,516
177	105	64	3	5	172	101	51	10	10	488	282	143	43	20
51	41	9	1	-	41	25	12	4	-	269	168	66	27	8
48	40	7	-	-	39	24	12	3	-	250	158	59	26	7
-	-	-	-	-	-	-	-	-	-	6	2	3	-	1
-	-	-	-	-	-	-	-	-	-	3	3	-	-	-
1	1	-	-	-	1	1	-	-	-	3	2	1	-	-
2	-	2	-	-	1	-	-	1	-	6	3	3	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
31	14	13	1	3	51	33	11	3	4	47	23	13	7	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	7	8	-	-	30	20	7	-	3	28	15	8	4	1
7	3	2	-	2	9	3	3	2	1	15	7	3	2	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	1	2	1	-	-	1	-	-	-	1	-	1	-	-
4	2	1	-	1	8	6	1	1	-	2	1	1	1	-
1	1	-	-	-	3	3	-	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	2	-	-	-	2	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
4	2	1	-	1	-	-	-	-	-	4	2	2	-	-
-	-	-	-	-	1	-	-	1	-	3	2	1	-	-
4	4	-	-	-	1	-	1	-	-	3	1	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	18	10	-	-	19	10	5	1	3	41	16	18	5	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	1	-	1	-	-	1	1	-	-	-
-	-	-	-	-	12	8	4	-	-	19	12	6	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	5	1	-	-	3	1	1	-	1	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	2	3	-	-	4	2	2	-	-	1	-	1	-	-
6	3	3	-	-	16	8	7	1	-	13	9	4	-	-
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
5	2	2	-	1	1	1	-	-	-	13	7	6	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	-	7	-	-	5	3	2	-	-	15	6	6	3	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	12	9	1	-	13	9	4	-	-	52	29	17	3	3
4,827	2,564	2,216	31	16	3,404	1,710	1,531	99	64	4,434	2,123	1,903	238	170
4,775	2,532	2,198	29	16	3,344	1,686	1,500	96	62	4,353	2,081	1,873	233	166
80	56	21	2	1	74	49	20	2	3	109	68	24	14	3
7	6	1	-	-	5	5	-	-	-	4	3	-	-	1
15	8	5	2	-	17	10	6	-	1	28	18	5	5	-
16	11	5	-	-	19	12	7	-	-	39	22	11	6	-
42	31	10	-	1	33	22	7	2	2	38	25	8	3	2
1,609	812	778	11	8	1,048	479	507	36	26	1,311	617	573	72	49
68	48	19	1	-	42	23	14	3	2	74	43	13	14	4
272	153	111	5	3	173	97	63	9	4	247	120	104	16	7
11	6	5	-	-	8	4	4	-	-	9	5	4	-	-
619	276	336	3	4	379	150	214	8	7	433	167	223	22	21
104	37	64	1	2	56	19	35	1	1	48	19	27	-	2
31	12	19	-	-	14	6	8	-	-	15	7	4	2	2
28	17	11	-	-	16	6	8	1	1	17	8	6	1	2
106	45	61	-	-	80	31	47	2	-	61	25	28	4	4
1	-	1	-	-	-	-	-	-	-	1	1	-	-	-
312	145	164	2	1	207	85	113	4	5	263	95	146	13	9
37	20	16	-	1	6	3	3	-	-	28	12	12	2	2
166	90	75	-	1	109	55	46	6	2	124	70	42	9	3
117	40	77	-	-	79	30	45	2	2	82	29	48	3	2
23	14	9	-	-	20	14	4	2	-	23	11	10	2	-
94	26	68	-	-	59	16	41	2	2	59	18	38	1	2
71	41	29	1	-	45	15	27	1	2	91	41	47	3	-
247	140	106	1	-	196	95	87	7	7	226	127	84	5	10
38	18	20	-	-	17	10	7	-	-	25	15	8	-	2

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963-Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

IOWA					KANSAS					KENTUCKY				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
681	565	108	7	1	521	411	83	25	2	712	538	107	61	6
31	30	1	-	-	18	17	-	1	-	51	41	4	6	-
232	199	30	3	-	178	148	24	5	1	263	201	34	25	3
405	326	74	4	-	313	240	54	18	4	387	289	66	30	2
13	10	3	-	-	12	6	5	1	-	11	7	3	-	1
421	5	415	-	1	276	4	260	1	11	396	1	395	-	40
697	349	341	5	2	550	239	285	13	13	719	242	393	38	46
96	...	95	...	1	105	...	97	...	8	191	...	172	...	19
70	...	70	...	-	75	...	72	...	3	104	...	91	...	12
159	...	158	...	1	109	...	108	...	1	129	...	117	...	13
18	...	18	...	-	9	...	8	...	1	15	...	13	...	14
337	332	...	5	...	238	225	...	13	...	270	232	...	38	...
17	-	...	14	...	14	10	15
248	181	67	-	-	146	96	45	3	...	199	124	64	6	...
103	75	28	-	-	63	37	24	1	1	83	48	29	3	...
145	106	39	-	-	83	59	21	2	1	116	76	35	3	...
500	260	239	-	1	371	198	164	6	3	495	250	207	25	13
82	46	36	1	-	66	36	28	1	1	83	37	42	2	...
6	3	3	-	-	3	-	3	-	-	7	2	5	-	...
135	84	51	-	-	80	49	30	1	-	79	47	27	4	...
26	7	19	-	-	13	4	8	-	1	14	4	9	-	...
22	11	11	-	-	34	21	13	-	-	34	21	12	1	...
22	12	10	-	-	15	9	5	1	-	11	7	3	1	...
20	9	11	-	-	20	15	5	-	-	23	15	8	-	...
187	88	98	-	1	140	64	72	3	1	244	117	101	17	...
268	152	111	3	2	180	106	68	6	-	216	132	74	9	...
271	152	118	1	-	178	104	68	4	2	196	109	76	8	...
129	70	59	-	-	78	48	29	1	1	107	64	38	3	...
46	31	14	1	-	36	21	12	1	2	31	16	15	-	...
96	51	45	-	-	64	35	27	2	-	58	29	23	5	...
52	32	18	2	-	60	24	31	3	2	81	42	30	5	...
3	...	3	...	-	10	...	8	...	2	4	...	2
7	3	4	-	-	10	3	7	-	-	12	6	4	-	...
11	9	2	-	-	13	7	6	-	-	13	6	6	1	...
13	...	4	...	-	19	...	8	...	-
18	12	5	1	-	8	6	2	-	-	18	11	6	1	...
652	305	340	1	6	541	239	262	15	25	831	347	388	30	66
76	55	21	-	-	74	48	21	3	2	143	96	37	7	...
1	-	1	-	-	2	-	1	-	1	2	-	1	-	...
2	-	2	-	-	5	2	3	-	-	10	3	7	-	...
5	1	4	-	-	10	2	7	1	-	4	-	3	1	...
505	217	281	1	6	380	154	197	8	21	571	201	299	20	51
1	-	1	-	-	1	-	-	-	-	-	-	-	-	...
4	2	2	-	-	3	1	2	-	-	6	2	2	-	...
16	7	9	-	-	26	10	15	1	-	35	18	14	-	...
42	23	19	-	-	40	22	16	1	1	59	27	24	2	...
96	50	45	-	1	77	32	43	1	1	91	35	42	8	...
54	25	28	-	1	54	22	31	1	-	63	25	30	3	...
14	4	10	-	-	15	7	8	-	-	12	5	6	-	...
40	21	18	-	1	39	15	23	1	-	51	20	24	3	...
16	11	5	-	-	10	4	5	-	1	10	3	4	2	...
26	14	12	-	-	13	6	7	-	-	18	7	8	3	...
72	34	38	-	-	49	26	20	3	-	107	65	19	20	...
21	4	17	-	-	9	1	8	-	-	3	2	1	-	...
5	5	-	-	-	-	-	-	-	-	6	4	2	-	...
16	8	8	-	-	8	4	4	-	-	13	5	6	2	...
21	14	7	-	-	29	20	6	3	-	77	51	6	17	...
6	3	3	-	-	2	1	1	-	-	6	2	3	1	...
3	-	3	-	-	1	-	1	-	-	2	1	1	-	...
4,448	2,052	2,349	24	23	2,909	1,280	1,443	90	96	4,248	1,880	1,920	241	207
4,167	1,904	2,221	23	19	2,710	1,187	1,346	86	91	3,996	1,768	1,808	223	197
68	29	38	1	1	55	27	23	2	3	116	41	57	9	...
2,516	1,145	1,344	16	11	1,580	697	780	49	54	2,175	995	960	116	104
1,173	562	601	5	5	806	348	399	30	29	1,232	536	562	67	67
410	168	238	2	2	269	115	144	5	5	473	196	229	31	17
19	11	7	-	1	25	5	16	3	1	42	19	17	5	...
31	11	20	-	-	30	13	16	-	1	17	6	8	1	...
88	48	40	-	-	48	27	21	-	-	40	20	19	1	...
8	6	2	-	-	10	5	5	-	-	25	7	16	2	...
23	13	10	-	-	24	11	12	-	1	41	15	20	3	...
1	-	-	-	-	1	-	-	-	-	-	-	-	-	...
1	-	-	-	-	-	-	-	-	-	-	-	-	-	...
6	3	3	-	-	2	1	1	-	-	8	5	3	-	...
105	56	45	1	3	59	31	25	1	2	79	40	29	6	...

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision)

CAUSE OF DEATH	ILLINOIS					INDIANA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM.....	51,795	27,188	20,011	2,481	2,115	21,057	11,493	8,415	640	509
DISEASES OF HEART.....400-402,410-443	47,459	25,129	18,117	2,271	1,942	18,702	10,411	7,281	565	445
RHEUMATIC FEVER.....400-402	42	20	14	4	4	6	3	3	-	-
CHRONIC RHEUMATIC HEART DISEASE.....410-416	915	385	465	29	36	453	198	233	12	10
DISEASES OF MITRAL VALVE.....410	345	132	198	7	8	173	70	93	6	4
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	86	62	18	5	1	36	26	9	-	1
DISEASES OF PULMONARY VALVE, ETC.....413,414	45	15	29	1	-	43	18	25	-	-
OTHER RHEUMATIC HEART DISEASES.....412,415,416	439	176	220	16	27	201	84	106	6	5
ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	38,342	21,450	14,135	1,526	1,231	14,446	8,585	5,184	395	282
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	20,040	10,008	8,484	765	783	5,725	2,977	2,474	155	119
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420.1	18,284	11,428	5,648	760	448	8,714	5,602	2,709	240	163
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	18	14	3	1	-	7	6	1	-	-
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	190	101	80	5	4	121	62	42	8	9
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	16	1	14	1	-	5	1	1	1	2
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	98	58	33	3	4	51	31	15	2	3
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	76	42	33	1	-	65	30	26	5	4
OTHER MYOCARDIAL DEGENERATION.....422	3,146	1,295	1,426	225	200	1,186	537	592	32	25
WITH ARTERIOSCLEROSIS.....422.1	2,280	911	1,029	192	148	777	352	386	20	19
WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	866	384	397	33	52	409	185	206	12	6
OTHER DISEASES OF HEART.....430-434	1,495	731	375	202	187	702	349	315	23	15
ACUTE AND SUBACUTE ENDOCARDITIS.....430	49	24	16	3	6	20	11	8	1	-
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	67	36	17	6	8	26	13	11	4	2
FUNCTIONAL DISEASE OF HEART.....433	298	138	146	10	4	197	90	105	4	2
OTHER AND UNSPECIFIED DISEASES OF HEART.....434	1,081	533	196	183	169	459	235	195	18	11
HYPERTENSIVE HEART DISEASE.....440-443	3,329	1,147	1,622	280	280	1,788	677	912	95	104
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	701	308	342	29	22	911	395	469	27	20
OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	2,628	839	1,280	251	258	877	282	443	68	84
OTHER HYPERTENSIVE DISEASE.....444-447	968	416	410	89	53	404	166	194	22	22
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	595	285	248	36	26	241	112	107	10	12
ESSENTIAL HYPERTENSION.....444,445,447	373	131	162	53	27	163	54	87	12	10
DISEASES OF ARTERIES.....450-456	2,959	1,458	1,308	92	101	1,726	809	836	44	37
GENERAL ARTERIOSCLEROSIS.....450	2,217	978	1,093	68	78	1,419	615	737	38	29
AORTIC ANEURYSM, NONSYPHILITIC, ETC.....451	558	389	141	19	9	228	164	57	5	2
GANGRENE OF UNSPECIFIED CAUSE.....455	7	5	1	1	-	5	4	1	-	-
OTHER ARTERIAL DISEASES.....452-454,456	177	86	73	4	14	74	26	41	1	6
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	409	185	176	29	19	225	107	104	9	5
VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	5,976	3,078	1,764	658	476	2,638	1,546	874	132	86
ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	25	16	7	1	1	17	8	5	1	3
INFLUENZA.....480-483	224	92	116	8	6	273	131	119	15	8
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	4,269	1,880	1,354	588	447	1,423	739	539	83	62
LOBAR PNEUMONIA.....490	457	240	162	39	16	278	140	112	16	10
BRONCHOPNEUMONIA.....491	3,303	1,397	972	526	408	794	409	295	56	34
PRIMARY ATYPICAL PNEUMONIA.....492	246	122	95	13	16	159	84	67	3	5
PNEUMONIA, OTHER AND UNSPECIFIED.....493	263	121	125	10	7	192	106	65	8	13
ACUTE BRONCHITIS.....500	61	29	23	6	3	26	15	7	3	1
BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	232	154	63	8	7	79	53	23	3	-
HYPERTROPHY OF TONSILS AND ADENOIDS.....510	6	3	2	1	-	-	-	-	-	-
EMPHYEMA AND ABSCESS OF LUNG.....518,521	36	20	11	5	-	19	10	5	3	1
PLEURISY.....519	10	7	3	-	-	3	1	-	1	1
OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	190	129	45	12	4	85	41	35	6	3
BRONCHIECTASIS.....526	106	73	29	2	2	58	36	19	2	1
OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	742	631	85	23	3	557	467	74	11	5
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	707	607	75	22	3	529	453	61	11	4
ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY.....527.0,527.2	35	24	10	1	-	28	14	13	-	1
OTHER RESPIRATORY DISEASES.....RESIDUAL	75	44	26	4	1	98	45	48	4	1
IX. DISEASES OF THE DIGESTIVE SYSTEM.....	4,078	2,260	1,443	232	143	1,681	913	687	49	32
DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	3	1	1	-	1	-	-	-	-	-
ULCER OF STOMACH.....540	391	245	100	37	9	140	90	44	4	2
ULCER OF DUODENUM.....541	365	259	87	16	3	163	116	43	4	-
GASTRITIS AND DUODENITIS.....543	20	7	12	-	1	12	7	2	1	2
APPENDICITIS.....550-553	121	67	36	11	7	46	22	20	2	2
HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	511	211	253	26	21	281	116	148	11	6
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	152	60	52	24	16	82	36	40	2	4
CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	267	116	142	3	6	104	42	56	2	4
CIRRHOSIS OF LIVER.....581	1,419	891	397	76	55	417	272	129	9	7
WITHOUT MENTION OF ALCOHOLISM.....581.0	1,018	631	302	48	37	307	189	108	6	4
WITH ALCOHOLISM.....581.1	401	260	95	28	18	110	83	21	3	3
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	282	125	144	6	7	127	59	68	-	-
FIBROCYSTIC DISEASE OF PANCREAS.....587B	40	17	23	-	-	24	11	12	-	1
OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	507	261	196	33	17	285	142	125	14	4
X. DISEASES OF THE GENITOURINARY SYSTEM.....	1,638	871	532	138	97	807	433	295	46	33
NEPHRITIS AND NEPHROSIS.....590-594	665	310	259	57	39	378	187	149	19	23
ACUTE NEPHRITIS.....590	31	13	12	5	1	33	18	11	3	1
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	58	23	22	12	1	17	4	11	-	2
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	576	274	225	40	37	328	165	127	16	20
INFECTIONS OF KIDNEY.....600	473	203	185	40	45	210	90	104	12	4
CALCULI OF URINARY SYSTEM.....602,604	64	33	29	2	-	27	17	8	-	2
OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	97	43	39	10	5	52	28	18	5	1
HYPERPLASIA OF PROSTATE.....610	293	264	-	29	-	98	91	-	7	-
DISEASES OF BREAST.....620,621	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	46	18	20	-	8	42	20	16	3	3

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963-Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix

IOWA					KANSAS					KENTUCKY				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
12,834	7,446	5,288	60	40	9,630	5,321	3,897	225	187	13,135	6,965	4,812	715	643
11,355	6,679	4,583	55	38	8,519	4,790	3,372	198	159	11,775	6,328	4,259	639	549
3	1	2	-	-	13	7	5	-	-	7	3	4	-	-
233	103	126	3	1	166	84	79	1	2	195	95	88	6	6
109	46	62	-	1	71	28	41	-	2	65	32	30	-	3
17	13	3	1	-	17	13	4	-	-	18	10	8	-	8
20	7	13	-	-	10	3	7	-	-	5	4	1	-	9
87	37	48	2	-	68	40	27	1	-	107	49	49	6	10
8,983	5,517	3,395	41	30	6,752	4,007	2,498	145	102	8,509	4,918	2,917	400	274
3,543	1,891	1,617	17	18	2,675	1,378	1,174	63	60	3,217	1,627	1,356	127	107
5,437	3,623	1,778	24	12	4,070	2,624	1,322	82	42	5,286	3,287	1,560	272	167
3	3	-	-	-	7	5	2	-	-	6	4	1	-	-
87	44	41	1	1	63	33	26	3	1	82	47	33	-	2
3	1	2	-	-	5	2	3	-	-	-	-	-	-	17
33	23	10	-	-	28	15	11	2	-	34	26	7	-	18
51	20	29	1	1	30	21	12	1	1	48	21	26	-	19
830	430	394	3	3	606	278	306	10	12	843	365	358	53	67
604	320	280	1	3	438	193	231	4	10	690	293	313	34	50
226	110	114	2	-	168	85	75	6	2	153	72	45	19	17
473	260	212	-	1	316	158	141	10	7	750	396	260	50	44
12	7	5	-	-	2	10	4	-	1	14	6	4	-	25
19	11	8	-	-	16	8	8	-	-	14	4	4	-	26
167	86	81	-	-	126	55	66	4	1	91	50	39	3	2
275	156	118	-	1	172	92	69	6	5	635	336	212	47	27
746	324	413	7	2	603	223	317	28	35	1,389	504	599	130	40
324	162	158	3	1	176	82	83	7	4	295	121	117	26	29
422	162	255	4	1	427	141	234	21	31	1,094	383	482	104	31
242	127	112	3	-	162	73	75	6	8	220	97	84	21	31
161	95	64	2	-	102	53	44	3	2	127	62	50	8	35
81	32	48	1	-	60	20	31	3	6	93	35	34	13	36
1,070	558	508	2	2	804	388	384	17	15	945	450	392	43	60
868	416	449	1	2	647	276	349	11	11	776	347	343	35	51
153	113	40	-	-	110	83	21	3	3	107	69	29	4	39
3	1	2	-	-	3	1	2	-	-	12	7	3	-	40
46	28	17	1	-	44	28	12	3	1	50	27	17	4	41
167	82	85	4	-	145	70	66	4	5	195	90	77	12	42
1,608	976	610	13	9	1,207	712	410	42	43	2,204	1,118	807	169	110
11	5	5	1	-	14	7	6	-	2	12	5	6	1	45
104	53	50	-	1	101	46	51	2	1	12	5	6	-	46
958	517	430	5	6	675	357	264	26	28	1,287	158	157	27	18
147	85	58	2	2	104	38	59	4	3	169	600	506	107	74
432	237	193	2	2	371	195	149	13	14	588	90	61	9	49
105	60	41	1	3	60	29	22	4	4	279	230	47	32	50
274	135	138	-	1	140	74	55	5	6	446	84	32	12	51
18	7	11	-	-	12	9	3	-	-	14	10	3	-	52
64	45	17	2	-	55	43	9	2	1	64	38	19	5	53
4	3	1	-	-	1	1	2	-	-	2	-	2	-	54
12	11	1	-	-	7	5	1	-	-	7	4	1	2	55
-	-	-	-	-	1	-	-	-	-	1	-	-	-	56
64	41	21	1	1	53	29	15	1	8	80	45	30	3	57
32	22	9	1	-	32	18	14	-	-	53	32	18	2	58
282	246	34	2	-	215	177	26	11	1	261	191	44	17	59
262	234	26	2	-	198	169	19	10	-	212	166	29	12	60
20	12	8	-	-	17	8	7	1	1	49	25	15	5	61
59	26	31	1	1	41	21	18	-	2	63	34	21	5	62
952	551	391	5	5	851	453	362	18	18	1,140	605	417	54	63
-	-	-	-	-	1	-	1	-	-	2	1	1	-	64
83	58	25	-	-	80	57	22	1	-	111	71	31	7	65
87	71	16	-	-	75	57	17	-	1	89	65	13	7	66
4	2	2	-	-	6	2	4	-	-	14	9	3	-	67
24	15	9	-	-	25	15	9	1	-	25	11	10	1	68
170	78	91	1	-	147	60	80	2	5	167	67	79	8	69
46	20	23	1	2	46	24	20	2	-	92	47	34	5	70
63	30	33	-	-	50	23	24	-	3	65	27	35	-	71
180	120	58	1	1	183	115	57	6	5	243	152	65	12	72
127	79	47	1	-	148	91	48	5	4	176	110	51	7	73
53	41	11	-	1	35	24	9	1	1	67	42	14	5	74
85	40	43	1	1	73	30	43	-	-	82	24	50	1	75
14	6	8	-	-	12	3	9	-	-	11	7	4	-	76
196	111	83	1	1	153	67	76	6	4	239	124	92	13	77
412	260	144	3	5	470	254	177	22	17	651	334	217	50	78
140	79	58	2	1	239	116	99	11	13	276	138	90	20	79
8	4	4	-	-	15	10	5	-	-	21	11	6	1	80
11	9	2	-	-	18	9	6	-	3	20	10	4	2	81
121	66	52	2	1	206	97	88	11	10	235	117	80	17	82
106	51	54	-	1	108	46	51	8	3	194	74	92	14	83
16	10	5	-	1	14	4	10	-	-	22	6	13	1	84
54	31	21	1	1	33	19	13	-	1	49	29	14	3	85
73	73	...	-	...	58	55	...	3	...	87	76	...	11	86
-	-	-	-	-	-	-	-	-	-	-	-	-	-	87
23	16	6	-	1	18	14	4	-	-	23	11	8	1	88

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963--Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

IOWA					KANSAS					KENTUCKY				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
8	...	8	...	-	16	...	12	...	4	24	...	17	...	7
-	...	-	...	-	1	...	1	...	-	7	...	5	...	2
3	...	3	...	-	2	...	2	...	-	6	...	5	...	1
1	...	1	...	-	4	...	3	...	-	6	...	4	...	2
1	...	1	...	-	-	...	-	...	-	1	...	-	...	-
-	...	-	...	-	1	...	-	...	-	1	...	-	...	-
-	...	-	...	-	2	...	1	...	-	1	...	1	...	-
-	...	-	...	-	2	...	-	...	-	-	...	-	...	-
3	...	3	...	-	6	...	5	...	1	3	...	2	...	1
34	11	23	-	-	29	4	20	1	4	42	22	18	1	1
11	6	5	-	-	9	1	8	-	-	15	9	6	-	-
23	5	18	-	-	20	3	12	1	4	27	13	12	1	1
81	29	52	-	-	58	24	33	1	-	74	24	45	4	1
51	13	38	-	-	30	7	23	-	-	39	6	32	-	1
2	1	1	-	-	-	-	-	-	-	1	-	-	1	-
3	1	2	-	-	2	-	2	-	-	7	2	2	1	-
2	1	2	-	-	2	2	-	-	-	3	2	2	1	-
7	5	2	-	-	8	8	-	-	-	15	12	2	1	-
16	9	7	-	-	16	7	8	1	-	9	4	5	-	-
305	164	139	2	-	254	119	115	11	9	381	193	164	10	14
32	14	17	1	-	24	7	14	1	2	29	8	19	-	2
32	17	15	-	-	24	14	6	-	4	37	18	16	2	1
160	87	72	1	-	105	51	48	3	3	203	108	82	4	9
81	46	35	-	-	101	47	47	7	-	112	59	47	4	2
731	417	293	8	13	645	357	220	35	33	1,034	528	361	81	64
75	31	42	1	1	195	98	75	9	13	302	147	117	21	17
23	5	18	-	-	56	21	29	3	3	76	29	42	2	3
52	26	24	1	1	139	77	46	6	10	226	118	75	19	14
1,975	1,340	611	17	7	1,706	1,114	497	70	25	2,559	1,630	659	197	73
1,598	1,053	530	10	5	1,387	897	423	46	21	2,024	1,263	570	130	61
11	8	3	-	-	6	7	-	1	-	20	15	2	3	-
740	519	216	3	2	654	443	183	18	10	842	603	178	47	14
722	507	211	2	2	632	423	181	18	10	822	586	177	46	13
41	28	13	-	-	35	26	9	-	-	24	11	13	-	-
64	41	23	-	-	56	38	18	2	1	133	86	30	10	7
389	260	125	2	2	315	211	92	7	5	251	170	63	12	12
198	159	39	-	-	193	133	49	9	2	238	191	34	13	5
30	19	11	-	-	33	18	13	-	2	176	128	37	11	1
18	12	5	1	-	22	20	2	-	-	20	17	3	1	1
2	2	-	-	-	5	4	1	-	-	4	2	1	1	-
10	7	1	1	1	5	5	-	-	-	23	22	1	-	-
11	9	2	-	-	27	26	1	-	-	3	3	-	-	-
21	11	10	-	-	11	3	7	1	1	39	19	10	7	3
15	10	5	-	-	29	18	10	1	-	40	23	8	5	4
363	159	202	1	1	259	116	138	4	1	364	144	197	14	9
85	51	34	-	-	81	35	44	2	-	100	51	39	9	1
138	47	90	-	1	90	45	44	1	1	108	34	68	3	3
140	61	78	1	-	88	36	50	1	1	156	59	90	2	5
26	25	1	-	-	19	15	2	2	-	50	49	1	-	-
80	78	2	-	-	58	56	2	-	-	37	33	1	3	-
26	24	2	-	-	22	19	3	-	-	19	18	-	1	-
77	49	27	1	-	76	44	22	6	4	222	107	85	15	15
3	2	1	-	-	2	1	1	-	-	5	2	1	1	1
26	24	2	-	-	25	20	2	2	1	64	53	6	4	1
24	17	7	-	-	27	13	12	2	-	26	15	10	1	1
53	40	12	1	-	51	45	3	3	-	85	64	13	7	-
5	5	-	-	-	7	5	2	-	-	-	-	-	-	-
22	7	14	-	1	15	2	13	-	-	31	12	11	4	4
83	57	23	3	-	87	55	21	6	5	150	79	45	17	9
337	265	68	3	1	249	184	56	9	-	332	258	64	10	-
56	33	22	1	1	37	17	20	-	-	45	19	25	1	-
85	65	18	1	1	32	20	9	3	-	38	29	7	2	-
166	151	15	-	-	165	142	18	5	-	217	191	20	6	-
30	16	13	1	-	15	5	9	1	-	32	19	12	1	-
40	22	13	4	1	70	33	18	15	4	201	107	25	57	12
22	13	4	4	1	43	21	9	10	3	145	80	18	38	9
3	1	2	-	-	7	3	3	3	-	23	9	2	10	2
15	8	7	-	-	17	8	6	2	1	29	16	5	7	1
-	-	-	-	-	3	3	-	-	-	4	2	-	2	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision)

CAUSE OF DEATH	LOUISIANA					MAINE				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
1 ALL CAUSES.....	30,995	11,342	7,845	6,343	5,465	11,042	6,168	4,837	19	18
2 I. INFECTIVE AND PARASITIC DISEASES.....	581	191	86	193	111	95	61	34	-	-
3 TUBERCULOSIS, ALL FORMS.....001-019	222	99	21	79	23	36	32	4	-	-
4 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	213	97	20	75	21	33	29	4	-	-
5 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM..010	1	-	-	-	1	-	-	-	-	-
6 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC	-	-	-	-	-	-	-	-	-	-
7 GLANDS.....011	-	-	-	-	-	-	-	-	-	-
8 TUBERCULOSIS OF BONES AND JOINTS.....012,013	1	-	-	1	-	-	-	-	-	-
9 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	2	1	-	1	-	1	1	-	-	-
10 DISSEMINATED TUBERCULOSIS.....019	5	1	1	1	2	2	2	-	-	-
11 SYPHILIS AND ITS SEQUELAE.....020-029	105	18	6	56	25	13	9	4	-	-
12 CONGENITAL SYPHILIS.....020	2	-	-	1	1	-	-	-	-	-
13 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
14 ANEURYSM OF AORTA.....022	49	11	6	23	9	7	5	2	-	-
15 OTHER CARDIOVASCULAR SYPHILIS.....023	36	3	-	21	12	2	2	1	-	-
16 TABES DORSALIS.....024	-	-	-	-	-	-	-	-	-	-
17 GENERAL PARALYSIS OF INSANE.....025	5	1	-	4	-	1	1	-	-	-
18 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	11	2	-	6	3	1	1	1	-	-
19 ALL OTHER SYPHILIS.....027-029	2	1	-	1	-	-	-	-	-	-
20 GONOCOCCAL INFECTION.....030-035	-	-	-	-	-	-	-	-	-	-
21 TYPHOID FEVER.....040	1	-	-	-	1	-	-	-	-	-
22 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS..041,042	2	1	-	-	1	-	-	-	-	-
23 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
24 BRUCELLOSIS.....044	-	-	-	-	-	-	-	-	-	-
25 DYSENTERY, ALL FORMS.....045-048	12	2	4	2	4	-	-	-	-	-
26 FOOD POISONING, INFECTION AND INTOXICATION.....049	-	-	-	-	-	-	-	-	-	-
27 SCARLET FEVER.....050	5	-	1	4	-	1	-	1	-	-
28 STREPTOCOCCAL SORE THROAT.....051	-	-	-	-	-	-	-	-	-	-
29 ERYSIPELAS.....052	-	-	-	-	-	-	-	-	-	-
30 SEPTICEMIA AND PYEMIA.....053	104	33	20	25	26	16	6	10	-	-
31 DIPHTHERIA.....055	3	-	-	2	1	-	-	-	-	-
32 WHOOPING COUGH.....056	9	-	1	3	5	-	-	-	-	-
33 MENINGOCOCCAL INFECTIONS.....057	25	5	7	6	7	4	2	2	-	-
34 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
35 LEPROSY.....060	2	1	1	-	-	-	-	-	-	-
36 TETANUS.....061	8	3	1	2	2	-	-	-	-	-
37 ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-
38 ACUTE POLIOMYELITIS.....080	-	-	-	-	-	-	-	-	-	-
39 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	1	1	-	-	-	-	-	-	-	-
40 ACUTE INFECTIOUS ENCEPHALITIS.....082	9	2	5	-	2	5	2	3	-	-
41 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	4	2	-	2	-	-	-	-	-	-
42 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
43 MEASLES.....085	7	-	2	1	4	1	1	-	-	-
44 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
45 INFECTIOUS HEPATITIS.....092	22	6	8	5	3	7	3	4	-	-
46 RABIES.....094	-	-	-	-	-	-	-	-	-	-
47 TICK-BORNE TYPHUS.....104	-	-	-	-	-	-	-	-	-	-
48 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	1	-	1	-	-	-	-	-	-	-
49 MALARIA.....110-117	-	-	-	-	-	-	-	-	-	-
50 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-
51 HYDATID DISEASE.....125	-	-	-	-	-	-	-	-	-	-
52 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
53 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
54 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	3	-	-	1	2	-	-	-	-	-
55 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	36	18	8	5	5	12	6	6	-	-
56 II. NEOPLASMS.....	4,677	1,837	1,326	836	678	1,696	892	801	2	1
57 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC	-	-	-	-	-	-	-	-	-	-
58 AND HEMATOPOIETIC TISSUES.....140-205	4,580	1,809	1,299	816	656	1,664	881	780	2	1
59 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX..140-148	111	59	19	23	10	30	20	10	-	-
60 OF LIP.....140	4	3	-	-	1	-	-	-	-	-
61 OF TONGUE.....141	10	5	2	2	1	10	8	2	-	-
62 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY...142-144	42	24	9	6	3	7	4	3	-	-
63 OF PHARYNX.....145-148	55	27	8	15	5	13	8	5	-	-
64 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM,	-	-	-	-	-	-	-	-	-	-
65 NOT SPECIFIED AS SECONDARY.....150-156A,157-159	1,381	479	402	293	207	561	297	263	1	-
66 OF ESOPHAGUS.....150	72	25	16	24	7	28	23	5	-	-
67 OF STOMACH.....151	380	92	86	135	67	108	76	32	-	-
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	10	6	1	2	1	4	1	3	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	349	118	140	35	56	205	80	125	-	-
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	39	11	22	3	3	44	15	29	-	-
71 TRANSVERSE COLON.....153.1	12	6	5	-	1	17	10	7	-	-
72 DESCENDING COLON.....153.2	16	3	10	2	1	7	2	5	-	-
73 SIGMOID COLON.....153.3	45	19	17	4	5	57	23	34	-	-
74 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	-	-	-	-	-	-	-	-	-	-
75 LARGE INTESTINE, PART UNSPECIFIED.....153.8	225	76	82	23	44	64	25	39	-	-
76 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	12	3	4	3	2	16	5	11	-	-
77 OF RECTUM.....154	140	57	39	23	21	77	42	34	1	-
78 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	61	26	21	11	3	24	13	11	-	-
79 LIVER.....155.0	23	11	4	7	1	5	4	1	-	-
80 OT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	38	15	17	4	2	19	9	10	-	-
81 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY..156A	81	24	24	19	14	18	12	6	-	-
82 OF PANCREAS.....157	257	125	62	39	31	87	44	43	-	-
83 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS..158,159	31	6	13	5	7	10	6	4	-	-

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963-Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

MARYLAND					MASSACHUSETTS					MICHIGAN				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
30,238	13,491	10,746	3,430	2,571	55,809	28,697	25,842	754	516	72,441	38,219	27,666	3,659	2,897
460	185	100	116	59	530	332	162	25	11	687	359	195	84	49
245	111	39	66	29	251	175	56	14	6	312	185	54	49	24
224	105	38	56	25	230	167	46	12	5	289	176	47	47	19
3	-	-	1	2	2	-	1	-	1	6	2	3	-	1
2	1	-	1	-	1	1	-	-	-	2	-	1	-	1
3	1	-	2	-	3	2	1	-	-	2	2	-	-	1
3	1	1	1	-	3	3	4	-	-	7	5	-	1	1
10	3	-	5	2	8	2	4	2	-	6	-	3	1	2
68	24	9	24	11	80	54	21	4	1	77	37	16	16	8
1	-	-	1	-	1	-	-	-	-	1	-	1	-	1
30	12	3	9	6	65	45	18	2	-	25	11	7	6	1
27	6	3	14	4	9	6	1	1	1	34	15	8	8	3
1	-	-	-	-	1	-	-	-	-	2	-	-	-	-
4	2	1	1	-	1	-	-	-	-	5	4	-	-	1
5	4	-	-	-	4	3	-	1	-	8	4	-	2	2
-	-	-	-	-	-	-	-	-	-	2	1	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	3	2	1	-	-	4	1	3	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	2	1	2	2	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	3	1	2	-	-
-	-	-	-	-	2	-	2	-	-	2	-	2	-	-
1	-	1	-	-	1	-	-	-	-	1	1	-	-	-
59	22	21	14	2	97	52	37	6	2	79	40	30	5	4
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
1	-	-	-	1	1	-	-	1	-	-	-	-	-	-
12	8	3	-	1	20	13	7	-	-	29	11	14	3	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	2	-	1	1	-	-	-	2	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	1	2	-	-	3	-	3	-	-	1	1	-	-	-
9	2	2	1	4	10	6	3	-	1	20	9	8	1	2
2	1	-	1	-	1	-	-	-	-	4	3	1	-	4
4	2	1	-	1	-	-	-	-	-	27	11	13	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	4	9	1	1	28	12	16	-	-	53	17	29	5	2
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	7	11	5	7	33	17	15	-	1	66	34	22	5	5
4,994	2,174	1,973	517	330	9,359	4,665	4,500	114	80	12,258	6,268	4,945	586	459
4,865	2,125	1,922	502	316	9,204	4,586	4,425	114	79	12,070	6,201	4,849	579	441
118	74	25	10	9	256	198	54	4	-	270	205	47	13	5
1	1	-	-	-	6	6	-	-	-	8	7	-	-	-
26	15	4	4	3	70	54	14	2	-	71	55	13	3	-
47	28	13	2	4	85	58	26	1	-	83	53	21	6	3
44	30	8	4	2	95	80	14	1	-	108	90	12	4	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,467	605	582	186	94	3,287	1,589	1,638	42	18	3,941	1,985	1,619	198	139
106	40	13	48	5	190	143	37	8	2	245	158	41	37	9
269	98	91	54	26	651	363	278	7	3	798	452	265	54	27
10	7	2	-	1	24	11	13	-	-	27	13	14	-	-
508	192	251	35	30	1,207	476	721	6	4	1,288	576	631	33	48
59	25	27	6	1	177	71	103	3	-	230	90	128	3	9
29	10	16	1	2	59	16	43	-	-	81	38	39	3	1
21	11	9	1	-	43	23	20	-	-	43	22	15	5	1
96	36	46	5	9	242	97	144	-	1	299	143	138	9	9
-	-	-	-	-	-	-	-	-	-	8	3	5	-	-
263	99	132	18	14	576	232	339	3	2	575	254	281	13	27
40	11	21	4	4	110	37	72	-	1	52	26	25	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156	79	59	12	6	388	188	190	4	6	467	257	184	12	14
85	40	37	6	2	181	71	100	9	1	301	119	153	19	10
34	22	7	4	1	46	28	11	7	-	84	52	16	12	4
51	18	30	2	1	135	43	89	2	1	217	67	137	7	6
61	25	27	4	5	100	46	52	1	-	108	50	54	1	3
235	108	88	23	16	512	255	229	7	1	638	327	246	41	24
37	16	14	4	3	34	16	18	-	-	69	33	31	1	4

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision)

CAUSE OF DEATH	LOUISIANA					MAINE				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
1 MALIGNANT NEOPLASMS, ETC.—CON.										
2 MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED										
3 AS SECONDARY.....160-164	899	613	79	176	31	266	217	49	-	-
4 OF LARYNX.....161	52	34	2	12	4	18	14	4	-	-
5 OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY.....162	300	211	21	64	4	116	102	14	-	-
6 OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	523	359	51	93	20	128	98	30	-	-
7 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	24	9	5	7	3	4	3	1	-	-
8 MALIGNANT NEOPLASM OF BREAST.....170	335	7	226	-	102	165	1	163	1	-
9										
10 MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	661	157	207	127	170	246	109	136	-	1
11 OF CERVIX UTERI.....171	162	...	75	...	87	57	...	57
12 OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	111	...	62	...	49	40	...	39	...	1
13 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	95	...	63	...	32	38	...	38	...	-
14 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	9	...	7	...	2	2	...	2	...	-
15 OF PROSTATE.....177	268	145	...	123	...	99	...	99
16 OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	16	12	...	4	...	10	...	10
17 MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	191	85	51	33	22	81	57	24	-	-
18 OF KIDNEY.....180	76	38	21	10	7	32	19	13	-	-
19 OF BLADDER AND OTHER URINARY ORGANS.....181	115	47	30	23	15	49	38	11	-	-
20										
21 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED										
22 SITES.....156B,165,190-199	586	224	188	97	77	158	90	68	-	-
23 OF SKIN.....190,191	76	42	24	3	5	23	15	8	-	-
24 OF EYE.....192	3	1	1	-	1	6	3	3	-	-
25 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	90	42	30	10	8	28	20	8	-	-
26 OF THYROID GLAND.....194	12	1	7	3	1	4	1	3	-	-
27 OF BONE.....196	37	17	7	6	7	8	6	2	-	-
28 OF CONNECTIVE TISSUE.....197	13	4	5	2	2	7	6	1	-	-
29 OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	28	15	6	4	3	8	4	4	-	-
30 OF UNSPECIFIED SITES.....156B,165,198,199B	327	102	106	69	50	74	35	39	-	-
31 LEUKEMIA AND ALEUKEMIA.....204	205	92	55	34	24	81	51	30	-	-
32 LYMPHOSARCOMA, ETC.....200-203,205	211	93	72	33	13	76	39	37	-	-
33 LYMPHOSARCOMA AND RETICULOSARCOMA.....200	93	45	39	8	1	27	13	14	-	-
34 HODGKINS DISEASE.....201	45	22	16	5	2	23	9	14	-	-
35 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC										
36 TISSUES.....202,203,205	73	26	17	20	10	26	17	9	-	-
37										
38 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	97	28	27	20	22	32	11	21	-	-
39 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	3	...	2	...	1	2	...	2
40 BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	13	5	2	2	4	6	1	5	-	-
41 OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	1	...	5	...	1	1	...	1
42 UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS...223-235	1	...	-	...	1	-	...	-
43 NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC...237	40	11	12	10	7	15	7	8	-	-
44 OTHER NEOPLASMS OF UNSPEC. NATURE...230-232,236,238,239	21	5	6	4	6	8	3	5	-	-
45										
46 III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND										
47 NUTRITIONAL DISEASES.....	940	202	290	149	299	252	105	146	-	1
48										
49 ASTHMA.....241	104	27	21	24	32	41	25	16	-	-
50 NONTOXIC GOITER.....250,251	3	-	-	-	3	2	1	1	-	-
51 THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	9	-	1	-	8	3	1	2	-	-
52 ALL OTHER DISEASES OF THYROID GLAND.....253,254	4	-	3	-	1	3	-	3	-	-
53 DIABETES MELLITUS.....260	702	148	231	97	226	180	64	115	-	1
54 DISEASES OF THYMUS GLAND.....273	10	5	2	2	1	2	1	1	-	-
55 DISEASES OF ADRENAL GLANDS.....274	5	-	3	1	1	-	-	-	-	-
56 PELLAGRA.....281	1	-	-	-	1	-	-	-	-	-
57 OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	41	10	11	12	8	4	2	2	-	-
58 ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS...RESIDUAL	61	12	18	13	18	17	11	6	-	-
59										
60 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	113	29	29	21	34	27	16	11	-	-
61										
62 ANEMIAS.....290-293	81	14	17	20	30	15	9	6	-	-
63 PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	3	-	3	-	-	2	-	2	-	-
64 ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	78	14	14	20	30	13	9	4	-	-
65 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	11	4	6	-	1	2	-	2	-	-
66 OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS...RESIDUAL	21	11	6	1	3	10	7	3	-	-
67										
68 V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	67	27	13	21	6	20	17	3	-	-
69										
70 SENILE PSYCHOSIS.....304	3	-	3	-	-	2	1	1	-	-
71 ALCOHOLIC PSYCHOSIS.....307	8	6	1	1	-	2	2	-	-	-
72 OTHER PSYCHOSIS.....300-303,305,306,308,309	13	7	4	2	-	2	1	1	-	-
73 ALCOHOLISM.....322	31	13	2	14	2	10	9	1	-	-
74 MENTAL DEFICIENCY.....325	12	1	3	4	4	4	4	-	-	-
75 OTHER DISORDERS OF PERSONALITY...RESIDUAL	-	-	-	-	-	-	-	-	-	-
76										
77 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	3,595	1,005	1,024	753	813	1,364	630	730	1	3
78										
79 VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	3,350	935	968	682	765	1,287	588	695	1	3
80 SUBARACHNOID HEMORRHAGE.....330	142	38	47	18	39	39	13	26	-	-
81 CEREBRAL HEMORRHAGE.....331	2,800	611	583	504	582	769	357	410	-	2
82 CEREBRAL EMBOLISM AND THROMBOSIS.....332	720	222	261	126	111	379	174	204	1	-
83 OTHER VASCULAR LESIONS AFFECTING C.N.S...333,334	208	64	77	34	33	100	44	55	-	1
84 MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS...340	72	18	12	23	19	7	3	4	-	-
85 MULTIPLE SCLEROSIS.....345	9	4	3	-	2	10	6	4	-	-
86 PARALYSIS AGITANS.....350	31	12	15	1	3	18	10	8	-	-
87 CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	15	4	2	7	2	1	-	1	-	-
88 EPILEPSY.....353	38	8	7	15	8	13	8	5	-	-
89 INFLAMMATORY DISEASES OF EYE.....370-379	-	-	-	-	-	-	-	-	-	-
90 CATARACT.....385	-	-	-	-	-	1	-	1	-	-
91 GLAUCOMA.....387	-	-	-	-	-	-	-	-	-	-
92 OTITIS MEDIA AND MASTOIDITIS.....391-393	8	1	2	2	3	1	-	1	-	-
93 OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS...RESIDUAL	72	23	15	23	11	26	15	11	-	-

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963—Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

Total	MARYLAND				Total	MASSACHUSETTS				Total	MICHIGAN					
	White		Nonwhite			Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female			Male	Female	Male			Female	Male	Female	Male	Female
899	619	108	155	17	1,387	1,134	208	32	13	2,058	1,613	256	163	26		
59	36	5	17	1	84	73	10	-	1	123	104	5	14	-		
311	237	28	44	2	380	327	42	9	2	798	626	92	69	11		
513	341	68	91	13	899	718	149	22	10	1,102	862	149	78	13		
16	5	7	3	1	24	16	7	1	-	35	21	10	2	2		
467	4	413	2	48	889	14	858	-	17	1,060	12	969	2	77		
636	202	290	55	89	1,159	467	670	14	8	1,678	628	853	82	115		
148	...	95	...	53	202	...	200	...	2	331	...	269	...	62		
94	...	77	...	17	174	...	169	...	5	242	...	221	...	21		
127	...	110	...	17	267	...	266	...	1	357	...	329	...	28		
10	...	8	...	2	35	...	35	...	-	38	...	34	...	4		
241	189	...	52	...	462	448	...	14	...	670	589	...	81	...		
16	13	...	3	...	19	19	...	-	...	40	39	...	1	...		
211	120	70	15	6	472	294	166	8	4	619	422	157	25	15		
69	36	25	5	3	196	123	69	3	1	256	162	76	11	7		
142	84	45	10	3	276	171	97	5	3	363	260	81	14	8		
629	295	252	45	37	971	493	461	6	11	1,256	672	512	36	36		
67	39	23	2	3	115	57	57	1	-	159	91	63	4	-		
6	1	4	1	-	5	3	2	-	-	20	11	9	-	-		
97	64	29	1	3	194	112	78	1	3	305	182	109	11	3		
19	5	10	2	2	30	8	22	-	-	51	17	28	3	3		
25	11	10	3	1	57	26	29	-	2	88	56	29	2	1		
17	9	6	1	1	34	19	14	1	-	27	11	15	1	-		
20	11	8	-	1	45	26	19	-	-	51	36	12	-	3		
378	155	162	35	26	491	242	240	3	6	555	268	247	15	25		
198	102	77	9	10	363	183	174	2	4	508	295	177	23	13		
240	104	105	25	6	420	214	196	6	4	680	369	259	37	15		
107	49	47	7	4	173	83	88	1	1	329	175	142	8	4		
52	24	21	6	1	122	74	47	1	-	146	84	50	9	3		
81	31	37	12	1	125	57	61	4	3	205	110	67	20	8		
129	49	51	15	14	155	79	75	-	1	188	67	96	7	18		
6	...	1	...	5	7	...	6	...	1	31	...	23	...	8		
21	7	9	1	4	23	11	12	-	-	45	20	20	1	4		
23	10	9	3	1	34	19	15	-	-	50	25	20	2	3		
-	...	-	...	-	1	...	-	...	-	-	-	-	...	-		
51	24	19	5	3	62	29	33	-	-	39	14	22	2	1		
28	8	13	6	1	28	20	8	-	-	23	8	11	2	2		
831	258	384	70	119	1,242	490	708	23	21	2,570	1,041	1,254	104	171		
73	29	28	8	8	138	86	47	2	3	251	147	70	14	20		
1	-	-	1	-	5	1	6	-	-	10	2	8	-	-		
10	2	4	4	4	7	4	4	-	1	21	5	16	-	-		
11	2	9	-	-	18	4	14	-	-	10	3	8	-	1		
648	189	311	52	96	947	340	577	16	14	2,050	768	1,062	81	139		
1	-	-	-	1	-	-	-	-	-	10	2	-	-	-		
7	3	2	-	2	7	4	3	-	-	19	8	8	1	2		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
22	5	8	5	4	49	24	21	3	1	50	23	23	2	2		
58	28	22	4	4	71	31	36	2	2	149	77	59	6	7		
92	32	35	10	15	154	61	91	-	2	246	127	94	12	13		
59	16	23	9	11	100	32	67	-	1	160	75	63	11	11		
11	3	7	-	1	29	9	20	-	-	22	11	9	2	2		
48	13	16	9	10	71	23	47	-	1	138	64	54	9	11		
11	4	3	1	3	21	7	13	-	1	21	11	10	-	6		
22	12	9	-	1	33	22	11	-	-	65	41	21	1	2		
109	50	38	13	8	98	67	24	7	-	154	81	40	19	14		
6	2	4	-	-	1	1	-	-	-	13	5	8	-	-		
15	9	2	3	1	13	9	2	1	3	20	14	2	4	-		
13	2	8	1	2	8	4	4	-	-	23	12	9	2	-		
60	30	16	9	5	58	42	12	4	-	71	37	10	12	12		
12	7	5	-	-	16	9	7	-	-	23	13	9	1	1		
3	-	3	-	-	2	2	-	-	-	4	-	2	1	77		
2,686	997	1,120	310	259	6,342	2,666	3,560	62	54	8,765	3,967	3,969	391	438		
2,404	884	1,037	255	228	5,899	2,442	3,356	51	50	8,129	3,635	3,749	345	400		
148	53	65	13	17	235	108	116	4	7	350	115	155	24	36		
1,279	437	554	150	138	3,033	1,262	1,724	21	26	4,337	1,915	2,046	174	202		
746	312	304	75	55	2,195	908	1,252	21	14	2,818	1,307	1,242	129	140		
231	82	114	17	18	436	164	264	5	3	644	298	306	18	22		
36	12	7	11	6	60	32	23	3	3	81	46	23	7	6		
35	18	13	2	2	52	23	28	1	2	84	32	42	4	5		
46	23	22	1	-	123	56	67	-	-	157	88	61	3	8		
12	7	3	1	1	7	4	3	-	-	27	16	9	2	2		
38	8	9	16	5	60	33	21	4	2	85	41	25	14	5		
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-		
1	-	1	-	-	-	-	-	-	-	3	-	3	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
27	6	6	10	5	4	4	-	-	-	5	1	1	-	-		
87	39	22	14	12	136	71	62	3	-	192	104	56	15	17		

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95

SECTION 1 - MORTALITY

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision)

CAUSE OF DEATH	LOUISIANA				MAINE					
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM.....	12,420	4,940	3,290	2,116	2,074	5,247	2,995	2,237	6	9
DISEASES OF HEART.....400-402,410-443	11,413	4,625	2,976	1,948	1,864	4,734	2,751	1,970	5	8
RHEUMATIC FEVER.....400-402	11	3	2	3	3	2	2	1	-	-
CHRONIC RHEUMATIC HEART DISEASE.....410-416	108	33	31	18	26	90	39	49	-	2
DISEASES OF MITRAL VALVE.....410	31	7	12	6	6	45	17	27	-	1
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	5	4	1	-	-	9	7	2	-	-
DISEASES OF PULMONARY VALVE, ETC.....413,414	3	-	1	-	2	4	2	2	-	-
OTHER RHEUMATIC HEART DISEASES.....412,415,416	69	22	17	12	18	32	13	19	-	1
ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	8,365	3,874	2,206	1,251	1,034	3,688	2,292	1,387	4	5
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	3,835	1,470	1,161	610	594	1,499	843	655	-	1
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420.1	4,526	2,402	1,044	640	440	2,184	1,447	729	4	4
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	4	2	1	1	-	5	2	3	-	-
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	60	19	19	16	6	33	13	19	-	1
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	1	-	1	-	-	3	2	1	-	-
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	37	16	11	10	-	11	6	5	-	-
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	22	3	7	6	6	19	5	13	-	1
OTHER MYOCARDIAL DEGENERATION.....422	736	216	214	152	154	385	177	207	1	-
WITH ARTERIOSCLEROSIS.....422.1	574	174	168	119	113	190	85	105	-	-
WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	162	42	46	33	41	195	92	102	1	-
OTHER DISEASES OF HEART.....430-434	687	204	169	156	158	135	60	75	-	-
ACUTE AND SUBACUTE ENDOCARDITIS.....430	17	9	4	1	3	5	1	4	-	-
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	24	7	4	6	7	9	4	5	-	-
FUNCTIONAL DISEASE OF HEART.....433	138	46	52	15	25	34	14	20	-	-
OTHER AND UNSPECIFIED DISEASES OF HEART.....434	508	142	109	134	123	87	41	46	-	-
HYPERTENSIVE HEART DISEASE.....440-443	1,446	276	335	352	483	401	168	233	-	-
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR										
NEPHROSCLEROSIS.....442	160	42	47	36	35	108	48	60	-	-
OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	1,286	234	288	316	448	293	120	173	-	-
OTHER HYPERTENSIVE DISEASE.....444-447	168	38	37	33	60	84	35	49	-	-
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	70	28	21	11	10	62	29	33	-	-
ESSENTIAL HYPERTENSION.....444,445,447	98	10	16	22	50	22	6	16	-	-
DISEASES OF ARTERIES.....450-456	634	212	220	93	109	350	174	174	1	1
GENERAL ARTERIOSCLEROSIS.....450	450	129	175	69	77	276	126	149	-	1
AORTIC ANEURYSM, NONSYPHILITIC, ETC.....451	114	59	26	15	14	53	36	16	1	-
GANGRENE OF UNSPECIFIED CAUSE.....455	8	2	2	-	4	3	2	1	-	-
OTHER ARTERIAL DISEASES.....452-454,456	62	22	17	9	14	18	10	8	-	-
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	205	65	57	42	41	79	35	44	-	-
VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	1,835	625	368	499	343	591	349	238	3	1
ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	3	2	-	1	-	6	5	1	-	-
INFLUENZA.....480-483	119	28	23	33	35	37	16	21	-	-
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	1,141	285	247	351	258	369	194	173	1	1
LOBAR PNEUMONIA.....490	166	40	38	54	34	45	26	18	-	1
BRONCHOPNEUMONIA.....491	508	126	115	151	116	207	110	97	-	-
PRIMARY ATYPICAL PNEUMONIA.....492	106	29	24	30	23	54	27	27	-	-
PNEUMONIA, OTHER AND UNSPECIFIED.....493	361	90	70	116	85	63	31	31	1	-
ACUTE BRONCHITIS.....500	21	9	7	4	1	2	2	-	-	-
BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	79	46	9	16	8	30	21	9	-	-
HYPERTROPHY OF TONSILS AND ADENOIDS.....510	1	1	-	-	-	-	-	-	-	-
EMPHYEMA AND ABSCESS OF LUNG.....518,519	23	10	1	10	2	4	1	3	-	-
PLEURISY.....521	3	2	1	-	-	-	-	-	-	-
OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	94	30	22	20	22	20	13	7	-	-
BRONCHIECTASIS.....526	29	15	10	3	1	20	15	5	-	-
OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	272	183	35	44	10	91	76	13	2	-
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	211	154	24	29	4	83	70	11	2	-
ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY.....527.0,527.2	61	29	11	15	6	8	6	2	-	-
OTHER RESPIRATORY DISEASES.....RESIDUAL	50	14	13	17	6	12	6	6	-	-
IX. DISEASES OF THE DIGESTIVE SYSTEM.....	1,139	413	310	230	186	382	228	153	1	-
DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	-	-	-	-	-	-	-	-	-	-
ULCER OF STOMACH.....540	73	35	13	19	6	40	27	13	-	-
ULCER OF DUODENUM.....541	58	31	7	14	6	34	25	9	-	-
GASTRITIS AND DUODENITIS.....543	10	3	3	3	1	2	2	-	-	-
APPENDICITIS.....550-553	34	6	7	10	11	16	10	6	-	-
HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	195	56	57	40	42	76	38	38	-	-
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS										
AND OVER.....571	96	7	15	45	29	10	7	2	1	-
CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	50	20	18	3	9	27	13	14	-	-
CIRRHOSIS OF LIVER.....581	287	134	82	47	24	88	53	35	-	-
WITHOUT MENTION OF ALCOHOLISM.....581.0	228	106	70	36	16	63	37	26	-	-
WITH ALCOHOLISM.....581.1	59	28	12	11	8	25	16	9	-	-
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	61	21	28	5	7	30	15	15	-	-
FIBROCYSTIC DISEASE OF PANCREAS.....587B	7	2	5	-	-	7	4	3	-	-
OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	268	98	75	44	51	52	34	18	-	-
X. DISEASES OF THE GENITOURINARY SYSTEM.....	635	204	144	176	111	177	108	69	-	-
NEPHRITIS AND NEPHROSIS.....590-594	260	76	50	76	58	72	39	33	-	-
ACUTE NEPHRITIS.....590	11	4	-	3	4	6	3	3	-	-
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	18	7	1	6	4	3	1	2	-	-
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	231	65	49	67	50	63	35	28	-	-
INFECTIONS OF KIDNEY.....600	204	53	65	46	40	54	28	26	-	-
CALCULI OF URINARY SYSTEM.....602,604	24	13	7	3	1	3	1	2	-	-
OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	57	23	8	22	4	21	14	7	-	-
HYPERPLASIA OF PROSTATE.....610	57	33	-	24	-	25	25	-	-	-
DISEASES OF BREAST.....620,621	2	-	-	-	-	2	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	31	6	13	5	7	2	1	1	-	-

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963—Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

MARYLAND					MASSACHUSETTS					MICHIGAN				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
20	...	13	...	7	17	...	16	...	1	67	...	43	...	24
1	...	1	...	-	2	...	2	...	-	5	...	3	...	2
5	...	3	...	-	3	...	3	...	-	10	...	7	...	3
1	...	-	...	1	-	...	-	...	-	7	...	2	...	5
2	...	-	...	2	-	...	-	...	-	5	...	4	...	1
-	...	-	...	-	-	...	-	...	-	4	...	4	...	-
3	...	3	...	-	4	...	4	...	-	18	...	9	...	9
-	...	-	...	-	-	...	-	...	-	2	...	1	...	1
8	...	6	...	2	8	...	7	...	1	16	...	13	...	3
56	9	24	5	18	78	19	54	-	5	58	20	28	4	6
4	-	2	1	1	19	5	14	-	-	16	10	4	-	2
52	9	22	4	17	59	14	40	-	5	42	10	24	4	4
57	21	27	4	5	86	43	42	1	-	180	94	75	6	5
31	9	17	2	3	41	17	24	-	-	103	41	55	4	3
1	-	-	1	-	-	-	-	-	-	2	1	1	-	-
5	4	1	-	-	1	1	-	-	-	16	13	2	-	1
6	-	-	-	-	4	2	2	-	-	2	2	-	-	-
3	3	2	1	-	17	10	6	1	-	34	24	10	-	27
14	5	7	-	2	23	13	10	-	-	23	13	7	2	1
431	172	151	52	56	495	262	211	11	11	959	470	398	47	44
31	12	14	2	3	44	16	28	-	-	82	45	34	-	3
43	16	16	4	7	26	18	7	1	-	81	35	34	7	5
220	88	73	30	29	258	144	100	5	9	480	246	190	22	22
137	56	48	16	17	167	84	76	5	2	316	144	140	18	14
1,237	487	330	228	192	1,458	830	529	50	49	2,637	1,264	866	269	238
120	40	41	23	16	194	105	84	4	1	251	117	94	16	24
24	5	11	4	4	10	2	8	-	-	20	4	10	2	4
96	35	30	19	12	184	103	76	4	1	231	113	84	14	20
2,112	1,066	511	398	137	2,838	1,689	1,048	69	32	5,149	3,130	1,502	378	139
1,549	789	379	278	103	2,299	1,347	880	48	24	4,011	2,440	1,223	242	106
12	10	1	1	-	8	7	-	1	-	10	8	-	2	-
620	351	116	109	44	714	513	175	17	9	2,002	1,277	578	105	42
605	342	113	107	43	706	505	175	17	9	1,967	1,255	567	103	42
7	6	1	-	-	4	2	2	-	-	25	20	2	-	2
161	75	23	45	18	206	147	52	6	1	357	206	103	38	10
224	123	50	33	18	212	148	59	2	3	902	559	299	31	13
130	89	17	20	4	225	168	49	7	1	476	337	99	26	14
83	49	22	9	3	59	40	13	2	4	157	100	46	6	5
15	9	3	2	1	8	8	-	-	-	35	22	11	2	57
3	2	1	-	-	7	7	-	-	-	12	5	7	-	-
25	19	6	4	-	28	26	2	-	-	78	66	8	4	-
21	14	6	1	-	18	16	2	-	-	25	22	3	-	-
50	18	12	16	4	39	23	15	-	1	48	25	15	5	3
27	15	3	8	1	22	16	4	1	1	76	57	16	3	63
335	148	135	42	10	895	393	490	8	4	803	370	385	29	19
137	74	33	26	4	211	130	77	3	1	218	147	58	10	3
91	38	43	10	-	304	99	204	-	1	109	49	53	6	1
107	36	59	6	6	380	164	209	5	2	476	174	274	13	15
20	13	3	4	-	20	16	3	1	-	48	43	1	4	-
22	17	3	2	-	18	17	1	-	-	72	66	3	3	-
16	14	1	-	-	5	5	-	-	-	31	31	-	-	-
129	41	32	30	26	202	109	79	8	6	266	115	84	38	29
10	2	5	3	-	12	6	3	3	-	42	12	6	-	2
28	23	1	4	-	6	5	1	-	-	20	41	5	2	-
22	9	6	4	3	45	24	18	2	1	48	41	5	2	-
76	33	12	29	2	88	66	20	2	-	73	50	21	2	-
4	3	-	1	-	5	3	2	-	-	165	119	30	15	1
28	14	10	2	2	28	15	12	1	-	6	4	1	1	-
101	43	30	18	10	139	80	53	4	2	203	118	48	28	9
363	237	104	17	5	438	292	139	5	2	845	593	218	24	10
96	48	46	1	2	166	83	81	1	1	285	154	120	5	6
67	47	18	1	1	101	74	24	3	-	144	106	31	7	7
157	120	25	10	2	96	85	10	1	-	339	289	40	6	4
43	22	15	6	-	75	50	24	-	1	77	44	27	6	6
200	40	28	103	29	100	49	29	16	6	290	94	61	112	23
90	21	15	40	14	29	15	7	7	-	135	48	24	55	8
54	7	2	38	7	30	9	10	7	4	70	17	6	40	7
52	11	11	22	8	38	22	12	2	2	77	26	31	13	7
4	1	-	3	-	3	3	-	-	-	8	3	-	4	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	1	-	-	-	3	3	-	-	-

SECTION 1 - MORTALITY

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision)

CAUSE OF DEATH	MINNESOTA					MISSISSIPPI				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
1 ALL CAUSES.....	32,766	18,846	13,553	247	120	23,355	7,278	4,865	6,104	5,108
2 I. INFECTIVE AND PARASITIC DISEASES.....	255	154	89	8	4	284	63	46	98	77
3 TUBERCULOSIS, ALL FORMS.....001-019	94	63	24	6	1	113	29	10	46	28
4 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	87	59	21	6	1	104	28	10	42	24
5 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	-	-	-	-	-	5	-	-	2	3
6 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC	-	-	-	-	-	-	-	-	-	-
7 GLANDS.....011	-	-	-	-	-	1	-	-	-	1
8 TUBERCULOSIS OF BONES AND JOINTS.....012,013	1	1	-	-	-	-	-	-	-	-
9 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	4	2	2	-	-	1	1	-	-	-
10 DISSEMINATED TUBERCULOSIS.....019	2	1	1	-	-	2	-	-	2	-
11 SYPHILIS AND ITS SEQUELAE.....020-029	22	13	8	1	-	35	7	3	17	8
12 CONGENITAL SYPHILIS.....020	-	-	-	-	-	3	-	1	2	-
13 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
14 ANEURYSM OF AORTA.....022	12	9	3	-	-	16	6	2	6	2
15 OTHER CARDIOVASCULAR SYPHILIS.....023	8	3	4	1	-	10	-	-	5	5
16 TABES DORSALIS.....024	-	-	-	-	-	-	-	-	-	-
17 GENERAL PARALYSIS OF INSANE.....025	1	-	1	-	-	1	1	-	-	-
18 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	1	1	-	-	-	3	-	-	3	-
19 ALL OTHER SYPHILIS.....027-029	-	-	-	-	-	2	-	-	1	1
20 GONOCOCCAL INFECTION.....030-035	-	-	-	-	-	-	-	-	-	-
21 TYPHOID FEVER.....040	2	2	-	-	-	-	-	-	-	-
22 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	2	2	-	-	-	-	-	-	-	-
23 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
24 BRUCELLOSIS.....044	-	-	-	-	-	-	-	-	-	-
25 DYSENTERY, ALL FORMS.....045-048	1	-	1	-	-	15	2	1	3	9
26 FOOD POISONING, INFECTION AND INTOXICATION.....049	-	-	-	-	-	2	-	-	-	2
27 SCARLET FEVER.....050	-	-	-	-	-	1	-	-	-	1
28 STREPTOCOCCAL SORE THROAT.....051	1	-	1	-	-	3	-	1	-	2
29 ERYSIPELAS.....052	1	-	1	-	-	1	-	-	-	1
30 SEPTICEMIA AND PYEMIA.....053	44	22	20	1	1	38	10	9	12	7
31 DIPHTHERIA.....055	4	4	-	-	-	-	-	-	-	-
32 WHOOPING COUGH.....056	2	2	-	-	-	5	-	1	2	2
33 MENINGOCOCCAL INFECTIONS.....057	11	4	6	-	1	7	1	3	1	2
34 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
35 LEPROSY.....060	-	-	-	-	-	-	-	-	-	-
36 TETANUS.....061	4	3	1	-	-	8	-	1	4	3
37 ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-
38 ACUTE POLIOMYELITIS.....080	-	-	-	-	-	3	1	2	-	-
39 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	5	3	2	-	-	1	1	-	-	-
40 ACUTE INFECTIOUS ENCEPHALITIS.....082	5	3	2	-	-	9	2	2	5	-
41 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	3	1	2	-	-	1	-	1	-	-
42 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
43 MEASLES.....085	8	5	3	-	-	8	-	3	3	2
44 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
45 INFECTIOUS HEPATITIS.....092	13	6	7	-	-	6	1	4	1	-
46 RABIES.....094	-	-	-	-	-	1	-	1	-	-
47 TICK-BORNE TYPHUS.....104	-	-	-	-	-	1	-	-	-	1
48 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-
49 MALARIA.....110-117	1	1	-	-	-	-	-	-	-	-
50 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-
51 HYDATID DISEASE.....125	-	-	-	-	-	1	-	-	-	1
52 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
53 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
54 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	-	-	-	-	-	2	-	-	-	2
55 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	32	20	11	-	1	23	9	4	4	6
56 II. NEOPLASMS.....	5,454	2,913	2,493	33	15	3,004	1,101	790	566	547
57 MALIGNANT NEOPLASMS; INCLUDING NEOPLASMS OF LYMPHATIC	-	-	-	-	-	-	-	-	-	-
58 AND HEMATOPOIETIC TISSUES.....140-205	5,371	2,873	2,451	33	14	2,953	1,088	779	559	527
59 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	94	71	22	1	-	50	26	14	3	7
60 OF LIP.....140	7	6	1	-	-	2	-	-	-	-
61 OF TONGUE.....141	22	15	7	-	-	9	4	3	1	1
62 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	37	23	13	1	-	12	4	5	-	3
63 OF PHARYNX.....145-148	28	27	1	-	-	27	16	6	2	3
64 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM,	-	-	-	-	-	-	-	-	-	-
65 NOT SPECIFIED AS SECONDARY.....150-156A,157-159	1,917	1,019	882	9	7	898	301	238	198	161
66 OF ESOPHAGUS.....150	81	67	13	1	-	41	18	5	12	6
67 OF STOMACH.....151	461	271	186	3	1	256	71	45	89	51
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	22	10	12	-	-	6	-	4	-	2
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	592	275	310	5	2	250	88	87	37	38
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	130	54	74	-	2	28	12	8	7	1
71 TRANSVERSE COLON.....153.1	41	19	21	1	-	10	4	3	1	2
72 DESCENDING COLON.....153.2	29	16	13	-	-	11	3	3	3	2
73 SIGMOID COLON.....153.3	127	68	59	-	-	38	16	14	2	6
74 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	-	-	-	-	-	-	-	-	-	-
75 LARGE INTESTINE, PART UNSPECIFIED.....153.8	240	101	135	4	-	152	49	56	22	25
76 OF SMALL INTESTINE, PART UNSPECIFIED.....153.9	25	17	8	-	-	11	4	3	2	2
77 OF RECTUM.....154	236	145	90	-	1	54	13	16	13	12
78 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	152	50	100	-	2	39	18	12	3	6
79 LIVER.....155.0	35	22	13	-	-	16	10	2	3	5
80 OT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	117	28	87	-	2	23	8	10	-	5
81 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	45	22	23	-	-	47	10	14	11	12
82 OF PANCREAS.....157	299	165	133	-	1	171	77	40	31	23
83 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	29	14	15	-	-	34	6	15	2	11

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963—Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

MISSOURI					MONTANA					NEBRASKA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
50,560	25,422	19,818	2,923	2,397	6,621	3,955	2,361	170	135	14,681	8,238	6,013	245	185
517	291	131	68	27	61	39	5	9	8	91	46	36	7	2
266	159	49	47	11	27	14	-	7	6	15	11	1	2	1
252	156	44	41	11	21	13	-	5	3	14	10	1	2	1
2	1	-	1	-	2	1	-	-	2	-	-	-	-	-
2	-	1	1	-	1	-	-	-	1	-	-	-	-	-
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
5	1	3	1	-	-	-	-	-	-	-	-	-	-	-
3	-	-	3	-	3	1	-	2	-	1	1	-	-	-
90	43	29	11	7	11	11	-	-	-	9	5	1	3	-
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
41	22	17	2	-	11	11	-	-	-	1	1	-	-	-
29	11	7	5	6	-	-	-	-	-	3	-	-	3	-
2	1	1	-	-	-	-	-	-	-	1	-	-	-	-
5	2	2	1	-	-	-	-	-	-	2	1	1	-	-
10	5	1	3	1	-	-	-	-	-	2	2	-	-	-
3	2	1	-	-	-	-	-	-	-	2	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	1	1	-	1	3	2	-	-	1	2	1	1	-	-
2	1	-	-	1	-	-	-	-	-	1	-	-	-	-
1	-	-	1	-	-	-	-	-	-	2	2	-	-	-
2	-	1	-	-	-	-	-	-	-	2	2	-	-	-
48	30	14	2	2	7	3	3	1	-	16	8	8	-	-
1	-	1	-	-	-	-	-	-	-	1	-	-	1	-
6	1	2	2	3	4	3	1	-	-	6	1	4	-	1
10	8	-	-	-	-	-	-	-	-	6	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	3	2	1	1	-	-	-	-	-	2	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
4	2	2	-	-	-	-	-	-	-	1	1	-	-	-
12	5	6	1	-	2	1	1	-	-	5	1	4	-	-
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
10	3	7	-	-	-	-	-	-	-	7	5	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	5	8	-	1	1	1	-	-	-	6	3	3	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	27	8	2	-	6	4	-	1	1	14	6	7	1	-
7,884	3,858	3,314	428	284	912	538	344	17	13	2,387	1,269	1,050	36	32
7,770	3,805	3,263	422	280	893	529	336	16	12	2,358	1,253	1,040	33	32
183	127	37	16	3	8	4	3	1	-	36	28	7	1	-
5	5	-	-	-	-	-	-	-	-	1	1	-	-	-
46	32	13	1	-	2	1	-	1	-	8	5	2	1	-
52	32	12	8	-	2	1	1	-	-	12	8	4	-	-
80	58	12	7	3	4	2	2	-	-	15	14	1	-	-
2,475	1,199	1,037	156	83	293	186	100	3	4	856	465	364	16	11
119	69	21	27	2	5	5	-	-	-	50	39	6	5	-
469	227	182	44	16	68	50	16	1	1	176	117	54	4	1
21	9	11	-	1	2	2	-	-	-	10	5	-	-	-
913	397	463	24	29	84	50	32	1	1	306	138	162	2	4
128	50	70	4	14	10	4	-	-	-	35	17	18	-	-
36	17	17	1	4	3	3	-	-	-	18	9	8	-	1
32	12	20	-	5	1	4	-	-	-	19	9	9	-	1
168	78	78	10	2	7	4	-	-	-	67	34	31	2	-
3	-	3	-	-	-	-	-	-	-	-	-	-	-	-
502	229	245	9	19	49	28	19	1	1	151	63	86	-	2
44	11	30	-	3	6	4	2	-	-	16	6	10	-	-
245	129	96	12	8	38	21	17	-	-	99	56	40	1	2
149	62	69	9	9	32	18	14	-	-	73	28	43	-	2
43	25	6	4	4	5	3	2	-	-	20	11	9	-	-
106	37	63	1	5	27	15	12	-	-	53	17	34	-	2
125	61	49	11	4	10	8	2	-	-	9	7	1	-	1
386	220	128	27	11	52	31	18	1	2	121	71	46	3	1
48	25	18	2	3	2	1	1	-	-	12	4	7	1	-

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963—Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

MISSOURI					MONTANA					NEBRASKA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
1,284	990	167	106	21	129	111	14	3	1	284	232	45	6	1
55	46	2	6	1	7	7	-	-	-	17	12	4	-	1
447	353	51	39	4	51	45	5	1	1	237	195	36	6	5
759	575	109	60	15	69	57	9	2	1	23	20	3	-	6
23	16	5	1	1	2	2	-	-	-	7	5	2	-	7
654	4	603	-	47	67	1	65	-	1	197	4	186	-	10
1,176	444	610	56	66	117	62	53	-	2	348	160	178	4	6
233	...	191	...	42	19	...	18	...	1	49	...	45	...	4
186	...	175	...	11	16	...	15	...	1	40	...	39	...	1
233	...	221	...	12	20	...	20	...	-	83	...	82	...	1
24	...	23	...	1	-	...	-	...	-	12	...	12	...	1
474	420	...	54	...	58	58	156	152	...	4	...
26	24	...	2	...	4	4	...	-	...	8	8	...	-	...
384	251	117	9	7	41	27	13	1	1	114	69	40	1	...
154	98	48	5	3	13	8	4	1	-	57	32	23	1	...
230	153	69	4	4	28	19	9	-	-	57	37	17	-	3
844	384	385	43	32	117	64	45	7	1	240	134	101	3	2
96	47	41	5	3	12	8	4	-	-	38	26	12	-	...
7	3	4	-	-	2	1	1	-	-	4	1	3	-	...
116	60	50	4	2	16	10	4	2	-	63	43	20	-	...
23	4	18	-	1	4	2	2	-	1	12	8	6	-	...
38	21	12	1	4	7	3	3	1	-	6	3	1	-	...
16	9	5	2	-	5	4	1	-	-	12	5	6	-	...
32	21	10	1	1	8	4	4	-	-	8	7	1	-	...
516	219	245	31	21	63	33	26	4	-	91	38	50	2	...
394	209	163	13	9	58	31	25	1	1	155	88	66	-	...
376	197	144	23	12	63	43	18	-	-	128	73	53	2	...
177	101	67	7	2	28	18	9	-	1	62	29	33	-	...
86	47	28	7	4	9	9	-	-	-	29	19	9	1	...
113	49	49	9	6	26	16	9	-	1	37	25	11	1	...
114	53	51	6	4	19	9	8	1	1	29	16	10	3	...
9	...	7	...	2	-	-	-	...	-	2	...	2
17	9	6	2	3	3	2	1	-	-	11	5	5	1	...
21	9	9	-	-	-	-	-	-	-	8	6	1	1	...
1	...	1	...	-	-	...	-	...	-	-	...	-
40	25	13	1	1	10	4	5	-	1	6	3	2	1	...
26	10	15	-	1	6	3	2	1	-	2	2	-	-	...
1,129	441	524	75	89	165	71	85	5	4	356	167	179	3	7
147	88	31	19	9	26	13	13	-	-	58	37	20	1	...
1	-	1	-	-	-	-	-	-	-	1	-	1	-	...
14	-	12	-	2	3	1	2	-	-	-	-	-	-	...
5	-	4	-	1	3	1	2	-	-	-	-	-	-	...
798	288	418	31	61	123	50	64	5	4	260	114	139	2	5
10	2	4	3	1	-	-	-	-	-	1	1	-	-	...
10	5	2	2	1	1	1	-	-	-	2	2	-	-	...
-	-	-	-	-	-	-	-	-	-	-	-	-	-	...
75	28	26	11	10	-	-	-	-	-	7	1	6	-	...
69	30	26	8	5	9	5	4	-	-	27	12	13	-	2
140	63	54	15	8	27	15	12	-	-	57	26	29	-	2
90	36	38	11	5	17	9	8	-	-	38	15	22	-	1
16	7	6	1	2	5	3	3	-	-	6	3	3	-	...
74	29	32	10	3	12	7	5	-	-	32	12	19	-	1
17	8	8	1	-	1	-	-	-	-	7	3	3	-	...
33	19	8	3	3	9	6	3	-	-	12	8	4	-	...
89	44	28	13	4	29	14	12	2	1	29	16	12	-	1
10	4	5	1	-	9	2	7	-	-	4	3	3	-	...
7	5	2	-	-	2	2	-	-	-	4	3	1	-	...
28	6	15	4	3	3	-	2	1	-	8	4	3	-	...
35	24	3	7	1	12	9	1	1	1	11	8	3	-	...
8	5	3	-	-	3	1	2	-	-	1	-	1	-	...
1	-	-	1	-	-	-	-	-	-	1	-	1	-	...
6,565	2,798	3,125	268	374	757	419	317	8	13	2,049	982	1,022	29	16
6,209	2,621	2,982	255	351	693	378	294	8	13	1,942	930	976	23	13
168	66	83	12	7	22	14	8	-	-	49	28	21	-	...
3,373	1,430	1,641	123	179	455	252	187	6	10	1,132	528	585	11	8
1,968	843	912	64	129	143	72	68	2	1	583	287	283	10	3
700	282	346	36	36	73	40	31	-	2	178	87	87	2	...
46	19	19	3	5	9	8	1	-	-	9	5	2	-	...
28	8	16	1	3	13	7	6	-	-	15	8	7	-	...
83	48	33	1	1	14	8	6	-	-	26	12	14	-	...
23	13	8	1	1	1	1	-	-	-	10	5	3	1	...
57	27	23	4	3	7	5	2	-	-	17	6	7	3	...
-	-	-	-	-	-	-	-	-	-	-	-	-	-	...
-	-	-	-	-	-	-	-	-	-	-	-	-	-	...
8	7	1	-	-	-	-	-	-	-	1	-	1	-	...
111	55	43	3	10	20	12	8	-	-	29	16	12	-	1

SECTION 1 - MORTALITY

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision)

CAUSE OF DEATH	MINNESOTA					MISSISSIPPI				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM.....	13,903	8,364	5,434	77	28	8,121	2,971	1,910	1,702	1,538
DISEASES OF HEART.....400-402,410-443	12,494	7,653	4,748	69	24	7,315	2,721	1,688	1,525	1,381
RHEUMATIC FEVER.....400-402	5	4	1	-	-	10	-	-	3	7
CHRONIC RHEUMATIC HEART DISEASE.....410-416	317	156	159	2	-	93	24	17	28	24
DISEASES OF MITRAL VALVE.....410	161	70	90	1	-	38	11	7	14	6
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	37	32	4	1	-	6	3	-	2	1
DISEASES OF PULMONARY VALVE, ETC.....413,414	34	16	18	-	-	5	1	1	1	2
OTHER RHEUMATIC HEART DISEASES.....412,415,416	85	38	47	-	-	44	9	9	11	15
ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	10,159	6,536	3,551	54	18	4,759	2,197	1,175	775	612
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	3,752	2,241	1,484	17	10	1,686	686	471	310	219
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420.1	6,405	4,294	2,066	37	8	3,055	1,503	702	461	389
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	2	1	1	-	-	18	8	2	4	4
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	102	56	46	-	-	74	19	18	21	16
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	5	2	3	-	-	2	1	-	-	1
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	59	41	18	-	-	32	10	5	9	8
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	38	13	25	-	-	40	9	13	12	7
OTHER MYOCARDIAL DEGENERATION.....422	647	334	312	1	-	529	138	153	126	112
WITH ARTERIOSCLEROSIS.....422.1	519	262	256	1	-	337	105	112	66	54
WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	128	72	56	-	-	192	33	41	60	58
OTHER DISEASES OF HEART.....430-434	395	235	150	7	3	623	172	121	189	141
ACUTE AND SUBACUTE ENDOCARDITIS.....430	19	13	5	1	-	6	2	1	3	-
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	13	10	2	1	-	14	4	3	5	2
FUNCTIONAL DISEASE OF HEART.....433	160	88	69	1	2	100	37	37	11	15
OTHER AND UNSPECIFIED DISEASES OF HEART.....434	203	124	74	4	1	503	129	80	170	124
HYPERTENSIVE HEART DISEASE.....440-443	869	332	529	5	3	1,227	171	204	383	469
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	142	69	73	-	-	222	36	30	70	86
OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	727	263	456	5	3	1,005	135	174	313	383
OTHER HYPERTENSIVE DISEASE.....444-447	174	81	88	4	1	208	39	41	68	60
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	104	57	45	2	-	79	23	20	21	15
ESSENTIAL HYPERTENSION.....444,445,447	70	24	43	2	1	129	16	21	47	45
DISEASES OF ARTERIES.....450-456	1,039	533	500	3	3	480	175	157	80	68
GENERAL ARTERIOSCLEROSIS.....450	794	376	414	2	2	374	120	138	63	53
AORTIC ANEURYSM, NONSYPHILITIC, ETC.....451	171	120	50	1	-	76	43	15	10	8
GANGRENE OF UNSPECIFIED CAUSE.....455	4	2	2	-	-	6	1	2	6	4
OTHER ARTERIAL DISEASES.....452-454,456	70	35	34	-	1	24	11	2	7	4
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	196	97	98	1	-	118	36	24	29	29
VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	1,844	1,115	696	17	16	1,463	427	249	441	346
ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	14	6	8	-	-	27	1	4	11	11
INFLUENZA.....480-483	90	47	41	1	-	249	31	43	89	86
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	1,124	621	483	11	9	862	205	139	294	224
LOBAR PNEUMONIA.....490	197	125	68	2	2	161	24	24	60	53
BRONCHOPNEUMONIA.....491	564	311	245	6	2	352	105	50	116	81
PRIMARY ATYPICAL PNEUMONIA.....492	79	41	37	-	1	57	14	13	12	18
PNEUMONIA, OTHER AND UNSPECIFIED.....493	284	144	133	3	4	292	62	52	106	72
ACUTE BRONCHITIS.....500	12	8	4	-	-	9	5	1	2	1
BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	81	49	31	-	1	48	24	14	7	3
HYPERTROPHY OF TONSILS AND ADENOIDS.....510	-	-	-	-	-	1	-	-	-	-
EMPHYEMA AND ABSCESS OF LUNG.....518,521	13	7	5	-	1	7	3	1	2	1
PLEURISY.....519	6	5	1	-	-	4	1	1	2	-
OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	70	47	23	-	-	29	16	7	4	2
BRONCHIECTASIS.....526	35	27	6	1	1	19	8	9	2	-
OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	288	241	43	3	1	176	128	16	20	12
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	256	221	33	2	-	151	123	14	10	4
ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY.....527.0,527.2	32	20	10	1	1	25	5	2	10	8
OTHER RESPIRATORY DISEASES.....RESIDUAL	111	57	51	1	2	32	5	13	8	6
IX. DISEASES OF THE DIGESTIVE SYSTEM.....	1,230	733	470	12	15	671	197	146	184	144
DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	1	1	-	-	-	-	-	-	-	-
ULCER OF STOMACH.....540	113	79	29	3	2	35	18	8	8	3
ULCER OF DUODENUM.....541	127	95	30	1	1	37	17	6	11	3
GASTRITIS AND DUODENITIS.....543	9	4	4	-	1	5	2	-	2	1
APPENDICITIS.....550-553	27	18	7	-	2	19	5	4	5	5
HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	194	95	96	1	2	120	27	33	36	24
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	48	25	18	2	3	174	11	10	87	66
CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	69	40	29	-	-	23	6	11	2	4
CIRRHOSIS OF LIVER.....581	313	198	107	4	4	103	60	24	11	8
WITHOUT MENTION OF ALCOHOLISM.....581.0	204	120	79	2	3	78	41	18	11	8
WITH ALCOHOLISM.....581.1	109	78	28	2	1	25	19	6	-	-
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	122	63	59	-	-	38	10	18	2	8
FIBROCYSTIC DISEASE OF PANCREAS.....587B	16	7	9	-	-	11	6	2	2	1
OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	191	108	82	1	-	106	35	30	18	23
X. DISEASES OF THE GENITOURINARY SYSTEM.....	454	302	141	7	4	566	147	92	206	121
NEPHRITIS AND NEPHROSIS.....590-594	155	89	59	3	4	261	60	44	100	57
ACUTE NEPHRITIS.....590	6	3	-	-	-	23	5	3	10	5
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	9	6	2	1	-	14	2	2	4	6
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	140	80	54	2	4	224	53	39	86	46
INFECTIONS OF KIDNEY.....600	121	66	53	2	-	159	42	33	41	43
CALCULI OF URINARY SYSTEM.....602,604	21	16	5	-	-	18	9	4	2	3
OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	57	44	13	-	-	41	11	7	17	6
HYPERPLASIA OF PROSTATE.....610	83	81	-	2	-	63	23	-	40	-
DISEASES OF BREAST.....620,621	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	17	6	11	-	-	24	2	4	6	12

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963-Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix

MISSOURI					MONTANA					NEBRASKA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
22,104	11,525	8,684	1,028	867	2,661	1,582	1,005	45	29	6,296	3,678	2,493	75	50
19,739	10,500	7,661	856	722	2,339	1,412	860	42	25	5,722	3,392	2,217	71	42
12	7	5	-	-	-	-	-	-	-	2	-	1	1	-
400	172	188	17	23	83	33	50	-	-	124	53	69	1	1
169	71	82	7	9	43	15	28	-	-	60	21	39	-	-
23	13	9	-	1	9	7	2	-	-	14	10	4	-	-
19	7	11	-	1	5	2	3	-	-	13	6	7	-	-
189	81	86	10	12	26	9	17	-	-	37	16	19	1	1
15,087	8,531	5,578	548	430	1,735	1,137	548	30	20	4,449	2,810	1,551	56	32
7,048	3,510	3,050	235	253	631	379	241	3	8	1,550	882	610	39	19
8,027	5,011	2,527	312	177	1,103	757	307	27	12	2,895	1,925	940	17	13
12	10	1	1	-	1	1	-	-	-	4	3	1	-	-
140	64	52	16	8	17	6	10	1	-	49	29	20	-	-
10	-	4	2	4	3	2	3	-	-	2	2	-	-	-
58	35	18	5	-	4	2	2	-	-	25	14	11	-	-
72	29	30	9	4	10	4	5	1	-	22	13	9	-	-
1,748	775	813	99	61	186	90	96	-	-	487	227	254	3	3
1,201	544	576	51	30	134	65	69	-	-	339	166	169	3	1
547	231	237	48	31	52	25	27	-	-	148	61	85	-	2
848	409	323	61	55	169	90	69	6	4	248	140	102	5	1
12	4	6	1	1	2	1	1	-	-	5	4	1	-	-
46	19	21	3	3	4	1	3	-	-	8	5	2	1	-
237	100	115	12	10	32	9	21	1	1	97	52	44	1	-
553	286	181	45	41	131	79	44	5	3	138	79	55	3	1
1,504	542	702	115	145	149	56	87	5	1	363	133	220	5	5
466	232	208	11	15	39	17	22	-	-	145	63	81	1	-
1,038	310	494	104	130	110	39	65	5	1	218	70	139	4	5
363	139	150	41	33	31	12	19	-	-	86	42	40	2	2
213	97	78	18	20	14	7	7	-	-	57	31	23	1	-
150	42	72	23	13	17	5	12	-	-	29	11	17	-	-
1,644	748	724	93	79	244	135	106	1	2	421	210	204	2	5
1,310	536	631	74	69	201	108	90	1	2	312	144	162	1	1
236	167	50	15	4	34	22	12	-	-	93	62	30	-	-
7	6	1	-	-	1	-	1	-	-	-	-	-	-	-
91	39	42	4	6	9	5	4	-	-	16	4	12	-	-
358	138	149	38	33	47	23	20	2	2	67	34	32	-	1
3,050	1,636	985	237	192	435	289	115	16	15	854	488	317	29	20
19	13	4	1	7	7	5	1	-	1	17	8	8	-	1
268	117	122	10	19	30	19	10	-	1	76	32	44	-	4
1,857	869	683	164	141	221	121	75	14	11	510	257	222	16	15
309	146	110	33	20	28	15	10	1	2	77	41	32	2	2
954	457	348	79	70	94	58	27	6	3	257	122	119	9	7
182	80	60	17	25	19	10	8	-	1	62	36	20	1	5
412	186	165	35	26	80	38	30	7	5	114	58	51	4	1
22	13	6	2	1	5	4	1	-	-	15	11	3	1	-
103	80	18	4	1	20	17	2	-	1	41	29	8	3	1
4	3	1	-	-	2	2	1	-	-	1	1	-	-	-
32	11	6	10	5	5	3	1	1	-	5	3	-	1	1
5	3	1	-	1	1	1	1	-	-	1	1	-	-	-
112	59	36	11	6	10	6	4	-	-	19	13	5	-	-
64	41	18	5	-	4	3	1	-	-	12	8	2	-	-
471	382	58	23	8	105	94	9	1	1	130	116	11	2	1
411	347	41	19	4	95	87	7	-	1	122	111	10	1	1
60	35	17	4	4	10	7	2	1	-	8	5	1	-	-
93	45	32	7	9	25	17	8	-	-	27	11	13	3	-
1,816	908	720	105	83	257	145	97	7	8	520	289	210	11	10
1	-	1	-	-	-	-	-	-	-	3	2	1	-	-
154	88	55	6	5	22	16	6	-	-	51	34	15	2	-
145	108	24	9	4	20	13	7	-	-	70	54	15	1	-
11	5	5	1	-	3	2	1	-	-	2	1	-	-	-
61	30	25	4	2	6	3	1	2	-	19	11	8	-	-
334	139	159	18	18	32	23	8	-	1	69	31	36	-	2
90	29	38	12	11	10	3	3	2	2	28	13	12	2	1
84	40	37	2	5	10	4	6	-	-	31	10	19	1	1
467	270	152	27	18	76	39	30	2	5	119	78	35	3	3
346	196	118	18	14	59	31	25	2	1	40	19	21	-	-
121	74	34	9	4	17	8	5	4	4	79	59	14	3	3
108	39	66	1	2	14	8	5	1	-	58	23	34	-	1
10	5	5	-	-	2	1	1	-	-	2	2	-	-	-
351	155	153	25	18	62	33	29	-	-	68	32	32	2	2
909	450	289	91	79	103	63	36	2	2	211	133	73	3	2
419	169	166	43	41	43	20	20	2	1	78	41	35	1	1
19	7	8	2	2	2	1	1	-	-	7	4	3	-	-
39	15	17	3	4	2	1	1	-	-	5	5	-	-	-
361	147	141	38	35	40	19	18	2	1	66	32	32	1	1
229	99	88	21	21	26	12	13	-	-	55	29	25	-	-
22	9	10	1	2	3	2	2	-	-	9	5	4	-	-
80	44	18	10	8	24	6	5	-	-	17	12	3	2	-
126	111	...	15	...	4	24	...	-	-	43	43	...	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	18	6	1	7	1	-	1	-	-	9	3	6	-	-

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963--Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

MISSOURI					MONTANA					NEBRASKA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
33	...	23	...	10	2	...	1	...	1	6	...	4	...	2
7	...	5	...	2	1	...	1	...	-	1	...	1	...	-
4	...	2	...	1	-	...	-	...	-	-	...	-	...	-
6	...	5	...	2	1	...	-	...	1	1	...	1	...	-
3	...	1	...	1	-	...	-	...	-	-	...	-	...	-
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-
10	...	7	...	3	-	...	-	...	-	2	...	1	...	1
62	20	30	5	7	8	4	4	-	-	16	4	12	-	-
14	8	4	1	1	5	2	3	-	-	4	3	1	-	-
48	12	26	4	6	3	2	1	-	-	12	1	11	-	-
99	41	51	4	3	26	11	15	-	-	28	13	14	-	1
56	20	30	3	3	16	6	10	-	-	14	7	7	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
7	3	3	1	-	2	1	1	-	-	-	-	-	-	-
3	-	3	-	-	1	1	-	-	-	1	1	-	-	-
9	6	3	-	-	4	3	1	-	-	2	1	1	-	-
23	11	12	-	-	3	-	3	-	-	11	4	6	-	1
404	192	171	24	17	77	36	34	2	5	175	86	81	5	3
29	10	17	2	-	7	5	2	-	-	9	-	9	-	-
38	16	17	2	3	10	5	4	-	-	17	7	9	1	-
207	102	85	11	9	36	16	15	2	3	94	51	38	3	2
130	64	52	9	5	24	10	13	-	-	55	28	25	1	1
1,379	627	413	183	156	220	127	72	11	10	445	249	163	16	17
856	449	306	65	36	211	147	56	5	3	78	41	37	-	-
98	32	61	4	1	14	5	7	1	1	20	5	15	-	-
758	417	245	61	35	197	142	49	4	2	58	36	22	-	-
3,524	2,079	970	314	161	670	455	151	41	23	1,083	751	281	31	20
2,758	1,634	829	171	124	532	353	124	36	19	912	621	251	23	17
23	17	2	2	2	5	4	1	-	-	5	4	-	1	-
1,143	744	307	65	27	227	159	40	18	10	381	274	96	7	4
1,116	728	299	64	25	221	155	39	17	10	367	265	91	7	4
44	38	6	-	5	5	2	2	1	-	26	20	6	-	-
136	78	37	13	8	18	9	5	2	2	37	23	8	5	1
555	326	184	30	15	93	65	17	8	3	185	134	50	1	1
363	272	70	19	2	91	68	12	6	5	110	85	22	1	2
18	14	2	2	-	14	11	3	-	-	9	3	5	-	1
27	16	8	1	2	6	4	1	1	-	14	9	5	-	-
7	7	-	-	-	6	5	1	-	-	4	-	4	-	-
37	27	4	4	-	3	3	-	-	-	18	6	1	-	-
20	19	1	-	-	14	13	1	-	-	18	18	4	-	-
50	16	17	9	8	6	3	-	-	-	13	8	4	-	-
31	24	4	2	1	6	7	-	-	1	14	12	4	-	-
628	272	309	21	26	80	36	41	3	-	195	99	90	2	4
151	90	45	11	5	21	15	6	-	-	65	40	22	1	2
97	44	50	2	1	16	3	12	1	-	84	41	42	1	-
380	138	214	8	20	43	18	23	2	-	46	18	26	-	2
37	25	4	8	-	16	16	-	-	-	19	18	-	1	-
63	57	2	4	-	23	22	-	-	1	40	39	1	-	-
30	25	4	-	1	2	1	1	-	-	10	10	-	-	-
251	119	80	24	28	23	11	10	-	2	45	29	12	2	2
11	8	2	1	-	1	1	-	-	-	-	-	1	-	-
84	65	9	6	4	27	24	2	1	-	16	14	-	2	-
42	21	14	1	6	8	3	-	3	2	11	4	6	-	1
112	82	17	10	3	28	18	5	4	1	43	32	8	1	2
9	4	4	-	1	-	-	-	-	-	3	2	-	1	-
34	12	19	1	2	12	5	7	-	-	7	3	2	1	1
146	90	30	13	13	43	22	15	5	1	77	49	22	3	3
502	362	110	23	7	117	91	22	4	-	141	115	24	2	-
124	65	53	3	3	19	9	10	-	-	20	13	7	-	-
55	40	13	2	-	9	7	2	-	-	28	21	7	-	-
272	229	28	13	2	84	71	9	4	-	83	74	7	2	-
51	28	16	5	2	5	4	1	-	-	10	7	3	-	-
264	83	31	120	30	21	11	5	1	4	29	14	6	6	3
159	54	15	73	17	11	7	3	1	-	22	11	4	5	2
51	10	3	31	7	3	-	1	-	-	3	1	1	-	-
46	16	13	11	6	7	4	1	-	-	4	2	1	-	-
8	3	-	5	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision)

CAUSE OF DEATH	NEVADA					NEW HAMPSHIRE				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
1 ALL CAUSES.....	2,947	1,753	959	132	103	7,185	3,933	3,239	6	7
2 I. INFECTIVE AND PARASITIC DISEASES.....	53	31	16	4	2	51	26	25	-	-
3 TUBERCULOSIS, ALL FORMS.....001-019	20	14	3	3	-	14	12	2	-	-
4 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	19	14	2	3	-	14	12	2	-	-
5 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	-	-	-	-	-	-	-	-	-	-
6 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC	-	-	-	-	-	-	-	-	-	-
7 GLANDS.....011	-	-	-	-	-	-	-	-	-	-
8 TUBERCULOSIS OF BONES AND JOINTS.....012,013	-	-	-	-	-	-	-	-	-	-
9 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	1	-	1	-	-	-	-	-	-	-
10 DISSEMINATED TUBERCULOSIS.....019	-	-	-	-	-	-	-	-	-	-
11 SYPHILIS AND ITS SEQUELAE.....020-029	8	5	2	-	1	11	4	7	-	-
12 CONGENITAL SYPHILIS.....020	-	-	-	-	-	-	-	-	-	-
13 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
14 ANEURYSM OF AORTA.....022	6	5	1	-	-	6	-	6	-	-
15 OTHER CARDIOVASCULAR SYPHILIS.....023	1	-	-	-	1	3	2	1	-	-
16 TABES DORSALIS.....024	-	-	-	-	-	-	-	-	-	-
17 GENERAL PARALYSIS OF INSANE.....025	-	-	-	-	-	1	1	-	-	-
18 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	1	-	1	-	-	-	-	-	-	-
19 ALL OTHER SYPHILIS.....027-029	-	-	-	-	-	1	1	-	-	-
20 GONOCOCCAL INFECTION.....030-035	-	-	-	-	-	-	-	-	-	-
21 TYPHOID FEVER.....040	-	-	-	-	-	-	-	-	-	-
22 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	1	1	-	-	-	1	-	1	-	-
23 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
24 BRUCELLOSIS.....044	-	-	-	-	-	-	-	-	-	-
25 DYSENTERY, ALL FORMS.....045-048	-	-	-	-	-	-	-	-	-	-
26 FOOD POISONING, INFECTION AND INTOXICATION.....049	-	-	-	-	-	-	-	-	-	-
27 SCARLET FEVER.....050	-	-	-	-	-	-	-	-	-	-
28 STREPTOCOCCAL SORE THROAT.....051	-	-	-	-	-	1	1	-	-	-
29 ERYSIPELAS.....052	-	-	-	-	-	-	-	-	-	-
30 SEPTICEMIA AND PYEMIA.....053	8	6	1	1	-	11	3	8	-	-
31 DIPHTHERIA.....055	-	-	-	-	-	-	-	-	-	-
32 WHOOPING COUGH.....056	1	1	-	-	-	-	-	-	-	-
33 MENINGOCOCCAL INFECTIONS.....057	2	-	2	-	-	3	1	2	-	-
34 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
35 LEPROSY.....060	-	-	-	-	-	-	-	-	-	-
36 TETANUS.....061	-	-	-	-	-	1	-	1	-	-
37 ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-
38 ACUTE POLIOMYELITIS.....080	1	1	-	-	-	-	-	-	-	-
39 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	2	1	1	-	-	3	2	1	-	-
40 ACUTE INFECTIOUS ENCEPHALITIS.....082	2	-	2	-	-	2	1	1	-	-
41 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	-	-	-	-	-	-	-	-	-	-
42 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
43 MEASLES.....085	1	-	1	-	-	-	-	-	-	-
44 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
45 INFECTIOUS HEPATITIS.....092	3	-	2	-	1	1	-	1	-	-
46 RABIES.....094	-	-	-	-	-	-	-	-	-	-
47 TICK-BORNE TYPHUS.....104	-	-	-	-	-	-	-	-	-	-
48 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-
49 MALARIA.....110-117	-	-	-	-	-	-	-	-	-	-
50 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-
51 HYDATID DISEASE.....125	-	-	-	-	-	-	-	-	-	-
52 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
53 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
54 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	-	-	-	-	-	-	-	-	-	-
55 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	4	2	2	-	-	3	2	1	-	-
56 II. NEOPLASMS.....	405	223	166	3	13	1,184	639	543	-	2
57 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC										
58 AND HEMATOPOIETIC TISSUES.....140-205	397	219	162	3	13	1,171	631	538	-	2
59 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	5	3	2	-	-	28	23	4	-	1
60 OF LIP.....140	-	-	-	-	-	-	-	-	-	-
61 OF TONGUE.....141	3	1	2	-	-	8	8	-	-	-
62 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	-	-	-	-	-	8	6	2	-	-
63 OF PHARYNX.....145-148	2	2	-	-	-	12	9	2	-	1
64 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM,										
65 NOT SPECIFIED AS SECONDARY.....150-156A,157-159	122	71	47	1	3	389	201	188	-	-
66 OF ESOPHAGUS.....150	6	5	1	-	-	18	15	3	-	-
67 OF STOMACH.....151	21	16	5	-	-	84	45	39	-	-
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	2	1	-	-	-	4	1	3	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	39	16	22	-	1	122	50	72	-	-
70 CECUM, APPENDIX, AND ASCENDING COLON.....153-0	6	2	4	-	-	15	4	11	-	-
71 TRANSVERSE COLON.....153-1	1	-	1	-	-	5	3	2	-	-
72 DESCENDING COLON.....153-2	3	2	1	-	-	8	2	6	-	-
73 SIGMOID COLON.....153-3	10	4	6	-	-	25	11	14	-	-
74 MULTIPLE PARTS OF LARGE INTESTINE.....153-7	-	-	-	-	-	-	-	-	-	-
75 LARGE INTESTINE, PART UNSPECIFIED.....153-8	17	7	9	-	1	51	21	30	-	-
76 INTESTINAL TRACT, PART UNSPECIFIED.....153-9	2	1	1	-	-	18	9	9	-	-
77 OF RECTUM.....154	9	3	5	-	1	52	33	19	-	-
78 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	14	12	2	-	-	22	8	14	-	-
79 LIVER.....155-0	5	5	-	-	-	6	4	2	-	-
80 OT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	9	7	2	-	-	16	4	12	-	-
81 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	6	4	2	-	-	13	7	6	-	-
82 OF PANCREAS.....157	21	12	8	1	-	66	39	27	-	-
83 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	4	2	2	-	-	8	3	5	-	-

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963--Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

NEW JERSEY			NEW MEXICO				NEW YORK						
Total	Male	Female	Total	White		Nonwhite		Total	White		Nonwhite		
				Male	Female	Male	Female		Male	Female	Male	Female	
63,872	35,286	28,586	6,846	3,735	2,468	364	279	186,059	92,894	77,200	8,850	7,115	1
620	426	194	142	72	28	29	13	1,806	959	407	277	163	2
363	267	96	70	36	13	13	8	1,049	571	159	211	108	3
331	250	81	61	35	10	11	5	995	550	149	197	99	4
8	5	3	4	1	1	-	-	17	7	2	5	3	5
2	1	1	-	-	-	-	-	3	-	1	1	1	6
1	1	-	-	-	-	-	-	3	-	-	-	-	7
8	4	4	1	-	-	1	-	15	2	4	3	1	8
13	6	7	4	-	2	1	1	16	5	3	5	3	9
65	49	16	21	16	4	1	-	232	143	31	39	19	10
1	-	1	-	-	-	-	-	3	1	1	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	12
37	27	10	10	6	4	-	-	133	96	20	9	8	13
18	14	4	7	6	-	1	-	66	35	5	19	7	14
4	4	-	-	-	-	-	-	2	2	-	-	-	15
-	-	-	-	-	-	-	-	14	6	3	3	2	16
3	2	1	2	2	-	-	-	10	3	2	5	2	17
2	2	-	-	-	-	-	-	4	-	-	3	1	18
1	1	-	-	-	-	-	-	4	1	2	1	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	20
1	1	1	2	-	1	1	-	7	4	1	-	2	21
-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	23
4	3	1	13	5	2	4	2	4	1	2	-	1	24
1	1	-	-	-	-	-	-	-	-	-	-	-	25
4	1	2	1	-	-	-	-	2	1	1	-	-	26
4	2	1	1	-	-	-	-	2	2	2	-	-	27
1	1	1	5	4	-	1	-	166	86	66	8	6	28
62	36	26	5	4	-	1	-	-	-	-	-	-	29
2	1	1	-	-	-	-	-	-	-	-	-	-	30
1	1	-	-	-	-	2	-	-	-	-	-	-	31
15	10	5	5	4	-	1	-	50	18	21	5	6	32
-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	34
1	1	1	-	-	-	-	-	7	3	1	1	2	35
1	1	-	-	-	-	-	-	4	2	2	-	-	36
2	2	-	-	-	2	-	-	9	4	5	-	-	37
21	14	7	2	1	1	1	-	31	13	17	-	1	38
5	2	3	-	-	-	-	-	10	4	6	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	40
5	2	3	7	-	-	5	2	14	9	4	1	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	42
27	13	14	5	2	3	-	-	97	49	39	-	9	43
-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	45
1	1	-	-	-	-	-	-	3	2	1	-	-	46
1	1	-	-	-	-	-	-	-	-	-	-	-	47
1	1	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	50
35	18	17	6	4	2	-	-	114	48	47	10	9	51
11,769	6,282	5,487	879	431	401	22	25	32,731	16,106	14,295	1,244	1,086	52
11,607	6,211	5,396	840	418	378	20	24	32,164	15,858	14,036	1,226	1,044	53
240	189	51	18	13	5	-	-	697	453	158	69	17	54
4	2	2	-	-	-	-	-	13	9	3	1	-	55
67	51	16	3	3	-	-	-	214	139	53	19	3	56
79	62	17	2	1	1	-	-	203	126	47	23	7	57
90	74	16	13	9	4	-	-	267	179	55	26	7	58
4,110	2,238	1,872	260	127	118	8	7	11,326	5,674	4,868	469	315	59
267	210	57	9	4	5	-	-	635	386	119	113	17	60
799	479	320	65	42	19	3	1	2,312	1,258	854	126	74	61
41	21	20	3	2	-	1	-	75	40	33	1	1	62
1,391	641	750	63	27	36	-	-	3,848	1,748	1,917	80	103	63
182	87	95	6	2	4	-	-	528	219	277	15	17	64
82	38	44	3	2	1	-	-	210	97	103	6	4	65
58	27	31	1	1	-	-	-	163	65	87	6	5	66
295	141	154	11	2	9	-	-	863	424	416	10	13	67
3	-	3	-	-	-	-	-	7	3	4	-	-	68
683	318	365	37	17	20	-	-	1,897	855	944	37	61	69
88	30	58	5	3	2	-	-	180	85	86	6	3	70
529	307	222	24	9	14	-	1	1,476	793	614	31	38	71
247	115	132	33	10	20	1	2	688	273	384	19	12	72
71	47	24	5	3	2	-	-	179	104	58	14	3	73
176	68	108	28	7	18	1	2	509	169	326	5	9	74
138	62	76	12	5	5	-	-	354	158	160	27	9	75
621	366	255	46	24	18	3	1	1,742	931	698	61	52	76
77	37	40	5	4	1	-	-	196	87	89	11	9	77

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision)

CAUSE OF DEATH	NEVADA					NEW HAMPSHIRE				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
1 MALIGNANT NEOPLASMS, ETC.—CON.										
2 MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED										
3 AS SECONDARY.....160-164	76	68	7	1	—	195	173	22	—	—
4 OF LARYNX.....161	5	5	—	—	—	12	11	1	—	—
5 OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	30	29	1	—	—	53	48	5	—	—
6 OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	39	32	6	1	—	125	109	16	—	—
7 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	2	2	—	—	—	5	5	—	—	—
8 MALIGNANT NEOPLASM OF BREAST.....170	44	—	40	—	4	125	1	124	—	—
9										
10 MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	56	18	33	—	5	158	64	94	—	—
11 OF CERVIX UTERI.....171	12	—	11	—	1	30	—	30	—	—
12 OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	9	—	8	—	1	20	—	20	—	—
13 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	17	—	14	—	3	42	—	42	—	—
14 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	—	—	—	—	—	2	—	2	—	—
15 OF PROSTATE.....177	17	17	—	—	—	62	62	—	—	—
16 OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	1	1	—	—	—	2	2	—	—	—
17 MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	16	13	3	—	—	60	46	14	—	—
18 OF KIDNEY.....180	7	7	—	—	—	32	22	10	—	—
19 OF BLADDER AND OTHER URINARY ORGANS.....181	9	6	3	—	—	28	24	4	—	—
20										
21 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED										
22 SITES.....156B,165,190-199	44	26	17	—	1	108	58	49	—	1
23 OF SKIN.....190,191	10	6	4	—	—	13	9	4	—	—
24 OF EYE.....192	—	—	—	—	—	1	1	—	—	—
25 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	11	4	6	—	1	23	16	7	—	—
26 OF THYROID GLAND.....194	—	—	—	—	—	1	1	—	—	—
27 OF BONE.....196	3	3	—	—	—	2	1	1	—	—
28 OF CONNECTIVE TISSUE.....197	1	1	—	—	—	5	2	2	—	1
29 OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	—	—	—	—	—	5	3	2	—	—
30 OF UNSPECIFIED SITES.....156B,165,198,199B	19	12	7	—	—	58	25	33	—	—
31 LEUKEMIA AND ALEUKEMIA.....204	18	12	6	—	—	54	31	23	—	—
32 LYMPHOSARCOMA, ETC.....200-203,205	16	8	7	1	—	54	34	20	—	—
33 LYMPHOSARCOMA AND RETICULOSARCOMA.....200	10	6	4	—	—	23	15	8	—	—
34 HODGKINS DISEASE.....201	5	1	3	1	—	15	10	5	—	—
35 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC										
36 TISSUES.....202,203,205	1	1	—	—	—	16	9	7	—	—
37										
38 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	8	4	4	—	—	13	8	5	—	—
39 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	—	—	—	—	—	3	—	3	—	—
40 BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	1	—	1	—	—	3	—	3	—	—
41 OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	1	—	1	—	—	2	1	1	—	—
42 UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS.....233-235	—	—	—	—	—	—	—	—	—	—
43 NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	5	4	1	—	—	3	2	1	—	—
44 OTHER NEOPLASMS OF UNSPEC. NATURE.....230-232,236,238,239	1	—	1	—	—	2	2	—	—	—
45										
46 III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND										
47 NUTRITIONAL DISEASES.....	68	27	28	9	4	213	98	115	—	—
48										
49 ASTHMA.....241	7	3	2	2	—	21	15	6	—	—
50 NONTOXIC GOITER.....250,251	—	—	—	—	—	—	—	—	—	—
51 THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	1	—	1	—	—	—	—	—	—	—
52 ALL OTHER DISEASES OF THYROID GLAND.....253,254	1	—	1	—	—	3	—	3	—	—
53 DIABETES MELLITUS.....260	43	13	22	5	3	160	67	93	—	—
54 DISEASES OF THYMUS GLAND.....273	1	1	—	—	—	1	1	—	—	—
55 DISEASES OF ADRENAL GLANDS.....274	1	1	—	—	—	—	—	—	—	—
56 PELLAGRA.....281	—	—	—	—	—	—	—	—	—	—
57 OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	4	2	—	2	—	10	5	5	—	—
58 ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS...RESIDUAL	10	7	2	—	1	18	10	8	—	—
59										
60 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	11	8	2	1	—	19	10	9	—	—
61										
62 ANEMIAS.....290-293	9	6	2	1	—	15	6	9	—	—
63 PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	—	—	—	—	—	—	—	3	—	—
64 ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	9	6	2	1	—	12	6	6	—	—
65 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	—	—	—	—	—	1	1	—	—	—
66 OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS...RESIDUAL	2	2	—	—	—	3	3	—	—	—
67										
68 V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	23	13	5	4	1	12	8	4	—	—
69										
70 SENILE PSYCHOSIS.....304	1	—	1	—	—	—	—	—	—	—
71 ALCOHOLIC PSYCHOSIS.....307	2	1	—	1	—	1	1	—	—	—
72 OTHER PSYCHOSES.....300-303,305,306,308,309	—	—	—	—	—	5	1	4	—	—
73 ALCOHOLISM.....322	19	11	4	3	1	5	5	—	—	—
74 MENTAL DEFICIENCY.....325	—	—	—	—	—	1	1	—	—	—
75 OTHER DISORDERS OF PERSONALITY...RESIDUAL	1	1	—	—	—	—	—	—	—	—
76										
77 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS...	256	133	101	11	11	854	381	473	—	—
78										
79 VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM...330-334	222	115	90	8	9	800	350	450	—	—
80 SUBARACHNOID HEMORRHAGE.....330	10	2	6	1	1	24	6	18	—	—
81 CEREBRAL HEMORRHAGE.....331	124	61	55	3	5	413	190	223	—	—
82 CEREBRAL EMBOLISM AND THROMBOSIS.....332	62	36	20	4	2	284	131	153	—	—
83 OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	26	16	9	—	1	79	23	56	—	—
84 MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS...340	6	2	3	1	—	4	3	1	—	—
85 MULTIPLE SCLEROSIS.....345	1	1	—	—	—	13	6	7	—	—
86 PARALYSIS AGITANS.....350	2	1	1	—	—	8	4	4	—	—
87 CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	4	2	1	—	1	2	2	—	—	—
88 EPILEPSY.....353	4	3	1	—	—	10	8	2	—	—
89 INFLAMMATORY DISEASES OF EYE.....370-379	—	—	—	—	—	—	—	—	—	—
90 CATARACT.....385	—	—	—	—	—	—	—	—	—	—
91 GLAUCOMA.....387	—	—	—	—	—	—	—	—	—	—
92 OTITIS MEDIA AND MASTOIDITIS.....391-393	2	1	—	1	—	3	2	1	—	—
93 OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS...RESIDUAL	15	8	5	1	1	14	6	8	—	—

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963—Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

NEW JERSEY			NEW MEXICO				NEW YORK								
Total	Male	Female	Total	White		Nonwhite		Total	White		Nonwhite				
				Male	Female	Male	Female		Male	Female	Male	Female			
1,940	1,656	284	111	81	25	5	-	5,326	4,153	788	320	65	1		
126	113	13	2	2	-	-	-	284	241	24	14	5	2		
681	595	86	45	35	7	3	-	2,321	1,860	289	148	24	4		
1,108	928	180	63	43	18	2	-	2,630	1,996	444	155	35	5		
25	20	5	1	1	-	-	-	91	56	31	3	1	6		
1,148	14	1,134	64	-	59	-	5	3,184	28	2,954	3	199	7		
1,442	528	914	126	46	73	2	5	3,788	1,341	2,118	101	228	8		
274	...	274	38	...	35	...	3	627	...	512	...	115	9		
225	...	225	19	...	17	...	2	630	...	570	...	60	10		
380	...	380	19	...	19	...	-	997	...	954	...	43	11		
35	...	35	2	...	2	...	-	92	...	82	...	10	12		
498	498	...	42	40	...	2	...	1,342	1,247	...	95	...	13		
30	...	30	6	...	6	...	-	100	...	94	...	6	14		
617	421	196	27	16	10	-	1	1,567	1,014	452	52	49	15		
230	144	86	13	9	4	-	-	624	371	215	20	18	16		
387	277	110	14	7	6	-	1	943	643	237	32	31	17		
1,123	597	526	123	68	46	3	6	3,412	1,706	1,497	92	117	18		
153	94	59	18	12	6	-	-	407	243	152	3	9	19		
12	7	5	3	-	2	-	1	34	17	15	2	-	20		
276	154	122	22	11	11	-	-	679	366	276	18	19	21		
75	42	33	7	6	1	-	-	127	39	81	4	3	22		
31	19	12	4	4	-	-	-	185	92	77	9	7	23		
62	39	23	12	8	3	-	1	120	58	51	4	5	24		
458	228	230	56	27	22	3	4	1,730	810	806	47	67	25		
465	288	177	61	33	26	2	-	1,321	692	570	37	22	26		
522	280	242	50	34	16	-	-	1,543	797	631	83	32	27		
265	143	122	20	14	6	-	-	756	384	325	32	15	28		
124	67	57	14	9	5	-	-	355	200	133	18	4	29		
133	70	63	16	11	5	-	-	432	213	173	33	13	30		
162	71	91	39	13	23	2	1	567	248	259	18	42	31		
20	...	20	7	...	6	...	-	55	...	33	...	22	32		
32	11	21	2	1	1	-	-	99	43	49	3	4	33		
32	16	16	4	3	1	-	-	126	63	52	6	5	34		
44	...	18	16	...	4	...	-	1	...	1	43	35	
34	18	16	10	5	5	-	-	182	89	79	7	7	44		
1,673	690	983	175	90	73	5	7	4,228	1,624	2,148	178	278	45	46	
122	80	42	27	19	6	1	1	434	203	164	34	33	47	48	
5	1	4	-	-	-	-	-	11	3	6	1	1	50	49	
16	6	10	2	-	1	1	-	28	4	19	4	1	51	50	
13	...	13	1	-	1	-	-	32	9	21	4	2	52	51	
1,363	525	838	113	57	50	2	4	3,451	1,280	1,816	128	227	54	52	
7	3	4	2	1	-	1	-	4	2	2	-	-	55	53	
18	12	6	6	4	2	-	-	28	10	17	-	1	56	54	
49	57	55
80	21	28	10	4	4	-	2	67	27	34	2	4	58	56	
177	42	38	14	5	9	-	-	173	86	69	9	9	59	57	
123	96	81	13	3	7	1	2	439	184	207	27	21	60	58	
11	61	62	10	3	4	1	2	261	104	126	19	12	61	59	
112	4	7	1	-	1	-	-	37	16	21	-	-	62	60	
11	57	55	9	3	3	1	2	224	88	105	19	12	63	61	
43	6	5	1	-	1	-	-	64	24	35	1	4	64	62	
126	29	14	2	-	2	-	-	114	56	46	7	5	65	63	
3	92	34	39	27	6	5	1	574	271	96	154	53	66	64	
29	1	2	-	-	-	-	-	17	6	9	-	2	67	65	
14	27	2	2	2	-	-	-	38	28	2	8	-	68	66	
55	7	7	3	2	-	1	-	39	17	19	-	3	69	67	
13	42	13	27	19	4	3	1	286	139	35	82	30	70	68	
12	8	5	6	3	2	1	-	50	28	18	3	1	71	69	
6,176	2,832	3,344	693	344	311	21	17	17,314	7,123	8,908	598	685	79	70	
5,729	2,595	3,134	609	303	279	16	11	16,048	6,529	8,391	512	616	80	71	
240	105	135	25	11	10	1	3	765	279	354	60	72	81	72	
2,844	1,297	1,547	370	180	171	12	7	8,302	3,387	4,296	293	326	82	73	
2,146	963	1,183	147	77	69	1	-	5,406	2,225	2,915	112	154	83	74	
499	230	269	67	35	29	2	1	1,575	638	826	47	64	84	75	
74	46	28	19	6	4	4	5	207	94	63	29	21	85	76	
54	21	33	4	2	2	-	-	128	58	62	1	7	86	77	
102	51	51	11	4	7	-	-	262	127	126	5	4	87	78	
17	11	6	5	3	1	-	1	50	23	23	2	2	88	79	
59	40	19	11	6	4	1	-	199	87	62	32	18	89	80	
1	-	-	-	-	-	-	-	1	1	-	-	-	90	81	
1	1	-	1	1	-	-	-	2	1	-	-	-	91	82	
6	3	3	3	2	1	-	-	18	8	7	2	1	92	83	
134	64	70	30	17	13	-	-	398	194	173	15	16	93	84	

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision)

CAUSE OF DEATH	NEVADA					NEW HAMPSHIRE				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM.....	1,060	696	318	27	19	3,372	1,887	1,482	2	1
DISEASES OF HEART.....400-402,410-443	948	630	276	25	17	2,937	1,664	1,270	2	1
RHEUMATIC FEVER.....400-402	1	1	-	-	-	6	1	5	-	-
CHRONIC RHEUMATIC HEART DISEASE.....410-416	35	17	17	-	1	63	24	39	-	-
DISEASES OF MITRAL VALVE.....410	12	3	9	-	-	15	6	9	-	-
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	3	2	1	-	-	5	2	1	-	-
DISEASES OF PULMONARY VALVE, ETC.....413,414	4	3	1	-	-	3	2	1	-	-
OTHER RHEUMATIC HEART DISEASES.....412,415,416	16	9	6	-	1	40	11	29	-	-
ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	764	533	199	22	10	2,405	1,436	967	2	-
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	276	161	103	7	5	1,144	614	528	2	-
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420.1	488	372	96	15	5	1,261	822	439	-	-
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	-	-	-	-	-	-	-	-	-	-
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	3	1	2	-	-	15	9	6	-	-
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	-	-	-	-	-	2	1	1	-	-
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	2	1	1	-	-	8	6	2	-	-
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	1	1	-	-	-	5	2	3	-	-
OTHER MYOCARDIAL DEGENERATION.....422	54	28	25	2	1	132	57	75	-	-
WITH ARTERIOSCLEROSIS.....422.1	35	17	17	-	1	90	42	48	-	-
WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	21	11	8	2	-	42	15	27	-	-
OTHER DISEASES OF HEART.....430-434	45	28	13	1	3	67	37	30	-	-
ACUTE AND SUBACUTE ENDOCARDITIS.....430	1	1	-	-	-	4	2	2	-	-
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	3	1	2	-	-	1	1	-	-	-
FUNCTIONAL DISEASE OF HEART.....433	6	3	3	-	-	14	7	7	-	-
OTHER AND UNSPECIFIED DISEASES OF HEART.....434	35	24	7	1	3	48	27	21	-	-
HYPERTENSIVE HEART DISEASE.....440-443	44	22	20	-	2	249	100	148	-	1
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	12	6	6	-	-	55	25	30	-	-
OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	32	16	14	-	2	194	75	118	-	1
OTHER HYPERTENSIVE DISEASE.....444-447	20	12	5	2	1	53	32	21	-	-
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	15	10	4	1	-	35	21	14	-	-
ESSENTIAL HYPERTENSION.....444,445,447	5	2	1	1	1	18	11	7	-	-
DISEASES OF ARTERIES.....450-456	81	49	31	-	1	349	171	178	-	-
GENERAL ARTERIOSCLEROSIS.....450	46	26	19	-	1	296	132	164	-	-
AORTIC ANEURYSM, NONSPHILITIC, ETC.....451	22	17	5	-	-	40	32	8	-	-
GANGRENE OF UNSPECIFIED CAUSE.....455	-	-	-	-	-	1	1	-	-	-
OTHER ARTERIAL DISEASES.....452-454,456	13	6	7	-	-	12	6	6	-	-
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	11	5	6	-	-	33	20	13	-	-
VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	178	118	44	12	4	360	220	140	-	-
ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	5	3	1	1	-	4	1	3	-	-
INFLUENZA.....480-483	2	1	1	-	-	35	16	19	-	-
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	84	45	28	8	3	198	108	90	-	-
LOBAR PNEUMONIA.....490	19	12	6	1	-	34	20	14	-	-
BRONCHOPNEUMONIA.....491	25	10	10	3	2	93	50	43	-	-
PRIMARY ATYPICAL PNEUMONIA.....492	18	10	6	1	1	36	21	15	-	-
PNEUMONIA, OTHER AND UNSPECIFIED.....493	22	13	6	3	-	35	17	18	-	-
ACUTE BRONCHITIS.....500	6	5	-	-	1	3	3	-	-	-
BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	4	3	1	-	-	29	20	9	-	-
HYPERTROPHY OF TONSILS AND ADENOIDS.....510	-	-	-	-	-	2	2	-	-	-
EMPHYEMA AND ABSCESS OF LUNG.....518,521	1	1	-	-	-	2	2	-	-	-
PLEURISY.....519	1	-	1	-	-	-	-	-	-	-
OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	9	6	2	1	-	16	11	5	-	-
BRONCHIECTASIS.....526	1	1	-	-	-	13	9	4	-	-
OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	53	42	9	2	-	51	44	7	-	-
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	46	37	7	2	-	47	42	5	-	-
ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY.....527.0,527.2	7	5	2	-	-	4	2	2	-	-
OTHER RESPIRATORY DISEASES.....RESIDUAL	12	11	1	-	-	7	4	3	-	-
IX. DISEASES OF THE DIGESTIVE SYSTEM.....	133	72	52	4	5	253	147	104	-	2
DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	-	-	-	-	-	-	-	-	-	-
ULCER OF STOMACH.....540	8	5	3	-	-	19	13	6	-	-
ULCER OF DUODENUM.....541	13	10	2	1	-	35	25	10	-	-
GASTRITIS AND DUODENITIS.....543	-	-	-	-	-	1	1	-	-	-
APPENDICITIS.....550-553	4	1	3	-	-	5	2	3	-	-
HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	18	9	8	1	-	26	8	18	-	-
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	3	1	-	-	2	9	3	6	-	-
CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	2	1	1	-	-	14	7	7	-	-
CIRRHOSIS OF LIVER.....581	48	28	17	1	2	81	52	27	-	2
WITHOUT MENTION OF ALCOHOLISM.....581.0	24	12	10	-	2	54	33	20	-	1
WITH ALCOHOLISM.....581.1	24	16	7	1	-	27	19	7	-	1
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	6	3	3	-	-	19	8	11	-	-
FIBROCYSTIC DISEASE OF PANCREAS.....587B	3	-	3	-	-	6	3	3	-	-
OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	28	14	12	1	1	38	26	12	-	-
X. DISEASES OF THE GENITOURINARY SYSTEM.....	48	27	15	4	2	95	52	43	-	-
NEPHRITIS AND NEPHROSIS.....590-594	23	12	5	4	2	39	14	25	-	-
ACUTE NEPHRITIS.....590	2	1	1	-	-	-	-	-	-	-
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	3	3	-	-	-	2	1	1	-	-
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	18	8	4	4	2	37	13	24	-	-
INFECTIONS OF KIDNEY.....600	12	3	9	-	-	22	12	10	-	-
CALCULI OF URINARY SYSTEM.....602,604	-	-	-	-	-	1	1	-	-	-
OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	2	1	1	-	-	12	5	7	-	-
HYPERPLASIA OF PROSTATE.....610	10	10	-	-	-	20	20	-	-	-
DISEASES OF BREAST.....620,621	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	1	1	-	-	-	1	-	1	-	-

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963—Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

NEW JERSEY			NEW MEXICO				NEW YORK					
Total	Male	Female	Total	White		Nonwhite		Total	White		Nonwhite	
				Male	Female	Male	Female		Male	Female	Male	Female
30,247	16,905	13,342	2,022	1,185	748	51	38	88,125	45,760	37,265	2,661	2,439
28,023	15,782	12,241	1,757	1,054	630	42	31	81,583	42,775	34,129	2,465	2,214
26	11	15	4	3	—	—	—	39	22	12	1	4
699	299	400	64	28	31	2	3	2,165	853	1,150	78	84
242	86	156	26	13	12	—	1	666	246	378	16	26
83	57	26	5	3	2	—	—	254	159	76	13	6
28	11	17	4	4	—	—	—	84	34	44	6	8
346	145	201	29	8	17	2	2	1,161	414	652	43	52
21,917	12,954	8,963	1,274	825	413	23	13	67,357	37,318	26,838	1,780	1,421
11,800	6,258	5,542	429	252	165	9	3	37,070	18,480	16,947	817	826
10,111	6,692	3,419	845	573	248	14	10	30,268	18,829	9,881	963	595
6	4	2	—	—	—	—	—	19	9	10	—	—
86	62	24	12	8	4	—	—	387	209	147	20	11
4	4	—	—	—	—	—	—	11	3	8	—	—
60	47	13	6	4	2	—	—	190	122	59	8	1
22	11	11	6	4	2	—	—	186	84	80	12	10
2,495	1,223	1,272	140	64	69	3	4	4,205	1,695	2,249	131	130
1,978	912	1,066	89	45	38	3	3	3,637	1,434	1,970	113	120
517	311	206	51	19	31	—	1	568	261	279	18	10
674	343	331	148	69	66	10	3	1,257	614	543	63	37
16	10	6	3	2	1	—	—	54	28	20	3	3
31	15	16	3	1	2	—	—	63	28	23	9	3
158	66	92	33	12	17	3	1	464	226	219	11	8
469	252	217	109	54	46	7	2	676	332	281	40	23
2,126	890	1,236	115	57	47	4	7	6,173	2,064	3,190	392	527
382	179	203	25	13	10	—	2	814	371	357	39	47
1,744	711	1,033	90	44	37	4	5	5,359	1,693	2,833	353	480
381	198	183	51	27	17	2	5	1,171	478	571	65	57
225	122	103	28	20	6	2	—	762	361	359	19	23
156	76	80	23	7	11	—	5	409	117	212	46	34
1,546	778	768	157	79	75	2	1	4,476	2,101	2,144	98	133
1,065	458	607	119	55	61	2	1	3,254	1,344	1,773	59	78
369	264	105	28	18	10	—	—	942	636	253	32	21
10	2	8	1	1	—	—	—	11	6	4	1	—
102	54	48	9	5	4	—	—	269	115	114	6	34
297	147	150	57	25	26	5	1	895	406	421	33	35
2,823	1,821	1,002	518	295	163	32	28	10,360	5,588	3,598	682	492
19	13	6	3	2	1	—	—	56	28	19	6	3
66	36	30	36	16	16	1	3	230	116	106	3	5
1,842	1,056	786	291	136	103	28	24	7,509	3,564	2,948	563	434
314	202	112	47	20	15	9	3	1,251	619	436	120	76
1,315	737	578	118	57	46	8	7	5,606	2,635	2,247	398	326
175	96	79	28	17	7	2	2	287	129	122	21	15
38	21	17	98	42	35	9	12	365	181	143	24	17
34	22	12	1	1	—	—	—	138	60	56	14	8
136	105	31	16	13	3	—	—	476	372	86	15	3
8	5	3	2	1	—	—	—	8	4	3	1	—
43	27	16	4	3	1	—	—	97	61	23	10	3
13	9	—	—	—	—	—	—	5	—	—	—	—
124	98	26	41	22	15	3	1	326	138	86	13	9
63	48	15	12	8	4	—	—	184	123	51	5	5
384	331	53	101	84	17	—	—	1,145	933	163	36	13
355	312	43	95	80	15	—	—	1,041	869	132	31	9
29	19	10	6	4	2	—	—	104	64	31	5	4
91	71	20	11	9	2	—	—	170	96	52	16	6
2,634	1,538	1,096	345	179	121	17	28	8,391	4,334	2,963	660	434
—	—	—	1	—	1	—	—	4	2	1	1	—
240	170	70	29	17	11	—	1	809	508	252	36	13
191	148	43	19	13	6	—	—	660	451	166	30	13
15	10	5	—	—	—	—	—	32	16	11	3	2
55	32	23	8	5	3	—	—	172	84	58	17	13
319	151	168	49	21	24	—	4	933	407	433	45	48
92	47	45	48	19	11	7	11	260	105	96	39	20
155	63	92	14	9	3	—	2	478	200	252	12	14
1,028	655	373	93	57	29	3	4	3,442	1,834	953	416	239
737	449	288	72	45	22	2	3	2,280	1,222	685	229	144
291	206	85	21	12	7	1	1	1,162	612	268	187	95
172	55	117	24	8	12	2	2	501	189	286	6	20
27	11	16	5	5	—	—	—	45	19	23	—	3
340	196	144	55	25	21	5	4	1,055	519	432	55	49
984	546	438	126	66	45	9	6	2,866	1,481	999	213	173
423	213	210	60	28	25	5	2	1,034	496	379	88	71
24	17	7	3	1	1	1	—	47	26	15	2	4
22	12	10	2	1	1	—	—	36	17	15	2	2
377	184	193	55	26	23	4	2	951	453	349	84	65
275	127	148	24	8	11	3	2	903	364	406	55	78
57	24	33	1	1	—	—	—	162	74	77	9	2
73	44	29	14	7	7	—	—	232	115	92	16	9
131	131	—	15	15	—	—	—	449	409	—	40	—
1	—	—	—	—	—	—	—	4	—	4	—	—
24	7	17	12	7	2	1	2	82	23	41	5	13

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision)

CAUSE OF DEATH	NORTH CAROLINA					NORTH DAKOTA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES.....	40,581	16,695	11,711	6,800	5,375	5,511	3,361	2,018	72	60
I. INFECTIVE AND PARASITIC DISEASES.....	482	195	77	126	84	47	24	19	2	2
TUBERCULOSIS, ALL FORMS.....001-019	185	85	20	48	32	12	9	1	1	1
TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	156	77	16	40	23	10	8	-	1	1
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	11	2	-	4	5	-	-	-	-	-
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	2	-	1	1	-	-	-	-	-	-
TUBERCULOSIS OF BONES AND JOINTS.....012,013	4	2	1	1	-	-	-	-	-	-
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	5	2	2	-	1	2	1	1	-	-
DISSEMINATED TUBERCULOSIS.....019	7	2	-	2	3	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE.....020-029	67	35	8	18	6	4	1	3	-	-
CONGENITAL SYPHILIS.....020	-	-	-	-	-	-	-	-	-	-
EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA.....022	50	28	8	8	6	2	1	1	-	-
OTHER CARDIOVASCULAR SYPHILIS.....023	12	4	-	8	1	1	-	1	-	-
TABES DORSALIS.....024	1	1	-	-	-	-	-	-	-	-
GENERAL PARALYSIS OF INSANE.....025	-	-	-	-	-	-	-	-	-	-
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	3	2	-	1	-	1	-	1	-	-
ALL OTHER SYPHILIS.....027-029	1	-	-	1	-	-	-	-	-	-
GONOCOCCAL INFECTION.....030-035	-	-	-	-	-	-	-	-	-	-
TYPHOID FEVER.....040	-	-	-	-	-	-	-	-	-	-
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	1	1	-	-	-	-	-	-	-	-
CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS.....044	-	-	-	-	-	-	-	-	-	-
DYSENTERY, ALL FORMS.....045-048	10	1	1	5	3	-	-	-	-	-
FOOD POISONING, INFECTION AND INTOXICATION.....049	1	-	1	-	-	-	-	-	-	-
SCARLET FEVER.....050	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT.....051	1	1	-	-	-	1	1	-	-	-
ERYSIPELAS.....052	-	-	-	-	-	-	-	-	-	-
SEPTICEMIA AND PYEMIA.....053	83	26	18	23	16	6	3	3	-	-
DIPHTHERIA.....055	-	-	-	-	-	2	2	-	-	-
WHOOPING COUGH.....056	7	2	-	3	2	-	-	-	-	-
MENINGOCOCCAL INFECTIONS.....057	21	9	3	6	3	2	-	2	-	-
PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
LEPROSY.....060	-	-	-	-	-	-	-	-	-	-
TETANUS.....061	13	3	4	3	3	-	-	-	-	-
ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS.....080	1	1	-	-	-	-	-	-	-	-
LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	1	-	1	-	-	-	-	-	-	-
ACUTE INFECTIOUS ENCEPHALITIS.....082	17	5	6	-	6	5	2	3	-	-
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	1	1	-	-	-	-	-	-	-	-
SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
MEASLES.....085	7	1	2	1	3	5	1	3	-	1
YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS.....092	15	5	5	2	3	4	1	2	1	-
RABIES.....094	-	-	-	-	-	-	-	-	-	-
TICK-BORNE TYPHUS.....104	4	1	-	2	1	-	-	-	-	-
ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	1	1	-	-	-	-	-	-	-	-
MALARIA.....110-117	-	-	-	-	-	-	-	-	-	-
SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-
HYDATID DISEASE.....125	1	-	1	-	-	-	-	-	-	-
FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	-	-	-	-	-	-	-	-	-	-
ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	45	17	7	15	6	6	4	2	-	-
II. NEOPLASMS.....	5,203	2,101	1,866	628	608	858	487	361	4	6
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	5,062	2,052	1,813	610	587	849	484	355	4	6
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	132	75	28	22	7	18	12	6	-	-
OF LIP.....140	6	5	1	-	-	2	-	-	-	-
OF TONGUE.....141	24	15	4	4	1	3	3	-	-	-
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	50	21	19	4	4	5	3	3	-	-
OF PHARYNX.....145-148	52	34	4	12	2	8	2	3	-	-
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	1,303	490	490	183	140	304	178	122	2	2
OF ESOPHAGUS.....150	74	23	20	19	12	9	9	-	-	-
OF STOMACH.....151	278	120	72	60	26	91	59	30	1	1
OF SMALL INTESTINE, INCLUDING DUODENUM.....152	11	3	5	2	1	3	3	-	-	-
OF LARGE INTESTINE, EXCEPT RECTUM.....153	406	129	195	35	47	87	36	50	-	1
CECUM, APPENDIX, AND ASCENDING COLON.....153.0	51	19	21	5	6	12	6	6	-	-
TRANSVERSE COLON.....153.1	19	5	11	1	2	5	1	4	-	-
DESCENDING COLON.....153.2	17	6	8	2	1	4	1	3	-	-
SIGMOID COLON.....153.3	73	21	42	2	8	18	12	6	-	-
MULTIPLE PARTS OF LARGE INTESTINE.....153.7	-	-	-	-	-	-	-	-	-	-
LARGE INTESTINE, PART UNSPECIFIED.....153.8	222	68	105	22	27	43	16	27	-	-
INTESTINAL TRACT, PART UNSPECIFIED.....153.9	24	10	8	3	3	5	-	4	-	1
OF RECTUM.....154	114	45	45	13	11	31	21	10	-	-
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	72	23	38	5	6	24	11	13	-	-
LIVER.....155.0	23	9	8	3	3	6	5	1	-	-
OF MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	49	14	30	2	3	18	6	12	-	-
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	61	22	21	7	3	7	6	1	-	-
OF PANCREAS.....157	251	110	83	32	26	47	29	17	1	-
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	36	15	11	10	-	5	4	1	-	-

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963—Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

OHIO					OKLAHOMA					OREGON				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
97,994	50,133	39,580	4,627	3,654	24,474	12,868	9,062	1,405	1,139	18,025	10,522	7,165	205	133
974	523	247	131	73	299	140	94	35	30	129	83	40	4	2
441	268	77	63	33	152	79	39	18	16	59	43	13	2	1
417	255	74	59	29	144	76	35	17	16	56	42	11	2	1
3	1	-	1	1	2	-	1	1	-	1	-	1	-	-
4	1	2	1	-	-	-	-	-	-	-	-	-	-	-
2	1	1	-	-	1	1	-	-	-	1	-	1	-	-
6	5	-	-	1	2	1	1	-	-	-	-	-	-	-
9	5	-	2	2	3	1	2	-	-	1	1	-	-	-
180	92	29	44	15	42	17	10	12	3	23	15	6	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
68	43	17	6	6	27	12	8	6	1	10	7	2	-	1
72	29	6	28	9	3	2	-	-	1	7	5	2	-	-
6	5	-	1	-	-	-	-	-	-	-	-	-	-	-
13	8	3	1	1	4	2	1	-	1	-	-	-	-	-
15	5	2	7	1	5	1	-	4	-	3	1	1	1	-
6	2	1	1	2	3	3	1	2	-	3	2	1	-	-
3	2	-	-	1	-	-	-	-	-	-	-	-	-	-
4	1	3	-	-	1	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	2	-	-	-	2	1	-	-	1	-	-	-	-	-
3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
-	1	2	-	-	2	1	1	-	-	-	-	-	-	-
3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
99	51	36	5	7	27	13	12	1	1	16	10	6	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	1	2	3	-	2	-	-	1	1	1	-	1	-	-
34	15	16	1	2	9	5	2	1	1	3	1	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	1	2	-	1	3	1	1	1	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	4	3	-	-	2	-	2	-	-	1	-	1	-	-
25	12	12	-	1	8	3	5	-	-	5	5	-	-	-
11	6	5	-	-	2	-	2	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	8	10	-	-	4	2	2	-	-	2	-	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	22	15	4	1	15	6	7	-	2	8	4	4	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	2	-	1	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	1	1	-	-	1	-	1	-	-	-	-	-	-	-
89	34	32	11	12	25	12	9	-	4	9	4	4	1	-
15,954	7,819	6,885	712	538	3,746	1,932	1,507	158	149	2,906	1,599	1,265	31	11
15,709	7,710	6,772	704	523	3,694	1,912	1,484	155	143	2,853	1,578	1,234	30	11
366	266	74	22	4	69	46	20	1	2	47	35	12	-	-
4	3	-	1	-	6	6	-	-	-	4	4	-	-	-
93	62	20	10	1	13	8	4	1	-	8	4	4	-	-
121	80	33	7	1	26	15	10	-	1	14	11	3	-	-
148	121	21	4	2	24	17	6	-	1	21	16	5	-	-
5,242	2,563	2,286	222	171	1,125	533	479	69	44	895	469	409	13	4
279	181	51	39	8	50	26	16	8	-	41	30	8	1	2
1,003	558	354	53	38	240	135	75	19	11	185	114	67	3	1
45	21	23	1	-	10	6	3	-	1	7	3	4	-	-
1,839	779	965	40	55	377	155	194	15	13	274	118	155	1	-
254	94	145	5	10	62	25	32	3	2	59	20	39	-	-
101	51	41	7	2	15	2	12	1	-	9	6	3	-	-
61	25	34	1	1	18	8	8	2	-	8	3	5	-	-
395	171	204	7	13	47	17	29	1	-	54	31	23	-	-
-	-	-	-	-	2	1	1	-	-	2	1	1	-	-
929	387	494	20	28	213	96	100	6	11	128	51	77	-	-
99	51	47	-	1	20	6	12	2	-	14	6	7	1	-
604	333	225	25	21	88	42	42	2	2	103	53	47	3	-
409	148	232	17	12	60	30	25	3	5	67	27	39	1	-
115	62	39	2	2	18	11	5	2	-	25	16	8	-	-
294	86	193	5	10	42	19	17	1	5	42	11	31	-	-
188	74	95	7	12	62	29	23	6	4	26	15	10	1	-
759	413	289	36	21	197	98	84	10	5	174	99	71	3	1
116	56	52	4	4	41	12	20	6	3	18	10	8	-	-

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision)

CAUSE OF DEATH	NORTH CAROLINA					NORTH DAKOTA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
1 MALIGNANT NEOPLASMS, ETC.--CON.										
2 MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED										
3 AS SECONDARY.....160-164	814	559	102	129	24	90	78	10	1	1
4 OF LARYNX.....161	40	23	6	6	5	3	2	-	-	1
5 OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY.....162	264	190	24	43	7	35	32	3	-	-
6 OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	486	333	67	77	9	52	44	7	1	-
7 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	24	13	5	3	3	-	-	-	-	-
8 MALIGNANT NEOPLASM OF BREAST.....170	441	-	345	2	94	69	4	65	-	-
9										
10										
11 MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	852	237	332	99	184	117	68	48	-	1
12 OF CERVIX UTERI.....171	258	-	149	-	109	11	-	10	-	1
13 OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	104	-	61	-	43	12	-	12	-	-
14 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	132	-	106	-	26	23	-	23	-	-
15 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	22	-	16	-	6	3	-	3	-	-
16 OF PROSTATE.....177	318	225	-	93	-	61	61	-	-	-
17 OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	18	12	-	6	-	7	7	-	-	-
18 MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	208	114	54	24	16	50	33	17	-	-
19 OF KIDNEY.....180	87	50	22	9	6	22	13	9	-	-
20 OF BLADDER AND OTHER URINARY ORGANS.....181	121	64	32	15	10	28	20	8	-	-
21										
22 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED										
23 SITES.....156B,165,190-199	780	345	277	88	70	91	46	43	-	2
24 OF SKIN.....190,191	110	62	39	5	4	11	6	5	-	-
25 OF EYE.....192	6	4	2	-	-	2	1	1	-	-
26 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	155	87	54	6	8	23	12	10	-	1
27 OF THYROID GLAND.....194	16	3	8	1	4	5	2	3	-	-
28 OF BONE.....196	36	16	8	7	5	5	2	3	-	-
29 OF CONNECTIVE TISSUE.....197	22	12	7	-	3	7	-	1	-	-
30 OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	43	12	16	10	5	7	6	1	-	-
31 OF UNSPECIFIED SITES.....156B,165,198,199B	392	149	143	59	41	37	17	19	-	1
32 LEUKEMIA AND ALEUKEMIA.....204	275	106	106	34	29	58	31	27	-	-
33 LYMPHOSARCOMA, ETC.....200-203,205	257	126	79	29	23	52	34	17	1	-
34 LYMPHOSARCOMA AND RETICULOSARCOMA.....200	92	45	33	8	6	31	18	13	-	-
35 HODGKINS DISEASE.....201	75	38	23	12	2	11	6	4	1	-
36 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC										
37 TISSUES.....202,203,205	90	43	23	9	15	10	-	-	-	-
38										
39 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE.....210-239	141	49	53	18	21	9	3	6	-	-
40 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	14	-	4	-	10	3	-	3	-	-
41 BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS.....223	13	5	6	-	2	1	1	-	-	-
42 OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	21	8	8	5	-	2	-	2	-	-
43 UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS.....233-235	-	-	-	-	-	-	-	-	-	-
44 NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	63	23	25	8	7	-	-	-	-	-
45 OTHER NEOPLASMS OF UNSPEC. NATURE.....230-232,236,238,239	30	13	10	5	2	2	-	-	-	-
46										
47 III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND										
48 NUTRITIONAL DISEASES.....	906	305	332	105	164	132	64	63	3	2
49										
50 ASTHMA.....241	120	59	35	15	11	23	15	8	-	-
51 NONTOXIC GOITER.....250,251	-	-	-	-	-	-	-	-	-	-
52 THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	11	-	10	-	1	2	1	1	-	-
53 ALL OTHER DISEASES OF THYROID GLAND.....253,254	7	-	7	-	-	-	-	-	-	-
54 DIABETES MELLITUS.....260	657	217	238	71	131	86	39	45	-	2
55 DISEASES OF THYMUS GLAND.....273	1	-	1	-	-	2	1	-	1	-
56 DISEASES OF ADRENAL GLANDS.....274	5	2	2	-	1	3	-	3	-	-
57 PELLAGRA.....281	4	1	3	-	-	-	-	-	-	-
58 OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	40	5	11	12	12	6	2	3	1	-
59 ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS.....RESIDUAL	61	21	25	7	8	10	6	3	1	-
60										
61 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	132	46	38	33	15	21	17	3	-	1
62										
63 ANEMIAS.....290-293	85	23	20	30	12	15	13	1	-	1
64 PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	7	2	4	1	-	5	4	1	-	-
65 ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	78	21	16	29	12	10	9	-	-	1
66 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	17	8	7	1	1	1	1	-	-	-
67 OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS.....RESIDUAL	30	15	11	2	2	5	3	2	-	-
68										
69										
70 V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.	177	81	30	41	25	15	12	2	-	1
71										
72 SENILE PSYCHOSIS.....304	6	1	1	3	1	2	1	1	-	-
73 ALCOHOLIC PSYCHOSIS.....307	12	7	-	3	2	6	6	-	-	-
74 OTHER PSYCHOSES.....300-303,305,306,308,309	18	3	7	6	2	1	1	-	-	-
75 ALCOHOLISM.....322	122	62	17	27	16	5	4	-	-	1
76 MENTAL DEFICIENCY.....325	17	6	5	2	4	1	-	1	-	-
77 OTHER DISORDERS OF PERSONALITY.....RESIDUAL	2	2	-	-	-	-	-	-	-	-
78										
79 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	5,534	1,872	1,940	874	848	706	392	308	1	5
80										
81 VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM...330-334	5,208	1,762	1,838	815	793	663	367	292	-	4
82 SUBARACHNOID HEMORRHAGE.....330	209	73	75	29	32	25	9	15	-	1
83 CEREBRAL HEMORRHAGE.....331	2,869	911	957	512	489	418	234	182	-	2
84 CEREBRAL EMBOLISM AND THROMBOSIS.....332	1,694	613	629	199	213	167	93	73	-	1
85 OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	476	165	177	75	75	53	31	22	-	-
86 MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS...340	59	21	11	14	13	5	3	1	1	-
87 MULTIPLE SCLEROSIS.....345	27	8	10	2	7	7	3	4	-	-
88 PARALYSIS AGITANS.....350	17	15	18	3	1	10	3	7	-	-
89 CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	17	4	10	2	1	-	-	-	-	-
90 EPILEPSY.....355	15	10	18	18	12	5	4	1	-	-
91 INFLAMMATORY DISEASES OF EYE.....370-379	-	-	-	-	-	-	-	-	-	-
92 CATARACT.....385	-	-	-	-	-	-	-	-	-	-
93 GLAUCOMA.....387	-	-	-	-	-	-	-	-	-	-
94 OTITIS MEDIA AND MASTOIDITIS.....391-393	6	3	1	-	2	1	-	-	-	1
95 OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS.....RESIDUAL	125	44	42	20	19	15	12	3	-	-

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963—Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

OHIO					OKLAHOMA					OREGON				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
2,617	1,992	364	226	35	626	513	88	22	3	480	408	63	9	-
154	129	8	16	1	24	20	3	1	-	24	20	4	-	-
1,115	844	150	107	14	178	154	14	9	1	250	216	27	7	-
1,297	989	187	101	20	409	327	68	12	2	200	168	30	2	-
51	30	19	2	-	15	12	3	-	-	6	4	2	-	-
1,398	14	1,305	-	79	274	3	252	-	19	242	2	239	-	1
2,243	775	1,256	77	135	557	230	261	24	42	405	187	214	1	3
462	...	394	...	68	103	...	82	...	21	66	...	65	...	1
369	...	334	...	35	77	...	68	...	9	61	...	61	...	-
506	...	478	...	28	114	...	102	...	12	82	...	81	...	1
54	...	50	...	4	9	...	9	...	-	8	...	7	...	1
793	721	...	72	...	238	215	...	23	...	176	175	...	1	...
59	54	...	5	...	16	15	...	1	...	12	12
759	476	235	36	12	199	116	69	12	2	127	94	32	-	1
287	177	96	10	4	79	48	26	5	-	51	35	15	-	1
472	299	139	26	8	120	68	43	7	2	76	59	17	-	-
1,567	815	661	52	39	459	242	186	11	20	336	190	139	6	1
197	113	75	3	-	76	47	29	-	-	53	36	17	-	-
19	12	7	-	-	5	4	1	-	-	2	1	1	-	-
392	224	145	15	8	87	56	28	1	2	85	60	24	1	-
59	19	37	3	-	11	2	9	-	-	11	2	9	-	-
101	61	35	4	1	32	14	13	2	3	17	10	7	-	-
67	29	31	2	5	7	4	2	-	1	11	7	4	-	-
72	43	26	1	2	24	20	4	-	-	8	5	2	1	-
660	314	305	24	17	217	95	100	8	14	149	69	75	4	1
734	398	282	28	26	200	122	65	9	4	154	92	61	-	1
783	411	309	41	22	185	107	64	7	7	167	101	65	1	-
357	188	151	11	7	97	58	35	3	1	94	56	37	1	-
173	95	69	6	3	35	21	11	2	1	27	18	9	-	-
253	128	89	24	12	53	28	18	2	5	46	27	19	-	-
245	109	113	8	15	52	20	23	3	6	53	21	31	1	-
18	...	14	...	4	10	...	4	...	6	1	...	1	...	-
54	23	25	4	6	14	4	10	-	-	13	5	8	-	-
67	31	28	4	4	9	5	2	2	-	18	6	12	-	-
2	...	2	...	-	-	...	-	...	-	-	...	-	...	-
68	37	27	3	1	12	6	6	-	-	10	7	3	-	-
36	18	17	1	-	7	5	1	1	-	11	3	7	1	-
2,811	1,106	1,438	93	174	588	253	247	30	58	382	190	181	7	4
258	156	69	14	19	94	64	23	2	5	59	41	17	1	-
3	-	3	-	-	1	-	-	-	1	-	-	-	-	-
26	4	22	-	-	5	2	1	-	2	4	-	4	-	-
16	7	9	-	-	3	1	2	-	-	1	1	-	-	-
2,241	840	1,201	62	138	394	151	173	25	45	271	126	136	5	4
3	1	-	-	1	1	1	-	-	-	-	-	-	-	-
25	8	17	-	4	4	1	1	1	1	5	3	2	-	-
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
71	30	34	4	3	48	21	23	2	2	18	7	10	1	-
168	60	82	13	13	37	11	24	-	2	24	13	11	-	-
295	119	149	11	16	88	38	43	2	5	43	25	18	-	-
184	70	94	8	12	56	22	28	1	5	25	14	11	-	-
34	11	21	-	2	6	1	5	-	-	3	2	1	-	-
150	59	73	8	10	50	21	23	1	5	22	12	10	-	-
42	14	23	2	3	9	4	5	-	-	7	3	4	-	-
69	35	32	1	1	23	12	10	1	-	11	8	3	-	-
258	140	76	28	14	82	41	29	7	5	60	36	20	4	-
19	9	9	1	-	9	3	6	-	-	7	4	3	-	-
26	17	2	6	1	1	1	-	-	-	4	4	-	-	-
40	15	20	3	2	14	4	7	1	2	11	4	7	-	-
123	74	22	17	10	45	29	9	5	2	27	19	6	2	-
39	23	15	-	1	8	4	3	-	1	9	4	4	1	-
11	2	8	1	-	5	-	4	1	-	2	1	-	1	-
12,183	5,334	5,873	506	470	3,372	1,520	1,485	179	188	2,498	1,232	1,226	20	20
11,379	4,975	5,531	450	423	3,165	1,426	1,396	163	180	2,328	1,140	1,151	19	18
424	166	190	25	43	68	29	29	4	6	88	40	44	2	2
6,317	2,839	3,031	224	223	1,962	893	857	97	115	1,221	602	600	8	11
3,681	1,605	1,805	147	124	795	354	369	38	34	778	381	389	6	2
957	365	505	54	33	340	150	141	24	25	241	117	118	3	3
116	44	37	17	18	31	13	10	6	2	25	15	9	-	-
103	42	54	7	2	24	10	11	1	2	20	5	14	-	-
174	91	76	5	2	40	19	21	-	-	35	21	14	-	-
44	21	19	3	1	10	4	5	1	-	10	6	4	-	-
91	33	42	12	4	25	11	8	5	1	14	7	7	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	5	4	-	1	2	-	2	-	-	3	1	2	-	-
265	122	110	19	14	75	37	32	3	3	63	37	25	1	-

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision)

CAUSE OF DEATH	NORTH CAROLINA					NORTH DAKOTA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM.....	16,128	7,235	4,779	2,239	1,875	2,324	1,472	818	21	13
DISEASES OF HEART.....400-402,410-443	14,532	6,616	4,247	2,003	1,666	2,104	1,343	727	21	13
RHEUMATIC FEVER.....400-402	17	2	3	8	4	2	1	-	1	-
CHRONIC RHEUMATIC HEART DISEASE.....410-416	245	85	98	28	34	41	23	17	1	-
DISEASES OF MITRAL VALVE.....410	92	23	47	8	14	24	12	11	1	-
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	22	12	3	6	1	6	4	2	-	-
DISEASES OF PULMONARY VALVE, ETC.....413,414	22	11	8	2	1	2	2	-	-	-
OTHER RHEUMATIC HEART DISEASES.....412,415,416	109	39	40	12	18	9	5	4	-	-
ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	10,315	5,280	2,976	1,194	865	1,719	1,134	564	13	8
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	3,106	1,451	1,094	308	253	642	390	244	4	4
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420.1	7,195	3,821	1,879	884	611	1,075	743	319	9	4
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	14	8	3	2	1	2	1	1	-	-
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	69	28	19	11	11	24	12	12	-	-
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	3	1	-	-	2	-	-	-	-	-
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	40	20	7	6	6	18	9	9	-	-
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	26	7	11	5	3	6	3	3	-	-
OTHER MYOCARDIAL DEGENERATION.....422	1,021	359	400	132	130	98	53	44	-	1
WITH ARTERIOSCLEROSIS.....422.1	307	307	339	107	113	80	44	35	-	1
WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	155	52	61	25	17	18	9	9	-	-
OTHER DISEASES OF HEART.....430-434	915	379	206	212	118	119	72	38	6	3
ACUTE AND SUBACUTE ENDOCARDITIS.....430	14	6	5	2	1	5	3	2	-	-
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	25	9	4	10	2	5	3	2	-	-
FUNCTIONAL DISEASE OF HEART.....433	216	89	71	28	28	29	18	10	1	-
OTHER AND UNSPECIFIED DISEASES OF HEART.....434	660	275	126	172	87	80	48	24	5	3
HYPERTENSIVE HEART DISEASE.....440-443	1,950	483	545	418	504	101	48	52	-	1
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	482	139	124	90	129	20	12	7	-	1
OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	1,468	344	421	328	375	81	36	45	-	-
OTHER HYPERTENSIVE DISEASE.....444-447	375	113	94	100	68	32	22	10	-	-
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	215	81	59	43	32	19	13	6	-	-
ESSENTIAL HYPERTENSION.....444,445,447	160	32	35	57	36	13	9	4	-	-
DISEASES OF ARTERIES.....450-456	966	400	357	99	110	150	85	65	-	-
GENERAL ARTERIOSCLEROSIS.....450	659	244	276	61	78	112	58	54	-	-
AORTIC ANEURYSM, NONSYPHILITIC, ETC.....451	220	124	52	26	18	29	23	6	-	-
GANGRENE OF UNSPECIFIED CAUSE.....455	3	-	2	-	-	-	-	-	-	-
OTHER ARTERIAL DISEASES.....452-454,456	84	32	28	10	14	9	4	5	-	-
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	255	106	81	37	31	38	22	16	-	-
VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	2,592	977	631	561	423	316	200	102	6	8
ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	38	7	7	12	12	3	3	-	-	-
INFLUENZA.....480-483	378	114	83	91	90	15	9	-	-	-
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	1,564	477	434	376	277	211	134	68	2	7
LOBAR PNEUMONIA.....490	234	80	55	59	40	37	25	10	1	1
BRONCHOPNEUMONIA.....491	695	233	228	133	101	143	92	48	1	2
PRIMARY ATYPICAL PNEUMONIA.....492	144	36	26	49	33	13	10	2	-	1
PNEUMONIA, OTHER AND UNSPECIFIED.....493	491	128	125	135	103	18	7	8	-	3
ACUTE BRONCHITIS.....500	16	2	9	2	3	1	2	-	-	-
BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	95	61	13	12	9	15	10	5	-	-
HYPERTROPHY OF TONSILS AND ADENOIDS.....510	3	2	1	-	-	-	-	-	-	-
EMPHYEMA AND ABSCESS OF LUNG.....518,521	17	11	4	2	-	3	2	-	-	1
PLEURISY.....519	2	-	-	1	-	-	-	-	-	-
OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	78	41	21	11	5	16	6	7	3	-
BRONCHIECTASIS.....526	39	18	15	2	4	6	4	2	-	-
OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	311	226	37	38	10	32	27	4	1	-
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	254	206	27	19	2	26	25	1	-	-
ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY.....527.0,527.2	57	20	10	19	8	6	2	3	1	-
OTHER RESPIRATORY DISEASES.....RESIDUAL	51	18	7	14	12	12	7	5	-	-
IX. DISEASES OF THE DIGESTIVE SYSTEM.....	1,309	536	368	232	173	171	91	70	4	6
DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	2	1	1	-	-	-	-	-	-	-
ULCER OF STOMACH.....540	115	67	23	16	9	16	9	6	1	-
ULCER OF DUODENUM.....541	106	70	16	16	4	13	10	3	-	-
GASTRITIS AND DUODENITIS.....543	10	3	3	3	1	2	-	2	-	-
APPENDICITIS.....550-553	31	8	7	12	4	4	2	2	-	-
HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	200	83	63	32	22	24	13	11	-	-
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	168	18	25	71	54	15	6	5	2	2
CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	40	16	16	4	4	11	7	4	-	-
CIRRHOSIS OF LIVER.....581	266	131	78	32	25	35	19	13	-	3
WITHOUT MENTION OF ALCOHOLISM.....581.0	192	95	55	21	21	26	12	12	-	2
WITH ALCOHOLISM.....581.1	74	36	23	11	4	9	7	1	-	1
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	71	24	35	4	8	19	8	11	-	-
FIBROCYSTIC DISEASE OF PANCREAS.....587B	23	9	7	3	4	4	3	1	-	-
OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	277	106	94	39	38	28	14	12	1	1
X. DISEASES OF THE GENITOURINARY SYSTEM.....	870	314	228	180	148	78	49	26	2	1
NEPHRITIS AND NEPHROSIS.....590-594	353	108	69	95	81	32	20	12	-	-
ACUTE NEPHRITIS.....590	30	7	3	13	7	3	1	2	-	-
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	17	4	4	3	6	4	3	1	-	-
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	306	97	62	79	68	25	16	9	-	-
INFECTIONS OF KIDNEY.....600	273	84	108	33	48	16	8	6	1	1
CALCULI OF URINARY SYSTEM.....602,604	52	20	22	3	7	6	3	3	-	-
OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	72	27	20	18	7	5	3	2	-	-
HYPERPLASIA OF PROSTATE.....610	88	63	-	25	-	15	14	-	1	-
DISEASES OF BREAST.....620,621	1	-	1	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	31	12	8	6	5	4	1	3	-	-

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963-Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

Total	OHIO				Total	OKLAHOMA				Total	OREGON						
	White		Nonwhite			Total	White		Nonwhite		Total	White		Nonwhite			
	Male	Female	Male	Female			Male	Female	Male			Female	Male	Female		Male	Female
43,408	23,015	17,411	1,632	1,350	9,820	5,470	3,551	460	339	7,692	4,667	2,934	53	38	1		
38,814	20,881	15,328	1,431	1,174	8,886	5,017	3,159	409	301	6,883	4,239	2,565	46	33	2		
33	18	10	2	3	6	-	3	1	2	6	3	3	-	-	3		
1,007	437	495	40	35	130	47	71	5	7	185	96	88	1	-	5		
402	160	211	13	18	42	16	21	1	4	77	33	44	-	-	6		
145	95	38	10	2	13	8	5	-	-	24	20	4	-	-	7		
40	14	22	3	1	3	1	2	-	-	16	3	13	-	-	8		
420	168	224	14	14	72	22	43	4	3	68	40	27	1	-	9		
29,784	17,111	10,966	992	715	7,046	4,184	2,361	307	194	5,564	3,582	1,926	35	21	10		
12,533	6,283	5,574	370	306	2,410	1,250	993	99	68	2,192	1,297	877	11	7	11		
17,231	10,817	5,383	622	409	4,620	2,922	1,366	206	126	3,667	2,284	1,045	24	14	12		
20	11	9	-	-	16	12	2	2	-	5	1	4	-	-	13		
219	105	99	8	7	47	21	22	4	-	54	28	24	2	-	14		
11	2	9	-	-	2	1	1	-	-	2	1	1	-	-	15		
120	66	43	7	4	23	13	9	1	-	33	20	12	1	-	16		
88	37	47	1	3	22	7	12	3	-	19	12	11	1	-	17		
2,827	1,297	1,401	62	67	449	201	216	12	20	301	152	143	1	5	18		
2,351	1,085	1,176	43	47	296	136	139	8	13	240	121	115	-	4	19		
476	212	225	19	20	153	65	77	4	7	61	31	28	1	1	20		
1,298	633	575	54	36	605	339	202	33	31	252	137	111	3	1	21		
42	16	22	3	1	11	5	5	-	-	12	8	4	-	-	22		
51	27	16	4	-	17	6	1	-	-	12	6	6	-	-	23		
420	195	213	7	5	126	55	59	6	6	68	30	36	1	1	24		
795	395	324	40	26	451	273	128	26	24	160	93	65	2	-	25		
3,646	1,280	1,782	273	311	603	225	284	47	47	521	241	270	4	6	26		
1,120	486	478	86	70	173	75	73	14	11	131	65	66	-	-	27		
2,526	794	1,304	187	241	430	150	211	33	36	390	176	204	4	6	28		
764	326	336	54	48	152	66	63	11	12	66	29	34	1	2	29		
459	232	174	32	21	179	43	32	4	-	35	18	16	-	1	30		
305	94	162	22	27	73	23	31	7	12	31	11	18	1	1	31		
3,304	1,590	1,498	116	100	650	318	282	29	21	635	344	288	2	1	32		
2,485	1,081	1,258	76	70	509	231	242	21	15	475	231	241	2	1	33		
621	419	155	28	19	90	65	17	4	4	121	91	30	-	-	34		
9	5	4	-	-	7	-	5	1	1	-	-	-	-	-	35		
189	85	81	12	11	44	22	18	3	1	39	22	17	-	-	36		
526	218	249	31	28	132	69	47	11	5	108	55	47	4	2	37		
5,151	2,960	1,675	322	194	1,313	749	434	68	62	1,094	694	382	14	4	38		
78	29	21	16	12	16	1	12	1	2	5	3	2	-	-	39		
502	260	218	11	13	105	4	42	5	9	40	16	23	1	-	40		
2,621	1,313	1,023	164	121	730	366	272	49	43	626	337	278	7	4	41		
467	231	183	33	20	83	44	26	7	6	70	35	33	1	1	42		
1,639	806	647	104	82	327	163	135	12	17	386	203	178	2	3	43		
272	143	103	15	11	60	26	25	5	4	63	42	20	1	-	44		
243	133	90	12	8	260	133	86	25	16	107	57	47	3	-	45		
84	37	37	7	3	11	5	3	1	2	13	10	2	1	-	46		
273	186	62	18	7	38	26	10	2	-	56	42	14	-	-	47		
6	2	3	-	1	-	-	-	-	-	2	2	-	-	-	48		
45	33	9	1	2	11	10	1	-	-	7	6	-	1	-	49		
6	4	1	1	-	1	1	-	-	-	2	2	-	-	-	50		
279	165	82	17	15	48	25	18	2	3	47	35	12	-	-	51		
140	93	40	5	2	32	20	10	1	1	7	6	1	-	-	52		
940	733	131	62	14	254	215	32	5	2	255	220	3	3	-	53		
867	699	103	55	10	230	203	22	4	1	243	213	27	3	-	54		
73	34	28	7	4	24	12	10	1	1	12	7	5	-	-	55		
177	105	48	20	4	67	31	34	2	-	34	15	18	1	-	56		
3,729	2,030	1,393	155	151	970	486	378	50	56	620	341	258	9	12	57		
7	3	3	-	1	2	1	1	-	-	-	-	-	-	-	58		
359	249	93	14	3	83	58	22	1	2	73	47	26	-	-	59		
317	223	80	8	6	66	49	11	6	-	58	44	14	-	-	60		
14	9	4	1	-	7	3	2	2	-	3	3	3	-	-	61		
87	47	29	6	5	17	13	10	3	1	10	5	4	1	-	62		
570	229	284	19	38	257	72	75	2	8	95	38	55	1	1	63		
162	70	71	10	11	69	22	29	9	9	16	12	4	-	-	64		
202	95	96	3	5	51	17	28	1	5	39	18	21	-	-	65		
1,143	695	333	62	53	234	134	69	15	16	185	101	70	5	9	66		
848	509	255	48	36	187	110	59	8	10	112	60	46	3	3	67		
295	186	78	14	17	47	24	10	7	6	73	41	24	2	6	68		
243	94	139	4	6	84	49	3	5	3	37	19	15	1	2	69		
25	11	12	2	-	5	1	4	-	-	6	3	3	-	-	70		
600	305	249	26	20	185	89	78	8	10	98	54	43	1	-	71		
1,610	850	535	114	111	581	290	179	67	45	253	152	88	10	3	72		
632	296	246	42	48	249	109	84	32	24	93	43	43	4	3	73		
33	10	22	1	-	16	7	6	-	3	1	1	-	-	-	74		
47	25	15	4	3	11	8	2	1	-	11	3	7	1	-	75		
552	261	209	37	45	222	94	76	31	21	81	39	36	3	3	76		
467	189	196	37	45	155	61	66	16	12	68	38	27	3	-	77		
64	29	28	2	5	21	16	4	-	1	9	4	3	2	-	78		
147	96	37	9	5	53	28	18	4	3	29	16	13	-	-	79		
238	218	...	20	...	78	65	...	13	...	46	45	...	1	...	80		
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	81		
62	22	28	4	8	24	11	6	2	5	8	6	2	-	-	82		

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963-Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

OHIO					OKLAHOMA					OREGON				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
57	...	42	...	15	15	...	8	...	7	6	...	3	...	3
5	...	3	...	2	2	...	1	...	1	1	...	-	...	-
8	...	6	...	2	3	...	-	...	-	2	...	-	...	1
10	...	7	...	3	1	...	2	...	1	1	...	1	...	1
4	...	2	...	2	2	...	1	...	1	-	...	-	...	-
2	...	-	...	2	1	...	1	...	-	1	...	1	...	-
7	...	5	...	2	-	...	-	...	-	2	...	1	...	1
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
21	...	19	...	2	6	...	3	...	3	-	...	-	...	-
117	42	55	12	8	29	8	14	3	4	16	6	10	-	-
24	13	8	3	-	8	2	4	2	-	4	2	2	-	-
93	29	47	9	8	21	6	10	1	4	12	4	8	-	-
226	82	132	6	6	57	22	29	4	2	43	20	22	-	1
120	35	79	1	5	30	8	18	2	2	29	11	18	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
9	6	1	1	1	5	3	1	1	-	1	-	-	-	1
8	4	4	-	-	2	1	1	-	-	-	-	-	-	-
36	23	13	-	-	7	6	1	-	-	7	6	1	-	-
52	13	35	4	-	13	4	8	1	-	5	3	2	-	-
1,199	596	490	48	65	247	115	104	18	10	170	99	68	-	3
80	42	37	-	1	22	5	11	4	2	13	4	9	-	-
116	53	49	2	12	23	11	10	1	1	18	10	8	-	-
608	311	236	32	29	127	58	53	10	6	83	50	31	-	2
395	190	168	14	23	75	41	30	3	1	56	35	20	-	1
3,108	1,507	1,048	311	242	740	350	236	90	64	455	260	179	11	5
649	284	244	69	52	566	298	175	52	41	113	62	46	4	1
46	13	28	1	4	82	27	47	1	7	34	14	19	1	-
603	271	216	68	48	484	271	128	51	34	79	48	27	3	1
6,265	3,726	1,887	477	175	1,961	1,156	549	182	74	1,545	1,056	425	38	26
4,844	2,854	1,573	286	131	1,636	972	479	126	59	1,223	821	356	29	17
41	34	5	2	16	16	9	1	6	-	10	8	-	2	48
2,056	1,366	545	103	42	712	453	185	53	21	589	379	190	13	7
1,998	1,328	527	102	41	697	445	180	52	20	576	369	187	13	7
87	59	22	5	1	28	21	5	2	2	15	10	5	-	3
333	196	99	23	15	58	28	19	6	9	76	44	26	3	52
886	575	260	35	16	383	245	114	13	11	229	141	79	5	4
498	370	92	31	5	197	131	33	28	5	166	120	44	2	55
194	128	54	8	4	31	20	9	-	2	90	54	33	3	56
58	38	18	1	1	15	8	5	1	1	13	10	3	-	57
9	5	4	-	-	8	4	3	1	-	6	4	2	-	58
40	28	8	4	-	12	11	1	-	-	32	23	5	3	59
22	20	1	1	-	22	18	3	1	-	22	15	7	-	60
72	33	30	5	4	20	12	3	4	1	14	10	4	-	61
109	73	16	13	7	32	11	14	4	3	10	8	2	-	62
1,289	566	650	49	24	264	118	134	7	5	134	63	64	3	4
376	223	123	23	7	60	32	23	5	-	43	30	10	2	63
456	173	260	12	11	61	29	30	2	-	35	12	22	1	64
457	170	267	14	6	143	57	81	-	5	56	21	32	1	65
66	54	6	6	-	20	18	-	2	-	52	48	4	-	66
78	72	4	2	-	38	37	1	-	-	28	28	-	-	67
35	33	2	-	-	21	18	2	1	-	16	16	-	-	68
376	179	136	36	25	187	100	57	12	18	68	44	21	2	69
14	8	3	2	1	2	2	-	-	1	4	2	1	-	70
65	47	7	10	1	53	34	6	12	1	35	31	3	1	71
81	39	31	7	4	29	13	12	1	3	38	25	13	-	72
173	122	29	20	2	67	50	11	6	2	67	50	14	3	73
3	2	-	-	1	9	-	-	-	-	1	1	-	-	74
59	18	29	4	8	20	6	14	-	1	16	7	7	-	75
256	155	67	22	12	104	53	32	14	5	81	57	19	2	76
1,073	760	256	43	14	203	133	56	11	3	265	205	56	3	77
299	170	114	9	6	38	14	19	2	3	74	47	25	1	78
186	128	52	6	-	17	11	5	1	-	25	23	2	-	79
475	397	51	23	4	136	104	24	8	-	145	119	24	2	80
113	65	39	5	4	12	4	8	-	-	21	16	5	-	81
347	111	58	148	30	122	51	14	45	12	57	30	13	6	82
194	61	30	87	16	73	36	3	29	5	33	14	11	2	83
58	11	4	36	7	19	4	3	10	2	8	5	-	3	84
85	35	24	19	7	27	9	8	5	5	15	11	2	-	85
8	3	-	5	-	2	1	-	-	-	1	-	-	1	86
2	1	-	1	-	1	1	-	-	-	-	-	-	-	87
1	1	-	-	-	-	-	-	-	-	-	-	-	-	88

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95

SECTION 1 - MORTALITY

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision)

CAUSE OF DEATH	PENNSYLVANIA					RHODE ISLAND				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
1 ALL CAUSES.....	126,553	65,015	51,625	5,499	4,414	9,492	4,902	4,356	135	99
2 I. INFECTIVE AND PARASITIC DISEASES.....	1,307	737	319	160	91	85	45	32	7	1
3 TUBERCULOSIS, ALL FORMS.....001-019	744	469	110	116	49	34	20	11	3	-
4 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	705	452	102	113	38	31	19	9	3	-
5 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	9	5	3	-	1	1	1	-	-	-
6 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC	-	-	-	-	-	-	-	-	-	-
7 GLANDS.....011	-	-	-	-	-	-	-	-	-	-
8 TUBERCULOSIS OF BONES AND JOINTS.....012,013	8	4	1	-	3	2	-	2	-	-
9 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	10	5	3	1	1	-	-	-	-	-
10 DISSEMINATED TUBERCULOSIS.....019	12	3	1	2	6	-	-	-	-	-
11 SYPHILIS AND ITS SEQUELAE.....020-029	190	114	43	20	13	16	12	3	1	-
12 CONGENITAL SYPHILIS.....020	-	-	-	-	-	-	-	-	-	-
13 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
14 ANEURYSM OF AORTA.....022	117	82	26	6	3	11	9	2	-	-
15 OTHER CARDIOVASCULAR SYPHILIS.....023	41	17	9	8	7	2	2	-	-	-
16 TABES DORSALIS.....024	4	4	-	-	-	-	-	-	-	-
17 GENERAL PARALYSIS OF INSANE.....025	11	5	4	1	1	1	1	-	-	-
18 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	11	5	3	2	1	2	-	1	1	-
19 ALL OTHER SYPHILIS.....027-029	6	1	1	3	1	-	-	-	-	-
20 GONOCOCCAL INFECTION.....030-035	1	1	-	-	-	-	-	-	-	-
21 TYPHOID FEVER.....040	-	-	-	-	-	-	-	-	-	-
22 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	5	2	2	-	1	-	-	-	-	-
23 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
24 BRUCELLOSIS.....044	-	-	-	-	-	-	-	-	-	-
25 DYSENTERY, ALL FORMS.....045-048	1	1	-	-	-	-	-	-	-	-
26 FOOD POISONING, INFECTION AND INTOXICATION.....049	-	-	-	-	-	-	-	-	-	-
27 SCARLET FEVER.....050	1	-	1	-	-	-	-	-	-	-
28 STREPTOCOCCAL SORE THROAT.....051	4	-	2	1	1	-	-	-	-	-
29 ERYSIPELAS.....052	-	-	-	-	-	-	-	-	-	-
30 SEPTICEMIA AND PYEMIA.....053	126	46	63	7	10	11	4	5	1	1
31 DIPHTHERIA.....055	1	-	-	1	-	-	-	-	-	-
32 WHOOPING COUGH.....056	4	-	2	1	1	-	-	-	-	-
33 MENINGOCOCCAL INFECTIONS.....057	36	17	15	2	2	7	3	3	1	-
34 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
35 LEPROSY.....060	-	-	-	-	-	-	-	-	-	-
36 TETANUS.....061	4	3	1	-	-	1	-	1	-	-
37 ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-
38 ACUTE POLIOMYELITIS.....080	4	2	2	-	-	-	-	-	-	-
39 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	2	-	2	-	-	-	-	-	-	-
40 ACUTE INFECTIOUS ENCEPHALITIS.....082	26	9	14	3	-	2	1	1	-	-
41 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	4	2	2	-	-	1	-	1	-	-
42 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
43 MEASLES.....085	15	4	9	1	1	1	-	1	-	-
44 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
45 INFECTIOUS HEPATITIS.....092	33	14	16	-	3	8	1	6	1	-
46 RABIES.....094	-	-	-	-	-	-	-	-	-	-
47 TICK-BORNE TYPHUS.....104	1	1	-	-	-	-	-	-	-	-
48 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	1	-	-	-	-	-	-	-	-	-
49 MALARIA.....110-117	1	1	-	-	-	-	-	-	-	-
50 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-
51 HYDATID DISEASE.....125	1	-	-	-	-	-	-	-	-	-
52 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
53 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
54 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	2	1	1	-	-	-	-	-	-	-
55 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	101	49	34	8	10	4	4	-	-	-
56 II. NEOPLASMS.....	20,666	10,130	9,010	876	650	1,634	865	736	18	15
57 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC	-	-	-	-	-	-	-	-	-	-
58 AND HEMATOPOIETIC TISSUES.....140-205	20,274	9,940	8,846	869	619	1,606	855	719	18	14
59 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX..140-148	437	315	87	29	6	45	31	13	1	-
60 OF LIP.....140	6	5	-	-	1	1	1	-	-	-
61 OF TONGUE.....141	115	80	26	8	1	12	6	5	1	-
62 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	140	94	36	8	2	16	13	3	-	-
63 OF PHARYNX.....145-148	176	136	25	13	2	16	11	5	-	-
64 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM,	-	-	-	-	-	-	-	-	-	-
65 NOT SPECIFIED AS SECONDARY.....150-156A,157-159	7,078	3,510	3,065	313	190	560	309	241	4	6
66 OF ESOPHAGUS.....150	377	249	62	52	14	30	22	7	1	-
67 OF STOMACH.....151	1,510	819	530	112	49	121	73	46	1	1
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	54	24	24	2	4	4	3	1	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	2,472	1,118	1,241	63	50	188	88	98	-	2
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	306	139	153	5	9	29	16	13	-	-
71 TRANSVERSE COLON.....153.1	123	51	62	5	5	10	3	7	-	-
72 DESCENDING COLON.....153.2	89	46	37	3	3	3	3	-	-	-
73 SIGMOID COLON.....153.3	508	247	240	15	6	43	18	25	-	-
74 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	10	5	5	-	-	1	1	-	-	-
75 LARGE INTESTINE, PART UNSPECIFIED.....153.8	1,232	541	634	33	24	86	44	40	-	2
76 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	204	89	110	2	3	16	6	10	-	-
77 OF RECTUM.....154	869	459	364	27	19	85	54	30	1	-
78 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	470	155	289	11	15	30	14	16	-	-
79 LIVER.....155.0	112	64	36	8	4	7	4	3	-	-
80 OT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	358	91	253	3	11	23	10	13	-	-
81 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	262	135	109	9	9	13	3	9	-	1
82 OF PANCREAS.....157	943	499	383	34	27	78	49	27	1	1
83 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS..158,159	121	52	63	3	3	11	3	7	-	1

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963-Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

SOUTH CAROLINA					SOUTH DAKOTA				TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
21,739	7,521	5,239	4,786	4,193	6,675	3,881	2,453	197	144	35,699	16,319	11,974	4,014	3,392
317	81	46	112	78	67	32	15	11	9	529	236	145	95	53
122	26	14	57	25	27	15	1	6	5	297	143	83	50	21
112	26	13	51	22	22	15	1	3	3	279	135	79	46	19
3	-	-	-	-	5	-	-	3	2	4	1	2	-	1
2	-	1	1	-	-	-	-	-	-	3	1	1	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	1	-	-	-	-	-	-	3	2	-	-	1
4	-	-	4	-	-	-	-	-	-	8	4	1	3	-
40	11	2	20	7	5	3	1	1	-	33	9	2	14	8
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
25	11	1	8	5	4	3	1	1	-	8	3	2	1	2
8	-	1	5	2	1	-	-	-	-	20	5	-	11	4
1	-	-	1	-	-	-	-	-	-	2	-	-	-	2
1	-	-	1	-	-	-	-	-	-	2	1	-	-	1
4	-	-	4	-	-	-	-	-	-	2	-	-	1	1
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	1	-	-	-	-	-	1	-	-	1	-
2	1	-	1	-	-	-	-	-	-	3	-	1	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	2	1	2	4	2	-	-	2	-	9	1	2	4	2
2	1	-	1	1	1	-	-	-	-	6	3	3	-	2
3	-	-	-	3	-	-	-	-	-	5	1	1	-	3
37	15	5	7	10	8	3	3	1	1	49	23	14	9	3
4	1	-	-	3	1	-	-	-	-	-	-	-	-	-
5	1	1	2	2	1	-	-	-	1	2	-	-	-	-
16	3	7	2	4	3	1	2	-	-	25	9	8	2	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	-	2	4	2	2	2	-	-	-	8	2	2	3	1
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
-	-	-	-	-	-	-	-	-	-	4	3	1	-	-
11	6	3	1	1	5	1	4	-	-	13	6	5	2	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	2	3	4	2	-	-	-	-	-	7	2	3	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	6	3	1	2	3	-	3	-	-	25	9	10	3	3
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	2	4	-	-	-	-	-	1	-	-	-	-
28	7	6	9	6	9	6	1	1	1	39	22	10	3	4
2,677	923	906	403	445	1,019	548	443	7	21	5,194	2,280	1,956	482	476
2,619	912	891	387	429	1,003	539	437	7	20	5,115	2,257	1,922	474	462
67	37	18	8	4	17	10	7	-	-	128	72	38	12	6
2	2	-	-	2	2	1	1	-	-	2	-	-	-	-
12	6	4	1	1	3	2	1	-	-	24	15	6	3	-
21	12	7	-	2	4	1	3	-	-	58	28	21	5	4
32	17	7	7	1	8	6	2	-	-	44	27	11	4	2
753	229	251	149	124	322	174	138	-	10	1,467	606	551	179	131
64	11	13	28	12	10	8	2	-	-	84	29	19	26	10
193	55	33	68	37	76	42	31	-	3	308	147	72	59	30
9	5	2	1	1	4	3	1	-	-	10	2	5	-	3
190	55	88	15	32	103	56	46	-	1	452	148	230	29	45
30	12	14	1	3	21	9	11	-	1	70	20	39	4	7
9	2	4	-	3	6	3	3	-	-	14	5	8	-	1
3	2	1	-	-	2	2	-	-	-	13	4	6	1	2
23	11	7	5	-	21	11	10	-	-	61	28	26	3	4
112	27	55	7	23	45	27	18	-	-	281	87	145	19	30
13	1	7	2	3	7	4	3	-	-	13	4	6	2	1
41	10	23	4	4	27	19	8	-	-	118	52	42	12	12
35	12	16	2	5	28	5	20	-	3	95	37	42	12	4
7	4	2	-	1	6	1	5	-	-	30	14	5	10	1
28	8	14	2	4	22	4	15	-	3	65	23	37	2	3
48	18	12	8	10	11	5	6	-	-	76	34	28	6	8
154	58	57	19	20	55	32	20	-	3	293	143	101	33	16
19	5	7	4	3	8	4	4	-	-	31	14	12	2	3

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963-Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
396	260	38	78	20	117	94	21	2	-	875	647	117	90	21
25	19	1	2	3	5	4	1	-	-	44	34	4	5	1
139	97	10	28	4	75	61	13	1	-	384	291	41	42	10
222	142	26	42	12	35	27	7	1	-	427	312	65	41	9
10	2	1	6	1	2	2	-	-	-	20	10	7	2	1
217	1	163	-	53	101	2	96	-	3	395	2	312	-	81
468	100	181	58	129	148	75	68	1	4	874	263	404	87	120
140	...	83	...	57	21	...	19	...	2	212	...	153	...	59
77	...	35	...	42	21	...	20	...	1	132	...	96	...	36
77	...	52	...	25	27	...	26	...	1	160	...	139	...	21
16	...	11	...	5	3	...	3	...	-	20	...	16	...	4
148	91	...	57	...	74	73	...	1	...	327	244	...	83	...
10	9	...	1	...	2	2	...	-	...	23	19	...	4	...
104	43	40	12	9	59	40	19	-	-	186	94	58	20	14
53	19	24	5	5	28	18	10	5	-	83	41	32	7	3
51	24	16	7	4	31	22	9	-	-	103	53	26	13	11
371	144	123	41	63	117	70	43	2	2	653	298	252	45	58
55	23	23	5	4	19	9	9	-	1	123	66	49	6	2
7	3	3	1	-	1	1	-	-	-	6	5	-	1	-
73	28	30	9	6	34	26	7	1	-	152	72	63	5	12
7	2	2	1	-	1	1	1	-	-	17	5	10	1	1
26	11	6	6	3	3	2	1	-	-	45	18	21	4	2
10	5	4	-	1	4	3	1	-	-	26	13	9	2	2
16	6	3	3	4	5	3	2	-	-	12	6	4	1	1
177	66	52	16	43	50	26	22	1	1	272	113	96	25	38
129	52	42	21	14	74	47	25	1	1	266	146	88	16	16
114	46	35	20	13	48	27	20	1	-	271	129	102	25	15
46	16	14	12	4	20	9	10	1	-	104	56	34	8	6
35	19	9	2	5	13	9	4	-	-	68	34	27	5	2
33	11	12	6	4	15	9	6	-	-	99	39	41	12	7
58	11	15	16	16	16	9	6	-	1	79	23	34	8	14
8	...	2	...	6	1	...	1	...	-	10	...	4	...	6
6	...	2	...	1	3	...	1	...	-	12	...	5	...	2
15	2	6	5	2	5	4	1	-	-	21	6	8	3	4
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-
23	7	5	7	4	2	1	1	-	-	22	8	13	1	4
6	1	-	2	3	5	2	2	-	1	13	6	3	2	2
445	114	124	69	138	147	64	63	7	13	638	211	272	68	87
36	13	5	10	8	30	18	7	2	3	101	41	32	17	11
4	1	1	-	2	-	-	-	-	-	-	-	-	-	-
2	-	-	-	2	-	-	-	-	-	13	-	7	-	6
3	-	1	1	1	2	2	2	-	-	4	1	3	-	5
336	85	108	44	99	102	39	50	5	8	433	144	193	35	61
-	-	-	-	-	1	1	-	-	-	1	-	1	-	-
-	-	-	-	2	1	-	-	-	1	8	2	4	2	-
30	7	3	9	11	4	1	3	-	-	4	2	1	1	1
32	8	6	5	13	7	5	1	-	1	32	10	14	5	3
67	17	15	16	19	25	11	13	1	-	42	13	16	8	5
51	12	10	12	17	11	3	7	1	-	99	40	42	9	8
4	1	1	-	2	2	1	1	-	-	63	26	23	8	6
47	11	9	12	15	9	2	6	1	-	11	5	5	-	1
6	1	2	1	2	3	2	1	-	-	52	21	18	8	5
10	4	3	3	-	11	6	5	-	-	14	6	6	-	2
51	11	10	25	5	16	9	5	2	-	22	8	13	1	-
-	-	-	-	-	1	-	1	-	-	15	2	13	-	-
7	6	-	1	-	2	2	-	-	-	4	4	-	-	-
7	1	3	2	1	1	-	1	-	-	32	12	17	2	1
31	2	6	21	2	10	6	2	2	-	73	43	9	13	8
4	2	1	1	1	2	1	1	-	-	14	4	8	4	2
2	-	-	1	1	-	-	-	-	-	7	3	4	-	-
3,089	863	817	694	715	858	445	395	6	12	5,297	1,933	2,080	630	654
2,893	796	780	641	676	793	413	368	2	10	5,000	1,822	1,975	579	624
107	35	28	26	18	23	10	12	1	1	191	70	74	15	32
1,697	426	413	414	444	510	263	239	2	6	2,760	1,025	1,097	312	326
862	269	275	146	172	167	88	78	-	1	1,417	529	613	141	134
227	66	64	55	42	93	52	39	-	2	632	198	191	111	132
44	11	2	17	14	7	2	1	3	1	43	13	12	9	9
9	1	4	2	2	6	3	3	-	-	21	7	14	-	-
15	11	6	-	-	23	13	10	-	-	43	21	19	2	1
18	6	3	5	4	2	1	1	-	-	26	9	11	4	2
43	11	3	18	9	7	4	1	1	1	41	20	8	10	3
1	-	1	-	-	-	-	-	-	-	1	-	-	1	-
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-
6	4	1	1	-	1	1	-	-	-	18	1	2	10	5
60	23	17	10	10	19	8	11	-	-	102	39	38	15	10

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision)

CAUSE OF DEATH	PENNSYLVANIA					RHODE ISLAND				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM.....	59,073	31,222	24,626	1,703	1,522	4,689	2,477	2,134	51	27
DISEASES OF HEART.....400-402,410-443	53,533	28,684	22,033	1,490	1,326	4,350	2,309	1,968	49	24
RHEUMATIC FEVER.....400-402	35	16	13	4	2	3	1	1	1	-
CHRONIC RHEUMATIC HEART DISEASE.....410-416	1,328	564	679	37	48	86	36	49	-	1
DISEASES OF MITRAL VALVE.....410	514	203	281	12	18	28	7	21	-	-
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	166	106	46	8	6	14	10	4	-	-
DISEASES OF PULMONARY VALVE, ETC.....413,414	63	26	35	1	1	3	1	2	-	-
OTHER RHEUMATIC HEART DISEASES.....412,415,416	585	229	317	16	23	41	18	22	-	1
ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	40,684	23,450	15,436	1,001	797	3,771	2,062	1,652	38	19
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	17,838	9,099	7,901	464	374	2,173	1,070	1,079	18	6
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420.1	22,830	14,338	7,533	536	423	1,597	992	572	20	13
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	16	13	2	1	-	1	-	1	-	-
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	329	167	138	14	10	15	9	5	1	-
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	13	3	9	-	1	2	1	1	-	-
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	152	92	46	8	6	7	4	3	-	-
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	164	72	83	6	3	11	1	1	-	-
OTHER MYOCARDIAL DEGENERATION.....422	4,784	2,064	2,511	102	107	117	55	60	1	1
WITH ARTERIOSCLEROSIS.....422.1	3,960	1,680	2,122	71	87	73	33	38	1	1
WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	824	384	389	31	20	44	22	22	-	-
OTHER DISEASES OF HEART.....430-434	1,790	822	840	63	65	89	45	40	4	-
ACUTE AND SUBACUTE ENDOCARDITIS.....430	49	24	18	3	4	2	2	-	-	-
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	70	37	22	8	3	3	2	1	-	-
FUNCTIONAL DISEASE OF HEART.....433	572	253	292	17	10	17	11	4	2	-
OTHER AND UNSPECIFIED DISEASES OF HEART.....434	1,099	508	508	35	48	67	30	35	2	-
HYPERTENSIVE HEART DISEASE.....440-443	4,583	1,601	2,416	269	297	269	101	161	4	3
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	1,263	525	650	36	52	33	12	20	-	1
OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	3,320	1,076	1,766	233	245	236	89	141	4	2
OTHER HYPERTENSIVE DISEASE.....444-447	836	326	399	52	59	90	37	52	-	1
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	485	214	222	24	25	56	26	29	-	1
ESSENTIAL HYPERTENSION.....444,445,447	351	112	177	28	34	34	11	23	-	-
DISEASES OF ARTERIES.....450-456	3,825	1,837	1,805	102	81	206	115	90	1	-
GENERAL ARTERIOSCLEROSIS.....450	2,871	1,235	1,536	53	47	137	66	70	1	-
AORTIC ANEURYSM, NONSPHILITIC, ETC.....451	718	490	177	35	16	53	43	10	-	-
GANGRENE OF UNSPECIFIED CAUSE.....455	25	11	11	1	2	3	-	3	-	-
OTHER ARTERIAL DISEASES.....452-454,456	211	101	81	13	16	13	6	7	-	-
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	879	375	389	59	56	43	16	24	1	2
VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	7,070	4,458	2,012	385	215	381	235	131	11	4
ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	43	24	16	-	3	15	8	6	1	-
INFLUENZA.....480-483	345	172	160	7	6	5	1	4	-	-
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	3,969	2,052	1,468	272	177	223	119	93	8	3
LOBAR PNEUMONIA.....490	618	322	221	48	27	17	11	6	-	-
BRONCHOPNEUMONIA.....491	2,093	1,121	748	138	86	116	64	47	4	1
PRIMARY ATYPICAL PNEUMONIA.....492	473	219	198	30	26	38	21	14	2	1
PNEUMONIA, OTHER AND UNSPECIFIED.....493	785	390	301	56	38	52	23	26	2	1
ACUTE BRONCHITIS.....500	76	37	23	8	8	2	2	-	-	-
BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	189	137	43	7	2	25	21	3	1	-
HYPERTROPHY OF TONSILS AND ADENOIDS.....510	4	1	2	1	-	-	-	-	-	-
EMPHYSEMA AND ABSCESS OF LUNG.....518,521	73	49	17	7	-	6	5	1	-	-
PLEURISY.....519	7	4	2	-	1	1	-	1	-	-
OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	255	181	59	9	6	21	13	7	-	1
BRONCHIECTASIS.....526	134	86	39	10	-	11	6	5	-	-
OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	942	744	139	47	12	61	55	5	1	-
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	827	680	98	41	8	48	46	2	-	-
ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY.....527.0,527.2	115	64	41	6	4	13	9	3	1	-
OTHER RESPIRATORY DISEASES.....RESIDUAL	1,033	971	45	17	-	11	5	6	-	-
IX. DISEASES OF THE DIGESTIVE SYSTEM.....	4,829	2,567	1,912	196	154	379	202	172	2	3
DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	4	3	1	-	-	-	-	-	-	-
ULCER OF STOMACH.....540	418	279	110	21	8	34	19	15	-	-
ULCER OF DUODENUM.....541	366	255	84	19	8	34	27	6	1	-
GASTRITIS AND DUODENITIS.....543	46	18	24	3	1	4	2	2	-	-
APPENDICITIS.....550-553	128	71	38	11	8	7	5	2	-	-
HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	705	286	371	26	22	65	34	31	-	-
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	186	84	82	10	10	9	4	4	1	-
CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	280	106	159	7	8	21	12	9	-	-
CIRRHOSIS OF LIVER.....581	1,394	883	411	46	54	116	64	51	-	1
WITHOUT MENTION OF ALCOHOLISM.....581.0	981	591	329	29	32	79	41	37	-	1
WITH ALCOHOLISM.....581.1	413	292	82	17	22	37	23	14	-	-
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	325	117	199	5	4	30	11	18	-	1
FIBROCYSTIC DISEASE OF PANCREAS.....587B	60	29	31	-	-	4	1	3	-	-
OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	917	436	402	48	31	55	23	31	-	1
X. DISEASES OF THE GENITOURINARY SYSTEM.....	1,905	988	666	135	116	156	85	64	2	5
NEPHRITIS AND NEPHROSIS.....590-594	829	388	325	56	60	76	38	32	2	4
ACUTE NEPHRITIS.....590	35	17	15	2	1	2	2	-	-	-
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	53	24	19	5	5	1	-	-	1	-
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	741	347	291	49	54	73	36	32	1	4
INFECTIONS OF KIDNEY.....600	477	203	238	1	4	8	16	18	-	1
CALCULI OF URINARY SYSTEM.....602,604	91	48	38	1	4	6	4	4	-	-
OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	160	80	60	14	6	11	6	5	-	-
HYPERPLASIA OF PROSTATE.....610	265	238	...	27	...	20
DISEASES OF BREAST.....620,621	3	-	3	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	80	31	37	2	10	6	1	5	-	-

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963—Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
8,393	3,292	2,114	1,555	1,432	2,842	1,764	1,006	48	24	13,896	6,855	4,670	1,255	1,116
7,573	3,051	1,890	1,367	1,265	2,554	1,606	885	41	22	12,499	6,289	4,151	1,099	960
16	4	4	6	2	3	3	—	—	—	12	5	3	2	2
119	38	43	22	16	54	25	25	3	1	203	88	80	14	21
46	18	18	5	5	22	11	11	—	—	68	33	26	6	3
17	7	6	4	—	4	2	2	—	—	22	13	5	2	2
3	—	2	—	1	4	3	1	—	—	15	5	6	1	3
53	13	17	13	10	24	9	11	3	1	98	37	43	5	13
5,484	2,484	1,317	741	590	2,022	1,325	657	28	12	9,128	5,081	2,922	634	491
1,560	685	489	200	186	633	364	255	7	7	3,606	1,778	1,297	284	247
3,557	1,796	826	536	399	1,389	961	402	21	5	5,512	3,297	1,622	350	243
15	3	2	5	5	—	—	—	—	—	10	6	3	—	1
43	13	9	13	8	20	12	7	—	1	117	33	33	.28	23
2	1	—	—	—	1	1	—	—	—	7	3	2	—	2
18	10	2	4	2	7	4	2	—	1	32	17	9	3	3
23	2	7	9	5	12	7	5	—	—	78	13	22	25	18
570	153	179	117	121	172	104	66	1	1	1,030	399	430	92	109
445	115	154	84	92	120	65	54	—	—	653	265	278	46	64
125	38	25	33	29	52	39	12	1	—	377	134	152	46	45
447	134	89	116	108	130	76	41	9	4	564	252	179	81	52
9	7	—	1	3	3	3	—	—	—	17	8	3	—	25
70	2	—	1	3	4	2	—	—	—	15	6	—	—	6
12	2	26	11	15	41	29	9	3	1	126	48	64	8	26
356	105	61	101	89	83	42	32	6	3	406	189	103	70	44
1,246	225	249	352	420	153	61	89	—	3	1,445	431	504	248	262
278	45	50	89	94	34	17	16	—	1	280	128	97	30	25
968	180	199	263	326	119	44	73	—	2	1,165	303	407	218	237
166	34	32	61	39	34	20	14	—	—	337	97	100	71	69
78	19	22	26	11	21	13	8	—	—	151	64	47	20	20
88	15	10	35	28	13	7	6	—	—	186	33	53	51	49
537	159	150	111	117	208	108	92	6	2	876	383	357	65	71
409	105	115	83	106	160	83	73	2	2	675	269	305	49	52
93	42	27	20	4	30	13	14	3	—	140	96	27	13	4
8	3	—	4	1	2	—	—	—	—	1	—	—	—	1
27	9	8	4	6	16	10	5	1	—	60	18	25	3	14
117	48	42	16	11	46	30	15	1	—	184	86	62	20	16
1,541	459	292	419	371	346	214	108	14	10	2,479	1,083	734	361	301
22	3	6	7	6	7	2	2	3	—	26	3	8	14	1
295	45	40	102	108	23	11	10	2	—	343	114	109	53	67
900	241	183	262	214	213	125	73	6	9	1,489	569	484	239	197
203	61	33	56	53	40	26	11	2	2	277	92	59	71	55
400	107	95	111	87	106	57	41	2	6	785	332	262	106	85
96	26	21	28	21	19	10	8	1	—	62	22	1	1	7
201	47	34	67	53	48	32	13	2	1	365	123	131	61	50
12	1	5	2	4	1	—	1	—	—	16	3	7	3	3
32	18	5	3	6	19	17	1	—	1	89	59	20	7	3
4	—	—	2	1	1	1	—	—	—	—	—	—	—	—
14	5	3	5	1	1	—	—	—	—	18	8	3	4	3
1	1	—	—	—	1	—	—	—	—	3	1	—	—	1
54	27	18	5	4	11	7	2	2	—	80	43	24	10	3
19	10	8	—	1	10	5	4	1	—	70	30	32	5	3
169	106	19	25	19	43	38	5	—	—	308	234	40	21	13
131	99	15	13	4	42	37	5	—	—	270	217	30	15	8
38	7	4	12	15	1	1	—	—	—	38	17	10	6	5
19	2	4	6	7	16	8	8	—	—	37	19	7	4	7
668	239	175	143	111	235	123	87	14	11	1,176	575	406	104	91
1	—	—	—	1	—	—	—	—	—	3	2	—	—	—
57	28	14	8	7	22	16	4	1	1	122	69	39	10	4
40	24	8	5	3	15	11	4	—	—	124	88	22	8	6
3	2	1	—	—	2	1	—	—	—	—	—	—	—	—
19	6	3	6	4	10	3	5	2	—	36	16	15	4	1
99	28	30	29	12	39	24	14	—	—	162	74	62	13	13
129	11	16	55	47	16	5	5	6	—	104	32	28	17	27
31	10	10	4	7	9	4	4	1	—	50	20	27	3	76
128	71	37	16	4	49	28	17	1	3	245	147	58	26	14
114	63	34	13	4	38	21	15	1	1	168	91	46	20	11
40	8	3	3	—	11	7	2	—	2	77	56	12	6	3
14	14	16	3	7	24	9	13	1	—	98	32	61	1	4
8	2	4	2	—	4	3	—	—	—	11	6	4	—	1
113	43	36	15	19	45	19	20	2	4	217	89	85	22	21
465	140	81	148	96	98	55	35	3	5	778	327	220	142	89
217	52	32	68	65	32	15	15	1	1	328	140	83	58	47
20	4	1	7	8	1	1	—	—	—	29	11	3	10	5
9	2	2	3	3	2	1	—	—	—	11	6	3	1	88
188	46	29	58	55	30	14	14	1	1	288	123	77	47	41
141	46	38	36	21	31	14	13	1	3	235	67	97	38	33
17	5	6	4	2	5	2	3	—	—	34	13	16	3	2
26	11	4	8	3	15	11	3	1	—	34	11	12	9	2
50	23	—	27	—	11	11	—	—	—	123	91	—	32	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14	3	1	5	4	4	2	1	—	1	24	5	12	2	5

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963—Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
40	...	9	...	31	3	...	2	...	1	38	...	18	...	20
6	...	-	...	6	-	...	-	...	-	6	...	2	...	4
16	...	4	...	12	1	...	1	...	-	7	...	5	...	5
6	...	3	...	3	-	...	-	...	-	9	...	1	...	1
2	...	-	...	2	-	...	-	...	-	2	...	-	...	-
2	...	1	...	1	1	...	1	...	-	-	...	-	...	-
3	...	-	...	3	-	...	-	...	-	5	...	3	...	2
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
5	...	1	...	4	1	...	-	...	1	9	...	5	...	4
34	5	9	8	12	5	1	4	-	-	41	14	13	7	7
9	1	3	4	1	-	-	-	-	-	12	6	1	4	1
25	4	6	4	11	5	1	4	-	-	29	8	12	3	6
44	18	14	5	7	18	9	8	1	-	76	24	39	7	6
30	11	12	2	5	9	3	6	-	-	43	12	25	3	3
2	-	-	-	-	-	-	-	-	-	3	2	1	-	-
5	1	1	-	-	2	2	1	1	-	2	-	2	-	-
5	3	1	-	1	2	2	-	-	-	12	7	5	-	-
6	3	1	2	-	5	4	1	-	-	15	3	5	4	3
267	106	72	52	37	71	43	18	6	4	419	188	145	52	34
32	17	8	5	2	4	2	1	1	-	26	12	12	-	2
31	9	8	6	8	6	1	2	1	2	53	23	21	5	4
121	52	32	25	12	25	19	4	2	-	211	91	64	35	21
83	28	24	16	15	36	21	11	2	2	129	62	48	12	7
943	293	182	266	202	240	127	96	11	6	1,266	510	351	224	181
613	94	49	231	239	85	46	22	10	7	870	358	229	164	119
11	1	1	4	5	7	2	3	1	1	48	21	20	4	3
602	93	48	227	234	78	44	19	9	6	822	337	209	160	116
2,085	866	324	640	255	600	390	133	56	21	2,758	1,617	603	399	139
1,678	699	263	496	220	515	330	117	47	21	2,134	1,245	509	265	115
20	5	3	9	3	6	4	2	2	-	27	18	3	5	1
757	378	116	208	55	220	133	55	27	5	990	630	227	101	32
749	374	116	204	55	216	129	55	27	5	969	616	222	100	31
28	14	6	6	2	9	6	3	-	-	36	26	4	5	1
134	41	15	54	24	30	17	1	9	3	132	76	20	28	5
165	82	33	40	10	99	53	35	10	1	456	273	138	32	13
163	97	19	44	3	61	42	11	7	1	293	206	48	30	5
259	140	43	60	16	17	11	5	1	-	52	35	12	5	-
8	4	-	4	-	4	4	-	-	-	21	14	5	1	1
3	1	-	2	-	5	3	-	2	-	4	3	-	1	-
33	25	1	7	-	7	7	-	-	-	27	20	1	6	-
9	8	1	-	-	23	20	2	-	1	25	19	6	-	-
40	12	7	13	8	14	4	8	1	1	36	21	11	4	1
21	9	4	5	3	17	7	1	4	5	25	13	2	6	4
171	59	70	22	20	70	37	28	3	2	315	128	159	18	10
41	15	12	10	4	11	7	3	1	-	75	40	25	8	2
25	10	6	2	7	10	6	3	1	-	80	30	45	3	2
105	34	52	10	9	49	24	22	1	2	160	58	89	7	6
24	17	-	7	-	9	8	-	1	-	36	31	2	3	-
29	18	2	9	-	22	21	-	1	-	40	37	-	3	-
10	9	-	1	-	6	6	-	-	-	17	16	1	-	-
208	38	26	75	69	23	16	4	2	1	198	77	39	45	37
5	1	2	-	2	1	-	1	-	-	7	2	2	1	2
57	30	6	16	5	12	11	1	-	-	59	44	4	8	3
39	12	3	14	10	8	5	3	-	-	32	16	4	8	4
98	39	3	49	7	30	24	5	1	-	106	73	9	22	2
1	-	-	1	-	1	-	-	1	-	-	-	-	-	-
19	8	4	5	2	2	1	-	-	-	-	-	-	-	-
134	30	15	56	33	39	23	8	2	6	21	10	6	2	3
178	113	43	18	4	73	55	14	4	-	357	268	68	19	2
31	20	10	1	-	15	8	7	-	-	68	38	25	4	-
16	10	4	2	-	20	17	1	2	-	47	34	11	2	-
118	79	22	14	3	33	27	4	2	-	214	180	22	12	-
13	4	7	1	1	5	3	2	-	-	28	16	10	1	-
228	53	18	126	31	12	5	2	5	-	267	104	26	115	22
172	45	13	93	21	5	2	1	2	-	190	82	19	77	12
31	2	2	23	4	-	-	-	-	-	40	7	-	25	8
22	4	3	9	6	7	3	1	3	-	29	11	7	9	2
3	2	-	1	-	-	-	-	-	-	8	4	-	4	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision)

CAUSE OF DEATH	TEXAS					UTAH				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
1 ALL CAUSES.....	83,047	40,893	29,092	7,187	5,875	6,584	3,716	2,739	83	46
2 I. INFECTIVE AND PARASITIC DISEASES.....	1,312	602	417	193	100	66	37	24	3	2
3 TUBERCULOSIS, ALL FORMS.....001-019	506	274	153	62	17	25	19	4	2	-
4 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	467	263	137	56	11	22	18	3	1	-
5 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	16	5	8	2	1	-	-	-	-	-
6 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC										
7 GLANDS.....011	3	-	3	-	-	-	-	-	-	-
8 TUBERCULOSIS OF BONES AND JOINTS.....012,013	3	2	1	-	-	-	-	-	-	-
9 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	6	2	1	1	2	2	1	1	-	-
10 DISSEMINATED TUBERCULOSIS.....019	11	2	3	3	3	1	-	-	1	-
11 SYPHILIS AND ITS SEQUELAE.....020-029	172	82	36	40	14	8	7	1	-	-
12 CONGENITAL SYPHILIS.....020	6	2	2	1	1	-	-	-	-	-
13 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
14 ANEURYSM OF AORTA.....022	93	48	24	14	7	7	6	1	-	-
15 OTHER CARDIOVASCULAR SYPHILIS.....023	50	22	7	17	4	-	-	-	-	-
16 TABES DORSALIS.....024	2	-	-	-	-	-	-	-	-	-
17 GENERAL PARALYSIS OF INSANE.....025	7	4	1	2	-	-	-	-	-	-
18 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	11	4	1	4	2	-	-	-	-	-
19 ALL OTHER SYPHILIS.....027-029	3	-	1	2	-	1	1	-	-	-
20 GONOCOCCAL INFECTION.....030-035	-	-	-	-	-	-	-	-	-	-
21 TYPHOID FEVER.....040	2	-	1	1	-	-	-	-	-	-
22 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	4	-	1	1	2	-	-	-	-	-
23 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
24 BRUCELLOSIS.....044	1	-	1	-	-	-	-	-	-	-
25 DYSENTERY, ALL FORMS.....045-048	65	27	21	9	8	3	1	-	-	2
26 FOOD POISONING, INFECTION AND INTOXICATION.....049	6	2	3	-	1	-	-	-	-	-
27 SCARLET FEVER.....050	1	1	-	-	-	-	-	-	-	-
28 STREPTOCOCCAL SORE THROAT.....051	10	5	2	2	1	-	-	-	-	-
29 ERYSIPELAS.....052	-	-	-	-	-	-	-	-	-	-
30 SEPTICEMIA AND PYEMIA.....053	216	79	78	33	26	14	4	9	1	-
31 DIPHTHERIA.....055	5	2	1	-	2	-	-	-	-	-
32 WHOOPING COUGH.....056	18	4	9	-	5	-	-	-	-	-
33 MENINGOCOCCAL INFECTIONS.....057	28	13	11	2	2	2	1	1	-	-
34 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
35 LEPROSY.....061	-	-	-	-	-	-	-	-	-	-
36 TETANUS.....062	38	17	8	7	6	1	-	1	-	-
37 ANTHRAX.....062	2	1	-	-	-	-	-	-	-	-
38 ACUTE POLIOMYELITIS.....080	11	2	8	1	-	-	-	-	-	-
39 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	37	14	15	6	2	2	-	2	-	-
40 ACUTE INFECTIOUS ENCEPHALITIS.....082	2	-	1	1	-	1	-	1	-	-
41 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	-	-	-	-	-	-	-	-	-	-
42 SMALLPOX.....084	25	11	7	4	3	2	1	1	-	-
43 MEASLES.....085	-	-	-	-	-	-	-	-	-	-
44 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
45 INFECTIOUS HEPATITIS.....092	53	24	25	2	2	4	3	1	-	-
46 RABIES.....094	-	-	-	-	-	-	-	-	-	-
47 TICK-BORNE TYPHUS.....104	-	-	-	-	-	-	-	-	-	-
48 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-
49 MALARIA.....110-117	1	1	-	-	-	-	-	-	-	-
50 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-
51 HYDATID DISEASE.....125	-	-	-	-	-	-	-	-	-	-
52 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
53 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
54 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	5	1	1	2	1	-	-	-	-	-
55 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	104	42	35	19	8	4	1	3	-	-
56 II. NEOPLASMS.....	12,867	6,176	4,989	924	778	917	469	432	12	4
57 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC										
58 AND HEMATOPOIETIC TISSUES.....140-205	12,684	6,117	4,905	913	749	907	467	424	12	4
59 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	311	214	65	24	8	18	12	5	1	-
60 OF LIP.....140	15	12	4	-	-	1	1	-	-	-
61 OF TONGUE.....141	61	43	8	6	4	4	1	2	1	-
62 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	100	65	28	6	1	9	8	1	-	-
63 OF PHARYNX.....145-148	134	94	25	12	3	4	2	2	-	-
64 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM,										
65 NOT SPECIFIED AS SECONDARY.....150-156A,157-159	3,653	1,686	1,443	299	225	266	148	109	7	2
66 OF ESOPHAGUS.....150	178	101	41	27	9	3	2	1	-	-
67 OF STOMACH.....151	813	398	267	89	59	64	44	18	1	1
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	33	11	15	5	2	3	2	1	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	1,097	434	532	62	69	83	41	40	2	-
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	133	55	65	4	9	15	8	6	1	-
71 TRANSVERSE COLON.....153.1	38	14	20	3	1	2	2	-	-	-
72 DESCENDING COLON.....153.2	45	14	29	-	2	2	-	2	-	-
73 SIGMOID COLON.....153.3	158	61	79	7	11	30	14	15	1	-
74 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	3	1	1	1	-	-	-	-	-	-
75 LARGE INTESTINE, PART UNSPECIFIED.....153.8	674	273	319	41	41	32	16	16	-	-
76 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	46	16	19	6	5	2	1	1	-	-
77 OF RECTUM.....154	300	133	130	19	18	28	15	11	2	-
78 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	350	155	139	38	18	23	14	9	-	-
79 OF LIVER.....155.0	208	97	64	36	11	11	8	3	-	-
80 OT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	142	58	75	2	7	12	6	3	-	-
81 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	66	28	18	9	11	4	1	3	-	-
82 OF PANCREAS.....157	732	388	260	46	38	49	26	20	2	1
83 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	84	38	41	4	1	9	3	6	-	-

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963—Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

VERMONT					VIRGINIA					WASHINGTON				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
4,517	2,503	2,006	6	2	36,943	15,707	11,690	5,417	4,129	27,560	15,675	10,992	566	327
41	29	12	-	-	450	166	97	127	60	216	130	68	11	7
19	14	5	-	-	219	86	40	67	26	84	55	21	8	-
18	14	4	-	-	199	81	34	61	23	70	47	18	5	-
-	-	-	-	-	4	1	2	-	1	5	4	-	1	-
-	-	-	-	-	3	2	-	1	-	1	-	1	-	-
-	-	-	-	-	1	1	1	-	-	1	1	-	-	-
1	-	1	-	-	6	2	2	2	-	4	2	1	1	-
-	-	-	-	-	6	-	1	3	2	3	1	1	1	-
4	4	-	-	-	46	12	2	21	11	43	31	9	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	2	-	-	-	21	8	-	8	5	34	26	7	-	1
2	2	-	-	-	18	3	-	10	5	5	2	1	-	2
-	-	-	-	-	1	-	-	1	-	2	1	1	-	-
-	-	-	-	-	6	1	2	2	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	1	-	-	1	-	-	-	1	-	-
-	-	-	-	-	1	-	-	1	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	6	2	-	4	-	4	1	2	1	-
-	-	-	-	-	1	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	4	1	-	-	70	30	17	15	8	30	18	9	2	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	34	17	10	6	1	12	6	6	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	5	1	1	1	2	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	2	3	-	-	3	1	2	-	-	3	2	1	-	-
-	-	-	-	-	6	3	2	-	1	7	3	4	-	-
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-
3	2	1	-	-	6	1	3	1	1	2	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	13	1	8	1	3	10	5	4	-	1
-	-	-	-	-	2	-	2	-	-	-	-	-	-	-
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
5	3	2	-	-	35	10	10	9	6	16	6	8	-	2
686	343	342	1	-	5,215	2,186	1,935	627	467	4,393	2,347	1,951	53	42
674	338	335	1	-	5,117	2,146	1,897	619	455	4,319	2,313	1,918	52	36
8	7	1	-	-	113	68	24	15	6	111	78	32	1	-
-	-	-	-	-	2	1	1	-	-	4	4	-	-	-
4	3	1	-	-	16	11	1	3	1	27	18	9	-	-
1	1	-	-	-	37	21	11	3	2	27	18	9	-	-
3	3	-	-	-	58	35	11	9	3	53	38	14	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
224	103	121	-	-	1,456	588	532	199	137	1,352	715	607	18	12
5	3	2	-	-	117	52	20	32	13	77	50	24	2	1
39	22	17	-	-	320	130	91	73	26	284	169	106	6	3
4	-	4	-	-	16	6	6	1	3	15	10	4	-	1
72	31	41	-	-	439	156	210	30	43	449	213	228	2	6
14	5	9	-	-	41	12	25	-	4	88	43	44	-	1
11	3	8	-	-	25	5	13	2	5	22	14	8	-	-
8	3	5	-	-	11	5	6	-	-	14	7	7	-	-
24	11	13	-	-	63	27	26	4	6	80	40	40	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	9	3	-	-	279	103	125	24	27	218	100	112	2	4
3	-	3	-	-	20	4	15	-	1	27	9	17	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39	19	20	-	-	135	55	49	19	12	136	77	55	4	-
17	3	14	-	-	85	34	33	9	9	100	38	58	3	1
6	2	4	-	-	24	16	4	4	-	26	14	8	-	-
11	1	10	-	-	61	18	29	5	9	74	24	50	-	-
8	4	4	-	-	51	21	19	5	6	19	10	9	-	-
34	20	14	-	-	255	119	93	24	19	243	134	109	-	-
6	1	5	-	-	38	15	11	6	6	29	14	14	1	-

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963--Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

VERMONT					VIRGINIA					WASHINGTON				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
99	85	14	-	-	883	619	102	137	25	692	582	97	11	2
8	7	1	-	-	46	29	6	10	1	23	20	3	-	4
28	26	2	-	-	286	226	27	30	3	330	281	39	9	7
61	51	10	-	-	534	356	62	97	19	323	269	51	2	6
2	1	1	-	-	17	8	7	-	2	16	12	4	-	8
60	1	59	-	-	444	4	367	-	73	375	6	365	-	9
100	35	64	1	-	785	212	351	110	112	652	275	366	6	10
26	...	26	...	-	205	...	141	...	64	117	...	115	...	11
12	...	12	...	-	104	...	79	...	25	84	...	83	...	12
23	...	23	...	-	140	...	119	...	21	158	...	157	...	13
3	...	3	...	-	14	...	12	...	2	12	...	11	...	14
35	34	...	1	...	306	199	...	107	...	268	263	...	5	15
1	1	16	13	...	3	...	13	12	16
39	25	14	-	-	228	124	71	25	8	216	149	64	2	17
8	4	4	-	-	100	51	36	11	2	81	54	26	1	18
31	21	10	-	-	128	73	35	14	6	135	95	38	1	19
74	38	36	-	-	709	299	259	88	63	439	219	210	7	20
15	10	5	-	-	93	52	31	7	3	44	24	19	1	21
-	-	-	-	-	6	4	1	1	-	7	5	2	-	22
10	6	4	-	-	134	68	53	10	3	119	64	54	1	23
4	2	2	-	-	14	6	6	2	4	8	1	7	-	24
3	3	-	-	-	36	12	16	6	2	17	12	5	1	25
3	-	3	-	-	24	6	12	2	4	13	6	7	-	26
1	1	-	-	-	22	13	7	1	1	19	6	13	-	27
38	16	22	-	-	380	142	133	59	46	212	101	104	5	28
36	22	14	-	-	238	110	99	16	13	227	132	88	3	29
34	22	12	-	-	261	122	92	29	18	255	157	89	4	30
13	7	6	-	-	108	53	38	9	8	98	62	35	-	31
10	8	2	-	-	56	24	23	7	2	56	40	14	2	32
11	7	4	-	-	97	45	31	13	8	101	55	40	2	33
12	5	7	-	-	98	40	38	8	12	74	34	33	1	34
1	...	1	...	-	6	...	3	...	3	5	...	4	...	35
1	...	1	...	-	14	5	5	2	2	17	7	10	-	36
1	1	-	-	-	19	8	8	1	2	20	8	10	-	37
4	...	2	...	-	35	-	-	...	-	...	38
5	2	3	-	-	24	21	12	1	1	22	13	5	1	39
85	40	45	-	-	727	219	277	96	135	670	320	324	13	40
11	10	1	-	-	102	36	26	23	17	88	57	28	2	41
4	-	4	-	-	12	-	2	-	3	5	3	2	-	42
2	-	2	-	-	4	1	1	-	2	5	1	4	-	43
60	23	37	-	-	478	149	189	51	89	478	215	246	9	44
2	2	-	-	-	8	3	1	1	3	9	2	5	-	45
1	1	-	-	-	2	1	1	-	1	3	3	2	-	46
5	4	1	-	-	42	8	16	10	8	22	9	12	1	47
10	5	5	-	-	77	21	32	11	13	58	30	24	1	48
7	4	3	-	-	128	43	50	21	14	80	42	35	2	49
4	1	3	-	-	89	26	33	17	13	50	26	22	1	50
3	3	-	-	-	8	4	4	-	-	5	2	3	-	51
1	-	1	-	-	81	22	29	17	13	45	24	19	1	52
2	1	1	-	-	12	4	7	1	1	15	4	10	1	53
6	5	1	-	-	27	13	10	3	1	15	12	3	-	54
158	74	30	43	11	95	62	25	4	4	79	62	25	4	55
10	1	8	1	-	10	10	8	1	-	6	1	5	-	56
1	1	-	-	-	11	6	7	-	1	2	1	4	-	57
2	1	1	-	-	14	6	7	-	1	15	7	8	-	58
3	3	-	-	-	115	54	11	40	10	66	48	10	4	59
1	-	-	-	-	7	3	3	1	-	6	4	2	-	60
1	-	-	-	-	1	-	1	-	-	-	-	-	-	61
492	217	274	1	-	4,610	1,557	1,718	660	675	3,542	1,701	1,748	59	62
457	201	255	1	-	4,297	1,430	1,628	609	630	3,276	1,555	1,646	51	63
14	4	10	-	-	249	78	87	39	45	168	62	103	2	64
219	98	121	-	-	2,335	748	870	345	372	1,882	877	960	27	65
185	86	98	1	-	1,264	457	491	167	149	933	466	445	18	66
39	13	26	-	-	449	147	180	58	64	293	150	138	4	67
6	1	5	-	-	61	23	13	12	13	43	22	13	4	68
7	5	2	-	-	21	6	12	-	3	37	15	21	1	69
6	1	5	-	-	43	20	17	4	2	56	29	26	-	70
8	6	2	-	-	25	9	6	6	4	14	6	7	-	71
1	-	-	-	-	58	21	13	16	8	26	13	11	1	72
1	-	-	-	-	1	-	-	-	-	-	-	-	-	73
1	1	-	-	-	6	4	1	1	-	4	-	1	-	74
7	2	5	-	-	98	44	28	12	14	86	59	23	2	75

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision)

CAUSE OF DEATH	TEXAS						UTAH					
	Total	White		Nonwhite		Total	White		Nonwhite			
		Male	Female	Male	Female		Male	Female	Male	Female		
VII. DISEASES OF THE CIRCULATORY SYSTEM.....	31,250	16,361	10,525	2,353	2,011	2,454	1,446	982	19	7		
DISEASES OF HEART.....400-402,410-443	28,215	15,017	9,292	2,099	1,807	2,238	1,338	878	16	6		
RHEUMATIC FEVER.....400-402	13	3	4	1	5	-	-	-	-	-		
CHRONIC RHEUMATIC HEART DISEASE.....410-416	422	188	178	25	31	128	58	69	-	-		
DISEASES OF MITRAL VALVE.....410	173	73	82	7	11	42	16	24	-	-		
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	55	45	6	2	2	19	13	5	1	-		
DISEASES OF PULMONARY VALVE, ETC.....413,414	27	11	9	5	2	10	7	3	-	-		
OTHER RHEUMATIC HEART DISEASES.....412,415,416	167	59	81	11	16	57	22	35	-	-		
ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	21,193	12,120	6,670	1,355	1,048	1,663	1,084	564	12	3		
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	6,843	3,512	2,522	466	343	642	358	276	6	2		
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420.1	14,316	8,593	4,134	887	702	1,020	725	288	6	1		
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	34	15	14	2	3	1	1	-	-	-		
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	146	80	45	13	8	13	11	2	-	-		
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	8	2	5	1	-	-	-	-	-	-		
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	87	53	25	6	3	7	7	-	-	-		
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	51	25	15	6	5	6	4	2	-	-		
OTHER MYOCARDIAL DEGENERATION.....422	1,909	793	794	158	164	143	60	82	-	1		
WITH ARTERIOSCLEROSIS.....422.1	1,359	573	574	99	113	111	48	62	-	1		
WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	550	220	220	59	51	32	12	20	-	-		
OTHER DISEASES OF HEART.....430-434	2,344	1,154	753	253	184	114	65	45	3	1		
ACUTE AND SUBACUTE ENDOCARDITIS.....430	35	18	8	5	4	1	-	1	-	-		
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	51	22	25	1	3	4	1	3	-	-		
FUNCTIONAL DISEASE OF HEART.....433	453	183	195	40	35	30	17	13	-	-		
OTHER AND UNSPECIFIED DISEASES OF HEART.....434	1,805	931	525	207	142	79	47	28	3	1		
HYPERTENSIVE HEART DISEASE.....440-443	2,188	679	848	294	367	177	60	116	-	-		
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	493	167	195	57	74	37	18	19	-	-		
OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	1,695	512	653	237	293	140	42	97	-	1		
OTHER HYPERTENSIVE DISEASE.....444-447	536	200	178	94	64	29	14	14	1	-		
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	243	119	82	28	14	14	6	8	-	-		
ESSENTIAL HYPERTENSION.....444,445,447	293	81	96	66	50	15	8	6	1	-		
DISEASES OF ARTERIES.....450-456	1,995	925	868	102	100	135	71	63	1	-		
GENERAL ARTERIOSCLEROSIS.....450	1,438	588	720	69	61	91	43	47	1	-		
AORTIC ANEURYSM, NONSYPHILITIC, ETC.....451	355	250	78	19	8	29	16	13	-	-		
GANGRENE OF UNSPECIFIED CAUSE.....455	18	5	4	5	4	3	2	1	-	-		
OTHER ARTERIAL DISEASES.....452-454,456	184	82	66	9	27	12	10	2	-	-		
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	504	219	187	58	40	52	23	27	1	1		
VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	5,118	2,673	1,645	462	338	387	242	129	10	6		
ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	41	10	22	2	7	8	4	4	-	-		
INFLUENZA.....480-483	346	150	118	38	40	11	2	9	-	-		
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	3,007	1,351	1,109	310	237	209	121	79	5	4		
LOBAR PNEUMONIA.....490	417	185	153	37	42	21	14	7	-	-		
BRONCHOPNEUMONIA.....491	1,366	661	478	140	87	118	68	45	3	2		
PRIMARY ATYPICAL PNEUMONIA.....492	187	82	81	11	13	13	4	8	-	1		
PNEUMONIA, OTHER AND UNSPECIFIED.....493	1,037	423	397	122	95	57	35	19	2	1		
ACUTE BRONCHITIS.....500	61	23	23	6	9	5	2	3	-	-		
BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	246	165	58	20	2	17	12	5	-	-		
HYPERTROPHY OF TONSILS AND ADENOIDS.....510	4	2	-	-	-	2	2	-	-	-		
EMPHYEMA AND ABSCESS OF LUNG.....518,521	44	25	8	9	2	1	1	-	-	-		
PLEURISY.....519	6	4	2	-	-	1	1	-	-	-		
OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	214	120	59	23	12	18	11	4	2	1		
BRONCHIECTASIS.....526	81	46	32	1	7	7	1	6	-	-		
OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	879	688	140	38	13	92	67	11	3	1		
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	781	638	112	26	5	74	64	7	2	1		
ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY.....527.0,527.2	98	50	28	12	8	8	3	4	1	-		
OTHER RESPIRATORY DISEASES.....RESIDUAL	189	88	72	15	14	26	18	8	-	-		
IX. DISEASES OF THE DIGESTIVE SYSTEM.....	3,343	1,652	1,242	246	203	245	131	102	6	6		
DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	4	2	2	-	-	1	-	1	-	-		
ULCER OF STOMACH.....540	242	154	58	20	10	32	19	11	2	-		
ULCER OF DUODENUM.....541	209	142	52	10	5	19	14	5	-	-		
GASTRITIS AND DUODENITIS.....543	23	10	10	1	2	2	1	1	-	-		
APPENDICITIS.....550-553	82	38	26	9	9	3	1	2	-	-		
HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	471	177	218	40	36	32	14	18	-	-		
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	491	208	171	63	49	11	3	5	-	3		
CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	136	57	72	3	4	20	8	12	-	-		
CIRRHOSIS OF LIVER.....581	810	478	251	51	30	61	37	19	3	2		
WITHOUT MENTION OF ALCOHOLISM.....581.0	602	347	197	32	26	33	19	11	2	1		
WITH ALCOHOLISM.....581.1	208	131	54	19	4	28	18	8	1	1		
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	185	72	101	3	9	17	10	7	-	-		
FIBROCYSTIC DISEASE OF PANCREAS.....587B	43	16	26	-	1	5	2	3	-	-		
OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	647	298	255	46	48	42	22	18	1	1		
X. DISEASES OF THE GENITOURINARY SYSTEM.....	1,699	745	551	239	164	112	63	47	2	-		
NEPHRITIS AND NEPHROSIS.....590-594	739	284	260	106	89	46	25	19	2	-		
ACUTE NEPHRITIS.....590	57	17	14	13	13	-	-	-	-	-		
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	29	8	16	3	2	4	3	1	-	-		
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	653	259	230	90	74	42	22	18	2	-		
INFECTIONS OF KIDNEY.....600	469	177	192	53	47	32	13	19	-	-		
CALCULI OF URINARY SYSTEM.....602,604	61	32	27	1	4	3	1	-	-	-		
OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	157	71	48	22	16	9	5	4	-	-		
HYPERPLASIA OF PROSTATE.....610	207	154	-	53	-	16	16	-	-	-		
DISEASES OF BREAST.....620,621	-	-	-	-	-	-	-	-	-	-		
OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	66	27	24	4	11	5	1	4	-	-		

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963—Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix

VERMONT					VIRGINIA					WASHINGTON				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
2,134	1,187	943	2	2	15,182	6,851	4,802	1,940	1,589	11,961	7,148	4,572	162	79
1,871	1,053	814	2	2	13,625	6,280	4,233	1,699	1,413	10,741	6,523	4,004	143	71
1	1	-	-	-	13	3	4	4	2	6	5	1	-	-
36	19	17	-	-	240	86	103	27	24	248	110	130	5	3
12	4	8	-	-	81	26	38	7	10	110	37	69	2	2
6	3	3	-	-	37	17	15	2	3	28	22	6	-	-
3	2	1	-	-	12	7	5	-	-	10	7	2	1	-
15	10	5	-	-	110	36	45	18	11	100	44	53	2	1
1,518	896	621	-	1	9,666	5,086	2,891	986	703	8,539	5,466	2,918	113	42
804	418	386	-	-	3,899	1,824	1,422	371	292	3,240	1,848	1,333	38	21
713	478	234	-	1	5,755	3,258	1,463	615	419	5,294	3,616	1,582	75	21
1	-	1	-	-	12	4	6	-	2	5	2	3	-	-
9	3	6	-	-	68	22	13	21	12	85	37	3	-	1
-	-	-	-	-	2	1	-	-	-	1	47	1	-	1
5	1	4	-	-	36	13	9	12	2	63	37	25	-	1
4	2	2	-	-	30	8	3	9	10	21	10	11	-	1
141	68	71	1	1	1,393	492	530	195	176	666	334	318	7	7
99	49	48	1	1	1,135	414	440	146	135	498	250	240	4	4
42	19	23	-	-	258	78	90	49	41	168	84	78	3	3
38	22	16	-	-	591	199	206	93	93	426	225	190	6	5
-	-	-	-	-	15	4	6	1	4	11	5	5	-	1
1	1	7	-	-	26	5	7	1	6	12	3	8	-	1
11	4	7	-	-	207	80	80	21	26	136	71	61	3	1
26	17	9	-	-	343	110	113	65	55	267	146	116	2	3
128	44	83	1	-	1,654	392	486	373	403	771	336	410	12	13
39	16	23	-	-	443	122	134	96	91	241	135	101	2	3
89	28	60	1	-	1,211	270	352	277	312	530	201	309	10	10
40	16	24	-	-	335	93	93	80	69	125	59	62	4	-
30	13	17	-	-	187	69	57	38	23	58	36	21	1	-
10	3	7	-	-	148	24	36	42	46	67	23	41	3	-
194	103	91	-	-	991	402	395	116	78	937	487	430	14	6
151	75	76	-	-	693	239	314	82	58	684	319	354	7	4
36	24	12	-	-	222	135	56	20	11	192	133	53	5	1
-	7	4	-	-	8	1	2	4	1	5	5	-	-	1
29	15	14	-	-	68	27	23	10	8	56	30	23	2	1
309	207	102	-	-	2,459	1,070	717	408	264	1,571	937	537	61	36
18	1	-	-	-	17	3	4	3	7	8	7	-	-	1
13	13	5	-	-	333	102	121	58	52	61	28	32	1	-
182	104	78	-	-	1,415	545	444	260	166	916	460	389	41	26
35	21	14	-	-	201	86	55	36	24	106	64	31	6	5
100	55	45	-	-	727	298	245	121	63	509	250	232	20	7
16	8	8	-	-	101	29	33	19	20	118	57	47	5	9
31	20	11	-	-	386	132	111	84	59	183	89	79	10	5
3	3	-	-	-	15	7	3	4	1	17	9	5	2	1
16	12	4	-	-	119	66	31	16	6	62	52	8	2	-
1	1	-	-	-	2	-	1	-	1	2	2	-	-	-
2	2	-	-	-	17	7	3	6	1	14	9	5	-	-
1	1	-	-	-	17	7	3	6	1	14	9	5	-	-
16	15	1	-	-	126	56	29	26	15	61	37	20	3	1
11	6	5	-	-	39	17	16	5	1	30	23	6	-	1
49	40	9	-	-	325	236	52	26	11	336	278	45	8	5
47	39	8	-	-	265	212	32	19	2	300	257	36	5	2
2	1	1	-	-	60	24	20	7	9	36	21	9	3	3
9	9	-	-	-	51	31	13	4	3	62	30	26	4	2
143	80	62	1	-	1,256	549	410	168	129	1,035	567	412	30	26
1	1	-	-	-	2	-	-	-	2	2	-	1	1	-
14	10	4	-	-	103	57	23	15	8	103	70	31	2	-
17	12	5	-	-	79	53	19	7	-	104	76	24	4	-
1	1	-	-	-	10	4	2	2	2	9	2	6	-	1
3	2	1	-	-	33	15	7	5	6	13	9	3	1	-
22	9	12	1	-	197	69	84	23	21	140	64	70	5	1
3	3	-	-	-	102	22	17	35	28	44	14	26	2	2
13	2	11	-	-	59	25	28	3	3	68	33	38	-	1
24	20	4	-	-	296	142	97	32	25	295	162	109	10	14
16	13	3	-	-	208	94	73	24	17	197	110	75	6	6
8	7	1	-	-	88	48	24	8	8	98	52	34	4	8
20	8	12	-	-	68	29	32	1	6	64	28	33	-	3
1	1	1	-	-	15	9	5	-	1	12	8	4	-	-
23	11	12	-	-	292	124	96	45	27	181	101	70	5	5
68	36	32	-	-	743	274	189	163	117	373	220	140	9	4
18	11	7	-	-	323	105	78	77	63	149	84	61	3	1
-	-	-	-	-	13	4	1	5	3	7	2	5	-	-
-	-	-	-	-	16	7	6	2	1	12	9	2	-	-
18	11	7	-	-	294	94	71	70	59	130	73	54	2	1
26	8	18	-	-	220	75	67	45	33	104	49	51	3	1
3	1	2	-	-	30	9	15	1	5	14	8	5	1	-
5	2	3	-	-	67	24	22	14	7	39	21	16	1	1
13	13	-	-	-	70	50	-	20	7	47	46	-	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	1	2	-	-	33	11	7	6	9	20	12	7	-	1

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963-Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

VERMONT					VIRGINIA					WASHINGTON				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
1	...	1	...	-	43	...	23	...	20	10	...	9	...	1
-	...	-	...	-	7	...	6	...	1	1	...	-	...	1
1	...	1	...	-	14	...	6	...	8	2	...	2	...	-
-	...	-	...	-	9	...	6	...	3	2	...	2	...	-
-	...	-	...	-	2	...	-	...	2	-	...	-	...	-
-	...	-	...	-	2	...	2	...	-	1	...	1	...	-
-	...	-	...	-	4	...	1	...	3	2	...	2	...	-
-	...	-	...	-	5	...	2	...	3	2	...	2	...	-
6	2	4	-	-	50	8	21	8	13	34	13	20	-	1
2	2	-	-	-	9	3	2	4	-	9	7	2	-	-
4	-	4	-	-	41	5	19	4	13	25	6	18	-	1
7	1	6	-	-	105	31	51	8	15	66	32	33	-	1
4	-	4	-	-	63	12	36	6	9	43	19	23	-	1
1	-	-	-	-	1	1	-	-	-	2	1	1	-	-
1	-	1	-	-	3	-	2	-	1	4	2	2	-	-
1	1	-	-	-	2	1	-	-	1	1	-	1	-	-
1	-	1	-	-	17	11	5	1	-	11	8	3	-	-
1	-	1	-	-	19	6	8	1	4	5	2	3	-	-
54	25	29	-	-	499	220	162	66	51	328	165	138	15	10
7	3	4	-	-	49	21	20	4	4	25	10	14	-	1
6	4	2	-	-	49	22	15	8	4	34	20	11	3	-
21	12	9	-	-	226	103	66	26	31	166	86	66	8	6
20	6	14	-	-	175	74	61	28	12	103	49	47	4	3
141	86	55	-	-	1,701	648	435	360	258	788	422	287	44	35
48	25	23	-	-	478	151	130	115	82	212	120	89	2	1
5	1	4	-	-	53	16	21	5	11	34	14	20	-	-
43	24	19	-	-	425	135	109	110	71	178	106	69	2	1
286	215	70	1	-	3,139	1,660	643	607	229	2,186	1,449	604	101	32
222	162	59	1	-	2,315	1,201	506	436	172	1,651	1,072	473	84	22
-	-	-	-	-	22	17	-	4	1	19	13	2	4	-
110	79	31	-	-	940	557	184	160	39	685	450	189	38	8
108	78	30	-	-	927	547	184	159	37	663	435	185	35	8
6	4	2	-	-	18	7	7	4	-	16	13	3	-	-
23	12	11	-	-	164	84	28	45	7	90	48	30	12	-
30	18	12	-	-	361	200	104	39	18	262	163	82	11	6
45	40	5	-	-	335	226	36	62	11	185	139	36	8	2
4	4	-	-	-	49	30	9	9	1	110	72	34	4	-
2	1	1	-	-	13	10	-	1	2	22	15	4	3	-
-	-	-	-	-	6	3	2	1	-	6	4	2	-	-
5	4	1	-	-	42	30	4	8	-	41	38	3	-	-
-	-	-	-	-	20	18	2	-	-	37	33	4	-	-
3	1	2	-	-	56	20	12	18	6	35	19	14	2	-
3	2	1	-	-	18	9	2	5	2	12	8	2	2	-
38	21	16	1	-	400	166	175	31	28	321	167	142	12	-
13	7	6	-	-	109	50	33	16	10	105	72	28	5	-
14	7	7	-	-	71	26	39	3	3	102	46	52	4	-
11	7	3	1	-	220	90	103	12	15	114	49	62	3	-
6	6	-	-	-	55	39	2	13	1	43	40	2	1	-
12	12	-	-	-	47	35	2	12	-	36	35	-	1	-
3	3	-	-	-	30	25	1	3	1	9	9	-	-	-
11	8	3	-	-	238	72	44	67	55	116	61	46	6	3
-	-	-	-	-	3	-	-	2	1	3	2	1	-	-
7	5	2	-	-	54	31	6	13	4	36	29	5	1	1
3	2	1	-	-	36	13	14	4	5	39	22	13	3	3
9	8	1	-	-	129	68	13	41	7	102	80	13	7	2
-	-	-	-	-	-	-	-	-	-	3	1	-	2	77
3	2	1	-	-	29	8	13	3	5	27	12	11	3	1
9	9	-	-	-	190	90	32	51	17	81	49	24	6	2
61	52	9	-	-	538	386	105	34	13	441	328	101	8	4
18	15	3	-	-	107	54	48	2	3	126	76	46	1	3
8	8	-	-	-	60	41	14	4	1	40	35	4	1	-
33	27	6	-	-	335	276	32	19	8	214	179	31	4	-
2	2	-	-	-	36	15	11	9	1	61	38	20	2	1
3	1	2	-	-	285	73	32	136	44	93	48	30	9	6
3	1	2	-	-	160	48	16	78	18	54	28	17	7	2
-	-	-	-	-	63	7	6	41	9	8	5	2	1	-
-	-	-	-	-	59	17	10	16	16	27	11	11	1	4
-	-	-	-	-	3	1	-	1	1	3	3	-	-	-
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	1	-	-	1	-	1	1	-	-	-

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision)

CAUSE OF DEATH	WEST VIRGINIA					WISCONSIN				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
1 ALL CAUSES.....	19,439	10,748	7,451	751	489	39,665	22,112	16,802	422	329
2 I. INFECTIVE AND PARASITIC DISEASES.....	272	148	84	30	10	303	161	122	9	11
3 TUBERCULOSIS, ALL FORMS.....001-019	153	93	33	21	6	111	66	35	5	5
4 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	151	93	32	20	6	107	63	34	5	5
5 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	1	-	-	-	-	-	-	-	-	-
6 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC										
7 GLANDS.....011	-	-	-	-	-	1	1	-	-	-
8 TUBERCULOSIS OF BONES AND JOINTS.....012,013	-	-	-	-	-	-	-	-	-	-
9 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	-	-	-	-	-	1	1	-	-	-
10 DISSEMINATED TUBERCULOSIS.....019	1	-	-	1	-	2	1	1	-	-
11 SYPHILIS AND ITS SEQUELAE.....020-029	36	16	11	6	3	35	18	13	2	2
12 CONGENITAL SYPHILIS.....020	-	-	-	-	-	-	-	-	-	-
13 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
14 ANEURYSM OF AORTA.....022	15	10	4	1	-	16	8	8	-	-
15 OTHER CARDIOVASCULAR SYPHILIS.....023	14	3	6	4	1	9	4	2	1	2
16 TABES DORSALIS.....024	1	1	-	-	-	3	2	-	1	-
17 GENERAL PARALYSIS OF INSANE.....025	1	-	1	-	-	2	1	1	-	-
18 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	4	2	-	1	1	3	2	1	-	-
19 ALL OTHER SYPHILIS.....027-029	1	-	-	-	1	2	1	1	-	-
20 GONOCOCCAL INFECTION.....030-035	-	-	-	-	-	-	-	-	-	-
21 TYPHOID FEVER.....040	1	-	1	-	-	1	1	-	-	-
22 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	-	-	-	-	-	-	-	-	-	-
23 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
24 BRUCELLOSIS.....044	-	-	-	-	-	-	-	-	-	-
25 DYSENTERY, ALL FORMS.....045-048	2	1	1	-	-	2	1	1	-	-
26 FOOD POISONING, INFECTION AND INTOXICATION.....049	2	1	1	-	-	-	-	-	-	-
27 SCARLET FEVER.....050	-	-	-	-	-	1	1	-	-	-
28 STREPTOCOCCAL SORE THROAT.....051	1	-	1	-	-	1	-	1	-	-
29 ERYSIPELAS.....052	1	-	1	-	-	1	1	-	-	-
30 SEPTICEMIA AND PYEMIA.....053	18	11	5	2	-	46	28	17	-	1
31 DIPHTHERIA.....055	-	-	-	-	-	-	-	-	-	-
32 WHOOPING COUGH.....056	3	1	2	-	-	-	-	-	-	-
33 MENINGOCOCCAL INFECTIONS.....057	11	4	7	-	-	15	4	9	-	2
34 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
35 LEPROSY.....060	-	-	-	-	-	-	-	-	-	-
36 TETANUS.....061	-	-	-	-	-	-	-	-	-	-
37 ANTHRAX.....062	-	-	-	-	-	1	-	1	-	-
38 ACUTE POLIOMYELITIS.....080	2	-	2	-	-	1	-	1	-	-
39 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	1	-	1	-	-	3	1	2	-	-
40 ACUTE INFECTIOUS ENCEPHALITIS.....082	5	3	2	-	-	19	8	10	-	1
41 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	1	1	-	-	-	3	1	2	-	-
42 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
43 MEASLES.....085	7	4	3	-	-	19	8	11	-	-
44 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
45 INFECTIOUS HEPATITIS.....092	5	2	3	-	-	7	4	3	-	-
46 RABIES.....094	-	-	-	-	-	-	-	-	-	-
47 TICK-BORNE TYPHUS.....104	-	-	-	-	-	-	-	-	-	-
48 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-
49 MALARIA.....110-117	-	-	-	-	-	-	-	-	-	-
50 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-
51 HYDATID DISEASE.....125	-	-	-	-	-	-	-	-	-	-
52 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
53 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
54 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	3	1	2	-	-	-	-	-	-	-
55 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	20	10	8	1	1	37	19	16	2	-
56 II. NEOPLASMS.....	2,734	1,426	1,137	87	84	6,497	3,475	2,930	50	42
57 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC										
58 AND HEMATOPOIETIC TISSUES.....140-205	2,683	1,407	1,110	86	80	6,391	3,432	2,870	49	40
59 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	60	43	12	2	3	126	102	24	-	-
60 OF LIP.....140	1	1	-	-	-	6	5	1	-	-
61 OF TONGUE.....141	8	2	3	2	1	27	20	7	-	-
62 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	26	18	7	-	1	30	25	5	-	-
63 OF PHARYNX.....145-148	25	22	2	-	1	63	52	11	-	-
64 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM,										
65 NOT SPECIFIED AS SECONDARY.....150-156A,157-159	904	474	378	31	21	2,285	1,259	1,000	13	13
66 OF ESOPHAGUS.....150	42	27	10	3	2	117	97	18	1	1
67 OF STOMACH.....151	215	137	61	14	3	502	307	184	6	5
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	6	4	1	1	-	23	11	12	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	269	112	147	6	4	757	354	398	3	2
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	37	16	21	-	-	128	55	73	-	-
71 TRANSVERSE COLON.....153.1	19	8	9	-	2	53	23	30	-	-
72 DESCENDING COLON.....153.2	7	3	3	-	1	41	22	19	-	-
73 SIGMOID COLON.....153.3	54	19	34	1	-	149	85	63	1	-
74 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	2	-	2	-	-	3	1	2	-	-
75 LARGE INTESTINE, PART UNSPECIFIED.....153.8	133	60	68	4	1	340	145	191	2	2
76 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	17	6	10	1	-	43	23	20	-	-
77 OF RECTUM.....154	97	47	43	4	3	300	179	120	-	1
78 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	56	26	28	1	1	149	52	94	-	3
79 LIVER.....155.0	20	14	6	-	-	25	14	11	-	-
80 OT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	36	12	22	1	1	124	38	83	-	3
81 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	47	21	23	-	3	50	32	18	-	-
82 OF PANCREAS.....157	157	91	59	2	5	354	212	138	3	1
83 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	15	9	6	-	-	33	15	18	-	-

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963--Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

WYOMING					
Total	White		.Nonwhite		
	Male	Female	Male	Female	
2,832	1,741	1,013	51	27	1
18	11	4	2	1	2
4	3	-	1	-	3
2	2	-	-	-	4
-	-	-	-	-	5
1	-	-	1	-	6
1	1	-	-	-	7
-	-	-	-	-	8
6	4	1	-	1	9
-	-	-	-	-	10
5	4	1	-	-	11
1	-	-	-	1	12
-	-	-	-	-	13
-	-	-	-	-	14
-	-	-	-	-	15
-	-	-	-	-	16
-	-	-	-	-	17
-	-	-	-	-	18
-	-	-	-	-	19
-	-	-	-	-	20
-	-	-	-	-	21
-	-	-	-	-	22
-	-	-	-	-	23
-	-	-	-	-	24
-	-	-	-	-	25
-	-	-	-	-	26
-	-	-	-	-	27
-	-	-	-	-	28
-	-	-	-	-	29
-	-	-	-	-	30
-	-	-	-	-	31
-	-	-	-	-	32
-	-	-	-	-	33
-	-	-	-	-	34
-	-	-	-	-	35
3	1	1	1	-	36
-	-	-	-	-	37
-	-	-	-	-	38
2	1	1	-	-	39
-	-	-	-	-	40
-	-	-	-	-	41
-	-	-	-	-	42
-	-	-	-	-	43
-	-	-	-	-	44
-	-	-	-	-	45
-	-	-	-	-	46
2	1	1	-	-	47
-	-	-	-	-	48
-	-	-	-	-	49
-	-	-	-	-	50
-	-	-	-	-	51
-	-	-	-	-	52
1	1	-	-	-	53
-	-	-	-	-	54
-	-	-	-	-	55
-	-	-	-	-	56
-	-	-	-	-	57
-	-	-	-	-	58
-	-	-	-	-	59
-	-	-	-	-	60
-	-	-	-	-	61
-	-	-	-	-	62
-	-	-	-	-	63
-	-	-	-	-	64
398	219	171	5	3	65
-	-	-	-	-	66
389	219	163	5	2	67
7	7	-	-	-	68
-	-	-	-	-	69
3	3	-	-	-	70
-	-	-	-	-	71
4	4	-	-	-	72
-	-	-	-	-	73
-	-	-	-	-	74
-	-	-	-	-	75
117	65	50	2	-	76
2	2	-	-	-	77
20	12	7	1	-	78
6	5	1	-	-	79
30	12	18	-	-	80
5	3	2	-	-	81
2	-	2	-	-	82
1	-	1	-	-	83
6	-	6	-	-	84
-	-	-	-	-	85
16	9	7	-	-	86
-	-	-	-	-	87
-	-	-	-	-	88
13	10	3	-	-	89
10	1	9	-	-	90
3	-	3	-	-	91
7	1	6	-	-	92
3	3	-	-	-	93
31	20	10	1	-	94
2	-	2	-	-	95

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963--Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

WYOMING					
Total	White		Nonwhite		
	Male	Female	Male	Female	
					1
					2
					3
55	49	5	1	-	4
2	2	-	-	-	5
17	16	1	-	-	6
34	29	4	1	-	7
2	2	-	-	-	8
33	-	32	-	1	9
					10
62	23	36	2	1	11
14	...	13	...	1	12
7	...	7	...	-	13
13	...	13	...	-	14
3	...	3	...	-	15
23	21	...	2	...	16
2	2	...	-	...	17
27	19	8	-	-	18
9	5	4	-	-	19
18	14	4	-	-	20
					21
					22
46	30	16	-	-	23
10	6	4	-	-	24
-	-	-	-	-	25
7	6	1	-	-	26
2	1	1	-	-	27
3	3	-	-	-	28
4	3	1	-	-	29
2	1	1	-	-	30
18	10	8	-	-	31
21	12	9	-	-	32
21	14	7	-	-	33
13	9	4	-	-	34
5	4	1	-	-	35
					36
3	1	2	-	-	37
9	-	8	-	1	38
1	...	1	...	-	39
1	-	1	-	-	40
3	-	2	-	1	41
-	...	-	...	-	42
4	-	4	-	-	43
-	-	-	-	-	44
					45
					46
					47
65	29	33	2	1	48
					49
9	5	4	-	-	50
-	-	-	-	-	51
1	-	1	-	-	52
45	19	23	2	1	53
-	-	-	-	-	54
-	-	-	-	-	55
-	-	-	-	-	56
4	3	1	-	-	57
6	2	4	-	-	58
7	4	3	-	-	59
					60
2	-	2	-	-	61
2	-	2	-	-	62
2	-	2	-	-	63
5	4	1	-	-	64
					65
					66
					67
					68
23	11	9	1	2	69
					70
2	-	2	-	-	71
-	-	-	-	-	72
1	-	1	-	-	73
19	10	6	1	2	74
1	1	-	-	-	75
-	-	-	-	-	76
					77
					78
315	166	144	2	3	79
					80
284	149	131	2	2	81
10	5	5	-	-	82
173	88	83	-	2	83
64	37	27	-	-	84
37	19	16	2	-	85
6	4	2	-	-	86
6	1	5	-	-	87
3	1	2	-	-	88
-	-	-	-	-	89
7	3	4	-	-	90
1	1	-	-	-	91
-	-	-	-	-	92
-	-	-	-	-	93
1	1	-	-	-	94
7	6	-	-	1	95

Table 1-24. Deaths From 258 Selected Causes, by Color

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision)

CAUSE OF DEATH	WEST VIRGINIA					WISCONSIN				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM.....	8,477	4,745	3,216	320	196	17,639	10,179	7,235	121	104
DISEASES OF HEART.....400-402,410-443	7,642	4,317	2,866	284	175	15,688	9,203	6,287	106	92
RHEUMATIC FEVER.....400-402	8	7	1	-	-	12	4	7	-	1
CHRONIC RHEUMATIC HEART DISEASE.....410-416	151	74	69	4	4	345	163	176	2	4
DISEASES OF MITRAL VALVE.....410	46	21	24	-	1	130	52	77	-	1
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	20	14	5	1	-	45	30	14	-	1
DISEASES OF PULMONARY VALVE, ETC.....413,414	11	3	7	1	-	22	9	12	-	1
OTHER RHEUMATIC HEART DISEASES.....412,415,416	74	36	33	2	3	148	72	73	2	1
ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	5,779	3,493	1,976	208	102	12,451	7,669	4,638	82	62
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	2,550	1,389	1,007	100	54	5,519	3,017	2,440	30	32
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420.1	3,223	2,100	967	108	48	6,927	4,649	2,196	52	30
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	6	4	2	-	-	5	3	2	-	-
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	48	29	19	-	-	93	51	42	-	-
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	2	1	1	-	-	2	-	2	-	-
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	18	11	7	-	-	42	25	17	-	-
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	28	17	11	-	-	49	26	23	-	-
OTHER MYOCARDIAL DEGENERATION.....422	573	259	282	17	15	1,169	574	583	8	4
WITH ARTERIOSCLEROSIS.....422.1	458	208	226	12	12	881	427	444	7	3
WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	115	51	56	5	3	288	147	139	1	1
OTHER DISEASES OF HEART.....430-434	327	159	141	19	8	495	287	201	2	5
ACUTE AND SUBACUTE ENDOCARDITIS.....430	10	6	2	2	-	24	12	12	-	-
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	10	7	3	-	-	20	17	2	1	-
FUNCTIONAL DISEASE OF HEART.....433	98	38	56	2	2	191	100	90	-	1
OTHER AND UNSPECIFIED DISEASES OF HEART.....434	209	108	80	15	6	260	158	97	1	4
HYPERTENSIVE HEART DISEASE.....440-443	756	296	378	36	46	1,123	455	640	12	16
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	178	83	77	9	9	300	147	149	3	1
OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	578	213	301	27	37	823	308	491	9	15
OTHER HYPERTENSIVE DISEASE.....444-447	214	106	85	16	7	290	140	148	2	-
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	157	84	61	11	1	150	77	73	-	-
ESSENTIAL HYPERTENSION.....444,445,447	57	22	24	5	6	140	63	75	2	-
DISEASES OF ARTERIES.....450-456	517	277	214	13	13	1,350	691	648	7	4
GENERAL ARTERIOSCLEROSIS.....450	386	188	177	10	11	1,039	482	549	5	3
AORTIC ANEURYSM, NONSPHYLLITIC, ETC.....451	84	59	22	2	1	247	176	69	1	1
GANGRENE OF UNSPECIFIED CAUSE.....455	10	8	2	-	-	3	1	2	-	-
OTHER ARTERIAL DISEASES.....452-454,456	37	22	13	1	1	61	32	28	1	-
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	104	45	51	7	1	311	145	152	6	8
VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	1,409	855	460	66	28	2,033	1,230	744	41	18
ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	10	5	4	1	-	14	8	4	1	1
INFLUENZA.....480-483	195	90	89	11	5	214	110	98	5	1
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	757	410	297	30	20	1,252	690	520	27	15
LOBAR PNEUMONIA.....490	119	63	41	10	5	138	72	58	6	2
BRONCHOPNEUMONIA.....491	386	226	142	9	9	788	448	320	14	6
PRIMARY ATYPICAL PNEUMONIA.....492	55	29	21	2	3	128	60	59	5	4
PNEUMONIA, OTHER AND UNSPECIFIED.....493	197	92	93	9	3	198	110	83	2	3
ACUTE BRONCHITIS.....500	9	6	3	-	-	29	19	10	-	-
BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	67	51	14	2	-	78	58	19	1	-
HYPERTROPHY OF TONSILS AND ADENOIDS.....510	4	1	3	-	-	1	1	-	-	-
EMPHYEMA AND ABSCESS OF LUNG.....518,521	6	5	1	-	-	14	12	-	2	-
PLEURISY.....519	4	2	1	1	-	2	2	-	-	-
OTHER CHRONIC INTERSTITIAL PNEUMONIA.....525	50	38	11	1	-	78	58	20	-	-
BRONCHIECTASIS.....526	36	24	11	1	-	32	21	11	-	-
OTHER DISEASES OF LUNG AND PLEURAL CAVITY.....527	194	161	21	11	1	257	215	38	3	1
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	175	146	19	10	-	229	197	28	3	1
ALL OTHER DIS. OF LUNG AND PLEURAL CAVITY.....527.0,527.2	19	15	2	1	1	28	18	10	-	-
OTHER RESPIRATORY DISEASES.....RESIDUAL	77	62	5	8	2	62	36	24	2	-
IX. DISEASES OF THE DIGESTIVE SYSTEM.....	618	344	237	27	10	1,514	858	628	16	12
DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	1	1	-	-	-	2	-	2	-	-
ULCER OF STOMACH.....540	57	31	23	3	-	133	98	32	-	3
ULCER OF DUODENUM.....541	45	29	12	4	-	153	111	41	1	-
GASTRITIS AND DUODENITIS.....543	2	1	1	-	-	8	3	4	-	-
APPENDICITIS.....550-553	19	11	8	-	-	37	22	15	-	-
HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	98	35	56	5	2	235	124	105	6	-
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	29	18	8	3	-	50	21	28	-	1
CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	29	12	17	-	-	91	35	56	-	-
CIRRHOSIS OF LIVER.....581	165	117	40	6	2	356	253	98	2	3
WITHOUT MENTION OF ALCOHOLISM.....581.0	112	78	27	5	2	264	181	78	2	3
WITH ALCOHOLISM.....581.1	53	39	13	1	-	92	72	20	-	-
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	36	14	21	-	1	160	56	101	-	3
FIBROCYSTIC DISEASE OF PANCREAS.....587B	8	5	1	1	1	16	7	9	-	-
OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	129	70	50	5	4	273	128	137	6	2
X. DISEASES OF THE GENITOURINARY SYSTEM.....	308	169	103	24	12	606	366	217	12	11
NEPHRITIS AND NEPHROSIS.....590-594	160	81	61	9	9	211	114	88	4	5
ACUTE NEPHRITIS.....590	16	6	8	-	2	8	6	2	-	-
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	13	4	7	1	1	12	9	3	-	-
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	131	71	46	8	6	191	99	83	4	5
INFECTIONS OF KIDNEY.....600	69	31	32	4	2	172	87	82	2	1
CALCULI OF URINARY SYSTEM.....602,604	9	4	4	1	-	37	15	21	-	1
OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	14	9	4	1	-	47	27	16	1	3
HYPERPLASIA OF PROSTATE.....610	44	35	...	9	...	111	106	...	5	...
DISEASES OF BREAST.....620,621	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	12	9	2	-	1	28	17	10	-	1

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963—Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

WYOMING					
Total	White		.Nonwhite		
	Male	Female	Male	Female	
1,018	648	358	11	1	1
908	588	309	10	1	2
-	-	-	-	-	4
31	16	15	-	-	5
15	5	10	-	-	6
4	3	1	-	-	7
3	2	1	-	-	8
9	6	3	-	-	9
692	473	212	7	-	10
202	118	80	4	-	11
490	355	132	3	-	12
-	-	-	-	-	13
-	-	-	-	-	14
4	3	1	-	-	15
-	-	-	-	-	16
2	1	1	-	-	17
2	2	-	-	-	18
70	39	29	1	1	19
40	18	20	1	1	20
30	21	9	-	-	21
-	-	-	-	-	22
57	34	22	1	-	23
-	-	-	-	-	24
6	3	3	-	-	25
14	8	6	-	-	26
37	23	13	1	-	27
54	23	30	1	-	28
-	-	-	-	-	29
21	10	11	-	-	30
33	13	19	1	-	31
-	-	-	-	-	32
7	4	3	-	-	33
3	1	2	-	-	34
4	3	1	-	-	35
86	48	37	1	-	36
56	30	25	1	-	37
18	13	5	-	-	38
3	-	3	-	-	39
9	5	4	-	-	40
17	8	9	-	-	41
-	-	-	-	-	42
189	127	52	6	4	43
3	-	3	-	-	44
7	4	3	-	-	45
93	51	33	5	4	46
18	9	6	2	1	47
45	25	17	1	2	48
7	1	5	1	-	49
23	16	5	1	1	50
-	-	-	-	-	51
2	2	-	-	-	52
24	22	2	-	-	53
-	-	-	-	-	54
3	1	1	1	-	55
-	-	-	-	-	56
13	12	1	-	-	57
4	2	2	-	-	58
35	30	5	-	-	59
31	27	4	-	-	60
4	3	1	-	-	61
5	3	2	-	-	62
127	75	43	5	4	63
-	-	-	-	-	64
10	8	2	-	-	65
14	8	5	1	-	66
-	-	-	-	-	67
4	3	1	-	-	68
18	8	9	1	-	69
-	-	-	-	-	70
2	1	1	-	-	71
5	3	2	-	-	72
39	26	9	2	2	73
29	19	8	1	1	74
10	7	1	1	1	75
11	4	5	1	1	76
3	2	1	-	-	77
21	12	8	-	1	78
-	-	-	-	-	79
39	22	15	2	-	80
-	-	-	-	-	81
13	6	6	1	-	82
1	1	-	-	-	83
11	5	1	-	-	84
14	9	5	1	-	85
-	-	-	-	-	86
4	3	-	1	-	87
-	-	-	-	-	88
-	-	...	-	...	89
-	-	-	-	-	90
-	-	-	-	-	91
-	-	-	-	-	92
-	-	-	-	-	93
-	-	-	-	-	94
-	-	-	-	-	95

SECTION 1 - MORTALITY

and Sex: United States and Each State, 1963--Con.

of the International Lists, 1955. For complete category titles, see table 1-22. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

WYOHING					
Total	White		Nonwhite		
	Male	Female	Male	Female	
					1
					2
2	...	1	...	1	3
		4
		5
		6
1	1	7
1	...	1	...		8
		9
		10
		11
		12
		13
		14
3	2	1	-	-	15
1	1	-	-	-	16
2	1	1	-	-	17
					18
					19
					20
10	4	6	-	-	21
					22
6	1	5	-	-	23
					24
					25
1	1	-	-	-	26
1	-	1	-	-	27
2	2	-	-	-	28
					29
					30
39	17	19	2	1	31
					32
1	1	-	-	-	33
3	2	1	-	-	34
22	8	12	1	1	35
13	6	6	1	-	36
					37
151	89	55	5	2	38
					39
39	23	16	-	-	40
					41
7	1	6	-	-	42
32	22	10	-	-	43
					44
					45
389	294	83	8	4	46
					47
312	232	70	6	4	48
5	5	-	-	-	49
140	107	25	4	4	50
133	102	23	4	4	51
7	5	2	-	-	52
9	6	1	1	-	53
36	26	10	-	-	54
62	49	8	2	3	55
19	16	2	1	-	56
7	5	2	-	-	57
					58
3	3	-	-	-	59
6	6	-	-	-	60
11	9	1	1	-	61
6	4	2	-	-	62
5	2	3	-	-	63
47	26	21	-	-	64
13	11	2	-	-	65
8	5	3	-	-	66
26	10	16	-	-	67
					68
6	6	-	-	-	69
13	13	-	-	-	70
6	4	2	-	-	71
10	9	1	-	-	72
2	1	1	-	-	73
10	10	-	-	-	74
6	2	4	-	-	75
15	13	2	-	-	76
					77
2	1	1	-	-	78
19	11	7	1	-	79
					80
					81
68	57	10	1	-	82
14	11	3	-	-	83
5	3	2	-	-	84
47	42	4	1	-	85
2	1	1	-	-	86
					87
9	5	3	1	-	88
5	2	2	1	-	89
3	2	1	-	-	90
1	1	-	-	-	91
					92
					93
					94
					95

SECTION 1 - MORTALITY

Table 1-25. Deaths From 60 Selected Causes, by 5-Year

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of

CAUSE OF DEATH, COLOR, AND SEX		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	ALL CAUSES-----	1,813,549	103,390	6,710	4,153	3,136	2,572	119,961	9,051	7,473	13,949
2	Male----	1,027,686	59,734	3,854	2,332	1,732	1,422	68,874	5,271	4,684	9,770
3	Female----	785,863	43,656	3,056	1,821	1,404	1,150	51,087	3,780	2,789	4,179
4	White-----Male----	871,994	42,969	2,542	1,687	1,266	1,088	49,552	4,150	3,739	8,076
5	Female----	661,021	30,758	2,069	1,262	1,030	851	35,970	2,852	2,163	3,308
6	Nonwhite----Male----	120,406	14,907	1,016	584	412	296	17,225	963	828	1,464
7	Female----	96,256	11,604	908	504	333	272	13,621	814	548	756
8	Tuberculosis, all forms (001-019)-----	9,311	34	32	33	13	3	115	13	17	31
9	Male----	6,835	17	18	16	5	-	56	8	8	15
10	Female----	2,476	17	14	17	8	3	59	5	9	16
11	White-----Male----	4,923	9	7	7	1	-	24	7	4	10
12	Female----	1,663	8	9	10	3	2	32	4	2	7
13	Nonwhite----Male----	1,645	8	8	9	3	-	28	1	3	5
14	Female----	717	9	5	7	5	1	27	1	7	9
15	Tuberculosis of respiratory system (001-008)-----	8,608	15	11	10	4	-	40	5	6	21
16	Male----	6,427	9	6	5	2	-	22	3	1	12
17	Female----	2,181	6	5	5	2	-	18	2	5	9
18	White-----Male----	4,689	4	2	2	-	-	8	3	1	8
19	Female----	1,510	3	3	4	-	-	10	2	2	3
20	Nonwhite----Male----	1,488	5	4	3	2	-	14	-	-	4
21	Female----	590	3	2	2	2	-	8	-	3	6
22	Tuberculosis, other forms (010-019)-----	703	19	21	23	9	3	75	8	11	10
23	Male----	408	8	12	11	3	-	34	5	7	3
24	Female----	295	11	9	12	6	3	41	3	4	7
25	White-----Male----	234	5	5	5	1	-	16	4	3	2
26	Female----	153	5	5	6	3	2	22	2	-	4
27	Nonwhite----Male----	157	3	4	6	1	-	14	1	3	1
28	Female----	127	6	3	6	3	1	19	1	4	3
29	Syphilis and its sequelae (020-029)-----	2,666	19	1	-	-	-	20	-	-	2
30	Male----	1,904	9	-	-	-	-	9	-	-	1
31	Female----	762	10	-	-	-	-	11	-	-	1
32	White-----Male----	1,307	2	-	-	-	-	2	-	-	-
33	Female----	456	2	-	-	-	-	2	-	-	-
34	Nonwhite----Male----	548	7	-	-	-	-	7	-	-	1
35	Female----	250	7	1	-	-	-	8	-	-	1
36	Dysentery, all forms (045-048)-----	294	94	12	16	7	8	137	24	7	4
37	Male----	171	46	9	9	3	7	74	11	6	3
38	Female----	123	48	3	7	4	1	63	13	1	1
39	White-----Male----	98	19	3	4	3	5	34	8	3	3
40	Female----	62	19	1	2	1	-	23	10	1	-
41	Nonwhite----Male----	70	26	6	5	-	2	39	3	3	-
42	Female----	60	29	2	5	3	1	40	3	-	1
43	Scarlet fever and streptococcal sore throat (050,051)-----	102	10	4	5	2	3	24	12	9	5
44	Male----	50	3	3	1	2	1	10	6	6	3
45	Female----	52	7	1	4	-	2	14	6	3	2
46	White-----Male----	32	1	2	1	1	-	5	3	2	3
47	Female----	35	3	1	3	-	1	8	3	2	1
48	Nonwhite----Male----	15	2	1	-	-	1	4	3	4	-
49	Female----	15	4	-	1	-	1	6	3	1	1
50	Diphtheria (055)-----	45	3	1	5	7	3	19	16	2	1
51	Male----	25	2	1	2	5	3	13	7	1	-
52	Female----	20	1	-	3	2	-	6	9	1	1
53	White-----Male----	15	-	-	2	2	1	5	6	1	-
54	Female----	6	1	-	-	-	1	2	2	1	-
55	Nonwhite----Male----	9	2	1	-	3	2	8	-	-	-
56	Female----	13	-	-	3	2	-	5	7	-	-
57	Whooping cough (056)-----	115	88	15	6	4	1	114	1	-	-
58	Male----	52	42	5	3	1	-	51	1	-	-
59	Female----	63	46	10	3	3	1	63	-	-	-
60	White-----Male----	20	19	-	1	-	-	20	-	-	-
61	Female----	27	22	3	-	1	1	27	-	-	-
62	Nonwhite----Male----	31	22	5	2	1	-	30	1	-	-
63	Female----	36	24	7	3	2	-	36	-	-	-
64	Meningococcal infections (057)-----	733	203	114	83	44	22	466	63	18	41
65	Male----	396	108	62	41	23	13	247	34	11	29
66	Female----	337	95	52	42	21	9	219	29	7	12
67	White-----Male----	319	89	49	34	16	9	197	29	6	24
68	Female----	263	75	40	35	18	6	174	20	3	11
69	Nonwhite----Male----	67	17	9	7	6	3	42	5	5	5
70	Female----	69	19	12	6	3	3	43	8	3	1
71	Acute poliomyelitis (080)-----	41	6	2	2	2	-	12	5	4	-
72	Male----	27	5	2	2	1	-	10	2	1	-
73	Female----	14	1	-	-	-	-	2	3	3	-
74	White-----Male----	21	5	1	1	1	-	8	2	1	-
75	Female----	12	1	-	-	-	-	1	3	3	-
76	Nonwhite----Male----	5	-	1	1	-	-	2	-	-	-
77	Female----	2	-	-	-	1	-	1	-	-	-
78	Measles (085)-----	364	78	81	51	24	28	242	80	23	5
79	Male----	171	34	46	19	8	11	118	40	7	1
80	Female----	193	44	35	12	16	17	124	40	16	4
81	White-----Male----	127	24	29	15	8	7	81	35	5	1
82	Female----	142	23	24	7	14	15	83	34	16	2
83	Nonwhite----Male----	42	9	17	4	2	4	36	5	1	-
84	Female----	48	21	11	4	2	1	39	5	-	2
85	Other infective and parasitic diseases (030-044,049,052-054,058-074, 081-084,086-138)-----	6,062	790	187	119	82	54	1,232	224	133	137
86	Male----	3,293	449	101	63	45	29	687	129	62	80
87	Female----	2,769	341	86	56	37	25	545	95	71	57
88	White-----Male----	2,568	306	78	42	37	25	498	111	45	66
89	Female----	2,128	224	62	40	31	22	379	71	53	42
90	Nonwhite----Male----	636	136	21	20	8	3	188	17	15	13
91	Female----	571	114	21	15	6	3	159	22	18	11

SECTION 1 - MORTALITY

Table 1-25. Deaths From 60 Selected Causes, by 5-Year

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of

CAUSE OF DEATH, COLOR, AND SEX		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)-----	285,362	260	324	385	491	472	1,932	1,557	1,059	1,169
2	Male----	154,288	155	184	210	282	272	1,103	848	606	684
3	Female--	131,074	105	140	175	209	200	829	709	453	485
4	White-----	133,202	134	158	183	240	233	948	734	530	589
5	Female--	113,621	85	108	147	183	171	694	611	375	413
6	Nonwhite-----	14,875	18	22	20	34	28	122	75	61	73
7	Female--	12,057	18	23	22	20	26	109	71	66	60
8	Malignant neoplasm of buccal cavity and pharynx (140-148)-----	6,508	-	-	5	2	1	8	7	10	15
9	Male----	4,935	-	-	4	-	-	4	2	8	12
10	Female--	1,573	-	-	1	2	1	4	5	2	3
11	White-----	4,273	-	-	3	-	-	3	1	6	8
12	Female--	1,370	-	-	1	2	1	4	5	1	2
13	Nonwhite-----	473	-	-	1	-	-	1	1	2	3
14	Female--	152	-	-	-	-	-	-	-	1	1
15	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary (150-156A,157-159)-----	92,914	16	9	13	12	5	55	23	19	58
16	Male----	50,361	8	6	9	7	2	32	13	7	33
17	Female--	42,553	8	3	4	5	3	23	10	12	25
18	White-----	42,786	7	6	9	7	2	31	11	6	26
19	Female--	37,122	6	3	4	4	1	18	8	8	21
20	Nonwhite-----	5,337	1	-	-	-	-	1	1	1	7
21	Female--	3,559	2	-	-	-	1	3	1	3	3
22	Malignant neoplasm of respiratory system, not specified as secondary (160-164)-----	46,973	10	1	2	-	2	15	3	9	14
23	Male----	39,817	7	1	1	-	1	10	1	8	6
24	Female--	7,156	3	-	1	-	1	5	2	1	8
25	White-----	34,562	4	1	1	-	1	7	1	6	6
26	Female--	6,203	2	-	1	-	1	4	2	-	7
27	Nonwhite-----	3,599	2	-	-	-	-	2	-	1	-
28	Female--	669	1	-	-	-	-	1	-	1	1
29	Malignant neoplasm of breast (170)-----	25,401	2	-	-	-	-	2	1	1	4
30	Male----	262	-	-	-	-	-	-	-	-	1
31	Female--	25,139	2	-	-	-	-	2	1	1	3
32	White-----	221	-	-	-	-	-	-	-	-	1
33	Female--	21,985	1	-	-	-	-	1	-	-	3
34	Nonwhite-----	27	-	-	-	-	-	-	-	-	-
35	Female--	2,020	1	-	-	-	-	1	1	1	-
36	Malignant neoplasm of genital organs (171-179)-----	39,983	2	7	7	7	3	26	12	45	94
37	Male----	16,409	-	4	4	6	1	15	3	8	48
38	Female--	23,574	2	3	3	1	2	11	9	37	46
39	White-----	13,836	-	4	4	6	1	15	3	8	43
40	Female--	19,543	2	2	2	1	1	8	8	29	33
41	Nonwhite-----	2,045	-	-	-	-	-	-	-	-	2
42	Female--	3,117	-	-	1	-	1	2	1	5	9
43	Malignant neoplasm of urinary organs (180,181)-----	13,583	16	31	24	30	32	133	91	13	15
44	Male----	9,122	9	19	13	17	21	79	42	9	5
45	Female--	4,461	7	12	11	13	11	54	49	4	10
46	White-----	8,096	9	16	9	12	18	64	35	8	1
47	Female--	3,902	5	10	8	11	10	44	38	3	10
48	Nonwhite-----	605	-	2	3	4	1	10	4	1	4
49	Female--	363	2	1	-	2	1	6	9	1	-
50	Malignant neoplasm of other and unspecified sites (156B,165,190-199)-----	32,086	82	117	141	152	106	598	466	394	419
51	Male----	17,332	49	67	75	77	57	325	255	220	236
52	Female--	14,754	33	50	66	75	49	273	211	174	183
53	White-----	15,245	40	61	63	62	48	274	215	195	209
54	Female--	12,896	29	41	58	63	37	228	182	142	155
55	Nonwhite-----	1,490	8	5	10	12	7	42	27	23	22
56	Female--	1,332	3	6	6	9	11	35	22	29	25
57	Leukemia and aleukemia (204)-----	13,507	104	132	170	254	298	958	794	419	332
58	Male----	7,807	65	73	93	145	173	549	412	235	213
59	Female--	5,700	39	59	77	109	125	409	382	184	119
60	White-----	6,954	58	61	85	129	148	481	363	205	180
61	Female--	5,089	32	41	65	98	113	349	356	157	108
62	Nonwhite-----	565	6	10	5	13	18	52	28	22	27
63	Female--	434	6	15	11	9	11	52	30	22	8
64	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)-----	14,407	28	27	23	34	25	137	160	149	218
65	Male----	8,245	17	14	11	30	17	89	120	111	130
66	Female--	6,164	11	13	12	4	8	48	40	38	88
67	White-----	7,229	16	9	9	24	15	73	105	98	115
68	Female--	5,511	8	11	8	4	7	39	32	35	74
69	Nonwhite-----	734	1	5	1	5	2	14	14	11	8
70	Female--	411	3	1	4	-	1	9	7	3	13
71	Benign neoplasms and neoplasms of unspecified nature (210-239)-----	4,905	125	29	25	14	23	216	113	99	102
72	Male----	2,280	73	12	14	8	14	121	64	53	55
73	Female--	2,625	52	17	11	6	9	95	49	46	47
74	White-----	1,962	61	7	13	5	12	98	55	42	45
75	Female--	2,096	44	14	8	8	8	80	37	37	40
76	Nonwhite-----	247	9	5	1	3	2	20	8	10	6
77	Female--	438	5	3	2	-	1	11	11	9	6
78	Asthma (241)-----	5,058	25	21	19	14	10	89	45	48	48
79	Male----	3,160	13	11	9	7	7	47	26	28	24
80	Female--	1,898	12	10	10	7	3	42	19	20	24
81	White-----	2,677	8	8	3	3	6	28	16	19	11
82	Female--	1,501	7	4	7	4	1	23	14	11	12
83	Nonwhite-----	403	5	3	6	4	-	18	10	8	12
84	Female--	355	5	6	3	3	2	19	5	9	12
85	Diabetes mellitus (260)-----	32,465	15	14	5	6	4	44	38	79	108
86	Male----	13,183	7	6	4	4	1	19	18	19	44
87	Female--	19,282	8	8	1	5	3	25	20	60	64
88	White-----	11,203	5	3	4	1	1	14	16	14	32
89	Female--	15,633	4	5	1	4	2	16	18	51	48
90	Nonwhite-----	1,455	2	3	-	-	-	5	2	5	9
91	Female--	2,811	4	3	-	-	1	8	1	7	13

SECTION 1 - MORTALITY

Age Groups, Color, and Sex: United States, 1963-Con.

the Seventh Revision of the International Lists, 1955. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

Table with 18 columns representing age groups from 20-24 years to 100 and over, and 2 columns for 'Not stated' and a final column for counts. The table contains numerical data for each age group, organized in a grid format.

SECTION 1 - MORTALITY

Table 1-25. Deaths From 60 Selected Causes, by 5-Year

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of

CAUSE OF DEATH, COLOR, AND SEX		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	Acute nephritis, and nephritis with edema including nephrosis (590,591)---	1,434	17	16	20	16	9	78	64	36	46
2	Male----	805	12	9	12	10	2	45	34	17	20
3	Female----	629	5	7	8	6	7	33	30	19	26
4	White-----Male----	586	8	7	7	4	1	27	20	14	17
5	Female----	457	4	1	4	3	4	16	22	13	16
6	Nonwhite----Male----	190	4	1	5	6	1	17	14	3	3
7	Female----	155	1	6	4	3	3	17	7	5	9
8	Infections of kidney (600)-----	8,952	36	11	7	7	3	64	24	22	35
9	Male----	4,325	28	6	3	4	1	42	6	10	11
10	Female----	4,627	8	5	4	3	2	22	18	12	24
11	White-----Male----	3,561	18	5	3	3	-	29	4	9	10
12	Female----	3,639	7	4	3	2	2	18	14	10	20
13	Nonwhite----Male----	837	9	1	1	1	-	11	3	1	1
14	Female----	840	1	1	1	-	-	4	2	1	4
15	Hyperplasia of prostate (610)-----	4,248	-	-	-	-	-	-	-	-	-
16	White-----Male----	3,523	-	-	-	-	-	-	-	-	-
17	Nonwhite----Male----	594	-	-	-	-	-	-	-	-	-
18	Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)-----	1,466	-	-	-	-	-	-	-	7	130
19	White-----Female----	797	-	-	-	-	-	-	-	-	85
20	Nonwhite----Female----	619	-	-	-	-	-	-	-	7	62
21	Abortion (650-652)-----	280	-	-	-	-	-	-	-	2	17
22	White-----Female----	161	-	-	-	-	-	-	-	-	5
23	Nonwhite----Female----	107	-	-	-	-	-	-	-	2	11
24	Other complications of pregnancy, childbirth, and the puerperium (640-649,660-689)-----	1,186	-	-	-	-	-	-	-	5	113
25	White-----Female----	636	-	-	-	-	-	-	-	-	60
26	Nonwhite----Female----	512	-	-	-	-	-	-	-	5	51
27	Congenital malformations (750-759)-----	20,817	14,581	873	447	272	211	16,394	634	429	415
28	Male----	11,209	7,943	425	234	130	91	8,823	341	247	241
29	Female----	9,608	6,638	448	213	142	120	7,561	293	182	174
30	White-----Male----	9,344	6,603	345	182	105	74	7,309	280	212	202
31	Female----	8,008	5,570	341	156	112	92	6,271	235	154	137
32	Nonwhite----Male----	1,490	1,067	72	47	21	17	1,224	50	29	25
33	Female----	1,302	866	92	45	25	23	1,051	49	20	32
34	Certain diseases of early infancy (760-776)-----	62,688	62,664	4	6	2	-	62,676	5	4	2
35	Male----	36,902	36,887	3	6	2	-	36,898	2	1	-
36	Female----	25,786	25,777	1	-	-	-	25,778	3	3	2
37	White-----Male----	27,112	27,102	3	2	1	-	27,108	2	1	-
38	Female----	18,494	18,486	-	-	-	-	18,486	3	3	2
39	Nonwhite----Male----	8,535	8,531	-	3	1	-	8,535	-	-	-
40	Female----	6,434	6,433	1	-	-	-	6,434	-	-	-
41	Birth injuries, postnatal asphyxia, and atelectasis (760-762)-----	26,889	26,888	-	-	-	-	26,888	-	1	-
42	Male----	16,122	16,121	-	-	-	-	16,121	-	1	-
43	Female----	10,767	10,767	-	-	-	-	10,767	-	-	-
44	White-----Male----	12,382	12,381	-	-	-	-	12,381	-	1	-
45	Female----	8,016	8,016	-	-	-	-	8,016	-	-	-
46	Nonwhite----Male----	3,078	3,078	-	-	-	-	3,078	-	-	-
47	Female----	2,313	2,313	-	-	-	-	2,313	-	-	-
48	Infections of newborn (763-768)-----	4,408	4,408	-	-	-	-	4,408	-	-	-
49	Male----	2,573	2,573	-	-	-	-	2,573	-	-	-
50	Female----	1,835	1,835	-	-	-	-	1,835	-	-	-
51	White-----Male----	1,591	1,591	-	-	-	-	1,591	-	-	-
52	Female----	1,138	1,138	-	-	-	-	1,138	-	-	-
53	Nonwhite----Male----	903	903	-	-	-	-	903	-	-	-
54	Female----	651	651	-	-	-	-	651	-	-	-
55	Other diseases peculiar to early infancy, and immaturity, unqualified (769-776)-----	31,391	31,368	4	6	2	-	31,380	5	3	2
56	Male----	18,207	18,193	3	6	2	-	18,204	2	-	-
57	Female----	13,184	13,175	1	-	-	-	13,176	3	3	2
58	White-----Male----	13,139	13,130	3	2	1	-	13,136	2	-	-
59	Female----	9,340	9,332	-	-	-	-	9,332	3	3	2
60	Nonwhite----Male----	4,554	4,550	-	3	1	-	4,554	-	-	-
61	Female----	3,470	3,469	1	-	-	-	3,470	-	-	-
62	Symptoms, senility, and ill-defined conditions (780-795)-----	22,420	2,533	194	95	64	46	2,932	114	102	184
63	Male----	13,131	1,457	111	52	35	22	1,677	64	46	117
64	Female----	9,289	1,076	83	43	29	24	1,255	50	56	67
65	White-----Male----	8,608	596	46	20	14	10	686	37	31	88
66	Female----	5,756	430	30	20	10	11	501	28	38	47
67	Nonwhite----Male----	4,391	855	65	32	21	10	983	27	14	25
68	Female----	3,425	640	52	22	19	12	745	20	15	19
69	All other diseases (Residual)-----	54,150	2,617	577	390	301	220	4,105	872	745	810
70	Male----	29,634	1,505	310	215	159	121	2,310	441	389	503
71	Female----	24,516	1,112	267	175	142	99	1,795	431	356	307
72	White-----Male----	24,658	1,113	232	175	126	100	1,746	350	330	412
73	Female----	20,398	811	204	141	114	78	1,348	351	279	234
74	Nonwhite----Male----	4,075	356	67	36	21	19	499	72	49	77
75	Female----	3,374	274	52	27	19	18	390	71	70	65
76	Accidents (E800-E862)-----	100,669	3,514	1,735	1,353	1,120	966	8,688	3,732	3,230	7,948
77	Male----	68,639	1,949	987	804	652	583	4,975	2,430	2,417	6,230
78	Female----	32,030	1,565	748	549	468	383	3,713	1,302	813	1,718
79	White-----Male----	57,090	1,362	730	604	470	440	3,606	1,888	1,902	5,348
80	Female----	26,911	1,023	551	380	337	273	2,544	920	651	1,502
81	Nonwhite----Male----	9,871	530	258	181	165	129	1,243	481	459	756
82	Female----	4,215	493	200	154	118	103	1,068	346	145	176
83	Motor vehicle accidents (E810-E835)-----	43,564	321	448	408	412	402	1,991	1,759	1,304	5,383
84	Male----	31,715	157	252	240	243	243	1,135	1,159	896	4,054
85	Female----	11,849	164	196	168	169	159	856	600	418	1,329
86	White-----Male----	27,186	137	211	199	178	190	915	927	753	3,637
87	Female----	10,363	144	174	128	143	135	722	435	359	1,139
88	Nonwhite----Male----	3,826	18	38	37	58	49	199	203	115	345
89	Female----	1,216	17	19	58	25	24	123	104	52	98

SECTION 1 - MORTALITY

Table 1-25. Deaths From 60 Selected Causes, by 5-Year

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of

CAUSE OF DEATH, COLOR, AND SEX		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	Accidents—Con.										
2	Other accidents (E800-E802, E840-E862)-----	57,105	3,193	1,287	945	708	564	6,697	1,973	1,926	2,563
3	Male----	36,824	1,792	735	564	409	340	3,840	1,271	1,531	2,176
4	Female--	20,181	1,401	552	381	299	224	2,857	702	395	387
5	White-----Male----	29,904	1,225	519	405	292	250	2,691	961	1,149	1,709
6	Female--	16,548	879	357	252	194	140	1,822	437	292	303
7	Nonwhite-----Male----	6,045	512	200	144	107	81	1,044	278	344	411
	Female--	2,999	476	181	116	93	79	945	242	93	78
8	Suicide (E965, E970-E979)-----	20,825	3	101	617
9	Male----	15,276	3	84	468
10	Female--	5,549	-	17	149
11	White-----Male----	14,051	1	77	421
12	Female--	5,117	-	13	126
13	Nonwhite-----Male----	829	2	7	34
14	Female--	244	-	4	19
15	Homicide (E964, E980-E985)-----	9,225	203	48	63	31	44	389	124	101	557
16	Male----	6,921	104	26	36	14	24	204	69	55	427
17	Female--	2,304	99	22	27	17	20	185	55	46	130
18	White-----Male----	3,060	71	20	27	12	18	148	48	33	190
19	Female--	1,239	67	19	18	14	11	129	37	26	68
20	Nonwhite-----Male----	3,730	30	5	9	2	6	52	18	22	230
21	Female--	1,003	27	3	8	3	9	50	16	17	58

SECTION 1 - MORTALITY

Age Groups, Color, and Sex: United States, 1963-Con.

the Seventh Revision of the International Lists, 1955. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
2,203	1,932	2,090	2,448	2,703	2,866	3,086	2,885	2,919	2,867	3,541	4,030	4,369	3,603	1,865	438	57	44	1
1,899	1,629	1,730	1,969	2,118	2,251	2,412	2,235	2,101	1,879	2,009	1,897	1,798	1,348	610	183	19	39	2
304	303	360	479	585	615	674	650	818	968	1,532	2,133	2,571	2,255	1,255	275	38	5	3
1,531	1,258	1,350	1,534	1,665	1,818	1,967	1,884	1,714	1,577	1,742	1,698	1,637	1,271	561	147	16	24	4
217	198	241	364	452	504	532	530	659	803	1,323	1,814	2,377	2,103	1,197	251	27	2	5
329	332	336	386	401	378	381	301	320	241	204	138	117	47	29	12	3	14	6
74	96	100	109	114	95	116	98	133	138	160	138	111	90	36	19	11	3	7
1,046	1,194	1,427	1,899	2,025	2,143	2,387	2,178	1,686	1,345	1,189	863	466	193	48	5	-	10	8
769	842	967	1,274	1,401	1,483	1,754	1,658	1,283	1,021	950	713	395	175	37	3	-	6	9
277	352	460	625	624	650	653	520	403	324	239	150	71	18	11	2	-	4	10
664	737	838	1,145	1,285	1,398	1,612	1,558	1,214	960	880	676	376	167	54	2	-	6	11
244	307	407	580	587	607	619	491	376	299	222	143	65	16	10	2	-	3	12
86	84	-105	101	76	60	74	54	36	37	36	24	9	3	-	1	-	-	13
24	30	38	32	22	14	15	10	7	13	10	2	1	1	-	-	-	1	14
1,052	1,095	1,164	1,167	995	744	595	426	307	195	139	85	60	11	8	-	5	16	15
819	882	870	888	761	567	456	341	240	131	99	51	38	5	5	-	4	9	16
233	213	294	279	234	177	129	85	67	64	40	34	22	6	3	-	1	7	17
304	324	354	350	307	257	208	183	122	84	71	34	29	4	4	-	2	4	18
101	95	123	122	115	113	73	53	51	44	30	26	21	6	3	-	1	3	19
496	540	501	524	441	301	236	154	112	45	27	14	8	1	1	-	2	5	20
125	113	166	151	115	62	50	28	13	18	10	6	1	-	-	-	-	4	21

Table 1-26. Death Rates for 60 Selected Causes, by 5-Year

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population in specified group. Numbers after causes of

CAUSE OF DEATH, COLOR, AND SEX		Total ¹	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	ALL CAUSES	961.9	2,537.2	99.5	45.2	41.5	90.5	124.9
2	Male	1,109.5	2,871.8	107.9	51.8	51.2	126.1	181.1
3	Female	819.4	2,188.3	90.9	38.4	31.5	54.5	71.0
4	White	954.3	2,225.4	86.4	42.2	39.3	86.9	114.4
5	Male	1,102.7	2,533.5	94.4	49.1	48.8	122.4	167.6
6	Female	810.3	1,902.2	78.0	35.0	29.3	50.9	63.1
7	Nonwhite	1,007.3	4,168.4	175.8	63.6	37.2	119.9	207.0
8	Male	1,153.8	4,658.4	188.0	69.0	68.8	159.1	291.1
9	Female	869.4	3,672.2	163.7	58.3	45.6	81.0	130.0
10	Tuberculosis, all forms (001-019)	4.9	0.8	0.5	0.1	0.1	0.2	0.5
11	Male	7.4	0.8	0.5	0.1	0.1	0.2	0.6
12	Female	2.6	0.9	0.5	0.1	0.1	0.2	0.4
13	White	4.1	0.5	0.3	0.1	0.0	0.1	0.2
14	Male	6.2	0.5	0.2	0.1	0.1	0.2	0.3
15	Female	2.0	0.5	0.4	0.0	0.0	0.1	0.2
16	Nonwhite	11.0	2.7	1.5	0.1	0.4	0.8	2.5
17	Male	15.8	2.5	1.6	0.1	0.7	0.5	3.1
18	Female	6.5	2.8	1.5	0.1	0.6	1.0	2.0
19	Tuberculosis of respiratory system (001-008)	4.6	0.4	0.2	0.0	0.0	0.1	0.4
20	Male	6.9	0.4	0.2	0.0	0.0	0.2	0.4
21	Female	2.3	0.3	0.1	0.0	0.1	0.1	0.3
22	White	3.9	0.2	0.1	0.0	0.0	0.1	0.2
23	Male	5.9	0.2	0.1	0.0	0.0	0.1	0.2
24	Female	1.9	0.2	0.1	0.0	0.0	0.0	0.2
25	Nonwhite	9.7	1.3	0.6	-	0.1	0.5	1.7
26	Male	14.3	1.6	0.7	-	-	0.6	1.9
27	Female	5.3	0.9	0.4	-	0.2	0.6	1.5
28	Tuberculosis, other forms (010-019)	0.4	0.5	0.3	0.0	0.1	0.1	0.2
29	Male	0.4	0.4	0.3	0.0	0.1	0.0	0.2
30	Female	0.3	0.6	0.4	0.0	0.0	0.1	0.1
31	White	0.2	0.3	0.2	0.0	0.0	0.0	0.0
32	Male	0.3	0.3	0.2	0.0	0.0	0.0	0.1
33	Female	0.2	0.3	0.3	0.0	0.1	0.1	0.0
34	Nonwhite	1.3	1.4	1.0	0.1	0.3	0.2	0.8
35	Male	1.5	0.9	0.9	0.1	0.2	0.1	1.2
36	Female	1.1	1.9	1.1	0.1	0.3	0.3	0.5
37	Syphilis and its sequelae (020-029)	1.4	0.5	0.0	-	-	0.0	0.0
38	Male	2.1	0.4	-	-	-	0.0	0.1
39	Female	0.8	0.5	0.0	-	-	0.0	-
40	White	1.1	0.1	-	-	-	-	0.0
41	Male	1.7	0.1	-	-	-	-	-
42	Female	0.6	0.1	-	-	-	-	-
43	Nonwhite	3.7	2.2	0.0	-	-	0.1	0.2
44	Male	5.3	2.2	-	-	-	0.1	0.4
45	Female	2.3	2.2	0.1	-	-	0.1	-
46	Dysentery, all forms (045-048)	0.2	2.3	0.3	0.1	0.0	0.0	0.0
47	Male	0.2	2.2	0.3	0.1	0.1	0.0	0.0
48	Female	0.1	2.4	0.2	0.1	0.0	0.0	0.0
49	White	0.1	1.1	0.1	0.1	0.0	0.0	0.0
50	Male	0.1	1.1	0.2	0.1	0.0	0.0	0.0
51	Female	0.1	1.2	0.1	0.1	0.0	-	-
52	Nonwhite	0.6	8.6	1.0	0.2	0.1	0.1	0.1
53	Male	0.7	8.1	1.1	0.2	0.2	-	-
54	Female	0.5	9.2	0.9	0.2	-	0.1	0.1
55	Scarlet fever and streptococcal sore throat (050,051)	0.1	0.2	0.1	0.1	0.1	0.0	0.0
56	Male	0.1	0.1	0.1	0.1	0.1	0.0	0.0
57	Female	0.1	0.4	0.1	0.1	0.0	0.0	0.0
58	White	0.0	0.1	0.1	0.0	0.0	0.0	0.0
59	Male	0.0	0.1	0.1	0.0	0.0	0.0	0.0
60	Female	0.0	0.2	0.1	0.0	0.0	0.0	-
61	Nonwhite	0.1	0.9	0.2	0.2	0.2	0.1	0.1
62	Male	0.1	0.6	0.2	0.2	0.3	-	-
63	Female	0.1	1.3	0.2	0.2	0.1	0.1	0.3
64	Diphtheria (055)	0.0	0.1	0.1	0.1	0.0	0.0	0.0
65	Male	0.0	0.1	0.1	0.1	0.0	-	0.0
66	Female	0.0	0.1	0.1	0.1	0.0	0.0	-
67	White	0.0	0.0	0.0	0.0	0.0	-	-
68	Male	0.0	-	0.1	0.1	0.0	-	-
69	Female	0.0	0.1	-	0.0	0.0	-	-
70	Nonwhite	0.1	0.3	0.4	0.3	-	-	0.1
71	Male	0.1	0.6	0.5	-	-	-	0.1
72	Female	0.1	-	0.4	0.5	-	-	-
73	Whooping cough (056)	0.1	2.2	0.2	0.0	-	-	-
74	Male	0.1	2.0	0.1	0.0	-	-	-
75	Female	0.1	2.3	0.2	-	-	-	-
76	White	0.0	1.2	0.0	-	-	-	-
77	Male	0.0	1.1	0.0	-	-	-	-
78	Female	0.0	1.4	0.1	-	-	-	-
79	Nonwhite	0.3	7.2	0.8	0.0	-	-	-
80	Male	0.3	6.9	0.6	0.1	-	-	-
81	Female	0.3	7.6	1.0	-	-	-	-
82	Meningococcal infections (057)	0.4	5.0	1.6	0.3	0.1	0.3	0.2
83	Male	0.4	5.2	1.6	0.3	0.1	0.4	0.4
84	Female	0.4	4.8	1.3	0.3	0.1	0.2	0.1
85	White	0.4	5.0	1.3	0.3	0.1	0.3	0.2
86	Male	0.4	5.2	1.3	0.3	0.1	0.4	0.4
87	Female	0.3	4.6	1.3	0.2	0.0	0.2	0.1
88	Nonwhite	0.6	5.7	2.0	0.5	0.3	0.3	0.4
89	Male	0.6	5.3	2.0	0.4	0.4	0.5	0.6
90	Female	0.6	6.0	1.9	0.6	0.2	0.1	0.3

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - MORTALITY

Age Groups, Color, and Sex: United States, 1963

death are category numbers of the Seventh Revision of the International Lists, 1955. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
132.3	163.9	240.9	365.8	584.7	925.5	1,405.1	2,104.3	3,236.0	4,680.3	7,060.6	11,244.5	21,012.1	1
176.5	206.3	296.9	458.3	754.2	1,228.0	1,900.3	2,823.6	4,364.5	6,048.3	8,624.2	12,976.2	22,460.3	2
89.5	123.2	187.4	278.1	422.6	635.7	937.3	1,450.4	2,278.0	3,568.0	5,849.2	10,021.0	20,108.4	3
112.9	137.1	205.4	319.2	532.9	846.9	1,316.2	1,967.8	3,073.5	4,578.5	7,047.1	11,450.0	21,578.6	4
154.2	176.9	259.2	409.4	701.9	1,153.2	1,824.8	2,713.1	4,196.8	5,961.9	8,658.2	13,266.0	23,066.3	5
72.3	98.2	153.4	233.0	370.2	553.4	836.4	1,293.6	2,121.6	3,456.7	5,812.0	10,195.2	20,659.6	6
276.7	368.4	532.5	768.0	1,044.9	1,635.5	2,444.0	3,465.0	5,005.1	7,463.6	11,075.9	16,668.4	31,569.2	7
355.9	448.4	629.8	896.0	1,243.9	1,924.4	2,808.7	3,884.6	5,614.3	8,202.2	12,196.4	18,373.0	34,573.6	8
207.7	300.6	448.1	653.8	865.1	1,365.1	1,893.6	2,801.7	4,023.4	5,833.8	8,597.0	12,815.1	24,404.4	9
1.0	1.8	3.1	4.4	6.2	8.3	11.3	14.5	18.4	22.7	27.4	32.0	38.2	10
0.9	2.0	3.8	5.4	8.8	12.7	18.3	25.3	32.8	39.2	46.7	53.8	64.7	11
1.2	1.6	2.4	3.4	3.7	4.0	4.6	4.6	6.2	9.3	12.5	16.5	21.7	12
0.4	0.9	1.7	2.8	4.6	6.3	9.2	12.3	15.2	20.6	25.3	30.2	33.4	13
0.4	1.0	2.0	3.5	6.4	9.9	15.0	21.9	27.5	35.7	43.3	49.9	55.4	14
0.4	0.7	1.4	2.1	2.8	2.9	3.8	3.6	4.9	8.4	11.5	16.4	19.7	15
5.4	8.0	13.6	17.8	20.6	25.4	30.1	37.2	55.8	46.9	54.0	53.7	93.6	16
4.2	8.9	17.6	22.2	31.3	39.0	48.8	59.2	77.8	77.8	86.5	92.1	151.5	17
6.5	7.3	10.2	13.8	11.1	12.6	12.0	16.0	23.4	20.5	25.4	20.5	51.1	18
0.8	1.6	2.8	4.0	5.8	7.8	10.5	13.6	17.4	21.4	25.8	30.6	36.6	19
0.7	1.7	3.5	5.0	8.3	12.1	17.3	24.2	31.4	37.3	44.5	51.3	62.3	20
1.0	1.5	2.2	3.1	3.3	3.6	3.9	4.0	5.5	8.4	11.3	15.9	20.6	21
0.3	0.8	1.6	2.7	4.3	6.1	8.7	11.7	14.6	19.4	23.9	28.9	32.3	22
0.4	0.9	1.9	3.4	6.0	9.5	14.4	21.1	26.6	34.0	41.5	47.7	53.7	23
0.3	0.7	1.3	2.0	2.6	2.7	3.4	3.1	4.4	7.6	10.4	15.8	19.0	24
4.3	7.0	12.4	15.6	18.7	23.2	26.3	33.3	50.9	42.8	50.2	50.7	85.9	25
3.4	7.2	16.3	19.4	28.9	36.4	44.5	54.9	85.7	72.8	81.1	87.3	142.4	26
5.2	6.7	9.1	12.1	9.5	10.8	8.8	12.7	20.2	17.1	23.0	19.2	44.4	27
0.2	0.2	0.2	0.3	0.4	0.5	0.8	0.9	1.0	1.4	1.6	1.4	1.6	28
0.1	0.3	0.2	0.4	0.5	0.6	1.0	1.2	1.3	1.9	2.2	2.5	2.3	29
0.2	0.1	0.2	0.3	0.4	0.3	0.6	0.7	0.7	0.9	1.1	0.7	1.1	30
0.1	0.0	0.1	0.1	0.3	0.3	0.5	0.6	0.6	1.2	1.4	1.3	1.1	31
0.1	0.1	0.1	0.1	0.4	0.4	0.7	0.8	0.9	1.7	1.8	2.2	1.8	32
0.1	-	0.1	0.1	0.2	0.2	0.3	0.4	0.5	0.8	1.0	0.6	0.7	33
1.1	1.1	1.2	2.2	1.9	2.2	3.8	3.8	4.8	4.1	3.8	2.9	7.7	34
0.8	1.7	1.3	2.8	2.3	2.6	4.3	4.4	6.7	5.0	5.4	4.8	9.1	35
1.3	0.6	1.1	1.7	1.6	1.8	3.2	3.3	3.2	3.3	2.4	1.4	6.7	36
0.1	0.1	0.3	0.5	0.9	1.9	3.8	5.8	7.5	8.1	9.2	9.9	9.0	37
0.1	0.2	0.3	0.8	1.2	2.7	5.8	9.0	12.9	14.8	14.8	14.4	8.3	38
0.0	0.1	0.2	0.2	0.5	1.2	1.9	2.8	2.9	3.7	4.8	6.7	9.4	39
0.0	0.0	0.1	0.2	0.5	1.2	2.5	4.4	5.9	6.8	8.5	9.1	8.1	40
0.1	0.1	0.2	0.3	0.8	1.7	3.9	7.0	10.4	11.4	13.4	13.6	8.5	41
0.0	-	0.0	0.1	0.2	0.7	1.2	2.0	2.1	3.2	4.7	6.0	7.8	42
0.3	0.7	1.4	3.0	4.1	8.6	17.2	21.0	27.8	23.8	18.6	17.6	19.2	43
0.5	1.0	1.6	5.0	4.9	11.1	24.8	29.8	44.8	39.4	29.7	20.6	9.1	44
0.1	0.4	1.3	1.2	3.3	6.2	9.8	12.7	12.7	10.5	8.7	15.1	26.7	45
0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.2	0.2	0.1	0.2	0.7	1.6	46
0.1	0.1	0.1	0.1	0.0	0.1	0.2	0.3	0.3	0.2	0.4	0.8	1.6	47
0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.0	0.0	0.1	0.7	1.6	48
0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.1	0.1	0.2	0.6	1.3	49
0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.2	0.1	0.2	0.3	0.6	1.2	50
0.0	-	-	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.6	1.4	51
0.2	0.2	0.2	0.1	0.2	0.1	0.9	0.6	0.6	1.0	0.8	2.2	5.1	52
0.2	0.3	0.3	0.2	-	-	1.0	0.9	0.9	2.2	1.8	3.2	6.1	53
0.3	0.1	0.1	-	0.4	0.2	0.7	0.3	0.4	-	-	1.4	4.4	54
-	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.0	0.1	0.1	0.3	0.6	55
-	0.0	0.0	0.0	0.1	0.1	-	0.0	0.1	0.0	0.1	0.1	0.5	56
-	0.0	0.0	-	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.4	0.6	57
-	0.0	0.0	-	0.0	0.1	0.0	0.1	0.1	0.1	0.1	0.3	0.7	58
-	0.0	0.0	-	0.1	0.1	-	0.0	0.1	-	0.2	0.1	0.6	59
-	0.0	-	0.0	0.0	0.1	0.1	0.1	0.0	0.1	0.1	0.4	0.7	60
-	-	-	-	0.2	0.2	0.1	-	-	-	-	-	-	61
-	-	0.2	0.2	0.4	-	-	-	-	-	-	-	-	62
-	-	0.1	-	-	0.2	-	-	-	-	-	-	-	63
-	-	-	-	0.0	-	-	0.1	0.0	-	-	-	-	64
-	-	-	-	0.0	-	-	0.0	0.0	-	-	-	-	65
-	-	-	-	-	-	-	0.1	-	-	-	-	-	66
-	-	-	-	0.0	-	-	0.0	0.0	-	-	-	-	67
-	-	-	-	0.0	-	-	0.0	0.0	-	-	-	-	68
-	-	-	-	-	-	-	0.1	-	-	-	-	-	69
-	-	-	-	-	-	-	-	0.2	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	0.3	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	81
0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.2	82
0.0	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.2	0.1	-	83
0.1	0.1	0.1	0.0	0.1	0.3	0.1	0.1	0.2	0.1	0.3	0.4	0.3	84
0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.3	0.3	0.1	85
0.0	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.2	0.1	-	86
0.1	0.1	0.1	0.0	0.1	0.2	0.1	0.1	0.2	0.1	0.3	0.4	0.2	87
0.2	0.1	0.2	0.1	0.1	0.5	0.3	0.2	0.2	-	-	-	1.3	88
-	-	0.3	-	-	0.4	0.3	0.3	-	-	-	-	-	89
0.3	0.1	0.1	0.2	0.2	0.6	0.2	-	0.4	-	-	-	2.2	90

Table 1-26. Death Rates for 60 Selected Causes, by 5-Year

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population in specified group. Numbers after causes of

CAUSE OF DEATH, COLOR, AND SEX		Total ¹	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Acute poliomyelitis (080)-----	0.0	0.1	0.0	0.0	0.0	-	0.0
2	Male-----	0.0	0.2	0.1	0.0	0.0	-	0.0
3	Female-----	0.0	0.1	0.0	0.0	0.0	-	0.0
4	White-----	0.0	0.2	0.0	0.0	0.0	-	0.0
5	Male-----	0.0	0.3	0.0	0.0	0.0	-	0.0
6	Female-----	0.0	0.1	-	0.0	0.0	-	0.0
7	Nonwhite-----	0.0	-	0.1	-	-	-	-
8	Male-----	0.0	-	0.2	-	-	-	-
9	Female-----	0.0	-	0.1	-	-	-	-
10	Measles (085)-----	0.2	1.9	1.0	0.4	0.1	0.0	0.0
11	Male-----	0.2	1.6	1.0	0.4	0.1	0.0	0.0
12	Female-----	0.2	2.2	1.0	0.4	0.2	0.1	0.0
13	White-----	0.2	1.4	0.9	0.4	0.1	0.0	0.0
14	Male-----	0.2	1.4	0.8	0.4	0.1	0.0	0.0
15	Female-----	0.2	1.4	0.9	0.4	0.2	0.0	0.1
16	Nonwhite-----	0.4	4.7	1.8	0.4	0.0	0.1	-
17	Male-----	0.4	2.8	2.2	0.4	0.1	-	-
18	Female-----	0.4	6.6	1.5	0.4	-	0.2	-
19	Other infective and parasitic diseases (030-044,049,052-054,058-074, 081-084,086-138)-----	3.2	19.4	2.7	1.1	0.7	0.9	1.1
20	Male-----	3.6	21.6	2.8	1.3	0.7	1.0	1.2
21	Female-----	2.9	17.1	2.5	1.0	0.8	0.7	1.1
22	White-----	2.9	16.0	2.5	1.1	0.7	0.8	0.9
23	Male-----	3.2	18.0	2.6	1.3	0.6	1.0	1.0
24	Female-----	2.6	13.9	2.3	0.9	0.7	0.6	0.7
25	Nonwhite-----	5.6	39.3	3.9	1.4	1.4	1.3	2.9
26	Male-----	6.1	42.5	4.2	1.2	1.2	1.4	2.5
27	Female-----	5.2	36.1	3.7	1.6	1.5	1.2	3.2
28	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)-----	151.4	6.4	10.0	7.8	5.9	7.6	9.5
29	Male-----	166.6	7.5	11.2	8.3	6.6	8.8	11.4
30	Female-----	136.7	5.3	8.9	7.2	5.1	6.3	7.6
31	White-----	153.6	6.6	10.4	8.1	6.0	7.7	9.8
32	Male-----	168.5	7.9	11.7	8.7	6.9	8.9	11.7
33	Female-----	139.3	5.3	9.1	7.5	5.1	6.4	7.9
34	Nonwhite-----	125.2	5.7	7.9	5.2	5.3	7.2	8.0
35	Male-----	142.5	5.6	8.4	5.4	5.1	7.9	9.8
36	Female-----	108.9	5.7	7.4	5.1	5.5	6.4	6.4
37	Malignant neoplasm of buccal cavity and pharynx (140-148)-----	3.5	-	0.0	0.0	0.1	0.1	0.1
38	Male-----	5.3	-	0.0	0.0	0.1	0.2	0.1
39	Female-----	1.6	-	0.0	0.1	0.0	0.0	0.1
40	White-----	3.5	-	0.1	0.0	0.0	0.1	0.1
41	Male-----	5.4	-	0.0	0.0	0.1	0.1	0.1
42	Female-----	1.7	-	0.1	0.1	0.0	0.0	0.1
43	Nonwhite-----	2.9	-	0.0	0.0	0.1	0.2	0.1
44	Male-----	4.5	-	0.1	0.1	0.2	0.3	0.3
45	Female-----	1.4	-	-	-	0.1	0.1	-
46	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary (150-156A,157-159)-----	49.3	0.4	0.2	0.1	0.1	0.4	0.8
47	Male-----	54.4	0.4	0.3	0.1	0.1	0.4	0.9
48	Female-----	44.4	0.4	0.2	0.1	0.1	0.3	0.8
49	White-----	49.7	0.4	0.3	0.1	0.1	0.4	0.8
50	Male-----	54.1	0.4	0.3	0.1	0.1	0.4	0.8
51	Female-----	45.5	0.4	0.2	0.1	0.1	0.3	0.7
52	Nonwhite-----	41.4	0.5	0.0	0.1	0.2	0.5	1.6
53	Male-----	51.1	0.3	-	0.1	0.1	0.8	1.7
54	Female-----	32.1	0.6	0.1	0.1	0.2	0.3	1.5
55	Malignant neoplasm of respiratory system, not specified as secondary (160-164)-----	24.9	0.2	0.0	0.0	0.1	0.1	0.2
56	Male-----	43.0	0.3	0.0	0.0	0.1	0.1	0.4
57	Female-----	7.5	0.2	0.0	0.0	0.0	0.1	0.1
58	White-----	25.4	0.2	0.0	0.0	0.0	0.1	0.2
59	Male-----	43.7	0.2	0.0	0.0	0.1	0.1	0.3
60	Female-----	7.6	0.1	0.0	0.0	-	0.1	0.1
61	Nonwhite-----	19.8	0.5	-	-	0.1	0.1	0.3
62	Male-----	34.5	0.6	-	-	0.1	-	0.6
63	Female-----	6.0	0.3	-	-	0.1	0.1	-
64	Malignant neoplasm of breast (170)-----	13.5	0.0	-	0.0	0.0	0.0	0.1
65	Male-----	0.3	-	-	-	-	0.0	-
66	Female-----	26.2	0.1	-	0.0	0.0	0.0	0.3
67	White-----	13.8	0.0	-	-	-	0.0	0.1
68	Male-----	0.3	-	-	-	-	0.0	-
69	Female-----	27.0	0.1	-	-	-	0.0	0.3
70	Nonwhite-----	9.5	0.2	-	0.0	0.0	-	0.1
71	Male-----	0.3	-	-	-	-	-	-
72	Female-----	18.2	0.3	-	0.1	0.1	-	0.3
73	Malignant neoplasm of genital organs (171-179)-----	21.2	0.0	0.1	0.1	0.3	0.6	1.2
74	Male-----	17.7	-	0.2	0.0	0.1	0.6	1.3
75	Female-----	24.6	0.1	0.1	0.1	0.4	0.6	1.1
76	White-----	20.8	0.1	0.2	0.1	0.2	0.6	1.3
77	Male-----	17.5	-	0.2	0.0	0.1	0.7	1.5
78	Female-----	24.0	0.1	0.1	0.1	0.4	0.5	1.1
79	Nonwhite-----	24.0	-	0.1	0.0	0.2	0.6	0.6
80	Male-----	19.6	-	-	-	-	0.2	-
81	Female-----	28.2	-	0.2	0.1	0.4	1.0	1.2
82	Malignant neoplasm of urinary organs (180,181)-----	7.2	0.4	0.7	0.5	0.1	0.1	0.1
83	Male-----	9.8	0.4	0.8	0.4	0.1	0.1	0.1
84	Female-----	4.7	0.4	0.6	0.5	0.0	0.1	0.1
85	White-----	7.5	0.4	0.7	0.4	0.1	0.1	0.1
86	Male-----	10.2	0.5	0.8	0.4	0.1	0.0	0.1
87	Female-----	4.8	0.3	0.6	0.5	0.0	0.2	0.1
88	Nonwhite-----	4.5	0.3	0.8	0.5	0.1	0.2	-
89	Male-----	5.8	-	0.8	0.3	0.1	0.4	-
90	Female-----	3.3	0.6	0.3	0.6	0.1	-	-

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - MORTALITY

Age Groups, Color, and Sex: United States, 1963--Con.

death are category numbers of the Seventh Revision of the International Lists, 1955. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
0.1	0.0	0.0	-	0.0	-	0.0	-	-	-	-	-	-	1
0.1	0.0	0.1	-	0.0	-	0.0	-	-	-	-	-	-	2
0.1	-	0.0	-	-	-	-	-	-	-	-	-	-	3
0.1	0.0	0.0	-	0.0	-	0.0	-	-	-	-	-	-	4
0.0	0.0	0.0	-	0.0	-	0.0	-	-	-	-	-	-	5
0.1	-	0.0	-	-	-	-	-	-	-	-	-	-	6
0.2	0.1	-	-	-	-	-	-	-	-	-	-	-	7
0.3	0.2	-	-	-	-	-	-	-	-	-	-	-	8
0.1	-	-	-	-	-	-	-	-	-	-	-	-	9
0.0	0.0	0.0	0.0	0.0	-	-	-	0.0	-	0.0	-	-	10
-	0.0	0.0	0.0	0.0	-	-	-	-	-	-	-	-	11
0.0	-	0.0	-	0.0	-	-	-	0.0	-	0.1	-	-	12
0.0	0.0	0.0	0.0	0.0	-	-	-	0.0	-	0.0	-	-	13
-	0.0	0.0	0.0	0.0	-	-	-	-	-	-	-	-	14
0.0	-	0.0	-	-	-	-	-	0.0	-	-	-	-	15
0.1	-	-	-	0.1	-	-	-	-	-	0.1	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	17
0.1	-	-	-	0.2	-	-	-	-	-	-	-	-	18
1.4	1.3	1.6	2.2	2.7	3.5	4.7	5.7	7.8	9.4	11.1	17.6	26.2	19
1.4	1.3	1.5	2.2	2.9	4.0	5.6	6.9	9.6	12.7	13.3	21.6	30.9	20
1.4	1.3	1.7	2.2	2.4	3.0	3.8	4.7	6.2	6.7	9.5	14.9	23.3	21
1.1	1.1	1.2	1.8	2.3	3.0	4.2	5.0	7.1	9.3	10.9	17.5	26.8	22
1.1	1.2	1.2	1.7	2.5	3.5	5.1	5.9	8.7	12.7	12.7	21.8	31.1	23
1.1	1.0	1.3	2.0	2.1	2.5	3.4	4.2	5.8	6.5	9.4	14.6	24.1	24
4.2	2.8	4.4	4.9	6.5	8.4	8.1	13.7	15.6	13.8	13.5	22.1	23.1	25
3.9	1.8	4.1	5.5	7.4	9.2	9.5	17.9	19.7	17.8	17.1	23.8	30.3	26
4.4	3.6	4.7	4.4	5.8	7.6	6.9	9.6	11.9	10.5	10.3	20.5	17.8	27
13.9	23.5	43.2	75.9	136.1	221.1	336.7	473.9	669.4	827.4	1,013.6	1,233.7	1,525.2	28
14.2	22.0	35.5	64.2	124.8	228.2	381.2	573.2	858.1	1,067.4	1,295.3	1,545.1	1,883.9	29
13.6	24.9	50.5	87.0	146.9	214.3	294.6	383.7	509.2	632.3	795.3	1,013.7	1,301.5	30
13.5	22.4	40.6	70.8	129.2	210.2	325.3	458.2	651.2	821.9	1,016.9	1,264.6	1,564.5	31
14.4	21.6	33.9	59.7	117.6	215.3	368.3	556.7	831.3	1,055.2	1,297.4	1,585.5	1,925.5	32
12.7	23.2	47.0	81.4	140.3	205.3	284.6	369.1	498.6	632.7	801.7	1,042.1	1,341.5	33
15.9	32.1	63.2	115.4	188.5	307.8	427.3	598.3	816.4	816.4	854.4	802.2	1,007.7	34
12.5	26.1	49.5	101.2	186.2	335.8	484.9	690.9	1,077.1	1,107.8	1,118.0	1,019.0	1,327.3	35
18.9	37.3	75.0	128.1	190.5	281.6	372.0	509.3	585.7	566.7	622.2	615.1	773.3	36
0.2	0.2	0.7	1.5	3.7	7.3	10.4	11.8	14.5	16.1	19.1	23.7	35.7	37
0.2	0.3	0.8	2.2	5.5	11.5	17.0	20.3	25.3	27.0	32.6	39.7	57.7	38
0.1	0.1	0.7	0.9	2.0	3.2	4.1	4.0	5.3	7.2	8.7	12.4	22.0	39
0.2	0.2	0.6	1.4	3.4	7.0	10.1	11.7	14.3	16.3	19.3	25.0	36.4	40
0.2	0.2	0.7	2.0	5.0	11.1	16.4	20.3	25.0	27.7	32.9	41.6	58.9	41
0.1	0.1	0.6	0.7	1.8	3.1	4.1	3.9	5.3	7.0	8.9	13.4	22.5	42
0.2	0.6	1.4	3.3	6.4	9.9	12.4	14.3	15.8	13.6	14.8	7.4	16.7	43
0.3	1.2	1.8	5.0	9.7	15.4	21.0	23.2	26.0	20.0	23.4	12.7	24.2	44
-	0.1	1.1	1.8	3.3	4.8	4.2	5.7	6.7	8.1	7.1	2.7	11.1	45
1.6	3.2	7.2	15.3	31.0	55.9	97.6	147.4	231.6	310.2	409.8	524.8	659.6	46
1.6	3.5	7.7	16.8	35.3	66.1	116.7	181.1	290.6	384.8	487.9	602.6	720.8	47
1.5	2.9	6.7	13.9	26.8	46.2	79.5	116.7	181.5	249.6	349.3	469.7	621.4	48
1.5	3.0	6.5	13.9	28.5	50.9	91.9	139.2	222.1	306.3	410.2	535.9	676.0	49
1.6	3.2	6.9	14.9	31.9	59.5	108.5	170.9	276.4	376.8	486.8	615.5	733.7	50
1.4	2.8	6.0	13.0	25.2	42.6	76.3	110.5	176.1	249.2	351.5	480.9	640.4	51
2.0	5.2	13.6	26.0	51.7	96.4	143.4	211.7	306.5	329.5	329.5	347.1	428.2	52
2.0	6.4	15.1	30.5	66.8	119.9	182.9	297.1	414.8	403.9	420.7	398.4	545.5	53
2.1	4.2	12.3	22.1	38.1	74.3	105.4	168.1	242.2	221.9	249.2	302.7	342.2	54
0.5	2.0	5.2	12.0	25.3	46.0	74.3	105.8	135.5	136.3	124.2	103.0	91.5	55
0.7	2.9	7.5	18.3	40.8	78.3	132.9	196.3	264.1	264.1	234.9	194.0	160.5	56
0.3	1.1	2.9	5.9	10.4	15.1	18.9	23.6	28.5	32.3	38.4	38.7	48.5	57
0.5	1.8	4.7	10.8	23.9	44.2	73.1	105.0	134.4	124.3	105.3	92.8	58	58
0.7	2.6	6.6	16.5	38.3	74.6	130.8	196.0	260.5	265.8	235.7	199.3	162.5	59
0.3	1.0	2.8	5.4	10.1	15.0	18.6	22.7	27.5	32.6	38.7	39.8	49.8	60
0.5	3.5	8.8	22.0	36.0	59.7	81.6	106.0	137.5	116.7	105.1	72.8	67.9	61
0.7	5.2	13.8	35.6	62.5	107.9	146.0	249.8	329.8	220.6	183.8	127.0	115.2	62
0.3	2.0	4.4	9.8	12.1	14.6	19.7	30.1	38.1	27.6	35.7	26.0	33.3	63
0.9	2.8	7.2	13.4	22.2	30.6	36.2	40.8	48.4	54.5	61.7	81.2	116.5	64
0.0	0.1	0.1	0.1	0.2	0.5	0.6	0.9	1.5	1.8	2.1	2.4	4.7	65
1.7	5.3	14.0	25.9	43.3	59.4	69.7	77.0	88.3	97.4	107.8	136.8	186.2	66
0.8	2.5	6.7	12.7	21.8	30.5	36.1	40.1	48.4	55.6	62.5	83.2	119.5	67
0.0	0.1	0.1	0.1	0.2	0.4	0.6	0.8	1.4	1.8	1.9	2.5	4.7	68
1.5	5.0	13.2	24.8	42.5	59.4	69.6	75.8	88.3	99.2	109.1	139.5	190.4	69
1.6	4.4	9.7	17.4	24.2	28.6	33.5	38.6	42.1	37.9	43.0	45.6	67.9	70
-	-	-	0.3	0.2	0.9	0.8	1.6	1.8	1.7	2.7	1.6	3.0	71
3.0	8.2	18.1	32.7	46.0	54.5	64.9	74.1	77.8	69.0	78.6	83.6	115.6	72
2.6	4.2	7.7	12.2	19.0	27.2	38.7	57.2	85.4	119.9	166.0	217.4	274.1	73
1.7	1.6	1.6	1.6	2.2	5.3	14.1	34.0	77.2	144.3	238.0	354.5	504.2	74
3.4	6.6	13.5	22.3	35.1	48.1	62.0	78.2	92.3	100.0	110.3	120.6	130.5	75
2.3	3.7	6.9	10.8	17.4	25.0	35.1	52.2	79.5	113.7	163.0	219.4	275.5	76
1.9	1.8	1.7	1.6	2.0	4.4	12.0	29.1	68.2	133.8	232.8	360.2	508.2	77
2.7	5.5	11.8	19.5	32.3	44.7	56.9	73.1	89.0	97.4	109.5	121.4	131.7	78
4.3	8.2	14.3	23.4	32.6	46.2	72.6	107.4	154.7	187.7	198.3	200.0	266.7	79
0.3	0.3	1.0	2.1	4.3	13.7	35.0	82.4	178.0	262.2	291.0	307.9	448.5	80
7.7	14.9	25.7	42.3	58.2	76.6	108.6	131.3	134.1	123.8	116.7	106.8	133.3	81
0.2	0.3	0.8	1.7	4.3	8.4	13.4	21.2	33.8	46.0	59.4	76.2	95.7	82
0.2	0.5	1.1	2.3	5.8	12.0	20.0	32.4	53.3	69.4	90.8	110.8	131.9	83
0.2	0.2	0.6	1.2	2.8	4.9	7.2	11.1	17.3	26.9	35.1	51.8	73.1	84
0.2	0.3	0.7	1.6	4.0	8.0	13.1	20.9	33.4	47.0	60.2	78.9	99.4	85
0.2	0.5	0.9	2.1	5.5	11.5	19.8	32.4	52.9	71.7	92.3	115.6	137.5	86
0.2	0.2	0.5	1.1	2.4	4.6	6.8	10.6	16.9	26.9	35.5	53.4	75.9	87
0.1	0.5	1.3	2.8	6.4	11.4	16.4	21.5	31.8	29.5	37.1	27.9	36.5	88
0.2	0.3	2.0	4.0	7.8	15.8	21.2	25.7	46.2	40.0	47.7	36.5	51.5	89
-	0.6	0.7	1.8	5.1	7.2	11.8	17.5	19.0	20.5	27.8	20.5	28.9	90

Table 1-26. Death Rates for 60 Selected Causes, by 5-Year

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population in specified group. Numbers after causes of

CAUSE OF DEATH, COLOR, AND SEX		Total ¹	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Con.								
1	Malignant neoplasm of other and unspecified sites (156B,165,190-199)-----	17.0	2.0	3.1	2.3	2.2	2.7	2.6
2	Male-----	18.7	2.4	3.3	2.5	2.4	3.0	3.2
3	Female-----	15.4	1.7	2.9	2.1	2.0	2.4	2.0
4	White-----	17.5	2.1	3.2	2.4	2.2	2.8	2.7
5	Male-----	19.3	2.4	3.4	2.5	2.5	3.2	3.4
6	Female-----	15.8	1.8	3.0	2.2	1.9	2.4	2.0
7	Nonwhite-----	13.1	1.7	2.7	1.8	2.2	2.5	2.1
8	Male-----	14.3	2.5	2.8	1.9	1.9	2.4	2.6
9	Female-----	12.0	0.9	2.6	1.6	2.4	2.7	1.6
10	Leukemia and aleukemia (204)-----	7.2	2.6	5.1	4.0	2.3	2.2	1.8
11	Male-----	8.4	3.1	5.7	4.1	2.6	2.7	2.4
12	Female-----	5.9	2.0	4.5	3.9	2.1	1.6	1.3
13	White-----	7.5	2.7	5.4	4.2	2.4	2.2	1.8
14	Male-----	8.8	3.4	6.1	4.3	2.7	2.7	2.3
15	Female-----	6.2	2.0	4.7	4.1	2.1	1.7	1.3
16	Nonwhite-----	4.6	1.9	3.7	2.1	1.8	1.9	1.8
17	Male-----	5.4	1.9	3.7	2.0	1.8	2.9	2.8
18	Female-----	3.9	1.9	3.7	2.1	1.8	0.9	0.9
19	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)-----	7.6	0.7	0.7	0.8	0.8	1.4	2.4
20	Male-----	8.9	0.8	0.8	1.2	1.2	1.7	3.0
21	Female-----	6.4	0.6	0.5	0.4	0.4	1.1	1.9
22	White-----	7.9	0.7	0.6	0.8	0.9	1.4	2.6
23	Male-----	9.1	0.9	0.8	1.2	1.3	1.7	3.2
24	Female-----	6.8	0.5	0.4	0.4	0.5	1.1	2.1
25	Nonwhite-----	5.3	0.6	0.8	0.8	0.6	1.1	1.3
26	Male-----	7.0	0.3	1.1	1.0	0.9	0.9	1.7
27	Female-----	3.7	0.9	0.5	0.5	0.2	1.4	0.9
28	Benign neoplasms and neoplasms of unspecified nature (210-239)-----	2.6	3.1	0.5	0.6	0.6	0.7	0.9
29	Male-----	2.5	3.5	0.6	0.6	0.6	0.7	0.9
30	Female-----	2.7	2.6	0.5	0.5	0.5	0.6	0.8
31	White-----	2.5	3.2	0.5	0.6	0.5	0.6	0.7
32	Male-----	2.5	3.6	0.5	0.7	0.5	0.7	0.8
33	Female-----	2.6	2.7	0.5	0.5	0.5	0.6	0.7
34	Nonwhite-----	3.2	2.2	0.7	0.7	0.8	0.6	1.5
35	Male-----	2.4	2.8	0.9	0.6	0.8	0.7	1.5
36	Female-----	4.0	1.6	0.5	0.8	0.7	0.6	1.6
37	Asthma (241)-----	2.7	0.6	0.4	0.2	0.3	0.3	0.5
38	Male-----	3.4	0.6	0.4	0.3	0.3	0.3	0.4
39	Female-----	2.0	0.6	0.4	0.2	0.2	0.3	0.6
40	White-----	2.6	0.5	0.3	0.2	0.2	0.2	0.4
41	Male-----	3.4	0.5	0.3	0.2	0.2	0.2	0.2
42	Female-----	1.8	0.4	0.2	0.2	0.1	0.2	0.5
43	Nonwhite-----	3.5	1.6	1.1	0.5	0.7	1.3	1.4
44	Male-----	3.9	1.6	1.1	0.7	0.7	1.3	1.5
45	Female-----	3.2	1.6	1.1	0.4	0.7	1.3	1.3
46	Diabetes mellitus (260)-----	17.2	0.4	0.2	0.2	0.4	0.7	1.1
47	Male-----	14.2	0.3	0.1	0.2	0.2	0.6	0.8
48	Female-----	20.1	0.4	0.2	0.2	0.7	0.8	1.4
49	White-----	16.7	0.3	0.2	0.2	0.4	0.6	1.0
50	Male-----	14.2	0.3	0.1	0.2	0.2	0.5	0.8
51	Female-----	19.2	0.2	0.2	0.2	0.7	0.7	1.1
52	Nonwhite-----	19.8	0.9	0.3	0.1	0.5	1.2	2.1
53	Male-----	13.9	0.6	0.2	0.1	0.4	1.0	1.2
54	Female-----	25.4	1.3	0.3	0.1	0.6	1.4	2.9
55	Anemias (290-293)-----	1.8	3.0	1.1	0.4	0.4	0.5	0.6
56	Male-----	1.8	2.9	1.2	0.3	0.3	0.6	0.6
57	Female-----	1.9	3.1	0.9	0.6	0.5	0.4	0.6
58	White-----	1.6	1.5	0.5	0.3	0.3	0.3	0.3
59	Male-----	1.6	1.2	0.5	0.2	0.2	0.3	0.3
60	Female-----	1.7	1.9	0.4	0.3	0.4	0.2	0.3
61	Nonwhite-----	3.1	10.5	4.1	1.3	1.4	1.6	2.7
62	Male-----	3.2	11.9	4.9	0.9	1.4	2.0	2.8
63	Female-----	3.0	9.2	3.3	1.7	1.3	1.3	2.7
64	Meningitis, except meningococcal and tuberculous (340)-----	1.2	21.3	2.8	0.5	0.2	0.2	0.2
65	Male-----	1.4	23.2	3.2	0.5	0.2	0.3	0.3
66	Female-----	1.0	19.2	2.3	0.5	0.2	0.1	0.2
67	White-----	1.0	17.4	2.2	0.5	0.2	0.1	0.2
68	Male-----	1.2	19.7	2.6	0.5	0.2	0.2	0.2
69	Female-----	0.8	15.0	1.9	0.4	0.1	0.1	0.1
70	Nonwhite-----	3.1	42.5	5.5	0.7	0.6	0.8	0.7
71	Male-----	3.4	43.1	6.6	0.6	0.7	1.2	0.7
72	Female-----	2.8	41.8	4.5	0.9	0.5	0.3	0.7
73	Major cardiovascular-renal diseases (330-334,400-468,592-594)-----	527.6	12.9	2.3	1.6	3.1	5.6	10.0
74	Male-----	594.5	13.9	2.5	1.8	3.1	5.6	10.7
75	Female-----	463.0	11.8	2.2	1.4	3.0	5.6	9.4
76	White-----	534.6	11.2	1.8	1.4	2.7	4.8	8.2
77	Male-----	605.4	12.4	1.9	1.6	2.9	5.0	8.8
78	Female-----	466.0	10.0	1.7	1.3	2.6	4.5	7.7
79	Nonwhite-----	462.6	22.3	5.3	2.7	5.1	12.1	22.8
80	Male-----	500.5	22.8	5.7	3.2	4.5	10.7	24.5
81	Female-----	426.8	21.8	4.9	2.2	5.7	13.5	21.3
82	Diseases of cardiovascular system (530-534,400-468)-----	521.7	12.3	2.1	1.3	2.4	4.5	8.2
83	Male-----	587.8	13.5	2.2	1.5	2.5	4.5	8.4
84	Female-----	457.8	11.1	2.0	1.1	2.4	4.4	8.0
85	White-----	529.4	10.7	1.6	1.1	2.1	3.7	6.6
86	Male-----	599.5	12.1	1.8	1.3	2.3	4.0	6.8
87	Female-----	461.3	9.3	1.5	1.0	1.9	3.4	6.4
88	Nonwhite-----	451.1	21.5	4.7	2.3	4.2	10.1	19.6
89	Male-----	487.7	22.2	5.1	2.7	3.6	8.4	19.8
90	Female-----	416.6	20.9	4.4	1.8	4.9	11.8	19.4

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - MORTALITY

1-253

Age Groups, Color, and Sex: United States, 1963—Con.

death are category numbers of the Seventh Revision of the International Lists, 1955. Figures by color exclude data for residents of New Jersey; see Technical Appendix

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
3.4	4.9	7.4	10.8	17.6	27.6	38.5	51.3	64.6	76.1	91.2	112.6	157.3	1
3.9	5.9	8.5	12.0	20.2	32.5	45.8	61.5	77.3	89.7	105.0	123.5	173.8	2
3.0	3.9	6.5	9.6	15.1	23.0	31.6	42.2	53.8	65.1	80.4	104.9	147.0	3
3.5	4.9	7.6	10.7	17.4	26.6	38.3	50.6	63.3	76.0	92.2	117.6	165.1	4
4.0	5.9	8.6	12.1	20.1	31.9	46.2	61.0	75.9	89.7	106.4	129.4	181.8	5
2.9	3.9	6.6	9.4	14.8	21.6	30.8	41.3	52.7	64.9	81.4	109.5	154.7	6
3.2	4.8	6.8	11.0	18.0	35.5	40.4	57.5	79.2	74.9	79.7	61.0	80.8	7
3.7	6.1	8.1	10.0	20.8	39.0	43.0	63.0	91.0	87.2	89.2	71.4	90.9	8
2.8	3.7	5.8	12.0	15.4	32.3	37.8	52.1	68.7	64.3	71.4	52.1	73.3	9
2.0	2.5	2.8	3.6	5.0	6.6	10.6	15.3	23.9	32.3	41.6	56.0	57.9	10
2.3	2.9	3.0	3.9	5.3	8.0	13.2	19.7	31.3	43.0	56.3	72.2	84.9	11
1.7	2.1	2.7	3.3	4.7	5.1	8.2	11.4	17.7	23.7	30.2	44.5	41.0	12
1.9	2.5	2.8	3.5	5.0	6.5	10.8	15.2	24.2	33.3	43.6	58.8	61.1	13
2.2	2.9	3.0	3.6	5.4	8.0	13.5	19.5	31.7	44.4	59.4	74.8	89.7	14
1.7	2.1	2.5	3.5	4.5	5.1	8.2	11.3	17.8	24.4	31.5	47.6	43.5	15
2.2	2.3	3.5	3.9	4.7	7.2	9.5	17.1	18.9	22.3	20.3	22.1	19.2	16
2.7	2.9	3.0	5.3	3.3	3.3	10.7	9.2	21.0	23.8	30.0	24.3	34.9	17
1.8	1.9	4.0	2.6	6.0	5.4	8.4	13.3	14.7	15.7	16.7	11.0	13.3	18
2.7	3.4	4.1	5.4	8.0	11.6	17.0	23.1	31.5	36.0	40.5	38.9	37.0	19
3.6	4.4	5.3	6.9	9.4	14.0	20.9	27.1	39.8	43.4	47.7	45.2	45.5	20
1.8	2.5	2.9	4.0	6.6	9.4	13.3	19.5	24.5	30.0	35.0	34.4	31.8	21
2.7	3.5	4.2	5.3	7.8	11.4	16.7	23.2	31.6	36.7	41.6	40.7	38.6	22
3.7	4.5	5.4	6.8	9.2	13.9	20.5	26.7	39.3	43.5	49.2	46.6	48.4	23
1.8	2.6	3.0	3.9	6.5	9.1	13.2	20.0	25.1	31.1	35.8	36.6	32.6	24
1.9	2.6	3.7	5.5	8.5	12.8	17.7	24.4	29.9	27.9	26.6	18.4	21.8	25
2.5	3.7	4.8	8.4	10.9	13.9	24.3	32.0	45.7	42.2	35.1	28.6	21.2	26
1.3	1.7	2.8	2.9	6.3	11.8	11.3	17.2	15.9	15.7	19.0	9.6	22.2	27
0.9	1.2	1.9	2.5	3.4	4.1	5.3	6.5	7.8	8.5	10.4	14.7	20.0	28
1.0	1.0	1.3	1.8	2.3	3.7	5.6	6.9	9.3	9.0	11.9	15.6	19.7	29
0.9	1.4	2.4	3.1	4.5	4.6	5.0	6.0	6.5	8.0	9.2	14.1	20.1	30
0.8	1.0	1.6	2.0	3.0	3.9	5.2	6.2	7.7	8.2	10.1	15.2	20.5	31
0.9	0.9	1.3	1.7	2.1	3.5	5.7	7.0	9.0	9.0	12.0	15.9	20.5	32
0.7	1.2	1.9	2.4	3.9	4.4	4.7	5.5	6.2	7.6	8.6	14.7	20.5	33
1.6	2.3	4.0	6.2	7.0	5.9	6.3	10.4	10.9	10.3	14.3	9.6	16.7	34
1.4	1.3	1.8	2.6	3.3	6.0	4.1	7.8	9.9	8.3	12.6	14.3	15.2	35
1.8	3.2	5.9	9.4	10.4	5.8	8.4	13.0	11.9	11.9	15.9	5.5	17.8	36
0.6	0.8	1.1	1.6	2.7	3.8	6.2	8.9	11.3	13.5	14.8	16.3	15.8	37
0.3	0.6	0.8	1.3	2.7	4.6	8.4	12.7	17.9	21.7	23.6	26.3	22.9	38
0.9	1.1	1.4	1.9	2.7	3.1	4.2	5.4	5.7	6.8	8.1	9.3	11.3	39
0.3	0.6	0.8	1.2	2.3	3.4	6.0	8.7	11.0	13.9	15.3	16.8	16.6	40
0.2	0.4	0.5	1.0	2.4	4.2	8.1	12.6	17.6	22.3	24.3	27.3	24.6	41
0.5	0.9	1.1	1.5	2.3	2.7	3.9	5.2	5.5	7.0	8.4	9.5	11.6	42
2.7	2.6	3.0	5.2	6.6	8.0	8.8	12.6	16.0	10.8	11.4	14.7	10.3	43
1.5	2.2	2.3	4.3	6.2	8.4	10.5	16.0	24.7	15.6	18.0	22.2	12.1	44
3.7	2.9	3.7	6.0	7.0	7.6	7.1	9.3	8.3	6.7	5.6	8.2	8.9	45
2.1	3.1	3.9	6.0	8.3	16.2	28.2	48.4	78.1	115.8	153.5	189.2	206.6	46
2.1	3.9	4.3	8.7	15.3	26.0	42.0	65.8	98.7	130.8	172.6	204.9	204.9	47
2.0	2.3	3.4	5.4	8.0	17.1	30.3	54.2	88.5	129.8	171.1	200.9	207.6	48
1.9	2.8	3.2	5.0	6.7	13.3	23.4	42.9	72.6	111.2	152.7	191.1	209.9	49
2.0	3.5	4.0	6.1	7.9	14.1	24.1	39.2	62.1	96.7	131.4	177.8	206.2	50
1.9	2.0	2.5	3.9	5.6	12.6	22.7	46.2	81.5	123.0	169.2	200.5	212.1	51
2.9	5.6	9.3	15.3	22.8	43.6	71.7	104.0	135.2	143.6	140.5	142.6	151.3	52
2.5	6.9	8.2	12.0	15.7	27.6	41.4	68.0	101.3	107.2	107.2	109.5	163.6	53
3.3	4.4	10.2	18.3	29.1	58.5	100.7	138.6	165.1	174.8	169.8	171.2	142.2	54
0.3	0.5	0.5	0.6	0.8	1.2	1.7	2.7	5.6	8.1	13.7	21.4	39.7	55
0.3	0.5	0.6	0.5	0.6	1.0	1.7	2.9	6.4	9.8	13.9	42.1	42.1	56
0.3	0.5	0.4	0.6	1.0	1.4	1.7	2.6	4.9	6.8	13.5	19.5	38.2	57
0.1	0.2	0.2	0.4	0.6	1.0	1.5	2.5	5.2	7.9	14.1	22.1	41.7	58
0.1	0.2	0.3	0.4	0.5	0.8	1.0	1.5	6.0	9.5	14.4	24.6	43.7	59
0.1	0.2	0.2	0.5	0.7	1.2	1.5	2.3	4.4	6.7	13.8	20.4	40.4	60
1.8	2.7	2.4	1.6	2.6	4.1	5.1	4.1	8.2	9.2	8.4	15.4	20.5	61
1.9	2.5	2.8	1.4	1.6	2.1	4.1	3.8	8.1	11.7	7.2	19.0	27.3	62
1.8	2.9	2.0	1.8	3.5	3.0	4.2	6.3	8.3	7.1	9.5	12.3	15.6	63
0.2	0.4	0.4	0.5	0.5	0.8	1.0	1.4	1.3	1.7	2.2	2.1	2.6	64
0.2	0.5	0.6	0.6	0.7	1.1	1.3	1.5	1.6	2.2	2.5	2.2	2.1	65
0.2	0.3	0.3	0.4	0.4	0.5	0.7	1.3	1.1	1.3	2.0	2.0	2.9	66
0.2	0.3	0.3	0.4	0.4	0.6	0.8	1.2	1.4	1.4	1.8	1.9	2.6	67
0.2	0.4	0.3	0.4	0.6	1.0	1.0	1.3	1.4	1.8	2.2	2.1	2.3	68
0.1	0.2	0.2	0.3	0.3	0.5	0.5	1.2	0.9	1.1	1.6	1.8	2.7	69
0.5	0.8	1.9	1.5	1.3	2.2	3.1	3.4	4.4	4.4	6.8	3.7	3.8	70
-	0.8	2.5	1.9	1.6	1.9	4.3	3.8	4.0	6.1	6.3	3.2	-	71
0.9	0.7	1.4	1.1	1.1	2.4	2.0	3.0	4.8	2.9	7.1	4.1	6.7	72
17.8	32.5	68.6	133.6	247.9	433.2	715.9	1,161.4	1,906.6	2,955.8	4,767.0	8,074.8	15,751.4	73
20.2	39.6	92.1	189.4	363.7	633.8	1,032.9	1,606.2	2,582.9	3,755.7	5,671.7	9,005.0	16,226.5	74
15.6	25.8	46.2	80.7	137.0	241.1	416.4	757.1	1,332.4	2,305.5	4,066.0	7,417.5	15,454.9	75
14.1	25.2	56.3	113.7	222.7	389.7	664.0	1,076.0	1,802.3	2,887.6	4,762.4	8,228.3	16,211.0	76
16.8	32.5	81.1	172.0	342.6	598.4	997.2	1,549.0	2,489.2	3,709.4	5,712.1	9,226.8	16,718.5	77
11.4	18.1	32.4	58.1	107.3	189.6	349.7	648.0	1,220.2	2,221.3	4,034.7	7,540.3	15,897.5	78
44.9	85.3	166.1	300.5	464.7	821.0	1,200.3	2,014.3	3,037.7	3,579.7	4,561.6	5,881.6	10,192.3	79
45.6	93.4	184.5	336.1	545.6	946.0	1,348.6	2,154.9	3,535.4	4,119.4	4,973.0	6,331.7	10,875.8	80
44.4	78.5	150.1	268.7	391.6	704.0	1,057.7	1,879.2	2,597.2	3,117.1	4,199.2	5,421.9	9,691.1	81
15.3	29.9	65.4	129.5	242.1	425.0	705.2	1,149.3	1,888.6	2,931.4	4,730.7	8,016.2	15,640.7	82
16.7	36.5	88.1	184.9	356.9	623.9	1,019.6	1,592.2	2,562.4	3,725.0	5,626.9	8,929.5	16,086.5	83
13.9	23.5	43.7	77.1	132.4	234.6	408.2	746.7	1,316.6	2,286.1	4,036.3	7,370.9	15,362.6	84
11.8	23.2	53.9	110.6	218.1	383.8	655.2	1,066.4	1,787.8	2,866.5	4,728.9	8,172.8	16,104.9	85
13.6	30.1	77.9	168.2	337.1	591.0	985.7	1,537.6	2,472.2	3,683.2	5,670.8	9,155.9	16,584.2	86
10.1	16.4	30.7	55.5	103.7	185.2	343.6	640.1	1,207.8	2,204.3	4,007.2	7,495.5	15,808.9	87
40.3	77.9	156.5	287.7	448.8	791.5	1,170.3	1,978.6	2,979.8	3,516.2	4,486.5	5,785.3	10,021.8	88
39.7	85.4	174.0	323.2	526.6	913.5	1,316.1	2,117.9	3,474.4	4,036.7	4,881.1	6,206.3	10,654.5	89
41.0	71.6	141.2	256.0	378.6	677.4	1,030.2	1,844.9	2,542.1	3,070.0	4,138.9	5,421.9	9,557.8	90

Table 1-26. Death Rates for 60 Selected Causes, by 5-Year

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population in specified group. Numbers after causes of

CAUSE OF DEATH, COLOR, AND SEX		Total ¹	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
Major cardiovascular-renal diseases—Con.								
Diseases of cardiovascular system—Con.								
1	Vascular lesions affecting central nervous system (330-334)-----	106.7	3.5	0.7	0.5	0.8	1.3	2.0
2	Male-----	101.7	3.8	0.8	0.6	0.9	1.4	2.0
3	Female-----	111.5	3.1	0.7	0.4	0.6	1.1	2.0
4	White-----	105.8	3.0	0.7	0.5	0.7	1.2	1.7
5	Male-----	100.5	3.6	0.8	0.5	0.8	1.4	1.6
6	Female-----	110.9	2.4	0.6	0.4	0.6	1.0	1.8
7	Nonwhite-----	118.6	6.0	1.0	0.7	1.1	1.7	4.0
8	Male-----	116.8	5.3	1.1	0.9	1.3	2.1	4.4
9	Female-----	120.4	6.6	0.8	0.4	0.9	1.3	3.6
10	Diseases of heart (400-402,410-443)-----	375.4	7.6	1.2	0.7	1.4	2.6	4.9
11	Male-----	444.8	8.4	1.2	0.8	1.5	2.7	5.4
12	Female-----	308.5	6.9	1.2	0.5	1.3	2.4	4.4
13	White-----	383.6	6.8	0.8	0.6	1.2	2.0	3.9
14	Male-----	457.4	7.5	0.8	0.7	1.4	2.3	4.5
15	Female-----	312.1	6.1	0.8	0.4	1.0	1.6	3.2
16	Nonwhite-----	295.4	12.6	3.5	1.5	2.7	6.8	12.0
17	Male-----	330.6	13.8	3.5	1.7	2.1	5.8	11.7
18	Female-----	262.2	11.4	3.5	1.3	3.4	7.8	12.3
19	Rheumatic fever and chronic rheumatic heart disease (400-402,410-416)---	8.8	0.1	0.2	0.3	0.7	0.9	2.1
20	Male-----	8.3	0.0	0.2	0.3	0.7	0.8	2.2
21	Female-----	9.3	0.1	0.2	0.3	0.7	1.0	2.1
22	White-----	9.0	0.0	0.1	0.2	0.5	0.6	1.6
23	Male-----	8.6	-	0.1	0.2	0.6	0.7	1.7
24	Female-----	9.5	0.1	0.1	0.2	0.4	0.6	1.6
25	Nonwhite-----	6.4	0.3	0.6	0.9	1.8	2.9	5.6
26	Male-----	6.2	0.3	0.6	0.9	1.5	1.7	5.7
27	Female-----	6.5	0.3	0.5	0.9	2.1	4.1	5.5
28	Arteriosclerotic heart disease, including coronary disease (420)-----	290.0	0.2	0.0	0.0	0.1	0.3	1.0
29	Male-----	361.6	0.3	0.1	0.1	0.1	0.4	1.4
30	Female-----	220.9	0.2	0.0	-	0.1	0.2	0.6
31	White-----	303.3	0.2	0.0	0.0	0.1	0.3	0.9
32	Male-----	379.7	0.2	0.0	0.1	0.1	0.4	1.3
33	Female-----	229.2	0.1	0.0	-	0.1	0.2	0.5
34	Nonwhite-----	175.3	0.3	0.1	0.0	0.2	0.9	2.0
35	Male-----	208.6	0.3	0.2	0.1	0.1	1.1	2.3
36	Female-----	143.9	0.3	-	-	0.3	0.6	1.7
37	Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)-----	29.7	0.6	0.2	0.1	0.2	0.3	0.4
38	Male-----	29.8	0.7	0.2	0.1	0.2	0.3	0.5
39	Female-----	29.6	0.5	0.2	0.0	0.2	0.2	0.3
40	White-----	29.5	0.5	0.1	0.1	0.2	0.2	0.2
41	Male-----	29.3	0.6	0.2	0.1	0.2	0.3	0.3
42	Female-----	29.7	0.4	0.1	0.0	0.1	0.2	0.2
43	Nonwhite-----	27.9	1.1	0.6	0.0	0.2	0.6	1.4
44	Male-----	30.0	1.3	0.6	0.1	-	0.8	1.6
45	Female-----	25.9	0.9	0.6	-	0.3	0.5	1.2
46	Other diseases of heart (430-434)-----	14.5	6.7	0.8	0.3	0.4	0.9	1.1
47	Male-----	16.6	7.4	0.8	0.3	0.4	1.0	1.1
48	Female-----	12.5	6.1	0.9	0.3	0.4	0.8	1.1
49	White-----	13.7	6.1	0.6	0.3	0.4	0.8	1.0
50	Male-----	15.7	6.7	0.6	0.3	0.4	0.9	1.1
51	Female-----	11.7	5.5	0.6	0.2	0.4	0.6	0.9
52	Nonwhite-----	21.7	10.8	2.3	0.5	0.5	2.0	2.0
53	Male-----	24.6	11.9	2.2	0.6	0.5	2.0	1.3
54	Female-----	18.9	9.8	2.4	0.4	0.6	2.0	2.5
55	Hypertensive heart disease (440-443)-----	32.4	-	-	0.0	0.0	0.1	0.2
56	Male-----	28.4	-	-	0.0	0.0	0.0	0.2
57	Female-----	36.2	-	-	-	0.0	0.1	0.2
58	White-----	28.1	-	-	0.0	0.0	0.0	0.1
59	Male-----	24.1	-	-	0.0	0.0	0.0	0.1
60	Female-----	32.0	-	-	-	0.0	0.1	0.1
61	Nonwhite-----	64.1	-	-	-	0.0	0.1	0.1
62	Male-----	61.1	-	-	-	0.0	0.4	1.0
63	Female-----	67.0	-	-	-	0.1	0.2	0.7
64	Other hypertensive disease (444-447)-----	6.7	0.0	0.0	0.0	0.0	0.1	0.2
65	Male-----	6.9	0.0	0.0	-	-	0.1	0.2
66	Female-----	6.6	0.1	-	0.0	0.0	0.1	0.2
67	White-----	6.1	0.0	0.0	0.0	0.0	0.0	0.1
68	Male-----	6.1	-	0.0	-	-	0.0	0.1
69	Female-----	6.1	0.1	-	0.0	-	0.0	0.2
70	Nonwhite-----	11.5	0.2	-	-	0.1	0.2	0.6
71	Male-----	12.8	0.3	-	-	-	0.2	1.0
72	Female-----	10.3	-	-	-	-	0.1	0.1
73	General arteriosclerosis (450)-----	19.9	0.0	-	-	-	0.0	-
74	Male-----	18.5	0.0	-	-	-	-	-
75	Female-----	21.1	-	-	-	-	0.0	-
76	White-----	20.9	0.0	-	-	-	0.0	-
77	Male-----	19.3	0.1	-	-	-	-	-
78	Female-----	22.4	-	-	-	-	0.0	-
79	Nonwhite-----	12.9	-	-	-	-	-	-
80	Male-----	13.4	-	-	-	-	-	-
81	Female-----	12.5	-	-	-	-	-	-
82	Other diseases of circulatory system (451-468)-----	12.9	1.2	0.1	0.1	0.2	0.6	1.1
83	Male-----	15.9	1.2	0.2	0.1	0.1	0.3	0.8
84	Female-----	10.1	1.1	0.1	0.1	0.3	0.9	1.4
85	White-----	13.0	0.8	0.1	0.1	0.2	0.5	0.9
86	Male-----	16.1	0.9	0.1	0.1	0.1	0.3	0.6
87	Female-----	10.0	0.7	0.1	0.1	0.3	0.6	1.2
88	Nonwhite-----	12.7	2.8	0.3	0.1	0.4	1.5	3.1
89	Male-----	14.1	2.8	0.5	0.1	0.2	0.3	2.8
90	Female-----	11.3	2.8	0.1	0.1	0.6	2.6	3.3

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - MORTALITY

Table 1-26. Death Rates for 60 Selected Causes, by 5-Year

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population in specified group. Numbers after causes of

CAUSE OF DEATH, COLOR, AND SEX		Total ¹	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Major cardiovascular-renal diseases—Con.							
2	Chronic and unspecified nephritis and other renal sclerosis (592-594)-----	6.0	0.5	0.2	0.3	0.6	1.2	1.9
3	Male-----	6.7	0.4	0.2	0.3	0.6	1.1	2.3
4	Female-----	5.2	0.7	0.3	0.3	0.7	1.2	1.4
5	White-----	5.2	0.5	0.2	0.3	0.6	1.1	1.6
6	Male-----	5.9	0.4	0.1	0.3	0.6	1.0	2.0
7	Female-----	4.5	0.6	0.2	0.3	0.7	1.1	1.3
8	Nonwhite-----	11.5	0.8	0.5	0.4	0.8	2.0	3.2
9	Male-----	12.8	0.6	0.6	0.4	0.9	2.3	4.7
	Female-----	10.2	0.9	0.5	0.4	0.7	1.7	1.9
10	Influenza and pneumonia, except pneumonia of newborn (480-493)-----	37.5	218.7	14.4	2.6	2.0	2.4	2.8
11	Male-----	42.7	244.5	14.9	2.6	2.0	2.7	2.9
12	Female-----	32.5	191.9	13.9	2.6	2.0	2.1	2.7
13	White-----	34.8	155.3	10.5	2.2	1.8	2.2	2.3
14	Male-----	39.3	176.5	10.7	2.2	1.8	2.4	2.4
15	Female-----	30.3	133.0	10.2	2.2	1.8	2.0	2.1
16	Nonwhite-----	60.5	558.6	36.9	5.0	2.7	3.7	6.6
17	Male-----	70.6	612.8	39.0	5.4	2.6	4.3	6.0
18	Female-----	51.0	503.8	34.9	4.7	2.7	3.0	7.1
19	Influenza (480-483)-----	3.8	8.7	1.0	0.2	0.2	0.4	0.4
20	Male-----	3.9	9.3	0.9	0.2	0.2	0.5	0.3
21	Female-----	3.6	8.1	1.0	0.2	0.1	0.3	0.5
22	White-----	3.3	5.0	0.7	0.2	0.1	0.3	0.3
23	Male-----	3.5	5.2	0.6	0.2	0.2	0.4	0.3
24	Female-----	3.2	4.8	0.7	0.1	0.1	0.2	0.3
25	Nonwhite-----	7.8	29.2	2.8	0.4	0.3	0.9	1.2
26	Male-----	7.8	31.9	2.8	0.5	0.4	1.2	0.6
27	Female-----	7.7	26.6	2.9	0.4	0.2	0.5	1.7
28	Pneumonia, except pneumonia of newborn (490-493)-----	33.8	210.0	13.4	2.4	1.8	2.0	2.4
29	Male-----	38.8	235.2	14.0	2.4	1.8	2.2	2.6
30	Female-----	28.9	183.8	12.9	2.4	1.9	1.9	2.2
31	White-----	31.4	150.2	9.8	2.1	1.7	1.9	2.0
32	Male-----	35.9	171.3	10.1	2.0	1.6	2.1	2.2
33	Female-----	27.1	128.1	9.5	2.1	1.7	1.8	1.8
34	Nonwhite-----	52.8	529.4	34.1	4.6	2.4	2.8	5.4
35	Male-----	62.8	580.9	36.3	4.9	2.2	3.2	5.4
36	Female-----	43.3	477.2	32.0	4.3	2.6	2.5	5.4
37	Bronchitis (500-502)-----	2.9	13.4	1.4	0.3	0.1	0.1	0.2
38	Male-----	4.3	15.9	1.6	0.3	0.1	0.1	0.1
39	Female-----	1.6	10.8	1.2	0.3	0.1	0.1	0.2
40	White-----	3.0	12.1	1.3	0.3	0.1	0.1	0.2
41	Male-----	4.4	14.9	1.5	0.3	0.1	0.1	0.2
42	Female-----	1.6	9.2	1.1	0.2	0.1	0.1	0.2
43	Nonwhite-----	2.4	21.7	2.2	0.4	0.1	0.2	0.1
44	Male-----	3.1	23.1	2.7	0.4	-	0.2	-
45	Female-----	1.7	20.3	1.8	0.4	0.2	0.1	0.3
46	Other bronchopulmonic diseases (525-527)-----	12.3	33.6	1.1	0.1	0.1	0.2	0.3
47	Male-----	20.0	37.7	1.2	0.2	0.1	0.3	0.3
48	Female-----	4.9	29.3	1.1	0.1	0.1	0.2	0.3
49	White-----	13.0	28.3	0.9	0.1	0.1	0.2	0.2
50	Male-----	21.2	32.1	1.0	0.2	0.1	0.3	0.2
51	Female-----	5.0	24.3	0.8	0.1	0.1	0.2	0.3
52	Nonwhite-----	8.4	65.3	2.4	0.2	0.2	0.4	0.6
53	Male-----	12.3	70.9	2.1	0.3	0.2	0.2	0.9
54	Female-----	4.7	59.5	2.6	0.1	0.2	0.5	0.3
55	Ulcer of stomach and duodenum (540,541)-----	6.5	1.7	0.1	0.0	0.1	0.1	0.3
56	Male-----	9.5	2.4	0.2	0.0	0.0	0.1	0.3
57	Female-----	3.5	1.1	0.1	0.0	0.1	0.1	0.2
58	White-----	6.7	1.2	0.1	0.0	0.0	0.1	0.2
59	Male-----	9.8	1.5	0.2	0.0	0.0	0.1	0.3
60	Female-----	3.7	0.8	0.1	0.0	0.0	0.0	0.2
61	Nonwhite-----	4.6	4.2	0.2	0.0	0.1	0.2	0.6
62	Male-----	6.7	5.9	0.2	0.1	0.1	0.1	1.0
63	Female-----	2.5	2.5	0.1	-	0.2	0.2	0.3
64	Appendicitis (550-553)-----	0.9	0.5	0.2	0.3	0.3	0.3	0.2
65	Male-----	1.2	0.7	0.3	0.3	0.3	0.3	0.2
66	Female-----	0.7	0.4	0.2	0.2	0.3	0.2	0.2
67	White-----	0.9	0.5	0.2	0.2	0.3	0.2	0.2
68	Male-----	1.1	0.6	0.3	0.3	0.3	0.2	0.2
69	Female-----	0.7	0.5	0.2	0.1	0.2	0.2	0.2
70	Nonwhite-----	1.3	0.6	0.3	0.5	0.6	0.7	0.3
71	Male-----	1.6	1.3	0.2	0.3	0.5	0.8	0.3
72	Female-----	1.1	0.3	0.3	0.6	0.7	0.6	0.4
73	Hernia and intestinal obstruction (560,561,570)-----	5.3	22.3	0.5	0.1	0.1	0.2	0.2
74	Male-----	5.1	27.6	0.7	0.2	0.1	0.2	0.2
75	Female-----	5.4	16.8	0.3	0.1	0.0	0.1	0.3
76	White-----	5.3	22.0	0.4	0.1	0.1	0.1	0.2
77	Male-----	5.0	26.6	0.6	0.2	0.1	0.2	0.1
78	Female-----	5.5	17.2	0.2	0.1	0.0	0.1	0.3
79	Nonwhite-----	5.3	24.5	0.7	0.3	0.0	0.4	0.4
80	Male-----	5.7	33.4	0.9	0.4	0.1	0.3	0.6
81	Female-----	4.9	15.5	0.5	0.1	-	0.4	0.3
82	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)-----	4.4	51.4	3.0	0.3	0.2	0.3	0.5
83	Male-----	4.4	57.5	3.1	0.3	0.3	0.2	0.6
84	Female-----	4.3	45.0	3.0	0.3	0.1	0.3	0.5
85	White-----	3.9	29.1	2.4	0.3	0.2	0.2	0.5
86	Male-----	3.9	32.9	2.5	0.3	0.2	0.2	0.5
87	Female-----	3.9	25.1	2.3	0.3	0.1	0.2	0.5
88	Nonwhite-----	7.9	171.1	6.8	0.6	0.2	0.5	0.6
89	Male-----	8.7	192.2	6.4	0.4	0.4	0.5	0.9
90	Female-----	7.2	149.7	7.2	0.9	0.1	0.4	0.4

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - MORTALITY

1-257

Age Groups, Color, and Sex: United States, 1963-Con.

death are category numbers of the Seventh Revision of the International Lists, 1955. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over		
2.6	2.6	3.2	4.1	5.7	8.2	10.7	12.1	18.0	24.5	36.3	58.5	110.7	1	
3.5	3.0	4.0	4.6	6.9	9.9	13.3	14.0	20.6	30.7	44.9	75.5	140.0	2	
1.6	2.3	2.5	3.6	4.7	6.5	8.2	10.3	15.8	19.4	29.7	46.5	92.4	3	
2.3	2.0	2.4	3.1	4.6	5.9	8.8	9.6	14.6	21.1	33.5	55.5	106.0	4	
3.2	2.4	3.2	3.7	5.5	7.4	11.5	11.4	17.1	26.2	41.3	70.9	134.3	5	
1.4	1.6	1.7	2.6	3.6	4.4	6.1	8.0	12.4	17.0	27.4	44.8	88.6	6	
4.6	7.4	9.7	12.8	15.9	29.5	29.9	35.6	57.9	63.6	75.1	96.3	170.5	7	
5.9	8.1	10.5	12.9	19.0	32.5	32.5	37.0	61.0	82.8	91.9	125.4	221.2	8	
3.4	6.9	8.9	12.7	13.0	26.7	27.5	34.3	55.2	47.1	60.3	71.2	133.3	9	
3.3	5.0	7.1	9.9	14.8	22.3	33.0	51.2	87.4	150.5	265.5	507.9	1,263.4	10	
3.4	5.0	8.1	12.4	19.2	30.9	44.9	70.5	122.9	208.8	340.4	625.0	1,444.7	11	
3.3	5.0	6.1	7.5	10.6	14.1	21.8	33.6	57.3	103.0	207.5	425.2	1,150.2	12	
2.5	3.5	4.9	7.4	11.4	17.8	27.5	43.0	77.0	141.0	260.5	511.9	1,294.1	13	
2.5	3.6	5.7	8.9	15.1	25.1	37.9	61.4	109.2	198.7	335.0	627.7	1,486.2	14	
2.5	3.4	4.2	5.9	7.9	10.8	17.8	26.4	49.7	94.3	203.4	431.6	1,175.4	15	
9.1	16.5	24.1	33.1	45.8	64.4	90.2	138.9	213.5	274.9	346.0	486.0	1,037.2	16	
10.0	16.3	27.5	45.3	58.6	85.4	117.1	167.4	283.9	341.1	425.2	581.0	1,121.2	17	
8.4	16.6	21.2	22.2	34.2	44.7	64.4	111.4	151.2	218.1	276.2	404.1	975.6	18	
0.3	0.5	0.7	0.9	1.6	2.0	3.4	5.8	8.6	16.4	30.3	59.7	148.7	19	
0.3	0.5	0.6	0.9	1.8	2.4	4.3	7.0	10.3	19.4	34.5	69.6	169.9	20	
0.3	0.5	0.8	0.9	1.3	1.7	2.6	4.7	7.1	14.0	27.0	52.7	135.5	21	
0.2	0.3	0.6	0.7	1.2	1.4	2.5	4.1	6.8	13.7	28.4	57.3	143.8	22	
0.2	0.3	0.5	0.7	1.4	1.7	3.4	5.4	8.3	16.9	33.0	66.6	166.3	23	
0.2	0.3	0.6	0.7	1.1	1.0	1.7	2.9	5.5	11.2	24.9	50.9	129.9	24	
0.7	1.6	1.8	2.9	5.2	8.6	13.8	24.3	53.8	66.2	105.1	248.7	509.7	25	
1.2	1.5	1.0	2.4	6.0	9.0	15.3	24.8	37.2	55.0	64.0	111.1	251.5	26	
0.3	1.7	2.4	3.4	4.4	8.2	12.3	23.8	29.0	52.9	68.3	100.0	246.7	27	
3.0	4.6	6.4	9.0	13.2	20.3	29.6	45.4	78.8	134.0	235.3	448.2	1,114.7	28	
3.0	4.5	7.5	11.5	17.4	28.5	40.6	63.5	112.6	189.4	305.9	555.4	1,274.8	29	
3.0	4.6	5.3	6.6	9.2	12.4	19.2	28.9	50.1	89.0	180.5	372.5	1,014.7	30	
2.3	3.2	4.4	6.7	10.2	16.4	25.1	38.9	70.2	127.3	232.1	454.5	1,150.3	31	
2.3	3.3	5.2	8.2	13.7	23.4	34.6	56.0	101.0	181.9	302.0	561.1	1,319.9	32	
2.3	3.1	3.6	5.3	6.8	9.7	16.1	23.4	44.1	83.1	178.5	380.7	1,045.5	33	
8.4	14.8	22.4	30.2	40.6	55.8	76.4	114.6	180.6	221.0	279.7	380.9	788.5	34	
8.8	14.8	26.5	42.9	52.6	76.4	101.8	142.6	246.6	286.1	361.3	469.8	869.7	35	
8.1	14.9	18.8	18.9	29.8	36.5	52.1	87.7	122.2	165.2	207.9	304.1	728.9	36	
0.1	0.3	0.4	0.6	1.1	2.2	4.1	6.8	12.1	16.0	20.2	24.8	44.3	37	
0.1	0.2	0.4	0.6	1.6	3.3	6.9	12.4	22.5	29.0	34.3	39.2	59.5	38	
0.1	0.3	0.5	0.7	0.7	1.1	1.4	1.7	3.3	5.5	9.2	14.7	34.8	39	
0.1	0.2	0.4	0.5	1.0	2.2	4.2	7.0	12.2	16.3	20.9	25.7	46.6	40	
0.1	0.2	0.4	0.5	1.3	3.3	7.1	12.9	22.8	29.7	35.8	41.3	62.2	41	
0.1	0.3	0.5	0.7	1.1	1.4	1.4	1.4	1.7	3.3	5.4	9.4	14.9	42	
0.4	0.5	0.6	1.6	1.8	2.2	3.5	4.8	11.2	12.3	6.8	16.9	28.2	43	
0.5	0.3	0.7	1.5	3.3	3.4	5.6	7.8	18.8	21.1	9.9	19.0	39.4	44	
0.3	0.7	0.6	1.7	0.5	1.0	1.5	1.8	4.4	4.8	4.0	15.1	20.0	45	
0.5	0.9	1.6	2.6	6.0	11.9	22.8	39.8	62.9	79.2	89.4	97.8	115.9	46	
0.5	0.9	2.0	3.6	9.0	18.4	39.0	72.1	118.6	150.5	166.4	180.2	206.0	47	
0.5	0.8	1.2	1.6	3.1	5.7	7.5	10.4	15.6	21.2	21.2	39.5	59.5	48	
0.4	0.8	1.4	2.4	5.7	11.9	23.5	41.4	65.1	83.1	93.3	103.2	121.7	49	
0.4	0.9	1.7	3.3	8.5	18.4	40.5	75.2	122.9	158.0	174.9	191.7	216.7	50	
0.4	0.7	1.0	1.4	2.9	5.8	7.4	10.9	16.1	22.3	30.7	41.7	63.0	51	
1.3	1.1	3.8	4.5	9.9	13.6	17.7	29.6	41.8	48.9	48.9	47.1	71.8	52	
1.4	0.8	4.4	5.7	15.1	21.8	28.1	50.8	74.9	78.3	79.3	81.0	124.2	53	
1.2	1.3	3.3	3.4	5.1	5.8	7.6	9.3	13.5	10.5	22.2	17.8	33.3	54	
0.5	1.0	1.8	3.1	5.5	8.7	11.7	18.6	26.7	34.6	51.4	64.4	93.0	55	
0.9	1.5	2.6	4.6	8.5	13.7	19.2	30.6	44.4	57.0	83.2	94.8	132.2	56	
0.2	0.6	1.1	1.7	2.6	4.0	4.6	7.7	11.6	16.3	26.6	42.9	68.6	57	
0.5	0.9	1.7	2.9	5.2	8.5	11.4	18.1	26.8	35.3	52.7	68.4	99.0	58	
0.8	1.3	2.4	4.3	8.1	13.5	19.0	30.0	44.8	58.7	85.2	101.0	143.1	59	
0.2	0.4	1.0	1.6	2.4	3.7	4.3	7.3	11.5	16.3	27.8	45.7	71.7	60	
0.9	2.2	2.7	5.1	7.6	11.1	13.2	21.4	29.5	26.2	29.5	25.7	30.8	61	
1.7	2.9	4.3	7.9	11.8	16.3	18.9	32.6	42.6	38.9	49.5	38.1	33.3	62	
0.3	1.6	1.3	2.6	3.7	6.2	7.6	10.5	13.9	15.2	11.9	15.1	28.9	63	
0.3	0.3	0.4	0.5	0.7	0.9	1.6	2.0	2.9	4.3	6.6	7.1	11.2	64	
0.3	0.3	0.5	0.8	0.9	1.2	2.2	2.7	4.0	6.3	9.1	9.7	14.3	65	
0.3	0.2	0.4	0.3	0.5	0.7	1.1	1.4	1.8	2.7	4.6	5.3	9.2	66	
0.2	0.2	0.4	0.4	0.6	0.7	1.4	1.7	2.7	4.3	6.3	7.0	11.4	67	
0.3	0.3	0.4	0.7	0.8	1.0	1.8	2.4	3.9	6.2	8.7	9.7	14.1	68	
0.2	0.2	0.4	0.2	0.4	0.5	1.0	1.1	1.7	2.8	4.5	5.2	9.8	69	
0.7	0.5	0.9	1.2	2.4	2.4	4.6	5.2	5.1	3.8	11.0	8.1	9.0	70	
0.5	0.3	1.3	1.5	1.6	3.2	6.6	6.3	6.7	5.6	16.2	9.5	15.2	71	
0.9	0.6	0.6	0.9	0.9	1.6	2.7	4.2	3.6	2.4	6.3	6.8	4.4	72	
0.3	0.6	0.9	1.5	2.3	4.2	6.8	10.1	16.3	27.3	43.8	70.5	117.7	73	
0.3	0.5	0.7	1.4	2.0	4.0	7.5	11.1	18.3	30.6	44.2	72.1	106.8	74	
0.4	0.7	1.2	1.6	2.6	4.3	6.3	9.3	14.6	24.6	43.4	69.4	124.5	75	
0.2	0.4	0.8	1.1	2.0	3.7	6.1	9.4	15.5	26.8	44.5	72.6	122.8	76	
0.1	0.4	0.5	1.1	1.8	3.7	6.6	10.3	17.4	30.3	44.3	73.6	109.1	77	
0.3	0.5	1.0	2.3	3.7	7.0	13.9	23.9	44.7	71.9	119.9	131.3	131.3	78	
0.9	1.9	1.5	4.5	5.3	9.0	14.5	18.3	25.7	34.4	38.8	41.2	64.1	79	
1.0	1.7	1.3	3.3	4.7	7.9	16.4	18.8	26.5	38.9	45.9	46.0	84.8	80	
0.7	2.0	1.7	5.5	5.8	10.0	12.8	17.8	25.0	30.5	32.5	37.0	48.9	81	
0.6	0.7	1.0	1.4	2.3	3.0	4.5	6.3	10.2	15.1	24.4	36.9	67.1	82	
0.7	0.7	1.1	1.7	2.5	3.5	5.4	6.9	11.1	16.3	24.5	31.9	53.8	83	
0.5	0.7	0.8	1.0	2.1	2.6	3.6	5.7	9.5	14.2	24.2	40.5	75.4	84	
0.6	0.7	0.9	1.4	2.2	2.9	4.4	6.2	10.1	15.3	24.5	38.9	68.3	85	
0.6	0.7	1.0	1.8	2.5	3.3	5.4	7.0	10.9	16.3	25.1	33.2	54.5	86	
0.5	0.6	0.8	1.0	1.9	2.6	3.4	5.4	9.4	14.5	24.1	42.9	76.8	87	
0.7	0.9	1.1	1.5	2.9	3.3	5.0	6.3	11.6	12.6	17.7	16.2	30.0	88	
0.8	0.7	1.6	1.7	2.5	3.2	5.4	5.0	13.5	15.0	13.5	17.5	42.4	89	
0.6	1.0	0.7	1.2	3.3	3.4	4.7	7.5	9.9	10.5	21.4	15.1	55.6	90	

SECTION 1 - MORTALITY

Table 1-26. Death Rates for 60 Selected Causes, by 5-Year

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population in specified group. Numbers after causes of

CAUSE OF DEATH, COLOR, AND SEX		Total ¹	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Cirrhosis of liver (581)-----	11.9	0.9	0.1	0.1	0.1	0.2	0.4
2	Male-----	15.7	1.0	0.1	0.0	0.1	0.1	0.4
3	Female-----	8.3	0.9	0.2	0.1	0.2	0.3	0.4
4	White-----	11.8	0.7	0.1	0.1	0.1	0.2	0.3
5	Male-----	15.7	0.8	0.1	0.0	0.1	0.1	0.4
6	Female-----	8.0	0.7	0.2	0.1	0.1	0.3	0.3
7	Nonwhite-----	11.5	1.9	0.2	0.1	0.3	0.2	1.0
8	Male-----	13.9	1.9	0.2	0.1	0.2	0.2	0.6
9	Female-----	9.3	1.9	0.1	0.2	0.4	0.2	1.3
10	Cholelithiasis, cholecystitis, and cholangitis (584,585)-----	2.5	0.0	-	-	-	0.0	0.1
11	Male-----	2.1	-	-	-	-	-	0.0
12	Female-----	2.9	0.1	-	-	-	0.1	0.2
13	White-----	2.6	0.0	-	-	-	0.0	0.1
14	Male-----	2.2	-	-	-	-	-	0.0
15	Female-----	3.0	0.1	-	-	-	0.0	0.2
16	Nonwhite-----	1.2	-	-	-	-	0.1	0.1
17	Male-----	0.8	-	-	-	-	-	0.1
18	Female-----	1.6	-	-	-	-	0.2	-
19	Acute nephritis, and nephritis with edema including nephrosis (590,591)-----	0.8	0.4	0.4	0.3	0.2	0.3	0.3
20	Male-----	0.9	0.6	0.4	0.3	0.2	0.3	0.3
21	Female-----	0.7	0.3	0.3	0.3	0.2	0.3	0.4
22	White-----	0.6	0.4	0.3	0.3	0.2	0.3	0.3
23	Male-----	0.7	0.5	0.3	0.2	0.2	0.3	0.3
24	Female-----	0.6	0.2	0.2	0.3	0.2	0.2	0.3
25	Nonwhite-----	1.6	0.8	1.2	0.8	0.3	0.6	1.0
26	Male-----	1.8	1.3	1.1	1.0	0.2	0.3	0.9
27	Female-----	1.4	0.3	1.3	0.5	0.4	1.0	1.2
28	Infections of kidney (600)-----	4.7	0.9	0.2	0.1	0.1	0.2	0.4
29	Male-----	4.7	1.3	0.2	0.1	0.1	0.1	0.4
30	Female-----	4.8	0.4	0.2	0.2	0.1	0.3	0.4
31	White-----	4.4	0.8	0.2	0.1	0.1	0.2	0.4
32	Male-----	4.3	1.1	0.2	0.0	0.1	0.2	0.3
33	Female-----	4.5	0.4	0.2	0.2	0.1	0.3	0.4
34	Nonwhite-----	7.8	1.6	0.2	0.2	0.1	0.3	1.0
35	Male-----	8.0	2.8	0.2	0.1	0.1	0.1	0.9
36	Female-----	7.6	0.3	0.2	0.2	0.1	0.4	1.1
37	Hyperplasia of prostate (610)-----	2.3	-	-	-	-	-	-
38	Male-----	4.6	-	-	-	-	-	-
39	White-----	2.2	-	-	-	-	-	-
40	Male-----	4.5	-	-	-	-	-	-
41	Nonwhite-----	2.8	-	-	-	-	-	-
42	Male-----	5.7	-	-	-	-	-	-
43	Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)-----	0.8	-	-	-	0.0	0.8	2.2
44	Female-----	1.5	-	-	-	0.1	1.7	4.4
45	White-----	0.5	-	-	-	-	0.5	1.6
46	Female-----	1.0	-	-	-	-	1.0	3.1
47	Nonwhite-----	2.9	-	-	-	0.3	3.3	7.3
48	Female-----	5.6	-	-	-	0.6	6.6	13.9
49	Abortion (650-652)-----	0.1	-	-	-	0.0	0.1	0.5
50	Female-----	0.3	-	-	-	0.0	0.2	0.9
51	White-----	0.1	-	-	-	-	0.0	0.4
52	Female-----	0.2	-	-	-	-	0.1	0.7
53	Nonwhite-----	0.5	-	-	-	0.1	0.6	1.2
54	Female-----	1.0	-	-	-	0.2	1.2	2.3
55	Other complications of pregnancy, childbirth, and the puerperium (640-649,660-689)-----	0.6	-	-	-	0.0	0.7	1.8
56	Female-----	1.2	-	-	-	0.1	1.5	3.5
57	White-----	0.4	-	-	-	-	0.5	1.2
58	Female-----	0.8	-	-	-	-	0.9	2.3
59	Nonwhite-----	2.4	-	-	-	0.2	2.8	6.1
60	Female-----	4.6	-	-	-	0.4	5.5	11.6
61	Congenital malformations (750-759)-----	11.0	357.8	10.8	3.2	2.4	2.7	2.4
62	Male-----	12.1	381.9	10.4	3.4	2.7	3.1	2.8
63	Female-----	10.0	332.7	11.3	3.0	2.1	2.3	2.0
64	White-----	10.8	367.4	10.3	3.1	2.4	2.6	2.4
65	Male-----	11.8	389.3	10.1	3.3	2.8	3.1	2.7
66	Female-----	9.8	344.5	10.5	2.9	2.1	2.1	2.1
67	Nonwhite-----	13.0	303.9	13.9	3.5	2.0	3.1	2.4
68	Male-----	14.3	333.4	12.7	3.6	2.4	2.7	3.1
69	Female-----	11.8	274.1	15.0	3.5	1.7	3.4	1.7
70	Certain diseases of early infancy (760-776)-----	33.3	1,537.8	0.1	0.0	0.0	0.0	0.0
71	Male-----	39.8	1,773.4	0.1	0.0	0.0	-	0.0
72	Female-----	26.9	1,292.1	0.0	0.0	0.0	0.0	-
73	White-----	28.4	1,376.0	0.0	0.0	0.0	0.0	0.0
74	Male-----	34.3	1,598.0	0.1	0.0	0.0	-	0.0
75	Female-----	22.7	1,143.2	-	0.0	0.0	0.0	-
76	Nonwhite-----	69.6	2,352.8	0.2	-	-	-	-
77	Male-----	81.8	2,665.9	0.3	-	-	-	-
78	Female-----	58.1	2,035.8	0.1	-	-	-	-
79	Birth injuries, postnatal asphyxia, and atelectasis (760-762)-----	14.3	659.8	-	-	0.0	-	-
80	Male-----	17.4	775.0	-	-	0.0	-	-
81	Female-----	11.2	539.7	-	-	-	-	-
82	White-----	12.7	615.7	-	-	0.0	-	-
83	Male-----	15.7	730.0	-	-	0.0	-	-
84	Female-----	9.8	495.7	-	-	-	-	-
85	Nonwhite-----	25.1	847.6	-	-	-	-	-
86	Male-----	29.5	961.9	-	-	-	-	-
87	Female-----	20.9	732.0	-	-	-	-	-

¹Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-26. Death Rates for 60 Selected Causes, by 5-Year

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population in specified group. Numbers after causes of

CAUSE OF DEATH, COLOR, AND SEX		Total ¹	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Certain diseases of early infancy—Con.							
2	Infections of newborn (763-768)	2.3	108.2	-	-	-	-	-
3	Male	2.8	123.7	-	-	-	-	-
4	Female	1.9	92.0	-	-	-	-	-
5	White	1.7	82.4	-	-	-	-	-
6	Male	2.0	93.8	-	-	-	-	-
7	Female	1.4	70.4	-	-	-	-	-
8	Nonwhite	7.2	244.3	-	-	-	-	-
9	Male	8.7	282.2	-	-	-	-	-
	Female	5.9	206.0	-	-	-	-	-
10	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	16.7	769.8	0.1	0.0	0.0	0.0	0.0
11	Male	19.7	874.7	0.1	0.0	-	-	0.0
12	Female	13.7	650.4	0.0	0.0	0.0	0.0	-
13	White	14.0	678.0	0.0	0.0	0.0	0.0	0.0
14	Male	16.6	774.2	0.1	0.0	-	-	0.0
15	Female	11.4	577.1	-	0.0	0.0	0.0	-
16	Nonwhite	37.3	1,260.8	0.2	-	-	-	-
17	Male	43.6	1,421.9	0.3	-	-	-	-
18	Female	31.3	1,097.8	0.1	-	-	-	-
19	Symptoms, senility, and ill-defined conditions (780-795)	11.9	62.2	2.4	0.6	0.6	1.2	1.9
20	Male	14.2	70.0	2.6	0.6	0.5	1.5	2.3
21	Female	9.7	53.9	2.2	0.5	0.6	0.9	1.4
22	White	8.9	31.0	1.2	0.4	0.5	1.0	1.3
23	Male	10.9	35.1	1.3	0.4	0.4	1.3	1.7
24	Female	7.1	26.6	1.1	0.3	0.5	0.7	1.0
25	Nonwhite	36.3	235.1	9.4	1.7	1.2	2.4	5.4
26	Male	42.1	267.2	10.4	1.9	1.2	2.7	6.3
27	Female	30.9	202.5	8.5	1.4	1.2	2.0	4.7
28	All other diseases (Residual)	28.7	64.2	8.9	4.4	4.1	5.3	6.2
29	Male	32.0	72.4	9.5	4.3	4.2	6.5	7.3
30	Female	25.6	55.7	8.4	4.4	4.0	4.0	5.2
31	White	28.0	58.1	8.6	4.2	4.1	4.9	5.3
32	Male	31.2	65.6	9.1	4.1	4.3	6.2	6.2
33	Female	25.0	50.2	8.0	4.3	3.8	3.6	4.4
34	Nonwhite	34.6	99.1	10.5	5.1	4.9	7.7	13.0
35	Male	39.0	111.3	11.6	5.2	4.1	8.4	14.9
36	Female	30.5	86.7	9.4	5.1	5.8	7.0	11.4
37	Accidents (E800-E962)	53.4	86.2	31.1	18.6	17.9	51.6	64.5
38	Male	74.1	93.7	35.7	23.9	26.4	80.4	109.1
39	Female	33.4	78.4	26.3	13.2	9.2	22.4	21.8
40	White	52.3	72.0	27.6	16.9	17.0	52.3	64.4
41	Male	72.2	80.3	32.2	24.8	24.8	81.0	108.6
42	Female	33.0	63.3	22.8	11.3	8.8	23.1	21.8
43	Nonwhite	65.5	160.8	52.2	29.6	25.1	50.3	70.0
44	Male	94.6	165.6	57.8	34.5	38.1	82.2	121.4
45	Female	38.1	156.0	46.7	24.8	12.1	18.9	22.9
46	Motor vehicle accidents (E810-E835)	23.1	7.9	10.0	8.8	7.2	34.9	46.6
47	Male	34.2	7.5	11.5	11.4	9.7	52.3	77.6
48	Female	12.4	8.2	8.5	6.1	4.7	17.3	17.0
49	White	23.4	8.5	9.9	8.5	7.4	36.9	47.8
50	Male	34.4	8.1	11.2	11.0	9.8	55.1	78.9
51	Female	12.7	8.9	8.7	5.9	4.9	18.4	17.8
52	Nonwhite	23.4	5.5	11.6	11.0	6.9	23.9	42.0
53	Male	36.7	5.6	14.7	14.5	9.6	37.5	73.6
54	Female	11.0	5.4	8.6	7.4	4.3	10.5	13.0
55	Other accidents (E800-E802, E840-E962)	30.3	78.4	21.0	9.9	10.7	16.6	17.9
56	Male	39.9	86.2	24.2	12.5	16.7	28.1	31.5
57	Female	21.0	70.2	17.8	7.1	4.5	5.1	4.8
58	White	28.9	63.5	17.6	8.4	9.6	15.4	16.6
59	Male	37.8	72.2	21.0	11.4	15.0	25.9	29.7
60	Female	20.3	54.4	14.1	5.4	4.0	4.7	4.1
61	Nonwhite	42.0	155.3	40.6	18.6	18.2	26.4	28.0
62	Male	57.9	160.0	43.1	19.9	28.6	44.7	47.8
63	Female	27.1	150.6	38.1	17.3	7.7	8.4	9.9
64	Suicide (E963, E970-E979)	11.0	0.0	0.6	4.0	8.5
65	Male	16.5	0.0	0.9	6.0	12.8
66	Female	5.8	-	0.2	1.9	4.4
67	White	11.9	0.0	0.6	4.2	8.6
68	Male	17.8	0.0	1.0	6.4	12.9
69	Female	6.3	-	0.2	1.9	4.6
70	Nonwhite	5.0	0.1	0.5	2.9	7.7
71	Male	7.9	0.1	0.6	3.7	12.5
72	Female	2.2	-	0.3	2.0	3.2
73	Homicide (E964, E980-E985)	4.9	5.0	1.1	0.6	0.6	3.6	8.5
74	Male	7.5	5.0	1.2	0.7	0.6	5.5	13.6
75	Female	2.4	5.0	1.1	0.6	0.5	1.7	3.7
76	White	2.7	4.2	1.0	0.5	0.4	2.0	3.9
77	Male	3.9	4.2	1.1	0.6	0.4	2.9	5.9
78	Female	1.5	4.1	0.9	0.5	0.4	1.0	1.9
79	Nonwhite	22.0	9.0	1.8	1.2	1.6	15.6	43.3
80	Male	35.7	9.4	1.8	1.3	1.8	25.0	72.3
81	Female	9.1	8.5	1.9	1.1	1.4	6.2	16.7

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - MORTALITY

Age Groups, Color, and Sex: United States, 1963-Con.

death are category numbers of the Seventh Revision of the International Lists, 1955. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	18
2.6	3.2	4.6	6.9	8.9	13.5	17.0	24.3	32.8	41.1	60.0	102.3	296.9	19
2.8	3.6	5.2	8.5	11.7	18.6	24.2	33.8	47.5	56.1	77.9	129.8	328.6	20
2.4	2.8	4.0	5.4	6.1	8.6	10.3	15.7	20.3	28.9	46.1	82.9	277.1	21
1.8	2.0	3.2	4.9	6.3	10.2	12.5	17.3	23.4	30.6	48.2	87.1	257.4	22
1.9	2.2	3.9	6.2	8.6	15.0	19.3	26.0	36.7	43.2	63.5	109.2	278.6	23
1.7	1.9	2.5	3.7	4.2	5.5	6.2	9.4	12.2	20.4	36.5	71.7	244.4	24
7.8	12.2	17.1	25.1	33.8	48.2	65.4	103.8	153.5	177.2	232.5	314.7	829.5	25
9.0	15.5	17.9	30.8	44.1	57.6	78.5	121.6	187.0	218.3	273.9	382.5	924.2	26
6.8	9.5	16.4	20.1	24.6	39.5	52.8	86.7	123.8	141.9	196.0	256.2	760.0	27
8.5	10.0	14.6	20.4	25.9	35.4	48.4	62.2	89.2	116.4	160.2	221.1	400.6	28
8.9	10.7	15.7	22.3	30.1	44.2	59.2	76.2	113.2	145.8	192.5	258.9	433.8	29
8.0	9.3	13.4	18.6	22.0	27.0	38.2	49.5	68.9	92.5	135.2	194.4	379.9	30
6.7	7.6	11.5	17.3	23.3	32.6	46.3	58.9	86.1	116.1	162.4	227.4	415.0	31
7.1	8.1	12.8	19.2	27.5	41.3	56.8	72.8	108.9	145.6	195.2	266.2	444.9	32
6.4	7.2	10.3	15.4	19.4	24.2	36.3	46.4	66.8	92.2	137.3	200.5	396.6	33
21.0	27.1	38.9	47.9	50.3	63.9	69.8	96.9	129.9	119.5	147.7	169.1	298.7	34
22.6	30.1	40.6	50.1	56.5	74.7	82.6	113.2	171.7	145.0	182.9	195.2	387.9	35
19.7	24.7	37.3	45.9	44.7	53.7	57.5	81.3	92.9	97.6	116.7	146.6	233.3	36
48.2	42.3	42.3	43.6	48.2	54.8	59.2	66.2	77.1	105.7	162.5	284.4	634.9	37
80.5	69.0	67.8	68.1	74.5	84.2	90.8	97.1	110.0	140.2	195.0	312.8	627.8	38
16.9	16.5	18.0	20.4	23.1	26.7	29.4	38.1	49.2	77.6	137.4	264.3	639.4	39
45.7	39.7	40.1	41.0	46.2	52.3	57.5	63.1	73.8	104.2	163.5	292.3	664.7	40
76.4	65.1	63.6	63.2	71.0	80.5	87.9	92.7	105.5	138.0	197.2	321.5	657.8	41
15.5	14.9	17.3	19.7	22.5	25.4	28.8	36.3	47.0	76.7	137.6	272.2	669.0	42
70.5	65.5	66.1	71.9	72.7	84.6	83.1	103.2	116.0	129.2	149.4	197.8	350.0	43
119.8	108.6	111.8	120.0	118.8	132.5	130.4	148.9	165.5	172.8	173.9	236.5	339.4	44
27.5	28.8	26.6	29.0	31.1	39.7	37.6	59.3	72.2	91.9	127.8	164.4	357.8	45
30.4	27.7	22.4	21.5	22.6	24.7	26.7	27.5	31.2	36.1	44.2	45.1	39.8	46
50.0	37.8	35.0	32.5	33.4	36.1	38.9	38.5	44.4	52.3	67.4	75.0	71.9	47
11.4	10.3	10.3	11.1	12.3	13.8	15.2	17.4	19.9	23.0	26.2	24.0	19.8	48
29.9	23.2	22.0	20.8	22.3	24.3	26.3	27.2	30.9	36.5	45.4	46.6	40.6	49
48.9	36.7	33.9	30.8	32.8	35.4	37.8	38.1	43.5	52.1	69.5	77.5	72.7	50
11.3	9.9	10.5	11.3	12.3	13.7	15.5	17.3	20.2	23.8	26.9	25.2	20.8	51
36.8	31.8	28.4	30.1	29.1	33.1	33.1	33.6	36.2	35.9	32.9	30.1	33.3	52
63.7	52.1	48.4	50.9	45.4	51.0	53.5	48.6	57.4	59.4	49.5	50.8	63.6	53
13.3	14.5	11.2	11.5	14.4	16.4	13.5	19.3	17.5	15.7	18.3	12.3	11.1	54
17.8	18.5	19.9	22.1	25.6	30.1	32.5	38.8	45.9	69.5	118.4	239.3	595.1	55
30.5	31.2	32.8	35.6	41.1	48.1	51.9	58.6	65.6	88.0	127.7	237.8	555.8	56
5.5	6.3	7.6	9.3	10.7	12.9	14.3	20.7	29.3	54.5	111.2	240.3	619.6	57
15.8	16.6	18.1	20.1	23.9	28.1	31.2	35.9	42.9	67.7	118.1	245.7	624.1	58
27.5	28.5	29.7	32.4	38.2	45.1	50.1	54.7	62.0	85.9	127.8	244.0	585.0	59
4.2	5.0	6.8	8.4	10.2	11.7	13.3	19.0	26.8	52.9	110.8	247.1	648.2	60
33.7	33.7	37.7	41.8	43.6	51.4	50.0	69.6	79.8	93.3	116.5	167.6	316.7	61
56.1	56.5	63.5	69.0	73.4	81.6	77.0	100.3	108.1	113.3	124.3	185.7	275.8	62
14.2	14.3	15.4	17.5	16.7	23.2	24.1	40.1	54.8	76.2	109.5	152.1	346.7	63
11.0	12.6	15.5	16.6	19.1	23.3	24.6	22.4	21.5	23.3	25.4	25.5	24.6	64
15.8	17.5	21.2	23.6	27.2	34.6	38.5	35.8	35.6	41.6	48.0	52.2	55.8	65
6.4	8.0	9.9	10.0	11.3	12.5	11.4	10.2	9.6	8.5	7.8	6.6	5.0	66
11.3	13.0	16.4	17.8	20.6	25.0	26.5	24.1	22.7	24.3	26.8	27.0	25.9	67
16.1	17.7	22.2	25.0	29.4	37.0	41.4	38.7	37.8	43.4	50.9	56.0	59.5	68
6.6	8.4	10.9	10.9	12.3	13.6	12.3	10.9	10.0	8.9	8.3	6.8	5.1	69
9.0	11.1	10.1	7.9	6.8	9.2	8.0	6.6	10.5	11.8	11.0	7.4	7.7	70
14.2	17.6	16.6	13.1	11.7	15.8	13.8	11.3	16.6	20.0	21.6	14.3	12.1	71
4.4	5.5	4.5	3.4	2.5	3.0	2.5	2.1	5.2	4.8	1.6	1.4	4.4	72
10.1	10.3	9.5	8.1	6.6	5.7	4.8	4.1	3.1	2.7	2.5	3.3	2.4	73
16.5	15.7	14.8	12.8	10.3	9.1	7.9	6.7	4.6	4.3	3.4	5.0	3.6	74
3.9	5.1	4.4	3.7	3.1	2.5	1.9	1.7	1.4	1.4	1.8	2.1	1.6	75
4.5	5.0	4.5	4.0	3.8	3.2	3.0	2.6	2.3	2.2	2.0	3.1	2.2	76
7.1	7.5	6.8	6.0	5.4	4.8	4.9	3.9	3.3	3.5	2.6	4.3	2.9	77
2.0	2.5	2.3	2.1	2.3	1.6	1.3	1.5	1.5	1.2	1.5	4.3	2.2	78
51.5	51.6	51.4	45.1	33.5	29.6	22.8	19.2	13.3	9.5	8.4	6.6	5.1	79
91.2	84.2	86.2	75.9	58.4	50.5	39.4	35.1	20.2	15.0	12.6	12.7	12.1	80
16.7	23.8	21.4	17.6	10.9	10.0	6.9	3.9	7.1	4.8	4.8	1.4	-	81

Table 1-27. Deaths From Selected Causes Among Armed Forces Abroad, by 5-Year Age Groups: United States, 1963

(Excludes all deaths occurring among Armed Forces in the United States, Virgin Islands, and Puerto Rico. Refers to deaths among males except as noted. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH	Total	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45 years and over
ALL CAUSES-----	1,146	110	392	206	190	109	74	65
Arteriosclerotic heart disease, including coronary disease-----420	98	1	2	1	16	24	25	31
Symptoms, senility, and ill-defined conditions-----780-795	9	3	2	1	-	1	-	2
All other diseases-----Residual	89	1	23	10	12	15	17	11
Accidents-----E900-E962	855	98	339	177	133	63	29	16
Railway accidents-----E900-E902	7	-	6	1	-	-	-	-
Motor vehicle accidents-----E910-E935	306	46	139	54	35	18	8	6
Motor vehicle traffic accidents-----E910-E925	290	43	130	52	34	17	8	6
Motor vehicle traffic accident involving collision								
with railway train-----E910	1	-	1	-	-	-	-	-
Motor vehicle traffic accident to pedestrian-----E912	21	3	12	1	4	1	-	-
Other motor vehicle traffic accidents involving								
collision-----E911, E913-E919	49	6	21	13	3	3	2	1
Motor vehicle noncollision traffic accidents-----E920-E924	122	25	60	17	6	9	2	3
Motor vehicle traffic accident of								
unspecified nature-----E925	97	9	36	21	21	4	4	2
Motor vehicle nontraffic accidents-----E930-E935	16	3	9	2	1	1	-	-
Other road vehicle accidents-----E940-E945	1	-	1	-	-	-	-	-
Water transport accidents-----E950-E958	147	14	68	27	20	16	2	-
Aircraft accidents-----E960-E966	216	6	51	77	52	16	12	2
Accidental poisoning by solid and liquid substances-----E970-E988	3	-	-	-	1	1	1	-
Accidental poisoning by gases and vapors-----E990-E995	16	3	5	1	4	-	2	1
Accidental falls-----E900-E904	17	3	9	1	-	2	2	-
Fall from one level to another-----E900-E902	10	3	7	-	-	-	-	-
Fall on same level-----E903	3	-	1	1	-	-	-	-
Unspecified falls-----E904	4	-	1	-	-	1	2	-
Blow from falling or projected object or missile-----E910	5	3	1	-	-	1	-	-
Accident caused by machinery-----E912	8	1	3	2	1	1	-	-
Accident caused by electric current-----E914	5	1	3	1	-	-	-	-
Accident caused by fire and explosion of combustible material-----E916	5	-	2	-	2	1	-	-
Accident caused by hot substance, corrosive liquid, steam, and								
radiation-----E917, E918	-	-	-	-	-	-	-	-
Accident caused by firearm-----E919	33	6	10	3	7	4	1	2
Inhalation and ingestion of food or other object causing obstruction or								
suffocation-----E921, E922	6	1	1	2	1	-	1	-
Accidental drowning-----E929	55	11	30	6	4	2	-	2
Excessive heat and insolation-----E931	1	-	1	-	-	-	-	-
Complications due to nontherapeutic medical and surgical procedures,								
therapeutic misadventure, and late complications of therapeutic								
procedures-----E940-E959	2	-	-	-	-	-	-	2
All other accidents-----Residual	22	3	9	2	6	1	-	1
Suicide-----E965, E970-E979	144	3	15	16	9	1	5	5
Suicide by poisoning-----E970-E973	11	1	1	4	2	-	2	1
Suicide by hanging and strangulation-----E974	5	-	1	1	1	-	1	1
Suicide by firearm and explosive-----E975	26	2	11	1	6	1	2	3
Suicide by all other means-----E965, E975, E977-E979	2	-	2	-	-	-	-	-
Homicide-----E964, E980-E985	11	2	4	3	1	1	-	-
Assault by firearm and explosive-----E981	4	-	-	3	1	-	-	-
Assault by cutting and piercing instruments-----E982	5	2	3	-	-	-	-	-
Assault by other means-----E964, E980, E983	2	-	1	-	-	1	-	-
Injury by intervention of police-----E984	-	-	-	-	-	-	-	-
Execution-----E985	-	-	-	-	-	-	-	-
Injury resulting from operations of war-----E965, E990-E999	40	2	7	8	19	4	-	-

¹Includes one death among female Armed Forces abroad.

Source: U.S. Department of Defense records.

Section 2. Infant Mortality

Table	Page
2-1. Infant and neonatal mortality rates, by color: Birth-registration States or United States, 1915-63-----	2-3
2-2. Infant mortality rates by age, color, and sex: United States, 1963-----	2-3
2-3. Infant mortality rates by age and color: United States, 1954-63-----	2-4
2-4. Infant mortality rates for 55 selected causes: United States, 1954-63-----	2-5
2-5. Infant mortality rates by color: United States, each division and State, 1959-63-----	2-6
2-6. Neonatal mortality rates by color: United States, each division and State, 1959-63-----	2-7
2-7. Deaths under 1 year, by age, race, and sex: United States and each State, 1963-----	2-8
2-8. Deaths under 1 year and under 28 days, by month and color, for the United States and each State; and by age and sex for the United States: 1963-----	2-22
2-9. Deaths under 1 year, under 28 days, and 28 days to 11 months, from 55 selected causes, by month: United States, 1963-----	2-29
2-10. Deaths under 1 year and under 28 days, from 55 selected causes, by color, for urban and rural areas in metropolitan and nonmetropolitan counties: United States, 1963-----	2-32
2-11. Deaths under 1 year from 55 selected causes, by age, color, and sex: United States, 1963-----	2-38
2-12. Deaths under 1 year, under 28 days, and 28 days to 11 months, from 55 selected causes, by color: United States and each State, 1963-----	2-56

SECTION 2 - MORTALITY

Table 2-1. Infant and Neonatal Mortality Rates, by Color: Birth-Registration States or United States, 1915-63

(Refers only to deaths occurring within the specified area. Alaska included beginning 1959, and Hawaii, 1960. Prior to 1933, data are for birth-registration States only. Excludes fetal deaths. Rates are deaths under 1 year and under 28 days per 1,000 live births in specified color group)

YEAR	INFANT MORTALITY RATE			NEONATAL MORTALITY RATE			YEAR	INFANT MORTALITY RATE			NEONATAL MORTALITY RATE		
	Total	White	Non-white	Total	White	Non-white		Total	White	Non-white	Total	White	Non-white
1963 ¹	25.2	22.2	41.5	18.2	16.7	26.1	1948	32.0	29.9	46.5	22.2	21.2	29.1
1962 ¹	25.3	22.3	41.4	18.3	16.9	26.1	1947	32.2	30.1	48.5	22.8	21.7	31.0
1961	25.3	22.4	40.7	18.4	16.9	26.2	1946	33.8	31.8	49.5	24.0	23.1	31.5
1960	26.0	22.9	43.2	18.7	17.2	26.9	1945	38.3	35.6	57.0	24.3	23.3	32.0
1959	26.4	23.2	44.0	19.0	17.5	27.7	1944	39.8	36.9	60.3	24.7	23.6	32.5
1958	27.1	23.8	45.7	19.5	17.8	29.0	1943	40.4	37.5	62.5	24.7	23.7	32.9
1957	26.3	23.3	43.7	19.1	17.5	27.8	1942	40.4	37.3	64.6	25.7	24.5	34.6
1956	26.0	23.2	42.1	18.9	17.5	27.0	1941	45.3	41.2	74.8	27.7	26.1	39.0
1955	26.4	23.6	42.8	19.1	17.7	27.2	1940	47.0	43.2	73.8	28.8	27.2	39.7
1954	26.6	23.9	42.9	19.1	17.8	27.0	1935-39	55.2	49.2	81.3	31.0	29.5	41.4
1953	27.8	25.0	44.7	19.6	18.3	27.4	1930-34 ²	60.4	55.7	92.9	34.4	32.8	45.5
1952	28.4	25.5	47.0	19.8	18.5	28.0	1925-29	69.0	65.0	105.4	37.2	36.0	47.9
1951	28.4	25.8	44.8	20.0	18.9	27.3	1920-24	76.7	73.3	115.3	39.7	38.7	51.1
1950	29.2	26.8	44.5	20.5	19.4	27.5	1915-19	95.7	92.8	149.7	43.4	42.3	58.1
1949	31.3	28.9	47.3	21.4	20.3	28.6							

¹Figures by color exclude data for residents of New Jersey; see Technical Appendix.
²For 1932-34, Mexicans are included with "Nonwhite."

Table 2-2. Infant Mortality Rates by Age, Color, and Sex: United States, 1963

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Rates per 100,000 live births in specified color-sex group. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

AGE	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNDER 1 YEAR	2,522.9	2,842.3	2,186.7	2,216.5	2,514.0	1,902.0	4,149.3	4,598.0	3,687.1
Under 28 days	1,821.6	2,072.9	1,557.0	1,667.8	1,907.8	1,414.1	2,610.0	2,923.1	2,287.4
Under 1 day	1,037.5	1,171.6	895.5	954.1	1,080.0	821.0	1,456.8	1,636.6	1,271.6
Under 1 hour	199.3	212.1	165.8	187.7	197.1	177.8	284.5	298.3	229.7
1-23 hours	838.3	959.5	710.7	766.4	882.9	643.2	1,192.3	1,338.3	1,041.9
1 day	265.6	304.8	224.4	248.1	286.0	208.1	353.7	398.2	307.9
2 days	168.2	202.3	132.3	162.3	197.3	125.2	203.2	234.7	170.6
3 days	72.9	86.6	58.4	67.4	81.8	52.2	102.4	111.7	92.8
4 days	41.8	47.4	35.9	36.6	41.2	31.8	68.6	79.3	57.5
5 days	30.7	33.7	27.6	27.1	29.8	24.4	50.4	54.9	45.8
6 days	22.4	24.6	20.1	19.8	22.0	17.4	37.2	38.2	36.2
7-13 days	85.7	93.2	77.7	74.4	82.1	66.4	142.3	148.7	135.7
14-20 days	52.8	58.9	46.4	42.7	47.6	37.5	106.1	118.8	93.1
21-27 days	43.9	49.8	37.7	35.3	40.1	30.2	89.4	102.1	76.3
28-59 days	162.5	183.7	140.2	129.8	147.2	111.3	342.0	387.4	295.2
2 months	129.4	145.1	112.8	101.9	115.1	87.9	280.6	310.3	250.1
3 months	99.2	108.8	89.2	76.3	85.4	66.6	225.7	239.4	211.6
4 months	75.0	82.6	67.1	57.2	63.0	51.1	173.4	190.3	156.0
5 months	55.8	62.5	48.8	41.7	46.9	36.1	131.5	146.8	115.7
6 months	45.0	46.7	43.2	33.6	35.0	32.2	107.2	111.7	102.6
7 months	36.4	39.2	33.4	28.5	31.7	25.2	79.2	81.1	77.2
8 months	29.7	31.1	28.3	23.4	24.7	22.0	63.5	66.6	60.4
9 months	24.7	24.3	25.2	20.2	19.8	20.7	50.2	49.7	50.8
10 months	22.1	22.5	21.7	18.7	19.1	18.2	41.0	40.7	41.3
11 months	21.6	23.1	19.9	17.4	18.2	16.6	44.9	50.9	38.8

SECTION 2 - MORTALITY

Table 2-3. Infant Mortality Rates by Age and Color: United States, 1954-63

(Refers only to deaths occurring within the United States. Alaska included beginning 1959, and Hawaii, 1960. Excludes fetal deaths. Rates per 100,000 live births in specified color group)

AGE AND COLOR	1963 ¹	1962 ¹	1961	1960	1959	1958	1957	1956	1955	1954
TOTAL										
Under 1 year-----	2,522.9	2,531.1	2,529.2	2,604.0	2,638.7	2,706.8	2,634.5	2,596.6	2,641.3	2,658.2
Under 28 days-----	1,821.6	1,832.0	1,838.7	1,872.6	1,903.0	1,945.8	1,905.8	1,889.4	1,911.2	1,909.8
Under 1 day-----	1,037.5	1,035.7	1,025.8	1,034.2	1,029.8	1,021.5	994.8	992.7	1,000.2	962.6
1 day-----	265.6	262.0	265.5	271.2	277.7	277.0	275.2	282.1	288.9	289.2
2 days-----	158.2	173.1	172.0	175.9	182.3	185.0	183.3	174.5	184.0	183.8
3 days-----	72.9	77.4	79.1	82.6	85.2	93.9	89.6	89.1	93.5	97.0
4 days-----	41.8	43.6	44.3	46.3	50.1	57.7	53.8	53.2	55.1	58.1
5 days-----	30.7	31.2	34.7	34.2	36.8	44.5	42.0	41.5	43.0	43.1
6 days-----	22.4	22.8	24.1	25.0	28.3	32.7	31.9	32.2	31.6	32.7
7-13 days-----	85.7	91.5	93.5	99.0	105.2	118.9	118.9	116.4	108.1	119.8
14-20 days-----	52.8	53.0	56.2	58.2	59.8	64.2	65.9	61.1	61.2	64.2
21-27 days-----	43.9	41.5	42.5	45.0	47.8	49.5	50.3	46.8	45.7	49.3
28-59 days-----	162.5	161.5	162.0	170.8	172.5	177.1	166.2	161.8	162.4	163.1
2 months-----	129.4	132.4	129.4	132.9	132.8	137.1	128.6	122.5	122.7	122.9
3 months-----	99.2	96.8	97.6	100.7	102.3	104.7	97.8	94.3	95.3	99.6
4 months-----	75.0	71.4	70.6	77.2	74.8	78.8	78.3	74.7	77.2	79.2
5 months-----	55.8	55.6	55.6	57.4	62.5	61.6	59.4	57.6	62.2	64.5
6 months-----	45.0	44.3	43.6	47.2	47.1	50.8	49.4	47.7	51.7	54.8
7 months-----	36.4	35.7	34.5	39.2	38.3	39.0	39.2	40.1	41.5	43.6
8 months-----	29.7	30.4	29.7	32.2	32.5	33.4	34.5	34.4	36.0	37.4
9 months-----	24.7	26.0	24.9	26.7	26.9	29.5	29.6	27.6	29.1	31.4
10 months-----	22.1	23.1	21.4	23.0	23.8	25.3	23.8	25.0	25.9	26.1
11 months-----	21.6	21.9	21.2	22.9	22.3	23.8	23.9	23.5	25.1	25.8
WHITE										
Under 1 year-----	2,216.5	2,233.7	2,243.4	2,290.6	2,320.9	2,377.6	2,330.9	2,318.6	2,361.8	2,387.0
Under 28 days-----	1,667.8	1,685.9	1,693.5	1,724.2	1,747.5	1,777.0	1,753.2	1,747.6	1,773.6	1,778.8
Under 1 day-----	954.1	959.1	953.5	960.7	954.2	948.9	925.3	926.6	934.4	902.2
1 day-----	248.1	247.4	252.4	253.3	262.9	260.3	261.1	270.9	278.8	278.7
2 days-----	162.3	165.2	165.3	172.0	175.2	176.4	176.0	165.7	178.3	185.3
3 days-----	67.4	73.3	74.8	77.7	78.6	84.4	82.4	82.9	88.0	91.1
4 days-----	36.6	39.3	39.0	41.3	45.3	50.4	47.7	49.2	49.8	53.5
5 days-----	27.1	27.7	30.1	30.4	31.7	38.5	37.1	37.6	37.2	39.3
6 days-----	19.8	19.4	21.0	22.5	24.9	27.3	28.0	28.3	27.9	29.0
7-13 days-----	74.4	77.4	78.0	85.3	87.8	100.7	101.7	99.6	92.4	103.9
14-20 days-----	42.7	42.7	45.5	46.2	48.3	51.9	52.7	50.0	51.1	53.7
21-27 days-----	35.3	34.3	34.0	34.8	37.6	38.3	41.1	36.9	35.8	42.0
28-59 days-----	129.8	129.3	128.7	133.8	137.0	139.6	134.2	130.4	129.4	132.8
2 months-----	101.9	104.5	103.8	103.4	103.3	106.8	99.5	99.0	99.0	99.8
3 months-----	76.3	74.7	77.7	78.6	78.5	82.8	76.8	75.9	76.9	79.9
4 months-----	57.2	53.7	54.5	57.3	55.7	60.6	61.4	58.3	61.2	63.8
5 months-----	41.7	41.3	42.7	43.2	47.6	48.7	45.5	46.0	50.4	52.2
6 months-----	33.6	34.7	34.2	35.2	36.0	39.5	38.4	37.9	41.7	43.1
7 months-----	28.5	28.2	27.5	30.4	30.4	31.5	31.1	31.7	33.9	36.1
8 months-----	23.4	23.6	24.6	26.4	25.4	27.2	27.9	28.3	30.0	31.2
9 months-----	20.2	21.1	20.1	21.3	21.4	23.7	23.4	23.0	23.3	25.7
10 months-----	18.7	19.1	18.2	18.4	20.1	21.3	20.4	21.0	21.0	22.2
11 months-----	17.4	17.6	17.8	18.3	18.1	18.9	19.5	19.5	21.4	21.4
NONWHITE										
Under 1 year-----	4,149.3	4,135.9	4,071.4	4,321.1	4,404.8	4,569.1	4,370.9	4,205.7	4,283.1	4,286.1
Under 28 days-----	2,610.0	2,605.1	2,621.9	2,685.7	2,766.9	2,900.5	2,778.5	2,703.2	2,719.0	2,696.4
Under 1 day-----	1,456.8	1,434.1	1,415.1	1,436.6	1,449.6	1,432.4	1,391.9	1,371.6	1,386.4	1,325.2
1 day-----	353.7	337.8	342.0	369.5	360.1	371.8	356.1	346.4	348.0	352.1
2 days-----	203.2	215.4	203.9	221.7	229.9	225.9	225.0	225.2	218.1	239.8
3 days-----	102.4	100.8	102.3	109.4	116.5	147.4	130.7	124.6	125.7	132.3
4 days-----	68.6	66.1	72.7	73.8	76.3	98.7	89.2	76.1	86.6	85.6
5 days-----	50.4	50.2	59.6	55.4	65.7	78.7	70.1	63.6	77.1	72.0
6 days-----	37.2	41.6	41.1	38.3	47.3	63.3	54.2	54.6	53.2	54.9
7-13 days-----	142.3	168.8	177.7	173.9	202.2	221.5	217.3	212.5	200.1	215.1
14-20 days-----	106.1	109.1	113.7	124.3	123.6	133.5	140.8	124.5	120.4	127.2
21-27 days-----	89.4	81.2	88.2	100.4	104.1	113.2	103.3	104.1	103.6	93.2
28-59 days-----	342.0	337.6	341.3	373.5	369.7	389.1	349.1	342.1	355.9	345.1
2 months-----	290.6	289.3	267.7	294.8	297.2	308.5	281.5	257.2	269.2	261.4
3 months-----	225.7	219.8	204.8	221.7	234.8	228.7	217.7	200.1	203.6	218.0
4 months-----	173.4	169.3	157.8	186.3	180.9	181.9	174.8	168.7	171.4	171.7
5 months-----	131.5	133.4	125.3	135.6	144.9	134.9	139.3	124.0	131.4	136.2
6 months-----	107.2	93.7	94.7	113.2	108.9	114.3	112.6	110.3	110.6	124.6
7 months-----	79.2	77.5	72.1	87.5	82.0	81.1	85.7	88.1	86.1	88.9
8 months-----	63.5	68.1	56.8	70.5	71.8	68.1	72.5	69.8	71.5	74.3
9 months-----	50.2	52.4	50.9	56.3	57.3	62.2	65.2	54.1	63.2	65.5
10 months-----	41.0	46.1	38.7	48.2	44.6	48.0	45.3	47.8	54.5	49.5
11 months-----	44.9	43.6	39.6	47.8	45.7	51.8	48.6	46.5	46.7	52.5

¹Figures by color exclude data for residents of New Jersey; see Technical Appendix.

SECTION 2 - MORTALITY

2-5

Table 2-4. Infant Mortality Rates for 55 Selected Causes: United States, 1954-63

(Refers only to deaths occurring within the United States. Alaska included beginning 1959; and Hawaii, 1960. Excludes fetal deaths. Rates are deaths under 1 year per 100,000 live births. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. Deaths are classified according to the Sixth Revision for 1954-57 and according to the Seventh Revision for 1958-63. Asterisk indicates rate based on a frequency of less than 20)

CAUSE OF DEATH	1963	1962	1961	1960	1959	1958	1957	1956	1955	1954
ALL CAUSES	2,522.9	2,531.1	2,529.2	2,604.0	2,639.7	2,706.8	2,634.5	2,598.6	2,641.3	2,659.2
Dysentery, all forms-----045-048	2.3	2.8	2.4	3.3	4.0	4.4	5.1	5.2	6.7	7.5
Septicemia and pyemia-----053	8.9	8.8	8.8	9.6	10.0	10.3	10.2	7.9	7.7	7.3
Whooping cough-----056	2.1	1.6	1.3	1.7	4.3	3.1	2.9	4.1	8.3	6.5
Meningococcal infections-----057	5.0	4.5	3.8	4.6	4.8	5.8	5.8	6.1	6.3	7.5
Tetanus-----061	1.1	1.3	1.5	1.6	1.9	2.0	1.8	1.9	1.9	2.3
Other infective and parasitic diseases-----001-044, 049-052, 054, 065, 068, 060, 062, 138	13.0	14.4	12.7	13.1	13.1	13.8	12.5	15.2	13.6	17.4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	6.3	6.5	6.9	7.0	6.6	6.2	6.6	7.2	7.1	7.6
Benign neoplasms and neoplasms of unspecified nature-----210-239	3.1	3.0	2.9	3.2	3.0	3.2	3.1	3.8	4.0	4.2
Diseases of thymus gland-----273	2.2	2.4	2.1	2.7	3.5	3.3	4.0	4.4	6.1	7.2
Meningitis, except meningococcal and tuberculous-----340	21.1	21.8	20.5	20.5	19.7	20.9	18.1	17.9	16.7	16.1
Other diseases of nervous system and sense organs-----330-334, 341-398	16.9	18.4	20.1	22.3	22.0	22.9	20.0	19.2	20.4	20.8
Acute upper respiratory infections-----470-475	9.4	9.7	9.1	9.8	11.7	10.8	10.8	9.9	10.4	10.0
Influenza and pneumonia, except pneumonia of newborn-----480-493	217.5	215.6	215.6	230.8	229.6	235.9	225.9	207.4	205.5	206.3
Influenza-----480-483	8.7	6.8	6.0	12.6	8.0	10.6	15.2	6.9	9.1	10.6
Pneumonia, except pneumonia of newborn-----490-493	208.8	208.8	209.6	218.2	221.6	225.3	210.7	200.5	196.4	195.7
Bronchitis-----500-502	13.3	13.9	14.0	15.4	17.3	18.6	18.0	18.8	16.6	17.1
Other diseases of respiratory system-----510-522, 525-527	41.6	38.2	37.3	36.1	35.5	36.3	61.6	54.4	46.4	38.3
Pulmonary congestion and hypostasis-----522	5.7	4.3	5.1	4.3	3.7	---	---	---	---	---
Other chronic interstitial pneumonia-----525	26.0	24.1	21.5	21.9	20.9	---	---	---	---	---
Bronchiectasis-----526	*0.1	*0.1	*0.0	*0.0	*0.0	---	---	---	---	---
Other diseases of lung and pleural cavity-----527, 2	6.1	5.7	6.2	5.5	5.9	---	---	---	---	---
All other diseases of respiratory system-----510-521, 527, 1	3.7	4.0	4.5	4.3	4.9	---	---	---	---	---
Hernia and intestinal obstruction-----560, 561, 570	22.2	21.3	21.8	21.7	22.5	22.6	24.5	25.9	23.6	25.5
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543, 571, 572	51.1	56.2	53.8	61.6	60.1	63.5	72.8	67.4	80.5	89.4
Other diseases of digestive system-----530-542, 544-553, 573-587	16.1	15.7	15.5	15.9	16.1	17.6	13.0	13.9	12.8	16.4
Congenital malformations-----750-759	355.8	355.9	363.5	361.4	367.0	370.0	371.4	376.5	379.4	376.3
Spina bifida and meningocele-----751	32.6	32.0	24.5	25.7	28.2	27.6	27.6	31.3	29.8	34.1
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752, 753	30.2	31.9	38.1	38.6	38.8	39.7	41.6	40.9	44.6	43.5
Congenital malformations of circulatory system-----754	172.3	172.3	178.7	178.2	177.2	181.0	178.0	177.5	172.4	171.9
Other congenital malformations-----750, 755-759	120.7	119.8	122.3	118.8	122.8	121.8	124.2	126.9	132.6	127.0
Certain diseases of early infancy-----760-776	1,529.1	1,540.2	1,538.4	1,575.3	1,600.0	1,639.9	1,564.2	1,549.7	1,581.7	1,579.4
Birth injuries-----760, 761	218.5	227.2	232.5	238.6	246.5	264.7	276.6	285.7	280.0	280.0
Without mention of immaturity (.0)-----	83.4	88.4	90.1	94.0	98.0	108.7	111.6	119.4	123.7	126.9
With immaturity (.5)-----	135.1	138.8	142.3	144.6	148.5	156.1	156.3	157.2	162.0	153.1
Intracranial and spinal injury at birth-----760	65.4	69.6	70.6	74.6	80.7	92.9	97.3	104.1	109.6	109.5
Without mention of immaturity (.0)-----	38.6	41.7	40.4	43.6	48.1	56.5	60.0	66.3	70.6	73.6
With immaturity (.5)-----	26.8	27.9	30.2	31.0	32.6	36.3	37.3	37.7	38.9	36.0
Other birth injury-----761	153.1	157.6	161.8	164.0	165.8	171.9	170.6	172.5	176.1	170.4
Without mention of immaturity (.0)-----	44.8	46.7	49.7	50.4	49.8	52.1	51.5	53.0	53.0	53.3
With immaturity (.5)-----	108.3	110.9	112.1	113.6	116.0	119.7	119.0	119.5	123.1	117.1
Postnatal asphyxia and atelectasis-----762	437.6	449.4	445.7	458.9	466.1	485.2	443.6	434.2	436.9	432.7
Without mention of immaturity (.0)-----	120.1	119.9	119.5	123.4	129.4	138.9	126.1	124.0	138.2	145.5
With immaturity (.5)-----	317.5	329.5	326.1	335.5	336.6	346.2	317.5	310.2	298.6	287.3
Pneumonia of newborn-----763	77.6	80.4	83.0	83.2	88.6	93.2	87.3	81.7	76.8	76.2
Without mention of immaturity (.0)-----	56.2	58.9	60.3	60.2	62.9	65.1	59.9	57.1	52.4	51.9
With immaturity (.5)-----	21.4	21.5	22.6	23.0	25.7	28.1	27.5	24.6	24.4	26.3
Diarrhea of newborn-----764	9.4	9.8	9.8	10.9	11.6	12.6	12.1	12.7	13.5	17.4
Without mention of immaturity (.0)-----	7.8	7.6	7.7	8.5	9.1	10.2	9.4	10.2	10.6	13.2
With immaturity (.5)-----	1.6	2.2	2.2	2.4	2.5	2.5	2.7	2.5	2.9	4.2
Other infections of newborn-----765-768	20.5	19.0	17.5	18.3	19.1	25.7	20.1	16.5	13.5	12.8
Without mention of immaturity (.0)-----	12.4	11.3	11.1	11.9	13.1	16.2	13.5	11.1	8.8	8.7
With immaturity (.5)-----	8.2	7.7	6.4	6.4	6.0	9.6	6.7	5.3	4.6	4.3
Neonatal disorders arising from certain diseases of mother during pregnancy-----769	17.9	18.7	21.4	23.5	20.6	19.1	15.3	15.9	17.5	10.1
Without mention of immaturity (.0-.4)-----	6.5	6.8	7.8	8.3	6.9	6.5	4.7	4.7	5.5	5.3
With immaturity (.5-.9)-----	11.4	11.9	13.6	15.2	13.7	12.6	10.6	11.3	12.0	4.8
Hemolytic disease of newborn (erythroblastosis)-----770	44.8	47.8	49.2	50.4	51.5	56.4	59.3	56.7	59.9	61.8
Without mention of immaturity (.0-.2)-----	35.0	37.5	38.6	40.0	40.9	45.8	48.0	45.1	47.2	49.8
With immaturity (.5-.7)-----	9.8	10.3	10.7	10.4	10.6	10.6	11.3	11.7	12.7	11.9
Hemorrhagic disease of newborn-----771	13.8	12.8	13.2	14.6	15.9	16.2	17.4	17.3	18.9	21.1
Without mention of immaturity (.0)-----	8.3	7.5	8.1	9.2	9.6	9.8	10.8	11.0	11.5	13.3
With immaturity (.5)-----	5.5	5.3	5.1	5.3	6.3	6.4	6.5	6.3	7.4	7.8
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772, 773	253.2	222.4	198.9	189.2	179.7	159.5	95.3	93.0	82.2	82.8
Without mention of immaturity (.0)-----	67.8	60.3	57.4	55.3	52.7	49.1	23.1	23.2	23.4	24.8
With immaturity (.5)-----	185.3	162.0	141.5	134.0	127.0	110.4	72.2	69.7	58.8	57.9
Immaturity with mention of any other subsidiary condition-----774	26.5	22.9	31.6	30.8	31.5	30.8	58.5	51.9	46.7	41.1
Immaturity, unqualified-----776	409.2	429.7	435.7	457.0	468.9	476.4	487.3	493.2	530.1	541.4
Symptoms and ill-defined conditions-----780-793, 795	61.8	54.4	56.1	59.1	58.1	65.5	60.1	61.4	68.9	69.2
All other diseases-----Residual	32.3	32.2	32.6	32.6	33.6	33.8	33.1	33.4	31.7	33.6
Accidents-----E800-E862	85.7	87.7	83.9	90.0	90.9	93.2	86.3	84.0	81.7	89.1
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921, E922	19.8	20.1	28.8	28.3	27.2	30.2	26.4	23.7	21.7	24.8
Accidental mechanical suffocation in bed and cradle-----E924	20.3	22.0	21.7	23.9	27.0	26.8	25.1	24.3	24.8	28.0
Other accidental causes-----E800-E920, E923, E925-E962	45.6	45.6	33.4	37.8	36.7	36.1	34.9	36.0	35.2	36.4
Homicide-----E864, E980-E984	5.0	5.1	4.5	4.7	3.5	3.2	2.9	3.0	3.2	3.3

SECTION 2 - MORTALITY

Table 2-5. Infant Mortality Rates by Color: United States, Each Division and State, 1959-63

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Rates are deaths under 1 year per 1,000 live births in specified group. Asterisk indicates rate based on a frequency of less than 20)

DIVISION AND STATE	1963			1962			1961			1960			1959		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
UNITED STATES ^{1, 2}	25.2	22.2	41.5	25.3	22.3	41.4	25.3	22.4	40.7	26.0	22.9	43.2	26.4	23.2	44.0
GEOGRAPHIC DIVISIONS:															
New England	22.0	21.3	36.2	22.7	22.0	37.8	22.6	22.0	34.6	22.2	21.7	35.2	22.9	22.1	43.4
Middle Atlantic ¹	23.8	21.5	40.0	24.3	21.8	41.3	25.6	21.1	41.1	24.3	22.0	41.4	24.8	22.2	43.3
East North Central	23.3	21.5	37.8	23.2	21.4	37.5	25.7	22.1	36.2	24.0	22.1	39.4	24.5	22.7	39.0
West North Central	22.3	21.1	39.7	22.4	21.3	38.6	22.8	21.7	39.2	23.0	21.7	42.5	22.7	21.4	42.4
South Atlantic	29.4	22.9	44.9	29.2	22.9	44.6	29.1	22.8	44.3	30.6	23.6	47.2	31.6	24.6	47.9
East South Central	31.8	24.5	49.6	31.1	24.6	46.9	31.1	25.0	45.8	32.3	25.6	48.4	31.7	25.4	46.6
West South Central	27.9	24.1	41.6	27.7	24.0	41.8	27.2	23.5	41.2	29.0	24.9	44.3	28.7	24.4	45.0
Mountain	26.1	24.1	48.3	26.2	24.6	45.3	26.6	25.0	45.5	27.7	25.7	51.7	28.1	26.4	49.2
Pacific ²	22.4	21.5	28.6	22.9	21.8	30.7	25.3	22.5	29.3	23.6	22.6	30.5	24.1	23.0	33.3
NEW ENGLAND:															
Maine	24.1	24.1	*24.6	25.3	25.2	*32.8	25.3	25.2	*27.3	25.5	25.7	*12.9	26.1	26.2	*19.8
New Hampshire	22.7	22.6	*27.3	22.1	21.9	*43.5	24.4	24.4	*16.7	23.6	23.7	*10.8	22.1	22.0	*38.5
Vermont	24.6	24.7	-	22.7	22.8	-	27.2	27.2	-	24.1	24.2	-	23.7	23.7	-
Massachusetts	20.6	20.2	29.6	21.8	21.3	33.2	21.6	21.1	33.1	21.6	21.1	34.4	22.3	21.8	35.5
Rhode Island	23.9	22.5	54.7	25.5	24.5	48.6	22.5	22.3	26.6	23.3	22.4	44.4	24.0	23.7	31.7
Connecticut	22.7	21.0	41.0	22.7	21.0	41.2	22.3	20.9	38.8	21.1	20.0	36.9	22.4	20.3	60.0
MIDDLE ATLANTIC:															
New York	24.0	21.2	39.4	24.7	21.7	42.3	23.7	21.1	40.3	24.1	21.5	41.6	24.7	22.1	42.6
New Jersey	23.7	-	-	23.8	-	-	23.6	20.7	41.5	24.6	21.9	41.7	24.6	21.7	43.9
Pennsylvania	23.7	21.4	41.3	24.0	22.0	39.3	23.6	21.3	42.3	24.5	22.6	40.6	24.9	22.7	44.0
EAST NORTH CENTRAL:															
Ohio	23.2	21.6	36.9	22.8	21.0	37.9	23.1	21.7	35.4	24.0	22.2	39.4	25.0	23.0	41.3
Indiana	23.4	21.9	39.5	23.2	21.9	38.0	24.0	22.5	40.1	23.9	22.6	37.7	23.4	22.0	39.6
Illinois	23.9	20.9	38.7	24.0	21.3	37.5	24.3	21.8	37.2	25.0	22.2	39.6	25.0	22.4	39.6
Michigan	23.2	21.5	36.9	24.0	22.4	36.8	23.9	22.6	34.3	24.1	22.1	40.4	24.4	23.0	35.9
Wisconsin	22.3	21.6	33.7	20.7	19.9	39.0	22.7	22.3	31.7	21.8	21.2	35.3	23.4	22.6	45.7
WEST NORTH CENTRAL:															
Minnesota	20.8	20.6	29.1	20.9	20.6	33.9	22.2	22.0	34.1	21.6	21.6	22.6	21.1	20.8	34.7
Iowa	20.6	20.4	33.7	19.8	19.5	34.2	20.6	20.4	34.2	21.9	21.7	35.2	21.5	21.2	38.6
Missouri	24.1	21.4	41.0	25.4	23.1	39.1	24.7	21.9	42.4	24.7	21.4	45.4	24.5	21.6	42.6
North Dakota	24.6	23.8	43.3	22.6	22.0	35.7	23.2	22.2	45.6	24.8	24.1	43.3	23.7	23.0	42.3
South Dakota	24.7	22.7	46.6	25.3	22.9	54.2	25.1	22.7	53.2	28.1	24.2	76.0	22.9	20.1	61.4
Nebraska	21.6	20.6	40.5	20.8	20.0	35.9	22.8	22.2	33.4	21.9	21.3	34.3	23.5	22.6	42.8
Kansas	22.4	21.3	37.8	22.3	21.4	35.7	22.1	21.6	26.2	22.1	21.3	33.4	22.6	21.4	39.1
SOUTH ATLANTIC:															
Delaware	24.5	20.3	41.2	21.5	17.9	36.4	26.2	20.7	47.9	23.8	17.8	50.6	24.8	20.8	42.5
Maryland	25.6	21.6	39.8	26.8	22.4	42.5	25.7	21.0	41.7	27.3	22.3	44.6	28.6	23.1	46.9
District of Columbia	33.0	25.4	36.1	34.9	26.4	38.3	35.6	27.2	39.2	36.4	29.4	39.6	36.8	31.4	39.4
Virginia	29.2	24.1	45.0	29.2	23.9	45.8	28.0	23.1	43.1	29.8	24.6	45.5	31.0	24.8	49.0
West Virginia	26.1	25.6	36.6	26.5	26.1	34.3	26.7	26.3	33.7	25.5	24.8	37.7	27.2	26.9	32.8
North Carolina	31.2	22.2	50.8	30.5	22.2	48.7	30.7	22.6	48.3	31.7	22.3	52.4	32.7	24.4	50.2
South Carolina	33.0	22.4	48.1	31.5	23.5	42.8	32.4	22.7	45.7	34.3	23.9	48.5	35.0	23.6	50.1
Georgia	31.0	23.0	45.8	30.1	22.3	44.4	29.4	21.5	43.4	33.0	24.6	48.1	32.5	24.3	47.5
Florida	27.9	22.6	42.7	28.5	22.3	46.0	28.9	23.2	44.9	29.7	23.6	46.1	31.7	25.3	48.7
EAST SOUTH CENTRAL:															
Kentucky	27.8	26.3	44.4	26.9	25.1	45.6	27.8	26.1	46.0	27.9	26.0	48.3	27.3	26.3	37.9
Tennessee	28.0	23.5	44.2	28.7	24.8	42.2	29.2	25.5	42.3	29.4	25.3	43.5	30.3	26.4	43.6
Alabama	32.2	24.5	45.3	30.8	23.0	43.9	31.1	23.7	43.6	32.4	24.9	45.0	31.8	23.5	45.3
Mississippi	41.3	22.9	57.6	40.0	25.7	52.6	37.8	23.6	49.9	41.6	26.6	54.3	39.0	24.6	51.3
WEST SOUTH CENTRAL:															
Arkansas	28.5	23.4	41.4	28.8	24.3	39.8	27.5	21.8	40.9	27.4	22.5	38.7	26.5	22.4	36.2
Louisiana	30.4	20.6	45.5	31.3	21.8	45.9	30.3	21.6	43.7	32.0	22.6	46.9	32.9	21.9	50.1
Oklahoma	24.3	22.3	35.5	23.8	21.9	36.0	24.0	22.1	35.7	25.5	22.7	42.8	24.1	21.5	40.4
Texas	27.6	25.5	39.3	27.1	24.9	39.7	26.7	24.3	40.0	28.9	26.3	43.9	28.5	25.9	43.9
MOUNTAIN:															
Montana	24.2	22.3	46.6	25.9	24.0	48.8	25.6	23.7	47.5	25.0	24.2	54.5	24.5	22.6	50.8
Idaho	22.8	22.4	*43.4	24.1	24.1	*23.5	23.1	23.0	*28.5	22.9	22.7	*33.3	22.2	21.8	*44.5
Wyoming	28.5	27.7	*47.9	30.3	29.7	*46.1	27.0	26.0	*52.3	28.2	27.5	*49.6	26.9	26.1	*52.0
Colorado	25.9	25.6	34.0	25.2	24.4	45.5	26.2	25.8	37.1	27.5	26.9	44.0	28.8	28.3	41.8
New Mexico	30.5	28.2	46.6	30.0	28.5	41.2	29.6	28.2	40.3	33.2	30.9	52.8	32.9	31.2	47.3
Arizona	28.8	23.3	56.2	28.5	24.3	50.0	30.6	26.6	52.4	31.9	26.6	60.8	33.1	29.3	52.6
Utah	18.6	18.2	34.4	19.7	19.1	40.9	20.3	19.8	41.9	19.6	18.8	54.0	20.0	19.7	34.8
Nevada	30.3	28.3	46.1	29.7	28.8	36.3	28.3	26.6	41.1	30.1	29.6	33.9	32.4	28.9	56.8
PACIFIC:															
Washington	22.1	20.9	39.6	22.8	21.7	41.7	22.7	21.8	37.5	23.4	22.7	36.7	24.0	23.1	39.2
Oregon	21.4	21.4	21.3	21.9	21.6	31.5	22.9	22.6	31.8	23.2	23.0	29.2	25.1	24.8	35.4
California	22.3	21.5	28.3	22.9	21.9	30.7	23.3	22.5	28.9	23.3	22.5	29.7	23.6	22.8	30.5
Alaska	31.9	24.8	46.7	34.2	22.2	59.0	37.0	25.7	60.2	40.5	27.9	68.2	42.9	26.9	72.9
Hawaii ³	22.5	20.7	23.3	20.8	18.3	22.0	21.7	21.8	21.6	23.2	21.5	24.0	24.0	23.3	24.3

¹Figures by color for 1962 and 1963 exclude data for residents of New Jersey; see Technical Appendix.²Excludes Hawaii prior to 1960.³Figures for 1959 are by place of occurrence.

SECTION 2 - MORTALITY

2-7

Table 2-6. Neonatal Mortality Rates by Color: United States, Each Division and State, 1959-63

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Rates are deaths under 28 days per 1,000 live births in specified group. Asterisk indicates rate based on a frequency of less than 20)

DIVISION AND STATE	1963			1962			1961			1960			1959		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
UNITED STATES ¹ 2	18.2	16.7	26.1	18.3	16.9	26.1	18.4	16.9	26.2	18.7	17.2	26.9	19.0	17.5	27.7
GEOGRAPHIC DIVISIONS:															
New England	16.8	16.3	26.4	17.4	16.9	26.6	17.2	16.9	25.7	16.9	16.5	25.3	17.3	16.8	31.2
Middle Atlantic ³	18.2	16.3	28.8	18.5	16.9	29.7	18.1	16.4	30.3	18.5	16.9	30.0	18.9	17.1	31.8
East North Central	17.6	16.4	26.9	17.5	16.3	26.7	17.8	16.7	26.1	18.0	16.8	27.3	18.3	17.2	27.0
West North Central	16.7	16.1	25.1	16.7	16.2	24.1	17.0	16.5	25.8	17.2	16.6	26.9	17.1	16.4	27.0
South Atlantic	19.8	17.3	25.8	19.9	17.4	25.8	20.1	17.5	26.5	20.6	17.7	27.5	21.3	18.6	27.8
East South Central	20.9	17.7	28.6	20.9	18.3	27.1	21.1	18.6	26.9	21.2	18.8	27.0	21.2	18.6	27.5
West South Central	19.4	17.6	25.9	19.4	17.6	26.2	18.8	17.0	25.5	19.9	18.2	26.5	19.7	17.6	27.2
Mountain	18.2	17.8	23.1	18.2	17.9	21.6	18.9	18.5	23.9	19.0	18.7	22.4	19.8	19.5	24.1
Pacific ³	16.6	16.1	20.6	16.8	16.1	21.3	17.1	16.6	20.5	17.3	16.8	21.2	17.7	17.2	22.6
NEW ENGLAND:															
Maine	18.0	18.0	*14.1	18.0	18.0	*18.2	18.7	18.7	*15.2	18.9	19.0	*6.5	19.0	19.0	*19.8
New Hampshire	17.9	17.9	*18.2	17.0	16.9	*32.6	17.3	17.3	*16.7	18.9	19.0	*10.6	16.4	16.4	*25.6
Vermont	19.0	19.1	-	18.2	18.2	-	20.7	20.7	-	18.7	18.7	-	16.5	16.5	-
Massachusetts	15.7	15.4	21.0	16.5	16.3	22.7	16.6	16.4	23.7	16.4	16.1	24.3	16.8	16.6	24.0
Rhode Island	18.5	17.5	39.4	20.0	19.5	31.9	16.9	17.0	*14.6	16.3	15.6	32.3	18.2	18.1	*20.3
Connecticut	17.3	16.0	30.9	17.8	16.7	30.3	17.3	16.3	30.7	16.4	15.7	27.1	17.6	16.1	45.6
MIDDLE ATLANTIC:															
New York	17.9	16.1	28.2	18.6	16.7	30.0	18.1	16.3	29.7	18.3	16.4	30.8	18.7	16.9	31.5
New Jersey	18.8	---	---	18.3	---	---	18.1	18.0	30.9	18.5	17.0	28.6	18.8	16.9	31.7
Pennsylvania	18.2	16.7	30.2	18.5	17.1	28.9	18.2	16.6	31.3	18.9	17.7	29.5	19.1	17.6	32.5
EAST NORTH CENTRAL:															
Ohio	17.8	16.7	26.9	17.7	16.4	28.4	17.9	16.8	27.3	18.4	17.1	29.8	19.3	17.9	31.2
Indiana	17.6	16.5	29.2	17.4	16.5	27.4	17.6	16.5	28.8	17.5	16.8	25.7	17.1	16.4	25.5
Illinois	17.7	15.9	26.6	17.7	16.1	25.5	17.8	16.3	25.3	18.1	16.8	25.3	18.0	16.8	24.6
Michigan	17.4	16.2	26.9	17.9	16.8	26.8	18.0	17.0	25.6	18.3	16.9	29.9	18.5	17.6	26.0
Wisconsin	16.9	16.6	24.7	15.8	15.3	27.6	17.2	17.0	22.8	16.5	16.3	22.2	17.6	17.1	32.2
WEST NORTH CENTRAL:															
Minnesota	15.9	15.9	16.6	15.7	15.6	20.0	16.4	16.4	19.8	16.0	16.1	*11.0	15.9	15.8	22.1
Iowa	15.4	15.3	21.8	15.0	14.8	24.7	15.6	15.5	21.8	16.7	16.6	24.1	16.6	16.5	25.4
Missouri	17.6	16.0	27.4	18.9	17.8	26.0	18.1	16.4	29.0	18.0	16.1	30.4	18.2	16.5	28.2
North Dakota	18.3	18.4	*17.9	16.8	16.8	*17.1	17.8	17.4	*27.9	19.1	18.9	*22.4	18.1	18.1	*19.5
South Dakota	17.9	17.9	17.7	17.4	17.4	17.8	18.3	17.6	26.2	19.6	18.6	32.0	15.4	14.8	23.4
Nebraska	16.8	16.4	22.9	15.5	15.0	24.3	17.6	17.4	22.1	17.3	17.0	24.4	17.5	17.1	26.2
Kansas	17.1	16.3	27.3	16.8	16.4	22.4	16.8	16.7	17.9	16.9	16.5	21.7	17.4	16.6	27.4
SOUTH ATLANTIC:															
Delaware	17.8	16.0	24.9	15.7	14.4	20.9	19.4	16.9	29.4	16.1	12.7	31.4	19.0	16.8	28.4
Maryland	19.2	16.6	28.5	20.3	17.7	29.6	19.3	16.4	29.0	20.0	17.2	29.7	20.8	17.9	30.5
District of Columbia	24.3	18.9	26.4	26.0	21.6	27.9	27.2	22.5	29.3	27.4	22.3	29.8	27.6	25.2	28.7
Virginia	20.9	18.3	28.9	21.0	18.3	29.3	20.1	17.7	27.4	21.0	18.6	28.3	21.6	18.3	31.2
West Virginia	18.5	18.4	21.9	19.3	19.1	21.6	19.6	19.5	21.8	18.1	18.0	18.8	18.6	18.6	18.4
North Carolina	19.9	16.7	26.8	19.7	16.7	26.4	20.4	17.2	27.4	20.2	16.5	28.2	21.2	18.6	26.9
South Carolina	19.0	16.7	22.4	17.8	17.3	18.6	19.6	16.7	23.6	20.3	17.4	24.3	20.2	16.8	24.8
Georgia	19.4	17.1	23.7	19.4	16.6	24.6	19.6	16.6	25.1	21.3	18.4	26.5	21.4	18.6	26.4
Florida	19.7	17.4	26.1	19.8	17.1	27.3	20.2	18.1	26.1	20.8	18.2	27.9	22.3	19.6	29.2
EAST SOUTH CENTRAL:															
Kentucky	18.3	17.4	27.6	19.2	18.1	30.8	20.4	19.3	31.8	19.6	18.7	29.9	19.0	18.5	24.3
Tennessee	19.5	17.5	26.6	20.1	18.1	26.9	20.3	18.7	25.6	20.2	18.6	25.9	21.2	19.6	26.7
Alabama	21.3	18.4	26.2	20.4	17.9	24.7	20.7	17.7	25.6	20.6	18.5	24.2	21.1	17.3	27.5
Mississippi	25.3	17.6	32.0	24.7	20.1	28.8	23.5	18.6	27.8	25.3	20.4	29.6	24.0	18.6	28.5
WEST SOUTH CENTRAL:															
Arkansas	18.2	17.1	21.0	19.2	17.8	22.5	17.4	16.0	20.6	17.6	16.5	20.2	17.2	16.2	19.5
Louisiana	21.4	16.2	29.4	21.9	17.1	29.2	21.7	16.9	29.0	21.7	17.5	28.5	22.7	17.3	31.1
Oklahoma	18.0	16.9	24.2	18.2	17.4	23.9	17.3	16.4	22.7	18.4	17.4	24.3	17.3	16.1	24.5
Texas	19.1	18.1	24.5	18.8	17.7	25.0	18.4	17.3	24.3	20.0	18.7	27.1	19.4	18.2	26.5
MOUNTAIN:															
Montana	16.6	16.2	21.7	17.7	17.6	19.7	18.4	17.4	31.2	17.1	17.3	*14.9	16.8	16.7	16.9
Idaho	17.2	17.1	*23.1	17.7	17.9	*8.8	17.4	17.5	*9.5	17.3	17.3	*18.2	16.8	16.6	*24.0
Wyoming	22.2	22.0	*27.4	22.9	22.9	*23.0	21.0	20.5	*35.9	21.5	21.0	*34.7	19.8	20.0	*16.0
Colorado	19.2	19.0	24.0	18.6	18.0	33.6	19.6	19.3	28.0	21.2	20.7	33.9	22.0	21.8	26.3
New Mexico	20.3	20.2	21.1	19.5	19.9	16.3	20.0	19.9	20.6	20.2	20.1	21.1	21.6	21.3	24.0
Arizona	18.1	17.0	23.5	17.9	17.1	21.8	19.7	19.0	23.3	19.3	18.8	22.0	21.4	20.6	25.6
Utah	13.1	13.1	*10.9	14.3	14.2	*17.3	15.1	15.0	*21.0	14.5	14.3	*25.2	15.3	15.3	*15.8
Nevada	22.9	21.6	33.0	22.9	22.4	26.7	21.3	20.8	24.6	21.0	21.8	*15.9	22.3	21.4	28.4
PACIFIC:															
Washington	16.1	15.5	24.9	15.9	15.4	23.8	16.3	15.8	23.6	17.2	17.0	21.3	17.6	17.3	22.9
Oregon	15.8	15.8	*15.6	15.0	14.9	18.1	16.0	16.0	15.5	16.6	16.5	18.0	18.0	18.0	19.4
California	16.7	16.1	20.5	17.0	16.3	22.3	17.2	16.7	21.2	17.2	16.7	21.8	17.5	17.0	21.8
Alaska	20.6	18.9	24.1	18.6	16.9	21.9	21.8	19.4	26.7	22.7	21.0	26.7	25.7	19.5	37.3
Hawaii ³	18.3	15.8	19.4	16.6	14.9	17.4	16.7	17.0	18.6	18.4	18.3	18.5	18.9	17.6	19.5

¹Figures by color for 1962 and 1963 exclude data for residents of New Jersey; see Technical Appendix.²Excludes Hawaii prior to 1960.³Figures for 1959 are by place of occurrence.

SECTION 2 - MORTALITY

Sex: United States and Each State, 1963

Figures by race for the United States exclude data for residents of New Jersey; see Technical Appendix

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
67,175	3,510	2,164	1,799	74,648	6,659	5,301	4,067	3,074	2,287	1,943	1,490	1,218	1,013	906	884	1
39,323	1,959	1,237	1,046	43,565	3,860	3,050	2,286	1,735	1,313	981	823	653	510	472	486	2
27,852	1,551	927	753	31,083	2,799	2,251	1,781	1,339	974	862	667	565	503	434	398	3
50,408	2,476	1,420	1,173	55,477	4,316	3,389	2,537	1,903	1,386	1,119	949	778	673	621	579	4
29,707	1,403	813	685	32,808	2,516	1,957	1,460	1,077	802	599	541	422	339	327	311	5
20,701	1,073	607	488	22,869	1,800	1,422	1,077	826	584	520	408	358	334	294	268	6
13,636	857	638	545	15,876	1,072	1,687	1,333	1,034	774	626	457	363	286	245	271	7
7,732	452	363	310	8,657	1,184	949	722	574	440	333	236	197	145	123	157	8
5,904	405	275	235	6,819	889	738	611	460	334	293	219	165	141	122	114	9
882	52	40	28	1,000	113	106	109	74	66	59	49	43	35	17	16	10
570	30	22	21	620	72	57	54	43	36	29	25	19	16	9	8	11
335	22	18	5	380	41	49	55	31	30	30	24	24	19	8	8	12
1,412	97	53	60	1,622	166	143	125	106	78	55	43	34	24	26	31	13
818	48	31	31	922	94	77	62	58	47	32	23	19	9	14	14	14
594	49	28	29	700	72	66	63	48	31	23	20	15	15	12	14	15
794	41	22	24	881	47	48	43	44	26	19	16	14	9	14	14	16
463	20	8	13	504	22	27	19	25	16	11	11	8	4	8	7	17
331	21	14	11	377	25	21	24	19	10	8	5	6	5	6	7	18
617	56	31	36	740	119	95	82	62	52	36	27	20	15	12	17	19
355	28	17	18	418	72	50	43	33	31	21	12	11	5	6	10	20
262	28	14	18	322	47	45	39	29	21	15	15	9	10	6	7	21
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	22
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	23
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	24
146	6	4	2	158	15	12	14	13	7	8	6	4	4	1	3	25
90	3	1	1	95	12	7	4	8	4	3	2	2	-	-	-	26
56	3	3	1	63	3	5	10	5	3	3	3	2	4	1	2	27
94	2	-	2	98	3	9	7	5	3	2	1	-	-	1	-	28
58	1	-	1	60	1	6	3	4	1	1	-	-	-	-	-	29
36	1	-	1	38	2	3	4	1	2	1	1	-	-	1	-	30
4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	31
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	32
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	33
48	4	-	-	56	12	3	7	8	4	6	5	4	4	4	3	34
29	2	1	1	32	11	1	1	4	3	4	3	2	2	1	1	35
19	2	3	-	24	1	2	6	4	1	2	2	2	4	-	-	36
584	43	27	17	671	69	59	66	45	35	42	28	16	18	12	7	37
340	31	13	14	398	38	37	37	31	22	18	15	9	8	7	2	38
244	12	14	3	273	31	22	29	14	14	24	13	7	10	5	5	39
467	34	17	8	526	36	30	36	19	16	21	11	6	9	9	3	40
273	24	7	5	309	22	20	20	13	13	9	6	3	5	6	4	41
194	10	10	3	217	14	10	16	6	3	12	5	3	4	3	1	42
45	5	4	1	55	6	3	1	3	2	2	1	2	1	1	2	43
23	4	3	1	31	4	3	1	2	1	2	-	2	-	-	-	44
22	1	1	-	24	2	-	-	1	1	-	1	-	1	1	2	45
72	4	6	8	90	27	26	29	23	18	19	16	8	8	2	2	46
44	3	3	8	58	12	14	16	16	8	7	9	4	3	1	2	47
28	1	3	-	32	15	12	13	7	10	12	7	4	5	1	2	48
657	46	27	26	756	85	79	70	52	36	33	22	14	18	8	10	49
381	29	17	18	445	48	50	42	28	21	16	15	10	11	-	1	50
276	17	10	8	311	37	29	28	24	15	17	7	4	7	8	9	51
452	28	15	12	507	44	40	27	22	16	10	6	5	10	-	6	52
270	19	8	8	305	27	25	17	10	8	3	4	3	7	-	5	53
182	9	7	4	202	17	15	10	12	8	7	2	2	3	-	6	54
205	18	12	14	249	41	39	43	30	20	23	15	9	8	-	4	55
111	10	9	10	140	21	25	25	18	13	13	11	7	4	-	1	56
94	8	3	4	109	20	14	18	12	7	10	4	2	4	8	3	57
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	60
5,780	263	156	145	6,344	528	432	319	224	156	126	102	77	73	65	62	61
3,376	144	86	78	3,684	316	266	195	128	106	67	58	42	37	34	32	62
2,404	119	70	67	2,660	212	166	124	96	50	59	44	35	36	31	30	63
4,935	221	144	125	5,425	438	363	261	190	134	103	90	62	63	58	51	64
2,891	125	81	69	3,166	262	222	158	108	95	57	52	34	31	33	26	65
2,044	96	63	56	2,259	176	141	103	82	39	46	38	28	32	25	25	66
728	34	9	16	787	83	64	50	27	19	22	11	12	10	6	9	67
401	15	4	7	427	50	41	31	17	11	10	6	8	6	1	5	68
327	19	5	9	360	33	23	19	10	8	12	5	4	4	5	4	69
117	8	3	4	132	7	5	8	7	3	1	1	3	-	1	2	70
84	4	1	2	91	4	3	6	3	-	-	-	-	-	-	1	71
33	4	2	2	41	3	2	2	4	3	1	1	3	-	1	1	72
729	45	23	14	811	65	49	42	25	22	18	14	12	9	8	8	73
423	22	12	9	466	33	33	26	15	16	11	9	9	2	6	4	74
306	23	11	5	345	32	16	16	10	6	11	7	5	10	3	4	75
687	43	22	13	765	60	43	41	24	22	21	15	14	11	8	8	76
400	20	11	8	439	29	30	25	14	16	11	10	9	2	5	4	77
287	23	11	5	326	31	13	16	10	6	10	5	5	9	3	4	78
36	2	1	1	40	4	5	1	1	1	3	-	-	-	1	-	79
20	2	1	1	24	3	3	1	1	-	1	1	-	-	1	-	80
16	-	-	-	16	1	2	1	2	-	-	-	-	-	-	-	81
6	-	-	-	6	1	1	-	-	-	-	-	-	-	-	-	82
3	-	-	-	3	1	1	-	-	-	-	-	-	-	-	-	83
3	-	-	-	3	1	1	-	-	-	-	-	-	-	-	-	84
899	37	22	22	980	73	64	38	30	22	12	21	10	11	12	12	85
541	19	14	16	590	38	42	26	11	11	7	10	5	5	6	6	86
358	18	8	6	390	35	22	12	19	11	5						

SECTION 2 - MORTALITY

Table 2-7. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths.)

AREA, RACE, AND SEX		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	DELAWARE	282	23	84	32	21	7	5	4	4
2	Male	165	10	52	17	13	3	3	2	2
3	Female	117	13	32	15	8	4	2	2	2
4	White	186	16	60	24	16	6	3	2	4
5	Male	112	8	39	12	10	3	2	1	2
6	Female	74	8	21	12	6	3	1	1	2
7	Negro	96	7	24	8	5	1	2	2	-
8	Male	53	2	15	5	3	-	1	1	-
9	Female	43	5	11	3	2	1	1	1	-
10	Other	-	-	-	-	-	-	-	-	-
11	Male	-	-	-	-	-	-	-	-	-
12	Female	-	-	-	-	-	-	-	-	-
13	DISTRICT OF COLUMBIA	669	36	262	69	41	27	9	10	4
14	Male	393	24	157	42	22	14	4	6	1
15	Female	276	12	105	27	19	13	5	4	3
16	White	145	11	52	14	11	7	3	3	2
17	Male	91	7	30	9	7	4	1	1	1
18	Female	54	4	22	5	4	3	2	2	1
19	Negro	521	25	207	55	30	20	6	7	2
20	Male	300	17	125	35	15	10	3	3	-
21	Female	221	8	82	22	15	10	3	4	2
22	Other	3	-	3	-	-	-	-	-	-
23	Male	2	-	2	-	-	-	-	-	-
24	Female	1	-	1	-	-	-	-	-	-
25	FLORIDA	3,206	201	1,041	367	221	91	52	31	21
26	Male	1,845	103	602	228	126	62	32	19	13
27	Female	1,361	98	439	139	95	29	20	12	8
28	White	1,910	126	702	234	155	56	33	17	15
29	Male	1,117	61	413	143	93	41	23	11	9
30	Female	793	65	289	91	62	15	10	6	7
31	Negro	1,292	75	538	133	66	35	19	14	6
32	Male	727	42	188	85	33	21	9	8	5
33	Female	565	33	150	48	33	14	10	6	1
34	Other	4	-	1	-	-	-	-	-	-
35	Male	1	-	1	-	-	-	-	-	-
36	Female	3	-	-	-	-	-	-	-	-
37	GEORGIA	3,087	192	825	263	200	81	57	38	28
38	Male	1,743	105	501	162	115	52	34	17	19
39	Female	1,344	87	324	101	85	29	23	21	9
40	White	1,488	116	491	173	123	38	28	18	12
41	Male	880	64	313	110	75	27	15	6	10
42	Female	608	52	178	63	48	11	13	12	2
43	Negro	1,597	76	532	90	77	43	29	20	16
44	Male	861	41	186	52	40	25	19	11	9
45	Female	736	35	146	38	37	18	10	9	7
46	Other	2	-	2	-	-	-	-	-	-
47	Male	2	-	2	-	-	-	-	-	-
48	Female	-	-	-	-	-	-	-	-	-
49	HAWAII	400	50	163	34	27	12	8	2	6
50	Male	244	40	98	24	16	6	7	1	1
51	Female	156	10	65	10	11	6	1	1	5
52	White	114	13	39	7	12	5	3	1	1
53	Male	71	11	24	4	8	3	3	-	-
54	Female	43	2	15	3	4	2	-	1	1
55	Negro	8	-	2	-	-	-	-	-	-
56	Male	4	-	2	-	-	-	-	-	-
57	Female	4	-	-	-	-	-	-	-	-
58	Other	278	37	122	27	15	7	5	1	4
59	Male	169	29	72	20	8	3	4	1	1
60	Female	109	8	50	7	7	4	1	-	3
61	IDAHO	342	31	108	43	28	7	7	6	5
62	Male	199	17	65	23	17	6	1	2	2
63	Female	143	14	43	20	11	1	6	4	3
64	White	327	30	106	40	28	7	7	6	5
65	Male	190	16	64	23	17	6	1	2	2
66	Female	137	14	42	17	11	1	6	4	3
67	Negro	2	-	-	1	-	-	-	-	-
68	Male	1	-	-	-	-	-	-	-	-
69	Female	1	-	-	1	-	-	-	-	-
70	Other	13	1	2	2	-	-	-	-	-
71	Male	8	1	1	-	-	-	-	-	-
72	Female	5	-	1	2	-	-	-	-	-
73	ILLINOIS	5,383	458	2,020	489	329	152	89	59	43
74	Male	3,139	245	1,232	263	204	88	49	33	27
75	Female	2,244	213	788	226	125	64	40	26	16
76	White	3,908	374	1,463	379	257	118	69	49	32
77	Male	2,302	196	904	205	166	71	36	28	20
78	Female	1,606	178	559	174	91	47	33	21	12
79	Negro	1,447	83	548	109	71	33	19	10	10
80	Male	821	48	323	57	38	17	13	5	6
81	Female	626	35	225	52	33	16	6	5	4
82	Other	28	1	9	1	1	1	1	-	1
83	Male	16	1	5	1	-	-	-	-	1
84	Female	12	-	4	-	1	1	-	-	-
85	INDIANA	2,504	196	890	265	181	75	43	29	15
86	Male	1,401	103	521	145	107	43	23	15	6
87	Female	1,103	93	369	120	74	32	20	14	9
88	White	2,148	176	755	222	169	65	38	22	14
89	Male	1,202	88	435	128	98	39	19	11	6
90	Female	946	88	320	94	71	26	19	11	8
91	Negro	352	20	132	43	11	10	5	7	1
92	Male	197	15	85	17	8	4	4	4	-
93	Female	155	5	47	26	3	6	1	3	1
94	Other	4	-	3	-	-	-	-	-	-
95	Male	2	-	1	-	1	-	-	-	-
96	Female	2	-	2	-	-	-	-	-	-

SECTION 2 - MORTALITY

Table 2-7. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths.)

AREA, RACE, AND SEX		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	IOWA-----	1,192	117	401	123	84	33	13	20	16
2	Male----	699	57	243	78	55	18	7	11	9
3	Female--	493	60	158	45	29	15	6	9	7
4	White-----	1,158	115	392	120	82	31	13	19	16
5	Male----	686	56	239	77	54	18	7	11	9
6	Female--	472	59	153	43	28	13	6	8	7
7	Negro-----	29	2	9	3	2	2	-	1	1
8	Male----	12	1	4	1	1	-	-	-	-
9	Female--	17	1	5	2	1	2	-	1	-
10	Other-----	5	-	-	-	-	-	-	-	-
11	Male----	1	-	-	-	-	-	-	-	-
12	Female--	4	-	-	-	-	-	-	-	-
13	KANSAS-----	1,029	74	375	110	80	30	17	21	9
14	Male----	580	35	217	69	51	20	7	12	5
15	Female--	449	39	158	41	29	10	10	9	4
16	White-----	910	66	327	104	76	27	15	16	8
17	Male----	521	30	192	66	48	19	6	10	5
18	Female--	389	36	135	38	28	8	9	6	3
19	Negro-----	115	8	45	6	4	3	2	5	1
20	Male----	56	5	23	3	3	1	1	2	1
21	Female--	59	3	22	3	1	2	1	3	1
22	Other-----	4	-	-	-	-	-	-	-	-
23	Male----	3	-	2	-	-	-	-	-	-
24	Female--	1	-	1	-	-	-	-	-	-
25	KENTUCKY-----	1,899	136	511	181	131	49	30	17	26
26	Male----	1,089	83	307	107	79	31	11	9	12
27	Female--	800	53	204	74	52	18	19	8	14
28	White-----	1,630	122	448	165	116	42	26	15	22
29	Male----	942	76	288	101	69	26	10	9	10
30	Female--	688	44	160	64	48	16	16	6	12
31	Negro-----	259	14	63	16	15	7	4	2	4
32	Male----	147	5	39	6	11	5	1	1	2
33	Female--	112	9	24	10	4	2	3	2	2
34	Other-----	-	-	-	-	-	-	-	-	-
35	Male----	-	-	-	-	-	-	-	-	-
36	Female--	-	-	-	-	-	-	-	-	-
37	LOUISIANA-----	2,598	176	610	310	168	67	38	31	19
38	Male----	1,518	93	486	186	102	47	19	17	10
39	Female--	1,080	83	324	124	66	20	18	14	9
40	White-----	1,081	86	364	156	84	28	16	10	7
41	Male----	626	39	230	95	49	22	8	4	4
42	Female--	455	47	134	61	35	6	8	6	3
43	Negro-----	1,530	90	442	153	84	39	20	21	12
44	Male----	889	54	255	91	53	25	10	13	6
45	Female--	641	36	187	62	31	14	10	8	6
46	Other-----	7	-	4	1	-	-	-	-	-
47	Male----	3	-	1	-	-	-	-	-	-
48	Female--	4	-	3	1	-	-	-	-	-
49	MAINE-----	530	51	171	59	42	15	6	7	5
50	Male----	304	31	100	37	22	11	4	3	2
51	Female--	226	20	71	22	20	4	2	4	3
52	White-----	523	51	170	58	42	15	5	7	5
53	Male----	300	31	100	36	22	11	4	3	2
54	Female--	223	20	70	22	20	4	1	4	3
55	Negro-----	2	-	1	-	-	-	-	-	-
56	Male----	1	-	-	-	-	-	-	-	-
57	Female--	1	-	1	-	-	-	-	-	-
58	Other-----	5	-	-	1	-	-	1	-	-
59	Male----	3	-	-	1	-	-	-	-	-
60	Female--	2	-	-	-	-	-	1	-	-
61	MARYLAND-----	1,991	190	705	213	109	56	30	24	30
62	Male----	1,130	99	401	117	74	34	17	11	22
63	Female--	861	91	302	96	35	22	13	13	8
64	White-----	1,308	126	477	146	81	36	20	15	17
65	Male----	758	68	279	84	54	25	10	7	12
66	Female--	550	58	198	62	27	11	10	8	5
67	Negro-----	679	64	226	66	27	20	10	9	13
68	Male----	369	31	122	33	19	9	7	4	10
69	Female--	310	33	104	33	8	11	3	5	3
70	Other-----	4	-	1	1	-	-	-	-	-
71	Male----	3	-	-	1	-	-	-	-	-
72	Female--	1	-	-	1	-	-	-	-	-
73	MASSACHUSETTS-----	2,306	182	602	256	207	72	31	29	20
74	Male----	1,358	104	476	155	132	42	18	19	12
75	Female--	948	78	326	101	75	30	13	10	8
76	White-----	2,161	172	750	249	192	68	29	27	19
77	Male----	1,281	99	449	149	126	41	18	19	11
78	Female--	880	73	301	100	66	27	11	8	8
79	Negro-----	139	10	49	5	15	4	2	2	1
80	Male----	71	5	24	4	6	1	2	1	1
81	Female--	68	5	25	1	9	3	2	2	-
82	Other-----	6	-	3	2	-	-	-	-	-
83	Male----	6	-	3	2	-	-	-	-	-
84	Female--	-	-	-	-	-	-	-	-	-
85	MICHIGAN-----	4,155	371	1,505	466	254	118	71	49	40
86	Male----	2,392	206	860	281	153	75	47	29	15
87	Female--	1,763	165	645	185	101	43	24	20	25
88	White-----	3,428	317	1,220	403	216	97	57	39	35
89	Male----	2,001	174	705	249	134	62	39	23	13
90	Female--	1,427	143	515	154	82	35	18	15	22
91	Negro-----	715	55	280	62	37	13	7	6	2
92	Male----	394	32	151	32	19	6	3	5	3
93	Female--	331	21	129	30	18	8	4	5	2
94	Other-----	12	1	5	1	1	-	1	-	-
95	Male----	7	-	4	-	-	-	-	-	-
96	Female--	5	1	1	1	-	-	-	-	-

SECTION 2 - MORTALITY

Table 2-7. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths.)

AREA, RACE, AND SEX		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	MINNESOTA	1,671	180	614	163	100	47	19	13	21
2	Male	972	105	358	90	55	27	13	7	9
3	Female	699	75	256	73	45	20	6	6	12
4	White	1,622	175	604	159	99	46	18	13	21
5	Male	939	100	351	86	54	27	12	7	9
6	Female	683	75	253	73	45	19	6	6	12
7	Negro	25	4	6	4	1	-	-	-	-
8	Male	17	4	4	4	1	-	-	-	-
9	Female	8	-	2	-	-	1	-	-	-
10	Other	24	1	4	-	-	-	1	-	-
11	Male	16	1	3	-	-	-	1	-	-
12	Female	8	-	1	-	-	-	-	-	-
13	MISSISSIPPI	2,372	135	579	192	146	65	48	31	24
14	Male	1,371	75	351	119	91	35	33	18	18
15	Female	1,001	60	228	73	55	30	15	13	6
16	White	616	39	201	82	61	15	11	11	8
17	Male	374	22	126	50	42	10	9	4	6
18	Female	242	17	75	32	19	5	2	7	2
19	Negro	1,751	96	378	110	85	50	36	20	16
20	Male	994	53	225	69	49	25	24	14	12
21	Female	757	43	153	41	36	25	12	6	4
22	Other	5	-	-	-	-	-	-	-	-
23	Male	3	-	-	-	-	-	-	-	-
24	Female	2	-	-	-	-	-	1	-	-
25	MISSOURI	2,183	150	749	238	135	66	49	26	22
26	Male	1,255	84	440	143	84	36	31	14	11
27	Female	928	66	309	95	51	30	18	12	11
28	White	1,663	119	595	180	113	55	42	21	11
29	Male	973	72	356	109	74	31	24	13	5
30	Female	690	47	239	71	39	24	18	8	6
31	Negro	519	31	154	58	22	11	7	5	11
32	Male	282	12	84	34	10	5	7	1	6
33	Female	237	19	70	24	12	6	-	4	5
34	Other	1	-	-	-	-	-	-	-	-
35	Male	-	-	-	-	-	-	-	-	-
36	Female	1	-	-	-	-	-	-	-	-
37	MONTANA	384	26	116	42	25	13	7	4	6
38	Male	228	14	78	20	16	7	5	2	3
39	Female	156	12	38	22	9	6	2	2	3
40	White	326	24	105	39	21	13	7	4	4
41	Male	201	13	72	19	15	7	5	2	3
42	Female	125	11	33	20	6	6	2	2	1
43	Negro	4	-	1	1	-	-	-	-	-
44	Male	2	-	1	-	-	-	-	-	-
45	Female	2	-	-	-	-	-	-	-	-
46	Other	54	2	10	2	4	-	-	-	2
47	Male	25	1	5	1	1	-	-	-	-
48	Female	29	1	5	1	3	-	-	-	2
49	NEBRASKA	707	54	289	97	35	14	10	5	10
50	Male	406	26	151	65	23	7	5	2	7
51	Female	301	28	118	32	12	7	5	3	3
52	White	640	51	246	92	34	13	10	5	8
53	Male	373	23	141	62	23	7	5	2	6
54	Female	267	28	105	30	11	6	5	3	2
55	Negro	52	3	21	4	1	1	-	-	1
56	Male	25	3	10	2	-	-	-	-	1
57	Female	27	-	11	2	1	1	-	-	-
58	Other	15	-	2	1	-	-	-	-	1
59	Male	8	-	1	1	-	-	-	-	-
60	Female	7	-	2	-	-	-	-	-	1
61	NEVADA	288	22	99	42	12	12	5	4	1
62	Male	174	12	62	28	10	7	3	3	-
63	Female	114	10	37	14	2	5	2	1	1
64	White	239	18	78	39	11	9	5	4	-
65	Male	143	11	47	27	10	6	3	3	-
66	Female	91	7	31	12	1	3	2	1	-
67	Negro	38	3	18	2	1	2	-	-	1
68	Male	19	-	13	-	-	1	-	-	-
69	Female	19	3	5	2	1	1	-	-	1
70	Other	11	1	3	1	-	1	-	-	-
71	Male	7	1	2	1	-	-	-	-	-
72	Female	4	-	1	-	-	1	-	-	-
73	NEW HAMPSHIRE	317	28	122	35	13	12	8	6	3
74	Male	181	18	73	17	4	7	3	4	1
75	Female	136	10	49	18	9	5	5	2	2
76	White	314	27	121	35	13	12	8	6	3
77	Male	179	17	73	17	4	7	3	4	1
78	Female	135	10	48	18	9	5	5	2	2
79	Negro	3	1	1	-	-	-	-	-	-
80	Male	2	1	-	-	-	-	-	-	-
81	Female	1	-	1	-	-	-	-	-	-
82	Other	-	-	-	-	-	-	-	-	-
83	Male	-	-	-	-	-	-	-	-	-
84	Female	-	-	-	-	-	-	-	-	-
85	NEW JERSEY ¹	3,152	233	1,242	371	198	90	57	35	23
86	Male	1,658	122	735	227	117	61	36	22	17
87	Female	1,294	111	507	144	81	29	21	13	6

¹Figures by race are not shown because reporting was incomplete; see Technical Appendix.

SECTION 2 - MORTALITY

Sex: United States and Each State, 1963-Con.

Figures by race for the United States exclude data for residents of New Jersey; see Technical Appendix)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
1,157	61	36	25	1,279	95	75	46	45	24	21	23	22	12	10	19	1
664	39	25	13	741	57	47	31	30	11	11	11	9	9	4	11	2
493	22	11	12	538	39	28	15	15	13	10	12	13	3	6	8	3
1,135	60	34	22	1,251	91	71	42	45	24	20	21	21	10	9	17	4
646	38	25	12	721	55	44	30	30	11	11	9	9	7	3	9	5
489	22	9	10	530	36	27	12	15	13	9	12	12	3	6	8	6
16	-	1	2	19	1	-	-	-	-	-	-	-	1	-	2	7
13	-	-	-	13	1	-	-	-	-	-	-	-	1	-	2	8
3	-	-	-	6	-	-	2	-	-	-	-	-	-	-	-	9
6	1	1	1	7	3	4	2	-	-	1	-	1	-	1	-	10
5	1	-	-	7	1	3	1	-	-	-	2	-	1	1	-	11
1	-	1	-	2	2	1	1	-	-	1	-	1	-	-	-	12
1,220	97	79	53	1,449	193	162	113	98	90	88	53	37	33	28	28	13
740	54	43	35	872	114	94	62	52	46	45	28	14	16	16	12	14
480	43	36	18	577	79	68	51	46	44	43	23	17	12	16	15	15
428	23	12	10	473	30	29	14	9	15	16	9	7	7	3	4	16
269	18	10	7	304	19	13	7	6	8	6	5	2	3	1	1	17
159	5	2	3	169	11	16	7	3	7	10	4	5	4	2	4	18
791	74	66	43	974	163	133	98	89	75	71	44	29	26	25	24	19
471	36	32	28	567	95	81	54	46	39	38	23	12	13	15	12	20
320	38	34	15	407	68	52	44	43	37	33	17	13	10	12	21	21
1	-	1	-	2	-	-	1	-	-	1	-	1	-	-	-	22
1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	23
1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	24
1,435	66	52	40	1,593	136	100	80	67	46	37	34	18	31	26	15	25
843	32	32	23	930	78	53	47	38	21	17	19	10	14	17	11	26
592	34	20	17	663	58	47	33	29	25	20	15	8	17	9	4	27
1,136	44	39	26	1,245	96	68	58	51	31	25	24	14	23	17	11	28
684	21	24	14	743	57	36	31	28	13	10	13	9	12	13	8	29
452	23	15	12	502	39	32	27	23	18	15	11	5	11	4	3	30
299	21	13	14	347	40	32	22	16	15	12	10	8	8	9	4	31
159	11	8	9	187	21	17	16	10	8	7	6	1	2	4	3	32
140	10	5	5	160	19	15	6	6	7	5	4	3	6	5	1	33
-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	36
239	12	7	6	264	26	18	16	17	7	8	5	8	6	8	1	37
145	9	6	4	164	15	11	11	7	3	4	3	3	3	4	-	38
94	3	1	2	100	11	7	5	10	4	4	3	5	3	4	1	39
217	7	7	6	237	18	13	11	14	5	6	4	5	6	6	1	40
136	4	6	4	150	12	8	3	7	2	3	2	3	3	3	-	41
81	3	1	2	87	6	4	3	7	3	3	2	3	3	3	1	42
2	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	43
1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	44
1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	45
20	5	-	-	25	6	5	5	3	2	2	1	3	-	2	-	46
8	5	-	-	13	2	2	3	-	1	1	1	1	-	1	-	47
12	-	-	-	12	4	3	2	3	1	1	-	2	-	1	-	48
494	30	14	11	549	44	32	20	16	12	6	8	6	5	5	4	49
286	17	7	5	315	25	14	10	13	9	3	5	4	3	3	2	50
208	13	7	6	234	19	18	10	3	3	3	3	2	2	2	2	51
459	29	12	11	511	35	28	15	14	10	3	7	4	4	5	4	52
269	16	7	5	297	20	13	9	12	8	1	4	2	2	3	2	53
190	13	5	6	214	15	15	6	2	2	2	3	2	2	2	2	54
31	1	1	-	33	6	3	3	2	1	3	-	-	1	-	-	55
16	1	-	-	17	2	1	1	-	-	2	-	-	1	-	-	56
15	-	1	-	16	4	2	2	1	1	1	1	-	-	-	-	57
4	-	1	-	5	3	1	2	-	1	-	1	2	-	-	-	58
1	-	-	-	1	3	-	-	-	1	-	1	2	-	-	-	59
3	-	1	-	4	-	1	2	-	-	-	-	-	-	-	-	60
197	14	4	2	217	19	20	9	4	6	3	6	-	2	-	2	61
125	8	3	2	138	10	11	6	3	1	1	3	-	-	-	1	62
72	6	1	-	79	9	9	3	1	5	2	3	-	-	-	1	63
164	13	4	1	182	14	20	5	3	5	3	3	-	2	-	1	64
107	8	3	1	119	7	11	3	3	-	1	3	-	-	-	1	65
57	5	1	-	63	7	9	2	-	5	2	1	2	2	-	-	66
27	1	-	1	29	5	-	1	1	-	-	1	-	-	-	1	67
14	1	-	1	15	3	-	1	-	-	-	-	-	-	-	-	68
13	1	-	-	14	2	-	-	1	1	1	1	-	-	-	1	69
6	-	-	-	6	-	-	3	-	1	-	-	-	-	-	-	70
4	-	-	-	4	-	-	2	-	1	-	-	-	-	-	-	71
2	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-	72
227	12	4	7	250	18	14	7	5	5	7	4	1	4	-	2	73
127	5	3	5	140	12	11	5	2	1	3	3	1	3	-	-	74
100	7	1	2	110	6	3	2	3	4	4	4	1	1	-	2	75
225	12	4	4	248	18	14	7	4	5	7	4	1	4	-	2	76
126	5	3	5	139	12	11	5	1	1	3	3	1	5	-	-	77
99	7	1	2	109	6	3	2	3	4	4	1	1	1	-	2	78
2	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	79
1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	80
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
2,249	125	66	55	2,495	158	119	88	63	61	39	35	34	19	23	18	85
1,337	74	39	30	1,480	88	77	50	41	35	20	19	15	10	13	10	86
912	51	27	25	1,015	70	42	38	22	26	19	16	19	9	10	8	87

SECTION 2 - MORTALITY

Table 2-7. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths.)

AREA, RACE, AND SEX		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	NEW MEXICO-----	848	73	228	83	43	32	13	14	5
2	Male-----	465	43	119	46	29	16	7	6	2
3	Female--	383	30	109	37	14	16	6	8	3
4	White-----	687	64	207	72	36	27	11	11	5
5	Male-----	379	38	106	41	24	15	7	5	2
6	Female--	308	26	101	31	12	12	4	6	3
7	Negro-----	34	1	4	5	4	1	-	-	-
8	Male-----	15	-	1	3	2	-	-	-	-
9	Female--	19	1	3	2	2	-	-	-	-
10	Other-----	127	8	17	6	3	4	2	3	-
11	Male-----	71	5	12	2	3	1	1	1	-
12	Female--	56	3	5	4	-	3	2	2	-
13	NEW YORK-----	8,526	779	3,078	946	526	222	130	99	62
14	Male-----	4,863	425	1,766	548	324	132	81	52	34
15	Female--	3,663	354	1,312	398	202	90	49	47	28
16	White-----	6,384	601	2,260	735	421	188	105	81	48
17	Male-----	3,652	322	1,299	431	261	116	66	41	27
18	Female--	2,742	279	961	304	160	72	39	40	21
19	Negro-----	2,093	176	805	207	104	33	25	18	14
20	Male-----	1,188	103	459	116	62	15	15	11	7
21	Female--	905	73	346	91	42	18	10	7	7
22	Other-----	39	2	13	4	1	1	-	-	-
23	Male-----	23	-	8	1	1	1	-	-	-
24	Female--	16	2	5	3	-	-	-	-	-
25	NORTH CAROLINA-----	3,348	215	905	312	189	98	56	53	31
26	Male-----	1,974	114	553	187	109	52	31	30	16
27	Female--	1,374	101	352	125	80	46	25	23	15
28	White-----	1,638	132	557	191	118	52	21	28	14
29	Male-----	981	67	354	114	68	31	12	17	7
30	Female--	657	65	203	77	50	21	9	11	7
31	Negro-----	1,647	81	330	120	69	44	32	25	17
32	Male-----	949	46	185	72	40	20	17	13	9
33	Female--	698	35	145	48	29	24	15	12	8
34	Other-----	65	2	18	1	2	2	3	-	-
35	Male-----	44	1	14	1	1	1	2	-	-
36	Female--	19	1	4	-	1	1	1	-	-
37	NORTH DAKOTA-----	375	32	132	38	31	14	4	2	5
38	Male-----	227	22	76	22	21	10	3	-	3
39	Female--	148	10	56	16	10	4	1	2	2
40	White-----	346	32	130	38	28	14	4	1	4
41	Male-----	212	22	75	22	18	10	3	-	3
42	Female--	134	10	55	16	10	4	1	1	1
43	Negro-----	1	-	-	-	-	-	-	-	-
44	Male-----	-	-	-	-	-	-	-	-	-
45	Female--	1	-	-	-	-	-	-	-	-
46	Other-----	28	-	2	-	3	-	-	1	-
47	Male-----	15	-	1	-	3	-	-	-	-
48	Female--	13	-	1	-	-	-	-	1	-
49	OHIO-----	4,944	465	1,810	544	325	142	88	57	38
50	Male-----	2,943	236	1,069	311	207	92	43	29	25
51	Female--	2,101	229	741	233	118	50	45	28	13
52	White-----	4,108	382	1,504	454	296	124	72	51	29
53	Male-----	2,378	196	896	260	188	79	37	26	20
54	Female--	1,730	186	608	194	108	45	35	25	9
55	Negro-----	831	83	302	89	29	18	16	6	9
56	Male-----	461	40	169	51	19	13	6	3	5
57	Female--	370	43	133	38	10	5	10	3	4
58	Other-----	5	-	4	1	-	-	-	-	-
59	Male-----	4	-	4	-	-	-	-	-	-
60	Female--	1	-	-	1	-	-	-	-	-
61	OKLAHOMA-----	1,214	97	382	167	72	36	23	11	13
62	Male-----	699	52	225	95	47	20	9	7	8
63	Female--	515	45	157	72	25	16	14	4	5
64	White-----	949	77	307	138	62	30	15	7	8
65	Male-----	551	40	188	78	39	17	5	4	6
66	Female--	398	37	119	60	23	13	10	3	2
67	Negro-----	214	16	65	23	9	3	6	2	5
68	Male-----	119	10	32	15	7	2	3	1	2
69	Female--	95	6	33	8	2	1	3	1	3
70	Other-----	51	4	10	6	1	3	2	2	-
71	Male-----	29	2	5	2	1	1	1	2	-
72	Female--	22	2	5	4	-	2	1	-	-
73	OREGON-----	748	68	264	43	55	24	17	11	5
74	Male-----	461	32	163	29	38	14	13	7	3
75	Female--	287	36	101	14	17	10	4	4	2
76	White-----	722	68	253	42	54	23	16	11	5
77	Male-----	444	32	154	29	38	14	12	7	3
78	Female--	278	36	99	13	16	9	4	4	2
79	Negro-----	18	-	8	1	1	1	1	-	-
80	Male-----	13	-	7	-	-	-	1	-	-
81	Female--	5	-	1	1	1	1	-	-	-
82	Other-----	8	-	3	-	-	-	-	-	-
83	Male-----	4	-	2	-	-	-	-	-	-
84	Female--	4	-	1	-	-	-	-	-	-
85	PENNSYLVANIA-----	5,245	481	1,926	537	385	148	94	64	41
86	Male-----	3,060	276	1,154	325	226	95	58	31	21
87	Female--	2,185	205	772	212	159	53	36	33	20
88	White-----	4,216	391	1,553	448	327	125	77	50	34
89	Male-----	2,474	220	931	275	195	80	45	24	19
90	Female--	1,742	171	622	173	132	45	32	26	15
91	Negro-----	918	83	307	77	51	20	13	11	7
92	Male-----	522	50	189	41	28	13	10	6	2
93	Female--	396	33	118	36	23	7	3	5	5
94	Other-----	111	7	66	12	7	3	4	3	-
95	Male-----	64	6	34	9	3	2	3	1	-
96	Female--	47	1	32	3	4	1	1	2	-

SECTION 2 - MORTALITY

Table 2-7. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths.)

AREA, RACE, AND SEX		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	RHODE ISLAND-----	436	33	172	52	27	17	5	2	2
2	Male-----	245	15	92	28	16	10	3	1	2
3	Female--	191	18	80	24	11	7	2	1	~
4	White-----	393	31	153	49	24	16	5	2	1
5	Male-----	222	14	84	25	14	9	3	1	1
6	Female--	171	17	69	24	10	7	2	1	1
7	Negro-----	39	2	18	1	3	1	-	-	1
8	Male-----	21	1	8	1	2	1	-	-	1
9	Female--	18	1	10	-	1	-	-	-	1
10	Other-----	4	-	1	2	-	-	-	-	-
11	Male-----	2	-	-	2	-	-	-	-	-
12	Female--	2	-	1	-	-	-	-	-	-
13	SOUTH CAROLINA-----	1,925	103	419	165	117	41	31	29	18
14	Male-----	1,104	55	241	95	77	27	17	20	9
15	Female--	821	48	178	70	40	14	14	9	9
16	White-----	770	59	223	95	71	23	15	18	8
17	Male-----	472	29	158	60	48	18	10	11	3
18	Female--	298	30	85	35	23	5	5	7	5
19	Negro-----	1,153	44	184	70	46	18	16	11	10
20	Male-----	631	26	102	35	29	9	7	9	6
21	Female--	522	18	82	35	17	9	9	2	4
22	Other-----	2	-	2	-	-	-	-	-	-
23	Male-----	1	-	1	-	-	-	-	-	-
24	Female--	1	-	1	-	-	-	-	-	-
25	SOUTH DAKOTA-----	414	53	125	47	22	13	5	3	1
26	Male-----	250	27	66	33	14	10	4	3	~
27	Female--	164	26	59	14	8	3	1	-	1
28	White-----	348	47	121	40	20	11	4	3	1
29	Male-----	210	24	65	26	14	8	3	3	~
30	Female--	138	23	56	14	6	3	1	1	1
31	Negro-----	2	-	1	1	-	-	-	-	-
32	Male-----	1	-	-	1	-	-	-	-	-
33	Female--	1	-	1	-	-	-	-	-	-
34	Other-----	64	6	3	6	2	2	1	-	-
35	Male-----	39	3	1	6	2	2	1	-	-
36	Female--	25	3	2	-	2	-	-	-	-
37	TENNESSEE-----	2,239	187	626	250	152	70	31	30	36
38	Male-----	1,279	94	375	152	101	39	21	17	16
39	Female--	960	93	251	98	51	31	10	13	20
40	White-----	1,467	135	435	176	109	50	24	21	23
41	Male-----	853	61	268	112	70	28	16	13	10
42	Female--	614	74	167	64	39	22	8	8	13
43	Negro-----	770	52	190	74	43	20	7	9	13
44	Male-----	424	33	106	40	31	11	5	4	6
45	Female--	346	19	84	34	12	9	2	5	7
46	Other-----	2	-	1	-	-	-	-	-	-
47	Male-----	2	-	1	-	-	-	-	-	-
48	Female--	-	-	-	-	-	-	-	-	-
49	TEXAS-----	6,600	409	1,905	719	506	203	133	90	63
50	Male-----	3,730	226	1,070	414	320	126	84	56	29
51	Female--	2,870	183	835	305	186	77	49	34	34
52	White-----	5,182	330	1,528	594	430	170	97	70	52
53	Male-----	2,944	186	869	342	272	107	61	41	26
54	Female--	2,238	144	659	252	158	63	36	29	26
55	Negro-----	1,410	79	375	124	75	33	36	20	11
56	Male-----	780	40	200	71	47	19	23	15	3
57	Female--	630	39	175	53	28	14	13	5	8
58	Other-----	8	-	2	1	-	-	-	-	-
59	Male-----	6	-	1	1	-	-	-	-	-
60	Female--	2	-	1	-	-	-	-	-	-
61	UTAH-----	464	23	151	71	30	13	4	5	1
62	Male-----	267	10	90	42	21	10	3	4	1
63	Female--	197	13	61	29	9	3	1	1	~
64	White-----	442	22	148	71	30	13	4	5	1
65	Male-----	260	9	88	42	21	10	3	4	1
66	Female--	182	13	60	29	9	3	1	1	~
67	Negro-----	3	-	2	-	-	-	-	-	-
68	Male-----	2	-	1	-	-	-	-	-	-
69	Female--	1	-	1	-	-	-	-	-	-
70	Other-----	19	1	1	-	-	-	-	-	-
71	Male-----	5	1	1	-	-	-	-	-	-
72	Female--	14	-	-	-	-	-	-	-	-
73	VERMONT-----	216	17	78	25	16	2	2	6	~
74	Male-----	128	9	51	17	9	2	2	3	~
75	Female--	88	8	27	8	7	2	-	3	~
76	White-----	216	17	78	25	16	2	2	6	~
77	Male-----	128	9	51	17	9	2	2	3	~
78	Female--	88	8	27	8	7	2	-	3	~
79	Negro-----	-	-	-	-	-	-	-	-	-
80	Male-----	-	-	-	-	-	-	-	-	-
81	Female--	-	-	-	-	-	-	-	-	-
82	Other-----	-	-	-	-	-	-	-	-	-
83	Male-----	-	-	-	-	-	-	-	-	-
84	Female--	-	-	-	-	-	-	-	-	-
85	VIRGINIA-----	2,834	227	818	363	214	82	52	38	30
86	Male-----	1,662	125	492	206	135	56	29	23	16
87	Female--	1,172	102	326	157	79	26	23	15	14
88	White-----	1,766	163	540	242	157	61	28	20	18
89	Male-----	1,048	86	323	141	99	41	17	13	10
90	Female--	718	77	217	101	58	20	11	7	8
91	Negro-----	1,063	63	277	120	57	21	12	18	12
92	Male-----	611	38	169	64	36	15	12	10	6
93	Female--	452	25	108	56	21	6	12	8	6
94	Other-----	5	1	1	-	-	-	-	-	-
95	Male-----	3	1	1	-	-	-	-	-	-
96	Female--	2	-	1	-	-	-	-	-	-

SECTION 2 - MORTALITY

Table 2-7. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths.)

AREA, RACE, AND SEX		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	WASHINGTON-----	1,345	124	447	132	98	38	19	14	14
2	Male-----	787	64	258	91	61	23	7	7	12
3	Female-----	558	60	189	41	37	15	12	7	2
4	White-----	1,192	114	406	118	87	31	18	14	14
5	Male-----	698	58	234	82	53	19	7	7	12
6	Female-----	494	56	172	36	34	12	11	7	2
7	Negro-----	73	5	20	6	7	5	1	-	-
8	Male-----	38	3	10	4	5	3	-	-	-
9	Female-----	35	2	10	2	2	2	1	-	-
10	Other-----	80	5	21	8	4	2	-	-	-
11	Male-----	51	3	14	5	3	1	-	-	-
12	Female-----	29	2	7	3	1	1	-	-	-
13	WEST VIRGINIA-----	935	61	255	127	73	38	19	18	9
14	Male-----	561	29	158	80	48	23	13	11	5
15	Female-----	372	32	97	47	25	15	6	7	4
16	White-----	871	61	233	122	70	36	19	16	9
17	Male-----	525	29	146	78	46	21	13	10	5
18	Female-----	346	32	87	44	24	15	6	6	4
19	Negro-----	62	-	22	5	3	2	-	2	-
20	Male-----	36	-	12	2	2	2	-	1	-
21	Female-----	26	-	10	3	1	-	-	1	-
22	Other-----	-	-	-	-	-	-	-	-	-
23	Male-----	-	-	-	-	-	-	-	-	-
24	Female-----	-	-	-	-	-	-	-	-	-
25	WISCONSIN-----	2,042	215	726	216	142	62	24	18	16
26	Male-----	1,178	111	429	119	82	31	13	10	11
27	Female-----	864	104	297	97	60	31	11	8	5
28	White-----	1,912	207	674	198	138	56	24	18	16
29	Male-----	1,098	106	398	110	79	26	13	10	11
30	Female-----	814	101	276	88	59	30	11	8	5
31	Negro-----	114	8	45	17	3	5	-	-	-
32	Male-----	69	5	27	8	2	4	-	-	-
33	Female-----	45	3	18	9	1	1	-	-	-
34	Other-----	16	-	7	1	1	1	-	-	-
35	Male-----	11	-	4	1	1	1	-	-	-
36	Female-----	5	-	3	-	-	-	-	-	-
37	WYOMING-----	217	17	79	27	18	9	5	3	2
38	Male-----	128	15	45	14	13	9	3	1	2
39	Female-----	89	2	34	13	5	2	2	2	-
40	White-----	203	16	75	26	18	8	4	3	2
41	Male-----	118	14	43	13	13	8	2	1	2
42	Female-----	85	2	32	13	5	-	2	2	-
43	Negro-----	6	1	3	-	-	-	-	-	-
44	Male-----	5	1	2	-	-	-	-	-	-
45	Female-----	1	-	1	-	-	-	-	-	-
46	Other-----	8	-	1	1	-	1	1	-	-
47	Male-----	5	-	-	1	-	1	1	-	-
48	Female-----	3	-	1	-	-	-	-	-	-

SECTION 2 - MORTALITY

Sex: United States and Each State, 1963-Con.

Figures by race for the United States exclude data for residents of New Jersey; see Technical Appendix)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
886	48	24	22	978	99	75	48	36	24	22	17	17	13	7	9	1
523	28	14	12	577	59	36	32	20	18	12	8	11	7	4	3	2
363	18	10	10	401	40	39	16	16	6	10	9	6	6	3	3	3
802	42	23	15	882	88	63	34	32	20	19	13	15	11	6	6	4
472	26	13	10	521	51	35	21	16	15	10	7	10	6	3	3	5
330	16	10	5	361	37	28	13	16	5	9	6	5	5	3	6	6
44	1	-	5	50	7	5	5	1	2	1	2	-	-	-	-	7
25	-	-	1	26	5	-	-	1	1	-	-	-	-	-	-	8
19	1	-	4	24	2	5	-	-	1	1	2	-	-	-	-	9
40	3	1	2	46	4	7	9	3	2	2	2	2	2	1	-	10
26	2	1	1	30	3	1	6	3	2	2	1	1	1	1	-	11
14	1	-	1	16	1	6	3	-	-	-	1	1	1	-	-	12
600	29	15	18	662	79	46	30	27	27	15	13	9	6	7	12	13
367	18	7	13	405	48	29	15	17	16	5	7	5	4	2	8	14
233	11	8	5	257	31	17	15	10	11	6	6	4	2	2	5	15
566	28	13	18	625	72	43	28	24	24	13	13	8	6	6	9	16
348	18	7	13	358	43	27	14	15	14	4	7	4	4	2	5	17
218	10	6	5	239	29	16	14	9	10	9	6	4	2	4	4	18
54	1	2	-	37	7	3	2	3	3	2	-	1	1	1	3	19
19	-	-	-	19	5	2	1	2	1	1	-	-	-	-	3	20
15	1	2	-	18	2	1	1	1	1	1	-	-	-	1	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
1,419	58	44	29	1,550	125	91	72	48	32	27	18	27	22	18	12	25
806	34	32	20	892	75	50	48	25	19	12	14	15	10	10	9	26
613	24	12	9	658	50	41	24	23	13	15	4	12	12	8	4	27
1,331	53	44	27	1,455	113	87	69	44	28	24	16	26	20	18	12	28
753	31	32	18	854	69	46	47	24	15	9	13	14	9	10	8	29
578	22	12	9	621	44	41	22	20	13	15	3	12	11	8	4	30
78	5	2	2	85	11	3	3	3	3	2	1	1	1	-	-	31
46	3	-	2	51	5	3	1	1	3	2	1	1	1	-	-	32
32	2	-	-	34	6	-	-	2	-	-	1	-	-	-	-	33
10	-	-	-	10	1	1	-	1	1	1	-	-	1	-	-	34
7	-	-	-	7	1	1	-	-	1	1	-	-	-	-	-	35
3	-	-	-	3	-	-	-	1	-	-	-	-	1	-	-	36
160	7	-	2	169	11	10	3	2	7	2	5	1	5	2	-	37
102	3	-	1	106	6	4	1	2	3	-	3	1	1	1	-	38
58	4	-	1	63	5	6	3	-	4	2	2	-	4	1	-	39
152	7	-	2	161	10	9	2	2	5	2	5	-	5	1	-	40
96	3	-	1	100	6	3	1	2	2	3	3	-	1	-	-	41
56	4	-	1	61	4	6	2	2	3	2	2	-	4	1	-	42
4	-	-	-	4	-	1	-	-	1	-	-	-	-	-	-	43
3	-	-	-	3	-	1	-	-	1	-	-	-	-	-	-	44
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	45
4	-	-	-	4	1	-	-	-	1	-	-	1	-	1	-	46
3	-	-	-	3	-	-	-	-	-	-	-	-	-	1	-	47
1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	48

Table 2-8. Deaths Under 1 Year and Under 28 Days; by Month and Color, for the United States and Each State; and by Age and Sex for the United States, 1963

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

Table with columns: AREA, AGE, AND COLOR; Total; Jan.; Feb.; Mar.; Apr.; May; June; July; Aug.; Sept.; Oct.; Nov.; Dec. Rows include: UNITED STATES Both Sexes; Male; Female; and various age groups (Under 28 days, Under 7 days, Under 1 hour, etc.) categorized by race (White, Nonwhite).

State of
underline
for 1965

SECTION 2 - MORTALITY

Table 2-8. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State, and by Age and Sex for the United States, 1963-Con.
 (By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES-Con.													
Male-Con.													
Under 28 days-Con.													
Under 7 days-Con.													
1-23 hours-----	20,165	1,564	1,468	1,581	1,630	1,910	1,784	1,843	1,816	1,651	1,707	1,589	1,622
White-----	15,091	1,168	1,107	1,187	1,217	1,417	1,355	1,397	1,353	1,208	1,268	1,219	1,195
Nonwhite--	4,333	353	305	335	356	422	374	389	396	380	372	318	359
1 day-----	6,406	498	451	575	501	546	585	606	566	532	553	483	510
White-----	4,888	382	338	437	397	415	469	474	427	407	412	361	369
Nonwhite--	1,291	105	98	112	87	109	100	117	116	107	116	102	122
2 days-----	4,251	323	311	363	340	353	356	370	381	372	361	366	355
White-----	3,373	250	247	296	267	298	287	286	289	301	282	281	289
Nonwhite--	761	66	61	54	58	50	62	78	77	65	63	74	55
3 days-----	1,821	150	125	149	143	165	147	167	160	163	144	167	141
White-----	1,398	109	98	108	116	133	111	131	119	125	107	139	102
Nonwhite--	362	36	25	30	23	21	32	34	32	35	30	28	36
4 days-----	997	77	82	88	85	90	72	89	92	89	89	72	74
White-----	704	53	60	54	61	69	48	57	69	59	70	50	54
Nonwhite--	257	23	21	28	18	19	21	29	17	28	17	16	20
5 days-----	709	63	48	57	45	64	67	65	67	54	65	61	53
White-----	509	49	35	40	34	45	42	50	49	35	50	46	34
Nonwhite--	178	12	12	14	9	19	23	13	17	15	14	13	17
6 days-----	517	42	37	33	41	40	46	45	40	41	58	50	44
White-----	376	30	27	28	30	27	30	31	30	26	42	39	36
Nonwhite--	124	12	9	5	10	11	14	10	10	13	13	9	8
7-13 days-----	1,959	157	154	152	170	138	156	179	205	170	179	139	160
White-----	1,403	112	111	114	128	102	110	133	144	121	130	95	105
Nonwhite--	482	42	36	35	32	29	43	37	55	42	44	35	52
14-20 days-----	1,237	131	100	109	80	88	87	95	112	91	124	97	125
White-----	813	67	64	66	57	61	69	67	76	66	76	65	79
Nonwhite--	385	57	32	40	22	25	17	25	33	23	41	28	42
21-27 days-----	1,046	108	97	73	71	74	88	97	92	88	81	85	94
White-----	685	71	54	42	48	58	69	64	54	59	48	55	63
Nonwhite--	331	35	38	30	22	16	14	29	32	26	33	25	31
28-59 days-----	3,860	424	394	314	268	265	240	244	257	319	386	332	427
White-----	2,516	266	223	202	185	192	174	161	176	215	246	220	260
Nonwhite--	1,256	145	153	100	79	68	61	79	76	100	134	101	160
2 months-----	3,050	357	341	294	292	182	208	169	167	187	274	277	342
White-----	1,967	219	219	186	149	114	144	122	122	120	184	173	215
Nonwhite--	1,006	129	115	101	79	58	59	45	58	64	79	97	122
3 months-----	2,286	312	261	212	146	123	104	119	135	146	179	247	302
White-----	1,460	198	157	146	110	84	75	65	89	102	110	149	167
Nonwhite--	776	104	97	64	54	36	28	50	35	42	65	82	129
4 months-----	1,735	224	169	174	105	117	108	76	105	100	133	167	257
White-----	1,077	113	114	122	71	74	75	49	65	67	85	103	141
Nonwhite--	617	102	52	47	31	38	32	25	38	32	48	64	110
5 months-----	1,313	197	197	101	82	80	98	69	62	61	88	102	156
White-----	802	113	117	69	49	51	61	47	41	55	52	59	88
Nonwhite--	476	78	79	29	31	27	36	22	19	22	31	40	62
6 months-----	981	118	133	93	67	64	59	75	50	63	64	84	113
White-----	599	74	76	58	46	42	40	53	33	29	45	44	59
Nonwhite--	362	43	54	35	21	21	17	20	16	31	17	36	53
7 months-----	823	114	92	84	67	56	54	51	40	53	52	68	92
White-----	541	68	56	59	51	37	34	35	21	42	37	47	54
Nonwhite--	263	42	34	24	14	17	19	16	18	8	13	21	37
8 months-----	653	77	71	65	54	63	45	43	40	37	53	62	62
White-----	422	54	47	41	33	42	31	25	31	29	18	34	37
Nonwhite--	216	22	24	23	21	18	13	17	10	9	18	19	22
9 months-----	510	69	56	46	39	56	27	30	28	33	41	28	57
White-----	359	49	36	34	30	36	20	18	18	21	26	18	33
Nonwhite--	161	19	20	11	7	18	6	12	9	11	15	10	23
10 months-----	472	50	61	41	44	42	39	33	17	19	40	46	40
White-----	327	35	40	24	28	36	26	24	13	7	29	37	28
Nonwhite--	132	14	18	17	15	6	12	6	3	11	10	9	11
11 months-----	486	43	54	50	32	32	50	46	31	29	37	42	40
White-----	311	30	34	33	23	18	31	35	16	20	28	24	21
Nonwhite--	165	12	20	17	9	12	18	12	14	9	7	17	18
Female													
Total, under 1 year-----	43,656	4,172	3,600	3,671	3,369	3,491	3,423	3,581	3,577	3,529	3,669	3,579	3,995
White-----	30,758	2,922	2,502	2,591	2,445	2,499	2,458	2,550	2,503	2,532	2,564	2,519	2,673
Nonwhite--	11,604	1,139	979	982	617	866	864	916	960	899	1,007	955	1,210
Under 28 days-----	31,083	2,596	2,316	2,544	2,514	2,627	2,596	2,801	2,824	2,670	2,687	2,442	2,466
White-----	22,869	1,981	1,694	1,883	1,872	1,908	1,886	2,056	2,049	1,978	1,955	1,823	1,808
Nonwhite--	7,199	553	524	585	560	626	626	652	673	604	659	545	594
Under 7 days-----	27,852	2,288	2,042	2,289	2,278	2,401	2,354	2,527	2,542	2,376	2,392	2,192	2,191
White-----	20,701	1,744	1,531	1,717	1,702	1,754	1,729	1,867	1,852	1,777	1,756	1,652	1,620
Nonwhite--	6,239	444	427	501	504	561	551	574	597	521	572	471	512
Under 1 hour-----	3,709	321	284	335	290	300	272	314	336	325	330	286	316
White-----	2,875	258	213	262	250	232	209	235	253	257	243	232	253
Nonwhite--	723	55	59	60	51	57	55	72	73	62	78	47	54
1-23 hours-----	14,188	1,098	1,009	1,164	1,147	1,297	1,237	1,303	1,258	1,175	1,229	1,125	1,146
White-----	10,402	837	758	843	830	943	902	958	916	858	909	834	816
Nonwhite--	3,279	219	205	283	279	311	292	295	294	271	284	247	299
1 day-----	4,479	380	338	348	378	406	382	410	404	388	370	351	324
White-----	3,366	285	261	273	285	301	281	307	293	303	264	261	252
Nonwhite--	969	82	66	66	79	86	91	95	91	76	96	80	61
2 days-----	2,642	238	194	226	228	196	227	257	265	196	220	210	186
White-----	2,024	195	141	176	185	144	171	194	201	146	170	167	134
Nonwhite--	537	36	45	43	35	48	49	54	55	42	43	39	48
3 days-----	1,165	98	92	98	87	72	117	104	114	117	97	87	82
White-----	844	69	71	74	66	51	82	76	78	87	66	61	63
Nonwhite--	292	25	18	22	21	20	31	24	34	28	29	23	17

SECTION 2 - MORTALITY

Table 2-8. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States, 1963-Con.

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES—Con.													
Female—Con.													
Under 28 days—Con.													
Under 7 days—Con.													
4 days-----	716	57	56	60	66	50	56	37	75	80	69	59	51
White-----	514	41	45	46	47	32	40	25	49	59	49	45	38
Nonwhite--	181	15	11	12	17	15	15	10	24	16	20	14	12
5 days-----	551	41	45	37	49	44	36	63	47	53	43	42	51
White-----	394	32	31	28	33	27	25	47	34	39	29	30	39
Nonwhite--	144	8	14	8	15	14	10	14	11	13	14	11	12
6 days-----	492	35	24	22	33	36	27	39	43	42	34	32	35
White-----	282	27	15	15	26	24	19	27	28	28	26	22	25
Nonwhite--	114	8	9	7	7	10	8	10	15	13	8	10	9
7-13 days-----	1,551	136	119	124	123	115	116	141	149	157	141	113	117
White-----	1,073	91	76	89	92	75	79	106	106	113	96	72	79
Nonwhite--	427	43	39	31	25	31	32	33	40	41	40	38	35
14-20 days-----	927	106	92	72	57	56	65	75	72	77	88	80	87
White-----	607	64	52	41	40	39	39	49	50	55	60	56	62
Nonwhite--	293	40	36	30	15	17	23	25	18	20	25	22	22
21-27 days-----	753	86	63	59	56	55	61	58	61	60	66	57	71
White-----	488	62	35	36	38	38	39	35	41	33	43	43	45
Nonwhite--	240	22	23	21	16	17	20	20	18	22	22	14	25
28-59 days-----	2,799	321	269	216	183	200	178	184	209	238	228	280	293
White-----	1,800	195	160	137	126	146	124	120	152	152	157	176	180
Nonwhite--	929	117	105	76	52	52	47	59	77	80	64	94	106
2 months-----	2,251	313	229	199	155	140	123	123	128	156	188	226	271
White-----	1,422	192	145	123	109	107	80	81	81	103	111	134	156
Nonwhite--	787	118	79	71	42	31	41	38	47	49	76	85	110
3 months-----	1,781	249	186	143	109	119	109	111	79	105	162	169	240
White-----	1,077	145	113	92	69	73	77	73	37	73	92	106	127
Nonwhite--	666	98	69	47	37	45	31	34	42	32	65	60	106
4 months-----	1,339	166	133	147	98	84	90	73	56	84	93	105	208
White-----	826	103	85	92	65	49	65	44	33	57	60	61	112
Nonwhite--	491	62	48	51	32	35	24	29	22	24	28	44	92
5 months-----	974	118	123	77	73	67	60	53	49	66	73	77	139
White-----	584	85	80	46	45	45	42	35	25	41	43	47	72
Nonwhite--	364	50	43	30	24	20	18	19	23	24	28	27	58
6 months-----	862	115	89	90	62	45	68	49	46	55	65	68	79
White-----	520	62	66	51	43	29	46	29	27	31	41	45	50
Nonwhite--	323	53	23	39	16	15	21	17	19	23	23	28	46
7 months-----	667	90	72	78	46	46	39	40	52	34	47	50	73
White-----	408	53	40	49	28	33	23	23	28	22	37	29	46
Nonwhite--	243	33	30	29	17	13	15	15	22	11	13	21	24
8 months-----	565	59	58	52	42	48	44	29	44	32	32	54	71
White-----	356	42	34	31	26	36	28	19	29	17	19	39	36
Nonwhite--	190	15	23	21	13	9	14	9	13	14	13	15	31
9 months-----	503	61	34	47	37	45	50	49	30	32	39	31	49
White-----	334	42	22	36	24	34	37	25	22	24	21	16	31
Nonwhite--	160	19	12	9	13	11	11	24	8	7	16	14	16
10 months-----	434	44	47	42	21	38	38	36	29	31	29	34	45
White-----	294	31	36	29	14	24	28	27	21	16	14	24	30
Nonwhite--	130	13	10	12	6	14	10	7	8	13	14	9	14
11 months-----	398	40	42	36	29	32	28	33	31	26	27	32	42
White-----	268	31	27	22	24	17	22	20	24	18	17	19	27
Nonwhite--	122	8	13	14	5	15	6	13	6	8	8	13	13
ALABAMA													
Under 1 year-----	2,453	278	258	178	191	170	179	190	203	180	200	192	254
White-----	1,175	119	96	88	94	94	96	92	102	92	92	91	119
Nonwhite--	1,278	159	142	90	97	76	83	98	101	88	108	101	135
Under 28 days-----	1,622	140	117	110	144	131	138	142	160	137	152	111	140
White-----	881	70	57	64	79	78	75	90	81	71	62	62	76
Nonwhite--	741	70	60	46	65	53	60	67	70	56	81	49	64
ALASKA													
Under 1 year-----	245	17	27	28	21	16	22	23	22	16	17	19	17
White-----	129	9	16	17	12	8	16	11	12	9	9	6	5
Nonwhite--	116	8	11	11	9	8	6	12	10	7	9	13	12
Under 28 days-----	158	11	18	18	10	13	17	19	18	11	5	10	8
White-----	98	6	11	13	8	7	13	11	12	7	2	5	3
Nonwhite--	60	5	7	5	2	6	4	8	6	4	3	5	5
ARIZONA													
Under 1 year-----	1,069	94	65	80	79	78	106	89	84	92	102	107	93
White-----	722	62	42	54	61	51	74	64	58	59	64	70	63
Nonwhite--	347	32	23	26	18	27	32	25	26	33	38	37	30
Under 28 days-----	671	52	38	47	55	42	71	65	59	62	63	67	50
White-----	526	43	26	39	45	35	53	52	48	47	46	54	38
Nonwhite--	145	9	12	8	10	7	18	13	11	15	17	13	12
ARKANSAS													
Under 1 year-----	1,183	108	109	100	85	90	88	93	106	84	95	91	134
White-----	693	70	58	67	51	55	48	62	58	53	52	53	66
Nonwhite--	490	38	51	33	34	35	40	31	48	31	43	38	68
Under 28 days-----	756	60	52	60	62	71	69	68	79	65	58	53	59
White-----	507	45	35	42	41	48	36	51	48	44	36	42	39
Nonwhite--	249	15	17	18	21	23	33	17	31	21	22	11	20
CALIFORNIA													
Under 1 year-----	8,508	789	702	670	696	701	690	705	739	696	704	701	735
White-----	7,238	655	594	580	606	592	584	599	637	588	596	603	624
Nonwhite--	1,270	114	108	110	90	109	106	106	102	108	108	98	111
Under 28 days-----	6,344	514	479	499	505	535	549	583	592	521	538	509	520
White-----	5,425	446	411	416	443	452	471	502	509	438	452	442	443
Nonwhite--	319	68	68	83	62	83	78	81	83	83	86	67	77

20. underline

ALABAMA

SECTION 2 - MORTALITY

Table 2-8. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State, and by Age and Sex for the United States, 1963-Con.

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
COLORADO													
Under 1 year-----	1,097	99	84	91	79	90	93	103	90	97	74	95	102
White-----	1,032	93	82	85	74	84	91	94	83	89	70	92	95
Nonwhite--	65	6	2	6	5	6	2	9	7	8	4	3	7
Under 28 days-----	811	72	58	62	62	71	79	79	72	66	56	71	63
White-----	765	69	56	57	59	66	76	74	66	60	53	68	61
Nonwhite--	46	4	2	5	4	5	1	5	6	6	3	3	2
CONNECTICUT													
Under 1 year-----	1,285	109	100	120	109	97	121	107	89	101	123	96	113
White-----	1,091	97	84	107	92	84	96	92	78	86	110	71	94
Nonwhite--	194	12	16	13	17	13	25	15	11	15	13	25	19
Under 28 days-----	980	79	68	87	79	76	100	83	75	84	91	73	85
White-----	834	69	59	75	65	66	83	70	65	72	84	53	73
Nonwhite--	146	10	9	12	14	10	17	13	10	12	7	20	12
DELAWARE													
Under 1 year-----	282	23	22	24	21	17	28	21	30	23	25	22	26
White-----	186	13	16	18	15	11	21	14	19	12	17	15	15
Nonwhite--	96	10	6	6	6	6	7	7	11	11	8	7	11
Under 28 days-----	205	16	13	21	17	15	20	15	23	19	18	15	13
White-----	147	10	11	16	13	9	16	12	16	10	14	10	10
Nonwhite--	58	6	2	5	4	6	4	3	7	9	4	5	3
DISTRICT OF COLUMBIA													
Under 1 year-----	669	63	41	61	39	52	58	50	69	49	53	69	65
White-----	145	16	10	10	9	9	14	7	16	13	12	14	15
Nonwhite--	524	47	31	51	30	43	44	43	53	36	41	55	50
Under 28 days-----	491	40	29	41	33	46	45	38	46	36	43	53	41
White-----	108	11	7	6	8	8	11	6	12	9	9	13	8
Nonwhite--	383	29	22	35	25	38	34	32	34	27	34	40	33
FLORIDA													
Under 1 year-----	3,206	305	242	261	236	266	290	259	270	248	246	264	319
White-----	1,910	170	130	161	136	166	152	172	160	161	143	177	182
Nonwhite--	1,296	135	112	100	100	100	138	87	110	87	103	87	137
Under 28 days-----	2,259	181	150	158	176	185	223	206	212	196	201	185	186
White-----	1,469	112	100	103	108	123	127	146	131	133	122	133	131
Nonwhite--	790	69	50	55	68	62	96	60	81	63	79	52	55
GEORGIA													
Under 1 year-----	3,087	334	298	257	221	227	225	208	240	237	232	261	347
White-----	1,488	138	123	111	107	111	123	130	129	117	123	118	158
Nonwhite--	1,599	196	175	146	114	116	102	78	111	120	109	143	189
Under 28 days-----	1,930	170	145	148	153	179	163	157	163	170	143	157	182
White-----	1,104	87	78	75	83	88	100	112	102	94	93	88	104
Nonwhite--	826	83	67	73	70	91	63	45	61	76	50	69	78
HAWAII													
Under 1 year-----	400	33	35	30	33	38	23	30	34	34	37	30	43
White-----	114	6	11	8	8	7	9	7	12	13	12	7	14
Nonwhite--	286	27	24	22	25	31	14	23	22	21	25	23	29
Under 28 days-----	325	26	31	26	28	28	19	24	25	26	32	26	34
White-----	87	4	11	6	6	7	7	5	7	9	10	5	10
Nonwhite--	238	22	20	20	22	21	12	19	18	17	22	21	24
IDAHO													
Under 1 year-----	342	29	25	35	32	29	24	26	27	22	27	30	36
White-----	327	27	25	34	31	28	23	25	27	21	25	28	33
Nonwhite--	15	2	-	1	1	1	1	1	-	1	2	2	3
Under 28 days-----	258	20	17	22	27	25	17	21	23	16	21	23	26
White-----	250	19	17	21	26	24	17	20	23	15	20	23	25
Nonwhite--	8	1	-	1	1	1	-	1	-	1	1	-	1
ILLINOIS													
Under 1 year-----	5,383	477	419	449	411	447	411	475	444	432	469	459	490
White-----	3,908	346	318	315	299	324	313	363	310	325	345	319	331
Nonwhite--	1,475	131	101	134	112	123	98	112	134	107	124	140	159
Under 28 days-----	3,988	312	278	337	314	344	324	385	350	338	341	340	325
White-----	2,977	234	221	242	230	250	252	300	258	262	259	245	226
Nonwhite--	1,011	78	57	95	84	94	72	85	92	76	82	97	99
INDIANA													
Under 1 year-----	2,504	209	204	206	203	247	177	223	218	197	217	198	205
White-----	2,148	183	173	174	179	206	150	195	186	168	185	170	179
Nonwhite--	356	26	31	32	24	41	27	28	32	29	32	28	26
Under 28 days-----	1,883	130	129	143	168	197	138	185	180	154	175	134	150
White-----	1,620	115	109	124	148	163	117	161	151	128	153	117	134
Nonwhite--	263	15	20	19	20	34	21	24	29	26	22	17	16
IOWA													
Under 1 year-----	1,192	108	108	96	110	100	89	86	103	99	96	87	110
White-----	1,158	103	106	95	105	96	87	82	102	98	93	83	108
Nonwhite--	34	5	2	1	5	4	2	4	1	1	3	4	2
Under 28 days-----	889	66	74	70	80	73	75	75	88	76	73	65	74
White-----	867	65	73	69	76	70	73	71	87	75	71	64	73
Nonwhite--	22	1	1	1	4	3	2	4	1	1	2	1	1

SECTION 2 - MORTALITY

Table 2-8. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States, 1963-Con.

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KANSAS													
Under 1 year-----	1,029	96	77	78	78	71	88	93	89	86	98	90	75
White-----	910	80	70	70	68	59	82	85	77	78	84	81	66
Nonwhite--	119	16	7	8	10	12	6	8	12	8	14	9	9
Under 28 days-----	785	65	44	57	56	59	76	75	73	75	77	69	57
White-----	697	55	41	50	49	48	73	71	65	67	68	60	50
Nonwhite--	86	10	3	7	7	11	3	4	8	8	9	9	7
KENTUCKY													
Under 1 year-----	1,899	200	158	154	154	143	137	147	153	152	163	151	177
White-----	1,650	164	142	140	140	123	122	124	125	135	135	130	150
Nonwhite--	259	36	16	14	14	20	15	23	28	17	28	21	27
Under 28 days-----	1,242	107	85	95	112	103	103	117	120	104	110	93	93
White-----	1,081	87	76	87	105	91	91	101	100	90	93	81	79
Nonwhite--	161	20	9	8	7	12	12	16	20	14	17	12	14
LOUISIANA													
Under 1 year-----	2,598	240	191	200	193	197	213	245	235	203	240	210	231
White-----	1,061	94	65	77	86	85	95	102	97	92	89	99	80
Nonwhite--	1,537	146	126	123	107	112	118	143	138	111	151	111	151
Under 28 days-----	1,850	135	106	121	131	149	167	194	194	163	179	152	139
White-----	835	61	39	48	62	75	81	88	85	79	79	80	58
Nonwhite--	995	74	67	73	69	74	86	106	109	84	100	72	81
MAINE													
Under 1 year-----	530	47	41	56	42	46	42	58	46	38	36	36	44
White-----	523	47	41	56	41	46	41	58	45	33	36	35	44
Nonwhite--	7	-	-	-	-	-	-	-	-	-	-	-	-
Under 28 days-----	395	37	25	40	32	34	30	50	39	24	29	24	31
White-----	391	37	25	40	31	34	30	50	38	22	29	24	31
Nonwhite--	4	-	-	-	1	-	-	-	1	2	-	-	-
MARYLAND													
Under 1 year-----	1,991	158	163	174	143	173	141	173	160	147	187	161	191
White-----	1,308	103	113	115	89	118	99	119	112	89	118	116	117
Nonwhite--	683	55	50	59	54	55	42	54	48	58	69	65	74
Under 28 days-----	1,492	113	106	133	112	133	116	145	130	113	141	128	122
White-----	1,003	78	76	89	70	89	80	102	92	70	89	89	79
Nonwhite--	489	35	30	44	42	44	36	43	38	43	52	39	43
MASSACHUSETTS													
Under 1 year-----	2,306	196	192	198	198	220	187	183	185	191	199	172	205
White-----	2,161	181	176	183	184	206	176	171	159	182	190	166	187
Nonwhite--	145	15	16	15	14	14	11	12	6	9	9	6	18
Under 28 days-----	1,753	137	139	149	149	171	155	149	135	145	148	132	144
White-----	1,650	125	129	138	140	160	147	138	132	139	143	126	133
Nonwhite--	103	12	10	11	9	11	8	11	3	6	5	6	11
MICHIGAN													
Under 1 year-----	4,155	399	378	343	361	347	330	313	301	358	342	337	346
White-----	3,428	334	325	285	291	278	276	257	250	305	273	273	281
Nonwhite--	727	65	53	58	70	69	54	56	51	53	69	64	65
Under 28 days-----	3,115	277	257	258	273	259	253	232	235	277	265	257	252
White-----	2,585	229	222	221	227	209	212	205	193	240	209	213	205
Nonwhite--	530	48	35	37	46	50	41	47	42	37	56	44	47
MINNESOTA													
Under 1 year-----	1,671	164	120	135	116	162	150	138	151	134	117	149	135
White-----	1,622	162	115	132	113	158	145	128	147	131	113	145	133
Nonwhite--	49	2	5	3	3	4	5	10	4	3	4	4	2
Under 28 days-----	1,279	116	88	105	91	123	121	104	127	101	91	111	101
White-----	1,251	115	86	104	90	121	116	99	124	101	87	109	99
Nonwhite--	28	1	2	1	1	2	5	5	3	-	4	2	2
MISSISSIPPI													
Under 1 year-----	2,372	251	199	200	147	182	197	185	198	187	180	202	244
White-----	616	58	42	60	37	49	61	43	49	51	50	53	63
Nonwhite--	1,756	193	157	140	110	133	136	142	149	136	130	149	181
Under 28 days-----	1,449	107	98	114	96	136	146	135	146	130	108	109	124
White-----	473	33	26	50	29	44	53	33	39	45	40	40	41
Nonwhite--	976	74	72	64	67	92	93	102	107	85	68	69	83
MISSOURI													
Under 1 year-----	2,183	184	171	209	174	185	171	197	180	166	188	167	181
White-----	1,663	143	129	164	126	142	142	146	139	128	143	129	132
Nonwhite--	520	41	42	45	48	53	29	51	41	38	45	38	49
Under 28 days-----	1,593	98	114	153	131	152	140	153	146	133	140	127	106
White-----	1,245	79	84	127	98	113	114	118	115	104	107	101	85
Nonwhite--	348	19	30	26	33	39	26	35	31	29	33	26	21
MONTANA													
Under 1 year-----	384	26	37	40	32	30	38	27	34	29	33	29	29
White-----	326	24	30	33	29	29	34	26	25	20	28	25	23
Nonwhite--	58	2	7	7	3	1	4	1	9	9	5	4	6
Under 28 days-----	264	12	26	29	22	27	24	24	23	20	22	17	18
White-----	237	12	21	25	20	27	23	24	16	16	21	15	17
Nonwhite--	27	-	5	4	2	-	1	-	7	4	1	2	1

SECTION 2 - MORTALITY

2-27

Table 2-8. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States, 1963-Con.

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEBRASKA													
Under 1 year-----	707	63	57	57	73	56	58	58	42	52	66	70	55
White-----	640	57	49	48	67	49	55	53	38	47	64	64	49
Nonwhite---	67	6	8	9	6	7	3	5	4	5	2	6	6
Under 28 days-----	549	43	43	47	57	43	51	49	34	39	53	52	38
White-----	511	40	38	41	53	40	51	45	30	38	52	48	35
Nonwhite---	38	3	5	6	4	3	-	4	4	1	1	4	3
NEVADA													
Under 1 year-----	288	39	31	13	22	29	18	21	26	20	14	29	26
White-----	239	34	30	11	16	26	16	19	20	17	11	24	15
Nonwhite---	49	5	1	2	6	3	2	2	6	3	3	5	11
Under 28 days-----	217	23	22	7	20	26	13	17	21	14	10	23	21
White-----	182	21	22	7	14	23	12	16	16	12	8	19	12
Nonwhite---	35	2	-	-	6	3	1	1	5	2	2	4	9
NEW HAMPSHIRE													
Under 1 year-----	317	23	28	24	26	29	17	32	24	20	39	29	26
White-----	314	23	28	24	26	29	17	32	23	20	37	29	26
Nonwhite---	3	-	-	-	-	-	-	-	1	-	2	-	-
Under 28 days-----	250	18	17	21	21	24	13	28	20	17	33	23	15
White-----	248	18	17	21	21	24	13	28	19	17	32	23	15
Nonwhite---	2	-	-	-	-	-	-	-	1	-	1	-	-
NEW JERSEY¹													
Under 1 year-----	3,152	279	256	266	251	278	234	254	289	252	272	253	268
Under 28 days-----	2,495	194	201	212	204	232	193	215	253	206	211	190	184
NEW MEXICO													
Under 1 year-----	848	78	65	73	60	74	62	64	75	69	70	85	73
White-----	687	66	54	60	46	66	48	54	64	49	51	68	61
Nonwhite---	161	12	11	13	14	8	14	10	11	20	19	17	12
Under 28 days-----	564	46	38	53	47	48	43	47	65	42	34	51	48
White-----	481	43	31	47	36	47	37	43	58	36	31	42	40
Nonwhite---	73	5	7	6	11	1	6	4	7	6	3	9	8
NEW YORK													
Under 1 year-----	8,526	783	726	696	610	722	720	745	659	726	742	661	736
White-----	6,394	581	537	529	471	544	569	549	489	554	526	507	538
Nonwhite---	2,132	202	189	167	139	178	151	196	170	172	216	154	198
Under 28 days-----	6,377	543	514	522	445	564	549	593	516	581	552	479	519
White-----	4,849	418	397	391	348	430	430	447	387	447	391	373	390
Nonwhite---	1,528	125	117	131	97	134	119	146	129	134	161	106	129
NORTH CAROLINA													
Under 1 year-----	3,348	351	354	289	248	256	209	240	223	290	257	283	368
White-----	1,638	155	162	132	140	145	108	123	116	139	137	137	144
Nonwhite---	1,710	176	192	157	108	111	101	117	107	151	120	146	224
Under 28 days-----	2,135	174	177	171	183	190	161	184	168	209	164	165	189
White-----	1,234	110	102	88	113	116	87	98	97	111	103	110	99
Nonwhite---	901	64	75	83	70	74	74	86	71	98	61	55	90
NORTH DAKOTA													
Under 1 year-----	375	39	33	25	38	32	30	31	35	30	31	26	25
White-----	346	37	30	23	38	30	28	28	33	25	29	21	24
Nonwhite---	29	2	3	2	-	2	2	3	2	5	2	5	1
Under 28 days-----	279	27	25	19	30	25	24	24	28	17	24	18	18
White-----	267	27	24	18	30	25	22	22	28	16	23	15	17
Nonwhite---	12	-	1	1	-	-	2	2	-	1	1	3	1
OHIO													
Under 1 year-----	4,944	451	410	426	427	406	385	431	377	377	434	412	410
White-----	4,108	376	333	353	359	346	321	353	313	311	352	344	345
Nonwhite---	836	75	77	73	68	60	62	76	64	66	82	68	65
Under 28 days-----	3,779	317	294	301	342	317	299	359	315	308	337	315	275
White-----	3,170	272	238	252	292	275	250	298	264	258	276	261	234
Nonwhite---	609	45	56	49	50	42	49	61	51	50	61	54	41
OKLAHOMA													
Under 1 year-----	1,214	105	87	111	106	99	104	110	104	86	96	88	108
White-----	949	76	63	89	90	78	81	89	73	82	70	77	82
Nonwhite---	265	29	24	22	16	21	23	22	31	14	26	11	26
Under 28 days-----	899	60	55	62	61	67	63	66	90	78	72	61	68
White-----	718	46	40	68	71	68	66	69	66	66	51	53	54
Nonwhite---	181	14	13	14	10	19	17	17	24	10	21	8	14
OREGON													
Under 1 year-----	748	69	51	75	64	47	66	69	58	66	61	58	64
White-----	722	66	50	70	62	47	63	68	56	64	60	57	59
Nonwhite---	26	3	1	5	2	-	3	1	2	2	1	1	5
Under 28 days-----	551	53	33	51	52	37	47	52	46	52	45	42	41
White-----	532	50	32	48	50	37	44	51	44	52	44	42	38
Nonwhite---	19	3	1	3	2	-	3	1	2	-	1	-	3
PENNSYLVANIA													
Under 1 year-----	5,245	466	451	440	428	441	443	387	420	446	455	415	453
White-----	4,216	380	383	350	334	366	357	308	339	349	363	331	356
Nonwhite---	1,029	86	68	90	94	75	86	79	81	97	92	84	97
Under 28 days-----	4,039	341	315	336	330	346	342	317	340	357	371	303	341
White-----	3,287	286	269	265	260	282	281	258	273	280	303	249	271
Nonwhite---	752	55	46	71	70	64	61	59	67	77	68	54	70

¹Figures by color are not shown because reporting was incomplete; see Technical Appendix.

SECTION 2 - MORTALITY

Table 2-8: Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State and by Age and Sex for the United States, 1963-Con.

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
RHODE ISLAND													
Under 1 year-----	436	32	32	38	40	32	46	24	41	31	46	39	35
White-----	393	30	29	30	38	30	44	23	36	26	40	34	33
Nonwhite--	43	2	3	8	2	2	2	1	5	5	6	5	2
Under 28 days-----	337	24	21	29	32	23	38	20	35	25	34	25	31
White-----	306	22	19	25	31	22	37	19	30	20	30	21	30
Nonwhite--	31	2	2	4	1	1	1	1	5	5	4	4	1
SOUTH CAROLINA													
Under 1 year-----	1,925	232	215	152	114	107	131	130	151	126	178	155	234
White-----	770	82	85	62	55	50	57	63	69	64	82	55	67
Nonwhite--	1,155	150	149	90	61	57	74	67	82	62	96	100	167
Under 28 days-----	1,110	106	87	86	83	79	94	89	113	89	115	79	85
White-----	572	49	37	45	43	44	46	50	62	51	60	45	42
Nonwhite--	538	57	50	41	40	35	50	44	51	38	55	36	41
SOUTH DAKOTA													
Under 1 year-----	414	41	39	31	38	35	21	33	26	41	36	31	42
White-----	348	35	31	26	34	31	19	29	24	33	30	24	32
Nonwhite--	66	6	8	5	4	4	2	4	2	8	6	7	10
Under 28 days-----	299	32	17	22	25	31	14	27	22	30	29	22	28
White-----	274	29	17	20	25	28	13	24	21	25	27	20	25
Nonwhite--	25	3	-	2	-	3	1	3	1	5	2	2	3
TENNESSEE													
Under 1 year-----	2,239	216	196	214	167	160	198	197	173	158	180	167	213
White-----	1,467	137	122	145	112	107	133	131	113	96	119	120	132
Nonwhite--	772	79	74	69	55	53	65	66	60	62	61	47	81
Under 28 days-----	1,558	120	121	138	129	129	155	154	139	118	118	110	127
White-----	1,093	80	77	105	94	88	108	109	92	80	88	83	89
Nonwhite--	465	40	44	33	35	41	47	45	47	38	30	27	38
TEXAS													
Under 1 year-----	6,600	640	457	511	470	546	495	545	603	533	584	550	664
White-----	5,182	495	368	399	372	443	378	430	481	411	468	428	509
Nonwhite--	1,418	145	89	112	98	103	117	115	122	124	116	122	155
Under 28 days-----	4,567	367	296	343	338	415	365	418	490	409	410	339	378
White-----	3,681	308	241	275	273	340	279	335	397	322	339	264	310
Nonwhite--	886	59	55	70	65	75	86	83	93	87	71	74	68
UTAH													
Under 1 year-----	464	40	37	42	33	36	23	48	35	32	51	41	46
White-----	442	40	35	41	32	35	20	47	32	31	49	38	43
Nonwhite--	22	-	2	1	1	1	3	1	3	1	3	3	3
Under 28 days-----	326	29	29	28	24	25	17	36	27	22	32	25	32
White-----	319	29	27	28	24	25	16	35	25	22	32	25	31
Nonwhite--	7	-	2	-	-	-	1	1	2	-	-	-	1
VERMONT													
Under 1 year-----	216	15	12	23	22	13	18	27	18	16	21	16	15
White-----	216	15	12	23	22	13	18	27	18	16	21	16	15
Nonwhite--	-	-	-	-	-	-	-	-	-	-	-	-	-
Under 28 days-----	167	11	8	16	17	12	13	19	14	15	15	15	10
White-----	167	11	8	16	17	12	13	19	14	15	15	15	10
Nonwhite--	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA													
Under 1 year-----	2,834	258	251	275	198	231	217	221	207	223	238	235	280
White-----	1,766	155	147	172	129	144	154	141	129	142	139	147	167
Nonwhite--	1,068	103	104	103	69	87	63	80	78	81	99	88	113
Under 28 days-----	2,026	166	152	184	151	175	166	174	164	171	162	152	189
White-----	1,340	104	94	126	98	112	117	113	111	118	113	104	130
Nonwhite--	686	62	58	58	53	63	49	61	53	53	69	48	59
WASHINGTON													
Under 1 year-----	1,345	109	117	138	97	130	116	110	100	100	115	109	104
White-----	1,192	95	98	124	88	110	105	96	96	95	104	97	94
Nonwhite--	153	14	19	14	9	20	11	14	4	5	11	12	10
Under 28 days-----	978	72	82	106	76	97	85	85	80	75	77	76	67
White-----	882	65	70	97	68	83	79	76	77	64	71	69	63
Nonwhite--	96	7	12	9	8	14	6	9	3	11	6	7	4
WEST VIRGINIA													
Under 1 year-----	933	98	84	95	79	72	78	85	76	70	76	56	64
White-----	871	84	74	87	76	68	76	82	69	68	74	55	60
Nonwhite--	62	14	10	8	3	6	2	3	7	2	2	1	4
Under 28 days-----	662	63	48	62	61	53	59	67	61	51	52	43	42
White-----	625	54	40	57	59	52	58	64	58	51	52	42	38
Nonwhite--	37	9	8	5	2	1	1	3	3	-	-	1	4
WISCONSIN													
Under 1 year-----	2,042	178	161	195	157	168	193	164	165	153	162	178	168
White-----	1,912	171	146	185	150	156	179	151	154	148	147	164	161
Nonwhite--	130	7	15	10	7	12	14	13	11	5	15	14	7
Under 28 days-----	1,550	124	118	146	120	133	148	133	130	113	125	137	123
White-----	1,455	118	106	139	118	124	138	124	122	109	112	127	118
Nonwhite--	95	6	12	7	2	9	10	9	8	4	13	10	5
WYOMING													
Under 1 year-----	217	17	13	20	20	13	17	12	26	17	20	23	19
White-----	203	15	12	20	19	12	16	12	25	15	19	20	18
Nonwhite--	14	2	1	-	1	1	1	-	1	2	1	3	1
Under 28 days-----	169	9	11	14	15	11	14	11	21	15	16	16	16
White-----	161	7	11	14	15	11	14	11	20	14	15	14	15
Nonwhite--	8	2	-	-	-	-	-	-	1	1	1	2	1

SECTION 2 - MORTALITY

2-29

Table 2-9 Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, From 55 Selected Causes, by Month: United States, 1963
(Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH AND AGE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNDER 1 YEAR--ALL CAUSES-----	103,390	9,618	8,609	8,702	7,992	8,443	8,225	8,485	8,433	8,242	8,744	8,454	8,443
Dysentery, all forms-----045-048	94	10	4	4	8	2	9	7	13	8	14	9	6
Septicemia and pyemia-----053	363	39	37	34	25	20	24	18	27	33	21	41	44
Whooping cough-----056	88	8	4	6	11	8	1	10	12	8	9	8	3
Meningococcal infections-----057	203	23	27	30	20	17	14	9	10	12	20	7	14
Tetanus-----061	45	7	2	-	4	3	5	4	5	3	4	4	4
Other infective and parasitic diseases-----001-044,049-052,054,055,058-060,062-138	532	72	47	55	42	64	53	25	33	33	41	29	38
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	260	17	10	28	21	23	32	25	19	15	18	25	27
Benign neoplasms and neoplasms of unspecified nature-----210-239	125	11	6	12	9	11	8	10	9	17	10	12	10
Diseases of thymus gland-----273	92	17	6	7	10	6	6	10	2	7	5	8	8
Meningitis, except meningococcal and tuberculous-----340	86	92	80	79	64	78	56	59	57	49	73	80	100
Other diseases of nervous system and sense organs-----330-334,341-398	691	70	73	69	44	51	56	45	40	52	53	78	60
Acute upper respiratory infections-----470-475	387	62	45	35	19	29	10	19	22	29	28	32	57
Influenza and pneumonia, except pneumonia of newborn-----480-493	8,914	1,345	1,243	955	613	528	440	392	380	467	604	784	1,163
Influenza-----480-483	356	43	112	104	16	12	1	1	3	10	7	18	29
Pneumonia, except pneumonia of newborn-----490-493	8,558	1,302	1,131	851	597	516	439	391	377	457	597	766	1,134
Bronchitis-----500-502	547	70	64	65	47	28	24	18	26	33	38	46	88
Other diseases of respiratory system-----510-522,525-527	1,704	232	181	164	130	116	101	89	106	107	152	142	184
Pulmonary congestion and hypostasis-----522	232	23	14	15	20	23	20	7	17	15	27	22	29
Other chronic interstitial pneumonia-----525	1,065	155	119	106	82	74	62	51	62	62	90	90	112
Bronchiectasis-----526	4	-	-	1	-	-	-	-	-	-	1	1	-
Other diseases of lung and pleural cavity-----527.2	250	38	38	20	19	9	6	20	17	12	23	18	30
All other diseases of respiratory system-----510-521,527.1	153	16	10	22	9	10	13	11	10	17	11	11	13
Hernia and intestinal obstruction-----550,561,570	910	95	73	66	79	67	84	76	94	71	83	62	60
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	2,093	238	195	132	83	107	140	134	148	186	243	217	270
Other diseases of digestive system-----530-542,544-553,573-587	658	49	44	54	52	49	46	58	58	49	59	58	82
Congenital malformations-----750-759	14,581	1,304	1,156	1,243	1,191	1,136	1,218	1,208	1,213	1,167	1,283	1,172	1,290
Spina bifida and meningocele-----751	1,337	134	111	106	107	114	116	113	89	112	122	100	113
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	1,237	108	95	103	107	95	90	104	87	92	116	110	130
Congenital malformations of circulatory system-----754	7,060	656	607	611	585	523	579	575	581	541	612	562	628
Other congenital malformations-----750,755-759	4,947	406	343	423	392	404	433	416	456	422	433	400	419
Certain diseases of early infancy-----760-776	62,664	5,038	4,639	5,087	5,011	5,545	5,336	5,700	5,573	5,312	5,384	5,002	5,059
Birth injuries-----760,761	8,954	722	662	766	731	837	754	808	790	737	747	666	734
Without mention of immaturity (.0)-----	3,419	265	258	292	305	268	277	298	300	277	319	253	287
With immaturity (.5)-----	5,535	457	404	474	426	569	477	510	490	460	428	413	447
Intracranial and spinal injury at birth-----760	2,679	207	201	259	251	218	234	247	217	207	251	206	222
Without mention of immaturity (.0)-----	1,582	122	117	160	144	118	137	144	127	119	144	112	138
With immaturity (.5)-----	1,097	85	84	98	87	100	97	103	90	88	87	94	84
Other birth injury-----761	6,275	515	461	508	500	619	520	561	573	530	516	460	512
Without mention of immaturity (.0)-----	1,837	163	141	132	161	150	140	154	173	159	175	141	149
With immaturity (.5)-----	4,438	352	320	376	339	469	380	407	400	372	341	319	363
Postnatal asphyxia and atelectasis-----762	17,934	1,482	1,320	1,466	1,462	1,617	1,547	1,758	1,539	1,476	1,481	1,395	1,391
Without mention of immaturity (.0)-----	4,923	431	381	442	384	459	363	475	384	404	414	388	398
With immaturity (.5)-----	13,011	1,051	939	1,024	1,078	1,158	1,184	1,283	1,155	1,072	1,067	1,007	993
Pneumonia of newborn-----763	3,181	361	300	288	242	233	229	248	238	272	250	287	287
Without mention of immaturity (.0)-----	2,304	269	234	197	168	159	159	138	178	177	208	194	223
With immaturity (.5)-----	877	92	66	91	74	75	74	90	70	61	64	56	64
Diarrhea of newborn-----764	386	35	19	17	19	22	29	39	41	48	45	35	37
Without mention of immaturity (.0)-----	320	27	16	16	16	18	26	28	32	41	40	28	32
With immaturity (.5)-----	66	8	3	1	3	4	3	11	9	7	5	7	5
Other infections of newborn-----765-768	841	76	57	56	47	56	78	90	85	72	84	72	68
Without mention of immaturity (.0)-----	507	49	33	38	27	30	53	47	45	38	55	50	42
With immaturity (.5)-----	334	27	24	18	20	26	25	43	40	34	29	22	26
Neonatal disorders arising from certain diseases of mother during pregnancy-----769	734	62	58	62	64	55	74	51	71	68	63	49	57
Without mention of immaturity (.0-.4)-----	268	29	17	27	19	18	26	14	30	27	23	19	19
With immaturity (.5-.9)-----	466	33	41	35	45	37	48	37	41	41	40	30	38
Hemolytic disease of newborn (erythroblastosis)-----770	1,835	138	151	173	149	162	153	161	153	152	141	157	145
Without mention of immaturity (.0-.2)-----	1,433	104	116	133	120	124	119	127	130	125	116	111	108
With immaturity (.5-.7)-----	402	34	35	40	29	38	34	34	23	27	25	46	37
Hemorrhagic disease of newborn-----771	567	48	55	35	50	33	40	53	41	62	64	42	44
Without mention of immaturity (.0)-----	340	28	34	18	28	20	29	33	25	37	40	25	23
With immaturity (.5)-----	227	20	21	17	22	13	11	20	16	25	24	17	21
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	10,375	746	682	717	754	844	785	854	1,057	1,032	1,039	923	942
Without mention of immaturity (.0)-----	2,780	221	204	190	207	217	176	203	255	287	303	266	251
With immaturity (.5)-----	7,595	525	478	527	547	627	609	651	802	745	736	657	691
Immaturity with mention of any other subsidiary condition-----774	1,088	87	72	76	87	87	85	98	104	81	93	110	108
Immaturity, unqualified-----776	16,769	1,281	1,263	1,411	1,406	1,597	1,558	1,559	1,444	1,346	1,355	1,303	1,246
Symptoms and ill-defined conditions-----780-793,795	2,533	303	251	200	155	147	181	167	178	176	172	239	364
All other diseases-----Residual	1,323	144	130	92	100	118	98	96	112	97	117	103	116
Accidents-----E800-E962	3,514	354	274	288	233	277	267	291	274	299	295	278	384
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	812	77	73	59	53	70	59	59	62	65	71	66	98
Accidental mechanical suffocation in bed and cradle-----E924	833	110	71	66	49	63	72	62	61	63	57	68	91
Other accidental causes-----E800-E920,E923,E925-E962	1,869	167	130	163	131	144	136	170	151	171	167	144	195
Homicide-----E964,E980-E984	203	18	18	17	21	15	16	15	22	13	18	18	12

SECTION 2 - MORTALITY

Table 2-9. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, From 55 Selected Causes, by Month: United States, 1963-Con. (Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category number of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH AND AGE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNDER 28 DAYS--ALL CAUSES-----	74,648	6,057	5,506	6,101	6,001	6,499	6,366	6,752	6,725	6,513	6,431	5,871	6,026
Dysentery, all forms-----045-048	6	1	-	1	1	1	-	-	1	1	-	-	-
Septicemia and pyemia-----053	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough-----056	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections-----057	14	1	-	-	3	-	1	-	1	2	2	-	4
Tetanus-----061	40	6	1	-	4	2	5	4	4	3	4	4	3
Other infective and parasitic diseases-----001-044,049-052,054,055,058-060,062-138	89	9	7	5	7	14	6	2	10	9	9	4	7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	45	3	2	8	2	4	6	8	2	1	3	3	3
Benign neoplasms and neoplasms of unspecified nature-----210-239	66	3	4	7	3	9	4	4	4	10	5	7	6
Diseases of thymus gland-----273	20	3	2	2	2	2	2	4	-	1	-	-	2
Meningitis, except meningococcal and tuberculous-----340	259	20	16	20	19	27	14	32	24	16	15	18	18
Other diseases of nervous system and sense organs-----330-334,341-398	56	3	5	8	3	3	3	3	5	4	5	8	6
Acute upper respiratory infections-----470-475	36	8	3	6	-	2	-	1	3	3	1	4	5
Influenza and pneumonia, except pneumonia of newborn-----480-493	27	5	10	8	1	-	-	-	1	-	-	3	1
Pneumonia, except pneumonia of newborn-----490-495	27	5	10	8	1	-	-	-	1	-	-	3	1
Bronchitis-----500-502	45	7	4	4	4	2	1	2	6	5	3	2	3
Other diseases of respiratory system-----510-522,525-527	176	22	7	17	15	15	14	13	19	18	13	14	11
Pulmonary congestion and hypostasis-----522	63	9	2	5	5	10	5	1	5	3	7	7	4
Other chronic interstitial pneumonia-----525	10	2	-	-	1	-	-	2	1	1	-	1	-
Bronchiectasis-----526	1	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity-----527-2	40	8	3	3	4	2	2	4	6	3	3	1	1
All other diseases of respiratory system-----510-521,527.1	62	3	2	7	3	3	7	6	7	10	3	5	6
Hernia and intestinal obstruction-----560,561,570	656	57	49	50	62	50	53	58	64	56	62	49	47
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	9	-	1	-	2	-	1	1	1	-	-	1	2
Other diseases of digestive system-----530-542,544-553,573-587	317	27	14	33	29	24	21	27	29	23	26	35	29
Congenital malformations-----750-759	9,454	771	702	806	798	740	809	828	871	785	842	718	786
Spina bifida and meningocele-----751	712	57	60	65	54	59	65	59	57	66	62	47	61
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	651	54	54	46	64	41	49	55	48	53	67	55	65
Congenital malformations of circulatory system-----754	4,097	336	327	357	351	306	350	380	377	320	363	302	329
Other congenital malformations-----750,755-759	5,994	324	261	338	329	334	345	334	399	344	350	314	332
Certain diseases of early infancy-----760-776	61,373	4,909	4,525	4,971	4,920	5,462	5,263	5,600	5,482	5,203	5,274	4,861	4,903
Birth injuries-----760,761	8,944	721	661	766	730	837	753	806	789	737	747	664	733
Without mention of immaturity (.0)-----	3,412	284	258	292	304	268	276	297	299	277	319	252	266
With immaturity (.5)-----	5,532	437	403	474	426	569	477	509	490	460	428	412	447
Intracranial and spinal injury at birth-----760	2,679	207	201	258	231	218	234	247	217	207	231	205	222
Without mention of immaturity (.0)-----	1,582	122	117	160	144	118	137	144	127	119	144	112	138
With immaturity (.5)-----	1,097	85	84	98	87	100	97	103	90	88	87	94	84
Other birth injury-----761	6,265	514	460	508	499	619	519	559	572	530	516	459	511
Without mention of immaturity (.0)-----	1,830	162	141	132	160	150	139	153	172	158	175	140	149
With immaturity (.5)-----	4,435	352	319	376	339	469	380	406	400	372	341	318	363
Postnatal asphyxia and atelectasis-----762	17,692	1,457	1,295	1,450	1,441	1,600	1,526	1,740	1,527	1,460	1,466	1,367	1,363
Without mention of immaturity (.0)-----	4,728	409	359	429	370	446	347	462	377	392	399	365	373
With immaturity (.5)-----	12,964	1,048	936	1,021	1,071	1,154	1,179	1,278	1,150	1,068	1,067	1,002	990
Pneumonia of newborn-----763	3,181	361	300	288	242	233	228	248	238	272	250	287	287
Without mention of immaturity (.0)-----	2,304	269	234	197	168	158	159	138	178	177	208	194	223
With immaturity (.5)-----	877	92	66	91	74	75	74	90	70	61	64	56	64
Diarrhea of newborn-----764	394	35	19	17	19	22	29	39	41	48	45	35	35
Without mention of immaturity (.0)-----	318	27	16	16	16	18	26	28	32	41	40	26	30
With immaturity (.5)-----	66	8	3	1	3	4	3	11	9	7	5	7	5
Other infections of newborn-----765-768	835	76	55	55	47	55	78	90	85	71	83	72	68
Without mention of immaturity (.0)-----	501	49	31	37	27	29	53	47	45	37	54	50	42
With immaturity (.5)-----	334	27	24	18	20	26	25	43	40	34	29	22	26
Neonatal disorders arising from certain diseases of mother during pregnancy-----769	721	61	57	61	62	51	74	51	68	68	62	49	57
Without mention of immaturity (.0-.4)-----	255	28	16	26	17	14	26	14	27	27	22	19	19
With immaturity (.5-.9)-----	466	33	41	35	45	37	48	37	41	41	40	30	39
Hemolytic disease of newborn (erythroblastosis)-----770	1,821	135	149	173	148	160	152	161	152	151	141	157	142
Without mention of immaturity (.0-.2)-----	1,420	101	114	133	119	122	118	127	129	124	116	111	106
With immaturity (.5-.7)-----	401	34	35	40	29	38	34	34	23	27	25	46	36
Hemorrhagic disease of newborn-----771	564	47	55	35	50	33	40	53	40	62	64	42	43
Without mention of immaturity (.0)-----	338	27	34	18	28	20	29	33	25	37	40	25	22
With immaturity (.5)-----	226	20	21	17	22	13	11	20	15	25	24	17	21
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	9,683	678	618	665	705	809	750	807	1,011	959	982	844	855
Without mention of immaturity (.0)-----	2,173	156	145	145	160	183	153	162	218	227	254	196	174
With immaturity (.5)-----	7,510	522	473	520	545	626	597	645	793	732	728	648	681
Immaturity with mention of any other subsidiary condition-----774	881	67	57	59	76	72	78	78	85	70	71	67	81
Immaturity, unqualified-----776	16,667	1,271	1,259	1,402	1,400	1,590	1,550	1,546	1,436	1,339	1,341	1,294	1,239
Symptoms and ill-defined conditions-----780-793,795	902	104	79	74	53	57	75	83	76	77	64	63	97
All other diseases-----Residual	443	43	35	21	32	36	34	30	54	37	44	33	46
Accidents-----E800-E962	516	48	34	48	32	39	44	44	55	53	47	32	40
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	148	15	14	14	8	11	7	9	18	17	17	10	8
Accidental mechanical suffocation in bed and cradle-----E924	99	9	5	8	8	5	11	11	11	9	10	5	7
Other accidental causes-----E800-E920,E923,E925-E962	269	24	15	26	16	23	26	24	26	27	20	17	25
Homicide-----E964,E980-E984	121	9	8	12	11	11	10	8	13	8	12	12	7

SECTION 2 - MORTALITY

2-31

Table 2-9. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, From 55 Selected Causes, by Month: United States, 1963--Con.
 (Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH AND AGE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
28 DAYS TO 11 MONTHS--ALL CAUSES-----	28,742	3,561	3,103	2,601	1,991	1,944	1,859	1,733	1,708	1,929	2,313	2,583	3,417
Dysentery, all forms-----045-048	88	9	4	3	7	1	9	7	12	7	14	9	6
Septicemia and pyemia-----053	363	39	37	34	25	20	24	18	27	33	21	41	44
Whooping cough-----056	88	8	4	6	11	8	1	10	12	8	9	8	3
Meningococcal infections-----057	189	22	27	30	17	17	13	9	9	10	18	7	10
Tetanus-----061	5	1	1	-	-	1	-	-	1	-	-	-	1
Other infective and parasitic diseases-----001-044,049-052,054,055,058-060,062-138	443	65	40	50	35	50	47	23	23	24	32	25	31
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	215	14	8	20	19	19	26	17	17	14	15	22	24
Benign neoplasms and neoplasms of unspecified nature-----210-239	59	8	2	5	6	2	4	6	5	7	5	5	4
Diseases of thymus gland-----273	72	14	4	5	8	5	4	6	2	6	5	7	6
Meningitis, except meningococcal and tuberculous-----340	627	72	64	59	45	51	42	27	33	32	58	62	82
Other diseases of nervous system and sense organs-----330-334,341-398	635	67	68	61	41	48	53	42	35	48	48	70	54
Acute upper respiratory infections-----470-475	351	54	42	29	19	27	10	18	19	26	27	28	52
Influenza and pneumonia, except pneumonia of newborn-----480-483	8,887	1,342	1,233	947	612	528	440	392	379	467	604	781	1,162
Influenza-----480-483	329	40	102	96	15	12	1	1	2	10	7	15	28
Pneumonia, except pneumonia of newborn-----490-495	8,558	1,302	1,131	851	597	516	439	391	377	457	597	766	1,134
Bronchitis-----500-502	504	63	60	61	43	26	23	16	20	28	35	44	85
Other diseases of respiratory system-----510-522,525-527	1,528	210	174	147	117	101	87	76	87	89	139	128	173
Pulmonary congestion and hypostasis-----522	169	14	12	10	15	13	15	6	12	12	20	15	25
Other chronic interstitial pneumonia-----525	1,055	153	119	104	81	74	62	49	61	61	90	89	112
Bronchiectasis-----526	3	-	-	1	-	-	-	-	-	-	1	1	-
Other diseases of lung and pleural cavity-----527.2	210	30	35	17	15	7	4	16	11	9	20	17	29
All other diseases of respiratory system-----510-521,527.1	91	13	8	15	6	7	6	5	3	7	8	6	7
Hernia and intestinal obstruction-----560,561,570	254	38	24	16	17	17	31	18	30	15	21	14	13
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	2,084	238	194	132	81	107	139	133	147	186	243	216	268
Other diseases of digestive system-----530-542,544-553,573-587	341	22	30	21	23	25	25	31	29	26	33	23	53
Congenital malformations-----750-759	5,127	533	454	437	393	396	409	380	342	384	441	454	504
Spina bifida and meningocele-----751	625	77	51	41	53	55	51	54	32	46	60	53	52
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	586	54	41	57	43	54	41	49	39	39	49	55	65
Congenital malformations of circulatory system-----754	2,963	320	280	254	234	217	229	195	204	221	249	260	300
Other congenital malformations-----750,755-759	953	82	82	85	63	70	88	82	67	78	83	86	87
Certain diseases of early infancy-----760-776	1,291	129	114	96	91	81	73	100	91	108	110	141	156
Birth injuries-----760,761	10	1	1	-	1	-	1	2	1	-	-	2	1
Without mention of immaturity (.0)-----	7	1	1	-	1	-	1	1	1	-	-	1	1
With immaturity (.5)-----	3	-	-	-	-	-	-	-	-	-	-	-	-
Intracranial and spinal injury at birth-----760
Without mention of immaturity (.0)-----
With immaturity (.5)-----
Other birth injury-----761	10	1	1	-	1	-	1	2	1	-	-	2	1
Without mention of immaturity (.0)-----	7	1	1	-	1	-	1	1	1	-	-	1	1
With immaturity (.5)-----	3	-	-	-	-	-	-	-	-	-	-	-	-
Postnatal asphyxia and atelectasis-----762	242	25	25	16	21	17	21	18	12	16	15	28	28
Without mention of immaturity (.0)-----	195	22	22	13	14	13	16	13	7	12	15	23	25
With immaturity (.5)-----	47	3	3	3	7	4	5	5	5	4	-	5	3
Pneumonia of newborn-----763
Without mention of immaturity (.0)-----
With immaturity (.5)-----
Diarrhea of newborn-----764	2	-	-	-	-	-	-	-	-	-	-	-	2
Without mention of immaturity (.0)-----	2	-	-	-	-	-	-	-	-	-	-	-	2
With immaturity (.5)-----	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infections of newborn-----765-768	6	-	2	1	-	1	-	-	-	1	1	-	-
Without mention of immaturity (.0)-----	6	-	2	1	-	1	-	-	-	1	1	-	-
With immaturity (.5)-----	-	-	-	-	-	-	-	-	-	-	-	-	-
Neonatal disorders arising from certain diseases of mother during pregnancy-----769	13	1	1	1	2	4	-	-	3	-	1	-	-
Without mention of immaturity (.0-.4)-----	13	1	1	1	2	4	-	-	3	-	1	-	-
With immaturity (.5-.9)-----	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemolytic disease of newborn (erythroblastosis)-----770	14	3	2	-	1	2	1	-	1	1	-	-	3
Without mention of immaturity (.0-.2)-----	13	3	2	-	1	2	1	-	1	1	-	-	2
With immaturity (.5-.7)-----	1	-	-	-	-	-	-	-	-	-	-	-	1
Hemorrhagic disease of newborn-----771	3	1	-	-	-	-	-	-	1	-	-	-	1
Without mention of immaturity (.0)-----	2	1	-	-	-	-	-	-	-	-	-	-	1
With immaturity (.5)-----	1	-	-	-	-	-	-	-	1	-	-	-	-
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	692	68	64	52	49	35	35	47	46	73	57	79	87
Without mention of immaturity (.0)-----	607	65	59	45	47	34	23	41	37	60	49	70	77
With immaturity (.5)-----	85	3	5	7	2	1	12	6	9	13	8	9	10
Immaturity with mention of any other subsidiary condition-----774	207	20	15	17	11	15	7	20	19	11	22	23	27
Immaturity, unqualified-----776	102	10	4	9	6	7	8	13	8	7	14	9	7
Symptoms and ill-defined conditions-----780-793,795	1,631	199	172	126	102	90	106	84	102	99	108	176	267
All other diseases-----Residual	880	101	97	71	68	82	64	66	58	60	75	70	70
Accidents-----E800-E962	2,998	306	240	240	201	236	223	247	219	246	248	246	344
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	664	62	59	45	45	59	52	50	44	48	54	56	80
Accidental mechanical suffocation in bed and cradle-----E924	734	101	86	58	41	58	61	51	50	54	47	63	84
Other accidental causes-----E800-E920,E923,E925-E962	1,600	143	115	137	115	121	110	146	125	144	147	127	170
Homicide-----E964,E980-E984	82	9	10	5	10	4	6	7	9	5	6	6	5

Table 2-10. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1963

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. Figures by color exclude data for residents of New Jersey. For discussion of color item for New Jersey and definitions of areas, see Technical Appendix)

CAUSE OF DEATH, AGE, AND COLOR.	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
TOTAL, UNDER 1 YEAR--ALL CAUSES-----	105,390	65,210	38,180	63,365	49,736	13,629	40,025	15,474	24,551
Dysentery, all forms-----045-048	94	40	54	25	20	5	69	20	49
Septicemia and pyemia-----053	363	214	149	194	151	43	169	63	106
Whooping cough-----056	88	41	47	27	19	8	61	22	39
Meningococcal infections-----057	203	112	91	107	80	27	98	32	64
Tetanus-----061	45	19	26	8	7	1	37	12	25
Other infective and parasitic dis.---001-044,049-052,054,055,058-060,062-138	532	272	260	244	189	55	288	83	205
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	260	160	100	172	123	49	88	37	51
Benign neoplasms and neoplasms of unspecified nature-----210-239	125	78	47	79	62	17	46	16	30
Diseases of thymus gland-----273	92	55	37	49	34	15	43	21	22
Meningitis, except meningococcal and tuberculous-----340	866	520	346	534	404	130	332	116	216
Other diseases of nervous system and sense organs-----330-334,341-398	691	417	274	433	326	107	258	91	167
Acute upper respiratory infections-----470-475	387	232	155	231	184	47	158	48	108
Influenza and pneumonia, except pneumonia of newborn-----480-493	8,914	5,029	3,885	4,738	3,735	1,023	4,178	1,314	2,862
Influenza-----480-483	356	118	89	89	53	36	267	65	202
Pneumonia, except pneumonia of newborn-----490-493	8,558	4,911	3,647	4,649	3,682	987	3,909	1,249	2,660
Bronchitis-----500-502	547	319	228	329	252	77	218	67	151
Other diseases of respiratory system-----510-522,525-527	1,704	1,106	598	1,225	926	299	479	180	299
Pulmonary congestion and hypostasis-----522	232	160	72	174	138	36	58	22	36
Other chronic interstitial pneumonia-----525	1,065	711	354	822	613	209	243	98	145
Bronchiectasis-----526	4	2	2	1	1	-	3	1	2
Other diseases of lung and pleural cavity-----527.2	250	142	108	136	106	30	114	36	78
All other diseases of respiratory system-----510-521,527.1	153	91	62	92	68	24	61	23	38
Hernia and intestinal obstruction-----560,561,570	910	575	335	594	447	147	316	128	188
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	2,093	1,058	1,035	808	614	194	1,285	444	841
Other diseases of digestive system-----530-542,544-553,573-587	658	404	254	392	294	88	276	110	166
Congenital malformations-----750-759	14,581	9,224	5,357	9,279	7,135	2,144	5,302	2,089	3,213
Spina bifida and meningocele-----751	1,337	822	515	815	615	200	522	207	315
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	1,237	786	451	790	621	169	447	165	282
Congenital malformations of circulatory system-----754	7,060	4,451	2,609	4,503	3,441	1,062	2,557	1,010	1,547
Other congenital malformations-----750,755-759	4,947	3,165	1,782	3,171	2,458	713	1,776	707	1,069
Certain diseases of early infancy-----760-776	62,684	41,369	21,295	40,226	32,000	8,226	22,438	9,369	13,069
Birth injuries-----760,761	8,954	5,844	3,110	5,692	4,424	1,268	3,292	1,420	1,872
Without mention of immaturity (.0)-----	3,419	2,193	1,226	2,035	1,638	447	1,354	569	774
With immaturity (.5)-----	5,535	3,646	1,884	3,657	2,786	871	1,938	860	1,098
Intracranial and spinal injury at birth-----760	2,679	1,821	858	1,809	1,458	351	870	363	507
Without mention of immaturity (.0)-----	2,562	1,043	539	996	793	203	586	250	336
With immaturity (.5)-----	2,097	778	319	813	665	148	284	113	171
Other birth injury-----761	6,275	4,023	2,252	3,853	2,966	887	2,482	1,057	1,365
Without mention of immaturity (.0)-----	1,837	1,255	582	1,089	845	244	748	310	438
With immaturity (.5)-----	4,438	2,768	1,570	2,764	2,121	643	1,674	747	927
Postnatal asphyxia and atelectasis-----762	17,934	12,214	5,720	12,226	9,760	2,466	5,708	2,454	3,254
Without mention of immaturity (.0)-----	4,923	3,146	1,777	3,106	2,407	699	1,817	739	1,078
With immaturity (.5)-----	13,011	9,068	3,943	9,120	7,353	1,767	3,891	1,715	2,176
Pneumonia of newborn-----763	3,181	1,972	1,209	1,853	1,460	393	1,328	512	616
Without mention of immaturity (.0)-----	2,304	1,396	908	1,334	1,039	296	970	358	612
With immaturity (.5)-----	877	576	301	519	422	97	358	154	204
Diarrhea of newborn-----764	386	184	202	153	113	40	233	71	162
Without mention of immaturity (.0)-----	320	151	169	131	95	36	189	56	133
With immaturity (.5)-----	66	33	33	22	18	4	44	15	29
Other infections of newborn-----765-768	841	534	307	530	416	114	311	118	193
Without mention of immaturity (.0)-----	507	309	198	305	240	65	202	69	133
With immaturity (.5)-----	334	225	109	225	176	49	109	49	60
Neonatal disorders arising from certain diseases of mother during pregnancy-----769	734	423	311	409	307	102	325	116	209
Without mention of immaturity (.0-.4)-----	268	158	110	157	119	38	111	39	72
With immaturity (.5-.9)-----	466	265	201	252	188	64	214	77	137
Hemolytic disease of newborn (erythroblastosis)-----770	1,835	1,143	692	1,221	892	329	614	251	363
Without mention of immaturity (.0-.2)-----	1,433	890	543	946	695	251	487	195	292
With immaturity (.5-.7)-----	402	253	149	275	197	78	127	56	71
Hemorrhagic disease of newborn-----771	567	367	200	350	278	72	217	89	128
Without mention of immaturity (.0)-----	340	211	129	196	156	40	144	55	89
With immaturity (.5)-----	227	156	71	154	122	32	73	34	39
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	10,375	6,716	3,659	6,291	5,023	1,268	4,084	1,693	2,391
Without mention of immaturity (.0)-----	2,780	1,626	1,154	1,418	1,106	312	1,362	520	842
With immaturity (.5)-----	7,595	5,090	2,505	4,873	3,917	956	2,722	1,173	1,549
Immaturity with mention of any other subsidiary condition-----774	1,088	710	378	727	572	155	361	138	223
Immaturity, unqualified-----775	16,789	11,262	5,507	10,804	8,785	2,049	5,965	2,507	3,458
Symptoms and ill-defined conditions-----780-793,795	2,533	1,165	1,368	1,000	756	244	1,533	409	1,124
All other diseases-----Residual	1,323	792	531	798	593	205	525	199	326
Accidents-----E800-E962	3,514	1,860	1,654	1,732	1,276	456	1,782	584	1,198
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	612	441	371	391	288	103	421	153	268
Accidental mechanical suffocation in bed and cradle-----E924	833	400	433	352	260	92	461	140	341
Other accidental causes-----E800-E920,E923,E925-E962	1,869	1,019	850	989	728	261	880	291	589
Homicide-----E964,E980-E984	203	149	54	151	129	22	52	20	32

SECTION 2 - MORTALITY

2-33

Table 2-10. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1963--Con.

(See headnote at beginning of table)

CAUSE OF DEATH, AGE, AND COLOR	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
WHITE, UNDER 1 YEAR--ALL CAUSES-----	75,727	45,103	28,624	45,048	35,526	11,522	28,679	11,577	17,102
Dysentery, all forms-----045-048	38	24	14	15	14	1	23	10	13
Septicemia and pyemia-----053	234	134	100	131	96	35	103	38	65
Whooping cough-----056	41	24	17	16	9	7	25	15	10
Meningococcal infections-----057	164	90	74	85	61	24	79	29	50
Tetanus-----061	13	7	6	3	3	-	10	4	6
Other infective and parasitic dis.---001-044,049-052,054,055,058-060,062-138	362	190	172	170	129	41	192	61	131
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	219	134	85	145	101	44	74	33	41
Benign neoplasms and neoplasms of unspecified nature-----210-239	105	64	41	64	48	16	41	16	25
Diseases of thymus gland-----273	74	43	31	42	28	14	32	15	17
Meningitis, except meningococcal and tuberculous-----340	576	329	247	358	249	109	218	80	138
Other diseases of nervous system and sense organs-----330-334,341-398	485	288	197	292	212	80	193	76	117
Acute upper respiratory infections-----470-475	232	132	100	148	107	41	84	25	59
Influenza and pneumonia, except pneumonia of newborn-----480-493	5,144	2,856	2,288	2,843	2,088	755	2,301	768	1,533
Influenza-----480-483	167	60	107	47	32	15	120	28	92
Pneumonia, except pneumonia of newborn-----490-493	4,977	2,796	2,181	2,796	2,056	740	2,181	740	1,441
Bronchitis-----500-502	400	221	179	235	166	69	165	55	110
Other diseases of respiratory system-----510-522,525-527	1,180	546	634	835	590	245	345	144	201
Pulmonary congestion and hypostasis-----522	168	115	53	125	99	26	43	16	27
Other chronic interstitial pneumonia-----525	740	465	275	554	378	176	186	87	99
Bronchiectasis-----526	4	2	2	1	1	-	3	1	2
Other diseases of lung and pleural cavity-----527.2	162	93	69	93	70	23	69	23	46
All other diseases of respiratory system-----510-521,527.1	106	59	47	62	42	20	44	17	27
Hernia and intestinal obstruction-----560,561,570	729	448	281	471	340	131	258	108	150
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	964	535	429	411	309	102	553	226	327
Other diseases of digestive system-----530-542,544-553,573-587	495	297	198	283	214	69	212	83	129
Congenital malformations-----750-759	12,173	7,457	4,716	7,599	5,647	1,952	4,574	1,810	2,764
Spina bifida and meningocele-----751	1,189	718	471	718	533	185	471	185	286
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	1,026	639	387	652	500	152	374	139	235
Congenital malformations of circulatory system-----754	5,813	3,508	2,305	3,602	2,637	965	2,211	871	1,340
Other congenital malformations-----750,755-759	4,145	2,592	1,553	2,627	1,977	650	1,518	615	903
Certain diseases of early infancy-----760-776	45,588	28,712	16,876	28,493	21,436	7,057	17,095	7,276	9,819
Birth injuries-----760,761	7,111	4,464	2,647	4,416	3,292	1,124	2,695	1,172	1,523
Without mention of immaturity (.0)-----	2,553	1,590	963	1,540	1,147	393	1,013	443	570
With immaturity (.5)-----	4,558	2,874	1,684	2,876	2,145	731	1,682	729	953
Intracranial and spinal injury at birth-----760	1,975	1,272	701	1,294	987	307	679	265	394
Without mention of immaturity (.0)-----	1,171	739	432	719	543	176	452	156	256
With immaturity (.5)-----	802	533	269	575	444	131	227	89	138
Other birth injury-----761	5,138	3,192	1,946	3,122	2,305	817	2,016	887	1,129
Without mention of immaturity (.0)-----	1,382	851	531	821	604	217	561	247	314
With immaturity (.5)-----	3,756	2,341	1,415	2,301	1,701	600	1,455	640	815
Postnatal asphyxia and atelectasis-----762	13,266	8,554	4,732	8,743	6,602	2,141	4,543	1,952	2,591
Without mention of immaturity (.0)-----	3,689	2,245	1,444	2,258	1,648	610	1,431	597	834
With immaturity (.5)-----	9,597	6,309	3,288	6,485	4,954	1,531	3,112	1,355	1,757
Pneumonia of newborn-----763	2,016	1,226	790	1,173	866	307	843	360	483
Without mention of immaturity (.0)-----	1,446	860	586	843	613	230	603	247	356
With immaturity (.5)-----	570	366	204	330	253	77	240	113	127
Diarrhea of newborn-----764	166	78	88	67	47	20	99	31	68
Without mention of immaturity (.0)-----	139	64	75	61	42	19	78	22	56
With immaturity (.5)-----	27	14	13	6	5	1	21	9	12
Other infections of newborn-----765-768	547	332	215	343	247	96	204	85	119
Without mention of immaturity (.0)-----	332	197	135	207	152	55	125	45	80
With immaturity (.5)-----	215	135	80	136	95	41	79	40	39
Neonatal disorders arising from certain diseases of mother during pregnancy-----769	540	299	241	305	217	88	235	82	153
Without mention of immaturity (.0-.4)-----	187	105	82	113	81	32	74	24	50
With immaturity (.5-.9)-----	353	194	159	192	136	56	161	58	103
Hemolytic disease of newborn (erythroblastosis)-----770	1,644	1,003	641	1,088	779	309	556	224	332
Without mention of immaturity (.0-.2)-----	1,274	774	500	835	601	234	439	173	266
With immaturity (.5-.7)-----	370	229	141	253	178	75	117	51	66
Hemorrhagic disease of newborn-----771	393	248	145	245	182	63	148	66	82
Without mention of immaturity (.0)-----	241	147	94	145	108	37	96	39	57
With immaturity (.5)-----	152	101	51	100	74	26	52	27	25
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	7,573	4,690	2,883	4,443	3,366	1,077	3,330	1,324	1,806
Without mention of immaturity (.0)-----	1,916	1,080	836	973	717	256	943	363	580
With immaturity (.5)-----	5,657	3,610	2,047	3,470	2,649	821	2,187	961	1,226
Immaturity with mention of any other subsidiary condition-----774	777	492	285	519	386	133	258	106	152
Immaturity, unqualified-----776	11,535	7,326	4,209	7,151	5,452	1,699	4,384	1,874	2,510
Symptoms and ill-defined conditions-----780-793,795	1,026	511	515	534	367	167	492	144	348
All other diseases-----Residual	962	560	402	581	410	171	361	150	231
Accidents-----E800-E962	2,385	1,222	1,163	1,198	826	372	1,187	396	791
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	548	282	266	259	178	81	289	104	185
Accidental mechanical suffocation in bed and cradle-----E924	540	257	283	240	168	72	300	89	211
Other accidental causes-----E900-E920,E923,E925-E962	1,297	683	614	699	480	219	598	203	395
Homicide-----E964,E980-E984	138	91	47	96	76	20	42	15	27

Table 2-10. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1963-Con.

(See headnote at beginning of table)

CAUSE OF DEATH, AGE, AND COLOR	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
NONWHITE, UNDER 1 YEAR--ALL CAUSES-----	26,511	17,526	8,985	15,863	14,048	1,815	10,648	3,478	7,170
Dysentery, all forms-----045-048	55	15	40	10	6	4	45	9	36
Septicemia and pyemia-----053	126	78	48	61	53	8	65	25	40
Whooping cough-----056	46	16	30	10	9	1	36	7	29
Meningococcal infections-----057	36	19	17	19	16	3	17	3	14
Tetanus-----061	32	12	20	5	4	1	27	8	19
Other infective and parasitic dis-----001-044,049-052,054,055,058-060,062-138	161	75	86	67	55	12	94	20	74
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	36	23	13	24	19	5	12	4	8
Benign neoplasms and neoplasms of unspecified nature-----210-239	14	9	5	9	9	-	5	-	5
Diseases of thymus gland-----273	12	9	3	6	6	-	6	3	3
Meningitis, except meningococcal and tuberculous-----340	270	174	96	159	140	19	111	34	77
Other diseases of nervous system and sense organs-----330-334,341-398	186	115	71	126	101	25	60	14	46
Acute upper respiratory infections-----470-475	149	94	55	80	74	6	69	20	49
Influenza and pneumonia, except pneumonia of newborn-----480-493	3,553	2,007	1,546	1,744	1,495	249	1,809	512	1,297
Influenza-----480-483	186	55	131	41	20	21	145	35	110
Pneumonia, except pneumonia of newborn-----490-493	3,367	1,952	1,415	1,703	1,475	228	1,664	477	1,187
Bronchitis-----500-502	138	90	48	87	79	8	51	11	40
Other diseases of respiratory system-----510-522,525-527	502	353	149	373	320	53	129	33	96
Pulmonary congestion and hypostasis-----522	62	43	19	47	37	10	15	6	9
Other chronic interstitial pneumonia-----525	316	238	78	262	229	33	54	9	45
Bronchiectasis-----526	85	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity-----527.2	85	46	39	41	34	7	44	12	32
All other diseases of respiratory system-----510-521,527.1	39	26	13	25	20	5	16	6	10
Hernia and intestinal obstruction-----560,561,570	156	104	52	102	87	15	54	17	37
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	1,088	491	597	365	275	90	723	216	507
Other diseases of digestive system-----530-542,544-553,573-587	145	95	50	86	71	15	59	24	35
Congenital malformations-----750-759	1,933	1,381	552	1,327	1,163	144	606	199	408
Spina bifida and meningocele-----751	99	64	35	58	49	9	41	15	26
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	178	121	57	117	104	13	61	17	44
Congenital malformations of circulatory system-----754	1,002	742	260	717	641	76	295	101	184
Other congenital malformations-----750,755-759	654	454	200	435	389	46	219	85	134
Certain diseases of early infancy-----760-776	14,964	10,914	4,050	10,048	9,076	972	4,916	1,839	3,078
Birth injuries-----760,761	1,575	1,154	421	1,033	942	91	542	212	330
Without mention of immaturity (.0)-----755	755	514	241	458	413	45	297	101	196
With immaturity (.5)-----820	820	640	180	575	529	46	245	111	134
Intracranial and spinal injury at birth-----760	622	479	143	444	407	37	178	72	106
Without mention of immaturity (.0)-----355	355	259	96	231	210	21	124	49	75
With immaturity (.5)-----267	267	220	47	213	197	16	54	23	31
Other birth injury-----761	953	675	278	589	535	54	364	140	224
Without mention of immaturity (.0)-----400	400	255	145	227	203	24	173	52	121
With immaturity (.5)-----553	553	420	133	362	332	30	191	88	103
Postnatal asphyxia and atelectasis-----762	3,816	2,979	837	2,785	2,548	237	1,031	431	600
Without mention of immaturity (.0)-----968	968	700	268	635	571	64	353	129	224
With immaturity (.5)-----2,828	2,828	2,279	549	2,150	1,977	173	678	302	376
Pneumonia of newborn-----763	1,068	672	396	602	528	74	466	144	322
Without mention of immaturity (.0)-----784	784	480	304	432	375	57	356	105	247
With immaturity (.5)-----284	284	192	92	170	153	17	114	39	75
Diarrhea of newborn-----764	214	100	114	80	60	20	134	40	94
Without mention of immaturity (.0)-----176	176	82	94	65	48	17	111	34	77
With immaturity (.5)-----38	38	18	20	15	12	3	23	6	17
Other infections of newborn-----765-768	272	184	88	169	152	17	103	32	71
Without mention of immaturity (.0)-----162	162	102	60	87	78	9	75	24	51
With immaturity (.5)-----110	110	82	28	82	74	8	28	8	20
Neonatal disorders arising from certain diseases of mother during pregnancy-----769	169	104	65	87	76	11	82	28	54
Without mention of immaturity (.0-.4)-----73	73	47	26	38	33	5	35	14	21
With immaturity (.5-.9)-----96	96	57	39	49	43	6	47	14	33
Hemolytic disease of newborn (erythroblastosis)-----770	121	83	38	86	74	12	35	9	26
Without mention of immaturity (.0-.2)-----102	102	70	32	72	61	11	30	9	21
With immaturity (.5-.7)-----19	19	13	6	14	13	1	5	-	5
Hemorrhagic disease of newborn-----771	154	100	54	91	82	9	63	18	45
Without mention of immaturity (.0)-----88	88	54	34	44	41	3	44	13	31
With immaturity (.5)-----66	66	46	20	47	41	6	19	5	14
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	2,556	1,824	732	1,660	1,486	174	896	338	558
Without mention of immaturity (.0)-----789	789	483	306	383	334	49	406	149	257
With immaturity (.5)-----1,767	1,767	1,341	426	1,277	1,152	125	490	189	301
Immaturity with mention of any other subsidiary condition-----774	283	193	90	187	166	21	96	27	69
Immaturity, unqualified-----4,736	4,736	3,521	1,215	3,268	2,962	306	1,468	559	909
Symptoms and ill-defined conditions-----780-793,795	1,495	644	851	457	382	75	1,038	282	776
All other diseases-----Residual	334	212	122	199	168	31	135	44	91
Accidents-----E800-E962	1,023	545	478	450	373	77	573	172	401
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	225	127	98	101	82	19	124	45	79
Accidental mechanical suffocation in bed and cradle-----E924	265	116	149	89	70	19	176	46	130
Other accidental causes-----E800-E920,E923,E925-E962	533	302	231	260	221	39	273	81	192
Homicide-----E964,E980-E984	57	51	6	49	47	2	8	4	4

SECTION 2 - MORTALITY

2-35

Table 2-10. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1963--Con.

(See headnote at beginning of table)

CAUSE OF DEATH, AGE, AND COLOR	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
TOTAL, UNDER 28 DAYS--ALL CAUSES-----	74,648	48,780	25,868	47,597	37,628	9,969	27,051	11,152	15,899
Dysentery, all forms-----045-048	6	4	2	2	2	-	4	2	2
Septicemia and pyemia-----053	-	-	-	-	-	-	-	-	-
Whooping cough-----056	-	-	-	-	-	-	-	-	-
Meningococcal infections-----057	14	11	3	11	10	1	3	1	2
Tetanus-----061	40	17	23	6	5	1	34	12	22
Other infective and parasitic dis-----001-044,049-052,054,055,058-060,062-138	89	57	32	57	47	10	32	10	22
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	45	24	21	25	17	8	20	7	13
Benign neoplasms and neoplasms of unspecified nature-----210-239	66	41	25	40	32	8	26	9	17
Diseases of thymus gland-----273	20	13	7	9	7	2	11	6	5
Meningitis, except meningococcal and tuberculous-----340	239	146	93	159	114	45	80	32	48
Other diseases of nervous system and sense organs-----330-354,341-398	56	33	23	29	21	8	27	12	15
Acute upper respiratory infections-----470-475	36	23	13	22	18	4	14	5	9
Influenza and pneumonia, except pneumonia of newborn-----480-493	27	12	15	7	6	1	20	6	14
Influenza-----480-483	27	12	15	7	6	1	20	6	14
Pneumonia, except pneumonia of newborn-----490-495
Bronchitis-----500-502	43	26	17	27	22	5	16	4	12
Other diseases of respiratory system-----510-522,525-527	176	108	68	108	82	24	70	26	44
Pulmonary congestion and hypostasis-----522	63	35	28	27	20	7	27	8	19
Other chronic interstitial pneumonia-----525	10	6	4	8	5	3	2	1	1
Bronchiectasis-----528	1	-	1	-	-	-	1	-	1
Other diseases of lung and pleural cavity-----527.2	40	24	16	21	17	4	19	7	12
All other diseases of respiratory system-----510-521,527.1	62	43	19	41	33	8	21	10	11
Hernia and intestinal obstruction-----560,561,570	656	432	224	438	336	102	218	96	122
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	9	6	3	3	3	-	6	3	3
Other diseases of digestive system-----530-542,544-553,573-587	317	199	118	185	143	42	132	56	76
Congenital malformations-----750-759	9,454	5,987	3,467	6,017	4,601	1,416	3,437	1,386	2,051
Spina bifida and meningocele-----751	712	430	282	443	329	114	269	101	168
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	651	429	222	418	338	80	233	91	142
Congenital malformations of circulatory system-----754	4,097	2,563	1,534	2,573	1,943	630	1,524	620	904
Other congenital malformations-----750,755-759	3,994	2,565	1,429	2,583	1,991	592	1,411	574	837
Certain diseases of early infancy-----760-776	61,373	40,606	20,768	39,555	31,464	8,091	21,818	9,141	12,677
Birth injuries-----760,761	8,944	5,834	3,110	5,654	4,416	1,238	3,290	1,418	1,872
Without mention of immaturity (.0)-----	3,412	2,181	1,221	2,079	1,632	447	1,333	559	774
With immaturity (.5)-----	5,532	3,653	1,889	3,575	2,784	791	1,957	859	1,098
Intracranial and spinal injury at birth-----760	2,679	1,821	858	1,809	1,458	351	1,470	363	507
Without mention of immaturity (.0)-----	1,582	1,043	539	996	793	203	586	250	336
With immaturity (.5)-----	1,097	778	319	813	665	148	284	113	171
Other birth injury-----761	6,265	4,013	2,252	3,845	2,958	887	2,420	1,055	1,365
Without mention of immaturity (.0)-----	1,830	1,148	682	1,083	839	244	747	309	438
With immaturity (.5)-----	4,435	2,865	1,570	2,762	2,119	643	1,673	746	927
Postnatal asphyxia and atelectasis-----762	17,692	12,052	5,640	12,069	9,636	2,433	5,623	2,416	3,207
Without mention of immaturity (.0)-----	4,728	3,013	1,715	2,974	2,302	672	1,754	711	1,043
With immaturity (.5)-----	12,964	9,039	3,925	9,095	7,334	1,761	3,869	1,705	2,164
Pneumonia of newborn-----763	3,181	1,972	1,209	1,853	1,460	393	1,328	612	816
Without mention of immaturity (.0)-----	2,304	1,396	908	1,334	1,038	296	970	358	612
With immaturity (.5)-----	877	576	301	519	422	97	358	154	204
Diarrhea of newborn-----764	384	183	201	152	112	40	232	71	161
Without mention of immaturity (.0)-----	318	150	168	130	94	36	188	56	132
With immaturity (.5)-----	66	33	33	22	18	4	44	15	29
Other infections of newborn-----765-768	835	529	306	526	412	114	309	117	192
Without mention of immaturity (.0)-----	501	304	197	301	236	65	200	68	132
With immaturity (.5)-----	334	225	109	225	176	49	109	49	60
Neonatal disorders arising from certain diseases of mother during pregnancy-----769	721	412	309	400	299	101	321	113	208
Without mention of immaturity (.0-.4)-----	255	147	108	148	111	37	107	36	71
With immaturity (.5-.9)-----	466	265	201	252	188	64	214	77	137
Hemolytic disease of newborn (erythroblastosis)-----770	1,821	1,131	690	1,211	883	328	610	248	362
Without mention of immaturity (.0-.2)-----	1,420	879	541	937	687	250	483	192	291
With immaturity (.5-.7)-----	401	252	149	274	196	78	127	56	71
Hemorrhagic disease of newborn-----771	564	365	199	348	276	72	216	89	127
Without mention of immaturity (.0)-----	358	210	128	195	155	40	143	55	88
With immaturity (.5)-----	226	155	71	153	121	32	73	34	39
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	9,683	6,335	3,348	5,978	4,774	1,204	3,705	1,561	2,144
Without mention of immaturity (.0)-----	2,173	1,291	882	1,145	889	256	1,028	402	626
With immaturity (.5)-----	7,510	5,044	2,466	4,833	3,885	948	2,677	1,159	1,518
Immaturity with mention of any other subsidiary condition-----774	881	589	292	605	478	127	276	111	165
Immaturity, unqualified-----776	16,667	11,203	5,464	10,759	8,718	2,041	5,908	2,485	3,423
Symptoms and ill-defined conditions-----780-793,795	902	392	510	293	233	60	609	159	450
All other diseases-----Residual	443	271	172	276	202	74	167	69	98
Accidents-----E800-E962	516	287	229	242	189	53	274	98	176
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	148	86	62	64	49	15	84	37	47
Accidental mechanical suffocation in bed and cradle-----E924	99	54	45	42	34	8	57	20	37
Other accidental causes-----E800-E920,E923,E925-E962	269	147	122	136	106	30	133	41	92
Homicide-----E964,E980-E984	121	86	35	88	74	14	33	12	21

SECTION 2 - MORTALITY

2-37

Table 2-10. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1963--Con.

(See headnote at beginning of table)

CAUSE OF DEATH, AGE, AND COLOR	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
NONWHITE, UNDER 28 DAYS--ALL CAUSES-----	16,676	12,007	4,669	11,026	9,949	1,077	5,650	2,058	3,592
Dysentery, all forms-----045-048	3	2	1	2	2	-	1	-	1
Septicemia and pyemia-----053	-	-	-	-	-	-	-	-	-
Whooping cough-----056	-	-	-	-	-	-	-	-	-
Meningococcal infections-----057	2	2	-	2	2	-	-	-	-
Tetanus-----061	28	11	17	4	3	1	24	8	16
Other infective and parasitic dis.---001-044,049-052,054,055,058-060,062-138	29	18	11	19	15	4	10	3	7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	8	5	3	3	3	-	5	2	3
Benign neoplasms and neoplasms of unspecified nature-----210-239	6	4	2	4	4	-	2	-	2
Diseases of thymus gland-----273	2	2	-	1	1	-	1	1	-
Meningitis, except meningococcal and tuberculous-----340	47	35	12	31	30	1	16	5	11
Other diseases of nervous system and sense organs-----330-334,341-398	14	9	5	8	6	2	6	3	3
Acute upper respiratory infections-----470-475	12	7	5	6	6	-	6	1	5
Influenza and pneumonia, except pneumonia of newborn-----480-493	11	4	7	1	1	-	10	3	7
Influenza-----480-483	11	4	7	1	1	-	10	3	7
Pneumonia, except pneumonia of newborn-----490-493
Bronchitis-----500-502	12	6	6	5	4	1	7	2	5
Other diseases of respiratory system-----510-522,525-527	39	26	13	24	21	3	15	5	10
Pulmonary congestion and hypostasis-----522	15	9	6	10	8	2	5	1	4
Other chronic interstitial pneumonia-----525	3	3	-	2	2	-	1	1	-
Bronchiectasis-----526	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity-----527-2	7	3	4	3	3	-	4	-	4
All other diseases of respiratory system-----510-521,527.1	14	11	3	9	8	1	5	3	2
Hernia and intestinal obstruction-----560,561,570	85	64	21	59	55	4	26	9	17
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	3	2	1	-	-	-	3	2	1
Other diseases of digestive system-----530-542,544-553,573-587	59	40	19	35	30	5	24	10	14
Congenital malformations-----750-759	1,138	835	305	796	711	85	342	122	220
Spina bifida and meningocele-----751	55	34	21	32	25	7	23	9	14
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	84	59	25	55	49	6	29	10	19
Congenital malformations of circulatory system-----754	520	399	121	376	342	34	144	57	87
Other congenital malformations-----750,755-759	479	341	138	333	295	38	146	46	100
Certain diseases of early infancy-----760-776	14,313	10,531	3,782	9,735	8,806	929	4,578	1,725	2,855
Birth injuries-----760,761	1,571	1,150	421	1,030	939	91	541	211	330
Without mention of immaturity (.0)-----	753	512	241	456	411	45	297	101	196
With immaturity (.5)-----	818	638	180	574	528	46	244	110	134
Intracranial and spinal injury at birth-----760	622	479	143	444	407	37	178	72	106
Without mention of immaturity (.0)-----	355	259	96	231	210	21	124	49	75
With immaturity (.5)-----	267	220	47	213	197	16	54	23	31
Other birth injury-----761	949	671	278	586	532	54	363	139	224
Without mention of immaturity (.0)-----	398	255	145	225	201	24	173	52	121
With immaturity (.5)-----	551	418	133	361	331	30	190	87	103
Postnatal asphyxia and atelectasis-----762	3,743	2,924	819	2,738	2,503	235	1,005	421	584
Without mention of immaturity (.0)-----	933	657	276	596	533	63	337	124	213
With immaturity (.5)-----	2,810	2,267	543	2,142	1,970	172	668	297	371
Pneumonia of newborn-----763	1,068	672	396	602	528	74	466	144	322
Without mention of immaturity (.0)-----	784	480	304	432	375	57	352	105	247
With immaturity (.5)-----	284	192	92	170	153	17	114	39	75
Diarrhea of newborn-----764	212	99	113	79	59	20	133	40	93
Without mention of immaturity (.0)-----	174	61	93	64	47	17	110	34	76
With immaturity (.5)-----	38	18	20	15	12	3	23	6	17
Other infections of newborn-----765-768	270	183	87	168	151	17	102	32	70
Without mention of immaturity (.0)-----	160	101	59	86	77	9	74	24	50
With immaturity (.5)-----	110	82	28	82	74	8	28	8	20
Neonatal disorders arising from certain diseases of mother during pregnancy-----769	167	102	65	86	75	11	81	27	54
Without mention of immaturity (.0-.4)-----	71	45	26	37	32	5	34	13	21
With immaturity (.5-.9)-----	96	57	39	49	43	6	47	14	33
Hemolytic disease of newborn (erythroblastosis)-----770	117	81	36	83	72	11	34	9	25
Without mention of immaturity (.0-.2)-----	98	68	30	69	59	10	29	9	20
With immaturity (.5-.7)-----	19	13	6	14	13	1	5	-	5
Hemorrhagic disease of newborn-----771	154	100	54	91	82	9	63	18	45
Without mention of immaturity (.0)-----	88	54	34	44	41	3	44	13	31
With immaturity (.5)-----	66	46	20	47	41	6	19	5	14
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	2,154	1,581	563	1,478	1,333	145	676	258	418
Without mention of immaturity (.0)-----	438	279	159	224	199	25	214	80	134
With immaturity (.5)-----	1,716	1,312	404	1,254	1,134	120	462	178	284
Immaturity with mention of any other subsidiary condition-----774	182	137	45	133	119	14	49	18	31
Immaturity, unqualified-----776	4,675	3,492	1,183	3,247	2,945	302	1,428	547	881
Symptoms and ill-defined conditions-----780-793,795	558	224	334	135	116	19	423	108	315
All other diseases-----Residual	92	59	33	54	47	7	38	12	26
Accidents-----E800-E962	181	94	87	74	60	14	107	34	73
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	50	28	22	17	14	3	33	14	19
Accidental mechanical suffocation in bed and cradle-----E924	39	19	20	15	12	3	24	7	17
Other accidental causes-----E800-E920,E923,E925-E962	92	47	45	42	34	8	50	13	37
Homicide-----E964,E980-E984	34	29	5	28	26	2	6	3	3

SECTION 2 - MORTALITY

Table 2-II. Deaths Under 1 Year From 55 Selected Causes,

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers

CAUSE OF DEATH, COLOR, AND SEX		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	TOTAL, BOTH SEXES--ALL CAUSES-----	103,390	8,166	34,353	10,885	6,893	2,986	1,713	1,260	919
2	Dysentery, all forms-----045-048	94	-	-	-	-	-	1	-	-
3	Septicemia and pyemia-----053	365	-	-	-	-	-	-	-	-
4	Whooping cough-----056	89	-	-	-	-	-	-	-	-
5	Meningococcal infections-----057	203	-	-	-	-	1	1	-	-
6	Tetanus-----061	45	-	-	-	-	-	1	3	6
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	532	5	9	6	6	3	3	3	3
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	260	7	9	3	5	1	2	1	-
9	Benign neoplasms and neoplasms of unspecified nature-----210-239	125	13	21	9	3	2	3	5	2
10	Diseases of thymus gland-----273	92	-	5	3	3	-	1	-	1
11	Meningitis, except meningococcal and tuberculous-----340	866	-	12	12	9	14	10	15	13
12	Other diseases of nervous system and sense organs-----330-334,341-398	631	-	8	7	3	3	3	5	4
13	Acute upper respiratory infections-----470-475	387	-	-	1	2	-	4	1	2
14	Influenza and pneumonia, except pneumonia of newborn-----480-485	8,914	1	2	-	2	2	1	1	-
15	Influenza-----356	356	1	2	-	2	2	1	1	-
16	Pneumonia, except pneumonia of newborn-----490-495	8,558
17	Bronchitis-----500-502	547	1	-	3	4	1	2	-	-
18	Other diseases of respiratory system-----510-522,525-527	1,704	11	36	25	15	4	9	2	4
19	Pulmonary congestion and hypostasis-----522	232	3	12	7	5	1	3	1	3
20	Other chronic interstitial pneumonia-----525	1,065	1	2	-	-	-	-	-	-
21	Bronchiectasis-----526	4	-	-	-	-	-	1	-	-
22	Other diseases of lung and pleural cavity-----527,2	250	1	4	7	3	-	3	-	1
23	All other diseases of respiratory system-----510-521,527.1	153	6	18	11	7	3	2	1	-
24	Hernia and intestinal obstruction-----560,561,570	910	82	227	89	51	32	20	4	11
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	2,093	-	-	-	1	-	-	1	-
26	Other diseases of digestive system-----530-542,544-553,573-587	658	5	12	14	36	31	28	36	14
27	Congenital malformations-----750-759	14,581	1,388	2,576	882	898	634	353	311	211
28	Spina bifida and meningocele-----751	1,337	112	180	48	27	30	21	24	17
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	1,237	148	217	67	42	24	21	13	13
30	Congenital malformations of circulatory system-----754	7,060	143	783	485	596	426	205	164	112
31	Other congenital malformations-----750,755-759	4,947	985	1,396	282	223	154	106	110	69
32	Certain diseases of early infancy-----760-776	62,664	6,380	31,069	9,658	5,702	2,138	1,191	824	598
33	Birth injuries-----760,761	8,954	1,583	4,548	1,202	771	327	155	91	44
34	Without mention of immaturity (.0)-----	3,419	627	1,397	521	393	189	86	43	19
35	With immaturity (.5)-----	5,535	956	3,151	681	378	138	69	48	25
36	Intracranial and spinal injury at birth-----760	2,679	120	983	541	436	222	109	60	31
37	Without mention of immaturity (.0)-----	1,582	75	557	301	274	145	64	34	15
38	With immaturity (.5)-----	1,097	45	426	240	162	77	45	26	16
39	Other birth injury-----761	6,275	1,463	3,565	661	335	105	46	31	13
40	Without mention of immaturity (.0)-----	1,837	552	840	220	119	44	22	9	4
41	With immaturity (.5)-----	4,438	911	2,725	441	216	61	24	22	9
42	Postnatal asphyxia and atelectasis-----762	17,934	1,530	9,680	3,305	1,747	525	263	156	112
43	Without mention of immaturity (.0)-----	4,923	487	2,215	998	578	176	84	35	27
44	With immaturity (.5)-----	13,011	1,043	7,465	2,307	1,169	349	179	121	85
45	Pneumonia of newborn-----763	3,181	43	484	347	322	219	149	118	102
46	Without mention of immaturity (.0)-----	2,304	33	301	229	218	141	100	65	59
47	With immaturity (.5)-----	877	10	183	118	104	78	49	53	43
48	Diarrhea of newborn-----764	386	-	3	3	-	3	5	9	6
49	Without mention of immaturity (.0)-----	320	-	3	3	-	3	5	8	4
50	With immaturity (.5)-----	66	-	-	-	-	-	-	1	2
51	Other infections of newborn-----765-768	841	45	118	67	67	68	65	46	36
52	Without mention of immaturity (.0)-----	507	21	44	46	48	43	36	29	16
53	With immaturity (.5)-----	334	24	74	21	19	25	29	17	20
54	Neonatal disorders arising from certain diseases of mother during pregnancy-----769	734	103	353	133	60	31	12	7	7
55	Without mention of immaturity (.0-.4)-----	268	40	108	50	27	16	4	2	3
56	With immaturity (.5-.9)-----	466	63	245	83	33	15	8	5	4
57	Hemolytic disease of newborn (erythroblastosis)-----770	1,835	392	875	177	114	83	42	39	22
58	Without mention of immaturity (.0-.2)-----	1,433	314	688	131	84	70	32	30	14
59	With immaturity (.5-.7)-----	402	78	187	46	30	13	10	9	8
60	Hemorrhagic disease of newborn-----771	567	15	156	98	88	64	25	26	19
61	Without mention of immaturity (.0)-----	340	11	112	58	47	44	9	13	10
62	With immaturity (.5)-----	227	4	44	40	41	20	16	13	9
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	10,375	582	4,505	2,119	1,386	371	177	114	72
64	Without mention of immaturity (.0)-----	2,780	113	739	574	427	119	43	22	11
65	With immaturity (.5)-----	7,595	469	3,766	1,545	959	252	134	92	61
66	Immaturity with mention of any other subsidiary condition-----774	1,088	78	347	106	92	44	43	29	22
67	Immaturity, unqualified-----776	16,769	2,009	10,000	2,101	1,055	403	255	189	156
68	Symptoms and ill-defined conditions-----780-793,795	2,533	142	223	96	84	48	36	15	23
69	All other diseases-----Residual	1,323	24	108	44	39	35	15	13	13
70	Accidents-----E800-E962	3,514	14	37	27	38	35	27	20	14
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	812	3	6	9	18	12	6	8	6
72	Accidental mechanical suffocation in bed and cradle-----E924	833	2	4	1	3	4	3	1	2
73	Other accidental causes-----E800-E920,E923,E925-E962	1,869	9	27	17	19	19	18	11	6
74	Homicide-----E964,E980-E984	203	93	9	6	2	2	2	-	1

SECTION 2 - MORTALITY

*handy
nicks*

by Age, Color, and Sex: United States, 1963

of the Seventh Revision of the International Lists, 1955. Figures by color exclude data for residents of New Jersey; see Technical Appendix

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
67,175	3,510	2,164	1,799	74,648	6,659	5,301	4,067	3,074	2,287	1,843	1,490	1,218	1,013	906	884	1
1	3	1	1	6	8	11	11	10	5	11	9	8	3	5	7	2
-	-	-	-	-	107	67	47	31	16	26	24	14	4	3	6	3
-	-	-	-	-	20	13	13	11	9	7	5	4	3	1	4	1
2	4	4	4	14	21	16	21	14	14	24	22	16	17	13	11	5
9	22	8	1	40	5	40	-	-	-	-	-	-	-	-	-	6
58	29	15	7	89	62	59	63	43	39	35	31	31	34	24	25	7
28	9	3	5	45	20	15	18	8	17	15	25	26	26	24	21	8
58	4	3	1	66	9	8	10	9	4	3	5	3	2	-	6	9
13	-	1	6	20	21	17	16	6	4	3	-	3	1	1	-	10
75	73	58	33	239	98	70	68	66	62	75	67	34	39	28	20	11
33	6	9	8	56	100	81	60	86	56	56	54	34	34	42	32	12
10	6	12	8	36	70	60	58	50	29	23	16	13	12	15	5	13
9	8	4	6	27	1,982	1,846	1,405	986	733	511	432	309	269	217	199	14
9	8	4	6	27	47	44	40	44	33	32	25	18	15	18	13	15
...	1,935	1,802	1,363	942	700	479	407	291	254	199	186	16
11	6	12	14	43	86	95	86	58	47	35	22	23	17	18	17	17
106	19	21	30	176	416	374	273	159	116	70	29	38	19	19	15	18
35	10	7	11	63	42	56	25	18	5	10	2	6	3	1	1	19
3	-	2	5	10	300	254	192	104	85	47	18	28	9	8	10	20
1	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	21
19	1	10	10	40	51	42	48	28	14	9	5	2	5	4	2	22
48	8	2	4	62	22	21	8	9	11	4	4	2	2	6	2	23
516	62	39	39	656	87	39	31	24	21	15	5	12	7	5	8	24
2	1	2	4	9	382	302	260	234	202	170	148	129	90	86	81	25
176	56	57	28	317	95	47	34	34	31	22	21	20	11	15	11	26
7,243	1,022	678	511	9,454	1,457	910	610	509	386	307	258	220	168	156	148	27
459	83	95	75	712	196	88	84	60	46	37	30	23	27	18	18	28
545	33	40	33	651	103	87	82	63	50	33	41	46	24	28	29	29
2,914	581	343	259	4,097	848	557	339	315	227	193	141	113	84	72	74	30
3,325	325	200	144	3,994	310	178	105	71	63	44	38	33	38	29	31	31
57,560	1,936	1,014	863	61,373	524	275	162	114	66	44	30	22	18	19	17	32
8,721	153	44	26	8,944	5	1	-	1	1	-	-	-	-	1	1	33
3,275	83	32	22	3,412	3	-	-	1	-	-	-	-	-	1	1	34
5,446	70	12	4	5,532	2	-	-	-	1	-	-	-	-	-	-	35
2,502	117	36	24	2,679	36
1,465	68	29	20	1,582	37
1,037	49	7	4	1,097	38
6,219	36	8	2	6,265	5	1	-	1	1	-	-	-	-	1	1	39
1,810	15	3	2	1,830	3	1	-	1	-	-	-	-	-	1	1	40
4,409	21	5	-	4,435	2	-	-	-	1	-	-	-	-	-	-	41
17,318	258	65	51	17,692	104	48	28	23	14	8	2	6	2	2	5	42
4,600	77	24	27	4,728	69	42	27	21	13	7	2	6	2	2	4	43
12,718	181	41	24	12,964	35	6	1	2	1	1	-	-	-	-	1	44
1,784	497	448	452	3,181	45
1,146	364	390	404	2,304	46
638	133	58	48	877	47
29	113	120	122	384	1	-	-	-	-	-	-	1	-	-	-	48
26	93	95	104	318	1	-	-	-	-	-	-	1	-	-	-	49
3	20	25	18	66	-	-	-	-	-	-	-	-	-	-	-	50
512	197	79	47	835	3	-	1	1	-	-	-	-	1	-	-	51
283	115	59	44	501	3	-	1	1	-	-	-	-	-	-	-	52
229	82	20	3	334	-	-	-	-	-	-	-	-	-	-	-	53
706	11	3	1	721	5	1	3	1	-	-	2	-	-	1	-	54
250	2	1	1	255	5	1	3	1	-	-	2	-	-	1	-	55
456	9	1	-	466	-	-	-	-	-	-	-	-	-	-	-	56
1,744	62	11	4	1,821	4	5	1	1	-	2	1	-	-	-	-	57
1,363	44	9	4	1,420	3	5	1	1	-	2	1	-	-	-	-	58
381	18	2	-	401	1	-	-	-	-	-	-	-	-	-	-	59
491	47	7	19	564	2	1	-	-	-	-	-	-	-	-	-	60
304	17	3	14	338	2	-	-	-	-	-	-	-	-	-	-	61
187	30	4	5	226	-	1	-	-	-	-	-	-	-	-	-	62
9,326	192	106	59	9,683	207	161	99	74	47	29	22	13	14	15	11	63
2,048	47	49	29	2,173	162	145	92	63	42	29	22	13	14	14	11	64
7,278	145	57	30	7,510	45	16	7	11	5	-	-	-	-	1	-	65
761	75	26	19	881	133	38	22	6	3	2	2	1	-	-	-	66
16,188	331	105	63	16,667	60	20	8	7	1	3	1	1	1	-	-	67
667	75	85	75	902	406	343	275	196	112	107	53	45	30	24	40	68
291	62	51	39	443	141	128	95	100	77	60	60	51	61	52	55	69
212	104	86	114	516	528	515	445	317	235	216	172	155	131	131	153	70
68	30	24	26	148	137	156	137	54	50	40	22	20	17	16	15	71
20	16	23	40	99	188	155	130	89	46	46	38	22	10	5	5	72
124	58	39	48	269	203	204	178	174	139	130	112	112	104	110	133	73
115	3	1	2	121	14	10	8	9	6	8	6	8	3	4	6	74

SECTION 2 - MORTALITY

Table 2-11. Deaths Under 1 Year From 55 Selected Causes,

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers)

CAUSE OF DEATH, COLOR, AND SEX		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	TOTAL, MALE--ALL CAUSES-----	59,734	4,457	20,165	6,406	4,251	1,821	997	709	517
2	Dysentery, all forms-----045-048	46	-	-	-	-	-	1	-	-
3	Septicemia and pyemia-----053	210	-	-	-	-	-	-	-	-
4	Whooping cough-----056	42	-	-	-	-	-	-	-	-
5	Meningococcal infections-----057	108	-	-	-	-	-	1	-	-
6	Tetanus-----061	27	-	-	-	-	-	-	2	4
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	282	3	4	5	3	-	1	1	2
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	155	5	5	2	3	1	2	-	-
9	Benign neoplasms and neoplasms of unspecified nature-----210-239	73	8	13	7	2	1	2	3	1
10	Diseases of thymus gland-----273	55	-	3	1	1	-	1	-	-
11	Meningitis, except meningococcal and tuberculous-----340	485	-	2	4	4	7	6	8	7
12	Other diseases of nervous system and sense organs-----330-334,341-388	394	-	6	3	2	3	3	5	3
13	Acute upper respiratory infections-----470-475	215	-	1	1	-	-	3	1	2
14	Influenza and pneumonia, except pneumonia of newborn-----480-483	5,086	-	1	-	1	2	-	-	-
15	Influenza-----480-483	194	-	1	-	1	2	-	-	-
16	Pneumonia, except pneumonia of newborn-----480-493	4,892
17	Bronchitis-----500-502	331	-	-	1	2	1	1	-	-
18	Other diseases of respiratory system-----510-522,525-527	973	7	22	19	10	2	5	2	2
19	Pulmonary congestion and hypostasis-----522	127	2	8	6	4	1	1	1	1
20	Other chronic interstitial pneumonia-----525	615	-	1	-	-	-	-	-	-
21	Bronchiectasis-----526	2	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-----527.2	138	-	3	6	1	-	2	-	1
23	All other diseases of respiratory system-----510-521,527.1	91	5	10	7	5	1	2	1	-
24	Hernia and intestinal obstruction-----560,561,570	574	44	135	46	33	21	14	2	5
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	1,196	-	-	-	1	-	-	-	-
26	Other diseases of digestive system-----530-542,544-553,573-587	378	2	6	5	22	19	15	23	11
27	Congenital malformations-----750-759	7,943	618	1,444	496	574	379	188	160	119
28	Spina bifida and meningocele-----751	583	39	80	18	9	14	10	8	9
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	659	82	122	38	25	15	9	6	6
30	Congenital malformations of circulatory system-----754	4,030	80	464	293	408	269	114	92	58
31	Other congenital malformations-----750,755-759	2,671	417	778	147	132	81	55	54	46
32	Certain diseases of early infancy-----760-776	36,887	3,639	18,296	5,712	3,496	1,314	703	471	333
33	Birth injuries-----760,761	5,391	952	2,714	708	498	220	82	56	24
34	Without mention of immaturity (.0)-----	2,054	366	813	319	259	130	48	28	10
35	With immaturity (.5)-----	3,337	586	1,901	389	239	90	34	28	14
36	Intracranial and spinal injury at birth-----760	1,687	80	611	341	281	154	58	41	16
37	Without mention of immaturity (.0)-----	1,008	48	344	196	182	104	35	25	7
38	With immaturity (.5)-----	679	32	267	145	99	50	23	16	9
39	Other birth injury-----761	3,704	872	2,103	367	217	66	24	15	8
40	Without mention of immaturity (.0)-----	1,046	318	469	123	77	26	13	3	3
41	With immaturity (.5)-----	2,658	554	1,634	244	140	40	11	12	5
42	Postnatal asphyxia and atelectasis-----762	10,730	872	5,791	2,001	1,055	328	157	85	69
43	Without mention of immaturity (.0)-----	2,983	270	1,280	381	118	48	19	18	18
44	With immaturity (.5)-----	7,747	602	4,501	1,376	674	210	109	66	51
45	Pneumonia of newborn-----763	1,872	28	294	201	214	130	93	75	63
46	Without mention of immaturity (.0)-----	1,351	22	172	136	144	81	65	38	33
47	With immaturity (.5)-----	521	6	122	65	70	49	28	37	30
48	Diarrhea of newborn-----764	216	-	-	-	-	2	1	4	3
49	Without mention of immaturity (.0)-----	182	-	-	-	-	2	1	4	2
50	With immaturity (.5)-----	34	-	-	-	-	-	-	-	1
51	Other infections of newborn-----765-768	485	19	68	40	38	50	44	23	25
52	Without mention of immaturity (.0)-----	303	7	22	29	28	34	23	17	10
53	With immaturity (.5)-----	182	12	46	11	10	16	21	6	15
54	Neonatal disorders arising from certain diseases of mother during pregnancy-----769	415	46	205	73	40	19	9	4	3
55	Without mention of immaturity (.0-.4)-----	163	22	62	30	18	10	4	2	3
56	With immaturity (.5-.9)-----	252	24	143	43	22	9	5	2	-
57	Hemolytic disease of newborn (erythroblastosis)-----770	954	182	436	97	77	54	23	23	11
58	Without mention of immaturity (.0-.2)-----	751	149	343	75	55	45	18	19	8
59	With immaturity (.5-.7)-----	203	33	93	22	22	9	5	4	3
60	Hemorrhagic disease of newborn-----771	344	10	87	63	61	33	16	14	11
61	Without mention of immaturity (.0)-----	201	6	60	35	31	25	7	7	5
62	With immaturity (.5)-----	143	4	27	28	30	8	9	7	6
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	6,302	328	2,718	1,317	870	240	103	64	36
64	Without mention of immaturity (.0)-----	1,757	67	441	378	286	79	27	14	8
65	With immaturity (.5)-----	4,545	261	2,277	939	584	161	76	50	28
66	Immaturity with mention of any other subsidiary condition-----774	642	44	211	76	57	25	28	17	8
67	Immaturity, unqualified-----776	9,536	1,158	5,772	1,136	586	213	147	106	80
68	Symptoms and ill-defined conditions-----780-793,795	1,457	77	137	56	51	31	26	9	14
69	All other diseases-----Residual	766	11	58	28	21	21	7	7	8
70	Accidents-----E800-E962	1,949	4	25	16	23	17	17	15	6
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	476	1	5	6	13	7	4	6	3
72	Accidental mechanical suffocation in bed and cradle-----E924	472	-	3	-	2	2	3	1	-
73	Other accidental causes-----E800-E920,E923,E925-E962	1,001	3	17	10	8	8	10	8	3
74	Homicide-----E964,E980-E984	104	39	8	4	2	2	1	-	-

SECTION 2 - MORTALITY

by Age, Color, and Sex: United States, 1963-Con.

of the Seventh Revision of the International Lists, 1955. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
39,323	1,959	1,237	1,046	43,565	3,860	3,050	2,286	1,735	1,313	981	823	653	510	472	486	1
1	1	-	1	3	5	6	5	3	5	1	3	4	2	4	5	2
-	-	-	-	-	74	38	22	18	10	15	13	8	8	2	2	3
-	-	-	-	-	9	9	5	5	6	2	2	1	3	-	-	4
1	2	2	2	7	9	9	14	9	8	14	9	10	9	4	6	5
6	14	3	1	24	3	-	-	-	-	-	-	-	-	-	-	6
19	14	9	6	48	34	33	25	25	27	22	19	15	13	11	10	7
18	4	2	3	27	14	5	13	4	11	5	17	16	12	17	14	8
37	1	2	1	41	6	4	7	4	2	2	2	4	7	-	2	9
6	-	1	2	9	14	11	9	3	3	3	-	2	-	1	-	10
38	44	29	19	130	50	35	39	36	43	40	36	19	23	21	11	11
25	5	5	3	38	67	42	37	47	38	31	29	19	13	16	17	12
7	4	9	2	22	40	35	33	32	15	15	8	4	5	4	2	13
4	5	1	5	15	1,165	1,077	828	556	417	277	236	157	135	110	113	14
4	5	1	5	15	22	20	24	25	20	16	14	8	10	11	9	15
...	1,143	1,057	804	531	397	261	222	149	125	99	104	16
5	2	6	10	23	57	65	49	36	30	21	9	11	9	11	10	17
69	10	9	19	107	229	210	148	100	71	37	17	20	13	13	8	18
24	5	4	8	41	22	29	13	12	1	2	1	2	1	-	-	19
1	-	-	3	4	167	149	102	66	55	25	10	17	7	6	7	20
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	21
13	-	5	5	23	27	20	29	15	9	5	3	1	3	2	1	22
31	5	-	3	39	13	11	4	7	5	2	3	-	2	5	-	23
300	40	25	27	392	65	24	22	18	17	10	3	9	4	5	5	24
1	-	1	2	4	225	169	145	146	98	95	87	76	49	51	51	25
103	35	38	14	190	56	27	20	13	21	11	12	14	4	5	5	26
3,978	585	400	288	5,249	809	502	313	261	200	135	134	109	80	74	77	27
187	40	47	37	311	90	38	40	27	14	16	13	9	10	8	7	28
303	16	24	21	364	50	48	35	35	27	15	19	27	11	15	13	29
1,778	326	198	145	2,447	497	303	175	157	123	90	69	55	41	37	36	30
1,710	201	131	85	2,127	172	113	63	42	36	14	33	18	18	14	21	31
33,984	1,071	568	496	36,099	306	177	97	74	45	29	18	17	7	7	11	32
5,254	91	24	18	5,387	2	1	-	-	-	-	-	-	-	-	-	33
1,973	43	19	16	2,051	1	1	-	-	-	-	-	-	-	-	1	34
3,281	48	5	2	3,336	1	-	-	-	-	-	-	-	-	-	-	35
1,582	66	23	16	1,687	36
941	34	19	14	1,008	37
641	32	4	2	679	38
3,672	25	1	2	3,700	2	1	-	-	-	-	-	-	-	-	1	39
1,032	9	-	2	1,043	1	1	-	-	-	-	-	-	-	-	1	40
2,640	16	1	-	2,657	1	-	-	-	-	-	-	-	-	-	-	41
10,358	148	37	30	10,573	65	34	15	15	12	5	1	5	1	1	3	42
2,769	55	13	17	2,854	43	32	14	13	11	5	1	5	1	1	3	43
7,589	93	24	13	7,719	22	2	1	2	1	-	-	-	-	-	-	44
1,088	278	241	255	1,872	45
681	213	221	228	1,351	46
407	65	20	29	1,321	47
10	61	68	76	215	1	-	-	-	-	-	-	-	-	-	-	48
9	49	56	67	181	1	-	-	-	-	-	-	-	-	-	-	49
1	12	12	9	34	-	-	-	-	-	-	-	-	-	-	-	50
307	103	44	27	481	2	-	1	-	-	-	-	-	-	1	-	51
170	65	39	25	299	2	-	-	-	-	-	-	-	-	1	-	52
137	38	5	2	182	-	-	-	-	-	-	-	-	-	-	-	53
399	3	3	1	406	3	1	3	1	-	-	1	-	-	-	-	54
151	-	2	1	154	3	1	3	1	-	-	-	-	-	-	-	55
248	3	1	1	252	2	-	-	-	-	-	1	-	-	-	-	56
903	35	5	2	945	3	3	1	1	-	1	-	-	-	-	-	57
712	24	4	2	742	2	3	1	1	-	1	-	-	-	-	-	58
191	11	1	-	203	-	-	-	-	-	-	-	-	-	-	-	59
295	33	4	10	342	1	-	-	-	-	-	-	-	-	-	-	60
176	13	3	8	200	1	-	-	-	-	-	-	-	-	-	-	61
119	20	1	2	142	-	1	-	-	-	-	-	-	-	-	-	62
5,676	107	63	32	5,878	113	105	65	49	30	19	15	11	4	6	7	63
1,300	32	32	16	1,380	93	96	59	41	26	19	15	11	4	6	7	64
4,376	75	31	16	4,498	20	9	6	8	4	-	-	-	-	-	-	65
466	36	15	8	525	81	21	7	4	2	2	-	-	-	-	-	66
9,198	176	64	37	9,475	36	11	5	4	1	-	-	1	1	-	-	67
401	34	56	52	543	233	183	160	102	65	57	34	26	20	10	24	68
161	34	32	23	250	81	87	61	55	41	33	35	32	36	25	30	69
123	55	39	70	287	302	295	228	183	138	123	95	77	62	61	78	70
45	14	9	14	82	89	96	68	35	32	24	14	11	10	8	9	71
11	6	12	26	55	102	93	68	54	29	22	23	13	5	5	3	72
67	35	18	30	150	111	106	92	96	77	77	58	53	47	68	66	73
56	1	-	-	57	7	7	6	5	2	3	5	5	2	-	5	74

SECTION 2 - MORTALITY

Table 2-11. Deaths Under 1 Year From 55 Selected Causes,

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers)

CAUSE OF DEATH, COLOR, AND SEX		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	TOTAL, FEMALE--ALL CAUSES-----	43,656	3,709	14,188	4,479	2,642	1,165	716	551	402
2	Dysentery, all forms-----045-048	48	-	-	-	-	-	-	-	-
3	Septicemia and pyemia-----053	153	-	-	-	-	-	-	-	-
4	Whooping cough-----056	46	-	-	-	-	-	-	-	-
5	Meningococcal infections-----057	95	-	-	-	-	1	-	-	-
6	Tetanus-----061	18	-	-	-	-	-	1	1	1
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	250	2	5	1	3	3	2	2	1
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	105	2	4	1	2	-	-	1	1
9	Benign neoplasms and neoplasms of unspecified nature-----210-239	52	5	8	2	1	1	1	2	1
10	Diseases of thymus gland-----273	37	-	2	2	2	-	-	-	1
11	Meningitis, except meningococcal and tuberculous-----340	383	-	-	8	5	7	4	7	6
12	Other diseases of nervous system and sense organs-----350-354,341-398	297	-	2	4	1	-	-	-	1
13	Acute upper respiratory infections-----470-475	172	-	-	-	2	-	1	-	-
14	Influenza and pneumonia, except pneumonia of newborn-----480-493	3,828	1	1	-	1	-	1	1	-
15	Influenza-----480-483	162	1	1	-	1	-	1	1	-
16	Pneumonia, except pneumonia of newborn-----490-493	3,666	-	-	-	-	-	-	-	-
17	Bronchitis-----500-502	216	1	-	2	2	-	1	-	-
18	Other diseases of respiratory system-----510-522,525-527	731	4	14	6	5	2	4	-	2
19	Pulmonary congestion and hypostasis-----522	105	1	4	1	1	-	2	-	2
20	Other chronic interstitial pneumonia-----525	450	1	1	-	-	-	-	-	-
21	Bronchiectasis-----526	2	-	-	-	-	-	1	-	-
22	Other diseases of lung and pleural cavity-----527-2	112	1	1	1	2	-	1	-	-
23	All other diseases of respiratory system-----510-521,527,1	62	1	8	4	2	2	1	-	-
24	Hernia and intestinal obstruction-----560,561,570	336	38	92	43	18	11	6	2	6
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	897	-	-	-	-	-	-	1	-
26	Other diseases of digestive system-----530-542,544-553,573-587	280	3	6	9	14	12	13	13	3
27	Congenital malformations-----750-759	6,638	770	1,132	386	314	255	165	151	92
28	Spina bifida and meningocele-----751	754	73	100	30	18	16	11	16	8
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	578	66	95	29	17	9	12	7	7
30	Congenital malformations of circulatory system-----754	3,030	63	319	192	188	157	91	72	54
31	Other congenital malformations-----750,755-759	2,276	568	618	135	91	73	51	56	23
32	Certain diseases of early infancy-----760-776	25,777	2,741	12,775	3,946	2,206	824	488	353	265
33	Birth injuries-----760,761	3,563	631	1,834	494	273	107	73	35	20
34	Without mention of immaturity (.0)-----	1,365	261	584	202	134	59	38	15	9
35	With immaturity (.5)-----	2,198	370	1,250	292	139	48	35	20	11
36	Intracranial and spinal injury at birth-----760	992	40	372	200	155	68	51	19	15
37	Without mention of immaturity (.0)-----	574	27	213	105	92	41	29	9	8
38	With immaturity (.5)-----	418	13	159	95	63	27	22	10	7
39	Other birth injury-----761	2,571	591	1,462	294	118	39	22	16	5
40	Without mention of immaturity (.0)-----	791	234	371	97	42	18	9	6	1
41	With immaturity (.5)-----	1,780	357	1,091	197	76	21	13	10	4
42	Postnatal asphyxia and atelectasis-----762	7,204	658	3,889	1,304	692	197	106	71	43
43	Without mention of immaturity (.0)-----	1,940	217	925	373	197	58	36	16	9
44	With immaturity (.5)-----	5,264	441	2,964	931	495	139	70	55	34
45	Pneumonia of newborn-----763	1,309	15	190	146	108	89	56	43	39
46	Without mention of immaturity (.0)-----	953	11	129	93	74	60	35	27	26
47	With immaturity (.5)-----	356	4	61	53	34	29	21	16	13
48	Diarrhea of newborn-----764	170	-	3	3	-	-	4	5	3
49	Without mention of immaturity (.0)-----	138	-	3	3	-	1	4	4	2
50	With immaturity (.5)-----	32	-	-	-	-	-	-	1	1
51	Other infections of newborn-----765-768	356	26	50	27	29	18	21	23	11
52	Without mention of immaturity (.0)-----	204	14	22	17	20	9	13	12	6
53	With immaturity (.5)-----	152	12	28	10	9	9	8	11	5
54	Neonatal disorders arising from certain diseases of mother during pregnancy-----769	519	57	148	60	20	12	3	3	4
55	Without mention of immaturity (.0-.4)-----	105	18	46	20	9	6	-	-	-
56	With immaturity (.5-.9)-----	214	39	102	40	11	6	3	3	4
57	Hemolytic disease of newborn (erythroblastosis)-----770	891	210	439	80	37	29	19	16	11
58	Without mention of immaturity (.0-.2)-----	682	165	345	56	29	25	14	11	6
59	With immaturity (.5-.7)-----	199	45	94	24	8	4	5	5	5
60	Hemorrhagic disease of newborn-----771	223	5	69	35	27	31	9	12	8
61	Without mention of immaturity (.0)-----	139	5	52	23	16	19	2	6	5
62	With immaturity (.5)-----	84	-	17	12	11	12	7	6	3
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	4,073	254	1,787	802	516	131	74	50	36
64	Without mention of immaturity (.0)-----	1,023	46	298	196	141	40	16	8	3
65	With immaturity (.5)-----	3,050	208	1,489	606	375	91	58	42	33
66	Immaturity with mention of any other subsidiary condition-----774	446	34	136	30	35	19	15	12	14
67	Immaturity, unqualified-----776	7,233	851	4,228	965	469	190	108	83	76
68	Symptoms and ill-defined conditions-----780-793,795	1,076	65	86	40	33	17	10	6	9
69	All other diseases-----Residual	557	13	50	16	18	14	8	6	5
70	Accidents-----E800-E962	1,565	10	12	11	15	18	10	5	8
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	336	2	1	3	5	5	2	2	3
72	Accidental mechanical suffocation in bed and cradle-----E924	361	2	1	1	1	2	-	-	2
73	Other accidental causes-----E800-E920,E923,E925-E962	868	6	10	7	9	11	8	3	3
74	Homicide-----E964,E980-E984	99	54	1	2	-	-	1	-	1

SECTION 2 - MORTALITY

by Age, Color, and Sex: United States, 1963—Con.

of the Seventh Revision of the International Lists, 1955. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
27,852	1,551	927	753	31,083	2,799	2,251	1,781	1,339	974	662	667	565	503	434	398	1
-	2	1	-	3	3	5	6	7	-	10	6	4	1	1	2	2
-	-	-	-	-	33	29	25	13	6	11	11	6	9	6	4	3
1	2	2	2	7	11	4	8	6	3	5	1	3	1	3	1	4
3	8	5	-	16	12	7	7	5	6	10	13	6	8	9	5	5
19	15	6	1	41	2	-	-	-	-	-	-	-	-	-	-	6
10	5	1	2	18	6	10	5	4	6	10	8	10	14	7	7	8
21	3	1	-	25	3	4	3	5	2	1	3	1	1	-	4	9
7	-	-	4	11	7	6	7	3	1	-	-	1	1	-	-	10
37	29	29	14	109	48	35	29	30	19	35	31	15	16	7	9	11
8	1	4	5	18	33	39	23	39	18	25	25	15	21	26	15	12
3	2	3	6	14	30	25	25	18	14	8	8	9	7	11	3	13
5	3	3	1	12	817	769	575	430	316	254	196	152	134	107	66	14
5	3	3	1	12	25	24	16	19	13	16	11	10	5	7	4	15
...	792	745	559	411	303	218	185	142	129	100	82	16
6	4	6	4	20	29	30	37	22	17	14	13	12	8	7	7	17
37	9	12	11	69	187	164	125	59	45	33	12	18	6	6	7	18
11	5	3	3	22	20	27	12	6	4	5	1	4	2	1	1	19
2	-	2	2	6	133	105	90	38	30	22	8	11	2	2	3	20
1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	21
6	1	5	5	17	24	22	19	13	5	4	2	1	2	2	1	22
17	3	2	1	23	9	10	4	2	6	2	2	2	2	1	2	23
216	22	14	12	264	22	15	9	6	4	5	2	3	3	-	3	24
1	1	1	2	5	157	133	115	88	104	75	61	53	41	35	30	25
73	21	19	14	127	39	20	14	21	10	11	9	6	7	10	6	26
3,265	439	278	223	4,205	648	408	297	248	186	172	122	111	88	82	71	27
272	43	48	38	401	106	50	44	33	32	21	17	14	17	10	9	28
242	17	16	12	287	53	39	47	28	23	18	22	19	13	13	16	29
1,136	255	145	114	1,650	351	254	184	158	104	105	72	58	43	35	38	30
1,615	124	69	59	1,867	138	65	42	29	27	30	11	20	15	24	8	31
23,596	865	446	367	25,274	218	98	65	40	21	15	12	5	11	12	6	32
3,467	62	20	8	3,557	3	-	-	1	-	-	-	-	-	1	-	33
1,302	40	13	6	1,361	2	-	-	1	-	-	-	-	-	1	-	34
2,165	22	7	2	2,196	1	-	-	-	-	-	-	-	-	1	-	35
920	51	13	8	992	36
524	34	10	6	574	37
396	17	3	2	418	38
2,547	11	7	-	2,565	3	-	-	1	1	39
778	6	3	-	787	2	-	-	1	-	-	-	-	-	1	-	40
1,769	5	4	-	1,778	1	-	-	-	1	-	-	-	-	-	-	41
6,960	110	28	21	7,119	39	14	13	8	2	3	1	1	1	1	2	42
1,831	22	11	10	1,874	26	10	13	8	2	2	1	1	1	1	1	43
5,129	88	17	11	5,245	13	4	-	-	-	1	-	-	-	-	1	44
686	219	207	197	1,309	45
455	151	169	178	953	46
231	68	38	19	356	47
19	52	52	46	169	-	-	-	-	-	-	-	-	-	-	-	48
17	44	39	37	137	-	-	-	-	-	-	-	1	-	-	-	49
2	8	13	9	32	-	-	-	-	-	-	-	1	-	-	-	50
205	94	35	20	354	1	-	-	1	-	-	-	-	-	-	-	51
113	50	20	19	202	1	-	-	1	-	-	-	-	-	-	-	52
92	44	15	1	152	-	-	-	-	-	-	-	-	-	-	-	53
307	8	-	-	315	2	-	-	-	-	-	1	-	-	1	-	54
99	2	-	-	101	2	-	-	-	-	-	1	-	-	1	-	55
208	6	-	-	214	-	-	-	-	-	-	-	-	-	-	-	56
841	27	6	2	876	2	2	-	-	-	1	-	-	-	-	-	57
651	20	5	2	678	1	2	-	-	-	1	-	-	-	-	-	58
190	7	1	-	198	1	-	-	-	-	-	-	-	-	-	-	59
196	14	3	9	222	1	-	-	-	-	-	-	-	-	-	-	60
128	4	-	6	138	1	-	-	-	-	-	-	-	-	-	-	61
68	10	3	3	84	-	-	-	-	-	-	-	-	-	-	-	62
3,650	85	43	27	3,805	94	56	34	25	17	10	7	2	10	9	4	63
748	15	17	13	793	69	49	33	22	16	10	7	2	10	8	4	64
2,902	70	26	14	3,012	25	7	1	3	1	-	-	-	-	1	-	65
295	39	11	11	356	52	17	15	2	1	-	2	1	-	-	-	66
6,970	155	41	26	7,192	24	9	3	3	-	1	1	-	-	-	-	67
266	41	29	23	359	173	160	115	94	47	50	19	19	10	14	16	68
130	28	19	16	193	60	41	34	45	36	27	25	19	25	27	25	69
89	49	47	44	229	226	220	217	134	97	93	77	78	69	50	75	70
23	16	15	12	66	48	60	69	21	18	16	8	9	7	8	6	71
9	10	11	14	44	86	62	62	35	17	24	15	9	5	-	2	72
57	23	21	18	119	92	98	86	78	62	53	54	60	57	42	67	73
59	2	1	2	64	7	3	2	4	4	5	1	3	1	4	1	74

SECTION 2 - MORTALITY

Table 2-11. Deaths Under 1 Year From 55 Selected Causes,

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers)

CAUSE OF DEATH, COLOR, AND SEX	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1 WHITE, BOTH SEXES--ALL CAUSES-----	75,727	6,243	25,493	8,254	5,397	2,242	1,218	903	658
2 Dysentery, all forms-----045-048	38	-	-	-	-	-	1	-	-
3 Septicemia and pyemia-----053	234	-	-	-	-	-	-	-	-
4 Whooping cough-----056	41	-	-	-	-	-	-	-	-
5 Meningococcal infections-----057	164	-	-	-	-	-	-	-	-
6 Tetanus-----061	13	-	-	-	-	-	-	2	3
7 Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	362	3	6	1	3	2	1	3	3
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	219	5	7	1	5	1	2	1	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	105	11	18	8	3	1	3	5	2
10 Diseases of thymus gland-----273	74	-	5	3	3	-	1	-	1
11 Meningitis, except meningococcal and tuberculous-----340	576	-	2	10	5	12	8	15	9
12 Other diseases of nervous system and sense organs-----330-334,341-398	485	-	7	5	3	3	1	4	4
13 Acute upper respiratory infections-----470-475	232	-	-	-	-	-	-	1	2
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	5,144	1	2	-	-	1	-	1	-
15 Pneumonia, except pneumonia of newborn-----480-485	167	1	2	-	-	1	-	1	-
16 Bronchitis-----500-502	400	1	-	2	-	1	-	-	-
17 Other diseases of respiratory system-----510-522,525-527	1,180	10	31	19	11	2	7	1	4
18 Pulmonary congestion and hypostasis-----522	168	3	11	6	3	1	2	-	3
19 Other chronic interstitial pneumonia-----525	740	1	2	-	-	-	-	-	-
20 Bronchiectasis-----526	4	-	-	-	-	-	1	-	-
21 Other diseases of lung and pleural cavity-----527,2	162	1	4	5	3	-	3	-	1
22 All other diseases of respiratory system-----510-521,527.1	106	5	14	8	5	1	1	1	-
24 Hernia and intestinal obstruction-----560,561,570	729	73	202	78	46	25	13	3	6
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	964	-	-	-	1	-	-	-	-
26 Other diseases of digestive system-----530-542,544-553,573-587	495	4	10	11	31	21	22	22	9
27 Congenital malformations-----750-759	12,173	1,208	2,190	746	770	538	285	267	180
28 Spina bifida and meningocele-----751	1,189	101	160	46	25	27	15	22	12
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	1,026	119	186	56	38	20	19	12	12
30 Congenital malformations of circulatory system-----754	5,813	124	643	405	512	360	165	143	100
31 Other congenital malformations-----750,755-759	4,145	864	1,201	239	195	131	86	90	56
32 Certain diseases of early infancy-----760-776	45,588	4,792	22,822	7,287	4,428	1,574	832	547	410
33 Birth injuries-----760,761	7,111	1,253	3,652	936	614	255	122	72	33
34 Without mention of immaturity (.0)-----	2,553	461	1,032	390	301	144	68	39	15
35 With immaturity (.5)-----	4,558	792	2,620	546	313	111	54	33	18
36 Intracranial and spinal injury at birth-----760	1,973	87	712	387	336	165	84	46	21
37 Without mention of immaturity (.0)-----	1,171	54	398	218	210	116	51	31	11
38 With immaturity (.5)-----	802	33	314	169	126	53	33	15	10
39 Other birth injury-----761	5,138	1,166	2,940	549	278	90	38	26	12
40 Without mention of immaturity (.0)-----	1,382	407	634	172	91	32	17	8	4
41 With immaturity (.5)-----	3,756	759	2,306	377	187	58	21	18	8
42 Postnatal asphyxia and atelectasis-----762	13,286	1,115	7,061	2,563	1,353	400	199	105	80
43 Without mention of immaturity (.0)-----	3,689	343	1,614	790	463	137	65	30	20
44 With immaturity (.5)-----	9,597	772	5,447	1,773	890	263	134	75	60
45 Pneumonia of newborn-----763	2,016	28	312	234	239	142	83	68	72
46 Without mention of immaturity (.0)-----	1,446	23	192	150	162	88	53	37	45
47 With immaturity (.5)-----	570	5	120	84	77	54	30	31	27
48 Diarrhea of newborn-----764	166	-	1	-	-	3	5	1	3
49 Without mention of immaturity (.0)-----	139	-	1	-	-	3	5	1	3
50 With immaturity (.5)-----	27	-	-	-	-	-	-	-	-
51 Other infections of newborn-----765-768	547	25	72	49	51	44	38	24	27
52 Without mention of immaturity (.0)-----	332	11	25	34	35	31	19	14	10
53 With immaturity (.5)-----	215	14	47	15	16	13	19	10	17
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	540	68	278	100	43	20	7	4	2
55 Without mention of immaturity (.0-.4)-----	187	22	82	33	19	12	4	2	-
56 With immaturity (.5-.9)-----	353	46	196	67	24	8	3	2	2
57 Hemolytic disease of newborn (erythroblastosis)-----770	1,644	368	791	163	98	66	32	33	18
58 Without mention of immaturity (.0-.2)-----	1,274	295	613	117	73	56	25	26	11
59 With immaturity (.5-.7)-----	370	73	178	46	25	10	7	7	7
60 Hemorrhagic disease of newborn-----771	393	13	119	65	58	47	19	16	12
61 Without mention of immaturity (.0)-----	241	9	68	39	32	35	7	7	7
62 With immaturity (.5)-----	152	4	31	26	26	12	12	9	5
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	7,573	431	3,507	1,665	1,156	297	112	80	53
64 Without mention of immaturity (.0)-----	1,915	76	550	467	372	93	27	17	8
65 With immaturity (.5)-----	5,657	355	2,957	1,198	784	204	85	63	45
66 Immaturity with mention of any other subsidiary condition-----774	777	70	289	78	73	32	33	20	16
67 Immaturity, unqualified-----776	11,535	1,421	6,960	1,434	743	268	182	124	94
68 Symptoms and ill-defined conditions-----780-793,795	1,026	47	79	30	33	18	14	7	8
69 All other diseases-----Residual	962	20	86	33	28	28	11	8	9
70 Accidents-----E800-E962	2,388	8	17	16	26	15	15	16	7
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	548	1	3	4	13	5	3	6	4
72 Accidental mechanical suffocation in bed and cradle-----E924	540	-	1	1	-	-	1	1	-
73 Other accidental causes-----E800-E920,E923,E925-E962	1,297	7	13	11	13	10	11	9	3
74 Homicide-----E964,E980-E984	138	60	9	4	1	-	1	-	1

SECTION 2 - MORTALITY

by Age, Color, and Sex: United States, 1963-Con.

of the Seventh Revision of the International Lists, 1955. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
50,408	2,476	1,420	1,173	55,477	4,316	3,389	2,537	1,903	1,386	1,119	949	778	673	621	579	1
1	2	-	-	3	2	4	4	3	3	6	2	3	2	1	5	2
-	-	-	-	-	63	42	34	18	8	22	14	9	13	7	4	3
-	-	-	-	-	10	7	8	3	6	3	1	1	1	1	-	4
-	4	3	4	11	20	14	18	10	13	17	21	11	12	11	6	5
5	6	1	-	12	1	-	-	-	-	-	-	-	-	-	-	6
22	21	12	4	59	46	46	43	33	25	26	22	17	20	14	11	7
22	5	2	5	34	18	12	16	6	15	15	23	20	24	20	16	8
51	2	3	1	57	7	8	6	8	3	3	4	2	2	-	9	9
13	-	1	4	18	17	16	12	2	3	1	-	3	1	1	-	10
61	59	41	27	188	71	42	37	39	33	42	43	26	24	18	13	11
27	4	8	3	42	72	54	44	60	36	34	39	21	28	32	23	12
4	5	7	5	21	40	42	37	27	17	15	9	6	5	9	4	13
5	5	3	3	16	1,194	1,110	806	577	379	272	243	163	142	131	111	14
5	5	3	3	16	16	17	19	22	15	15	11	7	9	13	7	15
...	1,178	1,093	787	555	364	257	232	156	133	118	104	16
4	5	11	9	29	67	72	65	41	31	25	14	15	14	15	12	17
85	10	17	19	131	295	258	186	115	75	43	20	29	12	8	8	18
29	4	7	7	47	32	41	18	12	2	7	2	5	1	-	1	19
3	-	1	3	7	218	175	130	74	58	30	12	21	6	4	5	20
1	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	21
17	1	8	7	33	27	28	31	22	6	3	2	4	1	1	2	22
35	5	1	2	43	17	13	7	7	8	3	3	1	1	3	-	23
446	45	27	34	552	67	28	19	16	14	8	4	10	3	3	5	24
1	-	1	3	5	155	116	112	104	94	62	72	76	53	52	43	25
130	49	46	24	249	73	37	23	23	22	16	12	13	9	11	7	26
6,184	870	546	404	8,004	1,199	732	504	395	316	247	204	176	138	132	126	27
408	75	80	67	630	180	75	81	50	40	33	24	22	25	14	15	28
462	30	26	28	546	85	73	67	49	43	28	32	36	21	23	25	29
2,452	497	286	197	3,432	694	442	272	243	181	152	113	92	68	60	64	30
2,862	268	154	112	3,396	240	142	84	53	52	36	35	26	24	35	22	31
42,692	1,231	555	489	44,967	264	137	73	54	29	18	12	9	10	7	8	32
6,937	120	31	17	7,105	2	1	-	1	-	-	-	-	-	1	1	33
2,450	62	23	13	2,548	1	1	-	1	-	-	-	-	-	1	1	34
4,487	58	8	4	4,557	1	-	-	-	-	-	-	-	-	-	-	35
1,838	94	24	17	1,973	36
1,085	52	21	13	1,171	37
753	42	3	4	802	38
5,099	26	7	-	5,132	2	1	-	1	-	-	-	-	-	1	1	39
1,365	10	2	-	1,377	1	1	-	1	-	-	-	-	-	1	1	40
3,734	16	5	-	3,755	1	-	-	-	-	-	-	-	-	-	-	41
12,876	166	39	40	13,121	71	32	20	14	8	6	2	5	2	2	3	42
3,462	55	13	22	3,552	50	28	19	14	7	5	2	5	2	2	3	43
9,414	111	26	18	9,569	21	4	1	1	1	1	-	-	-	-	-	44
1,178	313	262	263	2,016	45
1,750	229	230	237	1,446	46
428	84	32	26	570	47
13	61	44	48	166	-	-	-	-	-	-	-	-	-	-	-	48
13	51	34	41	139	-	-	-	-	-	-	-	-	-	-	-	49
-	10	10	7	27	-	-	-	-	-	-	-	-	-	-	-	50
330	129	52	32	543	1	-	1	1	-	-	-	-	1	-	-	51
179	78	41	30	328	1	-	1	1	-	-	-	-	1	-	-	52
151	51	11	2	215	-	-	-	-	-	-	-	-	-	-	-	53
522	5	2	1	530	4	1	2	1	-	-	2	-	-	-	-	54
174	1	1	1	177	4	1	2	1	-	-	2	-	-	-	-	55
348	4	1	-	353	-	-	-	-	-	-	-	-	-	-	-	56
1,569	53	9	3	1,634	2	5	-	1	-	1	1	-	-	-	-	57
1,216	39	7	3	1,265	1	5	-	1	-	1	-	-	-	-	-	58
353	14	2	-	369	1	-	-	-	-	-	-	-	-	-	-	59
349	29	1	11	390	2	1	-	-	-	-	-	-	-	-	-	60
224	7	-	8	239	2	-	-	-	-	-	-	-	-	-	-	61
125	22	1	3	151	-	1	-	-	-	-	-	-	-	-	-	62
7,101	118	48	24	7,291	85	73	41	31	20	8	7	3	6	4	4	63
1,610	24	21	12	1,667	71	66	37	26	17	8	3	6	4	4	4	64
5,491	94	27	12	5,624	14	7	4	5	3	-	-	-	-	-	-	65
591	53	19	13	676	73	18	5	3	1	1	-	-	-	-	-	66
11,226	184	48	37	11,495	24	6	4	2	-	2	-	1	1	-	-	67
236	31	41	30	338	173	157	111	85	42	36	20	21	15	11	17	68
223	50	36	33	342	95	93	71	70	62	34	42	30	45	40	38	69
120	69	59	71	319	356	354	303	209	156	149	126	110	97	94	112	70
39	21	17	17	94	98	106	94	37	35	25	16	15	10	8	10	71
4	12	18	20	54	117	103	87	59	27	34	25	18	10	3	3	72
77	36	24	34	171	141	145	122	113	94	90	85	77	77	83	99	73
76	3	-	1	80	11	8	5	5	4	5	2	7	3	3	5	74

Table 2-II. Deaths Under 1 Year From 55 Selected Causes,

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers)

CAUSE OF DEATH, COLOR, AND SEX	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1 WHITE, MALE--ALL CAUSES-----	42,969	3,368	15,091	4,888	3,373	1,398	704	509	376
2 Dysentery, all forms-----045-048	19	-	-	-	-	-	1	-	-
3 Septicemia and pyemia-----053	135	-	-	-	-	-	-	-	-
4 Whooping cough-----056	19	-	-	-	-	-	-	-	-
5 Meningococcal infections-----057	89	-	-	-	-	-	-	-	-
6 Tetanus-----061	11	-	-	-	-	-	-	2	3
7 Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	201	3	3	1	1	-	-	1	2
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	134	3	4	1	3	1	2	-	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	61	6	10	6	2	-	2	3	1
10 Diseases of thymus gland-----273	45	-	3	1	1	-	1	-	-
11 Meningitis, except meningococcal and tuberculous-----340	334	-	2	2	3	7	5	8	5
12 Other diseases of nervous system and sense organs-----330-334,341-398	277	-	5	2	2	3	1	4	3
13 Acute upper respiratory infections-----470-475	134	-	-	-	-	-	-	1	2
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	2,994	-	1	-	-	1	-	-	-
15 Influenza-----480-483	89	-	1	-	-	1	-	-	-
16 Pneumonia, except pneumonia of newborn-----480-493	2,905
17 Bronchitis-----500-502	252	-	-	1	-	1	-	-	-
18 Other diseases of respiratory system-----510-522,525-527	683	7	19	14	7	2	3	1	2
19 Pulmonary congestion and hypostasis-----522	93	2	8	5	3	1	-	-	1
20 Other chronic interstitial pneumonia-----525	432	-	1	-	-	-	-	-	-
21 Bronchiectasis-----526	2	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527.2	9	-	3	4	1	-	2	-	1
23 All other diseases of respiratory system-----510-521,527.1	63	5	7	5	3	1	1	1	-
24 Hernia and intestinal obstruction-----560,561,570	451	42	117	41	29	16	9	2	2
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	558	-	-	-	1	-	-	-	-
26 Other diseases of digestive system-----530-542,544-553,573-587	285	1	5	3	20	13	14	12	8
27 Congenital malformations-----750-759	6,603	520	1,222	428	496	320	154	131	102
28 Spina bifida and meningocele-----751	512	35	69	18	9	12	7	7	6
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	538	66	100	34	23	14	9	5	10
30 Congenital malformations of circulatory system-----754	3,340	66	384	250	351	227	91	77	54
31 Other congenital malformations-----750,755-759	2,213	353	669	126	115	67	47	42	37
32 Certain diseases of early infancy-----760-776	27,102	2,727	13,586	4,335	2,753	999	486	322	231
33 Birth injuries-----760,761	4,295	738	2,202	540	406	177	61	47	21
34 Without mention of immaturity (.0)-----	1,535	257	612	235	200	104	35	25	8
35 With immaturity (.5)-----	2,760	481	1,590	305	206	73	26	22	13
36 Intracranial and spinal injury at birth-----760	1,258	56	450	242	223	118	43	34	13
37 Without mention of immaturity (.0)-----	757	33	252	145	141	82	27	22	5
38 With immaturity (.5)-----	501	23	198	97	82	36	16	12	8
39 Other birth injury-----761	3,037	682	1,752	298	183	59	18	13	8
40 Without mention of immaturity (.0)-----	778	224	90	59	22	8	3	3	3
41 With immaturity (.5)-----	2,259	458	1,392	208	124	37	10	10	5
42 Postnatal asphyxia and atelectasis-----762	8,086	654	4,290	1,570	834	258	118	61	44
43 Without mention of immaturity (.0)-----	2,278	192	967	499	307	96	36	16	13
44 With immaturity (.5)-----	5,808	462	3,323	1,071	527	162	82	45	31
45 Pneumonia of newborn-----763	1,190	18	189	130	161	83	50	42	45
46 Without mention of immaturity (.0)-----	853	15	112	83	110	51	31	23	24
47 With immaturity (.5)-----	337	3	77	47	51	32	19	19	21
48 Diarrhea of newborn-----764	90	-	-	-	-	2	1	1	2
49 Without mention of immaturity (.0)-----	75	-	-	-	-	2	1	1	2
50 With immaturity (.5)-----	15	-	-	-	-	-	-	-	-
51 Other infections of newborn-----765-768	311	9	46	25	25	35	26	11	19
52 Without mention of immaturity (.0)-----	195	3	14	19	17	25	13	8	6
53 With immaturity (.5)-----	116	6	32	6	8	10	13	3	13
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	309	30	162	58	27	12	6	3	-
55 Without mention of immaturity (.0-.4)-----	119	12	49	23	13	7	4	2	-
56 With immaturity (.5-.9)-----	190	18	113	35	14	5	2	1	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	849	170	393	89	63	45	18	1.9	9
58 Without mention of immaturity (.0-.2)-----	662	139	304	67	45	37	15	1.6	6
59 With immaturity (.5-.7)-----	187	31	89	22	18	8	3	3	3
60 Hemorrhagic disease of newborn-----771	235	9	70	41	40	24	13	6	8
61 Without mention of immaturity (.0)-----	143	5	48	26	22	21	6	2	4
62 With immaturity (.5)-----	92	4	22	15	18	3	7	4	4
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	4,665	237	2,028	1,047	735	197	65	47	29
64 Without mention of immaturity (.0)-----	1,238	46	338	313	257	62	17	10	6
65 With immaturity (.5)-----	3,427	191	1,690	734	478	135	48	37	23
66 Immaturity with mention of any other subsidiary condition-----774	461	41	165	52	43	18	23	12	7
67 Immaturity, unqualified-----776	6,611	821	4,041	783	419	148	105	73	47
68 Symptoms and ill-defined conditions-----780-783,795	596	20	54	18	20	14	11	4	5
69 All other diseases-----Residual	553	9	42	23	18	16	5	6	5
70 Accidents-----E800-E962	1,362	3	10	9	16	5	9	12	5
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	335	-	3	3	10	2	2	4	3
72 Accidental mechanical suffocation in bed and cradle-----E924	323	-	1	-	-	-	1	1	-
73 Other accidental causes-----E800-E920,E923,E925-E962	704	3	6	6	6	3	6	7	2
74 Homicide-----E964,E980-E984	71	27	8	3	1	-	1	-	-

SECTION 2 - MORTALITY

by Age, Color, and Sex: United States, 1963-Con.

of the Seventh Revision of the International Lists, 1955. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
29,707	1,403	813	685	32,608	2,516	1,967	1,460	1,077	802	599	541	422	339	327	311	1
1	-	-	-	1	1	3	2	1	3	1	1	1	1	1	3	2
-	-	-	-	-	42	22	18	12	4	13	8	7	6	2	1	3
-	-	-	-	-	5	4	2	2	4	1	1	-	-	-	-	4
-	2	2	2	6	9	8	11	8	8	10	8	7	8	3	3	5
5	5	-	-	10	1	-	-	-	-	-	-	-	-	-	-	6
11	9	8	3	31	24	26	16	19	20	17	15	9	8	10	6	7
14	2	2	3	21	13	4	4	11	2	10	5	16	13	12	16	8
30	1	2	1	34	5	4	1	5	4	1	2	2	1	1	2	9
6	-	1	2	9	12	11	7	-	2	1	-	2	-	1	-	10
32	35	22	15	104	40	20	26	22	25	24	27	14	12	13	7	11
20	4	5	1	30	50	27	28	33	21	21	23	11	11	13	9	12
3	4	4	2	13	24	25	20	18	8	12	4	2	2	4	2	13
2	2	-	3	7	708	668	502	322	221	146	140	84	71	62	63	14
2	2	-	3	7	7	7	13	13	6	6	7	4	7	6	6	15
...	701	661	489	309	215	140	133	80	64	56	57	16
2	2	6	7	17	43	53	39	28	20	15	5	9	9	8	6	17
55	5	9	12	81	166	147	102	73	46	23	12	15	9	5	4	18
20	3	4	31	15	22	9	8	1	4	1	2	2	-	-	-	19
1	-	-	2	3	125	106	71	47	35	16	6	12	5	3	3	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
11	-	5	4	20	15	13	19	12	4	2	3	1	3	1	2	22
23	2	-	2	27	11	5	3	6	5	1	2	1	1	2	-	23
258	31	17	24	330	48	15	11	12	12	7	2	7	2	3	2	24
1	-	-	2	3	88	69	71	58	45	44	43	44	31	33	29	25
76	31	31	11	149	41	21	12	9	16	9	7	11	4	3	3	26
3,373	499	318	233	4,423	670	394	262	207	153	108	110	85	65	62	64	27
163	34	41	34	272	83	29	38	20	12	16	11	9	9	6	7	28
256	15	13	19	303	37	38	27	21	21	11	16	21	10	11	11	29
1,500	283	166	114	2,063	413	239	141	128	93	69	57	44	31	32	30	30
1,454	167	98	66	1,785	137	88	51	32	27	12	26	11	15	13	16	31
25,439	692	303	278	26,712	163	88	43	30	21	14	8	8	5	4	6	32
4,192	71	16	13	4,292	1	1	-	-	-	-	-	-	-	-	1	33
1,476	32	14	11	1,533	-	1	-	-	-	-	-	-	-	-	1	34
2,716	39	2	2	2,759	1	-	-	-	-	-	-	-	-	-	-	35
1,179	51	15	15	1,258	36
707	25	14	11	757	37
472	26	1	2	501	38
3,013	20	1	1	3,034	1	1	-	-	-	-	-	-	-	-	1	39
769	7	-	-	776	1	1	-	-	-	-	-	-	-	-	1	40
2,244	13	1	-	2,258	1	-	-	-	-	-	-	-	-	-	-	41
7,829	100	23	26	7,978	46	23	11	9	7	3	1	4	1	1	2	42
2,126	39	6	14	2,185	34	22	10	9	6	3	1	4	1	1	2	43
5,703	61	17	12	5,793	12	1	1	-	1	-	-	-	-	-	-	44
718	181	140	151	1,190	45
449	138	132	134	853	46
269	43	8	17	337	47
6	33	24	27	90	-	-	-	-	-	-	-	-	-	-	-	48
6	26	20	23	75	-	-	-	-	-	-	-	-	-	-	-	49
-	7	4	4	15	-	-	-	-	-	-	-	-	-	-	-	50
196	68	29	15	308	1	-	1	-	-	-	-	-	1	-	-	51
105	46	27	14	192	1	-	-	-	-	-	-	-	-	-	-	52
91	22	2	1	116	-	-	-	-	-	-	-	-	-	-	-	53
298	1	2	1	302	2	1	2	1	-	-	1	-	-	-	-	54
110	-	1	1	112	2	1	2	1	-	-	-	-	-	-	-	55
188	1	1	-	190	-	-	-	-	-	-	-	-	-	-	-	56
806	31	3	2	842	1	3	-	1	-	1	-	-	-	-	-	57
629	22	2	2	655	1	3	-	1	-	1	-	-	-	-	-	58
177	9	1	-	187	-	-	-	-	-	-	-	-	-	-	-	59
211	18	-	4	233	1	1	-	-	-	-	-	-	-	-	-	60
134	5	-	3	142	1	-	-	-	-	-	-	-	-	-	-	61
77	13	-	1	91	-	1	-	-	-	-	-	-	-	-	-	62
4,385	64	25	13	4,487	52	47	27	15	13	8	5	3	2	3	3	63
1,049	15	12	5	1,081	43	43	23	13	11	8	5	3	2	3	3	64
3,336	49	13	8	3,406	9	4	4	2	2	-	-	-	-	-	-	65
361	25	11	5	402	44	10	3	1	1	1	-	-	-	-	-	66
6,437	100	30	21	6,588	15	2	2	1	-	-	1	1	1	-	-	67
146	14	30	21	211	100	76	65	48	29	19	12	13	11	5	7	68
124	27	24	19	194	51	62	44	39	36	18	26	20	25	17	21	69
69	37	29	46	181	207	215	160	127	96	88	70	54	44	62	58	70
27	8	6	10	51	61	72	49	24	23	17	11	9	6	6	6	71
3	6	10	14	33	67	67	47	37	20	16	15	11	5	3	2	72
39	23	13	22	97	79	76	64	66	53	55	44	34	33	53	50	73
40	1	-	-	41	5	5	3	3	1	1	5	2	-	-	4	74

SECTION 2 MORTALITY

Table 2-11. Deaths Under 1 Year From 55 Selected Causes,

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers)

CAUSE OF DEATH, COLOR, AND SEX	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1 WHITE, FEMALE--ALL CAUSES-----	30,758	2,875	10,402	3,366	2,024	844	514	394	282
2 Dysentery, all forms-----045-048	19	-	-	-	-	-	-	-	-
3 Septicemia and pyemia-----053	99	-	-	-	-	-	-	-	-
4 Whooping cough-----056	22	-	-	-	-	-	-	-	-
5 Meningococcal infections-----057	75	-	-	-	-	-	-	-	-
6 Tetanus-----061	2	-	-	-	-	-	-	-	-
7 Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	161	-	3	-	2	2	1	2	1
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	85	2	3	-	2	-	-	1	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	44	5	8	2	1	1	1	2	1
10 Diseases of thymus gland-----273	29	-	2	2	2	-	-	-	1
11 Meningitis, except meningococcal and tuberculous-----340	242	-	-	8	2	5	3	7	4
12 Other diseases of nervous system and sense organs-----330-334,341-398	208	-	2	3	1	-	-	-	1
13 Acute upper respiratory infections-----470-475	98	-	-	-	-	-	1	-	-
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	2,150	1	1	-	-	-	-	1	-
15 Influenza-----480-485	78	1	1	-	-	-	-	1	-
16 Pneumonia, except pneumonia of newborn-----490-495	2,072	-	-	-	-	-	-	-	-
17 Bronchitis-----500-502	148	1	-	1	-	-	-	-	-
18 Other diseases of respiratory system-----510-522,525-527	497	3	12	5	4	-	4	-	2
19 Pulmonary congestion and hypostasis-----522	75	1	3	1	-	-	2	-	2
20 Other chronic interstitial pneumonia-----525	308	1	1	-	-	-	-	-	-
21 Bronchiectasis-----526	2	-	-	-	-	-	1	-	-
22 Other diseases of lung and pleural cavity-----527-2	69	1	1	1	2	-	1	-	-
23 All other diseases of respiratory system-----510-521,527.1	43	-	7	3	2	-	-	-	-
24 Hernia and intestinal obstruction-----560,561,570	278	31	85	37	17	9	4	1	4
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	406	-	-	-	-	-	-	-	-
26 Other diseases of digestive system-----530-542,544-553,573-587	210	3	5	8	11	8	8	10	1
27 Congenital malformations-----750-759	5,570	688	968	318	274	218	151	136	78
28 Spina bifida and meningocele-----751	677	66	91	28	16	15	8	15	6
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,755	488	53	86	22	15	6	10	7	7
30 Congenital malformations of circulatory system-----754	2,473	58	259	155	161	133	74	66	46
31 Other congenital malformations-----750,755-759	1,832	511	532	113	82	64	39	48	19
32 Certain diseases of early infancy-----760-776	18,486	2,065	9,236	2,952	1,675	575	346	225	179
33 Birth injuries-----760,761	2,816	515	1,450	396	208	78	61	25	12
34 Without mention of immaturity (.0)-----	1,018	204	420	155	101	40	33	14	7
35 With immaturity (.5)-----	1,798	311	1,030	241	107	38	28	11	5
36 Intracranial and spinal injury at birth-----760	715	31	262	145	113	47	41	12	8
37 Without mention of immaturity (.0)-----	414	21	146	73	69	30	24	9	6
38 With immaturity (.5)-----	301	10	116	72	44	17	17	3	2
39 Other birth injury-----761	2,101	484	1,189	251	95	31	20	13	4
40 Without mention of immaturity (.0)-----	604	183	274	82	32	10	9	5	1
41 With immaturity (.5)-----	1,497	301	914	169	63	21	11	8	3
42 Postnatal asphyxia and atelectasis-----762	5,200	461	2,771	993	519	142	81	44	36
43 Without mention of immaturity (.0)-----	1,411	151	647	291	156	41	29	14	7
44 With immaturity (.5)-----	3,789	310	2,124	702	363	101	52	30	29
45 Pneumonia of newborn-----763	826	10	123	104	78	59	33	26	27
46 Without mention of immaturity (.0)-----	593	8	80	67	52	37	22	14	21
47 With immaturity (.5)-----	233	2	43	37	26	22	11	12	6
48 Diarrhea of newborn-----764	76	-	1	-	-	1	4	-	1
49 Without mention of immaturity (.0)-----	64	-	1	-	-	1	4	-	1
50 With immaturity (.5)-----	12	-	-	-	-	-	-	-	-
51 Other infections of newborn-----765-768	236	16	26	24	26	9	12	13	8
52 Without mention of immaturity (.0)-----	137	8	11	15	18	6	6	6	4
53 With immaturity (.5)-----	99	8	15	9	8	3	6	7	4
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	231	38	116	42	16	8	1	1	2
55 Without mention of immaturity (.0-.4)-----	68	10	33	10	6	5	-	-	-
56 With immaturity (.5-.9)-----	163	28	83	32	10	3	1	1	2
57 Hemolytic disease of newborn (erythroblastosis)-----770	795	198	398	74	35	21	14	14	9
58 Without mention of immaturity (.0-.2)-----	612	156	309	50	28	19	10	10	5
59 With immaturity (.5-.7)-----	183	42	89	24	7	2	4	4	4
60 Hemorrhagic disease of newborn-----771	158	4	49	24	18	23	6	10	4
61 Without mention of immaturity (.0)-----	98	4	40	13	10	14	1	5	3
62 With immaturity (.5)-----	60	-	9	11	8	9	5	5	1
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	2,908	194	1,279	618	421	100	47	33	24
64 Without mention of immaturity (.0)-----	678	30	212	154	115	31	10	7	2
65 With immaturity (.5)-----	2,230	164	1,067	464	306	69	37	26	22
66 Immaturity with mention of any other subsidiary condition-----774	316	29	104	26	30	14	10	8	9
67 Immaturity, unqualified-----776	4,924	600	2,919	651	324	120	77	51	47
68 Symptoms and ill-defined conditions-----780-793,795	430	27	25	12	13	4	3	3	3
69 All other diseases-----Residual	409	11	44	10	10	12	6	2	4
70 Accidents-----E800-E962	1,023	5	7	7	10	10	6	4	2
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	213	1	-	1	3	3	1	2	1
72 Accidental mechanical suffocation in bed and cradle-----E924	217	-	-	-	-	-	-	-	-
73 Other accidental causes-----E900-E920,E923,E925-E962	593	4	7	5	7	7	5	2	1
74 Homicide-----E964,E980-E984	67	33	1	1	-	-	-	-	1

SECTION 2 - MORTALITY

by Age, Color, and Sex: United States, 1963—Con.

of the Seventh Revision of the International Lists, 1955. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
20,701	1,073	607	488	22,869	1,800	1,422	1,077	826	584	520	408	356	354	294	268	1
-	2	-	-	2	1	1	2	2	-	5	1	2	1	-	2	2
-	-	-	-	-	21	20	16	6	4	9	6	2	7	5	3	3
-	-	-	-	-	5	3	6	1	2	2	1	1	1	1	1	4
-	2	1	2	5	11	6	7	2	5	7	13	4	4	8	5	5
1	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	6
11	12	4	1	28	22	20	27	14	5	9	7	8	12	4	5	7
8	3	-	2	13	5	8	5	4	5	10	7	7	12	4	5	8
21	1	1	2	23	2	4	1	4	2	1	2	1	1	-	5	9
7	-	-	2	9	5	5	5	2	1	-	-	1	1	-	-	10
29	24	19	12	84	31	22	11	17	8	18	18	12	12	5	6	11
7	-	3	2	12	22	27	16	27	15	13	18	10	17	19	14	12
1	1	3	3	8	16	17	17	9	9	3	5	4	3	5	2	13
3	3	3	3	9	486	442	304	255	158	188	105	79	71	69	48	14
3	3	3	3	9	9	10	6	9	4	9	4	3	2	7	1	15
...	477	432	298	246	149	117	99	76	69	62	47	16
2	3	5	2	12	24	19	26	13	11	10	9	6	5	7	6	17
30	5	8	7	50	129	111	84	42	29	20	8	14	3	3	4	18
9	1	3	3	16	17	19	9	4	1	3	1	3	1	1	1	19
2	-	1	1	4	93	69	59	27	23	14	6	9	1	1	2	20
1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	21
6	1	3	3	13	12	15	12	10	2	1	1	1	1	1	1	22
12	3	1	3	16	6	8	4	1	3	2	1	1	-	1	1	23
188	14	10	10	222	19	13	8	4	2	1	2	3	1	-	3	24
-	-	1	1	2	67	47	41	46	49	38	29	32	22	19	14	25
54	18	15	13	100	32	16	11	14	6	7	5	2	5	8	4	26
2,811	371	228	171	3,581	529	338	242	188	163	139	94	91	73	70	62	27
245	41	39	33	358	97	46	43	30	28	17	13	13	16	8	8	28
206	15	13	9	243	48	35	35	22	22	15	16	15	11	12	14	29
952	214	120	83	1,369	281	203	131	115	88	85	56	48	37	28	34	30
1,408	101	56	46	1,611	103	54	33	21	25	24	9	15	9	22	6	31
17,253	539	252	211	18,255	101	49	30	24	8	4	4	1	5	3	2	32
2,745	49	15	4	2,813	1	-	-	1	-	-	-	-	-	1	-	33
874	30	9	2	1,015	-	-	-	1	-	-	-	-	-	-	-	34
1,771	19	6	2	1,798	-	-	-	-	-	-	-	-	-	-	-	35
659	43	9	4	715	36
378	27	7	2	414	37
281	16	2	2	301	38
2,086	6	6	-	2,098	1	-	-	1	-	-	-	-	-	1	-	39
596	3	2	-	601	1	-	-	1	-	-	-	-	-	1	-	40
1,490	3	4	-	1,487	-	-	-	-	-	-	-	-	-	-	-	41
5,047	66	16	14	5,143	25	9	9	5	1	3	1	1	1	1	1	42
1,336	16	7	8	1,367	16	6	9	5	1	2	1	1	1	1	1	43
3,711	50	9	6	3,776	9	3	-	-	-	1	-	-	-	-	-	44
460	132	122	112	826	45
301	91	98	103	593	46
159	41	24	9	233	47
7	28	20	21	76	48
7	25	14	18	64	49
-	3	6	3	12	50
134	61	23	17	235	-	-	-	1	-	-	-	-	-	-	-	51
74	32	14	16	136	-	-	-	1	-	-	-	-	-	-	-	52
60	29	9	1	99	-	-	-	-	-	-	-	-	-	-	-	53
224	4	-	-	228	2	-	-	-	-	-	1	-	-	-	-	54
64	1	-	-	65	2	-	-	-	-	-	1	-	-	-	-	55
160	3	-	-	163	-	-	-	-	-	-	-	-	-	-	-	56
763	22	6	1	792	1	2	-	-	-	-	-	-	-	-	-	57
587	17	5	1	610	-	2	-	-	-	-	-	-	-	-	-	58
176	5	1	-	182	1	-	-	-	-	-	-	-	-	-	-	59
138	11	1	7	157	1	-	-	-	-	-	-	-	-	-	-	60
90	2	-	5	97	1	-	-	-	-	-	-	-	-	-	-	61
48	9	1	2	60	-	-	-	-	-	-	-	-	-	-	-	62
2,716	54	23	11	2,804	33	26	14	16	7	-	2	-	4	1	1	63
561	9	9	7	586	28	23	14	13	6	-	2	-	4	1	1	64
2,155	45	14	4	2,218	5	3	-	3	1	-	-	-	-	-	-	65
230	28	8	8	274	29	8	5	-	-	-	-	-	-	-	-	66
4,789	84	18	16	4,907	9	4	2	1	-	1	-	-	-	-	-	67
90	17	11	9	127	73	61	46	37	13	17	8	8	4	6	10	68
99	23	12	14	148	44	31	27	31	26	16	16	10	20	23	17	69
51	32	30	25	138	149	139	143	82	60	61	56	56	53	32	54	70
12	13	11	7	43	37	34	45	13	12	8	5	6	4	2	4	71
1	6	8	6	21	50	36	40	22	7	18	10	7	5	-	1	72
38	13	11	12	74	62	69	58	47	41	35	41	43	44	30	49	73
36	2	-	1	39	6	3	2	2	3	4	1	2	1	3	1	74

Table 2-11. Deaths Under 1 Year From 55 Selected Causes,

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers)

CAUSE OF DEATH, COLOR, AND SEX	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1 NONWHITE, BOTH SEXES--ALL CAUSES-----	26,511	1,690	7,618	2,260	1,298	654	438	322	238
2 Dysentery, all forms-----045-048	55	-	-	-	-	-	-	-	-
3 Septicemia and pyemia-----053	126	-	-	-	-	-	-	-	-
4 Whooping cough-----056	46	-	-	-	-	-	-	-	-
5 Meningococcal infections-----057	36	-	-	-	-	1	1	1	2
6 Tetanus-----061	32	-	-	-	-	-	1	1	1
7 Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	161	2	3	5	2	1	2	-	-
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	36	2	1	1	-	-	-	-	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	14	2	2	1	-	-	-	-	-
10 Diseases of thymus gland-----273	12	-	-	-	-	-	-	-	-
11 Meningitis, except meningococcal and tuberculous-----340	270	-	-	2	3	2	1	-	4
12 Other diseases of nervous system and sense organs-----330-334,341-398	186	-	1	2	-	-	2	1	-
13 Acute upper respiratory infections-----470-475	149	-	-	1	1	1	3	-	-
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	3,553	-	-	-	2	1	1	-	-
15 Influenza-----480-483	186	-	-	-	2	1	1	-	-
16 Pneumonia, except pneumonia of newborn-----490-493	3,367	-	-	-	-	-	-	-	-
17 Bronchitis-----500-502	158	-	-	1	4	-	1	-	-
18 Other diseases of respiratory system-----510-522,525-527	502	1	5	4	3	2	1	1	-
19 Pulmonary congestion and hypostasis-----522	62	-	1	1	2	-	1	1	-
20 Other chronic interstitial pneumonia-----525	316	-	-	-	-	-	-	-	-
21 Bronchiectasis-----526	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527,2	85	-	-	2	-	-	-	-	-
23 All other diseases of respiratory system-----510-521,527,1	59	1	4	1	1	2	-	-	-
24 Hernia and intestinal obstruction-----560,561,570	156	7	18	10	4	6	6	-	4
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	1,088	-	-	-	-	-	-	1	-
26 Other diseases of digestive system-----530-542,544-553,573-587	145	1	1	2	5	8	5	14	4
27 Congenital malformations-----750-759	1,933	159	296	103	96	79	56	37	25
28 Spina bifida and meningocele-----751	99	5	11	2	2	3	4	1	4
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	178	24	23	9	3	4	1	1	-
30 Congenital malformations of circulatory system-----754	1,002	15	113	61	66	53	33	15	10
31 Other congenital malformations-----750,755-759	854	95	149	31	25	19	18	20	11
32 Certain diseases of early infancy-----760-776	14,964	1,408	7,108	2,039	1,105	496	320	253	173
33 Birth injuries-----760,761	1,575	284	757	250	135	62	29	17	11
34 Without mention of immaturity (.0)-----	755	152	315	110	61	36	15	4	4
35 With immaturity (.5)-----	820	132	442	120	54	24	14	13	7
36 Intracranial and spinal injury at birth-----760	622	33	240	137	83	49	23	13	10
37 Without mention of immaturity (.0)-----	355	21	134	72	55	28	12	3	4
38 With immaturity (.5)-----	267	12	106	65	28	21	11	10	6
39 Other birth injury-----761	953	251	517	93	52	13	6	4	1
40 Without mention of immaturity (.0)-----	400	131	181	38	26	10	3	1	-
41 With immaturity (.5)-----	553	120	336	55	26	3	3	1	1
42 Postnatal asphyxia and atelectasis-----762	3,816	369	2,113	606	325	104	53	45	26
43 Without mention of immaturity (.0)-----	988	132	447	167	95	34	16	4	5
44 With immaturity (.5)-----	2,828	237	1,666	439	230	70	37	41	21
45 Pneumonia of newborn-----763	1,068	14	153	105	76	72	62	46	28
46 Without mention of immaturity (.0)-----	784	10	97	70	51	50	46	25	13
47 With immaturity (.5)-----	284	4	56	33	25	22	16	21	15
48 Diarrhea of newborn-----764	214	-	1	2	-	-	-	8	2
49 Without mention of immaturity (.0)-----	176	-	1	2	-	-	-	7	1
50 With immaturity (.5)-----	58	-	-	-	-	-	-	1	1
51 Other infections of newborn-----765-768	272	19	45	17	14	22	24	19	9
52 Without mention of immaturity (.0)-----	162	10	19	11	12	11	16	14	6
53 With immaturity (.5)-----	110	9	26	6	2	11	8	5	3
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	169	30	66	27	15	10	4	3	5
55 Without mention of immaturity (.0-.4)-----	73	15	25	15	8	3	-	-	3
56 With immaturity (.5-.9)-----	96	15	41	12	7	7	4	3	2
57 Hemolytic disease of newborn (erythroblastosis)-----770	121	9	51	6	12	16	6	6	3
58 Without mention of immaturity (.0-.2)-----	102	6	48	6	9	13	4	4	2
59 With immaturity (.5-.7)-----	19	3	3	-	3	3	2	2	1
60 Hemorrhagic disease of newborn-----771	154	2	36	29	27	15	5	8	6
61 Without mention of immaturity (.0)-----	88	2	24	17	13	9	1	4	3
62 With immaturity (.5)-----	66	-	12	12	14	6	4	4	3
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	2,556	145	1,072	402	200	64	60	30	19
64 Without mention of immaturity (.0)-----	789	36	164	85	44	20	16	4	3
65 With immaturity (.5)-----	1,767	109	908	317	156	44	44	26	16
66 Immaturity with mention of any other subsidiary condition-----774	283	7	88	25	18	12	7	9	6
67 Immaturity, unqualified-----776	4,736	529	2,746	892	283	119	70	62	58
68 Symptoms and ill-defined conditions-----780-793,795	1,495	92	144	66	50	30	22	7	15
69 All other diseases-----Residual	334	4	19	10	10	7	4	4	4
70 Accidents-----E800-E962	1,023	6	20	11	12	19	11	3	7
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	225	2	3	5	5	7	3	2	2
72 Accidental mechanical suffocation in bed and cradle-----E924	265	2	3	-	3	3	2	-	2
73 Other accidental causes-----E800-E920,E923,E925-E962	533	2	14	6	4	9	6	1	3
74 Homicide-----E964,E980-E984	57	26	-	2	1	2	1	-	-

SECTION 2 - MORTALITY

by Age, Color, and Sex: United States, 1963-Con.

of the Seventh Revision of the International Lists, 1955. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
14,518	909	678	571	16,676	2,185	1,793	1,442	1,108	840	685	506	406	321	262	287	1
-	1	1	1	3	6	7	7	7	2	5	7	5	-	4	2	2
-	-	-	-	-	42	24	13	13	8	4	10	5	4	1	2	3
-	-	-	-	-	10	5	5	8	3	4	2	3	3	2	1	4
2	-	-	-	2	1	2	2	4	1	6	1	5	5	2	5	5
4	16	7	1	28	4	-	-	-	-	-	-	-	-	-	-	6
15	8	3	3	29	16	10	17	10	14	9	9	14	13	6	14	7
4	3	1	-	8	2	3	2	2	2	-	1	6	2	3	5	8
5	1	-	-	6	-	-	4	1	1	-	-	1	-	-	1	9
-	-	-	2	2	4	-	3	1	1	1	-	-	-	-	-	10
12	12	17	6	47	23	27	29	27	27	30	23	8	15	8	6	11
6	2	1	5	14	22	25	16	25	17	19	14	11	6	8	9	12
5	1	3	3	12	29	18	21	22	12	8	7	7	6	6	1	13
4	3	1	3	11	725	693	566	391	330	230	182	136	120	84	85	14
4	3	1	3	11	31	27	20	21	18	17	14	11	6	4	6	15
...	694	666	546	370	312	213	168	125	114	80	79	16
6	-	1	5	12	19	21	20	16	14	10	8	7	3	3	5	17
17	7	4	11	39	118	174	84	43	37	26	7	9	7	11	7	18
6	5	4	4	15	9	15	7	6	3	3	1	2	2	1	1	19
-	-	1	2	3	81	79	60	29	24	16	5	7	3	4	5	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
2	-	2	3	7	24	13	16	6	7	6	2	2	1	3	3	22
9	2	1	2	14	4	7	1	2	3	1	-	1	1	3	2	23
55	15	10	5	85	19	10	11	6	7	7	1	2	4	2	2	24
1	1	1	-	3	219	179	144	125	103	88	72	50	37	31	37	25
40	6	9	4	59	19	9	11	10	7	6	8	6	2	4	4	26
851	113	108	86	1,138	221	151	90	96	57	48	39	35	23	18	17	27
32	5	12	6	55	12	8	2	6	4	3	3	1	1	3	1	28
65	3	11	5	84	17	13	14	11	7	6	8	2	4	4	4	29
366	61	45	48	520	128	96	57	63	35	32	18	15	8	9	30	
368	44	40	27	479	64	34	17	18	11	7	5	8	7	3	31	
12,902	630	429	352	14,315	253	132	87	57	37	26	18	13	8	12	8	32
1,525	29	9	8	1,571	3	-	-	-	1	-	-	-	-	-	-	33
719	13	7	8	753	2	-	-	-	-	-	-	-	-	-	-	34
806	10	2	1	818	1	-	-	-	-	-	-	-	-	-	-	35
588	20	8	6	622	36
329	14	6	6	355	37
259	6	2	2	267	38
937	9	1	2	949	39
390	5	1	2	398	40
547	4	-	-	551	41
3,641	71	21	10	3,745	32	15	7	8	6	2	-	1	-	-	2	42
900	18	11	4	933	18	13	7	7	6	2	-	1	-	-	1	43
2,741	53	10	6	2,810	14	2	-	1	-	-	-	-	-	-	1	44
554	168	173	173	1,068	45
362	122	148	152	784	46
192	46	25	21	284	47
13	50	75	74	212	48
11	40	60	63	174	1	-	-	-	-	-	-	1	-	-	-	49
2	10	15	11	38	-	-	-	-	-	-	-	-	-	-	-	50
169	63	25	13	270	2	-	-	-	-	-	-	-	-	-	-	51
99	33	16	12	160	2	-	-	-	-	-	-	-	-	-	-	52
70	30	9	1	110	-	-	-	-	-	-	-	-	-	-	-	53
160	6	1	-	167	-	-	1	-	-	-	-	-	-	-	1	54
89	1	-	-	71	-	-	1	-	-	-	-	-	-	-	-	55
91	5	-	-	96	-	-	-	-	-	-	-	-	-	-	-	56
109	5	2	1	117	2	-	1	-	-	1	-	-	-	-	-	57
92	3	2	1	98	2	-	1	-	-	1	-	-	-	-	-	58
17	2	-	-	19	-	-	-	-	-	-	-	-	-	-	-	59
128	13	6	7	154	-	-	-	-	-	-	-	-	-	-	-	60
73	7	3	5	88	-	-	-	-	-	-	-	-	-	-	-	61
55	6	3	2	66	-	-	-	-	-	-	-	-	-	-	-	62
1,992	71	56	35	2,154	120	85	58	41	27	21	15	10	8	11	6	63
372	22	27	17	438	90	76	55	35	25	21	15	10	8	10	6	64
1,620	49	29	18	1,716	30	9	3	6	2	-	-	-	-	1	-	65
152	19	6	5	182	58	18	16	3	2	1	2	1	-	-	-	66
4,459	135	55	26	4,675	35	14	4	5	1	1	-	-	-	-	-	67
426	44	44	44	558	231	186	163	110	69	70	33	24	15	13	23	68
62	11	13	6	92	43	32	20	30	14	24	16	20	15	12	16	69
89	35	24	33	181	156	143	124	101	75	61	44	38	33	31	36	70
29	9	6	6	50	34	39	36	28	15	14	12	5	6	7	5	71
15	4	4	16	39	65	48	35	28	18	11	13	5	-	2	2	72
45	22	14	11	92	57	55	53	60	43	38	26	31	27	22	29	73
32	-	1	1	34	3	2	3	3	2	3	4	1	-	1	1	74

Table 2-11. Deaths Under 1 Year From 55 Selected Causes,

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers)

CAUSE OF DEATH, COLOR, AND SEX.	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1 NONWHITE, MALE--ALL CAUSES-----	14,907	967	4,339	1,291	761	362	257	178	124
2 Dysentery, all forms-----045-048	26	-	-	-	-	-	-	-	-
3 Septicemia and pyemia-----053	72	-	-	-	-	-	-	-	-
4 Whooping cough-----056	22	-	-	-	-	-	-	-	-
5 Meningococcal infections-----057	17	-	-	-	-	-	1	-	-
6 Tetanus-----061	16	-	-	-	-	-	-	-	1
7 Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	76	-	1	4	1	-	1	-	-
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	18	2	-	-	-	-	-	-	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	9	2	2	1	-	-	-	-	-
10 Diseases of thymus gland-----273	7	-	-	-	-	-	-	-	-
11 Meningitis, except meningococcal and tuberculous-----340	158	-	-	2	1	-	-	-	2
12 Other diseases of nervous system and sense organs-----330-334,341-398	106	-	1	1	-	-	-	1	-
13 Acute upper respiratory infections-----470-475	76	-	-	1	-	-	2	-	-
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	1,961	-	-	-	1	1	-	-	-
15 Influenza-----480-483	102	-	-	-	1	1	-	-	-
16 Pneumonia, except pneumonia of newborn-----490-493	1,859
17 Bronchitis-----500-502	74	-	-	-	2	-	-	-	-
18 Other diseases of respiratory system-----510-522,525-527	274	-	3	3	2	-	1	1	-
19 Pulmonary congestion and hypostasis-----522	33	-	-	1	1	-	1	1	-
20 Other chronic interstitial pneumonia-----525	177	-	-	-	-	-	-	-	-
21 Bronchiectasis-----526	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527.2	43	-	-	2	-	-	-	-	-
23 All other diseases of respiratory system-----510-521,527.1	21	-	3	-	1	-	-	-	-
24 Hernia and intestinal obstruction-----560,561,570	107	1	15	4	3	5	4	-	2
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	615	-	-	-	-	-	-	-	-
26 Other diseases of digestive system-----530-542,544-553,573-587	84	1	-	1	2	5	1	11	2
27 Congenital malformations-----750-759	1,067	78	170	49	64	47	28	24	14
28 Spina bifida and meningocele-----751	46	1	7	-	-	2	3	-	2
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	99	12	16	3	1	1	-	1	-
30 Congenital malformations of circulatory system-----754	546	11	62	32	46	33	19	11	4
31 Other congenital malformations-----750,755-759	376	54	85	14	17	11	6	12	8
32 Certain diseases of early infancy-----760-776	8,531	817	4,036	1,175	643	268	191	133	90
33 Birth injuries-----760,761	919	186	422	143	75	36	17	7	3
34 Without mention of immaturity (.0)-----	444	99	169	69	51	21	10	3	2
35 With immaturity (.5)-----	475	87	253	74	24	15	7	4	1
36 Intracranial and spinal injury at birth-----760	369	24	139	87	45	30	13	6	3
37 Without mention of immaturity (.0)-----	212	15	74	44	34	18	7	3	2
38 With immaturity (.5)-----	157	9	65	43	11	12	6	3	1
39 Other birth injury-----761	550	162	283	56	30	6	4	1	-
40 Without mention of immaturity (.0)-----	232	84	95	25	17	3	3	-	-
41 With immaturity (.5)-----	318	78	188	31	13	3	1	1	-
42 Postnatal asphyxia and atelectasis-----762	2,159	193	1,206	348	186	55	32	20	20
43 Without mention of immaturity (.0)-----	564	69	238	106	61	17	9	2	4
44 With immaturity (.5)-----	1,595	124	968	242	125	38	23	18	16
45 Pneumonia of newborn-----763	622	9	95	64	46	44	41	31	1.6
46 Without mention of immaturity (.0)-----	450	7	54	46	29	28	33	13	8
47 With immaturity (.5)-----	172	2	41	18	17	16	8	18	8
48 Diarrhea of newborn-----764	123	-	-	-	-	-	-	3	-
49 Without mention of immaturity (.0)-----	105	-	-	-	-	-	-	3	-
50 With immaturity (.5)-----	18	-	-	-	-	-	-	-	-
51 Other infections of newborn-----765-768	158	10	21	14	11	14	16	10	6
52 Without mention of immaturity (.0)-----	99	4	8	9	10	9	10	8	4
53 With immaturity (.5)-----	59	6	13	5	1	5	6	2	2
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	89	13	37	12	11	6	2	1	3
55 Without mention of immaturity (.0-.4)-----	38	8	12	6	5	2	-	-	3
56 With immaturity (.5-.9)-----	51	5	25	6	6	4	2	1	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	65	5	25	3	11	8	2	4	1
58 Without mention of immaturity (.0-.2)-----	55	3	24	3	8	7	1	3	1
59 With immaturity (.5-.7)-----	10	2	1	-	3	1	1	1	-
60 Hemorrhagic disease of newborn-----771	95	1	16	20	19	8	2	6	3
61 Without mention of immaturity (.0)-----	50	1	12	9	8	4	-	3	1
62 With immaturity (.5)-----	45	-	4	11	11	4	2	3	2
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	1,480	88	608	238	118	35	34	15	7
64 Without mention of immaturity (.0)-----	472	21	86	52	23	13	10	3	2
65 With immaturity (.5)-----	1,008	67	520	186	95	22	24	12	5
66 Immaturity with mention of any other subsidiary condition-----774	166	3	40	22	14	7	5	5	1
67 Immaturity, unqualified-----776	2,655	309	1,568	511	152	55	40	31	30
68 Symptoms and ill-defined conditions-----780-793,795	855	54	83	38	31	17	15	4	9
69 All other diseases-----Residual	136	2	13	4	3	5	2	1	3
70 Accidents-----E800-E962	530	1	15	7	7	12	8	3	1
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	123	1	2	3	3	5	2	2	-
72 Accidental mechanical suffocation in bed and cradle-----E924	129	-	2	-	2	2	2	-	-
73 Other accidental causes-----E800-E920,E923,E925-E962	278	-	11	4	2	5	4	1	1
74 Homicide-----E964,E980-E984	30	9	-	1	1	2	-	-	-

SECTION 2 - MORTALITY

by Age, Color, and Sex: United States, 1963-Con.

of the Seventh Revision of the International Lists, 1955. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
8,279	482	385	331	9,477	1,256	1,006	776	617	476	362	263	216	161	132	165	1
1	1	1	1	2	4	3	3	2	2	2	2	3	3	3	2	2
1	1	1	1	1	30	15	4	6	6	2	5	1	2	1	1	3
1	1	1	1	1	4	4	3	5	2	1	1	1	3	2	2	4
1	9	3	1	14	2	1	2	1	3	3	1	3	1	1	3	5
7	5	1	3	16	10	4	9	6	7	5	4	6	4	1	4	7
2	2	1	1	4	1	1	2	2	1	1	2	3	3	1	3	8
5	1	1	1	5	1	1	2	1	1	1	1	1	1	1	1	9
1	1	1	1	1	2	1	2	1	1	1	1	1	1	1	1	10
5	7	7	4	23	9	15	12	14	16	15	9	5	11	6	6	11
5	1	1	2	8	14	14	9	13	15	9	5	6	2	3	8	12
4	1	3	1	7	15	10	13	13	7	3	4	2	2	2	13	13
2	3	1	2	8	420	378	309	221	180	126	92	70	62	47	48	14
2	3	1	2	8	15	13	10	11	14	10	7	4	3	4	3	15
...	405	365	299	210	166	116	85	66	59	43	45	16
2	4	1	3	5	14	11	10	7	8	6	4	2	1	3	4	17
10	2	1	7	21	60	62	45	26	23	13	3	5	4	8	4	18
4	2	1	4	10	8	7	4	4	1	1	1	1	1	1	1	19
1	1	1	1	1	41	43	30	18	19	8	3	5	2	3	4	20
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	21
2	1	1	1	3	12	6	10	3	4	3	3	3	2	2	2	22
4	2	1	1	7	1	6	1	1	1	1	1	1	1	3	3	23
34	8	6	3	51	16	8	11	4	5	3	1	2	2	2	2	24
1	1	1	1	1	133	97	72	84	50	51	41	31	18	15	22	25
23	3	5	3	34	14	6	8	4	5	2	2	2	2	2	2	26
474	58	67	42	641	121	90	41	45	41	21	18	19	11	9	10	27
15	3	6	2	26	6	5	2	4	1	1	1	1	1	2	2	28
34	1	8	2	45	13	9	3	6	6	4	3	5	1	3	2	29
218	28	25	22	293	71	51	28	26	25	16	10	9	9	3	5	30
207	26	28	16	277	31	25	9	9	9	1	4	5	2	1	3	31
7,353	337	250	206	8,146	138	86	53	41	24	15	10	9	2	3	4	32
899	18	6	5	918	1	1	1	1	1	1	1	1	1	1	1	33
424	10	4	5	443	1	1	1	1	1	1	1	1	1	1	1	34
465	8	2	3	475	1	1	1	1	1	1	1	1	1	1	1	35
347	13	6	3	369	36
197	8	4	3	212	37
150	5	2	2	157	38
542	5	1	2	549	1	1	1	1	1	1	1	1	1	1	1	39
227	2	1	2	231	1	1	1	1	1	1	1	1	1	1	1	40
315	3	1	1	318	1	1	1	1	1	1	1	1	1	1	1	41
2,060	37	12	4	2,113	18	10	4	5	5	2	1	1	1	1	1	42
506	14	7	3	530	8	9	4	4	5	2	1	1	1	1	1	43
1,554	23	5	1	1,583	10	1	1	1	1	1	1	1	1	1	1	44
346	88	93	95	622	45
218	67	81	84	450	46
128	21	12	11	172	47
3	26	44	49	122	1	1	1	1	1	1	1	1	1	1	1	48
3	21	36	44	104	1	1	1	1	1	1	1	1	1	1	1	49
1	5	8	5	18	1	1	1	1	1	1	1	1	1	1	1	50
102	30	15	10	157	1	1	1	1	1	1	1	1	1	1	1	51
62	15	12	9	98	1	1	1	1	1	1	1	1	1	1	1	52
40	15	3	1	59	1	1	1	1	1	1	1	1	1	1	1	53
85	2	1	1	88	1	1	1	1	1	1	1	1	1	1	1	54
36	1	1	1	37	1	1	1	1	1	1	1	1	1	1	1	55
49	2	1	1	51	1	1	1	1	1	1	1	1	1	1	1	56
59	2	2	1	63	1	1	1	1	1	1	1	1	1	1	1	57
50	1	2	1	53	1	1	1	1	1	1	1	1	1	1	1	58
9	1	1	1	10	1	1	1	1	1	1	1	1	1	1	1	59
75	11	4	5	95	1	1	1	1	1	1	1	1	1	1	1	60
38	5	3	4	50	1	1	1	1	1	1	1	1	1	1	1	61
37	6	1	1	45	1	1	1	1	1	1	1	1	1	1	1	62
1,141	42	37	19	1,239	60	57	38	32	17	11	10	8	2	3	3	63
210	17	19	11	257	49	52	36	26	15	11	10	8	2	3	3	64
931	25	18	8	982	11	5	2	6	2	1	1	1	1	1	1	65
97	9	3	3	112	35	10	6	1	1	1	1	1	1	1	1	66
2,496	72	33	16	2,617	21	9	3	3	1	1	1	1	1	1	1	67
251	20	26	31	328	132	107	94	54	36	38	22	13	9	5	17	68
33	6	7	4	50	28	22	14	14	5	14	9	11	10	8	9	69
54	18	8	19	99	87	70	55	52	40	32	23	21	18	15	18	70
18	6	2	3	29	25	18	14	8	9	7	2	2	4	2	3	71
8	1	1	10	19	31	24	14	15	8	5	8	2	2	2	1	72
28	12	5	6	51	31	28	27	29	23	20	13	17	14	11	14	73
13	1	1	1	15	2	2	3	2	1	2	4	1	1	1	1	74

Table 2-11. Deaths Under 1 Year From 55 Selected Causes,

(Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers)

CAUSE OF DEATH, COLOR, AND SEX	Total, under 1 year	Under - 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1 NONWHITE, FEMALE--ALL CAUSES-----	11,604	723	3,279	969	537	292	181	144	114
2 Dysentery, all forms-----045-048	29	-	-	-	-	-	-	-	-
3 Septicemia and pyemia-----053	54	-	-	-	-	-	-	-	-
4 Whooping cough-----056	24	-	-	-	-	-	-	-	-
5 Meningococcal infections-----057	19	-	-	-	-	1	-	-	-
6 Tetanus-----061	18	-	-	-	-	-	1	1	1
7 Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	85	2	2	1	1	1	1	-	-
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	18	-	1	1	-	-	-	-	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	5	-	-	-	-	-	-	-	-
10 Diseases of thymus gland-----273	5	-	-	-	-	-	-	-	-
11 Meningitis, except meningococcal and tuberculous-----340	132	-	-	-	2	2	1	-	2
12 Other diseases of nervous system and sense organs-----330-334,341-398	80	-	-	1	-	-	-	-	-
13 Acute upper respiratory infections-----470-475	73	-	-	-	1	-	-	-	-
14 Influenza and pneumonia, except pneumonia of newborn-----480-483	1,592	-	-	-	1	-	1	-	-
15 Influenza-----480-483	84	-	-	-	1	-	1	-	-
16 Pneumonia, except pneumonia of newborn-----480-483	1,508
17 Bronchitis-----500-502	64	-	-	1	2	-	1	-	-
18 Other diseases of respiratory system-----510-522,525-527	228	1	2	1	1	2	-	-	-
19 Pulmonary congestion and hypostasis-----522	29	-	1	-	1	-	-	-	-
20 Other chronic interstitial pneumonia-----525	139	-	-	-	-	-	-	-	-
21 Bronchiectasis-----526	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527.2	42	-	-	-	-	-	-	-	-
23 All other diseases of respiratory system-----510-521,527.1	18	1	1	1	-	2	-	-	-
24 Hernia and intestinal obstruction-----560,561,570	49	6	3	6	1	1	2	-	2
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	473	-	-	-	-	-	-	1	-
26 Other diseases of digestive system-----530-542,544-553,573-587	61	-	1	1	3	3	4	3	2
27 Congenital malformations-----750-759	866	61	128	54	32	32	28	13	11
28 Spina bifida and meningocele-----751	53	4	4	2	2	1	1	1	2
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	79	12	7	6	2	3	1	-	-
30 Congenital malformations of circulatory system-----754	456	4	51	29	20	20	14	4	6
31 Other congenital malformations-----750,755-759	278	41	64	17	8	8	12	8	3
32 Certain diseases of early infancy-----760-776	6,433	591	3,072	864	462	228	129	120	83
33 Birth injuries-----760,761	856	98	335	87	60	26	12	10	9
34 Without mention of immaturity (.0)-----	311	53	146	41	30	17	5	1	2
35 With immaturity (.5)-----	345	45	189	46	30	9	7	9	6
36 Intracranial and spinal injury at birth-----760	253	9	101	50	38	19	10	7	7
37 Without mention of immaturity (.0)-----	143	6	60	28	21	10	5	-	2
38 With immaturity (.5)-----	110	3	41	22	17	9	5	7	5
39 Other birth injury-----761	403	89	234	37	22	7	2	3	1
40 Without mention of immaturity (.0)-----	168	47	86	13	9	7	-	1	-
41 With immaturity (.5)-----	235	42	148	24	13	-	2	2	1
42 Postnatal asphyxia and atelectasis-----762	1,657	176	907	258	139	49	21	25	6
43 Without mention of immaturity (.0)-----	424	63	209	61	34	17	7	2	1
44 With immaturity (.5)-----	1,233	113	698	197	105	32	14	23	5
45 Pneumonia of newborn-----763	446	5	58	39	30	28	21	15	12
46 Without mention of immaturity (.0)-----	334	3	43	24	22	22	13	12	5
47 With immaturity (.5)-----	112	2	15	15	8	6	8	3	7
48 Diarrhea of newborn-----764	91	-	1	2	-	-	-	5	2
49 Without mention of immaturity (.0)-----	71	-	1	2	-	-	-	4	1
50 With immaturity (.5)-----	20	-	-	-	-	-	-	1	1
51 Other infections of newborn-----765-768	114	9	24	3	3	8	8	9	3
52 Without mention of immaturity (.0)-----	63	6	11	2	2	2	6	6	2
53 With immaturity (.5)-----	51	3	13	1	1	6	2	3	1
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	80	17	29	15	4	4	2	2	2
55 Without mention of immaturity (.0-.4)-----	35	7	13	9	3	1	-	-	-
56 With immaturity (.5-.9)-----	45	10	16	6	1	3	2	2	2
57 Hemolytic disease of newborn (erythroblastosis)-----770	56	4	26	3	1	8	4	2	2
58 Without mention of immaturity (.0-.2)-----	47	3	24	3	1	6	3	1	1
59 With immaturity (.5-.7)-----	9	1	2	-	-	2	1	1	1
60 Hemorrhagic disease of newborn-----771	59	1	20	9	8	7	3	2	3
61 Without mention of immaturity (.0)-----	38	1	12	8	5	5	1	1	2
62 With immaturity (.5)-----	21	-	8	1	3	2	2	1	1
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	1,076	57	466	164	82	29	26	15	12
64 Without mention of immaturity (.0)-----	317	15	78	33	21	7	6	1	1
65 With immaturity (.5)-----	759	42	388	131	61	22	20	14	11
66 Immaturity with mention of any other subsidiary condition-----774	117	4	28	3	4	5	2	4	5
67 Immaturity, unqualified-----776	2,081	220	1,178	281	131	64	30	31	28
68 Symptoms and ill-defined conditions-----780-793,795	640	38	61	28	19	13	7	3	6
69 All other diseases-----Residual	138	2	6	6	7	2	2	3	1
70 Accidents-----E800-E862	493	5	5	4	5	7	3	-	6
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	102	1	1	2	2	2	1	-	2
72 Accidental mechanical suffocation in bed and cradle-----E924	136	2	1	-	1	1	-	-	2
73 Other accidental causes-----E800-E920,E923,E925-E962	255	2	3	2	2	4	2	-	2
74 Homicide-----E964,E980-E984	27	17	-	1	-	-	1	-	-

SECTION 2 - MORTALITY

by Age, Color, and Sex: United States, 1963-Con.

of the Seventh Revision of the International Lists, 1955. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
6,239	427	293	240	7,199	929	787	666	491	364	323	243	190	160	130	122	1
-	-	1	-	1	2	4	4	5	-	5	5	2	-	1	-	2
-	-	-	-	-	12	9	7	2	2	2	5	4	2	1	1	3
-	-	-	-	-	6	1	2	5	1	3	1	2	-	2	2	4
1	-	-	-	1	1	1	-	3	1	3	-	4	-	1	2	5
3	7	4	-	14	2	-	-	-	-	-	-	-	-	-	-	6
8	3	2	-	13	6	6	8	4	7	4	5	8	9	5	10	7
2	1	1	-	4	1	2	-	-	1	-	1	3	2	2	2	8
-	1	-	-	1	-	-	2	1	-	-	-	-	-	-	1	9
-	-	-	2	2	2	-	1	-	-	-	-	-	-	-	-	10
7	5	10	2	24	14	12	17	13	11	15	14	5	4	2	3	11
1	1	1	3	8	8	11	7	12	2	10	9	5	4	5	1	12
1	1	-	3	5	14	8	8	9	5	5	5	4	4	6	1	13
2	-	-	1	3	305	315	257	170	150	104	90	66	58	37	37	14
2	-	-	1	3	16	14	10	10	4	7	7	3	3	5	5	15
...	289	301	247	160	146	97	85	59	55	37	34	16
4	-	1	2	7	5	10	10	9	6	4	4	5	3	-	1	17
7	3	4	4	18	58	52	39	17	14	13	4	3	3	3	3	18
2	3	-	-	5	3	8	3	2	3	2	1	1	1	-	-	19
-	-	1	1	2	40	36	30	11	5	8	2	2	1	1	1	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	2	2	4	12	7	6	3	3	3	3	1	1	1	1	22
5	-	1	1	7	3	1	-	1	3	-	-	1	-	-	2	23
21	7	4	2	34	3	2	-	2	2	4	-	-	2	-	-	24
1	1	-	-	2	86	82	72	41	53	37	31	19	19	16	15	25
17	3	4	1	25	5	3	3	6	2	4	3	4	2	2	2	26
357	55	41	44	497	100	61	49	51	16	27	21	16	12	9	7	27
17	2	6	4	29	6	3	1	2	3	3	2	1	1	1	1	28
31	2	3	3	39	4	4	11	5	1	2	5	3	2	1	2	29
148	33	20	26	227	57	45	29	37	10	16	13	9	4	5	4	30
161	18	12	11	202	33	9	8	7	2	6	1	3	5	2	-	31
5,549	293	179	146	6,167	115	46	34	16	13	11	8	4	6	9	4	32
636	11	3	3	653	2	-	-	-	1	-	-	-	-	-	-	33
295	9	3	3	310	1	-	-	-	-	-	-	-	-	-	-	34
341	2	-	-	343	1	-	-	-	1	-	-	-	-	-	-	35
241	7	2	3	253	36
132	6	2	3	143	37
109	1	-	-	110	38
395	4	1	-	400	2	-	-	-	1	-	-	-	-	-	-	39
163	3	1	-	167	1	-	-	-	-	-	-	-	-	-	-	40
232	1	-	-	233	1	-	-	-	1	-	-	-	-	-	-	41
1,581	34	9	6	1,630	14	5	3	3	1	-	-	-	-	-	1	42
394	4	4	1	403	10	4	3	3	1	-	-	-	-	-	-	43
1,187	30	5	5	1,227	4	1	-	-	-	-	-	-	-	-	1	44
208	80	80	78	446	45
144	55	67	68	354	46
64	25	13	10	112	47
10	24	31	25	90	-	-	-	-	-	-	-	-	-	-	-	48
8	19	24	19	70	-	-	-	-	-	-	-	1	-	-	-	49
2	5	7	6	20	-	-	-	-	-	-	-	-	-	-	-	50
67	33	10	3	113	1	-	-	-	-	-	-	-	-	-	-	51
37	18	4	3	62	1	-	-	-	-	-	-	-	-	-	-	52
30	15	6	-	51	-	-	-	-	-	-	-	-	-	-	-	53
75	4	-	-	79	-	-	-	-	-	-	-	-	-	1	-	54
33	1	-	-	34	-	-	-	-	-	-	-	-	-	1	-	55
42	3	-	-	45	-	-	-	-	-	-	-	-	-	-	-	56
50	3	-	1	54	1	-	-	-	-	1	-	-	-	-	-	57
42	2	-	1	45	1	-	-	-	-	1	-	-	-	-	-	58
8	1	-	-	9	-	-	-	-	-	-	-	-	-	-	-	59
53	2	2	2	59	-	-	-	-	-	-	-	-	-	-	-	60
35	2	-	1	38	-	-	-	-	-	-	-	-	-	-	-	61
18	-	2	1	21	-	-	-	-	-	-	-	-	-	-	-	62
651	29	19	16	915	60	28	20	9	10	10	5	2	6	8	3	63
162	5	8	6	161	41	24	19	9	10	10	5	2	6	7	3	64
689	24	11	10	734	19	4	1	-	-	-	-	-	-	1	-	65
55	10	3	2	70	23	8	10	2	1	-	2	1	-	-	-	66
1,963	63	22	10	2,058	14	5	1	2	-	-	-	-	-	-	-	67
175	24	18	13	230	99	79	69	56	33	32	11	11	6	8	6	68
29	5	6	2	42	15	10	6	14	9	10	7	9	5	4	7	69
35	17	16	14	82	69	73	69	49	35	29	21	17	15	16	18	70
11	3	4	3	21	9	21	22	5	5	5	3	2	2	5	2	71
7	4	3	6	20	34	25	21	13	10	6	5	1	-	-	11	72
17	10	9	5	41	26	27	26	31	20	18	13	14	13	11	15	73
19	-	1	1	21	1	-	-	1	1	1	-	-	-	1	-	74

SECTION 2 - MORTALITY

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of

CAUSE OF DEATH	UNITED STATES						
	Total, under 1 year	Under 28 days			28 day-11 months		
		Total	White	Nonwhite	Total	White	Nonwhite
1 ALL CAUSES-----	103,390	74,648	55,477	16,676	28,742	18,250	9,835
2 Dysentery, all forms-----045-048	94	6	3	3	88	35	52
3 Septicemia and pyemia-----053	363	-	-	-	363	234	126
4 Whooping cough-----056	88	-	-	-	88	41	46
5 Meningococcal infections-----057	203	14	11	2	189	153	34
6 Tetanus-----061	45	40	12	28	5	1	4
7 Other infective and parasitic dis-----001-044,049-052,054,055,058-060,062-138	532	89	59	29	443	303	132
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	260	45	34	8	215	185	28
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	125	66	57	6	59	48	8
10 Diseases of thymus gland-----273	92	20	18	2	72	56	10
11 Meningitis, except meningococcal and tuberculous-----340	866	239	188	47	627	398	223
12 Other diseases of nervous system and sense organs-----330-334,341-398	691	56	42	14	635	443	172
13 Acute upper respiratory infections-----470-475	387	36	21	12	351	211	137
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	8,914	27	16	11	8,887	5,128	3,542
15 Influenza-----480-483	356	27	16	11	329	151	175
16 Pneumonia, except pneumonia of newborn-----490-493	8,558	8,558	4,977	3,367
17 Bronchitis-----500-502	547	43	29	12	504	371	126
18 Other diseases of respiratory system-----510-522,525-527	1,704	176	131	39	1,528	1,049	463
19 Pulmonary congestion and hypostasis-----522	232	63	47	15	169	121	47
20 Other chronic interstitial pneumonia-----525	1,065	10	7	3	1,055	733	313
21 Bronchiectasis-----526	4	1	1	-	3	3	-
22 Other diseases of lung and pleural cavity-----527.2	250	40	33	7	210	129	78
23 All other diseases of respiratory system-----510-521,527.1	153	62	43	14	91	63	25
24 Hernia and intestinal obstruction-----560,561,570	910	656	552	85	254	177	71
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	2,095	9	5	3	2,084	959	1,085
26 Other diseases of digestive system-----530-542,544-553,573-587	658	317	249	59	341	246	86
27 Congenital malformations-----750-759	14,581	9,454	8,004	1,138	5,127	4,189	795
28 Spina bifida and meningocele-----751	1,337	712	630	55	625	559	44
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	1,237	651	546	84	586	480	94
30 Congenital malformations of circulatory system-----754	7,060	4,097	3,432	520	2,963	2,381	482
31 Other congenital malformations-----750,755-759	4,947	3,994	3,396	479	953	749	175
32 Certain diseases of early infancy-----760-776	62,664	61,373	44,967	14,313	1,291	621	651
33 Birth injuries-----760,761	8,954	8,944	7,105	1,571	10	6	4
34 Without mention of immaturity (.0)-----	3,419	3,412	2,548	763	7	5	2
35 With immaturity (.5)-----	5,535	5,532	4,557	818	3	1	2
36 Intracranial and spinal injury at birth-----760	2,679	2,679	1,973	622
37 Without mention of immaturity (.0)-----	1,582	1,582	1,171	355
38 With immaturity (.5)-----	1,097	1,097	802	267
39 Other birth injury-----761	6,275	6,265	5,132	949	10	6	4
40 Without mention of immaturity (.0)-----	1,837	1,830	1,377	398	7	5	2
41 With immaturity (.5)-----	4,438	4,435	3,755	551	3	1	2
42 Postnatal asphyxia and atelectasis-----762	17,934	17,692	13,121	3,743	242	165	73
43 Without mention of immaturity (.0)-----	4,923	4,728	3,552	933	195	137	55
44 With immaturity (.5)-----	13,011	12,964	9,569	2,810	47	28	18
45 Pneumonia of newborn-----763	3,181	3,181	2,016	1,068
46 Without mention of immaturity (.0)-----	2,304	2,304	1,446	784
47 With immaturity (.5)-----	877	877	570	284
48 Diarrhea of newborn-----764	386	384	166	212	2	-	2
49 Without mention of immaturity (.0)-----	320	318	139	174	2	-	2
50 With immaturity (.5)-----	66	66	27	38	-	-	-
51 Other infections of newborn-----765-768	841	835	543	270	6	4	2
52 Without mention of immaturity (.0)-----	507	501	328	160	6	4	2
53 With immaturity (.5)-----	334	334	215	110	-	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	754	721	530	167	13	10	2
55 Without mention of immaturity (.0-.4)-----	288	255	177	71	13	10	2
56 With immaturity (.5-.9)-----	466	466	353	96	-	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	1,635	1,621	1,634	117	14	10	4
58 Without mention of immaturity (.0-.2)-----	1,433	1,420	1,265	98	13	9	4
59 With immaturity (.5-.7)-----	402	401	369	19	1	1	-
60 Hemorrhagic disease of newborn-----771	567	564	390	154	3	3	-
61 Without mention of immaturity (.0)-----	340	338	239	88	2	2	-
62 With immaturity (.5)-----	227	226	151	66	1	1	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	10,375	9,683	7,291	2,154	692	282	402
64 Without mention of immaturity (.0)-----	2,780	2,173	1,667	438	607	249	351
65 With immaturity (.5)-----	7,595	7,510	5,624	1,716	85	33	51
66 Immaturity with mention of any other subsidiary condition-----774	1,088	881	676	182	207	101	101
67 Immaturity, unqualified-----776	16,769	16,667	11,495	4,675	102	40	61
68 Symptoms and ill-defined conditions-----780-793,795	2,533	902	338	558	1,631	688	937
69 All other diseases-----Residual	1,323	443	342	92	880	620	242
70 Accidents-----E900-E962	3,514	516	319	161	2,998	2,066	842
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	812	148	94	50	664	454	175
72 Accidental mechanical suffocation in bed and cradle-----E924	833	89	54	39	734	486	226
73 Other accidental causes-----E900-E920,E923,E925-E962	1,869	269	171	92	1,600	1,128	441
74 Homicide-----E964,E980-E984	203	121	80	34	82	58	23

*double
make*

SECTION 2 - MORTALITY

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of

CAUSE OF DEATH	CALIFORNIA					COLORADO				
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 ALL CAUSES-----	8,508	5,425	919	1,813	351	1,097	765	46	267	19
2 Dysentery, all forms-----045-048	3	1	-	2	-	1	-	-	1	-
3 Septicemia and pyemia-----053	19	-	-	18	1	2	-	-	2	-
4 Whooping cough-----056	4	-	-	3	1	1	-	-	1	-
5 Meningococcal infections-----057	19	1	-	16	2	-	-	-	-	-
6 Tetanus-----061	1	1	-	-	-	-	-	-	-	-
7 Other infective and parasitic dis.-----001-044,049-062,054,055,058-060,062-138	39	7	1	28	3	7	2	-	5	-
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	27	3	-	20	4	2	-	-	2	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	12	5	2	4	1	2	2	-	-	-
10 Diseases of thymus gland-----273	6	2	-	4	-	1	-	-	1	-
11 Meningitis, except meningococcal and tuberculous-----340	83	24	3	46	10	13	4	-	8	1
12 Other diseases of nervous system and sense organs-----330-334,341-398	36	4	1	30	1	13	-	-	10	3
13 Acute upper respiratory infections-----470-475	12	2	-	9	1	19	1	-	12	6
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	714	1	-	585	128	82	-	-	80	2
15 Influenza-----480-483	4	1	-	3	-	3	-	-	3	-
16 Pneumonia, except pneumonia of newborn-----490-493	710	582	128	79	77	2
17 Bronchitis-----500-502	80	6	-	59	15	6	-	-	6	-
18 Other diseases of respiratory system-----510-522,525-527	296	8	6	236	46	5	-	-	5	-
19 Pulmonary congestion and hypostasis-----522	20	1	2	14	3	-	-	-	-	-
20 Other chronic interstitial pneumonia-----525	254	2	2	209	41	5	-	-	5	-
21 Bronchiectasis-----526	-	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527.2	13	2	-	9	2	-	-	-	-	-
23 All other diseases of respiratory system-----510-521,527.1	9	3	2	4	-	-	-	-	-	-
24 Hernia and intestinal obstruction-----560,561,570	82	54	6	21	1	10	8	-	2	-
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	75	-	-	59	16	16	-	-	13	3
26 Other diseases of digestive system-----530-542,544-553,573-587	49	25	1	18	5	7	1	-	6	-
27 Congenital malformations-----750-759	1,229	727	82	362	58	158	96	3	58	1
28 Spina bifida and meningocele-----751	66	30	4	32	-	10	5	-	5	-
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	97	50	6	35	6	18	11	-	6	1
30 Congenital malformations of circulatory system-----754	676	358	44	228	46	79	40	3	36	-
31 Other congenital malformations-----750,755-759	390	289	28	67	6	51	40	-	11	-
32 Certain diseases of early infancy-----760-776	5,331	4,479	804	37	11	690	639	41	10	-
33 Birth injuries-----760,761	1,058	909	147	1	1	112	104	8	-	-
34 Without mention of immaturity (.0)-----350	282	46	1	1	1	23	1	-	-	-
35 With immaturity (.5)-----723	527	101	-	-	-	89	82	7	-	-
36 Intracranial and spinal injury at birth-----760	319	262	57	39	36	3
37 Without mention of immaturity (.0)-----153	136	17	12	11	1
38 With immaturity (.5)-----166	126	40	27	25	2
39 Other birth injury-----761	739	647	90	1	1	73	68	5	-	-
40 Without mention of immaturity (.0)-----177	146	29	1	1	11	11	11	-	-	-
41 With immaturity (.5)-----562	501	61	-	-	-	62	57	5	-	-
42 Postnatal asphyxia and atelectasis-----762	1,493	1,291	186	14	2	163	154	7	2	-
43 Without mention of immaturity (.0)-----354	301	40	12	1	1	30	27	1	2	-
44 With immaturity (.5)-----1,139	990	146	2	1	133	127	6	-	-	-
45 Pneumonia of newborn-----763	268	229	39	28	28	-
46 Without mention of immaturity (.0)-----207	179	28	16	16	-
47 With immaturity (.5)-----61	50	11	12	12	-
48 Diarrhea of newborn-----764	17	13	4	-	-	4	4	-	-	-
49 Without mention of immaturity (.0)-----15	11	4	-	-	-	2	2	-	-	-
50 With immaturity (.5)-----2	2	-	-	-	-	2	2	-	-	-
51 Other infections of newborn-----765-768	75	52	23	-	-	19	17	2	-	-
52 Without mention of immaturity (.0)-----44	31	13	-	-	-	7	7	-	-	-
53 With immaturity (.5)-----31	21	10	-	-	-	12	10	2	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	74	63	11	-	-	10	8	2	-	-
55 Without mention of immaturity (.0-.4)-----25	19	6	-	-	-	3	2	1	-	-
56 With immaturity (.5-.9)-----49	44	5	-	-	-	7	6	1	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	157	147	9	1	-	17	17	-	-	-
58 Without mention of immaturity (.0-.2)-----121	112	8	1	-	-	10	10	-	-	-
59 With immaturity (.5-.7)-----36	35	1	-	-	-	7	7	-	-	-
60 Hemorrhagic disease of newborn-----771	40	29	11	-	-	17	16	1	-	-
61 Without mention of immaturity (.0)-----16	14	2	-	-	-	4	4	-	-	-
62 With immaturity (.5)-----24	15	9	-	-	-	13	12	1	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	914	771	130	10	3	127	118	5	4	-
64 Without mention of immaturity (.0)-----175	151	14	8	2	15	12	12	-	3	-
65 With immaturity (.5)-----739	620	116	2	1	112	106	5	1	-	-
66 Immaturity with mention of any other subsidiary condition-----774	99	80	8	8	3	8	4	2	2	-
67 Immaturity, unqualified-----776	1,136	895	236	3	2	185	169	14	2	-
68 Symptoms and ill-defined conditions-----780-793,795	23	8	3	11	1	6	1	-	5	-
69 All other diseases-----Residual	114	33	5	59	17	13	6	-	6	-
70 Accidents-----E800-E962	237	28	4	179	26	41	5	1	33	2
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	49	8	-	35	6	12	2	-	10	-
72 Accidental mechanical suffocation in bed and cradle-----E924	30	3	1	23	3	5	-	1	4	-
73 Other accidental causes-----E800-E920,E923,E925-E962	158	17	3	121	17	24	3	-	19	2
74 Homicide-----E964,E980-E984	17	6	1	7	3	2	-	-	1	1

SECTION 2 - MORTALITY

From 55 Selected Causes, by Color: United States and Each State, 1963—Con.

the Seventh Revision of the International Lists, 1955. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

Total, under 1 year	CONNECTICUT				Total, under 1 year	DELAWARE				Total, under 1 year	DISTRICT OF COLUMBIA				Total, under 1 year	FLORIDA			
	Under 28 days		28 days-11 months			Under 28 days		28 days-11 months			Under 28 days		28 days-11 months			Under 28 days		28 days-11 months	
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1,285	834	146	257	48	282	147	58	39	38	669	108	383	37	141	3,206	1,469	790	441	506
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	3	-	-	1	2
6	-	-	5	1	1	-	-	-	1	3	-	-	-	3	11	-	-	4	7
7	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	4
7	1	-	5	1	-	-	-	-	-	-	-	-	-	7	1	-	-	3	5
7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	6
3	1	-	2	-	2	1	-	1	-	2	-	-	1	11	2	2	7	7	8
1	-	-	-	-	1	-	-	-	-	1	-	-	-	3	1	2	2	-	9
-	-	-	-	-	1	-	-	1	-	6	-	-	-	-	-	-	-	-	10
5	1	-	3	1	5	-	-	2	1	4	-	2	1	34	5	5	12	12	11
7	-	-	6	1	5	-	2	2	1	4	-	-	4	29	1	1	15	8	12
3	-	-	3	-	-	-	-	-	-	1	-	-	1	8	1	-	1	6	13
81	-	-	64	17	19	-	-	8	11	20	-	-	4	16	243	2	-	83	158
2	-	-	2	-	-	-	-	-	-	18	-	-	-	2	18	-	-	-	16
79	62	17	19	8	11	20	4	16	225	83	142
4	-	-	4	-	1	-	-	1	1	2	-	-	1	21	1	-	12	8	17
13	3	-	8	2	7	1	-	5	1	23	-	-	6	17	102	7	5	40	50
2	-	-	2	2	2	1	-	1	-	23	-	-	-	-	24	3	3	7	11
4	-	-	3	1	4	-	-	3	1	22	-	-	6	16	62	-	-	29	33
5	1	-	3	1	1	-	-	1	-	1	-	-	-	-	4	-	-	-	21
2	2	-	-	1	1	-	-	-	-	1	-	-	-	12	3	2	3	4	23
13	10	-	2	1	2	-	-	1	1	8	1	4	-	3	44	33	6	1	4
10	-	-	6	4	12	-	-	3	9	16	-	-	3	13	105	-	1	23	61
5	1	-	4	-	2	-	1	1	1	5	1	1	1	2	10	1	5	4	26
200	122	4	69	5	28	17	5	5	1	55	10	18	9	18	383	198	47	110	28
27	10	-	16	1	-	-	-	-	-	2	1	-	1	38	20	2	14	2	27
25	11	1	11	2	2	-	1	1	-	6	1	1	1	3	32	14	3	12	3
72	43	1	27	1	15	8	2	4	1	20	1	7	3	9	182	80	17	69	16
76	58	2	15	1	11	9	2	2	-	27	7	10	4	6	131	84	25	15	7
839	686	140	9	3	179	125	49	1	4	475	92	354	1	28	1,906	1,183	676	13	34
102	86	16	-	-	21	18	3	-	-	54	12	42	-	-	226	140	86	-	33
48	36	10	-	-	8	7	1	-	-	26	6	20	-	-	107	63	44	-	34
56	50	6	-	-	13	11	2	-	-	28	6	22	-	-	119	77	42	-	35
29	23	6	10	8	2	28	4	24	79	46	33	...	36
21	16	5	6	5	1	15	4	11	56	32	24	...	37
8	7	1	4	3	1	13	-	13	23	14	9	...	38
73	63	10	-	-	11	10	1	-	-	26	8	18	-	-	147	94	53	-	39
25	20	5	-	-	2	2	-	-	-	11	2	9	-	-	51	31	20	-	40
48	43	5	-	-	9	8	1	-	-	15	6	9	-	-	96	63	33	-	41
237	207	27	3	-	65	45	19	-	1	173	28	144	-	1	541	369	164	3	5
44	41	1	2	-	11	8	2	-	1	30	9	21	-	-	163	99	57	3	4
193	166	26	1	-	54	37	17	-	-	143	19	123	-	1	378	270	107	-	1
24	20	4	5	2	3	22	5	17	92	43	49	...	45
17	15	2	4	2	2	18	5	13	72	33	39	...	46
7	5	2	1	1	1	4	-	4	20	10	10	...	47
3	2	1	4	2	2	2	-	2	20	3	17	-	48
2	1	1	-	-	4	2	2	-	-	1	-	-	-	-	19	3	16	-	49
1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	50
9	7	2	-	-	4	4	-	-	-	3	-	3	-	-	24	17	7	-	51
8	6	2	-	-	3	3	-	-	-	-	-	-	-	-	14	9	5	-	52
1	1	-	-	-	1	1	-	-	-	3	-	3	-	-	10	8	2	-	53
13	12	1	-	-	1	1	-	-	-	3	-	3	-	-	23	10	13	-	54
5	4	1	-	-	1	1	-	-	-	2	-	2	-	-	8	1	7	-	55
8	8	-	-	-	-	-	-	-	-	1	-	1	-	-	15	9	6	-	56
37	36	1	-	-	5	5	-	-	-	5	1	4	-	-	63	57	5	-	57
26	25	1	-	-	3	3	-	-	-	3	1	2	-	-	49	44	4	-	58
11	11	-	-	-	2	2	-	-	-	2	-	2	-	-	14	13	1	-	59
9	8	1	-	-	1	1	-	-	-	1	-	1	-	-	14	9	5	-	60
8	7	1	-	-	-	-	-	-	-	-	-	-	-	-	8	6	2	-	61
1	1	-	-	-	1	1	-	-	-	1	-	1	-	-	6	3	3	-	62
177	133	38	5	1	26	15	8	1	2	60	12	20	1	27	403	247	123	7	26
37	29	2	5	1	7	3	1	1	2	36	1	7	1	27	97	52	19	5	21
140	104	36	-	-	19	12	7	-	-	24	11	13	-	-	306	195	104	2	5
35	24	8	1	2	5	2	2	-	1	1	-	1	-	-	24	13	6	3	2
192	151	41	-	-	42	30	12	-	-	151	34	117	-	-	476	275	201	-	67
25	3	1	18	3	1	-	-	-	1	5	-	-	-	5	85	6	22	19	38
28	5	1	21	1	6	2	1	1	3	8	2	2	1	3	47	9	2	15	21
26	1	-	20	5	13	1	1	9	2	32	1	1	8	22	135	13	14	70	69
10	1	-	9	-	4	1	-	2	1	9	-	1	1	7	24	1	4	16	3
5	-	-	4	1	3	-	-	2	1	7	-	-	4	3	25	1	3	16	5
11	-	-	7	4	6	-	1	5	-	16	1	-	3	12	86	11	7	36	30
2	-	-	2	-	-	-	-	-	-	3	1	1	-	2	2	1	-	1	74

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of

CAUSE OF DEATH	GEORGIA				HAWAII					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 ALL CAUSES-----	3,087	1,104	826	384	773	400	87	238	27	46
2 Dysentery, all forms-----045-048	8	-	-	1	7	-	-	-	-	-
3 Septicemia and pyemia-----053	13	-	-	9	4	-	-	-	-	-
4 Whooping cough-----056	6	-	-	1	5	-	-	-	-	-
5 Meningococcal infections-----057	3	-	-	1	2	2	-	-	-	2
6 Tetanus-----061	3	1	1	-	1	-	-	-	-	-
7 Other infective and parasitic dis.---001-044,049-052,054,055,058-060,062-138	24	1	1	10	12	-	-	-	-	-
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	6	-	1	4	1	-	-	-	-	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	2	1	-	1	-	2	-	-	2	-
10 Diseases of thymus gland-----273	3	-	-	2	1	-	-	-	-	-
11 Meningitis, except meningococcal and tuberculous-----340	26	4	1	10	11	3	-	-	-	3
12 Other diseases of nervous system and sense organs-----330-334,341-338	18	2	1	7	8	1	-	1	-	-
13 Acute upper respiratory infections-----470-475	10	1	1	4	4	1	-	-	-	-
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	447	-	-	111	336	27	-	-	7	20
15 Influenza-----480-483	24	-	-	6	18	-	-	-	-	-
16 Pneumonia, except pneumonia of newborn-----490-493	423	105	318	27	7	20
17 Bronchitis-----500-502	25	-	4	11	10	1	-	-	-	1
18 Other diseases of respiratory system-----510-522,525-527	52	3	3	7	39	5	-	1	3	1
19 Pulmonary congestion and hypostasis-----522	4	-	1	-	3	-	-	-	-	-
20 Other chronic interstitial pneumonia-----525	25	-	-	5	20	4	-	-	3	1
21 Bronchiectasis-----526	-	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527.2	21	2	2	1	16	-	-	-	-	-
23 All other diseases of respiratory system-----510-521,527.1	2	1	-	1	-	1	-	1	-	-
24 Hernia and intestinal obstruction-----560,561,570	21	10	4	2	5	3	-	2	-	1
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	118	1	-	18	99	1	-	-	-	1
26 Other diseases of digestive system-----530-542,544-553,573-587	17	3	2	9	3	2	-	-	2	-
27 Congenital malformations-----750-759	364	180	48	97	39	53	14	21	6	12
28 Spina bifida and meningocele-----751	43	24	1	15	3	3	2	-	1	-
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	39	15	4	14	6	4	-	1	1	2
30 Congenital malformations of circulatory system-----754	159	62	22	52	23	25	6	7	3	9
31 Other congenital malformations-----750,755-759	123	79	21	16	7	21	6	13	1	1
32 Certain diseases of early infancy-----760-776	1,681	877	709	14	81	283	71	209	-	3
33 Birth injuries-----760,761	195	124	71	-	-	34	2	32	-	-
34 Without mention of immaturity (.0)-----	86	44	42	-	-	12	-	12	-	-
35 With immaturity (.5)-----	109	80	29	-	-	22	2	20	-	-
36 Intracranial and spinal injury at birth-----760	51	24	27	8	1	7
37 Without mention of immaturity (.0)-----	29	11	18	3	-	3
38 With immaturity (.5)-----	22	13	9	5	1	4
39 Other birth injury-----761	144	100	44	-	-	26	1	25	-	-
40 Without mention of immaturity (.0)-----	57	33	24	-	-	9	-	9	-	-
41 With immaturity (.5)-----	87	67	20	-	-	17	1	16	-	-
42 Postnatal asphyxia and atelectasis-----762	413	251	156	2	4	68	14	53	-	1
43 Without mention of immaturity (.0)-----	123	68	51	2	2	20	5	14	-	1
44 With immaturity (.5)-----	290	183	105	-	2	48	9	39	-	-
45 Pneumonia of newborn-----763	127	42	85	15	-	15
46 Without mention of immaturity (.0)-----	87	27	60	8	-	8
47 With immaturity (.5)-----	40	15	25	7	-	7
48 Diarrhea of newborn-----764	16	4	12	-	-	1	1	-	-	-
49 Without mention of immaturity (.0)-----	10	3	7	-	-	1	1	-	-	-
50 With immaturity (.5)-----	6	1	5	-	-	-	-	-	-	-
51 Other infections of newborn-----765-768	32	16	16	-	-	3	-	3	-	-
52 Without mention of immaturity (.0)-----	18	10	8	-	-	2	-	2	-	-
53 With immaturity (.5)-----	14	6	8	-	-	1	-	1	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	25	11	12	-	-	3	-	3	-	-
55 Without mention of immaturity (.0-.4)-----	10	4	6	-	-	-	-	-	-	-
56 With immaturity (.5-.9)-----	13	7	6	-	-	3	-	3	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	18	14	3	-	1	2	-	2	-	-
58 Without mention of immaturity (.0-.2)-----	15	12	2	-	1	1	-	1	-	-
59 With immaturity (.5-.7)-----	3	2	1	-	-	1	-	1	-	-
60 Hemorrhagic disease of newborn-----771	24	12	12	-	-	4	2	2	-	-
61 Without mention of immaturity (.0)-----	14	6	8	-	-	3	2	1	-	-
62 With immaturity (.5)-----	10	6	4	-	-	1	-	1	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	385	191	123	10	61	34	12	21	-	1
64 Without mention of immaturity (.0)-----	127	59	25	8	56	7	1	5	-	1
65 With immaturity (.5)-----	258	133	98	2	5	27	11	16	-	-
66 Immaturity with mention of any other subsidiary condition-----774	38	11	17	2	8	5	3	1	-	1
67 Immaturity, unqualified-----776	410	201	202	-	7	114	37	77	-	-
68 Symptoms and ill-defined conditions-----780-793,795	78	9	30	12	27	4	1	3	-	-
69 All other diseases-----Residual	35	4	6	11	14	7	1	-	4	2
70 Accidents-----E800-E962	126	7	13	42	64	5	-	-	3	2
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	30	2	4	9	15	1	-	-	1	-
72 Accidental mechanical suffocation in bed and cradle-----E924	34	2	1	8	23	2	-	-	-	2
73 Other accidental causes-----E800-E920,E923,E925-E962	62	3	8	25	26	2	-	-	2	-
74 Homicide-----E964,E980-E984	1	-	1	-	-	-	-	-	-	-

SECTION 2 - MORTALITY

From 55 Selected Causes, by Color: United States and Each State, 1963-Con.

the Seventh Revision of the International Lists, 1955. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix

IDAHO					ILLINOIS				INDIANA				IOWA							
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
342	250	8	77	7	5,383	2,977	1,011	931	464	2,504	1,620	263	528	93	1,192	867	22	291	12	1
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	1	2
-	-	-	-	-	4	-	-	4	-	-	-	-	-	1	-	-	-	-	5	3
-	-	-	-	-	3	-	-	3	-	-	-	-	-	3	-	-	-	-	1	4
-	-	-	-	-	3	1	-	2	-	-	-	1	-	2	-	-	-	-	2	5
1	-	-	1	-	12	-	-	11	1	20	3	-	16	1	5	-	-	4	1	6
-	-	-	-	-	11	2	-	8	1	7	2	-	5	-	10	-	-	9	1	8
-	-	-	-	-	6	2	1	3	-	3	2	-	1	-	-	-	-	-	-	9
-	-	-	-	-	4	1	-	3	-	1	-	1	-	-	-	-	-	-	-	10
5	2	-	3	-	35	5	3	16	11	20	5	-	12	3	9	1	-	7	1	11
1	-	-	-	-	20	1	-	17	2	13	3	-	9	1	6	-	-	-	7	12
3	-	-	-	-	3	-	-	2	1	5	-	-	4	1	3	-	-	-	2	13
22	-	-	19	3	698	-	-	387	311	210	1	-	160	49	91	-	-	87	4	14
-	-	-	-	-	7	-	-	7	-	10	1	-	8	1	3	-	-	3	-	15
22	19	3	691	380	311	200	152	48	88	84	4	16
1	-	-	1	-	19	1	-	16	2	12	1	-	9	2	9	2	-	7	-	17
4	1	-	3	-	39	4	-	28	7	29	4	-	21	4	26	2	-	24	-	18
2	1	-	1	-	4	2	-	1	1	3	3	-	-	-	3	2	-	1	-	19
1	-	-	1	-	24	-	-	19	5	18	-	-	15	3	20	-	-	20	-	20
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	21
1	-	-	1	-	2	-	-	2	-	4	-	-	3	1	1	-	-	1	-	22
-	-	-	-	-	9	2	-	6	1	3	1	-	2	-	1	-	-	1	-	23
4	3	-	1	-	52	39	4	6	3	19	14	1	4	-	11	8	-	3	-	24
6	-	-	4	2	72	-	-	42	30	30	-	-	26	4	12	-	-	11	1	25
1	1	-	-	-	37	17	3	12	5	19	12	1	5	1	11	5	-	6	-	26
54	30	1	23	-	745	409	67	231	38	404	232	37	124	11	207	132	1	74	-	27
-	-	-	-	-	66	30	2	31	3	19	11	2	6	-	26	10	1	15	-	28
3	2	-	1	-	63	22	3	36	2	40	16	4	17	3	23	14	-	9	-	29
29	13	-	16	-	385	192	40	127	26	218	116	18	78	6	99	60	-	39	-	30
22	15	1	6	-	231	165	22	37	7	127	89	13	23	2	59	48	-	11	-	31
218	209	7	2	-	5,410	2,454	925	21	10	1,564	1,319	217	23	5	731	706	21	4	-	32
29	28	1	-	-	407	356	50	-	1	235	214	21	-	-	148	145	3	-	-	33
5	5	-	-	-	153	129	24	-	-	97	85	12	-	-	58	58	-	-	-	34
24	23	1	-	-	254	227	26	-	1	138	129	9	-	-	90	87	3	-	-	35
6	6	-	114	97	17	61	54	7	34	34	36
4	4	-	61	52	9	45	40	5	23	23	37
2	2	-	53	45	8	16	14	2	11	11	38
23	22	1	-	-	293	259	33	-	1	174	160	14	-	-	114	111	3	-	-	39
1	1	-	-	-	92	77	15	-	-	52	45	7	-	-	35	35	-	-	-	40
22	21	1	-	-	201	182	18	-	1	122	115	7	-	-	79	76	3	-	-	41
34	32	1	1	-	1,732	1,178	544	8	2	449	394	56	9	-	180	176	4	-	-	42
9	7	1	1	-	295	233	55	6	1	155	131	16	8	-	47	47	1	-	-	43
25	25	-	-	-	1,437	945	489	2	1	294	253	40	1	-	132	129	3	-	-	44
13	12	1	252	117	135	87	53	14	35	33	2	45
11	10	1	169	79	90	50	39	11	32	30	2	46
2	2	-	83	38	45	17	14	3	3	3	47
-	-	-	-	-	13	7	7	-	-	6	4	2	-	-	1	1	-	-	-	48
-	-	-	-	-	13	6	7	-	-	5	3	2	-	-	-	-	-	-	-	49
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	1	1	-	-	-	50
-	-	-	-	-	20	15	5	-	-	18	16	2	-	-	8	7	1	-	-	51
-	-	-	-	-	11	10	1	-	-	13	12	1	-	-	4	4	-	-	-	52
-	-	-	-	-	9	5	4	-	-	5	4	1	-	-	4	3	1	-	-	53
3	2	1	-	-	18	13	2	3	-	13	11	2	-	-	9	9	-	-	-	54
-	3	-	-	-	9	5	1	3	-	4	4	-	-	-	3	3	-	-	-	55
8	8	1	-	-	9	8	1	3	-	9	7	2	-	-	6	6	-	-	-	56
5	5	-	-	-	94	89	5	-	-	50	48	2	-	-	36	35	1	-	-	57
3	3	-	-	-	79	75	4	-	-	38	36	2	-	-	29	28	1	-	-	58
-	-	-	-	-	15	14	1	-	-	12	12	-	-	-	7	7	-	-	-	59
2	2	-	-	-	36	25	10	1	-	12	11	1	-	-	4	4	-	-	-	60
1	1	-	-	-	25	19	6	-	-	7	6	1	-	-	3	3	-	-	-	61
1	1	-	-	-	11	6	4	1	-	5	5	-	-	-	1	1	-	-	-	62
49	47	1	1	-	246	197	41	2	6	249	196	37	12	4	122	115	4	3	-	63
13	11	1	1	-	51	42	4	2	3	75	57	4	8	4	26	22	1	3	-	64
36	36	-	-	-	195	155	37	-	3	176	139	33	4	-	96	93	3	-	-	65
1	1	-	-	-	23	14	3	5	1	14	8	4	2	-	9	8	-	1	-	66
79	77	2	-	-	568	443	123	2	-	451	374	76	-	1	179	173	6	-	-	67
4	1	-	3	-	17	4	1	9	3	13	4	1	8	-	4	2	-	2	-	68
15	1	-	2	1	59	19	3	24	13	33	12	2	17	2	9	4	-	5	-	69
5	1	-	-	-	127	12	3	87	25	82	5	2	67	8	34	4	-	29	1	70
4	1	-	4	-	22	3	1	15	-3	19	2	2	12	3	8	1	-	7	-	71
6	1	-	3	1	31	5	-	23	3	21	1	-	20	-	10	-	-	9	1	72
-	-	-	5	-	74	4	2	49	19	42	2	-	35	5	16	3	-	13	-	73
-	-	-	-	-	9	6	1	1	1	1	1	-	-	-	3	1	-	2	-	74

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of

CAUSE OF DEATH	KANSAS				KENTUCKY					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 ALL CAUSES-----	1,029	697	86	213	33	1,689	1,081	161	549	96
2 Dysentery, all forms-----045-048	2	-	-	-	-	1	-	-	1	2
3 Septicemia and pyemia-----053	-	-	-	2	-	12	-	-	10	-
4 Whooping cough-----056	1	-	-	1	-	2	-	-	2	-
5 Meningococcal infections-----057	3	-	-	3	-	11	-	-	11	-
6 Tetanus-----061	-	-	-	-	-	-	-	-	-	-
7 Other infective and parasitic dis-----001-044,049-052,054,055,058-060,062-138	5	1	2	2	-	14	2	-	10	2
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	3	-	-	3	-	3	-	-	3	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	1	-	-	1	-	6	3	-	2	1
10 Diseases of thymus gland-----273	1	-	-	-	1	-	-	-	-	-
11 Meningitis, except meningococcal and tuberculous-----340	9	3	1	5	-	23	8	1	14	-
12 Other diseases of nervous system and sense organs-----330-334,341-398	8	2	-	4	2	18	1	1	16	-
13 Acute upper respiratory infections-----470-475	4	-	-	3	1	8	1	-	6	1
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	53	-	-	43	10	223	1	-	179	43
15 Influenza-----480-483	-	-	-	-	-	11	1	-	9	1
16 Pneumonia, except pneumonia of newborn-----490-493	55	43	10	212	170	42
17 Bronchitis-----500-502	3	-	-	3	-	4	-	-	4	-
18 Other diseases of respiratory system-----510-522,525-527	18	3	-	10	5	12	1	-	9	2
19 Pulmonary congestion and hypostasis-----522	3	1	-	1	1	1	-	-	1	-
20 Other chronic interstitial pneumonia-----525	12	1	-	7	4	5	-	-	4	1
21 Bronchiectasis-----526	2	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527.2	2	1	-	1	-	1	-	-	-	1
23 All other diseases of respiratory system-----510-521,527.1	1	-	-	1	-	5	1	-	4	-
24 Hernia and intestinal obstruction-----560,561,570	12	8	-	4	-	14	8	1	4	1
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	10	-	-	9	1	48	-	-	37	11
26 Other diseases of digestive system-----530-542,544-553,573-587	6	3	-	3	-	12	5	-	6	1
27 Congenital malformations-----750-759	166	101	11	50	4	275	163	12	94	6
28 Spina bifida and meningocele-----751	19	8	2	9	-	25	13	1	10	1
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	13	5	1	6	1	22	10	-	11	1
30 Congenital malformations of circulatory system-----754	62	32	4	25	1	135	66	6	60	3
31 Other congenital malformations-----750,755-759	72	56	4	10	2	93	74	5	13	1
32 Certain diseases of early infancy-----760-776	645	588	67	9	1	1,033	864	138	24	7
33 Birth injuries-----760,761	104	90	13	-	1	120	109	11	-	-
34 Without mention of immaturity (.0)-----	34	30	3	-	1	58	50	8	-	-
35 With immaturity (.5)-----	70	60	10	-	-	62	59	3	-	-
36 Intracranial and spinal injury at birth-----760	24	21	3	47	42	5
37 Without mention of immaturity (.0)-----	16	15	1	35	28	5
38 With immaturity (.5)-----	8	6	2	14	14	-
39 Other birth injury-----761	80	69	10	-	1	73	67	6	-	-
40 Without mention of immaturity (.0)-----	18	15	2	-	1	25	22	3	-	-
41 With immaturity (.5)-----	62	54	8	-	-	48	45	3	-	-
42 Postnatal asphyxia and atelectasis-----762	155	137	14	4	-	256	229	24	2	1
43 Without mention of immaturity (.0)-----	47	40	4	3	-	76	68	5	2	1
44 With immaturity (.5)-----	108	97	10	1	-	180	161	19	-	-
45 Pneumonia of newborn-----763	36	28	8	58	42	16
46 Without mention of immaturity (.0)-----	22	15	7	44	33	11
47 With immaturity (.5)-----	14	13	1	14	9	5
48 Diarrhea of newborn-----764	-	-	-	-	-	14	10	4	-	-
49 Without mention of immaturity (.0)-----	-	-	-	-	-	12	9	3	-	-
50 With immaturity (.5)-----	-	-	-	-	-	2	1	1	-	-
51 Other infections of newborn-----765-768	7	6	1	-	-	23	20	3	-	-
52 Without mention of immaturity (.0)-----	6	6	-	-	-	15	12	3	-	-
53 With immaturity (.5)-----	1	-	1	-	-	8	8	-	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	9	8	1	-	-	13	12	1	-	-
55 Without mention of immaturity (.0-.4)-----	2	2	-	-	-	3	3	-	-	-
56 With immaturity (.5-.9)-----	7	6	1	-	-	10	9	1	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	28	27	1	-	-	36	35	1	-	-
58 Without mention of immaturity (.0-.2)-----	20	19	1	-	-	30	29	1	-	-
59 With immaturity (.5-.7)-----	8	8	-	-	-	6	6	-	-	-
60 Hemorrhagic disease of newborn-----771	3	2	1	-	-	5	4	1	-	-
61 Without mention of immaturity (.0)-----	3	2	1	-	-	3	2	1	-	-
62 With immaturity (.5)-----	-	-	-	-	-	2	2	-	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	151	141	7	3	-	183	148	15	17	3
64 Without mention of immaturity (.0)-----	43	40	-	3	-	58	35	4	17	2
65 With immaturity (.5)-----	108	101	7	-	-	125	113	11	-	1
66 Immaturity with mention of any other subsidiary condition-----774	10	7	1	2	-	13	6	1	3	3
67 Immaturity, unqualified-----776	142	122	20	-	-	312	249	61	2	-
68 Symptoms and ill-defined conditions-----780-793,795	12	3	2	4	3	52	10	3	28	11
69 All other diseases-----Residual	8	3	-	5	-	35	4	2	27	2
70 Accidents-----E800-E962	54	1	1	47	5	81	9	2	62	8
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	13	-	1	11	1	12	2	-	10	-
72 Accidental mechanical suffocation in bed and cradle-----E924	16	1	-	13	2	21	1	2	17	1
73 Other accidental causes-----E900-E920,E923,E925-E962	25	-	-	23	2	48	6	-	35	7
74 Homicide-----E964,E980-E984	5	1	2	2	-	2	1	1	-	-

SECTION 2 - MORTALITY

From 55 Selected Causes, by Color: United States and Each State, 1963-Con.

the Seventh Revision of the International Lists, 1955. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

Total, under 1 year	LOUISIANA				Total, under 1 year	MAINE				Total, under 1 year	MARYLAND				Total, under 1 year	MASSACHUSETTS			
	Under 28 days		28 days-11 months			Under 28 days		28 days-11 months			Under 28 days		28 days-11 months			Under 28 days		28 days-11 months	
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white
2,598	835	995	226	542	530	391	4	132	3	1,991	1,003	489	305	194	2,306	1,650	103	511	42
2	-	1	-	1	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-
28	-	-	10	18	1	-	-	1	-	10	-	-	4	6	2	-	-	2	-
6	-	-	1	5	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1
9	-	-	3	6	1	-	-	1	-	2	-	-	2	-	3	-	-	3	-
19	1	1	6	11	2	-	-	2	-	13	-	3	6	4	6	1	-	5	-
6	-	-	5	1	1	1	-	-	-	8	1	-	5	2	4	1	-	2	1
-	-	-	-	-	-	-	-	-	-	4	1	1	1	1	-	-	-	-	8
8	2	-	5	1	2	-	-	2	-	1	-	1	-	-	-	-	-	-	10
29	4	1	11	13	2	1	-	1	-	11	2	-	5	4	16	4	-	11	1
25	1	1	4	20	5	-	-	5	-	37	2	2	18	15	12	1	-	9	2
1	-	-	1	1	1	-	-	1	-	18	2	-	10	6	5	1	-	4	-
248	-	-	56	192	52	-	-	50	2	97	-	1	58	38	200	-	-	180	20
2	-	-	-	2	-	-	-	-	-	6	-	1	4	1	1	-	-	1	-
246	56	190	52	50	2	91	54	37	199	179	20
6	-	-	2	4	3	-	-	3	-	14	1	-	8	5	8	-	-	8	-
58	3	5	15	35	10	1	-	9	-	81	2	2	42	35	69	7	-	59	1
2	-	-	1	1	-	-	-	1	-	-	-	-	-	-	5	-	-	3	-
45	-	-	14	31	5	-	-	5	-	71	-	-	39	32	37	2	-	34	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	1	3	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	21
6	2	1	1	2	1	1	-	3	-	5	1	2	1	3	25	3	-	22	22
19	8	3	3	5	7	4	-	3	-	23	11	6	3	3	17	15	-	2	-
55	-	-	1	54	5	-	-	4	1	24	-	-	8	16	15	-	-	14	1
22	6	6	4	6	7	6	-	1	-	14	7	3	3	1	19	9	-	10	26
268	112	63	49	44	75	49	1	25	-	310	150	46	86	28	356	228	3	116	9
20	8	1	10	11	11	6	-	5	-	28	12	3	11	2	42	20	-	22	28
22	7	4	4	7	9	8	-	1	-	21	5	4	10	2	17	11	-	6	-
121	39	28	27	27	34	19	-	15	-	158	66	20	53	19	178	98	3	72	5
105	58	30	8	9	21	16	1	4	-	103	67	19	12	5	119	99	-	16	31
1,625	665	885	6	49	332	324	3	5	-	1,237	807	407	10	13	1,456	1,345	96	12	3
195	75	120	-	-	36	36	-	-	-	158	114	42	-	-	193	181	12	-	3
86	25	61	-	-	13	13	-	-	-	62	40	22	-	-	58	55	3	-	-
109	50	59	-	-	23	23	-	-	-	94	74	20	-	-	135	126	9	-	-
96	26	70	13	13	-	58	46	12	87	78	9
46	12	34	5	5	-	30	25	5	40	37	3
50	14	36	8	8	-	28	21	7	47	41	6
99	49	50	-	-	23	23	-	-	-	98	68	30	-	-	106	103	3	-	-
40	13	27	-	-	8	8	-	-	-	32	15	17	-	-	18	18	-	-	-
59	36	23	-	-	15	15	-	-	-	66	53	13	-	-	88	85	3	-	-
434	217	211	1	5	109	107	1	1	-	295	208	83	4	-	408	377	24	6	1
133	78	52	1	2	41	40	-	-	-	67	51	13	3	-	113	101	7	5	-
301	139	159	-	-	68	67	1	-	-	228	157	70	1	-	295	276	17	1	1
142	39	103	14	13	1	61	35	26	61	56	5
104	25	79	10	10	-	40	22	18	41	36	5
38	14	24	4	3	1	21	13	8	20	20	-
15	1	14	-	-	-	-	-	-	-	7	1	6	-	-	5	4	1	-	-
12	1	11	-	-	-	-	-	-	-	5	1	4	-	-	4	4	-	-	-
3	-	3	-	-	-	-	-	-	-	2	-	2	-	-	1	-	1	-	-
43	9	33	-	-	3	3	-	-	-	24	13	11	-	-	8	8	-	-	-
24	3	20	-	1	1	1	-	-	-	9	3	6	-	-	6	6	-	-	-
19	6	13	-	-	2	2	-	-	-	15	10	5	-	-	2	2	-	-	-
14	3	11	-	-	1	1	-	-	-	14	9	5	-	-	12	9	2	1	-
8	1	7	-	-	-	-	-	-	-	2	1	1	-	-	2	1	-	1	-
6	2	4	-	-	1	1	-	-	-	12	8	4	-	-	10	8	2	-	-
32	22	10	-	-	10	10	-	-	-	33	28	5	-	-	59	55	3	1	-
26	18	8	-	-	7	7	-	-	-	27	23	4	-	-	41	39	2	-	-
6	4	2	-	-	3	3	-	-	-	6	5	1	-	-	18	16	1	1	-
12	5	7	-	-	3	3	-	-	-	12	7	4	1	-	12	12	-	-	-
6	3	3	-	-	1	1	-	-	-	6	4	1	1	-	4	4	-	-	-
6	2	4	-	-	2	2	-	-	-	6	3	3	-	-	8	8	-	-	-
305	137	143	-	25	51	49	-	2	-	189	116	60	4	9	209	189	17	2	1
86	35	33	-	18	11	9	-	-	-	50	31	9	3	7	45	39	3	2	1
219	102	110	-	7	40	40	-	-	-	139	85	51	1	2	164	150	14	-	-
37	9	14	3	11	8	6	-	2	-	20	12	5	-	3	42	37	3	1	1
396	168	219	2	7	97	96	1	-	-	426	264	160	1	1	447	417	29	1	-
21	2	10	2	7	3	3	-	-	-	5	-	4	1	-	10	3	-	6	1
46	9	6	6	25	5	5	-	-	-	37	9	7	14	7	41	20	1	20	-
93	3	12	35	43	14	1	-	13	-	38	6	4	20	8	61	13	-	46	2
18	2	3	5	8	3	-	-	3	-	8	-	3	4	1	17	2	-	15	-
21	-	4	7	10	6	6	-	-	-	8	1	-	6	1	11	-	-	11	-
54	1	5	23	25	6	6	-	6	-	22	5	1	10	6	33	11	-	20	2
4	-	1	1	2	2	1	-	1	-	3	2	1	-	-	5	2	1	2	-

SECTION 2 - MORTALITY

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of

CAUSE OF DEATH	MICHIGAN					MINNESOTA				
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 ALL CAUSES-----	4,155	2,585	530	843	197	1,671	1,251	28	371	21
2 Dysentery, all forms-----045-048	-	-	-	-	-	1	-	-	1	-
3 Septicemia and pyemia-----053	15	-	-	12	1	7	-	-	6	1
4 Whooping cough-----056	-	-	-	-	-	2	-	-	2	-
5 Meningococcal infections-----057	9	2	-	6	1	5	-	-	5	-
6 Tetanus-----061	-	-	-	-	-	-	-	-	-	-
7 Other infective and parasitic dis-----001-044,049-052,054,055,058-060,062-138	16	1	-	14	1	6	1	-	5	-
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	14	2	-	11	1	7	3	-	4	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	6	4	-	2	-	5	5	-	-	-
10 Diseases of thymus gland-----273	7	1	-	6	-	1	-	-	1	-
11 Meningitis, except meningococcal and tuberculous-----340	21	4	-	15	2	10	5	-	5	-
12 Other diseases of nervous system and sense organs-----330-334,341-398	26	1	1	20	4	17	1	-	16	-
13 Acute upper respiratory infections-----470-475	14	-	-	13	1	9	-	-	9	-
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	335	1	-	244	90	90	-	-	85	5
15 Influenza-----480-483	10	1	-	9	-	4	-	-	4	-
16 Pneumonia, except pneumonia of newborn-----490-493	325	235	90	86	81	5
17 Bronchitis-----500-502	30	2	-	26	2	6	2	1	3	-
18 Other diseases of respiratory system-----510-522,525-527	69	6	1	46	16	80	16	-	61	3
19 Pulmonary congestion and hypostasis-----522	3	2	1	-	-	47	10	-	34	3
20 Other chronic interstitial pneumonia-----525	52	-	-	38	14	14	-	-	14	-
21 Bronchiectasis-----526	-	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527.2	9	3	-	5	1	14	3	-	11	-
23 All other diseases of respiratory system-----510-521,527.1	5	1	-	3	1	5	3	-	2	-
24 Hernia and intestinal obstruction-----560,561,570	35	22	-	11	2	13	9	1	3	-
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	40	1	-	30	9	15	-	-	10	5
26 Other diseases of digestive system-----530-542,544-553,573-587	22	9	-	12	1	10	6	-	4	-
27 Congenital malformations-----750-759	674	405	31	210	28	291	202	2	86	1
28 Spina bifida and meningocele-----751	69	31	1	35	2	27	14	-	13	-
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	47	21	1	19	6	17	11	-	6	-
30 Congenital malformations of circulatory system-----754	331	186	12	120	13	138	88	2	47	1
31 Other congenital malformations-----750,755-759	227	167	17	36	7	109	89	-	20	-
32 Certain diseases of early infancy-----760-776	2,634	2,104	493	23	14	1,007	977	24	5	1
33 Birth injuries-----760,761	482	407	74	1	-	183	180	3	-	-
34 Without mention of immaturity (.0)-----	147	119	28	-	-	63	62	1	-	-
35 With immaturity (.5)-----	335	288	46	1	-	120	118	2	-	-
36 Intracranial and spinal injury at birth-----760	94	76	18	41	40	1
37 Without mention of immaturity (.0)-----	56	42	14	21	21	-
38 With immaturity (.5)-----	38	34	4	20	19	1
39 Other birth injury-----761	388	331	56	1	-	142	140	2	-	-
40 Without mention of immaturity (.0)-----	91	77	14	-	-	42	41	1	-	-
41 With immaturity (.5)-----	297	254	42	1	-	100	99	1	-	-
42 Postnatal asphyxia and atelectasis-----762	728	595	128	5	-	234	227	6	1	-
43 Without mention of immaturity (.0)-----	175	145	28	2	-	78	74	3	1	-
44 With immaturity (.5)-----	553	450	100	3	-	156	153	3	-	-
45 Pneumonia of newborn-----763	90	72	18	21	20	1
46 Without mention of immaturity (.0)-----	70	59	12	16	15	1
47 With immaturity (.5)-----	20	14	6	5	5	-
48 Diarrhea of newborn-----764	5	4	1	-	-	1	-	-	-	-
49 Without mention of immaturity (.0)-----	5	4	1	-	-	1	-	-	-	-
50 With immaturity (.5)-----	-	-	-	-	-	-	-	-	-	-
51 Other infections of newborn-----765-768	22	13	7	1	1	7	7	-	-	-
52 Without mention of immaturity (.0)-----	10	6	2	1	1	3	3	-	-	-
53 With immaturity (.5)-----	12	7	5	-	-	4	4	-	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	39	28	10	1	-	22	21	1	-	-
55 Without mention of immaturity (.0-.4)-----	15	11	3	1	-	4	3	1	-	-
56 With immaturity (.5-.9)-----	24	17	7	-	-	18	18	-	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	94	89	3	2	-	48	48	-	-	-
58 Without mention of immaturity (.0-.2)-----	75	70	3	2	-	34	34	-	-	-
59 With immaturity (.5-.7)-----	19	19	-	-	-	14	14	-	-	-
60 Hemorrhagic disease of newborn-----771	19	18	1	-	-	13	13	-	-	-
61 Without mention of immaturity (.0)-----	12	11	1	-	-	11	11	-	-	-
62 With immaturity (.5)-----	7	7	-	-	-	2	2	-	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	343	252	79	8	4	172	165	4	2	1
64 Without mention of immaturity (.0)-----	92	65	15	8	4	48	45	-	2	1
65 With immaturity (.5)-----	251	187	64	-	-	124	120	4	-	-
66 Immaturity with mention of any other subsidiary condition-----774	38	29	1	2	6	13	11	1	1	-
67 Immaturity, unqualified-----776	774	597	171	3	3	293	285	7	1	-
68 Symptoms and ill-defined conditions-----780-793,795	20	1	-	15	4	17	6	-	9	2
69 All other diseases-----Residual	39	6	2	28	3	22	10	-	11	1
70 Accidents-----E800-E962	123	10	2	94	17	47	7	-	39	2
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	35	4	-	29	2	10	2	-	7	1
72 Accidental mechanical suffocation in bed and cradle-----E924	18	-	-	17	1	15	2	-	13	-
73 Other accidental causes-----E800-E920,E923,E925-E962	70	6	2	48	14	22	3	-	18	1
74 Homicide-----E964,E980-E984	8	3	-	5	-	3	1	-	2	-

SECTION 2 - MORTALITY

From 55 Selected Causes, by Color: United States and Each State, 1963--Con.

the Seventh Revision of the International Lists, 1955. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

MISSISSIPPI					MISSOURI					MONTANA					NEBRASKA					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	White
2,372	473	976	143	780	2,183	1,245	348	418	172	384	237	27	89	31	707	511	38	129	29	1
6	-	-	-	6	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	2
8	-	-	2	6	5	-	-	5	-	2	-	-	2	-	1	-	-	1	-	3
2	-	-	-	2	4	-	-	1	3	-	-	-	-	-	1	-	-	-	1	4
2	-	-	-	2	1	-	-	1	-	2	-	-	2	-	2	-	-	2	-	5
5	-	5	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	6
17	1	1	3	12	7	-	-	6	1	2	-	1	-	1	4	1	-	2	1	7
2	-	-	2	-	7	3	1	3	-	2	-	1	1	-	-	-	-	-	-	8
1	-	-	1	-	8	5	-	3	-	1	-	-	1	-	-	-	-	-	-	9
-	-	-	-	-	8	3	-	2	3	-	-	-	-	-	1	-	-	1	-	10
23	3	4	3	13	15	4	-	9	2	4	1	-	3	-	-	-	-	-	-	11
10	-	-	2	8	12	1	-	11	-	-	-	-	-	-	7	-	-	-	5	12
16	-	3	1	12	4	-	-	2	2	6	-	-	5	1	3	-	-	2	2	13
255	-	2	33	220	187	-	-	124	63	26	-	-	12	14	55	-	-	42	13	14
28	-	2	3	23	4	-	-	3	1	1	-	-	1	1	1	-	-	1	1	15
227	30	197	183	121	62	25	11	14	54	41	13	16
4	1	-	1	2	8	-	-	6	2	5	1	-	3	1	7	-	-	7	-	17
12	-	1	2	9	30	3	1	19	7	5	-	-	4	1	15	3	1	8	3	18
1	-	-	1	2	2	1	-	-	1	2	-	-	2	7	10	1	-	7	2	19
2	-	-	2	-	18	1	-	14	3	1	-	-	1	-	1	-	-	1	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
6	-	-	-	6	3	-	1	2	-	1	-	-	1	-	1	-	-	-	-	22
3	-	1	-	2	7	1	-	3	3	1	-	-	-	1	3	2	1	-	-	23
13	-	4	-	9	26	15	-	6	5	2	1	-	1	-	8	6	-	2	-	24
136	-	-	6	130	35	-	-	21	14	7	-	-	3	4	6	-	-	4	2	25
8	4	-	-	4	9	2	-	7	-	3	1	-	2	1	1	-	-	1	-	26
168	62	37	40	29	264	153	16	85	10	62	35	3	21	3	120	87	5	28	-	27
13	7	1	5	-	27	7	1	18	1	5	4	-	1	-	9	9	-	-	-	28
13	2	2	7	2	19	8	1	8	2	9	5	1	3	2	10	5	1	4	-	29
85	29	22	19	15	131	75	7	44	5	29	14	2	11	2	61	41	2	18	-	30
57	24	12	9	12	87	63	7	15	2	19	12	-	6	1	40	32	2	6	-	31
1,183	382	744	4	53	1,379	1,027	314	13	25	220	195	20	4	1	445	408	31	4	2	32
103	49	54	-	-	196	165	31	-	-	31	29	2	-	-	89	86	3	-	-	33
58	22	36	-	-	81	68	13	-	-	7	6	1	-	-	16	16	-	-	-	34
45	27	18	-	-	115	97	18	-	-	24	23	1	-	-	73	70	3	-	-	35
28	11	17	61	42	19	4	3	1	16	16	-	36
25	10	15	41	33	8	4	3	1	7	7	-	37
3	1	2	20	9	11	-	-	-	9	9	-	38
75	38	37	-	-	155	123	12	-	-	27	26	1	-	-	73	70	3	-	-	39
33	12	21	-	-	40	35	5	-	-	3	3	-	-	-	9	9	-	-	-	40
42	26	16	-	-	95	88	7	-	-	24	23	1	-	-	64	61	3	-	-	41
231	104	122	2	3	366	277	84	3	2	52	47	4	1	-	112	101	9	1	1	42
88	33	50	2	3	117	75	38	2	2	20	18	4	-	-	18	16	1	1	-	43
143	71	72	-	-	249	202	46	1	-	32	31	-	1	-	94	85	8	-	-	44
93	25	68	78	53	25	8	6	2	26	24	2	45
64	14	50	54	34	20	4	4	-	12	11	1	46
29	11	18	24	19	5	4	2	2	14	13	1	47
31	4	26	8	3	5	2	1	1	-	-	-	-	-	-	-	48
23	2	20	6	3	3	1	-	-	-	-	-	-	-	-	-	49
8	2	6	-	-	2	-	2	-	-	1	1	-	-	-	-	-	-	-	-	50
20	5	15	-	-	18	15	3	-	-	2	2	-	-	-	3	2	1	-	-	51
13	2	11	-	-	10	9	1	-	-	2	2	-	-	-	2	2	-	-	-	52
7	3	4	-	-	8	6	2	-	-	-	-	-	-	-	1	-	1	-	-	53
13	1	11	-	1	15	12	3	-	-	5	4	1	-	-	12	10	2	-	-	54
7	1	5	-	1	8	6	2	-	-	1	1	-	-	-	2	2	-	-	-	55
6	-	6	-	-	7	6	1	-	-	4	3	1	-	-	10	8	2	-	-	56
15	8	6	-	1	38	37	1	-	-	10	9	-	1	-	13	13	-	-	-	57
15	8	6	-	1	35	34	1	-	-	7	6	-	1	-	8	8	-	-	-	58
-	-	-	-	-	3	3	-	-	-	3	3	-	-	-	5	5	-	-	-	59
14	4	10	-	-	8	8	-	-	-	2	2	-	-	-	2	2	-	-	-	60
12	4	8	-	-	4	4	-	-	-	1	1	-	-	-	-	-	-	-	-	61
2	-	2	-	-	4	4	-	-	-	1	1	-	-	-	2	2	-	-	-	62
241	80	131	1	29	281	204	50	6	21	43	37	5	1	-	75	68	5	1	1	63
120	27	69	-	24	90	57	8	5	20	13	11	1	1	-	9	8	-	1	-	64
121	53	62	1	5	191	147	42	1	1	30	26	4	-	-	66	60	5	-	1	65
19	7	6	-	6	42	32	4	4	2	7	5	-	1	1	9	8	-	1	-	66
403	95	295	1	12	329	221	108	-	-	58	53	5	-	-	104	94	9	1	-	67
378	14	152	16	196	49	11	8	23	7	7	1	-	6	-	1	-	-	1	-	68
22	3	3	5	11	31	12	2	14	3	4	1	-	3	-	6	1	1	3	1	69
99	2	19	22	56	84	3	2	55	24	22	-1	2	15	4	24	5	-	15	4	70
10	-	4	2	4	13	1	-	7	5	7	1	2	1	3	6	2	-	4	-	71
36	1	3	9	23	27	-	1	18	8	8	-	-	7	1	8	-	-	7	-	72
53	1	12	11	29	44	2	1	30	11	7	-	-	7	-	10	3	-	4	3	73
2	1	1	-	-	7	3	2	2	-	1	-	-	1	-	-	-	-	-	-	74

SECTION 2 - MORTALITY

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of

CAUSE OF DEATH	NEVADA				NEW HAMPSHIRE					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 ALL CAUSES-----	288	182	35	57	14	317	248	2	66	1
2 Dysentery, all forms-----045-048	-	-	-	-	-	-	-	-	-	-
3 Septicemia and pyemia-----053	3	-	-	2	1	1	-	-	-	-
4 Whooping cough-----056	1	-	-	1	-	1	-	-	1	-
5 Meningococcal infections-----057	1	-	-	1	-	1	-	-	1	-
6 Tetanus-----061	-	-	-	-	-	-	-	-	-	-
7 Other infective and parasitic dis-----001-044,049-052,054,055,058-060,062-138	2	2	-	-	-	-	-	-	-	-
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	-	-	-	-	-	-	-	-	-	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	-	-	-	-	-	-	-	-	-	-
10 Diseases of thymus gland-----273	1	-	-	1	-	-	-	-	-	-
11 Meningitis, except meningococcal and tuberculous-----340	1	1	-	-	-	1	-	-	1	-
12 Other diseases of nervous system and sense organs-----330-334,341-398	3	-	-	3	-	3	-	-	3	-
13 Acute upper respiratory infections-----470-475	3	-	-	2	1	2	-	-	2	-
14 Influenza and pneumonia, except pneumonia of newborn-----480-483	26	-	-	18	8	20	-	-	20	-
15 Influenza-----480-483	-	-	-	-	-	-	-	-	-	-
16 Pneumonia, except pneumonia of newborn-----490-493	26	18	8	20	20	-
17 Bronchitis-----500-502	3	-	-	3	-	1	-	-	1	-
18 Other diseases of respiratory system-----510-522,525-527	4	-	-	4	-	2	-	-	2	-
19 Pulmonary congestion and hypostasis-----522	-	-	-	-	-	-	-	-	-	-
20 Other chronic interstitial pneumonia-----525	3	-	-	3	-	1	-	-	1	-
21 Bronchiectasis-----526	-	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527.2	1	-	-	1	-	1	-	-	1	-
23 All other diseases of respiratory system-----510-521,527.1	-	-	-	-	-	-	-	-	-	-
24 Hernia and intestinal obstruction-----560,561,570	2	1	-	1	-	1	1	-	-	-
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	2	-	-	-	2	3	-	-	3	-
26 Other diseases of digestive system-----530-542,544-553,573-587	1	-	-	1	-	2	2	-	-	-
27 Congenital malformations-----750-759	34	25	2	6	1	59	43	-	16	-
28 Spina bifida and meningocele-----751	2	2	-	-	-	8	4	-	4	-
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	4	3	-	1	-	9	4	-	5	-
30 Congenital malformations of circulatory system-----754	14	9	1	3	1	22	17	-	5	-
31 Other congenital malformations-----750,755-759	14	11	1	2	-	20	18	-	2	-
32 Certain diseases of early infancy-----760-776	185	151	32	2	-	199	195	2	2	-
33 Birth injuries-----760,761	25	21	4	-	-	30	30	-	-	-
34 Without mention of immaturity (.0)-----	7	6	1	-	-	6	6	-	-	-
35 With immaturity (.5)-----	18	15	3	-	-	24	24	-	-	-
36 Intracranial and spinal injury at birth-----760	6	6	-	7	7	-
37 Without mention of immaturity (.0)-----	1	1	-	3	3	-
38 With immaturity (.5)-----	5	5	-	4	4	-
39 Other birth injury-----761	19	15	4	-	-	23	23	-	-	-
40 Without mention of immaturity (.0)-----	6	5	1	-	-	3	3	-	-	-
41 With immaturity (.5)-----	13	10	3	-	-	20	20	-	-	-
42 Postnatal asphyxia and atelectasis-----762	28	23	5	-	-	45	43	1	1	-
43 Without mention of immaturity (.0)-----	5	3	2	-	-	11	9	1	1	-
44 With immaturity (.5)-----	23	20	3	-	-	34	34	-	-	-
45 Pneumonia of newborn-----763	11	9	2	13	13	-
46 Without mention of immaturity (.0)-----	9	8	1	10	10	-
47 With immaturity (.5)-----	2	1	1	3	3	-
48 Diarrhea of newborn-----764	-	-	-	-	-	-	-	-	-	-
49 Without mention of immaturity (.0)-----	-	-	-	-	-	-	-	-	-	-
50 With immaturity (.5)-----	-	-	-	-	-	-	-	-	-	-
51 Other infections of newborn-----765-768	5	5	-	-	-	2	2	-	-	-
52 Without mention of immaturity (.0)-----	2	2	-	-	-	1	1	-	-	-
53 With immaturity (.5)-----	3	3	-	-	-	1	1	-	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	1	-	1	-	-	3	2	-	1	-
55 Without mention of immaturity (.0-.4)-----	-	-	-	-	-	2	1	-	1	-
56 With immaturity (.5-.9)-----	1	-	1	-	-	1	1	-	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	7	5	1	1	-	7	7	-	-	-
58 Without mention of immaturity (.0-.2)-----	4	2	1	1	-	2	2	-	-	-
59 With immaturity (.5-.7)-----	3	3	-	-	-	5	5	-	-	-
60 Hemorrhagic disease of newborn-----771	1	-	1	-	-	-	-	-	-	-
61 Without mention of immaturity (.0)-----	-	-	-	-	-	-	-	-	-	-
62 With immaturity (.5)-----	1	-	1	-	-	-	-	-	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	50	48	2	-	-	32	32	-	-	-
64 Without mention of immaturity (.0)-----	21	21	-	-	-	3	3	-	-	-
65 With immaturity (.5)-----	29	27	2	-	-	29	29	-	-	-
66 Immaturity with mention of any other subsidiary condition-----774	4	3	-	1	-	2	2	-	-	-
67 Immaturity, unqualified-----776	53	37	16	-	-	65	64	1	-	-
68 Symptoms and ill-defined conditions-----780-793,795	2	-	-	2	-	12	3	-	8	1
69 All other diseases-----Residual	1	1	-	-	-	2	2	-	-	-
70 Accidents-----E800-E962	12	1	-	10	1	7	2	-	5	-
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	1	1	-	-	-	3	1	-	2	-
72 Accidental mechanical suffocation in bed and cradle-----E924	4	-	-	4	-	1	-	-	1	-
73 Other accidental causes-----E800-E920,E923,E925-E962	7	-	-	6	1	3	1	-	2	-
74 Homicide-----E964,E980-E984	1	-	1	-	-	1	-	-	1	-

¹Figures by color are not shown because reporting was incomplete; see Technical Appendix.

SECTION 2 - MORTALITY

From 55 Selected Causes, by Color: United States and Each State, 1963—Con.

the Seventh Revision of the International Lists, 1955. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

NEW JERSEY ¹			NEW MEXICO				NEW YORK				NORTH CAROLINA							
Total, under 1 year	Under 28 days	28 days-11 months	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
				White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
3,152	2,455	657	848	491	73	196	88	8,526	4,849	1,528	1,545	604	3,548	1,234	901	404	809	1
1	-	1	6	-	-	3	3	-	-	-	-	-	3	-	-	1	2	2
3	-	3	1	-	-	1	-	13	-	-	10	3	39	-	-	15	24	3
1	-	1	2	-	-	-	-	2	-	-	-	-	6	-	-	2	4	4
3	1	2	2	-	-	1	1	11	1	-	9	1	5	2	-	3	-	5
9	1	8	6	1	-	2	3	27	3	1	19	4	17	4	1	3	9	7
5	3	2	-	-	-	-	-	24	2	-	19	3	5	-	1	2	2	8
6	3	3	1	-	-	1	-	11	6	-	4	1	5	4	1	-	-	9
6	-	6	1	1	-	-	-	4	-	-	4	-	1	-	-	1	-	10
20	4	16	11	2	-	2	7	6	14	4	27	15	29	3	1	10	15	11
20	-	20	9	1	-	6	1	56	20	4	41	13	23	-	-	15	10	12
6	3	3	1	-	-	1	-	26	-	-	7	25	4	-	-	4	20	13
217	-	217	69	1	-	45	25	647	-	-	417	230	448	1	-	123	323	14
3	-	3	5	1	-	3	1	4	-	-	4	-	35	2	-	10	23	15
214	...	214	64	40	24	643	413	230	413	113	300	16
9	2	7	1	-	-	1	-	48	4	1	30	13	20	-	1	6	13	17
22	6	16	20	-	-	18	2	62	4	2	38	18	31	1	3	8	19	18
2	1	1	-	-	-	-	-	23	2	1	11	9	6	1	2	-	3	19
9	-	9	20	-	-	18	2	20	1	-	13	6	11	-	-	6	5	20
3	-	3	-	-	-	-	-	10	-	-	-	-	-	-	-	-	-	21
8	5	3	-	-	-	-	-	9	1	1	8	2	12	-	1	1	11	22
25	19	6	11	7	1	2	1	82	46	11	20	5	22	16	1	2	3	24
41	1	40	36	-	-	22	14	134	1	1	81	51	113	-	-	16	97	25
18	9	9	6	1	-	4	1	54	25	6	17	6	26	6	4	7	9	26
475	312	163	101	60	8	27	6	1,299	696	85	442	76	361	171	60	92	38	27
49	27	22	7	2	2	2	1	117	56	5	54	2	51	26	4	19	2	28
33	21	12	13	3	-	7	3	119	44	4	58	13	36	14	5	13	4	29
245	145	100	45	29	1	12	2	633	307	39	247	40	145	56	30	41	18	30
148	119	29	36	26	5	5	5	430	289	37	83	21	129	75	21	19	14	31
2,112	2,093	19	480	402	58	15	5	5,430	3,953	1,384	53	40	1,812	997	764	9	42	32
268	268	-	56	51	5	-	-	662	565	97	-	-	247	142	105	-	-	33
111	111	-	19	16	3	-	-	256	216	40	-	-	109	56	53	-	-	34
157	157	-	37	35	2	-	-	406	349	57	-	-	138	86	52	-	-	35
84	84	...	14	13	1	249	190	59	70	37	33	36
56	56	...	8	7	1	144	112	32	49	24	24	37
28	28	...	6	6	-	105	78	27	22	13	9	38
184	184	-	42	38	4	-	-	413	375	38	-	-	177	105	72	-	-	39
55	55	-	11	9	2	-	-	112	104	8	-	-	61	32	29	-	-	40
129	129	-	31	29	2	-	-	301	271	30	-	-	116	73	43	-	-	41
832	828	4	138	120	14	4	-	1,686	1,253	384	30	19	493	289	197	3	4	42
246	243	3	38	29	6	3	-	449	337	66	28	18	131	63	62	3	3	43
586	585	1	100	91	8	1	-	1,237	916	318	2	1	362	226	135	-	-	44
97	97	...	24	21	3	272	204	68	84	35	49	45
74	74	...	18	15	3	205	155	50	80	23	37	46
6	6	...	6	6	-	67	49	18	24	12	12	47
5	5	-	2	-	2	-	-	11	7	4	-	-	34	6	28	-	-	48
1	1	-	-	-	-	-	-	11	7	4	-	-	27	5	22	-	-	49
22	22	-	12	4	8	-	-	64	50	13	1	-	29	13	16	-	-	50
13	13	-	6	1	5	-	-	39	33	5	1	-	23	10	13	-	-	51
9	9	-	6	3	3	-	-	25	17	8	-	-	6	3	3	-	-	52
25	24	1	3	3	-	-	-	38	33	5	-	-	30	16	14	-	-	54
8	7	1	2	2	-	-	-	15	13	2	-	-	10	4	6	-	-	55
17	17	-	1	1	-	-	-	23	20	3	-	-	20	12	8	-	-	56
70	70	-	15	15	-	-	-	173	164	8	1	-	29	27	2	-	-	57
57	57	-	9	9	-	-	-	133	125	7	1	-	24	22	2	-	-	58
13	13	-	6	6	-	-	-	40	39	1	-	-	5	5	-	-	-	59
20	20	-	5	3	2	-	-	46	34	11	1	-	20	9	11	-	-	60
11	11	-	4	2	2	-	-	31	26	4	1	-	12	6	6	-	-	61
9	9	-	1	1	-	-	-	15	8	7	-	-	8	3	5	-	-	62
246	238	8	82	61	9	3	3	679	488	172	12	7	324	187	101	5	31	63
75	68	7	28	16	2	8	2	112	80	14	12	6	98	38	25	5	30	64
171	170	1	54	45	7	1	1	567	408	158	-	1	226	149	76	-	-	65
28	23	5	12	10	1	1	1	82	51	14	6	11	31	17	8	1	5	66
498	497	1	131	114	14	1	2	1,717	1,104	608	2	3	491	256	233	-	-	67
12	6	6	36	7	3	13	13	213	25	14	104	70	174	13	43	27	91	68
27	9	18	10	4	-	6	4	94	25	6	53	10	39	7	8	10	14	69
106	16	90	39	4	3	28	4	190	20	4	132	34	156	5	9	48	74	70
39	4	35	8	1	-	7	-	47	9	1	31	6	31	1	1	6	23	71
28	6	22	5	1	-	4	-	31	2	2	25	2	44	1	4	15	24	72
39	6	33	26	2	3	17	4	112	9	1	76	26	61	3	4	27	27	73
8	7	1	-	-	-	-	-	41	22	9	6	4	6	2	2	-	-	74

SECTION 2 - MORTALITY

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of

CAUSE OF DEATH	NORTH DAKOTA				OHIO					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 ALL CAUSES-----	375	267	12	79	17	4,944	3,170	609	938	227
2 Dysentery, all forms-----045-048	-	-	-	-	-	-	-	-	-	-
3 Septicemia and pyemia-----053	-	-	-	-	-	11	-	-	10	1
4 Whooping cough-----056	-	-	-	-	-	5	-	-	2	3
5 Meningococcal infections-----057	1	-	-	1	-	13	-	-	13	-
6 Tetanus-----061	-	-	-	-	-	-	-	-	-	-
7 Other infective and parasitic dis-----001-044,049-052,054,055,058-060,062-138	6	-	-	5	1	19	3	1	12	3
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	2	1	-	1	-	9	2	-	4	3
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	-	-	-	-	-	3	1	-	2	-
10 Diseases of thymus gland-----273	2	1	-	-	1	2	1	-	1	-
11 Meningitis, except meningococcal and tuberculous-----340	3	-	-	2	1	32	10	6	12	4
12 Other diseases of nervous system and sense organs-----330-334,341-398	1	-	-	1	-	25	1	2	18	4
13 Acute upper respiratory infections-----470-475	1	-	-	1	-	56	4	4	26	22
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	21	1	-	17	3	296	1	-	238	57
15 Influenza-----480-483	1	1	-	-	-	13	1	-	12	-
16 Pneumonia, except pneumonia of newborn-----490-493	20	17	3	283	226	57
17 Bronchitis-----500-502	2	-	-	2	-	33	1	-	24	8
18 Other diseases of respiratory system-----510-522,525-527	8	-	-	4	4	92	5	-	68	19
19 Pulmonary congestion and hypostasis-----522	-	-	-	-	-	6	4	-	2	-
20 Other chronic interstitial pneumonia-----525	6	-	-	3	3	80	-	-	61	19
21 Bronchiectasis-----526	-	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527.2	1	-	-	1	-	4	1	-	3	-
23 All other diseases of respiratory system-----510-521,527.1	1	-	-	-	1	2	-	-	2	-
24 Hernia and intestinal obstruction-----560,561,570	3	3	-	-	-	49	31	7	9	2
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	7	-	-	4	3	50	8	-	37	13
26 Other diseases of digestive system-----530-542,544-553,573-587	1	-	-	1	-	28	8	3	12	3
27 Congenital malformations-----750-759	53	35	1	19	2	853	527	36	258	32
28 Spina bifida and meningocele-----751	3	-	1	2	-	40	-	-	26	1
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	5	4	-	1	-	74	39	4	28	3
30 Congenital malformations of circulatory system-----754	31	17	-	12	2	422	225	14	163	20
31 Other congenital malformations-----750,755-759	16	12	-	4	-	230	223	18	41	8
32 Certain diseases of early infancy-----760-776	240	225	11	4	-	3,107	2,519	539	35	14
33 Birth injuries-----760,761	37	37	-	-	-	546	464	82	-	-
34 Without mention of immaturity (.0)-----	9	9	-	-	-	182	157	25	-	-
35 With immaturity (.5)-----	28	28	-	-	-	364	307	57	-	-
36 Intracranial and spinal injury at birth-----760	9	9	-	119	96	23
37 Without mention of immaturity (.0)-----	5	5	-	74	67	7
38 With immaturity (.5)-----	4	4	-	45	29	16
39 Other birth injury-----761	28	28	-	-	-	427	368	59	-	-
40 Without mention of immaturity (.0)-----	4	4	-	-	-	108	90	18	-	-
41 With immaturity (.5)-----	24	24	-	-	-	319	278	41	-	-
42 Postnatal asphyxia and atelectasis-----762	67	64	3	-	-	855	738	109	8	-
43 Without mention of immaturity (.0)-----	11	11	-	-	-	250	212	31	7	-
44 With immaturity (.5)-----	56	53	3	-	-	605	526	78	1	-
45 Pneumonia of newborn-----763	13	11	2	103	85	18
46 Without mention of immaturity (.0)-----	9	8	1	66	57	9
47 With immaturity (.5)-----	4	3	1	37	28	9
48 Diarrhea of newborn-----764	2	1	1	-	-	4	1	3	-	-
49 Without mention of immaturity (.0)-----	2	1	1	-	-	3	1	2	-	-
50 With immaturity (.5)-----	-	-	-	-	-	1	-	1	-	-
51 Other infections of newborn-----765-768	5	5	-	-	-	45	33	12	-	-
52 Without mention of immaturity (.0)-----	4	4	-	-	-	21	15	6	-	-
53 With immaturity (.5)-----	1	1	-	-	-	24	18	6	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	6	6	-	-	-	31	28	3	-	-
55 Without mention of immaturity (.0-.4)-----	3	3	-	-	-	13	13	-	-	-
56 With immaturity (.5-.9)-----	3	3	-	-	-	18	15	3	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	9	9	-	-	-	126	121	5	-	-
58 Without mention of immaturity (.0-.2)-----	7	7	-	-	-	100	96	4	-	-
59 With immaturity (.5-.7)-----	2	2	-	-	-	26	25	1	-	-
60 Hemorrhagic disease of newborn-----771	1	1	-	-	-	38	29	9	-	-
61 Without mention of immaturity (.0)-----	-	-	-	-	-	26	20	6	-	-
62 With immaturity (.5)-----	1	1	-	-	-	12	9	3	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	48	41	3	4	-	542	421	97	13	11
64 Without mention of immaturity (.0)-----	16	13	-	3	-	121	88	12	11	10
65 With immaturity (.5)-----	32	28	3	1	-	421	333	85	2	1
66 Immaturity with mention of any other subsidiary condition-----774	3	3	-	-	-	61	36	12	10	3
67 Immaturity, unqualified-----776	49	47	2	-	-	756	563	189	4	-
68 Symptoms and ill-defined conditions-----780-793,795	2	-	-	2	-	46	11	4	21	10
69 All other diseases-----Residual	6	2	-	4	-	74	24	1	39	10
70 Accidents-----E800-E962	12	1	-	9	2	128	17	4	92	15
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	4	-	-	3	1	35	7	1	23	4
72 Accidental mechanical suffocation in bed and cradle-----E924	3	-	-	3	-	31	5	-	22	4
73 Other accidental causes-----E800-E920,E923,E925-E962	5	1	-	3	1	62	5	3	47	7
74 Homicide-----E964,E980-E984	1	-	-	1	-	15	4	2	5	4

SECTION 2 - MORTALITY

From 55 Selected Causes, by Color: United States and Each State, 1963—Con.

the Seventh Revision of the International Lists, 1955. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

OKLAHOMA					OREGON				PENNSYLVANIA				RHODE ISLAND								
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months			
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White
1,214	718	181	231	84	748	532	19	190	7	5,245	3,287	752	929	277	436	306	31	87	12	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
1	-	-	1	-	2	-	-	-	-	11	-	-	10	1	-	-	-	-	-	-	3
1	-	-	-	1	1	-	-	-	-	3	-	-	2	1	-	-	-	-	-	-	4
2	-	-	2	-	1	-	-	-	-	12	1	-	10	1	-	-	-	-	-	-	5
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
11	2	2	7	-	3	1	-	1	1	19	-	3	14	2	-	-	-	-	-	-	7
6	-	-	6	-	3	-	-	3	-	13	1	1	11	-	-	-	-	-	-	-	8
1	1	-	-	-	1	1	-	-	-	9	5	-	3	1	-	-	-	-	-	-	9
1	-	-	1	-	-	-	-	-	-	12	3	-	8	1	-	-	-	-	-	-	10
16	4	-	10	2	10	4	-	6	-	25	6	1	12	6	4	3	-	-	1	-	11
11	3	-	7	1	8	-	-	8	-	31	-	-	26	5	-	-	-	-	-	-	12
4	-	-	2	2	2	1	-	1	-	11	-	-	8	3	3	-	-	-	3	-	13
62	-	-	38	24	68	-	-	65	3	319	1	-	250	68	33	-	-	-	29	4	14
2	-	-	2	-	-	-	-	-	-	6	1	-	3	2	-	-	-	-	-	-	15
60	36	24	68	65	3	313	247	66	33	29	4	-	16
7	-	1	6	-	1	-	-	1	-	31	3	1	21	6	1	-	-	-	1	-	17
11	1	1	8	1	6	-	-	6	-	42	7	1	28	6	8	-	-	-	7	1	18
3	-	1	2	-	5	-	-	5	-	3	-	-	3	-	-	-	-	-	-	-	19
4	-	-	3	1	-	-	-	-	-	20	-	-	18	2	6	-	-	-	6	-	20
2	-	-	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	21
2	1	-	1	-	1	-	-	1	-	5	1	-	4	-	2	-	-	-	1	1	22
2	-	-	-	-	-	-	-	-	-	13	6	1	2	4	-	-	-	-	-	-	23
14	12	1	1	-	13	9	1	3	-	56	39	4	11	2	6	3	-	3	-	-	24
34	-	-	18	16	5	-	-	5	-	49	-	-	38	11	1	-	-	-	-	1	25
8	4	-	4	-	6	4	-	2	-	41	16	4	17	4	2	-	-	-	2	-	26
174	94	12	57	11	110	72	2	35	1	849	525	61	231	32	82	52	1	25	4	27	
19	4	3	9	3	12	6	-	6	-	65	37	1	26	1	5	-	-	3	-	-	28
15	5	1	8	1	7	2	-	5	-	68	35	7	26	23	36	16	-	-	3	-	29
91	46	7	32	6	59	39	2	18	-	395	208	22	142	23	34	30	1	16	4	30	
49	39	1	8	1	32	25	-	6	1	321	245	31	37	8	34	30	1	3	-	31	
740	581	151	5	3	455	428	16	11	-	3,324	2,623	656	34	11	279	244	30	4	1	32	
94	78	16	-	-	93	90	3	-	-	520	459	61	-	-	36	34	2	-	-	33	
43	37	6	-	-	28	27	1	-	-	201	169	32	-	-	10	9	1	-	-	34	
51	41	10	-	-	65	63	2	-	-	319	290	29	-	-	26	25	1	-	-	35	
36	29	7	15	15	-	-	...	169	136	32	-	-	8	5	1	-	-	36	
21	19	2	8	8	-	-	...	98	79	19	-	-	3	2	1	-	-	37	
15	10	5	7	7	-	-	...	70	57	13	-	-	3	3	-	-	-	38	
58	49	9	-	-	78	75	3	-	-	352	323	29	-	-	30	29	1	-	-	39	
22	18	4	-	-	20	19	1	-	-	103	90	13	-	-	7	7	-	-	-	40	
36	31	5	-	-	58	56	2	-	-	249	233	16	-	-	23	22	1	-	-	41	
183	151	32	-	-	99	92	3	4	-	902	752	135	10	5	90	79	10	1	-	42	
46	38	8	-	-	38	35	-	3	-	275	227	34	9	5	22	18	3	1	-	43	
137	113	24	-	-	61	57	3	1	-	627	525	101	1	-	68	61	7	-	-	44	
38	30	8	24	22	2	118	83	35	-	-	8	8	-	-	-	45	
27	20	7	13	12	1	96	69	27	-	-	4	4	-	-	-	46	
11	10	1	10	10	1	22	14	8	-	-	4	4	-	-	-	47	
1	1	-	-	-	2	1	1	-	-	5	3	2	-	-	-	-	-	-	-	-	48
1	-	-	-	-	2	1	1	-	-	5	3	2	-	-	-	-	-	-	-	-	49
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
12	9	2	1	-	4	4	-	-	-	23	14	9	-	-	3	3	-	-	-	-	51
8	6	1	1	-	2	2	-	-	-	14	9	5	-	-	2	2	-	-	-	-	52
4	3	1	-	-	2	2	-	-	-	9	5	4	-	-	1	1	-	-	-	-	53
7	5	2	-	-	5	5	-	-	-	44	37	4	3	-	-	-	-	-	-	-	54
1	1	-	-	-	2	2	-	-	-	21	16	2	3	-	-	-	-	-	-	-	55
6	4	2	-	-	3	3	-	-	-	23	21	2	-	-	-	-	-	-	-	-	56
17	16	1	-	-	20	20	-	-	-	103	99	4	-	-	13	13	-	-	-	-	57
12	11	1	-	-	15	15	-	-	-	80	76	4	-	-	7	7	-	-	-	-	58
5	5	-	-	-	5	5	-	-	-	23	23	-	-	-	6	6	-	-	-	-	59
6	5	1	-	-	9	9	-	-	-	27	15	12	-	-	3	3	-	-	-	-	60
3	2	1	-	-	6	6	-	-	-	19	11	8	-	-	2	2	-	-	-	-	61
3	3	-	-	-	3	3	-	-	-	8	4	-	-	-	1	1	-	-	-	-	62
159	121	33	4	1	89	83	1	5	-	576	438	122	11	5	34	27	4	2	1	63	
45	33	7	4	1	18	15	3	-	-	130	95	20	11	4	8	7	-	1	-	-	64
114	88	26	-	-	71	68	1	2	-	446	343	102	-	1	26	20	4	1	1	65	
15	14	-	-	1	5	4	-	1	-	63	45	10	7	1	4	2	1	1	-	-	66
208	151	56	-	-	105	98	6	-	-	943	678	262	3	-	88	75	13	-	-	-	67
27	3	4	12	8	7	2	-	5	-	176	15	12	62	87	4	3	-	-	1	-	68
15	4	1	7	3	10	3	-	6	1	55	15	3	31	6	5	1	-	-	4	-	69
66	8	7	39	12	36	6	-	29	1	139	18	3	99	19	8	-	-	-	7	1	70
16	3	1	10	2	10	2	-	8	-	33	3	-	22	8	4	-	-	3	1	-	71
21	3	2	12	4	6	3	-	2	1	23	2	1	18	2	2	-	-	-	2	-	72
29	2	4	17	6	20	1	-	19	-	83	13	2	59	9	2	-	-	-	2	-	73
1	1	-	-	-	1	1	-	-	-	18	9	2	3	4	-	-	-	-	-	-	74

SECTION 2 - MORTALITY

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, (By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of

CAUSE OF DEATH	SOUTH CAROLINA				SOUTH DAKOTA					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 ALL CAUSES-----	1,925	572	538	198	617	414	274	25	74	41
2 Dysentery, all forms-----045-048	4	-	1	-	3	2	-	-	-	2
3 Septicemia and pyemia-----053	9	-	-	4	5	2	-	-	1	1
4 Whooping cough-----056	2	-	-	1	1	-	-	-	-	-
5 Meningococcal infections-----057	5	-	-	2	3	-	-	-	-	-
6 Tetanus-----061	4	1	2	-	1	-	-	-	-	-
7 Other infective and parasitic dis.-001-044,049-052,054,055,058-060,062-138	11	1	1	5	4	6	-	-	4	2
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	2	1	-	-	1	1	-	-	1	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	2	-	-	1	1	-	-	-	-	-
10 Diseases of thymus gland-----273	-	-	-	-	-	1	-	-	1	-
11 Meningitis, except meningococcal and tuberculous-----340	19	3	2	-	14	6	2	-	-	4
12 Other diseases of nervous system and sense organs-----330-334,341-398	9	1	-	6	2	2	-	-	2	-
13 Acute upper respiratory infections-----470-475	13	-	2	5	6	1	-	-	-	1
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	335	-	4	71	260	34	-	-	28	6
15 Pneumonia, except pneumonia of newborn-----480-483	54	-	4	10	40	-	-	-	-	-
16 Pneumonia, except pneumonia of newborn-----490-493	281	61	220	34	28	6
17 Bronchitis-----500-502	6	1	1	1	3	4	1	-	3	-
18 Other diseases of respiratory system-----510-522,525-527	25	-	1	8	16	4	1	-	2	1
19 Pulmonary congestion and hypostasis-----522	-	-	-	-	-	-	-	-	-	-
20 Other chronic interstitial pneumonia-----525	7	-	-	3	4	2	-	-	1	1
21 Bronchiectasis-----526	-	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527.2	18	-	1	5	12	-	-	-	-	-
23 All other diseases of respiratory system-----510-521,527.1	-	-	-	-	-	2	1	-	1	-
24 Hernia and intestinal obstruction-----560,561,570	11	5	1	1	4	5	3	-	2	-
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	79	-	1	8	71	8	-	-	1	7
26 Other diseases of digestive system-----530-542,544-553,573-587	7	1	1	-	5	4	-	2	1	1
27 Congenital malformations-----750-759	180	82	28	41	29	56	37	5	10	4
28 Spina bifida and meningocele-----751	27	12	3	10	2	3	1	1	1	-
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	20	8	4	3	5	5	2	2	4	1
30 Congenital malformations of circulatory system-----754	78	33	7	22	16	17	11	1	4	1
31 Other congenital malformations-----750,755-759	55	29	14	6	6	31	23	1	5	2
32 Certain diseases of early infancy-----760-776	943	467	435	8	33	239	220	15	2	2
33 Birth injuries-----760,761	106	52	54	-	35	34	1	-	-	-
34 Without mention of immaturity (.0)-----	61	23	38	-	28	8	-	-	-	-
35 With immaturity (.5)-----	45	29	16	-	26	26	1	-	-	-
36 Intracranial and spinal injury at birth-----760	32	15	17	7	-	-
37 Without mention of immaturity (.0)-----	24	9	15	3	-	-
38 With immaturity (.5)-----	8	6	2	4	-	-
39 Other birth injury-----761	74	37	37	-	28	27	1	-	-	-
40 Without mention of immaturity (.0)-----	37	14	23	-	6	5	1	-	-	-
41 With immaturity (.5)-----	37	23	14	-	22	22	-	-	-	-
42 Postnatal asphyxia and stelectasis-----762	262	161	97	2	2	50	46	4	-	-
43 Without mention of immaturity (.0)-----	91	48	41	1	1	18	18	2	-	-
44 With immaturity (.5)-----	171	113	56	1	1	32	30	2	-	-
45 Pneumonia of newborn-----763	63	23	40	15	15	-
46 Without mention of immaturity (.0)-----	47	16	31	12	12	-
47 With immaturity (.5)-----	16	7	9	3	3	-
48 Diarrhea of newborn-----764	18	4	14	-	-	-	-	-	-	-
49 Without mention of immaturity (.0)-----	17	4	13	-	-	-	-	-	-	-
50 With immaturity (.5)-----	1	-	1	-	-	-	-	-	-	-
51 Other infections of newborn-----765-768	10	3	7	-	-	1	-	1	-	-
52 Without mention of immaturity (.0)-----	8	2	6	-	-	1	-	1	-	-
53 With immaturity (.5)-----	2	1	1	-	-	-	-	-	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	10	4	6	-	-	5	5	-	-	-
55 Without mention of immaturity (.0-.4)-----	3	2	1	-	-	3	3	-	-	-
56 With immaturity (.5-.9)-----	7	2	5	-	-	2	2	-	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	26	18	8	-	-	11	11	-	-	-
58 Without mention of immaturity (.0-.2)-----	21	15	6	-	-	10	10	-	-	-
59 With immaturity (.5-.7)-----	5	3	2	-	-	1	1	-	-	-
60 Hemorrhagic disease of newborn-----771	13	4	9	-	-	3	3	-	-	-
61 Without mention of immaturity (.0)-----	6	2	4	-	-	2	2	-	-	-
62 With immaturity (.5)-----	7	2	5	-	-	1	1	-	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	169	81	61	5	22	55	46	5	2	2
64 Without mention of immaturity (.0)-----	64	24	18	3	19	12	6	2	2	2
65 With immaturity (.5)-----	105	57	43	2	3	43	40	3	-	-
66 Immaturity with mention of any other subsidiary condition-----774	14	4	3	1	6	5	5	-	-	-
67 Immaturity, unqualified-----776	252	113	136	-	3	59	55	4	-	-
68 Symptoms and ill-defined conditions-----780-793,795	134	2	45	7	80	10	4	2	2	2
69 All other diseases-----Residual	23	4	2	5	12	7	4	-	2	1
70 Accidents-----E800-E962	101	3	11	24	63	21	1	1	12	7
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	24	1	3	5	15	3	1	-	2	-
72 Accidental mechanical suffocation in bed and cradle-----E924	18	-	-	2	16	4	-	-	3	1
73 Other accidental causes-----E800-E920,E923,E925-E962	59	2	8	17	32	14	-	1	7	6
74 Homicide-----E964,E980-E984	1	-	1	-	-	1	1	-	-	-

SECTION 2 - MORTALITY

From 55 Selected Causes, by Color: United States and Each State, 1963--Con.

the Seventh Revision of the International Lists, 1955. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

Table with columns for TENNESSEE, TEXAS, UTAH, and VERMONT. Each state section includes 'Total, under 1 year' and 'Under 28 days' and '28 days-11 months' with sub-columns for 'White' and 'Non-white'. Data rows are numbered 1-74 on the right margin.

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Refers only to deaths occurring within the United States. Excludes fetal deaths. Numbers after causes of death are category numbers of

CAUSE OF DEATH	VIRGINIA				WASHINGTON					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 ALL CAUSES-----	2,834	1,340	686	426	382	1,345	882	96	310	57
2 Dysentery, all forms-----045-048	1	-	-	-	1	1	-	-	1	-
3 Septicemia and pyemia-----053	6	-	-	2	4	2	-	-	2	-
4 Whooping cough-----056	-	-	-	-	-	-	-	-	-	-
5 Meningococcal infections-----057	11	-	1	8	2	4	-	-	4	-
6 Tetanus-----061	1	1	-	-	-	-	-	-	-	-
7 Other infective and parasitic dis-----001-044,049-052,054,055,058-060,062-138	9	2	-	6	1	5	1	-	4	-
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	6	-	-	4	2	4	-	-	3	1
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	4	1	-	3	-	2	1	-	1	-
10 Diseases of thymus gland-----273	-	-	-	-	-	4	-	-	4	-
11 Meningitis, except meningococcal and tuberculous-----340	29	4	1	10	14	18	7	2	9	-
12 Other diseases of nervous system and sense organs-----330-334,341-398	20	-	-	16	4	14	1	-	11	2
13 Acute upper respiratory infections-----470-475	6	-	-	3	3	4	-	-	4	-
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	236	-	-	104	132	121	-	-	93	28
15 Influenza-----480-483	10	-	-	4	6	2	-	-	2	-
16 Pneumonia, except pneumonia of newborn-----490-493	226	100	126	119	91	28
17 Bronchitis-----500-502	17	-	-	9	8	12	-	-	10	2
18 Other diseases of respiratory system-----510-522,525-527	71	2	-	54	35	53	6	1	37	9
19 Pulmonary congestion and hypostasis-----522	1	-	-	1	-	21	3	-	15	3
20 Other chronic interstitial pneumonia-----525	60	-	-	28	32	18	-	-	15	2
21 Bronchiectasis-----526	8	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527.2	8	1	-	4	3	12	3	-	6	3
23 All other diseases of respiratory system-----510-521,527.1	2	1	-	1	1	2	-	-	1	1
24 Hernia and intestinal obstruction-----580,561,570	14	9	-	4	1	6	4	1	1	-
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	68	-	-	15	53	8	-	-	5	3
26 Other diseases of digestive system-----530-542,544-553,573-587	19	7	2	5	5	6	4	-	1	1
27 Congenital malformations-----750-759	378	197	52	95	34	213	142	10	56	5
28 Spina bifida and meningocele-----751	46	26	4	12	4	20	14	-	5	1
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	36	13	6	15	2	19	10	1	8	-
30 Congenital malformations of circulatory system-----754	167	69	22	56	20	103	64	6	31	2
31 Other congenital malformations-----750,755-759	129	89	20	12	8	71	54	3	12	2
32 Certain diseases of early infancy-----760-776	1,700	1,068	595	15	22	788	701	79	8	-
33 Birth injuries-----760,761	208	156	51	1	-	126	115	11	-	-
34 Without mention of immaturity (.0)-----	103	73	29	1	-	45	40	5	-	-
35 With immaturity (.5)-----	105	83	22	-	-	81	75	6	-	-
36 Intracranial and spinal injury at birth-----760	71	50	21	37	32	5
37 Without mention of immaturity (.0)-----	49	35	14	19	17	2
38 With immaturity (.5)-----	22	15	7	18	15	3
39 Other birth injury-----761	137	106	30	1	-	89	83	6	-	-
40 Without mention of immaturity (.0)-----	54	38	15	1	-	26	23	3	-	-
41 With immaturity (.5)-----	83	68	15	-	-	63	60	3	-	-
42 Postnatal asphyxia and atelectasis-----762	458	277	175	3	3	222	201	20	1	-
43 Without mention of immaturity (.0)-----	124	65	56	2	1	67	60	6	1	-
44 With immaturity (.5)-----	334	212	119	1	2	155	141	14	-	-
45 Pneumonia of newborn-----763	80	47	33	23	16	7
46 Without mention of immaturity (.0)-----	60	36	24	17	11	6
47 With immaturity (.5)-----	20	11	9	6	5	1
48 Diarrhea of newborn-----764	14	2	11	-	1	1	1	-	-	-
49 Without mention of immaturity (.0)-----	13	2	10	-	1	-	-	-	-	-
50 With immaturity (.5)-----	1	-	1	-	-	1	.1	-	-	-
51 Other infections of newborn-----765-768	22	13	9	-	-	14	11	2	1	-
52 Without mention of immaturity (.0)-----	12	4	8	-	-	7	5	1	1	-
53 With immaturity (.5)-----	10	9	1	-	-	7	6	1	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	26	20	6	-	-	12	11	1	-	-
55 Without mention of immaturity (.0-.4)-----	7	4	3	-	-	1	1	-	-	-
56 With immaturity (.5-.9)-----	19	16	3	-	-	11	10	1	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	44	37	7	-	-	19	19	-	-	-
58 Without mention of immaturity (.0-.2)-----	41	36	5	-	-	17	17	-	-	-
59 With immaturity (.5-.7)-----	3	1	2	-	-	2	2	-	-	-
60 Hemorrhagic disease of newborn-----771	14	4	10	-	-	4	3	1	-	-
61 Without mention of immaturity (.0)-----	9	2	7	-	-	4	3	1	-	-
62 With immaturity (.5)-----	5	2	3	-	-	-	-	-	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	372	214	138	7	13	143	125	14	4	-
64 Without mention of immaturity (.0)-----	101	49	33	7	12	29	25	1	3	-
65 With immaturity (.5)-----	271	165	105	-	1	114	100	13	1	-
66 Immaturity with mention of any other subsidiary condition-----774	29	14	7	3	5	20	12	6	2	-
67 Immaturity, unqualified-----776	433	284	148	1	-	204	187	17	-	-
68 Symptoms and ill-defined conditions-----780-795,795	94	24	24	29	17	12	3	-	9	-
69 All other diseases-----Residual	41	8	4	20	9	14	3	-	10	1
70 Accidents-----E800-E992	97	15	6	41	35	52	9	2	36	5
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	22	2	-	12	8	18	4	-	13	1
72 Accidental mechanical suffocation in bed and cradle-----E924	14	5	1	4	4	16	1	2	10	3
73 Other accidental causes-----E800-E920,E923,E925-E962	61	8	5	25	23	18	4	-	13	1
74 Homicide-----E964,E980-E984	6	2	1	3	-	2	-	1	1	-

Section 3. Fetal Mortality

Table	Page
3-1. Minimum period of gestation for which fetal death registration is required and fetal deaths by period of gestation: United States and each State, 1963-----	3-3
3-2. Fetal deaths and fetal death ratios by color: Birth-registration States, 1922-32, and United States, 1933-63-----	3-4
3-3. Number and percentage distribution of fetal deaths, by age of mother, for specified periods of gestation: Selected areas combined, 1963-----	3-4
3-4. Fetal deaths and fetal death ratios, by legitimacy status, age of mother, and color: Total of 34 reporting States, 1963-----	3-5
3-5. Fetal deaths and fetal death rates, by plurality of birth, color, and sex: United States, 1963-----	3-5
3-6. Fetal deaths and fetal death ratios, by period of gestation and color, for metropolitan and nonmetropolitan counties in the United States and each geographic division; and for urban and rural areas in the United States: 1963-----	3-6
3-7. Fetal death ratios by color: United States, each division and State, 1959-63-----	3-8
3-8. Fetal deaths by State of occurrence distributed according to State of residence: United States and each State, 1963-----	3-9
3-9. Fetal deaths by month and color: United States and each State, 1963-----	3-12
3-10. Fetal deaths by age of mother, total-birth order, color, and sex of child: United States, 1963-----	3-14
3-11. Fetal deaths by age of mother and color: United States and each State, 1963-----	3-16
3-12. Fetal deaths by total-birth order and color: United States and each State, 1963-----	3-18
3-13. Fetal deaths by attendant, gestation group, and color: United States and each State, 1963-----	3-20
3-14. Fetal deaths by birth weight, plurality of birth, color, and sex: United States, 1963-----	3-23
3-15. Fetal deaths by period of gestation, plurality of birth, color, and sex: United States, 1963-----	3-24
3-16. Fetal deaths by birth weight and color for the United States and each State; and by sex for the United States: 1963-----	3-25
3-17. Fetal deaths by period of gestation and color for the United States and each State; and by sex for the United States: 1963-----	3-28

SECTION 3 - MORTALITY

Table 3-1. Minimum Period of Gestation for Which Fetal Death Registration is Required and Fetal Deaths by Period of Gestation: United States and Each State, 1963

(By place of occurrence)

AREA	Minimum period of gestation for which fetal death registration is required	Total fetal deaths	PERIOD OF GESTATION ¹											Not stated
			Under 16 weeks	16-19 weeks	20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41-42 weeks	43 weeks and over	
UNITED STATES-----	...	94,194	24,564	4,990	7,734	7,008	7,395	8,432	4,655	7,632	12,915	2,037	876	5,956
Alabama-----	After 5th month (20 weeks)	1,546	6	17	137	164	192	182	113	123	509	16	4	83
Alaska-----	20 weeks or more ²	106	-	2	8	8	15	15	12	15	20	6	1	4
Arizona-----	Advanced to 20th week	522	3	6	43	44	60	69	54	90	129	10	4	14
Arkansas-----	All periods of gestation	897	172	66	74	67	70	63	50	44	148	5	4	134
California-----	Advanced to 20th week	4,769	11	39	318	378	418	656	218	765	276	315	187	1,189
Colorado-----	All periods of gestation	2,310	295	226	139	57	69	82	59	104	95	15	7	163
Connecticut-----	20 weeks or more	675	-	3	71	96	93	122	56	91	121	13	8	11
Delaware-----	20 weeks or more	158	-	-	26	14	13	15	13	14	32	5	-	26
District of Columbia-----	After 5th month	573	5	11	45	78	74	97	27	81	28	51	22	54
Florida-----	20 weeks or more	1,787	-	-	165	225	235	254	200	201	461	25	15	6
Georgia-----	All periods of gestation	3,144	888	270	317	229	273	198	149	173	493	24	8	122
Hawaii-----	All periods of gestation	1,194	885	82	44	15	13	26	26	32	50	4	1	16
Idaho-----	After 20 weeks	1,170	-	2	11	11	14	18	11	18	24	2	-	59
Illinois-----	20 weeks or more	3,385	5	24	386	398	412	464	234	410	912	68	44	8
Indiana-----	20 weeks or more	1,463	8	9	124	127	155	151	94	162	331	32	10	260
Iowa-----	Advanced to 5th month (20 weeks)	701	1	1	57	55	80	103	55	98	151	37	6	57
Kansas-----	Weight in excess of 350 grams	592	2	11	54	75	66	79	43	84	134	28	7	9
Kentucky-----	20 weeks or more	885	-	-	88	99	102	122	94	86	259	18	4	13
Louisiana-----	After 20 weeks	1,469	5	15	119	159	239	200	139	129	417	28	5	14
Maine-----	All periods of gestation	378	45	24	31	25	35	29	19	26	41	12	6	85
Maryland-----	20 weeks or more ²	1,129	12	22	72	120	118	194	51	190	45	65	43	197
Massachusetts ³ -----	20 weeks or more	1,075	2	11	85	121	124	156	104	164	159	57	18	64
Michigan-----	Advanced through 20th week	2,537	6	12	234	280	287	360	192	341	569	73	30	153
Minnesota-----	After 20 weeks	1,002	1	13	95	116	119	150	80	150	171	46	9	52
Mississippi-----	All periods of gestation	2,795	1,065	224	209	161	182	140	90	94	466	13	4	147
Missouri-----	After 20 weeks	1,271	11	16	107	110	146	146	108	168	286	42	13	118
Montana-----	After 20 weeks	189	-	-	14	17	21	26	18	35	35	8	4	11
Nebraska-----	Advanced to 5th month	371	-	4	35	32	49	54	36	53	76	19	3	10
Nevada-----	After 20 weeks	119	-	2	9	17	14	15	13	9	27	4	-	9
New Hampshire-----	20 weeks or more	179	2	-	15	17	22	21	21	22	30	7	1	21
New Jersey-----	20 weeks or more	2,039	11	35	207	197	219	282	127	241	414	87	25	194
New Mexico-----	20 weeks or more	361	2	5	31	27	33	52	33	55	69	11	6	57
New York (excl. N.Y.C.)-----	20 weeks or more	2,726	7	15	270	309	309	411	198	378	606	105	41	77
New York City-----	All periods of gestation	22,329	14,582	2,327	1,238	694	583	582	158	543	188	202	144	1,088
North Carolina-----	Advanced to 20th week	1,932	-	1	207	228	243	270	139	217	585	22	10	10
North Dakota-----	20 weeks or more	225	18	7	31	19	15	26	20	30	53	4	2	-
Ohio-----	20 weeks or more	3,002	1	3	363	307	352	438	252	397	578	91	42	178
Oklahoma-----	20 weeks or more	610	4	11	50	66	70	73	66	53	179	14	5	19
Oregon-----	All periods of gestation	1,257	495	125	87	45	48	58	35	51	81	15	5	212
Pennsylvania-----	After 16 weeks	4,408	4	591	792	500	438	485	261	400	763	126	34	14
Rhode Island-----	20 weeks or more ²	529	180	42	49	26	43	34	18	53	44	18	9	13
South Carolina-----	After 20 weeks	1,174	8	13	68	103	143	135	111	101	339	13	6	134
South Dakota-----	20 weeks or more	261	26	9	31	20	26	28	18	23	54	9	5	12
Tennessee-----	20 weeks or more	1,429	-	2	171	167	190	197	127	118	424	24	6	3
Texas-----	20 weeks or more	3,598	6	38	336	437	444	500	329	393	965	86	18	46
Utah-----	After 20 weeks	288	1	4	22	17	29	32	19	43	44	14	2	61
Vermont-----	All periods of gestation	419	202	30	24	16	16	18	9	25	14	8	2	55
Virginia-----	All periods of gestation	7,601	4,586	599	358	242	195	219	142	166	435	28	17	614
Washington-----	20 weeks or more	669	2	10	64	74	80	119	48	103	119	21	9	20
West Virginia-----	Advanced to 5th month ⁴	637	-	8	60	71	73	70	60	73	202	12	4	4
Wisconsin-----	After 20 weeks	1,185	2	1	124	126	125	161	100	179	242	56	16	33
Wyoming-----	After 20 weeks	104	-	2	9	12	11	16	7	18	22	3	-	4

¹Period of gestation reported in months allocated to gestation interval in weeks as follows: 1-3 months to "Under 16 weeks"; 4 months to "16-19 weeks"; 5 months to "20-23 weeks"; 6 months to "24-27 weeks"; 7 months to "28-31 weeks"; 8 months to "32-35 weeks"; 9 months to "40 weeks"; 10 months to "43 weeks and over."

²A certificate may be filed for periods of gestation of less than 20 weeks but it is not required.

³For areas which require reporting of fetal deaths at all periods of gestation, those at gestations of under 16 weeks are distributed as follows:

	Under 4 weeks	4-7 weeks	8-11 weeks	12-15 weeks
Arkansas-----	3	32	71	66
Colorado-----	13	241	633	408
Georgia-----	4	122	426	336
Hawaii-----	5	159	433	288
Maine-----	1	11	17	16
Mississippi-----	18	303	468	276
New York City-----	366	2,503	6,841	4,872
Oregon-----	2	63	236	174
Vermont-----	2	13	117	70
Virginia-----	37	1,127	2,227	1,195

⁴Further specifies "if the gestation period is unknown but the fetus weighs 500 or more grams."

⁵Figures exclude approximately 300 fetal deaths recorded in this State; see Technical Appendix.

⁶Further specifies "or total length of 10 inches."

SECTION 3 - MORTALITY

Table 3-2. Fetal Deaths and Fetal Death Ratios by Color: Birth-Registration States, 1922-32, and United States, 1933-63

(Refers only to fetal deaths occurring within specified area. Ratios per 1,000 live births in specified group)

AREA AND YEAR	ALL FETAL DEATHS REPORTED REGARDLESS OF PERIOD OF GESTATION						FETAL DEATHS AT GESTATIONS OF 20 WEEKS OR MORE AND NOT STATED					
	Number			Ratio			Number			Ratio		
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
UNITED STATES ¹												
1963 ²	94,194	66,203	25,705	23.0	19.9	40.2	64,640	45,495	17,075	15.8	13.7	26.7
1962 ²	95,841	68,178	25,498	23.0	20.1	39.7	66,421	47,326	17,128	15.9	13.9	26.7
1961	97,007	71,219	25,788	22.7	19.8	38.6	68,767	50,728	18,039	16.1	14.1	27.0
1960	94,452	69,116	25,336	22.2	19.2	38.6	68,480	50,894	17,586	16.1	14.1	26.8
1959	92,566	67,993	24,573	21.8	18.9	38.0	68,613	50,911	17,702	16.2	14.2	27.3
1958	92,873	68,970	23,903	22.1	19.3	37.9	69,355	51,969	17,386	16.5	14.5	27.5
1957	92,681	69,518	23,163	21.8	19.2	36.6	69,561	52,591	16,970	16.3	14.5	26.8
1956	92,282	69,227	23,055	22.2	19.5	37.3	68,659	51,865	16,794	16.5	14.6	27.2
1955	91,907	69,174	22,733	22.7	20.0	38.6	69,153	52,411	16,742	17.1	15.2	28.4
1954	92,144	70,043	22,101	22.9	20.3	38.5	70,109	53,532	16,577	17.5	15.5	28.9
1953	86,313	65,636	20,677	22.1	19.6	37.9	69,393	53,252	16,141	17.8	15.9	29.6
1952	85,549	64,702	20,847	22.2	19.5	39.8	70,447	53,541	16,906	18.3	16.1	32.2
1951	84,696	64,629	20,067	22.6	20.0	39.1	70,569	54,071	16,498	18.8	16.7	32.1
1950	81,300	62,092	19,208	22.9	20.3	39.2	68,262	52,319	15,943	19.2	17.1	32.5
1949	81,489	62,599	18,890	22.9	20.3	39.7	70,584	54,114	16,470	19.8	17.5	34.6
1948	85,021	64,262	18,759	23.5	20.9	41.3	72,838	56,232	16,606	20.6	18.3	36.5
1947	87,851	69,013	18,818	23.7	21.1	44.2	77,917	61,072	16,845	21.1	18.7	39.6
1946	84,270	67,877	16,393	25.6	23.2	44.2	74,849	59,494	15,355	22.8	20.4	40.9
1945	72,854	57,690	15,164	26.6	24.1	44.6	65,513	51,242	14,271	23.9	21.4	42.0
1944	75,495	60,053	15,442	27.0	24.5	45.4	68,374	---	---	24.5	---	---
1943	78,485	62,776	15,709	26.7	24.2	46.2	71,873	---	---	24.5	---	---
1942	79,174	63,301	15,873	28.2	25.5	49.3	72,017	---	---	25.6	---	---
1941	75,133	58,467	16,666	29.9	26.5	54.0	---	---	---	---	---	---
1940	73,802	57,220	16,582	31.3	27.7	56.7	---	---	---	---	---	---
1939	72,598	55,892	16,706	32.0	28.2	59.0	---	---	---	---	---	---
1938	73,467	56,306	17,161	32.1	28.1	61.1	---	---	---	---	---	---
1937	73,609	56,242	17,367	33.4	29.2	63.2	---	---	---	---	---	---
1936	73,735	56,156	17,579	34.4	29.8	66.9	---	---	---	---	---	---
1935	77,119	59,767	18,352	35.8	31.1	68.7	---	---	---	---	---	---
1934	78,503	59,643	18,860	36.2	31.4	70.1	---	---	---	---	---	---
1933	77,059	58,749	18,310	37.0	32.2	71.1	---	---	---	---	---	---
BIRTH-REGISTRATION STATES ³												
1932	78,351	59,641	18,710	37.8	32.7	74.4	---	---	---	---	---	---
1931	80,616	62,417	18,199	39.2	33.4	74.1	---	---	---	---	---	---
1930	86,466	66,440	20,026	39.2	34.0	79.9	---	---	---	---	---	---
1929	85,678	66,124	19,554	39.5	34.4	79.7	---	---	---	---	---	---
1928	89,765	69,317	20,448	40.2	35.0	81.5	---	---	---	---	---	---
1927	82,931	67,056	15,875	38.8	34.8	74.8	---	---	---	---	---	---
1926	70,716	59,842	10,874	38.1	35.1	73.0	---	---	---	---	---	---
1925	71,519	60,762	10,757	38.1	35.1	73.1	---	---	---	---	---	---
1924	75,817	63,029	12,788	39.3	35.8	76.2	---	---	---	---	---	---
1923	69,757	59,089	10,668	38.9	35.9	71.8	---	---	---	---	---	---
1922	70,010	59,329	10,681	39.4	36.4	73.4	---	---	---	---	---	---

¹Alaska included beginning 1959, and Hawaii, 1960.

²Figures by color exclude data for residents of New Jersey; see Technical Appendix.

³Increased in number from 30 States and the District of Columbia in 1922 to the entire conterminous United States in 1933.

Table 3-3. Number and Percentage Distribution of Fetal Deaths, by Age of Mother, for Specified Periods of Gestation: Selected Areas Combined, 1963

(By place of residence. Includes fetal deaths for those areas in the United States which required reporting of all periods of gestation. The areas are: Arkansas, Colorado, Georgia, Hawaii, Maine, Mississippi, New York City, Oregon, Vermont, and Virginia. Figures for age of mother not stated are distributed)

AGE OF MOTHER	NUMBER				PERCENT			
	Total	Period of gestation			Total	Period of gestation		
		Under 20 weeks	20 weeks and over	Not stated		Under 20 weeks	20 weeks and over	Not stated
TOTAL	41,090	27,141	11,374	2,575	100.0	100.0	100.0	100.0
Under 15 years	93	37	49	7	0.2	0.1	0.4	0.3
15-19 years	4,338	2,474	1,568	296	10.6	9.1	13.8	11.5
20-24 years	12,024	8,166	3,125	733	29.3	30.1	27.5	28.5
25-29 years	10,245	7,096	2,530	619	24.9	26.1	22.2	24.0
30-34 years	7,578	5,007	2,066	505	18.4	18.4	18.2	19.6
35-39 years	4,842	3,085	1,465	292	11.8	11.4	12.9	11.3
40-44 years	1,783	1,154	521	108	4.3	4.3	4.6	4.2
45 years and over	187	122	50	15	0.5	0.4	0.4	0.6

SECTION 3 - MORTALITY

3-5

Table 3-4. Fetal Deaths and Fetal Death Ratios, by Legitimacy Status, Age of Mother, and Color: Total of 34 Reporting States, 1963

(By place of residence. Refers only to fetal deaths for which the period of gestation was given as 20 weeks or more or was not stated. Ratios per 1,000 live births in specified group. Figures by color exclude data for residents of New Jersey. Figures for age of mother not stated are distributed. For discussion of color item for New Jersey and for States reporting legitimacy status, see Technical Appendix)

AGE OF MOTHER AND COLOR	NUMBER			RATIO		
	Total	Legitimate ¹	Illegitimate	Total	Legitimate ¹	Illegitimate
TOTAL-----	40,402	35,757	4,645	15.3	14.5	26.5
Under 15 years-----	137	28	109	26.4	21.2	28.2
15-19 years-----	5,339	3,831	1,508	13.9	12.2	21.5
20-24 years-----	10,806	9,567	1,239	11.6	10.9	22.6
25-29 years-----	8,942	8,245	697	13.7	13.1	29.6
30-34 years-----	7,194	6,650	564	18.5	17.7	42.7
35-39 years-----	5,557	5,183	374	26.9	26.0	51.0
40 years and over-----	2,427	2,273	154	39.6	38.6	64.2
White-----	27,265	25,977	1,288	13.1	12.9	20.4
Under 15 years-----	27	17	10	16.2	18.9	13.1
15-19 years-----	3,186	2,771	415	11.2	10.7	16.6
20-24 years-----	7,672	7,283	389	10.1	9.9	17.6
25-29 years-----	6,218	6,034	184	11.9	11.7	23.8
30-34 years-----	4,803	4,669	134	15.8	15.5	32.2
35-39 years-----	3,678	3,569	109	22.7	22.4	43.6
40 years and over-----	1,681	1,634	47	34.9	34.6	50.1
Nonwhite-----	11,067	7,866	3,201	26.3	25.0	30.3
Under 15 years-----	106	10	96	31.9	25.4	32.8
15-19 years-----	1,956	921	1,035	22.2	20.2	24.4
20-24 years-----	2,606	1,806	800	19.3	17.3	26.3
25-29 years-----	2,262	1,763	499	24.4	22.7	33.4
30-34 years-----	1,944	1,529	415	33.0	30.4	48.0
35-39 years-----	1,563	1,312	251	48.1	47.2	54.0
40 years and over-----	630	525	105	64.2	62.5	74.2

¹Includes legitimacy not stated.

Table 3-5. Fetal Deaths and Fetal Death Rates, by Plurality of Birth, Color, and Sex: United States, 1963

(Refers only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Rates per 1,000 live births and fetal deaths in specified group. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

PLURALITY OF BIRTH AND COLOR	NUMBER				RATE ¹		
	Total	Male	Female	Sex not stated	Total	Male	Female
TOTAL-----	64,640	32,210	28,065	4,365	15.5	16.2	14.9
Fetal deaths in single deliveries-----	61,090	30,383	26,465	4,242	15.0	15.6	14.3
Fetal deaths in twin deliveries-----	3,478	1,794	1,567	117	41.6	43.7	39.5
Fetal deaths in other plural deliveries-----	72	33	33	6	60.7	68.4	54.5
White-----	45,495	22,566	19,903	3,026	13.5	13.9	13.0
Fetal deaths in single deliveries-----	43,055	21,331	18,777	2,947	13.0	13.5	12.5
Fetal deaths in twin deliveries-----	2,384	1,209	1,099	76	37.6	38.7	36.4
Fetal deaths in other plural deliveries-----	56	26	27	3	66.5	73.2	61.3
Nonwhite-----	17,075	8,556	7,227	1,292	26.0	27.8	24.2
Fetal deaths in single deliveries-----	16,092	8,019	6,823	1,250	25.2	26.8	23.6
Fetal deaths in twin deliveries-----	967	530	398	39	55.8	62.3	49.0
Fetal deaths in other plural deliveries-----	16	7	6	3	51.6	62.1	42.4

¹Figures for "Sex not stated" are distributed.

Table 3-6. Fetal Deaths and Fetal Death Ratios, by Period of Gestation and Color, for Metropolitan and Nonmetropolitan Counties in the United States and Each Geographic Division; and for Urban and Rural Areas in the United States: 1963

(By place of residence. Refers only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Ratios per 1,000 live births of all gestations in specified area and color group. For definitions of areas, see Technical Appendix)

AREA AND COLOR	NUMBER					RATIO				
	Total	Period of gestation				Total	Period of gestation			
		20-23 weeks	24-27 weeks	28 weeks and over	Not stated		20-23 weeks	24-27 weeks	28 weeks and over	Not stated
UNITED STATES ¹ -----	64,640	7,734	7,008	43,942	5,956	15.8	1.9	1.7	10.7	1.5
White-----	45,495	5,139	4,735	31,323	4,299	13.7	1.5	1.4	9.4	1.3
Nonwhite-----	17,075	2,375	2,063	11,187	1,450	26.7	3.7	3.2	17.5	2.3
Urban-----	41,823	5,506	4,708	27,571	4,038	16.2	2.1	1.8	10.7	1.6
White-----	28,185	3,418	3,039	18,966	2,762	13.9	1.7	1.5	9.4	1.4
Nonwhite-----	11,904	1,893	1,492	7,422	1,097	26.5	4.2	3.3	16.5	2.4
Rural-----	22,817	2,228	2,300	16,371	1,918	15.0	1.5	1.5	10.8	1.3
White-----	17,310	1,720	1,696	12,357	1,537	13.3	1.3	1.3	9.5	1.2
Nonwhite-----	5,171	482	571	3,765	353	27.2	2.5	3.0	19.8	1.9
Metropolitan counties-----	41,481	5,455	4,631	27,433	3,962	15.8	2.1	1.8	10.4	1.5
White-----	28,832	3,514	3,071	19,468	2,779	13.7	1.7	1.5	9.2	1.3
Nonwhite-----	11,014	1,766	1,395	6,827	1,026	26.2	4.2	3.3	16.2	2.4
Urban-----	33,244	4,579	3,775	21,624	3,266	16.6	2.3	1.9	10.8	1.6
White-----	21,817	2,754	2,349	14,538	2,176	14.1	1.8	1.5	9.4	1.4
Nonwhite-----	9,977	1,668	1,283	6,083	943	26.6	4.4	3.4	16.2	2.5
Rural-----	8,237	876	856	5,809	696	13.2	1.4	1.4	9.3	1.1
White-----	7,015	760	722	4,930	603	12.4	1.3	1.3	8.7	1.1
Nonwhite-----	1,037	98	112	744	83	22.9	2.2	2.5	16.4	1.6
Nonmetropolitan counties-----	23,159	2,279	2,377	16,509	1,994	15.8	1.6	1.6	11.3	1.4
White-----	16,663	1,624	1,664	11,855	1,520	13.7	1.4	1.4	9.7	1.2
Nonwhite-----	6,061	609	668	4,350	424	27.8	2.8	3.1	20.0	1.9
Urban-----	8,579	927	933	5,947	772	15.1	1.6	1.6	10.4	1.4
White-----	6,368	664	690	4,428	586	13.4	1.4	1.4	9.3	1.2
Nonwhite-----	1,927	225	209	1,339	154	26.2	3.1	2.8	18.2	2.1
Rural-----	14,580	1,352	1,444	10,562	1,222	16.3	1.5	1.6	11.8	1.4
White-----	10,295	960	974	7,427	934	13.9	1.3	1.3	10.0	1.3
Nonwhite-----	4,134	384	459	3,021	270	28.6	2.7	3.2	20.9	1.9
NEW ENGLAND ² -----	2,720	288	296	1,887	249	11.8	1.2	1.3	8.2	1.1
White-----	2,576	272	275	1,781	248	11.7	1.2	1.2	8.1	1.1
Nonwhite-----	144	16	21	106	1	13.3	1.5	1.9	9.8	0.1
Metropolitan counties ² -----	1,931	205	229	1,399	98	11.0	1.2	1.3	8.0	0.6
White-----	1,836	192	210	1,306	98	10.9	1.2	1.3	7.9	0.6
Nonwhite-----	125	13	19	93	-	12.7	1.3	1.9	9.4	-
Nonmetropolitan counties-----	789	83	67	488	151	14.2	1.5	1.2	8.8	2.7
White-----	770	80	65	475	150	14.1	1.5	1.2	8.7	2.8
Nonwhite-----	19	3	2	13	1	19.2	3.0	2.0	13.2	1.0
MIDDLE ATLANTIC ¹ -----	13,929	2,499	1,701	8,354	1,375	19.6	3.5	2.4	11.8	1.9
White-----	8,661	1,503	1,080	5,554	724	17.8	3.0	2.2	11.1	1.5
Nonwhite-----	2,998	775	411	1,368	444	37.9	9.8	5.2	17.3	5.6
Metropolitan counties-----	11,905	2,251	1,468	6,899	1,287	20.6	3.9	2.5	11.9	2.2
White-----	7,341	1,312	900	4,440	689	18.4	3.3	2.3	11.1	1.7
Nonwhite-----	2,929	764	403	1,321	441	38.3	10.0	5.3	17.3	5.8
Nonmetropolitan counties-----	2,024	248	233	1,455	68	15.2	1.9	1.8	11.0	0.7
White-----	1,520	191	160	1,114	35	15.3	1.9	1.8	11.2	0.4
Nonwhite-----	69	11	8	47	3	27.1	4.3	3.1	18.5	1.2
EAST NORTH CENTRAL-----	11,544	1,242	1,243	8,433	626	14.2	1.5	1.5	10.3	0.8
White-----	9,287	953	955	6,836	543	12.8	1.3	1.3	9.5	0.8
Nonwhite-----	2,277	289	288	1,597	83	24.4	3.1	3.3	17.1	0.9
Metropolitan counties-----	8,094	906	901	5,988	289	14.5	1.6	1.6	10.7	0.5
White-----	5,947	640	608	4,469	230	12.6	1.4	1.3	9.5	0.5
Nonwhite-----	2,147	266	293	1,519	69	24.6	3.0	3.4	17.4	0.8
Nonmetropolitan counties-----	3,450	336	342	2,445	327	13.4	1.3	1.3	9.5	1.3
White-----	3,320	313	327	2,367	313	13.2	1.2	1.3	9.4	1.2
Nonwhite-----	130	23	15	78	14	22.3	3.9	2.6	13.4	2.4
WEST NORTH CENTRAL-----	4,257	407	421	3,173	256	12.6	1.2	1.2	9.4	0.8
White-----	3,767	345	360	2,831	231	11.9	1.1	1.1	8.9	0.7
Nonwhite-----	490	62	61	342	25	22.0	2.8	2.7	15.4	1.1
Metropolitan counties-----	2,019	208	215	1,524	72	12.4	1.3	1.3	9.4	0.4
White-----	1,655	155	163	1,269	68	11.3	1.1	1.1	8.7	0.5
Nonwhite-----	364	53	52	255	4	22.3	3.2	3.2	15.6	0.2
Nonmetropolitan counties-----	2,238	199	206	1,649	184	12.6	1.1	1.2	9.3	1.0
White-----	2,112	190	197	1,562	163	12.3	1.1	1.2	9.1	1.0
Nonwhite-----	126	9	9	87	21	21.2	1.5	1.5	14.7	3.5
SOUTH ATLANTIC-----	11,697	1,306	1,304	7,923	1,164	18.8	2.1	2.1	12.7	1.9
White-----	6,615	735	705	4,451	724	15.0	1.7	1.6	10.1	1.6
Nonwhite-----	5,082	571	599	3,472	440	27.9	3.1	3.3	19.0	2.4
Metropolitan counties-----	5,861	716	662	3,785	698	18.2	2.2	2.1	11.7	2.2
White-----	3,439	406	366	2,213	454	14.8	1.7	1.6	9.5	2.0
Nonwhite-----	2,422	310	296	1,572	244	26.9	3.4	3.3	17.5	2.7
Nonmetropolitan counties-----	5,836	590	642	4,138	466	19.5	2.0	2.1	13.8	1.6
White-----	3,176	329	339	2,238	270	15.3	1.6	1.6	10.8	1.3
Nonwhite-----	2,660	261	303	1,900	196	28.8	2.8	3.3	20.6	2.1
EAST SOUTH CENTRAL-----	5,293	601	586	3,856	250	18.8	2.1	2.1	13.7	0.9
White-----	2,738	322	306	1,982	128	13.7	1.6	1.5	9.9	0.6
Nonwhite-----	2,555	279	280	1,874	122	31.2	3.4	3.4	22.9	1.5
Metropolitan counties-----	1,613	230	209	1,301	73	17.5	2.2	2.0	12.6	0.7
White-----	953	122	116	674	41	13.1	1.7	1.6	9.3	0.6
Nonwhite-----	860	108	93	627	32	27.8	3.5	3.0	20.3	1.0
Nonmetropolitan counties-----	3,480	371	377	2,555	177	19.6	2.1	2.1	14.4	1.0
White-----	1,785	200	190	1,308	87	14.1	1.6	1.5	10.3	0.7
Nonwhite-----	1,695	171	187	1,247	90	33.2	3.3	3.7	24.4	1.8

¹Figures by color exclude data for residents of New Jersey; see Technical Appendix.

²Figures exclude approximately 300 fetal deaths recorded in Massachusetts, primarily to residents of Suffolk County; see Technical Appendix.

SECTION 3 - MORTALITY

3-7

Table 3-6. Fetal Deaths and Fetal Death Ratios, by Period of Gestation and Color, for Metropolitan and Nonmetropolitan Counties in the United States and Each Geographic Division; and for Urban and Rural Areas in the United States: 1963-Con.

(By place of residence. Refers only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Ratios per 1,000 live births of all gestations in specified area and color group. For definitions of areas, see Technical Appendix)

AREA AND COLOR	NUMBER					RATIO				
	Total	Period of gestation				Total	Period of gestation			
		20-23 weeks	24-27 weeks	28 weeks and over	Not stated		20-23 weeks	24-27 weeks	28 weeks and over	Not stated
WEST SOUTH CENTRAL-----	6,301	586	754	4,759	222	15.1	1.4	1.8	11.4	0.5
White-----	4,058	354	459	3,105	141	12.4	1.1	1.4	9.5	0.4
Nonwhite--	2,243	232	276	1,654	61	25.1	2.6	3.1	18.5	0.9
Metropolitan counties-----	5,598	326	419	2,579	75	14.5	1.4	1.8	10.9	0.3
White-----	2,247	197	271	1,729	50	11.9	1.0	1.4	9.1	0.3
Nonwhite--	1,151	129	147	850	25	23.9	2.7	3.1	17.7	0.5
Nonmetropolitan counties-----	2,903	280	316	2,180	147	16.5	1.5	1.8	12.2	0.8
White-----	1,811	157	187	1,376	91	13.2	1.1	1.4	10.0	0.7
Nonwhite--	1,092	105	129	804	56	26.6	2.5	3.1	19.6	1.4
MOUNTAIN-----	2,532	279	203	1,675	375	14.1	1.5	1.1	9.3	2.1
White-----	2,287	242	186	1,500	359	13.9	1.5	1.1	9.1	2.2
Nonwhite--	245	37	17	175	16	16.2	2.4	1.1	11.6	1.1
Metropolitan counties-----	1,391	175	123	905	188	15.1	1.9	1.3	9.8	2.0
White-----	1,263	152	107	817	187	14.6	1.8	1.2	9.5	2.2
Nonwhite--	128	23	16	88	1	22.3	4.0	2.8	15.3	0.2
Nonmetropolitan counties-----	1,141	104	80	770	187	13.0	1.2	0.9	8.8	2.1
White-----	1,024	90	79	683	172	13.0	1.1	1.0	8.7	2.2
Nonwhite--	117	14	1	87	15	12.5	1.5	0.1	9.3	1.6
PACIFIC-----	6,367	526	520	3,882	1,439	12.7	1.0	1.0	7.7	2.9
White-----	5,326	412	450	3,283	1,201	12.2	0.9	1.0	7.5	2.7
Nonwhite--	1,041	114	90	599	238	16.1	1.8	1.4	9.2	3.7
Metropolitan counties-----	5,069	438	406	3,053	1,172	12.6	1.1	1.0	7.6	2.9
White-----	4,181	338	330	2,551	962	12.0	1.0	0.9	7.3	2.8
Nonwhite--	888	100	76	502	210	15.9	1.8	1.4	9.0	3.8
Nonmetropolitan counties-----	1,298	88	114	829	267	13.1	0.9	1.2	8.4	2.7
White-----	1,145	74	100	732	239	12.7	0.8	1.1	8.1	2.7
Nonwhite--	153	14	14	97	28	17.0	1.6	1.6	10.8	3.1

SECTION 3 - MORTALITY

Table 3-7. Fetal Death Ratios by Color: United States, Each Division and State, 1959-63

(By place of residence. Refers only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Ratios per 1,000 live births in specified group. Asterisk indicates rate based on a frequency of less than 20)

DIVISION AND STATE	1963			1962			1961			1960			1959		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
UNITED STATES ¹	15.8	13.7	26.7	15.9	13.9	26.7	16.1	14.1	27.0	16.1	14.1	26.8	16.2	14.2	27.3
GEOGRAPHIC DIVISIONS:															
New England ²	11.8	11.7	13.3	13.7	13.4	21.2	13.7	13.4	21.0	13.6	13.4	19.2	13.5	13.3	19.9
Middle Atlantic ¹	19.6	17.8	37.9	19.4	17.9	37.3	19.6	17.3	35.0	19.7	17.5	35.6	19.6	17.3	36.8
East North Central	14.2	12.8	24.4	14.3	13.1	23.8	14.0	12.8	23.2	14.6	13.5	23.7	14.5	13.4	22.8
West North Central	12.6	11.9	22.0	12.7	12.0	22.5	12.9	12.1	24.1	13.2	12.5	23.3	13.5	12.9	21.9
South Atlantic	18.8	15.0	27.9	18.9	15.3	27.5	19.9	16.0	29.1	18.6	14.7	28.1	18.5	14.3	28.2
East South Central	18.8	13.7	31.2	19.3	14.4	31.3	19.6	14.9	30.7	19.8	14.8	31.7	20.0	14.8	32.2
West South Central	15.1	12.4	25.1	15.3	12.7	24.8	15.8	13.4	24.8	15.3	12.9	24.1	16.0	13.4	25.4
Mountain	14.1	13.9	16.2	13.8	13.5	17.3	13.0	12.6	17.6	13.4	13.2	15.5	13.9	13.7	16.6
Pacific ²	12.7	12.2	16.1	12.7	12.1	17.0	12.9	12.3	17.3	12.9	12.4	16.6	12.9	12.5	17.3
NEW ENGLAND:															
Maine ⁴	13.5	13.6	*10.6	15.3	15.3	*21.9	14.2	14.3	*6.1	14.3	14.4	*6.5	15.0	15.0	15.9
New Hampshire	13.5	13.4	*18.2	15.5	15.6	*10.9	15.4	15.2	*66.7	12.7	12.7	*10.6	13.1	13.1	*25.6
Vermont	21.4	21.5	-	19.0	19.1	-	18.8	18.8	-	15.0	15.0	-	17.1	17.2	-
Massachusetts ³	9.6	9.7	6.5	12.4	12.1	18.4	13.4	13.1	21.5	13.7	13.5	18.7	13.2	13.0	18.7
Rhode Island	15.9	15.4	28.0	16.5	15.5	43.1	14.6	14.2	*22.6	14.8	14.5	*22.8	14.1	13.7	*21.6
Connecticut	12.2	11.6	18.0	13.4	12.7	20.9	12.5	11.8	20.8	12.9	12.4	20.5	12.7	12.2	21.4
MIDDLE ATLANTIC:															
New York ⁴	22.7	19.3	41.5	22.8	19.5	42.3	22.9	19.9	42.2	23.2	19.9	45.7	23.3	19.8	46.7
New Jersey	15.6	-	-	14.9	-	-	15.3	13.8	25.0	15.3	14.1	23.1	15.1	13.8	23.7
Pennsylvania	17.1	15.4	30.2	16.8	15.5	27.4	16.9	15.5	28.4	17.0	15.9	25.7	16.7	15.4	27.8
EAST NORTH CENTRAL:															
Ohio	14.0	12.8	24.6	14.5	13.5	22.5	13.9	13.1	20.9	14.5	13.8	20.7	14.9	13.9	23.4
Indiana	13.5	12.5	24.2	14.4	13.5	24.8	13.8	12.8	24.9	14.0	13.1	23.4	13.8	13.0	23.3
Illinois	15.0	13.0	25.1	14.7	13.0	23.3	14.7	13.0	23.4	15.0	13.2	24.2	14.7	13.3	22.2
Michigan	14.2	13.0	23.9	15.0	13.6	26.0	14.0	12.8	24.2	15.5	14.1	26.4	14.9	13.9	22.9
Wisconsin	13.0	12.7	19.7	11.8	11.3	23.8	12.7	12.1	26.5	13.3	12.8	23.2	12.7	12.3	22.4
WEST NORTH CENTRAL:															
Minnesota	12.2	12.0	23.8	12.3	12.2	16.7	12.4	12.3	20.4	12.0	11.9	17.7	13.2	13.1	20.8
Iowa	12.0	11.9	*18.8	11.3	11.2	19.0	11.6	11.5	*17.1	11.6	11.5	21.1	11.7	11.6	*14.2
Missouri	13.6	11.9	23.7	15.0	13.2	25.8	14.7	12.8	27.1	15.2	13.7	24.2	15.0	13.7	23.6
North Dakota	12.5	12.3	*16.4	11.8	11.7	*14.3	13.2	13.0	*17.6	13.0	12.7	*20.8	11.9	11.7	*13.3
South Dakota	13.7	13.2	19.8	12.5	11.8	20.8	13.2	13.0	14.6	12.7	11.9	22.4	15.3	14.4	27.5
Nebraska	11.0	10.6	16.9	11.5	11.3	16.4	12.1	11.7	20.2	12.3	12.1	17.8	13.5	13.3	16.6
Kansas	12.5	11.9	20.0	11.7	11.2	17.7	11.9	11.1	22.8	13.9	13.1	26.1	13.0	12.6	18.8
SOUTH ATLANTIC:															
Delaware	13.5	11.8	20.2	14.7	12.9	21.8	14.2	12.1	22.3	15.0	12.5	26.2	13.9	11.9	22.4
Maryland	15.4	13.3	23.1	16.0	14.0	23.1	15.7	13.4	23.6	15.8	13.6	23.4	16.4	14.4	23.0
District of Columbia	19.9	14.2	22.2	18.0	13.9	19.7	18.6	15.1	20.0	20.0	16.3	21.7	18.2	14.6	20.0
Virginia	25.5	22.4	35.1	27.4	24.0	38.0	29.6	26.5	39.0	22.1	19.3	30.3	18.3	14.8	29.5
West Virginia	17.1	16.9	21.3	16.0	15.8	21.6	17.7	17.5	21.8	15.0	14.4	27.2	16.7	16.1	26.5
North Carolina	18.0	13.5	27.9	18.2	13.8	27.8	19.6	14.5	31.0	19.0	14.1	29.5	19.3	13.9	30.7
South Carolina	20.2	12.1	31.7	17.7	10.9	27.4	19.9	12.5	30.0	21.1	13.3	31.7	20.2	12.6	30.4
Georgia ⁵	19.5	15.1	27.8	19.7	15.3	27.8	19.8	14.6	29.0	20.5	15.3	30.1	21.2	16.1	30.6
Florida	15.7	12.1	25.7	15.6	11.9	25.9	16.5	12.8	27.3	15.9	12.3	25.8	17.0	13.1	27.4
EAST SOUTH CENTRAL:															
Kentucky	13.0	12.2	21.8	13.7	13.0	21.5	15.9	15.0	26.4	15.2	14.3	25.0	16.1	15.2	25.4
Tennessee	17.1	13.9	28.4	17.8	15.0	27.6	16.9	14.5	25.4	17.1	14.6	25.8	16.5	13.8	25.9
Alabama	20.2	14.6	29.9	20.1	14.0	30.5	21.2	14.8	32.0	21.9	15.1	33.4	21.6	15.0	32.6
Mississippi ⁶	26.2	15.4	35.7	27.0	16.8	35.9	25.3	15.9	33.3	26.1	16.0	34.7	27.2	16.1	36.8
WEST SOUTH CENTRAL:															
Arkansas ⁴	16.4	12.6	26.0	17.7	13.7	27.7	18.3	15.1	25.7	16.4	12.6	25.2	16.4	11.9	26.9
Louisiana	17.1	11.3	26.0	16.3	11.0	24.5	16.5	10.8	25.3	16.1	11.0	24.2	16.8	12.1	24.1
Oklahoma	12.0	10.8	19.0	12.3	10.9	21.2	12.8	11.4	21.2	13.6	12.1	23.0	13.5	12.4	20.4
Texas	14.9	13.0	25.4	15.1	13.4	24.8	15.8	14.2	24.6	15.1	13.6	23.9	16.1	14.2	27.0
MOUNTAIN:															
Montana	12.6	12.7	*11.3	12.3	12.1	*15.0	11.2	11.1	*11.9	10.8	10.5	*14.9	12.7	12.1	21.2
Idaho	10.8	10.9	*2.9	9.9	9.8	*14.7	10.5	10.4	*15.8	12.1	11.8	*24.2	11.5	11.4	*20.5
Wyoming	12.7	13.0	*6.8	10.6	10.6	*9.9	13.0	13.0	*13.1	11.2	11.1	*13.9	14.4	14.3	*16.0
Colorado ⁴	18.6	18.2	26.1	17.6	17.6	18.3	16.4	16.0	24.6	17.2	17.0	22.6	16.6	16.5	19.7
New Mexico	13.7	13.8	12.7	14.3	14.1	16.3	13.0	12.7	14.6	14.1	14.0	15.0	13.7	13.8	13.6
Arizona	14.0	13.4	16.7	13.3	12.7	16.4	13.9	12.7	20.3	12.7	12.4	14.5	14.2	13.6	17.0
Utah	10.9	10.9	*12.5	11.2	11.0	*20.4	9.9	9.8	*16.1	10.5	10.5	*7.2	11.6	11.4	*15.8
Nevada	12.3	11.1	21.7	16.8	15.1	28.6	10.1	10.1	*10.3	13.9	13.8	*14.8	14.3	14.6	*12.5
PACIFIC:															
Washington	11.1	10.8	15.5	11.0	10.7	14.6	11.7	11.3	19.4	11.5	11.1	16.2	11.6	11.2	18.2
Oregon	17.7	17.4	27.0	17.9	17.4	31.5	15.7	15.2	30.2	16.1	16.1	17.2	14.7	14.6	19.5
California	12.4	11.8	16.8	12.5	11.8	17.6	12.8	12.1	18.0	12.8	12.2	17.1	13.0	12.5	17.5
Alaska	13.7	12.7	15.7	12.3	8.6	19.9	11.8	11.4	12.5	12.0	10.2	16.1	13.5	14.4	11.8
Hawaii ⁶	12.8	13.5	12.4	13.3	12.2	13.8	14.4	15.3	13.9	15.3	17.9	14.1	15.3	16.4	14.9

¹Figures by color for 1962 and 1963 exclude data for residents of New Jersey; see Technical Appendix.²Excludes Hawaii prior to 1960.³Figures for 1963 exclude approximately 300 fetal deaths recorded in Massachusetts, primarily to residents of the State; see Technical Appendix.⁴Maine, Vermont, New York City, Virginia (effective July 1, 1960), Georgia, Mississippi, Arkansas, Colorado, Oregon, and Hawaii required reporting of all fetal deaths regardless of gestation period. Since fetal deaths for which gestation was not stated are included in computing the ratios in this table, the ratios may be overstated as a result of inclusion of some early fetal deaths from the "not stated" group.⁵Required reporting of all fetal deaths through June 1959, after which the registration requirement was limited to fetal deaths at gestations of 20 weeks or more.⁶Figures for 1959 are by place of occurrence.

SECTION 3 - MORTALITY

3-9

Table 3-8/Fetal Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1963

(Refers only to fetal deaths for which the period of gestation was given as 20 weeks or more or was not stated. Unit of residence is defined as the county or county equivalent of which the mother was a resident)

STATE OF OCCURRENCE	All fetal deaths occurring in State	Fetal deaths to residents occurring in county of residence	Total fetal deaths to non-residents	Fetal deaths to intra-state nonresidents	FETAL DEATHS TO INTERSTATE NONRESIDENTS BY STATE OF RESIDENCE														
					Total	Ala.	Alaska	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D.C.	Fla.	Ga.	Hawaii	Idaho	
UNITED STATES-----	64,640	54,176	10,464	8,967	1,497	58	1	11	37	29	7	28	5	17	29	32	-	6	
Alabama-----	1,523	1,325	198	177	21	...	-	-	-	-	-	-	-	-	-	5	5	-	-
Alaska-----	104	92	12	12	-	1	...	-	-	3	1	-	-	-	-	-	-	-	-
Arizona-----	516	497	19	11	8	-	-	...	-	-	-	-	-	-	-	-	-	-	-
Arkansas-----	659	533	126	111	15	-	-	-	...	1	-	-	-	-	-	-	-	-	-
California-----	4,719	4,402	317	307	10	-	1	1	-	...	-	1	-	-	-	-	-	-	-
Colorado-----	789	536	253	242	11	-	-	-	-	-	...	-	-	-	-	-	-	-	-
Connecticut-----	672	606	66	55	11	-	-	-	-	-	-	...	-	-	-	-	-	-	-
Delaware-----	158	141	17	9	8	-	-	-	-	-	-	-	...	-	-	-	-	-	-
District of Columbia-----	557	386	171	...	171	-	-	-	-	-	-	-	-	...	-	-	1	-	-
Florida-----	1,787	1,654	133	119	14	2	-	-	-	-	-	-	-	-	...	2	-	-	-
Georgia-----	1,986	1,458	528	454	74	21	-	-	1	1	-	1	-	-	15	...	-	-	-
Hawaii-----	227	227	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-
Idaho-----	168	132	36	23	13	-	-	1	-	-	-	-	-	-	-	-	-	-	...
Illinois-----	3,356	2,999	357	313	44	1	-	-	-	1	1	1	-	1	1	-	-	-	-
Indiana-----	1,446	1,233	213	172	41	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Iowa-----	699	529	170	147	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kansas-----	579	474	105	70	35	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Kentucky-----	885	670	215	168	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Louisiana-----	1,449	911	538	526	12	-	-	-	2	1	-	-	-	-	-	-	-	-	-
Maine-----	309	252	57	39	18	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Maryland-----	1,095	800	295	252	43	-	-	-	-	-	-	-	3	9	2	-	-	-	-
Massachusetts ¹ -----	1,062	913	149	127	22	-	-	-	-	-	-	6	-	-	-	-	-	-	-
Michigan-----	2,519	2,123	396	383	13	-	-	-	-	-	-	-	-	-	2	1	-	-	-
Minnesota-----	988	728	260	230	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mississippi-----	1,506	1,227	279	243	36	5	-	-	1	1	-	-	-	-	-	-	-	-	-
Missouri-----	1,244	834	410	357	53	-	-	-	3	-	-	-	-	-	1	-	-	-	-
Montana-----	189	164	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska-----	367	304	63	49	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nevada-----	117	105	12	5	7	-	-	-	-	6	-	-	-	-	-	-	-	-	-
New Hampshire-----	177	146	31	15	16	-	-	-	-	-	-	1	-	-	-	-	-	-	-
New Jersey-----	1,993	1,700	293	273	20	-	-	-	-	-	-	-	-	1	-	-	-	-	-
New Mexico-----	374	323	51	42	9	-	-	-	3	1	1	-	-	-	-	-	-	-	-
New York-----	8,124	7,567	557	463	94	1	-	-	-	-	-	7	-	-	-	-	-	-	-
North Carolina-----	1,931	1,615	316	292	24	-	-	-	-	1	-	-	-	-	1	-	-	-	-
North Dakota-----	200	140	60	41	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ohio-----	2,998	2,536	462	393	69	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Oklahoma-----	595	485	110	99	11	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Oregon-----	637	532	105	82	25	-	-	-	-	3	-	-	-	-	-	-	-	-	4
Pennsylvania-----	3,813	3,289	544	470	74	-	-	-	-	1	-	-	2	-	-	-	-	-	-
Rhode Island-----	307	252	55	36	19	-	-	-	-	-	-	9	-	-	-	-	-	-	-
South Carolina-----	1,153	1,010	143	129	14	-	-	-	-	1	-	-	-	-	1	2	-	-	-
South Dakota-----	226	163	63	56	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee-----	1,427	1,172	255	159	96	4	-	-	19	-	-	-	-	1	-	18	-	-	-
Texas-----	3,554	3,192	362	325	37	1	-	-	11	2	-	-	-	-	-	-	-	-	-
Utah-----	283	235	48	35	13	-	-	5	-	1	2	-	-	-	-	-	-	-	-
Vermont-----	187	142	45	32	13	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Virginia-----	2,416	1,308	1,108	1,060	48	1	-	-	-	-	-	-	4	-	-	2	-	-	-
Washington-----	657	594	63	58	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2
West Virginia-----	629	456	173	113	60	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Wisconsin-----	1,182	997	185	161	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wyoming-----	102	87	15	7	8	-	-	-	-	-	3	-	-	-	-	-	-	-	-

¹Figures exclude approximately 300 fetal deaths recorded in Suffolk County, Massachusetts, primarily to residents of the county; see Technical Appendix.

SECTION 3 - MORTALITY

Table 3-8. Fetal Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1963—Con.

(Refers only to fetal deaths for which the period of gestation was given as 20 weeks or more or was not stated. Unit of residence is defined as the county or county equivalent of which the mother was a resident)

STATE OF OCCURRENCE	FETAL DEATHS TO INTERSTATE NONRESIDENTS BY STATE OF RESIDENCE—Con.																		
	Ill.	Ind.	Iowa	Kans.	Ky.	La.	Maine	MI.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.
UNITED STATES-----	71	36	18	28	45	23	6	149	28	39	24	34	39	11	6	7	27	97	15
Alabama-----	1	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-
Alaska-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Arizona-----	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Arkansas-----	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
California-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colorado-----	-	-	1	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	2
Connecticut-----	-	-	-	-	-	-	-	5	3	-	-	-	-	-	-	-	-	-	-
Delaware-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
District of Columbia-----	-	-	-	1	-	-	-	119	-	-	-	-	-	-	-	-	-	-	2
Florida-----	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Georgia-----	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Hawaii-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idaho-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Illinois-----	...	9	1	-	-	-	-	-	1	-	3	-	8	-	-	-	-	-	1
Indiana-----	16	...	-	-	5	-	-	-	-	12	-	-	-	-	-	-	-	-	-
Iowa-----	9	-	...	-	-	-	-	-	-	-	3	-	2	-	4	-	-	-	-
Kansas-----	1	-	-	...	-	-	-	-	-	-	-	-	25	-	4	-	-	-	-
Kentucky-----	5	16	-	-	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Louisiana-----	-	-	-	-	-	...	-	-	-	-	-	3	-	-	-	-	-	-	-
Maine-----	-	-	-	-	-	-	...	-	2	-	-	-	-	-	-	-	12	-	-
Maryland-----	-	-	-	-	-	-	-	...	-	-	-	1	-	-	-	-	-	-	-
Massachusetts ¹ -----	-	-	-	1	-	-	1	-	...	-	-	-	-	-	-	-	-	7	-
Michigan-----	-	1	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-
Minnesota-----	-	-	3	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-	1
Mississippi-----	-	-	-	-	1	20	-	-	-	1	-	...	-	-	-	-	-	-	-
Missouri-----	23	-	1	16	-	-	-	-	1	-	-	2	...	1	-	1	-	-	-
Montana-----	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-
Nebraska-----	-	-	8	4	-	-	-	-	-	-	-	-	1	-	...	-	-	-	-
Nevada-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-
New Hampshire-----	-	-	-	-	-	-	4	-	1	-	-	-	-	-	-	-	...	-	-
New Jersey-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
New Mexico-----	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...
New York-----	1	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	57	-
North Carolina-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Dakota-----	-	-	-	-	-	-	-	-	-	-	9	-	-	3	-	-	-	-	-
Ohio-----	1	7	-	2	16	-	-	-	2	21	-	-	-	-	-	2	1	-	-
Oklahoma-----	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oregon-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania-----	-	-	-	1	-	-	-	17	3	-	-	-	-	-	-	-	-	-	31
Rhode Island-----	-	-	-	-	-	-	-	-	10	-	-	-	-	-	-	-	-	-	-
South Carolina-----	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
South Dakota-----	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	-	-	-	-
Tennessee-----	1	-	-	-	11	-	-	-	-	1	-	23	-	-	-	-	-	-	1
Texas-----	1	3	-	-	-	3	-	-	-	-	-	-	-	1	-	-	-	-	11
Utah-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-
Vermont-----	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	7	-	-
Virginia-----	-	-	-	-	3	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Washington-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
West Virginia-----	-	-	-	-	9	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Wisconsin-----	8	-	3	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	1
Wyoming-----	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-

¹Figures exclude approximately 300 fetal deaths recorded in Suffolk County, Massachusetts, primarily to residents of the county; see Technical Appendix.

SECTION 3 - MORTALITY

3-11

Table 3-8. Fetal Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1963—Con.

(Refers only to fetal deaths for which the period of gestation was given as 20 weeks or more or was not stated. Unit of residence is defined as the county or county equivalent of which the mother was a resident)

STATE OF OCCURRENCE	FETAL DEATHS TO INTERSTATE NONRESIDENTS BY STATE OF RESIDENCE—Con.																			All fetal deaths to residents of State
	N.Y.	N.C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
UNITED STATES-----	36	30	9	57	18	6	54	2	36	11	35	41	3	14	101	25	42	31	3	64,640
Alabama-----	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	1,540
Alaska-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	105
Arizona-----	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	519
Arkansas-----	-	-	-	-	8	-	-	-	-	-	1	2	-	-	-	-	-	-	1	681
California-----	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	1	1	4,738
Colorado-----	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	785
Connecticut-----	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	689
Delaware-----	8	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	155
District of Columbia-----	-	1	-	-	-	-	1	-	1	-	-	-	-	-	47	-	1	-	-	403
Florida-----	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1,802
Georgia-----	-	2	-	1	-	-	-	-	22	-	4	-	-	-	3	-	1	-	-	1,944
Hawaii-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	227
Idaho-----	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	8	-	-	-	161
Illinois-----	1	1	-	1	-	-	-	-	-	-	-	3	-	-	1	-	-	8	-	3,383
Indiana-----	-	-	-	3	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	1,441
Iowa-----	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	2	-	694
Kansas-----	-	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	572
Kentucky-----	-	-	-	5	-	-	-	-	-	-	13	-	-	-	2	-	5	-	-	883
Louisiana-----	2	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	1,460
Maine-----	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	297
Maryland-----	1	-	-	-	-	-	6	-	-	-	-	-	-	-	13	-	8	-	-	1,201
Massachusetts ¹ -----	-	1	-	-	-	-	2	1	1	-	-	-	-	1	-	-	1	-	-	1,068
Michigan-----	1	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	3	-	2,545
Minnesota-----	1	-	9	-	-	-	-	-	-	3	-	1	-	-	1	-	-	12	-	982
Mississippi-----	-	-	-	-	-	-	-	-	-	6	1	-	-	-	-	-	-	-	-	1,504
Missouri-----	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1,230
Montana-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	200
Nebraska-----	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	359
Nevada-----	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	117
New Hampshire-----	-	-	-	-	-	-	-	-	-	-	-	-	-	10	-	-	-	-	-	188
New Jersey-----	3	-	-	-	-	-	16	-	-	-	-	-	-	-	-	-	-	-	-	2,070
New Mexico-----	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	380
New York-----	...	-	-	1	-	-	20	-	-	-	-	-	-	2	-	-	-	1	-	8,066
North Carolina-----	2	...	-	-	-	-	-	-	11	-	2	-	-	-	7	-	-	-	-	1,937
North Dakota-----	-	-	...	-	-	-	-	-	-	6	-	-	-	-	-	1	-	-	-	190
Ohio-----	-	1	-	...	-	-	3	-	-	-	-	3	-	-	1	-	8	-	-	2,986
Oklahoma-----	-	-	-	-	...	-	-	-	-	-	-	4	1	-	-	-	-	-	-	602
Oregon-----	-	-	-	-	-	...	-	-	-	-	-	1	-	-	-	15	-	-	-	620
Pennsylvania-----	7	-	-	7	-	-	...	1	-	-	-	1	-	-	1	-	2	-	-	3,793
Rhode Island-----	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	-	-	290
South Carolina-----	-	8	-	-	-	-	-	-	...	-	-	-	-	-	1	-	-	-	-	1,175
South Dakota-----	-	-	-	-	-	-	-	-	...	-	1	-	-	-	-	-	-	-	1	230
Tennessee-----	-	2	-	2	-	-	-	-	-	...	-	-	-	-	13	-	-	-	-	1,366
Texas-----	-	-	-	1	-	-	-	-	-	-	1	...	-	-	1	-	-	-	-	3,558
Utah-----	-	-	-	-	-	-	-	-	-	-	1	...	-	-	-	-	-	-	-	273
Vermont-----	3	-	-	-	-	-	1	-	-	-	-	-	-	...	-	-	-	-	-	188
Virginia-----	2	12	-	2	-	-	-	-	-	-	2	-	-	-	...	-	16	1	-	2,469
Washington-----	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	...	-	-	-	677
West Virginia-----	-	1	-	31	-	-	2	-	-	-	1	-	-	-	9	-	...	1	-	611
Wisconsin-----	1	-	-	-	-	1	-	-	-	-	-	4	-	-	-	-	-	...	-	1,189
Wyoming-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	97

¹Figures exclude approximately 300 fetal deaths recorded in Suffolk County, Massachusetts, primarily to residents of the county; see Technical Appendix.

Table 3-9. Fetal Deaths by Month and Color: United States and Each State, 1963

(By place of residence. Refers only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

AREA AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	64,640	5,523	4,920	5,430	5,124	5,404	5,393	5,584	5,758	5,613	5,542	5,183	5,166
White	45,495	3,872	3,454	3,841	3,543	3,857	3,817	3,911	4,043	3,959	3,946	3,640	3,612
Nonwhite	17,075	1,472	1,500	1,411	1,431	1,566	1,420	1,496	1,551	1,475	1,412	1,363	1,378
Alabama	1,540	151	107	125	120	124	128	138	144	152	122	121	108
White	697	64	46	59	50	64	59	56	64	74	62	50	49
Nonwhite	843	87	61	66	70	60	69	82	80	78	60	71	59
Alaska	105	10	3	10	9	13	12	12	10	7	9	6	4
White	66	6	2	4	5	9	6	9	5	4	8	5	3
Nonwhite	39	4	1	6	4	4	6	3	5	3	1	1	1
Arizona	519	46	27	53	44	44	45	47	51	42	43	34	43
White	416	40	18	39	35	40	34	41	37	37	34	27	34
Nonwhite	103	6	9	14	9	4	11	6	14	5	9	7	9
Arkansas	681	49	43	56	65	54	52	66	60	56	60	67	53
White	373	28	23	19	34	31	29	40	38	29	33	39	30
Nonwhite	308	21	20	37	31	23	23	26	22	27	27	28	23
California	4,738	405	350	417	411	385	411	398	434	353	425	358	401
White	3,982	346	292	342	340	331	345	331	365	296	359	301	334
Nonwhite	756	59	58	75	71	54	66	57	69	57	66	57	67
Colorado	785	64	77	66	68	68	50	72	70	65	69	54	62
White	735	61	72	61	66	62	49	67	64	58	63	51	61
Nonwhite	50	3	5	5	2	6	1	5	6	7	6	3	1
Connecticut	689	59	67	59	57	58	57	53	54	57	64	47	57
White	604	54	51	50	53	53	51	47	50	52	51	40	52
Nonwhite	85	5	16	9	4	5	6	6	4	5	13	7	5
Delaware	155	13	11	13	7	13	19	16	14	11	11	16	11
White	108	8	8	9	5	7	15	13	9	9	8	9	8
Nonwhite	47	5	3	4	2	6	4	3	5	2	3	7	3
District of Columbia	403	35	27	37	32	33	27	36	39	35	34	40	29
White	81	6	5	9	6	9	7	6	10	2	5	10	6
Nonwhite	322	29	22	28	26	24	20	30	29	33	29	30	22
Florida	1,802	185	125	134	114	117	154	176	178	147	166	154	152
White	1,023	98	66	90	65	74	84	105	88	92	92	85	84
Nonwhite	779	87	59	44	49	43	70	71	90	55	74	69	68
Georgia	1,944	147	159	187	152	156	167	181	162	177	162	146	148
White	974	74	83	95	67	80	91	80	81	96	80	70	77
Nonwhite	970	73	76	92	85	76	76	101	81	81	82	76	71
Hawaii	227	13	14	16	21	16	16	23	25	24	29	8	22
White	74	2	4	10	8	2	5	11	7	7	9	3	6
Nonwhite	153	11	10	6	13	14	11	12	18	17	20	5	16
Idaho	161	13	15	17	15	8	11	12	14	18	10	17	11
White	160	13	15	17	15	8	11	12	14	18	10	16	11
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	1	-
Illinois	3,383	289	282	274	269	272	285	327	314	267	265	276	263
White	2,429	206	188	203	183	203	206	237	231	186	191	210	176
Nonwhite	954	83	94	71	86	69	79	90	83	72	74	66	87
Indiana	1,441	129	112	108	115	117	117	131	112	139	119	129	113
White	1,223	111	99	95	95	103	95	98	93	122	104	110	98
Nonwhite	218	18	13	13	20	14	22	33	19	17	15	19	15
Iowa	694	49	50	52	46	63	48	67	61	59	72	63	64
White	675	48	48	52	44	58	45	66	59	58	71	63	63
Nonwhite	19	1	2	-	2	5	3	1	2	1	1	-	1
Kansas	572	51	37	43	40	43	49	53	49	55	65	32	55
White	509	45	33	38	33	37	46	45	42	50	60	29	51
Nonwhite	63	6	4	5	7	6	3	8	7	5	5	3	4
Kentucky	883	90	71	80	72	66	86	71	77	83	87	62	38
White	756	78	60	68	61	59	70	63	66	73	72	52	34
Nonwhite	127	12	11	12	11	7	16	8	11	10	15	10	4
Louisiana	1,460	145	86	116	78	116	116	148	135	128	123	130	141
White	583	57	32	50	34	56	45	52	45	55	57	49	51
Nonwhite	877	88	54	66	44	60	71	96	88	73	66	81	90
Maine	297	32	25	20	21	28	18	22	28	29	26	17	31
White	294	32	25	20	21	28	18	21	28	27	26	17	31
Nonwhite	3	-	-	-	-	-	-	1	-	2	-	-	-
Maryland	1,201	95	97	104	98	103	104	96	109	99	96	117	83
White	805	72	66	68	60	62	58	61	72	67	68	94	57
Nonwhite	396	23	31	36	38	41	46	35	37	32	28	23	26
Massachusetts ¹	1,068	90	90	103	74	87	93	111	83	85	77	90	85
White	1,036	89	89	100	73	83	89	107	82	82	74	89	79
Nonwhite	32	1	1	3	1	4	4	4	1	3	3	1	6
Michigan	2,545	232	184	181	192	222	203	228	239	224	225	195	220
White	2,073	185	155	149	156	183	177	177	186	184	180	159	172
Nonwhite	472	37	29	32	36	39	26	51	52	40	46	36	48
Minnesota	982	85	82	94	87	70	90	81	95	69	86	76	67
White	942	82	78	90	79	68	84	81	93	68	84	73	62
Nonwhite	40	3	4	4	8	2	6	-	2	1	2	3	5
Mississippi	1,504	139	97	128	138	134	133	127	133	128	110	117	120
White	415	34	29	30	31	42	38	41	27	39	27	45	32
Nonwhite	1,089	105	68	98	107	92	95	86	106	89	83	72	88

¹Figures exclude approximately 300 fetal deaths recorded in this State, primarily to residents of the State; see Technical Appendix.

SECTION 3 - MORTALITY

3-13

Table 3-9. Fetal Deaths by Month and Color: United States and Each State, 1963-Con.

(By place of residence. Refers only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

AREA AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Missouri-----	1,230	114	107	112	104	124	113	94	84	106	101	102	69
White-----	929	84	84	80	71	85	91	69	63	82	85	84	51
Nonwhite--	301	30	23	32	33	39	22	25	21	24	16	18	18
Montana-----	200	22	14	16	12	14	27	13	21	13	14	15	19
White-----	186	20	12	16	12	13	27	13	19	12	12	14	16
Nonwhite--	14	2	2	-	-	1	-	-	2	1	2	1	3
Nebraska-----	359	28	28	22	24	26	29	35	34	31	31	26	45
White-----	331	24	23	21	23	25	28	33	30	29	28	25	42
Nonwhite--	28	4	5	1	1	1	1	2	4	2	3	1	3
Nevada-----	117	8	7	11	7	10	10	10	9	15	11	6	13
White-----	94	7	6	7	5	8	10	10	7	11	8	5	10
Nonwhite--	23	1	1	4	2	2	-	-	2	4	3	1	3
New Hampshire-----	188	17	12	17	13	25	26	12	13	9	15	14	15
White-----	186	17	12	17	13	25	24	12	13	9	15	14	15
Nonwhite--	2	-	-	-	-	-	2	-	-	-	-	-	-
New Jersey ² -----	2,070	179	166	178	150	181	156	177	164	179	184	180	176
New Mexico-----	380	24	31	36	37	31	32	43	31	32	27	28	28
White-----	336	23	27	27	33	28	31	38	29	29	22	25	24
Nonwhite--	44	1	4	9	4	3	1	5	2	3	5	3	4
New York-----	8,066	654	641	688	644	708	698	674	688	677	698	628	658
White-----	5,821	481	444	505	482	505	509	491	507	483	508	424	472
Nonwhite--	2,245	163	197	193	162	203	189	183	181	194	190	204	186
North Carolina-----	1,937	155	135	166	176	160	143	146	157	189	180	164	166
White-----	988	80	59	88	88	77	75	80	83	93	99	94	82
Nonwhite--	939	75	76	78	88	83	68	66	74	96	81	70	84
North Dakota-----	190	21	12	12	13	13	16	18	20	13	23	18	11
White-----	179	21	12	12	13	12	15	15	20	12	22	15	10
Nonwhite--	11	-	-	-	-	1	1	3	-	1	1	3	1
Ohio-----	2,986	245	237	263	246	250	227	248	285	257	250	231	247
White-----	2,429	191	189	214	185	210	183	217	224	209	212	196	199
Nonwhite--	557	54	48	49	61	40	44	31	61	48	38	35	48
Oklahoma-----	602	42	43	50	45	51	62	55	60	59	43	45	47
White-----	460	27	36	36	34	38	47	46	44	45	35	37	35
Nonwhite--	142	15	7	14	11	13	15	9	16	14	8	8	12
Oregon-----	620	49	57	72	46	62	42	46	61	41	50	53	41
White-----	587	46	54	71	41	56	41	45	59	38	47	51	38
Nonwhite--	33	3	3	1	5	6	1	1	2	3	3	2	3
Pennsylvania-----	3,793	335	305	324	274	359	314	311	350	339	331	288	265
White-----	3,040	262	242	265	213	294	254	249	285	267	268	221	220
Nonwhite--	753	73	63	59	61	65	60	62	65	72	63	67	43
Rhode Island-----	290	30	22	23	25	25	16	19	24	35	23	28	20
White-----	268	27	19	22	22	20	16	19	23	33	22	26	19
Nonwhite--	22	3	3	1	3	5	-	-	1	2	1	2	1
South Carolina-----	1,175	93	80	92	108	96	100	114	110	103	103	93	83
White-----	414	34	29	28	40	31	41	49	35	32	34	29	32
Nonwhite--	761	59	51	64	68	65	59	65	75	71	69	64	51
South Dakota-----	230	12	27	20	16	18	25	15	17	15	21	20	24
White-----	202	11	24	17	15	18	19	14	13	13	16	20	22
Nonwhite--	28	1	3	3	1	-	6	1	4	2	5	-	2
Tennessee-----	1,366	117	89	109	125	98	112	125	118	124	121	112	118
White-----	870	64	65	74	72	59	67	72	74	83	85	75	79
Nonwhite--	496	53	24	35	53	37	45	53	44	41	36	36	39
Texas-----	3,558	323	260	269	278	258	279	282	327	352	308	328	294
White-----	2,642	240	197	213	200	210	198	201	241	260	220	238	224
Nonwhite--	916	83	63	56	78	48	81	81	86	92	88	90	70
Utah-----	273	20	24	24	19	26	24	19	24	23	22	25	23
White-----	265	20	22	23	19	26	24	19	24	22	22	21	23
Nonwhite--	8	-	2	1	-	-	-	-	-	1	-	4	-
Vermont-----	188	17	8	10	9	13	14	17	24	17	19	22	18
White-----	188	17	8	10	9	13	14	17	24	17	19	22	18
Nonwhite--	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia-----	2,469	192	187	199	188	231	228	226	211	229	180	194	204
White-----	1,637	128	122	129	128	150	147	145	145	164	120	127	134
Nonwhite--	832	66	65	70	60	81	81	81	66	65	60	67	70
Washington-----	677	62	48	61	60	51	67	45	60	64	64	42	52
White-----	617	54	46	58	50	48	62	44	57	55	57	39	49
Nonwhite--	60	8	2	5	10	3	5	2	3	9	7	3	3
West Virginia-----	611	39	44	67	54	43	56	50	52	57	59	38	52
White-----	575	36	42	62	51	41	52	47	49	53	59	35	48
Nonwhite--	36	3	2	5	3	2	4	3	3	4	-	3	4
Wisconsin-----	1,189	98	91	75	99	116	78	98	119	113	103	102	97
White-----	1,113	90	86	70	98	107	77	90	111	103	98	97	86
Nonwhite--	76	8	5	5	1	9	1	8	8	10	5	5	11
Wyoming-----	97	11	7	11	7	7	8	9	8	12	5	9	3
White-----	95	11	7	11	7	6	8	9	8	11	5	9	3
Nonwhite--	2	-	-	-	-	1	-	-	-	1	-	-	-

²Figures by color are not shown because reporting was incomplete; see Technical Appendix.

SECTION 3 - MORTALITY

Table 3-11. Fetal Deaths by Age of Mother and Color: United States and Each State, 1963

(By place of residence. Refers only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Figures for age of mother not stated are distributed. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

AREA AND COLOR	Total	AGE OF MOTHER								
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over
UNITED STATES	84,640	209	8,243	17,493	14,514	11,711	8,771	3,371	321	7
White	45,495	50	5,159	12,753	10,462	8,217	6,159	2,444	248	3
Nonwhite	17,075	155	2,887	4,212	3,580	3,047	2,296	819	65	4
Alabama	1,540	6	248	384	329	268	215	84	5	1
White	697	1	112	202	155	106	87	32	2	-
Nonwhite	843	5	136	182	174	162	128	52	3	1
Alaska	105	-	10	29	23	20	19	4	-	-
White	66	-	3	24	10	14	13	2	-	-
Nonwhite	39	-	7	5	13	6	6	2	-	-
Arizona	519	4	60	139	123	95	65	31	2	-
White	416	2	50	116	93	79	51	24	1	-
Nonwhite	103	2	10	23	30	16	14	7	1	-
Arkansas	681	6	134	166	121	126	96	30	2	-
White	373	1	73	102	67	61	49	18	2	-
Nonwhite	308	5	61	64	54	65	47	12	-	-
California	4,738	5	619	1,323	1,115	837	601	223	15	-
White	3,982	3	512	1,126	931	706	505	185	14	-
Nonwhite	756	2	107	197	184	131	96	38	1	-
Colorado	785	1	106	238	185	122	89	42	2	-
White	735	1	99	222	178	111	84	38	2	-
Nonwhite	50	-	7	16	7	11	5	4	-	-
Connecticut	689	-	62	178	162	157	90	34	6	-
White	604	-	46	151	145	142	81	33	6	-
Nonwhite	85	-	16	27	17	15	9	1	-	-
Delaware	155	2	18	37	27	29	26	16	-	-
White	108	-	8	27	18	25	16	14	-	-
Nonwhite	47	2	10	10	9	4	10	2	-	-
District of Columbia	403	2	70	111	91	65	43	19	2	-
White	81	-	14	25	16	7	7	2	1	-
Nonwhite	322	2	56	86	75	49	36	17	1	-
Florida	1,802	7	251	479	420	326	224	83	10	2
White	1,023	1	130	301	242	177	122	45	5	-
Nonwhite	779	6	121	178	178	149	102	38	5	2
Georgia	1,944	10	350	549	394	304	241	96	10	-
White	974	5	171	311	202	140	99	45	3	-
Nonwhite	970	5	179	238	192	164	142	51	7	-
Hawaii	227	-	32	67	56	34	31	5	2	-
White	74	-	11	25	15	11	10	1	1	-
Nonwhite	153	-	21	42	41	23	21	4	1	-
Idaho	161	-	20	48	35	24	23	9	2	-
White	160	-	20	47	35	24	23	9	2	-
Nonwhite	1	-	-	1	-	-	-	-	-	-
Illinois	3,383	12	393	910	769	641	448	192	18	-
White	2,429	2	216	659	579	468	338	153	14	-
Nonwhite	954	10	177	251	190	173	110	39	4	-
Indiana	1,441	2	210	395	321	257	179	72	4	1
White	1,223	-	179	343	281	212	144	59	4	1
Nonwhite	218	2	31	52	40	45	35	13	-	-
Iowa	694	1	70	216	171	104	87	40	5	-
White	675	1	68	211	167	101	83	39	5	-
Nonwhite	19	-	2	5	4	3	4	1	-	-
Kansas	572	-	83	180	118	96	60	29	6	-
White	509	-	73	163	112	83	49	23	6	-
Nonwhite	63	-	10	17	6	13	11	6	-	-
Kentucky	883	3	135	242	171	141	127	57	7	-
White	756	1	116	215	151	116	102	49	6	-
Nonwhite	127	2	19	27	20	25	25	8	1	-
Louisiana	1,460	6	254	376	297	245	198	79	5	-
White	583	1	101	172	120	89	75	23	2	-
Nonwhite	877	5	153	204	177	156	123	56	3	-
Maine	297	-	38	84	66	71	28	10	-	-
White	294	-	38	83	64	71	28	10	-	-
Nonwhite	3	-	-	1	2	-	-	-	-	-
Maryland	1,201	9	177	342	244	220	147	56	4	-
White	805	3	86	239	184	143	103	43	4	-
Nonwhite	396	6	91	103	60	77	44	15	-	-
Massachusetts ¹	1,068	-	75	274	249	223	190	56	1	-
White	1,036	-	74	267	242	215	182	55	1	-
Nonwhite	32	-	1	7	7	8	8	1	-	-
Michigan	2,545	7	262	697	542	490	372	164	11	-
White	2,073	1	185	585	457	389	311	135	10	-
Nonwhite	472	6	77	112	65	101	61	29	1	-
Minnesota	982	-	88	251	247	203	127	60	6	-
White	942	-	77	239	242	198	122	58	6	-
Nonwhite	40	-	11	12	5	5	5	2	-	-

¹Figures exclude approximately 300 fetal deaths recorded in this State, primarily to residents of the State; see Technical Appendix.

SECTION 3 - MORTALITY

3-17

Table 3-11. Fetal Deaths by Age of Mother and Color: United States and Each State, 1963-Con.

(By place of residence. Refers only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Figures for age of mother not stated are distributed. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

AREA AND COLOR	Total	AGE OF MOTHER								
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over
Mississippi	1,504	13	261	373	276	249	236	89	8	-
White	415	-	63	137	91	61	54	18	1	-
Nonwhite	1,089	13	198	236	185	197	182	71	7	-
Missouri	1,230	2	168	311	262	208	196	69	14	-
White	929	2	116	242	216	143	146	51	13	-
Nonwhite	301	-	52	69	46	65	50	18	1	-
Montana	200	-	14	59	57	28	26	14	2	-
White	186	-	12	57	55	23	23	14	2	-
Nonwhite	14	-	2	2	2	5	3	-	-	-
Nebraska	359	1	33	98	74	60	59	31	3	-
White	331	1	28	92	71	53	54	29	3	-
Nonwhite	28	-	5	6	3	7	5	2	-	-
Nevada	117	1	15	34	27	24	12	3	1	-
White	94	1	11	29	20	21	9	2	1	-
Nonwhite	23	-	4	5	7	3	3	1	-	-
New Hampshire	188	-	15	62	34	35	28	13	1	-
White	186	-	15	62	32	35	28	13	1	-
Nonwhite	2	-	-	-	2	-	-	-	-	-
New Jersey ²	2,070	4	197	528	462	447	316	108	8	-
New Mexico	380	-	42	115	86	63	49	24	1	-
White	336	-	34	105	76	57	43	21	-	-
Nonwhite	44	-	8	10	10	6	6	3	1	-
New York	8,066	18	712	2,188	2,015	1,619	1,124	352	38	-
White	5,821	2	438	1,501	1,459	1,209	884	295	33	-
Nonwhite	2,245	16	274	687	556	410	240	57	5	-
North Carolina	1,937	13	353	515	412	290	242	105	7	-
White	998	2	163	301	215	147	114	51	5	-
Nonwhite	939	11	190	214	197	143	128	54	2	-
North Dakota	180	-	17	49	35	43	33	11	2	-
White	179	-	15	49	33	40	31	9	2	-
Nonwhite	11	-	2	-	2	3	2	2	-	-
Ohio	2,986	7	336	799	716	557	379	175	17	-
White	2,429	2	244	668	589	456	305	151	14	-
Nonwhite	557	5	92	131	127	101	74	24	3	-
Oklahoma	602	5	113	196	118	76	67	21	6	-
White	460	2	85	168	88	51	48	12	6	-
Nonwhite	142	3	28	28	30	25	19	9	-	-
Oregon	620	1	93	183	149	86	73	32	3	-
White	587	1	88	175	140	80	68	32	3	-
Nonwhite	33	-	5	8	9	6	5	-	-	-
Pennsylvania	3,793	15	393	980	858	707	581	239	19	1
White	3,040	4	264	775	674	598	495	213	16	1
Nonwhite	753	11	129	205	184	109	86	26	3	-
Rhode Island	290	2	28	65	73	66	41	15	-	-
White	268	-	24	60	69	62	39	14	-	-
Nonwhite	22	2	4	5	4	4	2	1	-	-
South Carolina	1,175	7	223	306	225	187	177	45	4	1
White	414	1	76	147	88	47	42	13	-	-
Nonwhite	761	6	147	159	137	140	135	32	4	1
South Dakota	230	-	21	61	44	45	42	13	4	-
White	202	-	19	56	40	39	32	12	4	-
Nonwhite	28	-	2	5	4	6	10	1	-	-
Tennessee	1,366	7	229	408	289	211	145	71	6	-
White	870	1	142	284	180	128	87	42	6	-
Nonwhite	496	6	87	124	109	83	58	29	-	-
Texas	3,558	15	542	947	805	594	469	166	20	-
White	2,642	3	350	730	621	462	341	119	16	-
Nonwhite	916	12	192	217	184	132	128	47	4	-
Utah	273	1	28	73	74	48	34	13	1	1
White	265	1	28	71	71	45	34	13	1	1
Nonwhite	8	-	-	2	3	3	-	-	-	-
Vermont	188	2	22	49	37	37	23	18	-	-
White	188	2	22	49	37	37	23	18	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-
Virginia	2,469	11	350	663	533	491	296	113	12	-
White	1,637	1	208	466	349	328	201	77	7	-
Nonwhite	832	10	142	197	184	163	95	36	5	-
Washington	677	-	79	208	159	113	89	24	5	-
White	617	-	73	195	145	100	78	21	5	-
Nonwhite	60	-	6	13	14	13	11	3	-	-
West Virginia	611	1	90	152	131	107	94	32	4	-
White	575	1	86	141	122	100	91	30	4	-
Nonwhite	36	-	4	11	9	7	3	2	-	-
Wisconsin	1,189	-	92	325	279	205	204	76	8	-
White	1,113	-	81	308	257	191	195	75	6	-
Nonwhite	76	-	11	17	22	14	9	1	2	-
Wyoming	97	-	12	31	18	18	10	6	2	-
White	95	-	12	30	18	17	10	6	2	-
Nonwhite	2	-	-	1	-	1	-	-	-	-

²Figures by color are not shown because reporting was incomplete; see Technical Appendix.

SECTION 3 - MORTALITY

Table 3-12¹⁾ Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1963

(By place of residence. Refers only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Total-birth order refers to number of children ever born to mother, including fetal deaths. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

AREA AND COLOR	Total	TOTAL-BIRTH ORDER								
		1	2	3	4	5	6	7	8 and over	Not stated
UNITED STATES-----	64,640	15,841	9,916	9,589	7,789	5,898	4,017	2,925	6,687	2,378
White-----	45,495	11,682	7,400	7,124	5,781	4,068	2,642	1,821	3,253	1,724
Nonwhite--	17,075	3,616	2,197	1,949	1,739	1,446	1,274	1,024	3,323	507
Alabama-----	1,540	350	237	183	144	144	87	94	284	17
White-----	697	198	136	110	82	63	27	25	46	10
Nonwhite--	843	152	101	73	62	81	60	69	238	7
Alaska-----	105	19	16	18	8	10	9	3	21	1
White-----	66	13	11	13	6	7	7	1	8	-
Nonwhite--	39	6	5	5	2	3	2	2	13	1
Arizona-----	519	134	74	64	70	40	33	19	73	12
White-----	416	117	65	52	60	30	27	12	44	9
Nonwhite--	103	17	9	12	10	10	6	7	29	3
Arkansas-----	681	179	87	86	69	48	41	45	118	8
White-----	373	111	59	56	43	34	21	23	22	4
Nonwhite--	308	68	28	30	26	14	20	22	96	4
California-----	4,738	1,320	810	735	606	403	254	166	315	129
White-----	3,982	1,134	700	639	517	320	201	130	242	99
Nonwhite--	756	186	110	96	89	83	53	36	73	30
Colorado-----	785	183	87	99	66	55	47	29	59	160
White-----	735	175	77	94	58	51	42	26	54	158
Nonwhite--	50	8	10	5	8	4	5	3	5	2
Connecticut-----	689	166	113	118	81	67	57	32	43	12
White-----	604	146	96	110	73	58	53	27	30	11
Nonwhite--	85	20	17	8	8	9	4	5	13	1
Delaware-----	155	38	22	17	21	11	10	10	20	6
White-----	108	25	16	14	16	8	7	6	12	4
Nonwhite--	47	13	6	3	5	3	3	4	8	2
District of Columbia-----	405	139	55	52	54	18	29	15	36	5
White-----	81	44	13	9	5	3	1	2	3	1
Nonwhite--	322	95	42	43	49	15	28	13	33	4
Florida-----	1,802	436	272	268	225	139	108	91	247	16
White-----	1,023	294	185	179	146	75	47	37	50	10
Nonwhite--	779	142	87	89	79	64	61	54	197	6
Georgia-----	1,944	478	282	244	187	159	135	107	304	48
White-----	874	284	167	158	108	75	51	45	58	18
Nonwhite--	970	184	115	86	79	84	84	62	246	30
Hawaii-----	227	61	50	29	26	18	12	7	23	1
White-----	74	23	16	9	9	3	6	4	4	-
Nonwhite--	153	38	34	20	17	15	6	3	19	1
Idaho-----	161	34	14	32	33	10	12	10	12	4
White-----	160	34	13	32	33	10	12	10	12	4
Nonwhite--	1	-	1	-	-	-	-	-	-	-
Illinois-----	3,383	814	543	545	449	334	220	157	268	53
White-----	2,429	579	418	424	328	250	142	102	138	48
Nonwhite--	954	235	125	121	121	84	78	55	130	5
Indiana-----	1,441	412	200	197	170	143	85	61	129	44
White-----	1,223	355	166	179	148	121	68	51	94	41
Nonwhite--	218	57	34	18	22	22	17	10	35	3
Iowa-----	694	148	102	119	101	78	45	28	60	13
White-----	675	145	101	117	100	74	43	28	54	13
Nonwhite--	19	3	1	2	1	4	2	-	6	-
Kansas-----	572	135	99	96	71	43	39	27	58	4
White-----	509	125	91	89	67	37	33	25	40	4
Nonwhite--	63	12	8	7	4	6	6	2	18	-
Kentucky-----	885	210	112	113	118	71	51	33	110	65
White-----	756	189	97	99	103	62	39	27	80	60
Nonwhite--	127	21	15	14	15	9	12	6	30	5
Louisiana-----	1,460	380	174	149	150	108	89	60	256	74
White-----	585	163	81	82	78	51	34	22	39	33
Nonwhite--	877	217	93	67	72	57	55	38	217	41
Maine-----	297	84	53	33	29	29	22	12	31	4
White-----	294	82	53	32	29	29	22	12	31	4
Nonwhite--	3	2	-	1	-	-	-	-	-	-
Maryland-----	1,201	288	208	184	140	85	79	48	96	73
White-----	805	197	158	139	105	50	46	27	36	47
Nonwhite--	396	91	50	45	35	35	33	21	60	26
Massachusetts ¹ -----	1,068	235	164	166	144	106	64	71	88	50
White-----	1,036	233	161	163	140	100	59	68	66	46
Nonwhite--	32	2	3	3	4	6	5	3	2	4
Michigan-----	2,545	598	366	347	314	269	179	136	267	69
White-----	2,073	492	316	301	267	221	138	105	176	57
Nonwhite--	472	106	50	46	47	48	41	31	91	12
Minnesota-----	982	226	121	146	130	105	72	55	107	20
White-----	942	215	115	138	127	102	72	54	101	18
Nonwhite--	40	11	6	8	3	3	-	1	6	2
Mississippi-----	1,504	318	188	158	126	106	104	77	397	30
White-----	415	114	82	53	61	42	22	8	27	6
Nonwhite--	1,089	204	106	105	65	64	82	69	370	24

¹Figures exclude approximately 300 fetal deaths recorded in this State, primarily to residents of the State; see Technical Appendix.

SECTION 3 - MORTALITY

3-19

Table 3-12. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1963-Con.

(See headnote at beginning of table)

AREA AND COLOR	Total	TOTAL-BIRTH ORDER								
		1	2	3	4	5	6	7	8 and over	Not stated
Missouri-----	1,230	272	169	187	136	122	71	61	184	28
White-----	929	221	138	151	103	100	52	40	98	26
Nonwhite--	301	51	31	36	33	22	19	21	86	2
Montana-----	200	46	21	26	25	22	19	13	22	6
White-----	186	45	20	25	24	21	18	10	17	6
Nonwhite--	14	1	1	1	1	1	1	3	5	-
Nebraska-----	359	82	51	45	57	58	23	22	35	8
White-----	331	77	49	44	51	55	20	20	27	8
Nonwhite--	28	5	2	1	6	3	3	2	6	-
Nevada-----	117	34	16	24	13	11	2	4	11	2
White-----	94	28	15	21	10	8	2	1	8	1
Nonwhite--	23	6	1	3	3	3	-	3	3	1
New Hampshire-----	188	52	27	26	27	25	10	4	10	7
White-----	186	52	27	25	27	24	10	4	10	7
Nonwhite--	2	-	-	1	-	1	-	-	-	-
New Jersey ² -----	2,070	543	319	316	269	184	101	80	111	147
New Mexico-----	380	89	49	57	54	30	23	23	44	11
White-----	356	75	42	54	51	28	19	19	37	11
Nonwhite--	44	14	7	3	3	2	4	4	7	-
New York-----	8,066	1,848	1,434	1,334	1,021	713	427	282	483	524
White-----	5,821	1,384	1,047	977	747	497	284	195	288	402
Nonwhite--	2,245	464	387	357	274	216	143	87	195	122
North Carolina-----	1,937	471	312	258	216	178	124	90	274	14
White-----	998	281	186	158	122	98	55	39	50	9
Nonwhite--	939	190	126	100	94	80	69	51	224	5
North Dakota-----	190	44	26	26	27	17	13	17	19	1
White-----	179	42	26	26	27	15	12	16	14	1
Nonwhite--	11	2	-	-	-	2	1	1	5	-
Ohio-----	2,986	685	432	438	377	298	225	146	259	128
White-----	2,429	575	358	372	310	249	176	103	176	110
Nonwhite--	557	108	74	66	67	49	49	43	83	18
Oklahoma-----	602	169	111	93	66	42	25	26	57	13
White-----	460	134	98	83	54	29	15	14	22	11
Nonwhite--	142	35	13	10	12	13	10	12	35	2
Oregon-----	620	161	105	95	65	72	41	24	48	9
White-----	587	152	100	94	60	69	41	22	40	9
Nonwhite--	33	9	5	1	5	3	-	2	8	-
Pennsylvania-----	3,793	958	593	565	534	376	242	151	297	97
White-----	3,040	764	488	466	439	303	183	113	202	82
Nonwhite--	753	174	105	99	95	73	59	38	95	15
Rhode Island-----	290	69	53	46	35	32	22	13	18	4
White-----	268	62	49	44	31	28	20	13	17	4
Nonwhite--	22	7	4	2	2	4	2	-	1	-
South Carolina-----	1,175	310	147	138	118	66	57	85	218	36
White-----	414	139	81	66	52	24	14	6	21	11
Nonwhite--	761	171	66	72	66	42	43	79	197	25
South Dakota-----	230	45	29	39	24	24	14	17	32	6
White-----	202	43	27	37	23	19	13	13	22	5
Nonwhite--	28	2	2	2	1	5	1	4	10	1
Tennessee-----	1,366	390	230	188	162	90	78	55	152	31
White-----	870	288	170	131	104	49	34	18	52	24
Nonwhite--	496	92	60	57	58	41	44	37	100	7
Texas-----	3,558	846	563	548	384	306	219	142	432	118
White-----	2,642	643	437	427	290	216	155	94	295	85
Nonwhite--	916	203	126	121	94	90	64	48	137	33
Utah-----	273	59	38	49	29	26	18	22	20	12
White-----	265	59	35	49	28	26	18	22	17	11
Nonwhite--	8	-	3	-	1	-	-	-	3	1
Vermont-----	188	44	23	24	27	13	20	13	15	9
White-----	188	44	23	24	27	13	20	13	15	9
Nonwhite--	-	-	-	-	-	-	-	-	-	-
Virginia-----	2,469	668	348	317	273	176	173	97	252	165
White-----	1,637	508	240	233	189	117	94	56	96	104
Nonwhite--	832	160	108	84	84	59	79	41	156	61
Washington-----	677	167	107	116	84	51	49	35	58	10
White-----	617	154	102	106	78	50	39	29	49	10
Nonwhite--	60	13	5	10	6	1	10	6	9	-
West Virginia-----	611	172	86	67	59	47	47	27	93	13
White-----	575	165	81	61	56	45	44	25	86	12
Nonwhite--	36	7	5	6	3	2	3	2	7	1
Wisconsin-----	1,189	243	167	148	162	132	86	59	135	59
White-----	1,113	231	157	138	155	121	79	55	118	59
Nonwhite--	76	12	10	10	7	11	7	4	15	-
Wyoming-----	97	21	11	21	15	8	5	4	10	2
White-----	95	21	11	21	14	8	5	4	9	2
Nonwhite--	2	-	-	-	1	-	-	-	1	-

²Figures by color are not shown because reporting was incomplete; see Technical Appendix.

SECTION 3 - MORTALITY

Table 3-13. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1963

(By place of residence. Refers only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more (Groups II and III) or was not stated (Group IV). Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

AREA AND COLOR	ALL FETAL DEATHS IN GROUPS II, III, AND IV				GROUP II—FETAL DEATHS OF 20-27 WEEKS GESTATION ³				GROUP III—FETAL DEATHS OF 28 WEEKS GESTATION OR MORE ³			
	Total	Attendant ¹			Total	Attendant ¹			Total	Attendant ¹		
		Physician in hospital ²	Physician not in hospital	Midwife		Physician in hospital ²	Physician not in hospital	Midwife		Physician in hospital	Physician not in hospital	Midwife
UNITED STATES-----	64,640	60,795	2,140	888	14,742	15,623	752	152	43,942	41,715	1,090	703
White-----	45,495	44,116	995	67	9,873	9,396	382	8	31,323	30,701	443	55
Nonwhite--	17,075	14,686	1,097	821	4,438	3,820	354	144	11,187	9,618	624	648
Alabama-----	1,540	1,214	71	169	310	246	21	32	1,145	908	43	149
White-----	697	679	14	3	150	147	3	3	502	490	8	3
Nonwhite--	843	535	57	166	160	99	18	32	643	418	35	146
Alaska-----	105	93	3	7	16	13	1	2	84	75	2	5
White-----	66	64	1	-	9	8	1	-	54	53	-	-
Nonwhite--	39	29	2	7	7	5	-	2	30	22	2	5
Arizona-----	519	494	18	-	86	78	7	-	417	406	8	-
White-----	416	397	13	-	71	64	6	-	332	325	5	-
Nonwhite--	103	97	5	-	15	14	1	-	85	81	3	-
Arkansas-----	681	582	56	46	146	121	13	9	405	343	15	34
White-----	373	362	8	1	70	67	3	3	220	215	2	1
Nonwhite--	308	220	28	45	76	54	10	9	185	128	13	33
California-----	4,738	4,611	70	-	704	686	14	-	2,850	2,822	21	-
White-----	3,982	3,891	49	-	573	560	11	-	2,435	2,414	15	-
Nonwhite--	756	720	21	-	131	126	3	-	415	408	6	-
Colorado-----	785	741	21	-	195	185	8	-	427	420	4	-
White-----	735	694	20	-	176	168	7	-	399	393	4	-
Nonwhite--	50	47	1	-	19	17	1	-	28	27	-	-
Connecticut-----	689	674	13	-	163	155	8	-	513	508	3	-
White-----	604	592	10	-	138	132	6	-	453	449	2	-
Nonwhite--	85	82	3	-	25	23	2	-	60	59	1	-
Delaware-----	155	147	2	-	40	36	1	-	92	90	1	-
White-----	108	104	1	-	29	27	-	-	66	65	1	-
Nonwhite--	47	43	1	-	11	9	1	-	26	25	-	-
District of Columbia-----	403	384	16	-	86	84	-	-	273	263	9	-
White-----	81	78	3	-	12	12	-	-	63	62	1	-
Nonwhite--	322	306	13	-	74	72	-	-	210	201	8	-
Florida-----	1,802	1,678	63	46	393	358	25	7	1,399	1,312	37	39
White-----	1,023	1,006	13	2	220	212	8	-	797	788	5	2
Nonwhite--	779	672	50	44	173	146	17	7	602	524	32	37
Georgia-----	1,944	1,727	81	28	531	463	29	7	1,294	1,161	45	20
White-----	974	858	11	1	267	262	5	5	657	647	6	1
Nonwhite--	970	769	70	27	264	201	24	7	637	514	39	19
Hawaii-----	227	213	13	-	59	54	5	-	152	146	5	-
White-----	74	70	4	-	20	17	3	-	50	50	-	-
Nonwhite--	153	143	9	-	39	37	2	-	102	96	5	-
Idaho-----	161	159	1	-	23	23	-	-	84	84	-	-
White-----	160	158	1	-	23	23	-	-	84	84	-	-
Nonwhite--	1	1	-	-	-	-	-	-	-	-	-	-
Illinois-----	3,383	3,188	187	2	788	697	87	-	2,587	2,484	100	2
White-----	2,429	2,341	81	2	527	485	39	-	1,894	1,849	42	2
Nonwhite--	954	847	106	-	261	212	48	-	693	635	58	-
Indiana-----	1,441	1,384	45	2	252	228	22	-	938	916	19	-
White-----	1,223	1,176	36	2	210	192	17	-	812	793	16	-
Nonwhite--	218	208	9	-	42	36	5	-	126	123	3	-
Iowa-----	694	680	12	-	109	106	3	-	529	520	9	-
White-----	675	662	11	-	105	102	3	-	515	507	8	-
Nonwhite--	19	18	1	-	4	4	-	-	14	13	1	-
Kansas-----	572	566	5	-	125	122	2	-	435	432	3	-
White-----	509	505	3	-	107	105	1	-	391	389	2	-
Nonwhite--	63	61	2	-	18	17	1	-	44	43	1	-
Kentucky-----	883	832	29	19	188	170	13	3	678	648	13	16
White-----	756	720	21	12	157	143	10	2	582	563	8	10
Nonwhite--	127	112	8	7	31	27	3	1	96	85	5	6
Louisiana-----	1,460	1,375	35	23	279	250	14	4	1,164	1,109	21	19
White-----	583	573	8	-	113	109	3	-	462	456	5	-
Nonwhite--	877	802	27	23	166	141	11	4	702	653	16	19
Maine-----	297	289	6	-	54	51	2	-	161	159	1	-
White-----	294	286	6	-	54	51	2	-	159	157	1	-
Nonwhite--	3	3	-	-	-	-	-	-	2	2	-	-
Maryland-----	1,201	1,159	22	7	221	214	6	-	777	756	10	7
White-----	805	787	10	-	148	144	3	-	531	523	7	-
Nonwhite--	396	372	12	7	73	70	3	-	246	233	3	7

See footnotes at end of table.

SECTION 3 - MORTALITY

3-21

Table 3-13. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1963-Con.

(By place of residence. Refers only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more (Groups II and III) or was not stated (Group IV). Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

AREA AND COLOR	ALL FETAL DEATHS IN GROUPS II, III, AND IV				GROUP II—FETAL DEATHS OF 20-27 WEEKS GESTATION ³				GROUP III—FETAL DEATHS OF 28 WEEKS GESTATION OR MORE ³			
	Total	Attendant ¹			Total	Attendant ¹			Total	Attendant ¹		
		Physician in hospital ²	Physician not in hospital	Midwife		Physician in hospital ²	Physician not in hospital	Midwife		Physician in hospital ²	Physician not in hospital	Midwife
Massachusetts ⁴	1,068	1,049	17	-	225	214	11	-	778	775	3	-
White	1,036	1,019	15	-	219	209	10	-	752	750	2	-
Nonwhite	32	30	2	-	6	5	1	-	26	25	1	-
Michigan	2,545	2,492	38	-	520	502	14	-	1,872	1,843	20	-
White	2,073	2,036	27	-	408	391	13	-	1,532	1,516	11	-
Nonwhite	472	456	11	-	112	111	1	-	340	327	9	-
Minnesota	982	951	25	-	209	197	11	-	721	704	13	-
White	942	914	23	-	199	188	10	-	692	677	12	-
Nonwhite	40	37	2	-	10	9	1	-	29	27	1	-
Mississippi	1,504	1,079	102	298	369	267	34	65	992	690	59	226
White	415	398	10	3	120	113	6	-	233	227	1	3
Nonwhite	1,089	681	92	295	249	154	28	65	759	463	58	223
Missouri	1,230	1,184	23	1	221	204	4	-	896	867	19	1
White	929	904	18	-	141	134	3	-	690	672	15	-
Nonwhite	301	280	5	1	80	70	1	-	206	195	4	1
Montana	200	197	3	-	35	34	1	-	153	151	2	-
White	186	183	3	-	32	31	1	-	142	140	2	-
Nonwhite	14	14	-	-	3	3	-	-	11	11	-	-
Nebraska	359	357	2	-	64	63	1	-	285	284	1	-
White	331	329	2	-	59	58	1	-	263	262	1	-
Nonwhite	28	28	-	-	5	5	-	-	22	22	-	-
Nevada	117	113	2	-	31	27	2	-	77	77	-	-
White	94	91	2	-	23	20	2	-	63	63	-	-
Nonwhite	23	22	-	-	8	7	-	-	14	14	-	-
New Hampshire	188	186	1	-	29	29	-	-	133	132	1	-
White	186	184	1	-	29	29	-	-	131	130	1	-
Nonwhite	2	2	-	-	-	-	-	-	2	2	-	-
New Jersey ⁵	2,070	1,993	48	-	431	407	16	-	1,432	1,396	23	-
New Mexico	380	368	7	3	59	59	-	-	264	254	6	2
White	336	325	6	3	51	51	-	-	236	227	5	2
Nonwhite	44	43	1	-	8	8	-	-	28	27	1	-
New York	8,066	7,707	297	-	2,493	2,335	125	-	4,420	4,326	78	-
White	5,021	5,611	164	-	1,659	1,564	69	-	3,452	3,403	41	-
Nonwhite	2,245	2,096	133	-	834	771	56	-	968	923	37	-
North Carolina	1,937	1,739	121	57	438	389	34	8	1,486	1,341	85	49
White	998	965	10	-	207	200	5	-	782	778	4	-
Nonwhite	939	754	111	57	231	189	29	8	704	563	81	49
North Dakota	190	186	3	-	49	49	-	-	141	137	3	-
White	179	175	3	-	48	48	-	-	131	127	3	-
Nonwhite	11	11	-	-	1	1	-	-	10	10	-	-
Ohio	2,986	2,918	58	-	668	644	20	-	2,140	2,105	30	-
White	2,429	2,374	50	-	510	494	15	-	1,754	1,724	27	-
Nonwhite	557	544	8	-	158	150	5	-	386	381	3	-
Oklahoma	602	578	19	4	116	109	7	-	462	447	12	3
White	460	446	12	2	88	83	5	-	355	347	7	1
Nonwhite	142	132	7	2	28	26	2	-	107	100	5	2
Oregon	620	604	13	1	126	119	5	-	286	281	4	1
White	587	571	13	1	117	110	5	-	276	271	4	1
Nonwhite	33	33	-	-	9	9	-	-	10	10	-	-
Pennsylvania	3,793	3,648	116	-	1,276	1,202	62	-	2,502	2,435	55	-
White	3,040	2,931	88	-	924	869	46	-	2,102	2,051	41	-
Nonwhite	753	717	28	-	352	333	16	-	400	384	12	-
Rhode Island	290	281	9	-	71	66	5	-	208	204	4	-
White	268	262	6	-	65	62	3	-	192	189	3	-
Nonwhite	22	19	3	-	6	4	2	-	16	15	1	-
South Carolina	1,175	960	83	77	177	152	12	6	864	695	60	68
White	414	406	5	1	74	72	2	-	305	299	3	1
Nonwhite	761	554	78	76	103	80	10	6	559	396	57	67
South Dakota	230	220	7	1	51	48	3	-	166	161	2	1
White	202	195	6	-	46	44	2	-	149	146	2	-
Nonwhite	28	25	1	1	5	4	1	-	17	15	-	1
Tennessee	1,366	1,292	46	21	320	307	8	2	1,041	981	37	19
White	870	843	21	4	201	199	1	-	665	641	19	4
Nonwhite	496	449	25	17	119	108	7	2	376	340	18	15
Texas	3,558	3,313	89	52	779	728	26	8	2,728	2,540	63	42
White	2,642	2,487	66	29	541	513	17	5	2,068	1,944	49	24
Nonwhite	916	826	23	23	238	215	9	3	660	596	14	18

See footnotes at end of table.

SECTION 3 - MORTALITY

Table 3-13. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1963-Con.

(By place of residence. Refers only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more (Groups II and III) or was not stated (Group IV). Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix¹)

AREA AND COLOR	ALL FETAL DEATHS IN GROUPS II, III, AND IV				GROUP II—FETAL DEATHS OF 20-27 WEEKS GESTATION ³				GROUP III—FETAL DEATHS OF 28 WEEKS GESTATION OR MORE ³			
	Total	Attendant ¹			Total	Attendant ¹			Total	Attendant ¹		
		Physician in hospital ²	Physician not in hospital	Midwife		Physician in hospital ²	Physician not in hospital	Midwife		Physician in hospital ²	Physician not in hospital	Midwife
Utah	273	265	8	-	36	34	2	-	177	173	4	-
White	265	257	8	-	35	33	2	-	170	166	4	-
Nonwhite	8	8	-	-	1	1	-	-	7	7	-	-
Vermont	188	182	6	-	42	39	3	-	94	91	3	-
White	188	182	6	-	42	39	3	-	94	91	3	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	2,469	2,228	198	4	607	552	46	1	1,254	1,127	108	-
White	1,637	1,558	62	1	375	351	16	1	792	773	18	-
Nonwhite	832	670	136	3	232	201	30	-	462	354	90	-
Washington	677	663	11	-	141	133	5	-	510	505	5	-
White	617	605	9	-	123	117	3	-	468	463	5	-
Nonwhite	60	58	2	-	18	16	2	-	42	42	-	-
West Virginia	611	588	20	-	117	111	4	-	484	468	15	-
White	575	554	18	-	108	103	3	-	458	443	14	-
Nonwhite	36	34	2	-	9	8	1	-	26	25	1	-
Wisconsin	1,189	1,170	18	-	257	247	9	-	896	888	8	-
White	1,113	1,096	16	-	233	225	7	-	844	836	8	-
Nonwhite	76	74	2	-	24	22	1	-	52	52	-	-
Wyoming	97	94	1	-	17	16	1	-	76	75	-	-
White	95	92	1	-	17	16	1	-	74	73	-	-
Nonwhite	2	2	-	-	-	-	-	-	2	2	-	-

¹Fetal deaths attended by other and not specified persons are not shown separately but are included in "Total."

²It is assumed that all fetal deaths in hospitals or institutions are attended by physicians.

³Period of gestation reported in months allocated to gestation interval in weeks as follows: 5 and 6 months to "20-27 weeks"; 7 months or more to "28 weeks or more."

⁴Figures exclude approximately 300 fetal deaths recorded in this State, primarily to residents of the State; see Technical Appendix.

⁵Figures by color are not shown because reporting was incomplete; see Technical Appendix.

~~not printed from~~

SECTION 3 - MORTALITY

Table 3-14. Fetal Deaths by Birth Weight, Plurality of Birth, Color, and Sex: United States, 1963

(Refers only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

PLURALITY OF BIRTH, COLOR, AND SEX	Total	BIRTH WEIGHT ¹											Not stated
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001-grams or more	
TOTAL-----	64,640	4,966	9,290	6,879	6,510	6,886	6,706	6,410	3,746	1,441	669	456	10,681
Fetal deaths in single deliveries---	61,090	4,328	8,581	6,403	6,122	6,466	6,463	6,308	3,716	1,433	669	455	10,146
Fetal deaths in twin deliveries-----	3,478	623	689	468	385	418	242	102	30	8	-	1	512
Fetal deaths in other plural deliveries-----	72	15	20	8	3	2	1	-	-	-	-	-	23
Male-----	32,210	2,526	4,923	3,507	3,396	3,488	3,454	3,361	2,111	872	400	304	3,868
Fetal deaths in single deliveries---	30,383	2,191	4,532	3,268	3,192	3,272	3,332	3,311	2,093	865	400	304	3,623
Fetal deaths in twin deliveries-----	1,794	331	380	236	202	215	121	50	18	7	-	-	234
Fetal deaths in other plural deliveries-----	33	4	11	3	2	1	1	-	-	-	-	-	11
Female-----	28,065	2,036	4,205	3,291	3,060	3,354	3,218	3,024	1,623	567	268	149	3,270
Fetal deaths in single deliveries---	26,465	1,759	3,896	3,057	2,890	3,153	3,100	2,972	1,611	566	268	149	3,054
Fetal deaths in twin deliveries-----	1,567	267	301	229	179	200	118	52	12	1	-	-	208
Fetal deaths in other plural deliveries-----	33	10	8	5	1	1	-	-	-	-	-	-	8
Sex not stated-----	4,365	404	162	81	54	44	34	25	12	2	1	3	3,543
Fetal deaths in single deliveries---	4,242	378	153	78	50	41	31	25	12	2	1	2	3,469
Fetal deaths in twin deliveries-----	117	25	8	3	4	3	3	-	-	-	-	-	70
Fetal deaths in other plural deliveries-----	6	1	1	-	-	-	-	-	-	-	-	-	4
WHITE-----	45,495	3,508	6,236	4,637	4,506	4,748	4,812	4,738	2,843	1,068	476	280	7,643
Fetal deaths in single deliveries---	43,055	3,056	5,749	4,334	4,233	4,478	4,646	4,668	2,825	1,066	476	280	7,244
Fetal deaths in twin deliveries-----	2,384	438	471	299	271	269	165	70	18	2	-	-	381
Fetal deaths in other plural deliveries-----	56	14	16	4	2	1	1	-	-	-	-	-	18
Male-----	22,566	1,781	3,299	2,361	2,359	2,399	2,419	2,441	1,614	639	289	189	2,776
Fetal deaths in single deliveries---	21,331	1,549	3,030	2,218	2,221	2,260	2,344	2,408	1,601	638	289	189	2,584
Fetal deaths in twin deliveries-----	1,209	228	259	143	137	138	74	33	13	1	-	-	183
Fetal deaths in other plural deliveries-----	26	4	10	-	1	1	1	-	-	-	-	-	9
Female-----	19,903	1,436	2,830	2,222	2,113	2,319	2,371	2,284	1,220	429	186	90	2,403
Fetal deaths in single deliveries---	18,777	1,232	2,618	2,065	1,981	2,190	2,282	2,247	1,215	428	186	90	2,243
Fetal deaths in twin deliveries-----	1,099	194	207	153	131	129	89	37	5	1	-	-	153
Fetal deaths in other plural deliveries-----	27	10	5	4	1	-	-	-	-	-	-	-	7
Sex not stated-----	3,026	291	107	54	34	30	22	13	9	-	1	1	2,464
Fetal deaths in single deliveries---	2,947	275	101	51	31	28	20	13	9	-	1	1	2,417
Fetal deaths in twin deliveries-----	76	16	5	3	3	2	2	-	-	-	-	-	45
Fetal deaths in other plural deliveries-----	3	-	1	-	-	-	-	-	-	-	-	-	2
NONWHITE-----	17,075	1,296	2,723	2,025	1,805	1,925	1,697	1,480	770	329	169	162	2,694
Fetal deaths in single deliveries---	16,092	1,132	2,528	1,875	1,698	1,794	1,628	1,450	759	323	169	161	2,575
Fetal deaths in twin deliveries-----	967	163	191	146	106	130	69	30	11	6	-	1	114
Fetal deaths in other plural deliveries-----	16	1	4	4	1	1	-	-	-	-	-	-	5
Male-----	8,556	669	1,458	1,038	931	975	922	819	433	203	92	104	912
Fetal deaths in single deliveries---	8,019	575	1,347	955	869	905	879	802	429	197	92	104	865
Fetal deaths in twin deliveries-----	530	94	110	80	61	70	43	17	4	6	-	-	45
Fetal deaths in other plural deliveries-----	7	-	1	3	1	-	-	-	-	-	-	-	2
Female-----	7,227	523	1,214	960	857	936	763	649	334	125	77	56	733
Fetal deaths in single deliveries---	6,823	463	1,133	893	813	876	738	636	327	125	77	56	686
Fetal deaths in twin deliveries-----	398	60	78	66	44	59	25	13	7	-	-	-	46
Fetal deaths in other plural deliveries-----	6	-	3	1	-	1	-	-	-	-	-	-	1
Sex not stated-----	1,292	104	51	27	17	14	12	12	3	1	-	2	1,049
Fetal deaths in single deliveries---	1,250	94	48	27	16	13	11	12	3	1	-	1	1,024
Fetal deaths in twin deliveries-----	39	9	3	2	1	1	-	-	-	-	-	-	23
Fetal deaths in other plural deliveries-----	3	1	-	-	-	-	-	-	-	-	-	-	2

¹Equivalents of the gram weights in terms of pounds and ounces are as follows:

- | | |
|---|---|
| 500 grams or less = 1 lb. 1 oz. or less | 3,001-3,500 grams = 5 lb. 10 oz.-7 lb. 11 oz. |
| 501-1,000 grams = 1 lb. 2 oz.-2 lb. 3 oz. | 3,501-4,000 grams = 7 lb. 12 oz.-8 lb. 13 oz. |
| 1,001-1,500 grams = 2 lb. 4 oz.-3 lb. 4 oz. | 4,001-4,500 grams = 8 lb. 14 oz.-9 lb. 14 oz. |
| 1,501-2,000 grams = 3 lb. 5 oz.-4 lb. 6 oz. | 4,501-5,000 grams = 9 lb. 15 oz.-11 lb. 0 oz. |
| 2,001-2,500 grams = 4 lb. 7 oz.-5 lb. 8 oz. | 5,001 grams or more = 11 lb. 1 oz. or more |
| 2,501-3,000 grams = 5 lb. 9 oz.-6 lb. 9 oz. | |

Table 3-15. Fetal Deaths by Period of Gestation, Plurality of Birth, Color, and Sex: United States, 1963

(Refers only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

PLURALITY OF BIRTH, COLOR, AND SEX	Total	PERIOD OF GESTATION ¹								
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
TOTAL-----	64,640	7,734	7,008	7,395	8,432	4,655	7,632	12,915	2,913	5,956
Fetal deaths in single deliveries-----	61,090	7,152	6,505	6,916	7,963	4,394	7,239	12,362	2,840	5,719
Fetal deaths in twin deliveries-----	3,478	563	493	464	460	259	388	542	73	236
Fetal deaths in other plural deliveries-----	72	19	10	15	9	2	5	11	-	1
Male-----	32,210	3,757	3,609	3,742	4,390	2,458	3,936	6,710	1,437	2,171
Fetal deaths in single deliveries-----	30,393	3,443	3,325	3,483	4,135	2,325	3,749	6,446	1,405	2,072
Fetal deaths in twin deliveries-----	1,794	309	278	251	251	131	185	259	32	99
Fetal deaths in other plural deliveries-----	33	5	6	8	4	2	2	5	-	1
Female-----	28,065	2,767	2,903	3,352	3,868	2,145	3,611	6,139	1,443	1,838
Fetal deaths in single deliveries-----	26,465	2,530	2,694	3,150	3,664	2,021	3,418	5,863	1,404	1,721
Fetal deaths in twin deliveries-----	1,567	223	205	197	199	124	192	271	39	117
Fetal deaths in other plural deliveries-----	33	14	4	5	5	-	1	4	-	-
Sex not stated-----	4,365	1,210	496	301	174	52	85	67	33	1,947
Fetal deaths in single deliveries-----	4,242	1,179	466	283	164	48	72	53	31	1,926
Fetal deaths in twin deliveries-----	117	31	10	16	10	4	11	12	2	21
Fetal deaths in other plural deliveries-----	6	-	-	2	-	-	2	2	-	-
WHITE-----	45,495	5,138	4,735	4,943	6,047	3,283	5,961	8,749	2,340	4,299
Fetal deaths in single deliveries-----	43,055	4,742	4,373	4,630	5,710	3,112	5,647	8,433	2,286	4,122
Fetal deaths in twin deliveries-----	2,384	380	352	302	328	169	310	312	54	177
Fetal deaths in other plural deliveries-----	56	16	10	11	9	2	4	4	-	-
Male-----	22,566	2,499	2,434	2,502	3,214	1,724	3,054	4,424	1,156	1,559
Fetal deaths in single deliveries-----	21,331	2,289	2,231	2,329	3,034	1,640	2,905	4,284	1,133	1,466
Fetal deaths in twin deliveries-----	1,209	207	197	165	176	82	147	139	23	73
Fetal deaths in other plural deliveries-----	26	3	6	8	4	2	2	1	-	-
Female-----	19,903	1,841	1,953	2,228	2,712	1,528	2,852	4,281	1,166	1,342
Fetal deaths in single deliveries-----	18,777	1,674	1,802	2,098	2,564	1,443	2,696	4,115	1,136	1,249
Fetal deaths in twin deliveries-----	1,099	154	147	127	143	65	155	165	30	93
Fetal deaths in other plural deliveries-----	27	13	4	3	5	-	1	1	-	-
Sex not stated-----	3,026	798	348	213	121	31	55	44	18	1,398
Fetal deaths in single deliveries-----	2,947	779	340	203	112	29	46	34	17	1,387
Fetal deaths in twin deliveries-----	76	19	8	10	9	2	8	8	1	11
Fetal deaths in other plural deliveries-----	3	-	-	-	-	-	1	2	-	-
NONWHITE-----	17,075	2,375	2,063	2,224	2,096	1,245	1,417	3,750	455	1,450
Fetal deaths in single deliveries-----	16,092	2,208	1,944	2,075	1,981	1,172	1,350	3,527	439	1,396
Fetal deaths in twin deliveries-----	967	164	119	145	115	73	66	216	16	53
Fetal deaths in other plural deliveries-----	16	3	-	4	-	-	1	7	-	1
Male-----	8,556	1,142	1,057	1,131	1,020	667	753	2,062	226	499
Fetal deaths in single deliveries-----	8,019	1,044	989	1,050	955	628	719	1,942	217	475
Fetal deaths in twin deliveries-----	530	96	68	61	65	39	34	116	9	22
Fetal deaths in other plural deliveries-----	7	2	-	-	-	-	-	4	-	1
Female-----	7,227	831	866	1,012	1,026	560	634	1,666	214	418
Fetal deaths in single deliveries-----	6,823	774	817	952	977	527	605	1,567	208	395
Fetal deaths in twin deliveries-----	398	56	49	58	49	33	29	96	6	22
Fetal deaths in other plural deliveries-----	6	1	-	2	-	-	-	3	-	-
Sex not stated-----	1,292	402	140	61	50	18	30	22	15	534
Fetal deaths in single deliveries-----	1,250	390	138	73	49	17	26	18	14	525
Fetal deaths in twin deliveries-----	39	12	2	6	1	1	3	4	1	9
Fetal deaths in other plural deliveries-----	3	-	-	2	-	-	1	-	-	-

¹Period of gestation reported in months allocated to gestation intervals in weeks as follows: 5 months to "20-23 weeks"; 6 months to "24-27 weeks"; 7 months to "28-31 weeks"; 8 months to "32-35 weeks"; 9 months to "40 weeks"; 10 months or more to "41 weeks or more."

SECTION 3 - MORTALITY

Table 3-16. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States:

1963

(By place of residence. Refers only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

AREA, COLOR, AND SEX	Total	BIRTH WEIGHT ¹											
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001-grams or more	Not stated
UNITED STATES-----	64,640	4,966	9,290	6,879	6,510	6,886	6,706	6,410	3,746	1,441	669	456	10,681
White-----	45,495	3,508	6,236	4,637	4,506	4,748	4,812	4,738	2,843	1,068	476	280	7,643
Nonwhite--	17,075	1,296	2,725	2,025	1,805	1,925	1,697	1,480	770	329	169	162	2,694
Male-----	32,210	2,526	4,923	3,507	3,396	3,488	3,454	3,361	2,111	872	400	304	3,868
Female-----	22,566	1,781	3,299	2,361	2,359	2,399	2,441	1,614	639	289	289	189	2,776
Sex not stated-----	8,556	669	1,458	1,038	931	975	922	819	433	203	92	104	912
White-----	28,065	2,036	4,205	3,291	3,060	3,354	3,218	3,024	1,623	567	268	149	3,270
Nonwhite--	19,903	1,436	2,630	2,222	2,113	2,319	2,371	2,284	1,220	429	186	90	2,403
White-----	7,227	523	1,214	960	857	935	763	649	334	125	77	56	733
Nonwhite--	4,365	404	162	81	54	44	34	25	12	2	1	3	3,543
White-----	5,026	291	107	54	34	30	22	13	9	2	1	1	2,464
Nonwhite--	1,292	104	51	27	17	14	12	12	3	1	-	2	1,049
Alabama-----	1,540	94	189	162	166	206	201	190	94	47	13	13	165
White-----	697	50	98	72	70	83	84	82	48	19	8	1	82
Nonwhite--	843	44	91	90	96	123	117	108	46	28	5	12	83
Alaska-----	105	7	12	8	12	19	14	9	10	1	1	1	11
White-----	66	2	10	6	6	13	8	6	7	1	1	1	5
Nonwhite--	39	5	2	2	6	6	6	3	3	-	-	-	6
Arizona-----	519	28	59	52	51	64	50	71	39	16	8	4	77
White-----	416	25	46	40	41	51	40	57	31	13	7	1	64
Nonwhite--	103	3	13	12	10	13	10	14	8	3	1	3	13
Arkansas-----	681	51	85	58	66	71	76	51	47	15	8	4	151
White-----	373	32	43	35	28	38	41	32	27	8	5	1	85
Nonwhite--	308	19	42	21	38	33	35	19	20	7	3	3	68
California-----	4,738	331	875	568	519	558	546	522	342	124	52	31	270
White-----	3,982	269	722	459	435	461	477	455	297	105	42	28	232
Nonwhite--	756	62	153	109	84	97	69	67	45	19	10	3	38
Colorado-----	785	63	78	72	56	58	53	55	25	12	5	1	307
White-----	735	53	69	67	50	55	48	53	24	9	5	1	301
Nonwhite--	50	10	9	5	6	3	5	2	1	3	-	-	6
Connecticut-----	669	75	128	93	78	78	69	66	34	11	5	4	48
White-----	604	69	106	83	68	67	65	56	31	10	4	2	43
Nonwhite--	65	6	22	10	10	11	4	10	3	1	1	2	5
Delaware-----	155	14	14	13	12	15	15	15	9	4	1	1	42
White-----	108	10	10	7	7	13	8	10	8	3	-	1	31
Nonwhite--	47	4	4	6	5	2	7	5	1	1	1	-	11
District of Columbia-----	403	19	92	65	39	41	33	37	18	3	7	1	48
White-----	81	3	14	16	8	7	7	8	3	1	1	-	10
Nonwhite--	322	16	78	49	31	34	26	30	10	3	6	1	38
Florida-----	1,802	121	303	244	222	260	227	205	114	40	24	21	21
White-----	1,023	73	176	129	122	142	124	129	74	25	9	8	12
Nonwhite--	779	48	127	115	100	118	103	76	40	15	15	13	9
Georgia-----	1,944	147	276	189	183	162	175	177	89	33	21	19	473
White-----	974	76	142	84	99	77	91	102	47	15	10	3	228
Nonwhite--	970	71	134	105	84	85	84	75	42	18	11	16	245
Hawaii-----	227	17	24	17	19	26	27	18	12	4	3	3	57
White-----	74	4	7	4	11	8	7	5	2	1	1	1	22
Nonwhite--	153	13	17	13	8	18	20	13	10	2	2	2	35
Idaho-----	161	1	15	10	11	9	8	14	9	5	3	1	75
White-----	160	1	15	10	11	9	8	14	9	5	3	1	74
Nonwhite--	1	-	-	-	-	-	-	-	-	-	-	-	1
Illinois-----	3,383	296	607	398	385	410	433	401	222	94	38	30	69
White-----	2,429	209	401	263	274	306	309	306	161	71	33	25	51
Nonwhite--	954	87	206	135	111	104	124	95	41	23	5	5	18
Indiana-----	1,441	81	179	163	141	155	171	146	79	40	27	9	250
White-----	1,223	67	144	145	120	132	155	122	69	35	25	6	203
Nonwhite--	218	14	35	18	21	23	16	24	10	5	2	3	47
Iowa-----	694	42	85	73	85	77	87	107	50	17	13	4	56
White-----	675	40	81	71	84	74	86	102	50	16	12	3	56
Nonwhite--	19	2	2	2	1	3	1	5	-	1	1	1	-
Kansas-----	572	41	97	59	62	79	64	75	53	9	5	3	25
White-----	509	37	84	47	54	67	58	73	47	9	5	3	25
Nonwhite--	63	4	13	12	8	12	6	2	6	-	-	-	-
Kentucky-----	883	43	118	99	96	102	106	106	69	18	12	13	101
White-----	756	36	97	89	82	85	87	93	63	13	9	10	92
Nonwhite--	127	7	21	10	14	17	19	13	6	5	3	3	9
Louisiana-----	1,460	42	226	232	205	204	160	163	85	34	17	9	85
White-----	583	20	86	71	80	79	56	56	35	19	9	6	46
Nonwhite--	877	22	140	161	125	125	104	87	50	15	8	3	37
Maine-----	297	13	25	17	23	18	21	27	11	7	5	2	128
White-----	294	13	25	17	23	17	20	27	11	7	5	2	127
Nonwhite--	3	-	-	-	-	1	1	-	-	-	-	-	1

See footnotes at end of table.

SECTION 3 - MORTALITY

Table 3-16. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States; 1963—Con.

(By place of residence. Refers only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

AREA, COLOR, AND SEX	Total	BIRTH WEIGHT ^a											
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001-grams or more	Not stated
Maryland	1,201	53	252	155	129	135	137	115	61	24	11	3	126
White	805	36	171	89	85	81	92	68	41	19	8	2	93
Nonwhite	396	17	81	66	44	54	45	27	20	5	3	1	33
Massachusetts ²	1,068	86	153	127	110	99	120	112	75	30	11	1	144
White	1,036	82	147	123	105	97	117	112	71	29	11	1	141
Nonwhite	32	4	6	4	5	2	3	-	4	1	-	-	3
Michigan	2,545	150	371	281	276	274	262	269	190	64	28	25	355
White	2,073	117	277	227	237	205	217	225	164	53	19	18	313
Nonwhite	472	33	94	54	39	69	45	43	26	11	9	7	42
Minnesota	982	65	157	118	91	116	125	97	56	25	10	7	115
White	942	61	149	113	89	109	119	96	54	25	10	7	110
Nonwhite	40	4	8	5	2	7	6	1	2	-	-	-	5
Mississippi	1,504	91	195	173	134	150	154	142	79	37	18	16	315
White	415	33	54	30	29	39	30	32	20	5	5	5	133
Nonwhite	1,089	58	141	143	105	111	124	110	59	32	13	11	182
Missouri	1,230	67	146	107	121	151	123	131	82	41	20	12	229
White	929	41	106	72	87	118	92	108	66	32	17	7	183
Nonwhite	301	26	40	35	34	33	31	23	16	9	3	5	46
Montana	200	8	17	19	14	20	26	21	9	6	3	2	55
White	186	8	15	18	13	20	24	17	8	5	3	2	53
Nonwhite	14	-	2	1	1	-	2	4	1	1	-	-	2
Nebraska	359	28	36	46	48	50	28	48	26	10	8	3	28
White	331	27	32	42	46	44	24	48	23	10	7	1	27
Nonwhite	28	1	4	4	2	6	4	-	3	-	1	2	1
Nevada	117	5	16	18	16	15	14	14	4	-	1	1	13
White	94	3	12	15	15	15	11	10	1	-	-	1	11
Nonwhite	23	2	4	3	1	-	3	4	3	-	1	-	2
New Hampshire	188	16	24	18	22	19	18	25	4	-	-	-	42
White	186	16	24	18	22	18	18	24	4	-	-	-	42
Nonwhite	2	-	-	-	-	1	-	1	-	-	-	-	-
New Jersey ³	2,070	162	331	217	199	213	197	192	133	44	24	14	344
New Mexico	380	13	41	40	36	44	47	34	18	6	2	4	95
White	336	12	36	36	27	40	46	29	16	5	1	2	86
Nonwhite	44	1	5	4	9	4	1	5	2	1	1	2	9
New York	8,066	799	899	642	592	582	573	523	307	113	39	31	2,966
White	5,821	581	642	462	430	455	490	431	259	93	36	26	1,916
Nonwhite	2,245	218	257	180	162	127	83	92	48	20	3	5	1,050
North Carolina	1,937	129	339	242	234	221	244	233	112	55	24	19	65
White	998	63	178	122	125	100	131	122	62	39	9	6	41
Nonwhite	939	66	161	120	109	121	113	111	50	16	15	13	44
North Dakota	190	21	21	20	21	23	12	33	12	7	4	3	13
White	179	21	21	18	20	21	12	29	12	6	3	3	13
Nonwhite	11	-	-	2	1	2	-	4	-	1	-	-	-
Ohio	2,986	232	443	301	313	311	324	296	152	58	32	24	500
White	2,429	184	315	241	250	261	270	259	133	50	26	17	423
Nonwhite	557	48	128	60	63	50	54	37	19	8	6	7	77
Oklahoma	602	22	68	87	62	66	67	77	44	18	6	7	78
White	460	18	54	67	42	51	52	56	39	15	5	4	57
Nonwhite	142	4	14	20	20	15	15	21	5	3	1	3	21
Oregon	620	52	62	40	33	39	35	53	26	9	5	4	262
White	587	46	57	39	31	37	33	53	24	9	5	3	250
Nonwhite	33	6	5	1	2	2	2	-	2	-	-	1	12
Pennsylvania	3,793	653	580	374	385	354	323	333	233	82	33	15	428
White	3,040	492	428	293	309	294	263	286	211	75	26	12	351
Nonwhite	753	161	152	81	76	60	60	47	22	7	7	3	77
Rhode Island	290	45	37	29	35	26	42	26	12	8	-	-	30
White	268	43	35	27	30	24	39	26	11	7	-	-	26
Nonwhite	22	2	2	2	5	2	3	-	1	1	-	-	4
South Carolina	1,175	42	132	138	124	157	120	122	77	29	15	10	209
White	414	17	51	55	42	41	40	41	38	8	3	3	75
Nonwhite	761	25	81	83	82	116	80	81	39	21	12	7	134
South Dakota	230	16	36	25	23	23	17	34	13	3	2	5	33
White	202	14	33	24	22	20	14	32	10	2	2	4	25
Nonwhite	28	2	3	1	1	3	3	2	3	1	-	1	8
Tennessee	1,366	117	206	149	153	183	160	122	87	28	12	10	119
White	870	69	121	91	86	107	121	81	68	19	8	3	96
Nonwhite	496	48	85	58	67	76	59	41	19	9	4	7	23
Texas	3,558	172	557	413	422	466	442	396	236	89	41	34	290
White	2,642	125	368	298	310	337	352	308	187	74	35	26	222
Nonwhite	916	47	189	115	112	129	90	88	49	15	6	8	68

See footnotes at end of table.

SECTION 3 - MORTALITY

3-27

Table 3-16. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1963—Con.

(By place of residence. Refers only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

AREA, COLOR, AND SEX	Total	BIRTH WEIGHT ¹											
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001-grams or more	Not stated
Utah-----	273	8	17	19	16	26	22	32	17	1	-	1	114
White-----	265	8	17	19	15	26	20	30	16	1	-	1	112
Nonwhite---	8	-	-	-	1	-	2	2	1	-	-	-	2
Vermont-----	188	22	18	15	10	19	8	13	6	6	1	-	70
White-----	188	22	18	15	10	19	8	13	6	6	1	-	70
Nonwhite---	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia-----	2,469	229	313	206	214	201	224	188	89	44	20	11	730
White-----	1,637	154	196	117	125	118	133	116	66	28	12	5	567
Nonwhite---	832	75	117	89	89	83	91	72	23	16	8	6	163
Washington-----	677	36	107	78	70	81	84	68	39	24	7	2	81
White-----	617	32	91	71	65	71	78	65	35	24	7	1	77
Nonwhite---	60	4	16	7	5	10	6	3	4	-	-	1	4
West Virginia-----	611	34	79	63	69	77	72	68	52	15	6	4	72
White-----	575	32	75	59	66	75	65	62	49	15	5	4	68
Nonwhite---	36	2	4	4	3	2	7	6	3	-	1	-	4
Wisconsin-----	1,189	61	142	119	96	117	118	130	78	27	17	13	271
White-----	1,113	56	127	112	89	105	110	123	74	25	17	11	264
Nonwhite---	76	5	15	7	7	12	8	7	4	2	-	2	7
Wyoming-----	97	6	10	10	11	16	12	8	6	4	1	1	12
White-----	95	6	10	9	11	16	12	8	6	4	1	1	11
Nonwhite---	2	-	-	1	-	-	-	-	-	-	-	-	1

¹Equivalents of the gram weight in terms of pounds and ounces are as follows:

500 grams or less = 1 lb. 1 oz. or less	3,001-3,500 grams = 6 lb. 10 oz.-7 lb. 11 oz.
501-1,000 grams = 1 lb. 2 oz.-2 lb. 3 oz.	3,501-4,000 grams = 7 lb. 12 oz.-8 lb. 13 oz.
1,001-1,500 grams = 2 lb. 4 oz.-3 lb. 4 oz.	4,001-4,500 grams = 8 lb. 14 oz.-9 lb. 14 oz.
1,501-2,000 grams = 3 lb. 5 oz.-4 lb. 6 oz.	4,501-5,000 grams = 9 lb. 15 oz.-11 lb. 0 oz.
2,001-2,500 grams = 4 lb. 7 oz.-5 lb. 8 oz.	5,001 grams or more = 11 lb. 1 oz. or more
2,501-3,000 grams = 5 lb. 9 oz.-6 lb. 9 oz.	

²Figures exclude approximately 300 fetal deaths recorded in this State, primarily to residents of the State; see Technical Appendix.³Figures by color are not shown because reporting was incomplete; see Technical Appendix.

SECTION 3 - MORTALITY

Table 3-17. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1963

(By place of residence. Refers only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

AREA, COLOR, AND SEX	Total	PERIOD OF GESTATION ¹								
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
UNITED STATES-----	64,640	7,734	7,008	7,395	8,432	4,655	7,632	12,915	2,913	5,956
White-----	45,495	5,138	4,735	4,943	6,047	3,283	5,961	8,749	2,340	4,299
Nomwhite--	17,075	2,375	2,063	2,224	2,096	1,245	1,417	3,750	455	1,450
Male-----	32,210	3,757	3,609	3,742	4,390	2,458	3,936	6,710	1,437	2,171
Female-----	22,566	2,499	2,434	2,502	3,214	1,724	3,054	4,424	1,156	1,559
Sex not stated-----	8,556	1,142	1,057	1,131	1,020	667	753	2,062	226	498
White-----	28,065	2,767	2,903	3,352	3,868	2,145	3,611	6,138	1,443	1,838
Nomwhite--	19,903	1,841	1,953	2,228	2,712	1,528	2,852	4,281	1,166	1,342
White-----	7,227	831	866	1,012	1,026	560	634	1,666	214	418
Nomwhite--	4,365	1,210	498	301	174	52	85	67	33	1,947
White-----	3,026	798	348	213	121	31	55	44	18	1,398
Nomwhite--	1,292	402	140	81	50	18	30	22	15	534
Alabama-----	1,540	144	166	196	183	113	123	506	24	85
White-----	697	80	70	97	81	56	61	189	18	45
Nomwhite--	843	64	96	99	102	57	62	317	6	40
Alaska-----	105	8	8	15	15	12	15	20	7	5
White-----	66	4	5	5	11	9	13	10	6	3
Nomwhite--	39	4	3	10	4	3	2	10	1	2
Arizona-----	519	42	44	63	68	55	88	129	14	16
White-----	416	33	38	48	57	45	75	94	13	13
Nomwhite--	103	9	6	15	11	10	13	35	1	3
Arkansas-----	681	76	70	74	65	56	45	156	9	130
White-----	373	40	30	41	35	29	28	79	6	83
Nomwhite--	308	36	40	33	30	27	17	77	1	47
California-----	4,738	326	378	419	660	219	767	283	502	1,184
White-----	3,982	258	315	347	551	195	661	250	431	974
Nomwhite--	756	68	63	72	109	24	106	33	71	210
Colorado-----	785	138	57	68	82	57	106	93	21	163
White-----	735	125	51	62	76	54	100	89	18	160
Nomwhite--	50	13	6	6	6	3	6	4	3	3
Connecticut-----	689	76	87	97	119	56	85	125	23	13
White-----	604	67	71	85	103	44	86	113	22	13
Nomwhite--	85	9	16	12	16	12	7	12	1	-
Delaware-----	155	27	13	13	15	12	12	33	5	23
White-----	108	21	8	7	12	12	7	23	5	13
Nomwhite--	47	6	5	6	3	2	5	10	-	10
District of Columbia-----	403	36	50	59	75	22	50	16	51	44
White-----	81	7	5	7	21	5	17	4	9	6
Nomwhite--	322	29	45	52	54	17	33	12	42	38
Florida-----	1,802	166	227	233	255	201	203	467	40	10
White-----	1,023	88	132	131	151	101	129	252	33	6
Nomwhite--	779	78	95	102	104	100	74	215	7	4
Georgia-----	1,944	306	225	271	198	143	170	481	31	119
White-----	974	163	104	130	107	65	95	238	22	50
Nomwhite--	970	143	121	141	91	78	75	243	9	69
Hawaii-----	227	44	15	13	26	26	32	50	5	16
White-----	74	16	4	3	13	8	9	14	3	4
Nomwhite--	153	28	11	10	13	18	23	36	2	12
Idaho-----	161	12	11	16	15	9	17	25	2	54
White-----	160	12	11	16	15	9	17	25	2	53
Nomwhite--	1	-	-	-	-	-	-	-	-	1
Illinois-----	3,383	391	397	416	470	230	415	923	133	8
White-----	2,429	268	259	267	335	179	342	641	112	8
Nomwhite--	954	123	138	149	117	51	73	282	21	-
Indiana-----	1,441	126	126	159	148	94	163	330	44	251
White-----	1,223	105	105	137	123	85	146	280	41	201
Nomwhite--	218	21	21	22	25	9	17	50	3	50
Iowa-----	694	55	54	78	106	55	97	152	41	56
White-----	675	52	53	77	103	53	96	146	40	55
Nomwhite--	19	3	1	1	3	2	1	6	1	1
Kansas-----	572	55	70	69	77	38	84	132	35	12
White-----	509	46	61	59	68	35	77	122	30	11
Nomwhite--	63	9	9	10	9	3	7	10	5	1
Kentucky-----	883	90	98	102	120	98	77	261	20	17
White-----	756	79	78	85	102	77	72	227	19	17
Nomwhite--	127	11	20	17	18	21	5	34	1	-
Louisiana-----	1,460	122	157	239	201	139	132	420	33	17
White-----	583	44	69	81	76	56	68	163	18	8
Nomwhite--	877	78	88	158	125	83	64	257	15	9
Maine-----	297	28	26	32	27	19	25	42	16	82
White-----	294	28	26	32	27	18	24	42	16	81
Nomwhite--	3	-	-	-	-	1	1	-	-	1

See footnotes at end of table.

SECTION 3 - MORTALITY

3-29

Table 3-17. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1963—Con.

(By place of residence. Refers only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

AREA, COLOR, AND SEX	Total	PERIOD OF GESTATION ¹								
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
Maryland	1,201	82	139	127	209	52	216	55	120	203
White	805	57	91	73	136	33	158	40	91	126
Nonwhite	396	25	48	54	73	19	58	13	29	77
Massachusetts ²	1,068	100	125	123	157	104	163	158	73	65
White	1,036	98	121	115	154	101	158	152	72	65
Nonwhite	32	2	4	8	3	3	5	6	1	-
Michigan	2,545	237	283	289	364	192	346	576	105	153
White	2,073	189	219	228	298	150	295	470	91	133
Nonwhite	472	48	64	61	66	42	51	106	14	20
Minnesota	982	94	115	118	144	79	151	172	57	52
White	942	89	110	108	143	76	148	162	55	51
Nonwhite	40	5	5	10	1	3	3	10	2	1
Mississippi	1,504	206	163	187	143	87	90	469	16	143
White	415	72	48	41	43	19	26	97	7	62
Nonwhite	1,089	134	115	146	100	68	64	372	9	81
Missouri	1,230	109	112	141	144	111	167	280	53	113
White	929	68	73	98	112	81	131	221	47	98
Nonwhite	301	41	39	43	32	30	36	59	6	15
Montana	200	16	19	23	28	18	35	37	12	12
White	186	14	18	23	27	17	32	32	11	12
Nonwhite	14	2	1	-	1	1	3	5	1	-
Nebraska	359	35	31	45	52	36	55	76	21	10
White	331	31	28	42	49	33	53	68	18	9
Nonwhite	28	2	3	3	3	3	2	8	3	1
Nevada	117	12	19	14	14	13	8	24	4	9
White	94	7	16	13	14	9	7	18	2	8
Nonwhite	23	5	3	1	-	4	1	6	2	1
New Hampshire	168	15	14	25	20	22	24	32	10	26
White	166	15	14	25	20	21	24	31	10	26
Nonwhite	2	-	-	-	-	1	-	1	-	-
New Jersey ³	2,070	221	210	228	289	127	254	416	118	207
New Mexico	380	31	28	29	53	34	55	75	18	57
White	336	24	27	27	47	30	50	66	16	49
Nonwhite	44	7	1	2	6	4	5	9	2	8
New York	8,066	1,497	996	885	995	353	908	792	487	1,153
White	5,821	957	702	638	751	280	729	668	386	710
Nonwhite	2,245	540	294	247	244	73	179	124	101	443
North Carolina	1,937	207	231	244	272	138	216	582	34	13
White	998	100	107	115	156	71	136	279	25	9
Nonwhite	939	107	124	129	116	67	80	303	9	4
North Dakota	190	30	19	15	26	18	27	49	6	-
White	179	30	18	14	23	17	27	45	5	-
Nonwhite	11	-	1	1	3	1	-	4	1	-
Ohio	2,986	360	308	350	440	252	389	576	133	178
White	2,429	274	236	255	357	210	329	486	117	165
Nonwhite	557	86	72	95	83	42	60	90	16	13
Oklahoma	602	49	67	69	74	68	53	180	18	24
White	460	36	52	54	60	47	46	134	14	17
Nonwhite	142	13	15	15	14	21	7	46	4	7
Oregon	620	82	44	44	57	35	51	80	19	208
White	587	75	42	41	56	35	49	76	19	194
Nonwhite	33	7	2	3	1	-	2	4	-	14
Pennsylvania	3,793	781	495	438	480	265	398	760	161	15
White	3,040	546	378	349	383	227	351	650	142	14
Nonwhite	753	235	117	89	97	38	47	110	19	1
Rhode Island	290	44	27	42	31	16	52	40	27	11
White	268	39	26	36	29	16	50	35	26	11
Nonwhite	22	5	1	6	2	-	2	5	1	-
South Carolina	1,175	69	108	142	135	116	103	349	19	154
White	414	31	43	53	45	37	53	105	12	35
Nonwhite	761	38	65	89	90	79	50	244	7	99
South Dakota	230	31	20	25	29	19	25	53	15	13
White	202	29	17	23	26	18	21	47	14	7
Nonwhite	28	2	3	2	3	1	4	6	1	6
Tennessee	1,366	161	159	171	191	120	124	407	28	5
White	870	91	110	97	120	72	99	252	25	4
Nonwhite	486	70	49	74	71	48	25	155	3	1
Texas	3,558	339	440	446	499	330	394	954	105	51
White	2,642	234	307	308	369	227	313	761	90	33
Nonwhite	916	105	133	138	130	103	81	193	15	18

See footnotes at end of table.

SECTION 3 - MORTALITY

Table 3-17. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1963—Con.

(By place of residence. Refers only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

AREA, COLOR, AND SEX	Total	PERIOD OF GESTATION ¹								
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
Utah-----	273	21	15	27	32	17	43	45	13	60
White-----	265	20	15	27	31	17	42	41	12	60
Nonwhite--	8	1	-	-	1	-	1	4	1	-
Vermont-----	188	25	17	17	20	11	23	13	10	52
White-----	188	25	17	17	20	11	23	13	10	52
Nonwhite--	-	-	-	-	-	-	-	-	-	-
Virginia-----	2,469	357	250	203	224	149	179	445	54	608
White-----	1,637	216	159	130	131	91	134	264	42	470
Nonwhite--	832	141	91	73	93	58	45	181	12	138
Washington-----	677	66	75	82	122	61	105	119	31	28
White-----	617	59	64	74	111	48	98	109	28	26
Nonwhite--	60	7	11	8	11	3	7	10	3	-
West Virginia-----	611	56	61	76	66	57	74	196	15	10
White-----	575	52	56	72	62	54	70	185	15	9
Nonwhite--	36	4	5	4	4	3	4	11	-	1
Wisconsin-----	1,189	128	129	126	183	102	172	241	72	36
White-----	1,113	117	116	118	175	94	168	220	69	36
Nonwhite--	76	11	13	8	8	8	4	21	3	-
Wyoming-----	97	7	10	12	14	7	18	22	3	4
White-----	95	7	10	12	14	6	18	21	3	4
Nonwhite--	2	-	-	-	-	1	-	1	-	-

¹Period of gestation reported in months allocated to gestation interval in weeks as follows: 5 months to "20-23 weeks"; 6 months to "24-27 weeks"; 7 months to "28-31 weeks"; 8 months to "32-35 weeks"; 9 months to "40 weeks"; 10 months or more to "41 weeks or more."²Figures exclude approximately 300 fetal deaths recorded in this State, primarily to residents of the State; see Technical Appendix.³Figures by color are not shown because reporting was incomplete; see Technical Appendix.

Section 4. Accident Mortality

Table	Page
4-1. Deaths from motor vehicle accidents, by type of motor vehicle involved, cause of death, color, and sex: United States, 1963-----	4-3
4-2. Deaths from nontransport accidents, by place of accident, cause of death, color, and sex: United States, 1963-----	4-6
4-3. Deaths from motor vehicle accidents, by type of motor vehicle involved, 5-year age groups, race, and sex: United States, 1963-----	4-12
4-4. Deaths from nontransport accidents, by place of accident, 5-year age groups, race, and sex: United States, 1963-----	4-18
4-5. Deaths from motor vehicle accidents, by type of motor vehicle involved, color, and sex: United States and each State, 1963-----	4-22
4-6. Deaths from nontransport accidents, by place of accident, color, and sex: United States and each State, 1963-----	4-27

SECTION 4 - MORTALITY

4-3

Table 4-1. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Cause of Death, Color, and Sex:
United States, 1963

(Refers only to deaths occurring within the United States. Includes each three-digit category from E810 to E835 of the Seventh Revision of the International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE INVOLVED									
			Goods transport vehicle(s) only	Goods transport vehicle and passenger motor vehicle	Goods transport vehicle and motorbus	Goods transport vehicle and unspecified motor vehicle	Passenger motor vehicle(s) only	Passenger motor vehicle and motorbus	Passenger motor vehicle and unspecified motor vehicle	Motor-bus(es) only	Motor-bus and unspecified motor vehicle	Unspecified motor vehicles
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
E810-E825	MOTOR VEHICLE TRAFFIC ACCIDENTS-----	42,574	3,348	4,190	69	177	32,598	188	351	232	9	1,412
	Male----	30,953	2,967	3,014	46	152	23,199	133	219	160	7	1,056
	Female--	11,621	381	1,176	23	25	9,399	55	132	72	2	356
	White-----Male----	26,527	2,544	2,699	18	138	19,837	106	180	139	7	859
	Female--	10,167	307	1,082	10	23	8,231	36	108	64	2	304
	Nonwhite-----Male----	3,756	377	274	26	10	2,868	18	74	16	-	133
	Female--	1,187	70	84	11	1	963	13	10	7	-	28
E810	Involving collision with railway train-----	1,385	202	-	-	-	1,097	-	-	33	-	53
	Male----	1,006	193	-	-	-	742	-	-	33	-	38
	Female--	379	9	-	-	-	355	-	-	-	-	15
	White-----Male----	915	175	-	-	-	671	-	-	32	-	37
	Female--	364	9	-	-	-	340	-	-	-	-	15
	Nonwhite-----Male----	81	16	-	-	-	63	-	-	1	-	1
	Female--	14	-	-	-	-	14	-	-	-	-	-
E811	Involving collision with streetcar-----	1	-	-	-	-	1	-	-	-	-	-
	Male----	1	-	-	-	-	1	-	-	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
	White-----Male----	1	-	-	-	-	1	-	-	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----Male----	-	-	-	-	-	-	-	-	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
E812	To pedestrian-----	7,535	863	16	-	-	6,160	-	-	129	1	366
	Male----	5,336	648	12	-	-	4,324	-	-	86	-	266
	Female--	2,199	215	4	-	-	1,836	-	-	43	1	100
	White-----Male----	4,081	515	9	-	-	3,298	-	-	71	-	188
	Female--	1,739	172	3	-	-	1,450	-	-	39	1	74
	Nonwhite-----Male----	1,073	116	1	-	-	885	-	-	12	-	61
	Female--	388	39	1	-	-	328	-	-	3	-	17
E813	To pedal cyclist-----	527	91	-	-	-	414	-	-	6	-	16
	Male----	462	81	-	-	-	362	-	-	6	-	13
	Female--	65	10	-	-	-	52	-	-	-	-	3
	White-----Male----	402	69	-	-	-	315	-	-	6	-	12
	Female--	57	9	-	-	-	45	-	-	-	-	3
	Nonwhite-----Male----	52	11	-	-	-	40	-	-	-	-	1
	Female--	7	1	-	-	-	6	-	-	-	-	-
E814	To rider or passenger of motorcycle in collision with nonmotor vehicle or object-----	43	-	-	-	-	43	-	-	-	-	-
	Male----	40	-	-	-	-	40	-	-	-	-	-
	Female--	3	-	-	-	-	3	-	-	-	-	-
	White-----Male----	36	-	-	-	-	36	-	-	-	-	-
	Female--	3	-	-	-	-	3	-	-	-	-	-
	Nonwhite-----Male----	3	-	-	-	-	3	-	-	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
E815	To rider or passenger of motorcycle in collision with other motor vehicle-----	544	-	106	-	-	411	5	22	-	-	-
	Male----	512	-	104	-	-	381	5	22	-	-	-
	Female--	32	-	2	-	-	30	-	-	-	-	-
	White-----Male----	490	-	99	-	-	364	5	22	-	-	-
	Female--	31	-	2	-	-	29	-	-	-	-	-
	Nonwhite-----Male----	20	-	4	-	-	16	-	-	-	-	-
	Female--	1	-	-	-	-	1	-	-	-	-	-
E816	Other, involving two or more motor vehicles-----	15,319	558	4,068	69	177	9,556	183	329	-	8	371
	Male----	10,154	514	2,898	46	152	5,964	128	197	-	7	248
	Female--	5,165	44	1,170	23	25	3,592	55	132	-	1	123
	White-----Male----	8,984	459	2,591	18	138	5,304	101	158	-	7	208
	Female--	4,686	39	1,077	10	23	3,282	36	108	-	1	110
	Nonwhite-----Male----	956	48	269	26	10	547	18	14	-	-	24
	Female--	373	5	83	11	1	244	13	10	-	-	6
E817	To occupant of motor vehicle in collision with pedestrian or pedal cycle-----	-	-	-	-	-	-	-	-	-	-	-
E818	Involving collision with animal or animal-drawn vehicle-----	63	12	-	-	-	49	-	-	-	-	2
	Male----	45	11	-	-	-	32	-	-	-	-	2
	Female--	18	1	-	-	-	17	-	-	-	-	-
	White-----Male----	38	7	-	-	-	29	-	-	-	-	2
	Female--	16	1	-	-	-	15	-	-	-	-	-
	Nonwhite-----Male----	7	4	-	-	-	3	-	-	-	-	-
	Female--	1	-	-	-	-	1	-	-	-	-	-
E819	Involving collision with fixed or unspecified object-----	1,813	125	-	-	-	1,615	-	-	2	-	71
	Male----	1,444	117	-	-	-	1,262	-	-	1	-	64
	Female--	369	8	-	-	-	353	-	-	1	-	7
	White-----Male----	1,243	104	-	-	-	1,088	-	-	1	-	50
	Female--	305	6	-	-	-	291	-	-	1	-	7
	Nonwhite-----Male----	162	13	-	-	-	140	-	-	-	-	9
	Female--	57	2	-	-	-	55	-	-	-	-	-

SECTION 4 - MORTALITY

4-5

Table 4-1. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Cause of Death, Color, and Sex: United States, 1963-Con.

(Refers only to deaths occurring within the United States. Includes each three-digit category from E810 to E835 of the Seventh Revision of the International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE INVOLVED									
			Goods transport vehicle(s) only	Goods transport vehicle and passenger motor vehicle	Goods transport vehicle and motorbus	Goods transport vehicle and unspecified motor vehicle	Passenger motor vehicle(s) only	Passenger motor vehicle and motorbus	Passenger motor vehicle and unspecified motor vehicle	Motor-bus(es) only	Motor-bus and unspecified motor vehicle	Unspecified motor vehicles
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
MOTOR VEHICLE NONTRAFFIC ACCIDENTS-Con.												
E833	Other, involving two or more motor vehicles-----	19	4	6	-	-	7	-	2	-	-	-
	Male----	16	4	3	-	-	7	-	2	-	-	-
	Female--	3	-	3	-	-	-	-	-	-	-	-
	White-----Male----	15	3	3	-	-	7	-	2	-	-	-
	Female--	3	-	3	-	-	-	-	-	-	-	-
	Nonwhite-----Male----	1	1	-	-	-	-	-	-	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
E834	While boarding and alighting-----	22	3	-	-	-	18	-	-	1	-	-
	Male----	13	3	-	-	-	10	-	-	-	-	-
	Female--	9	-	-	-	-	8	-	-	1	-	-
	White-----Male----	13	3	-	-	-	10	-	-	-	-	-
	Female--	9	-	-	-	-	8	-	-	1	-	-
	Nonwhite-----Male----	-	-	-	-	-	-	-	-	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
E835	Of other and unspecified nature-----	348	160	-	-	-	179	-	-	-	-	9
	Male----	290	147	-	-	-	137	-	-	-	-	6
	Female--	58	13	-	-	-	42	-	-	-	-	3
	White-----Male----	253	126	-	-	-	121	-	-	-	-	6
	Female--	48	10	-	-	-	36	-	-	-	-	2
	Nonwhite-----Male----	36	21	-	-	-	15	-	-	-	-	1
	Female--	10	3	-	-	-	6	-	-	-	-	-

SECTION 4 - MORTALITY

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1963

(Refers only to deaths occurring within the United States. Includes each three-digit category from E870 to E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
			Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
E870-E886	ACCIDENTAL POISONING BY SOLID AND LIQUID SUBSTANCES-----	2,061	1,082	23	2	11	6	24	67	33	25	788
	Male-----	1,193	542	19	1	11	5	20	48	24	21	502
	Female----	868	540	4	1	-	1	4	19	9	4	286
	White-----	838	398	18	1	7	5	15	40	18	12	324
	Female-----	663	419	2	1	-	1	3	15	9	3	210
	Nonwhite-----	323	131	1	-	3	-	5	8	6	8	161
	Female-----	174	106	2	-	-	-	1	4	1	1	60
E870	Accidental poisoning by morphine and other opium derivatives-----	103	49	-	1	2	1	7	6	-	7	30
	Male-----	92	45	-	-	2	1	6	5	-	7	26
	Female----	11	4	-	1	-	-	1	1	-	-	4
	White-----	60	32	-	-	2	1	6	3	-	4	12
	Female-----	5	2	-	1	-	-	-	-	-	-	2
	Nonwhite-----	30	12	-	-	-	-	-	2	-	3	13
	Female-----	6	2	-	-	-	-	1	1	-	-	2
E871	Accidental poisoning by barbituric acid and derivatives-----	465	285	1	-	-	-	2	27	7	4	139
	Male-----	178	99	1	-	-	-	2	18	3	2	53
	Female----	287	186	-	-	-	-	-	9	4	2	86
	White-----	170	94	1	-	-	-	2	18	3	1	51
	Female-----	267	177	-	-	-	-	-	7	4	1	78
	Nonwhite-----	5	3	-	-	-	-	-	-	-	1	1
	Female-----	9	4	-	-	-	-	-	2	-	1	2
E872	Accidental poisoning by aspirin and salicylates-----	204	123	2	-	1	3	-	5	2	1	67
	Male-----	107	59	2	-	1	2	-	4	2	-	37
	Female----	97	64	-	-	-	1	-	1	-	1	30
	White-----	81	41	2	-	1	2	-	4	1	-	30
	Female-----	66	41	-	-	-	1	-	1	-	1	22
	Nonwhite-----	25	17	-	-	-	-	-	-	1	-	7
	Female-----	29	22	-	-	-	-	-	-	-	-	7
E873	Accidental poisoning by bromides-----	7	2	-	-	-	-	-	-	-	-	5
	Male-----	4	1	-	-	-	-	-	-	-	-	3
	Female----	3	1	-	-	-	-	-	-	-	-	2
	White-----	4	1	-	-	-	-	-	-	-	-	3
	Female-----	3	1	-	-	-	-	-	-	-	-	2
	Nonwhite-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E874	Accidental poisoning by other analgesic and soporific drugs-----	344	121	-	-	1	-	1	8	7	2	204
	Male-----	237	64	-	-	1	-	1	6	6	1	158
	Female----	107	57	-	-	-	-	-	2	1	1	46
	White-----	147	55	-	-	-	-	-	5	4	-	83
	Female-----	86	49	-	-	-	-	-	2	1	1	33
	Nonwhite-----	78	7	-	-	1	-	1	1	2	-	66
	Female-----	19	6	-	-	-	-	-	-	-	-	13
E875	Accidental poisoning by sulfonamides-----	-	-	-	-	-	-	-	-	-	-	-
E876	Accidental poisoning by strychnine-----	8	5	-	-	-	-	-	-	-	-	3
	Male-----	4	3	-	-	-	-	-	-	-	-	1
	Female----	4	2	-	-	-	-	-	-	-	-	2
	White-----	4	3	-	-	-	-	-	-	-	-	1
	Female-----	3	2	-	-	-	-	-	-	-	-	1
	Nonwhite-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	1	-	-	-	-	-	-	-	-	-	1
E877	Accidental poisoning by belladonna, hyoscine, and atropine-----	3	2	-	-	-	-	-	-	-	-	1
	Male-----	2	1	-	-	-	-	-	-	-	-	1
	Female----	1	1	-	-	-	-	-	-	-	-	-
	White-----	2	1	-	-	-	-	-	-	-	-	1
	Female-----	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E878	Accidental poisoning by other and unspecified drugs-----	152	81	-	-	-	-	-	3	6	1	61
	Male-----	70	35	-	-	-	-	-	1	6	1	27
	Female----	82	46	-	-	-	-	-	2	-	-	34
	White-----	48	22	-	-	-	-	-	1	4	-	21
	Female-----	63	35	-	-	-	-	-	2	-	-	26
	Nonwhite-----	19	10	-	-	-	-	-	-	2	1	6
	Female-----	18	11	-	-	-	-	-	-	-	-	7
E879	Accidental poisoning by noxious foodstuffs-----	9	7	1	-	-	-	-	-	-	-	1
	Male-----	5	4	1	-	-	-	-	-	-	-	1
	Female----	4	3	-	-	-	-	-	-	-	-	-
	White-----	5	4	1	-	-	-	-	-	-	-	-
	Female-----	2	1	-	-	-	-	-	-	-	-	1
	Nonwhite-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	2	2	-	-	-	-	-	-	-	-	-
E880	Accidental poisoning by alcohol-----	224	96	2	-	2	-	10	7	5	6	96
	Male-----	169	66	1	-	2	-	10	5	3	6	76
	Female----	55	30	1	-	-	-	-	2	2	-	20
	White-----	105	45	-	-	-	-	6	2	3	4	47
	Female-----	32	18	-	-	-	-	-	2	2	-	10
	Nonwhite-----	63	23	1	-	2	-	4	3	-	2	28
	Female-----	21	11	1	-	-	-	-	-	-	-	9

See footnotes at end of table.

SECTION 4 - MORTALITY

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1963-Con.

(Refers only to deaths occurring within the United States. Includes each three-digit category from E870 to E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT										
			Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified	
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)	
ACCIDENTAL POISONING BY SOLID AND LIQUID SUBSTANCES—Con.													
E881	Accidental poisoning by petroleum products-----	57	41	2	-	-	-	-	1	1	1	1	10
	Male-----	36	26	2	-	-	-	-	-	-	-	1	7
	Female-----	21	15	-	-	-	-	-	1	1	1	-	3
	White-----	22	16	2	-	-	-	-	-	-	-	1	3
	Male-----	14	9	-	-	-	-	-	1	-	1	-	3
	Female-----	14	10	-	-	-	-	-	-	-	-	-	4
	Nonwhite-----	6	5	-	-	-	-	-	-	1	-	-	-
	Male-----	45	32	1	1	1	1	1	-	1	-	-	8
E882	Accidental poisoning by industrial solvents-----	32	22	1	1	1	1	1	-	1	-	-	5
	Male-----	13	10	-	-	-	-	-	-	-	-	-	3
	Female-----	19	12	1	1	-	-	1	-	1	-	-	3
	White-----	6	5	-	-	-	-	-	-	-	-	-	1
	Male-----	10	9	-	-	-	-	-	-	-	-	-	1
	Female-----	7	5	-	-	-	-	-	-	-	-	-	2
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalis-----	61	32	1	-	-	-	-	-	1	1	-	26
	Male-----	42	21	1	-	-	-	-	-	1	1	-	18
	Female-----	19	11	-	-	-	-	-	-	-	-	-	8
	White-----	28	15	1	-	-	-	-	-	1	1	-	10
	Male-----	17	9	-	-	-	-	-	-	-	-	-	8
	Female-----	13	6	-	-	-	-	-	-	-	-	-	7
	Nonwhite-----	1	1	-	-	-	-	-	-	-	-	-	-
	Male-----	5	2	-	-	1	-	-	-	1	-	-	1
E884	Accidental poisoning by mercury and its compounds-----	4	1	-	-	1	-	-	-	1	-	-	1
	Male-----	1	1	-	-	-	-	-	-	-	-	-	-
	Female-----	4	1	-	-	1	-	-	-	1	-	-	1
	White-----	4	1	-	-	1	-	-	-	1	-	-	1
	Male-----	1	1	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----	-	-	-	-	-	-	-	-	-	-	-	-
	Male-----	85	49	-	-	-	-	-	-	-	-	-	36
E885	Accidental poisoning by lead and its compounds-----	40	19	-	-	-	-	-	-	-	-	-	21
	Male-----	45	30	-	-	-	-	-	-	-	-	-	15
	Female-----	16	8	-	-	-	-	-	-	-	-	-	8
	White-----	9	6	-	-	-	-	-	-	-	-	-	3
	Male-----	20	10	-	-	-	-	-	-	-	-	-	10
	Female-----	25	20	-	-	-	-	-	-	-	-	-	5
	Nonwhite-----	23	16	-	-	-	-	-	-	-	-	-	7
E886	Accidental poisoning by arsenic and antimony, and their compounds-----	15	9	-	-	-	-	-	-	-	-	-	6
	Male-----	8	7	-	-	-	-	-	-	-	-	-	1
	Female-----	10	6	-	-	-	-	-	-	-	-	-	4
	White-----	8	7	-	-	-	-	-	-	-	-	-	1
	Male-----	5	3	-	-	-	-	-	-	-	-	-	2
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----	5	3	-	-	-	-	-	-	-	-	-	2
	Male-----	3	2	-	-	-	-	-	-	-	-	-	1
E887	Accidental poisoning by fluorides-----	2	1	-	-	-	-	-	-	-	-	-	1
	Male-----	2	1	-	-	-	-	-	-	-	-	-	1
	Female-----	1	1	-	-	-	-	-	-	-	-	-	-
	White-----	1	1	-	-	-	-	-	-	-	-	-	-
	Male-----	1	1	-	-	-	-	-	-	-	-	-	-
	Female-----	1	1	-	-	-	-	-	-	-	-	-	1
	Nonwhite-----	1	1	-	-	-	-	-	-	-	-	-	-
	Male-----	261	136	13	-	3	1	3	7	4	3	3	91
E888	Accidental poisoning by other and unspecified solid and liquid substances-----	153	65	10	-	3	1	1	6	3	3	3	61
	Male-----	108	71	3	-	-	-	2	1	1	-	-	30
	Female-----	111	43	10	-	3	1	1	4	2	2	2	45
	White-----	79	54	2	-	-	-	2	1	1	-	-	19
	Male-----	40	20	-	-	-	-	-	2	1	1	1	16
	Female-----	29	17	1	-	-	-	-	-	-	-	-	11
E890-E895	ACCIDENTAL POISONING BY GASES AND VAPORS-----	1,489	915	27	4	76	16	134	67	8	128	114	114
	Male-----	1,094	641	25	4	68	13	93	54	7	100	89	89
	Female-----	395	274	2	-	8	3	41	13	1	28	25	25
	White-----	920	536	23	4	60	12	71	46	6	82	80	80
	Male-----	303	213	2	-	7	3	30	8	1	19	20	20
	Female-----	139	85	2	-	7	1	19	5	1	11	8	8
	Nonwhite-----	73	48	-	-	-	-	9	4	-	7	5	5
E890	Accidental poisoning by utility (illuminating) gas-----	359	310	1	-	2	9	1	20	4	9	3	3
	Male-----	231	191	1	-	2	8	1	15	4	7	2	2
	Female-----	128	119	-	-	-	1	-	5	-	2	1	1
	White-----	186	149	1	-	2	8	1	14	3	6	2	2
	Male-----	95	89	-	-	-	1	-	2	-	2	1	1
	Female-----	37	34	-	-	-	-	-	1	1	1	-	-
	Nonwhite-----	27	24	-	-	-	-	-	3	-	-	-	-
	Male-----	676	329	10	2	39	7	130	27	-	89	43	43
E891	Accidental poisoning by motor vehicle exhaust gas-----	521	262	8	2	31	5	89	24	-	68	32	32
	Male-----	155	67	2	-	8	2	41	3	-	21	11	11
	Female-----	453	237	8	2	28	4	70	18	-	57	29	29
	White-----	124	61	2	-	7	2	30	1	-	13	8	8
	Male-----	51	18	-	-	2	1	16	3	-	8	3	3
	Female-----	21	2	-	-	-	-	9	1	-	6	3	3

See footnotes at end of table.

SECTION 4 - MORTALITY

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1963—Con.

(Refers only to deaths occurring within the United States. Includes each three-digit category from E870 to E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
			Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
ACCIDENTAL POISONING BY GASES AND VAPORS—Con.												
E892	Accidental poisoning by other carbon monoxide gas-----	302	225	-	1	7	-	-	17	1	16	35
	Male-----	213	150	-	1	7	-	-	13	1	11	30
	Female-----	89	75	-	-	-	-	-	4	-	5	5
	White-----	179	119	-	1	6	-	-	13	1	10	29
	Female-----	65	53	-	-	-	-	-	4	-	4	4
	Nonwhite-----	28	26	-	-	1	-	-	-	-	-	1
	Female-----	21	19	-	-	-	-	-	-	-	1	1
E893	Accidental poisoning by cyanide gas-----	4	2	-	-	2	-	-	-	-	-	-
	Male-----	4	2	-	-	2	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	White-----	4	2	-	-	2	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E894	Accidental poisoning by other specified gases and vapors-----	127	44	15	1	23	-	-	3	3	14	24
	Male-----	110	32	15	1	23	-	-	2	2	14	21
	Female-----	17	12	-	-	-	-	-	1	1	-	3
	White-----	88	25	13	1	20	-	-	1	2	9	17
	Female-----	14	10	-	-	-	-	-	1	1	-	2
	Nonwhite-----	19	7	2	-	3	-	-	1	-	2	4
	Female-----	3	2	-	-	-	-	-	-	-	-	1
E895	Accidental poisoning by unspecified gases and vapors-----	21	5	1	-	3	-	3	-	-	-	9
	Male-----	15	4	1	-	3	-	3	-	-	-	4
	Female-----	6	1	-	-	-	-	-	-	-	-	5
	White-----	10	4	1	-	2	-	-	-	-	-	3
	Female-----	5	-	-	-	-	-	-	-	-	-	5
	Nonwhite-----	4	-	-	-	1	-	3	-	-	-	-
	Female-----	1	-	-	-	-	-	-	-	-	-	-
E900-E904	ACCIDENTAL FALLS-----	19,335	10,184	165	28	487	95	971	663	3,005	581	3,156
	Male-----	9,622	4,425	153	26	484	76	744	492	1,213	487	1,532
	Female-----	9,713	5,759	12	2	3	19	227	181	1,792	94	1,624
	White-----	8,374	3,825	144	24	416	68	608	422	1,134	393	1,340
	Female-----	8,675	5,204	11	2	3	18	197	165	1,674	83	1,518
	Nonwhite-----	918	419	9	2	51	8	93	45	53	80	158
	Female-----	512	350	1	-	-	1	16	7	54	8	75
E900	Fall on stairs-----	2,088	1,663	2	-	12	7	12	203	75	50	64
	Male-----	1,281	992	2	-	12	5	8	145	39	35	44
	Female-----	807	671	-	-	-	2	4	58	37	15	20
	White-----	1,092	835	2	-	11	5	8	132	37	26	36
	Female-----	726	600	-	-	-	2	3	54	35	13	19
	Nonwhite-----	140	111	-	-	1	-	-	11	1	9	7
	Female-----	49	42	-	-	-	-	1	2	2	1	1
E901	Fall from ladders-----	349	215	18	-	39	2	4	21	2	27	21
	Male-----	323	192	18	-	39	2	4	21	1	27	19
	Female-----	26	23	-	-	-	-	-	-	1	-	2
	White-----	290	172	16	-	33	2	4	20	1	23	19
	Female-----	25	22	-	-	-	-	-	-	1	-	2
	Nonwhite-----	15	9	2	-	1	-	-	-	-	3	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E902	Other falls from one level to another-----	3,222	1,301	101	21	364	57	86	173	671	334	114
	Male-----	2,218	759	94	19	363	49	79	156	309	306	84
	Female-----	1,004	542	7	2	1	8	7	17	362	28	30
	White-----	1,841	576	90	18	317	44	64	131	279	252	70
	Female-----	862	440	7	2	1	8	7	13	333	25	26
	Nonwhite-----	310	151	4	1	40	5	14	18	21	46	10
	Female-----	98	77	-	-	-	-	-	2	13	3	3
E903	Fall on same level-----	5,581	3,130	17	1	33	21	785	154	1,241	89	110
	Male-----	2,379	1,063	16	1	31	14	583	85	473	55	58
	Female-----	3,202	2,067	1	-	2	7	202	69	768	34	52
	White-----	2,143	989	15	1	22	11	478	77	451	46	53
	Female-----	3,008	1,941	1	-	2	6	177	66	737	31	47
	Nonwhite-----	169	62	1	-	4	3	66	6	15	7	5
	Female-----	136	95	-	-	-	1	12	2	20	3	3
E904	Unspecified falls-----	8,095	3,875	27	6	39	8	84	112	1,016	81	2,847
	Male-----	3,421	1,419	23	6	39	6	70	75	392	64	1,327
	Female-----	4,674	2,456	4	-	-	2	14	37	624	17	1,520
	White-----	3,008	1,253	21	5	33	6	54	62	356	46	1,162
	Female-----	4,254	2,201	3	-	-	2	10	32	568	14	1,424
	Nonwhite-----	284	85	2	1	5	-	13	10	16	15	136
	Female-----	229	136	-	-	-	-	3	1	19	1	68
E910-E936	OTHER ACCIDENTS-----	28,270	12,334	2,094	519	1,853	723	744	697	1,003	4,802	3,501
	Male-----	20,557	7,203	1,951	508	1,831	598	664	548	623	4,238	2,393
	Female-----	7,713	5,131	143	11	22	125	80	149	380	564	1,108
	White-----	15,981	5,254	1,673	451	1,561	468	526	470	517	3,242	1,819
	Female-----	5,441	3,434	115	7	18	111	61	138	329	435	793
	Nonwhite-----	4,110	1,746	258	51	230	124	120	69	89	893	530
	Female-----	2,065	1,548	26	4	2	12	14	10	37	113	299

See footnotes at end of table.

SECTION 4 - MORTALITY

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1963—Con.

(Refers only to deaths occurring within the United States. Includes each three-digit category from E870 to E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
			Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
OTHER ACCIDENTS—Con.												
E910	Blow from falling or projected object or missile-----	1,533	285	152	193	472	34	83	54	5	206	49
	Male-----	1,453	237	148	192	470	28	78	50	5	200	45
	Female-----	80	48	4	1	2	6	5	4	-	6	4
	White-----	1,243	199	131	183	396	26	62	44	5	155	42
	Female-----	71	44	4	1	2	5	4	4	-	4	3
	Nonwhite-----	187	29	15	9	66	2	12	6	-	45	3
	Female-----	7	4	-	-	-	-	1	-	-	1	1
E911	Accident caused by vehicle-----	66	2	2	34	27	-	-	-	-	-	1
	Male-----	65	2	2	34	26	-	-	-	-	-	1
	Female-----	1	-	-	-	1	-	-	-	-	-	-
	White-----	57	1	2	32	21	-	-	-	-	-	1
	Female-----	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite-----	8	1	-	2	5	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E912	Accident caused by machinery-----	1,965	97	894	69	563	13	111	27	2	121	66
	Male-----	1,890	74	854	69	560	13	111	25	2	118	64
	Female-----	75	23	40	-	3	-	-	2	-	3	4
	White-----	1,698	64	790	61	487	11	98	22	1	105	59
	Female-----	72	23	40	-	2	-	-	2	-	1	4
	Nonwhite-----	162	9	59	5	60	1	12	2	1	9	4
	Female-----	2	-	-	-	1	-	-	-	-	1	-
E913	Accident caused by cutting and piercing instruments-----	128	75	5	-	2	2	8	9	4	6	17
	Male-----	94	50	5	-	2	2	6	8	2	4	15
	Female-----	34	25	-	-	-	-	2	1	2	2	2
	White-----	68	35	5	-	1	2	4	5	2	4	10
	Female-----	29	22	-	-	-	-	1	1	2	2	1
	Nonwhite-----	25	14	-	-	1	-	2	3	-	-	5
	Female-----	4	3	-	-	-	-	-	-	-	-	1
E914	Accident caused by electric current-----	878	254	64	14	189	9	89	23	4	188	44
	Male-----	814	201	62	14	189	9	87	23	4	182	43
	Female-----	64	53	2	-	-	-	2	-	-	6	1
	White-----	739	182	59	13	170	8	78	19	3	167	41
	Female-----	60	50	2	-	-	-	2	-	-	5	1
	Nonwhite-----	62	16	4	1	16	1	8	4	1	9	2
	Female-----	3	3	-	-	-	-	-	-	-	-	-
E915	Accident caused by explosion of pressure vessel-----	55	7	2	-	33	1	1	8	-	3	-
	Male-----	52	7	2	-	32	1	1	6	-	3	-
	Female-----	3	-	-	-	1	-	-	2	-	-	-
	White-----	49	7	2	-	30	1	1	6	-	2	-
	Female-----	3	-	-	-	1	-	-	2	-	-	-
	Nonwhite-----	2	-	-	-	1	-	-	-	-	1	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E916	Accident caused by fire and explosion of combustible material-----	8,172	6,582	123	47	288	9	53	325	217	207	321
	Male-----	4,690	3,424	111	47	283	9	43	237	154	185	197
	Female-----	3,482	3,158	12	-	5	-	10	88	63	22	124
	White-----	3,353	2,298	93	47	243	8	29	214	130	150	141
	Female-----	2,253	1,995	11	-	5	-	8	82	57	16	61
	Nonwhite-----	1,210	1,029	15	-	31	1	13	18	16	33	52
	Female-----	1,125	1,065	1	-	1	-	1	6	4	6	41
E917	Accident caused by hot substance, corrosive liquid, and steam-----	374	284	1	-	32	-	1	9	25	2	20
	Male-----	215	143	1	-	31	-	1	8	12	2	17
	Female-----	159	141	-	-	1	-	-	1	13	-	3
	White-----	161	105	1	-	24	-	1	6	9	1	14
	Female-----	109	95	-	-	1	-	-	1	10	-	2
	Nonwhite-----	46	31	-	-	7	-	-	1	3	1	3
	Female-----	45	42	-	-	-	-	-	-	2	-	1
E918	Accident caused by radiation-----	1	-	-	-	-	-	-	-	-	-	1
	Male-----	1	-	-	-	-	-	-	-	-	-	1
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	White-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----	1	-	-	-	-	-	-	-	-	-	1
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E919	Accident caused by firearm-----	2,263	1,081	245	36	40	20	133	74	5	348	281
	Male-----	1,968	858	241	36	40	16	126	67	5	338	241
	Female-----	295	223	4	-	-	4	7	7	-	10	40
	White-----	1,585	678	212	36	35	15	95	43	5	298	168
	Female-----	206	163	3	-	-	4	3	5	-	7	21
	Nonwhite-----	355	170	26	-	3	1	28	22	-	34	71
	Female-----	87	59	1	-	-	-	4	2	-	2	19
E920	Foreign body entering eye and adnexa-----	-	-	-	-	-	-	-	-	-	-	-
E921	Inhalation and ingestion of food causing obstruction or suffocation-----	1,603	775	3	1	6	6	9	73	358	29	343
	Male-----	959	455	1	1	5	4	7	46	214	21	205
	Female-----	644	320	2	-	1	2	2	27	144	8	138
	White-----	758	342	-	-	3	4	6	44	180	17	162
	Female-----	490	217	1	-	1	2	2	25	127	8	107
	Nonwhite-----	166	89	1	1	2	-	-	2	30	4	37
	Female-----	126	86	1	-	-	-	-	1	11	-	27

See footnotes at end of table.

SECTION 4 - MORTALITY

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1963—Con.

(Refers only to deaths occurring within the United States. Includes each three-digit category from E870 to E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
			Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
OTHER ACCIDENTS—Con.												
E922	Inhalation and ingestion of other object causing obstruction or suffocation-----	346	152	2	1	1	2	4	5	60	6	113
	Male-----	220	99	2	1	1	2	4	5	37	2	67
	Female-----	126	53	-	-	-	-	-	-	23	4	46
	White-----	172	74	2	1	1	1	4	4	34	1	50
	Male-----	105	41	-	-	-	-	-	-	20	3	39
	Female-----	41	23	-	-	-	-	-	-	1	1	13
	Nonwhite-----	20	10	-	-	-	-	-	-	3	1	6
	Male-----	990	228	3	-	3	6	5	9	133	9	594
	Female-----	577	135	3	-	3	4	3	7	71	9	342
	White-----	413	93	-	-	-	2	2	2	62	-	252
	Male-----	441	97	3	-	3	4	3	7	55	7	262
	Female-----	304	66	-	-	-	2	1	2	48	-	185
	Nonwhite-----	127	37	-	-	-	-	-	-	14	1	75
	Male-----	104	27	-	-	-	-	-	-	11	-	65
	Female-----	104	27	-	-	-	-	-	-	11	-	65
E924	Accidental mechanical suffocation in bed and cradle-----	865	799	-	-	-	-	3	3	10	11	39
	Male-----	486	450	-	-	-	-	1	1	1	9	25
	Female-----	379	349	-	-	-	-	2	3	9	2	14
	White-----	333	310	-	-	-	-	1	1	7	8	14
	Male-----	233	210	-	-	-	-	2	3	7	2	9
	Female-----	133	121	-	-	-	-	-	-	1	1	11
	Nonwhite-----	137	130	-	-	-	-	-	-	2	-	5
	Male-----	530	250	26	15	56	4	22	9	5	75	68
	Female-----	406	161	25	15	58	4	19	7	4	72	43
	White-----	124	89	1	-	-	-	3	2	1	3	25
	Male-----	331	132	24	14	46	2	11	6	2	56	38
	Female-----	91	63	1	-	-	-	3	1	1	2	20
	Nonwhite-----	63	25	1	1	10	2	4	1	2	12	5
	Male-----	28	21	-	-	-	-	-	-	-	1	5
	Female-----	28	21	-	-	-	-	-	-	-	1	5
E926	Lack of care of infants under 1 year of age-----	11	4	-	-	-	-	-	-	-	-	7
	Male-----	8	2	-	-	-	-	-	-	-	-	6
	Female-----	3	2	-	-	-	-	-	-	-	-	1
	White-----	2	1	-	-	-	-	-	-	-	-	2
	Male-----	1	1	-	-	-	-	-	-	-	-	-
	Female-----	6	2	-	-	-	-	-	-	-	-	4
	Nonwhite-----	2	1	-	-	-	-	-	-	-	-	1
	Male-----	2	1	-	-	-	-	-	-	-	-	1
	Female-----	2	1	-	-	-	-	-	-	-	-	1
E927	Accidents caused by bites and stings of venomous animals and insects-----	39	16	6	-	1	-	2	-	-	3	11
	Male-----	28	12	3	-	1	-	2	-	-	3	7
	Female-----	11	4	3	-	-	-	-	-	-	-	4
	White-----	23	11	3	-	1	-	1	-	-	2	5
	Male-----	8	3	2	-	-	-	-	-	-	-	3
	Female-----	4	-	-	-	-	-	1	-	-	1	2
	Nonwhite-----	3	1	1	-	-	-	-	-	-	-	1
	Male-----	3	1	1	-	-	-	-	-	-	-	1
	Female-----	3	1	1	-	-	-	-	-	-	-	1
E928	Other accidents caused by animals-----	119	20	64	-	2	6	3	2	-	6	16
	Male-----	92	11	53	-	2	5	3	1	-	5	12
	Female-----	27	9	11	-	-	1	-	-	-	1	4
	White-----	80	11	45	-	2	5	3	1	-	3	10
	Male-----	25	9	10	-	-	1	-	1	-	1	3
	Female-----	12	-	8	-	-	-	-	-	-	2	2
	Nonwhite-----	2	-	1	-	-	-	-	-	-	-	1
	Male-----	2	-	1	-	-	-	-	-	-	-	1
	Female-----	2	-	1	-	-	-	-	-	-	-	1
E929	Accidental drowning-----	5,103	581	361	94	28	538	5	14	22	3,290	170
	Male-----	4,209	329	314	84	25	444	5	10	14	2,847	137
	Female-----	894	252	47	10	3	94	-	4	8	443	33
	White-----	3,116	285	201	50	19	330	2	10	13	2,093	113
	Male-----	723	216	30	6	3	82	-	4	6	348	28
	Female-----	997	34	108	31	5	109	3	-	-	683	24
	Nonwhite-----	148	27	15	4	-	12	-	-	1	84	5
	Male-----	148	27	15	4	-	12	-	-	1	84	5
	Female-----	148	27	15	4	-	12	-	-	1	84	5
E930	High and low air pressure-----	5	-	-	-	-	-	-	-	-	3	2
	Male-----	5	-	-	-	-	-	-	-	-	3	2
	Female-----	5	-	-	-	-	-	-	-	-	3	2
	White-----	5	-	-	-	-	-	-	-	-	3	2
	Male-----	5	-	-	-	-	-	-	-	-	3	2
	Female-----	5	-	-	-	-	-	-	-	-	3	2
	Nonwhite-----	5	-	-	-	-	-	-	-	-	3	2
	Male-----	5	-	-	-	-	-	-	-	-	3	2
	Female-----	5	-	-	-	-	-	-	-	-	3	2
E931	Excessive heat and insolation-----	196	33	8	-	11	3	11	-	22	11	97
	Male-----	150	20	5	-	11	3	10	-	17	9	75
	Female-----	46	13	3	-	-	-	1	-	5	2	22
	White-----	109	15	4	-	6	3	6	-	15	6	54
	Male-----	32	8	1	-	-	-	1	-	4	-	18
	Female-----	34	4	-	-	5	-	4	-	2	2	17
	Nonwhite-----	11	4	2	-	-	-	-	-	-	2	3
	Male-----	11	4	2	-	-	-	-	-	-	2	3
	Female-----	11	4	2	-	-	-	-	-	-	2	3
E932	Excessive cold-----	457	137	20	-	9	2	35	1	6	113	134
	Male-----	340	91	16	-	8	2	29	-	2	90	102
	Female-----	117	46	4	-	1	-	6	1	4	23	32
	White-----	220	53	10	-	3	2	22	-	4	55	75
	Male-----	75	31	4	-	-	-	4	1	3	14	18
	Female-----	118	38	6	-	5	-	7	-	2	33	27
	Nonwhite-----	40	15	-	-	-	-	2	-	1	9	13
	Male-----	40	15	-	-	-	-	2	-	1	9	13
	Female-----	40	15	-	-	-	-	2	-	1	9	13

See footnotes at end of table.

SECTION 4 - MORTALITY

4-11

Table 4-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1963—Con.

(Refers only to deaths occurring within the United States. Includes each three-digit category from E870 to E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers. Figures by color exclude data for residents of New Jersey; see Technical Appendix)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
			Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
OTHER ACCIDENTS—Con.												
E933	Runger, thirst, and exposure-----	174	22	11	-	1	-	5	1	-	36	98
	Male-----	117	17	8	-	1	-	5	1	-	26	59
	Female-----	57	5	3	-	-	-	-	-	-	10	39
	White-----	80	9	6	-	1	-	5	1	-	18	40
	Female-----	32	3	2	-	-	-	-	-	-	6	21
	Nonwhite-----	35	8	2	-	-	-	-	-	-	7	18
Female-----	24	2	1	-	-	-	-	-	-	3	18	
E934	Cataclysm-----	93	36	3	-	5	2	16	-	-	27	4
	Male-----	60	16	2	-	1	2	13	-	-	23	3
	Female-----	33	20	1	-	4	-	3	-	-	4	1
	White-----	52	14	1	-	1	2	12	-	-	20	2
	Female-----	24	11	1	-	4	-	3	-	-	4	1
	Nonwhite-----	7	2	1	-	-	-	1	-	-	2	1
Female-----	8	8	-	-	-	-	-	-	-	-	-	
E935	Lightning-----	165	31	52	-	3	24	8	-	2	31	14
	Male-----	123	19	46	-	3	14	5	-	2	25	9
	Female-----	42	12	6	-	-	10	3	-	-	6	5
	White-----	99	13	37	-	3	13	2	-	1	23	7
	Female-----	29	8	3	-	-	10	2	-	-	4	2
	Nonwhite-----	22	6	8	-	-	1	2	-	1	2	2
Female-----	13	4	3	-	-	-	1	-	-	2	3	
E936	Other and unspecified accidents-----	2,139	583	47	15	81	42	137	51	123	71	989
	Male-----	1,535	390	47	15	81	36	105	47	77	62	675
	Female-----	604	193	-	-	-	6	32	4	46	9	314
	White-----	1,207	319	43	14	65	31	80	38	62	48	507
	Female-----	467	155	-	-	-	5	25	4	44	8	226
	Nonwhite-----	287	58	4	1	13	5	23	9	12	11	151
Female-----	126	36	-	-	-	-	4	-	2	1	85	

¹Including home premises and any noninstitutional place of residence.²Including buildings and land under cultivation, but excluding farm home and home premises.

SECTION 4 - MORTALITY

Involved, 5-Year Age Groups, Race, and Sex: United States, 1963

1955. Numbers after types of vehicle are fourth-digit subcategory numbers. Figures by race exclude data for residents of New Jersey; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
5,740	3,297	2,683	2,749	2,627	2,540	2,533	2,366	2,067	1,945	1,841	1,503	824	314	73	11	1	13	1
4,672 1,068	2,668 629	2,091 592	2,099 650	1,931 696	1,832 708	1,810 723	1,674 692	1,381 686	1,273 672	1,194 647	1,001 502	567 257	222 92	49 25	6 5	1	11 2	2 3
4,070 950 440 84 65 13	2,234 526 350 76 47 14	1,739 482 274 85 36 18	1,752 550 269 70 25 9	1,582 607 274 67 22 8	1,560 608 215 74 19 8	1,542 622 225 68 13 14	1,420 620 188 53 21 2	1,194 600 136 37 19 7	1,105 607 109 96 22 7	1,057 585 109 31 11 2	923 464 45 22 10 1	520 242 29 7 3 1	202 87 10 3 4 -	41 24 4 1 1 -	4 4 2 1 1 -	1	8 2 3 6 7 8	4 5 6 7 8 9
265 245 20 206 15 32 3 3 2	263 245 20 207 19 25 3 3 2	284 267 17 230 12 31 3 4 2	314 296 18 248 17 42 1 3 2	310 290 20 242 16 39 2 2 2	287 275 14 241 9 24 4 3 3	283 259 24 223 12 31 3 3 3	239 226 13 193 8 25 1 4 1	197 182 15 160 11 16 6 3 1	116 103 13 93 8 6 1 - -	124 97 27 84 11 23 4 - -	103 79 24 73 19 5 - -	48 43 5 42 5 1 - -	22 18 4 18 4 - -	4 3 1 2 2 -	-	-	4 4 4 4 15 16 17 18	10 11 12 13 14 15 16 17 18
520 418 102 374 94 31 8 5	329 263 66 230 56 30 7 3	308 237 71 203 60 29 9 2	317 242 75 208 72 29 3 1	277 197 80 166 70 25 10 3	261 181 80 165 74 14 5 1	294 212 82 195 76 12 3 1	275 197 78 178 70 16 6 2	248 152 96 138 88 10 4 2	204 141 63 128 62 7 2 2	181 123 58 115 55 6 2 1	140 99 41 94 39 3 - -	53 35 18 34 18 - -	23 15 8 14 7 - -	3 1 2 1 2 -	2	-	19 20 21 22 23 24 25 26 27	
5 4 1 2 2 1 1 -	7 4 3 3 1 3 -	4 4 - 1 2 1 -	6 2 4 1 2 1 -	2 2 - - - - -	4 3 1 1 2 - -	5 2 3 3 - -	6 5 1 3 - -	3 3 - - - -	2 - 2 1 - -	4 1 3 1 - -	-	-	-	-	-	-	-	28 29 30 31 32 33 34 35 36
27 25 2 25 2 -	16 14 2 11 2 -	20 20 - 17 - -	12 11 1 11 2 -	18 15 3 11 2 -	17 16 1 16 1 -	10 9 2 9 1 -	14 12 3 10 2 -	6 3 3 2 3 -	3 2 1 2 2 -	5 5 1 5 1 -	4 3 1 3 - -	3 2 1 2 - -	1 - 1 - -	-	-	-	-	37 38 39 40 41 42 43 44 45
4,624 3,730 894 3,257 798 346 67 53 11	2,538 2,029 509 1,691 429 262 63 34 9	1,930 1,458 472 1,204 363 201 69 28 13	1,948 1,439 549 1,200 432 185 59 19 8	1,872 1,323 549 1,082 482 195 52 16 5	1,818 1,249 569 1,044 489 162 59 16 7	1,803 1,226 577 1,028 493 171 42 15 10	1,699 1,143 537 980 502 137 96 25 8	1,501 964 555 833 470 91 44 12 2	1,523 968 513 831 475 79 34 16 6	1,402 889 513 790 475 27 25 9 6	1,155 757 398 697 372 28 10 3 1	667 451 216 409 203 28 10 3 -	249 178 71 160 67 3 - -	61 19 42 37 19 3 2 1	9 5 4 3 3 2 - -	1	9 7 4 4 50 51 52 53 54	
36 29 7 24 4 3 2 1 1 -	15 14 1 12 1 1 1 -	14 11 3 9 1 - 1 -	10 5 2 4 1 - - -	7 5 2 3 1 - - -	13 9 4 8 2 3 - -	13 9 5 5 3 - -	13 8 5 6 4 1 1 -	9 7 5 7 4 1 1 -	2 2 2 2 1 - -	10 5 5 4 1 - -	7 5 3 4 1 - -	3 3 1 3 - -	-	-	-	-	55 56 57 58 59 60 61 62 63	
43 34 9 28 7 4 2 -	22 13 9 11 4 1 1 -	24 10 14 5 18 12 3 -	31 22 9 18 10 11 1 -	27 14 13 10 11 4 1 -	18 13 5 11 4 1 1 -	15 7 8 5 14 6 - -	25 16 9 14 8 - -	19 13 10 12 6 - -	22 12 10 11 9 - -	22 13 9 8 5 - -	16 9 7 9 7 - -	7 3 4 3 3 - -	-	-	-	-	64 65 66 67 68 69 70 71 72	
17 16 1 13 1 3 -	8 7 1 7 1 -	18 16 2 15 2 -	9 7 3 7 - -	8 7 1 6 - -	8 6 2 5 - -	9 7 2 7 - -	19 15 4 11 - -	18 9 9 7 - -	11 5 6 5 - -	21 13 8 12 - -	17 8 9 6 - -	12 7 5 5 - -	6 2 4 2 - -	1 1 - -	-	-	73 74 75 76 77 78 79 80 81	
2 2 2 -	1 1 1 -	-	3 2 1 -	3 2 1 -	3 2 1 -	-	-	-	-	-	-	-	-	-	-	-	-	82 83 84 85 86 87 88 89 90

Spreads 1st page
 may be placed
 4-18
 2 groups on 2nd pg.

SECTION 4 - MORTALITY

Table 4.4. Deaths From Nontransport Accidents, by Place of

(Refers only to deaths occurring within the United States. Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists,

PLACE OF ACCIDENT, RACE, AND SEX		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	ALL NONTRANSPORT ACCIDENTS (E870-E936)-----	51,155	3,143	1,258	927	694	542	6,554	1,808	1,713	2,270
2	Male-----	32,466	1,766	719	553	396	329	3,763	1,157	1,382	1,953
3	Female-----	18,689	1,377	539	374	298	213	2,791	651	331	317
4	White-----Male-----	26,113	1,205	509	396	281	242	2,633	865	1,036	1,513
5	Female-----	15,282	864	348	247	183	131	1,773	396	256	238
6	Negro-----Male-----	5,062	477	179	133	94	70	953	246	290	360
7	Female-----	2,644	442	161	105	85	75	866	223	77	65
8	Other-----Male-----	428	29	15	9	11	8	72	17	21	33
9	Female-----	180	27	16	9	10	2	64	12	9	9
10	Home ¹ (.0)-----	24,515	2,338	970	654	477	371	4,810	889	513	454
11	Male-----	12,811	1,322	552	375	257	196	2,702	454	376	331
12	Female-----	11,704	1,016	418	279	220	175	2,108	435	137	123
13	White-----Male-----	10,013	902	369	247	184	124	1,906	300	304	268
14	Female-----	9,270	626	259	167	126	102	1,280	236	92	82
15	Negro-----Male-----	2,240	356	155	111	80	60	762	130	57	47
16	Female-----	1,951	336	140	96	78	67	717	180	40	35
17	Other-----Male-----	141	17	13	5	7	4	46	9	7	8
18	Female-----	101	18	9	7	6	1	41	8	1	5
19	Farm ² (.1)-----	2,309	9	44	47	28	31	159	144	207	258
20	Male-----	2,148	8	29	35	19	28	119	116	185	249
21	Female-----	161	1	15	12	9	3	40	28	22	9
22	White-----Male-----	1,858	7	26	31	16	27	107	103	151	188
23	Female-----	130	1	13	12	8	3	37	21	12	9
24	Negro-----Male-----	250	1	3	3	2	1	10	9	30	56
25	Female-----	25	-	1	-	-	-	1	6	9	-
26	Other-----Male-----	20	-	1	-	-	-	1	2	3	1
27	Female-----	4	-	1	-	1	-	2	-	-	-
28	Mine and quarry (.2)-----	553	-	-	-	-	1	2	16	32	42
29	Male-----	539	-	-	-	-	1	1	12	31	40
30	Female-----	14	-	-	-	-	1	1	4	1	2
31	White-----Male-----	480	-	-	-	-	1	1	7	17	29
32	Female-----	10	-	-	-	-	1	1	2	1	2
33	Negro-----Male-----	51	-	-	-	-	-	-	5	14	8
34	Female-----	4	-	-	-	-	-	-	2	-	-
35	Other-----Male-----	2	-	-	-	-	-	-	-	-	-
36	Female-----	-	-	-	-	-	-	-	-	-	-
37	Industrial place and premises (.3)-----	2,427	1	-	2	1	6	10	14	27	98
38	Male-----	2,394	1	-	1	-	6	8	13	26	95
39	Female-----	33	-	-	1	1	-	2	1	1	3
40	White-----Male-----	2,044	-	-	1	-	5	6	13	20	80
41	Female-----	28	-	-	1	1	-	2	1	1	2
42	Negro-----Male-----	270	1	-	-	-	-	1	2	4	13
43	Female-----	2	-	-	-	-	-	-	-	-	-
44	Other-----Male-----	21	-	-	-	-	-	-	-	-	1
45	Female-----	-	-	-	-	-	-	-	-	-	-
46	Place for recreation and sport (.4)-----	840	3	8	16	30	22	79	112	158	173
47	Male-----	692	2	5	11	19	17	54	84	126	154
48	Female-----	148	1	3	5	11	5	25	28	32	19
49	White-----Male-----	553	2	5	9	18	14	48	65	93	122
50	Female-----	133	1	3	5	11	5	25	26	28	15
51	Negro-----Male-----	116	-	-	1	1	2	4	18	29	26
52	Female-----	12	-	-	-	-	-	2	2	4	3
53	Other-----Male-----	17	-	-	1	-	-	1	1	3	4
54	Female-----	1	-	-	-	-	-	-	-	-	-
55	Street and highway (.5)-----	1,873	12	6	3	8	7	36	19	48	114
56	Male-----	1,521	7	1	1	4	6	19	13	37	90
57	Female-----	352	5	5	2	4	1	17	6	11	24
58	White-----Male-----	1,220	5	1	1	3	5	15	11	26	71
59	Female-----	291	5	3	2	2	-	12	4	8	18
60	Negro-----Male-----	218	-	-	-	-	1	1	1	6	11
61	Female-----	37	-	2	-	1	1	4	1	2	4
62	Other-----Male-----	19	1	-	-	-	-	1	-	1	2
63	Female-----	3	-	-	-	-	-	-	-	-	1
64	Public building (.6)-----	1,494	11	6	1	3	3	24	15	26	68
65	Male-----	1,132	3	3	1	3	1	11	11	21	61
66	Female-----	362	8	3	-	-	2	13	4	5	7
67	White-----Male-----	978	2	3	1	3	1	10	8	17	48
68	Female-----	326	9	1	-	-	2	11	2	4	5
69	Negro-----Male-----	109	1	-	-	-	-	1	3	4	10
70	Female-----	23	-	-	-	-	-	-	-	-	-
71	Other-----Male-----	18	-	-	-	-	-	-	-	-	1
72	Female-----	2	-	2	-	-	-	2	-	-	-
73	Resident institution (.7)-----	4,049	117	4	5	3	2	131	30	20	28
74	Male-----	1,867	61	3	5	2	-	71	21	10	16
75	Female-----	2,182	56	1	-	1	2	60	9	10	10
76	White-----Male-----	1,675	36	3	4	2	-	45	19	7	12
77	Female-----	2,013	34	1	-	-	1	36	9	8	9
78	Negro-----Male-----	131	24	-	1	-	-	25	2	2	2
79	Female-----	83	16	-	-	-	1	18	-	1	1
80	Other-----Male-----	18	-	-	-	-	-	-	-	1	1
81	Female-----	8	3	-	-	-	-	3	-	-	-
82	Other specified places (.8)-----	5,536	39	64	104	77	65	349	460	588	847
83	Male-----	4,846	25	44	71	57	55	252	372	499	767
84	Female-----	690	14	20	33	20	10	97	88	89	80
85	White-----Male-----	3,729	19	44	65	50	49	227	289	342	577
86	Female-----	540	12	16	30	18	9	85	67	64	67
87	Negro-----Male-----	900	4	-	5	2	3	14	67	135	158
88	Female-----	106	2	1	1	1	1	6	14	17	10
89	Other-----Male-----	92	-	-	1	3	3	7	5	5	14
90	Female-----	23	-	2	2	1	-	5	1	6	3

¹Including home premises and any noninstitutional place of residence.
²Including buildings and land under cultivation, but excluding farm home and home premises.

P. 2

2 groups
on this page

SECTION 4 - MORTALITY

Table 4-4. Deaths From Nontransport Accidents, by Place of Accident,

(Refers only to deaths occurring within the United States. Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists,

PLACE OF ACCIDENT, RACE, AND SEX		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	Place not specified (.9)-----	7,559	613	156	95	56	34	954	109	94	190
2	Male----	4,516	357	82	53	35	19	526	61	71	150
3	Female--	3,043	276	74	42	21	15	428	48	23	40
4	White----Male----	3,563	252	58	37	25	16	368	50	59	118
5	Female--	2,541	177	52	30	16	9	284	28	18	29
6	Negro----Male----	777	90	21	12	9	2	134	11	9	29
7	Female--	401	88	17	8	2	5	120	16	3	11
8	Other----Male----	80	11	2	1	1	1	16	-	1	1
9	Female--	38	6	2	-	2	1	11	3	2	-

SECTION 4 - MORTALITY

4-21

by 5-Year Age Groups, Race, and Sex: United States, 1963—Con.

1955. Numbers after places of accident are fourth-digit subcategory numbers. Figures by race exclude data for residents of New Jersey; see Technical Appendix)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated
232	196	223	264	338	381	370	391	382	417	585	611	725	652	358	90	10	7
189	136	159	184	254	293	284	304	252	286	345	294	294	271	124	29	4	6
43	60	64	80	84	88	86	87	110	131	240	317	431	381	234	61	6	1
130	82	98	126	176	222	226	238	198	234	297	260	273	259	119	24	3	3
25	33	42	53	58	65	65	72	85	108	211	299	408	367	228	57	5	1
50	45	54	50	69	61	45	55	41	38	34	24	12	4	3	5	1	3
15	24	19	26	22	18	17	10	18	19	24	15	10	8	3	2	1	-
4	8	5	5	3	4	3	3	6	6	8	2	4	1	-	-	-	-
1	3	2	1	3	4	-	1	2	2	1	-	2	-	-	-	-	-

1
2
3
4
5
6
7
8
9

SECTION 4 - MORTALITY

Table 4-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States, and Each State, 1963

(By place of residence. Refers only to deaths occurring within the United States. Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

AREA, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE INVOLVED									
		Goods transport vehicle(s) only	Goods transport vehicle and passenger motor vehicle	Goods transport vehicle and motorbus	Goods transport vehicle and unspecified motor vehicle	Passenger motor vehicle(s) only	Passenger motor vehicle and motorbus	Passenger motor vehicle and unspecified motor vehicle	Motorbus(es) only	Motorbus and unspecified motor vehicle	Unspecified motor vehicles
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
UNITED STATES-----	43,564	3,771	4,199	69	177	33,122	188	353	242	9	1,434
Male----	31,715	3,336	3,020	46	152	23,564	133	221	168	7	1,068
Female--	11,849	435	1,179	23	25	9,558	55	132	74	2	366
White-----Male----	27,186	2,858	2,705	18	138	20,156	106	182	147	7	869
Female--	10,363	357	1,085	10	23	8,366	36	108	65	2	311
Nonwhite-----Male----	3,826	425	274	26	10	2,909	18	14	16	-	134
Female--	1,216	74	84	11	1	984	13	10	8	-	31
Alabama-----	1,049	134	106	1	1	787	4	2	6	-	8
Male----	798	123	78	1	1	592	3	1	2	-	7
Female--	251	11	28	-	-	205	1	1	4	-	1
White-----Male----	605	88	67	1	1	437	3	1	4	-	5
Female--	175	6	16	-	-	148	1	1	2	-	1
Nonwhite-----Male----	193	35	11	-	-	145	-	-	-	-	2
Female--	76	5	12	-	-	57	-	-	2	-	-
Alaska-----	46	4	2	-	1	38	-	-	-	-	1
Male----	34	2	2	-	1	29	-	-	-	-	-
Female--	12	2	-	-	-	9	-	-	-	-	1
White-----Male----	28	1	2	-	1	24	-	-	-	-	-
Female--	8	1	-	-	-	7	-	-	-	-	-
Nonwhite-----Male----	6	1	-	-	-	5	-	-	-	-	1
Female--	4	1	-	-	-	2	-	-	-	-	1
Arizona-----	440	39	33	-	1	336	-	-	1	-	30
Male----	314	34	22	-	1	234	-	-	1	-	22
Female--	126	5	11	-	-	102	-	-	-	-	8
White-----Male----	261	30	17	-	1	192	-	-	1	-	20
Female--	108	3	9	-	-	68	-	-	-	-	8
Nonwhite-----Male----	53	4	5	-	-	42	-	-	-	-	2
Female--	18	2	2	-	-	14	-	-	-	-	-
Arkansas-----	581	65	32	1	7	456	5	5	1	-	9
Male----	434	59	22	1	6	335	2	2	1	-	6
Female--	147	6	10	-	1	121	3	3	-	-	3
White-----Male----	339	46	18	1	6	261	2	1	-	-	4
Female--	119	4	10	-	1	95	3	3	-	-	3
Nonwhite-----Male----	95	13	4	-	-	74	-	1	1	-	2
Female--	28	2	-	-	-	26	-	-	-	-	-
California-----	4,586	310	393	5	38	3,221	13	74	68	-	464
Male----	3,275	265	293	3	29	2,227	8	47	58	-	345
Female--	1,311	45	100	2	9	994	5	27	10	-	119
White-----Male----	2,986	245	268	3	25	2,025	8	44	56	-	312
Female--	1,214	45	94	2	9	918	3	23	10	-	110
Nonwhite-----Male----	289	20	25	-	4	202	-	3	2	-	33
Female--	97	-	6	-	-	76	2	4	-	-	9
Colorado-----	495	45	39	-	-	408	1	-	1	-	1
Male----	355	38	27	-	-	288	1	-	-	-	1
Female--	140	7	12	-	-	120	-	-	1	-	-
White-----Male----	343	37	26	-	-	278	1	-	-	-	1
Female--	131	6	12	-	-	112	-	-	1	-	-
Nonwhite-----Male----	12	1	1	-	-	10	-	-	-	-	-
Female--	9	1	-	-	-	8	-	-	-	-	-
Connecticut-----	366	22	21	-	2	298	4	4	6	-	9
Male----	268	19	17	-	2	213	1	3	5	-	8
Female--	98	3	4	-	-	85	3	1	1	-	1
White-----Male----	252	18	17	-	2	198	1	3	5	-	8
Female--	91	3	4	-	-	78	3	1	1	-	1
Nonwhite-----Male----	16	1	-	-	-	15	-	-	-	-	-
Female--	7	-	-	-	-	7	-	-	-	-	-
Delaware-----	85	3	6	-	1	70	-	1	-	-	4
Male----	56	2	3	-	1	48	-	1	-	-	1
Female--	29	1	3	-	-	22	-	-	-	-	3
White-----Male----	49	1	3	-	1	42	-	1	-	-	1
Female--	26	1	3	-	-	19	-	-	-	-	3
Nonwhite-----Male----	7	1	-	-	-	6	-	-	-	-	-
Female--	3	-	-	-	-	3	-	-	-	-	-
District of Columbia-----	99	5	7	1	-	82	1	-	1	-	2
Male----	73	5	6	1	-	59	1	-	-	-	2
Female--	26	-	1	-	-	24	-	-	1	-	-
White-----Male----	27	1	3	-	-	21	-	-	-	-	2
Female--	15	-	1	-	-	13	-	-	1	-	-
Nonwhite-----Male----	46	4	3	1	-	37	1	-	-	-	-
Female--	11	-	-	-	-	11	-	-	-	-	-
Florida-----	1,645	116	143	29	11	1,150	5	29	5	-	155
Male----	1,161	98	102	19	10	798	3	21	3	-	107
Female--	482	18	41	10	1	352	2	8	2	-	48
White-----Male----	919	73	82	1	8	651	3	18	3	-	80
Female--	407	14	38	1	1	301	2	8	2	-	40
Nonwhite-----Male----	242	25	20	18	2	147	-	3	-	-	27
Female--	75	4	3	9	-	51	-	-	-	-	8

SECTION 4 - MORTALITY

Table 4-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States, and Each State, 1963—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE INVOLVED									
		Goods transport vehicle(s) only	Goods transport vehicle and passenger motor vehicle	Goods transport vehicle and motorbus	Goods transport vehicle and unspecified motor vehicle	Passenger motor vehicle(s) only	Passenger motor vehicle and motorbus	Passenger motor vehicle and unspecified motor vehicle	Motorbus(es) only	Motorbus and unspecified motor vehicle	Unspecified motor vehicles
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Michigan-----	2,002	96	185	-	4	1,676	7	5	7	1	21
Male----	1,382	79	139	-	4	1,128	6	4	4	1	17
Female--	620	17	46	-	-	548	1	1	3	-	4
White-----	1,277	68	132	-	3	1,048	6	3	3	1	15
Female--	578	16	45	-	-	508	1	1	3	-	4
Nonwhite---	105	11	7	-	1	82	-	1	1	-	2
Female--	42	1	1	-	-	40	-	-	-	-	-
Minnesota-----	852	90	75	-	1	638	2	8	2	-	36
Male----	619	84	57	-	1	447	2	6	1	-	21
Female--	233	6	18	-	-	191	-	2	1	-	15
White-----	608	84	57	-	1	437	2	6	1	-	20
Female--	231	5	18	-	-	190	-	2	1	-	15
Nonwhite---	11	-	-	-	-	10	-	-	-	-	1
Female--	2	1	-	-	-	1	-	-	-	-	-
Mississippi-----	678	87	87	1	-	487	4	3	1	-	8
Male----	501	77	58	1	-	353	3	2	1	-	6
Female--	177	10	29	-	-	134	1	1	-	-	2
White-----	316	47	40	1	-	223	-	2	1	-	2
Female--	125	5	26	-	-	93	-	1	-	-	-
Nonwhite---	185	30	18	-	-	130	3	-	-	-	4
Female--	52	5	3	-	-	41	1	-	-	-	2
Missouri-----	1,145	112	168	-	-	840	2	3	4	-	14
Male----	809	99	114	-	-	576	2	3	2	-	13
Female--	334	13	54	-	-	264	-	-	2	-	1
White-----	744	94	104	-	-	528	2	3	2	-	11
Female--	307	13	51	-	-	240	-	-	2	-	1
Nonwhite---	65	5	10	-	-	48	-	-	-	-	2
Female--	27	-	3	-	-	24	-	-	-	-	-
Montana-----	227	30	28	-	-	167	1	-	-	-	1
Male----	177	24	22	-	-	129	1	-	-	-	1
Female--	50	6	6	-	-	38	-	-	-	-	-
White-----	159	22	21	-	-	114	1	-	-	-	1
Female--	40	4	6	-	-	30	-	-	-	-	-
Nonwhite---	18	2	1	-	-	15	-	-	-	-	-
Female--	10	2	-	-	-	8	-	-	-	-	-
Nebraska-----	381	64	72	-	-	241	1	-	2	-	1
Male----	281	56	51	-	-	171	1	-	1	-	1
Female--	100	8	21	-	-	70	-	-	1	-	-
White-----	274	56	51	-	-	164	1	-	1	-	1
Female--	96	8	21	-	-	66	-	-	1	-	-
Nonwhite---	7	-	-	-	-	7	-	-	-	-	-
Female--	4	-	-	-	-	4	-	-	-	-	-
Nevada-----	160	9	8	-	1	137	-	1	4	-	-
Male----	106	7	4	-	1	91	-	1	2	-	-
Female--	54	2	4	-	-	46	-	-	2	-	-
White-----	94	6	3	-	1	81	-	1	2	-	-
Female--	45	2	4	-	-	37	-	-	2	-	-
Nonwhite---	12	1	1	-	-	10	-	-	-	-	-
Female--	9	-	-	-	-	9	-	-	-	-	-
New Hampshire-----	132	7	10	-	-	108	-	-	-	-	7
Male----	93	6	6	-	-	74	-	-	-	-	7
Female--	39	1	4	-	-	34	-	-	-	-	-
White-----	92	6	6	-	-	73	-	-	-	-	7
Female--	39	1	4	-	-	34	-	-	-	-	-
Nonwhite---	1	-	-	-	-	1	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-
New Jersey ¹ -----	973	57	51	4	5	707	15	39	6	-	89
Male----	703	53	41	2	4	499	9	25	5	-	65
Female--	270	4	10	2	1	208	6	14	1	-	24
New Mexico-----	342	56	34	-	1	244	-	-	2	-	5
Male----	241	50	24	-	1	160	-	-	1	-	5
Female--	101	6	10	-	-	84	-	-	1	-	-
White-----	208	38	24	-	1	140	-	-	1	-	4
Female--	88	4	8	-	-	75	-	-	1	-	-
Nonwhite---	33	12	-	-	-	20	-	-	-	-	1
Female--	13	2	2	-	-	9	-	-	-	-	-
New York-----	2,498	181	152	2	9	1,993	9	22	33	-	97
Male----	1,794	155	105	2	9	1,412	9	8	17	-	77
Female--	704	26	47	-	-	581	-	14	16	-	20
White-----	1,613	136	97	2	9	1,268	6	8	16	-	71
Female--	642	23	45	-	-	527	-	14	13	-	20
Nonwhite---	181	19	8	-	-	144	3	-	1	-	6
Female--	62	3	2	-	-	54	-	-	3	-	-
North Carolina-----	1,416	144	135	1	1	1,115	7	-	7	-	6
Male----	1,099	128	101	1	1	852	6	-	5	-	5
Female--	317	16	34	-	-	263	1	-	2	-	1
White-----	785	96	82	-	1	594	6	-	4	-	2
Female--	239	10	29	-	-	196	1	-	2	-	1
Nonwhite---	314	32	19	1	-	258	-	-	1	-	3
Female--	78	6	5	-	-	67	-	-	-	-	-

¹Figures by color are not shown because reporting was incomplete; see Technical Appendix.

SECTION 4 - MORTALITY

Table 4-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States, and Each State, 1963-Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total deaths	TYPES OF MOTOR VEHICLE INVOLVED									
		Goods transport vehicle(s) only	Goods transport vehicle and passenger motor vehicle	Goods transport vehicle and motorbus	Goods transport vehicle and unspecified motor vehicle	Passenger motor vehicle(s) only	Passenger motor vehicle and motorbus	Passenger motor vehicle and unspecified motor vehicle	Motorbus(es) only	Motorbus and unspecified motor vehicle	Unspecified motor vehicles
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Virginia-----	940	70	84	1	5	748	5	2	8	-	17
Male----	717	65	57	1	5	561	3	1	7	-	17
Female--	223	5	27	-	-	187	2	1	-	-	-
White-----	557	46	53	1	5	429	3	1	7	-	12
Female--	184	5	22	-	-	153	2	1	1	-	-
Nonwhite---	160	19	4	-	-	132	-	-	-	-	5
Female--	39	-	5	-	-	34	-	-	-	-	-
Washington-----	685	53	42	-	3	549	1	17	1	1	18
Male----	488	42	31	-	3	387	1	9	-	1	14
Female--	197	11	11	-	-	162	-	8	1	-	4
White-----	450	36	29	-	3	359	1	9	-	1	12
Female--	189	9	11	-	-	158	-	7	1	-	3
Nonwhite---	38	6	2	-	-	28	-	-	-	-	2
Female--	8	2	-	-	-	4	-	1	-	-	1
West Virginia-----	435	34	37	3	-	345	2	6	-	-	8
Male----	347	31	29	1	-	274	1	5	-	-	6
Female--	88	3	8	2	-	71	1	1	-	-	2
White-----	336	31	28	1	-	264	1	5	-	-	6
Female--	86	3	8	2	-	69	1	1	-	-	2
Nonwhite---	11	-	1	-	-	10	-	-	-	-	-
Female--	2	-	-	-	-	2	-	-	-	-	-
Wisconsin-----	887	58	82	1	1	727	-	4	1	-	13
Male----	648	53	55	1	1	524	-	4	-	-	10
Female--	239	5	27	-	-	203	-	-	1	-	3
White-----	630	52	53	1	1	509	-	4	-	-	10
Female--	235	5	27	-	-	199	-	-	1	-	3
Nonwhite---	18	1	2	-	-	15	-	-	-	-	-
Female--	4	-	-	-	-	4	-	-	-	-	-
Wyoming-----	140	15	9	-	-	112	1	-	-	-	3
Male----	111	12	8	-	-	89	-	-	-	-	2
Female--	29	3	1	-	-	23	1	-	-	-	1
White-----	107	12	8	-	-	85	-	-	-	-	2
Female--	25	1	1	-	-	21	1	-	-	-	1
Nonwhite---	4	-	-	-	-	4	-	-	-	-	-
Female--	4	2	-	-	-	2	-	-	-	-	-

SECTION 4 - MORTALITY

4-27

Table 4-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1963

(By place of residence. Refers only to deaths occurring within the United States. Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers. Figures by color for the United States exclude data for residents of New Jersey; see Technical Appendix)

AREA, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
		Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
UNITED STATES-----	51,155	24,515	2,309	553	2,427	840	1,873	1,494	4,049	5,536	7,559
Male-----	32,466	12,811	2,148	539	2,394	692	1,521	1,132	1,867	4,846	4,516
Female-----	18,689	11,704	161	14	33	148	352	362	2,182	690	3,043
White-----	26,113	10,013	1,858	480	2,044	553	1,220	978	1,675	3,729	3,563
Male-----	15,282	9,270	150	10	28	133	291	326	2,013	540	2,541
Female-----	5,490	2,381	270	53	291	133	237	127	149	992	857
Nonwhite-----	2,924	2,052	29	4	2	13	40	25	91	129	439
Male-----	1,064	596	40	14	50	10	31	21	42	131	129
Female-----	674	308	38	14	49	8	29	14	21	113	80
White-----	390	288	2	-	1	2	2	7	21	18	49
Male-----	412	170	28	10	35	7	23	11	18	60	50
Female-----	210	149	2	-	1	1	1	6	18	11	21
Nonwhite-----	262	138	10	4	14	1	6	3	3	53	30
Male-----	180	139	-	-	-	1	1	1	3	7	28
Female-----	134	53	1	1	5	3	2	2	3	38	26
Male-----	94	32	1	1	5	3	2	1	1	33	15
Female-----	40	21	-	-	-	-	-	1	2	5	11
White-----	53	16	1	1	3	3	1	1	1	18	8
Male-----	22	13	-	-	-	-	-	1	1	1	6
Female-----	22	13	-	-	-	-	-	1	1	1	6
Nonwhite-----	41	16	-	-	2	-	1	-	-	15	7
Male-----	18	8	-	-	-	-	-	-	1	4	5
Female-----	18	8	-	-	-	-	-	-	-	-	-
Arizona-----	427	164	12	3	19	11	14	10	12	108	74
Male-----	311	105	11	3	16	8	12	8	8	91	49
Female-----	116	59	1	-	3	3	2	2	4	17	25
White-----	240	82	10	3	16	6	6	8	8	66	33
Male-----	92	50	1	-	3	3	1	2	4	11	17
Female-----	71	23	1	-	-	2	4	-	-	25	16
Nonwhite-----	24	9	-	-	-	-	1	-	-	6	8
Male-----	736	277	60	-	39	7	18	18	14	86	217
Female-----	475	135	54	-	39	7	17	13	11	73	126
White-----	261	142	6	-	-	-	1	5	3	13	91
Male-----	330	85	41	-	28	5	13	9	9	48	92
Female-----	184	89	5	-	-	-	1	5	2	9	73
Nonwhite-----	145	50	13	-	11	2	4	4	2	25	34
Male-----	77	53	1	-	-	-	-	-	1	4	18
Female-----	77	53	1	-	-	-	-	-	1	4	18
California-----	3,758	1,837	77	16	195	100	159	175	353	469	377
Male-----	2,445	982	70	15	193	91	130	139	173	425	227
Female-----	1,313	855	7	1	2	9	29	36	180	44	150
White-----	2,203	879	65	12	184	79	120	129	160	373	202
Male-----	1,225	791	7	1	2	9	28	35	178	40	134
Female-----	242	103	5	3	9	12	10	10	13	52	25
Nonwhite-----	88	64	-	-	-	-	1	1	2	4	16
Male-----	589	238	25	8	39	8	20	20	73	63	95
Female-----	379	130	21	7	39	8	17	14	31	59	53
White-----	210	108	4	1	-	-	3	6	42	4	42
Male-----	371	127	20	7	39	8	16	14	30	59	51
Female-----	203	104	4	1	-	-	3	5	41	4	41
Nonwhite-----	8	3	1	-	-	-	1	-	1	-	2
Male-----	7	4	-	-	-	-	-	1	1	-	1
Female-----	7	4	-	-	-	-	-	1	1	-	1
Connecticut-----	566	288	4	-	28	7	30	17	62	62	68
Male-----	350	144	3	-	24	5	27	17	28	51	51
Female-----	216	144	1	-	4	2	3	-	34	11	17
White-----	317	129	3	-	24	4	26	17	27	45	42
Male-----	206	137	1	-	4	2	3	-	34	10	15
Female-----	35	15	-	-	-	1	1	-	1	6	9
Nonwhite-----	10	7	-	-	-	-	-	-	-	1	2
Male-----	132	47	1	1	8	1	2	3	7	21	41
Female-----	81	29	1	1	8	1	1	3	5	20	12
White-----	51	18	-	-	-	-	-	-	2	1	29
Male-----	56	17	1	-	7	1	1	2	4	14	9
Female-----	39	11	-	-	-	-	-	-	2	1	24
Nonwhite-----	25	12	1	1	1	-	-	1	1	6	3
Male-----	12	7	-	-	-	-	-	-	-	-	5
Female-----	12	7	-	-	-	-	-	-	-	-	5
District of Columbia-----	326	164	-	-	3	7	14	7	15	28	88
Male-----	202	88	-	-	2	5	11	5	9	24	58
Female-----	124	76	-	-	1	2	3	2	6	4	30
White-----	73	34	-	-	-	3	4	1	3	5	23
Male-----	53	33	-	-	-	1	1	2	4	3	9
Female-----	129	54	-	-	2	2	7	4	6	19	35
Nonwhite-----	71	43	-	-	1	1	2	-	2	1	21
Male-----	1,534	778	27	21	56	51	46	58	94	273	130
Female-----	991	416	25	18	55	41	40	35	46	231	84
White-----	543	362	2	3	1	10	6	23	48	42	46
Male-----	705	314	14	8	35	23	32	27	41	152	59
Female-----	411	263	-	2	1	9	5	20	46	32	33
Nonwhite-----	288	102	11	10	20	18	8	8	5	79	25
Male-----	132	99	2	1	-	1	1	3	2	10	13
Female-----	132	99	2	1	-	1	1	3	2	10	13

See footnotes at end of table.

SECTION 4 - MORTALITY

Table 4-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1963-Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
		Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Georgia-----	1,351	741	80	9	76	20	41	53	75	138	118
Male-----	850	367	75	7	76	15	37	40	41	123	69
Female-----	501	374	5	2	-	5	4	13	34	15	49
White-----	508	205	44	3	46	9	26	33	36	67	39
Female-----	297	209	3	-	-	3	2	12	28	12	28
Nonwhite-----	342	162	31	4	30	6	11	7	5	56	30
Female-----	204	165	2	2	-	2	2	1	6	3	21
Hawaii-----	121	44	1	1	9	16	-	4	10	28	6
Male-----	90	24	1	1	9	14	-	4	5	25	7
Female-----	31	20	-	-	-	2	-	-	5	3	1
White-----	29	8	-	1	1	3	-	-	3	10	3
Female-----	12	8	-	-	-	1	-	-	3	-	-
Nonwhite-----	61	16	1	-	8	11	-	4	2	15	4
Female-----	19	12	-	-	-	1	-	-	2	3	1
Idaho-----	272	72	30	9	23	4	6	5	15	55	53
Male-----	212	47	29	9	23	3	6	5	11	47	32
Female-----	60	25	1	-	-	1	-	-	4	8	21
White-----	205	46	27	9	23	3	5	4	11	46	31
Female-----	57	24	-	-	-	1	-	-	4	8	20
Nonwhite-----	7	1	2	-	-	-	1	1	-	1	1
Female-----	3	1	1	-	-	-	-	-	-	-	1
Illinois-----	2,379	1,189	108	26	135	44	88	99	198	262	230
Male-----	1,564	637	104	25	132	37	72	81	99	220	157
Female-----	815	552	4	1	3	7	16	18	99	42	73
White-----	1,303	505	101	21	117	29	56	72	89	175	140
Female-----	681	442	4	-	3	6	14	17	96	29	70
Nonwhite-----	261	134	3	4	15	8	16	9	10	45	17
Female-----	134	110	-	1	-	1	2	1	3	13	3
Indiana-----	1,460	709	72	11	70	7	42	104	105	131	209
Male-----	867	348	68	11	70	6	35	52	46	113	118
Female-----	593	361	4	-	-	1	7	52	59	18	91
White-----	798	311	67	11	65	5	32	51	44	103	109
Female-----	552	332	4	-	-	1	7	49	56	16	9
Nonwhite-----	69	37	1	-	5	1	3	1	2	10	9
Female-----	41	29	-	-	-	-	-	3	3	2	4
Iowa-----	789	354	107	5	28	12	26	15	74	56	112
Male-----	502	181	101	4	28	9	20	13	24	51	71
Female-----	287	173	6	1	-	3	6	2	50	5	41
White-----	497	179	101	4	28	9	20	13	23	50	70
Female-----	286	172	6	1	-	3	6	2	50	5	41
Nonwhite-----	5	2	-	-	-	-	-	-	1	1	1
Female-----	1	1	-	-	-	-	-	-	-	-	-
Kansas-----	662	326	65	3	25	6	27	14	58	51	87
Male-----	431	174	63	3	25	5	25	10	25	49	52
Female-----	231	152	2	-	-	1	2	4	33	2	35
White-----	404	164	61	2	24	5	24	10	21	45	48
Female-----	220	143	2	-	-	1	1	4	33	2	34
Nonwhite-----	27	10	2	1	1	-	1	4	4	4	4
Female-----	11	9	-	-	-	-	1	-	-	-	1
Kentucky-----	1,084	617	66	40	40	3	33	20	69	92	104
Male-----	670	312	65	39	40	3	30	18	21	78	64
Female-----	414	305	1	1	-	-	3	2	48	14	40
White-----	596	271	57	38	35	3	25	18	19	71	59
Female-----	371	273	1	1	-	-	3	2	43	13	35
Nonwhite-----	74	41	8	1	5	-	5	2	2	7	5
Female-----	43	32	-	-	-	-	-	5	1	1	5
Louisiana-----	1,074	531	28	1	67	13	33	10	52	125	214
Male-----	692	269	25	1	66	13	30	9	26	119	134
Female-----	382	262	3	-	1	-	3	1	26	6	80
White-----	420	149	13	1	53	7	22	7	20	65	83
Female-----	232	146	2	-	-	-	2	1	25	3	53
Nonwhite-----	272	120	12	-	13	6	8	2	6	54	51
Female-----	150	116	1	-	1	-	1	-	1	3	27
Maine-----	288	124	13	1	13	7	6	3	12	44	65
Male-----	183	67	13	1	13	6	4	2	5	41	31
Female-----	105	57	-	-	-	1	2	1	7	3	34
White-----	183	67	13	1	13	6	4	2	5	41	31
Female-----	104	57	-	-	-	1	2	1	7	3	33
Nonwhite-----	-	-	-	-	-	-	-	-	-	-	-
Female-----	1	-	-	-	-	-	-	-	-	-	1
Maryland-----	826	412	19	8	46	10	47	23	69	86	106
Male-----	531	225	15	8	46	9	43	18	32	74	61
Female-----	295	187	4	-	-	1	4	5	37	12	45
White-----	374	159	12	5	33	5	29	16	23	51	41
Female-----	239	144	3	-	-	1	4	5	34	12	36
Nonwhite-----	157	66	3	3	13	4	14	2	9	23	20
Female-----	56	43	1	-	-	-	-	-	3	-	9

See footnotes at end of table

SECTION 4 - MORTALITY

4-29

Table 4-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1963-Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
		Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Massachusetts-----	1,475	754	4	2	37	24	47	33	198	105	271
Male-----	779	347	4	2	37	18	34	22	78	82	155
Female-----	696	407	-	-	-	6	13	11	120	23	116
White-----	752	335	4	2	58	18	34	20	77	80	146
Male-----	681	398	-	-	-	6	13	10	120	23	111
Female-----	27	12	-	-	1	-	-	2	1	2	9
Nonwhite-----	15	9	-	-	-	-	-	1	-	-	5
Michigan-----	1,828	842	67	16	73	22	75	49	114	188	392
Male-----	1,158	485	62	16	73	18	57	40	55	158	194
Female-----	670	357	5	-	-	4	18	9	59	30	188
White-----	1,037	426	61	16	66	16	46	39	52	138	177
Male-----	608	309	5	-	-	4	17	8	58	28	179
Female-----	121	59	1	-	7	2	11	1	3	20	17
Nonwhite-----	62	48	-	-	-	-	1	1	1	2	9
Minnesota-----	912	393	84	6	33	20	30	21	115	96	114
Male-----	603	219	73	6	33	17	23	15	55	63	79
Female-----	309	174	11	-	-	3	7	6	60	13	35
White-----	583	207	72	6	33	16	21	15	55	63	75
Male-----	303	169	11	-	-	3	6	6	60	13	35
Female-----	20	12	1	-	-	1	2	-	-	-	4
Nonwhite-----	6	5	-	-	-	-	1	-	-	-	-
Mississippi-----	816	425	70	4	27	8	25	18	30	96	113
Male-----	528	222	63	4	27	8	21	15	15	84	69
Female-----	288	203	7	-	-	-	4	3	15	12	44
White-----	251	100	26	2	18	6	15	9	9	35	31
Male-----	114	71	3	-	-	-	1	2	10	4	23
Female-----	277	122	37	2	9	2	6	6	6	49	38
Nonwhite-----	174	132	4	-	-	-	3	1	5	8	21
Missouri-----	1,489	780	98	5	48	21	38	32	99	126	242
Male-----	903	398	90	5	47	17	29	26	46	110	135
Female-----	586	382	8	-	1	4	9	6	53	16	107
White-----	805	341	88	5	41	16	27	22	43	100	122
Male-----	495	317	5	-	1	4	8	6	49	15	90
Female-----	98	57	2	-	6	1	2	4	3	10	13
Nonwhite-----	91	65	3	-	-	-	1	-	4	1	17
Montana-----	262	99	28	6	24	4	7	5	12	32	45
Male-----	179	51	27	6	24	3	4	5	3	28	28
Female-----	83	48	1	-	-	1	3	-	9	4	17
White-----	161	49	25	6	24	3	4	5	3	23	19
Male-----	74	46	1	-	-	1	2	-	8	2	14
Female-----	18	2	2	-	-	-	-	-	-	5	9
Nonwhite-----	9	2	-	-	-	-	1	-	1	2	3
Nebraska-----	480	208	63	6	24	22	13	20	63	29	32
Male-----	324	114	61	6	24	14	10	18	31	24	22
Female-----	156	94	2	-	-	8	3	2	32	5	10
White-----	311	109	61	6	24	14	9	16	31	22	19
Male-----	145	87	2	-	-	8	3	2	32	4	7
Female-----	13	5	-	-	-	-	1	2	-	2	3
Nonwhite-----	11	7	-	-	-	-	-	-	-	1	3
Nevada-----	134	58	6	2	3	2	6	4	6	30	17
Male-----	87	27	6	2	3	2	5	3	3	28	8
Female-----	47	31	-	-	-	-	1	1	3	2	9
White-----	79	25	6	2	3	1	3	3	3	26	7
Male-----	42	27	-	-	-	-	1	1	3	2	6
Female-----	8	2	-	-	-	1	2	-	-	2	1
Nonwhite-----	5	4	-	-	-	-	-	-	-	-	1
New Hampshire-----	158	85	5	1	7	1	8	5	13	15	18
Male-----	96	43	4	1	7	1	6	5	7	15	7
Female-----	62	42	1	-	-	-	2	-	6	-	11
White-----	96	43	4	1	7	1	6	5	7	15	7
Male-----	62	42	1	-	-	-	2	-	6	-	11
Female-----	-	-	-	-	-	-	-	-	-	-	-
Nonwhite-----	-	-	-	-	-	-	-	-	-	-	-
New Jersey ³ -----	1,446	799	22	6	62	8	85	38	121	146	159
Male-----	863	417	20	6	59	6	64	27	43	125	96
Female-----	583	382	2	-	3	2	21	11	78	21	63
New Mexico-----	304	138	28	-	20	8	12	4	13	40	41
Male-----	216	82	26	-	20	6	11	4	8	35	24
Female-----	88	56	2	-	-	2	1	-	5	5	17
White-----	189	73	21	-	20	6	8	4	8	30	19
Male-----	76	47	2	-	-	2	1	-	5	4	15
Female-----	27	9	5	-	-	-	3	-	-	5	5
Nonwhite-----	12	9	-	-	-	-	-	-	-	1	2
New York-----	4,466	2,009	67	8	130	80	243	134	475	438	884
Male-----	2,637	955	61	8	128	67	133	94	195	374	572
Female-----	1,829	1,054	6	-	2	13	60	40	278	64	312
White-----	2,200	816	61	7	118	60	152	87	177	287	435
Male-----	1,653	938	6	-	2	11	55	38	256	57	282
Female-----	437	139	-	1	10	7	31	7	18	87	137
Nonwhite-----	176	116	-	-	-	2	5	4	12	7	30

See footnotes at end of table.

SECTION 4 - MORTALITY

Table 4-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1963—Con.
(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
		Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
North Carolina-----	1,254	629	109	6	52	8	24	25	57	150	194
Male-----	850	353	104	6	52	7	24	19	27	132	126
Female-----	404	276	5	-	-	1	-	6	30	18	68
White-----	536	213	65	5	35	4	12	12	25	78	91
Male-----	265	174	1	-	-	1	-	5	29	8	45
Female-----	271	140	4	1	19	3	12	7	2	54	35
Nonwhite-----	314	140	4	-	-	-	-	1	1	10	23
Male-----	141	102	4	-	-	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-
North Dakota-----	173	75	25	1	8	5	8	6	18	20	9
Male-----	114	41	20	1	8	2	8	6	7	16	5
Female-----	59	32	5	-	-	3	-	-	11	4	4
White-----	105	37	19	1	7	1	8	5	7	15	5
Male-----	57	31	5	-	-	3	-	-	11	3	4
Female-----	9	4	1	-	1	1	-	1	-	1	-
Nonwhite-----	2	1	-	-	-	-	-	-	-	1	-
Male-----	-	-	-	-	-	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-
Ohio-----	2,576	1,296	95	21	117	39	106	70	330	212	290
Male-----	1,522	648	88	21	116	30	87	50	152	180	150
Female-----	1,054	648	7	-	1	9	19	20	178	32	140
White-----	1,557	565	85	20	107	25	76	45	144	157	135
Male-----	974	589	7	-	1	9	18	19	174	29	128
Female-----	165	85	3	1	9	5	11	5	8	23	15
Nonwhite-----	80	59	-	-	-	-	-	1	4	3	12
Male-----	-	-	-	-	-	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-
Oklahoma-----	832	413	52	1	42	22	23	19	62	68	130
Male-----	525	207	50	1	41	16	20	15	25	65	85
Female-----	307	206	2	-	1	6	3	4	37	3	45
White-----	460	180	48	1	39	15	17	14	22	58	66
Male-----	269	173	2	-	1	6	3	4	37	3	40
Female-----	65	27	2	-	2	1	3	1	3	7	19
Nonwhite-----	38	33	-	-	-	-	-	-	-	-	5
Male-----	-	-	-	-	-	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-
Oregon-----	535	208	29	1	79	3	8	21	54	84	48
Male-----	385	121	29	1	79	2	6	15	31	72	29
Female-----	150	87	-	-	-	1	2	6	23	12	19
White-----	375	118	29	1	79	2	6	13	30	69	28
Male-----	142	81	-	-	-	1	2	6	22	12	18
Female-----	10	3	-	-	-	-	-	2	1	3	1
Nonwhite-----	8	6	-	-	-	-	-	1	1	-	1
Male-----	-	-	-	-	-	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania-----	3,009	1,355	93	61	132	36	136	87	242	259	628
Male-----	1,874	726	85	61	126	33	103	74	110	218	358
Female-----	1,135	629	8	-	6	3	33	13	132	21	230
White-----	1,642	625	83	61	111	29	90	67	104	181	291
Male-----	1,035	565	8	-	6	2	27	12	124	17	274
Female-----	232	101	2	-	15	4	13	7	6	37	47
Nonwhite-----	100	64	-	-	-	1	6	1	8	4	16
Male-----	-	-	-	-	-	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-
Rhode Island-----	223	105	1	-	9	3	11	7	45	21	21
Male-----	128	53	1	-	9	2	10	6	14	19	12
Female-----	97	52	-	-	-	1	1	1	31	2	9
White-----	117	47	1	-	9	2	10	5	14	18	11
Male-----	94	51	-	-	-	1	1	1	30	2	8
Female-----	9	6	-	-	-	-	-	1	1	1	1
Nonwhite-----	3	1	-	-	-	-	-	-	1	-	1
Male-----	-	-	-	-	-	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-
South Carolina-----	854	383	48	1	27	13	23	10	29	98	202
Male-----	539	190	43	1	27	10	20	8	16	95	129
Female-----	295	193	5	-	-	3	3	2	13	3	73
White-----	273	82	19	1	19	5	15	2	12	51	67
Male-----	138	86	-	-	-	2	2	2	12	2	32
Female-----	266	108	24	-	8	5	5	6	4	44	62
Nonwhite-----	157	107	5	-	-	1	1	-	1	1	41
Male-----	-	-	-	-	-	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-
South Dakota-----	249	78	43	4	8	2	7	3	12	24	68
Male-----	177	42	38	4	8	2	6	3	4	24	46
Female-----	72	36	5	-	-	-	1	-	8	-	22
White-----	161	35	37	4	8	2	5	2	3	23	42
Male-----	57	27	5	-	-	-	1	-	7	-	17
Female-----	16	7	1	-	-	-	1	1	1	1	4
Nonwhite-----	15	9	-	-	-	-	-	-	1	-	5
Male-----	-	-	-	-	-	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-
Tennessee-----	1,016	522	75	7	53	12	38	26	42	108	133
Male-----	680	285	73	7	53	11	32	20	22	98	81
Female-----	336	237	2	-	-	1	6	6	20	12	52
White-----	534	208	66	7	47	8	24	18	21	78	57
Male-----	259	179	1	-	-	1	5	5	18	10	40
Female-----	146	77	7	-	6	3	8	2	1	18	24
Nonwhite-----	77	58	1	-	-	-	1	1	2	2	12
Male-----	-	-	-	-	-	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-
Texas-----	2,863	1,409	138	10	177	73	85	73	179	349	370
Male-----	1,857	726	127	8	176	55	70	61	99	310	225
Female-----	1,006	683	11	2	1	18	15	12	80	39	145
White-----	1,502	580	104	5	151	39	59	52	88	245	179
Male-----	812	540	9	2	1	16	12	10	76	29	117
Female-----	355	146	23	3	25	16	11	9	11	65	46
Nonwhite-----	194	143	2	-	-	2	3	2	4	10	28
Male-----	-	-	-	-	-	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

SECTION 4 - MORTALITY

4-31

Table 4-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1963—Con.
(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
		Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution ¹	Other specified places	Place not specified
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Utah-----	299	139	16	32	22	6	6	7	24	38	9
Male----	203	67	16	32	22	6	5	7	11	31	6
Female--	96	72	-	-	-	1	-	-	13	7	3
White-----	200	67	16	32	22	6	5	7	11	28	6
Male----	94	70	-	-	-	1	-	-	13	7	3
Female--	3	-	-	-	-	-	-	-	-	3	-
Nonwhite--	2	2	-	-	-	-	-	-	-	-	-
Male----											
Female--											
Vermont-----	103	47	9	4	7	-	3	3	9	15	6
Male----	77	26	9	4	7	-	3	2	7	13	6
Female--	26	21	-	-	-	-	-	1	2	2	-
White-----	76	26	9	4	6	-	3	2	7	13	6
Male----	26	21	-	-	-	-	-	1	2	2	-
Female--	1	-	-	-	1	-	-	-	-	-	-
Nonwhite--	-	-	-	-	-	-	-	-	-	-	-
Male----											
Female--											
Virginia-----	1,227	609	50	32	71	18	38	32	99	138	140
Male----	908	354	48	32	70	14	29	27	38	120	96
Female--	419	275	2	-	1	4	9	5	61	18	44
White-----	556	213	36	27	51	9	18	22	34	77	69
Male----	292	179	2	-	1	4	6	4	52	9	35
Female--	252	121	12	5	19	5	11	5	4	43	27
Nonwhite--	127	96	-	-	-	-	3	1	9	9	9
Male----											
Female--											
Washington-----	823	363	26	2	74	11	32	27	74	118	96
Male----	555	195	22	2	74	10	25	20	46	101	58
Female--	270	168	4	-	-	1	7	7	28	17	38
White-----	514	181	21	2	72	9	23	18	43	93	52
Male----	257	161	2	-	-	1	7	7	28	14	37
Female--	39	14	1	-	2	1	2	2	3	8	6
Nonwhite--	13	7	2	-	-	-	-	-	-	3	1
Male----											
Female--											
West Virginia-----	669	211	22	123	27	6	11	8	15	61	185
Male----	465	116	22	122	26	4	9	6	9	56	35
Female--	204	95	-	1	1	2	2	2	6	5	30
White-----	443	112	21	113	25	4	9	6	9	53	91
Male----	189	85	-	1	1	2	2	2	5	5	86
Female--	22	4	1	9	1	-	-	-	1	3	4
Nonwhite--	15	10	-	-	-	-	-	-	1	-	4
Male----											
Female--											
Wisconsin-----	984	480	91	3	46	16	36	20	82	84	126
Male----	642	273	85	2	46	14	25	14	39	72	72
Female--	342	207	6	1	-	2	11	6	43	12	54
White-----	620	259	85	2	45	13	24	14	36	70	70
Male----	333	201	6	1	-	2	10	6	43	10	54
Female--	22	14	-	-	1	1	1	1	1	2	2
Nonwhite--	9	6	-	-	-	-	1	-	-	2	-
Male----											
Female--											
Wyoming-----	144	44	9	4	14	-	4	6	7	21	35
Male----	102	28	8	4	14	-	4	4	3	20	17
Female--	42	16	1	-	-	-	-	2	4	1	18
White-----	101	28	8	4	14	-	4	4	3	19	17
Male----	42	16	1	-	-	-	-	2	4	1	18
Female--	1	-	-	-	-	-	-	-	-	1	-
Nonwhite--	-	-	-	-	-	-	-	-	-	-	-
Male----											
Female--											

¹Including home premises and any noninstitutional place of residence.²Including buildings and land under cultivation, but excluding farm home and home premises.³Figures by color are not shown because reporting was incomplete; see Technical Appendix.

Section 5. Life Tables

	Page
Explanation of the columns of the life table-----	5-2

Table

5-1. Abridged life tables for total, male, and female population: United States, 1963-----	5-3
5-2. Abridged life tables by color and sex: United States, 1963-----	5-4
5-3. Number of survivors at single years of age, out of 100,000 born alive, by color and sex: United States, 1963-----	5-5
5-4. Expectation of life at single years of age, by color and sex: United States, 1963-----	5-6
5-5. Life table values by color and sex: Death-registration States, 1900-1902 to 1919-21, and United States, 1929-31 to 1963-----	5-7
5-6. Estimated average length of life in years, by color and sex: Death-registration States, 1900-1928, and United States, 1929-63-----	5-8

Explanation of the Columns of the Life Table

Column 1—Age interval (x to $x + n$).—The age interval shown in column 1 is the interval between the two exact ages indicated. For instance, "20-25" means the 5-year interval between the 20th birthday and the 25th.

Column 2—Proportion dying (q_x).—This column shows the proportion of the cohort who are alive at the beginning of an indicated age interval and who will die before reaching the end of that age interval. For example, for white males in the age interval 20-25, the proportion dying is 0.0083—out of every 1,000 white males alive and exactly 20 years old at the beginning of the period, 8.3 will die before reaching their 25th birthday. In other words, the q_x values represent *probabilities* that persons who are alive at the beginning of a specific age interval will die before reaching the beginning of the next age interval. The "proportion dying" column forms the basis of the life table; the life table is so constructed that all other columns are derived from it.

Column 3—Number surviving (l_x).—This column shows the number of persons, starting with a cohort of 100,000 live births, who survive to the exact age marking the beginning of each age interval. The l_x values are computed from the q_x values, which are successively applied to the remainder of the original 100,000 persons still alive at the beginning of each age interval. Thus, out of 100,000 white male babies born alive, 97,490 will complete the first year of life and enter the second; 97,122 will begin the sixth year; 96,058 will reach age 20; and 12,853 will live to age 85.

Column 4—Number dying (d_x).—This column shows the number dying in each successive age interval out of 100,000 live births. Out of 100,000 white males born alive, 2,510 die in the first year of life, 368 in the succeeding 4 years, 802 in the 5-year period between exact ages 20 and 25, and 12,853 die after reaching age 85. Each figure in column 4 is the difference between two successive figures in column 3.

Columns 5 and 6—Stationary population (L_x and T_x).—Suppose that a group of 100,000 individuals like that assumed in columns 3 and 4 is born every year and that the proportions dying in each such group in each age interval throughout the lives of the members are exactly those shown in column 2. If there were no migration and if the births were evenly distributed over the calendar year, the survivors of these births would make up what is called a stationary population—stationary because in such a population the number of persons living in any given age group would never change. When an individual left the group, either by death or by growing older and entering the next higher age group, his place would immediately be taken by someone entering from the next lower age group. Thus, a census taken at any time in such a stationary community would always show the same total population and the same numerical distribution of that population among the various age groups. In such a stationary

population supported by 100,000 annual births, column 3 shows the number of persons who, each year, reach the birthday which marks the beginning of the age interval indicated in column 1, and column 4 shows the number of persons who die each year in the indicated age interval.

Column 5 shows the number of persons in the stationary population in the indicated age interval. For example, the figure given for white males in the age interval 20-25 is 478,295. This means that in a stationary population of white males supported by 100,000 annual births and with proportions dying in each age group always in accordance with column 2, a census taken on any date would show 478,295 persons between exact ages 20 and 25.

Column 6 shows the total number of persons in the stationary population (column 5) in the indicated age interval and all subsequent age intervals. For example, in the stationary population of white males referred to in the last illustration, column 6 shows that there would be at any given moment a total of 4,808,306 persons who have passed their 20th birthday. The population at all ages 0 and above (in other words, the total population of the stationary community) would be 6,745,934.

Column 7—Average remaining lifetime (e_x^0).—The average remaining lifetime (also called expectation of life) at any given age is the average number of years remaining to be lived by those surviving to that age on the basis of a given set of age-specific rates of dying. In order to arrive at this value, it is first necessary to observe that the figures in column 5 of the life table can also be interpreted in terms of a single life table cohort without introducing the concept of the stationary population. From this point of view, each figure in column 5 represents the total time (in years) lived between two indicated birthdays by all those reaching the earlier birthday among the survivors of a cohort of 100,000 live births. Thus, the figure 478,295 for white males in the age interval 20-25 is the total number of years lived between the 20th and 25th birthdays by the 96,058 (column 3) who reached the 20th birthday out of 100,000 white males born alive. The corresponding figure (4,808,306) in column 6 is the total number of years lived after attaining age 20 by the 96,058 reaching that age. This number of years divided by the number of persons (4,808,306 divided by 96,058) gives 50.1 years as the average remaining lifetime of white males at age 20.

Care must be exercised in drawing conclusions from the figures in column 7. Thus, in observing that the average remaining lifetime of white persons is greater than that of nonwhite, one should not conclude that the oldest ages reached by white persons necessarily exceed those attained by the most long-lived nonwhite. The difference in the average length of life results from the fact that a greater proportion of nonwhite persons die before reaching old age. For example, the number surviving to age 65 out of 100,000 born alive is far greater among whites than among nonwhites; yet the average length of life remaining at age 65 is nearly the same for both groups.

SECTION 5 - MORTALITY

5-3

Table 5-1. Abridged Life Tables for Total, Male, and Female Population: United States, 1963

AGE INTERVAL Period of life between two exact ages stated in years (1)	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
	Proportion of persons alive at beginning of age interval dying during interval (2)	Number living at beginning of age interval (3)	Number dying during age interval (4)	In the age interval (5)	In this and all subsequent age intervals (6)	Average number of years of life remaining at beginning of age interval (7)
x to $x + n$	n^q_x	l_x	n^d_x	n^L_x	T_x	e_x
TOTAL						
0-1	0.0252	100,000	2,519	97,786	6,987,606	69.9
1-5	.0040	97,481	387	588,998	6,889,820	70.7
5-10	.0023	97,094	219	484,879	6,500,822	67.0
10-15	.0021	96,875	201	483,921	6,015,943	62.1
15-20	.0045	96,674	437	482,367	5,532,022	57.2
20-25	.0062	96,237	599	479,715	5,049,655	52.5
25-30	.0066	95,638	631	476,635	4,569,940	47.8
30-35	.0082	95,007	776	473,185	4,093,305	43.1
35-40	.0120	94,231	1,129	468,520	3,620,120	38.4
40-45	.0181	93,102	1,689	461,589	3,151,600	33.9
45-50	.0289	91,413	2,638	450,950	2,690,011	29.4
50-55	.0453	88,775	4,022	434,414	2,239,061	25.2
55-60	.0680	84,753	5,765	410,147	1,804,647	21.3
60-65	.1002	78,988	7,917	376,100	1,394,500	17.7
65-70	.1502	71,071	10,672	329,687	1,018,400	14.5
70-75	.2102	60,399	12,696	271,172	688,713	11.4
75-80	.3009	47,703	14,355	203,238	417,541	8.8
80-85	.4370	33,348	14,574	129,566	214,303	6.4
85 and over	1.0000	18,774	18,774	84,737	84,737	4.5
MALE						
0-1	0.0284	100,000	2,839	97,492	6,664,319	66.6
1-5	.0043	97,161	418	387,648	6,566,827	67.6
5-10	.0026	96,743	250	483,047	6,179,179	63.9
10-15	.0026	96,493	247	481,924	5,696,132	59.0
15-20	.0063	96,246	605	479,857	5,214,208	54.2
20-25	.0090	95,641	863	476,075	4,734,351	49.5
25-30	.0088	94,778	833	471,803	4,258,276	44.9
30-35	.0103	93,945	965	467,410	3,786,473	40.3
35-40	.0148	92,980	1,371	461,703	3,319,063	35.7
40-45	.0227	91,609	2,078	453,235	2,857,350	31.2
45-50	.0371	89,531	3,319	439,990	2,404,125	26.9
50-55	.0597	86,212	5,147	418,966	1,964,135	22.8
55-60	.0909	81,065	7,373	387,848	1,545,169	19.1
60-65	.1323	73,692	9,748	345,103	1,157,321	15.7
65-70	.1973	63,944	12,616	288,963	812,218	12.7
70-75	.2632	51,328	13,507	223,247	523,255	10.2
75-80	.3547	37,821	13,414	155,488	300,008	7.9
80-85	.4854	24,407	11,848	91,269	144,520	5.9
85 and over	1.0000	12,559	12,559	53,251	53,251	4.2
FEMALE						
0-1	0.0218	100,000	2,182	98,095	7,336,337	73.4
1-5	.0036	97,818	355	390,413	7,238,242	74.0
5-10	.0019	97,463	187	486,802	6,847,829	70.3
10-15	.0016	97,276	153	486,017	6,361,027	65.4
15-20	.0027	97,123	265	484,995	5,875,010	60.5
20-25	.0035	96,858	343	483,461	5,390,015	55.6
25-30	.0045	96,515	431	481,545	4,906,554	50.8
30-35	.0061	96,084	590	479,027	4,425,009	46.1
35-40	.0093	95,494	891	475,387	3,945,982	41.3
40-45	.0138	94,603	1,307	469,963	3,470,595	36.7
45-50	.0209	93,296	1,953	461,916	3,000,632	32.2
50-55	.0313	91,343	2,862	449,956	2,538,716	27.8
55-60	.0459	88,481	4,059	432,872	2,088,760	23.6
60-65	.0701	84,422	5,922	408,161	1,655,888	19.6
65-70	.1081	78,500	8,487	372,454	1,247,727	15.9
70-75	.1645	70,013	11,518	322,718	875,273	12.5
75-80	.2565	58,495	15,002	256,388	552,555	9.4
80-85	.4005	43,493	17,417	173,754	296,167	6.8
85 and over	1.0000	26,076	26,076	122,413	122,413	4.7

SECTION 5 - MORTALITY

Table 5-2. Abridged Life Tables by Color and Sex: United States, 1963

(Figures exclude data for residents of New Jersey; see Technical Appendix)

AGE INTERVAL	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME	AGE INTERVAL	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
		Number living at beginning of age interval	Number dying during age interval	In the age interval	In this and all subsequent age intervals				Number living at beginning of age interval	Number dying during age interval	In the age interval	In this and all subsequent age intervals	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(1)	(2)	(3)	(4)	(5)	(6)	(7)
x to $x + n$	n^q_x	l_x	n^d_x	n^L_x	T_x	q_x	x to $x + n$	n^q_x	l_x	n^d_x	n^L_x	T_x	q_x
TOTAL WHITE							TOTAL NONWHITE						
0-1	0.0221	100,000	2,212	98,028	7,078,161	70.8	0-1	0.0415	100,000	4,151	96,513	6,363,068	63.6
1-5	.0034	97,788	337	390,356	6,980,133	71.4	1-5	.0070	95,849	672	381,720	6,266,555	65.4
5-10	.0021	97,451	205	486,704	6,589,777	67.6	5-10	.0032	95,177	302	475,058	5,884,835	61.8
10-15	.0020	97,246	191	485,800	6,103,073	62.8	10-15	.0029	94,875	271	473,759	5,409,777	57.0
15-20	.0043	97,055	421	484,305	5,617,273	57.9	15-20	.0060	94,604	566	471,751	4,936,018	52.2
20-25	.0057	96,834	551	481,805	5,132,968	53.1	20-25	.0103	94,038	969	467,896	4,464,267	47.5
25-30	.0056	96,083	541	479,071	4,651,163	48.4	25-30	.0138	93,069	1,280	462,279	3,986,371	42.9
30-35	.0068	95,542	653	476,154	4,172,092	43.7	30-35	.0183	91,789	1,678	454,956	3,534,092	38.5
35-40	.0102	94,889	970	472,192	3,695,958	39.0	35-40	.0263	90,111	2,372	444,965	3,079,136	34.2
40-45	.0158	93,919	1,488	466,165	3,223,746	34.3	40-45	.0377	87,739	3,312	430,811	2,634,171	30.0
45-50	.0263	92,431	2,433	456,539	2,757,581	29.8	45-50	.0510	84,427	4,309	411,970	2,203,360	26.1
50-55	.0415	89,998	3,738	441,215	2,301,042	25.6	50-55	.0788	80,118	6,313	385,604	1,791,390	22.4
55-60	.0638	86,260	5,507	418,338	1,859,827	21.6	55-60	.1065	73,805	7,863	350,087	1,405,786	19.0
60-65	.0940	80,753	7,593	385,773	1,441,489	17.9	60-65	.1598	65,942	10,541	303,914	1,055,719	16.0
65-70	.1432	73,160	10,474	340,705	1,055,716	14.4	65-70	.2229	55,401	12,346	246,436	751,805	13.6
70-75	.2062	62,686	12,923	282,176	715,011	11.4	70-75	.2469	43,055	10,630	188,474	505,369	11.7
75-80	.3005	49,763	14,953	212,132	432,855	8.7	75-80	.2932	32,425	9,506	138,112	316,895	9.8
80-85	.4432	34,810	15,427	134,697	220,703	6.5	80-85	.3493	22,919	7,982	94,171	178,783	7.8
85 and over	1.0000	19,383	19,383	86,006	86,006	4.4	85 and over	1.0000	14,937	14,937	84,612	84,612	5.7
WHITE MALE							NONWHITE MALE						
0-1	0.0251	100,000	2,510	97,751	6,745,934	67.5	0-1	0.0460	100,000	4,602	96,118	6,093,125	60.9
1-5	.0038	97,490	368	389,099	6,649,183	68.2	1-5	.0075	95,398	715	379,803	5,997,007	62.9
5-10	.0025	97,122	238	484,976	6,259,084	64.4	5-10	.0034	94,683	326	472,539	5,617,204	59.3
10-15	.0024	96,884	236	483,905	5,774,108	59.6	10-15	.0034	94,357	324	471,062	5,144,666	54.5
15-20	.0061	96,648	590	481,897	5,290,203	54.7	15-20	.0079	94,033	746	468,502	4,673,604	49.7
20-25	.0083	96,058	802	478,295	4,809,306	50.1	20-25	.0145	93,287	1,350	463,226	4,205,102	45.1
25-30	.0077	95,256	732	474,431	4,330,011	45.5	25-30	.0177	91,937	1,624	455,742	3,741,876	40.7
30-35	.0088	94,524	833	470,624	3,855,590	40.8	30-35	.0222	90,313	2,005	446,754	3,286,134	36.4
35-40	.0129	93,691	1,207	465,654	3,384,956	36.1	35-40	.0311	88,308	2,743	435,058	2,839,380	32.2
40-45	.0203	92,484	1,876	458,106	2,919,302	31.6	40-45	.0439	85,565	3,757	419,876	2,404,324	28.1
45-50	.0345	90,608	3,130	445,844	2,461,196	27.2	45-50	.0605	81,808	4,948	397,342	1,985,448	24.3
50-55	.0562	87,478	4,912	425,876	2,015,352	23.0	50-55	.0921	76,890	7,078	367,437	1,588,106	20.7
55-60	.0875	82,566	7,224	395,760	1,589,476	19.3	55-60	.1228	69,782	8,570	328,539	1,220,669	17.5
60-65	.1274	76,342	9,601	353,760	1,193,716	15.8	60-65	.1776	61,212	10,871	279,538	892,510	14.6
65-70	.1905	65,741	12,521	298,256	839,956	12.8	65-70	.2656	50,341	13,371	218,443	612,972	12.2
70-75	.2600	53,220	13,835	232,004	541,700	10.2	70-75	.2900	36,970	10,722	157,463	394,529	10.7
75-80	.3559	39,385	14,016	161,836	309,696	7.9	75-80	.3289	26,248	8,633	109,216	237,066	9.0
80-85	.4934	25,369	12,516	94,321	147,860	5.8	80-85	.3842	17,615	6,767	70,612	127,850	7.3
85 and over	1.0000	12,853	12,853	53,539	53,539	4.2	85 and over	1.0000	10,848	10,848	57,238	57,238	5.3
WHITE FEMALE							NONWHITE FEMALE						
0-1	0.0190	100,000	1,898	98,320	7,437,189	74.4	0-1	0.0369	100,000	3,686	96,920	6,648,339	66.5
1-5	.0031	98,102	306	391,676	7,338,869	74.8	1-5	.0065	96,314	629	383,893	6,551,419	68.0
5-10	.0018	97,796	171	488,514	6,947,193	71.0	5-10	.0029	95,685	279	477,645	6,167,726	64.5
10-15	.0015	97,625	143	487,786	6,458,679	66.2	10-15	.0023	95,406	217	476,521	5,690,081	59.6
15-20	.0025	97,482	248	486,824	5,970,893	61.3	15-20	.0040	95,189	385	475,078	5,213,560	54.8
20-25	.0031	97,234	306	485,423	5,484,069	56.4	20-25	.0065	94,804	615	472,579	4,738,482	50.0
25-30	.0036	96,928	350	483,798	4,998,646	51.6	25-30	.0103	94,189	974	468,661	4,265,903	45.3
30-35	.0049	96,578	473	481,775	4,514,848	46.7	30-35	.0149	93,215	1,392	462,802	3,797,242	40.7
35-40	.0076	96,105	735	478,815	4,033,073	42.0	35-40	.0222	91,823	2,038	454,328	3,334,440	36.3
40-45	.0116	95,370	1,105	474,288	3,554,258	37.3	40-45	.0322	89,785	2,893	442,036	2,880,114	32.1
45-50	.0184	94,285	1,731	467,292	3,079,970	32.7	45-50	.0424	86,892	3,686	425,775	2,439,078	28.1
50-55	.0273	92,534	2,528	456,706	2,612,678	28.2	50-55	.0662	83,206	5,506	403,008	2,012,303	24.2
55-60	.0410	90,006	3,693	441,401	2,155,972	24.0	55-60	.0906	77,700	7,043	371,600	1,609,285	20.7
60-65	.0628	86,313	5,420	418,902	1,714,571	19.9	60-65	.1425	70,657	10,068	328,551	1,237,695	17.5
65-70	.1011	80,893	8,176	385,277	1,295,669	16.0	65-70	.1832	60,589	11,098	275,595	909,144	15.0
70-75	.1598	72,717	11,622	336,133	910,392	12.5	70-75	.2079	49,491	10,289	221,858	633,549	12.8
75-80	.2551	61,095	15,585	268,079	574,259	9.4	75-80	.2602	39,202	10,200	170,514	411,691	10.5
80-85	.4060	45,510	18,478	181,191	306,180	6.7	80-85	.3158	29,002	9,159	121,772	241,177	8.3
85 and over	1.0000	27,032	27,032	124,989	124,989	4.6	85 and over	1.0000	19,843	19,843	119,405	119,405	6.0

SECTION 5 - MORTALITY

Table 5-3. Number of Survivors at Single Years of Age, ^{Cap 0} out of 100,000 Born Alive, by Color and Sex: United States, 1963

(Figures by color exclude data for residents of New Jersey; see Technical Appendix)

AGE	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	97,481	97,161	97,818	97,788	97,490	98,102	95,849	95,398	96,314
2	97,324	96,994	97,671	97,655	97,347	97,980	95,554	95,088	96,033
3	97,229	96,890	97,586	97,573	97,255	97,907	95,390	94,911	95,881
4	97,155	96,809	97,518	97,507	97,183	97,846	95,270	94,779	95,774
5	97,094	96,745	97,463	97,451	97,122	97,786	95,177	94,683	95,685
6	97,033	96,688	97,416	97,394	97,051	97,753	95,092	94,582	95,614
7	96,983	96,609	97,374	97,347	96,995	97,715	95,023	94,507	95,552
8	96,942	96,563	97,338	97,308	96,951	97,682	94,967	94,449	95,497
9	96,907	96,526	97,305	97,275	96,915	97,652	94,919	94,401	95,449
10	96,875	96,493	97,276	97,246	96,884	97,625	94,875	94,357	95,406
11	96,844	96,460	97,248	97,217	96,853	97,599	94,832	94,311	95,366
12	96,811	96,423	97,221	97,188	96,818	97,574	94,786	94,259	95,327
13	96,774	96,377	97,192	97,151	96,775	97,547	94,734	94,197	95,286
14	96,729	96,319	97,160	97,108	96,719	97,517	94,674	94,122	95,241
15	96,674	96,246	97,123	97,055	96,648	97,482	94,604	94,033	95,189
16	96,607	96,156	97,080	96,990	96,560	97,441	94,521	93,927	95,129
17	96,528	96,049	97,031	96,914	96,455	97,395	94,424	93,803	95,060
18	96,439	95,926	96,976	96,827	96,334	97,344	94,312	93,657	94,983
19	96,341	95,789	96,918	96,733	96,201	97,280	94,183	93,485	94,897
20	96,237	95,641	96,858	96,634	96,058	97,234	94,038	93,287	94,804
21	96,126	95,481	96,795	96,530	95,906	97,176	93,875	93,059	94,703
22	96,008	95,309	96,729	96,420	95,745	97,116	93,694	92,804	94,592
23	95,886	95,131	96,660	96,307	95,579	97,055	93,498	92,527	94,471
24	95,762	94,952	96,589	96,194	95,415	96,992	93,288	92,236	94,337
25	95,638	94,778	96,515	96,083	95,256	96,928	93,069	91,937	94,189
26	95,515	94,609	96,437	95,975	95,104	96,863	92,838	91,632	94,025
27	95,392	94,445	96,355	95,868	94,957	96,796	92,595	91,318	93,845
28	95,267	94,279	96,269	95,762	94,814	96,727	92,339	90,995	93,650
29	95,139	94,114	96,179	95,654	94,671	96,655	92,071	90,661	93,440
30	95,007	93,945	96,084	95,542	94,524	96,578	91,789	90,313	93,215
31	94,869	93,770	95,982	95,426	94,373	96,497	91,493	89,981	92,975
32	94,724	93,588	95,874	95,305	94,217	96,411	91,180	89,574	92,719
33	94,571	93,398	95,758	95,176	94,053	96,318	90,848	89,178	92,444
34	94,407	93,196	95,632	95,038	93,878	96,216	90,493	88,757	92,146
35	94,231	92,980	95,494	94,889	93,691	96,105	90,111	88,308	91,825
36	94,040	92,747	95,344	94,726	93,488	95,983	89,701	87,828	91,475
37	93,832	92,495	95,180	94,548	93,267	95,849	89,267	87,316	91,100
38	93,607	92,222	95,002	94,354	93,026	95,701	88,790	86,770	90,695
39	93,364	91,927	94,810	94,145	92,768	95,542	88,283	86,187	90,258
40	93,102	91,609	94,603	93,919	92,484	95,370	87,739	85,565	89,785
41	92,819	91,264	94,381	93,674	92,178	95,185	87,153	84,899	89,273
42	92,512	90,899	94,141	93,408	91,844	94,985	86,524	84,188	88,721
43	92,178	90,479	93,882	93,115	91,475	94,767	85,857	83,434	88,135
44	91,813	90,028	93,601	92,781	91,065	94,528	85,157	82,640	87,524
45	91,413	89,531	93,296	92,431	90,608	94,265	84,427	81,808	86,892
46	90,975	88,985	92,965	92,032	90,100	93,975	83,670	80,939	86,242
47	90,496	88,386	92,606	91,591	89,537	93,657	82,879	80,027	85,567
48	89,972	87,728	92,218	91,106	88,915	93,311	82,037	79,057	84,850
49	89,400	87,005	91,798	90,576	88,230	92,937	81,122	78,006	84,068
50	88,775	86,212	91,343	89,998	87,478	92,534	80,118	76,860	83,206
51	88,094	85,344	90,851	89,389	86,656	92,101	79,014	75,609	82,252
52	87,353	84,399	90,320	88,685	85,761	91,635	77,814	74,258	81,209
53	86,551	83,375	89,748	87,943	84,785	91,132	76,533	72,822	80,090
54	85,685	82,263	89,135	87,136	83,722	90,590	75,192	71,325	78,916
55	84,753	81,065	88,481	86,260	82,566	90,006	73,805	69,782	77,700
56	83,751	79,775	87,782	85,311	81,313	89,375	72,380	68,198	76,451
57	82,676	78,391	87,033	84,285	79,960	88,693	70,905	66,564	75,157
58	81,526	76,915	86,228	83,183	78,511	87,958	69,359	64,867	73,786
59	80,297	75,348	85,360	82,006	76,971	87,166	67,712	63,088	72,296
60	78,988	73,692	84,422	80,753	75,342	86,313	65,942	61,212	70,657
61	77,598	71,951	83,409	79,424	73,629	85,395	64,051	59,250	68,862
62	76,123	70,122	82,317	78,015	71,829	84,406	62,049	57,206	66,927
63	74,552	68,190	81,140	76,511	69,926	83,334	59,937	55,057	64,879
64	72,871	66,135	79,870	74,897	67,901	82,167	57,718	52,773	62,756
65	71,071	63,944	78,500	73,160	65,741	80,893	55,401	50,341	60,589
66	69,148	61,613	77,026	71,296	63,443	79,505	52,983	47,749	58,384
67	67,107	59,156	75,443	69,308	61,018	77,999	50,482	45,028	56,146
68	64,958	56,600	73,748	67,204	58,488	76,368	47,951	42,257	53,900
69	62,718	53,981	71,939	64,994	55,881	74,609	45,458	39,545	51,675
70	60,399	51,328	70,013	62,686	53,220	72,717	43,055	36,970	49,491
71	58,008	48,656	67,971	60,287	50,518	70,691	40,765	34,566	47,366
72	55,547	45,968	65,809	57,797	47,779	68,527	38,582	32,320	45,298
73	53,012	43,266	63,516	55,215	45,008	66,214	36,486	30,210	43,267
74	50,398	40,550	61,081	52,537	42,208	63,739	34,442	28,196	41,242
75	47,703	37,821	58,495	49,763	39,385	61,095	32,425	26,248	39,202
76	44,932	35,088	55,759	46,900	36,549	58,282	30,428	24,357	37,142
77	42,096	32,364	52,879	43,958	33,713	55,305	28,461	22,532	35,073
78	39,209	29,665	49,866	40,952	30,893	52,175	26,542	20,790	33,014
79	36,288	27,008	46,733	37,897	28,107	48,906	24,691	19,149	30,985
80	33,348	24,407	43,493	34,810	25,369	45,510	22,919	17,615	29,002
81	30,402	21,873	40,159	31,706	22,694	42,000	21,229	16,183	27,076
82	27,463	19,417	36,742	28,599	20,085	38,387	19,612	14,833	25,207
83	24,540	17,044	33,251	25,502	17,583	34,682	18,047	13,530	23,390
84	21,642	14,758	29,693	22,426	15,166	30,894	16,503	12,223	21,609
85	18,774	12,559	26,076	19,383	12,853	27,032	14,937	10,848	19,843

SECTION 5 - MORTALITY

Table 5-4. Expectation of Life at Single Years of Age, by Color and Sex: United States, 1963

(Figures by color exclude data for residents of New Jersey; see Technical Appendix)

AGE	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
0	69.9	66.6	73.4	70.8	67.5	74.4	63.6	60.9	66.5
1	70.7	67.6	74.0	71.4	68.2	74.8	65.4	62.9	68.0
2	69.8	66.7	73.1	70.5	67.3	73.9	64.6	62.1	67.2
3	68.9	65.8	72.2	69.5	66.4	73.0	63.7	61.2	66.3
4	67.9	64.8	71.2	68.6	65.4	72.0	62.8	60.3	65.4
5	67.0	63.9	70.3	67.6	64.4	71.0	61.8	59.3	64.5
6	66.0	62.9	69.3	66.7	63.5	70.1	60.9	58.4	63.5
7	65.0	62.0	68.3	65.7	62.5	69.1	59.9	57.4	62.5
8	64.1	61.0	67.3	64.7	61.6	68.1	59.0	56.5	61.6
9	63.1	60.0	66.4	63.7	60.6	67.1	58.0	55.5	60.6
10	62.1	59.0	65.4	62.8	59.6	66.2	57.0	54.5	59.6
11	61.1	58.1	64.4	61.8	58.6	65.2	56.0	53.5	58.7
12	60.1	57.1	63.4	60.8	57.6	64.2	55.1	52.6	57.7
13	59.2	56.1	62.4	59.8	56.7	63.2	54.1	51.6	56.7
14	58.2	55.1	61.5	58.8	55.7	62.2	53.1	50.7	55.7
15	57.2	54.2	60.5	57.9	54.7	61.3	52.2	49.7	54.8
16	56.3	53.2	59.5	56.9	53.8	60.3	51.2	48.8	53.8
17	55.3	52.3	58.5	56.0	52.8	59.3	50.3	47.8	52.8
18	54.4	51.4	57.6	55.0	51.9	58.3	49.3	46.9	51.9
19	53.4	50.4	56.6	54.1	51.0	57.4	48.4	46.0	50.9
20	52.5	49.5	55.6	53.1	50.1	56.4	47.5	45.1	50.0
21	51.5	48.6	54.7	52.2	49.1	55.4	46.6	44.2	49.0
22	50.6	47.7	53.7	51.2	48.2	54.5	45.6	43.3	48.1
23	49.7	46.8	52.8	50.3	47.3	53.5	44.7	42.4	47.2
24	48.7	45.8	51.8	49.4	46.4	52.5	43.8	41.6	46.2
25	47.8	44.9	50.8	48.4	45.5	51.6	42.9	40.7	45.3
26	46.8	44.0	49.9	47.5	44.5	50.6	42.0	39.8	44.4
27	45.9	43.1	48.9	46.5	43.6	49.6	41.2	39.0	43.5
28	45.0	42.2	48.0	45.6	42.7	48.7	40.3	38.1	42.5
29	44.0	41.2	47.0	44.6	41.7	47.7	39.4	37.2	41.6
30	43.1	40.3	46.1	43.7	40.8	46.7	38.5	36.4	40.7
31	42.1	39.4	45.1	42.7	39.9	45.8	37.6	35.5	39.8
32	41.2	38.5	44.2	41.8	38.9	44.8	36.8	34.7	38.9
33	40.3	37.5	43.2	40.8	38.0	43.9	35.9	33.8	38.1
34	39.3	36.6	42.3	39.9	37.1	42.9	35.0	33.0	37.2
35	38.4	35.7	41.3	39.0	36.1	42.0	34.2	32.2	36.3
36	37.5	34.8	40.4	38.0	35.2	41.0	33.3	31.3	35.5
37	36.6	33.9	39.5	37.1	34.3	40.1	32.5	30.5	34.6
38	35.7	33.0	38.5	36.2	33.4	39.1	31.7	29.7	33.7
39	34.8	32.1	37.6	35.2	32.5	38.2	30.8	28.9	32.9
40	33.9	31.2	36.7	34.3	31.6	37.3	30.0	28.1	32.1
41	33.0	30.3	35.8	33.4	30.7	36.3	29.2	27.3	31.3
42	32.1	29.4	34.9	32.5	29.8	35.4	28.4	26.5	30.5
43	31.2	28.6	34.0	31.6	28.9	34.5	27.6	25.8	29.6
44	30.3	27.7	33.1	30.7	28.0	33.6	26.9	25.0	28.9
45	29.4	26.9	32.2	29.8	27.2	32.7	26.1	24.3	28.1
46	28.6	26.0	31.3	29.0	26.3	31.8	25.3	23.5	27.3
47	27.7	25.2	30.4	28.1	25.5	30.9	24.6	22.8	26.5
48	26.9	24.4	29.5	27.2	24.7	30.0	23.8	22.1	25.7
49	26.0	23.6	28.7	26.4	23.8	29.1	23.1	21.4	24.9
50	25.2	22.8	27.8	25.6	23.0	28.2	22.4	20.7	24.2
51	24.4	22.0	26.9	24.7	22.3	27.4	21.7	20.0	23.5
52	23.6	21.3	26.1	23.9	21.5	26.5	21.0	19.4	22.8
53	22.8	20.5	25.3	23.1	20.7	25.6	20.3	18.7	22.1
54	22.1	19.8	24.4	22.3	20.0	24.8	19.7	18.1	21.4
55	21.3	19.1	23.6	21.6	19.3	24.0	19.0	17.5	20.7
56	20.5	18.4	22.8	20.8	18.5	23.1	18.4	16.9	20.0
57	19.8	17.7	22.0	20.0	17.8	22.3	17.8	16.3	19.4
58	19.1	17.0	21.2	19.3	17.2	21.5	17.2	15.7	18.7
59	18.4	16.3	20.4	18.6	16.5	20.7	16.6	15.1	18.1
60	17.7	15.7	19.6	17.9	15.8	19.9	16.0	14.6	17.5
61	17.0	15.1	18.8	17.1	15.2	19.1	15.5	14.0	17.0
62	16.3	14.5	18.1	16.4	14.6	18.3	15.0	13.5	16.4
63	15.6	13.8	17.3	15.8	14.0	17.5	14.5	13.0	15.9
64	15.0	13.3	16.6	15.1	13.4	16.8	14.0	12.6	15.5
65	14.3	12.7	15.9	14.4	12.8	16.0	13.6	12.2	15.0
66	13.7	12.2	15.2	13.8	12.2	15.3	13.2	11.8	14.6
67	13.1	11.6	14.5	13.2	11.7	14.6	12.8	11.5	14.1
68	12.5	11.2	13.8	12.6	11.2	13.9	12.4	11.2	13.7
69	12.0	10.7	13.2	12.0	10.7	13.2	12.1	10.9	13.2
70	11.4	10.2	12.5	11.4	10.2	12.5	11.7	10.7	12.8
71	10.9	9.7	11.9	10.8	9.7	11.9	11.4	10.4	12.4
72	10.3	9.3	11.2	10.3	9.2	11.2	11.0	10.1	11.9
73	9.8	8.8	10.6	9.7	8.8	10.6	10.6	9.7	11.4
74	9.3	8.4	10.0	9.2	8.3	10.0	10.2	9.4	11.0
75	8.8	7.9	9.4	8.7	7.9	9.4	9.8	9.0	10.5
76	8.3	7.5	8.9	8.2	7.4	8.8	9.4	8.7	10.1
77	7.8	7.1	8.3	7.7	7.0	8.3	9.0	8.3	9.6
78	7.3	6.7	7.8	7.2	6.6	7.7	8.6	8.0	9.2
79	6.9	6.3	7.3	6.8	6.2	7.2	8.2	7.6	8.8
80	6.4	5.9	6.8	6.3	5.8	6.7	7.8	7.3	8.3
81	6.0	5.6	6.3	5.9	5.5	6.3	7.4	6.9	7.9
82	5.6	5.2	5.9	5.5	5.1	5.8	7.0	6.4	7.4
83	5.2	4.9	5.5	5.1	4.8	5.4	6.5	6.0	7.0
84	4.8	4.5	5.1	4.8	4.4	5.0	6.1	5.6	6.5
85	4.5	4.2	4.7	4.4	4.2	4.6	5.7	5.3	6.0

SECTION 5 - MORTALITY

Table 5-5. Life Table Values by Color and Sex: Death-Registration States, 1900-1902 to 1919-21, and United States, 1929-31 to 1963

(Alaska included beginning 1959, and Hawaii, 1960. For decennial periods prior to 1929-31, data are for groups of registration States as follows: 1900-1902 and 1909-11, 10 States and the District of Columbia; 1919-21, 34 States and the District of Columbia. For 1900-1902 to 1929-31, figures for nonwhites cover only Negroes. However, in no case did the Negro population comprise less than 95 percent of the corresponding nonwhite population)

Table with columns: AGE, COLOR, AND SEX; NUMBER OF SURVIVORS OUT OF 100,000 BORN ALIVE (l_x); AVERAGE NUMBER OF YEARS OF LIFE REMAINING (e_x). Rows are categorized by sex and color (White Male, Nonwhite Male, White Female, Nonwhite Female) and age groups from 0 to 85+.

Figures exclude data for residents of New Jersey; see Technical Appendix.

SECTION 5 - MORTALITY

Table 5-6. Estimated Average Length of Life in Years, by Color and Sex: Death-Registration States, 1900-1928, and United States, 1929-63

(Estimates based on life table values shown in table 5-5)

AREA AND YEAR	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES ¹									
1963 ² -----	69.9	66.6	73.4	70.8	67.5	74.4	63.6	60.9	66.5
1962-----	70.0	66.8	73.4	70.9	67.6	74.4	64.1	61.5	66.8
1961-----	70.2	67.0	73.6	71.0	67.8	74.5	64.4	61.9	67.0
1960-----	69.7	66.6	73.1	70.6	67.4	74.1	63.6	61.1	66.3
1959-----	69.9	66.8	73.2	70.7	67.6	74.2	63.8	61.4	66.5
1958-----	69.4	66.4	72.7	70.3	67.2	73.7	63.0	60.6	65.5
1957-----	69.3	66.3	72.5	70.0	67.1	73.5	62.7	60.3	65.2
1956-----	69.6	66.6	72.8	70.2	67.3	73.7	63.2	61.1	65.9
1955-----	69.5	66.6	72.7	70.2	67.3	73.6	63.2	61.2	65.9
1954-----	69.6	66.7	72.7	70.3	67.4	73.6	63.1	61.0	65.8
1953-----	68.8	65.9	71.9	69.6	66.8	72.9	61.7	59.7	64.4
1952-----	68.6	65.7	71.6	69.4	66.6	72.7	61.1	59.1	63.7
1951-----	68.4	65.6	71.5	69.2	66.5	72.4	61.0	59.1	63.3
1950-----	68.2	65.6	71.1	69.1	66.5	72.2	60.8	59.1	62.9
1949-----	68.0	65.2	70.7	68.8	66.2	71.9	60.6	58.9	62.7
1948-----	67.2	64.6	69.9	68.0	65.5	71.0	60.0	58.1	62.5
1947-----	66.8	64.4	69.7	67.6	65.2	70.5	59.7	57.9	61.9
1946-----	66.7	64.4	69.4	67.5	65.1	70.3	59.1	57.5	61.0
1945-----	65.9	63.6	67.9	66.8	64.4	69.5	57.7	56.1	59.6
1944-----	65.2	63.6	66.8	66.2	64.5	68.4	56.6	55.8	57.7
1943-----	63.3	62.4	64.4	64.2	63.2	65.7	55.6	55.4	56.1
1942-----	66.2	64.7	67.9	67.3	65.9	69.4	56.6	55.4	58.2
1941-----	64.8	63.1	66.8	66.2	64.4	68.5	53.8	52.5	55.3
1940-----	62.9	60.8	65.2	64.2	62.6	66.6	53.1	51.5	54.9
1939-----	63.7	62.1	65.4	64.9	63.3	66.6	54.5	53.2	56.0
1938-----	63.5	61.9	65.3	65.0	63.2	66.8	52.9	51.7	54.3
1937-----	60.0	58.0	62.4	61.4	59.3	63.8	50.3	48.3	52.5
1936-----	58.5	56.6	60.6	59.8	58.0	61.9	49.0	47.0	51.4
1935-----	61.7	59.9	63.9	62.9	61.0	65.0	53.1	51.3	55.2
1934-----	61.1	59.3	63.3	62.4	60.5	64.6	51.8	50.2	53.7
1933-----	63.3	61.7	65.1	64.3	62.7	66.3	54.7	53.5	56.0
1932-----	62.1	61.0	63.5	63.2	62.0	64.5	53.7	52.8	54.6
1931-----	61.1	59.4	63.1	62.6	60.8	64.7	50.4	49.5	51.5
1930-----	59.7	58.1	61.8	61.4	59.7	63.5	48.1	47.3	49.2
1929-----	57.1	55.8	58.7	58.6	57.2	60.3	46.7	45.7	47.8
DEATH-REGISTRATION STATES									
1928-----	56.8	55.6	58.3	58.4	57.0	60.0	46.3	45.6	47.0
1927-----	60.4	59.0	62.1	62.0	60.5	63.9	48.2	47.6	48.9
1926-----	56.7	55.5	58.0	58.2	57.0	59.6	44.6	43.7	45.6
1925-----	59.0	57.6	60.6	60.7	59.3	62.4	45.7	44.9	46.7
1924-----	59.7	58.1	61.5	61.4	59.8	63.4	46.6	45.5	47.8
1923-----	57.2	56.1	59.5	58.5	57.1	59.6	48.3	47.7	48.9
1922-----	59.6	58.4	61.0	60.4	59.1	61.9	52.4	51.8	53.0
1921-----	60.8	60.0	61.8	61.8	60.8	62.9	51.5	51.6	51.3
1920-----	54.1	53.6	54.6	54.9	54.4	55.6	45.3	45.5	45.2
1919-----	54.7	53.5	56.0	55.8	54.5	57.4	44.5	44.5	44.4
1918-----	39.1	36.6	42.2	39.8	37.1	43.2	31.1	29.9	32.5
1917-----	50.9	48.4	54.0	52.0	49.3	55.3	38.8	37.0	40.8
1916-----	51.7	49.6	54.5	52.5	50.2	55.2	41.3	39.6	43.1
1915-----	54.5	52.5	56.8	55.1	53.1	57.5	39.9	37.5	40.5
1914-----	54.2	52.0	56.8	54.9	52.7	57.5	38.9	37.1	40.8
1913-----	52.5	50.3	55.0	53.0	50.8	55.7	38.4	36.7	40.3
1912-----	53.5	51.5	55.9	53.9	51.9	56.2	37.9	35.9	40.0
1911-----	52.6	50.9	54.4	53.0	51.3	54.9	36.4	34.6	38.2
1910-----	50.0	48.4	51.8	50.3	48.6	52.0	35.6	33.8	37.5
1909-----	52.1	50.5	53.8	52.5	50.9	54.2	35.7	34.2	37.3
1908-----	51.1	49.5	52.8	51.5	49.9	53.3	34.9	33.8	36.0
1907-----	47.6	45.6	49.9	48.1	46.0	50.4	32.5	31.1	34.0
1906-----	48.7	46.9	50.8	49.3	47.3	51.4	32.9	31.8	33.9
1905-----	48.7	47.3	50.2	49.1	47.6	50.5	31.3	29.6	33.1
1904-----	47.6	46.2	49.1	48.0	46.6	49.5	30.8	29.1	32.7
1903-----	50.5	49.1	52.0	50.9	49.5	52.5	33.1	31.7	34.6
1902-----	51.5	49.8	53.4	51.9	50.2	53.8	34.6	32.9	36.4
1901-----	49.1	47.6	50.6	49.4	48.0	51.0	33.7	32.2	33.3
1900-----	47.3	46.3	48.3	47.6	46.6	48.7	33.0	32.5	33.5

¹Alaska included beginning 1959, and Hawaii, 1960.²Figures by color exclude data for residents of New Jersey; see Technical Appendix.

Section 6. Technical Appendix

	Page
Sources of data-----	6-3
Death and fetal death statistics-----	6-3
Standard certificates-----	6-3
History-----	6-3
Classification of data-----	6-6
Classification by occurrence and residence-----	6-7
Geographic classification-----	6-7
Age-----	6-8
Race and color-----	6-9
Fetal deaths-----	6-9
Cause of death-----	6-11
Quality control procedures-----	6-14
Interpretation of data-----	6-14
Completeness of registration-----	6-15
Population bases-----	6-15
Age-adjusted death rates-----	6-16
Symbols used in tables-----	6-16
Figure	
6-A. Standard Certificate of Death-----	6-4
6-B. Standard Certificate of Fetal Death-----	6-5
Table	
6-1. Inclusion of checkbox item for usual residence on certificates of birth, death, and fetal death: United States, 1963-----	6-6
6-2. Population of birth- and death-registration States, 1900-1932, and United States, 1900-1963-----	6-16
6-3. Estimates of the total population of the United States including Armed Forces abroad, by age, color, and sex: July 1, 1963-----	6-17
6-4. Estimates of the total resident population of the United States, by age, color, and sex: July 1, 1963-----	6-17
6-5. Estimates of the total resident population of the United States, excluding New Jersey, by age, color, and sex: July 1, 1963-----	6-18
6-6. Provisional estimates of the total resident population of the United States, each division and State, and Puerto Rico: July 1, 1963-----	6-18

SECTION 6. TECHNICAL APPENDIX

SOURCES OF DATA

Death and fetal death statistics

Death and fetal death statistics are based on information obtained from microfilm copies of the original certificates. These copies are received from the registration offices of all States, certain cities, the District of Columbia, and Puerto Rico. The Virgin Islands sends transcripts rather than filmed copies of the certificates. The statistical information on these records is edited, classified, placed on punchcards, transferred to a tape for computer processing, and tabulated in the National Center for Health Statistics (NCHS).

The United States vital statistics system covers the 50 States, the District of Columbia, Puerto Rico, and the Virgin Islands. However, in the statistical tabulations *United States* refers only to the aggregate of the 50 States and the District of Columbia. Tabulations for Puerto Rico and the Virgin Islands are shown separately in Section 8, Part B, Volume II, *Vital Statistics of the United States, 1963*.

Mortality data for the United States are confined to events registered within the United States and include events occurring to nonresident aliens. The data do not cover vital events for U.S. civilians occurring outside the United States. Similarly, the data for Puerto Rico and the Virgin Islands are confined to events registered in these areas.

Beginning with the 1962 data year, NCHS has received individual copies of death reports of members of the Armed Forces of the United States whose deaths were recorded in other than the 50 States, the District of Columbia, Puerto Rico, or the Virgin Islands. These reports were coded and tabulated and the data are shown in Section 1 in table 1-27, "Deaths from selected causes among Armed Forces abroad, by 5-year age groups: United States, 1963."

Standard certificates

Standard certificates of death and fetal death, issued by the Public Health Service, have served for many years as the principal means of attaining uniformity in the content of the documents used to collect information on these events. They have been modified in each State to the extent necessitated by the particular needs of the State or by special provisions of the State vital statistics law. However, the certificates of most States conform closely in content and arrangement to the standard certificates.

The first issue of the Standard Certificate of Death appeared during the first decade of the 20th century. Since then it has been revised periodically by the national vital

statistics agency through consultation with State health officers and registrars; Federal agencies concerned with vital statistics; national, State, and county medical societies; and others working in the fields of public health, social welfare, demography, and insurance. This revision procedure has assured careful evaluation of each item in terms of its current and future usefulness for registraton, identification, legal, medical, and research purposes. New items have been added when necessary, and old items have been modified to ensure better reporting or in some cases have been dropped when their usefulness appeared to be limited.

The most recent revision of the Standard Certificate of Death occurred in 1955. It was made in close collaboration with the Public Health Conference on Records and Statistics and was recommended to the States for adoption as of January 1, 1956.

The current standard certificates of death and fetal death are shown in figures 6-A and 6-B. A major revision of the certificate of fetal death occurred in 1954 and was recommended as of January 1, 1955. However, additional changes were recommended in 1955 to make the certificate conform to the new certificates of live birth and death.

With a few exceptions, only minor changes in content and format were made in the 1956 revision of the standard certificates. In an effort to obtain a more accurate designation for place of residence, the question "Is residence inside city limits?" was added. Studies conducted in a few States had indicated that this question helped to correctly locate the residence of persons who had lived near but outside the corporate limits of cities. Table 6-1 indicates the States that did and those that did not include the checkbox item on city of residence on all or some of the certificate forms used during 1963.

The wording of the cause-of-death item on the death certificate was changed to improve its clarity. The separate questions on operations were dropped. The cause item on the fetal death certificate was revised to conform to the wording used on the death certificate.

HISTORY

The first death statistics published by the Federal Government concerned events in 1850 and included the entire United States. These statistics were based on information collected during the decennial census of that year. Similar decennial collections were made by census enumerators at each census up to and including the census of 1900, but because of the time interval between the occurrence of a death and the census enumeration, these reports were inaccurate and incomplete.

In 1880 the Bureau of the Census established a national "registration area" for deaths. This original area consisted of only two States—Massachusetts and New Jersey—the District of Columbia, and several large cities which had efficient systems for the registration of deaths, but by 1900 eight other States had been admitted. For the years 1880, 1890, and 1900, mortality data were received from the States and cities included in this expanding area, but the figures for the entire country were still compiled from the reports of census enumerators.

The annual collection of mortality statistics for the registration area began with the calendar year 1900. In 1902 the Bureau of the Census, which had previously functioned only in census years, was made a permanent agency by an act of Congress. This act authorized the Director of the Bureau of the Census to obtain annually copies of records filed in the vital statistics offices of those States and cities having adequate death-registration systems. At that time not all States had enacted laws requiring the registration of deaths, and in many States the existing laws were poorly

FIGURE 6-A

CERTIFICATE OF DEATH									
BIRTH NO.		STATE OF			STATE FILE NO.				
Form approved, Budget Bureau No. 68-R275.2.									
1. PLACE OF DEATH					2. USUAL RESIDENCE (Where deceased lived. If institution: Residence before admission)				
a. COUNTY					a. STATE				
b. CITY, TOWN, OR LOCATION					b. COUNTY				
c. LENGTH OF STAY IN 1b					c. CITY, TOWN, OR LOCATION				
d. NAME OF HOSPITAL OR INSTITUTION (If not in hospital, give street address)					d. STREET ADDRESS				
e. IS PLACE OF DEATH INSIDE CITY LIMITS?					e. IS RESIDENCE INSIDE CITY LIMITS?			f. IS RESIDENCE ON A FARM?	
YES <input type="checkbox"/> NO <input type="checkbox"/>					YES <input type="checkbox"/> NO <input type="checkbox"/>			YES <input type="checkbox"/> NO <input type="checkbox"/>	
3. NAME OF DECEASED (Type or print)			First			Middle			Last
4. DATE OF DEATH			Month			Day			Year
5. SEX		6. COLOR OR RACE		7. MARRIED <input type="checkbox"/> NEVER MARRIED <input type="checkbox"/>		8. DATE OF BIRTH		9. AGE (In years last birthday)	
				WIDOWED <input type="checkbox"/> DIVORCED <input type="checkbox"/>				IF UNDER 1 YEAR	
								Months	
								Days	
								Hours	
								Min.	
10a. USUAL OCCUPATION (Give kind of work done during most of working life, even if retired)				10b. KIND OF BUSINESS OR INDUSTRY		11. BIRTHPLACE (State or foreign country)		12. CITIZEN OF WHAT COUNTRY?	
13. FATHER'S NAME					14. MOTHER'S MAIDEN NAME				
15. WAS DECEASED EVER IN U. S. ARMED FORCES? (Yes, no, or unknown)			16. SOCIAL SECURITY NO.			17. INFORMANT Address			
18. CAUSE OF DEATH [Enter only one cause per line for (a), (b), and (c).]									INTERVAL BETWEEN ONSET AND DEATH
PART I. DEATH WAS CAUSED BY:									
IMMEDIATE CAUSE (a) _____									
Conditions, if any, which gave rise to above cause (a), stating the underlying cause last. } DUE TO (b) _____									
DUE TO (c) _____									
PART II. OTHER SIGNIFICANT CONDITIONS CONTRIBUTING TO DEATH BUT NOT RELATED TO THE TERMINAL DISEASE CONDITION GIVEN IN PART I(a)									19. WAS AUTOPSY PERFORMED?
									YES <input type="checkbox"/> NO <input type="checkbox"/>
20a. ACCIDENT <input type="checkbox"/>		SUICIDE <input type="checkbox"/>		HOMICIDE <input type="checkbox"/>		20b. DESCRIBE HOW INJURY OCCURRED. (Enter nature of injury in Part I or Part II of item 18.)			
20c. TIME OF INJURY		Hour		Month, Day, Year					
		a. m.							
		p. m.							
20d. INJURY OCCURRED		20e. PLACE OF INJURY (e. g., in or about home, farm, factory, street, office bldg., etc.)		20f. CITY, TOWN, OR LOCATION		COUNTY		STATE	
WHILE AT WORK <input type="checkbox"/>		NOT WHILE AT WORK <input type="checkbox"/>							
21. I attended the deceased from _____, to _____ and last saw her/him alive on _____									
Death occurred at _____ m on the date stated above; and to the best of my knowledge, from the causes stated.									
22a. SIGNATURE (Degree or title)					22b. ADDRESS			22c. DATE SIGNED	
23a. BURIAL, CREMATION, REMOVAL (Specify)		23b. DATE		23c. NAME OF CEMETERY OR CREMATORY			23d. LOCATION (City, town, or county) (State)		
24. FUNERAL DIRECTOR ADDRESS				25. DATE RECD. BY LOCAL REG.		26. REGISTRAR'S SIGNATURE			

1956 REVISION OF STANDARD CERTIFICATE

DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE—PUBLIC HEALTH SERVICE

MEDICAL CERTIFICATION

PHS-708 REV. 11/54

enforced. The growth of the registration area is indicated in table 6-2.

The death-registration area for 1900 consisted of 10 States, the District of Columbia, and a number of cities located in nonregistration States. In 1900 the registration area included 40.5 percent of the population of the continental United States. The original registration area was predominantly urban and was characterized by a high proportion of white persons. The population coverage of the death-registration States is much lower, 26.2 percent of the total

population of the United States, if the population of the cities located in the nonregistration States is excluded.

Statistics of fetal deaths (the term "stillbirth" was used for many years) were first published for the birth-registration area in 1918. However, they were not included in the reports issued for the succeeding 3 years. Beginning with 1922, statistics of fetal deaths have been published each year for the birth-registration areas.

Table 6-2 presents for each year through 1933 the estimated midyear population of the United States and the esti-

FIGURE 6-B

STATE OF _____		STATE FILE NO. _____	
1. PLACE OF DELIVERY a. COUNTY		2. USUAL RESIDENCE OF MOTHER (Where does mother live?) a. STATE b. COUNTY	
b. CITY, TOWN, OR LOCATION		c. CITY, TOWN, OR LOCATION	
c. NAME OF HOSPITAL OR INSTITUTION (If not in hospital, give street address)		d. STREET ADDRESS	
d. IS PLACE OF DELIVERY INSIDE CITY LIMITS? YES <input type="checkbox"/> NO <input type="checkbox"/>		e. IS RESIDENCE INSIDE CITY LIMITS? YES <input type="checkbox"/> NO <input type="checkbox"/>	f. IS RESIDENCE ON A FARM? YES <input type="checkbox"/> NO <input type="checkbox"/>
3. NAME OF FETUS (If given)		4. SEX OF FETUS MALE <input type="checkbox"/> FEMALE <input type="checkbox"/> UNDETERMINED <input type="checkbox"/>	
5a. THIS DELIVERY SINGLE <input type="checkbox"/> TWIN <input type="checkbox"/> TRIPLET <input type="checkbox"/>	5b. IF TWIN OR TRIPLET, WAS THIS FETUS DELIVERED 1st <input type="checkbox"/> 2d <input type="checkbox"/> 3d <input type="checkbox"/>	6. DATE OF DELIVERY (Month) (Day) (Year)	
7. NAME First Middle Last		8. COLOR OR RACE	
FATHER	9. AGE (At time of delivery) YEARS	10. BIRTHPLACE (State or foreign country)	11a. USUAL OCCUPATION
11b. KIND OF BUSINESS OR INDUSTRY			
MOTHER		13. COLOR OR RACE	
12. MAIDEN NAME First Middle Last		16. PREVIOUS DELIVERIES TO MOTHER (Do NOT include this fetus)	
14. AGE (At time of delivery) YEARS		15. BIRTHPLACE (State or foreign country)	
17. INFORMANT		a. How many children are now living?	b. How many children were born alive but are now dead?
		c. How many PREVIOUS fetal deaths (fetuses born dead at ANY time after conception)?	
18a. LENGTH OF PREGNANCY COMPLETED WEEKS	18b. WEIGHT OF FETUS LB. OZ.	19. LEGITIMATE YES <input type="checkbox"/> NO <input type="checkbox"/>	20. WHEN DID FETUS DIE? BEFORE LABOR <input type="checkbox"/> DURING LABOR OR DELIVERY <input type="checkbox"/> UNKNOWN <input type="checkbox"/>
		21. WAS AUTOPSY PERFORMED? YES <input type="checkbox"/> NO <input type="checkbox"/>	
22. CAUSE OF FETAL DEATH	PART I. FETAL DEATH WAS CAUSED BY: <i>Fetal or maternal condition directly causing fetal death (do not use such terms as stillbirth or prematurity).</i> <i>Fetal and/or maternal conditions, if any, giving rise to the above cause (a) stating THE UNDERLYING CAUSE LAST.</i>		
	IMMEDIATE CAUSE (a) _____		
	DUE TO (b) _____		
DUE TO (c) _____			
PART II. OTHER SIGNIFICANT CONDITIONS of fetus or mother which may have CONTRIBUTED to fetal death, but, in so far as is known, were not related to cause given in PART I (a).			
I hereby certify that this delivery occurred on the date stated above and the fetus was born dead.		23a. ATTENDANT'S SIGNATURE (Specify if M. D., D. O., midwife, or other)	23b. DATE SIGNED
23c. ATTENDANT'S ADDRESS		If not attended by physician	24. SIGNATURE OF AUTHORIZED OFFICIAL TITLE
25a. BURIAL, CREMATION, REMOVAL (Specify)	25b. DATE	25c. NAME OF CEMETERY OR CREMATORY	25d. LOCATION (City, town, or county) (State)
26. FUNERAL DIRECTOR ADDRESS		DATE REC'D BY LOCAL REG.	REGISTRAR'S SIGNATURE

¹ Optional heading—CERTIFICATE OF FETAL DEATH (STILLBIRTH).

SECTION 6 - MORTALITY

Table 6-1. INCLUSION OF CHECKBOX ITEM FOR USUAL RESIDENCE ON CERTIFICATES OF BIRTH, DEATH, AND FETAL DEATH: UNITED STATES, 1963

(In general, certificates containing checkbox items on usual residence are those certificates revised since the 1956 revisions of the standard certificates. The standard certificates contain the checkbox item "Is residence inside city limits?" Data were abstracted from copies of certificates received in the National Center for Health Statistics and include only those certificates used by the areas during all or part of 1963. Certificates revised in 1963 but not in use during the year are not included.)

REGISTRATION AREA	"IS RESIDENCE INSIDE CITY LIMITS?" ON CERTIFICATES OF--			REGISTRATION AREA	"IS RESIDENCE INSIDE CITY LIMITS?" ON CERTIFICATES OF--		
	Live birth	Death	Fetal death		Live birth	Death	Fetal death
Alabama		X		Nebraska		X	X
Alaska	X	X	X	Nevada	X	X	X
Arizona	X	X	X	New Hampshire			
Arkansas	X	X	X	New Jersey			
California	X	X	X	New Mexico			
Colorado	X	X	X	New York (excl. N.Y.C.)	X	X	X
Connecticut	X	X	X	New York City, N.Y.			
Delaware	X	X	X	North Carolina	X	X	X
District of Columbia	X	X	X	North Dakota	X	X	X
Florida	X	X	X	Ohio	X	X	
Georgia	X	X	X	Oklahoma	X	X	X
Hawaii	X	X	X	Oregon			
Idaho				Pennsylvania	X	X	
Illinois	X	X	X	Rhode Island			
Indiana	X	X	X	South Carolina	X	X	X
Iowa	X	X	X	South Dakota			
Kansas	X	X	X	Tennessee	X	X	X
Kentucky	X	X	X	Texas	X	X	X
Louisiana	X	X	X	Utah	X	X	X
Maine				Vermont			
Maryland (excl. Baltimore)	X		X	Virginia	X	X	X
Baltimore, Md.				Washington	X	X	X
Massachusetts				West Virginia	X	X	X
Michigan	X	X	X	Wisconsin		X	
Minnesota	X	X	X	Wyoming	X	X	X
Mississippi	X	X					
Missouri	X	X	X	Puerto Rico			
Montana	X	X	X	Virgin Islands	X	X	X

mated midyear population of those States included in the registration system.

Prior to 1940 most of the national mortality tabulations published by the Bureau of the Census were based on data collected from the registration areas, but beginning with 1940 all published material given in statistical series for the United States prior to the completion of the death-registration area in 1933 omits data for registration cities located in nonregistration States and includes only statistics for the registration States. This change decreases the mortality statistics coverage of the United States by the exclusion of cities in nonregistration States, but it has its advantages in that more reliable population estimates are available for the registration States than for the registration areas.

Rates for the expanding group of death-registration States are approximations of rates for the entire Nation, and general comparisons over a long period of time can be made. More exact trends for parts of the United States can be secured through the use of some constant area such as the original registration States or the registration States of 1920.

CLASSIFICATION OF DATA

The principal value of vital statistics data is obtained through the presentation of such data in the form of rates which are computed by relating the vital events of a class to the population of a similarly defined class. Vital statistics

and population statistics must therefore be classified according to similarly defined systems and tabulated in comparable groups. Even when the variables common to both, such as geographic area, age, race, and sex, have been similarly classified and tabulated, differences between the enumeration method of obtaining population data and the registration method of obtaining vital statistics data may result in significant discrepancies.

The complete rules used in the classification of geographic and personal items for deaths are set forth in the instruction manual *Coding and Punching Geographic and Personal Particulars for Deaths Occurring in 1963*. Comparable rules for coding and punching fetal deaths are outlined in two other manuals—*Coding and Punching Geographic and Personal Particulars for Births Occurring in 1963* and *Coding and Punching Geographic and Personal Particulars for Fetal Deaths Occurring in 1963*. The classification of certain important items is discussed on the following pages.

Classification by occurrence and residence

For the 1963 statistics by place of occurrence, events are classified according to the county in which the vital event took place but are not classified to any smaller geographic unit. In the vital statistics for years prior to 1960, place of occurrence was classified by smaller units within the county in the same detail as are statistics by place of residence.

Tabulations by place of occurrence include all deaths occurring in a given county. In residence tabulations, all deaths are allocated to the usual place of residence of the decedent as reported on the death certificate.

The data by place of residence are classified to units within a county as follows: (1) each incorporated place of 10,000 inhabitants or more, (2) each unincorporated place of 10,000 inhabitants or more classified as urban under special rule, (3) the aggregate of incorporated places of 2,500 to 10,000 inhabitants and unincorporated places of this size defined as urban under special rule, and (4) the residual part of the county. For vital statistics purposes, the residual part of the county is referred to as rural. The lack of comparability between the urban and rural definitions used for vital statistics and the 1960 census definitions is discussed on page 6-8.

Deaths of residents and nonresidents occurring within a State are compared with deaths of residents of the same State which occurred within or outside of the State in table 1-16 in Section 1. A death is classified as "nonresident" if the information on the death certificate indicates that it did not occur in the county or county equivalent in which the decedent had usually resided. For most States the number of deaths of residents occurring outside of a State is about the same as the number of deaths of nonresidents occurring within the State.

For residence statistics, all events occurring within the United States, that is, the 50 States and the District of Columbia, are allocated to a place of residence within the United States. For nonresident aliens, the place of residence is considered to be the same as the place of occurrence.

Residence error.—A nationwide test of birth registration completeness in 1950 provided measures of residence error for natality statistics. Comparable measures are not available for deaths. However, many of the qualifications of

residence data noted in the birth registration test apply to mortality statistics.

The 1950 test indicates that for the country as a whole, errors in residence reporting result in a significant overstatement of births to residents of urban places and a corresponding understatement in the number to residents of areas classified as rural. The extent of bias varies from State to State and from city to city within the same State. Residence errors occur largely because of the major growth in population areas close to cities. Frequently, parts of these surrounding areas have city mailing addresses, and unless special care is taken in asking for residence information, they may be identified as being inside the cities. This situation has assumed special importance because of a concomitant development, the increased utilization of hospitals in cities by residents of nearby places. Misstatements of residence are more likely to remain undetected in such cases than when the birth occurs in the place of residence.

With respect to this latter type of error, the amount of movement for hospitalization from place of residence to place of occurrence is smaller for deaths than for births. (See table 1-16 in Section 1 of this volume and table 1-34 in Section 1 of Volume I.) Therefore the error may be assumed to be less for deaths than for births.

As a result of the findings of the 1950 test, an effort was made to obtain a more accurate designation of place of residence by incorporating the question "Is residence inside city limits?" in the 1956 revisions of standard certificates of birth, death, and fetal death. Studies conducted in a few States indicate that this question on city limits helped to locate correctly the residence of persons living near cities but outside their corporate limits. Even with the improvement stemming from the addition of the checkbox item, the problem of correctly allocating the residence still exists.

The consistency of residence reporting for live births on one hand and infant or fetal deaths on the other may influence the fetal, neonatal, or infant mortality rates. For those States in which the residence checkbox item is carried on one type of certificate but not on the other, the possibility of error is obvious. In some instances, the unusual high or low infant death rates shown for rural areas of metropolitan counties may be due to this factor.

Geographic classification¹

Standard metropolitan statistical areas.—The standard metropolitan statistical areas (SMSA's) used in this report are the same as those established by the Bureau of the Budget as of 1960 and used by the Bureau of the Census, except in the New England States.

Except for the New England States, an SMSA is a county or a group of contiguous counties which contains at least one city of 50,000 inhabitants or more or "twin cities" with a combined population of at least 50,000 in the 1960 census. In addition, contiguous counties are included in an SMSA if,

¹The rules followed in the classification of geographic areas for deaths and fetal deaths are contained in the instruction manuals referred to previously. The geographic code structure is given in *National Center for Health Statistics, "Geographic Reference Manual--Codes Used in Computer Operations for 1962-1963," Vital Statistics Instruction Manual, Public Health Service, Washington, D.C., 1964.*

according to specified criteria, they are (a) essentially metropolitan in character and (b) socially and economically integrated with the central city or cities.²

In New England the Bureau of the Budget uses as geographic components of the SMSA, towns and cities rather than counties. The National Center for Health Statistics cannot use the SMSA classification in these States because its data are not coded to identify all towns. Instead, the metropolitan State economic area (MSEA) established by the Bureau of the Census, which is made up of county units, is used.³

Standard consolidated areas.—For the metropolitan complexes around New York and Chicago, several contiguous SMSA's and additional counties that do not appear to meet the formal integration criteria for SMSA's but do have strong interrelationships of other kinds have been combined into the New York-Northeastern New Jersey and the Chicago-Northwestern Indiana Standard Consolidated Areas.⁴

Metropolitan and nonmetropolitan counties.—Counties which are included in SMSA's or in New England MSEA's are called metropolitan counties; all other counties are classified as nonmetropolitan.

Urban and rural areas.—Vital statistics data for 1963 are classified as urban or rural according to the population of the area enumerated in the 1960 census. The urban population consists of inhabitants residing in the following places:

1. Each incorporated city, borough, village, and town of 2,500 inhabitants or more (except towns in New England, New York, and Wisconsin).
2. Each town in New England and each township in New Jersey and Pennsylvania that has no incorporated municipality as a subdivision and has either 25,000 inhabitants or more or a population of 2,500 to 25,000 and a density of 1,500 persons or more per square mile.⁵
3. Each county in States other than the New England States, New Jersey, and Pennsylvania that has no incorporated municipality within its boundary and has a density of 1,500 persons or more per square mile.⁶

The rural population consists of inhabitants residing in all other areas.

This classification differs from the 1960 census definition of urban population. The latter definition includes, in

²For a more complete discussion, see U.S. Bureau of the Census, *U.S. Census of Population, 1960, Number of Inhabitants, United States Summary, Final Report PC(1)-1A*, Washington, U.S. Government Printing Office, 1961; and Bureau of the Budget, *Standard Metropolitan Statistical Areas*, Washington, U.S. Government Printing Office, 1961.

³For discussion of MSEA's, see U.S. Bureau of the Census, *State Economic Areas*, Washington, U.S. Government Printing Office, 1951; and the first reference cited in footnote 2. For the 1960 listing of MSEA's, see the manual cited in footnote 1.

⁴See footnote 2.

⁵These areas are identified by the symbol (UT) in table 30 of the U.S. Bureau of the Census publication cited in footnote 2.

⁶Arlington County, Virginia, is the only county in this category.

addition, persons living in (a) unincorporated places of 2,500 inhabitants or more not included in the above definition of "urban" and (b) incorporated and unincorporated places of less than 2,500 inhabitants located within urban fringes of urbanized areas.

It was not feasible to use the 1960 census definitions of urban and rural for classifying vital statistics data since (a) boundary delineations for many urban unincorporated places were made by the Bureau of the Census for enumeration purposes only; many unincorporated places do not conform to political units and their boundaries change with population growth; in most instances the residence information on vital records is insufficient to allocate residence to arbitrary delimitations of unincorporated areas; and (b) vital statistics were not tabulated separately for places of less than 2,500 inhabitants. The difference in the percent distribution of the population in 1960 according to NCHS and the Bureau of the Census is as follows:

	Census	NCHS	Percent difference ⁷
Total -----	100.0	100.0	...
Urban -----	69.9	61.1	-12.6
Rural-----	30.1	38.9	+29.2

Age

The age recorded on the death record is the age at last birthday. In addition, the death record contains both the date of birth and date of death. For a 10-percent sample of 1963 death records the recorded age was compared with the age computed by subtracting the date of birth from the date of death. When analyzed by single years of age, the recorded age agreed with the computed age on 90.0 percent of a total of 181,014 records. Differences were for the most part plus or minus 1 year. Extreme differences at ages 60 years and under were primarily random. For the older ages a high proportion of the extreme differences were of the magnitude of 10. As expected, the proportion of the group "age not stated" of the total (181,014) is far less for the recorded age (0.1 percent) than for the computed age (7.3 percent). In the latter group, either the date of birth or the date of death or both were omitted from the record.

The data were examined for preference of terminal digit of age. An index was computed to measure the total effect of heaping on the age distribution of decedents.⁸ This index is defined as the sum of the absolute deviations from 10 percent of the total population for each terminal digit. An index of 0 indicates no heaping. As the numerical value of the index increases, the heaping increases.

The indexes of preference for all terminal digit groups between 10 and 99 years are 1.3 for the computed age and 1.6 for the stated age.

⁷Census figures used as the base.

⁸Myers, R. J.: Errors and bias in the reporting of ages in census data. *Transactions of the Actuarial Society of America* XLI(104): 395-415, 1940.

Race and color

Deaths in the United States in 1963 are classified for vital statistics as white, Negro, American Indian, Chinese, Japanese, Aleut and Eskimo combined, Hawaiian and Part-Hawaiian combined, and "other nonwhite."

The category "white" includes, in addition to persons reported as white, those reported as Mexican or Puerto Rican and those with race not stated. If the racial entry on the death record indicates a mixture of Hawaiian and any other race, the race is classified as Part-Hawaiian. If race is given as a mixture of Negro with any other race except Hawaiian, the race is classified as Negro. Entries of other racial mixtures are classified as "other nonwhite."

In some tables an extended classification is not needed and the divisions are "white," "Negro," and "other." In tables where the main purpose is to isolate the major group, the classifications are simply "white" and "nonwhite."

The correct designation of race is a difficult and complex problem, but classification from vital statistics records into the broad groups used in this volume is relatively simple. Difficulties may arise in computing rates based on populations classified by race or color because of differences resulting from the registration and enumeration methods which are used to collect this information.

Observed differences in vital statistics rates for various racial groups should not be interpreted as being necessarily due to inherent racial causes. Race is not independent of other factors, and the economic, social, and medical circumstances of one racial group may be quite different from those of another. For example, an observed difference in mortality by race may be no more than a difference of mortality for different economic classes.

New Jersey.—Figures by race are not available for New Jersey in 1962 and 1963. This State omitted the item on color or race from its certificates of live birth, death, and fetal death in use at the beginning of 1962. The item was restored during the latter part of 1962. However, the certificate revision without the race item was used for most of 1962 as well as 1963. Therefore it was necessary to make certain changes in processing and publishing the statistics.

In all tables giving data for individual States or their geographic subdivisions, the "color or race" classification is not shown for New Jersey for 1962 and 1963.

In tables by place of residence all events for residents of States other than New Jersey have been classified by color or race. In the relatively infrequent cases where the event occurred in New Jersey to a resident of another State it was arbitrarily classified as "white." This was done to eliminate the "not stated" category in the many tables by place of residence.

In tables by place of occurrence the figures for "white" and "nonwhite" do not add to the total for some areas. This results from a decision to classify all events to residents of New Jersey as "color or race not stated," including cases in which the birth, death, or fetal death occurred in another State.

All statistics for the United States as a whole by color or race are affected by the lack of this information for New Jersey residents. As stated previously, all events to residents of New Jersey were classified as "color or race not

stated." This "not stated" category is not shown in the tables in the interest of conserving space; however, the frequencies of events classified as "color or race not stated" can be obtained in each table by subtracting from the totals for all races the sum of the events classified by color or race. For example, in table 1-1 in Section 1 the total number of deaths for the United States for 1963 is 1,813,549, of which 1,749,677 are classified by color—1,533,015 as white and 216,662 as nonwhite. The difference between the sum of the events classified by color and the total events 63,872 represents the deaths to residents of New Jersey, events which were classified as "color or race not stated."

The absence of color or race information for New Jersey deaths affects all death rates and life table values classified by color or race for the total United States. Comparable population denominators by color (excluding New Jersey) were not available. Therefore, in order to prepare death rates by color for the United States, it was necessary to make estimates of the United States population by age, color, and sex excluding New Jersey. These estimates are based on the assumption that the ratio of the population of the United States excluding New Jersey (classified by age, color, and sex) to the total population of the United States (classified by these variables) is the same in 1963 as that calculated from the 1960 Census of Population.

Ratios derived in this manner were applied to the 1963 U.S. population in each specific age, sex, and color group to obtain population denominators which exclude New Jersey. The estimated 1963 populations used to compute death rates and life table values for each color group are shown in table 6-5. Consideration of the relatively small proportion (about 3 percent) of the United States population contributed by New Jersey and the maximum probable degree of error in the estimation procedure justified the conclusion that these measures approximate closely those that would have been obtained if mortality data by color had been available for New Jersey.

Fetal deaths

In May 1950 the World Health Organization recommended for adoption the definition of fetal death as "death prior to the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy...." The term "fetal death" was defined on an all-inclusive basis to end confusion arising from the use of a variety of terms such as stillbirth, abortion, and miscarriage. The definition has been adopted by about half the States.⁹ In most of the other States, a fetal death is defined as a birth of a minimum gestation period which is not a live birth, and live births are defined in varying detail.

As another step toward increasing the comparability of data on fetal deaths for different countries, the World Health Organization recommended that in classifying fetal deaths

⁹Prior to the adoption of this definition the nationally recommended definition of a fetal death (stillbirth) for registration purposes was as follows: "A fetus showing no evidence of life after complete birth (no action of heart, breathing, or movement of voluntary muscle), if the 20th week of gestation has been reached, should be registered as a stillbirth."

for statistical purposes they be grouped as early, intermediate, and late. These groups are defined as follows:

Less than 20 completed weeks of gestation (early fetal deaths)-----	Group I
20 completed weeks of gestation but less than 28 (intermediate fetal deaths)-----	Group II
28 completed weeks of gestation and over (late fetal deaths)-----	Group III
Gestation period not classifiable in Groups I, II, and III-----	Group IV

Until 1939 the nationally recommended procedure for registration of a fetal death required the filing of both a live birth and a death certificate. In 1939 a separate Standard Certificate of Stillbirth (fetal death) was created to replace the former procedure. This was revised in 1949 and 1955 and amended in 1956 (see figure 6-B). Separate certificates of fetal death are now in use in all States.

Comparability and completeness of data.—State requirements for registration of fetal deaths vary. The majority of States require registration of fetal deaths of gestations of 20 weeks or more. Table 3-1 in Section 3 shows the minimum period of gestation for which fetal death registration is required by each State. There is substantial evidence that not all fetal deaths for which registration is required are reported.¹⁰

Underregistration is more of a problem near the lower limit for those States having a minimum gestation period requirement. Failure to register fetal deaths near the lower limit results to a large degree from underestimation of the gestation period. This is illustrated by the fact that for areas requiring registration of all fetal deaths, the total number reported for 20-23 weeks is higher than the numbers reported for 24-27 and 28-31 weeks. For most of the other areas however, the opposite is true.

It is evident from the data in tables 3-1, 3-15, and 3-17 that there are inaccuracies in the reported period of gestation. The comparatively large proportion of fetal deaths at 36 weeks gestation is believed to result from erroneous conversion of gestation periods of 9 calendar months to 36 weeks. In addition, the heavy concentrations at 40 weeks result partly from failure to calculate the period of gestation for fetuses of normal size. California, the District of Columbia, Maryland (including Baltimore), and New York City specify "date of last menses" on their certificates in place of the "length of pregnancy" item or its equivalent. Vermont specifies "date of menses or if unknown, weeks of gestation."

In order to obtain data which are more nearly comparable from year to year and from State to State, most of the tables in Section 3 are based on deaths at gestations of 20 weeks or more. These tables include fetal deaths of not stated gestation, for it is assumed that most of these oc-

curred at gestation periods of 20 weeks or more. This would not be true of States requiring registration of all fetal deaths. Inclusion of all fetal deaths of not stated gestation for these areas results in some degree of incomparability.

It is possible that some liveborn infants who die shortly after birth, particularly those who are born prematurely and die before the umbilical cord is severed or while the placenta is still attached, may be erroneously reported as fetal deaths. This type of error may be more of a problem in States which lack a precise definition of fetal death.

In the 1956 revision of the Standard Certificate of Fetal Death, the item on previous fetal loss was changed to include all fetal deaths regardless of gestation period. The majority of States have adopted this change on their certificates of birth and of fetal death. For these States, the proportion of mothers of first liveborn children reported as having had a previous fetal loss has increased because of this change. For this reason, the data in tables 3-10 and 3-12 are not completely comparable with similar data published for years prior to 1956.

The following registration areas requested information on all previous fetal deaths (fetuses born dead at any time after conception) on certificates of both live birth and fetal death for the 1963 data year:

Arkansas	Montana
Colorado	Nevada
Connecticut	New York City
Delaware	North Carolina
Florida	Ohio
Georgia	Oklahoma
Hawaii	Oregon
Indiana	Rhode Island
Iowa	South Carolina
Kansas	Utah
Louisiana	Vermont
Maine	Virginia
Minnesota	Washington
Mississippi	West Virginia
Missouri	Wyoming

The registration areas requesting information on previous fetal deaths at gestations of 20 weeks or more, using the same questions on the live birth and the fetal death certificates, are as follows:

Alabama	New Jersey
Arizona	New Mexico
California	New York (excluding New York City)
District of Columbia	North Dakota
Idaho	Tennessee
Illinois	Texas
Kentucky	

¹⁰Unpublished fetal mortality data--derived from work sheets used in preparing a thesis for Harvard School of Public Health, Apr. 1962--supplied in a letter of Aug. 9, 1962, from C. L. Erhardt, Sc.D., Director, Bureau of Records and Statistics, Department of Health, New York, N.Y.

In the remaining States, the questions regarding previous fetal deaths on the live birth and the fetal death certificates differed as follows:

<i>Live birth certificate</i>	<i>Fetal death certificate</i>
Alaska	
How many children were stillborn (born dead)?	How many previous fetal deaths (fetuses born dead at any time after conception)?
Maryland	
How many other children were stillborn (born dead after 20 weeks pregnancy)?	How many previous fetal deaths (fetuses born dead at any time after conception)?
Massachusetts	
<i>Item not on certificate</i>	How many previous fetal deaths of any gestation age?
Michigan	
How many children were stillborn (born dead after 20 weeks pregnancy)?	How many previous fetuses born dead at any time after conception?
Nebraska	
How many children were stillborn (born dead after 20 weeks pregnancy)?	How many previous fetal deaths (fetuses born dead at any time after conception)?
New Hampshire	
How many children were stillborn (born dead after 20 weeks pregnancy)?	How many previous fetal deaths?
Pennsylvania	
How many were delivered dead after sixteen weeks pregnancy?	How many previous fetal deaths of any gestation age?
South Dakota	
How many children were born dead?	How many previous fetal deaths of any gestation age?
Wisconsin	
How many fetal deaths (fetuses born dead at 20 wks. or more gestation)?	Children born dead—20 wks. or more gestation? Abortions prior to 20 wks?

Period of gestation.—The period of gestation is the number of completed weeks which have elapsed between the first day of the last menstrual period and the date of delivery, irrespective of whether the product of conception was liveborn or born without evidence of life.

Total-birth order.—The number of a birth or a fetal death in the total-birth order is the sum of the births and fetal deaths which a mother has had including the birth

being recorded. For example, if a mother has previously given birth to two live babies and to one born dead, the next event to occur, whether a live birth or fetal death, is counted as number four in the total-birth order.

Legitimacy status.—Tabulations which include legitimacy as a variable include only the States which provided for reporting this item on their certificates of live birth and fetal death in 1963. These States are as follows:

Alabama	Maine	Rhode Island
Alaska	Michigan	South Carolina
Delaware	Minnesota	South Dakota
District of Columbia	Mississippi	Tennessee
Florida	Missouri	Texas
Hawaii	Nevada	Utah
Illinois	New Jersey	Washington
Indiana	North Carolina	West Virginia
Iowa	North Dakota	Wisconsin
Kansas	Ohio	Wyoming
Kentucky	Oregon	
Louisiana	Pennsylvania	

There are no quantitative data on the characteristics of unwed mothers who may misreport legitimacy status of the fetus or who fail to register fetal deaths. It may well be that underregistration is greater in the illegitimate group than in the legitimate.

Massachusetts.—Data shown in this report are dependent upon the completeness of the microfilm copies of certificates received at NCHS. Figures for fetal deaths exclude approximately 300 fetal deaths recorded in Boston, Massachusetts, primarily to residents of Suffolk County. Microfilm copies for these events were not received for inclusion in the tables, and as a consequence the numbers of fetal deaths for the city, county, and State are understated. The fetal death rate and ratio for the State underestimate the true figures by about 21 percent.

Cause of death

Beginning with 1958, the cause-of-death statistics published by the National Center for Health Statistics are compiled in accordance with World Health Organization Regulations. These regulations specify that member nations classify causes of death in accordance with the Seventh Revision of the International Lists of Diseases and Causes of Death.

The Seventh Revision is described in the Manual of the International Statistical Classification.¹¹ In addition to specifying the classification, the manual includes special lists of causes recommended for mortality tabulations—the Detailed List, consisting of all three-digit categories; List A, the Intermediate List of 150 Causes for Tabulation of Morbidity and Mortality; and List B, the Abbreviated List of 50 Causes for Tabulation of Mortality.

¹¹World Health Organization: *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death*, Based on the Recommendations of the Seventh Revision Conference, 1955, Volume 1. Geneva, Switzerland, 1957.

These lists have been adopted for use in the National Center for Health Statistics. The List of 258 Selected Causes of Death is an extension of List A designed so that the original groups can be obtained by combining titles. The List of 60 Selected Causes of Death is an extension of List B, except that certain causes of low frequency in the United States are not shown separately. These causes are typhoid fever, cholera, plague, smallpox, typhus and other rickettsial diseases, and malaria. Four categories were added—asthma; other bronchopulmonic diseases; infections of kidney; and cholelithiasis, cholecystitis, and cholangitis. In addition, rheumatic fever was included under the rubric diseases of heart for the first time in 1958. The List of 55 Selected Causes of Infant Death was taken from the Detailed List. The lists used in NCHS for 1963 are the same as those used for 1962 data.

Effect of decennial list revisions.—The International Lists, in use in this country since 1900, have been revised decennially in order that the disease classification may be consistent with advances in medical science and changes in diagnostic practice. Each decennial revision of the International Lists has produced some break in comparability of cause-of-death statistics. For the first five revisions, the continuity in the mortality trends has not been considered a problem of great concern. Van Buren¹² described some of the major shifts in the cause-of-death statistics up to the Fifth Revision (1938) due to changes in the classification of causes of death. Dunn and Shackley¹³ measured the change in mortality statistics by cause due to the Fifth Revision. This was done by coding mortality records for 1940 by the 1929 and 1938 revisions. The results of the study have been useful in evaluating the effects of the Fifth Revision and changes in the joint-cause selection procedure.

Sixth Revision.—This Revision of the International Lists of Diseases and Causes of Death adopted by the World Health Organization in July 1948 was used for mortality data in the United States from 1949 through 1957. This revision represented a more sweeping change than any of the previous revisions. The classification scheme was expanded considerably to provide specific categories for nonfatal diseases and injuries in order to provide a classification which could be used for coding morbidity as well as mortality records.

In addition to the expanded scope of the Sixth Revision of the International Classification, there was a major change in the method of selection of the cause of death for primary tabulation. A large proportion of death certificates filed annually in the United States report two or more diseases or conditions as causes of death. General statistical practice requires that cases involving more than one cause of death be assigned to a single cause, making it necessary to select the one cause to which the death will be assigned. The method

of selection has an important effect upon the resulting statistics.

In 1948 the World Health Assembly adopted, along with the Sixth Revision of the International Lists, a form of medical certification and rules for classification of the underlying cause of death for international use. The form of medical certification is shown in the Standard Certificate of Death (figure 6-A). It is designed to elicit information which will facilitate the selection of the underlying cause of death when two or more causes are recorded. In general, if the certification is completed properly, the underlying cause of death entered by the physician is the cause to be tabulated. This procedure, used in the United States beginning with deaths in 1949, differs markedly from that used in previous years. Formerly, definite priority relationships were set up for combinations of causes reported on the death certificate. The single cause to be tabulated was chosen according to these fixed rules.

Comparability between the Sixth and Fifth Revisions.—In order to maintain a time series of mortality rates for comparable causes, the International Conference for the Sixth Revision of the International Lists recommended that deaths for a country as a whole in the year 1949 or 1950 be coded according to both the Sixth and Fifth Revisions. In the United States, 1950 mortality data were used for the dual coding. The differences resulting from the use of the two revisions are expressed by a factor termed the comparability ratio. This is the number of deaths assigned to a particular cause under the Sixth Revision divided by the number of deaths assigned to that cause using the Fifth Revision.¹⁴

Seventh Revision.—Beginning with 1955, the decennial conferences for revision of the International Lists are to be held in years ending in 5, rather than later in the decade, as had been done previously. This is to make possible the use of the revised classification for mortality data beginning with years ending in 8. The new cycle provides time for assessing the effect of new provisions and variations in interpretation prior to the next census. Thus, stable mortality data will be available for use with population figures from the decennial censuses.

Changes in the Seventh Revision were held to a minimum because of the relatively short experience with the Sixth Revision. In compliance with a recommendation of the Expert Committee on Health Statistics, the changes were limited to essential ones and amendments of errors and inconsistencies. Provisions previously contained in an addendum¹⁵ were integrated into the manual. Since these provisions had been used with the Sixth Revision, they did

¹²U. S. Bureau of the Census: Some things you can't prove by mortality statistics, by G. H. Van Buren. *Vital Statistics--Special Reports*, Vol. 12, No. 13. Washington, D. C., 1940.

¹³U. S. Bureau of the Census: Comparison of cause-of-death assignments by the 1929 and 1938 Revisions of the International Lists, deaths in the United States, 1940, by H. L. Dunn and W. Shackley. *Vital Statistics--Special Reports*, Vol. 19, No. 14. Washington, D. C., 1944.

¹⁴National Center for Health Statistics: Comparability of mortality statistics for the Fifth and Sixth Revisions, United States, 1950, by M. M. Faust and A. B. Dolman. *Vital Statistics--Special Reports*, Vol. 51, No. 2. Public Health Service. Washington, D. C., 1963.

National Center for Health Statistics: Comparability ratios based on mortality statistics for the Fifth and Sixth Revisions, United States, 1950, by M. M. Faust and A. B. Dolman. *Vital Statistics--Special Reports*, Vol. 51, No. 3. Public Health Service. Washington, D. C., 1964.

¹⁵World Health Organization: *Manual of the International Classification of Diseases, Injuries, and Causes of Death. Addendum 1, Supplementary Interpretations and Instructions for Coding Causes of Death*. Geneva, Switzerland, 1953.

not represent classification changes. The only change made in three-digit categories consisted of rewording a few titles. In a few cases the rewording included redefining morbid conditions classifiable to these categories and transferring of certain terms from one category to another. The three-digit categories which were affected are listed in Section 1, Volume I of *Vital Statistics of the United States, 1958*. There were also a number of changes in four-digit subcategories, consisting mostly of the addition of subdivisions to provide more detailed classification of malignant neoplasms of specified sites. The three-digit categories for which there were additions, deletions, or changes in the four-digit subcategories are also listed in Section 1 of the 1958 report.

The international rules for selecting the cause of death for primary mortality classification were recast for use with the Seventh Revision to simplify them and to organize them from the viewpoint of the coder making the cause-of-death assignment. The intent of the rules remains the same, that is, to code the cause which the medical certifier judged to be the underlying cause which started the train of events leading directly to death. In recasting the rules, some modifications of interpretations were made—mainly those involving selection of the underlying cause for improperly completed certifications. In adapting coding procedures to reporting practices in the United States, some additional changes in interpretations were made.

In the majority of cases, application of the rules for the Sixth and for the Seventh Revisions resulted in the same code assignment. There were some differences in individual assignments affecting a number of categories. Many of these individual assignments were compensatory and resulted in no detectable discontinuity of trends for various causes of death; the comparability of a number of categories was affected to a limited extent.

Comparability between the Seventh and Sixth Revisions.—In order to estimate the magnitude of the effect of the Seventh Revision upon the comparability of mortality trends for various causes, a 10-percent sample of deaths in 1958 was classified using both the Sixth and Seventh Revisions. The comparability ratios for selected causes are shown in table 1-H, Section 1, Volume I, *Vital Statistics of the United States, 1958*, and the results are discussed on pages 1-19 to 1-21 of the same report.

Coding in 1962.—The National Center for Health Statistics annually prepares for its cause-of-death coding clerks an instruction manual which contains decisions and interpretations that apply in that year. The 1962 revision, *Cause-of-Death Coding for Deaths Occurring in 1962*, incorporated a number of procedures which differed slightly from rules used in coding causes for deaths occurring in 1961. These changes were made chiefly to bring coding procedures into alignment with new developments in reporting practices and in medical opinions as to the etiology and causal relationship of diseases and to eliminate some inconsistencies in coding procedures. These changes are discussed on pages 6-14 to 6-16, Section 6, of *Vital Statistics of the United States, 1962*, Volume II, Part A. Changes which may have affected code assignments for prior years are noted in the introduction to *Vital Statistics of the United States* for the appropriate years.

Coding in 1963.—Three changes incorporated in the 1963 cause-of-death coding procedures resulted in the assignment of some deaths to causes different from those to which they would have been assigned had the procedures for 1962 remained in effect:

1. The first change pertains to the selection of the underlying cause from death certificates when the certifier numbered the causes rather than indicating his opinion of the underlying cause. This change resulted in some transfers between categories which are widely scattered throughout the International Classification. Effects of these changes have not been evaluated, but such changes probably had no noticeable effect.
2. Beginning with 1963, deaths at ages 1 year and over from cerebral damage with no indication of the cause of the damage are classified under 355, Other diseases of brain. Previously these deaths were assigned to 351, Cerebral spastic infantile paralysis. No evaluation of the magnitudes of the effects has been made; they probably are small.
3. Beginning with deaths occurring in 1963, other myocarditis specified as rheumatic (415) and other heart disease specified as rheumatic (416) are no longer classified as underlying causes of any coronary artery diseases (420.1). This resulted in transfers from categories 415 and 416 to category 420.1. An estimate of the number of transfers based on multiple-cause coding of a 10-percent sample of deaths in the U.S. for 1 month of 1963 indicates a decrease of approximately 8 percent for category 416 and 5 percent for chronic rheumatic heart disease (410-416). Because of the small number of cases classified to category 415, an estimate of the decrease in this category is considered unreliable. There was no noticeable increase for subcategory 420.1.

For 1963 and prior years, cystic fibrosis has been classified as a special subdivision, 587B, under diseases of pancreas (587). Beginning with the 1964 data, cystic fibrosis will be reclassified in the United States. This cause will appear under the three-digit category, other metabolic diseases (289), and is to be designated by the four-digit subdivision 289A. This reclassification conforms with medical opinion that cystic fibrosis is a systemic disease caused by an inborn error of metabolism rather than a localized disease of the pancreas. Although the change was incorporated in the 1963 revision of the cause-of-death coding instruction manual sent to all vital statistics registration offices, it could not be included in the lists for tabulation and publication of the 1963 data.

Medical certification.—The use of a standard classification list, although essential for State, regional, and international comparison, does not assure strict comparability of the tabulated figures. A high degree of comparability between areas could be attained only if all records of cause of death were reported with equal accuracy and completeness. The medical certification of death can be made only by a qualified person, usually a physician or a coroner. Therefore the reliability and accuracy of cause-of-death statistics are, to a large extent, governed by the ability of the medical

attendant to make the proper diagnosis and by the care with which he completes the death certificate.

The quality of the basic data reported on the death certificate is of fundamental importance in the interpretation of cause-of-death statistics. Although a number of notable studies have been made on the accuracy of medical diagnoses, there is a lack of national statistics on the subject. Studies on the accuracy of cause-of-death statements have compared clinical or pathological reports with the medical returns on the death certificate. Of necessity, these studies have been limited to deaths for which hospital records or autopsy reports were available. In 1958 less than two-thirds of all deaths occurred in hospitals, and autopsies were reported as having been performed on only about 19 percent (see table 6-0, Section 6, in Volume I, *Vital Statistics of the United States, 1958*, and table 68 in Volume II), so studies based on such data may be subject to considerable bias.

A more satisfactory evaluation of the quality of the cause-of-death statement may be made by including all deaths in the study rather than hospital deaths only. A pilot study was based on a sample of deaths occurring in Pennsylvania during 3 months of 1956. A representative sample of certificates was selected for particular causes of death. Questionnaires were sent to the physicians who had signed the certificates asking for the diagnostic methods and pertinent findings on which the medical certification of death was based. The returns were reviewed along with the original cause-of-death statement and rated for quality (type and amount) of supporting diagnostic information. For 39 percent of the cases the diagnostic data given were sketchy, and for 58 percent the information was considered good or very good. The quality of the diagnostic information varied considerably with the cause of death. The authors concluded that in Pennsylvania the diagnostic data for many disease categories provided an adequate base for medical certification of the cause of death.¹⁶

One index of the quality of reporting causes of death is the proportion of death certificates coded to the Seventh Revision category numbers 780-793 and 795, which are the rubrics for ill-defined and unknown causes of death. While there are cases for which it is not possible to determine the causes of death, this proportion indicates the care and consideration given to the certification by attending physicians. It may also be used as a rough measure of the specificity of the medical diagnosis made by the physicians in various areas. In 1963 1.1 percent of all reported deaths in the United States were assigned to ill-defined or unknown causes. However, this percentage varied among the States from 0.2 to 7.6 percent, reflecting differences in the quality of reporting.

Ranking causes of death.—The causes included in the List of 60 Selected Causes of Death have been ranked on the basis of the number of deaths assigned to each cause. Two group titles, major cardiovascular-renal diseases and diseases of the cardiovascular system, and the title symptoms,

senility, and ill-defined conditions, are not ranked. The remaining titles are ranked to determine the leading causes of death. When one of the titles that represents a subtotal is ranked, as in the case of tuberculosis, all forms, its component parts (in this case, tuberculosis of respiratory system and tuberculosis, other forms), are not ranked.

Quality control procedures

The underlying cause of death was coded separately from all other items on the death certificate. For 68.5 percent of the records the initial cause-of-death codes were assigned in the registration areas; for the remaining 31.5 percent of the records the original coding was done in NCHS. Of the code assignments in the registration area and in NCHS, 80.4 percent were verified on a 100-percent basis, and the remaining 19.6 percent were verified by inspecting a 10-percent systematic sample.

The coding of all other death data was done simultaneously with card punching from microfilm images (transcripts for the Virgin Islands) of the original certificates. Approximately 76 percent of all cards punched were verified on a 10-percent systematic sample. The expected result from this system of verification is that on the average 2.25 percent of the cards will contain one or more errors. The rest of the cards were verified completely and the errors remaining are presumably very few.

Except for cause-of-death coding, both systems of verification involve controlling two types of error (coding and punching) at the same time. The error rates are a combined measure of both types. While it may be assumed that punching errors are randomly distributed across all items on the card, this assumption cannot be made as readily for coding errors. It is possible for systematic errors in coding infrequent events to escape detection during sample verification. For cause-of-death coding, this is controlled by listing out the rare and impossible codes from the computer and reverifying the cause-of-death assignment. This type of error is partially controlled for the other items by reverification of randomly selected lots from each operator's work.

The coding and punching of fetal deaths were verified completely because of their relatively small number.

After completion of the coding and punching, card counts were balanced against control totals for each shipment of records from a registration area. Impossible codes are selected out during the editing processes on the computer. Most of these (except for causes of death) are adjusted by arbitrary code assignments or correction on the basis of reference to the source record. All subsequent operations involved in tabulating and table preparation were verified either during the computer processing or by statistical clerks.

INTERPRETATION OF DATA

While vital statistics data are useful for a variety of administrative and scientific purposes, they cannot be correctly interpreted unless various qualifying factors, in addition to methods of classification, are taken into account. The factors to be considered depend upon the specific purposes for which the data are to be used. It is not feasible to discuss

¹⁶For a more complete report, see "Inquiry Into Diagnostic Evidence Supporting Medical Certifications of Death," by I. M. Moriyama, W. S. Baum, W. M. Haenszel, and B. F. Mattison, *Am. J. Pub. Health*, Vol. 48, No. 10, Oct. 1958, pp. 1376-1387.

all of the pertinent factors in the use of vital statistics tabulations, but some of the more important ones should be mentioned.

Most of the factors limiting the use of the data arise from imperfections in the original records or from the impracticability of tabulating these data in very detailed categories. These defects should not be ignored, but their existence does not vitiate the value of the data for most general purposes. Analysis of small differences or exact evaluation of vital statistics requires careful study of many related elements. However, major trends and differences will not usually be changed materially by finer analysis.

Completeness of registration

Although every State has adopted a law requiring the registration of births, deaths, and fetal deaths, these laws are not uniformly observed. In most areas practically all births and deaths are registered. For some areas, however, there is enough underregistration to affect the use of the statistics for certain purposes.

Quantitative information on completeness of death registration is not available. One condition for admission to the national registration areas was a demonstrated registration completeness of at least 90 percent, although the method used in testing completeness was subject to considerable error. It is believed that in the past, death registration for the United States has been more complete than birth registration, but the difference now may be rather small. There is evidence, however, that in certain isolated areas, incomplete registration is still a problem. For example, a study made in a few selected counties of Tennessee, where the death rates for 1949 to 1951 were unusually low, served to locate a number of unregistered deaths.¹⁷ A similar situation may exist in other States.

Population bases

Death rates shown in this report for the United States and the individual States are based on the populations present in the respective areas. These populations exclude the Armed Forces overseas and persons living abroad but include the Armed Forces stationed in each area.

Population estimates for 1963.—Estimates of the population by age, color, and sex in 1963 are published by the Bureau of the Census in *Current Population Reports*, Series P-25, No. 276, and are shown in tables 6-3 and 6-4. The total resident population, excluding Armed Forces abroad, is shown in table 6-4 and the population including the Armed Forces overseas in table 6-3. These populations are based on data from the 1960 census, final counts of births and deaths for 1960 and preliminary counts through June 1963, statistics on persons arriving from abroad as reported by the Immigration and Naturalization Service, and data on the size and distribution of the Armed Forces.

¹⁷Tennessee Department of Public Health: Results of survey of death registration completeness. *The Spotlight*, Jan. 1954.

Provisional estimates of the total resident population in each State and Puerto Rico are shown in table 6-6. These estimates are consistent with the 1960 census counts and with the revised estimates of these areas for July 1, 1962 and 1961, published in Series P-25, No. 272.

Population estimates for 1962 and 1963 excluding New Jersey.—As indicated in the section on race and color, the birth, death, and fetal death records of the State of New Jersey did not contain the race item in the beginning of 1962. The certificate revision without this item was used for most of 1962 as well as 1963. Therefore NCHS estimated a population base by color for these years which excluded New Jersey. The estimates for 1963 are shown in table 6-5 of this report. Those for 1962 are shown in the comparable report for that year. The procedure used to make these estimates rests on the assumption that the ratio of the population of the United States excluding New Jersey classified by age, color, and sex to the total population of the United States classified by age, color, and sex can be represented by a ratio based on corresponding data from the 1960 Census of Population. Ratios derived in this manner were applied to the U.S. population for 1962¹⁸ and that for 1963¹⁹ in each specific age, sex, and color group to estimate populations which exclude New Jersey.

Revised rates for 1951-59.—Death rates for 1951-59 shown in this report are based on final intercensal estimates of the population. Rates for these years differ from those previously published for 1960, 1961, and 1962 because these rates were computed on preliminary intercensal estimates. With the exception of the terminal age group 85 years and over, differences between the preliminary and final estimates are negligible. The percentage differences between the two series for the terminal age group are shown below. (Preliminary intercensal estimates are used as a base.)

	White		Nonwhite	
	Male	Female	Male	Female
1959 -----	-0.3	-2.3	-3.3	0
1958 -----	-1.9	-4.8	-6.9	0
1957 -----	-2.2	-6.7	-7.2	0
1956 -----	-2.3	-7.9	-7.4	0
1955 -----	-1.7	-8.2	-7.7	-2.9
1954 -----	-0.4	-7.7	-12.0	-3.0
1953 -----	0	-7.2	-8.7	-3.1
1952 -----	-0.4	-5.9	-9.1	-6.5
1951 -----	+0.4	-4.3	-9.5	-3.4

¹⁸U.S. Bureau of the Census: Estimates of the population of the United States, by age, color, and sex, July 1, 1950 to 1962. *Current Population Reports*, Series P-25, No. 265. Washington, D.C., 1963.

¹⁹U.S. Bureau of the Census: Estimates of the population of the United States, by age, color, and sex, July 1, 1963. *Current Population Reports*, Series P-25, No. 276. Washington, D.C., 1963.

Age-adjusted death rates

Age-adjusted death rates shown in this report are the death rates that would have been obtained if the age-specific rates for 1963, computed for 10-year age intervals, prevailed in a standard population whose age distribution was the same as that of the enumerated population in 1940. The rates for the total population and for each color-sex group were adjusted separately, using the same standard population. It is important not to compare age-adjusted death rates directly with crude rates shown in other tables.

Age-adjusted death rates for 1951-59 shown in table 1-2 of this report differ slightly from those shown in comparable reports for 1960, 1961, and 1962. The age-specific rates used

to compute these age-adjusted rates were recomputed on recently revised populations for 1951-59.

Symbols used in tables

Data not available-----
 Category not applicable-----
 Quantity zero-----
 Quantity more than 0 but less than 0.05-----
 Figure does not meet standards of reliability or precision -----

Table 6-2. Population of Birth- and Death-Registration States, 1900-1932, and United States, 1900-1963
 (Population enumerated as of April 1 for 1940, 1950, and 1960 and estimated as of July 1 for all other years)

YEAR	UNITED STATES ¹		YEAR	UNITED STATES ¹		BIRTH-REGISTRATION STATES		DEATH-REGISTRATION STATES	
	Population including Armed Forces abroad	Population residing in area		Population including Armed Forces abroad	Population residing in area	Number of States ²	Population residing in area	Number of States ²	Population residing in area
1963-----	189,278,000	188,531,000	1932-----	124,949,000	124,840,471	47	118,903,899	47	118,903,899
1962-----	186,591,000	185,822,000	1931-----	124,149,000	124,039,648	46	117,455,229	47	118,148,987
1961-----	183,642,000	182,953,000	1930-----	123,188,000	123,076,741	46	116,544,946	47	117,238,278
1960-----	180,004,000	179,323,175	1929-----	---	121,769,939	46	115,317,450	46	115,317,450
1959-----	177,261,000	176,513,000	1928-----	---	120,501,115	44	113,636,160	44	113,636,160
1958-----	174,060,000	173,320,000	1927-----	---	119,039,062	40	104,320,830	42	107,084,532
1957-----	171,198,000	170,371,000	1926-----	---	117,399,225	35	90,400,590	41	103,822,633
1956-----	168,176,000	167,306,000	1925-----	---	115,831,963	33	88,284,564	40	102,031,555
1955-----	165,270,000	164,308,000	1924-----	---	114,113,463	33	87,000,295	39	99,318,098
1954-----	162,417,000	161,164,000	1923-----	---	111,949,945	30	81,072,123	38	95,788,197
1953-----	159,636,000	158,242,000	1922-----	---	110,054,778	30	79,560,746	37	92,702,901
1952-----	157,028,000	155,687,000	1921-----	---	108,541,469	27	70,807,090	34	87,614,447
1951-----	154,360,000	153,310,000	1920-----	---	106,466,420	23	63,597,307	34	86,079,263
1950-----	151,132,000	150,697,361	1919-----	105,062,747	104,512,110	22	61,212,076	33	83,157,982
1949-----	149,188,000	148,665,000	1918-----	104,549,886	103,202,801	20	55,153,782	30	79,008,412
1948-----	146,631,000	146,093,000	1917-----	103,413,743	103,265,913	20	55,197,952	27	70,234,775
1947-----	144,126,000	143,446,000	1916-----	---	101,965,984	11	32,944,013	26	66,971,177
1946-----	141,389,000	140,054,000	1915-----	---	100,549,013	10	31,096,697	24	61,894,847
1945-----	139,928,000	138,481,000	1914-----	---	99,117,567	---	---	24	60,863,309
1944-----	138,397,000	137,885,000	1913-----	---	97,226,814	---	---	23	58,156,740
1943-----	136,739,000	134,245,000	1912-----	---	95,331,300	---	---	22	54,847,700
1942-----	134,860,000	133,920,000	1911-----	---	93,867,814	---	---	22	53,929,644
1941-----	133,402,000	133,121,000	1910-----	---	92,406,536	---	---	20	47,470,437
1940-----	131,820,000	131,669,275	1909-----	---	90,491,525	---	---	18	44,223,513
1939-----	131,028,000	130,879,718	1908-----	---	88,708,976	---	---	17	38,634,759
1938-----	129,969,000	129,824,939	1907-----	---	87,000,271	---	---	15	34,552,837
1937-----	128,961,000	128,824,829	1906-----	---	85,436,556	---	---	15	33,782,288
1936-----	128,181,000	128,053,180	1905-----	---	83,819,666	---	---	10	21,767,980
1935-----	127,362,000	127,250,232	1904-----	---	82,164,974	---	---	10	21,532,076
1934-----	126,485,000	126,373,773	1903-----	---	80,632,152	---	---	10	20,945,222
1933-----	125,690,000	125,578,763	1902-----	---	79,150,196	---	---	10	20,582,907
			1901-----	---	77,595,128	---	---	10	20,237,453
			1900-----	---	76,094,134	---	---	10	19,965,446

¹Alaska included beginning 1959, and Hawaii, 1960.
²The District of Columbia is not included in "Number of States," but it is represented in all data shown for each year.
 Source: U.S. Bureau of the Census: *Vital Statistics Rates in the United States, 1900-1940*; *Historical Statistics of the United States, Colonial Times to 1957*; *Statistical Abstract of the United States, 1963*; *Current Population Reports, Series P-25, Nos. 98, 265, 276*; and official records.

SECTION 6 - MORTALITY

6-17

Table 6-3. Estimates of the Total Population of the United States Including Armed Forces Abroad, by Age, Color, and Sex: July 1, 1963.

(Figures represent the sum of the total resident population and Armed Forces stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals)

AGE	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
ALL AGES-----	189,278,000	93,369,000	95,909,000	167,134,000	82,593,000	84,542,000	22,144,000	10,777,000	11,367,000
Under 1 year-----	4,075,000	2,080,000	1,995,000	3,423,000	1,752,000	1,671,000	652,000	328,000	324,000
1-4 years-----	16,647,000	8,474,000	8,173,000	14,118,000	7,209,000	6,910,000	2,529,000	1,265,000	1,264,000
5-9 years-----	20,012,000	10,171,000	9,841,000	17,153,000	8,742,000	8,411,000	2,859,000	1,429,000	1,429,000
10-14 years-----	18,000,000	9,153,000	8,848,000	15,540,000	7,922,000	7,619,000	2,460,000	1,231,000	1,229,000
15-19 years-----	15,536,000	7,872,000	7,664,000	13,631,000	6,922,000	6,709,000	1,905,000	950,000	955,000
20-24 years-----	12,600,000	6,315,000	6,285,000	11,096,000	5,582,000	5,514,000	1,503,000	733,000	771,000
25-29 years-----	10,971,000	5,449,000	5,522,000	9,649,000	4,826,000	4,823,000	1,322,000	623,000	699,000
30-34 years-----	11,385,000	5,625,000	5,760,000	10,043,000	5,002,000	5,041,000	1,343,000	623,000	719,000
35-39 years-----	12,343,000	6,054,000	6,289,000	10,983,000	5,422,000	5,561,000	1,360,000	632,000	728,000
40-44 years-----	12,261,000	5,989,000	6,272,000	10,989,000	5,387,000	5,602,000	1,271,000	602,000	670,000
45-49 years-----	11,234,000	5,501,000	5,733,000	10,119,000	4,970,000	5,148,000	1,115,000	530,000	585,000
50-54 years-----	10,255,000	5,018,000	5,237,000	9,262,000	4,538,000	4,724,000	993,000	480,000	513,000
55-59 years-----	8,866,000	4,307,000	4,558,000	8,046,000	3,906,000	4,141,000	819,000	402,000	418,000
60-64 years-----	7,528,000	3,585,000	3,943,000	6,860,000	3,259,000	3,601,000	668,000	327,000	341,000
65-69 years-----	6,242,000	2,866,000	3,376,000	5,756,000	2,638,000	3,118,000	486,000	228,000	258,000
70-74 years-----	5,093,000	2,284,000	2,809,000	4,695,000	2,101,000	2,594,000	399,000	184,000	215,000
75-79 years-----	3,404,000	1,486,000	1,918,000	3,162,000	1,373,000	1,789,000	242,000	113,000	129,000
80-84 years-----	1,826,000	756,000	1,070,000	1,687,000	692,000	995,000	139,000	64,000	75,000
85 years and over-----	1,002,000	385,000	617,000	922,000	351,000	571,000	80,000	34,000	46,000

Source: U.S. Bureau of the Census: Estimates of the population of the United States, by age, color, and sex: July 1, 1963. Current Population Reports, Series P-25, No. 276, 1963.

Table 6-4. Estimates of the Total Resident Population of the United States, by Age, Color, and Sex: July 1, 1963

(Figures include Armed Forces stationed in the United States but exclude those stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals)

AGE	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
ALL AGES-----	188,531,000	92,626,000	95,905,000	166,454,000	81,916,000	84,538,000	22,078,000	10,710,000	11,367,000
Under 1 year-----	4,075,000	2,080,000	1,995,000	3,423,000	1,752,000	1,671,000	652,000	328,000	324,000
1-4 years-----	16,647,000	8,474,000	8,173,000	14,118,000	7,209,000	6,910,000	2,529,000	1,265,000	1,264,000
5-9 years-----	20,012,000	10,171,000	9,841,000	17,153,000	8,742,000	8,411,000	2,859,000	1,429,000	1,429,000
10-14 years-----	18,000,000	9,153,000	8,848,000	15,540,000	7,922,000	7,619,000	2,460,000	1,231,000	1,229,000
15-19 years-----	15,411,000	7,748,000	7,663,000	13,517,000	6,809,000	6,708,000	1,694,000	940,000	955,000
20-24 years-----	12,306,000	6,023,000	6,284,000	10,830,000	5,316,000	5,513,000	1,477,000	706,000	770,000
25-29 years-----	10,857,000	5,336,000	5,522,000	9,547,000	4,724,000	4,823,000	1,311,000	612,000	699,000
30-34 years-----	11,297,000	5,557,000	5,760,000	9,962,000	4,922,000	5,041,000	1,335,000	615,000	719,000
35-39 years-----	12,285,000	5,997,000	6,289,000	10,930,000	5,369,000	5,561,000	1,355,000	627,000	728,000
40-44 years-----	12,217,000	5,945,000	6,271,000	10,949,000	5,347,000	5,602,000	1,268,000	598,000	670,000
45-49 years-----	11,215,000	5,482,000	5,733,000	10,101,000	4,953,000	5,148,000	1,114,000	529,000	585,000
50-54 years-----	10,249,000	5,013,000	5,237,000	9,257,000	4,533,000	4,723,000	992,000	479,000	513,000
55-59 years-----	8,864,000	4,306,000	4,558,000	8,045,000	3,905,000	4,141,000	819,000	401,000	418,000
60-64 years-----	7,528,000	3,585,000	3,943,000	6,860,000	3,259,000	3,601,000	668,000	327,000	341,000
65-69 years-----	6,242,000	2,866,000	3,376,000	5,756,000	2,638,000	3,118,000	486,000	228,000	258,000
70-74 years-----	5,093,000	2,284,000	2,809,000	4,695,000	2,101,000	2,594,000	399,000	184,000	215,000
75-79 years-----	3,404,000	1,486,000	1,918,000	3,162,000	1,373,000	1,789,000	242,000	113,000	129,000
80-84 years-----	1,826,000	756,000	1,070,000	1,687,000	692,000	995,000	139,000	64,000	75,000
85 years and over-----	1,002,000	385,000	617,000	922,000	351,000	571,000	80,000	34,000	46,000

Source: U.S. Bureau of the Census: Estimates of the population of the United States, by age, color, and sex: July 1, 1963. Current Population Reports, Series P-25, No. 276, 1963.

SECTION 6 - MORTALITY

Table 6-5. Estimates of the Total Resident Population of the United States, Excluding New Jersey, by Age, Color, and Sex: July 1, 1963

(Figures include Armed Forces stationed in the United States but exclude those stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals)

AGE	WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female
ALL AGES-----	160,649,000	79,075,000	81,574,000	21,509,000	10,436,000	11,072,000
Under 1 year-----	3,313,000	1,696,000	1,617,000	636,000	320,000	316,000
1-4 years-----	13,654,000	6,972,000	6,682,000	2,466,000	1,233,000	1,232,000
5-9 years-----	16,596,000	8,457,000	8,139,000	2,793,000	1,396,000	1,396,000
10-14 years-----	15,033,000	7,653,000	7,371,000	2,406,000	1,204,000	1,202,000
15-19 years-----	13,097,000	6,597,000	6,500,000	1,852,000	920,000	932,000
20-24 years-----	10,507,000	5,158,000	5,349,000	1,434,000	686,000	747,000
25-29 years-----	9,227,000	4,568,000	4,659,000	1,269,000	592,000	676,000
30-34 years-----	9,593,000	4,742,000	4,852,000	1,293,000	595,000	697,000
35-39 years-----	10,506,000	5,163,000	5,343,000	1,314,000	608,000	707,000
40-44 years-----	10,515,000	5,137,000	5,378,000	1,233,000	581,000	652,000
45-49 years-----	9,710,000	4,761,000	4,949,000	1,085,000	515,000	570,000
50-54 years-----	8,909,000	4,361,000	4,547,000	966,000	467,000	499,000
55-59 years-----	7,746,000	3,759,000	3,988,000	798,000	391,000	407,000
60-64 years-----	6,601,000	3,136,000	3,464,000	651,000	319,000	332,000
65-69 years-----	5,544,000	2,543,000	3,001,000	475,000	223,000	252,000
70-74 years-----	4,529,000	2,028,000	2,501,000	390,000	180,000	210,000
75-79 years-----	3,058,000	1,329,000	1,728,000	237,000	111,000	126,000
80-84 years-----	1,634,000	671,000	962,000	136,000	63,000	73,000
85 years and over-----	893,000	341,000	552,000	78,000	33,000	45,000

Source: Estimates prepared by the National Center for Health Statistics; for method of estimation, see text on population bases in this section.

Table 6-6. Provisional Estimates of the Total Resident Population of the United States, Each Division and State, and Puerto Rico: July 1, 1963

(Figures include Armed Forces stationed in each area and exclude Armed Forces stationed abroad. Due to rounding to the nearest thousand, detailed figures may not add to totals)

AREA	Population	AREA	Population	AREA	Population
UNITED STATES-----	168,551,000	EAST NORTH CENTRAL--Con.		EAST SOUTH CENTRAL--Con.	
GEOGRAPHIC DIVISIONS:		Illinois-----	10,182,000	Mississippi-----	2,290,000
New England-----	10,769,000	Michigan-----	8,116,000	WEST SOUTH CENTRAL:	
Middle Atlantic-----	35,603,000	Wisconsin-----	4,061,000	Arkansas-----	1,659,000
East North Central-----	37,226,000	WEST NORTH CENTRAL:		Louisiana-----	3,418,000
West North Central-----	15,664,000	Minnesota-----	3,500,000	Oklahoma-----	2,487,000
South Atlantic-----	27,705,000	Iowa-----	2,780,000	Texas-----	10,323,000
East South Central-----	12,425,000	Missouri-----	4,328,000	MOUNTAIN:	
West South Central-----	18,087,000	North Dakota-----	634,000	Montana-----	707,000
Mountain-----	7,645,000	South Dakota-----	737,000	Idaho-----	713,000
Pacific-----	23,407,000	Nebraska-----	1,460,000	Wyoming-----	337,000
NEW ENGLAND:		Kansas-----	2,225,000	Colorado-----	1,961,000
Maine-----	982,000	SOUTH ATLANTIC:		New Mexico-----	1,018,000
New Hampshire-----	627,000	Delaware-----	476,000	Arizona-----	1,553,000
Vermont-----	390,000	Maryland-----	3,289,000	Utah-----	983,000
Massachusetts-----	5,218,000	District of Columbia-----	798,000	Nevada-----	369,000
Rhode Island-----	885,000	Virginia-----	4,331,000	PACIFIC:	
Connecticut-----	2,666,000	West Virginia-----	1,778,000	Washington-----	3,050,000
MIDDLE ATLANTIC:		North Carolina-----	4,760,000	Oregon-----	1,826,000
New York-----	17,708,000	South Carolina-----	2,483,000	California-----	17,590,000
New Jersey-----	6,470,000	Georgia-----	4,140,000	Alaska-----	249,000
Pennsylvania-----	11,424,000	Florida-----	5,652,000	Hawaii-----	694,000
EAST NORTH CENTRAL:		EAST SOUTH CENTRAL:		Puerto Rico-----	2,529,000
Ohio-----	10,173,000	Kentucky-----	3,095,000		
Indiana-----	4,694,000	Tennessee-----	3,694,000		
		Alabama-----	3,347,000		

Source: U.S. Bureau of the Census: Provisional estimates of the population of States and Puerto Rico: July 1, 1963. Current Population Reports, Series P-25, No. 273, 1963.